

**WAC 51-11C-610335 Section A103.3.5—Stress skin panel.**

**A103.3.5 Stress-skin panel.** See Table A103.3.5.

**Table A103.3.5  
Stress Skin Panel**

	<b>Panel Thickness, Inches</b>	<b>U-factor</b>
NOTE: R-value of expanded polystyrene: R-3.85 per inch	3 1/2	0.071
	5 1/2	0.048
	7 1/4	0.037
	9 1/4	0.030
	11 1/4	0.025
Framing: 6% Spline: 8%		
No thermal bridging between interior and exterior splines		

[Statutory Authority: RCW 19.27A.020, 19.27A.025 and chapters 19.27 and 34.05 RCW. WSR 13-04-056, § 51-11C-610335, filed 2/1/13, effective 7/1/13.]