Chapter 49.24 RCW HEALTH AND SAFETY-UNDERGROUND WORKERS

Sections

| 49.24.010 49.24.020 49.24.030 49.24.040 49.24.060 49.24.070 49.24.070 49.24.100 49.24.120 49.24.120 49.24.120 49.24.140 49.24.150 49.24.140 49.24.150 49.24.140 49.24.140 49.24.120 49.24.200 49.24.300 | Pressure defined. Compressed air safety requirements. Medical and nursing attendants. Examination as to physical fitness. Penalty. Enforcement. Requirements for underground labor. Lighting appliances. Exhaust valves. Fire prevention. Air chambers—Hanging walks. Locks. Explosives and detonators. Air plant—Feed water. Electric power requirements. Inspection. Cars, cages, buckets—Employees riding or walking. Speed of vehicles. Oil supply restricted. Explosives, use of—Blasting. Firing switch—Warning by blaster. Inspection after blast. Code of signals. Requirements as to caissons. Shields to be provided. Caissons to be braced. Cages—Hoisting apparatus. Buckets in vertical shafts. Telephone system for tunnels. Location of lights. Generators, transformers, etc., to be grounded. Electrical voltage. Lamps to be held in reserve. Insulators required. |
|--|---|
| 49.24.360 49.24.370 49.24.380 | Insulators required. Director to make rules and regulations. Penalty. |
| | code: Title 78 RCW. |
| Protection of employees: State Constitution Art. 2 § 35. | |

Protection of employees: State Constitution Art. 2 § 35. Supervisor of safety: RCW 43.22.040.