

RCW 70.168.150 Emergency cardiac and stroke care system—
Voluntary hospital participation. (1) By January 1, 2011, the department shall endeavor to enhance and support an emergency cardiac and stroke care system through:

(a) Encouraging hospitals to voluntarily self-identify cardiac and stroke capabilities, indicating which level of cardiac and stroke service the facility provides. Hospital levels must be defined by the previous work of the emergency cardiac and stroke technical advisory committee and must follow the guiding principles and recommendations of the emergency cardiac and stroke work group report;

(b) Giving a hospital "deemed status" and designating it as a primary stroke center if it has received a certification of distinction for primary stroke centers issued by the nonprofit organization known as the joint commission. When available, a hospital shall demonstrate its cardiac or stroke level through external, national certifying organizations, including, but not limited to, primary stroke center certification by the joint commission; and

(c) Within the current authority of the department, adopting cardiac and stroke prehospital patient care protocols, patient care procedures, and triage tools, consistent with the guiding principles and recommendations of the emergency cardiac and stroke work group report.

(2) A hospital that voluntarily participates in the system:

(a) Shall participate in internal, as well as regional, quality improvement activities;

(b) Shall participate in a national, state, or local data collection system that measures cardiac and stroke system performance from patient onset of symptoms to treatment or intervention, and includes, at a minimum, the nationally recognized consensus measures for stroke; and

(c) May advertise participation in the system, but may not claim a verified certification level unless verified by an external, nationally recognized, evidence-based certifying body as provided in subsection (1)(b) of this section. [2010 c 52 § 3.]

Findings—Intent—2010 c 52: See note following RCW 70.168.015.