

(Effective until March 1, 2022.)

WAC 246-215-06205 Cleanability—Floors, walls, and ceilings, utility lines (2009 FDA Food Code 6-201.12). (1) Utility service lines and pipes may not be unnecessarily exposed.

(2) Exposed utility service lines and pipes must be installed so they do not obstruct or prevent cleaning of the floors, walls or ceilings.

(3) Exposed horizontal utility service lines and pipes may not be installed on the floor.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06205, filed 1/17/13, effective 5/1/13.]

(Effective March 1, 2022.)

WAC 246-215-06205 Cleanability—Floors, walls, and ceilings, utility lines (FDA Food Code 6-201.12). (1) Utility service lines and pipes may not be unnecessarily exposed.

(2) Exposed utility service lines and pipes must be installed so they do not obstruct or prevent cleaning of the floors, walls or ceilings.

(3) Exposed horizontal utility service lines and pipes may not be installed on the floor.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 21-01-122, § 246-215-06205, filed 12/15/20, effective 3/1/22; WSR 13-03-109, § 246-215-06205, filed 1/17/13, effective 5/1/13.]