

**(Effective August 1, 2023)**

**WAC 246-366A-060 General construction requirements.** School officials shall:

(1) Design school facilities to minimize conditions that attract, shelter, and promote the propagation of insects, rodents, bats, birds, and other pests of public health significance. This subsection does not mandate the installation of window screens nor does it prohibit the installation of retention ponds or rain gardens.

(2) Design school facilities with windows in sufficient number, size, and location to enable students to see outside at least fifty percent of the school day. Windows are optional in special purpose instructional areas including, but not limited to, theaters, music areas, multipurpose areas, gymnasiums, auditoriums, shops, laboratories, libraries, and seminar areas.

(3) Provide sun control to exclude direct sunlight from window areas and skylights of instructional areas, assembly rooms and meeting rooms during at least eighty percent of the normal school hours. Each area must be considered as an individual case. Sun control is not required for sun angles less than forty-two degrees up from the horizontal. Sun control is not required if air conditioning is provided or special glass is installed having a total solar energy transmission factor less than sixty percent.

(4) Provide surfaces on steps that reduce the risk of injury caused by slipping.

(5) Provide floors throughout the school facility that are appropriate for the intended use, easily cleanable and can be dried effectively to inhibit mold growth. These floor materials include, but are not limited to, wood, vinyl, linoleum, and tightly woven carpets with water impervious backing.

(6) Provide reasonably sufficient space for the storage of play equipment, instructional equipment, and outdoor clothing. The space must be reasonably accessible, lighted, and ventilated.

(7) Provide measures to reduce potential injury from fall hazards, including but not limited to, retaining walls; performance arts stages and orchestra pits; balconies; mezzanines; and other similar areas of drop-off to a lower floor.

(8) Provide the following items for health rooms, if health rooms are provided:

(a) The means to visually supervise and provide privacy of room occupants;

(b) Surfaces that can be easily cleaned and sanitized;

(c) A handwashing sink in the room;

(d) An adjoining restroom; and

(e) Mechanical exhaust ventilation so that air does not flow from the health room to other parts of the school facility.

[Statutory Authority: RCW 43.20.050. WSR 10-01-174, 10-12-018, 11-10-080, 13-09-040, 15-09-070, 17-14-055, 19-14-107, 21-14-056, and 22-14-021, § 246-366A-060, filed 12/22/09, 5/21/10, 5/3/11, 4/11/13, 4/15/15, 6/28/17, 7/2/19, 7/1/21, and 6/24/22, effective 8/1/23.]