

**(Effective until March 15, 2024)**

**WAC 51-51-01010 Scope.** The provisions of the *International Residential Code for One- and Two-Family Dwellings* shall apply to the construction, alteration, movement, enlargement, replacement, repair, equipment, use and occupancy, location, removal and demolition of detached one- and two-family dwellings, adult family homes, and townhouses not more than three stories above grade plane in height with a separate means of egress and their accessory structures not more than three stories above grade plane in height.

EXCEPTIONS:

1. Live/work units located in townhouses and complying with the requirements of Section 419 of the *International Building Code* shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-Family Dwellings*. Fire suppression required by Section 419.5 of the *International Building Code* where constructed under the *International Residential Code for One- and Two-Family Dwellings* shall conform to Appendix U.
2. Owner-occupied lodging houses with one or two guestrooms shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-Family Dwellings*.
3. Owner-occupied lodging homes with three to five guestrooms shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-Family Dwellings* where equipped with a fire sprinkler system in accordance with Appendix U.

[Statutory Authority: RCW 19.27.031 and 19.27.074. WSR 20-03-023, § 51-51-01010, filed 1/6/20, effective 7/1/20; WSR 16-03-025, § 51-51-01010, filed 1/11/16, effective 7/1/16.]

**(Effective March 15, 2024)**

**WAC 51-51-01010 Section R101—Scope and general requirements.**

**R101.2 Scope.** The provisions of the *International Residential Code for One- and Two-Family Dwellings* shall apply to the construction, alteration, movement, enlargement, replacement, repair, equipment, use and occupancy, location, removal and demolition of detached one- and two-family dwellings, adult family homes, and townhouses not more than three stories above grade plane in height with a separate means of egress and their accessory structures not more than three stories above grade plane in height.

EXCEPTIONS:

1. Live/work units located in townhouses and complying with the requirements of Section 508.5 of the *International Building Code* shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-Family Dwellings*. An automatic sprinkler system required by Section 508.5.7 of the *International Building Code* where constructed under the *International Residential Code for One- and Two-Family Dwellings* shall conform to Appendix U.
2. Owner-occupied lodging houses with one or two guestrooms shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-Family Dwellings*.
3. Owner-occupied lodging homes with three to five guestrooms shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-Family Dwellings* where equipped with an automatic fire sprinkler system in accordance with Appendix U.
4. A care facility with five or fewer persons receiving custodial care within a dwelling unit shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-Family Dwellings* where equipped with an automatic fire sprinkler system in accordance with Appendix U.
5. A care facility with five or fewer persons receiving medical care within a dwelling unit shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-Family Dwellings* where equipped with an automatic fire sprinkler system in accordance with Appendix U.
6. A care facility with five or fewer persons receiving care that are within a single-family dwelling shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-Family Dwellings* where equipped with an automatic fire sprinkler system in accordance with Appendix U.

[Statutory Authority: RCW 19.27.031 and 19.27.074. WSR 23-02-058, 23-12-104, and 23-20-024, § 51-51-01010, filed 1/3/23, 6/7/23, and 9/25/23, effective 3/15/24; WSR 20-03-023, § 51-51-01010, filed 1/6/20, effective 7/1/20; WSR 16-03-025, § 51-51-01010, filed 1/11/16, effective 7/1/16.]

**(Effective March 16, 2024)**

**WAC 51-51-01010 Section R101—Scope and general requirements.**

**R101.2 Scope.** The provisions of the *International Residential Code for One- and Two-Family Dwellings* shall apply to the construction, alteration, movement, enlargement, replacement, repair, equipment, use and occupancy, location, removal and demolition of detached one- and two-family dwellings, adult family homes, and townhouses not more than three stories above grade plane in height with a separate means of egress and their accessory structures not more than three stories above grade plane in height.

EXCEPTIONS:

1. Live/work units located in townhouses and complying with the requirements of Section 508.5 of the *International Building Code* shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-Family Dwellings*. An automatic sprinkler system required by Section 508.5.7 of the *International Building Code* where constructed under the *International Residential Code for One- and Two-Family Dwellings* shall conform to Appendix AWU.
2. Owner-occupied lodging houses with one or two guestrooms shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-Family Dwellings*.
3. Owner-occupied lodging homes with three to five guestrooms shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-Family Dwellings* where equipped with an automatic fire sprinkler system in accordance with Appendix AWU.
4. A care facility with five or fewer persons receiving custodial care within a dwelling unit shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-Family Dwellings* where equipped with an automatic fire sprinkler system in accordance with Appendix AWU.
5. A care facility with five or fewer persons receiving medical care within a dwelling unit shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-Family Dwellings* where equipped with an automatic fire sprinkler system in accordance with Appendix AWU.
6. A care facility with five or fewer persons receiving care that are within a single-family dwelling shall be permitted to be constructed in accordance with the *International Residential Code for One- and Two-Family Dwellings* where equipped with an automatic fire sprinkler system in accordance with Appendix AWU.

[Statutory Authority: RCW 19.27.031 and 19.27.074. WSR 23-23-104, § 51-51-01010, filed 11/15/23, effective 3/16/24; WSR 23-02-058, 23-12-104, and 23-20-024, § 51-51-01010, filed 1/3/23, 6/7/23, and 9/25/23, effective 3/15/24; WSR 20-03-023, § 51-51-01010, filed 1/6/20, effective 7/1/20; WSR 16-03-025, § 51-51-01010, filed 1/11/16, effective 7/1/16.]