WAC 296-54-99014



HIGH LEAD YARDING SYSTEM






Figure 59: High Lead Yarding System



NORTH BEND YARDING SYSTEM

Figure 60: North Bend Yarding System



FENCED.

GUY LINE LOADING






Figure 63: Guy Line Loading

HAYRACK BOOM LOADING



- (T) Tail-Hold to Stump
- (1) Loading Boom
- (2) Sail Guy
- (3) Loading Block
- (4) Sail Block
- (5) Load Line Lead Block
- (6) Squirrel Line Swing Block
- (7) Squirrel Suspension Block
- (8) Haul-Back Lead Block
- (9) Haul-Back Swing Block
- (10) Tree Shoe or Jack
- (11) Tong Line Block
- (12) Loading Boom Safety Guy
- (13) Squirrel or Counterweight
- (14) Buckle Guys
- (15) Loading Line
- (16) Tong Lines
- (17) Boom Swing Line
- (18) Boom Haul-Back Line
- (19) Boom Hold-up Straps
- (20) Loading Tongs

Figure 64: Hayrack Boom Loading



SPREADER BAR LOADING Figure 65: Spreader Bar Loading [Statutory Authority: RCW 49.17.010, [49.17].040 and [49.17].050. WSR 99-17-117, § 296-54-99014, filed 8/18/99, effective 12/1/99.]