



RULE-MAKING ORDER

(RCW 34.05.360)

CR-103 (7/22/01)

Agency: Department of Agriculture

- Permanent Rule
- Emergency Rule
- Expedited Rule Making

(1) Date of adoption: November 27, 2002

(2) Purpose: To repeal current Wood Destroying Organism rules (WAC 16-228-2000, WAC 16-228-2020, WAC 16-228-2030, and WAC 16-228-2040), which are somewhat vague and difficult to understand, and replace them with new rule sections (WAC 16-228-2005, 16-228-2015, 16-228-2025, 16-228-2035, 16-228-2045, 16-228-2050, and 16-228-2060), which are clear, understandable and updated to reflect current industry practices. Clear WDO rules are easier for structural pest inspectors, real estate agents, and consumers to understand. They will help inspectors better understand what is required of them during a structural pest inspection and will provide consumers with a better understanding of the service to which they are entitled during an inspection. Clearer WDO rules will also be easier for the department to administer and enforce.

(3) Citation of existing rules affected by this order:

- Repealed: WAC 16-228-2000, WAC 16-228-2020, WAC 16-228-2030, and WAC 16-228-2040
- Amended: None
- Suspended: None

(4) Statutory authority for adoption: RCW 15.58.040
Other Authority: Chapter 34.05 RCW

PERMANENT RULE ONLY (Including Expedited Rule Making)

Adopted under notice filed as WSR 02-14-092 (7-1-02), WSR 02-18-023 (8-23-02), WSR 02-19-107 (9-18-02), WSR 02-23-096 (11-20-02) and WSR 02-24-016 (11-25-02).
Describe any changes other than editing from proposed to adopted version: See attachment

EMERGENCY RULE ONLY

Under RCW 34.05.350 the agency for good cause finds:

- (a) That immediate adoption, amendment, or repeal of a rule is necessary for the preservation of the public health, safety, or general welfare, and that observing the time requirements of notice and opportunity to comment upon adoption of a permanent rule would be contrary to the public interest.
- (b) That state or federal law or federal rule or a federal deadline for state receipt of federal funds requires immediate adoption of a rule.

Reasons for this finding:

(5.3) Any other findings required by other provisions of law as precondition to adoption or effectiveness of rule?

- Yes
 - No
- If Yes, explain:

(6) Effective date of rule:

Permanent Rules

- 31 days after filing
- Other (specify) _____*

Emergency Rules

- Immediately
- Later (specify) _____

*(If less than 31 days after filing, specific finding in 5.3 under RCW 34.05.380(3) is required)

Name (Type or Print)
Valoria H. Loveland

Signature
Valoria H. Loveland

Title: Director
Date: November 27, 2002

CODE REVISER USE ONLY

DATE	FILE
TIME	FILE
WSR	02-24-025

(COMPLETE REVERSE SIDE)

**Note: If any category is left blank, it will be calculated as zero.
No descriptive text.**

Count by whole WAC sections only, from the WAC number through the history note.
A section may be counted in more than one category.

The number of sections adopted in order to comply with:

Federal statute:	New	0	Amended	0	Repealed	0
Federal rules or standards:	New	0	Amended	0	Repealed	0
Recently enacted state statutes:	New	0	Amended	0	Repealed	0

The number of sections adopted at the request of a nongovernmental entity:

New	0	Amended	0	Repealed	0
-----	---	---------	---	----------	---

The number of sections adopted in the agency's own initiative:

New	7	Amended	0	Repealed	4
-----	---	---------	---	----------	---

The number of sections adopted in order to clarify, streamline, or reform agency procedures:

New	0	Amended	0	Repealed	0
-----	---	---------	---	----------	---

The number of sections adopted using:

Negotiated rule making:	New	0	Amended	0	Repealed	0
Pilot rule making:	New	0	Amended	0	Repealed	0
Other alternative rule making:	New	7	Amended	0	Repealed	4

Department of Agriculture

Attachment to CR-103 permanent rule filing for Wood Destroying Organisms

Changes from Proposed Rule to Adopted Rule

As a result of the public hearing process, the following changes were made between the proposed rule and the adopted rule:

WAC 16-228-2005 Wood destroying organism inspections and reporting criteria.

All persons required to be licensed to conduct wood destroying organism (WDO) inspections (~~(as provided for in the Revised Code of Washington (RCW) 15.58.210)~~) must comply with the rules set forth in this ~~((section))~~ chapter.

WAC 16-228-2035 Complete wood destroying organism inspections. (1) Any WDO inspection conducted by any person pursuant to the sale, exchange, or refinancing of real property or, as a result of telephone solicitation by an inspection, pest control, or other business, must be a complete WDO inspection. Complete WDO inspections must be performed by individuals required to be licensed (~~(in accordance with the provisions of RCW 15.58.210)~~). Such inspections will be conducted in accordance with the rules established by this ~~((section))~~ chapter.

- We deleted the references to RCW 15.58.210 because, if this had been allowed to remain, it would have limited the WDO rules to only those structural pest inspectors falling under the licensing authority of Chapter 15.58 RCW, which includes Commercial Consultants, and would have excluded those who fall under Chapter 17.21 RCW, primarily Pest Control Operators.
- We have also changed the word “section” to “chapter” as chapter is the more correct term to use.

As a result of these changes, the adopted language reads as follows:

WAC 16-228-2005 Wood destroying organism inspections and reporting criteria.

All persons required to be licensed to conduct wood destroying organism (WDO) inspections must comply with the rules set forth in this chapter.

WAC 16-228-2035 Complete wood destroying organism inspections. (1) Any WDO inspection conducted by any person pursuant to the sale, exchange, or refinancing of real property or, as a result of telephone solicitation by an inspection, pest control, or other business, must be a complete WDO inspection. Complete WDO inspections must be performed by individuals required to be licensed. Such inspections will be conducted in accordance with the rules established by this chapter.

WAC 16-228-2045 Complete wood destroying organism inspection reports.

(6) Diagrams: A diagram must be prepared for each inspection report (~~and must accompany the report~~). Upon request, a copy must be provided to the person paying for and/or otherwise requesting the inspection.

(a) A diagram is not required when there are no findings as described in WAC 16-228-2015 and 16-228-2025.

(b) Scaled diagrams are not required; however, diagrams must reasonably resemble the perimeter or footprint of the building being inspected and legibly convey any information that is a required part of the diagram.

(c) Diagrams must identify the approximate location of inaccessible areas.

(d) Diagrams must identify the approximate location of WDOs, damage, and/or conducive conditions leading to an infestation of WDOs.

(e) Where abbreviations are used on a diagram, a legend must be provided to explain the abbreviations.

(f) When a diagram is not provided as a part of the report, the following statement must appear in a prominent location. "WAC 16-228-2045 requires that a diagram be prepared for WDO inspection reports. A copy is available upon request."

(g) Locations for this statement include, but are not limited to, the following:

(i) Above or beneath the WSDA ICN;

(ii) On written documents such as preinspection agreements or attachments to the report.

(h) This statement must stand out by having larger print than the main body of the report, be highlighted, or be in bold print.

- In response to public hearing comments that a diagram is unnecessary and is rarely requested by customers in certain areas of the state, we deleted the requirement that a copy of the diagram must accompany each inspection report and replaced it with "Upon request, a copy must be provided to the person paying for and/or otherwise requesting the inspection."
- To insure that customers who want a copy of the inspection diagram receive one, we added the language in subsection (f).
- The added language in subsection (g) and (h) gives an inspector guidance as to where and how the subsection (f) language should appear.
- The modified language in WAC 16-228-2045 (6) gives structural pest inspectors maximum flexibility as to how, if, and when their customers

receive the diagram and how those inspectors inform their customers of its availability.

As a result of these changes, the adopted language reads as follows:

WAC 16-228-2045 Complete wood destroying organism inspection reports.

(6) Diagrams: A diagram must be prepared for each inspection report. Upon request, a copy must be provided to the person paying for and/or otherwise requesting the inspection.

(a) A diagram is not required when there are no findings as described in WAC 16-228-2015 and 16-228-2025.

(b) Scaled diagrams are not required; however, diagrams must reasonably resemble the perimeter or footprint of the building being inspected and legibly convey any information that is a required part of the diagram.

(c) Diagrams must identify the approximate location of inaccessible areas.

(d) Diagrams must identify the approximate location of WDOs, damage, and/or conducive conditions leading to an infestation of WDOs.

(e) Where abbreviations are used on a diagram, a legend must be provided to explain the abbreviations.

(f) When a diagram is not provided as a part of the report, the following statement must appear in a prominent location. "WAC 16-228-2045 requires that a diagram be prepared for WDO inspection reports. A copy is available upon request."

(g) Locations for this statement include, but are not limited to, the following:

(i) Above or beneath the WSDA ICN;

(ii) On written documents such as preinspection agreements or attachments to the report.

(h) This statement must stand out by having larger print than the main body of the report, be highlighted, or be in bold print.

NEW SECTION

WAC 16-228-2005 Wood destroying organism inspections and reporting criteria. All persons required to be licensed to conduct wood destroying organism (WDO) inspections must comply with the rules set forth in this chapter.

(1) **Purpose:** This section will define terms associated with WDO inspections, identify the types of and specify the uses for WDO inspections and reports, and establish minimum rules under which WDO inspections must be conducted and reports written in the state of Washington.

(2) **Definitions:** The definitions set forth in this section must apply throughout unless the context otherwise requires. Definitions contained in this section are nonexclusive to other uses in expanded or contracted form found elsewhere in the RCW or the Washington Administrative Code (WAC).

(a) **Accessible areas:** Areas typically and routinely visible by normal access.

(b) **Conducive debris:** Cellulose or noncellulose material that provides no structural support but can be a source of food or provide a habitat for WDOs. This definition includes, but is not limited to, tree roots, stumps, formboards, scrap wood, paper, wood product, paper product, or other natural or manufactured product.

(c) **Complete wood destroying organism inspection:** Inspection for the purpose of determining evidence of infestation, damage, or conducive conditions as part of the transfer, exchange, or refinancing of any structure in Washington state. Complete WDO inspections must also include any WDO inspection that is conducted as the result of telephone solicitation by an inspection, pest control, or other business, even if the inspection would fall within the definition of a specific WDO inspection.

(d) **Conducive conditions:** Conditions that may lead to or enhance an infestation of WDOs.

(e) **Detached structure:** Separate structure that is not physically connected to the subject structure by a foundation or roof system.

(f) **Earth:** Includes, but is not limited to, soil, decorative bark, gravel, rock, or other landscape materials.

(g) **Excluded area:** Area not inspected and therefore, not included in a WDO inspection.

(h) **Frass:** Specifically, solid larval insect excrement, but can include by-products of insect feeding or tunneling activity in wood or insulation materials.

(i) **Inaccessible areas:** Parts of a structure that cannot be inspected without excavation or the physical removal of objects are inaccessible and may be subject to infestation by WDOs. Such areas include, but are not limited to, wall voids, spaces between floors,

areas concealed by insulation, substructures with clearances less than eighteen inches between unimproved ground and wood joists or the bottom of wood structural floors without joists or, less than twelve inches between unimproved ground and wood girders, substructures with insufficient clearance between structural members and/or ducts and piping and the finished grade to permit passage by an inspector for the purposes of a WDO inspection, floors beneath coverings, sleeper floors, areas concealed by furniture, appliances, and/or personal possessions, exterior wood decks with less than a five-foot clearance, locked rooms, or areas that imperil the health or safety of the inspector. These rules will not require inspectors to make extraordinary efforts to gain access to areas deemed inaccessible by the inspector. Inaccessible areas are, by their nature, excluded from the inspection.

(j) Inadequate ventilation: Condition promoting the retention of excessive moisture in substructures or other confined spaces and identified by, but not limited to, the presence of metal rust, condensation, mold, mildew, or fungal growth.

(k) Specific wood destroying organism inspection: Inspection of a structure for purposes of identifying or verifying evidence of an infestation of WDOs prior to pest management activities.

(l) Person is defined as any individual, partnership, association, corporation, or organized group of persons whether or not incorporated.

(m) Structure: A single building that includes any exterior attached decks, walks, stairways, or porches. For the purposes of this definition, entry and exit decks to manufactured homes are considered to be a part of the structure.

(n) Wood: Any material used in a structure that can be damaged by WDOs.

(o) Wood destroying organism: Insects or fungi that will consume, excavate, develop in, or otherwise modify the integrity of wood or wood products. For the purposes of this section, WDOs include, but are not limited to, carpenter ants, moisture ants, subterranean termites, dampwood termites, beetles in the family Anobiidae, and wood decay fungi (wood rot).

(p) Wood destroying organism inspection: The service of inspecting a building for the presence of WDOs, their damage, or conducive conditions leading to their development. For purposes of these rules, a WDO inspection must be defined as either a "complete WDO inspection" or a "specific WDO inspection."

(q) Wood destroying organism inspection report: The written opinion of an inspector licensed by the WSDA and based upon what was visible and evident at the time of an inspection.

(r) WSDA: Washington state department of agriculture.

NEW SECTION

WAC 16-228-2035 Complete wood destroying organism inspections. (1) Any WDO inspection conducted by any person pursuant to the sale, exchange, or refinancing of real property or, as a result of telephone solicitation by an inspection, pest control, or other business, must be a complete WDO inspection and must be performed by individuals required to be licensed. Such inspections will be conducted in accordance with the rules established by this chapter.

(2) Inspectors must make a thorough inspection of accessible areas that are not specifically excluded in the report. Inspectors will not be required to place themselves into a position or gain access to any portion of a structure that may cause physical injury or otherwise imperil their health and safety. Access to structures should be restricted to the use of accepted methods and practices.

(3) Substructure crawl areas must be inspected when accessible. Inaccessibility of substructure crawl areas due to inadequate clearance, the presence of ducting or piping, foundation walls, partitions or other such conditions that block access must be explained in the inspection report and annotated on the report diagram. The report findings must state that inaccessible substructure crawl areas may be vulnerable to infestation by WDOs and should be made accessible for inspection.

(4) Limits of inspections: Complete WDO inspections will identify conditions present at a subject property at the time of an inspection. Inspectors are not required to report on any WDO infestation or other condition that might be subject to seasonal constraints or environmental conditions if evidence of those constraints or conditions is not visible at the time of the inspection.

NEW SECTION

WAC 16-228-2045 Complete wood destroying organism inspection reports. (1) Any report that identifies damage or infestation by WDOs or, conditions conducive to damage or infestation by WDOs pursuant to the sale, exchange, or refinancing of any structure or, as a result of telephone solicitation by an inspection, pest control, or other business, must be a complete WDO inspection report and must comply with this section. The terms "Report" or "report" as used in this section will mean a complete WDO inspection report.

(2) Report form: A written report may take any form in presentation, provided that all elements of this section are included and identifiable.

(3) A complete WDO inspection report must be issued to the person paying for and/or otherwise requesting the inspection.

(4) Report contents: Reports must contain the information identified in this section, when and where applicable.

(a) Washington state department of agriculture inspection control number (WSDA ICN): A WSDA ICN must be obtained in accordance with the provisions of RCW 15.58.450 and be prominently displayed in the upper third of the front page of each report. This number must be unique to the structure(s) subject to the report. The assigned WSDA ICN must follow the original report and supplemental reports (if any) pertaining to the sale, exchange, or refinancing activity on a property for a specific client. A new WSDA ICN must be issued for any subsequent sale, exchange, or refinancing activity.

(b) Date: The date the inspection was conducted must be provided on the first page of the report.

(c) Parties involved in the real estate transaction: The name of the property owner, their designated representative, or purchaser of the inspection report must be identified on the first page of the report.

(d) Address of structure inspected: The complete address will include, but is not limited to, building number, street name, city, and state and must be identified on the first page of the report. Where multiple structures at a property may have the same basic address, a building letter, unit number, or other recognizable method must be used to identify the specific building inspected.

(e) Inspector: The name of the inspector and WSDA license number must be provided on the first page of the report.

(5) Report of findings: A complete WDO inspection report must detail the findings of the inspector. The following minimum conditions, where applicable, must be in the body of the report.

(a) Damage and/or infestation by WDOs: The report must identify any damage or infestation by WDOs on or in the structure.

(b) Conditions conducive to damage and/or infestation by WDOs must be explained in narrative form in accordance with the provisions of WAC 16-228-2025. When evidence of moisture ants, dampwood termites, wood infesting anobiids, or wood decay fungi is detected during a complete WDO inspection, the inspector must identify and report the condition(s) conducive to such infestations. It must be stated in the report that such infestations may be eliminated by removal of all infested wood and correction of any contributing conducive conditions.

(c) When reporting conducive conditions, the inspector must describe the condition and annotate the diagram with an approximate location of that condition. Provided that; if conducive conditions within the interior of the structure can be clearly described in the report findings, diagramed representation of such conditions is not required.

(d) Inaccessible areas will be fully identified in narrative form where such areas are annotated on the report diagram.

(e) Excluded areas: The report must list all excluded areas not already defined in WAC 16-228-2005 (2)(i) as inaccessible.

(6) Diagrams: A diagram must be prepared for each inspection report. Upon request, a copy must be provided to the person paying for and/or otherwise requesting the inspection.

(a) A diagram is not required when there are no findings as described in WAC 16-228-2015 and 16-228-2025.

(b) Scaled diagrams are not required; however, diagrams must reasonably resemble the perimeter or footprint of the building being inspected and legibly convey any information that is a required part of the diagram.

(c) Diagrams must identify the approximate location of inaccessible areas.

(d) Diagrams must identify the approximate location of WDOs, damage, and/or conducive conditions leading to an infestation of WDOs.

(e) Where abbreviations are used on a diagram, a legend must be provided to explain the abbreviations.

(f) When a diagram is not provided as part of the report, the following statement must appear in a prominent location. "WAC 16-228-2045 requires that a diagram be prepared for WDO inspection reports. A copy is available upon request."

(g) Locations for this statement include, but are not limited to, the following:

(i) Above or beneath the WSDA ICN;

(ii) On written documents such as preinspection agreements or attachments to the report.

(h) This statement must stand out by having larger print than the main body of the report, be highlighted, or be in bold print.

(7) Excluded areas must be annotated on the diagram.

(8) A record of all complete WDO inspection reports prepared for real estate transactions or resulting from telephone solicitation must be maintained on file by the inspecting firm for a period of four years. Upon written request, these records must be made available to the WSDA.

NEW SECTION

WAC 16-228-2015 Wood destroying organisms. (1) Evidence of WDOs found during an inspection must be described in all complete and specific WDO inspection reports. Report terminology must include, but is not limited to, the following:

(a) Carpenter ants: Carpenter ants must be reported as carpenter ants or carpenter ant activity when one or more of the following are found on or in any accessible area of the inspected structure. The report must identify approximate location and type of evidence found. Evidence indicating the presence of carpenter ants includes, but is not limited to:

- (i) Live carpenter ants or carpenter ant carcasses.
- (ii) An accumulation of frass unique to carpenter ants.
- (iii) Excavation or tunneling unique to carpenter ants.

(b) Moisture ants: Moisture ants must be reported as moisture ants or moisture ant activity when one or more of the following are found on or in any accessible area of the inspected structure. The report must identify approximate location and type of evidence found. Evidence indicating the presence of moisture ants includes, but is not limited to:

- (i) Live moisture ants or moisture ant carcasses.
- (ii) An accumulation of frass unique to moisture ants.
- (iii) Excavation or tunneling unique to moisture ants.

(c) Subterranean termites: Subterranean termites must be reported as subterranean termites or subterranean termite activity when one or more of the following are found on or in any accessible area of the inspected structure or, within three feet of the structure. The report must identify approximate location and type of evidence found. Evidence indicating the presence of subterranean termites includes, but is not limited to:

(i) Live subterranean termites, including winged reproductive forms.

(ii) Galleries or fecal material, unique to subterranean termites, in structural members.

(iii) Mud tubes, unique to subterranean termites, on or in the structure.

(iv) Evidence of subterranean termite activity found on or in form wood, other nonstructural materials, or wood products in landscape materials.

(d) Dampwood termites: Dampwood termites must be reported as dampwood termites or dampwood termite activity when one or more of the following are found on or in any accessible area of the inspected structure. The report must identify approximate location and type of evidence found. Evidence indicating the presence of dampwood termites includes, but is not limited to:

(i) Live dampwood termites, including winged reproductive

forms.

(ii) Galleries or fecal material unique to dampwood termites.

(iii) Evidence of dampwood termite activity found on or in form wood, cellulose debris, other nonstructural materials, or wood products.

(e) Anobiid beetles: Anobiid beetles must be reported as anobiid beetles or anobiid beetle activity when one or more of the following are found on or in any accessible area of the inspected structure. The report must identify approximate location and type of evidence found. Evidence indicating the presence of anobiid beetles includes, but is not limited to:

(i) Circular, 1/16th to 1/8th inch (1.5 to 3 mm) emergence holes made by adult beetles in structural timbers.

(ii) An accumulation of frass, unique to anobiid beetles, in and around adult beetle emergence holes or beneath the wood where emergence holes are present.

(iii) Wood displaying the characteristic tunnels formed by anobiid beetle larvae.

(f) Wood decay fungi: Wood decay fungi must be reported as wood decay fungi or wood rot. The report must identify approximate location and type of evidence found. Conditions indicating that wood decay fungi, or damage attributable to these fungi, must be reported when one or more of the following are found on or in any accessible area of the structure subject to inspection. Evidence indicating the presence of wood decay fungi includes, but is not limited to:

(i) Wood or wood products containing visible damage unique to wood decay fungi.

(ii) Wood or wood products in which fungal bodies are developing.

(2) Adult beetle emergence holes, unique to wood infesting species in the families Buprestidae, Cerambycidae, and Lyctidae, may be reported for clarification purposes at the discretion of the inspector.

(3) Signs of wood decay fungi, such as brown pocket rot, and the marine mollusk (*Teredo*, shipworm) that may have occurred prior to the manufacturing or processing of lumber must, when observed, be reported as a nonreinfesting species or condition.

NEW SECTION

WAC 16-228-2025 Conductive conditions. (1) Conducive conditions found during a complete WDO inspection must be noted in the complete WDO inspection report.

(2) Conducive conditions include, but are not limited to, the following:

(a) Earth in direct contact with wood or inadequate clearance between earth and any wood or material subject to damage from

moisture.

(b) Vegetation, in direct contact with the exterior of a structure, which may contribute to moisture or damage by WDOs.

(c) Restricted or nonfunctioning gutter systems.

(d) Conducive debris in substructures.

(e) Bare or unimproved ground in substructures.

(f) Standing water or evidence of seasonal standing water in a substructure.

(g) Failed or missing caulk or grout at water splash areas.

(h) Moisture from plumbing leaks, lack of ventilation, or other sources that may contribute to damage by WDOs.

NEW SECTION

WAC 16-228-2050 Specific wood destroying organism inspections. (1) Specific WDO inspections must only be conducted by individuals in the category E (pest control operator structural) or PI (structural pest inspector). Such inspections will be conducted in accordance with the rules established by this section.

(2) A specific WDO inspection must be conducted in conjunction with any proposal or estimate for prevention or control of WDOs.

(3) When no evidence of infestation is observed and any proposed treatment is for preventative purposes only, a statement explaining such a situation must stand out by having larger print than the main body of the report, be highlighted, underlined, or be in bold print and be signed by the property owner or their designated representative.

NEW SECTION

WAC 16-228-2060 Specific wood destroying organism inspection reports. (1) A specific WDO inspection report must be completed in conjunction with any proposal or estimate for prevention or control of WDOs. Pest management activities performed under an existing warranty will not require the preparation of a specific WDO inspection report.

(2) A specific WDO inspection report must not be construed as a complete WDO inspection report or, in any case, be used in lieu of a complete WDO inspection report for the sale, exchange, or refinancing of real property. A statement explaining the restriction against use in real estate transactions must stand out by having larger print than the main body of the report, be highlighted, underlined, or be in bold print on all specific WDO inspection reports.

(3) Report form: A specific WDO inspection report may take any written form in presentation, provided that all elements of this section are identifiable.

(4) A specific WDO inspection report must be issued to the person requesting the inspection.

(5) Report contents: Specific WDO inspection reports will contain the information identified in this section, when and where applicable.

(a) The name of the owner (or their representative) requesting the inspection or estimate for pest management of WDOs must be provided on the first page of the report.

(b) Date: The date the inspection was conducted must be provided on the first page of the report.

(c) Address of structure inspected: The complete address will include, but is not limited to, building number, street name, city, and state and must be identified on the first page of the report. Where multiple buildings at a property may have the same basic address, a building letter, unit number, or other recognizable method must be used to identify the specific building inspected.

(d) Inspector: The name of the inspector and WSDA license number must be provided on the first page of the report.

(6) Report of findings: A specific WDO inspection report must detail the findings of the inspector. The following minimum conditions, where applicable, must be in the body of the report.

(a) The report must include a statement describing the presence of, or signs of, infestation by WDOs that were identified and resulted in the proposal or estimate. Approximate location(s) of the WDOs or signs of infestation(s) reported on or in the structure must be clearly identified on a diagram. If the proposed treatment is for preventative purposes only, the report must so state. All WDOs must be identified by their proper name as described in WAC 16-228-2005.

(b) When a proposal or estimate is prepared for the treatment of moisture ants, dampwood termites, wood infesting beetles, or wood decay fungi the inspector must, where possible, identify and report the condition(s) conducive to such infestations. It must be stated in the report that infestations of such WDOs may be eliminated by removal of all infested wood and correction of any contributing conducive conditions.

(7) Diagrams: A diagram must be prepared for each inspection report and must accompany that report.

(a) A diagram is not required when there are no findings as described in WAC 16-228-2015 and 16-228-2025.

(b) Scaled diagrams are not required however, diagrams must reasonably resemble the perimeter or footprint of the building being inspected and legibly convey any information that is a required part of the diagram.

(c) A diagram must identify the approximate location of WDOs and/or signs of infestation(s) by WDOs.

(d) Where abbreviations are used on a diagram, a legend must be provided to explain the abbreviations.

(8) A record of all specific WDO inspection reports must be maintained on file by the inspecting firm for a period of one year.

Upon request, these records must be made available to the WSDA.

REPEALER

The following sections of the Washington Administrative Code are repealed:

WAC 16-228-2000	Inspection and reporting criteria for complete wood destroying organism inspections.
WAC 16-228-2020	Inspection and report prerequisite to wood destroying organism treatment.
WAC 16-228-2030	Limited wood destroying organism inspections.
WAC 16-228-2040	Reporting criteria for limited wood destroying organism inspections.