CERTIFICATION OF ENROLLMENT

SUBSTITUTE SENATE BILL 6213

61st Legislature 2010 Regular Session

Passed by the Senate February 5, 2010 YEAS 47 NAYS 0

President of the Senate

Passed by the House February 28, 2010 YEAS 96 NAYS 0

Speaker of the House of Representatives

Approved

FILED

Secretary of State State of Washington

Governor of the State of Washington

CERTIFICATE

I, Thomas Hoemann, Secretary of the Senate of the State of Washington, do hereby certify that the attached is **SUBSTITUTE SENATE BILL 6213** as passed by the Senate and the House of Representatives on the dates hereon set forth.

Secretary

SUBSTITUTE SENATE BILL 6213

Passed Legislature - 2010 Regular Session

State of Washington 61st Legislature 2010 Regular Session

By Senate Transportation (originally sponsored by Senators Haugen and Swecker; by request of Utilities & Transportation Commission and Washington State Patrol)

READ FIRST TIME 01/20/10.

1 AN ACT Relating to vehicles at railroad grade crossings; and 2 amending RCW 46.61.350.

3 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF WASHINGTON:

4 Sec. 1. RCW 46.61.350 and 1977 c 78 s 1 are each amended to read 5 as follows:

6 (((1) The driver of any motor vehicle carrying passengers for hire, 7 other than a passenger car, or of any school bus or private carrier bus carrying any school child or other passenger, or of any vehicle 8 9 carrying explosive substances or flammable liquids as a cargo or part 10 of a cargo, before crossing at grade any track or tracks of a railroad, 11 shall stop such vehicle within fifty feet but not less than fifteen 12 feet from the nearest rail of such railroad and while so stopped shall 13 listen and look in both directions along such track for any approaching 14 train, and for signals indicating the approach of a train, except as 15 hereinafter provided, and shall not proceed until he can do so safely. 16 After stopping as required herein and upon proceeding when it is safe to do so the driver of any said vehicle shall cross only in such gear 17 18 of the vehicle that there will be no necessity for changing gears while

1 traversing such crossing, and the driver shall not shift gears while

2 crossing the track or tracks.

3

(2) This section shall not apply at:

4 (a) Any railroad grade crossing at which traffic is controlled by
 5 a police officer or a duly authorized flagman;

6 (b) Any railroad grade crossing at which traffic is regulated by a
7 traffic control signal;

8 (c) Any railroad grade crossing protected by crossing gates or an 9 alternately flashing light signal intended to give warning of the 10 approach of a railroad train;

- 11 (d) Any railroad grade crossing at which an official traffic 12 control device as designated by the utilities and transportation 13 commission pursuant to RCW 81.53.060 gives notice that the stopping 14 requirement imposed by this section does not apply.))
- 15 (1)(a) The driver of any of the following vehicles must stop before 16 the stop line, if present, and otherwise within fifty feet but not less 17 than fifteen feet from the nearest rail at a railroad grade crossing 18 unless exempt under subsection (3) of this section:
- 19 (i) A school bus or private carrier bus carrying any school child 20 or other passenger;
- 21 (ii) A commercial motor vehicle transporting passengers;

(iii) A cargo tank, whether loaded or empty, used for transporting 22 any hazardous material as defined in the hazardous materials 23 24 regulations of the United States department of transportation in 49 C.F.R. Parts 107 through 180 as it existed on the effective date of 25 26 this section, or such subsequent date as may be provided by the state 27 patrol by rule, consistent with the purposes of this section. For the purposes of this section, a cargo tank is any commercial motor vehicle 28 designed to transport any liquid or gaseous materials within a tank 29 30 that is either permanently or temporarily attached to the vehicle or the chassis; 31

32 (iv) A cargo tank, whether loaded or empty, transporting a 33 commodity under exemption in accordance with United States department 34 of transportation in 49 C.F.R. Part 107, Subpart B as it existed on the 35 effective date of this section, or such subsequent date as may be 36 provided by the state patrol by rule, consistent with the purposes of 37 this section:

37 <u>this section;</u>

1	(v) A cargo tank transporting a commodity that at the time of
2	loading has a temperature above its flashpoint as determined by the
3	United States department of transportation in 49 C.F.R. Sec. 173.120 as
4	it existed on the effective date of this section, or such subsequent
5	date as may be provided by the state patrol by rule, consistent with
6	the purposes of this section; or
7	(vi) A commercial motor vehicle that is required to be marked or
8	placarded with any one of the following classifications by the United
9	States department of transportation in 49 C.F.R. Part 172 as it existed
10	on the effective date of this section, or such subsequent date as may
11	be provided by the state patrol by rule, consistent with the purposes
12	of this section:
13	(A) Division 1.1, Division 1.2, Division 1.3, or Division 1.4;
14	(B) Division 2.1, Division 2.2, Division 2.2 oxygen, Division 2.3
15	poison gas, or Division 2.3 chlorine;
16	(C) Division 4.1 or Division 4.3;
17	(D) Division 5.1 or Division 5.2;
18	(E) Division 6.1 poison;
19	(F) Class 3 combustible liquid or Class 3 flammable;
20	(G) Class 7;
21	(H) Class 8.
22	(b) While stopped, the driver must listen and look in both
23	directions along the track for any approaching train and for signals
24	indicating the approach of a train. The driver may not proceed until
25	<u>he or she can do so safely.</u>
26	(2) After stopping at a railroad grade crossing and upon proceeding
27	when it is safe to do so, the driver must cross only in a gear that
28	permits the vehicle to traverse the crossing without changing gears.
29	The driver may not shift gears while crossing the track or tracks.
30	(3) This section does not apply at any railroad grade crossing
31	where:
32	(a) Traffic is controlled by a police officer or flagger.
33	(b) A functioning traffic control signal is transmitting a green
34	light.
35	<u>(c) The tracks are used exclusively for a streetcar or industrial</u>
36	switching purposes.
37	(d) The utilities and transportation commission has approved the

1	installation of an "exempt" sign in accordance with the procedures and
2	standards under RCW 81.53.060.
3	(e) The crossing is abandoned and is marked with a sign indicating
4	<u>it is out-of-service.</u>
5	(f) The state patrol has, by rule, identified a crossing where
6	stopping is not required.
7	(g) The superintendent of public instruction has, by rule,
8	identified a circumstance under which a school bus or private carrier
9	bus carrying any school child or other passenger is not required to
10	stop.
11	(4) For the purpose of this section, "commercial motor vehicle"
12	means: Any vehicle with a manufacturer's seating capacity for eight or
13	more passengers, including the driver, that transports passengers for
7 /	
14	hire; any private carrier bus; any vehicle used to transport property
14 15	<u>hire; any private carrier bus; any vehicle used to transport property</u> <u>that has a gross vehicle weight rating, gross combination weight</u>
15	that has a gross vehicle weight rating, gross combination weight

--- END ---