

*(Effective until July 1, 2020)*

**WAC 51-50-1607 Section 1607—Live loads.**

**Table 1607.1  
Minimum Uniformly Distributed Live Loads,  
 $L_0$ , And  
Minimum Concentrated Live Loads<sup>g</sup>**

<b>OCCUPANCY OR USE</b>	<b>UNIFORM (psf)</b>	<b>CONCENTRATED (pounds)</b>
5. Balconies and decks <sup>h</sup>	1.5 times the live load for the area served. Not required to exceed 100 psf.	—

(All other items in table and footnotes to remain unchanged)

[Statutory Authority: RCW 19.27.031 and 19.27.074. WSR 16-03-064, § 51-50-1607, filed 1/19/16, effective 7/1/16; WSR 10-03-097, § 51-50-1607, filed 1/20/10, effective 7/1/10. Statutory Authority: RCW 19.27.190, 19.27.020, and chapters 19.27 and 34.05 RCW. WSR 08-01-110, § 51-50-1607, filed 12/18/07, effective 4/1/08. Statutory Authority: RCW 19.27.074, 19.27.020, and chapters 70.92, 19.27, and 34.05 RCW. WSR 07-01-091, § 51-50-1607, filed 12/19/06, effective 7/1/07.]

*(Effective July 1, 2020)*

**WAC 51-50-1607 Reserved.**

[Statutory Authority: RCW 19.27.031 and 19.27.074. WSR 20-01-090, § 51-50-1607, filed 12/12/19, effective 7/1/20; WSR 16-03-064, § 51-50-1607, filed 1/19/16, effective 7/1/16; WSR 10-03-097, § 51-50-1607, filed 1/20/10, effective 7/1/10. Statutory Authority: RCW 19.27.190, 19.27.020, and chapters 19.27 and 34.05 RCW. WSR 08-01-110, § 51-50-1607, filed 12/18/07, effective 4/1/08. Statutory Authority: RCW 19.27.074, 19.27.020, and chapters 70.92, 19.27, and 34.05 RCW. WSR 07-01-091, § 51-50-1607, filed 12/19/06, effective 7/1/07.]