S-4151.1		
9-4131.T		

SUBSTITUTE SENATE BILL 6143

State of Washington 55th Legislature 1998 Regular Session

By Senate Committee on Commerce & Labor (originally sponsored by Senators Schow, McAuliffe, Horn and Fraser; by request of Department of Labor & Industries)

Read first time 02/03/98.

- 1 AN ACT Relating to enforcement of the elevator and other
- 2 conveyances law; amending RCW 70.87.010, 70.87.030, 70.87.090, and
- 3 70.87.120; and prescribing penalties.
- 4 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF WASHINGTON:
- 5 **Sec. 1.** RCW 70.87.010 and 1997 c 216 s 1 are each amended to read 6 as follows:
- 7 For the purposes of this chapter, except where a different 8 interpretation is required by the context:
- 9 (1) "Owner" means any person having title to or control of a 10 conveyance, as guardian, trustee, lessee, or otherwise;
- 11 (2) "Conveyance" means an elevator, escalator, dumbwaiter, belt
- 12 manlift, automobile parking elevator, ((or)) moving walk, ((all)) and
- 13 other elevating devices, as defined in this section;
- 14 (3) "Existing installations" means all conveyances for which plans
- 15 were completed and accepted by the owner, or for which the plans and
- 16 specifications have been filed with and approved by the department
- 17 before June 13, 1963, and work on the erection of which was begun not
- 18 more than twelve months thereafter;

p. 1 SSB 6143

- (4) "Elevator" means a hoisting or lowering machine equipped with 1 2 a car or platform that moves in guides and serves two or more floors or landings of a building or structure; 3
- 4 (a) "Passenger elevator" means an elevator (i) on which passengers 5 are permitted to ride and (ii) that may be used to carry freight or materials when the load carried does not exceed the capacity of the 6 7 elevator;
- 8 (b) "Freight elevator" means an elevator (i) used primarily for 9 carrying freight and (ii) on which only the operator, the persons 10 necessary for loading and unloading, and other employees approved by the department are permitted to ride; 11
- (c) "Sidewalk elevator" means a freight elevator that: 12 (i) Operates between a sidewalk or other area outside the building and 13 floor levels inside the building below the outside area, (ii) has no 14 15 landing opening into the building at its upper limit of travel, and 16 (iii) is not used to carry automobiles;
- 17 (d) "Hand elevator" means an elevator utilizing manual energy to move the car; 18
- 19 (e) "Inclined elevator" means an elevator that travels at an angle of inclination of seventy degrees or less from the horizontal; 20
- (f) "Multideck elevator" means an elevator having two or more 21 compartments located one immediately above the other; 22
- (q) "Observation elevator" means an elevator designed to permit 23 24 exterior viewing by passengers while the car is traveling;
- 25 (h) "Power elevator" means an elevator utilizing energy other than gravitational or manual to move the car; 26
- (i) "Electric elevator" means an elevator where the energy is 27 applied by means of an electric driving machine; 28
- (j) "Hydraulic elevator" means an elevator where the energy is 29 30 applied by means of a liquid under pressure in a cylinder equipped with a plunger or piston; 31
- (k) "Direct-plunger hydraulic elevator" means a hydraulic elevator 32
- having a plunger or cylinder directly attached to the car frame or 33 34
- platform;
- (1) "Electro-hydraulic elevator" means a direct-plunger elevator 35
- where liquid is pumped under pressure directly into the cylinder by a 36
- 37 pump driven by an electric motor;

SSB 6143 p. 2

- 4 <u>(n) "Roped hydraulic elevator" means a hydraulic elevator having</u>
 5 <u>its plunger or piston connected to the car with wire ropes or</u>
 6 indirectly coupled to the car by means of wire ropes and sheaves;
- 7 (o) "Rack and pinion elevator" means a power elevator, with or
 8 without a counterweight, that is supported, raised, and lowered by a
 9 motor or motors that drive a pinion or pinions on a stationary rack
 10 mounted in the hoistway;
- 11 <u>(p) "Screw column elevator" means a power elevator having an</u>
 12 <u>uncounterweighted car that is supported, raised, and lowered by means</u>
 13 <u>of a screw thread;</u>
- (q) "Rooftop elevator" means a power passenger or freight elevator
 that operates between a landing at roof level and one landing below and
 opens onto the exterior roof level of a building through a horizontal
 opening;

18 19

20

21

2223

28 29

30

31

- (r) "Special purpose personnel elevator" means an elevator that is limited in size, capacity, and speed, and permanently installed in structures such as grain elevators, radio antenna, bridge towers, underground facilities, dams, power plants, and similar structures to provide vertical transportation of authorized personnel and their tools and equipment only;
- (s) "Workmen's construction elevator" means an elevator that is not part of the permanent structure of a building and is used to raise and lower workers and other persons connected with, or related to, the building project;
 - (t) "Boat launching elevator" means an elevator, as defined by subsections (2) and (4) of this section, that serves a boat launching structure and a beach or water surface and is used for the carrying or handling of boats in which people ride;
- 32 <u>(u) "Limited-use/limited-application elevator" means a power</u>
 33 <u>passenger elevator where the use and application is limited by size,</u>
 34 <u>capacity, speed, and rise, intended principally to provide vertical</u>
 35 <u>transportation for people with physical disabilities;</u>
- (5) "Escalator" means a power-driven, inclined, continuous stairway used for raising and lowering passengers;
- 38 (6) "Dumbwaiter" means a hoisting and lowering mechanism equipped 39 with a car (a) that moves in guides in a substantially vertical

p. 3 SSB 6143

- 1 direction, (b) the floor area of which does not exceed nine square
- 2 feet, (c) the inside height of which does not exceed four feet, (d) the
- 3 capacity of which does not exceed five hundred pounds, and (e) that is
- 4 used exclusively for carrying materials;
- 5 (7) "Automobile parking elevator" means an elevator: (a) Located
- 6 in either a stationary or horizontally moving hoistway; (b) used
- 7 exclusively for parking automobiles where, during the parking process,
- 8 each automobile is moved either under its own power or by means of a
- 9 power-driven transfer device onto and off the elevator directly into
- 10 parking spaces or cubicles in line with the elevator; and (c) in which
- 11 no persons are normally stationed on any level except the receiving
- 12 level;
- 13 (8) "Moving walk" means a passenger carrying device (a) on which
- 14 passengers stand or walk and (b) on which the passenger carrying
- 15 surface remains parallel to its direction of motion;
- 16 (9) "Belt manlift" means a power driven endless belt provided with
- 17 steps or platforms and a hand hold for the transportation of personnel
- 18 from floor to floor;
- 19 (10) "Department" means the department of labor and industries;
- 20 (11) "Director" means the director of the department or his or her
- 21 representative;
- 22 (12) "Inspector" means an elevator inspector of the department or
- 23 an elevator inspector of a municipality having in effect an elevator
- 24 ordinance pursuant to RCW 70.87.200;
- 25 (13) "Permit" means a permit issued by the department to construct,
- 26 install, or operate a conveyance;
- 27 (14) "Person" means this state, a political subdivision, any public
- 28 or private corporation, any firm, or any other entity as well as an
- 29 individual;
- 30 (15) "One-man capacity manlift" means a single passenger, hand-
- 31 powered counterweighted device, or electric-powered device, that
- 32 travels vertically in guides and serves two or more landings;
- 33 (16) "Private residence conveyance" means a conveyance installed in
- 34 or on the premises of a single-family dwelling and operated for
- 35 transporting persons or property from one elevation to another:
- 36 (17) "Material hoist" means a hoist that is not a part of a
- 37 permanent structure used to raise or lower materials during
- 38 construction, alteration, or demolition. It is not applicable to the

SSB 6143 p. 4

- 1 temporary use of permanently installed personnel elevators as material
 2 hoist;
- 3 (18) "Material lift" means a lift that (a) is permanently
- 4 installed, (b) is comprised of a car or platform that moves in guides,
- 5 (c) serves two or more floors or landings, (d) travels in a vertical or
- 6 <u>inclined position</u>, (e) is an isolated, self-contained lift, (f) is not
- 7 part of a conveying system, and (g) is installed in a commercial or
- 8 <u>industrial area not accessible to the general public or intended to be</u>
- 9 operated by the general public;
- 10 (19) "Casket lift" means a lift that (a) is installed at a
- 11 mortuary, (b) is designed exclusively for carrying of caskets, (c)
- 12 moves in guides in a basically vertical direction, and (d) serves two
- 13 or more floors or landings;
- 14 (20) "Wheelchair lift" means a lift that travels in a vertical or
- 15 <u>inclined direction and is designed for use by physically handicapped</u>
- 16 persons;
- 17 (21) "Stairway chair lift" means a lift that travels in a basically
- 18 <u>inclined direction and is designed for use by physically handicapped</u>
- 19 persons;
- 20 (22) "Personnel hoist" means a hoist that is not a part of a
- 21 permanent structure, is installed inside or outside buildings during
- 22 construction, alteration, or demolition, and used to raise or lower
- 23 workers and other persons connected with, or related to, the building
- 24 project. The hoist may also be used for transportation of materials.
- 25 **Sec. 2.** RCW 70.87.030 and 1994 c 164 s 28 are each amended to read
- 26 as follows:
- 27 ((The department shall administer this chapter through the
- 28 supervisor of building and construction safety inspection services.
- 29 However, except for the new construction thereof, all hand-powered
- 30 elevators, belt manlifts, and one-man capacity manlifts installed in or
- 31 on grain elevators are the responsibility of the supervisor of
- 32 industrial safety and health of the department.)) The department shall
- 33 adopt rules governing the mechanical and electrical operation,
- 34 erection, installation, alterations, inspection, acceptance tests, and
- 35 repair of conveyances that are necessary and appropriate and shall also
- 36 adopt minimum standards governing existing installations. In the
- 37 execution of this rule-making power and before the adoption of rules,
- 38 the department shall consider the rules for the safe mechanical

p. 5 SSB 6143

- 1 operation, erection, installation, alteration, inspection, and repair
- 2 of conveyances, including the American National Standards Institute
- 3 Safety Code for Personnel and Material Hoists, the American Society of
- 4 <u>Mechanical Engineers Safety Code</u> for Elevators, Dumbwaiters, and
- 5 Escalators, and any amendatory or supplemental provisions thereto. The
- 6 department by rule shall establish a schedule of fees to pay the costs
- 7 incurred by the department for the work related to administration and
- 8 enforcement of this chapter. Nothing in this chapter limits the
- 9 authority of the department to prescribe or enforce general or special
- 10 safety orders as provided by law.
- 11 **Sec. 3.** RCW 70.87.090 and 1983 c 123 s 9 are each amended to read 12 as follows:
- 13 (1) An operating permit is required for each conveyance operated in
- 14 the state of Washington except during its erection by the person or
- 15 firm responsible for its installation. A permit issued by the
- 16 department shall be kept conspicuously posted near the conveyance.
- 17 (2) The department may permit the temporary use of a conveyance
- 18 during its installation or alteration, under the authority of a limited
- 19 permit issued by the department for each class of service. Limited
- 20 permits shall be issued for a period not to exceed thirty days and may
- 21 be renewed at the discretion of the department. This limited-use
- 22 permit is to provide transportation for construction personnel, tools,
- 23 and materials only. Where a limited permit is issued, a notice bearing
- 24 the information that the equipment has not been finally approved shall
- 25 be conspicuously posted.
- 26 **Sec. 4.** RCW 70.87.120 and 1997 c 216 s 2 are each amended to read
- 27 as follows:
- 28 (1) The department shall appoint and employ inspectors, as may be
- 29 necessary to carry out the provisions of this chapter, under the
- 30 provisions of the rules adopted by the Washington personnel resources
- 31 board in accordance with chapter 41.06 RCW.
- 32 (2)(a) Except as provided in (b) of this subsection, the department
- 33 shall cause all conveyances to be inspected and tested at least once
- 34 each year. Inspectors have the right during reasonable hours to enter
- 35 into and upon any building or premises in the discharge of their
- 36 official duties, for the purpose of making any inspection or testing
- 37 any conveyance contained thereon or therein. Inspections and tests

SSB 6143 p. 6

- shall conform with the rules adopted by the department. The department shall inspect all installations before it issues any initial permit for operation. Permits shall not be issued until the fees required by this chapter have been paid.
- 5 (b)(i) Private residence conveyances operated exclusively for 6 single-family use shall be inspected and tested only when required 7 under RCW 70.87.100 or as necessary for the purposes of subsection (4) 8 of this section and shall be exempt from RCW 70.87.090 unless an annual 9 inspection and operating permit are requested by the owner.

10

11

12

13

14

15

- (ii) The department may perform additional inspections of a private residence conveyance at the request of the owner of the conveyance. Fees for these inspections shall be in accordance with the schedule of fees adopted for operating permits pursuant to RCW 70.87.030. An inspection requested under this subsection (2)(b)(ii) shall not be performed until the required fees have been paid.
- (3) If inspection shows a conveyance to be in an unsafe condition, the department shall issue an inspection report in writing requiring the repairs or alterations to be made to the conveyance that are necessary to render it safe and may also suspend or revoke a permit pursuant to RCW 70.87.125 or order the operation of a conveyance discontinued pursuant to RCW 70.87.145.
- 22 <u>(a) A penalty may be assessed under RCW 70.87.185 for failure to</u>
 23 <u>correct a violation within ninety days after the owner is notified in</u>
 24 writing of inspection results.
- 25 (b) The owner may be assessed a penalty under RCW 70.87.185 for 26 failure to submit official notification in writing to the department 27 that all corrections have been completed.
- 28 (4) The department may investigate accidents and alleged or 29 apparent violations of this chapter.

--- END ---

p. 7 SSB 6143