
HOUSE BILL 1606

State of Washington 63rd Legislature 2013 Regular Session

By Representatives Springer, Rodne, Schmick, Takko, and Buys

Read first time 02/01/13. Referred to Committee on Local Government.

1 AN ACT Relating to carbon monoxide alarms; and amending RCW
2 19.27.530.

3 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF WASHINGTON:

4 **Sec. 1.** RCW 19.27.530 and 2012 c 132 s 4 are each amended to read
5 as follows:

6 (1) By July 1, 2010, the building code council shall adopt rules
7 requiring that all buildings classified as residential occupancies, as
8 defined in the state building code in chapter 51-54 WAC, but excluding
9 owner-occupied single-family residences legally occupied before July
10 26, 2009, be equipped with carbon monoxide alarms.

11 (2)(a) The building code council may phase in the carbon monoxide
12 alarm requirements on a schedule that it determines reasonable,
13 provided that the rules require that by January 1, 2011, all newly
14 constructed buildings classified as residential occupancies will be
15 equipped with carbon monoxide alarms, and all other buildings
16 classified as residential occupancies will be equipped with carbon
17 monoxide alarms by January 1, (~~2013~~) 2015.

18 (b) Owner-occupied single-family residences legally occupied before
19 July 26, 2009, are exempt from the requirements of this subsection (2).

1 However, for any owner-occupied single-family residence that is sold on
2 or after July 26, 2009, the seller must equip the residence with carbon
3 monoxide alarms in accordance with the requirements of the state
4 building code before the buyer or any other person may legally occupy
5 the residence following such sale.

6 (3) The building code council may exempt categories of buildings
7 classified as residential occupancies if it determines that requiring
8 carbon monoxide alarms are unnecessary to protect the health and
9 welfare of the occupants.

10 (4) The rules adopted by the building code council under this
11 section must (a) consider applicable nationally accepted standards and
12 (b) require that the maintenance of a carbon monoxide alarm in a
13 building where a tenancy exists, including the replacement of
14 batteries, is the responsibility of the tenant, who shall maintain the
15 alarm as specified by the manufacturer.

16 (5) Real estate brokers licensed under chapter 18.85 RCW shall not
17 be liable in any civil, administrative, or other proceeding for the
18 failure of any seller or other property owner to comply with the
19 requirements of this section or rules adopted by the building code
20 council.

--- END ---