# Chapter 246-215 WAC FOOD SERVICE

# WAC

#### PART 1: INTENT, SCOPE, AND DEFINITIONS

246-215-01100	Intent—Food safety, illness prevention, and honest pre- sentation (2009 FDA Food Code 1-102.10).
246-215-01105	Scope—Statement (2009 FDA Food Code 1-103.10).
246-215-01110	Applicability.
	11 2
246-215-01115	Definitions, abbreviations, and acronyms (2009 FDA Food Code 1-201.10(B)).
PART	2: MANAGEMENT AND PERSONNEL
	Subpart A - Supervision
246-215-02100	Responsibility—Assignment (2009 FDA Food Code 2- 101.11).
246-215-02105	Demonstration of knowledge (2009 FDA Food Code 2- 102.11).
246-215-02110	Duties—Food protection manager certification (2009 FDA Food Code 2-102.20).
246-215-02115	Duties—Person in charge (2009 FDA Food Code 2- 103.11).
246-215-02120	Food worker cards.
	Subpart B - Employee Health
246-215-02200	Employee health—Reporting policy.
246-215-02205	Employee health—Reportable history of illness.
246-215-02210	Employee health—Prohibit a conditional employee from becoming a food employee.
246-215-02215	Employee health—Notify health officer.
246-215-02220	Employee health-Conditions of exclusion.
246-215-02225	Employee health-Conditions of restriction.
246-215-02230	Employee health—Aiding illness investigations.
246-215-02235	Employee health—Other conditions.
246-215-02240	Employee health—Complying with LOCAL HEALTH OFFICER.
246-215-02245	Employee health—Removal of exclusion or restriction based on diagnosis.
246-215-02250	Employee health—Removal of exclusion or restriction based on symptoms.
246-215-02255	Employee health—Removal of exclusion or restriction based on exposure.
	Subpart C - Personal Cleanliness
246-215-02300	Hands and arms—Clean condition (2009 FDA Food Code 2-301.11).
246-215-02305	Hands and arms—Cleaning procedure (2009 FDA Food Code 2-301.12).
246-215-02310	Hands and arms—When to wash (2009 FDA Food Code 2-301.14).
246-215-02315	Hands and arms—Where to wash (2009 FDA Food Code 2-301.15).
246-215-02320	Hands and arms—Hand antiseptics (2009 FDA Food Code 2-301.16).
246-215-02325	Fingernails—Maintenance (2009 FDA Food Code 2- 302.11).
246-215-02330	Jewelry—Prohibition (2009 FDA Food Code 2-303.11).
246-215-02335	Outer clothing—Clean condition (2009 FDA Food Code 2-304.11).
	Subpart D - Hygienic Practices
246-215-02400	Food contamination prevention—Eating, drinking, or using tobacco (2009 FDA Food Code 2-401.11).
246-215-02405	Food contamination prevention—Discharges from the eyes, nose, and mouth (2009 FDA Food Code 2-401.12).
246-215-02410	Hair restraints—Effectiveness (2009 FDA Food Code

#### 2-402.11). 246-215-02415 Animals—Handling prohibition (2009 FDA Food Code 2-403.11).

# PART 3: FOOD

#### Subpart A - Characteristics

	Subpart A - Characteristics
246-215-03100	Condition—Safe, unadulterated, and honestly presented (2009 FDA Food Code 3-101.11).
Subpart B - Source	es, Specifications, and Original Containers and Records
246-215-03200	Sources—Compliance with food law (2009 FDA Food Code 3-201.11).
246-215-03205	Sources—Food in a hermetically sealed container (2009 FDA Food Code 3-201.12).
246-215-03210	Sources—Fluid milk and milk products (2009 FDA Food Code 3-201.13).
246-215-03215	Sources—Fish (2009 FDA Food Code 3-201 14)
246-215-03220	Sources—Fish (2009 FDA Food Code 3-201.14). Sources—Molluscan shellfish (2009 FDA Food Code 3- 201.15).
246-215-03225	Sources—Wild mushrooms.
246-215-03230	Sources—Game animals (2009 FDA Food Code 3-201.17).
246-215-03235	Specifications for receiving—Temperature (2009 FDA Food Code 3-202.11).
246-215-03240	Specifications for receiving—Additives (2009 FDA Food Code 3-202.12).
246-215-03245	Specifications for receiving—Eggs (2009 FDA Food Code 3-202.13).
246-215-03250	Specifications for receiving—Eggs and milk products, pasteurized (2009 FDA Food Code 3-202.14).
246-215-03255	Specifications for receiving—Package integrity (2009 FDA Food Code 3-202.15).
246-215-03260	Specifications for receiving—Ice (2009 FDA Food Code 3-202.16).
246-215-03265	Specifications for receiving—Shucked shellfish, pack- aging and identification (2009 FDA Food Code 3- 202.17).
246-215-03270	Specifications for receiving—Shellstock identification (2009 FDA Food Code 3-202.18).
246-215-03275	Specifications for receiving—Shellstock, condition (2009 FDA Food Code 3-202.19).
246-215-03280	Specifications for receiving—Juice treated (2009 FDA Food Code 3-202.110).
246-215-03285	Original containers and records—Molluscan shellfish, original container (2009 FDA Food Code 3- 203.11).
246-215-03290	Original containers and records—Shellstock, maintain- ing identification (2009 FDA Food Code 3-203.12).
Subsection	C - Preventing Contamination After Receiving
246-215-03300	Preventing contamination by employees—Preventing contamination from hands (2009 FDA Food Code 3-301.11).
246-215-03303	Preventing contamination by employees—Preventing
240-215-05505	contamination by employees—reventing contamination when tasting (2009 FDA Food Code 3-301.12).
246-215-03306	Preventing food and ingredient contamination—Pack- aged and unpackaged food—Separation, packag- ing, and segregation (2009 FDA Food Code 3- 302.11).
246-215-03309	Preventing food and ingredient contamination—Food storage containers, identified with common name of food (2009 FDA Food Code 3-302.12).
246-215-03312	Preventing food and ingredient contamination—Pas- teurized eggs, substitute for raw eggs for certain recipes (2009 FDA Food Code 3-302.13).
246-215-03315	Preventing food and ingredient contamination—Protec- tion from unapproved additives (2009 FDA Food Code 3-302.14).
246-215-03318	Preventing food and ingredient contamination—Wash- ing fruits and vegetables (2009 FDA Food Code 3- 302.15).
246-215-03321	Preventing food and ingredient contamination—Pooling of raw eggs prohibited.

# Chapter 246-215

# **Food Service**

246-215-03324	Preventing contamination from ice used as a coolant— Ice used as exterior coolant, prohibited as ingredi-	24
246-215-03327	ent (2009 FDA Food Code 3-303.11). Preventing contamination from ice used as a coolant— Storage or display of food in contact with water or	24
246-215-03330	ice (2009 FDÅ Food Code 3-303.12). Preventing contamination from equipment, utensils, and	24
246-215-03333	linens—Food contact with equipment and utensils (2009 FDA Food Code 3-304.11). Preventing contamination from equipment, utensils, and linens—In-use utensils, between-use storage (2009	24
246-215-03336	FDA Food Code 3-304.12). Preventing contamination from equipment, utensils, and linens—Linens and napkins, use limitation (2009	24
246-215-03339	FDA Food Code 3-304.13). Preventing contamination from equipment, utensils, and linens—Wiping cloths, use limitation (2009 FDA	24
246-215-03342	Food Code 3-304.14). Preventing contamination from equipment, utensils, and linens—Gloves, use limitation (2009 FDA Food	24 24
246-215-03345	Code 3-304.15). Preventing contamination from equipment, utensils, and linens—Using clean tableware for second portions	24
246-215-03348	and refills (2009 FDA Food Code 3-304.16). Preventing contamination from equipment, utensils, and linens—Refilling returnables (2009 FDA Food	
246-215-03351	Code 3-304.17). Preventing contamination from the premises—Food storage (2009 FDA Food Code 3-305.11).	24
246-215-03354	Preventing contamination from the premises—Food storage, prohibited areas (2009 FDA Food Code 3- 305.12).	24
246-215-03357	Preventing contamination from the premises—Vended potentially hazardous food, original container	2
246-215-03360	(2009 FDA Food Code 3-305.13). Preventing contamination from the premises—Food preparation (2009 FDA Food Code 3-305.14).	24
246-215-03363	Preventing contamination by consumers—Food display (2009 FDA Food Code 3-306.11).	
246-215-03366	Preventing contamination by consumers—Condiments, protection (2009 FDA Food Code 3-306.12).	
246-215-03369	Preventing contamination by consumers—Consumer self-service operations (2009 FDA Food Code 3-	24
246-215-03372	<ul> <li>306.13).</li> <li>Preventing contamination by consumers—Returned food and reservice of food (2009 FDA Food Code 2, 206.14).</li> </ul>	24 24
246-215-03375	3-306.14). Preventing contamination by consumers—Miscella- neous sources of contamination (2009 FDA Food Code 3-307.11).	24 24
Subpart D -	Destruction of Organisms of Public Health Concern	24 24
246-215-03400	Cooking—Raw animal foods (2009 FDA Food Code 3-	
246-215-03405	401.11). Cooking—Microwave cooking (2009 FDA Food Code	24
246-215-03410	3-401.12). Cooking—Plant food cooking for hot holding (2009	24
246-215-03415	FDA Food Code 3-401.13). Cooking—Noncontinuous cooking of raw animal foods (2009 FDA Food Code 3-401.14).	24 24
246-215-03420 246-215-03425	Cooking—Unattended cooking and hot holding. Freezing—Parasite destruction (2009 FDA Food Code	
246-215-03430	3-402.11). Freezing—Records, creation and retention (2009 FDA	24
246-215-03435	Food Code 3-402.12). Reheating—Preparation for immediate service (2009	24
246-215-03440	FDA Food Code 3-403.10). Reheating—Reheating for hot holding (2009 FDA Food Code 3-403.11).	24
246-215-03445	Other methods—Treating juice (2009 FDA Food Code 3-404.11).	24
Subpart E - Lim	itation of Growth of Organisms of Public Health Concern	24
246-215-03500	Temperature and time control—Frozen food (2009 FDA	24
246-215-03505	Food Code 3-501.11). Temperature and time control—Potentially hazardous	24
246-215-03510	food, slacking (2009 FDA Food Code 3-501.12). Temperature and time control—Thawing (2009 FDA	24
246-215-03515	Food Code 3-501.13). Temperature and time control—Cooling (2009 FDA	24
246-215-03520	Food Code 3-501.14). Temperature and time control—Cooling methods (2009 FDA Food Code 3-501.15).	24

246-215-03525	Temperature and time control—Potentially hazardous food, hot and cold holding (2009 FDA Food Code 2, 501-16)
246-215-03530	3-501.16). Temperature and time control—Time as a public health
246-215-03535	control (2009 FDA Food Code 3-501.19). Specialized processing methods—Variance requirement (2009 FDA Food Code 3-502.11).
246-215-03540	<ul> <li>Specialized processing methods—Reduced oxygen packaging without a variance, criteria (2009 FDA Food Code 3-502.12).</li> </ul>
Subpart F - Fe	ood Identity, Presentation, and On-Premises Labeling
246-215-03600	Accurate representation—Standards of identity (2009 FDA Food Code 3-601.11).
246-215-03605	Accurate representation—Honestly presented (2009 FDA Food Code 3-601.12).
246-215-03610	Labeling—Food labels (2009 FDA Food Code 3- 602.11).
246-215-03615	Labeling—Other forms of information (2009 FDA Food Code 3-602.12).
246-215-03620	Consumer advisory—Consumption of animal foods that are raw, undercooked, or not otherwise processed to eliminate pathogens (2009 FDA Food Code 3- 603.11).
	Subpart G - Contaminated Food
246-215-03700	Disposition—Discarding or reconditioning unsafe, adulterated, or contaminated food (2009 FDA Food Code 3-701.11).
246-215-03705	Disposition—Examination, hold orders, condemnation, and destruction of food.
Subsection H - S	pecial Requirements for Highly Susceptible Populations
246-215-03800	Additional safeguards—Pasteurized foods, prohibited reservice, and prohibited food (2009 FDA Food Code 3-801.11).
PART	4: EQUIPMENT, UTENSILS AND LINENS
Subp	art A - Materials for Construction and Repair
246-215-04100	Multiuse—Characteristics (2009 FDA Food Code 4- 101.11).
246-215-04105	Multiuse—Cast iron, use limitation (2009 FDA Food Code 4-101.12).
246-215-04110	Multiuse—Lead in ceramic, china, and crystal utensils, use limitation (2009 FDA Food Code 4-101.13).
246-215-04115	Multiuse—Copper, use limitation (2009 FDA Food Code 4-101.14).
246-215-04120	Multiuse—Galvanized metal, use limitation (2009 FDA Food Code 4-101.15).
246-215-04125	Multiuse—Sponges, use limitation (2009 FDA Food Code 4-101.16).
246-215-04130	Multiuse—Wood, use limitation (2009 FDA Food Code 4-101.17).
246-215-04135	Multiuse—Nonstick coatings, use limitation (2009 FDA Food Code 4-101.18).
246-215-04140	Multiuse—Nonfood-contact surfaces (2009 FDA Food Code 4-101.19).
246-215-04145	Single-service and single use—Characteristics (2009 FDA Food Code 4-102.11).
	Subpart B - Design and Construction
246-215-04200	Durability and strength—Equipment and utensils (2009 FDA Food Code 4-201.11).
246-215-04202	Durability and strength—Food temperature measuring devices (2009 FDA Food Code 4-201.12).
246-215-04204	Cleanability—Food-contact surfaces (2009 FDA Food Code 4-202.11).
246-215-04206	Cleanability—CIP equipment (2009 FDA Food Code 4- 202.12).
246-215-04208	Cleanability—"V" threads, use limitation (2009 FDA Food Code 4-202.13).
246-215-04210	Cleanability—Hot oil filtering equipment (2009 FDA Food Code 4-202.14).
246-215-04212	Cleanability—Can openers (2009 FDA Food Code 4- 202.15).
246-215-04214	Cleanability—Nonfood-contact surfaces (2009 FDA Food Code 4-202.16).
246-215-04216	Cleanability—Kick plates, removable (2009 FDA Food
246-215-04218	Code 4-202.17). Cleanability—Ventilation hood systems, filters (2009 FDA Food Code 4-202.18).

246-215-04220	Accuracy—Temperature measuring devices, food (2009	
246-215-04222	FDA Food Code 4-203.11). Accuracy—Temperature measuring devices, ambient air and water (2009 FDA Food Code 4-203.12).	246
246-215-04224	Accuracy—Pressure measuring devices, mechanical warewashing equipment (2009 FDA Food Code 4-	246
246-215-04226	203.13). Functionality—Ventilation hood systems, drip preven- tion (2009 EDA Food Code 4 204.11)	246
246-215-04228	tion (2009 FDA Food Code 4-204.11). Functionality—Equipment openings, closures and	
246-215-04230	deflectors (2009 FDA Food Code 4-204.12). Functionality—Dispensing equipment, protection of equipment and food (2009 FDA Food Code 4- 204.13).	246 246
246-215-04232	Functionality—Vending machine, vending stage clo- sure (2009 FDA Food Code 4-204.14).	246
246-215-04234	Functionality—Bearings and gear boxes, leakproof (2009 FDA Food Code 4-204.15).	246
246-215-04236	Functionality—Beverage tubing, separation (2009 FDA	246
246-215-04238	Food Code 4-204.16). Functionality—Ice units, separation of drains (2009 FDA Food Code 4-204.17).	240
246-215-04240	Functionality—Condenser unit, separation (2009 FDA Food Code 4-204.18).	246
246-215-04242	Functionality-Can openers on vending machines	246
246-215-04244	(2009 FDA Food Code 4-204.19). Functionality—Molluscan shellfish tanks (2009 FDA Food Code 4-204.110).	246
246-215-04246	Functionality-Vending machines, automatic shutoff	246
246-215-04248	(2009 FDA Food Code 4-204.111). Functionality—Temperature measuring devices (2009	240
246-215-04250	FDA Food Code 4-204.112). Functionality—Warewashing machines, data plate operating specifications (2009 FDA Food Code 4-	246
246-215-04252	204.113). Functionality—Warewashing machines, internal baffles	246
246-215-04254	(2009 FDA Food Code 4-204.114). Functionality—Warewashing machines, temperature measuring devices (2009 FDA Food Code 4-	246
246-215-04256	204.115). Functionality—Manual warewashing equipment, heat- ers and baskets (2009 FDA Food Code 4-204.116).	246
246-215-04258	Functionality—Warewashing machines, automatic dis- pensing of detergents and sanitizers (2009 FDA Food Code 4-204.117).	246
246-215-04260	Functionality—Warewashing machines, flow pressure device (2009 FDA Food Code 4-204.118).	
246-215-04262	Functionality—Warewashing sinks and drainboards, self-draining (2009 FDA Food Code 4-204.119).	246
246-215-04264	Functionality—Equipment compartments, drainage (2009 FDA Food Code 4-204.120).	246
246-215-04266	Functionality—Vending machines, liquid waste prod- ucts (2009 FDA Food Code 4-204.121).	
246-215-04268	Functionality—Case lot handling equipment, moveabil- ity (2009 FDA Food Code 4-204.122).	246
246-215-04270	Functionality—Vending machine doors and openings (2009 FDA Food Code 4-204.123).	246
246-215-04272	Acceptability—Food equipment, certification and clas- sification (2009 FDA Food Code 4-205.10).	2.0
	Subpart C - Numbers and Capacities	246
246-215-04300	Equipment—Cooling, heating, and holding capacities (2009 FDA Food Code 4-301.11).	246
246-215-04305	Equipment—Manual warewashing, sink compartment requirements (2009 FDA Food Code 4-301.12).	
246-215-04310	Equipment—Drainboards (2009 FDA Food Code 4- 301.13).	
246-215-04315	Equipment—Ventilation hood systems, adequacy (2009 FDA Food Code 4-301.14).	246
246-215-04320	Equipment—Clothes washers and dryers (2009 FDA Food Code 4-301.15).	246
246-215-04325 246-215-04330	Equipment—Designated food preparation sinks. Utensils, temperature measuring devices, and testing	246
210 213 07330	devices—Utensils, consumer self-service (2009 FDA Food Code 4-302.11).	246
246-215-04335	Utensils, temperature measuring devices, and testing devices—Food temperature measuring devices	240
246-215-04340	(2009 FDA Food Code 4-302.12).	240
2-10-213-04340	Utensils, temperature measuring devices, and testing devices—Temperature measuring devices, manual warewashing (2009 FDA Food Code 4-302.13).	240
246-215-04345	Utensils, temperature measuring devices, and testing devices—Sanitizing solutions, testing devices	240
	(2009 FDA Food Code 4-302.14).	

(11/13/18)

	Subpart D - Location and Installation
246-215-04400	Location—Equipment, clothes washers and dryers, and storage cabinets, contamination prevention (2009 FDA Food Code 4-401.11).
246-215-04405	Installation—Fixed equipment, spacing or sealing (2009 FDA Food Code 4-402.11).
246-215-04410	Installation—Fixed equipment, elevation or sealing (2009 FDA Food Code 4-402.12).
	Subpart E - Maintenance and Operations
246-215-04500	Equipment—Good repair and proper adjustment (2009 FDA Food Code 4-501.11).
246-215-04505	Equipment—Cutting surfaces (2009 FDA Food Code 4- 501.12).
246-215-04510	Equipment—Microwave ovens (2009 FDA Food Code 4-501.13).
246-215-04515	Equipment—Warewashing equipment, cleaning fre- quency (2009 FDA Food Code 4-501.14).
246-215-04520	Equipment—Warewashing machines, manufacturer's operating instructions (2009 FDA Food Code 4-501.15).
246-215-04525	Equipment—Warewashing sinks, use limitation (2009 FDA Food Code 4-501.16).
246-215-04530	Equipment—Warewashing equipment, cleaning agents (2009 FDA Food Code 4-501.17).
246-215-04535	Equipment—Warewashing equipment, clean solutions (2009 FDA Food Code 4-501.18).
246-215-04540	Equipment—Manual warewashing equipment, wash solution temperature (2009 FDA Food Code 4- 501.19).
246-215-04545	Equipment—Mechanical warewashing equipment, wash solution temperature (2009 FDA Food Code 4-501.110).
246-215-04550	Equipment—Manual warewashing equipment, hot water sanitization temperature (2009 FDA Food Code 4-501.111).
246-215-04555	Equipment—Mechanical warewashing equipment, hot water sanitization temperatures (2009 FDA Food Code 4-501.112).
246-215-04560	Equipment—Mechanical warewashing equipment, san- itization pressure (2009 FDA Food Code 4- 501.113).
246-215-04565	Equipment—Manual and mechanical warewashing equipment, chemical sanitization—Temperature, pH, concentration, and hardness (2009 FDA Food Code 4-501.114).
246-215-04570	Equipment—Manual warewashing equipment, chemi- cal sanitization using detergent-sanitizers (2009 FDA Food Code 4-501.115).
246-215-04575	Equipment—Warewashing equipment, determining chemical sanitizer concentration (2009 FDA Food Code 4-501.116).
246-215-04580	Utensils and temperature and pressure measuring devices—Good repair and calibration (2009 FDA Food Code 4-502.11).
246-215-04585	Utensils and temperature and pressure measuring devices—Single-service and single-use articles, required use (2009 FDA Food Code 4-502.12).
246-215-04590	Utensils and temperature and pressure measuring devices—Single-service and single-use articles, use limitation (2009 FDA Food Code 4-502.13).
246-215-04595	Utensils and temperature and pressure measuring devices—Shells, use limitation (2009 FDA Food Code 4-502.14).
Subs	section F - Cleaning of Equipment and Utensils
246-215-04600	Objective—Equipment, food-contact surfaces, non- food-contact surfaces, and utensils (2009 FDA
246-215-04605	Food Code 4-601.11). Objective—Equipment food-contact surfaces and uten-
246-215-04610	sils (2009 FDA Food Code 4-602.11). Objective—Cooking and baking equipment (2009 FDA Food Code 4 602 12)
246-215-04615	Food Code 4-602.12). Objective—Nonfood-contact surfaces (2009 FDA Food Code 4-602 13)
246-215-04620	Code 4-602.13). Methods—Dry cleaning (2009 FDA Food Code 4- 603.11)
246-215-04625	603.11). Methods—Precleaning (2009 FDA Food Code 4- 603.12).
246-215-04630	Methods—Loading of soiled items, warewashing machines (2009 FDA Food Code 4-603.13).
246-215-04635	Methods—Wet cleaning (2009 FDA Food Code 4-603.13). 603.14).

# **Food Service**

246-215-04640	Methods—Washing, procedures for alternative manual warewashing equipment (2009 FDA Food Code 4-
246-215-04645	603.15). Methods—Rinsing procedures (2009 FDA Food Code
246-215-04650	4-603.16). Methods—Returnables, cleaning for refilling (2009 FDA Food Code 4-603.17).
Subpa	rt G - Sanitization of Equipment and Utensils
246-215-04700	Objective—Food-contact surfaces and utensils (2009
246-215-04705	FDA Food Code 4-701.10). Frequency—Before use after cleaning (2009 FDA Food
246-215-04710	Code 4-702.11). Methods—Hot water and chemical (2009 FDA Food Code 4-703.11).
	Subpart H - Laundering
246-215-04800	Objective—Clean linens (2009 FDA Food Code 4- 801.11).
246-215-04805	Frequency—Specifications (2009 FDA Food Code 4- 802.11).
246-215-04810	Methods—Storage of soiled linens (2009 FDA Food Code 4-803.11).
246-215-04815	Methods—Mechanical washing (2009 FDA Food Code 4-803.12).
246-215-04820	Methods—Use of laundry facilities (2009 FDA Food Code 4-803.13).
	Subpart I - Protection of Clean Items
246-215-04900	Drying—Equipment and utensils, air-drying required (2009 FDA Food Code 4-901.11).
246-215-04905	Drying—Wiping cloths, air drying locations (2009 FDA Food Code 4-901.12).
246-215-04910	Lubricating and reassembling—Food-contact surfaces (2009 FDA Food Code 4-902.11).
246-215-04915	Lubricating and reassembling—Equipment (2009 FDA Food Code 4-902.12).
246-215-04920	Storing—Equipment, utensils, linens, and single-service and single-use articles (2009 FDA Food Code 4- 903.11).
246-215-04925	Storing—Prohibitions (2009 FDA Food Code 4- 903.12).
246-215-04930	Preventing contamination—Kitchenware and tableware (2009 FDA Food Code 4-904.11).
246-215-04935	Preventing contamination—Soiled and clean tableware (2009 FDA Food Code 4-904.12).
246-215-04940	Preventing contamination—Preset tableware (2009
246-215-04945	FDA Food Code 4-904.13). Preventing contamination—Rinsing equipment and utensils after cleaning and sanitizing (2009 FDA Food Code 4-904.14).
PAF	RT 5: WATER, PLUMBING AND WASTE
	Subpart A - Water
246-215-05100	Source—Approved system (2009 FDA Food Code 5-
246-215-05105	101.11). Source—System flushing and disinfection (2009 FDA
246-215-05110	Food Code 5-101.12). Source—Bottled drinking water (2009 FDA Food Code 5-101.13).
246-215-05115 246-215-05120	Quality—Standards (2009 FDA Food Code 5-102.11). Quality—Nondrinking water (2009 FDA Food Code 5-
	102.12).
246-215-05125 246-215-05130	Quality—Sampling (2009 FDA Food Code 5-102.13). Quantity and availability—Sample report (2009 FDA Food Code 5-102.14).
246-215-05135	Quantity and availability—Capacity (2009 FDA Food Code 5-103.11).
246-215-05140	Distribution, delivery and retention—Pressure (2009 FDA Food Code 5-103.12).
246-215-05145	Distribution, delivery and retention—System (2009 FDA Food Code 5-104.11).
246-215-05150	Distribution, delivery and retention—Alternate water supply (2009 FDA Food Code 5-104.12).
	Subpart B - Plumbing System
246-215-05200	Materials—Approved (2009 FDA Food Code 5-201.11).
246-215-05205	Design, construction and installation—Approved sys- tem and cleanable fixtures (2009 FDA Food Code 5-202.11).

246-215-05210	Design, construction and installation—Handwashing facility, installation (2009 FDA Food Code 5-
246-215-05215	202.12). Design, construction and installation—Backflow pre- vention, air gap (2009 FDA Food Code 5-202.13).
246-215-05220	Design, construction and installation—Backflow pre- vention device, design standard (2009 FDA Food
246-215-05225	Code 5-202.14). Design, construction and installation—Conditioning
246-215-05230	device, design (2009 FDA Food Code 5-202.15). Numbers and capacities—Handwashing sinks (2009
246-215-05235	FDA Food Code 5-203.11). Restrooms—Toilets and urinals (2009 FDA Food Code 5-203.12).
246-215-05240 246-215-05245	Service sink (2009 FDA Food Code 5-203.13). Backflow prevention device, when required (2009 FDA Food Code 5-203.14).
246-215-05250 246-215-05255	Backflow prevention carbonator. Location and placement of handwashing sinks (2009
246-215-05260	FDA Food Code 5-204.11). Location and placement of backflow prevention device
246-215-05265	(2009 FDA Food Code 5-204.12). Location and placement of conditioning device (2009
246-215-05270	FDA Food Code 5-204.13). Operation and maintenance—Using a handwashing sink
246-215-05275	(2009 FDA Food Code 5-205.11). Operation and maintenance—Prohibiting a cross con-
246-215-05280	nection (2009 FDA Food Code 5-205.12). Operation and maintenance—Scheduling inspection and service for water system device (2009 FDA
246-215-05285	Food Code 5-205.13). Operation and maintenance—Water reservoir of fog- ging devices, cleaning (2009 FDA Food Code 5- 205.14).
246-215-05290	Operation and maintenance—System maintained in good repair (2009 FDA Food Code 5-205.15).
Subpart C - Mobile	e Water Tank and Mobile Food Establishment Water Tank
246-215-05300	Materials—Approved (2009 FDA Food Code 5- 301.11).
246-215-05305	Design and construction—Enclosed system, sloped to drain (2009 FDA Food Code 5-302.11).
246-215-05310	Design and construction—Inspection and cleaning port, protected and secured (2009 FDA Food Code 5-
246-215-05315	302.12). Design and construction—"V" type threads, use limita-
246-215-05320	tion (2009 FDA Food Code 5-302.13). Design and construction—Tank vent, protected (2009 FDA Food Code 5-302.14).
246-215-05325	Design and construction—Inlet and outlet, sloped to drain (2009 FDA Food Code 5-302.15).
246-215-05330	Design and construction—Hose, construction and iden- tification (2009 FDA Food Code 5-302.16).
246-215-05335	Numbers and capacities—Filter, compressed air (2009
246-215-05340	FDA Food Code 5-303.11). Numbers and capacities—Protective cover or device (2009 FDA Food Code 5, 203, 12)
246-215-05345	(2009 FDA Food Code 5-303.12). Numbers and capacities—Mobile food unit tank inlet
246-215-05350	(2009 FDA Food Code 5-303.13). Operation and maintenance—System flushing and sani-
246-215-05355	tation (2009 FDA Food Code 5-304.11). Operation and maintenance—Using a pump and hoses, backflow prevention (2009 FDA Food Code 5- 2004 10).
246-215-05360	304.12). Operation and maintenance—Protecting inlet, outlet,
246-215-05365	and hose fitting (2009 FDA Food Code 5-304.13). Operation and maintenance—Tank, pump, and hoses, dedication (2009 FDA Food Code 5-304.14).
Subpart 1	D - Sewage, Other Liquid Waste, and Rainwater
246-215-05400	Mobile holding tank—Capacity and drainage (2009
246-215-05405	FDA Food Code 5-401.11). Retention, drainage, and delivery design, construction, and installation—Establishment drainage system (2000 EDA Food Code 5, 402 10)
246-215-05410	(2009 FDA Food Code 5-402.10). Retention, drainage, and delivery design, construction, and installation—Backflow prevention (2009 FDA Food Code 5 402.11)
246-215-05415	Food Code 5-402.11). Retention, drainage, and delivery location and place- ment—Grease trap (2009 FDA Food Code 5-
246-215-05420	402.12). Retention, drainage, and delivery operation and mainte- nance—Conveying sewage (2009 FDA Food Code 5-402.13).

246-215-05425	Retention, drainage, and delivery operation and mainte- nance-Removing mobile food unit wastes (2009	24
246-215-05430	FDA Food Code 5-402.14). Retention, drainage, and delivery operation and mainte- nance—Flushing a waste retention tank (2009 FDA	24
246-215-05435	Food Code 5-402.15). Disposal facility design and construction—Approved sewage disposal system (2009 FDA Food Code 5-	24
246-215-05440	403.11). Disposal facility design and construction—Other liquid wastes and rainwater (2009 FDA Food Code 5-	24
	403.12).	24 24
Subpa	art E - Refuse, Recyclables, and Returnables	2-
246-215-05500	Facilities on the premises, materials, design, construc- tion and installation—Indoor storage area (2009 FDA Food Code 5-501.10).	24 24
246-215-05505	Facilities on the premises, materials, design, construc- tion and installation—Outdoor storage surface (2009 FDA Food Code 5-501.11).	24
246-215-05510	Facilities on the premises, materials, design, construc- tion and installation—Outdoor enclosure (2009	24
246-215-05515	FDA Food Code 5-501.12). Facilities on the premises, materials, design, construc- tion and installation—Receptacles (2009 FDA	24 24
246-215-05520	Food Code 5-501.13). Facilities on the premises, materials, design, construc- tion and installation—Receptacles in vending	24
246-215-05525	machines (2009 FDA Food Code 5-501.14). Facilities on the premises, materials, design, construc-	24 24
246-215-05530	tion and installation—Outside receptacles (2009 FDA Food Code 5-501.15). Facilities on the premises, numbers and capacities—	24
210 213 03350	Storage areas, rooms, and receptacles, capacity and availability (2009 FDA Food Code 5-501.16).	24
246-215-05535	Facilities on the premises, numbers and capacities— Toilet room receptacle, covered (2009 FDA Food Code 5-501.17).	24
246-215-05540	Facilities on the premises, numbers and capacities— Cleaning implements and supplies (2009 FDA Food Code 5-501.18).	24
246-215-05545	Facilities on the premises, location and placement— Storage areas, redeeming machines, receptacles and waste handling units, location (2009 FDA Food Code 5-501.19).	24
246-215-05550	Facilities on the premises, operation and maintenance— Storing refuse, recyclables, and returnables (2009 FDA Food Code 5-501.110).	24 24
246-215-05555	Facilities on the premises, operation and maintenance— Areas, enclosures, and receptacles, good repair	24
246-215-05560	(2009 FDA Food Code 5-501.111). Facilities on the premises, operation and maintenance— Outside storage prohibitions (2009 FDA Food	24
246-215-05565	Code 5-501.112). Facilities on the premises, operation and maintenance— Covering receptacles (2009 FDA Food Code 5-	24 24
246-215-05570	501.113). Facilities on the premises, operation and maintenance— Using drain plugs (2009 FDA Food Code 5-	24
246-215-05575	501.114). Facilities on the premises, operation and maintenance— Maintaining refuse areas and enclosures (2009	24 24
246-215-05580	FDA Food Code 5-501.115). Facilities on the premises, operation and maintenance— Cleaning receptacles (2009 FDA Food Code 5-	24 24
246-215-05585	501.116). Removal—Frequency (2009 FDA Food Code 5-	24
246-215-05590	502.11). Removal—Receptacles or vehicles (2009 FDA Food	
246-215-05595	Code 5-502.12). Facilities for disposal and recycling—Community or individual facility (2009 FDA Food Code 5- 503.11).	24
	PART 6: PHYSICAL FACILITIES	24 24
Subpa	rt A - Materials for Construction and Repair	
246-215-06100	Indoor areas—Surface characteristics (2009 FDA Food Code 6-101.11).	24 24
246-215-06105	Outdoor areas—Surface characteristics (2009 FDA Food Code 6-102.11).	22

Subp	art B - Design, Construction and Installation
246-215-06200	Cleanability—Floors, walls and ceilings (2009 FDA
246-215-06205	Food Code 6-201.11). Cleanability—Floors, walls, and ceilings, utility lines
246-215-06210	(2009 FDA Food Code 6-201.12). Cleanability—Floor and wall junctures, covered and
246-215-06215	enclosed or sealed (2009 FDA Food Code 6- 201.13). Cleanability—Floor carpeting, restriction and installa-
246-215-06220	tion (2009 FDA Food Code 6-201.14). Cleanability—Floor covering, mats and duckboards
246-215-06225	(2009 FDA Food Code 6-201.15). Cleanability—Wall and ceiling coverings and coatings
246-215-06230	(2009 FDA Food Code 6-201.16). Cleanability—Walls and ceilings, attachments (2009
246-215-06235	FDA Food Code 6-201.17). Cleanability—Walls and ceilings, studs, joists, and raf- ters (2009 FDA Food Code 6-201.18).
246-215-06240	Functionality—Light bulbs, protective shielding (2009 FDA Food Code 6-202.11).
246-215-06245	Functionality—Heating, ventilating, air conditioning system vents (2009 FDA Food Code 6-202.12).
246-215-06250	Functionality—Insect control devices, design and installation (2009 FDA Food Code 6-202.13).
246-215-06255	Functionality—Toilet rooms, enclosed (2009 FDA Food Code 6-202.14).
246-215-06260	Functionality—Outer openings, protected (2009 FDA Food Code 6-202.15).
246-215-06265	Functionality—Exterior walls and roofs, protective bar- rier (2009 FDA Food Code 6-202.16).
246-215-06270	Functionality—Outdoor food vending areas, overhead protection (2009 FDA Food Code 6-202.17).
246-215-06275	Functionality—Outdoor servicing areas, overhead pro- tection (2009 FDA Food Code 6-202.18).
246-215-06280	Functionality—Outdoor walking and driving surfaces, graded to drain (2009 FDA Food Code 6-202.19).
246-215-06285	Functionality—Outdoor refuse areas (2009 FDA Food Code 6-202.110).
246-215-06290	Functionality—Private homes and living or sleeping quarters, use prohibition (2009 FDA Food Code 6- 202.111).
246-215-06295	Functionality—Living or sleeping quarters, separation (2009 FDA Food Code 6-202.112).
	Subpart C - Numbers and Capacities
246-215-06300	Handwashing facilities—Minimum number (2009 FDA Food Code 6-301.10).
246-215-06305	Handwashing facilities—Handwashing cleanser, avail- ability (2009 FDA Food Code 6-301.11).
246-215-06310	Handwashing facilities—Hand-drying provision (2009 FDA Food Code 6-301.12).
246-215-06315	Handwashing facilities—Handwashing aids and devices, use restriction (2009 FDA Food Code 6-
246-215-06320	301.13). Handwashing facilities—Handwashing signage (2009 FDA Food Code 6-301.14).
246-215-06325	Handwashing facilities—Disposable towels, waste receptacle (2009 FDA Food Code 6-301.20).
246-215-06330	Toilets and urinals—Minimum number (2009 FDA Food Code 6-302.10).
246-215-06335	Toilets and urinals—Toilet tissue, availability (2009 FDA Food Code 6-302.11).
246-215-06340 246-215-06345	Lighting—Intensity (2009 FDA Food Code 6-303.11). Ventilation—Mechanical (2009 FDA Food Code 6-
246-215-06350	304.11). Dressing areas and lockers—Designation (2009 FDA Food Code 6-305.11).
246-215-06355	Service sinks—Availability (2009 FDA Food Code 6- 306.10).
	Subpart D - Location and Placement
246-215-06400	Handwashing facilities—Conveniently located (2009 FDA Food Code 6-401.10).
246-215-06405	FDA Food Code 6-401.10). Toilet rooms—Convenience and accessibility (2009 FDA Food Code 6-402.11).
246-215-06410	Employee accommodations—Designated areas (2009 FDA Food Code 6-403.11).
246-215-06415	Distressed merchandise—Segregation and location (2009 FDA Food Code 6-404.11).
246-215-06420	Refuse, recyclables, and returnables—Receptacles, waste handling units, and designated storage areas
	(2009 FDA Food Code 6-405.10).

# **Food Service**

Subpart E - Mainter	nance and Operation: Premises, Structures, Attachments, and Fixtures
246-215-06500	Methods—Repairing (2009 FDA Food Code 6-501.11).
246-215-06505	Methods—Cleaning, frequency and restrictions (2009 FDA Food Code 6-501.12).
246-215-06510	Methods—Cleaning floors, dustless methods (2009 FDA Food Code 6-501.13).
246-215-06515	Methods—Cleaning ventilation systems, nuisance and discharge prohibition (2009 FDA Food Code 6- 501.14).
246-215-06520	Methods—Cleaning maintenance tools, preventing con- tamination (2009 FDA Food Code 6-501.15).
246-215-06525	Methods—Drying mops (2009 FDA Food Code 6- 501.16).
246-215-06530	Methods—Absorbent materials on floors, use limita- tions (2009 FDA Food Code 6-501.17).
246-215-06535	Methods—Cleaning of plumbing fixtures (2009 FDA Food Code 6-501.18).
246-215-06540	Methods—Closing toilet room doors (2009 FDA Food Code 6-501.19).
246-215-06545	Methods—Using dressing rooms and lockers (2009 FDA Food Code 6-501.110).
246-215-06550	Methods—Controlling pests (2009 FDA Food Code 6- 501.111).
246-215-06555	Methods—Removing dead or trapped birds, insects, rodents, and other pests (2009 FDA Food Code 6-
246-215-06560	501.112). Methods—Storing maintenance tools (2009 FDA Food Code 6-501.113).
246-215-06565	Methods—Maintaining premises, unnecessary items and litter (2009 FDA Food Code 6-501.114).
246-215-06570	Methods—Prohibiting animals (2009 FDA Food Code 6-501.115).
PART	7: POISONOUS OR TOXIC MATERIALS
S	Subpart A - Labeling and Identification
246-215-07100	Original containers—Identifying information, promi-
246-215-07105	nence (2009 FDA Food Code 7-101.11). Working containers—Common name (2009 FDA Food Code 7-102.11).
Subpar	rt B - Operational Supplies and Applications
246-215-07200 246-215-07205	Storage—Separation (2009 FDA Food Code 7-201.11). Presence and use—Restriction (2009 FDA Food Code 7-202.11).
246-215-07210	Presence and use—Conditions of use (2009 FDA Food Code 7-202.12).
246-215-07215	Container prohibitions—Poisonous or toxic material containers (2009 FDA Food Code 7-203.11).
246-215-07220	Chemicals—Sanitizers, criteria (2009 FDA Food Code 7-204.11).
246-215-07225	Chemicals—Chemicals for washing, treatment, storage, and processing fruits and vegetables, criteria (2009
246-215-07230	FDA Food Code 7-204.12). Chemicals—Boiler water additives, criteria (2009 FDA Food Code 7-204.13).
246-215-07235	Chemicals—Drying agents, criteria (2009 FDA Food Code 7-204.14).
246-215-07240	Lubricants—Incidental food contact, criteria (2009 FDA Food Code 7-205.11).
246-215-07245	Pesticides—Restricted use pesticides, criteria (2009 FDA Food Code 7-206.11).
246-215-07250	Pesticides—Rodent bait stations (2009 FDA Food Code 7-206.12).
246-215-07255	Pesticides—Tracking powders, pest control and moni- toring (2009 FDA Food Code 7-206.13).
246-215-07260	Medicines—Restriction and storage (2009 FDA Food Code 7-207.11).
246-215-07265	Medicines—Refrigerated medicines, storage (2009 FDA Food Code 7-207.12).
246-215-07270	First-aid supplies—Storage (2009 FDA Food Code 7- 208.11).
246-215-07275	Other personal care items—Storage (2009 FDA Food Code 7-209.11).
	Subpart C - Stock and Retail Sale
246-215-07300	Storage and display—Separation (2009 FDA Food Code 7-301.11).

#### PART 8: COMPLIANCE AND ENFORCEMENT

246 215 08100	Subpart A - Applicability
246-215-08100	Use for intended purpose—Public health protection (2009 FDA Food Code 8-101.10).
246-215-08105	Additional requirements—Preventing health hazards, provision for conditions not addressed (2009 FDA Food Code 8-102.10).
246-215-08110	Variances—Modifications and waivers (2009 FDA Food Code 8-103.10).
246-215-08115	Variances—Documentation of proposed VARIANCE and justification (2009 FDA Food Code 8-103.11).
246-215-08120	Variances—Conformance with approved procedures (2009 FDA Food Code 8-103.12).
S	ubpart B - Plan Submission and Approval
246-215-08200	Facility and operating plans—When plans are required (2009 FDA Food Code 8-201.11).
246-215-08205	Facility and operating plans—Contents of the plans and specifications (2009 FDA Food Code 8-201.12).
246-215-08210	Facility and operating plans—When a HACCP plan is required (2009 FDA Food Code 8-201.13).
246-215-08215	Facility and operating plans—Contents of a HACCP plan (2009 FDA Food Code 8-201.14).
246-215-08220 246-215-08225	Trade secrets (2009 FDA Food Code 8-202.10). Construction inspection and approval—Preoperational
240-215-00225	inspections (2009 FDA Food Code 8-203.10).
	Subpart C - Permit to Operate
246-215-08300	Requirement—Prerequisite for operation (2009 FDA Food Code 8-301.11).
246-215-08305 246-215-08310	Exempt from permit (2009 FDA Food Code 8-301.12). Application procedure—Submission thirty calendar
210 215 00510	days before proposed opening (2009 FDA Food Code 8-302.11).
246-215-08315	Application procedure—Form of submission (2009 FDA Food Code 8-302.12).
246-215-08320	Application procedure—Qualifications and responsibil- ities of applicants (2009 FDA Food Code 8- 302.13).
246-215-08325	Application procedure—Contents of the application (2009 FDA Food Code 8-302.14).
246-215-08330	Issuance—New, converted, or remodeled establish- ments (2009 FDA Food Code 8-303.10).
246-215-08335	Issuance—Existing establishments, permit renewal, and change of ownership (2009 FDA Food Code 8- 303.20).
246-215-08340	Issuance—Denial of application for permit, notice (2009 FDA Food Code 8-303.30).
246-215-08345	Conditions of retention—Responsibilities of the regula- tory authority (2009 FDA Food Code 8-304.10).
246-215-08350	Conditions of retention—Responsibilities of the permit holder (2009 FDA Food Code 8-304.11).
246-215-08355	Conditions of retention—Permits not transferable (2009 FDA Food Code 8-304.20).
Subpa	rt D - Inspection and Correction of Violations
246-215-08400	Frequency—Establishing inspection interval (2009 FDA Food Code 8-401.10).
246-215-08405	Frequency—Performance- and risk-based (2009 FDA Food Code 8-401.20).
246-215-08410	Frequency—Competency of inspectors (2009 FDA Food Code 8-402.10).
246-215-08415	Access—Allowed at reasonable times after due notice (2009 FDA Food Code 8-402.11).
246-215-08420	Access—Refusal, notification of right to access, and final request for access (2009 FDA Food Code 8- 402.20).
246-215-08425	Access—Refusal, reporting (2009 FDA Food Code 8- 402.30).
246-215-08430	Report of findings—Documenting information and observations (2009 FDA Food Code 8-403.10).
246-215-08435	Report of finding—Specifying time frame for correc- tions (2009 FDA Food Code 8-403.20).
246-215-08440	Report of findings—Issuing report and obtaining acknowledgment of receipt (2009 FDA Food Code 8-403.30).
246-215-08445	Report of findings—Refusal to sign acknowledgment (2009 FDA Food Code 8-403.40).
246-215-08450	Report of findings—Public information (2009 FDA Food Code 8-403.50).
246-215-08455	Imminent health hazard—Ceasing operations and reporting (2009 FDA Food Code 8-404.11).
	1 0

246-215-08460	Imminent health hazard-Resumption of operations	PART 10: SEVERABILITY		
Submont E Duorre	(2009 FDA Food Code 8-404.12).	246-215-10000	Severability.	
Subpart E - Prevention of Foodborne Disease Transmission by Employees				
246-215-08500	Investigation and control—Obtaining information— Personal history of illness, medical examination, and specimen analysis (2009 FDA Food Code 8-		POSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER	
246-215-08505	501.10). Investigation and control—Restriction or exclusion of food employee, or summary suspension of permit (2009 FDA Food Code 8-501.20).	246-215-001	Purpose and authority. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-001, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order	
246-215-08510	Investigation and control—Restriction or exclusion order: Warning or hearing not required, information required in order (2009 FDA Food Code 8-501.30).		261B), § 246-215-001, filed 4/1/92, effective 5/2/92; WSR 91-02-051 (Order 124B), recodified as § 246-215- 001, filed 12/27/90, effective 1/31/91; WSR 80-14-059	
246-215-08515	Investigation and control—Removal of exclusion or restriction (2009 FDA Food Code 8-501.40).		(Order 203), § 248-84-001, filed 10/1/80; Regulation .84.001, filed 6/4/63; Regulation .84.001, effective	
246-215-08520	Investigation and control—Procedure when disease transmission is suspected.		3/11/60.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.	
	Subpart F - Enforcement	246-215-005	Minimum performance standards. [Statutory Authority:	
246-215-08600 246-215-08605 246-215-08610	Permits required, suspension, revocation, enforcement. Service of notice. Hearings.		RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22- 111, § 246-215-005, filed 11/3/04, effective 5/2/05.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13, Statutory Authority, BCW 43.20,050, and	
PAF	<b>XT 9: ALTERNATIVE FOOD FACILITIES</b>		5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.	
	Subpart A - Mobile Food Units	246-215-009	Definitions. [Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215-	
246-215-09100 246-215-09105 246-215-09110	Requirements and restrictions—Requirements. Requirements and restrictions—Restrictions. Plan approval—Plan review.		009, filed 12/27/90, effective 1/31/91; WSR 84-14-090 (Order 274), § 248-84-002, filed 7/3/84; WSR 80-14- 059 (Order 203), § 248-84-002, filed 10/1/80.] Repealed	
246-215-09115 246-215-09120	Plan approval—Plan contents. Additional requirements—Standard operating proce-		by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.	
240-215-09120	dures.	246-215-010	Definitions. [Statutory Authority: RCW 43.20.050.	
246-215-09125	Potentially hazardous foods—Temperature control.		WSR 00-02-014, § 246-215-010, filed 12/27/99, effec- tive 1/27/00, WSB 02.08, 112 (Order 261B) § 246-215	
246-215-09130 246-215-09135	Cooking thickness—Cooking raw meats. Water and wastewater—Water system.		tive 1/27/00; WSR 92-08-112 (Order 261B), § 246-215- 010, filed 4/1/92, effective 5/2/92.] Repealed by WSR	
246-215-09140	Handwashing—Handwashing facilities.		04-22-111, filed $11/3/04$ , effective $5/2/05$ . Statutory	
246-215-09145	Handwashing—Handwashing waiver.		Authority: RCW 43.20.050, 43.20.145 and 69.80.060.	
246-215-09150 246-215-09155	Employee restrooms—Toilet facilities. Sink compartment requirements—Warewashing facili- ties.	246-215-011	Definitions. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215- 011, filed 11/3/04, effective 5/2/05.] Repealed by WSR	
246-215-09160	Required postings—Business name.		13-03-109, filed 1/17/13, effective 5/1/13. Statutory	
246-215-09165	Required postings—Permit.	246 215 010	Authority: RCW 43.20.050 and 43.20.145.	
246-215-09170 246-215-09175	Food and equipment protection—Overhead protection. Food and equipment protection—Food and food service supplies.	246-215-019	Food supplies. [Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215- 019, filed 12/27/90, effective 1/31/91; WSR 80-14-059	
246-215-09180	Movable buildings—Lack of permanent plumbing.		(Order 203), § 248-84-010, filed 10/1/80; Regulation .84.010, filed 6/4/63; Regulation .84.010, effective	
	bpart B - Temporary Food Establishments		3/11/60.] Repealed by WSR 92-08-112 (Order 261B),	
246-215-09200 246-215-09205	Requirements and restrictions. Food and equipment protection—Standard operating	246-215-020	filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050. Food supplies. [Statutory Authority: RCW 43.20.050.	
246-215-09210 246-215-09215	procedures. Potentially hazardous food—Temperature control. Thawing thickness—Thawing potentially hazardous	210 210 020	WSR 92-08-112 (Order 261B), § 246-215-020, filed 4/1/92, effective 5/2/92.] Repealed by WSR 04-22-111,	
246-215-09220	foods. Public access—Separation barrier.	246 215 021	filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060.	
246-215-09225	Handwashing and wastewater—Facilities.	246-215-021	Management and personnel. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-111, §	
246-215-09230 246-215-09235	Employee restrooms—Toilet facilities. Sink compartment requirements—Warewashing facili- ties.		246-215-021, filed 11/3/04, effective 5/2/05.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Stat-	
246-215-09240	Sink compartment requirements—Food preparation sink.	246-215-029	utory Authority: RCW 43.20.050 and 43.20.145. Food protection and storage. [Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recod-	
S	ubpart C - Bed and Breakfast Operations		ified as § 246-215-029, filed 12/27/90, effective	
246-215-09300 246-215-09305 246-215-09310	Residential kitchen—Requirements and restrictions. Food protection—Standard operating procedures. Sinks—Sink compartment requirements.		1/31/91; WSR 80-14-059 (Order 203), § 248-84-015, filed 10/1/80.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Author-	
	t D - Donated Food Distributing Organizations	246-215-030	ity: RCW 43.20.050. Food protection. [Statutory Authority: RCW 43.20.050.	
246-215-09400	Requirements and exemptions.		WSR 92-08-112 (Order 261B), § 246-215-030, filed 4/1/92, effective 5/2/92.] Repealed by WSR 04-22-111,	
246-215-09405	Standard operating procedures—Food protection.		filed 11/3/04, effective 5/2/05. Statutory Authority:	
246-215-09410 246-215-09415	Sinks—Sink compartment requirements. Food sources—Donated foods.		RCW 43.20.050, 43.20.145 and 69.80.060.	
246-215-09420	Receiving food—Food condition.	246-215-031	Employee hygiene. [Statutory Authority: RCW 43.20 050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-	
246-215-09425	Prohibited food—Restrictions.		215-031, filed $11/3/04$ , effective $5/2/05$ .] Repealed by	
246-215-09430	Food labels—Alternative labeling.		WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statu-	
246-215-09435	Record keeping—Receiving record.	246 215 020	tory Authority: RCW 43.20.050 and 43.20.145.	
246-215-09500	Subpart E - Preschools Requirements and exemptions.	246-215-039	Food preparation, display, service and transportation. [Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215-039, filed	
246-215-09505	Standard operating procedures.		12/27/90, effective 1/31/91; WSR 80-14-059 (Order	
246-215-09510 246-215-09515	Sink compartment requirements. Food preparation sink.		203), § 248-84-020, filed 10/1/80; Regulation .84.020, filed 6/4/63; Regulation .84.020, effective 3/11/60.]	

[Ch. 246-215 WAC p. 7]

	Demosted by WSD 02 08 112 (Orden 261D) filed	246
	Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW	246-
	43.20.050.	
246-215-040	Public health labeling. [Statutory Authority: RCW	
	43.20.050. WSR 00-02-014, § 246-215-040, filed	
	12/27/99, effective 1/27/00; WSR 92-08-112 (Order 261B), § 246-215-040, filed 4/1/92, effective 5/2/92.]	246-
	Repealed by WSR 04-22-111, filed $11/3/04$ , effective	
	5/2/05. Statutory Authority: RCW 43.20.050, 43.20.145	
246-215-041	and 69.80.060.	
240-215-041	Food supplies. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-	
	041, filed 11/3/04, effective 5/2/05.] Repealed by WSR	
	13-03-109, filed 1/17/13, effective 5/1/13. Statutory	246-
246-215-049	Authority: RCW 43.20.050 and 43.20.145. Personnel. [Statutory Authority: RCW 43.20.050. WSR	
240-215-049	91-02-051 (Order 124B), recodified as § 246-215-049,	
	filed 12/27/90, effective 1/31/91; WSR 80-14-059	
	(Order 203), § 248-84-025, filed 10/1/80.] Repealed by	246-
	WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.	240-
246-215-050	Food preparation. [Statutory Authority: RCW 43.20	
	050. ŴSR 92-08-112 (Order 261B), § 246-215-050,	
	filed 4/1/92, effective 5/2/92.] Repealed by WSR 04-22-	246-
	111, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060.	210
246-215-051	Public health labeling. [Statutory Authority: RCW	
	43.20.050, 43.20.145 and 69.80.060. WSR 04-22-111, §	
	246-215-051, filed 11/3/04, effective 5/2/05.] Repealed	
	by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Stat- utory Authority: RCW 43.20.050 and 43.20.145.	
246-215-059	Sanitary design, construction, and installation of equip-	246-
	ment and utensils. [Statutory Authority: RCW 43.20	240-
	050. WSR 91-02-051 (Order 124B), recodified as § 246- 215, 050, filed 12/27/00, effective 1/21/01; WSP 84, 14	
	215-059, filed 12/27/90, effective 1/31/91; WSR 84-14- 090 (Order 274), § 248-84-030, filed 7/3/84; WSR 80-	
	14-059 (Order 203), § 248-84-030, filed 10/1/80; Regu-	
	lation .84.030, filed 6/4/63; Regulation .84.030 effective	246-
	3/11/60.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW	
	43.20.050.	
246-215-060	Modified atmosphere packaging. [Statutory Authority:	
	RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-	
	215-060, filed 4/1/92, effective 5/2/92.] Repealed by WSR 04-22-111, filed 11/3/04, effective 5/2/05. Statu-	
	tory Authority: RCW 43.20.050, 43.20.145 and	246-
	69.80.060.	
246-215-061	Food handling. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-	
	061, filed $11/3/04$ , effective $5/2/05$ .] Repealed by WSR	
	13-03-109, filed 1/17/13, effective 5/1/13. Statutory	246-
246 215 060	Authority: RCW 43.20.050 and 43.20.145.	2.0
246-215-069	Equipment and utensil cleaning and sanitation. [Statu- tory Authority: RCW 43.20.050. WSR 91-02-051	
	(Order 124B), recodified as § 246-215-069, filed	
	12/27/90, effective 1/31/91; WSR 84-14-090 (Order	
	274), § 248-84-035, filed 7/3/84; WSR 80-14-059 (Order 203), § 248-84-035, filed 10/1/80.] Repealed by	
	WSR 92-08-112 (Order 261B), filed 4/1/92, effective	246-
	5/2/92. Statutory Authority: RCW 43.20.050.	240-
246-215-070	Temperature control. [Statutory Authority: RCW	
	43.20.050. WSR 92-08-112 (Order 261B), § 246-215- 070, filed 4/1/92, effective 5/2/92.] Repealed by WSR	
	04-22-111, filed 11/3/04, effective 5/2/05. Statutory	
	Authority: RCW 43.20.050, 43.20.145 and 69.80.060.	246-
246-215-071	Equipment and utensils. [Statutory Authority: RCW	
	43.20.050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-071, filed 11/3/04, effective 5/2/05.] Repealed	
	by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Stat-	
	utory Authority: RCW 43.20.050 and 43.20.145.	246-
246-215-079	Sanitary facilities and controls. [Statutory Authority:	
	RCW 43.20.050. WSR 91-02-051 (Order 124B), recod- ified as § 246-215-079, filed 12/27/90, effective	
	1/31/91; WSR 80-14-059 (Order 203), § 248-84-040,	
	filed 10/1/80; Regulation .84.040, filed 6/4/63; Regula-	
	tion .84.040, effective 3/11/60.] Repealed by WSR 92- 08-112 (Order 261B), filed 4/1/92, effective 5/2/92.	246-
	Statutory Authority: RCW 43.20.050.	2-10-
246-215-080	Personal hygiene. [Statutory Authority: RCW 43.20	
	050. WSR 92-08-112 (Order 261B), § 246-215-080, filed 4/1/92, effective 5/2/92.] Repealed by WSR 04-22-	
	111, filed 11/3/04, effective 5/2/92. Statutory Authority:	246-
	RCW 43.20.050, 43.20.145 and 69.80.060.	

- Water, plumbing, and waste. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-081, filed 11/3/04, effective 5/2/05.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.
- 46-215-089 Garbage and rubbish. [Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215-089, filed 12/27/90, effective 1/31/91; WSR 80-14-059 (Order 203), § 248-84-045, filed 10/1/80.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.
- 246-215-090 Sanitary design, construction, and installation of equipment and utensils. [Statutory Authority: RCW 43.20,-050. WSR 92-08-112 (Order 261B), § 246-215-090, filed 4/1/92, effective 5/2/92.] Repealed by WSR 04-22-111, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060.
- 246-215-091 Physical facilities. [Statutory Authority: RCW 43.20.-050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-091, filed 11/3/04, effective 5/2/05.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.
- 46-215-099 Insect and rodent control. [Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215-099, filed 12/27/90, effective 1/31/91; WSR 80-14-059 (Order 203), § 248-84-050, filed 10/1/80; Regulation .84.050, filed 6/4/63; Regulation .84.050, effective 3/11/60.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.
- 46-215-100 Equipment and utensil cleaning and sanitizing. [Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-100, filed 4/1/92, effective 5/2/92.] Repealed by WSR 04-22-111, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060.
- 46-215-109 Construction and maintenance of physical facilities. [Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215-109, filed 12/27/90, effective 1/31/91; WSR 80-14-059 (Order 203), § 248-84-055, filed 10/1/80.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.
- 246-215-110 Poisonous or toxic materials. [Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-110, filed 4/1/92, effective 5/2/92.] Repealed by WSR 04-22-111, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060.
- 246-215-119 Mobile units. [Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215-119, filed 12/27/90, effective 1/31/91; WSR 80-14-059 (Order 203), § 248-84-060, filed 10/1/80; Regulation .84.060, filed 6/4/63; Rules (part), effective 3/11/60.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.
- Sanitary facilities and controls. [Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-120, filed 4/1/92, effective 5/2/92.] Repealed by WSR 04-22-111, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060.
- 246-215-121
   Mobile food units. [Statutory Authority: RCW 43.20.-050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-121, filed 11/3/04, effective 5/2/05.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.
- 46-215-129 Bulk foods, storage, and display. [Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215-129, filed 12/27/90, effective 1/31/91; WSR 84-14-090 (Order 274), § 248-84-062, filed 7/3/84.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.
- 46-215-130 Garbage, rubbish, and litter. [Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-130, filed 4/1/92, effective 5/2/92.] Repealed by WSR 04-22-111, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060.
- 246-215-131 Temporary food establishments. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-

	111, § 246-215-131, filed 11/3/04, effective 5/2/05.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/12, Statutery, Authority, BCW 42, 20, 050, and	246 214
246-215-139	5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145. Temporary food service establishments. [Statutory	246-21
	Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215-139, filed 12/27/90,	
	effective 1/31/91; WSR 80-14-059 (Order 203), § 248- 84-065, filed 10/1/80.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory	246-21
246-215-140	Authority: RCW 43.20.050. Pests and pest control. [Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-	
	140, filed 41/1/92, effective 5/2/92.] Repealed by WSR 04-22-111, filed 11/3/04, effective 5/2/92. Statutory	
246-215-141	Authority: RCW 43.20.050, 43.20.145 and 69.80.060. Bed and breakfast operations. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-	246-21
	111, § 246-215-141, filed 11/3/04, effective 5/2/05.] Repealed by WSR 13-03-109, filed 1/17/13, effective	246 21
246-215-149	5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145. Permits required, suspension and revocation procedures.	246-21
	[Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215-149, filed	
	12/27/90, effective 1/31/91; WSR 80-14-059 (Order 203), § 248-84-070, filed 10/1/80; Regulation .84.070 (part), filed 6/4/63; Rules (part), effective 3/11/60.]	246-21
	Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.	
246-215-150	Construction and maintenance of physical facilities. [Statutory Authority: RCW 43.20.050 and chapter 70.84	
	RCW. WSR 02-09-028, § 246-215-150, filed 4/9/02, effective 5/10/02. Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-150, filed	246-21
	4/1/92, effective 5/2/92.] Repealed by WSR 04-22-111, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060.	
246-215-151	Donated food distributing organizations. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060.	246 214
	WSR 04-22-111, § 246-215-151, filed 11/3/04, effec- tive 5/2/05.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statutory Authority: RCW	246-21
246-215-159	43.20.050 and 43.20.145. Service of notices. [Statutory Authority: RCW 43.20 050. WSR 91-02-051 (Order 124B), recodified as § 246-	
	215-159, filed 12/27/90, effective 1/31/91; WSR 80-14- 059 (Order 203), § 248-84-075, filed 10/1/80.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective	246-21
246-215-160	5/2/92. Statutory Authority: RCW 43.20.050. Mobile food units. [Statutory Authority: RCW 43.20	240 21.
	050. WSR 92-08-112 (Order 261B), § 246-215-160, filed 4/1/92, effective 5/2/92.] Repealed by WSR 04-22-111, filed 11/3/04, effective 5/2/05. Statutory Authority:	
246-215-169	RCW 43.20.050, 43.20.145 and 69.80.060. Hearings. [Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215-169,	246-21
	filed 12/27/90, effective 1/31/91; WSR 80-14-059 (Order 203), § 248-84-080, filed 10/1/80.] Repealed by	
246-215-170	WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050. Customer self-service of food and bulk food dispensing.	246-21
	[Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-170, filed 4/1/92, effective 5/2/92.] Repealed by WSR 04-22-111, filed 11/3/04,	
24( 215 170	effective 5/2/05. Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060.	246 214
246-215-179	Inspections. [Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215- 179, filed 12/27/90, effective 1/31/91; WSR 80-14-059	246-21
	(Order 203), § 248-84-085, filed 10/1/80.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.	
246-215-180	Bed and breakfast food service operations. [Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-180, filed 4/1/92, effective 5/2/92.]	246-21
	Repealed by WSR 04-22-111, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050, 43.20.145	
246-215-181	and 69.80.060. Compliance and enforcement. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-	246-21
	111, § 246-215-181, filed 11/3/04, effective 5/2/05.] Repealed by WSR 13-03-109, filed 1/17/13, effective	

(11/13/18)

5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.

- 215-189 Examination—Hold orders—Condemnation—Destruction of food. [Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215-189, filed 12/27/90, effective 1/31/91; WSR 80-14-059 (Order 203), § 248-84-090, filed 10/1/80.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.
  215 100 Terrepresent of the next blickness of Statutory Statutory Authority: RCW 43.20.050.
- 46-215-190 Temporary food service establishments. [Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-190, filed 4/1/92, effective 5/2/92.] Repealed by WSR 04-22-111, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060.
- 46-215-191 Exempt from permit. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-191, filed 11/3/04, effective 5/2/05.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.
- 46-215-199 Review of plans. [Statutory Authority: RCW 43.20.050 and 43.20.145. Review of plans. [Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215-199, filed 12/27/90, effective 1/31/91; WSR 80-14-059 (Order 203), § 248-84-095, filed 10/1/80.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.
- 246-215-200 Permits required, suspension, revocation, enforcement. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-200, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-200, filed 4/1/92, effective 5/2/92.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.
- 46-215-209 Procedure when infection is suspected. [Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215-209, filed 12/27/90, effective 1/31/91; WSR 80-14-059 (Order 203), § 248-84-100, filed 10/1/80.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.
- 246-215-210 Service of notices. [Statutory Authority: RCW 43.20. 500, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-210, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-210, filed 4/1/92, effective 5/2/92.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.
- 246-215-219
   Variance clause. [Statutory Authority: RCW 43.20.050.

   WSR 91-02-051 (Order 124B), recodified as § 246-215-219, filed 12/27/90, effective 1/31/91; WSR 80-14-059 (Order 203), § 248-84-105, filed 10/1/80.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.
- 246-215-220 Hearings. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-220, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-220, filed 4/1/92, effective 5/2/92.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.
- 46-215-229 WSR 91-02-051 (Order 124B), recodified as § 246-215-229, filed 12/27/90, effective 1/31/91; WSR 80-14-059 (Order 203), § 248-84-110, filed 10/1/80.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.
- 46-215-230 Inspections and investigations. [Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-230, filed 4/1/92, effective 5/2/92.] Repealed by WSR 04-22-111, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060.
- 46-215-239 Sulfiting agents. [Statutory Authority: RCW 43.20.050. WSR 91-02-051 (Order 124B), recodified as § 246-215-239, filed 12/27/90, effective 1/31/91; WSR 85-11-024 (Order 288), § 248-84-120, filed 5/13/85.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.
- 246-215-240Examination, hold orders, condemnation, and destruction of food. [Statutory Authority: RCW 43.20.050,<br/>43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-<br/>240, filed 11/3/04, effective 5/2/05. Statutory Authority:

RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-240, filed 4/1/92, effective 5/2/92.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.

- 246-215-250
   Review of plans and menu. [Statutory Authority: RCW

   43.20.050.
   WSR 92-08-112 (Order 261B), § 246-215-250, filed 4/1/92, effective 5/2/92.] Repealed by WSR

   04-22-111, filed 11/3/04, effective 5/2/05. Statutory

   Authority: RCW 43.20.050, 43.20.145 and 69.80.060.
- 246-215-251 Employee health. [Statutory Authority: RCW 43.20.-050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-251, filed 11/3/04, effective 5/2/05.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.
- 246-215-260 Procedure when disease transmission is suspected. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-260, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-260, filed 4/1/92, effective 5/2/92.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.
- 246-215-270 Variance clause. [Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-270, filed 4/1/92, effective 5/2/92.] Repealed by WSR 04-22-111, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060.
- 246-215-280 Interpretation. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-280, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-280, filed 4/1/92, effective 5/2/92.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/2/13. Statutory Authority: RCW 43.20.050 and 43.20.145.
- 246-215-290 Separability clause. [Statutory Authority: RCW 43.20. 050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-290, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-290, filed 4/1/92, effective 5/2/92.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.
- 246-215-300 Penalty clause. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-300, filed 11/3/04, effective 5/2/05. Statutory Authority: RCW 43.20.050. WSR 92-08-112 (Order 261B), § 246-215-300, filed 4/1/92, effective 5/2/92.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.
- 246-215-311
   Effective date. [Statutory Authority: RCW 43.20.050, 43.20.145 and 69.80.060. WSR 04-22-111, § 246-215-311, filed 11/3/04, effective 5/2/05.] Repealed by WSR 13-03-109, filed 1/17/13, effective 5/1/13. Statutory Authority: RCW 43.20.050 and 43.20.145.
- 246-215-500 Separability clause. [Statutory Authority: RCW 43.20.-050. WSR 91-02-051 (Order 124B), recodified as § 246-215-500, filed 12/27/90, effective 1/31/91; WSR 80-14-059 (Order 203), § 248-84-500, filed 10/1/80.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.
- 246-215-900
   Penalty clause. [Statutory Authority: RCW 43.20.050.

   WSR 91-02-051 (Order 124B), recodified as § 246-215-900, filed 12/27/90, effective 1/31/91; WSR 80-14-059 (Order 203), § 248-84-900, filed 10/1/80.] Repealed by WSR 92-08-112 (Order 261B), filed 4/1/92, effective 5/2/92. Statutory Authority: RCW 43.20.050.

# PART 1: INTENT, SCOPE, AND DEFINITIONS

WAC 246-215-01100 Intent—Food safety, illness prevention, and honest presentation (2009 FDA Food Code 1-102.10). The purpose of this chapter is to safeguard public health and provide to CONSUMERS FOOD that is safe, unADULTERATED, and honestly presented.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-01100, filed 1/17/13, effective 5/1/13.]

[Ch. 246-215 WAC p. 10]

WAC 246-215-01105 Scope—Statement (2009 FDA Food Code 1-103.10). This chapter establishes definitions; sets standards for management and personnel, FOOD operations, and EQUIPMENT and facilities; and provides for FOOD ESTABLISHMENT plan review, PERMIT issuance, inspection, EMPLOYEE RESTRICTION, and PERMIT suspension.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-01105, filed 1/17/13, effective 5/1/13.]

WAC 246-215-01110 Applicability. (1) The requirements of this chapter apply to an operation that meets the definition of a FOOD ESTABLISHMENT as defined in WAC 246-215-01115(48).

(2) When a LOCAL BOARD OF HEALTH adopts rules with more stringent provisions than those contained in this chapter, the more stringent rules apply.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-01110, filed 1/17/13, effective 5/1/13.]

WAC 246-215-01115 Definitions, abbreviations, and acronyms (2009 FDA Food Code 1-201.10(B)). The definitions in this section apply throughout this chapter unless the context clearly indicates otherwise.

(1) "Accredited program."

(a) ACCREDITED PROGRAM means a FOOD protection manager certification program that has been evaluated and listed by an accrediting agency as conforming to national standards for organizations that certify individuals.

(b) ACCREDITED PROGRAM refers to the certification process and is a designation based upon an independent evaluation of factors such as the sponsor's mission; organizational structure; staff resources; revenue sources; policies; public information regarding program scope, eligibility requirements, recertification, discipline, and grievance procedures; and test development and administration.

(c) Accredited program does not refer to training functions or educational programs.

(2) "ADDITIVE."

(a) "FOOD ADDITIVE" has the meaning stated in the Federal Food, Drug, and Cosmetic Act, Section 201(s) and 21 C.F.R. 170.3(e)(1).

(b) "COLOR ADDITIVE" has the meaning stated in the Federal Food, Drug, and Cosmetic Act, Section 201(t) and 21 C.F.R. 70.3(f).

(3) "ADULTERATED" has the meaning stated in the Federal Food, Drug, and Cosmetic Act, Section 402.

(4) "APPROVED" means acceptable to the REGULATORY AUTHORITY based on a determination of conformity with principles, practices, and generally recognized standards that protect public health.

(5) "ASYMPTOMATIC."

(a) ASYMPTOMATIC means without obvious symptoms; not showing or producing indications of a disease or other medical condition, such as an individual infected with a pathogen but not exhibiting or producing any signs or symptoms of vomiting, diarrhea, or jaundice.

(b) ASYMPTOMATIC includes not showing symptoms because symptoms have resolved or subsided, or because symptoms never manifested.

(6) " $A_w$ " means water activity which is a measure of the free moisture in a FOOD, is the quotient of the water vapor

pressure of the substance divided by the vapor pressure of pure water at the same temperature, and is indicated by the symbol  $A_w$ .

(7) "BALUT" means an embryo inside a fertile EGG that has been incubated for a period sufficient for the embryo to reach a specific stage of development after which it is removed from incubation before hatching.

(8) "BED AND BREAKFAST OPERATION" means a private home or inn offering one or more lodging units on a temporary basis to travelers.

(9) "BEVERAGE" means a liquid for drinking, including water.

(10) "BOTTLED DRINKING WATER" means water that is SEALED in bottles, packages, or other containers and offered for sale for human consumption, including bottled mineral water.

(11) "CATERING OPERATION."

(a) CATERING OPERATION means a PERSON who contracts with a client to prepare a specific menu and amount of FOOD in an APPROVED FOOD ESTABLISHMENT for service to the client's guests or customers at a different location.

(b) Consistent with its application under WAC 246-215-08325, a CATERING OPERATION APPROVED for a PERMIT may cook or perform final preparation on certain FOOD at the service location.

(12) "CERTIFICATION NUMBER" means a unique combination of letters and numbers assigned by a SHELLFISH CON-TROL AUTHORITY to a MOLLUSCAN SHELLFISH DEALER according to the provisions of the National Shellfish Sanitation Program.

(13) "C.F.R." means Code of Federal Regulations. Citations in this chapter to the C.F.R. refer sequentially to the Title, Part, and Section numbers, such as 40 C.F.R. 180.194 refers to Title 40, Part 180, Section 194.

(14) "CIP."

(a) CIP means cleaned in place by the circulation or flowing by mechanical means through a piping system of a detergent solution, water rinse, and SANITIZING solution onto or over EQUIPMENT surfaces that require cleaning, such as the method used, in part, to clean and SANITIZE a frozen dessert machine.

(b) CIP does not include the cleaning of EQUIPMENT such as band saws, slicers, or mixers that are subject to in-place manual cleaning without the use of a CIP system.

(15) "COMMINGLE" means:

(a) To combine SHELLSTOCK harvested on different days or from different growing areas as identified on the tag or label; or

(b) To combine SHUCKED SHELLFISH from containers with different container codes or different shucking dates.

(16) "COMMINUTED."

(a) COMMINUTED means reduced in size by methods that include chopping, flaking, grinding, or mincing.

(b) COMMINUTED includes FISH or MEAT products that are reduced in size and restructured or reformulated such as gefilte FISH, gyros, ground beef, and sausage; and a mixture of two or more types of MEAT that have been reduced in size and combined, such as sausage made from two or more MEATS. (17) "COMMISSARY" means an APPROVED FOOD ESTAB-LISHMENT where FOOD is stored, prepared, portioned, or PACKAGED for service elsewhere.

(18) "CONDITIONAL EMPLOYEE" means a potential FOOD EMPLOYEE to whom a job offer is made, conditional on responses to subsequent medical questions or examinations designed to identify potential EMPLOYEES who might be suffering from a disease that can be transmitted through FOOD and done in compliance with Title 1 of the Americans with Disabilities Act of 1990.

(19) "CONFIRMED DISEASE OUTBREAK" means a FOOD-BORNE DISEASE OUTBREAK in which laboratory analysis of appropriate specimens identifies a causative agent and epidemiological analysis implicates the FOOD as the source of the illness.

(20) "CONSUMER" means a PERSON who is a member of the public, takes possession of FOOD, is not functioning in the capacity of an operator of a FOOD ESTABLISHMENT or FOOD PROCESSING PLANT, and does not offer the FOOD for resale.

(21) "CORROSION-RESISTANT" means a material that maintains acceptable surface cleanability characteristics under prolonged influence of the FOOD to be contacted, the normal use of cleaning compounds and SANITIZING solutions, and other conditions of the use environment.

(22) "COUNTER-MOUNTED EQUIPMENT" means EQUIP-MENT that is not portable and is designed to be mounted off the floor on a table, counter, or shelf (previously tablemounted EQUIPMENT).

(23) "CRITICAL CONTROL POINT" means a point or procedure in a specific FOOD system where loss of control might result in an unacceptable health RISK.

(24) "CRITICAL LIMIT" means the maximum or minimum value to which a physical, biological, or chemical parameter must be controlled at a CRITICAL CONTROL POINT to minimize the RISK that the identified FOOD safety HAZARD might occur.

(25) "CUT LEAFY GREENS" means fresh leafy greens whose leaves have been cut, shredded, sliced, chopped, or torn. The term "leafy greens" includes iceberg lettuce, romaine lettuce, leaf lettuce, butter lettuce, baby leaf lettuce (i.e., immature lettuce or leafy greens), escarole, endive, spring mix, spinach, cabbage, kale, arugula, and chard. The term "leafy greens" does not include herbs such as cilantro or parsley. The term "cut" does not include removing and discarding the exterior leaves.

(26) "DEALER" means a PERSON who is authorized by a SHELLFISH CONTROL AUTHORITY for the activities of SHELL-STOCK shipper, shucker-packer, repacker, reshipper, or depuration processor of MOLLUSCAN SHELLFISH according to the provisions of the National Shellfish Sanitation Program.

(27) "DISCLOSURE" means a written statement that clearly identifies the animal-derived FOODS which are, or can be ordered, raw, undercooked, or without otherwise being processed to eliminate pathogens, or items that contain an ingredient that is raw, undercooked, or without otherwise being processed to eliminate pathogens.

(28) "DONATED FOOD DISTRIBUTING ORGANIZATION" means a charitable nonprofit organization under Section 501(c) of the federal Internal Revenue Code that distributes FOOD free of charge to the needy.

(29) "DONOR" means a person, corporation, association, or other organization that donates FOOD to a DONATED FOOD

DISTRIBUTING ORGANIZATION under the provisions of chapter 69.80 RCW, known as the Good Samaritan Food Donation Act.

(30) "DONOR KITCHEN" means a kitchen that is used by a DONOR to handle, store, or prepare FOOD for donation to needy persons through a DONATED FOOD DISTRIBUTING ORGANIZATION and which is not a residential kitchen in a private home.

(31) "DRINKING WATER."

(a) DRINKING WATER means water that meets 40 C.F.R. 141, National Primary Drinking Water Regulations.

(b) DRINKING WATER is traditionally known as "potable water."

(c) DRINKING WATER includes the term "water" except where the term used connotes that the water is not potable, such as "boiler water," "mop water," "rainwater," "wastewater," and "nondrinking" water.

(d) DRINKING WATER means potable water that is supplied in compliance with chapters 246-290 and 246-291 WAC.

(32) "DRY STORAGE" means a room or area designated for the storage of PACKAGED or containerized bulk nonPO-TENTIALLY HAZARDOUS FOOD and dry goods such as SINGLE-SERVICE ARTICLES.

(33) "EASILY CLEANABLE."

(a) EASILY CLEANABLE means a characteristic of a surface that:

(i) Allows effective removal of soil by normal cleaning methods;

(ii) Is dependent on the material, design, construction, and installation of the surface; and

(iii) Varies with the likelihood of the surface's role in introducing pathogenic or toxigenic agents or other contaminants into FOOD based on the surface's APPROVED placement, purpose and use.

(b) EASILY CLEANABLE includes a tiered application of the requirements that qualify the surface as EASILY CLEAN-ABLE as specified in (a) of this subsection to different situations in which varying degrees of cleanability are required such as:

(i) The appropriateness of stainless steel for a FOOD preparation surface as opposed to the lack of need for stainless steel to be used for floors or for tables used for CON-SUMER dining; or

(ii) The need for a different degree of cleanability for a utilitarian attachment or accessory in the kitchen as opposed to a decorative attachment or accessory in the CONSUMER dining area.

(34) "EASILY MOVABLE" means:

(a) Portable; mounted on casters, gliders, or rollers; or provided with a mechanical means to safely tilt a unit of EQUIPMENT for cleaning; and

(b) Having no utility connection, a utility connection that disconnects quickly, or a flexible utility connection line of sufficient length to allow the EQUIPMENT to be moved for cleaning of the EQUIPMENT and adjacent area.

(35) "EGG."

(a) EGG means the shell EGG of avian species such as chicken, duck, goose, guinea, quail, RATITES, turkey, or any other species of fowl.

(b) EGG does not include:

(i) A BALUT;

(ii) The EGG of a reptile species such as alligator; or

(iii) An EGG PRODUCT.

(36) "EGG PRODUCT."

(a) EGG PRODUCT means all, or a portion of, the contents found inside EGGS separated from the shell and pasteurized in a FOOD PROCESSING PLANT, with or without added ingredients, intended for human consumption such as dried, frozen, or liquid EGGS.

(b) EGG PRODUCT does not include FOOD which contains EGGS only in a relatively small portion such as cake mixes.

(37) "EMPLOYEE" means the PERMIT HOLDER, PERSON IN CHARGE, FOOD EMPLOYEE, PERSON having supervisory or management duties, PERSON on the payroll, family member, volunteer, PERSON performing work under contractual agreement, or other PERSON working in a FOOD ESTABLISHMENT.

"ENTEROHEMORRHAGIC (38) ESCHERICHIA COLI (EHEC)" means E. coli which cause hemorrhagic colitis, meaning bleeding enterically or bleeding from the intestine. The term is typically used in association with E. coli that have the capacity to produce Shiga toxins and to cause attaching and effacing lesions in the intestines. EHEC is a subset of STEC, whose members produce additional virulence factors. Infections with EHEC might be ASYMPTOMATIC but are classically associated with bloody diarrhea (hemorrhagic colitis) and hemolytic uremic syndrome (HUS) or thrombotic thrombocytopenic purpura (TTP). Examples of serotypes of EHEC include: E. coli O157:H7; E. coli O157:NM; E. coli O26:H11; E. coli O145:NM; E. coli O103:H2; or E. coli O111:NM. Also see Shiga Toxin-producing E. coli.

(39) "EPA" means the United States Environmental Protection Agency.

(40) "EQUIPMENT."

(a) EQUIPMENT means an article that is used in the operation of a FOOD ESTABLISHMENT such as a freezer, grinder, hood, ice maker, MEAT block, mixer, oven, reach-in refrigerator, scale, sink slicer, stove, table, TEMPERATURE MEASUR-ING DEVICE for ambient air, VENDING MACHINE, or WARE-WASHING machine.

(b) EQUIPMENT does not include items used for handling or storing large quantities of PACKAGED FOODS that are received from a supplier in a cased or overwrapped lot, such as hand trucks, forklifts, dollies, pallets, racks, and skids.

(41) "EXCLUDE" means to prevent a PERSON from working as an EMPLOYEE in a FOOD ESTABLISHMENT or entering a FOOD ESTABLISHMENT as an EMPLOYEE.

(42) "FDA" means the United States Food and Drug Administration.

(43) "FISH."

(a) FISH means fresh or saltwater finfish, crustaceans, and other forms of aquatic life (including alligator, frog, aquatic turtle, jellyfish, sea cucumber, and sea urchin and the roe of such animals) other than birds or mammals, and all mollusks, if such animal life is intended for human consumption.

(b) FISH includes an edible human FOOD product derived in whole or in part from FISH, including FISH that have been processed in any manner.

(44) "FOOD" means a raw, cooked, or processed edible substance, ice, BEVERAGE, or ingredient used or intended for

use or for sale in whole or in part for human consumption, or chewing gum.

(45) "FOODBORNE DISEASE OUTBREAK" means the occurrence of two or more cases of a similar illness resulting from the ingestion of a common FOOD.

(46) "FOOD-CONTACT SURFACE" means:

(a) A surface of EQUIPMENT or a UTENSIL with which FOOD normally comes into contact; or

(b) A surface of EQUIPMENT or a UTENSIL from which FOOD might drain, drip or splash:

(i) Into a FOOD; or

(ii) Onto a surface normally in contact with FOOD.

(47) "FOOD EMPLOYEE" means an individual working with unPACKAGED FOOD, FOOD EQUIPMENT or UTENSILS, or FOOD-CONTACT SURFACES.

(48) "FOOD ESTABLISHMENT."

(a) FOOD ESTABLISHMENT means an operation that:

(i) Stores, prepares, PACKAGES, serves, and vends FOOD directly to the CONSUMER, or otherwise provides FOOD for human consumption such as a restaurant; satellite or catered feeding location; CATERING OPERATION if the operation provides FOOD directly to a CONSUMER; or to a conveyance used to transport people; institution; or FOOD bank; and

(ii) Relinquishes possession of FOOD to a CONSUMER directly, or indirectly through a delivery service such as home delivery or grocery orders or restaurant takeout orders, or delivery service that is provided by common carriers.

(b) FOOD ESTABLISHMENT includes:

(i) An element of the operation such as a transportation vehicle or a central preparation facility that supplies a vending location or satellite feeding location unless the vending or feeding location is PERMITTED by the REGULATORY AUTHOR-ITY; and

(ii) An operation that is conducted in a mobile, stationary, temporary, or permanent facility or location; where consumption is on or off the PREMISES; and regardless of whether there is a charge for the FOOD.

(c) FOOD ESTABLISHMENT does not include:

(i) An establishment that offers only nonPOTENTIALLY HAZARDOUS FOODS prePACKAGED in a licensed FOOD ESTAB-LISHMENT or FOOD PROCESSING PLANT;

(ii) An establishment that offers only nonPOTENTIALLY HAZARDOUS, nonREADY-TO-EAT minimally cut, unprocessed fruits, vegetables, and fresh herbs;

(iii) A FOOD PROCESSING PLANT, cottage FOOD operation, or other establishment for activities regulated by the Washington state department of agriculture or the United States Department of Agriculture;

(iv) An establishment that offers only nonPOTENTIALLY HAZARDOUS, READY-TO-EAT FOODS produced in a licensed FOOD ESTABLISHMENT or FOOD PROCESSING PLANT (such as premixed soda pop, powdered creamer, pretzels, cookies, doughnuts, cake, or MEAT jerky) that are served without direct hand contact, with limited portioning, directly onto or into sanitary SINGLE-USE ARTICLES or SINGLE-SERVICE ARTI-CLES from the original package;

(v) An establishment that offers only nonPOTENTIALLY HAZARDOUS hot BEVERAGES (such as coffee, hot tea, or hot apple cider) served directly into sanitary SINGLE-SERVICE ARTICLES; (vi) An establishment that offers only dry nonPOTEN-TIALLY HAZARDOUS, nonREADY-TO-EAT FOODS (such as dry beans, dry grains, in-shell nuts, coffee beans, tea leaves, or herbs for tea);

(vii) An establishment that offers only prePACKAGED frozen confections produced in a licensed FOOD ESTABLISH-MENT or FOOD PROCESSING PLANT;

(viii) A residential kitchen in a private home or other location, if only FOODS that are nonPOTENTIALLY HAZARD-OUS baked goods are prepared and wrapped in a sanitary manner for sale or service by a nonprofit organization operating for religious, charitable, or educational purposes and if the CONSUMER is informed by a clearly visible placard at the sales or service location that the FOODS are prepared in a kitchen that is not inspected by a REGULATORY AUTHORITY;

(ix) A location where FOODS that are prepared as specified in (b)(viii) of this subsection are sold or offered for human consumption;

(x) A hotel/motel or other similar business that maintains an ice dispensing machine for self-service use by guests and the ice is not used by a FOOD ESTABLISHMENT;

(xi) A kitchen in a private home operated as a family day care provider as defined in RCW 43.215.010 (1)(c) or an adult family home as defined in RCW 70.128.010, used only to prepare FOOD for residents and other people for whom the operation is licensed to provide care;

(xii) A private home that receives catered or home-delivered FOOD;

(xiii) A private home or other location used for a PRI-VATE EVENT;

(xiv) A DONOR KITCHEN; and

(xv) A location used for a POTLUCK.

(49) "FOOD PROCESSING PLANT."

(a) FOOD PROCESSING PLANT means a commercial operation that manufactures, packages, labels, or stores FOOD for human consumption, and provides FOOD for sale or distribution to other business entities such as FOOD PROCESSING PLANTS or FOOD ESTABLISHMENTS.

(b) FOOD PROCESSING PLANT does not include a FOOD ESTABLISHMENT.

(50) "FOOD WORKER CARD" means a FOOD and BEVER-AGE service worker's PERMIT as required under chapter 69.06 RCW.

(51) "GAME ANIMAL."

(a) GAME ANIMAL means an animal, the products of which are FOOD that is not classified as livestock, sheep, swine, goat, horse, mule, or other equine in 9 C.F.R. 301 Definitions, or as POULTRY, or FISH.

(b) GAME ANIMAL includes mammals such as reindeer, elk, deer, antelope, water buffalo, bison, rabbit, squirrel, opossum, raccoon, nutria, or muskrat, and nonaquatic reptiles such as land snakes.

(c) GAME ANIMAL does not include RATITES.

(52) "GRADE A STANDARDS" means the requirements of the United States Public Health Service/FDA "Grade A Pasteurized Milk Ordinance" with which certain fluid and dry milk and milk products comply.

(53) "GRILL MARKED" means FOOD that has been seared using a NONCONTINUOUS COOKING process in which the FOOD is placed on a heated cooking surface for no more than one minute on each side. (54) "HACCP PLAN" means a written document that delineates the formal procedures for following the Hazard Analysis and Critical Control Point principles developed by The National Advisory Committee on Microbiological Criteria for Foods.

(55) "HANDWASHING SINK."

(a) HANDWASHING SINK means a lavatory, a basin or vessel for washing, a wash basin, or a PLUMBING FIXTURE especially placed for use in personal hygiene and designed for the washing of hands.

(b) HANDWASHING SINK includes an automatic hand-washing facility.

(56) "HAZARD" means a biological, chemical, or physical property that might cause an unacceptable CONSUMER health RISK.

(57) "HEALTH PRACTITIONER" means a physician licensed to practice medicine, or if allowed by LAW, a nurse practitioner, physician assistant or similar medical professional.

(58) "HERMETICALLY SEALED CONTAINER" means a container that is designed and intended to be secure against the entry of microorganisms and, in the case of low acid canned FOODS, to maintain the commercial sterility of its contents after processing.

(59) "HIGHLY SUSCEPTIBLE POPULATION" means persons who are more likely than other people in the general population to experience foodborne disease because they are:

(a) Immunocompromised, PRESCHOOL age children, or older adults; and

(b) Obtaining FOOD at a facility that provides custodial care, health care, assisted living, nutritional services, or socialization services including, but not limited to, child or adult day care center, kidney dialysis center, hospital, nursing home, or senior center.

(60) "IMMEDIATE SERVICE" means service to the public within thirty minutes of preparation.

(61) "IMMINENT HEALTH HAZARD" means a significant threat or danger to health that is considered to exist when there is evidence sufficient to show that a product, practice, circumstance, or event creates a situation that requires immediate correction or cessation of operation to prevent injury based on a fire, flood, extended interruption of electrical or water service, SEWAGE backup, misuse of POISONOUS OR TOXIC MATERIALS, onset of an apparent FOODBORNE DISEASE OUTBREAK, gross insanitary occurrence or condition, or other circumstance that might endanger public health.

(62) "INJECTED" means manipulating a MEAT to which a solution has been introduced into its interior by processes that are referred to as "injecting," "pump marinating," or "stitch pumping."

(63) "JUICE."

(a) JUICE means the aqueous liquid expressed or extracted from one or more fruits or vegetables, purees of the edible portions of one or more fruits or vegetables, or any concentrates of such liquid or puree.

(b) JUICE does not include, for purposes of HACCP, liquids, purees, or concentrates that are not used as BEVERAGES or ingredients of BEVERAGES.

(64) "KITCHENWARE" means FOOD preparation and storage UTENSILS.

(65) "LAW" means applicable local, state, and federal statutes, regulations, and ordinances.

(66) "LINENS" means fabric items such as cloth hampers, cloth napkins, table cloths, wiping cloths, and work garments including cloth gloves.

(67) "LOCAL BOARD OF HEALTH" means the county or district board of health.

(68) "LOCAL HEALTH OFFICER" means the legally qualified physician who has been appointed as the health officer for the county or district public health department.

(69) "MAJOR FOOD ALLERGEN."

(a) MAJOR FOOD ALLERGEN means:

(i) Milk, EGG, FISH (such as bass, flounder, cod, and including crustacean shellfish such as crab, lobster, or shrimp), tree nuts (such as almonds, pecans, or walnuts), wheat, peanuts, and soybeans; or

(ii) A FOOD ingredient that contains protein derived from a FOOD as specified in (a)(i) of this subsection.

(b) MAJOR FOOD ALLERGEN does not include:

(i) Any highly refined oil derived from a FOOD specified in (a)(i) of this subsection and any ingredient derived from such highly refined oil; or

(ii) An ingredient that is exempt under the petition or notification process specified in the Food Allergen Labeling and Consumer Protection Act of 2004. (Public Law 108-282.)

(70) "MEAT" means the flesh of animals used as FOOD including the dressed flesh of cattle, swine, sheep, or goats and other edible animals, except FISH and POULTRY.

(71) "MECHANICALLY TENDERIZED."

(a) MECHANICALLY TENDERIZED means manipulating MEAT with deep penetration by processes which might be referred to as "blade tenderizing," "jaccarding," "pinning," "needling," or using blades, pins, needles, or any mechanical device.

(b) MECHANICALLY TENDERIZED does not include processes by which solutions are INJECTED into MEAT.

(72) "MG/L" means milligrams per liter, which is the metric equivalent of parts per million.

(73) "MOBILE FOOD UNIT" means a readily movable FOOD ESTABLISHMENT.

(74) "MOLLUSCAN SHELLFISH" means any edible species of fresh or frozen oysters, clams, mussels, and scallops or edible portions thereof, except when the scallop product consists only of the shucked adductor muscle.

(75) "NONCONTINUOUS COOKING."

(a) NONCONTINUOUS COOKING means the cooking of FOOD in a FOOD ESTABLISHMENT using a process in which the initial heating of the FOOD is intentionally halted so that it may be cooled and held for complete cooking at a later time prior to sale or service.

(b) NONCONTINUOUS COOKING does not include cooking procedures that only involve temporarily interrupting or slowing an otherwise continuous cooking process.

(76) "PACKAGED."

(a) PACKAGED means bottled, canned, cartoned, securely bagged, or securely wrapped, whether PACKAGED in a FOOD ESTABLISHMENT or a FOOD PROCESSING PLANT.

(b) PACKAGED does not include a wrapper, carry-out box, or other nondurable container used to containerize FOOD with the purpose of facilitating FOOD protection: (i) During service and receipt of the FOOD by the CON-SUMER; or

(ii) During the display at a staffed, self-service buffet line, such as at a school.

(77) "PERMIT" means the document issued by the REGU-LATORY AUTHORITY that authorizes a PERSON to operate a FOOD ESTABLISHMENT.

(78) "PERMIT HOLDER" means the entity that:

(a) Is legally responsible for the operation of the FOOD ESTABLISHMENT such as the owner, the owner's agent, or other person; and

(b) Possesses a valid PERMIT to operate a FOOD ESTAB-LISHMENT.

(79) "PERSON" means any individual, corporation, company, association, society, firm, partnership, joint stock company, or any governmental agency, or the authorized agents of these entities.

(80) "PERSON IN CHARGE" means the individual present at a FOOD ESTABLISHMENT who is responsible for the operation at the time.

(81) "PERSONAL CARE ITEMS."

(a) PERSONAL CARE ITEMS means items or substances that might be poisonous, toxic, or a source of contamination and are used to maintain or enhance a person's health, hygiene, or appearance.

(b) PERSONAL CARE ITEMS include items such as medicines; first-aid supplies; and other items such as cosmetics, and toiletries such as toothpaste and mouthwash.

(82) "pH" means the symbol for the negative logarithm of the hydrogen ion concentration, which is a measure of the degree of acidity or alkalinity of a solution. Values between zero and seven indicate acidity and values between seven and fourteen indicate alkalinity. The value for pure distilled water is seven, which is considered neutral.

(83) "PHYSICAL FACILITIES" means the structure and interior surfaces of a FOOD ESTABLISHMENT including accessories such as soap and towel dispensers and attachments such as light fixtures and heating or air conditioning system vents.

(84) "PLUMBING FIXTURE" means a receptacle or device that:

(a) Is permanently or temporarily connected to the water distribution system of the PREMISES and demands a supply of water from the system; or

(b) Discharges used water, waste materials, or SEWAGE directly or indirectly to the drainage system of the PREMISES.

(85) "PLUMBING SYSTEM" means the water supply and distribution pipes; PLUMBING FIXTURES and traps; soil, waste, and vent pipes; sanitary and storm sewers and building drains, including their respective connections, devices, and appurtenances within the PREMISES; and water treating EQUIPMENT.

(86) "POISONOUS OR TOXIC MATERIALS" means substances that are not intended for ingestion and are included in four categories:

(a) Cleaners and SANITIZERS, which include cleaning and SANITIZING agents and agents such as caustics, acids, drying agents, polishes, and other chemicals;

(b) Pesticides, except SANITIZERS, which include substances such as insecticides and rodenticides; (c) Substances necessary for the operation and maintenance of the establishment such as nonFOOD grade lubricants and PERSONAL CARE ITEMS that might be deleterious to health; and

(d) Substances that are not necessary for the operation and maintenance of the establishment and are on the PREM-ISES for retail sale, such as petroleum products and paints.

(87) "POOLED" is the combination of four or more raw EGGS, EGG yolks, or EGG whites.

(88) "POTENTIALLY HAZARDOUS FOOD (PHF)."

(a) POTENTIALLY HAZARDOUS FOOD means a FOOD that requires time/temperature control for safety to limit pathogenic microorganism growth or toxin formation.

(b) POTENTIALLY HAZARDOUS FOOD includes:

(i) An animal FOOD that is raw or heat-treated, a plant FOOD that is heat-treated or consists of raw seed sprouts, cut melons, CUT LEAFY GREENS, cut tomatoes or mixtures of cut tomatoes that are not modified in a way so that they are unable to support pathogenic microorganism growth or toxin formation, fresh herb-in-oil mixtures, or garlic-in-oil mixtures unless modified in a way so that they are unable to support pathogenic microorganism growth or toxin formation; and

(ii) Except as specified in (c)(iv) of this subsection, a FOOD that because of the interaction of its  $A_w$  and pH values is designated as product assessment required (PA) in Table A or B of this subsection:

# Table A. Interaction of pH and Aw for Control of Spores in Food Heat-treated to Destroy Vegetative Cells and Subsequently Packaged

	pH values			
Aw values	4.6 or less	>4.6 - 5.6	>5.6	
≤0.92	Non-PHF	Non-PHF	Non-PHF	
>0.9295	Non-PHF	Non-PHF	PA**	
>0.95	Non-PHF	PA	PA	

\*\* PA means product assessment required.

Table B\*. Interaction of pH and A<sub>w</sub> for Control of Vegetative Cells and Spores in Food Not Heat-treated or Heattreated but not PACKAGED.

	pH values			
A <sub>w</sub> values	<4.2	4.2 - 4.6	>4.6 - 5.0	>5.0
<0.88	Non-PHF	Non-PHF	Non-PHF	Non-PHF
0.88 - 0.90	Non-PHF	Non-PHF	Non-PHF	PA**
>0.90 - 0.92	Non-PHF	Non-PHF	PA	PA
>0.92	Non-PHF	PA	PA	PA

\*\* PA means product assessment required.

(c) POTENTIALLY HAZARDOUS FOOD does not include:

(i) An air-cooled hard-boiled EGG with shell intact, or an EGG with the shell intact that is not hard-boiled, but has been pasteurized to destroy all viable salmonellae;

(ii) A FOOD in an unopened HERMETICALLY SEALED CONTAINER that is commercially processed to achieve and maintain commercial sterility under conditions of nonrefrigerated storage and distribution; (iii) A FOOD that because of its pH or  $A_w$  value, or interaction of  $A_w$  and pH values, is designated as a non-PHF FOOD in Table A or B of this subsection;

(iv) A FOOD that is designated as product assessment required (PA) in Table A or B of this subsection and has undergone a product assessment showing that the growth or toxin formation of pathogenic microorganisms that are reasonably likely to occur in that FOOD is precluded due to:

(A) Intrinsic factors including added or natural characteristics of the FOOD such as preservatives, antimicrobials, humectants, acidulants or nutrients;

(B) Extrinsic factors including environmental or operational factors that affect the FOOD such as packaging, modified atmosphere such as REDUCED OXYGEN PACKAGING, shelf life and use, or temperature range of storage and use; or

(C) A combination of intrinsic and extrinsic factors; or

(v) A FOOD that does not support the growth or toxic formation of pathogenic microorganisms in accordance with (c)(i) or (iv) of this subsection even though the FOOD might contain a pathogenic microorganism or chemical or physical contaminant at a level sufficient to cause illness or injury.

(89) "POTLUCK" means an event where:

(a) People are gathered to share FOOD;

(b) People attending the event are expected to bring FOOD to share;

(c) There is no compensation provided for people bringing FOOD to the event;

(d) There is no charge for any FOOD or BEVERAGE provided at the event; and

(e) The event is not conducted for commercial purposes. (90) "POULTRY" means:

(a) Any domesticated bird (chickens, turkeys, ducks, geese, guineas, RATITES, or squabs), whether live or dead, as defined in 9 C.F.R. 381.1 Poultry Products Inspection Regulations Definitions, Poultry; and

(b) Any migratory waterfowl or game bird, pheasant, partridge, quail, grouse, or pigeon, whether live or dead, as defined in 9 C.F.R. 362.1 Voluntary Poultry Inspection Regulations, Definitions.

(91) "PREMISES" means:

(a) The physical facility, its contents, and the contiguous land or property under the control of the PERMIT HOLDER; or

(b) The physical facility, its contents, and the land or property not described under (a) of this subsection if its facilities and contents are under control of the PERMIT HOLDER and might impact FOOD ESTABLISHMENT personnel, facilities, or operations, and a FOOD ESTABLISHMENT is only one component of a larger operation such as a health care facility, hotel, motel, school, recreational camp, or prison.

(92) "PRESCHOOL."

(a) PRESCHOOL means a program that provides organized care and education for children below the age required for kindergarten entry. A PRESCHOOL operates for two or more days per week with no child enrolled on a regular basis for more than four hours per day.

(b) A PRESCHOOL does not include:

(i) Programs where the parent or guardian is present at each session;

(ii) Parent-child classes where the focus is on parent education; (iii) Short-term parks and recreation programs;

(iv) Informal parent and child groups;

(v) Irregular babysitting;

(vi) Licensed child care; or

(vii) FOOD preparation and service operations otherwise under PERMIT or license by the REGULATORY AUTHORITY.

(93) "PRIMAL CUT" means a basic major cut into which carcasses and sides of MEAT are separated, such as beef round, pork loin, lamb flank, or veal breast.

(94) "PRIVATE EVENT" means a private gathering limited to members and guests of members of a family, organization, or club, where the event is not open to the general public, and where FOOD is provided without compensation.

(95) "PUBLIC WATER SYSTEM" means a DRINKING WATER system that is operated in compliance with chapters 246-290 and 246-291 WAC.

(96) "RATITE" means a flightless bird such as an emu, ostrich, or rhea.

(97) "READY-TO-EAT FOOD."

(a) READY-TO-EAT FOOD means FOOD that:

(i) Is in a form that is edible without additional preparation to achieve FOOD safety, as specified under WAC 246-215-03400 (1) through (3) or WAC 246-215-03405 or 246-215-03425; or

(ii) Is raw or partially cooked animal FOOD and the CON-SUMER is advised as specified under WAC 246-215-03400 (4)(a) and (c); or

(iii) Is prepared in accordance with a VARIANCE that is granted as specified under WAC 246-215-03400 (4)(d); and

(iv) Might receive additional preparation for palatability or aesthetic, epicurean, gastronomic, or culinary purposes.

(b) READY-TO-EAT FOOD includes:

(i) Raw animal FOOD that is cooked as specified under WAC 246-215-03400 or 246-215-03405, or frozen as specified under WAC 246-215-03425;

(ii) Raw fruits and vegetables that are washed as specified under WAC 246-215-03318;

(iii) Fruits and vegetables that are cooked for hot holding, as specified under WAC 246-215-03410;

(iv) All POTENTIALLY HAZARDOUS FOOD that is cooked to the temperature and time required for the specific FOOD under WAC 246-215-03400 through 246-215-03445 and cooled as specified under WAC 246-215-03515;

(v) Plant FOOD for which further washing, cooking, or other processing is not required for FOOD safety, and from which rinds, peels, husks, or shells, if naturally present, are removed;

(vi) Substances derived from plants such as spices, seasonings, and sugar;

(vii) A bakery item such as bread, cakes, pies, fillings, or icing for which further cooking is not required for FOOD safety;

(viii) The following products that are produced in accordance with USDA guidelines and that have received a lethality treatment for pathogens: Dry, fermented sausages, such as dry salami or pepperoni; salt cured MEAT and POULTRY products, such as prosciuto ham, country cured ham, and Parma ham; and dried MEAT and POULTRY products, such as jerky or beef sticks; and (ix) FOODS manufactured according to 21 C.F.R. Part 113, Thermally Processed Low-Acid Foods Packaged in Hermetically Sealed Containers.

(98) "RED HIGH RISK FACTORS" are improper practices or procedures identified as the most prevalent contributing factors to foodborne illness or injury, as listed on the food Establishment Inspection Report form.

(99) "REDUCED OXYGEN PACKAGING."

(a) REDUCED OXYGEN PACKAGING means:

(i) The reduction of the amount of oxygen in a package by removing oxygen; displacing oxygen and replacing it with another gas or combination of gases; or otherwise controlling the oxygen content to a level below that normally found in the surrounding atmosphere (approximately twenty-one percent at sea level); and

(ii) A process as specified in (a)(i) of this subsection that involves a FOOD for which the hazards *Clostridium botulinum* or *Listeria monocytogenes* require control in the final PACK-AGED form.

(b) REDUCED OXYGEN PACKAGING includes:

(i) Vacuum packaging, in which air is removed from a package of FOOD and the package is hermetically SEALED so that a vacuum remains inside the package;

(ii) Modified atmosphere packaging, in which the atmosphere of a package of FOOD is modified so that its composition is different from air but the atmosphere might change over time due to the permeability of the packaging material or the respiration of the FOOD. Modified atmosphere packaging includes reduction of the proportion of oxygen, total replacement of oxygen, or an increase in the proportion of other gases such as carbon dioxide or nitrogen;

(iii) Controlled atmosphere packaging, in which the atmosphere of a package of FOOD is modified so that until the package is opened, its composition is different from air, and continuous control of that atmosphere is maintained, such as by using oxygen scavengers or a combination of total replacement of oxygen, nonrespiring FOOD, and impermeable packaging material;

(iv) Cook chill packaging, in which cooked FOOD is hot filled into impermeable bags which have the air expelled and are then SEALED or crimped closed. The bagged FOOD is rapidly chilled and refrigerated at temperatures that inhibit the growth of psychrotrophic pathogens; or

(v) Sous vide packaging, in which raw or partially cooked FOOD is placed in hermetically SEALED, impermeable bag, cooked in the bag, rapidly chilled, and refrigerated at temperatures that inhibit the growth of psychrotrophic pathogens.

(100) "REFUSE" means solid waste not carried by water through a SEWAGE system.

(101) "REGULATORY AUTHORITY" means the local, state, or federal enforcement body or authorized representative having jurisdiction over the FOOD ESTABLISHMENT. The LOCAL BOARD OF HEALTH, acting through the LOCAL HEALTH OFFICER, is the REGULATORY AUTHORITY for the activity of a FOOD ESTABLISHMENT, except as otherwise provided by LAW.

(102) "REMINDER" means a written statement concerning the health RISK of consuming animal FOODS raw, undercooked, or without otherwise being processed to eliminate pathogens. (103) "RESERVICE" means the transfer of FOOD that is unused and returned by a CONSUMER after being served or sold and in the possession of the CONSUMER, to another person.

(104) "RESTRICT" means to limit the activities of a FOOD EMPLOYEE so that there is no RISK of transmitting a disease that is transmissible through FOOD and the FOOD EMPLOYEE does not work with exposed FOOD, clean EQUIPMENT, UTEN-SILS, LINENS; and unwrapped SINGLE-SERVICE or SINGLE-USE ARTICLES.

(105) "RESTRICTED EGG" means any check, dirty EGG, incubator reject, inedible, leaker, or loss as defined in 9 C.F.R. 590.

(106) "RESTRICTED USE PESTICIDE" means a pesticide product that contains the active ingredients specified in 40 C.F.R. 152.175 Pesticides classified for restricted use, and that is limited to use by or under the direct supervision of a certified operator.

(107) "RISK" means the likelihood that an adverse health effect will occur within a population as a result of a HAZARD in a FOOD.

(108) "SAFE MATERIAL" means:

(a) An article manufactured from or composed of materials that might not reasonably be expected to result, directly or indirectly, in their becoming a component or otherwise affecting the characteristics of any FOOD;

(b) An ADDITIVE that is used as specified in Section 409 of the federal food, Drug, and Cosmetic Act; or

(c) Other materials that are not ADDITIVES and that are used in conformity with applicable regulations of the FDA.

(109) "SANITIZATION" means the application of cumulative heat or chemicals on cleaned FOOD-CONTACT SURFACES that, when evaluated for efficacy, is sufficient to yield a reduction of five logs, which is equal to a 99.999% reduction, of representative disease microorganisms of public health importance.

(110) "SEALED" means free of cracks or other openings that allow the entry or passage of moisture.

(111) "SERVICE ANIMAL" means any dog that is individually trained to do work or perform tasks for the benefit of an individual with a disability, including a physical, sensory, psychiatric, intellectual, or other mental disability, as specified in RCW 49.60.218.

(112) "SERVICING AREA" means an operating base location to which a MOBILE FOOD UNIT or transportation vehicle returns regularly for such things as vehicle and EQUIPMENT cleaning, discharging liquid or solid wastes, refilling water tanks and ice bins, and boarding FOOD.

(113) "SEWAGE" means liquid waste containing animal or vegetable matter in suspension or solution and might include liquids containing chemicals in solution.

(114) "SHELLFISH CONTROL AUTHORITY" means a state, federal, foreign, tribal, or other government entity legally responsible for administering a program that includes certification of MOLLUSCAN SHELLFISH harvesters and DEALERS for interstate commerce.

(115) "SHELLSTOCK" means raw, in-shell MOLLUSCAN SHELLFISH.

(116) "SHIGA TOXIN-PRODUCING *ESCHERICHIA COLI* (STEC)" means any *E. coli* capable of producing Shiga toxins (also called verocytotoxins or "Shiga-like" toxins). Examples

of serotypes of STEC include both O157 and non-O157 *E. coli*. Also see *ENTEROHEMORRHAGIC ESCHERICHIA COLI*.

(117) "SHUCKED SHELLFISH" means MOLLUSCAN SHELL-FISH that have one or both shells removed.

(118) "SINGLE-SERVICE ARTICLES" means TABLEWARE, carry-out UTENSILS, and other items such as bags, containers, placemats, stirrers, straws, toothpicks, and wrappers that are designed and constructed for one-time, one-PERSON use after which they are intended for discard.

(119) "SINGLE-USE ARTICLES."

(a) SINGLE-USE ARTICLES means utensils and bulk FOOD containers designed and constructed to be used once and discarded.

(b) SINGLE-USE ARTICLES includes items such as wax paper, butcher paper, plastic wrap, formed aluminum FOOD containers, jars, plastic tubs or buckets, bread wrappers, pickle barrels, ketchup bottles, and number 10 cans which do not meet the materials, durability, strength, and cleanability specifications under WAC 246-215-04100, 246-215-04200, and 246-215-04204 for multiuse UTENSILS.

(120) "SLACKING" means the process of moderating the temperature of a FOOD such as allowing a food to gradually increase from a temperature of  $-10^{\circ}$ F ( $-23^{\circ}$ C) to  $25^{\circ}$ F ( $-4^{\circ}$ C) in preparation for deep-fat frying or to facilitate even heat penetration during the cooking of previously block-frozen FOOD such as shrimp.

(121) "SMOOTH" means:

(a) A FOOD-CONTACT SURFACE having a surface free of pits and inclusions with a cleanability equal to or exceeding that of (100 grit) number three stainless steel;

(b) A nonFOOD-CONTACT SURFACE of EQUIPMENT having a surface equal to that of commercial grade hot-rolled steel free of visible scale; and

(c) A floor, wall, or ceiling having an even or level surface with no roughness or projections that render it difficult to clean.

(122) "TABLEWARE" means eating, drinking, and serving UTENSILS for table use such as flatware including forks, knives, and spoons; hollowware including bowls, cups, serving dishes, and tumblers; and plates.

(123) "TEMPERATURE MEASURING DEVICE" means a thermometer, thermocouple, thermistor, or other device that indicates the temperature of FOOD, air, or water.

(124) "TEMPORARY FOOD ESTABLISHMENT" means a FOOD ESTABLISHMENT:

(a) Operating at a fixed location, with a fixed menu, for not more than twenty-one consecutive days in conjunction with a single event or celebration, such as a fair or festival; or

(b) Operating not more than three days a week at a fixed location, with a fixed menu, in conjunction with an APPROVED, recurring, organized event, such as a farmers market.

(125) "USDA" means the United States Department of Agriculture.

(126) "UTENSIL" means a FOOD-contact implement or container used in the storage, preparation, transportation, dispensing, sale, or service of FOOD, such as KITCHENWARE or TABLEWARE that is multiuse, SINGLE-SERVICE, or SINGLE-USE; gloves used in contact with FOOD; temperature sensing probes of FOOD TEMPERATURE MEASURING DEVICES; and probe-type price or identification tags used in contact with FOOD.

(127) "VARIANCE" means a written document issued by the REGULATORY AUTHORITY that authorizes a modification or waiver of one or more requirements of this chapter if, in the opinion of the REGULATORY AUTHORITY, a health HAZ-ARD or nuisance will not result from the modification or waiver.

(128) "VENDING MACHINE" means a self-service device that, upon insertion of a coin, paper currency, token, card, or key, or by optional manual operation, dispenses unit servings of FOOD in bulk or in packages without the necessity of replenishing the device between each vending operation.

(129) "VENDING MACHINE LOCATION" means the room, enclosure, space, or area where one or more VENDING MACHINES are installed and operated and includes the storage areas and areas on the PREMISES that are used to service and maintain the VENDING MACHINES.

(130) "WAREWASHING" means the cleaning and SANITIZ-ING of UTENSILS and FOOD-CONTACT SURFACES of EQUIP-MENT.

(131) "WHOLE-MUSCLE, INTACT BEEF" means whole muscle beef that is not INJECTED, MECHANICALLY TENDER-IZED, reconstructed, or scored and marinated, from which beef steaks may be cut.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-01115, filed 1/17/13, effective 5/1/13.]

# PART 2: MANAGEMENT AND PERSONNEL

# Subpart A - Supervision

WAC 246-215-02100 Responsibility—Assignment (2009 FDA Food Code 2-101.11). (1) Except as specified in subsection (2) of this section, the PERMIT HOLDER shall be the PERSON IN CHARGE or shall designate a PERSON IN CHARGE and shall ensure that a PERSON IN CHARGE is present at the FOOD ESTABLISHMENT during all hours of operation.

(2) In a FOOD ESTABLISHMENT with two or more separately PERMITTED departments that are the legal responsibility of the same PERMIT HOLDER and that are located on the same PREMISES, the PERMIT HOLDER may, during specific time periods when FOOD is not being prepared, PACKAGED, or served, designate a single PERSON IN CHARGE who is present on the PREMISES during all hours of operation, and who is responsible for each separately PERMITTED FOOD ESTABLISH-MENT on the PREMISES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02100, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02105 Demonstration of knowledge (2009 FDA Food Code 2-102.11). Based on the RISKS of foodborne illness inherent to the FOOD operation, during inspections and upon request, the PERSON IN CHARGE shall demonstrate to the REGULATORY AUTHORITY knowledge of foodborne disease prevention, application of the HAZARD analysis and CRITICAL CONTROL POINT principles, and the requirements of this chapter. The PERSON IN CHARGE shall demonstrate this knowledge by:

(1) Complying with this chapter by having no violations of RED HIGH RISK FACTORS during the current inspection;

(2) Being a certified FOOD protection manager who has shown proficiency of required information through passing a test that is part of an accredited program; or

(3) Responding correctly to the inspector's questions as they relate to the specific FOOD operation. The areas of knowledge include:

(a) Describing the relationship between the prevention of foodborne disease and the personal hygiene of a FOOD EMPLOYEE;

(b) Explaining the responsibility of the PERSON IN CHARGE for preventing the transmission of foodborne disease by a FOOD EMPLOYEE who has a disease or medical condition that might cause foodborne disease;

(c) Describing the symptoms associated with the diseases that are transmissible through FOOD;

(d) Explaining the significance of the relationship between maintaining the time and temperature of POTEN-TIALLY HAZARDOUS FOOD and the prevention of foodborne illness;

(e) Explaining the hazards involved in the consumption of raw or undercooked MEAT, POULTRY, EGGS, and FISH;

(f) Stating the required FOOD temperatures and times for safe cooking of POTENTIALLY HAZARDOUS FOOD including MEAT, POULTRY, EGGS, and FISH;

(g) Stating the required temperatures and times for the safe refrigerated storage, hot holding, cooling, and reheating of POTENTIALLY HAZARDOUS FOOD;

(h) Describing the relationship between the prevention of foodborne illness and the management and control of the following:

(i) Cross contamination;

(ii) Hand contact with READY-TO-EAT FOODS;

(iii) Handwashing; and

(iv) Maintaining the FOOD ESTABLISHMENT in a clean condition and in good repair;

(i) Describing FOODS identified as MAJOR FOOD ALLER-GENS and the symptoms that a MAJOR FOOD ALLERGEN could cause in a sensitive individual who has an allergic reaction;

(j) Explaining the relationship between FOOD safety and providing EQUIPMENT that is:

(i) Sufficient in number and capacity; and

(ii) Properly designed, constructed, located, installed, operated, maintained, and cleaned;

(k) Explaining correct procedures for cleaning and SANI-TIZING UTENSILS and FOOD-CONTACT SURFACES of EQUIP-MENT;

(1) Identifying the source of water used and measures taken to ensure that it remains protected from contamination such as providing protection from backflow and precluding the creation of cross connections;

(m) Identifying POISONOUS OR TOXIC MATERIALS in the FOOD ESTABLISHMENT and the procedures necessary to ensure that they are safely stored, dispensed, used, and disposed of according to LAW;

(n) Identifying CRITICAL CONTROL POINTS in the operation from purchasing through sale or service that when not controlled can contribute to the transmission of foodborne illness and explaining steps taken to ensure that the points are controlled in accordance with the requirements of this chapter; (o) Explaining the details of how the PERSON IN CHARGE and FOOD EMPLOYEES comply with the HACCP PLAN if a plan is required by the LAW, this chapter, or an agreement between the REGULATORY AUTHORITY and the FOOD ESTAB-LISHMENT;

(p) Explaining the responsibilities, rights, and authorities assigned by this chapter to the:

(i) FOOD EMPLOYEE;

(ii) CONDITIONAL EMPLOYEE;

(iii) PERSON IN CHARGE; and

(iv) regulatory authority;

(q) Explaining how the PERSON IN CHARGE, FOOD EMPLOYEES and CONDITIONAL EMPLOYEES comply with reporting responsibilities and EXCLUSION or RESTRICTION of FOOD EMPLOYEES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02105, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02110 Duties—Food protection manager certification (2009 FDA Food Code 2-102.20). A PER-SON IN CHARGE who is certified by a FOOD protection manager certification program is deemed to comply with WAC 246-215-02105(2). The certification program must be evaluated and listed by a Conference for Food Protection-recognized accrediting agency as conforming to the Conference for Food Protection Standards for Accreditation of Food Protection Manager Certification Programs.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02110, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02115 Duties—Person in charge (2009 FDA Food Code 2-103.11). The PERSON IN CHARGE shall ensure that:

(1) FOOD ESTABLISHMENT operations are not conducted in a private home or in a room used as living or sleeping quarters as specified under WAC 246-215-06290;

(2) Persons unnecessary to the FOOD ESTABLISHMENT operation are not allowed in the FOOD preparation, FOOD storage, or WAREWASHING areas, except that brief visits and tours may be authorized by the PERSON IN CHARGE if steps are taken to ensure that exposed FOOD; clean EQUIPMENT, UTEN-SILS, and LINENS; and unwrapped SINGLE-SERVICE and SIN-GLE-USE ARTICLES are protected from contamination;

(3) EMPLOYEES and other persons such as delivery and maintenance persons and pesticide applicators entering the FOOD preparation, FOOD storage, and WAREWASHING areas comply with this chapter;

(4) EMPLOYEES are effectively cleaning their hands by routinely monitoring the EMPLOYEES' handwashing;

(5) EMPLOYEES are visibly observing FOODS as they are received to determine that they are from APPROVED sources, delivered at the required temperatures, protected from contamination, unADULTERATED, and accurately presented, by routinely monitoring the EMPLOYEES' observations and periodically evaluating FOODS upon their receipt;

(6) EMPLOYEES are properly cooking POTENTIALLY HAZ-ARDOUS FOOD, being particularly careful in cooking those FOODS known to cause severe foodborne illness and death, such as EGGS and COMMINUTED MEATS, through daily oversight of the EMPLOYEES' routine monitoring of the cooking temperatures using appropriate TEMPERATURE MEASURING DEVICES properly scaled and calibrated as specified under WAC 246-215-04220 and 246-215-04580(2);

(7) EMPLOYEES are using proper methods to rapidly cool POTENTIALLY HAZARDOUS FOODS that are not held hot or are not for consumption within four hours, through daily oversight of the EMPLOYEES' routine monitoring of FOOD temperatures during cooling;

(8) CONSUMERS who order raw or partially cooked READY-TO-EAT FOODS of animal origin are informed as specified under WAC 246-215-03620 that the FOOD is not cooked sufficiently to ensure its safety;

(9) EMPLOYEES are properly SANITIZING cleaned multiuse EQUIPMENT and UTENSILS before they are reused, through routine monitoring of solution temperature and exposure time for hot water SANITIZING, and chemical concentration, pH, temperature, and exposure time for chemical SANITIZING;

(10) CONSUMERS are notified that clean TABLEWARE is to be used when they return to self-service areas such as salad bars and buffets as specified under WAC 246-215-03345;

(11) Except when approval is obtained from the REGU-LATORY AUTHORITY as specified under WAC 246-215-03300(4), EMPLOYEES are preventing cross-contamination of READY-TO-EAT FOOD with bare hands by properly using suitable UTENSILS such as deli tissue, spatulas, tongs, SINGLE-USE gloves, or dispensing EQUIPMENT;

(12) EMPLOYEES are properly trained in FOOD safety, including FOOD allergy awareness, as it relates to their assigned duties; and

(13) FOOD EMPLOYEES and CONDITIONAL EMPLOYEES are informed of their responsibility to report in accordance with LAW, to the PERSON IN CHARGE, information about their health and activities as they relate to diseases that are transmissible through FOOD, as specified under WAC 246-215-02205.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02115, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02120 Food worker cards. (1) The PERMIT HOLDER and PERSON IN CHARGE of the FOOD ESTAB-LISHMENT shall ensure that all FOOD EMPLOYEES are in compliance with the provisions of chapter 69.06 RCW and chapter 246-217 WAC for obtaining and renewing valid FOOD WORKER CARDS.

(2) The PERMIT HOLDER and PERSON IN CHARGE of the FOOD ESTABLISHMENT shall display or file the original or a copy of the FOOD WORKER CARD of each FOOD EMPLOYEE at the EMPLOYEE's place of employment, to be available for inspection by the REGULATORY AUTHORITY upon request.

(3) This section does not add to, or remove from, the provisions of chapter 69.06 RCW and chapter 246-217 WAC regarding FOOD WORKER CARDS.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02120, filed 1/17/13, effective 5/1/13.]

#### Subpart B - Employee Health

WAC 246-215-02200 Employee health—Reporting policy. The PERMIT HOLDER shall require FOOD EMPLOYEES and CONDITIONAL EMPLOYEES to report to the PERSON IN CHARGE information about their health and activities as they relate to diseases that are transmissible through FOOD. A

FOOD EMPLOYEE or CONDITIONAL EMPLOYEE shall report the information in a manner that allows the PERSON IN CHARGE to reduce the RISK of foodborne disease transmission, including providing necessary additional information, such as the date of onset of illness symptoms.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02200, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02205 Employee health—Reportable history of illness. (1) FOOD EMPLOYEES and CONDITIONAL EMPLOYEES shall report to the PERSON IN CHARGE if they:

(a) Have diarrhea, vomiting, sore throat with fever, or jaundice (yellow skin or eyes), except as specified under WAC 246-215-02235;

(b) Have a lesion containing pus such as a boil or infected wound that is open or draining and is:

(i) On the hands or wrist;

(ii) On exposed portions of the arms; or

(iii) On other parts of the body, unless the lesion is covered by a dry, durable, tight-fitting bandage; or

(c) Have an illness diagnosed by a HEALTH PRACTI-TIONER as due to an infection with:

(i) Hepatitis A virus;

(ii) Salmonella Typhi (Typhoid Fever);

(iii) Shigella; or

(iv) Enterohemorrhagic or SHIGA TOXIN-PRODUCING ESCHERICHIA COLI.

(2) In addition to the reporting in subsection (1) of this section, FOOD EMPLOYEES and CONDITIONAL EMPLOYEES in a FOOD ESTABLISHMENT serving a HIGHLY SUSCEPTIBLE POPULATION shall report to the PERSON IN CHARGE if they:

(a) Have an illness diagnosed by a HEALTH PRACTI-TIONER as due to an infection with Norovirus or *Salmonella* other than *Salmonella* Typhi;

(b) Have consumed or prepared FOOD implicated in a CONFIRMED DISEASE OUTBREAK;

(c) Have attended or worked in a setting where there is a CONFIRMED DISEASE OUTBREAK;

(d) Live in the same household as someone who works at or attended a setting where there is a CONFIRMED DISEASE OUTBREAK; or

(e) Live in the same household as or have consumed FOOD prepared by a PERSON who is infected or ill with:

(i) Enterohemorrhagic or SHIGA TOXIN-PRODUCING *ESCHERICHIA COLI*;

(ii) Shigella;

(iii) Salmonella Typhi; or

(iv) Hepatitis A virus or jaundice.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02205, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02210 Employee health—Prohibit a conditional employee from becoming a food employee. The PERSON IN CHARGE shall ensure that a CONDITIONAL EMPLOYEE who reports symptoms or a diagnosed disease as described in WAC 246-215-02205 (1) or (2)(a) does not become a FOOD EMPLOYEE until they meet the requirements for the removal of RESTRICTION or EXCLUSION in WAC 246-215-02245 and 246-215-02250. A CONDITIONAL EMPLOYEE that reports a history of exposure to disease in WAC 246-215-02205 (2)(b) through (e) may not become a FOOD

EMPLOYEE in a FOOD ESTABLISHMENT serving a HIGHLY SUS-CEPTIBLE POPULATION until the requirements in WAC 246-215-02250 are met.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02210, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02215 Employee health—Notify health officer. The PERSON IN CHARGE shall notify the LOCAL HEALTH OFFICER and the REGULATORY AUTHORITY, if not the same agency, when a FOOD EMPLOYEE is:

(1) Jaundiced; or

(2) Diagnosed with an illness due to a pathogen as specified under WAC 246-215-02205 (1)(c) and (2)(a).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02215, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02220 Employee health—Conditions of exclusion. Except as provided in WAC 246-215-02235, the PERSON IN CHARGE of a FOOD ESTABLISHMENT shall EXCLUDE any FOOD EMPLOYEE who is known to have:

(1) Diarrhea or vomiting;

(2) Jaundice;

(3) A diagnosed infection (symptomatic or ASYMPTOM-ATIC) with *Salmonella* Typhi, *Shigella*, Enterohemorrhagic or SHIGA TOXIN-PRODUCING *ESCHERICHIA COLI*, or hepatitis A virus;

(4) A sore throat with fever or a diagnosed infection with Norovirus or *Salmonella* other than *Salmonella* Typhi, and works in a FOOD ESTABLISHMENT serving a HIGHLY SUSCEP-TIBLE POPULATION; or

(5) A previous infection with *Salmonella* Typhi within the past three months without having antibiotic therapy.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02220, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02225 Employee health—Conditions of restriction. The PERSON IN CHARGE of a FOOD ESTABLISH-MENT shall RESTRICT any FOOD EMPLOYEE who is known to have:

(1) A lesion that appears inflamed or contains pus and that is not covered;

(2) Exposure to foodborne pathogens as described in WAC 246-215-02205 (2)(b) through (e) and works in a FOOD ESTABLISHMENT serving a HIGHLY SUSCEPTIBLE POPULA-TION; or

(3) A sore throat with fever.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02225, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02230 Employee health—Aiding illness investigations. The PERSON IN CHARGE of a FOOD ESTABLISHMENT and all EMPLOYEES shall cooperate with the REGULATORY AUTHORITY and the LOCAL HEALTH OFFICER investigating:

(1) A FOODBORNE DISEASE OUTBREAK or a suspected FOODBORNE DISEASE OUTBREAK; or

(2) A FOOD EMPLOYEE suspected to be infected with a disease agent that can be transmitted from a FOOD EMPLOYEE through FOOD.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02230, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02235 Employee health—Other conditions. A FOOD EMPLOYEE with a symptom of gastrointestinal illness, such as vomiting, diarrhea, or jaundice, may work in a FOOD ESTABLISHMENT without special RESTRICTION, provided that the FOOD EMPLOYEE furnishes written medical documentation to the REGULATORY AUTHORITY from a HEALTH PRACTITIONER that the symptom is due to a medical condition not transmissible through FOOD, such as Crohn's disease, irritable bowel syndrome, ulcerative colitis, or hepatitis C.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02235, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02240 Employee health—Complying with LOCAL HEALTH OFFICER. The PERSON IN CHARGE of a FOOD ESTABLISHMENT and FOOD EMPLOYEES shall comply with orders issued by the LOCAL HEALTH OFFICER for EXCLUDING EMPLOYEES from a FOOD ESTABLISHMENT or RESTRICTING EMPLOYEE activities due to a diagnosed or suspected infection by a disease agent that can be transmitted from a FOOD EMPLOYEE through FOOD until the LOCAL HEALTH OFFICER rescinds the order.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02240, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02245 Employee health—Removal of exclusion or restriction based on diagnosis. Except as specified under WAC 246-215-02250, the PERSON IN CHARGE shall obtain approval from the LOCAL HEALTH OFFICER before reinstating a FOOD EMPLOYEE who was RESTRICTED or EXCLUDED based on:

(1) The *Control of Communicable Diseases Manual*, 20th edition, published by the American Public Health Association; or

(2) Other measures the LOCAL HEALTH OFFICER deems necessary based on his or her professional judgment, current standards of practice and the best available medical and scientific information.

[Statutory Authority: RCW 43.20.050. WSR 15-05-014, § 246-215-02245, filed 2/6/15, effective 3/9/15. Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02245, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02250 Employee health—Removal of exclusion or restriction based on symptoms. The PERSON IN CHARGE shall adhere to the following conditions when reinstating a FOOD EMPLOYEE who was RESTRICTED or EXCLUDED due to:

(1) Diarrhea or vomiting: Remove EXCLUSION when ASYMPTOMATIC for more than twenty-four hours;

(2) Jaundice: Remove EXCLUSION with approval of the LOCAL HEALTH OFFICER;

(3) Sore throat with fever: Remove EXCLUSION or RESTRICTION when ASYMPTOMATIC; or

(4) Uncovered infected wound or pustular boil: Remove RESTRICTION when skin, wound, or pustular boil is properly protected by an impermeable cover and, if on the hand or wrist, with a SINGLE-USE glove.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02250, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02255 Employee health—Removal of exclusion or restriction based on exposure. The PERSON IN CHARGE shall adhere to the following conditions when reinstating a FOOD EMPLOYEE who was RESTRICTED due to:

(1) Exposure to Norovirus, *Shigella* spp., or Enterohemorrhagic or SHIGA TOXIN-PRODUCING *ESCHERICHIA COLI*: Remove RESTRICTION when more than three days since potential exposure or more than three days since household contact became ASYMPTOMATIC;

(2) Exposure to *Salmonella* Typhi: Remove RESTRIC-TION when more than fourteen days since the last potential exposure or more than fourteen days since household contact became ASYMPTOMATIC;

(3) Exposure to hepatitis A: Remove RESTRICTION when:

(a) The FOOD EMPLOYEE is immune to hepatitis A virus infection because of prior illness from hepatitis A, vaccination, or IgG administration; or

(b) More than thirty days have passed since the last day the FOOD EMPLOYEE was potentially exposed or since the FOOD EMPLOYEE'S household contact became jaundiced.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02255, filed 1/17/13, effective 5/1/13.]

#### Subpart C - Personal Cleanliness

WAC 246-215-02300 Hands and arms—Clean condition (2009 FDA Food Code 2-301.11). FOOD EMPLOYEES shall keep their hands and exposed portions of their arms clean.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02300, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02305 Hands and arms—Cleaning procedure (2009 FDA Food Code 2-301.12). (1) Except as specified in subsection (4) of this section, FOOD EMPLOYEES shall clean their hands and exposed portions of their arms, including surrogate prosthetic devices for hands or arms for at least 20 seconds, using a cleaning compound in a HAND-WASHING SINK that is equipped as specified under WAC 246-215-05210 and Part 6, Subpart C.

(2) FOOD EMPLOYEES shall use the following cleaning procedure in the order stated to clean their hands and exposed portions of their arms, including surrogate prosthetic devices for hands and arms:

(a) Rinse under clean, running warm water;

(b) Apply an amount of cleaning compound recommended by the cleaning compound manufacturer;

(c) Rub together vigorously for at least ten to fifteen seconds while:

(i) Paying particular attention to removing soil from underneath the fingernails during the cleaning procedure; and

(ii) Creating friction on the surfaces of the hands and arms or surrogate prosthetic devices for hands and arms, finger tips, and areas between the fingers;

(d) Thoroughly rinse under clean, running warm water; and

(e) Immediately follow the cleaning procedure with thorough drying using a method as specified under WAC 246-215-06310.

(3) To avoid recontaminating their hands or surrogate prosthetic devices, FOOD EMPLOYEES may use disposable

paper towels or similar clean barriers when touching surfaces such as manually operated faucet handles on a HANDWASH-ING SINK or the handle of a restroom door.

(4) If APPROVED and capable of removing the types of soils encountered in the FOOD operations involved, an automatic handwashing facility may be used by FOOD EMPLOYEES to clean their hands or surrogate prosthetic devices.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02305, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02310 Hands and arms—When to wash (2009 FDA Food Code 2-301.14). FOOD EMPLOYEES shall clean their hands and exposed portions of their arms as specified under WAC 246-215-02305 immediately before engaging in FOOD preparation including working with exposed FOOD, clean EQUIPMENT and UTENSILS, and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES and:

(1) After touching bare human body parts other than clean hands and clean, exposed portions of arms;

(2) After using the toilet room;

(3) After caring for or handling SERVICE ANIMALS or aquatic animals as specified under WAC 246-215-02415(2);

(4) Except as specified under WAC 246-215-02400(2), after coughing, sneezing, using a handkerchief or disposable tissue, using tobacco, eating, or drinking;

(5) After handling soiled EQUIPMENT or UTENSILS;

(6) During FOOD preparation, as often as necessary to remove soil and contamination and to prevent cross contamination when changing tasks;

(7) When switching between working with raw FOOD and working with READY-TO-EAT FOOD;

(8) Before donning gloves for working with READY-TO-EAT FOOD unless a glove change is not the result of contamination; and

(9) After engaging in other activities that contaminate the hands or gloves.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02310, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02315 Hands and arms—Where to wash (2009 FDA Food Code 2-301.15). FOOD EMPLOYEES shall clean their hands in a HANDWASHING SINK or APPROVED automatic handwashing facility and may not clean their hands in a sink used for FOOD preparation or WAREWASHING, or in a service sink or a curbed cleaning facility used for the disposal of mop water and similar liquid waste.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02315, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02320 Hands and arms—Hand antiseptics (2009 FDA Food Code 2-301.16). (1) A hand antiseptic used as a topical application, hand antiseptic solution used as a hand dip, or a hand antiseptic soap must:

(a) Comply with one of the following:

(i) Be an APPROVED drug that is listed in the FDA publication *Approved Drug Products with Therapeutic Equivalence Evaluations* as an APPROVED drug based on safety and effectiveness; or (ii) Have active antimicrobial ingredients that are listed in the FDA monograph or OTC Health-Care Antiseptic Drug Products as an antiseptic handwash; and

(b) Comply with one of the following:

(i) Have components that are exempted from the requirement of being listed in federal FOOD ADDITIVE regulations as specified in 21 C.F.R. 170.39 - Threshold of regulation for substances used in FOOD contact articles; or

(ii) Comply with and be listed in:

(A) 21 C.F.R. 178 - Indirect FOOD ADDITIVES: Adjuvants, production aids, and SANITIZERS as regulated for use as a FOOD ADDITIVE with conditions of safe use; or

(B) 21 C.F.R. 182 - Substances generally recognized as safe, 21 C.F.R. 184 - Direct food substances affirmed as generally recognized as safe, or 21 C.F.R. 186 - Indirect food substances affirmed as generally recognized as safe for use in contact with FOOD; and

(c) Be applied only to hands that are cleaned as specified under WAC 246-215-02305.

(2) If a hand antiseptic or a hand antiseptic solution used as a hand dip does not meet the requirements specified under subsection (1)(b) of this section, use must be:

(a) Followed by thorough hand rinsing in clean water before hand contact with FOOD or by the use of gloves; or

(b) Limited to situations that involve no direct contact with FOOD by the bare hands.

(3) A hand antiseptic solution used as a hand dip must be maintained clean and at a strength equivalent to at least 100 MG/L chlorine.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02320, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02325 Fingernails—Maintenance (2009 FDA Food Code 2-302.11). (1) FOOD EMPLOYEES shall keep their fingernails trimmed, filed, and maintained so the edges and surfaces are cleanable and not rough.

(2) Unless wearing intact gloves in good repair, a FOOD EMPLOYEE may not wear fingernail polish or artificial fingernails while preparing FOOD.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02325, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02330 Jewelry—Prohibition (2009 FDA Food Code 2-303.11). Except for a single ring or wedding ring set covered by a glove in good repair, FOOD EMPLOYEES may not wear jewelry on their arms or hands while preparing FOOD.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02330, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02335 Outer clothing—Clean condition (2009 FDA Food Code 2-304.11). FOOD EMPLOYEES shall wear clean outer clothing to prevent contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02335, filed 1/17/13, effective 5/1/13.]

# **Subpart D - Hygienic Practices**

WAC 246-215-02400 Food contamination prevention—Eating, drinking, or using tobacco (2009 FDA Food Code 2-401.11). (1) Except as specified in subsection (2) of this section, an EMPLOYEE may eat, drink, or use any form of tobacco only in designated areas where the contamination of exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES; or other items needing protection cannot result.

(2) A FOOD EMPLOYEE may drink from a closed BEVER-AGE container if the container is handled to prevent contamination of:

(a) The EMPLOYEE'S hands;

(b) The container; and

(c) Exposed FOOD; clean EQUIPMENT, UTENSILS, and LIN-ENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTI-CLES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02400, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02405 Food contamination prevention—Discharges from the eyes, nose, and mouth (2009 FDA Food Code 2-401.12). FOOD EMPLOYEES experiencing persistent sneezing, coughing, or a runny nose that causes discharges from the eyes, nose, or mouth may not work with exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; or unwrapped SINGLE-SERVICE or SINGLE-USE ARTICLES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02405, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02410 Hair restraints—Effectiveness (2009 FDA Food Code 2-402.11). FOOD EMPLOYEES shall wear short hair or use hair restraints such as hats, hair coverings or nets, rubber bands, or hair clips to keep their hair off the face and behind their shoulders, and clothing that covers body hair to protect exposed FOOD; clean EQUIPMENT, UTEN-SILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02410, filed 1/17/13, effective 5/1/13.]

WAC 246-215-02415 Animals—Handling prohibition (2009 FDA Food Code 2-403.11). (1) Except as specified in subsection (2) of this section, FOOD EMPLOYEES may not care for or handle animals that may be present such as patrol dogs, SERVICE ANIMALS, or pets that are allowed as specified under WAC 246-215-06570 (2)(b) through (e).

(2) FOOD EMPLOYEES with SERVICE ANIMALS may handle or care for their SERVICE ANIMALS and FOOD EMPLOYEES may handle or care for FISH in aquariums or MOLLUSCAN SHELLFISH or crustacean in display tanks if they wash their hands as specified under WAC 246-215-02305 and 246-215-02315.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-02415, filed 1/17/13, effective 5/1/13.]

# PART 3: FOOD

# Subpart A - Characteristics

WAC 246-215-03100 Condition—Safe, unadulterated, and honestly presented (2009 FDA Food Code 3-101.11). FOOD must be safe, unADULTERATED, and, as specified under WAC 246-215-03605, honestly presented.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03100, filed 1/17/13, effective 5/1/13.]

# Subpart B - Sources, Specifications, and Original Containers and Records

WAC 246-215-03200 Sources—Compliance with food law (2009 FDA Food Code 3-201.11). (1) FOOD must be obtained from sources that comply with LAW.

(2) FOOD prepared in a private home may not be used or offered for human consumption in a FOOD ESTABLISHMENT.

(3) PACKAGED FOOD must be labeled as specified under LAW, including chapter 69.04 RCW; 21 C.F.R. 101 Food Labeling; 9 C.F.R. 317 Labeling, Marking Devices, and Containers; 9 C.F.R. 381 Subpart N Labeling and Containers; and as specified under WAC 246-215-03265 and 246-215-03270.

(4) FISH, other than those specified under WAC 246-215-03425(2), that are intended for consumption in raw or undercooked form and allowed as specified under WAC 246-215-03400(4) may be offered for sale or service if they are obtained from a supplier that freezes the FISH as specified under WAC 246-215-03425; or if they are frozen on the PREMISES as specified under WAC 246-215-03425 and records are retained as specified under WAC 246-215-03430.

(5) WHOLE-MUSCLE, INTACT BEEF steaks that are intended for consumption in an undercooked form without a CONSUMER advisory as specified under WAC 246-215-03400(3) must be:

(a) Obtained from a FOOD PROCESSING PLANT that, upon request by the purchaser, PACKAGES the steaks and labels them, to indicate that the steaks meet the definition of WHOLE-MUSCLE, INTACT BEEF; or

(b) Deemed acceptable by the REGULATORY AUTHORITY based on other evidence, such as written buyer specifications or invoices, that indicates that the steaks meet the definition of WHOLE-MUSCLE, INTACT BEEF; and

(c) If individually cut in a FOOD ESTABLISHMENT:

(i) Cut from WHOLE-MUSCLE, INTACT BEEF that is labeled by a FOOD PROCESSING PLANT as specified in (a) of this subsection or identified as specified in (b) of this subsection;

(ii) Prepared so they remain intact; and

(iii) If PACKAGED for undercooking in a FOOD ESTAB-LISHMENT, labeled as specified in (a) of this subsection or identified as specified in (b) of this subsection.

(6) MEAT and POULTRY that is not a READY-TO-EAT FOOD and is in a PACKAGED form when it is offered for sale or otherwise offered for consumption, must be labeled to include safe handling instructions as specified in LAW, including 9 C.F.R. 317.2(I) and 9 C.F.R. 381.125(b).

(7) EGGS that have not been specifically treated to destroy all viable *salmonellae* must be labeled to include safe

handling instructions as specified in LAW, including 21 C.F.R. 101.17(h).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-03200, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03205 Sources—Food in a hermetically sealed container (2009 FDA Food Code 3-201.12). FOOD in a HERMETICALLY SEALED CONTAINER must be obtained from a FOOD PROCESSING PLANT that is regulated by the FOOD regulatory agency that has jurisdiction over the plant.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03205, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03210 Sources—Fluid milk and milk products (2009 FDA Food Code 3-201.13). Fluid milk and milk products must be obtained from sources that comply with GRADE A STANDARDS as specified in LAW.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-03210, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03215 Sources—Fish (2009 FDA Food Code 3-201.14). (1) FISH that are received for sale or service must be:

(a) Commercially and legally caught or harvested; or

(b) APPROVED for sale or service.

(2) MOLLUSCAN SHELLFISH that are recreationally caught may not be received for sale or service.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-03215, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03220 Sources—Molluscan shellfish (2009 FDA Food Code 3-201.15). (1) MOLLUSCAN SHELL-FISH must be obtained from sources according to LAW and the requirements specified in the United States Department of Health and Human Services, Public Health Service, FDA, National Shellfish Sanitation Program Guide for the Control of MOLLUSCAN SHELLFISH.

(2) MOLLUSCAN SHELLFISH received in interstate commerce must be from sources that are listed in the Interstate Certified Shellfish Shippers List.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03220, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03225 Sources—Wild mushrooms. (1) The PERMIT HOLDER shall obtain wild harvested mushrooms only from sources in Washington, Oregon, Idaho, California, Montana and British Columbia where each mushroom is individually identified in the fresh state.

(2) Only the following wild harvested mushroom species may be offered for sale or service in a FOOD ESTABLISHMENT:

(a) Hedgehog (Hydnum repandum, H. umbilicatum);

(b) Porcini/King Bolete (Boletus edulis);

(c) Lobster (*Hypomyces lactifluorum* growing on *Russula brevipes*);

(d) Pacific Golden Chanterelle (*Cantharellus formosus, C. cascadensis, C. cibarius var roseocanus*);

(e) White Chanterelle (Cantharellus subalbidus);

(f) Yellow Foot/Winter Chanterelle (*Craterellus tubae-formis*);

(g) Black Trumpet (Craterellus cornucopioides);

(h) Saffron milk cap (*Lactarius deliciosus*);

(i) Coral Hydnum/Bears Tooth (*Hericium coralloides*, *H. abietis*, *H. americanum*);

(j) Oyster (*Pleurotus populinus, P. pulmonarius, P. ost*reaus);

(k) Cauliflower mushroom (Sparassis crispa);

(l) Oregon Black Truffle (Leucangium carthusianum);

(m) Oregon White Truffle (*Tuber gibbosum, T. oregon-ense*);

(n) Blue Chanterelle (*Polyozellus multiplex*);

(o) *Morchella* species including, but not limited to, Black Morels (*Morchella elata*) and Blonde Morels (*Morchella esculenta*);

(p) Matsutake/Japanese Pine Mushroom (*Tricholoma magnivelare*).

(3) Wild harvested mushrooms prepared for IMMEDIATE SERVICE by a FOOD ESTABLISHMENT must be cooked to 135°F except for those sold for home use from grocery or farmer's markets.

(4) The PERMIT HOLDER shall keep written documentation supplied by the mushroom identifier for any wild harvested mushrooms offered for sale or service on file for ninety days after receipt. The documentation must include:

(a) The common name and Latin binomial name of the mushroom;

(b) The name, original signature, business name, mailing address, email and telephone number of the mushroom identifier;

(c) The province, state, and county or counties where harvested;

(d) The date or dates of harvest;

(e) The date of sale to the FOOD ESTABLISHMENT; and

(f) The amount of product by weight.

(5) This section does not apply to dried or fresh mushrooms that are grown, processed or PACKAGED in a FOOD PROCESSING PLANT regulated by a state or federal FOOD REG-ULATORY AUTHORITY.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03225, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03230 Sources—Game animals (2009 FDA Food Code 3-201.17). (1) If GAME ANIMALS are received for sale or service they must be:

(a) Commercially raised for FOOD and:

(i) Raised, slaughtered, and processed under a voluntary inspection program that is conducted by the agency that has animal health jurisdiction; or

(ii) Under a routine inspection program conducted by a regulatory agency other than the agency that has animal health jurisdiction; and

(iii) Raised, slaughtered, and processed according to:

(A) LAWS governing MEAT and POULTRY as determined by the agency that has animal health jurisdiction and the agency that conducts the inspection program; and

(B) Requirements which are developed by the agency that has animal health jurisdiction and the agency that conducts the inspection program with consideration of factors such as the need for antemortem and postmortem examination by an APPROVED veterinarian or veterinarian's designee; (b) Under a voluntary inspection program administered by the USDA for GAME ANIMALS such as exotic animals (reindeer, elk, deer, antelope, water buffalo, or bison) that are "inspected and APPROVED" in accordance with 9 C.F.R. 352 Exotic Animals; Voluntary Inspection of rabbits that are "inspected and certified" in accordance with 9 C.F.R. 354 Voluntary Inspection of Rabbits and Edible Products Thereof.

(2) A GAME ANIMAL may not be received for sale or service if it is a species of wildlife that is listed in 50 C.F.R. 17 Endangered and Threatened Wildlife and Plants.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03230, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03235 Specifications for receiving— Temperature (2009 FDA Food Code 3-202.11). (1) Except as specified in subsection (2) of this section, refrigerated, POTENTIALLY HAZARDOUS FOOD must be at a temperature of  $41^{\circ}F$  (5°C) or below when received.

(2) If a temperature other than  $41^{\circ}F$  (5°C) for a POTEN-TIALLY HAZARDOUS FOOD is specified in LAW governing its distribution, such as LAWS governing milk and MOLLUSCAN SHELLFISH, the FOOD may be received at the specified temperature.

(3) Raw EGGS must be received in refrigerated EQUIP-MENT that maintains an ambient air temperature of  $45^{\circ}$ F (7°C) or less.

(4) POTENTIALLY HAZARDOUS FOOD that is cooked to a temperature and for a time specified under WAC 246-215-03400 through 246-215-03410 and received hot must be at a temperature of  $135^{\circ}F(57^{\circ}C)$  or above.

(5) A FOOD that is labeled frozen and shipped frozen by a FOOD PROCESSING PLANT must be received frozen.

(6) Upon receipt, POTENTIALLY HAZARDOUS FOOD must be free of evidence of previous temperature abuse.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-03235, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03240 Specifications for receiving— Additives (2009 FDA Food Code 3-202.12). FOOD may not contain unAPPROVED ADDITIVES or ADDITIVES that exceed the amounts specified in 21 C.F.R. 170-180 relating to FOOD ADDITIVES, generally recognized as safe or prior sanctioned substances that exceed amounts specified in 21 C.F.R. 181-186, substances that exceed amounts specified in 9 C.F.R., Subpart C, Section 424.21(b) Food Ingredients and Sources of Radiation, or pesticide residues that exceed provisions specified in 40 C.F.R. 180 Tolerances for Pesticides Chemicals in Food, and exceptions.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03240, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03245 Specifications for receiving— Eggs (2009 FDA Food Code 3-202.13). EGGS must be received clean and sound and may not exceed the RESTRICTED EGG tolerances for United States Consumer Grade B as specified in United States Standards, Grades, and Weight Classes for Shell Eggs, AMS 56.200 et seq., administered by the Agricultural Marketing Service of USDA.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03245, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03250 Specifications for receiving— Eggs and milk products, pasteurized (2009 FDA Food Code 3-202.14). (1) EGG PRODUCTS must be obtained pasteurized.

(2) Fluid milk, fluid milk products, dry milk, and dry milk products must meet "Grade A pasteurized" milk standards of chapter 15.36 RCW, except "Grade A raw milk" products meeting standards of chapter 15.36 RCW may be sold in retail stores in the original container for off-PREMISES consumption.

(3) Frozen milk products, such as ice cream, must be obtained pasteurized as specified in 21 C.F.R. 135 - Frozen Desserts.

(4) Cheese must be obtained pasteurized unless alternative procedures to pasteurization are specified in the C.F.R., such as 21 C.F.R. 133 - Cheeses and Related Cheese Products, for curing certain cheese varieties.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03250, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03255 Specifications for receiving— Package integrity (2009 FDA Food Code 3-202.15). FOOD packages must be in good condition and protect the integrity of the contents so that the FOOD is not exposed to adulteration or potential contaminants.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03255, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03260 Specifications for receiving— Ice (2009 FDA Food Code 3-202.16). Ice used as a FOOD or a cooling medium must be made from DRINKING WATER.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03260, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03265 Specifications for receiving— Shucked shellfish, packaging and identification (2009 FDA Food Code 3-202.17). (1) Raw SHUCKED SHELLFISH must be obtained in nonreturnable packages which bear a legible label that identifies the:

(a) Name, address, and CERTIFICATION NUMBER of the shucker, packer, or repacker of the MOLLUSCAN SHELLFISH; and

(b) The "sell by" or "best if used by" date for packages with a capacity of less than 1.89 L (one-half gallon) or the date shucked for packages with a capacity of 1.89 L (one-half gallon) or more.

(2) A package of raw SHUCKED SHELLFISH that does not bear a label or which bears a label which does not contain all of the information as specified under subsection (1) of this section is subject to a hold order, as allowed by LAW, or seizure and destruction in accordance with 21 C.F.R. Subpart D - Specific Administrative Decisions Regarding Interstate Shipments, Section 1240.60(d) Molluscan Shellfish.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03265, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03270 Specifications for receiving— Shellstock identification (2009 FDA Food Code 3-202.18). (1) SHELLSTOCK must be obtained in containers bearing legible source identification tags or labels that are affixed by the harvester or DEALER that depurates, ships, or reships the SHELLSTOCK, as specified in the National Shellfish Sanitation Program Guide for the Control of Molluscan Shellfish, and that list:

(a) Except as specified under subsection (3) of this section, on the harvester's tag or label, the following information in the following order:

(i) The harvester's identification number that is assigned by the SHELLFISH CONTROL AUTHORITY;

(ii) The date of harvest;

(iii) The most precise identification of the harvest location or aquaculture site that is practicable based on the system of harvest area designations that is in use by the SHELLFISH CONTROL AUTHORITY and including the abbreviation of the name of the state or country in which the shellfish are harvested;

(iv) The type and quantity of shellfish; and

(v) The following statement in bold, capitalized type: "This tag is required to be attached until container is empty or retagged and thereafter kept on file for 90 days."; and

(b) Except as specified in subsection (4) of this section, on each DEALER'S tag or label, the following information in the following order:

(i) The DEALER'S name and address, and the CERTIFICA-TION NUMBER assigned by the SHELLFISH CONTROL AUTHOR-ITY;

(ii) The original shipper's CERTIFICATION NUMBER including the abbreviation of the name of the state or country in which the shellfish are harvested;

(iii) The same information as specified for a harvester's tag under (a)(ii) through (iv) of this subsection; and

(iv) The following statement in bold, capitalized type: "*This tag is required to be attached until container is empty and thereafter kept on file for 90 days.*"

(2) A container of SHELLSTOCK that does not bear a tag or label or that bears a tag or label that does not contain all of the information as specified under subsection (1)(a) of this section is subject to a hold order, as allowed by LAW, or seizure and destruction in accordance with 21 C.F.R. Subpart D - Specific Administrative Decisions Regarding Interstate Shipments, Section 1240.60(d).

(3) If a place is provided on the harvester's tag or label for a DEALER'S name, address and CERTIFICATION NUMBER, the DEALER'S information must be listed first.

(4) If the harvester's tag or label is designed to accommodate each DEALER'S identification as specified under subsection (1)(a)(i) and (ii) of this section, individual DEALER tags or labels need not be provided.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03270, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03275 Specifications for receiving— Shellstock, condition (2009 FDA Food Code 3-202.19). When received by a FOOD ESTABLISHMENT, SHELLSTOCK must be reasonably free of mud, dead shellfish, and shellfish with broken shells. Dead shellfish or SHELLSTOCK with badly broken shells must be discarded.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03275, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03280 Specifications for receiving— Juice treated (2009 FDA Food Code 3-202.110). PrePACK-AGED JUICE must:

(1) Be obtained from a processor with a HACCP system as specified in 21 C.F.R. Part 120 Hazard Analysis and Critical Control (HACCP) Systems; and

(2) Be obtained pasteurized or otherwise treated to attain a 5-log reduction of the most resistant microorganism of public health significance as specified in 21 C.F.R. Part 120.24 Process Controls.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03280, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03285 Original containers and records—Molluscan shellfish, original container (2009 FDA Food Code 3-203.11). (1) Except as specified in subsections (2), (3), and (4) of this section, MOLLUSCAN SHELL-FISH may not be removed from the container in which they are received other than immediately before sale or preparation for service.

(2) For display purposes, SHELLSTOCK may be removed from the container in which they are received, displayed on drained ice, or held in a display container, and a quantity specified by a CONSUMER may be removed from the display or display container and provided to the CONSUMER if:

(a) The source of the SHELLSTOCK on display is identified as specified under WAC 246-215-03270 and recorded as specified under WAC 246-215-03290; and

(b) The SHELLSTOCK are protected from contamination.

(3) SHUCKED SHELLFISH may be removed from the container in which they were received and held in a display container from which individual servings are dispensed upon a CONSUMER'S request if:

(a) The labeling information for the shellfish on display as specified under WAC 246-215-03265 is retained and correlated to the date when, or dates during which, the shellfish are sold or served; and

(b) The shellfish are protected from contamination.

(4) SHUCKED SHELLFISH may be removed from the container in which they were received and rePACKAGED in CON-SUMER self-service containers where allowed by LAW if:

(a) The labeling information for the shellfish is on each CONSUMER self-service container as specified under WAC 246-215-03265 and 246-215-03610 (1) and (2)(a) through (e):

(b) The labeling information as specified under WAC 246-215-03265 is retained and correlated with the date when, or dates during which, the shellfish is sold or served;

(c) The labeling information and dates specified under (b) of this subsection are maintained for ninety days; and

(d) The shellfish are protected from contamination.

(5) SHELLSTOCK may be removed from the container in which they are received and repacked in CONSUMER self-service containers if:

(a) Each self-service container of SHELLSTOCK is plainly marked with the harvest area name, harvest area date, and original shellfish DEALER'S CERTIFICATION NUMBER, including the abbreviation of the name of the state or country in which the shellfish are harvested, or otherwise marked with a code that can be used to link the product with tag or label information as specified under WAC 246-215-03270; (b) The tag or label information as specified under WAC 246-215-03270 for SHELLSTOCK is retained in a written or electronic log for ninety days that correlates the date when, or dates during which, the SHELLSTOCK sold;

(c) The SHELLSTOCK are protected from contamination; and

(d) The packaging material allows air to get to the shell-fish.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03285, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03290 Original containers and records—Shellstock, maintaining identification (2009 FDA Food Code 3-203.12). (1) Except as specified under subsection (3)(b) of this section, SHELLSTOCK tags or labels must remain attached to the container in which the SHELL-STOCK are received until the container is empty.

(2) The date when the last SHELLSTOCK from the container is sold or served must be recorded on the tag or label.

(3) The identity of the source of SHELLSTOCK that are sold or served must be maintained by retaining SHELLSTOCK tags or labels for ninety calendar days from the date that is recorded on the tag or label, as specified under subsection (2) of this section by:

(a) Using an APPROVED record keeping system that keeps the tags or labels in chronological order correlated to the date that is recorded on the tag or label, as specified under subsection (2) of this section; and

(b) If SHELLSTOCK are removed from its tagged or labeled container:

(i) Preserving source identification by using a recordkeeping system as specified under (a) of this subsection; and

(ii) Ensuring that SHELLSTOCK from one tagged or labeled container are not COMMINGLED with SHELLSTOCK from another container.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-03290, filed 1/17/13, effective 5/1/13.]

# Subsection C - Preventing Contamination After Receiving

WAC 246-215-03300 Preventing contamination by employees—Preventing contamination from hands (2009 FDA Food Code 3-301.11). (1) FOOD EMPLOYEES shall wash their hands as specified under WAC 246-215-02305.

(2) Except when washing fruits and vegetables as specified under WAC 246-215-03318 or as specified in subsection (4) of this section, FOOD EMPLOYEES may not contact exposed, READY-TO-EAT FOOD with their bare hands and shall use suitable UTENSILS such as deli tissue, spatulas, tongs, SIN-GLE-USE gloves, or dispensing EQUIPMENT.

(3) FOOD EMPLOYEES shall minimize bare hand and arm contact with exposed FOOD that is not in a READY-TO-EAT form.

(4) FOOD EMPLOYEES not serving a HIGHLY SUSCEPTIBLE POPULATION may contact exposed, READY-TO-EAT FOOD with their bare hands if:

(a) The PERMIT HOLDER obtains prior approval from the REGULATORY AUTHORITY;

(b) Written procedures are maintained in the FOOD ESTABLISHMENT and made available to the REGULATORY AUTHORITY upon request that include:

(i) For each bare hand contact procedure, a listing of the specific READY-TO-EAT FOODS that are touched by the hands;

(ii) Diagrams and other information showing that handwashing facilities, installed, located, equipped, and maintained as specified under WAC 246-215-05230, 246-215-05255, 246-215-05265, 246-215-06310, and 246-215-06320, are in an easily accessible location and in close proximity to the work station where bare hand contact procedure is conducted.

(c) A written EMPLOYEE health policy that details how the FOOD ESTABLISHMENT complies with Part 2, Subpart B of this chapter.

(d) Documentation that FOOD EMPLOYEES acknowledge they have received training in:

(i) The RISKS of contacting the specific READY-TO-EAT FOODS with bare hands;

(ii) Proper handwashing as specified under WAC 246-215-02305;

(iii) When to wash their hands as specified under WAC 246-215-02310;

(iv) Where to wash their hands as specified under WAC 246-215-02315;

(v) Proper fingernail maintenance as specified under WAC 246-215-02325;

(vi) Prohibition of jewelry as specified under WAC 246-215-02330; and

(vii) Good hygienic practices as specified under WAC 246-215-02400 and 246-215-02405.

(e) Documentation that hands are washed before FOOD preparation and as necessary to prevent cross contamination by FOOD EMPLOYEES as specified under WAC 246-215-02300, 246-215-02305, 246-215-02310, and 246-215-02315 during all hours of operation when the specific READY-TO-EAT FOODS are prepared;

(f) Documentation that FOOD EMPLOYEES contacting READY-TO-EAT FOOD with bare hands use two or more of the following control measures to provide additional safeguards to hazards associated with bare hand contact:

(i) Double handwashing;

(ii) Nail brushes;

(iii) A hand antiseptic after handwashing as specified under WAC 246-215-02320;

(iv) Incentive programs such as paid sick leave that assist or encourage FOOD EMPLOYEES not to work when they are ill; or

(v) Other APPROVED control measures; and

(g) Documentation that corrective action is taken when (a) through (f) of this subsection are not followed.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03300, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03303 Preventing contamination by employees—Preventing contamination when tasting (2009 FDA Food Code 3-301.12). A FOOD EMPLOYEE may not use a UTENSIL more than once to taste FOOD that is to be sold or served.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03303, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03306 Preventing food and ingredient contamination—Packaged and unpackaged food—Separation, packaging, and segregation (2009 FDA Food Code 3-302.11). (1) A FOOD must be protected from cross contamination by:

(a) Except as specified in (a)(iii) of this subsection, separating raw animal FOODS during storage, preparation, holding and display from:

(i) Raw READY-TO-EAT FOOD including other raw animal FOOD such as FISH for sushi or MOLLUSCAN SHELLFISH, or other raw READY-TO-EAT FOOD such as fruits and vegetables; and

(ii) Cooked READY-TO-EAT FOOD;

(iii) Frozen, commercially processed and PACKAGED raw animal FOOD may be stored and displayed with or above frozen, commercially processed and PACKAGED, READY-TO-EAT FOOD.

(b) Except when combined as ingredients, separating types of raw animal FOODS from each other such as beef, FISH, lamb, pork, and POULTRY during storage, preparation, holding and display by:

(i) Using separate EQUIPMENT for each type; or

(ii) Arranging each type of FOOD in EQUIPMENT so that cross contamination of one type with another is prevented; and

(iii) Preparing each type of FOOD at different times or in separate areas.

(c) Cleaning EQUIPMENT and UTENSILS as specified under WAC 246-215-04605(1) and SANITIZING as specified under WAC 246-215-04710;

(d) Except as specified under WAC 246-215-03520 (2)(b) and subsection (2) of this section, storing the FOOD in packages, covered containers, or wrappings;

(e) Cleaning HERMETICALLY SEALED CONTAINERS of FOOD of visible soil before opening;

(f) Protecting FOOD containers that are received PACK-AGED together in a case or overwrap from cuts when the case or overwrap is opened;

(g) Storing damaged, spoiled, or recalled FOOD being held in the FOOD ESTABLISHMENT as specified under WAC 246-215-06415; and

(h) Separating fruits and vegetables, before they are washed as specified under WAC 246-215-03318 from READY-TO-EAT FOOD.

(2) Subsection (1)(d) of this section does not apply to:

(a) Whole, uncut, raw fruits and vegetables and nuts in the shell, that require peeling or hulling before consumption;

(b) PRIMAL CUTS, quarters, or sides of raw MEAT or slab bacon that are hung on clean, SANITIZED hooks or placed on clean, SANITIZED racks;

(c) Whole, uncut, processed MEATS such as country hams, and smoked or cured sausages that are placed on clean, SANITIZED racks;

(d) FOOD being cooled as specified under WAC 246-215-03520; or

(e) SHELLSTOCK.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-03306, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03309 Preventing food and ingredient contamination—Food storage containers, identified with common name of food (2009 FDA Food Code 3-302.12). Except for containers holding FOOD that can be readily and unmistakably recognized such as dry pasta, working containers holding FOOD or FOOD ingredients that are removed from their original packages for use in the FOOD ESTABLISHMENT, such as cooking oils, flour, herbs, potato flakes, salt, spices, and sugar must be identified with the common name of the FOOD.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03309, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03312 Preventing food and ingredient contamination—Pasteurized eggs, substitute for raw eggs for certain recipes (2009 FDA Food Code 3-302.13). Pasteurized EGGS or EGG PRODUCTS must be substituted for raw EGGS in the preparation of FOODS such as Caesar salad, hollandaise or Bearnaise sauce, mayonnaise, meringue, eggnog, ice cream, and EGG-fortified BEVERAGES that are not:

(1) Cooked as specified under WAC 246-215-03400 (1)(a) or (b); or

(2) Included in WAC 246-215-03400(4).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03312, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03315 Preventing food and ingredient contamination—Protection from unapproved additives (2009 FDA Food Code 3-302.14). (1) FOOD must be protected from contamination that might result from the addition of, as specified under WAC 246-215-03240:

(a) Unsafe or unAPPROVED FOOD ADDITIVES or COLOR ADDITIVES; and

(b) Unsafe or unAPPROVED levels of APPROVED FOOD ADDITIVES and COLOR ADDITIVES.

(2) A FOOD EMPLOYEE may not:

(a) Apply sulfiting agents to fresh fruits and vegetables intended for raw consumption or to a FOOD considered to be a good source of vitamin  $B_1$ ; or

(b) Serve or sell FOOD specified under (a) of this subsection that is treated with sulfiting agents before receipt by the FOOD ESTABLISHMENT.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03315, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03318 Preventing food and ingredient contamination—Washing fruits and vegetables (2009 FDA Food Code 3-302.15). (1) Except as specified in subsection (2) of this section, and except for whole, raw fruits and vegetables that are intended for washing by the CON-SUMER before consumption, raw fruits and vegetables must be thoroughly rinsed under running water to remove soil and other contaminants after any soaking and before being cut, combined with other ingredients, cooked, served, or offered for human consumption in READY-TO-EAT form.

(2) Raw fruits and vegetables may be washed by using chemicals as specified under WAC 246-215-07225.

(3) For the purposes of this section, raw vegetables include fresh herbs and sprouts.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03318, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03321 Preventing food and ingredient contamination—Pooling of raw eggs prohibited. Except EGGS that are used in batters or POOLED immediately before cooking, raw EGGS may not be POOLED.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03321, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03324 Preventing contamination from ice used as a coolant—Ice used as exterior coolant, prohibited as ingredient (2009 FDA Food Code 3-303.11). After uses as a medium for cooling the exterior surfaces of FOOD such as melons or FISH, PACKAGED FOOD such as canned BEVERAGES, or cooling coils and tubes of EQUIP-MENT, ice may not be used as a FOOD.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03324, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03327 Preventing contamination from ice used as a coolant—Storage or display of food in contact with water or ice (2009 FDA Food Code 3-303.12). (1) PACKAGED FOOD may not be stored in direct contact with ice or water if the FOOD is subject to the entry of water because of the nature of its packaging, wrapping, or container or its positioning in the ice or water.

(2) Except as specified in subsections (3) and (4) of this section, unPACKAGED FOOD may not be stored in direct contact with undrained ice.

(3) Whole, raw fruits or vegetables; cut, raw vegetables such as celery or carrot sticks or cut potatoes; and tofu may be immersed in ice or water.

(4) Raw POULTRY and raw FISH that are received immersed in ice in shipping containers may remain in that condition while in storage awaiting preparation, display, service, or sale.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03327, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03330 Preventing contamination from equipment, utensils, and linens—Food contact with equipment and utensils (2009 FDA Food Code 3-304.11). FOOD must only contact surfaces of:

(1) EQUIPMENT and UTENSILS that are cleaned as specified under WAC 246-215-04600 through 246-215-04650 and SANITIZED as specified under WAC 246-215-04700 through 246-215-04710; or

(2) SINGLE-SERVICE ARTICLES and SINGLE-USE ARTI-CLES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-03330, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03333 Preventing contamination from equipment, utensils, and linens—In-use utensils, between-use storage (2009 FDA Food Code 3-304.12). During pauses in FOOD preparation or dispensing, FOOD preparation and dispensing UTENSILS must be stored:

(1) Except as specified under subsection (2) of this section, in the FOOD with their handles above the top of FOOD and the container; (2) In FOOD that is not POTENTIALLY HAZARDOUS with their handles above the top of the FOOD within containers or EQUIPMENT that can be closed, such as bins of sugar, flour, or cinnamon;

(3) On a clean portion of the FOOD preparation table or cooking EQUIPMENT only if the in-use UTENSIL and the FOOD-CONTACT SURFACE of the FOOD preparation table or cooking EQUIPMENT are cleaned and SANITIZED at a frequency specified under WAC 246-215-04605 and 246-215-04705;

(4) In running water of sufficient velocity to flush particulates to the drain, if used with moist FOOD such as ice cream or mashed potatoes;

(5) In a clean, protected location if the utensils, such as ice scoops, are used only with a FOOD that is not POTEN-TIALLY HAZARDOUS FOOD; or

(6) In a container of water maintained at a temperature of  $135^{\circ}F$  (57°C) or greater or 41°F (5°C) or less and the container is cleaned at a frequency specified under WAC 246-215-04605 (4)(g).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03333, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03336 Preventing contamination from equipment, utensils, and linens—Linens and napkins, use limitation (2009 FDA Food Code 3-304.13). LIN-ENS and napkins may not be used in contact with FOOD unless they are used to line a container for the service of FOODS and the LINENS and napkins are replaced each time the container is refilled for a new CONSUMER.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03336, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03339 Preventing contamination from equipment, utensils, and linens—Wiping cloths, use limitation (2009 FDA Food Code 3-304.14). (1) Cloths that are in use for wiping FOOD spills from TABLEWARE and carry out containers that occur as FOOD is being served must be:

(a) Maintained dry; and

(b) Used for no other purpose.

(2) Cloths in-use for wiping counters and other EQUIP-MENT surfaces must be:

(a) Held between uses in a chemical SANITIZER solution at a concentration specified under WAC 246-215-04565; and

(b) Laundered daily as specified under WAC 246-215-04805(4); or

(c) Dry disposable towels used in conjunction with a spray bottle of chemical SANITIZER solution at a concentration specified under WAC 246-215-04565 are not required to be held in a chemical SANITIZER solution as long as the towels are disposed of after each use.

(3) Cloths in-use for wiping surfaces in contact with raw animal FOODS must be kept separate from cloths used for other purposes.

(4) Dry wiping cloths and the chemical SANITIZING solutions specified in subsection (2)(a) of this section in which wet wiping cloths are held between uses must be free of FOOD debris and visible soil.

(5) Containers of chemical SANITIZING solutions specified in subsection (2)(a) of this section in which wet wiping cloths are held between uses must be stored and used in a manner that prevents contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, SINGLE-SERVICE or SINGLE-USE ARTICLES.

(6) SINGLE-USE disposable SANITIZER wipes must be used in accordance with EPA-APPROVED manufacturer's label use instructions.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-03339, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03342 Preventing contamination from equipment, utensils, and linens—Gloves, use limitation (2009 FDA Food Code 3-304.15). (1) If used, SINGLE-USE gloves must be used for only one task such as working with READY-TO-EAT FOOD or with raw animal FOOD, used for no other purpose, and discarded when damaged or soiled, or when interruptions occur in the operation.

(2) Except as specified in subsection (3) of this section, slash-resistant gloves that are used to protect the hands during operations requiring cutting must be used in direct contact only with FOOD that is subsequently cooked as specified under Part 3, Subpart D of this chapter such as frozen FOOD or a PRIMAL CUT of MEAT.

(3) Slash-resistant gloves may be used with READY-TO-EAT FOOD that will not be subsequently cooked if the slashresistant gloves have a SMOOTH, durable, and nonabsorbent outer surface; or if the slash-resistant gloves are covered with a SMOOTH, durable, nonabsorbent glove, or a SINGLE-USE glove.

(4) Cloth gloves may not be used in direct contact with FOOD unless the FOOD is subsequently cooked as required under Part 3, Subpart D such as frozen FOOD or a PRIMAL CUT of MEAT.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03342, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03345 Preventing contamination from equipment, utensils, and linens—Using clean tableware for second portions and refills (2009 FDA Food Code 3-304.16). (1) Except for refilling a CONSUMER'S drinking cup or container without contact between the pouring UTENSIL and the lip-contact area of the drinking cup or container, FOOD EMPLOYEES may not use TABLEWARE, including SINGLE-SERVICE ARTICLES, soiled by the CONSUMER, to provide second portions or refills.

(2) Except as specified in subsection (3) of this section, self-service CONSUMERS may not be allowed to use soiled TABLEWARE, including SINGLE-SERVICE ARTICLES, to obtain additional FOOD from the display and serving EQUIPMENT.

(3) Drinking cups and containers may be reused by selfservice CONSUMERS if refilling is a contamination-free process as specified under WAC 246-215-04230 (1), (2), and (3).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03345, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03348 Preventing contamination from equipment, utensils, and linens—Refilling returnables (2009 FDA Food Code 3-304.17). (1) A take-home FOOD container returned to a FOOD ESTABLISHMENT may not be refilled at a FOOD ESTABLISHMENT with a POTENTIALLY HAZARDOUS FOOD. (2) Except as specified in subsection (3) of this section, a take-home FOOD container refilled with FOOD that is not POTENTIALLY HAZARDOUS FOOD must be cleaned as specified under WAC 246-215-04650(2).

(3) Single service cups and personal take out BEVERAGE containers, such as thermally insulated bottles, nonspill coffee cups, and promotional BEVERAGE glasses, may be refilled by EMPLOYEES or the CONSUMER if refilling is a contamination-free process as specified under WAC 246-215-04230 (1), (2), and (4).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03348, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03351 Preventing contamination from the premises—Food storage (2009 FDA Food Code 3-305.11). (1) Except as specified in subsections (2) and (3) of this section, FOOD must be protected from contamination by storing the FOOD:

(a) In a clean, dry location;

(b) Where it is not exposed to splash, dust, or other contamination; and

(c) At least six inches (15 cm) above the floor.

(2) FOOD in packages and working containers may be stored less than six inches (15 cm) above the floor on case lot handling EQUIPMENT as specified under WAC 246-215-04268.

(3) Pressurized BEVERAGE containers, cased FOOD in waterproof containers such as bottles or cans, and milk containers in plastic crates may be stored on a floor that is clean and not exposed to floor moisture.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03351, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03354 Preventing contamination from the premises—Food storage, prohibited areas (2009 FDA Food Code 3-305.12). FOOD may not be stored:

(1) In locker rooms;

(2) In toilet rooms;

(3) In dressing rooms;

(4) In garbage rooms;

(5) In mechanical rooms;

(6) Under sewer lines that are not shielded to intercept potential drips;

(7) Under leaking water lines, including leaking automatic fire sprinkler heads, or under lines on which water has condensed;

(8) Under open stairwells; or

(9) Under other sources of contamination.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03354, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03357 Preventing contamination from the premises—Vended potentially hazardous food, original container (2009 FDA Food Code 3-305.13). POTENTIALLY HAZARDOUS FOOD dispensed through a VEND-ING MACHINE must be in the package in which it was placed at the FOOD ESTABLISHMENT or FOOD PROCESSING PLANT at which it was prepared.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03357, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03360 Preventing contamination from the premises—Food preparation (2009 FDA Food Code 3-305.14). During preparation, unPACKAGED FOOD must be protected from environmental sources of contamination.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03360, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03363 Preventing contamination by consumers—Food display (2009 FDA Food Code 3-306.11). (1) Except for nuts in the shell and whole raw fruits and vegetables that are intended for hulling, peeling, or washing by the CONSUMER before consumption, FOOD on display must be protected from contamination by the use of packaging; counter, service line, or salad bar FOOD guards; display cases; or other effective means;

(2) If PACKAGED for CONSUMER self-service, hard crusted breads such as baguettes must be completely covered and may be open at one end.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03363, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03366 Preventing contamination by consumers—Condiments, protection (2009 FDA Food Code 3-306.12). (1) Condiments must be protected from contamination by being kept in dispensers that are designed to provide protection, protected food displays with the proper UTENSILS, original containers designed for dispensing, or individual packages or portions.

(2) Condiments at a VENDING MACHINE LOCATION must be in individual packages or provided in dispensers that are filled at an APPROVED location, such as the FOOD ESTABLISH-MENT that provides FOOD to the VENDING MACHINE LOCA-TION, a FOOD PROCESSING PLANT that is regulated by the agency that has jurisdiction over the operation, or a properly equipped facility that is located on the site of the VENDING MACHINE LOCATION.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03366, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03369 Preventing contamination by consumers—Consumer self-service operations (2009 FDA Food Code 3-306.13). (1) Raw unPACKAGED animal FOOD such as beef, lamb, pork, and FISH may not be offered for CONSUMER self-service. This subsection does not apply to:

(a) CONSUMER self-service of READY-TO-EAT FOODS at buffets or salad bars that serve FOODS such as sushi or raw shellfish;

(b) Ready-to-cook individual portions for cooking and immediate consumption on the PREMISES such as CONSUMERcooked MEATS or CONSUMER-selected ingredients for Mongolian barbecue; or

(c) Raw, frozen shrimp, lobster, finfish, calamari, or adductor muscle of scallop; or frozen, breaded seafood.

(2) CONSUMER self-service operations for READY-TO-EAT FOODS must be provided with suitable utensils or effective dispensing methods that protect the FOOD from contamination. (3) CONSUMER self-service operations such as buffets and salad bars must be monitored by FOOD EMPLOYEES trained in safe operating procedures.

(4) Containers for display and service of READY-TO-EAT, unPACKAGED, bulk FOODS for CONSUMER self-service must have a CONSUMER access point no less than 30 inches above floor level, except for APPROVED containers of liquids.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03369, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03372 Preventing contamination by consumers—Returned food and reservice of food (2009 FDA Food Code 3-306.14). (1) Except as specified in subsection (2) of this section, after being served or sold and in the possession of a CONSUMER, FOOD that is unused or returned by the CONSUMER may not be offered as FOOD for human consumption.

(2) Except as specified under WAC 246-215-03800(7), a container of FOOD that is not POTENTIALLY HAZARDOUS FOOD may be re-served from one CONSUMER to another if:

(a) The FOOD is dispensed so that it is protected from contamination and the container is closed between uses, such as a narrow-neck bottle containing catsup, steak sauce, or wine; or

(b) The FOOD, such as crackers, salt, or pepper, is in an unopened original package and is maintained in sound condition.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03372, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03375 Preventing contamination by consumers—Miscellaneous sources of contamination (2009 FDA Food Code 3-307.11). FOOD must be protected from contamination that might result from a factor or source not specified under Part 3, Subparts A through F.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03375, filed 1/17/13, effective 5/1/13.]

#### Subpart D - Destruction of Organisms of Public Health Concern

WAC 246-215-03400 Cooking—Raw animal foods (2009 FDA Food Code 3-401.11). (1) Except as specified under subsections (2), (3), and (4) of this section, raw animal FOODS such as EGGS, FISH, MEAT, POULTRY, and FOODS containing these raw animal FOODS, must be cooked to heat all parts of the FOOD to a temperature and for a time that complies with one of the following methods based on the FOOD that is being cooked:

(a) 145°F (63°C) or above for fifteen seconds for:

(i) Raw EGGS that are broken and prepared in response to a CONSUMER'S order and for IMMEDIATE SERVICE; and

(ii) Except as specified under (b) and (c) of this subsection and subsections (2) and (3) of this section, FISH and MEAT, including GAME ANIMALS commercially raised for FOOD as specified under WAC 246-215-03230 (1)(a) and GAME ANIMALS under a voluntary inspection program as specified under WAC 246-215-03230 (1)(b);

(b)  $155^{\circ}F$  (68°C) for fifteen seconds or a temperature and time combination specified in the following chart, provided that FOOD EMPLOYEES monitor both temperature and

time under an APPROVED plan, for RATITES; MECHANICALLY TENDERIZED and INJECTED MEATS; and COMMINUTED FISH, MEAT, GAME ANIMALS commercially raised for FOOD as specified under WAC 246-215-03230 (1)(a), GAME ANIMALS under a voluntary inspection program as specified under WAC 246-215-03230 (1)(a); and raw EGGS that are not prepared as specified under (a)(i) of this subsection; or

## **Table 3-1: Minimum Temperatures**

Temperature °F (°C)	Time
145 (63)	3 minutes
150 (66)	1 minute
158 (70)	< 1 second (instantaneous)

(c)  $165^{\circ}F$  (74°C) or above for 15 seconds for POULTRY; BALUTS; wild GAME ANIMALS; stuffed FISH; stuffed MEAT; stuffed pasta; stuffed RATITES; or stuffing containing FISH, MEAT, POULTRY, or RATITES.

(2) Whole MEAT roasts, including beef, corned beef, lamb, pork, and cured pork roasts such as ham, must be cooked:

(a) In an oven that is preheated to the temperature specified for the roast's weight in Table 3-2 and that is held at that temperature; and

Table 3-2:	Oven	Temperature	Based on	Weight

Oven Type	Less Than 10 lbs. (4.5 kg)	10 lbs. (4.5 kg) or More
Still Dry	350°F (177°C) or	250°F (121°C) or
	more	more
Convection	325°F (163°C) or	250°F (121°C) or
	more	more
High Humidity <sup>1</sup>	250°F (121°C) or less	250°F (121°C) or less

<sup>1</sup> Relative humidity greater than 90% for at least one hour as measured in the cooking chamber or exit of the oven; or in a moisture-impermeable bag that provides 100% humidity.

(b) As specified in the following chart, to heat all parts of the FOOD to a temperature and for the holding time that corresponds to that temperature:

Table 3-3: Temperature and Holding Time

Temperature °F (°C)	Time in Minutes <sup>1</sup>	Temperature °F (°C)	Time in Seconds <sup>1</sup>
130 (54.4)	112	147 (63.9)	134
131 (55.0)	89	149 (65.0)	85
133 (56.1)	56	151 (66.1)	54
135 (57.2)	36	153 (67.2)	34
136 (57.8)	28	155 (68.3)	22
138 (58.9)	18	157 (69.4)	14
140 (60.0)	12	158 (70.0)	0
142 (61.1)	8		
144 (62.2)	5		
145 (62.8)	4		

<sup>1</sup> Holding time may include postoven heat rise.

(3) A raw or undercooked WHOLE-MUSCLE, INTACT BEEF steak may be served or offered for sale in a READY-TO-EAT form if:

(a) The FOOD ESTABLISHMENT serves a population that is not a HIGHLY SUSCEPTIBLE POPULATION;

(b) The steak is labeled to indicate that it meets the definition of WHOLE-MUSCLE, INTACT BEEF as specified under WAC 246-215-03200(5); and

(c) The steak is cooked on both the top and the bottom to a surface temperature of  $145^{\circ}$ F ( $63^{\circ}$ C) or above and a cooked color change is achieved on all external surfaces.

(4) A raw animal FOOD such as raw EGG, raw FISH, rawmarinated FISH, raw MOLLUSCAN SHELLFISH, or steak tartare; or a partially cooked FOOD such as lightly cooked FISH, soft cooked EGGS, or rare MEAT other than WHOLE-MUSCLE, INTACT BEEF steaks as specified in subsection (3) of this section, may be served or offered for sale in a READY-TO-EAT form if:

(a) As specified under WAC 246-215-03800 (3)(a) and (b), the FOOD ESTABLISHMENT serves a population that is not a HIGHLY SUSCEPTIBLE POPULATION;

(b) The FOOD is not offered from a children's menu or children's section of any menu; and

(c) The CONSUMER is informed as specified under WAC 246-215-03620 that to ensure its safety, the FOOD should be cooked as specified under subsection (1) or (2) of this section; or

(d) The REGULATORY AUTHORITY grants a VARIANCE from subsection (1) or (2) of this section as specified under WAC 246-215-08110 based on a HACCP PLAN that:

(i) Is submitted by the PERMIT HOLDER and APPROVED as specified under WAC 246-215-08115;

(ii) Documents scientific data or other information showing that a lesser time and temperature regimen results in safe FOOD; and

(iii) Verifies that EQUIPMENT and procedures for FOOD preparation and training of FOOD EMPLOYEES at the FOOD ESTABLISHMENT meet the conditions of the VARIANCE.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03400, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03405 Cooking—Microwave cooking (2009 FDA Food Code 3-401.12). Raw animal FOODS cooked in a microwave oven must be:

(1) Rotated or stirred throughout or midway during cooking to compensate for uneven distribution of heat;

(2) Covered to retain surface moisture;

(3) Heated to a temperature of at least 165°F (74°C) in all parts of the FOOD; and

(4) Allowed to stand covered for two minutes after cooking to obtain temperature equilibrium.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03405, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03410 Cooking—Plant food cooking for hot holding (2009 FDA Food Code 3-401.13). Fruits and vegetables that are cooked for hot holding must be cooked to a temperature of 135°F (57°C).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03410, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03415 Cooking—Noncontinuous cooking of raw animal foods (2009 FDA Food Code 3-401.14). Except as specified in subsection (7) of this section, raw animal FOODS that are cooked using a NONCONTINUOUS cooking process must be:

(1) Subject to an initial heating process that is no longer than sixty minutes in duration;

(2) Immediately after initial heating, cooled according to the time and temperature parameters specified for cooked, POTENTIALLY HAZARDOUS FOOD under WAC 246-215-03515(1);

(3) After cooling, held frozen or cold, as specified for POTENTIALLY HAZARDOUS FOOD under WAC 246-215-03525 (1)(b);

(4) Prior to sale or service, cooked using a process that heats all parts of the FOOD to a temperature of at least  $165^{\circ}$ F (74°C) for fifteen seconds;

(5) Cooled according to the time and temperature parameters specified for cooked POTENTIALLY HAZARDOUS FOOD under WAC 246-215-03515(1) if not either hot held as specified under WAC 246-215-03525(1), served immediately, or held using time as a public health control as specified under WAC 246-215-03530 after complete cooking;

(6) Prepared and stored according to written procedures that:

(a) Have obtained prior approval from the REGULATORY AUTHORITY;

(b) Are maintained in the FOOD ESTABLISHMENT and are available to the REGULATORY AUTHORITY upon request;

(c) Describe how the requirements specified under subsections (1) through (5) of this section are to be monitored and documented by the PERMIT HOLDER and the corrective actions to be taken if the requirements are not met;

(d) Describe how the FOODS, after initial heating, but prior to complete cooking, are to be marked or otherwise identified as FOODS that must be cooked as specified under subsection (4) of this section prior to being offered for sale or service; and

(e) Describe how the FOODS, after initial heating but prior to cooking as specified under subsection (4) of this section, are to be separated from READY-TO-EAT FOODS as specified under WAC 246-215-03306(1); and

(7) Raw animal FOODS that are GRILL MARKED must be:

(a) Immediately after initial heating, cooled according to the time and temperature parameters specified for cooked POTENTIALLY HAZARDOUS FOOD under WAC 246-215-03515(1);

(b) Marked or otherwise identified as FOODS that must be cooked;

(c) Separated from READY-TO-EAT FOODS as specified under WAC 246-215-03306(1);

(d) Prior to sale or service, cooked to the temperatures specified under WAC 246-215-03400;

(e) Hot held as specified under WAC 246-215-03525(1), served immediately, or held using time as a public health control as specified under WAC 246-215-03530 after complete cooking; and

(f) Disposed if left over after cooking and hot holding.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03415, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03420 Cooking—Unattended cooking and hot holding. Unattended cooking and unattended hot holding are prohibited without continuous temperature monitoring under an APPROVED plan.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03420, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03425 Freezing—Parasite destruction (2009 FDA Food Code 3-402.11). (1) Except as specified in subsection (2) of this section, before service or sale in READY-TO-EAT form, raw, raw marinated, partially cooked, or marinated partially cooked FISH must be:

(a) Frozen and stored at a temperature of  $-4^{\circ}F$  (-20°C) or below for one hundred sixty-eight hours (seven days) in a freezer; or

(b) Frozen at  $-31^{\circ}F$  ( $-35^{\circ}C$ ) or below until solid and stored at  $-31^{\circ}F$  ( $-35^{\circ}C$ ) for fifteen hours; or

(c) Frozen at  $-31^{\circ}F$  ( $-35^{\circ}C$ ) or below until solid and stored at  $-4^{\circ}F$  ( $-20^{\circ}C$ ) or below for a minimum of twenty-four hours.

(2) Subsection (1) of this section does not apply to:

(a) MOLLUSCAN SHELLFISH;

(b) Tuna of the species *Thunnus alalunga*, *Thunnus albacores* (Yellowfin tuna), *Thunnus atlanticus*, *Thunnus maccoyii* (Bluefin tuna, Southern), *Thunnus obesus* (Bigeye tuna), or *Thunnus thynnus* (Bluefin tuna, Northern); or

(c) Aquacultured FISH, such as salmon, that:

(i) If raised in open water, are raised in net pens; or

(ii) Are raised in land-based operations such as ponds or tanks; and

(iii) Are fed formulated feed, such as pellets, that contains no live parasites infective to the aquacultured FISH.

(3) FISH EGGS that have been removed from the skein and rinsed.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03425, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03430 Freezing—Records, creation and retention (2009 FDA Food Code 3-402.12). (1) Except as specified under WAC 246-215-03425(2) and subsection (2) of this section, if raw, raw marinated, partially cooked, or marinated partially cooked FISH are served or sold in READY-TO-EAT form, the PERSON IN CHARGE shall record the freezing temperature and time to which the FISH are subjected and shall retain the records of the FOOD ESTABLISHMENT for ninety calendar days beyond the time of service or sale of the FISH.

(2) If the FISH are frozen by a supplier, a written agreement or statement from the supplier stipulating that the FISH supplied are frozen to a temperature and for a time specified under Section 3-402.11 may substitute for the records specified under subsection (1) of this section.

(3) If raw, raw marinated, partially cooked, or marinated partially cooked FISH are served or sold in READY-TO-EAT form, and the FISH are raised and fed as specified under WAC 246-215-03425 (2)(c), a written agreement or statement from the supplier or aquaculturist stipulating that the FISH were raised and fed as specified under WAC 246-215-03425 (2)(c), must be obtained by the PERSON IN CHARGE and retained in the records of the FOOD ESTABLISHMENT for

[Ch. 246-215 WAC p. 34]

ninety calendar days beyond the time of service or sale of the FISH.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-03430, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03435 Reheating—Preparation for immediate service (2009 FDA Food Code 3-403.10). Cooked and refrigerated FOOD that is prepared for IMMEDI-ATE SERVICE in response to an individual CONSUMER order, such as a roast beef sandwich au jus, may be served at any temperature.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03435, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03440 Reheating—Reheating for hot holding (2009 FDA Food Code 3-403.11). (1) Except as specified under subsections (2), (3), and (5) of this section, POTENTIALLY HAZARDOUS FOOD that is cooked, cooled, and reheated for hot holding must be reheated so that all parts of the FOOD reach a temperature of at least 165°F (74°C) for fifteen seconds.

(2) Except as specified under subsection (3) of this section, POTENTIALLY HAZARDOUS FOOD reheated in a microwave oven for hot holding must be reheated so that all parts of the FOOD reach a temperature of at least  $165^{\circ}$ F (74°C) and the FOOD is rotated or stirred, covered, and allowed to stand covered for two minutes after reheating.

(3) READY-TO-EAT FOOD taken from a commercially processed, HERMETICALLY SEALED CONTAINER, or from an intact package from a FOOD PROCESSING PLANT that is inspected by the FOOD REGULATORY AUTHORITY that has jurisdiction over the plant, must be heated to a temperature of at least 135°F (57°C) for hot holding.

(4) Reheating for hot holding as specified under subsections (1) through (3) of this section must be done rapidly and the time the FOOD is between  $41^{\circ}F$  (5°C) and the temperature specified under subsections (1) through (3) of this section may not exceed two hours.

(5) Remaining unsliced portions of MEAT roasts that are cooked as specified under WAC 246-215-03400(2) may be reheated for hot holding using the oven parameters and minimum time and temperature conditions specified under WAC 246-215-03400(2).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03440, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03445 Other methods—Treating juice (2009 FDA Food Code 3-404.11). JUICE PACKAGED in a FOOD ESTABLISHMENT must be:

(1) Treated under a HACCP PLAN as specified under WAC 246-215-08215 (2) through (5) to attain a 5-log reduction, which is equal to a 99.999% reduction, of the most resistant microorganism of public health significance; or

(2) Labeled, if not treated to yield a 5-log reduction of the most resistant microorganism of public health significance:

(a) As specified under WAC 246-215-03610; and

(b) As specified in 21 C.F.R. 101.17(g) Food labeling, warning, notice, and safe handling statements, JUICES that have not been specifically processed to prevent, reduce, or

eliminate the presence of pathogens with the following, "Warning: This product has not been pasteurized and, therefore, may contain harmful bacteria that can cause serious illness in children, the elderly, and persons with weakened immune systems."

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03445, filed 1/17/13, effective 5/1/13.]

# Subpart E - Limitation of Growth of Organisms of Public Health Concern

WAC 246-215-03500 Temperature and time control —Frozen food (2009 FDA Food Code 3-501.11). Stored frozen FOODS must be maintained frozen.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03500, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03505 Temperature and time control —Potentially hazardous food, slacking (2009 FDA Food Code 3-501.12). Frozen POTENTIALLY HAZARDOUS FOOD that is slacked to moderate the temperature must be held:

(1) Under refrigeration that maintains the FOOD temperature at  $41^{\circ}$ F (5°C) for less; or

(2) At any temperature if the FOOD remains frozen.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03505, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03510 Temperature and time control —Thawing (2009 FDA Food Code 3-501.13). Except as specified in subsection (4) of this section, POTENTIALLY HAZ-ARDOUS FOOD must be thawed:

(1) Under refrigeration that maintains the FOOD temperature at  $41^{\circ}$ F (5°C) or less; or

(2) Completely submerged under running water:

(a) At a water temperature of  $70^{\circ}$ F (21°C) or below;

(b) With sufficient water velocity to agitate and float off loose particles in an overflow; and

(c) For a period of time that does not allow thawed portions of READY-TO-EAT FOOD to rise above  $41^{\circ}$ F (5°C); or

(d) For a period of time that does not allow thawed portions of raw animal FOOD requiring cooking as specified under WAC 246-215-03400 (1) or (2) to be above 41°F (5°C) for more than four hours including:

(i) The time the FOOD is exposed to the running water and the time needed for preparation for cooking; or

(ii) The time it takes under refrigeration to lower the FOOD temperature to  $41^{\circ}$ F (5°C);

(3) As part of a cooking process if the FOOD that is frozen is:

(a) Cooked as specified under WAC 246-215-03400 (1) or (2) or 246-215-03405; or

(b) Thawed in a microwave oven and immediately transferred to conventional cooking EQUIPMENT, with no interruption in the process; or

(4) Using any procedure if a portion of frozen, READY-TO-EAT FOOD is thawed and prepared for IMMEDIATE SERVICE in response to an individual customer's order.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03510, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03515 Temperature and time control —Cooling (2009 FDA Food Code 3-501.14). (1) Cooked POTENTIALLY HAZARDOUS FOOD must be cooled:

(a) Within two hours from  $135^{\circ}F(57^{\circ}C)$  to  $70^{\circ}F(21^{\circ}C)$ ;

(b) Within a total of six hours from  $135^{\circ}F(57^{\circ}C)$  to  $41^{\circ}F(5^{\circ}C)$  or less; or

(c) As alternatives to the cooling provisions of (a) and (b) of this subsection, the following rapid cooling procedures are allowed:

(i) Continuous cooling of FOODS in a shallow layer of two inches or less, uncovered, protected from cross contamination, in cooling EQUIPMENT maintaining an ambient air temperature of  $41^{\circ}F$  (5°C) or less; or

(ii) Continuous cooling of intact pieces of MEAT that is not COMMINUTED and is no greater than four inches thick, uncovered, unwrapped, not touching other pieces of FOOD, protected from cross contamination, in cooling EQUIPMENT maintaining an ambient temperature of 41°F (5°C) or less.

(2) POTENTIALLY HAZARDOUS FOOD must be cooled within four hours to  $41^{\circ}$ F (5°C) or less if prepared from ingredients at ambient temperature, such as reconstituted FOODS and canned tuna.

(3) Except as specified in subsection (4) of this section, a POTENTIALLY HAZARDOUS FOOD received in compliance with LAWS allowing a temperature above  $41^{\circ}$ F (5°C) during shipment from the supplier as specified under WAC 246-215-03235(2), must be cooled within four hours to  $41^{\circ}$ F (5°C) or less.

(4) Raw EGGS must be received as specified under WAC 246-215-03235(3) and immediately placed in refrigerated EQUIPMENT that maintains an ambient air temperature of  $45^{\circ}F$  (7°C) or less.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03515, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03520 Temperature and time control —Cooling methods (2009 FDA Food Code 3-501.15). (1) Cooling must be accomplished in accordance with the time and temperature requirements specified under WAC 246-215-03515 by using one or more of the following methods based on the type of FOOD being cooled:

(a) Placing the FOOD in shallow pans;

(b) Separating the FOOD into smaller or thinner portions;

(c) Using rapid cooling EQUIPMENT;

(d) Stirring the FOOD in a container placed in an ice water bath;

(e) Using containers that facilitate heat transfer;

(f) Adding ice as an ingredient; or

(g) Other effective methods.

(2) When placed in cooling or cold holding EQUIPMENT, FOOD containers in which FOOD is being cooled must be:

(a) Arranged in the EQUIPMENT to provide maximum heat transfer through the container walls; and

(b) Loosely covered, or uncovered if using the alternative cooling provisions in WAC 246-215-03515 (1)(c) and if protected from overhead contamination as specified under WAC 246-215-03351 (1)(b), during the cooling period to facilitate heat transfer from the surface of the FOOD.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-03520, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03525 Temperature and time control —Potentially hazardous food, hot and cold holding (2009 FDA Food Code 3-501.16). (1) Except during active preparation for up to two hours, cooking, or cooling or when time is used as the public health control as specified under WAC 246-215-03530, and except as specified in subsections (2) and (3) of this section, POTENTIALLY HAZARDOUS FOOD must be maintained:

(a) At 135°F (57°C) or above, except that roasts cooked to a temperature and for a time specified under WAC 246-215-03400(2) or reheated as specified under WAC 246-215-03440 may be held at a temperature of 130°F (54°C) or above; or

(b) At  $41^{\circ}F$  (5°C) or less.

(2) EGGS that have not been treated to destroy all viable salmonellae must be stored in refrigerated EQUIPMENT that maintains an ambient air temperature of  $45^{\circ}F(7^{\circ}C)$  or less.

(3) POTENTIALLY HAZARDOUS FOOD in a homogenous liquid form may be maintained outside the temperature control requirements, as specified under subsection (1) of this section, while contained within specially designed EQUIP-MENT that complies with the design and construction requirements as specified under WAC 246-215-04230(5).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03525, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03530 Temperature and time control —Time as a public health control (2009 FDA Food Code 3-501.19). (1) Except as specified under subsection (3) of this section, if time without temperature control is used as the public health control for a working supply of POTENTIALLY HAZARDOUS FOOD before cooking, or for READY-TO-EAT POTENTIALLY HAZARDOUS FOOD that is displayed or held for sale or service for immediate consumption:

(a) Written procedures must be prepared in advance, maintained in the FOOD ESTABLISHMENT and made available to the REGULATORY AUTHORITY upon request that specify:

(i) Methods of compliance with subsections (2)(a) through (c) of this section; and

(ii) Methods of compliance with WAC 246-215-03515 for FOOD that is prepared, cooked, and refrigerated before time is used as a public health control.

(2) If time without temperature control is used as the public health control up to a maximum of four hours:

(a) The FOOD must have an internal temperature of  $41^{\circ}$ F (5°C) or less when removed from cold holding temperature control, or  $135^{\circ}$ F (57°C) or greater when removed from hot holding temperature control;

(b) The FOOD must be marked or otherwise identified to indicate the time that is four hours past the point in time when the FOOD is removed from temperature control;

(c) The FOOD must be cooked and served, served at any temperature if READY-TO-EAT or discarded, within four hours from the point in time when the FOOD is removed from temperature control; and

(d) The FOOD in unmarked containers or packages, or marked to exceed a four-hour limit, must be discarded.

(3) A FOOD ESTABLISHMENT that serves a HIGHLY SUS-CEPTIBLE POPULATION may not use time as specified under subsections (1) and (2) of this section as the public health control for raw EGGS. [Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03530, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03535 Specialized processing methods —Variance requirement (2009 FDA Food Code 3-502.11). A FOOD ESTABLISHMENT shall obtain a VARIANCE from the REGULATORY AUTHORITY as specified under WAC 246-215-08110 and 246-215-08115 before:

(1) Smoking FOOD as a method of FOOD preservation rather than as a method of flavor enhancement;

(2) Curing FOOD;

(3) Using FOOD ADDITIVES or adding components such as vinegar:

(a) As a method of FOOD preservation rather than as a method of flavor enhancement; or

(b) To render a FOOD so that it is not POTENTIALLY HAZ-ARDOUS FOOD;

(4) Packaging FOOD using a REDUCED OXYGEN PACKAG-ING method except where the growth of and toxin formation by *Clostridium botulinum* and the growth of *Listeria monocytogenes* are controlled as specified under WAC 246-215-03540;

(5) Operating a MOLLUSCAN SHELLFISH life-support system display tank used to store or display shellfish that are offered for human consumption;

(6) Custom processing animals that are for personal use as FOOD and not for sale or service in a FOOD ESTABLISH-MENT;

(7) Preparing FOOD by another method that is determined by the REGULATORY AUTHORITY to require a VARIANCE; or

(8) Sprouting seeds or beans.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03535, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03540 Specialized processing methods —Reduced oxygen packaging without a variance, criteria (2009 FDA Food Code 3-502.12). (1) Except for a FOOD ESTABLISHMENT that obtains a VARIANCE as specified under WAC 246-215-03535, a FOOD ESTABLISHMENT that packages POTENTIALLY HAZARDOUS FOOD using a REDUCED OXYGEN PACKAGING method shall control the growth and toxin formation of *Clostridium botulinum* and the growth of *Listeria monocytogenes*.

(2) A FOOD ESTABLISHMENT that packages POTENTIALLY HAZARDOUS FOOD using a REDUCED OXYGEN PACKAGING method shall have a HACCP PLAN that contains the information specified under WAC 246-215-08215(4) and that:

(a) Identifies the FOOD to be PACKAGED;

(b) Except as specified under subsections (3) through (5) of this section, requires that the PACKAGED FOOD must be maintained at  $41^{\circ}$ F (5°C) or less and meet at least one of the following requirements:

(i) Has an A<sub>w</sub> of 0.91 or less;

(ii) Has a pH of 4.6 or less;

(iii) Is a MEAT or POULTRY product cured at a FOOD PRO-CESSING PLANT regulated by the USDA using substances specified in 9 C.F.R. 424.21, Use of Food Ingredients and Sources of Radiation, and is received in an intact package; or

(iv) Is a FOOD with a high level of competing organisms such as raw MEAT, raw POULTRY, or raw vegetables;

(c) Describes how the package must be prominently and conspicuously labeled on the principal display panel in bold type on a contrasting background, with instructions to:

(i) Maintain the FOOD at 41°F (5°C) or below; and

(ii) Discard the FOOD if within fourteen calendar days of its packaging it is not served for on-PREMISES consumption, or consumed if served or sold for off-PREMISES consumption;

(d) Limits the refrigerated shelf life to no more than fourteen calendar days from packaging to consumption, except the time the product is maintained frozen, or the original manufacturer's "sell by" or "use by" date, whichever occurs first:

(e) Includes operational procedures that:

(i) Prohibit contacting READY-TO-EAT FOOD with bare hands as specified under WAC 246-215-03300(2);

(ii) Identify a designated work area and the method by which:

(A) Physical barriers or methods of separation of raw FOODS and READY-TO-EAT FOODS minimize cross contamination; and

(B) Access to the processing EQUIPMENT is limited to responsible trained personnel familiar with the potential hazards of the operation; and

(iii) Delineate cleaning and sanitization procedures for FOOD-CONTACT SURFACES; and

(f) Describes the training program that ensures that the individual responsible for the REDUCED OXYGEN PACKAGING operation understands the:

(i) Concepts required for a safe operation;

(ii) EQUIPMENT and facilities; and

(iii) Procedures specified under (e) of this subsection and WAC 246-215-08215(4).

(3) Except for FISH that is frozen before, during, and after PACKAGING, a FOOD ESTABLISHMENT may not PACKAGE FISH using a REDUCED OXYGEN PACKAGING method.

(4) Except as specified under subsection (3) of this section, a FOOD ESTABLISHMENT that PACKAGES FOOD using a cook-chill or sous vide process shall:

(a) Implement a HACCP PLAN that contains the information as specified under WAC 246-215-08215(4);

(b) Ensure the FOOD is:

(i) Prepared and consumed on the PREMISES, or prepared and consumed off the PREMISES but within the same business entity with no distribution or sale of the PACKAGED product to another business entity or the CONSUMER;

(ii) Cooked to heat all parts of the FOOD to a temperature and for a time as specified under WAC 246-215-03400;

(iii) Protected from contamination before and after cooking as specified under Part 3, Subpart C and D;

(iv) Placed in a package with an oxygen barrier and SEALED before cooking, or placed in a package and SEALED immediately after cooking and before reaching a temperature below 135°F (57°C);

(v) Cooled to  $41^{\circ}F$  (5°C) in the SEALED package or bag as specified under WAC 246-215-03515 and subsequently:

(A) Cooled to  $34^{\circ}F$  (1°C) within forty-eight hours of reaching  $41^{\circ}F$  (5°C) and held at that temperature until consumed or discarded within thirty days after the date of packaging;

(B) Cooled to 34°F (1°C) within forty-eight hours of reaching 41°F (5°C), removed from refrigeration EQUIPMENT

that maintains a  $34^{\circ}F(1^{\circ}C)$  FOOD temperature and then held at  $41^{\circ}F(5^{\circ}C)$  or less for no more than seventy-two hours, at which time the FOOD must be consumed or discarded;

(C) Cooled to  $38^{\circ}F$  ( $3^{\circ}C$ ) or less within twenty-four hours of reaching  $41^{\circ}F$  ( $5^{\circ}C$ ) and held there for no more than seventy-two hours from packaging, at which time the FOOD must be consumed or discarded;

(D) Held frozen with no shelf life restriction while frozen until consumed or used.

(vi) Held in a refrigeration unit that is equipped with an electronic system that continuously monitors time and temperature and is visually examined for proper operation twice daily;

(vii) If transported off-site to a satellite location of the same business entity, equipped with verifiable electronic monitoring devices to ensure that times and temperatures are monitored during transportation; and

(viii) Labeled with the product name and the date PACK-AGED; and

(c) Maintain the records required to confirm that cooling and cold holding refrigeration time/temperature parameters are required as part of the HACCP PLAN and:

(i) Make such records available to the REGULATORY AUTHORITY upon request; and

(ii) Hold such records for at least six months after the last date the product was sold or served.

(d) Implement written operational procedures as specified under subsection (2)(e) of this section and a training program as specified under subsection (2)(f) of this section.

(5) A FOOD ESTABLISHMENT that PACKAGES cheese using a REDUCED OXYGEN PACKAGING method shall:

(a) Limit the cheeses PACKAGED to those that are commercially manufactured in a FOOD PROCESSING PLANT with no ingredients added in the FOOD ESTABLISHMENT and that meet the Standards of Identity as specified in 21 C.F.R. 133.150 Hard cheeses, 21 C.F.R. 133.169 Pasteurized process cheese or 21 C.F.R. 133.187 Semisoft cheeses;

(b) Have a HACCP PLAN that contains the information specified under WAC 246-215-08215(4) and as specified under subsection (2)(a), (c)(i), (e), and (f) of this section;

(c) Labels the package on the principal display panel with a "use by" date that does not exceed thirty days from its packaging or the original manufacturer's "sell by" or "use by" date, whichever comes first; and

(d) Discards the reduced oxygen PACKAGED cheese if it is not sold for off-PREMISES consumption or consumed within thirty calendar days of its packaging.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03540, filed 1/17/13, effective 5/1/13.]

# Subpart F - Food Identity, Presentation, and On-Premises Labeling

WAC 246-215-03600 Accurate representation— Standards of identity (2009 FDA Food Code 3-601.11). PACKAGED FOOD must comply with standard of identity requirements in 21 C.F.R. 131-169 and 9 C.F.R. 319 Definitions and Standards of Identity or Composition, and the general requirements in 21 C.F.R. 130 - Food Standards: General and 9 C.F.R. 319 Subpart A - General. Food Service

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03600, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03605 Accurate representation— Honestly presented (2009 FDA Food Code 3-601.12). (1) FOOD must be offered for human consumption in a way that does not mislead or misinform the CONSUMER.

(2) FOOD ADDITIVES or COLOR ADDITIVES, colored overwraps, or lights may not be used to misrepresent the true appearance, color, or quality of a FOOD.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03605, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03610 Labeling—Food labels (2009 FDA Food Code 3-602.11). (1) FOOD PACKAGED in a FOOD ESTABLISHMENT must be labeled as specified in LAW, including chapter 69.04 RCW; 21 C.F.R. 101 - Food Labeling; and 9 C.F.R. 317 - Labeling, Marking Devices, and Containers.

(2) Label information must include:

(a) The common name of the FOOD, or absent a common name, and adequately descriptive identity statement;

(b) If made from two or more ingredients, a list of ingredients in descending order of predominance by weight, including a declaration of artificial color or flavor and chemical preservatives, if contained in the FOOD;

(c) An accurate declaration of the quantity of contents;

(d) The name and place of business of the manufacturer, packer, or distributor;

(e) The name of the FOOD source for each MAJOR FOOD ALLERGEN contained in the FOOD unless the FOOD source is already part of the common or unusual name of the respective ingredient;

(f) Except as exempted in the Federal Food, Drug, and Cosmetic Act Section 403(Q)(3) through (5), nutrition labeling as specified in 21 C.F.R. 101 - Food Labeling and 9 C.F.R. 317 Subpart B Nutrition Labeling; and

(g) For any salmonid FISH containing canthaxanthin as a COLOR ADDITIVE, the labeling of the bulk FISH container, including a list of ingredients, displayed on the retail container or by other written means, such as a counter card, that discloses the use of canthaxanthin.

(3) Bulk FOOD that is available for CONSUMER self-dispensing must be prominently labeled with the following information in plain view of the CONSUMER:

(a) The manufacturer's or processor's label that was provided with the FOOD; or

(b) A card, sign, or other method of notification that includes the information specified under subsection (2)(a), (b), and (e) of this section.

(4) Bulk, unPACKAGED FOODS such as bakery products and unPACKAGED FOODS that are portioned to CONSUMER specification need not be labeled if:

(a) A health, nutrient content, or other claim is not made;

(b) There are no state or local LAWS requiring labeling; and

(c) The FOOD is manufactured or prepared on the PREM-ISES of the FOOD ESTABLISHMENT or at another FOOD ESTAB-LISHMENT or a FOOD PROCESSING PLANT that is owned by the same PERSON and is regulated by the FOOD regulatory agency that has jurisdiction. (5) Whenever unpasteurized milk and FOODS containing unpasteurized milk are offered for sale at a FOOD ESTABLISH-MENT, except hard or semi-soft raw milk cheeses properly fermented and aged for a minimum of sixty days in compliance with 21 C.F.R. Part 133, the PERMIT HOLDER and PER-SON IN CHARGE shall ensure that:

(a) The product is conspicuously labeled "*raw milk*" or "*contains raw milk*"; and

(b) A sign is posted in a conspicuous manner near the product stating: "Warning: Raw milk or foods prepared from raw milk may be contaminated with dangerous bacteria capable of causing severe illness. Contact your local health agency for advice or to report a suspected illness."

(6) The PERMIT HOLDER and PERSON IN CHARGE shall ensure that required information contained on FOOD labels is in the English language, except that duplicate labeling in other languages is allowed.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03610, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03615 Labeling—Other forms of information (2009 FDA Food Code 3-602.12). (1) If required by LAW, CONSUMER warnings must be provided.

(2) FOOD ESTABLISHMENT or manufacturers' dating information on FOODS may not be concealed or altered.

[Statutory Authority: RCW 43.20.050, 43.20.145, 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03615, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03620 Consumer advisory—Consumption of animal foods that are raw, undercooked, or not otherwise processed to eliminate pathogens (2009 FDA Food Code 3-603.11). (1) Except as specified under WAC 246-215-03400 (3) and (4)(d) and 246-215-03800(3) if an animal FOOD such as beef, EGGS, FISH, lamb, pork, POUL-TRY, or shellfish is served or sold raw, undercooked, or without otherwise being processed to eliminate pathogens, either in a READY-TO-EAT form or as an ingredient in another READY-TO-EAT FOOD, the PERMIT HOLDER shall inform CON-SUMERS of the significantly increased RISK of consuming such FOODS by way of a DISCLOSURE and REMINDER, as specified in subsections (2) and (3) of this section using brochures, deli case menu advisories, label statements, table tents, placards, or other effective written means.

(2) DISCLOSURE must include:

(a) A description of the animal-derived FOODS such as "oysters on the half shell (raw oysters)," "raw egg Caesar salad," and "hamburgers (can be cooked to order)"; or

(b) Identification of the animal-derived FOODS by asterisking them to a footnote that states that the items are served raw or undercooked and contain (or might contain) raw or undercooked ingredients.

(3) REMINDER must include asterisking the animalderived FOODS requiring DISCLOSURE to a footnote that states:

(a) "Regarding the safety of these items, written information is available upon request;"

(b) "Consuming raw or undercooked meats, poultry, seafood, shellfish, or eggs might increase your risk of foodborne illness;" or

(c) "Consuming raw or undercooked meats, poultry, seafood, shellfish, or eggs might increase your risk of food-

#### borne illness, especially if you have certain medical conditions."

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03620, filed 1/17/13, effective 5/1/13.]

## Subpart G - Contaminated Food

WAC 246-215-03700 Disposition—Discarding or reconditioning unsafe, adulterated, or contaminated food (2009 FDA Food Code 3-701.11). (1) A FOOD that is unsafe, ADULTERATED, or not honestly presented as specified under WAC 246-215-03100 must be discarded or reconditioned according to an APPROVED procedure.

(2) FOOD that is not from an APPROVED source as specified under WAC 246-215-03200 through 246-215-03230 must be discarded.

(3) READY-TO-EAT FOOD that might have been contaminated by an EMPLOYEE who has been RESTRICTED or EXCLUDED as specified under WAC 246-215-02220 and 246-215-02225 must be discarded.

(4) FOOD that is contaminated by FOOD EMPLOYEES, CONSUMERS, or other persons through contact with their hands, bodily discharges, such as nasal or oral discharges, or other means must be discarded.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03700, filed 1/17/13, effective 5/1/13.]

WAC 246-215-03705 Disposition—Examination, hold orders, condemnation, and destruction of food. (1) The PERMIT HOLDER OF PERSON IN CHARGE of a FOOD ESTAB-LISHMENT in which FOOD has been improperly handled, stored, or prepared shall:

(a) Voluntarily destroy the questionable FOOD; or

(b) Contact the REGULATORY AUTHORITY to determine if the FOOD is safe for human consumption.

(2) The PERMIT HOLDER OF PERSON IN CHARGE of a FOOD ESTABLISHMENT shall denature or destroy any FOOD if the REGULATORY AUTHORITY determines the FOOD presents an imminent or actual health hazard.

(3) The REGULATORY AUTHORITY may examine or collect samples of FOOD as often as necessary for enforcement of these regulations.

(4) The REGULATORY AUTHORITY may, after notice to the PERMIT HOLDER or PERSON IN CHARGE, place a written hold order on any suspect FOOD until a determination on its safety can be made and shall:

(a) Tag;

(b) Label; or

(c) Otherwise identify any FOOD subject to the hold order and complete a form APPROVED by the Washington state department of health for all suspect FOOD.

(5) The hold order issued by the REGULATORY AUTHOR-ITY must include:

(a) Instructions for filing a written request for a hearing with the REGULATORY AUTHORITY within ten calendar days; and

(b) Notification that if a hearing is not requested in accordance with the instructions provided in the hold order, and the REGULATORY AUTHORITY does not vacate the hold order, the FOOD must be destroyed under the supervision of a representative of the REGULATORY AUTHORITY.

(6) When FOOD is subject to a hold order by the REGULA-TORY AUTHORITY, the PERMIT HOLDER and PERSON IN CHARGE are prohibited from:

(a) Using;

(b) Serving; or

(c) Moving the FOOD from the FOOD ESTABLISHMENT.

(7) The REGULATORY AUTHORITY may allow storage of FOOD under conditions specified in the hold order, unless storage is not possible without RISK to the public health, in which case immediate destruction shall be ordered and must be accomplished by the PERMIT HOLDER or PERSON IN CHARGE of the FOOD ESTABLISHMENT.

(8) Based upon evidence provided at the hearing, the REGULATORY AUTHORITY may either:

(a) Vacate the hold order; or

(b) Direct the PERMIT HOLDER or PERSON IN CHARGE of the FOOD ESTABLISHMENT by written order to:

(i) Denature or destroy such FOOD; or

(ii) Bring the FOOD into compliance with the provisions of these regulations.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03705, filed 1/17/13, effective 5/1/13.]

# Subsection H - Special Requirements for Highly Susceptible Populations

WAC 246-215-03800 Additional safeguards—Pasteurized foods, prohibited reservice, and prohibited food (2009 FDA Food Code 3-801.11). In a FOOD ESTABLISH-MENT that serves a HIGHLY SUSCEPTIBLE POPULATION:

(1) The following requirements apply to JUICE:

(a) For the purposes of this paragraph only, children who are age nine or less and receive FOOD in a school, day care setting, or similar facility that provides custodial care are included as HIGHLY SUSCEPTIBLE POPULATIONS;

(b) PrePACKAGED JUICE or a prePACKAGED BEVERAGE containing JUICE, that bears a warning label as specified in 21 C.F.R., Section 101.17(g) Food Labeling, warning, notice and safe handling statements, JUICES that have not been specifically processed to prevent, reduce, or eliminate the presence of pathogens, or a PACKAGED JUICE or BEVERAGE containing JUICE that bears a warning label as specified under WAC 246-215-03445(2) may not be served or offered for sale; and

(c) JUICE that is prepared on the PREMISES for service or sale in a READY-TO-EAT form and not PACKAGED must be processed under a HACCP PLAN that contains the information specified under WAC 246-215-08215 (2) through (5) and as specified in 21 C.F.R. Part 120 - Hazard Analysis and Critical Control Point (HACCP) Systems, Subpart B Pathogen Reduction, 120.24 Process controls.

(2) Pasteurized EGGS or EGG PRODUCTS must be substituted for raw EGGS in the preparation of:

(a) FOODS such as Caesar salad, hollandaise or Bearnaise sauce, mayonnaise, meringue, eggnog, ice cream, and EGG-fortified BEVERAGES; and

(b) Except as specified in subsection (6) of this section, recipes in which more than one EGG is broken and the EGGS are combined;

## **Food Service**

(3) The following FOODS may not be served or offered for sale in a READY-TO-EAT form:

(a) Raw animal FOODS such as raw FISH, raw marinated FISH, raw MOLLUSCAN SHELLFISH, and steak tartare;

(b) A partially cooked animal FOOD such as lightly cooked FISH, rare MEAT, soft cooked EGGS that are made from raw EGGS, and meringue; and

(c) Raw seed sprouts.

(4) FOOD EMPLOYEES may not contact READY-TO-EAT FOOD as specified under WAC 246-215-03300 (2) and (4).

(5) Time only, as the public health control as specified under WAC 246-215-03530(4), may not be used for raw EGGS.

(6) Subsection (2)(b) of this section does not apply if:

(a) The raw EGGS are combined immediately before cooking for one CONSUMER'S serving at a single meal, cooked as specified under WAC 246-215-03400 (1)(a), and served immediately such as an omelet, souffle, or scrambled EGGS;

(b) The raw EGGS are combined as an ingredient immediately before baking and the EGGS are thoroughly cooked to a READY-TO-EAT form, such as a cake, muffin, or bread; or

(c) The preparation of the FOOD is conducted under a HACCP PLAN that:

(i) Identifies the FOOD to be prepared;

(ii) Prohibits contacting READY-TO-EAT FOOD with bare hands;

(iii) Includes specifications and practices that ensure:

(A) Salmonella Enteritidis growth is controlled before and after cooking; and

(B) *Salmonella Enteritidis* is destroyed by cooking the EGGS according to the temperature and time specified under WAC 246-215-03400 (1)(b);

(iv) Contains the information specified under WAC 246-215-08215(4) including procedures that:

(A) Control cross contamination of READY-TO-EAT FOOD with raw EGGS; and

(B) Delineate cleaning and SANITIZING procedures for FOOD-CONTACT SURFACES; and

(v) Describes the training program that ensures that the FOOD EMPLOYEE responsible for the preparation of the FOOD understands the procedures to be used.

(7) Except as specified in subsection (8) of this section, FOOD may be re-served as specified under WAC 246-215-03372 (2)(a) and (b).

(8) FOOD may not be re-served under the following conditions:

(a) Any FOOD served to patients or clients who are under contact precautions in medical isolation or quarantine, or protective environmental isolation may not be re-served to others outside.

(b) Packages of FOOD from any patients, clients, or other CONSUMERS should not be re-served to persons in protective environmental isolation.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-03800, filed 1/17/13, effective 5/1/13.]

#### [Ch. 246-215 WAC p. 40]

# PART 4: EQUIPMENT, UTENSILS AND LINENS

## Subpart A - Materials for Construction and Repair

WAC 246-215-04100 Multiuse—Characteristics (2009 FDA Food Code 4-101.11). Materials that are used in the construction of UTENSILS and FOOD-CONTACT SURFACES of EQUIPMENT may not allow the migration of deleterious substances or impart colors, odors, or tastes to FOOD and under normal use conditions must be:

(1) Safe;

(2) Durable, CORROSION-RESISTANT, and nonabsorbent;

(3) Sufficient in weight and thickness to withstand repeated WAREWASHING;

(4) Finished to have a SMOOTH, EASILY CLEANABLE surface; and

(5) Resistant to pitting, chipping, crazing, scratching, scoring, distortion, and decomposition.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04100, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04105 Multiuse—Cast iron, use limitation (2009 FDA Food Code 4-101.12). (1) Except as specified in subsections (2) and (3) of this section, cast iron may not be used for UTENSILS or FOOD-CONTACT SURFACES of EQUIPMENT.

(2) Cast iron may be used as a surface for cooking.

(3) Cast iron may be used in UTENSILS for serving FOOD if the UTENSILS are used only as part of an uninterrupted process from cooking through service.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04105, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04110 Multiuse—Lead in ceramic, china, and crystal utensils, use limitation (2009 FDA Food Code 4-101.13). (1) Ceramic, china, crystal UTENSILS, and decorative UTENSILS such as hand painted ceramic or china that are used in contact with FOOD must be lead-free or contain levels of lead not exceeding the limits of the following UTENSIL categories:

Utensil Category	Description	Maximum Lead mg/L
Hot BEVERAGE Mugs, Cups, Pitchers	Coffee Mugs	0.5
Large Hollow- ware (excluding pitchers)	Bowls $\geq$ 1.1 L (1.16 Quart)	1
Small Hollow- ware (excluding cups and mugs)	Bowls < 1.1 L (1.16 Quart)	2.0
Flat TABLEWARE	Plates, Saucers	3.0

(2) Pewter alloys containing lead in excess of 0.05% may not be used as a FOOD-CONTACT SURFACE.

(3) Solder and flux containing lead in excess of 0.2% may not be used as a FOOD-CONTACT SURFACE.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04110, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04115 Multiuse—Copper, use limitation (2009 FDA Food Code 4-101.14). (1) Except as specified in subsection (2) of this section, copper and copper alloys such as brass may not be used in contact with a FOOD that has a pH below six such as vinegar, fruit JUICE, or wine or for a fitting or tubing installed between a backflow prevention device and a carbonator.

(2) Copper and copper alloys may be used in contact with beer brewing ingredients that have a pH below six in the prefermentation steps of a beer brewing operation such as a brewpub or microbrewery.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04115, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04120 Multiuse—Galvanized metal, use limitation (2009 FDA Food Code 4-101.15). Galvanized metal may not be used for UTENSILS or FOOD-CONTACT SURFACES of EQUIPMENT that are used in contact with acidic FOOD.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04120, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04125 Multiuse—Sponges, use limitation (2009 FDA Food Code 4-101.16). Sponges may not be used in contact with cleaned and SANITIZED or in-use FOOD-CONTACT SURFACES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04125, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04130 Multiuse—Wood, use limitation (2009 FDA Food Code 4-101.17). (1) Except as specified in subsections (2), (3), and (4) of this section, wood and wood wicker may not be used as a FOOD-CONTACT SURFACE.

(2) Hard maple or an equivalently hard, close-grained wood may be used for:

(a) Cutting boards; cutting blocks; baker's tables; and UTENSILS such as rolling pins, doughnut dowels, salad bowls, and chopsticks; and

(b) Wooden paddles used in confectionary operations for pressure scraping kettles when manually preparing confections at a temperature of  $230^{\circ}$ F ( $110^{\circ}$ C) or above.

(3) Whole, uncut, raw fruits and vegetables, and nuts in the shell may be kept in the wood shipping containers in which they were received, until the fruits, vegetables, or nuts are used.

(4) If the nature of the FOOD requires removal of rinds, peels, husks, or shells before consumption, the whole, uncut, raw FOOD may be kept in:

(a) Untreated wood containers; or

(b) Treated wood containers if the containers are treated with a preservative that meets the requirements specified in 21 C.F.R. 178.3800 Preservatives for wood.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04130, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04135 Multiuse—Nonstick coatings, use limitation (2009 FDA Food Code 4-101.18). Multiuse KITCHENWARE such as frying pans, griddles, sauce pans, cookie sheets, and waffle bakers that have a perfluorocarbon resin coating must be used with nonscoring or nonscratching UTENSILS and cleaning aids. [Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04135, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04140 Multiuse—Nonfood-contact surfaces (2009 FDA Food Code 4-101.19). NonFOOD-CON-TACT SURFACES of EQUIPMENT that are exposed to splash, spillage, or other FOOD soiling or that require frequent cleaning must be constructed of a CORROSION-RESISTANT, nonabsorbent, and SMOOTH material.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04140, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04145 Single-service and single use— Characteristics (2009 FDA Food Code 4-102.11). Materials that are used to make SINGLE-SERVICE and SINGLE-USE ARTICLES:

- (1) May not:
- (a) Allow the migration of deleterious substances; or
- (b) Impart colors, odors, or tastes to FOOD; and
- (2) Must be:
- (a) Safe; and
- (b) Clean.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04145, filed 1/17/13, effective 5/1/13.]

## Subpart B - Design and Construction

WAC 246-215-04200 Durability and strength— Equipment and utensils (2009 FDA Food Code 4-201.11). EQUIPMENT and UTENSILS must be designed and constructed to be durable and to retain their characteristic qualities under normal use conditions.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04200, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04202 Durability and strength—Food temperature measuring devices (2009 FDA Food Code 4-201.12). FOOD TEMPERATURE MEASURING DEVICES may not have sensors or stems constructed of glass, except that thermometers with glass sensors or stems that are encased in a shatterproof coating such as candy thermometers may be used.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04202, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04204 Cleanability—Food-contact surfaces (2009 FDA Food Code 4-202.11). (1) Multiuse FOOD-CONTACT SURFACES must be:

(a) SMOOTH;

(b) Free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections;

(c) Free of sharp internal angles, corners, and crevices;

(d) Finished to have SMOOTH welds and joints; and

(e) Except as specified in subsection (2) of this section, accessible for cleaning and inspection by one of the following methods:

(i) Without being disassembled;

(ii) By disassembling without the use of tools; or

(iii) By easy disassembling with the use of handheld tools commonly available to maintenance and cleaning per-

sonnel such as screwdrivers, pliers, open-ended wrenches, and Allen wrenches.

(2) Subsection (1)(e) of this section does not apply to cooking oil storage tanks, distribution lines for cooking oils, or BEVERAGE syrup lines or tubes.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04204, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04206 Cleanability—CIP equipment (2009 FDA Food Code 4-202.12). (1) CIP EQUIPMENT must meet the characteristics specified under WAC 246-215-04204 and must be designed and constructed so that:

(a) Cleaning and SANITIZING solutions circulate throughout a fixed system and contact all interior FOOD-CONTACT SURFACES; and

(b) The system is self-draining or capable of being completely drained of cleaning and SANITIZING solutions; and

(2) CIP EQUIPMENT that is not designed to be disassembled for cleaning must be designed with inspection access points to ensure that all interior FOOD-CONTACT SURFACES throughout the fixed system are being effectively cleaned.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04206, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04208 Cleanability—"V" threads, use limitation (2009 FDA Food Code 4-202.13). Except for hot oil cooking or filtering EQUIPMENT, "V" type threads may not be used on FOOD-CONTACT SURFACES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04208, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04210 Cleanability—Hot oil filtering equipment (2009 FDA Food Code 4-202.14). Hot oil filtering EQUIPMENT must meet the characteristics specified under WAC 246-215-04204 or 246-215-04206 and must be readily accessible for filter replacement and cleaning of the filter.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04210, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04212 Cleanability—Can openers (2009 FDA Food Code 4-202.15). Cutting or piercing parts of can openers must be readily removable for cleaning and for replacement.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04212, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04214 Cleanability—Nonfood-contact surfaces (2009 FDA Food Code 4-202.16). NonFOOD-CON-TACT SURFACES must be free of unnecessary ledges, projections, and crevices, and designed and constructed to allow easy cleaning and to facilitate maintenance.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04214, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04216 Cleanability—Kick plates, removable (2009 FDA Food Code 4-202.17). Kick plates must be designed so that the areas behind them are accessible for inspection and cleaning by being:

(1) Removable by one of the methods specified under WAC 246-215-04204 (1)(e) or capable of being rotated open; and

[Ch. 246-215 WAC p. 42]

(2) Removable or capable of being rotated open without unlocking EQUIPMENT doors.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04216, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04218 Cleanability—Ventilation hood systems, filters (2009 FDA Food Code 4-202.18). Filters or other grease extracting EQUIPMENT must be designed to be readily removable for cleaning and replacement if not designed to be cleaned in place.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04218, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04220 Accuracy—Temperature measuring devices, food (2009 FDA Food Code 4-203.11). (1) FOOD TEMPERATURE MEASURING DEVICES that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit must be accurate to  $\pm 1^{\circ}$ C in the intended range of use.

(2) FOOD TEMPERATURE MEASURING DEVICES that are scaled only in Fahrenheit must be accurate to  $\pm 2^{\circ}F$  in the intended range of use.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04220, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04222 Accuracy—Temperature measuring devices, ambient air and water (2009 FDA Food Code 4-203.12). (1) Ambient air and water TEMPERATURE MEASURING DEVICES that are scaled in Celsius or dually scaled in Celsius and Fahrenheit must be designed to be easily readable and accurate to  $\pm 1.5^{\circ}$ C in the intended range of use.

(2) Ambient air and water TEMPERATURE MEASURING DEVICES that are scaled only in Fahrenheit must be accurate to  $\pm$  3°F in the intended range of use.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04222, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04224 Accuracy—Pressure measuring devices, mechanical warewashing equipment (2009 FDA Food Code 4-203.13). Pressure measuring devices that display the pressures in the water supply line for the fresh hot water SANITIZING rinse must have increments of one pound per square inch (seven kilopascals) or smaller and must be accurate to  $\pm$  two pounds per square inch ( $\pm$  14 kilopascals) in the range indicated on the manufacturer's data plate.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04224, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04226 Functionality—Ventilation hood systems, drip prevention (2009 FDA Food Code 4-204.11). Exhaust ventilation hood systems in FOOD preparation and WAREWASHING areas including components such as hoods, fans, guards, and ducting must be designed to prevent grease or condensation from draining or dripping onto FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SIN-GLE-USE ARTICLES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04226, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04228 Functionality—Equipment openings, closures and deflectors (2009 FDA Food Code 4-204.12). (1) A cover or lid for EQUIPMENT must overlap the opening and be sloped to drain.

(2) An opening located within the top of a unit of EQUIP-MENT that is designed for use with a cover or lid must be flanged upward at least two-tenths of an inch (five millimeters).

(3) Except as specified under subsection (4) of this section, fixed piping, TEMPERATURE MEASURING DEVICES, rotary shafts, and other parts extending into the EQUIPMENT must be provided with a watertight joint at the point where the item enters the EQUIPMENT.

(4) If a watertight joint is not provided:

(a) The piping, TEMPERATURE MEASURING DEVICES, rotary shafts, and other parts extending through the openings must be equipped with an apron designed to deflect condensation, drips, and dust from openings into the FOOD; and

(b) The opening must be flanged as specified under subsection (2) of this section.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04228, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04230 Functionality—Dispensing equipment, protection of equipment and food (2009 FDA Food Code 4-204.13). In EQUIPMENT that dispenses or vends liquid FOOD or ice in unPACKAGED form:

(1) The delivery tube, chute, orifice, and splash surfaces directly above the container receiving the FOOD must be designed in a manner, such as with barriers, baffles, or drip aprons, so that drips from condensation and splash are diverted from the opening of the container receiving the FOOD;

(2) The delivery tube, chute and orifices must be protected from manual contact such as by being recessed;

(3) The delivery tube or chute and orifice of EQUIPMENT used to vend liquid FOOD or ice in unPACKAGED form to selfservice CONSUMERS must be designed so that the delivery tube or chute and orifice are protected from dust, insects, rodents, and other contamination by a self-closing door if the EQUIPMENT is:

(a) Located in an outside area that does not otherwise afford the protection of an enclosure against the rain, windblown debris, insects, rodents, and other contaminants that are present in the environment; or

(b) Available for self-service during hours when it is not under the full-time supervision of a FOOD EMPLOYEE; and

(4) The dispensing EQUIPMENT actuating level or mechanism and filling device of CONSUMER self-service BEVERAGE dispensing EQUIPMENT must be designed to prevent contact with the lip-contact surface of glasses or cups that are refilled.

(5) Dispensing EQUIPMENT in which POTENTIALLY HAZ-ARDOUS FOOD in a homogenous liquid form is maintained outside of the temperature control requirements as specified under WAC 246-215-03525(1) must:

(a) Be specifically designed and equipped to maintain the commercial sterility of aseptically PACKAGED FOOD in a homogenous liquid form for a specified duration from the time of opening the packaging within the EQUIPMENT; and (b) Conform to the requirements for this EQUIPMENT as specified in NSF/ANSI 18-2006 - Manual food and Beverage Dispensing Equipment.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04230, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04232 Functionality—Vending machine, vending stage closure (2009 FDA Food Code 4-204.14). The dispensing compartment of a VENDING MACHINE including a machine that is designed to vend pre-PACKAGED snack FOOD that is not POTENTIALLY HAZARDOUS FOOD such as chips, party mixes, and pretzels must be equipped with a self-closing door or cover if the machine is:

(1) Located in an outside area that does not otherwise afford the protection of an enclosure against the rain, windblown debris, insects, rodents, and other contaminants that are present in the environment; or

(2) Available for self-service during hours when it is not under the full-time supervision of a FOOD EMPLOYEE.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04232, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04234 Functionality—Bearings and gear boxes, leakproof (2009 FDA Food Code 4-204.15). EQUIPMENT containing bearings and gears that require lubricants must be designed and constructed so that the lubricant cannot leak, drip, or be forced into FOOD or onto FOOD-CON-TACT SURFACES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04234, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04236 Functionality—Beverage tubing, separation (2009 FDA Food Code 4-204.16). Except for cold plates that are constructed integrally with an ice storage bin, BEVERAGE tubing and cold-plate BEVERAGE cooling devices may not be installed in contact with stored ice.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04236, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04238 Functionality—Ice units, separation of drains (2009 FDA Food Code 4-204.17). Liquid waste drain lines may not pass through an ice machine or ice storage bin.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04238, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04240 Functionality—Condenser unit, separation (2009 FDA Food Code 4-204.18). If a condenser unit is an integral component of EQUIPMENT, the condenser unit must be separated from the FOOD and FOOD storage space by a dustproof barrier.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04240, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04242 Functionality—Can openers on vending machines (2009 FDA Food Code 4-204.19). Cutting or piercing parts of can openers on vending machines must be protected from manual contact, dust, insects, rodents, and other contamination.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04242, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04244 Functionality—Molluscan shellfish tanks (2009 FDA Food Code 4-204.110). (1) Except as specified under subsection (2) of this section, MOL-LUSCAN SHELLFISH life support system display tanks may not be used to store or display shellfish that are offered for human consumption and must be conspicuously marked so that it is obvious to the CONSUMER that shellfish are for display only.

(2) MOLLUSCAN SHELLFISH life-support system display tanks that are used to store or display shellfish that are offered for human consumption must be operated and maintained in accordance with a VARIANCE granted by the REGULATORY AUTHORITY as specified under WAC 246-215-08110 and a HACCP PLAN that:

(a) Is submitted by the PERMIT HOLDER and APPROVED as specified under WAC 246-215-08115; and

(b) Ensures that:

(i) Water used with FISH other than MOLLUSCAN SHELL-FISH does not flow into the molluscan tank;

(ii) The safety and quality of the shellfish as they were received are not compromised by the use of the tank; and

(iii) The identity of the source of the SHELLSTOCK is retained as specified under WAC 246-215-03290.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04244, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04246 Functionality—Vending machines, automatic shutoff (2009 FDA Food Code 4-204.111). (1) A machine vending POTENTIALLY HAZARDOUS FOOD must have an automatic control that prevents the machine from vending FOOD:

(a) If there is a power failure, mechanical failure, or other condition that results in an internal machine temperature that cannot maintain FOOD temperatures as specified under Part 3 of this chapter; and

(b) If a condition specified under (a) of this subsection occurs, until the machine is serviced and restocked with FOOD that has been maintained at temperatures specified under Part 3 of this chapter.

(2) When the automatic shutoff within a machine vending POTENTIALLY HAZARDOUS FOOD is activated:

(a) In a refrigerated VENDING MACHINE, the ambient temperature may not exceed 41°F (5°C) for more than thirty minutes immediately after the machine is filled, serviced, or restocked; or

(b) In a hot holding VENDING MACHINE, the ambient air temperature may not be less than 135°F (57°C) for more than one hundred twenty minutes immediately after the machine is filled, serviced, or restocked.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04246, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04248 Functionality—Temperature measuring devices (2009 FDA Food Code 4-204.112). (1) In a mechanically refrigerated or hot FOOD storage unit, the sensor of a TEMPERATURE MEASURING DEVICE must be located to measure the air temperature or a simulated product temperature in the warmest part of a mechanically refrigerated unit and in the coolest part of a hot FOOD storage unit.

(2) Except as specified in subsection (3) of this section, cold or hot holding EQUIPMENT used for POTENTIALLY HAZ-ARDOUS FOOD must be designed to include and must be

[Ch. 246-215 WAC p. 44]

equipped with at least one integral or permanently affixed TEMPERATURE MEASURING DEVICE that is located to allow easy viewing of the device's temperature display.

(3) Subsection (2) of this section does not apply to EQUIPMENT for which the placement of a TEMPERATURE MEASURING DEVICE is not a practical means for measuring the ambient air surrounding the FOOD because of the design, type, and use of the EQUIPMENT, such as calrod units, heat lamps, cold plates, bainmaries, steam tables, insulated FOOD transport containers, and salad bars.

(4) TEMPERATURE MEASURING DEVICES must be designed to be easily readable.

(5) FOOD TEMPERATURE MEASURING DEVICES and water TEMPERATURE MEASURING DEVICES on WAREWASHING machines must have a numerical scale, printed record, or digital readout in increments no greater than 2°F or 1°C in the intended range of use.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04248, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04250 Functionality—Warewashing machines, data plate operating specifications (2009 FDA Food Code 4-204.113). A WAREWASHING machine must be provided with an easily accessible and readable data plate affixed to the machine by the manufacturer that indicates the machine's design and operation specifications including the:

(1) Temperatures required for washing, rinsing, and SANITIZING;

(2) Pressure required for the fresh water SANITIZING rinse unless the machine is designed to use only pumped SAN-ITIZING rinse; and

(3) Conveyor speed for conveyor machines or cycle time for stationary rack machines.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04250, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04252 Functionality—Warewashing machines, internal baffles (2009 FDA Food Code 4-204.114). WAREWASHING machine wash and rinse tanks must be equipped with baffles, curtains, or other means to minimize internal cross contamination of the solutions in wash and rinse tanks.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04252, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04254 Functionality—Warewashing machines, temperature measuring devices (2009 FDA Food Code 4-204.115). A warewashing machine must be equipped with a TEMPERATURE MEASURING DEVICE that indicates the temperature of the water:

(1) In each wash and rinse tank; and

(2) As the water enters the hot water SANITIZATION final rinse manifold or in the chemical SANITIZING solution tank.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04254, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04256 Functionality—Manual warewashing equipment, heaters and baskets (2009 FDA Food Code 4-204.116). If hot water is used for SANITIZATION in manual WAREWASHING operations, the SANITIZING compartment of the sink must be:

(1) Designed with an integral heating device that is capable of maintaining water at a temperature not less than  $171^{\circ}$ F (77°C); and

(2) Provided with a rack or basket to allow complete immersion of EQUIPMENT and UTENSILS into the hot water.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04256, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04258 Functionality—Warewashing machines, automatic dispensing of detergents and sanitizers (2009 FDA Food Code 4-204.117). A WAREWASHING machine that is installed after adoption of this chapter by the REGULATORY AUTHORITY must be equipped to:

(1) Automatically dispense detergents and SANITIZERS; and

(2) Incorporate a visual means to verify that detergents and SANITIZERS are delivered or a visual or audible alarm to signal if the detergents and SANITIZERS are not delivered to the respective washing and SANITIZING cycles.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04258, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04260 Functionality—Warewashing machines, flow pressure device (2009 FDA Food Code 4-204.118). (1) WAREWASHING machines that provide a fresh hot water SANITIZING rinse must be equipped with a pressure gauge or similar device such as a transducer that measures and displays the water pressure in the supply line immediately before entering the WAREWASHING machine; and

(2) If the flow pressure measuring device is upstream of the fresh hot water SANITIZING rinse control valve, the device must be mounted in a one-fourth inch (6.4 mm) iron pipe size (IPS) valve.

(3) Subsections (1) and (2) of this section do not apply to a machine that uses only a pumped or recirculated SANITIZ-ING rinse.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04260, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04262 Functionality—Warewashing sinks and drainboards, self-draining (2009 FDA Food Code 4-204.119). Sinks and drainboards of WAREWASHING sinks and machines must be self-draining.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04262, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04264 Functionality—Equipment compartments, drainage (2009 FDA Food Code 4-204.120). EQUIPMENT compartments that are subject to accumulation of moisture due to conditions such as condensation, FOOD or BEVERAGE drip, or water from melting ice must be sloped to an outlet that allows complete draining.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04264, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04266 Functionality—Vending machines, liquid waste products (2009 FDA Food Code 4-204.121). (1) VENDING MACHINES designed to store BEVER-AGES that are PACKAGED in containers made from paper products must be equipped with diversion devices and retention pans or drains for container leakage.

(2) VENDING MACHINES that dispense liquid FOOD in bulk must be:

(a) Provided with an internally mounted waste receptacle for the collection of drip, spillage, overflow, or other internal wastes; and

(b) Equipped with an automatic shutoff device that places the machine out of operation before the waste receptacle overflows.

(3) Shutoff devices specified under subsection (2)(b) of this section must prevent water or liquid FOOD from continuously running if there is a failure of a flow control device in the water or liquid FOOD system or waste accumulation that could lead to overflow of the waste receptacle.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04266, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04268 Functionality—Case lot handling equipment, moveability (2009 FDA Food Code 4-204.122). Apparatuses, such as dollies, pallets, racks, and skids used to store and transport large quantities of PACK-AGED FOODS received from a supplier in a cased or overwrapped lot, must be designed to be moved by hand or by conveniently available apparatuses such as hand trucks and forklifts.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04268, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04270 Functionality—Vending machine doors and openings (2009 FDA Food Code 4-204.123). (1) VENDING MACHINE doors and access opening covers to FOOD and container storage spaces must be tight-fit-ting so that the space along the entire interface between the doors or covers and the cabinet of the machine, if the doors or covers are in a closed position, is no greater than one-six-teenth inch (1.5 millimeters) by:

(a) Being covered with louvers, screens, or materials that provide an equivalent opening of not greater than one-sixteenth inch (1.5 millimeters). Screening of twelve mesh to one inch (twelve or more mesh to 2.5 centimeters) meets this requirement;

(b) Being effectively gasketed;

(c) Having interface surfaces that are at least one-half inch (13 mm) wide; or

(d) Jambs or surfaces used to form an L-shaped entry path to the interface.

(2) VENDING MACHINE service connection openings through an exterior wall of a machine must be closed by sealants, clamps, or grommets so that the openings are no larger than one-sixteenth inch (1.5 mm).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04270, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04272 Acceptability—Food equipment, certification and classification (2009 FDA Food Code 4-205.10). FOOD EQUIPMENT that is certified or classified for sanitation by an American National Standards Institute (ANSI) - Accredited certification program is deemed to comply with Subparts A and B of this part.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04272, filed 1/17/13, effective 5/1/13.]

## Subpart C - Numbers and Capacities

WAC 246-215-04300 Equipment—Cooling, heating, and holding capacities (2009 FDA Food Code 4-301.11). EQUIPMENT for cooling and heating FOOD, and holding cold and hot FOOD, must be sufficient in number and capacity to provide FOOD temperatures as specified under Part 3.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04300, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04305 Equipment—Manual warewashing, sink compartment requirements (2009 FDA Food Code 4-301.12). (1) Except as specified in subsection (3) of this section, a sink with at least three compartments must be provided for manually washing, rinsing, and SANI-TIZING EQUIPMENT and UTENSILS.

(2) Sink compartments must be large enough to accommodate immersion of the largest EQUIPMENT and UTENSILS. If EQUIPMENT or UTENSILS are too large for the WAREWASHING sink, a WAREWASHING machine or alternative EQUIPMENT as specified in subsection (3) of this section must be used.

(3) Alternative manual WAREWASHING EQUIPMENT may be used when there are special cleaning needs or constraints and its use is APPROVED. Alternative manual WAREWASHING EQUIPMENT includes, but is not limited to:

(a) High-pressure detergent sprayers;

(b) Low- or line-pressure spray detergent foamers;

(c) Other task-specific cleaning EQUIPMENT;

(d) Brushes or other implements;

(e) Two-compartment sinks as specified under subsections (4) and (5) of this section; or

(f) Receptacles that substitute for the compartments of a multicompartment sink.

(4) Before a two-compartment sink is used:

(a) The PERMIT HOLDER shall have its use APPROVED; and

(b) The PERMIT HOLDER shall limit the number of KITCH-ENWARE items cleaned and SANITIZED in the two-compartment sink, and shall limit WAREWASHING to batch operations for cleaning KITCHENWARE such as between cutting one type of raw MEAT and another or cleanup at the end of a shift, and shall:

(i) Make up the cleaning and SANITIZING solutions immediately before use and drain them immediately after use; and

(ii) Use APPROVED procedures to properly clean and SANITIZE KITCHENWARE.

(5) A two-compartment sink may not be used for WARE-WASHING operations where cleaning and SANITIZING solutions are used for a continuous or intermittent flow of KITCH-ENWARE or TABLEWARE in an ongoing WAREWASHING process.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04305, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04310 Equipment—Drainboards (2009 FDA Food Code 4-301.13). Drainboards, UTENSIL racks, or tables large enough to accommodate all soiled and cleaned items that might accumulate during hours of operation must be provided for necessary UTENSILS holding before cleaning and after SANITIZING.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04310, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04315 Equipment—Ventilation hood systems, adequacy (2009 FDA Food Code 4-301.14). Ventilation hood systems and devices must be sufficient in number and capacity to prevent grease or condensation from collecting on walls and ceilings.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04315, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04320 Equipment—Clothes washers and dryers (2009 FDA Food Code 4-301.15). (1) Except as specified in subsection (2) of this section, if work clothes or LINENS are laundered on the PREMISES, a mechanical clothes washer and dryer must be provided and used.

(2) If on-PREMISES laundering is limited to wiping cloths intended to be used moist, or wiping cloths are air-dried as specified under WAC 246-215-04905, a mechanical clothes washer and dryer need not be provided.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04320, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04325 Equipment—Designated food preparation sinks. FOOD ESTABLISHMENTS must have designated FOOD preparation sinks that are:

(1) Sufficient in number and size to wash, soak, rinse, drain, cool, thaw, or otherwise process any FOOD that requires placement in a sink;

(2) Appropriate for the menu, method of FOOD preparation, and volume of FOOD prepared; and

(3) Not used for handwashing, UTENSIL washing, or other activities that could contaminate FOOD.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04325, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04330 Utensils, temperature measuring devices, and testing devices—Utensils, consumer selfservice (2009 FDA Food Code 4-302.11). A FOOD dispensing UTENSIL must be available for each container displayed at a CONSUMER self-service unit such as a buffet or salad bar.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04330, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04335 Utensils, temperature measuring devices, and testing devices—Food temperature measuring devices (2009 FDA Food Code 4-302.12). (1) FOOD TEMPERATURE MEASURING DEVICES must be provided and readily accessible for use in ensuring attainment and maintenance of FOOD temperatures as specified under Part 3.

(2) A TEMPERATURE MEASURING DEVICE with a suitable diameter probe that is designed to measure the temperature of thin masses must be provided and readily accessible to accurately measure the temperature in thin FOODS such as MEAT patties and FISH fillets.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04335, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04340 Utensils, temperature measuring devices, and testing devices—Temperature measuring devices, manual warewashing (2009 FDA Food Code 4-302.13). In manual WAREWASHING operations, a TEMPERA-TURE MEASURING DEVICE must be provided and readily accessible for frequently measuring the washing and SANITIZ-ING temperatures.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04340, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04345 Utensils, temperature measuring devices, and testing devices—Sanitizing solutions, testing devices (2009 FDA Food Code 4-302.14). A test kit or other device that accurately measures the concentration in mg/L of SANITIZING solutions must be provided.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04345, filed 1/17/13, effective 5/1/13.]

## Subpart D - Location and Installation

WAC 246-215-04400 Location—Equipment, clothes washers and dryers, and storage cabinets, contamination prevention (2009 FDA Food Code 4-401.11). (1) Except as specified in subsection (2) of this section, EQUIPMENT, a cabinet used for the storage of FOOD, or a cabinet that is used to store cleaned and SANITIZED EQUIPMENT, UTENSILS, laundered LINENS, and SINGLE-SERVICE and SINGLE-USE ARTI-CLES may not be located:

(a) In locker rooms;

(b) In toilet rooms;

(c) In garbage rooms;

(d) In mechanical rooms;

(e) Under sewer lines that are not shielded to intercept potential drips;

(f) Under leaking water lines including automatic fire sprinkler heads or under lines on which water has condensed;

(g) Under open stairwells; or

(h) Under other sources of contamination.

(2) A storage cabinet used for LINENS or SINGLE-SERVICE or SINGLE-USE ARTICLES may be stored in a locker room.

(3) If a mechanical clothes washer or dryer is provided, it must be located so that the washer or dryer is protected from contamination and only where there is no exposed FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04400, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04405 Installation—Fixed equipment, spacing or sealing (2009 FDA Food Code 4-402.11). (1) EQUIPMENT that is fixed because it is not EASILY MOVABLE must be installed so that it is:

(a) Spaced to allow access for cleaning along the sides, behind, and above the EQUIPMENT;

(b) Spaced from adjoining EQUIPMENT, walls, and ceilings a distance of not more than one thirty-second inch (1 mm); or (c) SEALED to adjoining EQUIPMENT or walls, if the EQUIPMENT is exposed to spilling or seepage.

(2) COUNTER-MOUNTED EQUIPMENT that is not EASILY MOVABLE must be installed to allow cleaning of the EQUIP-MENT and areas underneath and around the EQUIPMENT by being:

#### (a) SEALED; or

(b) Elevated on legs as specified under WAC 246-215-04410.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04405, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04410 Installation—Fixed equipment, elevation or sealing (2009 FDA Food Code 4-402.12). (1) Except as specified in subsections (2) and (3) of this section, floor-mounted EQUIPMENT that is not EASILY MOVABLE must be SEALED to the floor or elevated on legs that provide at least a six inch (15 cm) clearance between the floor and the EQUIP-MENT.

(2) If no part of the floor under the floor-mounted EQUIP-MENT is more than six inches (15 cm) from the point of cleaning access, the clearance space may be only four inches (10 cm).

(3) This section does not apply to display shelving units, display refrigeration units, and display freezer units located in the CONSUMER shopping areas of a retail FOOD store, if the floor under the units is maintained clean.

(4) Except as specified in subsection (5) of this section, COUNTER-MOUNTED EQUIPMENT that is not EASILY MOVABLE must be elevated on legs that provide at least a four inch (10 cm) clearance between the table and the EQUIPMENT.

(5) The clearance space between the table and COUNTER-MOUNTED EQUIPMENT may be:

(a) Three inches (7.5 cm) if the horizontal distance of the table top under the EQUIPMENT is no more than 20 inches (50 cm) from the point of access for cleaning; or

(b) Two inches (5 cm) if the horizontal distance of the table top under the EQUIPMENT is no more than three inches (7.5 cm) from the point of access for cleaning.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04410, filed 1/17/13, effective 5/1/13.]

#### Subpart E - Maintenance and Operations

WAC 246-215-04500 Equipment—Good repair and proper adjustment (2009 FDA Food Code 4-501.11). (1) EQUIPMENT must be maintained in a state of repair and condition that meets the requirements specified under Part 4, Subpart A and Part 4, Subpart B.

(2) EQUIPMENT components such as doors, seals, hinges, fasteners, and kick plates must be kept intact, tight, and adjusted in accordance with the manufacturer's specifications.

(3) Cutting or piercing parts of can openers must be replaced as needed to minimize the creation of metal fragments that can contaminate FOOD when the container is opened.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04500, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04505 Equipment—Cutting surfaces (2009 FDA Food Code 4-501.12). Surfaces such as cutting blocks and boards that are subject to scratching and scoring must be resurfaced if they can no longer be effectively cleaned and SANITIZED, or discarded if they are not capable of being resurfaced.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04505, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04510 Equipment—Microwave ovens (2009 FDA Food Code 4-501.13). Microwave ovens must meet the safety standards specified in 21 C.F.R. 1030.10 Microwave Ovens.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04510, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04515 Equipment—Warewashing equipment, cleaning frequency (2009 FDA Food Code 4-501.14). A WAREWASHING machine; the compartments of sinks, basins, or other receptacles used for washing and rinsing EQUIPMENT, UTENSILS, or raw FOODS, or laundering wiping cloths; and drainboards or other EQUIPMENT used to substitute for drainboards as specified under WAC 246-215-04310 must be cleaned:

(1) Before use;

(2) Throughout the day at a frequency necessary to prevent recontamination of EQUIPMENT and UTENSILS and to ensure that the EQUIPMENT performs its intended function; and

(3) If used, at least every twenty-four hours.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04515, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04520 Equipment—Warewashing machines, manufacturer's operating instructions (2009 FDA Food Code 4-501.15). (1) A WAREWASHING machine and its auxiliary components must be operated in accordance with the machine's data plate and other manufacturer's instructions.

(2) A WAREWASHING machine's conveyor speed or automatic cycle times must be maintained accurately timed in accordance with manufacturer's specifications.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04520, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04525 Equipment—Warewashing sinks, use limitation (2009 FDA Food Code 4-501.16). (1) A WAREWASHING sink may not be used for handwashing as specified under WAC 246-215-02315.

(2) If a WAREWASHING sink is used to wash wiping cloths, wash produce, or thaw FOOD, the sink must be cleaned as specified under WAC 246-215-04515 before and after each time it is used to wash wiping cloths or wash produce or thaw FOOD. Sinks used to wash or thaw FOOD must be SANI-TIZED as specified under subpart G of this part before and after using the sink to wash produce or thaw FOOD.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04525, filed 1/17/13, effective 5/1/13.]

[Ch. 246-215 WAC p. 48]

WAC 246-215-04530 Equipment—Warewashing equipment, cleaning agents (2009 FDA Food Code 4-501.17). When used for WAREWASHING, the wash compartment of a sink, mechanical warewasher, or wash receptacle of alternative manual WAREWASHING EQUIPMENT as specified under WAC 246-215-04305(3), must contain a wash solution of soap, detergent, acid cleaner, alkaline cleaner, degreaser, abrasive cleaner, or other cleaning agent according to the cleaning agent manufacturer's label instructions.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04530, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04535 Equipment—Warewashing equipment, clean solutions (2009 FDA Food Code 4-501.18). The wash, rinse and SANITIZE solutions must be maintained clean.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04535, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04540 Equipment—Manual warewashing equipment, wash solution temperature (2009 FDA Food Code 4-501.19). The temperature of the wash solution in manual WAREWASHING EQUIPMENT must be maintained at not less than 110°F (43°C) or the temperature specified on the cleaning agent manufacturer's label instructions.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04540, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04545 Equipment—Mechanical warewashing equipment, wash solution temperature (2009 FDA Food Code 4-501.110). (1) The temperature of the wash solution in spray-type warewashers that use hot water to SANITIZE may not be less than:

(a) For a stationary rack, single temperature machine, 165°F (74°C);

(b) For a stationary rack, dual temperature machine, 150°F (66°C);

(c) For a single tank, conveyor, dual temperature machine, 160°F (71°C);

(d) For a multitank, conveyor, multitemperature machine, 150°F (66°C).

(2) The temperature of the wash solution in spray-type warewashers that use chemicals to SANITIZE may not be less than  $120^{\circ}$ F (49°C).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04545, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04550 Equipment—Manual warewashing equipment, hot water sanitization temperature (2009 FDA Food Code 4-501.111). If immersion in hot water is used for SANITIZING in a manual operation, the temperature of the water must be maintained at 171°F (77°C) or above.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04550, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04555 Equipment—Mechanical warewashing equipment, hot water sanitization temperatures (2009 FDA Food Code 4-501.112). (1) Except as specified in subsection (2) of this section, in a mechanical operation, the temperature of the fresh hot water SANITIZING rinse as it enters the manifold may not be more than  $194^{\circ}F$  (90°C) or less than:

(a) For a stationary rack, single temperature machine, 165°F (74°C); or

(b) For all other machines, 180°F (82°C).

(2) The maximum temperature specified under subsection (1) of this section, does not apply to the high pressure and temperature systems with wand-type, hand-held, spraying devices used for the in-place cleaning and SANITIZING of EQUIPMENT such as MEAT saws.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04555, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04560 Equipment—Mechanical warewashing equipment, sanitization pressure (2009 FDA Food Code 4-501.113). The flow pressure of the fresh hot water SANITIZING rinse in a WAREWASHING machine, as measured in the water line immediately downstream or upstream from the fresh hot water SANITIZING rinse control valve, must be within the range specified on the machine manufacturer's data plate and may not be less than five pounds per square inch (35 kilopascals) or more than thirty pounds per square inch (200 kilopascals).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04560, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04565 Equipment—Manual and mechanical warewashing equipment, chemical sanitization—Temperature, pH, concentration, and hardness (2009 FDA Food Code 4-501.114). A chemical SANITIZER used in a SANITIZING solution for a manual or mechanical operation at contact times specified under WAC 246-215-04710(3) must meet the requirements specified under WAC 246-215-07220, must be used in accordance with the EPAregistered label use instructions, and must be used as follows:

(1) A chlorine solution must have a minimum temperature based on the concentration and pH of the solution as listed in the following chart:

Concentration Range	Minimum T	Semperature
mg/L	pH 10 or less °F (°C)	pH 8 or less °F (°C)
25-49	120 (49)	120 (49)
50-99	100 (38)	75 (24)
100	55 (13)	55 (13)

(2) An iodine solution must have a:

(a) Minimum temperature of 68°F (20°C);

(b) pH of 5.0 or less or a pH no higher than the level for which the manufacturer specifies the solution is effective; and

(c) Concentration between 12.5 mg/L and 25 mg/L.

(3) A quaternary ammonium compound solution must:

(a) Have a minimum temperature of 75°F (24°C);

(b) Have a concentration as specified under WAC 246-215-07220 and as indicated by the manufacturer's use directions included in the labeling; and (c) Be used only in water with 500 mg/L hardness or less or in water having a hardness no greater than specified by the EPA-registered label use instructions;

(4) If another solution of a chemical specified under subsections (1) through (3) of this section is used, the PERMIT HOLDER shall demonstrate to the REGULATORY AUTHORITY that the solution achieves SANITIZATION and the use of the solution must be APPROVED; or

(5) If a chemical SANITIZER other than chlorine, iodine, or a quaternary ammonium compound is used, it must be applied in accordance with the EPA-registered label use instructions.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04565, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04570 Equipment—Manual warewashing equipment, chemical sanitization using detergent-sanitizers (2009 FDA Food Code 4-501.115). If a detergent-SANITIZER is used to SANITIZE in a cleaning and SANITIZING procedure where there is no distinct water rinse between the washing and SANITIZING steps, the agent applied in the SANITIZING step must be the same detergent-SANITIZER that is used in the washing step.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04570, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04575 Equipment—Warewashing equipment, determining chemical sanitizer concentration (2009 FDA Food Code 4-501.116). Concentration of the SANITIZING solution must be accurately determined by using a test kit or other device.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04575, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04580 Utensils and temperature and pressure measuring devices—Good repair and calibration (2009 FDA Food Code 4-502.11). (1) UTENSILS must be maintained in a state of repair or condition that complies with the requirements specified under Part 4, Subparts A and B, or must be discarded.

(2) FOOD TEMPERATURE MEASURING DEVICES must be calibrated in accordance with manufacturer's specifications as necessary to ensure their accuracy.

(3) Ambient air temperature, water pressure, and water TEMPERATURE MEASURING DEVICES must be maintained in good repair and be accurate within the intended range of use.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04580, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04585 Utensils and temperature and pressure measuring devices—Single-service and singleuse articles, required use (2009 FDA Food Code 4-502.12). A FOOD ESTABLISHMENT without facilities specified under Part 4, Subparts 6 and 7 for cleaning and SANITIZING KITCHENWARE and TABLEWARE must provide only SINGLE-USE KITCHENWARE, SINGLE-SERVICE ARTICLES, and SINGLE-USE ARTICLES for use by FOOD EMPLOYEES and SINGLE-SER-VICE ARTICLES for use by CONSUMERS.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04585, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04590 Utensils and temperature and pressure measuring devices—Single-service and singleuse articles, use limitation (2009 FDA Food Code 4-502.13). (1) SINGLE-SERVICE and SINGLE-USE ARTICLES may not be reused.

(2) The bulk milk container dispensing tube must be cut on the diagonal leaving no more than one inch protruding from the chilled dispensing head.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04590, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04595 Utensils and temperature and pressure measuring devices—Shells, use limitation (2009 FDA Food Code 4-502.14). Mollusk and crustacea shells may not be used more than once as serving containers.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04595, filed 1/17/13, effective 5/1/13.]

# Subsection F - Cleaning of Equipment and Utensils

WAC 246-215-04600 Objective—Equipment, foodcontact surfaces, nonfood-contact surfaces, and utensils (2009 FDA Food Code 4-601.11). (1) EQUIPMENT, FOOD-CONTACT SURFACES, and UTENSILS must be clean to sight and touch.

(2) The FOOD-CONTACT SURFACES of cooking EQUIP-MENT and pans must be kept free of encrusted grease deposits and other soil accumulations.

(3) NONFOOD-CONTACT SURFACES of EQUIPMENT must be kept free of an accumulation of dust, dirt, FOOD residue, and other debris.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04600, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04605 Objective—Equipment foodcontact surfaces and utensils (2009 FDA Food Code 4-602.11). (1) EQUIPMENT, FOOD-CONTACT SURFACES, and UTENSILS must be cleaned:

(a) Except as specified in subsection (2) of this section, before each use with a different type of raw animal FOOD such as beef, FISH, lamb, pork, or POULTRY;

(b) Each time there is a change from working with raw FOODS to working with READY-TO-EAT FOODS;

(c) Between uses with raw fruits and vegetables and with POTENTIALLY HAZARDOUS FOOD;

(d) Before using or storing a FOOD TEMPERATURE MEA-SURING DEVICE; and

(e) At any time during the operation when contamination might have occurred.

(2) Subsection (1)(a) of this section does not apply if the FOOD-CONTACT SURFACE or UTENSIL is in contact with a succession of different raw animal FOODS each requiring a higher cooking temperature as specified under WAC 246-215-03400 than the previous FOOD, such as preparing raw FISH followed by cutting raw POULTRY on the same cutting board.

(3) Except as specified in subsection (4) of this section, if used with POTENTIALLY HAZARDOUS FOOD, EQUIPMENT, FOOD-CONTACT SURFACES, and UTENSILS must be cleaned throughout the day at least every four hours.

(4) Surfaces of UTENSILS and EQUIPMENT contacting POTENTIALLY HAZARDOUS FOOD may be cleaned less frequently than every four hours if:

(a) In storage, containers of POTENTIALLY HAZARDOUS FOOD and their contents are maintained at temperatures specified under Part 3 and the containers are cleaned when they are empty;

(b) UTENSILS and EQUIPMENT are used to prepare FOOD in a refrigerated room or area that is maintained at one of the temperatures in the following chart and:

(i) The UTENSILS and EQUIPMENT are cleaned at the frequency in the following chart that corresponds to the temperature; and

Temperature	Cleaning Frequency
41°F or less (5.0°C or less)	24 hours
> 41°F - 45°F (> 5.0°C - 7.2°C)	20 hours
> 45°F - 50°F (> 7.2°C - 10.0°C)	16 hours
> 50°F - 55°F (> 10.0°C - 12.8°C)	10 hours

(ii) The cleaning frequency based on the ambient temperature of the refrigerated room or area is documented in the FOOD ESTABLISHMENT.

(c) Containers in serving situations such as salad bars, delis, and cafeteria lines hold READY-TO-EAT POTENTIALLY HAZARDOUS FOOD that is maintained at the temperatures specified under Part 3, are intermittently combined with additional supplies of the same FOOD that is at the required temperature, and the containers are cleaned every twenty-four hours;

(d) TEMPERATURE MEASURING DEVICES are maintained in contact with FOOD, such as when left in a container of deli FOOD or in a roast, held at temperatures specified under Part 3;

(e) EQUIPMENT is used for storage of PACKAGED or unPACKAGED FOOD such as a reach-in refrigerator and the EQUIPMENT is cleaned at a frequency necessary to preclude accumulation of soil residues;

(f) The cleaning schedule is APPROVED based on consideration of:

(i) Characteristics of the EQUIPMENT and its use;

(ii) The type of food involved;

(iii) The amount of FOOD residue accumulation; and

(iv) The temperature at which the FOOD is maintained during the operation and the potential for the rapid and progressive multiplication of pathogenic or toxigenic microorganisms that are capable of causing foodborne disease; or

(g) In-use UTENSILS are intermittently stored in a container of water in which the water is maintained at 135°F (57°C) or more or 41°F (5°C) or less and the UTENSILS and container are cleaned at least every twenty-four hours or at a frequency necessary to preclude accumulation of soil residues. (5) Except when dry cleaning methods are used as specified under WAC 246-215-04620, surfaces of UTENSILS and EQUIPMENT contacting FOOD that is not POTENTIALLY HAZ-ARDOUS FOOD must be cleaned:

(a) At any time when contamination might have occurred;

(b) At least every twenty-four hours for iced tea dispensers and CONSUMER self-service UTENSILS such as tongs, scoops, or ladles;

(c) Before restocking CONSUMER self-service EQUIP-MENT and UTENSILS such as condiment dispensers and display containers; and

(d) In EQUIPMENT such as ice bins and BEVERAGE dispensing nozzles and enclosed components of EQUIPMENT such as ice makers, cooking oil storage tanks and distribution lines, BEVERAGE and syrup dispensing lines or tubes, coffee bean grinders, and water vending EQUIPMENT:

(i) At a frequency specified by the manufacturer; or

(ii) Absent manufacturer specifications, at a frequency necessary to preclude accumulation of soil or mold.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04605, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04610 Objective—Cooking and baking equipment (2009 FDA Food Code 4-602.12). (1) The FOOD-CONTACT SURFACES of cooking and baking EQUIP-MENT must be cleaned at least every twenty-four hours. This section does not apply to hot oil cooking and filtering EQUIP-MENT if it is cleaned as specified under WAC 246-215-04605 (4)(f).

(2) The cavities and door seals of microwave ovens must be cleaned at least every twenty-four hours by using the manufacturer's recommended cleaning procedure.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04610, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04615 Objective—Nonfood-contact surfaces (2009 FDA Food Code 4-602.13). NonFOOD-CON-TACT SURFACES of EQUIPMENT must be cleaned at a frequency necessary to preclude accumulation of soil residues.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04615, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04620 Methods—Dry cleaning (2009 FDA Food Code 4-603.11). (1) If used, dry cleaning methods such as brushing, scraping, and vacuuming may only contact surfaces that are soiled with dry FOOD residues that are not POTENTIALLY HAZARDOUS FOOD.

(2) Cleaning EQUIPMENT used in dry cleaning FOOD-CONTACT SURFACES may not be used for any other purpose.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04620, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04625 Methods—Precleaning (2009 FDA Food Code 4-603.12). (1) FOOD debris on EQUIPMENT and UTENSILS must be scraped over a waste disposal unit or garbage receptacle or must be removed in a WAREWASHING machine with a prewash cycle.

(2) If necessary for effective cleaning, UTENSILS and EQUIPMENT must be preflushed, presoaked, or scrubbed with abrasives.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04625, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04630 Methods—Loading of soiled items, warewashing machines (2009 FDA Food Code 4-603.13). Soiled items to be cleaned in a WAREWASHING machine must be loaded into racks, trays, or baskets or onto conveyors in a position that:

(1) Exposes the items to the unobstructed spray from all cycles; and

(2) Allows the item to drain.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04630, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04635 Methods—Wet cleaning (2009 FDA Food Code 4-603.14). (1) EQUIPMENT, FOOD-CONTACT SURFACES, and UTENSILS must be effectively washed to remove or completely loosen soils by using the manual or mechanical means necessary such as the application of detergents containing wetting agents and emulsifiers; acid, alkaline, or abrasive cleaners; hot water; brushes; scouring pads; high-pressure sprays; or ultrasonic devices.

(2) The washing procedures selected must be based on the type and purpose of the EQUIPMENT or UTENSIL, and on the type of soil to be removed.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04635, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04640 Methods—Washing, procedures for alternative manual warewashing equipment (2009 FDA Food Code 4-603.15). If washing in sink compartments or a WAREWASHING machine is impractical such as when the EQUIPMENT is fixed or the UTENSILS are too large, washing must be done by using alternative manual WARE-WASHING EQUIPMENT as specified under WAC 246-215-04305(3) in accordance with the following procedures:

(1) EQUIPMENT must be disassembled as necessary to allow access of the detergent solution to all parts;

(2) EQUIPMENT components and UTENSILS must be scraped or rough cleaned to remove FOOD particle accumulation; and

(3) EQUIPMENT and UTENSILS must be washed as specified under WAC 246-215-04635(1).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04640, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04645 Methods—Rinsing procedures (2009 FDA Food Code 4-603.16). Washed UTENSILS and EQUIPMENT must be rinsed so that abrasives are removed and cleaning chemicals are removed or diluted through the use of water or a detergent-SANITIZER solution by using one of the following procedures:

(1) Use of a distinct, separate water rinse after washing and before SANITIZING if using:

(a) A three-compartment sink;

(b) Alternative manual WAREWASHING EQUIPMENT equivalent to a three-compartment sink as specified under WAC 246-215-04305(3); or

(c) A three-step washing, rinsing, and SANITIZING procedure in a WAREWASHING system for CIP EQUIPMENT;

(2) Use of a detergent-SANITIZER as specified under WAC 246-215-04570 if using:

(a) Alternative WAREWASHING EQUIPMENT as specified under WAC 246-215-04305(3) that is APPROVED for use with a detergent-SANITIZER; or

(b) A WAREWASHING system for CIP EQUIPMENT;

(3) Use of a nondistinct water rinse that is integrated in the hot water SANITIZATION immersion step of a two-compartment sink operation;

(4) If using a WAREWASHING machine that does not recycle the SANITIZING solution as specified under subsection (5) of this section, or alternative manual WAREWASHING EQUIP-MENT such as sprayers, use of a nondistinct water rinse that is:

(a) Integrated in the application of the SANITIZING solution; and

(b) Wasted immediately after each application; or

(5) If using a WAREWASHING machine that recycles the SANITIZING solution for use in the next wash cycle, use of a nondistinct water rinse that is integrated in the application of the SANITIZING solution.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04645, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04650 Methods—Returnables, cleaning for refilling (2009 FDA Food Code 4-603.17). (1) Except as specified in subsections (2) and (3) of this section, returned empty containers intended for cleaning and refilling with FOOD must be cleaned and refilled in a regulated FOOD PROCESSING PLANT.

(2) A FOOD-specific container for BEVERAGES may be refilled at a FOOD ESTABLISHMENT if:

(a) Only a BEVERAGE that is not a POTENTIALLY HAZ-ARDOUS FOOD is used as specified under WAC 246-215-03348(1);

(b) The design of the container and of the rinsing EQUIP-MENT and the nature of the BEVERAGE, when considered together, allow effective cleaning at home or in the FOOD ESTABLISHMENT;

(c) Facilities for rinsing before refilling returned containers with fresh, hot water that is under pressure and not recirculated are provided as part of the dispensing system;

(d) The CONSUMER-owned container returned to the FOOD ESTABLISHMENT for refilling is refilled for sale or service only to the same CONSUMER; and

(e) The container is refilled by:

(i) An EMPLOYEE of the FOOD ESTABLISHMENT; or

(ii) The owner of the container if the BEVERAGE system includes a contamination-free transfer process that cannot be bypassed by the container owner.

(3) CONSUMER-owned containers that are not FOOD-specific may be filled at a water VENDING MACHINE or system.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04650, filed 1/17/13, effective 5/1/13.]

# Subpart G - Sanitization of Equipment and Utensils

WAC 246-215-04700 Objective—Food-contact surfaces and utensils (2009 FDA Food Code 4-701.10). EQUIP-MENT, FOOD-CONTACT SURFACES, and UTENSILS must be SANITIZED.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04700, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04705 Frequency—Before use after cleaning (2009 FDA Food Code 4-702.11). UTENSILS and FOOD-CONTACT SURFACES of EQUIPMENT must be SANITIZED before use and after cleaning.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04705, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04710 Methods—Hot water and chemical (2009 FDA Food Code 4-703.11). After being cleaned, EQUIPMENT, FOOD-CONTACT SURFACES, and UTEN-SILS must be SANITIZED in:

(1) Hot water manual operations by immersion for at least thirty seconds and as specified under WAC 246-215-04550;

(2) Hot water mechanical operations by being cycled through EQUIPMENT that is set up as specified under WAC 246-215-04520, 246-215-04555, and 246-215-04560 and achieving a UTENSIL surface temperature of 160°F (71°C) as measured by an irreversible registering temperature indicator; or

(3) Chemical manual or mechanical operations, including the application of SANITIZING chemicals by immersion, manual swabbing, brushing, or pressure spraying methods, using a solution as specified under WAC 246-215-04565. Contact times must be consistent with those on EPA-registered label use instructions by providing:

(a) Except as specified under (b) of this subsection, a contact time of at least ten seconds for a chlorine solution specified under WAC 246-215-04565(1);

(b) A contact time of at least seven seconds for a chlorine solution of 50 MG/L that has a pH of ten or less and a temperature of at least 100°F ( $38^{\circ}$ C) or a pH of eight or less and a temperature of at least 75°F ( $24^{\circ}$ C);

(c) A contact time of at least thirty seconds for other chemical SANITIZING solutions; or

(d) A contact time used in relationship with a combination of temperature, concentration, and pH that, when evaluated for efficacy, yields SANITIZATION as defined in WAC 246-215-01115.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04710, filed 1/17/13, effective 5/1/13.]

# **Subpart H - Laundering**

WAC 246-215-04800 Objective—Clean linens (2009 FDA Food Code 4-801.11). Clean LINENS must be free from FOOD residues and other soiling matter.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04800, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04805 Frequency—Specifications (2009 FDA Food Code 4-802.11). (1) LINENS that do not come in direct contact with FOOD must be laundered between operations if they become wet, sticky, or visibly soiled.

(2) Cloth gloves used as specified under WAC 246-215-03342(4) must be laundered before being used with a different type of raw animal FOOD such as beef, FISH, lamb, pork, or POULTRY.

(3) LINENS and napkins that are used as specified under WAC 246-215-03336 and cloth napkins must be laundered between each use.

(4) Wet wiping cloths must be laundered daily.

(5) Dry wiping cloths must be laundered as necessary to prevent contamination of FOOD and clean serving UTENSILS.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04805, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04810 Methods—Storage of soiled linens (2009 FDA Food Code 4-803.11). Soiled LINENS must be kept in clean, nonabsorbent receptacles or clean, washable laundry bags and stored and transported to prevent contamination of FOOD, clean EQUIPMENT, clean UTENSILS, and SIN-GLE-SERVICE and SINGLE-USE ARTICLES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04810, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04815 Methods—Mechanical washing (2009 FDA Food Code 4-803.12). (1) Except as specified in subsection (2) of this section, LINENS must be mechanically washed.

(2) In FOOD ESTABLISHMENTS in which only wiping cloths are laundered as specified under WAC 246-215-04320(2), the wiping cloths may be laundered in a mechanical washer, sink designated only for laundering wiping cloths, or a WAREWASHING sink that is cleaned as specified under WAC 246-215-04515.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04815, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04820 Methods—Use of laundry facilities (2009 FDA Food Code 4-803.13). (1) Except as specified in subsection (2) of this section, laundry facilities on the PREMISES of a FOOD ESTABLISHMENT must be used only for the washing and drying of items used in the operation of the establishment.

(2) Separate laundry facilities located on the PREMISES for the purpose of general laundering such as for institutions providing boarding and lodging may also be used for laundering FOOD ESTABLISHMENT items.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04820, filed 1/17/13, effective 5/1/13.]

#### Subpart I - Protection of Clean Items

WAC 246-215-04900 Drying—Equipment and utensils, air-drying required (2009 FDA Food Code 4-901.11). After cleaning and SANITIZING, EQUIPMENT and UTENSILS:

(1) Must be air-dried or used after adequate draining as specified in the first paragraph of 40 C.F.R. 180.940 Tolerance exemptions for active and inert ingredients for use in antimicrobial formulations (FOOD-CONTACT SURFACE SANI-TIZING solutions), before contact with FOOD; and

(2) May not be cloth-dried except that UTENSILS that have been air-dried may be polished with cloths that are maintained clean and dry.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04900, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04905 Drying—Wiping cloths, air drying locations (2009 FDA Food Code 4-901.12). Wiping cloths laundered in a FOOD ESTABLISHMENT that does not have a mechanical clothes dryer as specified under WAC 246-215-04320(2) must be air-dried in a location and in a manner that prevents contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES and the wiping cloths. This section does not apply if wiping cloths are stored after laundering in a SANITIZING solution as specified under WAC 246-215-04565.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04905, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04910 Lubricating and reassembling —Food-contact surfaces (2009 FDA Food Code 4-902.11). Lubricants as specified under WAC 246-215-07240 must be applied to FOOD-CONTACT SURFACES that require lubrication in a manner that does not contaminate FOOD-CONTACT SUR-FACES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04910, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04915 Lubricating and reassembling — Equipment (2009 FDA Food Code 4-902.12). EQUIP-MENT must be reassembled so that FOOD-CONTACT SURFACES are not contaminated.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04915, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04920 Storing—Equipment, utensils, linens, and single-service and single-use articles (2009 FDA Food Code 4-903.11). (1) Except as specified in subsection (4) of this section, cleaned EQUIPMENT, UTENSILS, laundered LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES must be stored:

(a) In a clean, dry location;

(b) Where they are not exposed to splash, dust, or other contamination; and

(c) At least six inches (15 cm) above the floor.

(2) Clean EQUIPMENT and UTENSILS must be stored as specified under subsection (1) of this section and must be stored:

(a) In a self-draining position that allows air drying; and

(b) Covered or inverted.

(3) SINGLE-SERVICE and SINGLE-USE ARTICLES must be stored as specified under subsection (1) of this section and must be kept in the original protective package or stored by using other means that afford protection from contamination until used.

(4) Items that are kept in closed packages may be stored less than six inches (15 cm) above the floor on dollies, pal-

lets, racks, and skids that are designed as specified under WAC 246-215-04268.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04920, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04925 Storing—Prohibitions (2009 FDA Food Code 4-903.12). (1) Except as specified in subsection (2) of this section, cleaned and SANITIZED EQUIP-MENT, UTENSILS, laundered LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES may not be stored:

(a) In locker rooms;

(b) In toilet rooms;

(c) In garbage rooms;

(d) In mechanical rooms;

(e) Under sewer lines that are not shielded to intercept potential drips;

(f) Under leaking water lines including leaking automatic fire sprinkler heads or under lines on which water has condensed;

(g) Under open stairwells; or

(h) Under other sources of contamination.

(2) Laundered LINENS and SINGLE-SERVICE and SINGLE-USE ARTICLES that are PACKAGED or in a facility such as a cabinet may be stored in a locker room.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04925, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04930 Preventing contamination— Kitchenware and tableware (2009 FDA Food Code 4-904.11). (1) SINGLE-SERVICE and SINGLE-USE ARTICLES and cleaned and SANITIZED UTENSILS must be handled, displayed, and dispensed so that contamination of FOOD- and lip-contact surfaces is prevented.

(2) Knives, forks and spoons that are not prewrapped must be presented so that only the handles are touched by EMPLOYEES and by CONSUMERS if CONSUMER self-service is provided.

(3) Except as specified under subsection (2) of this section, SINGLE-SERVICE ARTICLES that are intended for FOODor lip-contact must be furnished for CONSUMER self-service with the original individual wrapper intact or from an APPROVED dispenser.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04930, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04935 Preventing contamination— Soiled and clean tableware (2009 FDA Food Code 4-904.12). Soiled TABLEWARE must be removed from CON-SUMER eating and drinking areas and handled so that clean TABLEWARE is not contaminated.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04935, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04940 Preventing contamination— Preset tableware (2009 FDA Food Code 4-904.13). (1) Except as specified in subsection (2) of this section, TABLE-WARE that is preset must be protected from contamination by being wrapped, covered, or inverted;

[Ch. 246-215 WAC p. 54]

(2) Preset TABLEWARE may be exposed if:

(a) Unused settings are removed when a CONSUMER is seated; or

(b) Settings not removed when a CONSUMER is seated are cleaned and SANITIZED before further use.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04940, filed 1/17/13, effective 5/1/13.]

WAC 246-215-04945 Preventing contamination— Rinsing equipment and utensils after cleaning and sanitizing (2009 FDA Food Code 4-904.14). After being cleaned and SANITIZED, EQUIPMENT and UTENSILS may not be rinsed before air drying or use unless:

(1) The rinse is applied directly from a potable water supply by a WAREWASHING machine that is maintained and operated as specified under WAC 246-215-04226 through 246-215-04270 and 246-215-04500 through 246-215-04575; and

(2) The rinse is applied only after the EQUIPMENT and UTENSILS have been SANITIZED by the application of hot water or by the application of a chemical SANITIZER solution whose EPA-registered label use instructions call for rinsing off the SANITIZER after it is applied in a commercial WARE-WASHING machine.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-04945, filed 1/17/13, effective 5/1/13.]

# PART 5: WATER, PLUMBING AND WASTE

# Subpart A - Water

WAC 246-215-05100 Source—Approved system (2009 FDA Food Code 5-101.11). DRINKING WATER must be obtained from an APPROVED source that is a PUBLIC WATER SYSTEM.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05100, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05105 Source—System flushing and disinfection (2009 FDA Food Code 5-101.12). A DRINKING WATER system must be flushed and disinfected before being placed in service after construction, repair, or modification and after an emergency situation, such as a flood, that might introduce contaminants into the system.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05105, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05110 Source—Bottled drinking water (2009 FDA Food Code 5-101.13). BOTTLED DRINK-ING WATER used or sold in a FOOD ESTABLISHMENT must be obtained from APPROVED sources in accordance with 21 C.F.R. 129 - Processing and Bottling of Bottled Drinking Water and chapters 246-290 and 246-291 WAC.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05110, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05115 Quality—Standards (2009 FDA Food Code 5-102.11). Water used in FOOD ESTABLISH-MENTS must meet DRINKING WATER quality standards in accordance with chapters 246-290 and 246-291 WAC, except as specified under WAC 246-215-05120. [Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05115, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05120 Quality—Nondrinking water (2009 FDA Food Code 5-102.12). (1) A nonDRINKING WATER supply must be used only if its use is APPROVED.

(2) NONDRINKING WATER must be used only for nonculinary purposes such as air conditioning, nonFOOD EQUIPMENT cooling, fire protection and irrigation of nonFOOD landscape foliage.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05120, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05125 Quality—Sampling (2009 FDA Food Code 5-102.13). Except when used as specified under WAC 246-215-05120, water from a nonPUBLIC WATER SYS-TEM must be sampled and tested at least annually and as required by state water quality regulations.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05125, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05130 Quantity and availability— Sample report (2009 FDA Food Code 5-102.14). The most recent sample report for the nonPUBLIC WATER SYSTEM must be retained on file in the FOOD ESTABLISHMENT or the report must be maintained as specified by state water quality regulations.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05130, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05135 Quantity and availability— Capacity (2009 FDA Food Code 5-103.11). (1) The water source and system must be of sufficient capacity to meet the peak water demands of the FOOD ESTABLISHMENT.

(2) Hot water generation and distribution systems must be sufficient to meet the peak hot water demands throughout the FOOD ESTABLISHMENT.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05135, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05140 Distribution, delivery and retention—Pressure (2009 FDA Food Code 5-103.12). Water under pressure must be provided to all fixtures, EQUIP-MENT, and nonFOOD EQUIPMENT that are required to use water except that water supplied as specified under WAC 246-215-05150 (1) and (2) to a TEMPORARY FOOD ESTAB-LISHMENT or in response to a temporary interruption of a water supply need not be under pressure.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05140, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05145 Distribution, delivery and retention—System (2009 FDA Food Code 5-104.11). Water must be received from the source through the use of:

(1) An APPROVED public water main; or

(2) One or more of the following that must be constructed, maintained, and operated according to LAW:

(a) Nonpublic water main, water pumps, pipes, hoses, connections and other appurtenances;

(b) Water transport vehicles; and

(c) Water containers.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05145, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05150 Distribution, delivery and retention—Alternate water supply (2009 FDA Food Code 5-104.12). Water meeting the requirements specified under Part 5, Subpart A must be made available for a mobile facility, for a TEMPORARY FOOD ESTABLISHMENT, without a permanent water supply, and for a FOOD ESTABLISHMENT with a temporary interruption of its water supply through:

(1) A supply of containers of commercially BOTTLED DRINKING WATER;

(2) One or more closed portable water containers;

(3) An enclosed vehicular water tank;

(4) An on-PREMISES water storage tank; or

(5) Piping, tubing, or hoses connected to an adjacent APPROVED source.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05150, filed 1/17/13, effective 5/1/13.]

# Subpart B - Plumbing System

WAC 246-215-05200 Materials—Approved (2009 FDA Food Code 5-201.11). (1) A PLUMBING SYSTEM and hoses conveying water must be constructed and repaired with APPROVED materials according to LAW.

(2) A water filter must be made of SAFE MATERIALS.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05200, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05205 Design, construction and installation—Approved system and cleanable fixtures (2009 FDA Food Code 5-202.11). (1) A PLUMBING SYSTEM must be designed, constructed, and installed according to LAW.

(2) A PLUMBING FIXTURE such as a handwashing sink, toilet or urinal must be EASILY CLEANABLE.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05205, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05210 Design, construction and installation—Handwashing facility, installation (2009 FDA Food Code 5-202.12). (1) A HANDWASHING SINK must be equipped to provide water at a temperature of at least 100°F (38°C) through a mixing valve or combination faucet.

(2) A steam mixing valve may not be used at a hand-washing sink.

(3) A self-closing, slow closing or metering faucet must provide a flow of water for at least fifteen seconds without the need to reactivate the faucet.

(4) An automatic handwashing facility must be installed in accordance with manufacturer's instructions.

(5) HANDWASHING SINKS in FOOD ESTABLISHMENTS must be adequately sized to allow a FOOD EMPLOYEE to wash both hands simultaneously.

(6) FOOD EMPLOYEES offering FOOD samples, such as FOOD demonstrators, may have HANDWASHING SINKS that meet the TEMPORARY FOOD ESTABLISHMENT requirements in WAC 246-215-09225 if not handling raw MEAT, FISH or POULTRY.

Food Service

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05210, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05215 Design, construction and installation—Backflow prevention, air gap (2009 FDA Food Code 5-202.13). An air gap between the water supply inlet and the flood level rim of the PLUMBING FIXTURE, EQUIPMENT, or nonFOOD EQUIPMENT must be at least twice the diameter of the water supply inlet and may not be less than one inch (25 mm).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05215, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05220 Design, construction and installation—Backflow prevention device, design standard (2009 FDA Food Code 5-202.14). A backflow or backsiphonage prevention device installed on a water supply system must meet American Society of Sanitary Engineering (A.S.S.E.) standards for construction, installation, maintenance, inspection, and testing for that specific application and type of device.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05220, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05225 Design, construction and installation—Conditioning device, design (2009 FDA Food Code 5-202.15). A water filter, screen and other water conditioning device installed on water lines must be designed to facilitate disassembly for periodic service and cleaning. A water filter element must be of the replaceable type.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05225, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05230 Numbers and capacities— Handwashing sinks (2009 FDA Food Code 5-203.11). (1) Except as specified in subsection (2) of this section, at least one HANDWASHING SINK, a number of HANDWASHING SINKS necessary for their convenient use by EMPLOYEES in areas specified under WAC 246-215-05255, and not fewer than the number of HANDWASHING SINKS required by LAW must be provided.

(2) If APPROVED and capable of removing the types of soils encountered in the FOOD operations involved, automatic handwashing facilities may be substituted for HANDWASHING SINKS in a FOOD ESTABLISHMENT that has at least one HAND-WASHING SINK.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05230, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05235 Restrooms—Toilets and urinals (2009 FDA Food Code 5-203.12). (1) At least one toilet and not fewer than the toilets required by LAW must be provided. If authorized by LAW and urinals are substituted for toilets, the substitution must be done as specified by LAW.

(2) The FOOD ESTABLISHMENT PERMIT HOLDER shall ensure that toilet rooms are conveniently located within 200 feet of the FOOD ESTABLISHMENT and accessible to EMPLOY-EES during all hours of operation.

(3) The FOOD ESTABLISHMENT PERMIT HOLDER shall ensure that toilet rooms are conveniently located and accessible to patrons during all hours of operation if: (a) The establishment has customer seating for on-PREM-ISES consumption; and

(b) The establishment was constructed or extensively remodeled after May 1, 1992.

(4) Toilet rooms in FOOD ESTABLISHMENTS may be used jointly by patrons and EMPLOYEES, provided patrons accessing the toilet rooms are excluded from FOOD preparation areas and unPACKAGED FOOD storage areas.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05235, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05240 Service sink (2009 FDA Food Code 5-203.13). (1) At least one service sink or one curbed cleaning facility equipped with a floor drain must be provided and conveniently located for the cleaning of mops or similar wet floor cleaning tools and for the disposal of mop water and similar liquid waste.

(2) Toilets and urinals may not be used as a service sink for the disposal of mop water and similar liquid waste.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05240, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05245 Backflow prevention device, when required (2009 FDA Food Code 5-203.14). A PLUMBING SYSTEM must be installed to preclude backflow of a solid, liquid, or gas contaminant into the water supply system at each point of use at the FOOD ESTABLISHMENT, including on a hose bibb if a hose is attached or on a hose bibb if a hose is not attached and backflow prevention is required by LAW, by:

(1) Providing an air gap as specified under WAC 246-215-05215; or

(2) Installing an APPROVED backflow prevention device as specified under WAC 246-215-05220.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05245, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05250 Backflow prevention carbonator. Backflow prevention systems for carbonators must be installed as specified under WAC 51-56-0600, Chapter 6— Water supply and distribution.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05250, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05255 Location and placement of handwashing sinks (2009 FDA Food Code 5-204.11). A HANDWASHING SINK must be located:

(1) To allow convenient use by EMPLOYEES;

(2) Within 25 feet of FOOD preparation, FOOD dispensing, and WAREWASHING areas; and

(3) In, or immediately adjacent to, toilet rooms.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05255, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05260 Location and placement of backflow prevention device (2009 FDA Food Code 5-204.12). A backflow prevention device must be located so that it can be serviced and maintained.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05260, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05265 Location and placement of conditioning device (2009 FDA Food Code 5-204.13). A water filter, screen, and other water conditioning device installed on water lines must be located to facilitate disassembly for periodic servicing and cleaning.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05265, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05270 Operation and maintenance— Using a handwashing sink (2009 FDA Food Code 5-205.11). (1) A HANDWASHING SINK must be maintained so that it is accessible at all times for EMPLOYEE use.

(2) A HANDWASHING SINK may not be used for purposes other than handwashing.

(3) An automatic handwashing facility must be used in accordance with manufacturer's instructions.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05270, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05275 Operation and maintenance— Prohibiting a cross connection (2009 FDA Food Code 5-205.12). (1) A PERSON may not create a cross connection by connecting a pipe or conduit between the DRINKING WATER system and a nonDRINKING WATER system or a water system of unknown quality.

(2) The piping of a nonDRINKING WATER system must be durably identified so that it is readily distinguishable from piping that carries DRINKING WATER.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05275, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05280 Operation and maintenance— Scheduling inspection and service for water system device (2009 FDA Food Code 5-205.13). A device such as a water treatment device or backflow preventer must be scheduled for inspection and service, in accordance with manufacturer's instructions and as necessary to prevent device failure based on local water conditions, and records demonstrating inspection and service must be maintained by the PERSON IN CHARGE.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05280, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05285 Operation and maintenance— Water reservoir of fogging devices, cleaning (2009 FDA Food Code 5-205.14). (1) A reservoir that is used to supply water to a device such as a produce fogger must be:

(a) Maintained in accordance with manufacturer's specifications; and

(b) Cleaned in accordance with manufacturer's specifications or according to the procedures specified under subsection (2) of this section, whichever is more stringent.

(2) Cleaning procedures must include at least the following steps and must be conducted at least once a week:

(a) Draining and complete disassembly of the water and aerosol contact parts;

(b) Brush cleaning the reservoir, aerosol tubing, and discharge nozzles with a suitable detergent solution;

(c) Flushing the complete system with water to remove the detergent solution and particulate accumulation; and

(d) Rinsing by immersing, spraying, or swabbing the reservoir, aerosol tubing, and discharge nozzles with at least 50 MG/L hypochlorite solution.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05285, filed 1/17/13, effective 5/1/13.]

#### WAC 246-215-05290 Operation and maintenance— System maintained in good repair (2009 FDA Food Code 5-205.15). A PLUMBING SYSTEM must be:

(1) Repaired according to LAW; and

(2) Maintained in good repair.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05290, filed 1/17/13, effective 5/1/13.]

# Subpart C - Mobile Water Tank and Mobile Food Establishment Water Tank

WAC 246-215-05300 Materials—Approved (2009 FDA Food Code 5-301.11). Materials that are used in the construction of a mobile water tank, MOBILE FOOD UNIT water tank, and appurtenances must be:

(1) Safe;

(2) Durable, CORROSION-RESISTANT and nonabsorbent; and

(3) Finished to have a SMOOTH, EASILY CLEANABLE surface.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05300, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05305 Design and construction— Enclosed system, sloped to drain (2009 FDA Food Code 5-302.11). A mobile water tank must be:

(1) Enclosed from the filling inlet to the discharge outlet; and

(2) Sloped to an outlet that allows complete drainage of the tank.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05305, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05310 Design and construction— Inspection and cleaning port, protected and secured (2009 FDA Food Code 5-302.12). If a water tank is designed with an access port for inspection and cleaning, the opening must be in the top of the tank and:

(1) Flanged upward at least one-half inch (13 mm); and

(2) Equipped with a port cover assembly that is:

(a) Provided with a gasket and a device for securing the cover in place; and

(b) Flanged to overlap the opening and sloped to drain.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05310, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05315 Design and construction—"V" type threads, use limitation (2009 FDA Food Code 5-302.13). A fitting with "V" type threads on a water tank or inlet or outlet must be allowed only when a hose is permanently attached.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05315, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05320 Design and construction— Tank vent, protected (2009 FDA Food Code 5-302.14). If provided, a water tank vent must terminate in a downward direction and must be covered with:

(1) 16 mesh to one inch (16 mesh to 25.4 mm) screen or equivalent when the vent is in a protected area; or

(2) A protective filter when the vent is in an area that is not protected from windblown dirt and debris.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05320, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05325 Design and construction—Inlet and outlet, sloped to drain (2009 FDA Food Code 5-302.15). (1) A water tank and its inlet and outlet must be sloped to drain.

(2) A water tank inlet must be positioned so that it is protected from contaminants such as waste discharge, road dust, oil or grease.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05325, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05330 Design and construction— Hose, construction and identification (2009 FDA Food Code 5-302.16). A hose used for conveying DRINKING WATER from a water tank must be:

(1) Safe;

(2) Durable, CORROSION-RESISTANT, and nonabsorbent;

(3) Resistant to pitting, chipping, crazing, scratching, scoring, distortion, and decomposition;

(4) Finished with a smooth interior surface; and

(5) Clearly and durably identified as to its use if not permanently attached.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05330, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05335 Numbers and capacities—Filter, compressed air (2009 FDA Food Code 5-303.11). A filter that does not pass oil or oil vapors must be installed in the air supply line between the compressor and DRINKING WATER system when compressed air is used to pressurize the water tank system.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05335, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05340 Numbers and capacities—Protective cover or device (2009 FDA Food Code 5-303.12). A cap and keeper chain, closed cabinet, closed storage tube, or other APPROVED protective cover or device must be provided for a water inlet, outlet and hose.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05340, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05345 Numbers and capacities— Mobile food unit tank inlet (2009 FDA Food Code 5-303.13). A MOBILE FOOD UNIT water tank inlet must be:

(1) Three-fourths inch (19.1 mm) in inner diameter or less; and

(2) Provided with a hose connection of a size or type that prevents its use for any other service.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05345, filed 1/17/13, effective 5/1/13.]

[Ch. 246-215 WAC p. 58]

WAC 246-215-05350 Operation and maintenance— System flushing and sanitation (2009 FDA Food Code 5-304.11). A water tank, pump, and hoses must be flushed and SANITIZED before being placed in service after construction, repair, modification, and periods of nonuse.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05350, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05355 Operation and maintenance— Using a pump and hoses, backflow prevention (2009 FDA Food Code 5-304.12). A PERSON shall operate a water tank, pump, and hoses so that backflow and other contamination of the water supply are prevented.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05355, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05360 Operation and maintenance— Protecting inlet, outlet, and hose fitting (2009 FDA Food Code 5-304.13). If not in use, a water tank and hose inlet and outlet fitting must be protected using a cover or device as specified under WAC 246-215-05340.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05360, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05365 Operation and maintenance— Tank, pump, and hoses, dedication (2009 FDA Food Code 5-304.14). (1) Except as specified in subsection (2) of this section, a water tank, pump, and hoses used for conveying DRINKING WATER must be used for no other purpose.

(2) Water tanks, pumps, and hoses APPROVED for liquid FOODS may be used for conveying DRINKING WATER if they are cleaned and SANITIZED before they are used to convey water.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05365, filed 1/17/13, effective 5/1/13.]

# Subpart D - Sewage, Other Liquid Waste, and Rainwater

WAC 246-215-05400 Mobile holding tank—Capacity and drainage (2009 FDA Food Code 5-401.11). A SEW-AGE holding tank in a MOBILE FOOD UNIT must be:

(1) Sized fifteen percent larger in capacity than the water supply tank; and

(2) Sloped to a drain that is one inch (25 mm) in inner diameter or greater, equipped with a shutoff valve.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05400, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05405 Retention, drainage, and delivery design, construction, and installation—Establishment drainage system (2009 FDA Food Code 5-402.10). FOOD ESTABLISHMENT drainage systems, including grease traps, that convey SEWAGE must be designed and installed as specified under WAC 246-215-05205(1).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05405, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05410 Retention, drainage, and delivery design, construction, and installation—Backflow prevention (2009 FDA Food Code 5-402.11). (1) Except as specified in subsections (2), (3), and (4) of this section, a

direct connection may not exist between the SEWAGE system and a drain originating from EQUIPMENT in which FOOD, portable EQUIPMENT, or UTENSILS are placed.

(2) Subsection (1) of this section does not apply to floor drains that originate in refrigerated spaces that are constructed as an integral part of the building.

(3) If allowed by LAW, a WAREWASHING machine may have a direct connection between its waste outlet and a floor drain when the machine is located within five feet (1.5 mm) of a trapped floor drain and the machine outlet is connected to the inlet side of a properly vented floor drain trap.

(4) If allowed by LAW, a WAREWASHING sink may have a direct connection.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05410, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05415 Retention, drainage, and delivery location and placement—Grease trap (2009 FDA Food Code 5-402.12). If used, a grease trap must be located to be easily accessible for cleaning.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05415, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05420 Retention, drainage, and delivery operation and maintenance—Conveying sewage (2009 FDA Food Code 5-402.13). SEWAGE must be conveyed to the point of disposal through an APPROVED sanitary SEWAGE system, on-site SEWAGE system, or other system, including use of SEWAGE transport vehicles, waste retention tanks, pumps, pipes, hoses, and connections that are constructed, installed, maintained, and operated according to LAW.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05420, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05425 Retention, drainage, and delivery operation and maintenance—Removing mobile food unit wastes (2009 FDA Food Code 5-402.14). SEWAGE and other liquid wastes must be removed from a MOBILE FOOD UNIT at an APPROVED waste SERVICING area or by a SEWAGE transport vehicle in such a way that a public health HAZARD or nuisance is not created.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05425, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05430 Retention, drainage, and delivery operation and maintenance—Flushing a waste retention tank (2009 FDA Food Code 5-402.15). A tank for liquid waste retention must be thoroughly flushed and drained in a sanitary manner during the servicing operation.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05430, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05435 Disposal facility design and construction—Approved sewage disposal system (2009 FDA Food Code 5-403.11). SEWAGE must be disposed through an APPROVED facility or system that is:

(1) A public SEWAGE treatment plant; or

(2) A SEWAGE disposal system that is sized, constructed, maintained and operated according to LAW.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05435, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05440 Disposal facility design and construction—Other liquid wastes and rainwater (2009 FDA Food Code 5-403.12). Condensate drainage and other liquids and rainwater that are not SEWAGE must be drained from point of discharge to disposal according to LAW.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05440, filed 1/17/13, effective 5/1/13.]

## Subpart E - Refuse, Recyclables, and Returnables

WAC 246-215-05500 Facilities on the premises, materials, design, construction and installation—Indoor storage area (2009 FDA Food Code 5-501.10). If located within the FOOD ESTABLISHMENT, a storage area for REFUSE, recyclables and returnables must meet the requirements specified under WAC 246-215-06100, 246-215-06200, 246-215-06235, 246-215-06260, and 246-215-06265.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05500, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05505 Facilities on the premises, materials, design, construction and installation—Outdoor storage surface (2009 FDA Food Code 5-501.11). An outdoor storage surface for REFUSE, recyclables, and returnables must be constructed of nonabsorbent material such as concrete or asphalt and must be SMOOTH, durable and sloped to drain.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05505, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05510 Facilities on the premises, materials, design, construction and installation—Outdoor enclosure (2009 FDA Food Code 5-501.12). If used, an outdoor enclosure for REFUSE, recyclables, and returnables must be constructed of durable and cleanable materials.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05510, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05515 Facilities on the premises, materials, design, construction and installation—Receptacles (2009 FDA Food Code 5-501.13). (1) Except as specified in subsection (2) of this section, receptacles and waste handling units for REFUSE, recyclables, and returnables and for use with materials containing FOOD residue must be durable, cleanable, insect- and rodent-resistant, leakproof, and nonabsorbent.

(2) Plastic bags and wet strength paper bags may be used to line receptacles for storage inside the FOOD ESTABLISH-MENT, or within closed outside receptacles.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05515, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05520 Facilities on the premises, materials, design, construction and installation—Receptacles in vending machines (2009 FDA Food Code 5-501.14). A REFUSE receptacle may not be located within a VENDING MACHINE, except that a receptacle for BEVERAGE bottle crown closures may be located within a VENDING MACHINE.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05520, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05525 Facilities on the premises, materials, design, construction and installation—Outside receptacles (2009 FDA Food Code 5-501.15). (1) Receptacles and waste handling units for REFUSE, recyclables, and returnables used with materials containing FOOD residue and used outside the FOOD ESTABLISHMENT must be designed and constructed to have tight fitting lids, doors, or covers.

(2) Receptacles and waste handling units for REFUSE and recyclables such as an on-site compactor must be installed so that accumulation of debris and insect and other rodent attraction and harborage are minimized and effective cleaning is facilitated around, and if the unit is not installed flush with the base pad, under the unit.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05525, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05530 Facilities on the premises, numbers and capacities—Storage areas, rooms, and receptacles, capacity and availability (2009 FDA Food Code 5-501.16). (1) An inside storage room and area and outside storage area and enclosure, and receptacles must be of sufficient capacity to hold REFUSE, recyclables, and returnables that accumulate.

(2) A receptacle must be provided in each area of the FOOD ESTABLISHMENT or PREMISES where REFUSE is generated or commonly discarded, or where recyclables or returnables are placed.

(3) If disposable towels are used at HANDWASHING SINKS, a waste receptacle must be located at each HAND-WASHING SINK or group of adjacent HANDWASHING SINKS.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05530, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05535 Facilities on the premises, numbers and capacities—Toilet room receptacle, covered (2009 FDA Food Code 5-501.17). A toilet room used by females must be provided with a covered receptacle for sanitary napkins.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05535, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05540 Facilities on the premises, numbers and capacities—Cleaning implements and supplies (2009 FDA Food Code 5-501.18). (1) Except as specified in subsection (2) of this section, suitable cleaning implements and supplies such as high pressure pumps, hot water, steam, and detergent must be provided as necessary for effective cleaning of receptacles and waste handling units for REFUSE, recyclables, and returnables.

(2) If APPROVED, off-PREMISES-based cleaning services may be used if on-PREMISES cleaning implements and supplies are not provided.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05540, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05545 Facilities on the premises, location and placement—Storage areas, redeeming machines, receptacles and waste handling units, location (2009 FDA Food Code 5-501.19). (1) An area designated for REFUSE, recyclables, returnables, and, except as specified in subsection (2) of this section, a redeeming machine for recyclables or returnables must be located so that it is separate from FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES and a public health HAZARD or nuisance is not created.

(2) A redeeming machine may be located in the PACK-AGED FOOD storage area or CONSUMER area of a FOOD ESTAB-LISHMENT if FOOD, EQUIPMENT, UTENSILS, LINENS and SIN-GLE-SERVICE and SINGLE-USE ARTICLES are not subject to contamination from the machines and a public health HAZ-ARD or nuisance is not created.

(3) The location of receptacles and waste handling units for REFUSE, recyclables, and returnables may not create a public health HAZARD or nuisance or interfere with the cleaning of adjacent space.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05545, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05550 Facilities on the premises, operation and maintenance—Storing refuse, recyclables, and returnables (2009 FDA Food Code 5-501.110). REFUSE, recyclables and returnables must be stored in receptacles or waste handling units so that they are inaccessible to insects and rodents.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05550, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05555 Facilities on the premises, operation and maintenance—Areas, enclosures, and receptacles, good repair (2009 FDA Food Code 5-501.111). Storage areas, enclosures, and receptacles for REFUSE, recyclables, and returnables must be maintained in good repair.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05555, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05560 Facilities on the premises, operation and maintenance—Outside storage prohibitions (2009 FDA Food Code 5-501.112). (1) Except as specified in subsection (2) of this section, REFUSE receptacles not meeting the requirements specified under WAC 246-215-05515(1) such as receptacles that are not rodent-resistant, unprotected plastic bags and paper bags, or baled units that contain materials with FOOD residue may not be stored outside.

(2) Cardboard or other packaging material that does not contain FOOD residues and that is awaiting regularly scheduled delivery to a recycling or disposal site may be stored outside without being in a covered receptacle if it is stored so that it does not create a rodent harborage problem.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05560, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05565 Facilities on the premises, operation and maintenance—Covering receptacles (2009 FDA Food Code 5-501.113). Receptacles and waste handling units for REFUSE, recyclables, and returnables must be kept covered:

(1) Inside the FOOD ESTABLISHMENT if the receptacles and units:

(a) Contain FOOD residue and are not in continuous use; or

(b) After they are filled; and

(2) With tight fitting lids or doors if kept outside the FOOD ESTABLISHMENT.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05565, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05570 Facilities on the premises, operation and maintenance—Using drain plugs (2009 FDA Food Code 5-501.114). Drains in receptacles and waste handling units for REFUSE, recyclables, and returnables must have drain plugs in place.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05570, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05575 Facilities on the premises, operation and maintenance—Maintaining refuse areas and enclosures (2009 FDA Food Code 5-501.115). A storage area and enclosure for REFUSE, recyclables, and returnables must be maintained free of unnecessary items, as specified under WAC 246-215-06565, and clean.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-05575, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05580 Facilities on the premises, operation and maintenance—Cleaning receptacles (2009 FDA Food Code 5-501.116). (1) Receptacles and waste handling units for REFUSE, recyclables, and returnables must be thoroughly cleaned in a way that does not contaminate FOOD, EQUIPMENT, UTENSILS, LINENS, or SINGLE-SERVICE and SIN-GLE-USE ARTICLES, and waste water must be disposed of as specified under WAC 246-215-05420.

(2) Soiled receptacles and waste handling units for REFUSE, recyclables, and returnables must be cleaned at a frequency necessary to prevent them from developing a buildup of soil or becoming attractants for insects and rodents.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05580, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05585 Removal—Frequency (2009 FDA Food Code 5-502.11). REFUSE, recyclables, and returnables must be removed from the PREMISES at a frequency that minimizes the development of objectionable odors and other conditions that attract or harbor insects and rodents.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05585, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05590 Removal—Receptacles or vehicles (2009 FDA Food Code 5-502.12). REFUSE, recyclables, and returnables must be removed from the PREMISES by way of:

(1) Portable receptacles that are constructed and maintained according to LAW; or

(2) A transport vehicle that is constructed, maintained, and operated according to LAW.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05590, filed 1/17/13, effective 5/1/13.]

WAC 246-215-05595 Facilities for disposal and recycling—Community or individual facility (2009 FDA Food Code 5-503.11). Solid waste not disposed of through the SEWAGE system such as through grinders and pulpers must be recycled or disposed of in an APPROVED public or private community recycling or REFUSE facility; or solid waste must be disposed of in an individual REFUSE facility such as a landfill or incinerator which is sized, constructed, maintained, and operated according to LAW.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05595, filed 1/17/13, effective 5/1/13.]

# **PART 6: PHYSICAL FACILITIES**

## Subpart A - Materials for Construction and Repair

WAC 246-215-06100 Indoor areas—Surface characteristics (2009 FDA Food Code 6-101.11). (1) Except as specified in subsection (2) of this section, materials for indoor floor, wall, and ceiling surfaces under conditions of normal use must be:

(a) SMOOTH, durable, and EASILY CLEANABLE for areas where FOOD ESTABLISHMENT operations are conducted;

(b) Closely woven and EASILY CLEANABLE carpet for carpeted areas; and

(c) Nonabsorbent for areas subject to moisture such as FOOD preparation areas, walk-in refrigerators, WAREWASH-ING areas, toilet rooms, MOBILE FOOD UNIT SERVICING AREAS, and areas subject to flushing or spray cleaning methods.

(2) In a TEMPORARY FOOD ESTABLISHMENT:

(a) If graded to drain, a floor may be concrete, machine laid asphalt, or dirt or gravel if it is covered with mats, removable platforms, duckboards, or other APPROVED materials that are effectively treated to control dust and mud.

(b) Walls and ceilings must be constructed from a material that protects the interior from the weather and windblown dust and debris.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06100, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06105 Outdoor areas—Surface characteristics (2009 FDA Food Code 6-102.11). (1) The outdoor walking and driving areas must be surfaced with concrete, asphalt or gravel or other materials that have been effectively treated to minimize dust, facilitate maintenance, and prevent muddy conditions.

(2) Exterior surfaces of buildings and MOBILE FOOD UNIT must be of weather-resistant materials and must comply with LAW.

(3) Outdoor storage areas for REFUSE, recyclables, or returnables must be of materials specified under WAC 246-215-05505 and 246-215-05510.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06105, filed 1/17/13, effective 5/1/13.]

# Subpart B - Design, Construction and Installation

WAC 246-215-06200 Cleanability—Floors, walls and ceilings (2009 FDA Food Code 6-201.11). Except as specified under WAC 246-215-06215 and except for antislip floor coverings or applications that may be used for safety reasons, floors, floor coverings, walls, wall coverings and ceilings must be designed, constructed, and installed so they are SMOOTH and EASILY CLEANABLE.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06200, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06205 Cleanability—Floors, walls, and ceilings, utility lines (2009 FDA Food Code 6-201.12). (1) Utility service lines and pipes may not be unnecessarily exposed.

(2) Exposed utility service lines and pipes must be installed so they do not obstruct or prevent cleaning of the floors, walls or ceilings.

(3) Exposed horizontal utility service lines and pipes may not be installed on the floor.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-06205, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06210 Cleanability—Floor and wall junctures, covered and enclosed or sealed (2009 FDA Food Code 6-201.13). (1) In FOOD ESTABLISHMENTS in which cleaning methods other than water flushing are used for cleaning floors, the floor and wall junctures must be coved and closed to no larger than one thirty-second inch (1 mm).

(2) The floors in FOOD ESTABLISHMENTS in which water flush cleaning methods are used must be provided with drains and be graded to drain, and the floor and wall junctures must be coved and SEALED.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06210, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06215 Cleanability—Floor carpeting, restriction and installation (2009 FDA Food Code 6-201.14). (1) A floor covering such as carpeting or similar material may not be installed as a floor covering in FOOD preparation areas, walk-in refrigerators, WAREWASHING areas, toilet room areas where HANDWASHING SINKS, toilets and urinals are located, REFUSE storage rooms, or other areas where the floor is subject to moisture, flushing or spray cleaning methods.

(2) If carpeting is installed as a floor covering in areas other than those specified under subsection (1) of this section, it must be:

(a) Securely attached to the floor with a durable mastic, by using a stretch and tack method, or by another method; and

(b) Installed tightly against the wall under the coving or installed away from the wall with a space between the carpet and the wall and with the edges of the carpet secured by metal stripping or some other means.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06215, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06220 Cleanability—Floor covering, mats and duckboards (2009 FDA Food Code 6-201.15). Mats and duckboards must be designed to be removable and EASILY CLEANABLE.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06220, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06225 Cleanability—Wall and ceiling coverings and coatings (2009 FDA Food Code 6-201.16). (1) Wall and ceiling covering materials must be attached so that they are EASILY CLEANABLE.

(2) Except in areas used only for DRY STORAGE, concrete, porous blocks, or bricks used for indoor wall construction must be finished and SEALED to provide a SMOOTH, nonabsorbent, EASILY CLEANABLE surface.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-06225, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06230 Cleanability—Walls and ceilings, attachments (2009 FDA Food Code 6-201.17). (1) Except as specified in subsection (2) of this section, attachments to walls and ceilings such as light fixtures, mechanical room ventilation system components, vent covers, wall mounted fans, decorative items, and other attachments must be EASILY CLEANABLE.

(2) In a CONSUMER area, wall and ceiling surfaces and decorative items and attachments that are provided for ambiance need not meet this requirement if they are kept clean.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06230, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06235 Cleanability—Walls and ceilings, studs, joists, and rafters (2009 FDA Food Code 6-201.18). Except for TEMPORARY FOOD ESTABLISHMENTS, studs, joists, and rafters may not be exposed in areas subject to moisture.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06235, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06240 Functionality—Light bulbs, protective shielding (2009 FDA Food Code 6-202.11). (1) Except as specified in subsection (2) of this section, light bulbs must be shielded, coated, or otherwise shatter-resistant in areas where there is exposed FOOD, clean EQUIPMENT, UTENSILS, and LINENS, or unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES.

(2) Shielded, coated, or otherwise shatter-resistant bulbs need not be used in areas used only for storing FOOD in unopened packages if:

(a) The integrity of the packages cannot be affected by broken glass falling into them; and

(b) The packages are capable of being cleaned of debris from broken bulbs before the packages are opened.

(3) An infrared or other heat lamp must be protected against breakage by a shield surrounding and extending beyond the bulb so that only the face of the bulb is exposed.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06240, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06245 Functionality—Heating, ventilating, air conditioning system vents (2009 FDA Food Code 6-202.12). Heating, ventilating, and air conditioning systems must be designed and installed so that make-up air intake and exhaust vents do not cause contamination of FOOD, FOOD-CONTACT SURFACES, EQUIPMENT, or UTENSILS.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06245, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06250 Functionality—Insect control devices, design and installation (2009 FDA Food Code 6-202.13). (1) Insect control devices that are used to electrocute or stun flying insects must be designed to retain the insect within the device.

(2) Insect control devices must be installed so that:

(a) The devices are not located over a FOOD preparation area; and

(b) Dead insects and insect fragments are prevented from being impelled onto or falling on exposed FOOD, clean EQUIP-MENT, UTENSILS, and LINENS, and unwrapped SINGLE-SER-VICE or SINGLE-USE ARTICLES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06250, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06255 Functionality—Toilet rooms, enclosed (2009 FDA Food Code 6-202.14). Except where a toilet room is located outside a FOOD ESTABLISHMENT and does not open directly into the FOOD ESTABLISHMENT such as a toilet room that is provided by the management of a shopping mall, a toilet room located on the PREMISES must be completely enclosed and provided with a tight-fitting and self-closing door.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06255, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06260 Functionality—Outer openings, protected (2009 FDA Food Code 6-202.15). (1) Except as specified in subsections (2) through (5) of this section, outer openings of a FOOD ESTABLISHMENT must be protected against the entry of insects and rodents by:

(a) Filling or closing holes and other gaps along floors, walls, and ceilings;

(b) Closed, tight-fitting windows; and

(c) Solid, self-closing, tight-fitting doors.

(2) Subsection (1) of this section does not apply if a FOOD ESTABLISHMENT opens into a larger structure, such as a mall, airport or office building, or into an attached structure such as a porch, and the outer openings from the larger or attached structure are protected against the entry of insects and rodents.

(3) Exterior doors used as exits need not be self-closing if they are:

(a) Solid and tight-fitting;

(b) Designated for use only when an emergency exists, by the fire protection authority that has jurisdiction over the FOOD ESTABLISHMENT; and

(c) Limited-use so they are not used for entrance or exit from the building for purposes other than the designated emergency exit use.

(4) Except as specified in subsections (2) and (5) of this section, if the windows or doors of a FOOD ESTABLISHMENT,

or of a larger structure within which a FOOD ESTABLISHMENT is located, are kept open for ventilation or other purposes or a TEMPORARY FOOD ESTABLISHMENT is not provided with windows and doors as specified under subsection (1) of this section, the openings must be protected against entry of insects and rodents by:

(a) 16 mesh to one inch (16 mesh to 25.4 mm) screens;

(b) Properly designed and installed air curtains to control flying insects; or

(c) Other effective means.

(5) Subsection (4) of this section does not apply if flying insects and other pests are absent due to the location of the establishment, the weather, or other limiting condition.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-06260, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06265 Functionality—Exterior walls and roofs, protective barrier (2009 FDA Food Code 6-202.16). Perimeter walls and roofs of a FOOD ESTABLISH-MENT must effectively protect the establishment from the weather and entry of insects, rodents, and other animals.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06265, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06270 Functionality—Outdoor food vending areas, overhead protection (2009 FDA Food Code 6-202.17). Except for machines that vend canned BEV-ERAGES, if located outside, a machine used to vend FOOD must be provided with overhead protection.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06270, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06275 Functionality—Outdoor servicing areas, overhead protection (2009 FDA Food Code 6-202.18). Except for areas used only for the loading of water or the discharge of SEWAGE and other liquid waste, through the use of a closed system of hoses, SERVICING AREAS must be provided with overhead protection.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-06275, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06280 Functionality—Outdoor walking and driving surfaces, graded to drain (2009 FDA Food Code 6-202.19). Exterior walking and driving services must be graded to drain.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-06280, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06285 Functionality—Outdoor refuse areas (2009 FDA Food Code 6-202.110). Outdoor REFUSE areas must be constructed in accordance with LAW.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-06285, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06290 Functionality—Private homes and living or sleeping quarters, use prohibition (2009 FDA Food Code 6-202.111). A private home, a room used as living or sleeping quarters, or an area directly opening into a room used as living or sleeping quarters may not be used for conducting FOOD ESTABLISHMENT operations. [Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06290, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06295 Functionality—Living or sleeping quarters, separation (2009 FDA Food Code 6-202.112). Living or sleeping quarters located on the PREM-ISES of a FOOD ESTABLISHMENT such as those provided for lodging registration clerks or resident managers must be separated from rooms and areas used for FOOD ESTABLISHMENT operations by complete partitioning and solid self-closing doors.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06295, filed 1/17/13, effective 5/1/13.]

## Subpart C - Numbers and Capacities

WAC 246-215-06300 Handwashing facilities—Minimum number (2009 FDA Food Code 6-301.10). Handwashing facilities must be provided as specified under WAC 246-215-05230.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06300, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06305 Handwashing facilities— Handwashing cleanser, availability (2009 FDA Food Code 6-301.11). Each HANDWASHING SINK or group of two adjacent HANDWASHING SINKS must be provided with a supply of hand cleaning liquid, powder, or bar soap.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06305, filed 1/17/13, effective 5/1/13.]

# WAC 246-215-06310 Handwashing facilities— Hand-drying provision (2009 FDA Food Code 6-301.12). Each HANDWASHING SINK or group of adjacent HANDWASH-

ING SINKS must be provided with:

(1) Individual, disposable towels;

(2) A continuous towel system that supplies the user with a clean towel;

(3) A heated-air hand-drying device; or

(4) A hand-drying device that employs and air-knife system that delivers high velocity, pressurized air at ambient temperatures.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06310, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06315 Handwashing facilities— Handwashing aids and devices, use restriction (2009 FDA Food Code 6-301.13). A sink used for FOOD preparation or UTENSIL washing, or a service sink or curbed cleaning facility used for the disposal of mop water or similar wastes, may not be provided with the handwashing aids and devices required for a HANDWASHING SINK as specified under WAC 246-215-06305, 246-215-06310, and 246-215-05530(3).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06315, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06320 Handwashing facilities— Handwashing signage (2009 FDA Food Code 6-301.14). A sign or poster that notifies FOOD EMPLOYEES to wash their hands must be provided at all HANDWASHING SINKS used by

[Ch. 246-215 WAC p. 64]

FOOD EMPLOYEES and must be clearly visible to FOOD EMPLOYEES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06320, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06325 Handwashing facilities—Disposable towels, waste receptacle (2009 FDA Food Code 6-301.20). A HANDWASHING SINK or group of adjacent HAND-WASHING SINKS that is provided with disposable towels must be provided with a waste receptacle as specified under WAC 246-215-05530(3).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06325, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06330 Toilets and urinals—Minimum number (2009 FDA Food Code 6-302.10). Toilets and urinals must be provided as specified under WAC 246-215-05235.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-06330, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06335 Toilets and urinals—Toilet tissue, availability (2009 FDA Food Code 6-302.11). A supply of toilet tissue must be available at each toilet.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06335, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06340 Lighting—Intensity (2009 FDA Food Code 6-303.11). The light intensity must be:

(1) At least 10 foot candles (108 lux) at a distance of 30 inches (75 cm) above the floor, in walk-in refrigeration units and dry FOOD storage areas and in other areas and rooms during periods of cleaning;

(2) At least 20 foot candles (215 lux):

(a) At a surface where FOOD is provided for CONSUMER self-service such as buffets and salad bars or where fresh produce or PACKAGED FOODS are sold or offered for consumption;

(b) Inside EQUIPMENT such as reach-in and undercounter refrigerators;

(c) At a distance of 30 inches (75 cm) above the floor in areas used for handwashing, WAREWASHING, and EQUIPMENT and UTENSIL storage, and in toilet rooms; and

(3) At least 50 foot candles (540 lux) at a surface where a FOOD EMPLOYEE is working with FOOD or working with UTENSILS or EQUIPMENT such as knives, slicers, grinders, or saws where EMPLOYEE safety is a factor.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06340, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06345 Ventilation—Mechanical (2009 FDA Food Code 6-304.11). If necessary to keep rooms free of excessive heat, steam, condensation, vapors, obnoxious odors, smoke and fumes, mechanical ventilation of sufficient capacity must be provided.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06345, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06350 Dressing areas and lockers— Designation (2009 FDA Food Code 6-305.11). (1) Dressing rooms or dressing areas must be designed if EMPLOYEES routinely change their clothes in the establishment.

(2) Lockers or other suitable facilities must be provided for the orderly storage of EMPLOYEES' clothing and other possessions.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06350, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06355 Service sinks—Availability (2009 FDA Food Code 6-306.10). A service sink or curbed cleaning facility must be provided as specified under WAC 246-215-05240.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06355, filed 1/17/13, effective 5/1/13.]

#### Subpart D - Location and Placement

WAC 246-215-06400 Handwashing facilities—Conveniently located (2009 FDA Food Code 6-401.10). HAND-WASHING SINKS must be conveniently located as specified under WAC 246-215-05255.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06400, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06405 Toilet rooms—Convenience and accessibility (2009 FDA Food Code 6-402.11). Toilet rooms must be conveniently located and accessible to EMPLOYEES during all hours of operation.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06405, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06410 Employee accommodations— Designated areas (2009 FDA Food Code 6-403.11). (1) Areas designated for EMPLOYEES to eat, drink, and use tobacco must be located so that FOOD, EQUIPMENT, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES are protected from contamination.

(2) Lockers or other suitable facilities must be located in a designated room or area where contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SIN-GLE-USE ARTICLES cannot occur.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06410, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06415 Distressed merchandise—Segregation and location (2009 FDA Food Code 6-404.11). Products that are held by the PERMIT HOLDER for credit, redemption, or return to the distributor, such as damaged, spoiled, or recalled products, must be segregated and held in designated areas that are separated from FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06415, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06420 Refuse, recyclables, and returnables—Receptacles, waste handling units, and designated storage areas (2009 FDA Food Code 6-405.10). Units, receptacles, and areas designated for storage of REFUSE and recyclable and returnable containers must be located as specified under WAC 246-215-05545.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06420, filed 1/17/13, effective 5/1/13.]

# Subpart E - Maintenance and Operation: Premises, Structures, Attachments, and Fixtures

WAC 246-215-06500 Methods—Repairing (2009 FDA Food Code 6-501.11). PHYSICAL FACILITIES must be maintained in good repair.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06500, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06505 Methods—Cleaning, frequency and restrictions (2009 FDA Food Code 6-501.12). (1) PHYSICAL FACILITIES must be cleaned as often as necessary to keep them clean.

(2) Except for cleaning that is necessary due to a spill or other accident, cleaning must be done during periods when the least amount of FOOD is exposed such as after closing.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06505, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06510 Methods—Cleaning floors, dustless methods (2009 FDA Food Code 6-501.13). (1) Except as specified in subsection (2) of this section, only dustless methods of cleaning must be used, such as wet cleaning, vacuum cleaning, mopping with treated dust mops, or sweeping using a broom and dust-arresting compounds.

(2) Spills or drippage on floors that occur between normal floor cleaning times may be cleaned:

(a) Without the use of dust-arresting compounds; and

(b) In the case of liquid spills or drippage, with the use of a small amount of absorbent compound such as sawdust or diatomaceous earth applied immediately before spot cleaning.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-06510, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06515 Methods—Cleaning ventilation systems, nuisance and discharge prohibition (2009 FDA Food Code 6-501.14). (1) Intake and exhaust air ducts must be cleaned and filters changed so that they are not a source of contamination by dust, dirt, and other materials.

(2) If vented to the outside, ventilation systems may not create a public health HAZARD or nuisance or unlawful discharge.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06515, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06520 Methods—Cleaning maintenance tools, preventing contamination (2009 FDA Food Code 6-501.15). FOOD preparation sinks, HANDWASHING SINKS, and WAREWASHING EQUIPMENT may not be used for the cleaning of maintenance tools, the preparation or holding of maintenance materials, or the disposal of mop water and similar liquid wastes.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06520, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06525 Methods—Drying mops (2009 FDA Food Code 6-501.16). After use, mops must be placed in a position that allows them to air dry without soiling walls, EQUIPMENT, or supplies.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06525, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06530 Methods—Absorbent materials on floors, use limitations (2009 FDA Food Code 6-501.17). Except as specified under WAC 246-215-06510(2), sawdust, wood shavings, granular salt, baked clay, diatomaceous earth, or similar materials may not be used on floors.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06530, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06535 Methods—Cleaning of plumbing fixtures (2009 FDA Food Code 6-501.18). PLUMBING FIXTURES such as HANDWASHING SINKS, toilets, and urinals must be cleaned as often as necessary to keep them clean.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06535, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06540 Methods—Closing toilet room doors (2009 FDA Food Code 6-501.19). Except during cleaning and maintenance operations, toilet room doors as specified under WAC 246-215-06255 must be kept closed.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06540, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06545 Methods—Using dressing rooms and lockers (2009 FDA Food Code 6-501.110). (1) Dressing rooms must be used by EMPLOYEES if the EMPLOY-EES regularly change their clothes in the establishment.

(2) Lockers or other suitable facilities must be used for the orderly storage of EMPLOYEE clothing and other possessions.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06545, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06550 Methods—Controlling pests (2009 FDA Food Code 6-501.111). The PREMISES must be maintained free of infestations of insects, rodents, and other pests such that there is not a breeding population of pests in the facility. The presence of insects, rodents, and other pests must be controlled to minimize their presence on the PREM-ISES by:

(1) Routinely inspecting incoming shipments of FOOD and supplies;

(2) Routinely inspecting the PREMISES for evidence of pests;

(3) Using methods, if pests are found, such as trapping devices or other means of pest control as specified under WAC 246-215-07210, 246-215-07250, and 246-215-07255; and

(4) Eliminating harborage conditions.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06550, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06555 Methods—Removing dead or trapped birds, insects, rodents, and other pests (2009 FDA Food Code 6-501.112). Dead or trapped birds, insects, rodents, and other pests must be removed from control devices and the PREMISES at a frequency that prevents their accumulation, decomposition, or the attraction of pests.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06555, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06560 Methods—Storing maintenance tools (2009 FDA Food Code 6-501.113). Maintenance tools such as brooms, mops, vacuum cleaners, and similar items must be:

(1) Stored so they do not contaminate FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES; and

(2) Stored in an orderly manner that facilitates cleaning the area used for storing the maintenance tools.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06560, filed 1/17/13, effective 5/1/13.]

# WAC 246-215-06565 Methods—Maintaining premises, unnecessary items and litter (2009 FDA Food Code 6-501.114). The PREMISES must be free of:

(1) Items that are unnecessary to the operation or maintenance of the establishment such as EQUIPMENT that is nonfunctional or no longer used; and

(2) Litter.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06565, filed 1/17/13, effective 5/1/13.]

WAC 246-215-06570 Methods—Prohibiting animals (2009 FDA Food Code 6-501.115). (1) Except as specified in subsections (2) and (3) of this section, live animals may not be allowed on the PREMISES of a FOOD ESTABLISHMENT.

(2) Live animals may be allowed in the following situations if the contamination of FOOD; clean EQUIPMENT, UTEN-SILS, LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES cannot result:

(a) Edible FISH or decorative FISH in aquariums, shellfish or crustacea on ice or under refrigeration, and shellfish and crustacea in display tank systems;

(b) Patrol dogs accompanying police or security officers in offices and dining, sales, and storage areas, and sentry dogs running loose in outside fenced areas;

(c) In areas that are not used for FOOD preparation and that are usually open for customers, such as dining and sales areas, SERVICE ANIMALS that are controlled by an employee or individual with a disability, if a health or safety HAZARD will not result from the presence or activities of the SERVICE ANIMAL;

(d) Pets in the common areas of institutional care facilities such as nursing homes, assisted living facilities, group homes, or residential care facilities at times other than during meals if:

(i) Effective partitioning and self-closing doors separate the common dining areas from FOOD storage or FOOD preparation areas;

(ii) Condiments, EQUIPMENT, and UTENSILS are stored in enclosed cabinets or removed from the common dining areas when pets are present; and (iii) Dining areas including tables, countertops, and similar surfaces are effectively cleaned before the next meal service; and

(e) In areas that are not used for FOOD preparation, storage, sales, display or dining, in which there are caged animals or animals that are similarly confined, such as in a variety store that sells pets or a tourist park that displays animals.

(3) Live or dead FISH bait may be stored if contamination of FOOD; clean EQUIPMENT, UTENSILS, and LINENS; and unwrapped SINGLE-SERVICE and SINGLE-USE ARTICLES cannot result.

[Statutory Authority: RCW 43.20.145(1). WSR 18-01-081, § 246-215-06570, filed 12/15/17, effective 1/15/18. Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06570, filed 1/17/13, effective 5/1/13.]

# **PART 7: POISONOUS OR TOXIC MATERIALS**

#### Subpart A - Labeling and Identification

WAC 246-215-07100 Original containers—Identifying information, prominence (2009 FDA Food Code 7-101.11). Containers of POISONOUS OR TOXIC MATERIALS and PERSONAL CARE ITEMS must bear a legible manufacturer's label.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-07100, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07105 Working containers—Common name (2009 FDA Food Code 7-102.11). Working containers used for storing POISONOUS OR TOXIC MATERIALS such as cleaners and SANITIZERS taken from bulk supplies must be clearly and individually identified with the common name of the material.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-07105, filed 1/17/13, effective 5/1/13.]

#### Subpart B - Operational Supplies and Applications

WAC 246-215-07200 Storage—Separation (2009 FDA Food Code 7-201.11). POISONOUS OR TOXIC MATERI-ALS must be stored so they cannot contaminate FOOD, EQUIP-MENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES by:

(1) Separating the POISONOUS OR TOXIC MATERIALS by spacing or partitioning; and

(2) Locating the POISONOUS OR TOXIC MATERIALS in an area that is not above FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE or SINGLE-USE ARTICLES. This subsection does not apply to EQUIPMENT and UTENSIL cleaners and SANITIZERS that are stored in WAREWASHING areas for availability and convenience if the materials are stored to prevent contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-07200, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07205 Presence and use—Restriction (2009 FDA Food Code 7-202.11). (1) Only those POISONOUS OR TOXIC MATERIALS that are required for the operation and maintenance of a FOOD ESTABLISHMENT, such as for the

cleaning and SANITIZING of EQUIPMENT and UTENSILS and the control of insects and rodents, may be allowed in a FOOD ESTABLISHMENT.

(2) Subsection (1) of this section does not apply to PACK-AGED POISONOUS OR TOXIC MATERIALS that are for retail sale.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-07205, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07210 Presence and use—Conditions of use (2009 FDA Food Code 7-202.12). POISONOUS OR TOXIC MATERIALS must be:

(1) Used according to:

(a) LAW and this chapter;

(b) Manufacturer's use directions included in labeling, and, for a pesticide, manufacturer's label instructions that state that use is allowed in a FOOD ESTABLISHMENT;

(c) The conditions of certification, if certification is required, for use of the pest control materials; and

(d) Additional conditions that may be established by the REGULATORY AUTHORITY; and

(2) Applied so that:

(a) A HAZARD to EMPLOYEES or other persons is not constituted; and

(b) Contamination including toxic residues due to drip, drain, fog, splash or spray on FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES is prevented, and for a RESTRICTED USE PESTICIDE, this is achieved by:

(i) Removing the items;

(ii) Covering the items with impermeable covers; or

(iii) Taking other appropriate preventative actions; and

(iv) Cleaning and SANITIZING EQUIPMENT and UTENSILS after the application.

(3) A RESTRICTED USE PESTICIDE must be applied only by an applicator certified as defined in 7 U.S.C. 136 Definitions, (e) Certified Applicator, of the Federal Insecticide, Fungicide and Rodenticide Act, or a PERSON under the direct supervision of a certified applicator.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-07210, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07215 Container prohibitions—Poisonous or toxic material containers (2009 FDA Food Code 7-203.11). A container previously used to store POISONOUS OR TOXIC MATERIALS may not be used to store, transport, or dispense FOOD.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-07215, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07220 Chemicals—Sanitizers, criteria (2009 FDA Food Code 7-204.11). Chemical SANITIZERS and other chemical antimicrobials applied to FOOD-CONTACT SURFACES must meet the requirements specified in 40 C.F.R. 180.940 Tolerance exemptions for active and inert ingredients for use in antimicrobial formulations (FOOD CONTACT SURFACE SANITIZING solutions).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-07220, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07225 Chemicals—Chemicals for washing, treatment, storage, and processing fruits and vegetables, criteria (2009 FDA Food Code 7-204.12). (1) Chemicals used to wash or peel raw, whole fruits and vegetables must meet the requirements specified in 21 C.F.R. 173.315 Chemicals used in washing or to assist in the peeling of fruits and vegetables.

(2) Ozone as an antimicrobial agent used in the treatment, storage, and processing of fruits and vegetables in a FOOD ESTABLISHMENT must meet the requirements specified in 21 C.F.R. 173.368 Ozone.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-07225, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07230 Chemicals—Boiler water additives, criteria (2009 FDA Food Code 7-204.13). Chemicals used as boiler water additives must meet the requirements specified in 21 C.F.R. 173.310 Boiler Water Additives.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-07230, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07235 Chemicals—Drying agents, criteria (2009 FDA Food Code 7-204.14). Drying agents used in conjunction with SANITIZATION must:

(1) Contain only components that are listed as one of the following:

(a) Generally recognized as safe for use in FOOD as specified in 21 C.F.R. 182 - Substances Generally Recognized as Safe, or 21 C.F.R. 184 - Direct Food Substances Affirmed as Generally Recognized as Safe;

(b) Generally recognized as safe for the intended use as specified in 21 C.F.R. 186 - Indirect Food Substances Affirmed as Generally Recognized as Safe;

(c) APPROVED for use as a drying agent under a prior sanction specified in 21 C.F.R. 181 - Prior Sanctioned Food Ingredients;

(d) Specifically regulated as an indirect FOOD ADDITIVE for use as a drying agent as specified in 21 C.F.R. Parts 175-178; or

(e) APPROVED for use as a drying agent under the threshold of regulation process established by 21 C.F.R. 170.39 Threshold of Regulation For Substances Used In Food-Contact Articles; and

(2) When SANITIZATION is with chemicals, the approval required under subsection (1)(c) or (e) of this section or the regulation as an indirect FOOD ADDITIVE required under subsection (1)(d) of this section, must be specifically for use with chemical SANITIZING solutions.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-07235, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07240 Lubricants—Incidental food contact, criteria (2009 FDA Food Code 7-205.11). Lubricants must meet the requirements specified in 21 C.F.R. 178.3570 Lubricants with Incidental Food Contact, if they are used on FOOD-CONTACT SURFACES, on bearings and gears located on or within FOOD-CONTACT SURFACES, or on bearings and gears that are located so that lubricants may leak, drip, or be forced into FOOD or onto FOOD-CONTACT SURFACES.

[Ch. 246-215 WAC p. 68]

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-07240, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07245 Pesticides—Restricted use pesticides, criteria (2009 FDA Food Code 7-206.11). RESTRICTED USE PESTICIDES specified under WAC 246-215-07210(3) must meet the requirements specified in 40 C.F.R. 152 Subpart I - Classification of Pesticides.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-07245, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07250 Pesticides—Rodent bait stations (2009 FDA Food Code 7-206.12). Rodent bait must be contained in a covered, tamper-resistant bait station.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-07250, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07255 Pesticides—Tracking powders, pest control and monitoring (2009 FDA Food Code 7-206.13). (1) Except as specified in subsection (2) of this section, a tracking powder pesticide may not be used in a FOOD ESTABLISHMENT.

(2) If used, a nontoxic tracking powder such as talcum or flour may not contaminate FOOD, EQUIPMENT, UTENSILS, LIN-ENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-07255, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07260 Medicines—Restriction and storage (2009 FDA Food Code 7-207.11). (1) Except for medicines that are stored or displayed for retail sale, only those medicines that are necessary for the health of EMPLOY-EES may be allowed in a FOOD ESTABLISHMENT.

(2) Medicines that are in a FOOD ESTABLISHMENT for the EMPLOYEES' use must be labeled as specified under WAC 246-215-07100 and located to prevent the contamination of FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-07260, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07265 Medicines—Refrigerated medicines, storage (2009 FDA Food Code 7-207.12). Medicines belonging to EMPLOYEES or to children in a day care center that require refrigeration and are stored in a FOOD refrigerator must be:

(1) Stored in a package or container and kept inside a covered, leakproof container that is identified as a container for the storage of medicines; and

(2) Located so they are inaccessible to children.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-07265, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07270 First-aid supplies—Storage (2009 FDA Food Code 7-208.11). First-aid supplies that are in a FOOD ESTABLISHMENT for the EMPLOYEES' use must be:

(1) Labeled as specified under WAC 246-215-07100; and

(2) Stored in a kit or a container that is located to prevent the contamination of FOOD, EQUIPMENT, UTENSILS, and LIN-ENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES. [Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-07270, filed 1/17/13, effective 5/1/13.]

WAC 246-215-07275 Other personal care items— Storage (2009 FDA Food Code 7-209.11). Except as specified under WAC 246-215-07265 and 246-215-07270, EMPLOYEES shall store their PERSONAL CARE ITEMS in facilities as specified under WAC 246-215-06350(2).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-07275, filed 1/17/13, effective 5/1/13.]

#### Subpart C - Stock and Retail Sale

WAC 246-215-07300 Storage and display—Separation (2009 FDA Food Code 7-301.11). POISONOUS OR TOXIC MATERIALS must be stored and displayed for retail sale so they cannot contaminate FOOD, EQUIPMENT, UTENSILS, LIN-ENS, and SINGLE-SERVICE and SINGLE-USE ARTICLES by:

(1) Separating the POISONOUS OR TOXIC MATERIALS by spacing or partitioning; and

(2) Locating the POISONOUS OR TOXIC MATERIALS in an area that is not above FOOD, EQUIPMENT, UTENSILS, LINENS, and SINGLE-SERVICE or SINGLE-USE ARTICLES.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-07300, filed 1/17/13, effective 5/1/13.]

# **PART 8: COMPLIANCE AND ENFORCEMENT**

#### Subpart A - Applicability

WAC 246-215-08100 Use for intended purpose— Public health protection (2009 FDA Food Code 8-101.10). (1) The REGULATORY AUTHORITY shall apply this chapter to promote its underlying purpose, as specified under WAC 246-215-01105, of safeguarding public health and ensuring that FOOD is safe, unADULTERATED, and honestly presented when offered to the CONSUMER.

(2) In enforcing the provision of this chapter, the REGU-LATORY AUTHORITY shall assess existing facilities or EQUIP-MENT that were in use before the effective date of this chapter based on the following considerations:

(a) Whether the facilities or EQUIPMENT are in good repair and capable of being maintained in a sanitary condition;

(b) Whether FOOD-CONTACT SURFACES comply with Part 4, Subpart A;

(c) Whether the capacities of cooling, heating, and holding EQUIPMENT are sufficient to comply with WAC 246-215-04300; and

(d) The existence of a documented agreement with the PERMIT HOLDER that the facilities or EQUIPMENT will be replaced as specified under WAC 246-215-08350(7).

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08100, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08105 Additional requirements—Preventing health hazards, provision for conditions not addressed (2009 FDA Food Code 8-102.10). (1) If necessary to protect against public health hazards or nuisances, the REGULATORY AUTHORITY may impose specific requirements in addition to the requirements contained in this chapter that are authorized by LAW.

(2) The REGULATORY AUTHORITY shall document the conditions that necessitate the imposition of additional requirements and the underlying public health rationale. The documentation must be provided to the PERMIT applicant or PERMIT HOLDER and a copy must be maintained in the REGULATORY AUTHORITY'S file for the FOOD ESTABLISHMENT.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-08105, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08110 Variances—Modifications and waivers (2009 FDA Food Code 8-103.10). The REGULA-TORY AUTHORITY may grant a VARIANCE by modifying or waiving the requirements of this chapter if in the opinion of the REGULATORY AUTHORITY a health HAZARD or nuisance will not result from the VARIANCE. If a VARIANCE is granted, the REGULATORY AUTHORITY shall retain the information specified under WAC 246-215-08115 in its records for the FOOD ESTABLISHMENT.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08110, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08115 Variances—Documentation of proposed VARIANCE and justification (2009 FDA Food Code 8-103.11). Before a VARIANCE from a requirement of this chapter is APPROVED, the information that must be provided by the PERSON requesting the VARIANCE and retained in the REGULATORY AUTHORITY'S file on the FOOD ESTABLISH-MENT includes:

(1) A statement of the proposed VARIANCE of this chapter requirement citing the relevant section;

(2) An analysis of the rationale for how the potential public health hazards and nuisances addressed by the relevant section will be alternatively addressed by the proposal; and

(3) A HACCP PLAN if required as specified under WAC 246-215-08210(1) that includes the information specified under WAC 246-215-08215 as it is relevant to the VARIANCE requested.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08115, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08120 Variances—Conformance with approved procedures (2009 FDA Food Code 8-103.12). If the REGULATORY AUTHORITY grants a VARIANCE as specified under WAC 246-215-08110, or a HACCP PLAN is otherwise required as specified under WAC 246-215-08210, the PER-MIT HOLDER shall:

(1) Comply with the HACCP PLANS and procedures that are submitted as specified under WAC 246-215-08215 and APPROVED as a basis for the modification or waiver; and

(2) Maintain and provide to the REGULATORY AUTHOR-ITY, upon request, records specified under WAC 246-215-08215 (4) and (5) that demonstrate that the following are routinely employed:

(a) Procedures for monitoring CRITICAL CONTROL POINTS;

(b) Monitoring of the CRITICAL CONTROL POINTS;

(c) Verification of the effectiveness of the operation or process; and

(d) Necessary corrective actions if there is a failure at a CRITICAL CONTROL POINT.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08120, filed 1/17/13, effective 5/1/13.]

# Subpart B - Plan Submission and Approval

WAC 246-215-08200 Facility and operating plans— When plans are required (2009 FDA Food Code 8-201.11). A PERMIT applicant or PERMIT HOLDER shall submit to the REGULATORY AUTHORITY properly prepared plans and specifications for review and approval before:

(1) The construction of a FOOD ESTABLISHMENT;

(2) The conversion of an existing structure for use as a FOOD ESTABLISHMENT; or

(3) The remodeling of a FOOD ESTABLISHMENT, a change of type of FOOD ESTABLISHMENT, or significant changes to the methods of FOOD preparation or style of service as specified under WAC 246-215-08325(3) if the REGULATORY AUTHORITY determines that plans and specifications are necessary to ensure compliance with this chapter.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08200, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08205 Facility and operating plans— Contents of the plans and specifications (2009 FDA Food Code 8-201.12). The plans and specifications for a FOOD ESTABLISHMENT, including a FOOD ESTABLISHMENT specified under WAC 246-215-08210, must include, as required by the REGULATORY AUTHORITY based on the type of operation, type of FOOD preparation, and FOODS prepared, the following information to demonstrate conformance with chapter provisions:

(1) Intended menu;

(2) Anticipated volume of FOOD to be stored, prepared, and sold or served;

(3) Proposed layout, mechanical schematics, construction materials, and finish schedules;

(4) Proposed EQUIPMENT types, manufacturers, model numbers, locations, dimensions, performance capacities, and installation specifications;

(5) Evidence that standard procedures that ensure compliance with the requirements of this chapter are developed or are being developed; and

(6) Other information that may be required by the REGU-LATORY AUTHORITY for the proper review of the proposed construction, conversion or modification, and procedures for operating a FOOD ESTABLISHMENT.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08205, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08210 Facility and operating plans— When a HACCP plan is required (2009 FDA Food Code 8-201.13). (1) Before engaging in an activity that requires a HACCP PLAN, a PERMIT applicant or PERMIT HOLDER shall submit to the REGULATORY AUTHORITY for approval a properly prepared HACCP PLAN as specified under WAC 246-215-08215 and the relevant provisions of this chapter if:

(a) Submission of a HACCP PLAN is required according to LAW;

[Ch. 246-215 WAC p. 70]

(b) A VARIANCE is required as specified under WAC 246-215-03400 (4)(d), 246-215-03535, and 246-215-04244 (2);

(c) The REGULATORY AUTHORITY determines that a FOOD preparation or processing method requires a VARIANCE based on a plan submittal specified under WAC 246-215-08205, an inspectional finding, or a VARIANCE request.

(2) A PERMIT applicant or PERMIT HOLDER shall have a properly prepared HACCP PLAN as specified under WAC 246-215-03540.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-08210, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08215 Facility and operating plans— Contents of a HACCP plan (2009 FDA Food Code 8-201.14). For a FOOD ESTABLISHMENT that is required under WAC 246-215-08210 to have a HACCP PLAN, the plan and specifications must indicate:

(1) A categorization of the types of POTENTIALLY HAZ-ARDOUS FOODS that are specified in the menu such as soups and sauces, salads, and bulk, solid FOODS such as MEAT roasts, or of other FOODS that are specified by the REGULA-TORY AUTHORITY;

(2) A flow diagram by specific FOOD or category type identifying CRITICAL CONTROL POINTS and providing information on the following:

(a) Ingredients, materials, and EQUIPMENT used in the preparation of that FOOD; and

(b) Formulations or recipes that delineate methods and procedural control measures that address the FOOD safety concerns involved;

(3) FOOD EMPLOYEE and supervisory training plan that addresses the FOOD safety issues of concern;

(4) A statement of standard operating procedures for the plan under consideration including clearly identifying:

(a) Each CRITICAL CONTROL POINT;

(b) The CRITICAL LIMITS for each CRITICAL CONTROL POINT;

(c) The method and frequency for monitoring and controlling each CRITICAL CONTROL POINT by the FOOD EMPLOYEE designated by the PERSON IN CHARGE;

(d) The method and frequency for the PERSON IN CHARGE to routinely verify that the FOOD EMPLOYEE is following standard operating procedures and monitoring CRITI-CAL CONTROL POINTS;

(e) Action to be taken by the PERSON IN CHARGE if the CRITICAL LIMITS for each CRITICAL CONTROL POINT are not met; and

(f) Records to be maintained by the PERSON IN CHARGE to demonstrate that the HACCP PLAN is properly operated and managed; and

(5) Additional scientific data or other information, as required by the REGULATORY AUTHORITY, supporting the determination that FOOD safety is not compromised by the proposal.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-08215, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08220 Trade secrets (2009 FDA Food Code 8-202.10). The REGULATORY AUTHORITY shall treat as confidential in accordance with LAW, information that meets

the requirements specified in LAW for a trade secret and is contained on inspection report forms and in the plans and specifications submitted as specified under WAC 246-215-08205 and 246-215-08215.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08220, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08225 Construction inspection and approval—Preoperational inspections (2009 FDA Food Code 8-203.10). The REGULATORY AUTHORITY shall conduct one or more preoperational inspections to verify that the FOOD ESTABLISHMENT is constructed and equipped in accordance with the APPROVED plans and APPROVED modifications of those plans, has established standard operating procedures as specified under WAC 246-215-08205(5), and is in compliance with the LAW and this chapter.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08225, filed 1/17/13, effective 5/1/13.]

#### Subpart C - Permit to Operate

WAC 246-215-08300 Requirement—Prerequisite for operation (2009 FDA Food Code 8-301.11). A PERSON may not operate a FOOD ESTABLISHMENT without a valid PERMIT to operate issued by the REGULATORY AUTHORITY.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08300, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08305 Exempt from permit (2009 FDA Food Code 8-301.12). (1) The REGULATORY AUTHOR-ITY may exempt a PERSON from the provisions of WAC 246-215-08600(1) and 246-215-08300 of this chapter in order to operate without a FOOD ESTABLISHMENT PERMIT, if the PER-SON meets the other provisions of this chapter, including not using any FOOD prepared in a residential kitchen or other non-APPROVED facility, and the types of FOOD served are limited to those specified in subsection (4) of this section.

(2) The PERSON requesting a PERMIT exemption under subsection (1) of this section shall submit a written application for an exemption on a form provided by the REGULATORY AUTHORITY at least 14 calendar days before providing FOOD service, or as otherwise required by the REGULATORY AUTHORITY.

(3) The PERSON requesting a PERMIT exemption under subsection (1) of this section shall submit properly prepared plans and specifications of the FOOD service facilities and EQUIPMENT if the REGULATORY AUTHORITY requires it, based on a review of the application for an exemption submitted under subsection (2) of this section.

(4) The PERSON requesting a PERMIT exemption under subsection (1) of this section shall limit FOOD handling to one or more of the following FOODS:

(a) Popcorn and flavored popcorn prepared from commercially PACKAGED nonPOTENTIALLY HAZARDOUS FOOD ingredients;

(b) Cotton candy;

(c) Dried herbs and spices processed in an APPROVED facility;

(d) Crushed ice drinks containing only nonPOTENTIALLY HAZARDOUS FOOD ingredients and dispensed from a self-contained machine that makes its own ice. Drinks with POTEN- TIALLY HAZARDOUS FOOD, snow cones, and shaved ice are not included;

(e) Corn on the cob prepared for IMMEDIATE SERVICE;

(f) Whole peppers roasted for IMMEDIATE SERVICE;

(g) Roasted nuts, roasted peanuts, and roasted candy-coated nuts;

(h) Chocolate-dipped ice cream bars prepared from pre-PACKAGED ice cream bars produced in a FOOD PROCESSING PLANT;

(i) Chocolate-dipped bananas prepared from bananas peeled and frozen in an APPROVED facility; and

(j) Individual samples of nonPOTENTIALLY HAZARDOUS sliced fruits and vegetables.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-08305, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08310 Application procedure—Submission thirty calendar days before proposed opening (2009 FDA Food Code 8-302.11). An applicant shall submit an application for a PERMIT at least thirty calendar days before the date planned for opening a FOOD ESTABLISHMENT or the expiration of the current PERMIT for an existing facility.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08310, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08315 Application procedure—Form of submission (2009 FDA Food Code 8-302.12). A PERSON desiring to operate a FOOD ESTABLISHMENT shall submit to the REGULATORY AUTHORITY a written application for a PER-MIT on a form provided by the REGULATORY AUTHORITY.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-08315, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08320 Application procedure—Qualifications and responsibilities of applicants (2009 FDA Food Code 8-302.13). To qualify for a PERMIT, an applicant shall:

(1) Be an owner of the FOOD ESTABLISHMENT or an officer of the legal ownership;

(2) Comply with the requirements of this chapter;

(3) As specified under WAC 246-215-08415, agree to allow access to the FOOD ESTABLISHMENT and to provide required information; and

(4) Pay the applicable PERMIT fees at the time the application is submitted.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-08320, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08325 Application procedure—Contents of the application (2009 FDA Food Code 8-302.14). The application must include:

(1) The name, birth date, mailing address, telephone number, and signature of the PERSON applying for the PERMIT and the name, mailing address, and location of the FOOD ESTABLISHMENT;

(2) Information specifying whether the FOOD ESTAB-LISHMENT is owned by an association, corporation, individual, partnership, or other legal entity; (3) A statement specifying whether the FOOD ESTAB-LISHMENT:

(a) Is mobile or stationary and temporary or permanent; and

(b) Is an operation that includes one or more of the following:

(i) Prepares, offers for sale, or serves POTENTIALLY HAZ-ARDOUS FOOD:

(A) Only to order upon a CONSUMER'S request;

(B) In advance quantities based on projected CONSUMER demand and discards FOOD that is not sold or served at an APPROVED frequency; or

(C) Using time as a public health control under WAC 246-215-03530;

(ii) Prepares POTENTIALLY HAZARDOUS FOOD in advance using a FOOD preparation method that involves two or more steps which may include combining POTENTIALLY HAZARD-OUS FOOD ingredients; cooking; cooling; reheating; hot or cold holding; freezing; or thawing;

(iii) Prepares FOOD as specified under (b)(ii) of this subsection for delivery to and consumption at a location off the PREMISES of the FOOD ESTABLISHMENT where it is prepared;

(iv) Prepares FOOD as specified under (b)(ii) of this subsection for service to a HIGHLY SUSCEPTIBLE POPULATION;

(v) Prepares only FOOD that is not POTENTIALLY HAZARDOUS FOOD; or

(vi) Does not prepare, but offers for sale only prePACK-AGED FOOD that is not POTENTIALLY HAZARDOUS FOOD.

(4) The name, title, address, and telephone number of the PERSON directly responsible for the FOOD ESTABLISHMENT;

(5) The name, title, address, and telephone number of the PERSON who functions as the immediate supervisor of the PERSON specified under subsection (4) of this section such as the zone, district, or regional supervisor;

(6) The names, titles, and addresses of:

(a) The persons comprising the legal ownership as specified under subsection (2) of this section including the owners and officers; and

(b) The local resident agent if one is required based on the type of legal ownership.

(7) A statement signed by the applicant that:

(a) Attests to the accuracy of the information provided in the application; and

(b) Affirms that the applicant will:

(i) Comply with this chapter; and

(ii) Allow the REGULATORY AUTHORITY access to the establishment as specified under WAC 246-215-08415 and to the records specified under WAC 246-215-03290, 246-215-05280 and 246-215-08215 (4)(f); and

(8) Other information required by the REGULATORY AUTHORITY.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-08325, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08330 Issuance—New, converted, or remodeled establishments (2009 FDA Food Code 8-303.10). For FOOD ESTABLISHMENTS that are required to submit plans as specified under WAC 246-215-08200 the REGULATORY AUTHORITY shall issue a PERMIT to the applicant after:

(1) A properly completed application is submitted;

(2) The required fee is submitted;

(3) The required plans, specifications, and information are reviewed and APPROVED; and

(4) A preoperational inspection as specified under WAC 246-215-08225 shows that the establishment is built or remodeled in accordance with the APPROVED plans and specifications and that the establishment is in compliance with this chapter.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-08330, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08335 Issuance—Existing establishments, permit renewal, and change of ownership (2009 FDA Food Code 8-303.20). The REGULATORY AUTHORITY may renew a PERMIT for an existing FOOD ESTABLISHMENT or may issue a PERMIT to a new owner of an existing establishment after a properly completed application is submitted, reviewed and APPROVED, the fees are paid, and an inspection shows that the establishment is in compliance with this chapter.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08335, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08340 Issuance—Denial of application for permit, notice (2009 FDA Food Code 8-303.30). If an application for a PERMIT to operate is denied, the REGULA-TORY AUTHORITY shall provide the applicant with a notice that includes:

(1) The specific reasons and chapter citations for the PERMIT denial;

(2) The actions, if any, that the applicant must take to qualify for a PERMIT; and

(3) Advisement of the applicant's right of appeal and the process and time frames for appeal that are provided in LAW.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-08340, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08345 Conditions of retention— Responsibilities of the regulatory authority (2009 FDA Food Code 8-304.10). (1) At the time a PERMIT is first issued, the REGULATORY AUTHORITY shall provide to the PERMIT HOLDER a copy of this chapter so that the PERMIT HOLDER is notified of the compliance requirements and the conditions of retention, as specified under WAC 246-215-08350, that are applicable to the PERMIT.

(2) Failure to provide the information specified in subsection (1) of this section does not prevent the REGULATORY AUTHORITY from taking authorized action or seeking remedies if the PERMIT HOLDER fails to comply with this chapter or an order, warning, or directive of the REGULATORY AUTHOR-ITY.

[Statutory Authority: 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08345, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08350 Conditions of retention— Responsibilities of the permit holder (2009 FDA Food Code 8-304.11). Upon acceptance of the PERMIT issued by the REGULATORY AUTHORITY, the PERMIT HOLDER in order to retain the PERMIT shall: (1) Post the PERMIT in a location in the FOOD ESTABLISH-MENT that is conspicuous to CONSUMERS;

(2) Comply with the provisions of this chapter including the conditions of a granted VARIANCE as specified under WAC 246-215-08120, and APPROVED plans as specified under WAC 246-215-08205;

(3) If a FOOD ESTABLISHMENT is required under WAC 246-215-08210 to operate under a HACCP PLAN, comply with the plan as specified under WAC 246-215-08120;

(4) Immediately contact the REGULATORY AUTHORITY to report an illness of a FOOD EMPLOYEE or CONDITIONAL EMPLOYEE as specified under WAC 246-215-02215;

(5) Immediately discontinue operations and notify the REGULATORY AUTHORITY if an IMMINENT HEALTH HAZARD might exist as specified under WAC 246-215-08455;

(6) Allow representatives of the REGULATORY AUTHOR-ITY access to the FOOD ESTABLISHMENT as specified under WAC 246-215-08415;

(7) Replace existing facilities and EQUIPMENT specified under WAC 246-215-08100 with facilities and EQUIPMENT that comply with this chapter if:

(a) The REGULATORY AUTHORITY directs the replacement because the facilities and EQUIPMENT constitute a public health HAZARD or nuisance or no longer comply with the requirements upon which the facilities and EQUIPMENT were accepted; or

(b) The facilities and EQUIPMENT are replaced in the normal course of operation.

(8) Comply with directives of the REGULATORY AUTHORITY including time frames for corrective actions specified in inspection reports, notices, orders, warnings, and other directives issued by the REGULATORY AUTHORITY in regard to the PERMIT HOLDER'S FOOD ESTABLISHMENT or in response to community emergencies;

(9) Accept notices issued and served by the REGULA-TORY AUTHORITY according to LAW; and

(10) Be subject to the administrative, civil, injunctive, and criminal remedies authorized in LAW for failure to comply with this chapter or a directive of the REGULATORY AUTHORITY, including time frames for corrective actions specified in inspection reports, notices, orders, warnings, and other directives.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08350, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08355 Conditions of retention—Permits not transferable (2009 FDA Food Code 8-304.20). A PERMIT may not be transferred from one PERSON to another PERSON, from one FOOD ESTABLISHMENT to another, or from one type of operation to another if the FOOD operation changes from the type of operation specified in the application as specified under WAC 246-215-08325(3) and the change in operation is not APPROVED.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08355, filed 1/17/13, effective 5/1/13.]

### Subpart D - Inspection and Correction of Violations

WAC 246-215-08400 Frequency—Establishing inspection interval (2009 FDA Food Code 8-401.10). (1) Except as specified in subsections (2) and (3) of this section, the REGULATORY AUTHORITY shall inspect a FOOD ESTAB-LISHMENT at least once every six months.

(2) The REGULATORY AUTHORITY may increase the interval between inspections beyond six months if:

(a) The FOOD ESTABLISHMENT is fully operating under an APPROVED and validated HACCP PLAN as specified under WAC 246-215-08215 and 246-215-08120 (1) and (2);

(b) The FOOD ESTABLISHMENT is assigned a less frequent inspection frequency based on a written RISK-based inspection schedule developed by the REGULATORY AUTHORITY, or set by state or federal LAW, and uniformly applied throughout the jurisdiction; or

(c) The establishment's operation involves only coffee service and other unPACKAGED or prePACKAGED FOOD that is not POTENTIALLY HAZARDOUS FOOD such as carbonated BEV-ERAGES and snack FOOD such as chips, nuts, popcorn and pretzels.

(3) The REGULATORY AUTHORITY shall inspect a TEMPO-RARY FOOD ESTABLISHMENT during its PERMIT period, unless the REGULATORY AUTHORITY develops a written RISK-based plan for exempting certain categories of TEMPORARY FOOD ESTABLISHMENTS from inspection that is uniformly applied throughout the jurisdiction.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-08400, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08405 Frequency—Performance- and risk-based (2009 FDA Food Code 8-401.20). Within the parameters specified under WAC 246-215-08400, the REGU-LATORY AUTHORITY shall prioritize, and conduct more frequent inspections based upon its assessment of a FOOD ESTABLISHMENT'S history of compliance with this chapter and the establishment's potential as a vector of foodborne illness by evaluating:

(1) Past performance, for nonconformance with this chapter or HACCP PLAN requirements;

(2) Past performance, for numerous repeat violations of this chapter or HACCP PLAN requirements;

(3) Past performance, for complaints investigated and found to be valid;

(4) The hazards associated with the particular FOODS that are prepared, stored or served;

(5) The type of operation including the methods and extent of FOOD storage, preparation, and service;

(6) The number of people served;

(7) Whether the population served is a HIGHLY SUSCEPTI-BLE POPULATION; and

(8) Whether the establishment is properly implementing an APPROVED self-inspection program.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08405, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08410 Frequency—Competency of inspectors (2009 FDA Food Code 8-402.10). An authorized representative of the REGULATORY AUTHORITY who inspects a FOOD ESTABLISHMENT or conducts plan review for compliance with this chapter shall have the knowledge, skills, and ability to adequately perform the required duties.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08410, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08415 Access—Allowed at reasonable times after due notice (2009 FDA Food Code 8-402.11). After the REGULATORY AUTHORITY presents official credentials and provides notice of the purpose of, and intent to conduct, an inspection, the PERSON IN CHARGE shall allow the REGULATORY AUTHORITY to determine if the FOOD ESTAB-LISHMENT is in compliance with this chapter by allowing access to the establishment, allowing inspection, and providing information and records specified in this chapter and to which the REGULATORY AUTHORITY is entitled according to LAW, during the FOOD ESTABLISHMENT'S hours of operation and other reasonable times.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08415, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08420 Access—Refusal, notification of right to access, and final request for access (2009 FDA Food Code 8-402.20). If a PERSON denies access to the REG-ULATORY AUTHORITY, the REGULATORY AUTHORITY shall:

(1) Inform the PERSON that:

(a) The PERMIT HOLDER is required to allow access to the REGULATORY AUTHORITY as specified under WAC 246-215-08415 of this chapter; and

(b) Access is a condition of the acceptance and retention of a FOOD ESTABLISHMENT PERMIT to operate as specified under WAC 246-215-08350(6).

(2) Make a final request for access.

[Statutory Authority: 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08420, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08425 Access—Refusal, reporting (2009 FDA Food Code 8-402.30). If after the REGULATORY AUTHORITY presents credentials and provides notice as specified under WAC 246-215-08415, explains the authority upon which access is requested, and makes a final request for access as specified under WAC 246-215-08420, the PERSON IN CHARGE continues to REFUSE access, the REGULATORY AUTHORITY shall provide details of the denial of access on an inspection report form.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08425, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08430 Report of findings—Documenting information and observations (2009 FDA Food Code 8-403.10). The REGULATORY AUTHORITY shall document on an inspection report form APPROVED by the Washington state department of health:

(1) Administrative information about the FOOD ESTAB-LISHMENT'S legal identity, street and mailing addresses, type of establishment and operation as specified under WAC 246-215-08325(3), inspection date, and other information such as type of water supply and SEWAGE disposal, status of the PER-MIT, and personnel certificates that may be required; and

(2) Specific factual observations of violative conditions or other deviations from this chapter that require correction by the PERMIT HOLDER including:

(a) Failure of the PERSON IN CHARGE to demonstrate the knowledge of foodborne illness prevention, application of HACCP principles, and the requirements of this chapter specified under WAC 246-215-02105;

(b) Failure of FOOD EMPLOYEES, CONDITIONAL EMPLOY-EES, and the PERSON IN CHARGE to demonstrate knowledge of their responsibility to report a disease or medical condition;

(c) Nonconformance with this chapter;

(d) Failure of the appropriate FOOD EMPLOYEES to demonstrate their knowledge of, and ability to perform in accordance with, the procedural, monitoring, verification, and corrective action practices required by the REGULATORY AUTHORITY as specified under WAC 246-215-08120;

(e) Failure of the PERSON IN CHARGE to provide records required by the REGULATORY AUTHORITY for determining conformance with a HACCP PLAN as specified under WAC 246-215-08215 (4)(f); and

(f) Nonconformance with CRITICAL LIMITS of a HACCP PLAN.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-08430, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08435 Report of findings—Specifying time frame for corrections (2009 FDA Food Code 8-403.20). The REGULATORY AUTHORITY shall specify on the inspection report form the time frame for correction of any violations.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08435, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08440 Report of findings—Issuing report and obtaining acknowledgment of receipt (2009 FDA Food Code 8-403.30). At the conclusion of the inspection and according to LAW, the REGULATORY AUTHORITY shall provide a copy of the completed inspection report and the notice to correct violations to the PERMIT HOLDER or to the PERSON IN CHARGE, and request a signed acknowledgment of receipt.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08440, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08445 Report of findings—Refusal to sign acknowledgment (2009 FDA Food Code 8-403.40). The REGULATORY AUTHORITY shall:

(1) Inform the PERSON who declines to sign an acknowledgment of receipt of inspectional findings as specified under WAC 246-215-08440 that:

(a) An acknowledgment of receipt is not an agreement with the findings;

(b) Refusal to sign an acknowledgment of receipt does not affect the PERMIT HOLDER'S obligation to correct the violations noted in the inspection report within the time frames specified; and

(c) A refusal to sign an acknowledgment of receipt is noted in the inspection report and conveyed to the REGULA-TORY AUTHORITY'S historical record for the FOOD ESTAB-LISHMENT; and

(2) Make a final request that the PERSON IN CHARGE sign an acknowledgment receipt of inspectional findings.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08445, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08450 Report of findings—Public information (2009 FDA Food Code 8-403.50). Except as specified under WAC 246-215-08220, the REGULATORY AUTHORITY shall treat the inspection report as a public document and shall make it available for DISCLOSURE to a PERSON who requests it as provided in LAW.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08450, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08455 Imminent health hazard— Ceasing operations and reporting (2009 FDA Food Code 8-404.11). (1) Except as specified in subsection (2) of this section, a PERMIT HOLDER shall immediately discontinue operations and notify the REGULATORY AUTHORITY if an IMMINENT HEALTH HAZARD might exist.

(2) A PERMIT HOLDER need not discontinue operations in an area of an establishment that is unaffected by the IMMI-NENT HEALTH HAZARD.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08455, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08460 Imminent health hazard— Resumption of operations (2009 FDA Food Code 8-404.12). If operations are discontinued as specified under WAC 246-215-08455 or otherwise according to LAW, the PERMIT HOLDER shall obtain approval from the REGULATORY AUTHORITY before resuming operations.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08460, filed 1/17/13, effective 5/1/13.]

# Subpart E - Prevention of Foodborne Disease Transmission by Employees

WAC 246-215-08500 Investigation and control— Obtaining information—Personal history of illness, medical examination, and specimen analysis (2009 FDA Food Code 8-501.10). The REGULATORY AUTHORITY shall act when it has reasonable cause to believe that a FOOD EMPLOYEE or CONDITIONAL EMPLOYEE has possibly transmitted disease; might be infected with a disease in a communicable form that is transmissible through FOOD; might be a carrier of infectious agents that cause a disease that is transmissible through FOOD; or is affected with a boil, an infected wound, or acute respiratory infection, by:

(1) Securing a confidential medical history of the FOOD EMPLOYEE or CONDITIONAL EMPLOYEE suspected of transmitting disease or making other investigations as deemed appropriate; and

(2) Requiring appropriate medical examinations, including collection of specimens for laboratory analysis, of a suspected FOOD EMPLOYEE or CONDITIONAL EMPLOYEE.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08500, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08505 Investigation and control— Restriction or exclusion of food employee, or summary suspension of permit (2009 FDA Food Code 8-501.20). Based on the findings of an investigation related to a FOOD EMPLOYEE or CONDITIONAL EMPLOYEE who is suspected of being infected or diseased, the REGULATORY AUTHORITY may issue an order to the suspected FOOD EMPLOYEE, CONDI- TIONAL EMPLOYEE, or PERMIT HOLDER instituting one or more of the following control measures:

(1) RESTRICTING the FOOD EMPLOYEE or CONDITIONAL EMPLOYEE;

(2) EXCLUDING the FOOD EMPLOYEE or CONDITIONAL EMPLOYEE; or

(3) Closing the FOOD ESTABLISHMENT by summarily suspending a PERMIT to operate in accordance with LAW.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-08505, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08510 Investigation and control— Restriction or exclusion order: Warning or hearing not required, information required in order (2009 FDA Food Code 8-501.30). Based on the findings of the investigation as specified under WAC 246-215-08500 and to control disease transmission, the REGULATORY AUTHORITY may issue an order of RESTRICTION OF EXCLUSION to a suspected FOOD EMPLOYEE or the PERMIT HOLDER without prior warning, notice of a hearing, or a hearing if the order:

(1) States the reasons for the RESTRICTION or EXCLUSION that is ordered;

(2) States the evidence that the FOOD EMPLOYEE or PER-MIT HOLDER shall provide in order to demonstrate that the reasons for the RESTRICTION or EXCLUSIONS are eliminated;

(3) States that the suspected FOOD EMPLOYEE or PERMIT HOLDER may request an appeal hearing by submitting a timely request as provided in LAW; and

(4) Provides the name and address of the REGULATORY AUTHORITY representative to whom a request for an appeal hearing can be made.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08510, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08515 Investigation and control— Removal of exclusion or restriction (2009 FDA Food Code 8-501.40). The REGULATORY AUTHORITY OF PERSON IN CHARGE shall release a FOOD EMPLOYEE or CONDITIONAL EMPLOYEE from RESTRICTION OF EXCLUSION according to LAW and the conditions specified under WAC 246-215-02245, 246-215-02250, and 246-215-02255.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08515, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08520 Investigation and control— Procedure when disease transmission is suspected. (1) When a possible foodborne illness incident is reported to any FOOD EMPLOYEE, the PERSON IN CHARGE of the FOOD ESTAB-LISHMENT shall:

(a) Immediately report the incident to the REGULATORY AUTHORITY; and

(b) Remove from sale and refrigerate any suspect FOODS until released by the REGULATORY AUTHORITY.

(2) When the REGULATORY AUTHORITY suspects that a FOOD ESTABLISHMENT, or its EMPLOYEES, might be the source of a foodborne illness, the REGULATORY AUTHORITY shall take appropriate action to control the transmission of disease. This action may include any or all of the following:

(a) Secure records that might enable identification of persons potentially exposed to the disease, or require additional assistance in locating such persons;

(b) Secure the illness history of each suspected EMPLOYEE;

(c) EXCLUDE any suspected EMPLOYEE from working in the FOOD ESTABLISHMENT until, in the opinion of the REGU-LATORY AUTHORITY, there is no further RISK of disease transmission;

(d) Suspend the PERMIT of the FOOD ESTABLISHMENT until, in the opinion of the REGULATORY AUTHORITY, there is no further RISK of disease transmission;

(e) RESTRICT the work activities of any suspected EMPLOYEE;

(f) Require medical and laboratory examinations of any FOOD EMPLOYEE and of his/her body discharges;

(g) Obtain any suspect FOOD for laboratory examination;(h) Require the destruction of, or placement of a hold order on, all suspected FOOD; and

(i) Limit, substitute, or restrict menu items or FOOD handling practices that might be associated with causing illness.

(3) The provisions of chapter 246-100 WAC, Communicable and Certain Other Diseases, apply.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08520, filed 1/17/13, effective 5/1/13.]

## Subpart F - Enforcement

WAC 246-215-08600 Permits required, suspension, revocation, enforcement. (1) Any PERSON operating a FOOD ESTABLISHMENT without a valid PERMIT issued by the REGULATORY AUTHORITY may be guilty of a misdemeanor under RCW 70.05.120 and local regulations.

(2) The REGULATORY AUTHORITY may suspend any PER-MIT to operate a FOOD ESTABLISHMENT if:

(a) Continued operation of the FOOD ESTABLISHMENT constitutes an imminent or actual health hazard;

(b) Operations, facilities, or EQUIPMENT in the FOOD ESTABLISHMENT fail to comply with these regulations;

(c) The PERMIT HOLDER does not comply with these regulations; or

(d) Interference with the REGULATORY AUTHORITY in the performance of its duties has occurred.

(3) When the REGULATORY AUTHORITY has suspended a FOOD ESTABLISHMENT PERMIT, the PERMIT HOLDER OF PER-SON IN CHARGE:

(a) Shall be notified in writing by the REGULATORY AUTHORITY that the FOOD ESTABLISHMENT PERMIT is immediately suspended upon service of the notice;

(b) Shall immediately cease all FOOD service operations until a hearing with the REGULATORY AUTHORITY finds the operation to be in compliance with the requirements and regulations;

(c) May request a hearing by filing a written request for a hearing with the REGULATORY AUTHORITY within ten days of receipt of the notice of suspension; and

(d) Shall be notified, if a written request for a hearing is not filed within ten days, that the suspension is sustained.

(4) Any PERSON whose FOOD ESTABLISHMENT PERMIT has been suspended may at any time make written application for a reinspection for the purpose of reinstatement of the PER- MIT. The application must include a signed statement explaining how the conditions causing the suspension of the PERMIT have been corrected.

(5) Within two working days following receipt of a written request for reinspection, the REGULATORY AUTHORITY shall make a reinspection, and reinstate the PERMIT if the PER-SON is in compliance with these regulations.

(6) The REGULATORY AUTHORITY may adopt and use a PERMIT suspension process different than specified under subsection (2), (3), (4), or (5) of this section.

(7) The REGULATORY AUTHORITY may revoke a FOOD ESTABLISHMENT PERMIT after providing the PERMIT HOLDER an opportunity for hearing if:

(a) Serious and repeated violation(s) of any requirements of these regulations have occurred; or

(b) Repeated interference with, or assault upon a representative of the REGULATORY AUTHORITY in the performance of his/her duty, has occurred.

(8) Before revocation, the REGULATORY AUTHORITY shall notify, in writing, the PERMIT HOLDER of the specific reason(s) why the PERMIT is to be revoked. The notice must state:

(a) That the PERMIT will be revoked at the end of the ten days following the notice unless a written request for a hearing is filed with the REGULATORY AUTHORITY by the PERMIT HOLDER within such ten-day period; and

(b) If a request for a hearing is not filed by the PERMIT HOLDER within the ten-day period, the revocation of the PER-MIT becomes final.

(9) Any PERSON whose FOOD ESTABLISHMENT PERMIT has been revoked by the REGULATORY AUTHORITY, after a period of six months, may:

(a) Make written application for a new PERMIT; and

(b) Request a hearing with the REGULATORY AUTHORITY to determine whether a new PERMIT will be issued.

(10) The REGULATORY AUTHORITY may use a PERMIT revocation process different than specified under subsections (7), (8), and (9) of this section.

(11) The REGULATORY AUTHORITY may initiate any one, or a combination of, compliance methods that include, but are not limited to:

(a) Holding an administrative conference with the FOOD ESTABLISHMENT PERMIT HOLDER or PERSON IN CHARGE;

(b) Placing the FOOD ESTABLISHMENT on probation;

(c) Setting conditions for continued operation of the FOOD ESTABLISHMENT, by the PERMIT HOLDER, during the probation period;

(d) Requiring additional education or training of EMPLOYEES, management, and owners of the FOOD ESTAB-LISHMENT; and

(e) Completing a HAZARD evaluation and requiring monitoring procedures be implemented for CRITICAL CONTROL POINTS identified.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-08600, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08605 Service of notice. (1) A notice provided for in these regulations is properly served when it is:

(a) Delivered to the PERMIT HOLDER;

(b) Delivered to the PERSON IN CHARGE of the FOOD ESTABLISHMENT; or

(c) Sent by registered or certified mail, return receipt requested, to the last known address of the PERMIT HOLDER.

(2) A copy of the notice must be filed in the records of the REGULATORY AUTHORITY.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08605, filed 1/17/13, effective 5/1/13.]

WAC 246-215-08610 Hearings. (1) The hearings provided for in Part 8 must be:

(a) Conducted by the REGULATORY AUTHORITY or its designee, and

(b) Conducted at a time and place designated by the REG-ULATORY AUTHORITY.

(2) The REGULATORY AUTHORITY or designee shall:

(a) Make a final finding based upon the complete hearing record;

(b) Sustain, modify, or rescind any notice or order considered in the hearing; and

(c) Furnish a written report of the hearing decision to the PERMIT HOLDER.

(3) The REGULATORY AUTHORITY may adopt and use an alternate hearing process.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-08610, filed 1/17/13, effective 5/1/13.]

# **PART 9: ALTERNATIVE FOOD FACILITIES**

# Subpart A - Mobile Food Units

WAC 246-215-09100 Requirements and restrictions—Requirements. (1) The PERMIT HOLDER and PERSON IN CHARGE of a MOBILE FOOD UNIT shall comply with the requirements of this chapter, except as otherwise provided in this section.

(2) The PERMIT HOLDER shall obtain approval from other applicable regulating agencies prior to operating a MOBILE FOOD UNIT, including the Washington state department of labor and industries.

(3) The PERSON IN CHARGE of a MOBILE FOOD UNIT shall operate the MOBILE FOOD UNIT from an APPROVED COMMIS-SARY or SERVICING AREA and shall return to such location for supplies, thorough cleaning, and other servicing activities, as APPROVED in a plan of operation. When not in operation, a MOBILE FOOD UNIT must be stored at an APPROVED SERVIC-ING AREA or other APPROVED location.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09100, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09105 Requirements and restrictions—Restrictions. The REGULATORY AUTHORITY may impose additional requirements to protect against health hazards related to the operation of a MOBILE FOOD UNIT and may:

(1) Limit the FOOD preparation steps;

(2) Prohibit some menu items; and

(3) Restrict the mode of operation when facilities or EQUIPMENT are inadequate to protect public health.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-09105, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09110 Plan approval—Plan review. The owner of a MOBILE FOOD UNIT shall submit a properly prepared plan of operation with specifications of the MOBILE FOOD UNIT, COMMISSARY, and SERVICING AREA to the REGU-LATORY AUTHORITY for approval before:

- (1) Construction or remodeling begins;
- (2) The menu of the MOBILE FOOD UNIT is changed;
- (3) The method of FOOD preparation is changed;
- (4) The vehicle is changed; or
- (5) The COMMISSARY is changed.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-09110, filed 1/17/13, effective 5/1/13.]

## WAC 246-215-09115 Plan approval—Plan contents.

The owner of a MOBILE FOOD UNIT shall include in the plan required by WAC 246-215-09110:

(1) Menu and FOOD preparation steps;

(2) Floor plan;

(3) EQUIPMENT specifications and location;

(4) Finish schedule;

(5) Proposed itinerary or sites to be served;

(6) Source of water and specifications of the on-board plumbing;

(7) Site used for SEWAGE disposal;

(8) Availability of restrooms for EMPLOYEES;

(9) Operating procedures; and

(10) Cleaning schedule.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-09115, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09120 Additional requirements— Standard operating procedures. The PERSON IN CHARGE of a MOBILE FOOD UNIT shall ensure:

(1) Only EMPLOYEES and other persons authorized by the REGULATORY AUTHORITY are present in the MOBILE FOOD UNIT;

(2) All EMPLOYEES are in compliance with the provisions of chapter 69.06 RCW and chapter 246-217 WAC for obtaining and renewing valid FOOD WORKER CARDS, unless all FOODS are prePACKAGED and are nonPOTENTIALLY HAZARD-OUS FOOD;

(3) All FOODS, including ice, are from an APPROVED source or COMMISSARY;

(4) POTENTIALLY HAZARDOUS FOODS prepared on the MOBILE FOOD UNIT are served the same day they are prepared;

(5) PrePACKAGED FOODS are properly labeled;

(6) Only SINGLE-SERVICE ARTICLES are provided for use by the customer; and

(7) Condiments not in individual packages are provided in dispenser bottles or in other containers protected from contamination.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09120, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09125 Potentially hazardous foods— Temperature control. The PERSON IN CHARGE of a MOBILE FOOD UNIT shall ensure that POTENTIALLY HAZARDOUS FOODS are:

(1) Not cooled on the MOBILE FOOD UNIT;

(2) Properly temperature-controlled during transport to the place of service;

(3) Temperature-monitored by use of a stem-type thermometer or thermocouple capable of measuring all proper FOOD temperatures;

(4) Reheated, for hot holding, from  $41^{\circ}F$  (5°C) to  $165^{\circ}F$  (74°C) or above within one hour on the MOBILE FOOD UNIT when the FOODS were cooked and cooled in an APPROVED food establishment that is not a MOBILE FOOD UNIT;

(5) Reheated, for hot holding, from  $41^{\circ}F$  (5°C) to  $135^{\circ}F$  (74°C) or above within one hour on the MOBILE FOOD UNIT when the FOODS were produced in a FOOD PROCESSING PLANT;

(6) Reheated no more than one time; and

(7) Held in preheated mechanical hot holding EQUIP-MENT or prechilled mechanical cold holding EQUIPMENT, or otherwise temperature controlled by an APPROVED method.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09125, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09130 Cooking thickness—Cooking raw meats. The PERSON IN CHARGE shall ensure that raw MEATS greater than one inch in thickness are not cooked on the MOBILE FOOD UNIT, unless otherwise APPROVED.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09130, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09135 Water and wastewater—Water system. The PERSON IN CHARGE shall ensure that the water system on the MOBILE FOOD UNIT:

(1) Is supplied from an APPROVED source of water;

(2) Is designed and constructed in an APPROVED manner;

(3) Is filled from the APPROVED water source through a FOOD-grade hose;

(4) Is refilled as frequently as necessary to furnish enough hot and cold water for handwashing, FOOD preparation, UTENSIL cleaning, SANITIZING, and facility cleaning, on the MOBILE FOOD UNIT;

(5) Has a water supply tank with a minimum capacity of five gallons for handwashing;

(6) Stores liquid waste in a wastewater retention tank with at least fifteen percent more capacity than the water supply tank; and

(7) Retains wastewater on the MOBILE FOOD UNIT until disposed of by an APPROVED method.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-09135, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09140 Handwashing—Handwashing facilities. The PERSON IN CHARGE of a MOBILE FOOD UNIT shall ensure that a separate HANDWASHING SINK for EMPLOY-EES is accessible at all times of operation; allows convenient use by EMPLOYEES; is located within 25 feet of FOOD preparation, FOOD dispensing, and WAREWASHING areas; is installed as specified under WAC 246-215-05210; and includes soap and paper towels.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09140, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09145 Handwashing—Handwashing waiver. When only prePACKAGED FOOD items are served, the REGULATORY AUTHORITY may waive or modify requirements for handwashing on the MOBILE FOOD UNIT.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09145, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09150 Employee restrooms—Toilet facilities. The PERMIT HOLDER shall ensure APPROVED toilet facilities are available for employees:

(1) Readily accessible and within 500 feet of the MOBILE FOOD UNIT during times of operation, if at any one location for more than one hour; and

(2) Provided with handwashing facilities that meet the requirements specified under WAC 246-215-05210.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 18-23-021, § 246-215-09150, filed 11/13/18, effective 1/1/19; WSR 13-03-109, § 246-215-09150, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09155 Sink compartment requirements—Warewashing facilities. The PERMIT HOLDER shall ensure:

(1) A three-compartment sink is available on the MOBILE FOOD UNIT with potable hot and cold running water to wash, rinse, and SANITIZE UTENSILS when UTENSILS are reused on the MOBILE FOOD UNIT; except

(2) This requirement may be waived or modified by the REGULATORY AUTHORITY when:

(a) Limited FOOD preparation occurs; or

(b) Additional clean UTENSILS are available and UTENSIL washing takes place at an APPROVED COMMISSARY or SER-VICING AREA.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-09155, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09160 Required postings—Business name. The PERMIT HOLDER shall provide the REGULATORY AUTHORITY a designated business name and ensure that name is posted on the MOBILE FOOD UNIT in a manner easily visible to customers during operation.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09160, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09165 Required postings—Permit. The PERMIT HOLDER shall ensure the original or a copy of the currently valid FOOD ESTABLISHMENT PERMIT is posted on the MOBILE FOOD UNIT in a manner easily visible to customers during operation.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-09165, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09170 Food and equipment protection—Overhead protection. The PERMIT HOLDER and PER-SON IN CHARGE shall ensure overhead protection is provided at the site of operation of the MOBILE FOOD UNIT for all FOOD handling activities.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-09170, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09175 Food and equipment protection—Food and food service supplies. The PERMIT HOLDER and PERSON IN CHARGE shall ensure that all FOOD, EQUIP-MENT, UTENSILS, and other FOOD service supplies are contained on the MOBILE FOOD UNIT, at the APPROVED COMMIS-SARY, at the APPROVED SERVICING AREA, or as otherwise APPROVED in the plan of operation.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09175, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09180 Movable buildings—Lack of permanent plumbing. The REGULATORY AUTHORITY may allow a PERSON to operate a FOOD ESTABLISHMENT with a limited menu in a movable building without permanent plumbing under applicable provisions of this subpart.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09180, filed 1/17/13, effective 5/1/13.]

# Subpart B - Temporary Food Establishments

WAC 246-215-09200 Requirements and restrictions. (1) The PERMIT HOLDER and PERSON IN CHARGE of a TEMPO-RARY FOOD ESTABLISHMENT shall comply with the requirements of this chapter, except as otherwise provided in this subpart.

(2) The REGULATORY AUTHORITY may impose additional requirements to protect against health hazards related to the operation of the TEMPORARY FOOD ESTABLISHMENT and may:

(a) Limit the FOOD preparation steps;

(b) Prohibit some menu items; and

(c) Restrict the mode of operation when facilities or EQUIPMENT are inadequate to protect public health.

(3) The owner of a TEMPORARY FOOD ESTABLISHMENT shall:

(a) Apply to the REGULATORY AUTHORITY for a PERMIT to operate the TEMPORARY FOOD ESTABLISHMENT at least fourteen calendar days before intending to provide FOOD service, or as otherwise required by the REGULATORY AUTHOR-ITY;

(b) Allow only EMPLOYEES and other persons authorized by the REGULATORY AUTHORITY to be present in the TEMPO-RARY FOOD ESTABLISHMENT; and

(c) Require the PERSON IN CHARGE of the TEMPORARY FOOD ESTABLISHMENT to obtain a valid FOOD WORKER CARD before beginning work.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09200, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09205 Food and equipment protection—Standard operating procedures. The PERSON IN CHARGE of a TEMPORARY FOOD ESTABLISHMENT shall ensure:

(1) Adequate facilities are provided at the TEMPORARY FOOD ESTABLISHMENTS for all necessary FOOD preparation steps;

(2) All FOODS, including ice, are from an APPROVED source;

(3) All off-site FOOD preparation is done in an APPROVED FOOD ESTABLISHMENT;

(4) All storage of FOOD and EQUIPMENT is done at APPROVED locations;

(5) FOOD is transported and stored in properly designed FOOD-grade containers;

(6) FOOD is protected from potential contamination during transport;

(7) Only SINGLE-SERVICE ARTICLES are provided for use by CONSUMERS, unless otherwise APPROVED by the REGULA-TORY AUTHORITY; and

(8) Condiments not in individual packages are provided in dispenser bottles or in other containers protected from contamination.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-09205, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09210 Potentially hazardous food— Temperature control. The PERSON IN CHARGE of a TEMPO-RARY FOOD ESTABLISHMENT shall ensure that POTENTIALLY HAZARDOUS FOODS are:

(1) Not cooled in a TEMPORARY FOOD ESTABLISHMENT;

(2) Properly temperature-controlled during transport to the temporary event location;

(3) Temperature-monitored by use of a stem-type thermometer or thermocouple capable of measuring all proper FOOD temperatures;

(4) Reheated, for hot holding, from 41°F (5°C) to 165°F (74°C) or above within one hour when cooked and cooled in an APPROVED FOOD ESTABLISHMENT;

(5) Reheated, for hot holding, from  $41^{\circ}F$  (5°C) to  $135^{\circ}F$  (60°C) or above within one hour when produced in a FOOD PROCESSING PLANT;

(6) Reheated no more than one time; and

(7) Held in preheated mechanical hot holding EQUIP-MENT or prechilled mechanical cold holding EQUIPMENT, or otherwise temperature controlled by an APPROVED method.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-09210, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09215 Thawing thickness—Thawing potentially hazardous foods. The PERSON IN CHARGE of a TEMPORARY FOOD ESTABLISHMENT shall ensure POTEN-TIALLY HAZARDOUS FOODS that are thawed as part of a continuous cooking process are not greater than four inches thick.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-09215, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09220 Public access—Separation barrier. The PERSON IN CHARGE of a TEMPORARY FOOD ESTAB-LISHMENT shall ensure a separation barrier or other effective method is used to protect FOOD preparation area and cooking areas from public access.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09220, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09225 Handwashing and wastewater—Facilities. The PERMIT HOLDER of a TEMPORARY FOOD ESTABLISHMENT shall ensure APPROVED handwashing facilities allow convenient use by EMPLOYEES; are located within 25 feet of FOOD preparation, FOOD dispensing, and WARE-WASHING areas; and include:

(1) Potable, warm, running water;

## **Food Service**

(2) Soap and paper towels;

(3) A five-gallon or larger insulated container kept supplied with warm water for handwashing delivered through a continuous-flow spigot, if permanent plumbing is not available; and

(4) A wastewater retention tank sufficient in size to hold all wastewater generated by the TEMPORARY FOOD ESTAB-LISHMENT until emptied in an APPROVED manner, if a public SEWAGE system hookup is not available.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09225, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09230 Employee restrooms—Toilet facilities. The PERMIT HOLDER of a TEMPORARY FOOD ESTABLISHMENT shall ensure APPROVED toilet facilities are available for EMPLOYEES and are:

(1) Readily accessible during all times of operation; and

(2) Provided with handwashing facilities with potable, warm, running water.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09230, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09235 Sink compartment requirements—Warewashing facilities. The PERMIT HOLDER of a TEMPORARY FOOD ESTABLISHMENT shall ensure access within 200 feet to a three-compartment sink with APPROVED drain boards and an adequate supply of hot and cold running water to wash, rinse, and SANITIZE UTENSILS when:

(1) EQUIPMENT or UTENSILS are reused on-site; or

(2) The TEMPORARY FOOD ESTABLISHMENT operates for two or more consecutive days; except

(3) The REGULATORY AUTHORITY may approve an alternative UTENSIL cleaning method when three-compartment sinks with drain boards are not available and a health HAZARD cannot result.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09235, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09240 Sink compartment requirements—Food preparation sink. The PERMIT HOLDER and PERSON IN CHARGE shall ensure a separate FOOD preparation sink is available at the TEMPORARY FOOD ESTABLISHMENT that is supplied with potable running water, drained to an APPROVED wastewater system through an indirect connection, if produce needs to be washed on-site. Alternative produce washing facilities may be used if APPROVED.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09240, filed 1/17/13, effective 5/1/13.]

# Subpart C - Bed and Breakfast Operations

WAC 246-215-09300 Residential kitchen—Requirements and restrictions. (1) The PERMIT HOLDER and PERSON IN CHARGE of a BED AND BREAKFAST OPERATION shall comply with the requirements of this chapter, except as otherwise provided in this subpart.

(2) The REGULATORY AUTHORITY may impose additional requirements to protect against health hazards related to the FOOD service portion of a BED AND BREAKFAST OPERA-TION. (3) FOOD may be handled in the residential kitchen of a BED AND BREAKFAST OPERATION without meeting the provisions of WAC 246-215-02315, 246-215-04212, 246-215-04214, 246-215-04216, 246-215-04224, 246-215-04228, 246-215-04236, 246-215-04250, 246-215-04254, 246-215-04260, 246-215-04264, 246-215-04315, 246-215-04340, 246-215-04345, 246-215-04405, 246-215-04410, 246-215-04500(1), 246-215-04510, 246-215-04525, 246-215-04545, 246-215-04555, 246-215-04560, 246-215-04575, 246-215-04510, 246-215-04540, and 246-215-05240, Part 4, Subpart H; Part 5, Subpart E; Part 6 and Part 7, if:

(a) The number of guest bedrooms does not exceed eight;

(b) FOOD service is limited to overnight guests;

(c) Breakfast is the only meal prepared; however, baked goods that are not POTENTIALLY HAZARDOUS FOOD may be prepared and served at any time of day;

(d) POTENTIALLY HAZARDOUS FOODS are prepared for IMMEDIATE SERVICE only; and

(e) POTENTIALLY HAZARDOUS FOODS are not cooled for later reheating.

(4) If FOOD service is provided in a BED AND BREAKFAST OPERATION other than under the conditions of subsection (3) of this section, all FOODS must be prepared in an APPROVED nonresidential kitchen meeting the requirements of this chapter.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09300, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09305 Food protection—Standard operating procedures. The PERSON IN CHARGE of a BED AND BREAKFAST OPERATION shall ensure:

(1) FOOD supplies for personal use are separated from FOOD supplies intended for guest use;

(2) FOOD-CONTACT SURFACES are thoroughly cleaned before each use;

(3) A HANDWASHING SINK is available for use by EMPLOYEES during all times FOOD is prepared for BED AND BREAKFAST OPERATION guests and is located within 25 feet of FOOD preparation, FOOD dispensing, and WAREWASHING areas;

(4) Each HANDWASHING SINK is provided with a supply of hand soap and SINGLE-USE towels or other APPROVED hand-drying device;

(5) REFUSE, recyclables, and returnables are stored in a manner that does not create a public health HAZARD or nuisance;

(6) The PREMISES are maintained to control insects, rodents, and other pests;

(7) Children under age ten and animals are kept out of FOOD preparation areas during all times FOOD is prepared for bed and breakfast guests; and

(8) Toxic chemicals are stored in accurately labeled containers away from all FOODs and FOOD service supplies.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09305, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09310 Sinks—Sink compartment requirements. The kitchen of a BED AND BREAKFAST OPER-ATION must have at least the following facilities for cleaning and SANITIZING FOOD contact UTENSILS and EQUIPMENT and to allow handwashing in a separate sink basin from one used for FOOD preparation:

(1) A three-compartment sink; or

(2) Two-sink basins plus a home-style dishwasher with a SANITIZING cycle providing 155°F (68°C) or hotter water.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-09310, filed 1/17/13, effective 5/1/13.]

#### Subpart D - Donated Food Distributing Organizations

#### WAC 246-215-09400 Requirements and exemptions.

(1) The PERSON IN CHARGE of a DONATED FOOD DISTRIBUT-ING ORGANIZATION shall comply with the requirements of this chapter, except as otherwise provided in this section.

(2) A DONATED FOOD DISTRIBUTING ORGANIZATION is exempt from the provisions of WAC 246-215-08600 and Part 8, Subpart C of this chapter, regarding operating with a valid FOOD ESTABLISHMENT PERMIT.

(3) The PERSON IN CHARGE of a DONATED FOOD DISTRIB-UTING ORGANIZATION shall notify the REGULATORY AUTHORITY in writing or by another APPROVED manner:

(a) Annually of the nature of its FOOD service activities, including types of FOOD served or distributed; and

(b) Whenever there is a significant change in its FOOD service activities.

(4) A DONATED FOOD DISTRIBUTING ORGANIZATION is exempt from meeting the provisions of WAC 246-215-02315, 246-215-03610, 246-215-04212, 246-215-04214, 246-215-04216, 246-215-04224, 246-215-04228, 246-215-04236, 246-215-04250, 246-215-04254, 246-215-04260, 246-215-04264, 246-215-04315, 246-215-04340, 246-215-04345, 246-215-04405, 246-215-04410, 246-215-04500(1), 246-215-04510, 246-215-04525, 246-215-04545, 246-215-04555, 246-215-04560, 246-215-04575, 246-215-04610, 246-215-04710, 246-215-04940, and 246-215-05240, Part 4, Subpart H; Part 5, Subpart E; and Part 6, if:

(a) All FOODS are donated to needy persons under the provisions of chapter 69.80 RCW;

(b) POTENTIALLY HAZARDOUS FOOD items prepared onsite or at a DONOR KITCHEN are served within eight hours of preparation; and

(c) POTENTIALLY HAZARDOUS FOOD items are not cooled and reheated on-site.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09400, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09405 Standard operating procedures—Food protection. The PERSON IN CHARGE of a DONATED FOOD DISTRIBUTING ORGANIZATION shall ensure:

(1) EQUIPMENT for cold holding, heating, and hot holding FOODS are sufficient in number and capacity to provide FOOD temperatures specified in Part 3 of this chapter;

(2) FOOD-CONTACT SURFACES are thoroughly cleaned before each use;

(3) A HANDWASHING SINK is accessible for use by EMPLOYEES during all times of FOOD preparation and service of unwrapped FOODS and is located within 25 feet of FOOD preparation, FOOD dispensing, and WAREWASHING areas;

(4) Each sink used for handwashing is provided with a supply of hand soap and SINGLE-USE towels or other APPROVED hand-drying device;

(5) REFUSE, recyclables, and returnables are stored in a manner that does not create a public health HAZARD or nuisance;

(6) The PREMISES are maintained to control insects, rodents, and other pests;

(7) Children under age ten and animals are kept out of FOOD preparation areas during the preparation of FOODS; and

(8) Toxic chemicals are stored in accurately labeled containers away from all FOODS and FOOD service supplies.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-09405, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09410 Sinks—Sink compartment requirements. The PERSON IN CHARGE of a DONATED FOOD DISTRIBUTING ORGANIZATION shall have at least the following facilities available for handwashing and cleaning of FOOD-contact UTENSILS and EQUIPMENT:

(1) A three-compartment sink;

(2) Two-sink basins plus a home-style dishwasher with a SANITIZING cycle providing 155°F (68°C) or hotter water; or
 (3) As otherwise APPROVED.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09410, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09415 Food sources—Donated foods. The PERSON IN CHARGE of a DONATED FOOD DISTRIBUTING ORGANIZATION may receive FOODS for charitable purposes that include:

(1) Surplus FOODS from a FOOD ESTABLISHMENT;

(2) Muscle MEAT of a wild GAME ANIMAL:

(a) Received from a LAW enforcement officer certified by a jurisdiction in the state of Washington or from a hunter licensed by the Washington state department of fish and wildlife;

(b) Processed by an APPROVED MEAT cutter; and

(c) Labeled "Uninspected wild game meat, thoroughly cook to 165°F (74°C) internal temperature";

(3) Muscle MEAT of a domesticated livestock animal, POULTRY, or rabbit;

(a) Donated live to the distributing organization;

(b) Raised by a member of an APPROVED youth club, such as 4H;

(c) Processed by an APPROVED MEAT cutter; and

(d) Labeled "Uninspected wild game meat, thoroughly cook to 165°F (74°C) internal temperature";

(4) FOODS properly handled, stored, or prepared in a DONOR KITCHEN;

(5) NONPOTENTIALLY HAZARDOUS, NONREADY-TO-EAT FOODS handled, stored, or prepared in a residential kitchen in a private home.

(6) Baked goods that are not POTENTIALLY HAZARDOUS FOOD handled, stored, or prepared in a residential kitchen in a private home;

(7) NONPOTENTIALLY HAZARDOUS, READY-TO-EAT FOODS in an intact commercial package stored in a residential kitchen in a private home; and

(8) Commercially PACKAGED frozen FOOD.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-09415, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09420 Receiving food—Food condition. The PERSON IN CHARGE of a DONATED FOOD DISTRIBUT-ING ORGANIZATION shall ensure that FOODS are inspected upon receipt and information is obtained from DONORS in order to determine that:

(1) FOODS are safe and unADULTERATED;

(2) Surplus FOODS have not been previously served to a person;

(3) POTENTIALLY HAZARDOUS FOOD meets the temperature specifications in WAC 246-215-03235;

(4) FOODS have been protected from contamination during handling and storage by intact original commercial packaging or sanitary FOOD-grade containers; and

(5) FOODS have been handled and transported in separate containers as needed to prevent potential cross contamination between READY-TO-EAT and nonREADY-TO-EAT FOODS.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09420, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09425 Prohibited food—Restrictions. The PERSON IN CHARGE of a DONATED FOOD DISTRIBUTING ORGANIZATION may not serve or distribute:

(1) Home-canned FOODS;

(2) Canned FOODS in containers that are rusty or severely damaged;

(3) Distressed FOODS (such as from a fire, flood, or prolonged storage) unless the FOODS have been evaluated and APPROVED for charitable distribution; or

(4) Infant formula that is past the original expiration date set by the processor.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09425, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09430 Food labels—Alternative labeling. The PERSON IN CHARGE of a DONATED FOOD DISTRIBUT-ING ORGANIZATION may distribute PACKAGED FOODS without complete label information on each individual container, provided that:

(1) Each container is labeled with the common name of the FOOD; and

(2) The label information, according to the provisions of chapter 69.04 RCW, is on the master carton or is posted in plain view on a card, sign, or other method of notice at the point of distribution to the CONSUMER.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09430, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09435 Record keeping—Receiving record. The PERSON IN CHARGE of a DONATED FOOD DIS-TRIBUTING ORGANIZATION receiving POTENTIALLY HAZARD-OUS FOODS or nonPOTENTIALLY HAZARDOUS, READY-TO-EAT FOODS not prePACKAGED in a FOOD PROCESSING PLANT shall keep records for 30 days documenting the source, quantity, type, and receiving date of the FOODS.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109,  $\$  246-215-09435, filed 1/17/13, effective 5/1/13.]

# Subpart E - Preschools

WAC 246-215-09500 Requirements and exemptions. (1) The PERMIT HOLDER and PERSON IN CHARGE of a PRE-

SCHOOL shall comply with the requirements of this chapter, except as otherwise provided in this section. If the PERMIT HOLDER does not meet the requirements under subsection (2) of this section, the PERMIT HOLDER shall comply with all requirements of this chapter.

(2) A PRESCHOOL is exempt from meeting the provisions of WAC 246-215-02315, 246-215-03610, 246-215-04212, 246-215-04214, 246-215-04216, 246-215-04224, 246-215-04228, 246-215-04250, 246-215-04254, 246-215-04260, 246-215-04264, 246-215-04410, 246-215-04500(1), 246-215-04525, 246-215-04545, 246-215-04555, 246-215-04560, 246-215-04610(2), 246-215-04710, 246-215-05240, 246-215-06100, 246-215-06200, 246-215-06290, and 246-215-06355 if:

(a) FOOD service is limited to enrolled children, staff, and volunteers at the PRESCHOOL;

(b) POTENTIALLY HAZARDOUS FOODS are prepared for IMMEDIATE SERVICE; and

(c) Cooked, reheated, or hot held POTENTIALLY HAZARD-OUS FOODS are not cooled for future service. They must be either served hot or discarded each day.

(3) The REGULATORY AUTHORITY may impose additional requirements to protect against health hazards related to the operation of the PRESCHOOL and may:

(a) Limit the FOOD preparation steps;

(b) Prohibit some menu items; and

(c) Restrict the mode of operations when the facilities or EQUIPMENT are inadequate to protect public health.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09500, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09505 Standard operating procedures. The PERSON IN CHARGE of the PRESCHOOL shall ensure:

(1) EQUIPMENT for cold holding, heating and hot holding FOODS are sufficient in number and capacity to provide FOOD temperatures specified in Part 3 of this chapter. Residential models of such EQUIPMENT may be used if they are EASILY CLEANABLE and in good repair;

(2) FOOD-CONTACT SURFACES are thoroughly cleaned and SANITIZED before each use;

(3) A HANDWASHING SINK is accessible for use by EMPLOYEES during all times of FOOD preparation and service of unwrapped FOODS and is located within 25 feet of FOOD preparation, FOOD dispensing, and WAREWASHING areas;

(4) Each HANDWASHING SINK is provided with a supply of hand soap and SINGLE-USE towels or other APPROVED hand-drying device;

(5) REFUSE and recyclables are stored in a manner that does not create a public health HAZARD or nuisance;

(6) The PREMISES must be maintained free of infestations of insects, rodents, and other pests such that there is not a breeding population of pests in the facility; and

(7) Toxic chemicals are stored in accurately labeled containers away from all FOODS and FOOD service supplies.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09505, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09510 Sink compartment requirements. (1) At a minimum, a PRESCHOOL must have manual WAREWASHING sinks as specified under WAC 246-215-04305.

(2) One of the WAREWASHING sinks may also be used as a HANDWASHING SINK, provided FOOD preparation and WAREWASHING occur at separate times.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09510, filed 1/17/13, effective 5/1/13.]

WAC 246-215-09515 Food preparation sink. If produce is washed on-site, the PRESCHOOL must either have:

(1) A separate FOOD preparation sink as specified under WAC 246-215-04325; or

(2) A preAPPROVED alternate produce washing procedure (e.g., the use of a colander) that ensures produce is not directly placed in WAREWASHING or HANDWASHING SINKS.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-09515, filed 1/17/13, effective 5/1/13.]

# PART 10: SEVERABILITY

WAC 246-215-10000 Severability. If any provision of this chapter or its application to any PERSON or circumstance is held invalid, the remainder of this chapter, or the application of the provision to other persons or circumstances is not affected.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-10000, filed 1/17/13, effective 5/1/13.]