

**(Effective until July 1, 2020)**

**WAC 51-50-480705 Accessibility.**

**705.1.5 Dining areas.** This section is not adopted.

**705.1.9 Toilet rooms.** Where it is technically infeasible to alter existing toilet and bathing rooms to be accessible, an accessible family or assisted use toilet or bathing room constructed in accordance with Section 1109.2.1 of the *International Building Code* is permitted. The family or assisted-use toilet or bathing room shall be located on the same floor and in the same area as the existing toilet or bathing rooms. At the inaccessible toilet and bathing rooms, directional signs indicating the location of the nearest family or assisted-use toilet room or bathing room shall be provided. These directional signs shall include the International Symbol of Accessibility and sign characters shall meet the visual character requirements in accordance with ICC A117.1. The number of toilet or bathing rooms and water closets required by the Washington State Building Code is permitted to be reduced by one, in order to provide accessible features.

[Statutory Authority: RCW 19.27.031 and 19.27.074. WSR 16-03-064, § 51-50-480705, filed 1/19/16, effective 7/1/16.]

**(Effective July 1, 2020)**

**WAC 51-50-480705 Reserved.**

[Statutory Authority: RCW 19.27.031 and 19.27.074. WSR 20-01-090, § 51-50-480705, filed 12/12/19, effective 7/1/20; WSR 16-03-064, § 51-50-480705, filed 1/19/16, effective 7/1/16.]