

**WAC 110-145-1565 What is the ratio of persons normally on the premises to bathrooms at my facility?** (1) You must maintain the following ratio of toilets, handwashing sinks, and bathing facilities:

<b>FACILITY</b>	<b>TOILETS (flush-type)</b>	<b>HANDWASHING (hot and cold running water)</b>	<b>BATHING FACILITIES (hot and cold running water)</b>
Group residential programs licensed for 5 or fewer	1 minimum	1 minimum	1 minimum
Group residential for 6 or more	2 minimum 1:8 ratio	2 minimum 1:8 ratio	1 minimum 1:8 ratio

(2) In programs providing care to expectant mothers, all sleeping areas must have at least one toilet and handwashing sink on the same floor.

(3) Children eighteen months of age or younger and other children who do not use a toilet need not be included when determining the number of required flush-type toilets.

[WSR 18-14-078, recodified as § 110-145-1565, filed 6/29/18, effective 7/1/18. Statutory Authority: RCW 74.15.010, 74.15.030, 74.15.040, 74.15.090, 74.13.031, 74.39A.056, 43.43.832. WSR 18-11-138, § 388-145-1565, filed 5/23/18, effective 6/23/18. Statutory Authority: Chapters 13.34 and 74.13 RCW, RCW 74.15.030(2), 74.15.311(2), 74.13.032, 13.04.011, 74.13.020, 13.34.030, 74.13.031, 13.34.145, 74.15.311, 74.15.030, and 2013 c 105. WSR 15-01-069, § 388-145-1565, filed 12/11/14, effective 1/11/15.]