

**WAC 16-170-135 Toilet requirements.** (1) At least one toilet must be available and conveniently located at the poultry slaughter site.

(2) A domestic toilet is sufficient if the poultry slaughter operation is a family operation where only family members are employed. However, if the operation has employees, toilet facilities must be provided at the slaughtering site or employees must be allowed to use the domestic toilet.

(3) Portable chemical toilets may be used at the poultry slaughter site if they are conveniently located with a self-closing door, screened to exclude insects, and properly maintained.

(4) All nondomestic toilet areas must be kept clean, free of trash and litter, and in good repair. All doors used to enter the nondomestic toilet area must be self-closing and must not open directly into the poultry slaughter site.

[Statutory Authority: RCW 15.30.120, 69.07.020, 69.10.055, and 16.49.025. WSR 20-17-020, § 16-170-135, filed 8/6/20, effective 9/6/20. Statutory Authority: RCW 69.07.103, chapters 69.07 and 34.05 RCW, and 2009 c 114. WSR 09-16-035, § 16-170-135, filed 7/28/09, effective 8/28/09. Statutory Authority: 2003 c 397 and chapters 69.07 and 34.05 RCW. WSR 04-08-062, § 16-170-135, filed 4/5/04, effective 5/6/04.]