

(Effective until March 1, 2022.)

WAC 246-215-04585 Utensils and temperature and pressure measuring devices—Single-service and single-use articles, required use (2009 FDA Food Code 4-502.12). A FOOD ESTABLISHMENT without facilities specified under Part 4, Subparts 6 and 7 for cleaning and SANITIZING KITCHENWARE and TABLEWARE must provide only SINGLE-USE KITCHENWARE, SINGLE-SERVICE ARTICLES, and SINGLE-USE ARTICLES for use by FOOD EMPLOYEES and SINGLE-SERVICE ARTICLES for use by CONSUMERS.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-04585, filed 1/17/13, effective 5/1/13.]

(Effective March 1, 2022.)

WAC 246-215-04585 Utensils and temperature and pressure measuring devices—Single-service and single-use articles, required use (FDA Food Code 4-502.12). A FOOD ESTABLISHMENT without facilities specified under Part 4, Subparts F and G of this chapter for cleaning and SANITIZING KITCHENWARE and TABLEWARE must provide only SINGLE-USE KITCHENWARE, SINGLE-SERVICE ARTICLES, and SINGLE-USE ARTICLES for use by FOOD EMPLOYEES and SINGLE-SERVICE ARTICLES for use by CONSUMERS.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 21-01-122, § 246-215-04585, filed 12/15/20, effective 3/1/22; WSR 13-03-109, § 246-215-04585, filed 1/17/13, effective 5/1/13.]