

(Effective until March 1, 2022.)

WAC 246-215-05240 Service sink (2009 FDA Food Code 5-203.13).

(1) At least one service sink or one curbed cleaning facility equipped with a floor drain must be provided and conveniently located for the cleaning of mops or similar wet floor cleaning tools and for the disposal of mop water and similar liquid waste.

(2) Toilets and urinals may not be used as a service sink for the disposal of mop water and similar liquid waste.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-05240, filed 1/17/13, effective 5/1/13.]

(Effective March 1, 2022.)

WAC 246-215-05240 Numbers and capacities—Service sink (FDA Food Code 5-203.13). (1) At least one service sink or one curbed cleaning facility equipped with a floor drain must be provided and conveniently located for the cleaning of mops or similar wet floor cleaning tools and for the disposal of mop water and similar liquid waste.

(2) Toilets and urinals may not be used as a service sink for the disposal of mop water and similar liquid waste.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 21-01-122, § 246-215-05240, filed 12/15/20, effective 3/1/22; WSR 13-03-109, § 246-215-05240, filed 1/17/13, effective 5/1/13.]