CERTIFICATION OF ENROLLMENT

HOUSE BILL 1344

Chapter 246, Laws of 1993

53rd Legislature 1993 Regular Session

AXLE WEIGHT LIMITS REVISED

EFFECTIVE DATE: 7/25/93

Passed by the House February 19, 1993 Yeas 96 Nays 0

BRIAN EBERSOLE

Speaker of the House of Representatives

Passed by the Senate April 15, 1993 Yeas 40 Nays 0

JOEL PRITCHARD

President of the Senate

Approved May 7, 1993

CERTIFICATE

I, Alan Thompson, Chief Clerk of the House of Representatives of the State of Washington, do hereby certify that the attached is **HOUSE BILL 1344** as passed by the House of Representatives and the Senate on the dates hereon set forth.

ALAN THOMPSON

Chief Clerk

FILED

May 7, 1993 - 11:30 a.m.

MIKE LOWRY

Governor of the State of Washington

Secretary of State State of Washington

HOUSE BILL 1344

Passed Legislature - 1993 Regular Session

State of Washington53rd Legislature1993 Regular SessionBy Representative Jones

Read first time 01/25/93. Referred to Committee on Transportation.

1 AN ACT Relating to vehicle axles; and reenacting and amending RCW 2 46.44.041.

3 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF WASHINGTON:

4 Sec. 1. RCW 46.44.041 and 1988 c 229 s 1 and 1988 c 6 s 2 are each 5 reenacted and amended to read as follows:

6 No vehicle or combination of vehicles shall operate upon the public 7 highways of this state with a gross load on any single axle in excess 8 of twenty thousand pounds, or upon any group of axles in excess of that 9 set forth in the following table, except that two consecutive sets of 10 tandem axles may carry a gross load of thirty-four thousand pounds 11 each, if the overall distance between the first and last axles of such 12 consecutive sets of tandem axles is thirty-six feet or more.

1	Dis-										
2	tance										
3	in feet Maximum load in pounds										
4	between carried on any group of 2										
5	the ex- or more consecutive axles										
б	tremes	tremes									
7	of any										
8	group										
9	of 2										
10	or mor	or more									
11	consecu-										
12	tive	2	3	4	5	б	7	8	9		
13	axles	axles	axles	axles	axles	axles	axles	axles	axles		
14	4	34,000									
15	5	34,000									
16	6	34,000									
17	7	, 34,000									
18	8		42,000								
19	9	39,000	42,500								
20	10	40,000	43,500								
21	11		44,000								
22	12		45,000	50,000							
23	13		45,500	50,500							
24	14		46,500	51,500							
25	15		47,000	52,000							
26	16		48,000	52,500	52,500						
27	17		48,500	53,500	53,500						
28	18		49,500	54,000	54,000						
29	19		50,000	54,500	54,500						
30	20		51,000	55,500	55,500						
31	21		51,500	56,000	56,000						
32	22		52,500	56,500	56,500						
33	23		53,000	57,500	57,500						
34	24		54,000	58,000	58,000						
35	25		54,500	58,500	58,500						
36	26			59,500							
37	27			60,000							
38	28			60,500							
39	29		57,500	61,500	62,000	62,000					
		4 97				0					

1	30	58,500	62,000	63,000	63,000				
2	31	59,000	62,500	64,000	64,500				
3	32	60,000	63,500	65,000	65,000				
4	33		64,000	66,000	66,000				
5	34		64,500	67,000	67,000				
6	35		65,500	68,000	68,000				
7	36		66,000	69,500	69,500				
8	37		66,500	70,500	70,500				
9	38		67,500	72,000	72,000				
10	39		68,000	72,500	72,500				
11	40		68,500	73,000	73,000				
12	41		69,500	73,500	73,500				
13	42		70,000	74,000	74,000				
14	43		70,500	75,000	75,000				
15	44		71,500	75,500	75,500				
16	45		72,000	76,000	76,000				
17	46		72,500	76,500	80,000	80,000			
18	47		73,500	77,000	81,000	81,000			
19	48		74,000	78,000	82,000	82,000			
20	49		74,500	78,500	83,000	83,000			
21	50		75,500	79,000	84,000	84,000			
22	51		76,000	80,000	84,500	85,000			
23	52		76,500	80,500	85,000	86,000			
24	53		77,500	81,000	86,000	87,000			
25	54		78,000	81,500	86,500	88,000	91,000	91,000	
26	55		78,500	82,500	87,000	89,000	92,000	92,000	
27	56		79,500	83,000	87,500	90,000	93,000	93,000	
28	57		80,000	83,500	88,000	91,000	94,000	94,000	
29	58			84,000	89,000	92,000	95,000	95,000	
30	59			85,000	89,500	93,500	96,000	96,000	
31	60			85,500	90,000	95,000	97,000	97,000	
32	61			86,000	90,500	95,500	98,000	98,000	
33	62			87,000	91,000	96,000	99,000	99,000	
34	63			87,500	92,000	97,000	100,000	100,000	
35	64			88,000	92,500	97,500	101,000	101,000	
36	65			88,500	93,000	98,000	102,000	102,000	
37	66			89,500	93,500	98,500	103,000	103,000	
38	67			90,000	94,000	99,000	104,000	104,000	

1	68	90,500	95,000 99,500	105,000	105,000
2	69	91,000	95,500 100,000	105,500	105,500
3	70	92,000	96,000 101,000	105,500	105,500

4 When inches are involved: Under six inches take lower, six inches or 5 over take higher. The maximum load on any axle in any group of axles 6 shall not exceed the single axle or tandem axle allowance as set forth 7 in the table above.

8 The maximum axle and gross weights specified in this section are 9 subject to the braking requirements set up for the service brakes upon 10 any motor vehicle or combination of vehicles as provided by law.

It is unlawful to operate upon the public highways any single unit 11 12 vehicle, supported upon three axles or more with a gross weight including load in excess of forty thousand pounds or any combination of 13 vehicles having a gross weight in excess of eighty thousand pounds 14 15 without first obtaining an additional tonnage permit as provided for in PROVIDED, That when a combination of vehicles has 16 RCW 46.44.095: 17 purchased license tonnage in excess of seventy-two thousand pounds as provided by RCW 46.16.070, such excess license tonnage may be applied 18 to the power unit subject to limitations of RCW 46.44.042 and this 19 20 section when such vehicle is operated without a trailer.

21 ((It is unlawful to operate any vehicle upon the public highways 22 equipped with two axles spaced less than seven feet apart unless the 23 two axles are so constructed and mounted that the difference in weight between the axles does not exceed three thousand pounds. However, 24 25 variable lift axles are exempt from this requirement. For purposes of this section, a "variable lift axle" is an axle that may be lifted from 26 27 the roadway surface, whether by air, hydraulic, mechanical, or any combination of these means. The weight allowed on the axle is governed 28 29 by RCW 46.44.042 and this section.))

Loads of not more than eighty thousand pounds which may be legally hauled in the state bordering this state which also has a sales tax, are legal in this state when moving to a port district within four miles of the bordering state except on the interstate system. This provision does not allow the operation of a vehicle combination consisting of a truck tractor and three trailers.

Notwithstanding anything contained herein, a vehicle or combination of vehicles in operation on January 4, 1975, may operate upon the public highways of this state, including the interstate system within the meaning of section 127 of Title 23, United States Code, with

p. 4

- 1 an overall gross weight upon a group of two consecutive sets of dual
- 2 axles which was lawful in this state under the laws, regulations and
- 3 procedures in effect in this state on January 4, 1975.

Passed the House February 19, 1993. Passed the Senate April 15, 1993. Approved by the Governor May 7, 1993. Filed in Office of Secretary of State May 7, 1993.