

ESHB 2327 - S COMM AMD

By Committee on Energy, Environment & Technology

1 Strike everything after the enacting clause and insert the  
2 following:

3 "Sec. 1. RCW 19.260.010 and 2005 c 298 s 1 are each amended to  
4 read as follows:

5 The legislature finds that efficiency standards:

6 ~~(1) ((According to estimates of the department of community,~~  
7 ~~trade, and economic development, the efficiency standards set forth~~  
8 ~~in chapter 298, Laws of 2005 will save nine hundred thousand~~  
9 ~~megawatt-hours of electricity, thirteen million therms of natural~~  
10 ~~gas, and one billion seven hundred million gallons of water in the~~  
11 ~~year 2020, fourteen years after the standards have become effective,~~  
12 ~~with a total net present value to buyers of four hundred ninety~~  
13 ~~million dollars in 2020.~~

14 ~~(2) Efficiency standards))~~ For certain products sold or installed  
15 in the state assure consumers and businesses that such products meet  
16 minimum efficiency performance levels thus saving money on utility  
17 bills.

18 ~~((3) Efficiency standards))~~ (2) Save energy and reduce pollution  
19 and other environmental impacts associated with the production,  
20 distribution, and use of electricity and natural gas.

21 ~~((4) Efficiency standards))~~ (3) Contribute to the economy of  
22 Washington by helping to better balance energy supply and demand,  
23 thus reducing pressure for higher natural gas and electricity prices.  
24 By saving consumers and businesses money on energy bills, efficiency  
25 standards help the state and local economy, since energy bill savings  
26 can be spent on local goods and services.

27 ~~((5) Efficiency standards))~~ (4) Can make electricity systems  
28 more reliable by reducing the strain on the electricity grid during  
29 peak demand periods. Furthermore, improved energy efficiency can  
30 reduce or delay the need for new power plants, power transmission  
31 lines, and power distribution system upgrades.

1       **Sec. 2.** RCW 19.260.020 and 2009 c 565 s 18 and 2009 c 501 s 1  
2 are each reenacted and amended to read as follows:

3       The definitions in this section apply throughout this chapter  
4 unless the context clearly requires otherwise.

5       (1) "Automatic commercial ice cube machine" means a factory-made  
6 assembly, not necessarily shipped in one package, consisting of a  
7 condensing unit and ice-making section operating as an integrated  
8 unit with means for making and harvesting ice cubes. It may also  
9 include integrated components for storing or dispensing ice, or both.

10       (2) "Bottle-type water dispenser" means a water dispenser that  
11 uses a bottle or reservoir as the source of potable water.

12       (3) "Commercial hot food holding cabinet" means a heated, fully  
13 enclosed compartment, with one or more solid or partial glass doors,  
14 that is designed to maintain the temperature of hot food that has  
15 been cooked in a separate appliance. "Commercial hot food holding  
16 cabinet" does not include heated glass merchandising cabinets, drawer  
17 warmers, or cook and hold appliances.

18       (4)(a) "Commercial refrigerators and freezers" means  
19 refrigerators, freezers, or refrigerator-freezers designed for use by  
20 commercial or institutional facilities for the purpose of storing or  
21 merchandising food products, beverages, or ice at specified  
22 temperatures that: (i) Incorporate most components involved in the  
23 vapor-compression cycle and the refrigerated compartment in a single  
24 cabinet; and (ii) may be configured with either solid or transparent  
25 doors as a reach-in cabinet, pass-through cabinet, roll-in cabinet,  
26 or roll-through cabinet.

27       (b) "Commercial refrigerators and freezers" does not include: (i)  
28 Products with 85 cubic feet or more of internal volume; (ii) walk-in  
29 refrigerators or freezers; (iii) consumer products that are federally  
30 regulated pursuant to 42 U.S.C. Sec. 6291 et seq.; (iv) products  
31 without doors; or (v) freezers specifically designed for ice cream.

32       (5) "Compensation" means money or any other valuable thing,  
33 regardless of form, received or to be received by a person for  
34 services rendered.

35       (6) "Cook and hold appliance" means a multiple mode appliance  
36 intended for cooking food that may be used to hold the temperature of  
37 the food that has been cooked in the same appliance.

38       (7) "Department" means the department of commerce.

1 (8) "Drawer warmer" means an appliance that consists of one or  
2 more heated drawers and that is designed to hold hot food that has  
3 been cooked in a separate appliance at a specified temperature.

4 (9) "Heated glass merchandising cabinet" means an appliance with  
5 a heated cabinet constructed of glass or clear plastic doors which,  
6 with seventy percent or more clear area, is designed to display and  
7 maintain the temperature of hot food that has been cooked in a  
8 separate appliance.

9 (10) "Hot water dispenser" means a small electric water heater  
10 that has a measured storage volume of no greater than one gallon.

11 (11) "Mini-tank electric water heater" means a small electric  
12 water heater that has a measured storage volume of more than one  
13 gallon and a rated storage volume of less than twenty gallons.

14 (12) "Pass-through cabinet" means a commercial refrigerator or  
15 freezer with hinged or sliding doors on both the front and rear of  
16 the unit.

17 (13) "Point-of-use water dispenser" means a water dispenser that  
18 uses a pressurized water utility connection as the source of potable  
19 water.

20 (14) "Pool heater" means an appliance designed for heating  
21 nonpotable water contained at atmospheric pressure for swimming  
22 pools, spas, hot tubs, and similar applications.

23 (15) "Portable electric spa" means a factory-built electric spa  
24 or hot tub, supplied with equipment for heating and circulating  
25 water.

26 (16) "Reach-in cabinet" means a commercial refrigerator or  
27 freezer with hinged or sliding doors or lids, but does not include  
28 roll-in or roll-through cabinets or pass-through cabinets.

29 (17) "Residential pool pump" means a pump used to circulate and  
30 filter pool water in order to maintain clarity and sanitation.

31 (18)(a) "Roll-in cabinet" means a commercial refrigerator or  
32 freezer with hinged or sliding doors that allow wheeled racks of  
33 product to be rolled into the unit.

34 (b) "Roll-through cabinet" means a commercial refrigerator or  
35 freezer with hinged or sliding doors on two sides of the cabinet that  
36 allow wheeled racks of product to be rolled through the unit.

37 (19) "Showerhead" means a device through which water is  
38 discharged for a shower bath and includes a body sprayer and handheld  
39 showerhead but does not include a safety showerhead.

1 (20) "Showerhead tub spout diverter combination" means a group of  
2 plumbing fittings sold as a matched set and consisting of a control  
3 valve, a tub spout diverter, and a showerhead.

4 (21) "State-regulated incandescent reflector lamp" means a lamp  
5 that is not colored or designed for rough or vibration service  
6 applications, has an inner reflective coating on the outer bulb to  
7 direct the light, an E26 medium screw base, a rated voltage or  
8 voltage range that lies at least partially within 115 to 130 volts,  
9 and falls into one of the following categories:

10 (a) A bulged reflector or elliptical reflector bulb shape and  
11 which has a diameter which equals or exceeds 2.25 inches; or

12 (b) A reflector, parabolic aluminized reflector, or similar bulb  
13 shape and which has a diameter of 2.25 to 2.75 inches.

14 (22) "Tub spout diverter" means a device designed to stop the  
15 flow of water into a bathtub and to divert it so that the water  
16 discharges through a showerhead.

17 (23) "Wine chillers designed and sold for use by an individual"  
18 means refrigerators designed and sold for the cooling and storage of  
19 wine by an individual.

20 (24) "Faucet" means a lavatory faucet, kitchen faucet, metering  
21 faucet, public lavatory faucet, or replacement aerator for a  
22 lavatory, public lavatory, or kitchen faucet.

23 (25) "Spray sprinkler body" means the exterior case or shell of a  
24 sprinkler incorporating a means of connection to the piping system  
25 designed to convey water to a nozzle or orifice.

26 (26) "Urinal" means a plumbing fixture that receives only liquid  
27 body waste and, on demand, conveys the waste through a trap seal into  
28 a gravity drainage system.

29 (27) "Water closet" means a plumbing fixture having a water-  
30 containing receptor that receives liquid and solid body waste through  
31 an exposed integral trap into a gravity drainage system.

32 (28) "Water cooler" means a freestanding device that consumes  
33 energy to cool or heat potable water, including cold only units, hot  
34 and cold units, cook and cold units, storage-type units, and on-  
35 demand units.

36 **Sec. 3.** RCW 19.260.030 and 2009 c 501 s 2 are each amended to  
37 read as follows:

38 (1) This chapter applies to the following types of new products  
39 sold, offered for sale, or installed in the state:

- 1 (a) Automatic commercial ice cube machines;
- 2 (b) Commercial refrigerators and freezers;
- 3 (c) State-regulated incandescent reflector lamps;
- 4 (d) Wine chillers designed and sold for use by an individual;
- 5 (e) Hot water dispensers and mini-tank electric water heaters;
- 6 (f) Bottle-type water dispensers and point-of-use water
- 7 dispensers;
- 8 (g) Pool heaters, residential pool pumps, and portable electric
- 9 spas;
- 10 (h) Tub spout diverters; (~~and~~)
- 11 (i) Commercial hot food holding cabinets;
- 12 (j) Faucets;
- 13 (k) Showerheads; and
- 14 (l) Spray sprinkler bodies.

15 (2) This chapter applies equally to products whether they are  
 16 sold, offered for sale, or installed as stand-alone products or as  
 17 components of other products.

18 (3) This chapter does not apply to:

- 19 (a) New products manufactured in the state and sold outside the
- 20 state;
- 21 (b) New products manufactured outside the state and sold at
- 22 wholesale inside the state for final retail sale and installation
- 23 outside the state;
- 24 (c) Products installed in mobile manufactured homes at the time
- 25 of construction; or
- 26 (d) Products designed expressly for installation and use in
- 27 recreational vehicles.

28 **Sec. 4.** RCW 19.260.040 and 2009 c 501 s 3 are each amended to  
 29 read as follows:

30 The minimum efficiency standards specified in this section apply  
 31 to the types of new products set forth in RCW 19.260.030.

32 (1)(a) Automatic commercial ice cube machines must have daily  
 33 energy use and daily water use no greater than the applicable values  
 34 in the following table:

Equipment type	Type of cooling	Harvest rate (lbs. ice/24 hrs.)	Maximum energy use (kWh/100 lbs.)	Maximum condenser water use (gallons/100 lbs. ice)
----------------	-----------------	---------------------------------	-----------------------------------	--

1	Ice-making head	water	<500	7.80 - .0055H	200 - .022H
2			>=500<1436	5.58 - .0011H	200 - .022H
3			>=1436	4.0	200 - .022H
4	Ice-making head	air	450	10.26 - .0086H	Not applicable
5			>=450	6.89 - .0011H	Not applicable
6	Remote condensing but not remote compressor	air	<1000	8.85 - .0038	Not applicable
8			>=1000	5.10	Not applicable
9	Remote condensing and remote compressor	air	<934	8.85 - .0038H	Not applicable
11			>=934	5.3	Not applicable
12	Self-contained models	water	<200	11.40 - .0190H	191 - .0315H
13			>=200	7.60	191 - .0315H
14	Self-contained models	air	<175	18.0 - .0469H	Not applicable
15			>=175	9.80	Not applicable

16 Where H= harvest rate in pounds per twenty-four hours which must be reported within 5% of the tested value. "Maximum  
17 water use" applies only to water used for the condenser.

18 (b) For purposes of this section, automatic commercial ice cube  
19 machines shall be tested in accordance with the ARI 810-2003 test  
20 method as published by the air-conditioning and refrigeration  
21 institute. Ice-making heads include all automatic commercial ice cube  
22 machines that are not split system ice makers or self-contained  
23 models as defined in ARI 810-2003.

24 (2)(a) Commercial refrigerators and freezers must meet the  
25 applicable requirements listed in the following table:

26	Equipment Type	Doors	Maximum Daily Energy Consumption (kWh)
27	Reach-in cabinets, pass-through cabinets, and roll- 28 in or roll-through cabinets that are refrigerators	Solid	0.10V+ 2.04
29		Transparent	0.12V+ 3.34
30	Reach-in cabinets, pass-through cabinets, and roll- 31 in or roll-through cabinets that are "pulldown" 32 refrigerators	Transparent	.126V+ 3.51

1	Reach-in cabinets, pass-through cabinets, and roll-in or roll-through cabinets that are freezers	Solid	0.40V+ 1.38
2		Transparent	0.75V+ 4.10
3	Reach-in cabinets that are refrigerator-freezers with an AV of 5.19 or higher	Solid	0.27AV - 0.71

6 kWh= kilowatt-hours

7 V= total volume (ft<sup>3</sup>)

8 AV= adjusted volume= [1.63 x freezer volume (ft<sup>3</sup>)]+ refrigerator volume (ft<sup>3</sup>)

9 (b) For purposes of this section, "pulldown" designates products  
10 designed to take a fully stocked refrigerator with beverages at 90  
11 degrees Fahrenheit and cool those beverages to a stable temperature  
12 of 38 degrees Fahrenheit within 12 hours or less. Daily energy  
13 consumption shall be measured in accordance with the American  
14 national standards institute/American society of heating,  
15 refrigerating and air-conditioning engineers test method 117-2002,  
16 except that the back-loading doors of pass-through and roll-through  
17 refrigerators and freezers must remain closed throughout the test,  
18 and except that the controls of all appliances must be adjusted to  
19 obtain the following product temperatures.

20	Product or compartment type	Integrated average product temperature in degrees Fahrenheit
21	Refrigerator	38± 2
22	Freezer	0± 2

23 (3)(a) The lamp electrical power input of state-regulated  
24 incandescent reflector lamps shall meet the minimum average lamp  
25 efficacy requirements for federally regulated incandescent reflector  
26 lamps specified in 42 U.S.C. Sec. 6295(i)(1)(A)-(B).

27 (b) The following types of incandescent lamps are exempt from  
28 these requirements:

29 (i) Lamps rated at fifty watts or less of the following types: BR  
30 30, ER 30, BR 40, and ER 40;

31 (ii) Lamps rated at sixty-five watts of the following types: BR  
32 30, BR 40, and ER 40; and

33 (iii) R 20 lamps of forty-five watts or less.

34 (4)(a) Wine chillers designed and sold for use by an individual  
35 must meet requirements specified in the California Code of  
36 Regulations, Title 20, section 1605.3 in effect as of July 26, 2009.

1 (b) Wine chillers designed and sold for use by an individual  
2 shall be tested in accordance with the method specified in the  
3 California Code of Regulations, Title 20, section 1604 in effect as  
4 of July 26, 2009.

5 (5)(a) The standby energy consumption of bottle-type water  
6 dispensers, and point-of-use water dispensers, dispensing both hot  
7 and cold water, manufactured on or after January 1, 2010, shall not  
8 exceed 1.2 kWh/day.

9 (b) The test method for water dispensers shall be the  
10 environmental protection agency energy star program requirements for  
11 bottled water coolers version 1.1.

12 (6)(a) The standby energy consumption of hot water dispensers and  
13 mini-tank electric water heaters manufactured on or after January 1,  
14 2010, shall be not greater than 35 watts.

15 (b) This subsection does not apply to any water heater:

16 (i) That is within the scope of 42 U.S.C. Sec. 6292(a)(4) or  
17 6311(1);

18 (ii) That has a rated storage volume of less than 20 gallons; and

19 (iii) For which there is no federal test method applicable to  
20 that type of water heater.

21 (c) Hot water dispensers shall be tested in accordance with the  
22 method specified in the California Code of Regulations, Title 20,  
23 section 1604 in effect as of July 26, 2009.

24 (d) Mini-tank electric water heaters shall be tested in  
25 accordance with the method specified in the California Code of  
26 Regulations, Title 20, section 1604 in effect as of July 26, 2009.

27 (7) The following standards are established for pool heaters,  
28 residential pool pumps, and portable electric spas:

29 (a) Natural gas pool heaters shall not be equipped with constant  
30 burning pilots.

31 (b) Residential pool pump motors manufactured on or after January  
32 1, 2010, must meet requirements specified in the California Code of  
33 Regulations, Title 20, section 1605.3 in effect as of July 26, 2009.

34 (c) Portable electric spas manufactured on or after January 1,  
35 2010, must meet requirements specified in the California Code of  
36 Regulations, Title 20, section 1605.3 in effect as of July 26, 2009.

37 (d) Portable electric spas must be tested in accordance with the  
38 method specified in the California Code of Regulations, Title 20,  
39 section 1604 in effect as of July 26, 2009.



1 (8)(a) The leakage rate of tub spout diverters shall be no  
2 greater than the applicable requirements shown in the following  
3 table:

Appliance	Testing Conditions	Maximum Leakage Rate
		Effective January 1, 2009
Tub spout diverters	When new	0.01 gpm
	After 15,000 cycles of diverting	0.05 gpm

8 (b) Showerhead tub spout diverter combinations shall meet both  
9 the ~~((federal standard for showerheads established pursuant to 42~~  
10 ~~U.S.C. Sec. 6291 et seq.))~~ standard for showerheads specified in this  
11 section and the standard for tub spout diverters specified in this  
12 section.

13 (9)(a) The idle energy rate of commercial hot food holding  
14 cabinets manufactured on or after January 1, 2010, shall be no  
15 greater than 40 watts per cubic foot of measured interior volume.

16 (b) The idle energy rate of commercial hot food holding cabinets  
17 shall be determined using ANSI/ASTM ~~((F2140-01))~~ F2140-11 standard  
18 test method for the performance of hot food holding cabinets (test  
19 for idle energy rate dry test). Commercial hot food holding cabinet  
20 interior volume shall be calculated using straight line segments  
21 following the gross interior dimensions of the appliance and using  
22 the following equation: Interior height x interior width x interior  
23 depth. Interior volume shall not account for racks, air plenums, or  
24 other interior parts.

25 (10) Faucets, except for metering faucets, and showerheads must  
26 meet the following standards when measured in accordance with the  
27 test methods prescribed in 10 C.F.R. Sec. 430.23 (appendix S to  
28 subpart B of part 430) in effect as of January 3, 2017:

29 (a) Lavatory faucets and replacement aerators may not exceed a  
30 maximum flow rate of 1.2 gallons per minute at 60 pounds per square  
31 inch;

32 (b) Kitchen faucets and replacement aerators may not exceed a  
33 maximum flow rate of 1.8 gallons per minute at 60 pounds per square  
34 inch, with optional temporary flow of 2.2 gallons per minute,  
35 provided the kitchen faucets and replacement aerators default to a  
36 maximum flow rate of 1.8 gallons per minute at 60 pounds per square  
37 inch after each use;

1 (c) Public lavatory faucets and replacement aerators may not  
2 exceed a maximum flow rate of 0.5 gallons per minute at 60 pounds per  
3 square inch; and

4 (d) Showerheads may not exceed a maximum flow rate of 1.8 gallons  
5 per minute at 80 pounds per square inch.

6 (11) Spray sprinkler bodies that are not specifically excluded  
7 from the scope of the environmental protection agency water sense  
8 program product specification for spray sprinkler bodies, version  
9 1.0, must include an integral pressure regulator and must meet the  
10 water efficiency and performance criteria and other requirements of  
11 that specification.

12 (12) Urinals and water closets must meet the requirements in the  
13 California Code of Regulations, Title 20, section 1605.3 in effect as  
14 of January 1, 2018, as measured in accordance with the test methods  
15 prescribed in the California Code of Regulations, Title 20, section  
16 1604 in effect as of January 1, 2018.

17 **Sec. 5.** RCW 19.260.050 and 2009 c 501 s 4 are each amended to  
18 read as follows:

19 (1) No new commercial refrigerator or freezer or state-regulated  
20 incandescent reflector lamp manufactured on or after January 1, 2007,  
21 may be sold or offered for sale in the state unless the efficiency of  
22 the new product meets or exceeds the efficiency standards set forth  
23 in RCW 19.260.040. No new automatic commercial ice cube machine  
24 manufactured on or after January 1, 2008, may be sold or offered for  
25 sale in the state unless the efficiency of the new product meets or  
26 exceeds the efficiency standards set forth in RCW 19.260.040.

27 (2) On or after January 1, 2008, no new commercial refrigerator  
28 or freezer or state-regulated incandescent reflector lamp  
29 manufactured on or after January 1, 2007, may be installed for  
30 compensation in the state unless the efficiency of the new product  
31 meets or exceeds the efficiency standards set forth in RCW  
32 19.260.040. On or after January 1, 2009, no new automatic commercial  
33 ice cube machine manufactured on or after January 1, 2008, may be  
34 installed for compensation in the state unless the efficiency of the  
35 new product meets or exceeds the efficiency standards set forth in  
36 RCW 19.260.040.

37 (3) Standards for state-regulated incandescent reflector lamps  
38 are effective on the dates specified in subsections (1) and (2) of  
39 this section.

1 (4) The following products, if manufactured on or after January  
2 1, 2010, may not be sold or offered in the state unless the  
3 efficiency of the new product meets or exceeds the efficiency  
4 standards set forth in RCW 19.260.040:

5 (a) Wine chillers designed and sold for use by an individual;

6 (b) Hot water dispensers and mini-tank electric water heaters;

7 (c) Bottle-type water dispensers and point-of-use water  
8 dispensers;

9 (d) Pool heaters, residential pool pumps, and portable electric  
10 spas;

11 (e) Tub spout diverters; and

12 (f) Commercial hot food holding cabinets.

13 (5) The following products, if manufactured on or after January  
14 1, 2020, may not be sold or offered for sale, lease, or rent in the  
15 state unless the efficiency of the new product meets or exceeds the  
16 efficiency standards set forth in RCW 19.260.040:

17 (a) Faucets;

18 (b) Spray sprinkler bodies;

19 (c) Showerheads; and

20 (d) Urinals and water closets.

21 (6) The following products, if manufactured on or after January  
22 1, 2010, may not be installed for compensation in the state on or  
23 after January 1, 2011, unless the efficiency of the new product meets  
24 or exceeds the efficiency standards set forth in RCW 19.260.040:

25 (a) Wine chillers designed and sold for use by an individual;

26 (b) Hot water dispensers and mini-tank electric water heaters;

27 (c) Bottle-type water dispensers and point-of-use water  
28 dispensers;

29 (d) Pool heaters, residential pool pumps, and portable electric  
30 spas;

31 (e) Tub spout diverters; and

32 (f) Commercial hot food holding cabinets.

33 NEW SECTION. Sec. 6. RCW 19.27.170 (Water conservation  
34 performance standards—Testing and identifying fixtures that meet  
35 standards—Marking and labeling fixtures) and 1991 c 347 s 16 & 1989 c  
36 348 s 8 are each repealed."

**ESHB 2327** - S COMM AMD

By Committee on Energy, Environment & Technology

1        On page 1, line 1 of the title, after "standards;" strike the  
2 remainder of the title and insert "amending RCW 19.260.010,  
3 19.260.030, 19.260.040, and 19.260.050; reenacting and amending RCW  
4 19.260.020; and repealing RCW 19.27.170."

EFFECT: Removes revisions to all appliance efficiency standards except for establishing efficiency standards and testing standards for certain water appliances such as toilets, showerheads, and tub spout diverters.

--- END ---