

(Effective until March 1, 2022.)

WAC 246-215-06255 Functionality—Toilet rooms, enclosed (2009 FDA Food Code 6-202.14). Except where a toilet room is located outside a FOOD ESTABLISHMENT and does not open directly into the FOOD ESTABLISHMENT such as a toilet room that is provided by the management of a shopping mall, a toilet room located on the PREMISES must be completely enclosed and provided with a tight-fitting and self-closing door.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 13-03-109, § 246-215-06255, filed 1/17/13, effective 5/1/13.]

(Effective March 1, 2022.)

WAC 246-215-06255 Functionality—Toilet rooms, enclosed (FDA Food Code 6-202.14). Except where a toilet room is located outside a FOOD ESTABLISHMENT and does not open directly into the FOOD ESTABLISHMENT such as a toilet room that is provided by the management of a shopping mall, a toilet room located on the PREMISES must be completely enclosed and provided with a tight-fitting and self-closing door.

[Statutory Authority: RCW 43.20.050 and 43.20.145. WSR 21-01-122, § 246-215-06255, filed 12/15/20, effective 3/1/22; WSR 13-03-109, § 246-215-06255, filed 1/17/13, effective 5/1/13.]