

WAC 388-828-5980 How does DDD determine your respite assessment level? (1) DDD determines your respite assessment level using the following table:

If your Protective Supervision Support Level is:	And your primary caregiver risk level is:	And your backup caregiver risk score is:	And your behavioral acuity level is:	Then your respite assessment level is:
0	None	1	None	1
0	None	1	Low	1
0	None	1	Medium	1
0	None	1	High	2
0	None	2 or 3	None	1
0	None	2 or 3	Low	1
0	None	2 or 3	Medium	2
0	None	2 or 3	High	2
0	Low	1	None	1
0	Low	1	Low	1
0	Low	1	Medium	1
0	Low	1	High	2
0	Low	2 or 3	None	1
0	Low	2 or 3	Low	1
0	Low	2 or 3	Medium	2
0	Low	2 or 3	High	2
0	Medium	1	None	1
0	Medium	1	Low	1
0	Medium	1	Medium	1
0	Medium	1	High	2
0	Medium	2 or 3	None	1
0	Medium	2 or 3	Low	1
0	Medium	2 or 3	Medium	2
0	Medium	2 or 3	High	2
0	High	1	None	1
0	High	1	Low	1
0	High	1	Medium	2
0	High	1	High	2
0	High	2 or 3	None	2
0	High	2 or 3	Low	2
0	High	2 or 3	Medium	2
0	High	2 or 3	High	3
0	Immediate	1	None	1
0	Immediate	1	Low	1
0	Immediate	1	Medium	2
0	Immediate	1	High	2
0	Immediate	2 or 3	None	2
0	Immediate	2 or 3	Low	2
0	Immediate	2 or 3	Medium	2
0	Immediate	2 or 3	High	3
1	None	1	None	1

If your Protective Supervision Support Level is:	And your primary caregiver risk level is:	And your backup caregiver risk score is:	And your behavioral acuity level is:	Then your respite assessment level is:
1	None	1	Low	1
1	None	1	Medium	1
1	None	1	High	2
1	None	2 or 3	None	1
1	None	2 or 3	Low	1
1	None	2 or 3	Medium	2
1	None	2 or 3	High	3
1	Low	1	None	1
1	Low	1	Low	1
1	Low	1	Medium	1
1	Low	1	High	2
1	Low	2 or 3	None	1
1	Low	2 or 3	Low	1
1	Low	2 or 3	Medium	2
1	Low	2 or 3	High	3
1	Medium	1	None	1
1	Medium	1	Low	1
1	Medium	1	Medium	2
1	Medium	1	High	3
1	Medium	2 or 3	None	1
1	Medium	2 or 3	Low	2
1	Medium	2 or 3	Medium	2
1	Medium	2 or 3	High	3
1	High	1	None	2
1	High	1	Low	2
1	High	1	Medium	2
1	High	1	High	3
1	High	2 or 3	None	2
1	High	2 or 3	Low	2
1	High	2 or 3	Medium	3
1	High	2 or 3	High	4
1	Immediate	1	None	2
1	Immediate	1	Low	2
1	Immediate	1	Medium	2
1	Immediate	1	High	3
1	Immediate	2 or 3	None	2
1	Immediate	2 or 3	Low	2
1	Immediate	2 or 3	Medium	3
1	Immediate	2 or 3	High	4
2 or 3	None	1	None	1
2 or 3	None	1	Low	1
2 or 3	None	1	Medium	2
2 or 3	None	1	High	3
2 or 3	None	2 or 3	None	2

If your Protective Supervision Support Level is:	And your primary caregiver risk level is:	And your backup caregiver risk score is:	And your behavioral acuity level is:	Then your respite assessment level is:
2 or 3	None	2 or 3	Low	2
2 or 3	None	2 or 3	Medium	2
2 or 3	None	2 or 3	High	4
2 or 3	Low	1	None	1
2 or 3	Low	1	Low	1
2 or 3	Low	1	Medium	2
2 or 3	Low	1	High	3
2 or 3	Low	2 or 3	None	2
2 or 3	Low	2 or 3	Low	2
2 or 3	Low	2 or 3	Medium	2
2 or 3	Low	2 or 3	High	4
2 or 3	Medium	1	None	2
2 or 3	Medium	1	Low	2
2 or 3	Medium	1	Medium	2
2 or 3	Medium	1	High	3
2 or 3	Medium	2 or 3	None	2
2 or 3	Medium	2 or 3	Low	2
2 or 3	Medium	2 or 3	Medium	3
2 or 3	Medium	2 or 3	High	4
2 or 3	High	1	None	2
2 or 3	High	1	Low	2
2 or 3	High	1	Medium	2
2 or 3	High	1	High	3
2 or 3	High	2 or 3	None	2
2 or 3	High	2 or 3	Low	2
2 or 3	High	2 or 3	Medium	3
2 or 3	High	2 or 3	High	4
2 or 3	Immediate	1	None	2
2 or 3	Immediate	1	Low	2
2 or 3	Immediate	1	Medium	2
2 or 3	Immediate	1	High	3
2 or 3	Immediate	2 or 3	None	2
2 or 3	Immediate	2 or 3	Low	2
2 or 3	Immediate	2 or 3	Medium	3
2 or 3	Immediate	2 or 3	High	4
4	None	1	None	2
4	None	1	Low	2
4	None	1	Medium	2
4	None	1	High	3
4	None	2 or 3	None	2
4	None	2 or 3	Low	2
4	None	2 or 3	Medium	3
4	None	2 or 3	High	4
4	Low	1	None	2

If your Protective Supervision Support Level is:	And your primary caregiver risk level is:	And your backup caregiver risk score is:	And your behavioral acuity level is:	Then your respite assessment level is:
4	Low	1	Low	2
4	Low	1	Medium	2
4	Low	1	High	3
4	Low	2 or 3	None	2
4	Low	2 or 3	Low	2
4	Low	2 or 3	Medium	3
4	Low	2 or 3	High	4
4	Medium	1	None	2
4	Medium	1	Low	2
4	Medium	1	Medium	3
4	Medium	1	High	3
4	Medium	2 or 3	None	2
4	Medium	2 or 3	Low	3
4	Medium	2 or 3	Medium	3
4	Medium	2 or 3	High	4
4	High	1	None	2
4	High	1	Low	2
4	High	1	Medium	3
4	High	1	High	3
4	High	2 or 3	None	2
4	High	2 or 3	Low	3
4	High	2 or 3	Medium	4
4	High	2 or 3	High	4
4	Immediate	1	None	2
4	Immediate	1	Low	2
4	Immediate	1	Medium	3
4	Immediate	1	High	3
4	Immediate	2 or 3	None	2
4	Immediate	2 or 3	Low	3
4	Immediate	2 or 3	Medium	4
4	Immediate	2 or 3	High	4
5	None	1	None	2
5	None	1	Low	2
5	None	1	Medium	3
5	None	1	High	4
5	None	2 or 3	None	3
5	None	2 or 3	Low	3
5	None	2 or 3	Medium	4
5	None	2 or 3	High	5
5	Low	1	None	2
5	Low	1	Low	2
5	Low	1	Medium	3
5	Low	1	High	4
5	Low	2 or 3	None	3

If your Protective Supervision Support Level is:	And your primary caregiver risk level is:	And your backup caregiver risk score is:	And your behavioral acuity level is:	Then your respite assessment level is:
5	Low	2 or 3	Low	3
5	Low	2 or 3	Medium	4
5	Low	2 or 3	High	5
5	Medium	1	None	2
5	Medium	1	Low	2
5	Medium	1	Medium	3
5	Medium	1	High	4
5	Medium	2 or 3	None	3
5	Medium	2 or 3	Low	3
5	Medium	2 or 3	Medium	4
5	Medium	2 or 3	High	5
5	High	1	None	2
5	High	1	Low	2
5	High	1	Medium	3
5	High	1	High	4
5	High	2 or 3	None	3
5	High	2 or 3	Low	3
5	High	2 or 3	Medium	4
5	High	2 or 3	High	5
5	Immediate	1	None	2
5	Immediate	1	Low	2
5	Immediate	1	Medium	3
5	Immediate	1	High	4
5	Immediate	2 or 3	None	3
5	Immediate	2 or 3	Low	3
5	Immediate	2 or 3	Medium	4
5	Immediate	2 or 3	High	5
6	None	1	None	2
6	None	1	Low	3
6	None	1	Medium	3
6	None	1	High	4
6	None	2 or 3	None	3
6	None	2 or 3	Low	3
6	None	2 or 3	Medium	4
6	None	2 or 3	High	5
6	Low	1	None	2
6	Low	1	Low	3
6	Low	1	Medium	3
6	Low	1	High	4
6	Low	2 or 3	None	3
6	Low	2 or 3	Low	3
6	Low	2 or 3	Medium	4
6	Low	2 or 3	High	5
6	Medium	1	None	3

If your Protective Supervision Support Level is:	And your primary caregiver risk level is:	And your backup caregiver risk score is:	And your behavioral acuity level is:	Then your respite assessment level is:
6	Medium	1	Low	3
6	Medium	1	Medium	3
6	Medium	1	High	4
6	Medium	2 or 3	None	3
6	Medium	2 or 3	Low	4
6	Medium	2 or 3	Medium	4
6	Medium	2 or 3	High	5
6	High	1	None	3
6	High	1	Low	3
6	High	1	Medium	4
6	High	1	High	4
6	High	2 or 3	None	4
6	High	2 or 3	Low	4
6	High	2 or 3	Medium	5
6	High	2 or 3	High	5
6	Immediate	1	None	3
6	Immediate	1	Low	3
6	Immediate	1	Medium	4
6	Immediate	1	High	4
6	Immediate	2 or 3	None	4
6	Immediate	2 or 3	Low	4
6	Immediate	2 or 3	Medium	5
6	Immediate	2 or 3	High	5

(2) DDD adds one level to your respite assessment level when your respite assessment level is determined to be a one, two, three, or four and you have a score of four for question two "Other caregiving for persons who are disabled, seriously ill, or under five" in the DDD caregiver status acuity scale. See WAC 388-828-5260.

[Statutory Authority: RCW 71A.12.030 and Title 71A RCW. WSR 07-10-029, § 388-828-5980, filed 4/23/07, effective 6/1/07.]