


WAC 173-201A-602 Table 602—Use designations for fresh waters by water resource inventory area (WRIA). (1) Table 602 lists uses for fresh waters. All surface waters of the state have designated uses assigned to them for protection under this chapter. Table 602 lists use designations for specific fresh waters. Fresh waters not assigned designated uses in Table 602 have their designated uses assigned in accordance with WAC 173-201A-600 and 173-201A-260(3). In Table 602, the Columbia River is listed first, followed by other water bodies listed by WRIA. Only the uses with the most stringent criteria are listed. The criteria notes in Table 602 take precedence over the criteria in WAC 173-201A-200 for same parameter.

(2) Table 602 is necessary to determine and fully comply with the requirements of this chapter. If you are viewing a paper copy of the rule from the office of the code reviser or are using their website, Table 602 may be missing (it will instead say "place illustration here"). In this situation, you may view Table 602 at the department of ecology's website at www.ecology.wa.gov, or request a paper copy of the rule with Table 602 from the department of ecology or the office of the code reviser.

(3) The department has identified waterbodies, or portions thereof, in Table 602 use designations which have additional requirements for supplemental spawning and incubation protection for salmonid species. See WAC 173-201A-200 (1) (c) (iv) for more information.

(4) The coordinates listed in Table 602 are defined in the North American 1983 Datum High Accuracy Reference Network (NAD83 HARN).

Illustration 1: Water Resources Inventory Area Map



Key:			
1. Nooksack	21. Queets/Quinault	41. Lower Crab	61. Upper Lake Roosevelt

Key:			
2. San Juan	22. Lower Chehalis	42. Grand Coulee	62. Pend Oreille
3. Lower Skagit/Samish	23. Upper Chehalis	43. Upper Crab/Wilson	
4. Upper Skagit	24. Willapa	44. Moses Coulee	
5. Stillaguamish	25. Grays/Elochoman	45. Wenatchee	
6. Island	26. Cowlitz	46. Entiat	
7. Snohomish	27. Lewis	47. Chelan	
8. Cedar/Sammamish	28. Salmon/Washougal	48. Methow	
9. Duwamish/Green	29. Wind/White Salmon	49. Okanogan	
10. Puyallup/White	30. Klickitat	50. Foster	
11. Nisqually	31. Rock/Glade	51. Nespelem	
12. Chambers/Clover	32. Walla	52. Sandpile	
13. Deschutes	33. Lower Snake	53. Lower Lake Roosevelt	
14. Kennedy/Goldsborough	34. Palouse	54. Lower Spokane	
15. Kitsap	35. Middle Snake	55. Little Spokane	
16. Skokomish/Dosewallips	36. Esquatzel Coulee	56. Hangman	
17. Quilcene/Snow	37. Lower Yakima	57. Middle Spokane	
18. Elwha/Dungeness	38. Naches	58. Middle Lake Roosevelt	
19. Lyre/Hoko	39. Upper Yakima	59. Colville	
20. Soleduck/Hoh	40. Alkaki/Squilchuck	60. Kettle	

Table 602: Columbia River	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Columbia River: From mouth (latitude 46.2502, longitude -124.0829) to the Washington-Oregon border (latitude 46.0002, longitude -118.9809). ¹	Spawning /Rearing	Primary Contact	All	All	-
Columbia River: From Washington-Oregon border (latitude 46.0002, longitude -118.9809) to Grand Coulee Dam (latitude 47.957, longitude -118.9825). ^{2,3}	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Columbia River: From Grand Coulee Dam (latitude 47.957, longitude -118.9825) to Canadian border (latitude 49.007, longitude -117.6313).	Core Summer Habitat	Primary Contact	All	All	-

Notes for Columbia River:

1. Temperature shall not exceed a 1-day maximum (1-DMax) of 20.0°C due to human activities. When natural conditions exceed a 1-DMax of 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed 0.3°C due to any single source or 1.1°C due to all such activities combined. Dissolved oxygen shall exceed 90 percent of saturation. Special condition - Special fish passage exemption as described in WAC 173-201A-200 (1)(f).
2. From Washington-Oregon border (latitude 46.0002, longitude -118.9809) to Priest Rapids Dam (latitude 46.6443, longitude -119.9103). Temperature shall not exceed a 1-DMax of 20.0°C due to human activities. When natural conditions exceed a 1-DMax of 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t = 34/(T + 9)$.
3. From Washington-Oregon border (latitude 46.0002, longitude -118.9809) to Grand Coulee Dam (latitude 47.957, longitude -118.9825). Special condition - Special fish passage exemption as described in WAC 173-201A-200 (1)(f).
4. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 1 - Nooksack	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Bertrand Creek: Upstream from the mouth (latitude 48.9121, longitude -122.5352) to Canadian border.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 1 - Nooksack	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Breckenridge Creek: Upstream from the mouth (latitude 48.9267, longitude -122.3129), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Chilliwack River and Little Chilliwack River: All waters above the confluence (latitude 48.9929, longitude -121.4086), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Chuckanut Creek: Upstream from the mouth (latitude 48.7002, longitude -122.4949) to headwaters.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Colony Creek: Upstream from the mouth (latitude 48.5966, longitude -122.4193) to headwaters, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Dakota Creek: Upstream from the mouth (latitude 48.9721, longitude -122.7291), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Dale Creek: Upstream from the mouth (latitude 48.8938, longitude -122.3023).	Core Summer Habitat	Primary Contact	All	All	-
Deer Creek (tributary to Barrett Lake): Upstream from the mouth (latitude 48.8471, longitude -122.5615), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Depot Creek: Upstream from the mouth (latitude 49.0296, longitude -121.4021), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Fishtrap Creek: Upstream from the mouth (latitude 48.912, longitude -122.5229) to Canadian border.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Hutchinson Creek: Upstream from the mouth (latitude 48.7078, longitude -122.1812), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Johnson Creek's unnamed tributary: Upstream from the mouth (latitude 48.978, longitude -122.3223) just north of Pangborn Road.	Core Summer Habitat	Primary Contact	All	All	-
Nooksack River mainstem: Upstream from the mouth to the confluence with Anderson Creek (latitude 48.8646, longitude -122.3157).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Nooksack River: Upstream from, and including, Anderson Creek (latitude 48.8646, longitude -122.3157) to the confluence with South Fork (latitude 48.8094, longitude -122.2039) except where otherwise designated char, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Nooksack River, North Fork: Upstream from the confluence with South Fork (latitude 48.8094, longitude -122.2039) upstream to the confluence with Maple Creek (latitude 48.9119, longitude -122.0792), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Nooksack River, North Fork: Upstream from and including Maple Creek (latitude 48.9119, longitude -122.0792), including all tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Nooksack River, Middle Fork: Upstream from the confluence with mainstem (latitude 48.8341, longitude -122.1549) to headwaters, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 1 - Nooksack	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Nooksack River, South Fork: Upstream from the mouth (latitude 48.8075, longitude -122.2024) to Skookum Creek (latitude 48.6701, longitude -122.1417).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Nooksack River, South Fork: Upstream from Skookum Creek (latitude 48.6701, longitude -122.1417) to Fobes Creek (latitude 48.6237, longitude -122.1123).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Nooksack River, South Fork: Upstream from the confluence with Fobes Creek (latitude 48.6237, longitude -122.1123), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Padden Creek: Upstream from the mouth (latitude 48.7202, longitude -122.5073) to headwaters, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Pepin Creek: From the mouth (latitude 48.9417, longitude -122.4748) to Canadian border (latitude 49.0023, longitude -122.4738).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Saar Creek: From the mouth (latitude 48.9818, longitude -122.2386) to headwaters.	Core Summer Habitat	Primary Contact	All	All	-
Silesia Creek: South of Canadian border (latitude 48.9985, longitude -121.6125), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Skookum Creek: Upstream from the mouth (latitude 48.6702, longitude -122.1417), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Squaw Creek: Upstream from the mouth (latitude 48.969, longitude -122.3291).	Core Summer Habitat	Primary Contact	All	All	-
Squalicum Creek's unnamed tributary: Upstream from latitude 48.7862, longitude -122.4864 to headwaters.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Stickney Creek (Slough) and Kamm Ditch: Upstream from the confluence with mainstem Nooksack River (latitude 48.938, longitude -122.441) to headwaters.	Core Summer Habitat	Primary Contact	All	All	-
Sumas River: From the Canadian border (latitude 49.0024, longitude -122.2324) to headwaters (latitude 48.888, longitude -122.3087) except where designated otherwise.	Spawning /Rearing	Primary Contact	All	All	-
Tenmile Creek: Upstream from the mouth (latitude 48.8559, longitude -122.5771) to Barrett Lake (latitude 48.8513, longitude -122.5718).	Core Summer Habitat	Primary Contact	All	All	-
Tomyhoi Creek: From the Canadian border (latitude 48.9991, longitude -121.7318) to headwaters.	Char Spawning /Rearing	Primary Contact	All	All	-
Whatcom Creek: Upstream from the mouth (latitude 48.7549, longitude -122.4824) to outlet of Lake Whatcom (latitude 48.7575, longitude -122.4226), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Note for WRIA 1:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 2 - San Juan	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
There are no specific waterbody entries for this WRIA.	-	-	-	-	-

Table 602: WRIA 3 - Lower Skagit-Samish	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Fisher and Carpenter creeks: Upstream from the mouth (latitude 48.3222, longitude -122.3363), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Hansen Creek: Upstream from the mouth (latitude 48.4902, longitude -122.2086), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Nookachamps Creek: Upstream from the mouth (latitude 48.4709, longitude -122.2954) except where designated char, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Nookachamps Creek, East Fork, and unnamed creek: Upstream from the confluence (latitude 48.4091, longitude -122.1702), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Samish River: Upstream from latitude 48.547, longitude -122.3373, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Skagit River mainstem: Upstream from the mouth to Skiyou Slough-lower end (latitude 48.4974, longitude -122.1811).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Skagit River, all tributaries to the mainstem: Upstream from the mouth to Skiyou Slough-lower end (latitude 48.4974, longitude -122.1811); except where designated otherwise.	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Skagit River: Upstream Skiyou Slough-lower end (latitude 48.4974, longitude -122.1811) to the boundary of WRIA 3 and 4 (latitude 48.5106, longitude -121.8973), except the other waters listed for this WRIA, including tributaries. ¹	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Walker Creek and unnamed creek: Upstream of the confluence (latitude 48.3808, longitude -122.164), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Notes for WRIA 3:

1. Skagit River (Gorge bypass reach) from Gorge Dam (latitude 48.6978, longitude -121.2082) to Gorge Powerhouse (latitude 48.677, longitude -121.2422). Temperature shall not exceed a 1-DMax of 21°C due to human activities. When natural conditions exceed a 1-DMax of 21°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C, nor shall such temperature increases, at any time, exceed $t = 34/(T + 9)$.
2. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 4 - Upper Skagit	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Bacon Creek: Upstream from the mouth (latitude 48.5858, longitude -121.3934), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Baker Lake: From dam (latitude 48.649, longitude -121.6906), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Bear Creek and the unnamed outlet creek of Blue Lake: Upstream of the confluence (latitude 48.6204, longitude -121.7488), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 4 - Upper Skagit	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Big Beaver Creek: Upstream from the mouth (latitude 48.7747, longitude -121.065), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Big Creek: Upstream from the mouth (latitude 48.3457, longitude -121.451), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Buck Creek: Upstream from the mouth (latitude 48.2635, longitude -121.3374), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Cascade River and Boulder Creek: All waters above the confluence (latitude 48.5177, longitude -121.3643), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv); 173-201A-332
Circle Creek: Upstream from the mouth (latitude 48.2593, longitude -121.339), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Clear Creek: Upstream from the mouth (latitude 48.2191, longitude -121.5684), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Diobsud Creek and unnamed tributary: All waters above the confluence (latitude 48.5846, longitude -121.4422), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Goodell Creek: Upstream from the mouth (latitude 48.6725, longitude -121.2649), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Hozomeen Creek: Upstream from the mouth (latitude 48.9869, longitude -121.0717), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Illabot Creek: Upstream from the mouth (latitude 48.49597, longitude -121.53164), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Jordan Creek: Upstream from the mouth (latitude 48.5228, longitude -121.4229), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Lightning Creek: Upstream from the mouth, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Little Beaver Creek: Upstream from the mouth (latitude 48.9162, longitude -121.0825), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Murphy Creek: Upstream from the mouth (latitude 48.191, longitude -121.5157), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Newhalem Creek: Upstream from the mouth (latitude 48.6714, longitude -121.2561), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Rocky Creek: Upstream from the mouth (latitude 48.6461, longitude -121.702), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Ruby Creek: Upstream from the mouth (latitude 48.7125, longitude -120.9868), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Sauk River and Dutch Creek: All waters above the confluence (latitude 48.1812, longitude -121.488), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 4 - Upper Skagit	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Silver Creek: Upstream from the mouth (latitude 48.9702, longitude -121.1039), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Skagit River: Upstream from latitude 48.5106, longitude -121.8973, including tributaries, except where listed otherwise for this WRIA. ¹	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Stetattle Creek: Upstream from the mouth (latitude 48.7172, longitude -121.1498), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Straight Creek: Upstream from the mouth (latitude 48.2719, longitude -121.4004), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Suiattle River: Above the confluence with Harriet Creek (latitude 48.2507, longitude -121.3018), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Sulphur Creek: Upstream of the mouth (latitude 48.6482, longitude -121.6997), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Tenas Creek: Upstream of the mouth (latitude 48.3236, longitude -121.4395), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Thunder Creek: Upstream of Lake Shannon (latitude 48.5978, longitude -121.7138), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Thunder Creek: Upstream of Diablo Lake (latitude 48.69469, longitude -121.09830), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
White Chuck River: Upstream of the mouth (latitude 48.1729, longitude -121.4723), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Notes for WRIA 4:

1. Skagit River (Gorge bypass reach) from the Gorge Dam (river mile 96.6) to the Gorge Powerhouse (river mile 94.2). Temperature shall not exceed a 1-DMax of 21°C due to human action. When natural conditions exceed a 1-DMax of 21°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C, nor shall such temperature increases, at any time, exceed $t = 34/(T + 9)$.
2. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 5 - Stillaguamish	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Brooks Creek and unnamed tributary: Upstream of the confluence (latitude 48.296, longitude -121.905), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Canyon Creek: Upstream of the confluence with unnamed tributary (latitude 48.1245, longitude -121.8892) to headwaters, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Canyon Creek's unnamed tributaries: Upstream from latitude 48.1516, longitude -121.9677.	Char Spawning /Rearing	Primary Contact	All	All	-
Unnamed tributaries: Upstream from the mouth of tributary (latitude 48.1463, longitude -121.9653) of unnamed tributary of Canyon Creek (latitude 48.12145, longitude -121.94482).	Char Spawning /Rearing	Primary Contact	All	All	-
Crane Creek and unnamed tributary: Upstream of the confluence (latitude 48.3298, longitude -121.1005), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 5 - Stillaguamish	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Crane Creek's unnamed tributaries: Upstream of the confluence (latitude 48.3324, longitude -122.1059), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Cub Creek and unnamed tributary: Upstream of the confluence (latitude 48.1677, longitude -121.9428), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Deer Creek (on N.F. Stillaguamish) and unnamed tributary: Upstream of the confluence (latitude 48.3194, longitude -121.9582), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Dicks Creek and unnamed outlet of Myrtle Lake: Upstream of the confluence (latitude 48.3185, longitude -121.8147), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Jim Creek and Little Jim Creek: Upstream of the confluence (latitude 48.1969, longitude -121.902), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Jorgenson Slough: Upstream from the confluence with Church Creek (latitude 48.2341, longitude -122.3235), between West Pass and Hat Slough, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Lake Cavanaugh and all tributaries: All waters above the outlet (latitude 48.3126, longitude -121.9803).	Char Spawning /Rearing	Primary Contact	All	All	-
Pilchuck Creek and Bear Creek: Upstream of the confluence (latitude 48.3444, longitude -122.0691), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Pilchuck Creek's unnamed tributaries: Upstream of the confluence (latitude 48.309, longitude -122.1303), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Pilchuck Creek: Upstream from latitude 48.2395, longitude -122.2015 (above 268 th St) to headwaters, including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Unnamed tributary to Portage Creek: Upstream of the confluence (latitude 48.1836, longitude -122.2314), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Stillaguamish River: Upstream from the mouth (latitude 48.2082, longitude -122.323) to confluence of north and south forks (latitude 48.2036, longitude -122.1279).	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Stillaguamish River, North Fork: Upstream from the mouth (latitude 48.2039, longitude -122.128) to Boulder River (latitude 48.2822, longitude -121.7876), including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Stillaguamish River, North Fork, and Boulder River: Upstream from the confluence (latitude 48.2822, longitude -121.7876) to Squire Creek (latitude 48.2802, longitude -121.686), and downstream of the Mt. Baker Snoqualmie National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Stillaguamish River, North Fork, and Boulder River: Upstream from the confluence (latitude 48.2802, longitude -121.686) up to Squire Creek (latitude 48.2802, longitude -121.686) that are in or above the Mt. Baker Snoqualmie National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 5 - Stillaguamish	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Stillaguamish River, North Fork: Upstream from the confluence with Squire Creek (latitude 48.2802, longitude -121.686) to headwaters, including all tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Stillaguamish River, South Fork: Upstream from the mouth (latitude 48.2034, longitude -122.1277) to Canyon Creek (latitude 48.0972, longitude -121.9711).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Stillaguamish River, South Fork: Upstream from Canyon Creek (latitude 48.0972, longitude -121.9711) to the unnamed tributary at latitude 48.092 longitude -121.8812 (near Cranberry Creek).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Stillaguamish River, South Fork, and the unnamed tributary: Upstream of the confluence (latitude 48.092, longitude -121.8812) near Cranberry Creek, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Note for WRIA 5:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 6 - Island	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
There are no specific waterbody entries for this WRIA.	-	-	-	-	-

Table 602: WRIA 7 - Snohomish	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Cherry Creek: Upstream from the mouth (latitude 47.7684, longitude -121.9603) to headwaters, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Cripple Creek: Upstream from the mouth (latitude 47.523, longitude -121.4728), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Kelly Creek: Upstream from the mouth (latitude 47.9849, longitude -121.5034), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Miller River, East Fork, and West Fork Miller River: Upstream of the confluence (latitude 47.675, longitude -121.3892), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
North Fork Creek and unnamed creek: Upstream of the confluence (latitude 47.7406, longitude -121.8246), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Pilchuck River: Upstream from the mouth (latitude 47.9006, longitude -122.0919) to the confluence with Boulder Creek (latitude 48.0248, longitude -121.8217).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Pilchuck River and Boulder Creek: Upstream on the confluence (latitude 48.0248, longitude -121.8217), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Pratt River: Upstream from the mouth (latitude 47.5261, longitude -121.5873), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 7 - Snohomish	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Skykomish River: Upstream from the mouth (latitude 47.8213, longitude -122.0327) to May Creek (above Gold Bar at latitude 47.8471, longitude -121.6954), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Skykomish River and May Creek: Upstream from the confluence above Gold Bar at latitude 47.8471, longitude -121.6954, including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Skykomish River, North Fork: Upstream from below Salmon Creek at latitude 47.8790, longitude -121.4594 to headwaters, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Skykomish River, South Fork, and Beckler River: Upstream from the confluence (latitude 47.715, longitude -121.3398), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Snohomish River: Upstream from the mouth (latitude 48.0202, longitude -122.1989) to the southern tip of Ebey Island (latitude 47.942, longitude -122.1719). ¹	Spawning /Rearing	Primary Contact	All	All	-
Snohomish River: Upstream the southern tip of Ebey Island (latitude 47.942, longitude -122.1719) to below Pilchuck Creek at (latitude 47.9005, longitude -122.0925).	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Snohomish River: Upstream from below Pilchuck Creek (latitude 47.9005, longitude -122.0925) to the confluence with Skykomish and Snoqualmie River (latitude 47.8212, longitude -122.0331).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Snoqualmie River: Upstream from the mouth (latitude 47.8208, longitude -122.0321) to the confluence with Harris Creek (latitude 47.6772, longitude -121.9382).	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Snoqualmie River and Harris Creek: Upstream from the confluence (latitude 47.6772, longitude -121.9382) to west boundary of Twin Falls State Park on south fork (latitude 47.4525, longitude -121.7063).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Snoqualmie River, South Fork: Upstream from the west boundary of Twin Falls State Park (latitude 47.4525, longitude -121.7063) to headwaters, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Snoqualmie River, North Fork: Upstream from the mouth (latitude 47.5203, longitude -121.7746) to Sunday Creek (latitude 47.6556, longitude -121.6419).	Core Summer Habitat	Primary Contact	All	All	-
Snoqualmie River, North Fork, and Sunday Creek: Upstream of the confluence (latitude 47.6556, longitude -121.6419), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Snoqualmie River, Middle Fork: Upstream from the mouth (latitude 47.52, longitude -121.7767) to Dingford Creek at latitude 47.5156, longitude -121.4545 (except where designated char).	Core Summer Habitat	Primary Contact	All	All	-

Table 602: WRIA 7 - Snohomish	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Snoqualmie River, Middle Fork, and Dingford Creek: Upstream of the confluence (latitude 47.5156, longitude -121.4545), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Snoqualmie River's Middle Fork's unnamed tributaries: Upstream of the mouth at latitude 47.539, longitude -121.5645.	Char Spawning /Rearing	Primary Contact	All	All	-
Sultan River: Upstream from the mouth (latitude 47.8605, longitude -121.8206) to Chaplain Creek (latitude 47.9211, longitude -121.8033), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Sultan River: From the confluence with Chaplain Creek (latitude 47.9211, longitude -121.8033) to headwaters, including tributaries. ²	Core Summer Habitat	Primary Contact	All	All	-
Taylor River: Upstream from the mouth (latitude 47.5468, longitude -121.5355), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Tolt River, North Fork, and unnamed creek: Upstream from the confluence (latitude 47.718, longitude -121.7788), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Tolt River, South Fork: Upstream from the mouth (latitude 47.6957, longitude -121.8213) to the unnamed creek at latitude 47.6921, longitude -121.7408, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Tolt River, South Fork, and unnamed creek: Upstream of the confluence (latitude 47.6921, longitude -121.7408), including tributaries. ³	Char Spawning /Rearing	Primary Contact	All	All	-
Tolt River's South Fork's unnamed tributaries: Upstream of the mouth at latitude 47.6888, longitude -121.7869.	Char Spawning /Rearing	Primary Contact	All	All	-
Trout Creek: Upstream from the mouth (latitude 47.8643, longitude -121.4877), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Notes for WRIA 7:

1. Fecal coliform organism levels shall both not exceed a geometric mean value of 200 colonies/100 mL and not have more than 10 percent of the samples obtained for calculating the mean value exceeding 400 colonies/100 mL.
2. No waste discharge will be permitted above city of Everett Diversion Dam (latitude 47.9599, longitude -121.7962).
3. No waste discharge will be permitted for the South Fork Tolt River and tributaries from latitude 47.6957, longitude -121.8213 to headwaters.
4. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 8 - Cedar-Sammamish	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Cedar River: Upstream from the confluence with Lake Washington (latitude 47.5005, longitude -122.2159) to the Maplewood Bridge (latitude 47.4693, longitude -122.1596).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Cedar River: Upstream from the Maplewood Bridge (latitude 47.4693, longitude -122.1596) to Landsburg Dam (latitude 47.3759, longitude -121.9615), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Cedar River: From Landsburg Dam (latitude 47.3759, longitude -121.9615) to Chester Morse Lake (latitude 47.4121, longitude -121.7526), including tributaries. ¹	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 8 - Cedar-Sammamish	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Cedar River at Chester Morse Lake Cedar Falls Dam: All waters above the dam (latitude 47.4121, longitude -121.7526) to headwaters, including tributaries. ²	Char Spawning /Rearing	Primary Contact	All	All	-
Holder Creek and unnamed tributary: Upstream from the confluence (latitude 47.4576, longitude -121.9505), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Issaquah Creek: Upstream from the confluence with Lake Sammamish (latitude 47.562, longitude -122.0651) to headwaters, including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Lake Washington Ship Canal: From Government Locks (latitude 47.6652, longitude -122.3973) to Lake Washington (latitude 47.6471, longitude -122.3003). ^{3,4}	Core Summer Habitat	Primary Contact	All	All	-

Notes for WRIA 8:

1. No waste discharge will be permitted.
2. No waste discharge will be permitted.
3. Salinity shall not exceed one part per thousand (1.0 ppt) at any point or depth along a line that transects the ship canal at the University Bridge (latitude 47.65284, longitude -122.32029).
4. This waterbody is to be treated as a lake for purposes of applying this chapter.
5. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 9 - Duwamish-Green	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Duwamish River: From mouth south of a line bearing 254° true from the NW corner of berth 3, terminal No. 37 to the Black River (latitude 47.4737, longitude -122.2521) (Duwamish River continues as the Green River above the Black River).	Rearing/ Migration Only	Primary Contact	All, Except Domestic Water	All	-
Green River: From and including the Black River (latitude 47.4737, longitude -122.2521, and point where Duwamish River continues as the Green River) to latitude 47.3699, longitude -122.246 above confluence with Mill Creek.	Spawning /Rearing	Primary Contact	All	All	-
Green River: Upstream from above confluence with Mill Creek at latitude 47.3699, longitude -122.2461 (east of the West Valley highway) to west boundary of Flaming Geyser State Park, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Green River: Upstream from the west boundary of Flaming Geyser State Park (latitude 47.2805, longitude -122.0379) to headwaters, including tributaries (except where designated char and core).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Green River and Sunday Creek: Upstream from the confluence (latitude 47.2164, longitude -121.4494), including tributaries. ¹	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Smay Creek and West Fork Smay Creek: Upstream from the confluence, (latitude 47.2458, longitude -121.592) including tributaries. ¹	Char Spawning /Rearing	Primary Contact	All	All	-

Notes for WRIA 9:

1. No waste discharge will be permitted for the Green River and tributaries (King County) from west boundary of Sec. 13-T21N-R7E (river mile 59.1) to headwaters.
2. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 10 - Puyallup-White	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Carbon River: Waters above latitude 47.0001, longitude -121.9796, downstream of the Snoqualmie National Forest or Mt. Rainier National Park, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Carbon River: Waters upstream from latitude 47.0001, longitude -121.9796 that are in or above the Snoqualmie National Forest or Mt. Rainier National Park, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Clarks Creek: Upstream from the mouth (latitude 47.2137, longitude -122.3415), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Clear Creek: Upstream from the mouth (latitude 47.2342, longitude -122.3942), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Clearwater River and Milky Creek: Upstream from the confluence (latitude 47.0978, longitude -121.7835), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Greenwater River: Upstream from the confluence with White River (latitude 47.1586, longitude -121.6596) to headwaters, including all tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Puyallup River: Upstream from the mouth (latitude 47.2685, longitude -122.4269) to river mile 1.0 (latitude 47.2562, longitude -122.4173). ¹	Rearing/ Migration Only	Primary Contact	All, Except Domestic Water	All	-
Puyallup River: Upstream from river mile 1.0 (latitude 47.2562, longitude -122.4173) to the confluence with White River (latitude 47.1999, longitude -122.2591). ¹	Core Summer Habitat	Primary Contact	All	All	-
Puyallup River: Upstream from the confluence with White River (latitude 47.1999, longitude -122.2591) to Mowich River (latitude 46.9005, longitude -122.031), including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Puyallup River at and including Mowich River: All waters upstream from the confluence (latitude 46.9005, longitude -122.031), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
South Prairie Creek: Upstream from the Kepka Fishing Pond (latitude 47.1197, longitude -122.0128), including tributaries, except those waters in or above the Snoqualmie National Forest.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
South Prairie Creek: Upstream from the Kepka Fishing Pond (latitude 47.1197, longitude -122.0128) in or above the Snoqualmie National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Swam Creek: Upstream from the mouth (latitude 47.2361, longitude -122.3928).	Core Summer Habitat	Primary Contact	All	All	-
Voight Creek and Bear Creek: Upstream from the confluence (latitude 47.0493, longitude -122.1173) and downstream of the Snoqualmie National Forest or Mt. Rainier National Park, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 10 - Puyallup-White	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Voight Creek and Bear Creek: Upstream from the confluence (latitude 47.0493, longitude -122.1173) and in or above the Snoqualmie National Forest or Mt. Rainier National Park, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
White River: Upstream from the mouth (latitude 47.2001, longitude -122.2585) to latitude 47.2438, longitude -122.2422.	Spawning /Rearing	Primary Contact	All	All	-
White River: Upstream from latitude 47.2438, longitude -122.2422 to Mud Mountain dam (latitude 47.1425, longitude -121.931), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
White River: Upstream from the Mud Mountain Dam (latitude 47.1425, longitude -121.931) to West Fork White River (latitude 47.1259, longitude -121.62), except where designated char.	Core Summer Habitat	Primary Contact	All	All	-
White River and West Fork White River: Upstream from the confluence (latitude 47.1259, longitude -121.62), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Wilkeson Creek and Gale Creek: Upstream from the confluence (latitude 47.0897, longitude -122.0171), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Notes for WRIA 10:

1. The Puyallup Tribe regulates water quality from the mouth of the Puyallup River to the up-river boundary of the 1873 Survey Area of the Puyallup Reservation.
2. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 11 - Nisqually	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Big Creek: Upstream from the mouth (latitude 46.7424, longitude -122.0396), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Copper Creek: Upstream from the mouth (latitude 46.7542, longitude -121.9615), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
East Creek: Upstream from the mouth (latitude 46.761, longitude -122.2078), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Horn Creek: Upstream from the mouth (latitude 46.9048, longitude -122.4945), including tributaries.	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Little Nisqually River: Upstream from the mouth (latitude 46.7945, longitude -122.3123), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Mashel River and Little Mashel River: Upstream from the confluence (latitude 46.8574, longitude -122.2802), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Mineral Creek: Upstream from the mouth (latitude 46.7522, longitude -122.1462), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Muck Creek: Upstream from the mouth (latitude 46.9971, longitude -122.6293), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Murray Creek: Upstream from the mouth (latitude 46.9234, longitude -122.5269), including tributaries.	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 11 - Nisqually	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Nisqually River mainstem: Upstream from the mouth (latitude 47.0858, longitude -122.7075) to Alder Dam (latitude 46.801, longitude -122.3106).	Core Summer Habitat	Primary Contact	All	All	-
Nisqually River: Upstream from the Alder Dam (latitude 46.801, longitude -122.3106) to Tahoma Creek (latitude 46.7372, longitude -121.9022), including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Nisqually River and Tahoma Creek: Upstream from the confluence (latitude 46.7372, longitude -121.9022), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Rocky Slough: From latitude 46.8882, longitude -122.4339 to latitude 46.9109, longitude -122.4012.	Spawning /Rearing	Primary Contact	All	All	-
Tanwax Creek: Upstream from the mouth (latitude 46.8636, longitude -122.4582) and downstream of lakes, including tributaries.	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Note for WRIA 11:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 12 - Chambers-Clover	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Clover Creek: Upstream from the inlet to Lake Steilacoom (latitude 47.1569, longitude -122.5287), including Spanaway Creek to the outlet of Spanaway Lake (latitude 47.1209, longitude -122.4464).	Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 13 - Deschutes	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Deschutes River: Upstream from the mouth (latitude 47.0436, longitude -122.9091) to, and including, the tributary to Offutt Lake at latitude 46.9236, longitude -122.8123.	Spawning /Rearing	Primary Contact	All	All	-
Deschutes River: Upstream of the tributary to Offutt Lake at latitude 46.9236, longitude -122.8123. All waters in or above the national forest boundary, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Deschutes River: Upstream of the tributary to Offutt Lake at latitude 46.9236, longitude -122.8123. All waters below the national forest boundary, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
McLane Creek: Upstream from the mouth (latitude 47.0347, longitude -122.9904), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-

Table 602: WRIA 14 - Kennedy-Goldsborough	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Campbell Creek: Upstream from the mouth (latitude 47.2221, longitude -123.0252), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Coffee Creek: Upstream from the mouth (latitude 47.2093, longitude -123.1248), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-

Table 602: WRIA 14 - Kennedy-Goldsbrough	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Cranberry Creek: Upstream from the mouth (latitude 47.2625, longitude -123.0159), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Deer Creek: Upstream from the mouth (latitude 47.2594, longitude -123.0094), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Goldsbrough Creek: Upstream from the mouth (latitude 47.2095, longitude -123.0952), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Hiawata Creek: Upstream from the mouth (latitude 47.2877, longitude -122.9204), including tributaries.	Spawning /Rearing	Primary Contact	All	All	-
Jarrell Creek: Upstream from the mouth (latitude 47.2771, longitude -122.8909), including tributaries.	Spawning /Rearing	Primary Contact	All	All	-
John's Creek: Upstream from the mouth (latitude 47.2461, longitude -123.043), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Jones Creek: Upstream from the mouth (latitude 47.263, longitude -122.9321), including tributaries.	Spawning /Rearing	Primary Contact	All	All	-
Malaney Creek: Upstream from the mouth (latitude 47.2514, longitude -123.0197).	Core Summer Habitat	Primary Contact	All	All	-
Mill Creek: Upstream from the mouth (latitude 47.1955, longitude -122.9964), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Perry Creek: Upstream from the mouth (latitude 47.0492, longitude -123.0052), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Shelton Creek: Upstream from the mouth (latitude 47.2139, longitude -123.0952), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Uncle John Creek: Upstream from the mouth (latitude 47.2234, longitude -123.029), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Unnamed stream at Peale Passage inlet, on west side of Hartstene Island: Upstream from the mouth (latitude 47.2239, longitude -122.9135).	Spawning /Rearing	Primary Contact	All	All	-

Note for WRIA 14:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 15 - Kitsap	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Anderson Creek: Upstream from the mouth (latitude 47.5278, longitude -122.6831), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Barker Creek: Upstream from Dyes Inlet (latitude 47.6378, longitude -122.6701) to Island Lake (latitude 47.6781, longitude -122.6603), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-

Table 602: WRIA 15 - Kitsap	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Blackjack Creek: Upstream from the mouth (latitude 47.5422, longitude -122.6272) and downstream of Square Lake (latitude 47.4826, longitude -122.6847), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Chico Creek: Above confluence with Kitsap Creek (latitude 47.5869, longitude -122.7127), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Clear Creek: Upstream from Dyes Inlet (latitude 47.6524, longitude -122.6863) to headwaters, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Gamble Creek: Upstream from the mouth (latitude 47.8116, longitude -122.5797), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Gorst Creek: Upstream from the mouth (latitude 47.5279, longitude -122.6979), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Martha John Creek: Upstream from the mouth (latitude 47.8263, longitude -122.5637), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Ross Creek: Upstream from the mouth (latitude 47.5387, longitude -122.6565), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Strawberry Creek: Upstream from the mouth (latitude 47.6459, longitude -122.6939), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Union River: From the Bremerton Waterworks Dam (latitude 47.5371, longitude -122.7796) to headwaters, including tributaries. ¹	Core Summer Habitat	Primary Contact	All	All	-
Unnamed tributary to Sinclair Inlet (between Gorst and Anderson Creeks): Upstream from the mouth (latitude 47.5270, longitude -122.6932).	Core Summer Habitat	Primary Contact	All	All	-
Unnamed tributary to Sinclair Inlet, east of Blackjack Creek): Upstream from the mouth (latitude 47.5468, longitude -122.6131).	Spawning /Rearing	Primary Contact	All	All	-
Unnamed tributary, west of Port Gamble Bay: Upstream from the mouth (latitude 47.8220, longitude -122.5831).	Core Summer Habitat	Primary Contact	All	All	-

Notes for WRIA 15:

1. No waste discharge will be permitted.
2. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 16 - Skokomish-Dosewallips	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Dosewallips River: Upstream from the mouth (latitude 47.6852, longitude -122.8965), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Duckabush River: Upstream from the mouth (latitude 47.6501, longitude -122.936), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Hamma Hamma River: Upstream from the mouth (latitude 47.547, longitude -123.0453), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 16 - Skokomish-Dosewallips	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Rock Creek and unnamed tributary: Upstream from the confluence (latitude 47.3894, longitude -123.3512), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Skokomish River: Upstream from the mouth (latitude 47.3294, longitude -123.1189), including tributaries, except where designated char.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Skokomish River, North Fork: Upstream from latitude 47.416, longitude -123.2151 (below Cushman Upper Dam) to headwaters, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Skokomish River, South Fork, and Brown Creek: Upstream from the confluence (latitude 47.4113, longitude -123.3188), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Vance Creek and Cabin Creek: Upstream from the confluence (latitude 47.3651, longitude -123.3837).	Char Spawning /Rearing	Primary Contact	All	All	-

Note for WRIA 16:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 17 - Quilcene-Snow	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Big Quilcene River: Upstream from the mouth (latitude 47.8186, longitude -122.8618), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Note for WRIA 17:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 18 - Elwha-Dungeness	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Boulder Creek and Deep Creek: Upstream from the confluence (latitude 47.9835, longitude -123.6441), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Dungeness River mainstem: Upstream from the mouth (latitude 48.1524, longitude -123.1294) to Canyon Creek (latitude 47.0254, longitude -123.137).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Dungeness River, tributaries to mainstem: Above and between confluence with Matriotti Creek (latitude 48.1384, longitude -123.1349) to Canyon Creek (latitude 47.0254, longitude -123.137).	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Dungeness River and Canyon Creek: Upstream from the confluence (latitude 47.0254, longitude -123.137), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Elwha River: Upstream from the mouth (latitude 48.1421, longitude -123.5646) to Cat Creek (latitude 47.9729, longitude -123.5919), including tributaries, except where designated char.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Elwha River and Cat Creek: Upstream from the confluence (latitude 47.9729, longitude -123.5919), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 18 - Elwha-Dungeness	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Ennis Creek and White Creek: Upstream from the confluence with the Strait of Juan De Fuca (latitude 48.1172, longitude -123.4051) to the Olympic National Park Boundary, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Ennis Creek: All waters lying above the Olympic National Park Boundary, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Griff Creek and unnamed tributary: All waters above the confluence (latitude 48.0134, longitude -123.5455), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Hughes Creek and unnamed tributary: All waters above the confluence (latitude 48.0297, longitude -123.6335), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Little River: Upstream from the mouth (latitude 48.063, longitude -123.5772), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Matriotti Creek: Upstream from the mouth (latitude 48.1385, longitude -123.1352).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Wolf Creek and unnamed tributary: All waters above the confluence (latitude 47.9652, longitude -123.5386), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Note for WRIA 18:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 19 - Lyre-Hoko	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
There are no specific waterbody entries for this WRIA.	-	-	-	-	-

Table 602: WRIA 20 - Sol Duc	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Dickey River: Upstream from the mouth (latitude 47.9208, longitude -124.6209), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Hoh River: Upstream from the mouth (latitude 47.749, longitude -124.429) to the confluence with the South Fork Hoh River (latitude 47.8182, longitude -124.0207).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Hoh River and South Fork Hoh River: All waters above the confluence (latitude 47.8182, longitude -124.0207).	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Quillayute and Bogachiel rivers: Upstream from the mouth (latitude 47.9198, longitude -124.633).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Sol Duc River: Upstream from the mouth (latitude 47.9147, longitude -124.542) to Canyon Creek (latitude 47.9513, longitude -123.8271), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Sol Duc River: Upstream from the confluence with Canyon Creek (latitude 47.9513, longitude -123.8271), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Note for WRIA 20:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 21 - Queets-Quinault	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Clearwater River and unnamed tributary: All waters above the confluence (latitude 47.7272, longitude -124.0365), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Kunamakst Creek and unnamed tributary: All waters above the confluence (latitude 47.7284, longitude -124.0793), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Matheny Creek and unnamed tributary: All waters above the confluence (latitude 47.5589, longitude -123.9548), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Queets River: Upstream from the mouth (latitude 47.535, longitude -124.3463) to Tshletshy Creek (latitude 47.6659, longitude -123.9277).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Queets River: Upstream from the confluence with Tshletshy Creek (latitude 47.6659, longitude -123.9277).	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Quinault River: Upstream from the mouth (latitude 47.3488, longitude -124.2926) to the confluence with the North Fork Quinault River (latitude 47.5369, longitude -123.6718).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Quinault River and North Fork Quinault: All waters above the confluence (latitude 47.5369, longitude -123.6718), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Salmon River, Middle Fork, and unnamed tributary: All waters above the confluence (latitude 47.5206, longitude -123.9908), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Sams River and unnamed tributary: All waters above the confluence (latitude 47.6055, longitude -123.8939), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Solleks River and unnamed tributary: All waters above the confluence (latitude 47.694, longitude -124.0135), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Stequaleho Creek and unnamed tributary: All waters above the confluence (latitude 47.662, longitude -124.0439), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Tshletshy Creek and unnamed tributary: All waters above the confluence (latitude 47.6586, longitude -123.868), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Note for WRIA 21:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 22 - Lower Chehalis	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Andrews Creek: Upstream from the confluence with West Fork (latitude 46.823, longitude -124.0234), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Baker Creek and unnamed tributary: All waters above the confluence (latitude 47.3302, longitude -123.4142), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Big Creek and Middle Fork Big Creek: All waters above the confluence (latitude 47.4041, longitude -123.6583), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 22 - Lower Chehalis	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Canyon River and unnamed tributary: All waters above the confluence (latitude 47.3473, longitude -123.4949), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Chehalis River: From upper boundary of Grays Harbor at Cosmopolis (latitude 46.9579, longitude -123.7625) to latitude 46.6004, longitude -123.1472 on main stem and to latitude 46.6013, longitude -123.1253 on South Fork.	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Chester Creek and unnamed tributary: All waters above the confluence (latitude 47.4192, longitude -123.7856), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Cloquallum Creek: Upstream from the mouth (latitude 46.986, longitude -123.3951).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Decker Creek: Upstream from the mouth (latitude 47.0964, longitude -123.4735).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Delezene Creek: Upstream from the mouth (latitude 46.9413, longitude -123.3893).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Elk River, West Branch: Upstream from latitude 46.8111, longitude -123.9774.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Goforth Creek and unnamed tributary: All waters above the confluence (latitude 47.3559, longitude -123.7325), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Hoquiam River, East Fork: Upstream from the confluence with Lytle Creek (latitude 47.0523, longitude -123.8428), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Hoquiam River: Upstream from latitude 47.0573, longitude -123.9278 (the approximate upper limit of tidal influence at Dekay Road Bridge), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Hoquiam River, Middle Fork: Upstream from latitude 47.0418, longitude -123.9052, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Hoquiam River mainstem (continues as west fork above east fork): Upstream from the mouth (latitude 46.9825, longitude -123.8781) to latitude 47.0573, longitude -123.9278 (the approximate upper limit of tidal influence at Dekay Road Bridge).	Rearing/ Migration Only	Primary Contact	All, Except Domestic Water	All	173-201A-200 (1)(c)(iv)
Humptulips River: Upstream from the mouth (latitude 47.0413, longitude -124.0522) to latitude 47.0810, longitude -124.0655, including tributaries.	Spawning /Rearing	Primary Contact	All	All	-
Humptulips River: Upstream from latitude 47.0810, longitude -124.0655 to Olympic National Forest boundary, including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	-
Humptulips River: Upstream from Olympic National Forest boundary to headwaters, including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 22 - Lower Chehalis	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Humptulips River, East Fork, and unnamed tributary: All waters above the confluence (latitude 47.3816, longitude -123.7175), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Humptulips River, West Fork, and Petes Creek: All waters above the confluence (latitude 47.4487, longitude -123.7257), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Johns River and North Fork Johns River: All waters above the confluence (latitude 46.8597, longitude -123.9049).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Little Hoquiam River, North Fork: Upstream from latitude 47.0001, longitude -123.9269, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Little Hoquiam River: Upstream from latitude 46.9934, longitude -123.9364, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Mox Chehalis Creek: Upstream from latitude 46.9680, longitude -123.3083, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Newskah Creek: Upstream from latitude 46.9163, longitude -123.8235, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Satsop River: Upstream from latitude 46.9828, longitude -123.4887 to headwaters, including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Satsop River, West Fork, and Robertson Creek: All waters above the confluence (latitude 47.3324, longitude -123.5557), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Satsop River, Middle Fork, and unnamed tributary: All waters above the confluence (latitude 47.3333, longitude -123.4463), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Wildcat Creek: Upstream from the confluence with Cloquallum Creek (latitude 47.0204, longitude -123.3619), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Wishkah River, East Fork: Upstream from above latitude 47.0801, longitude -123.7560, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Wishkah River: Upstream from the mouth (latitude 46.9739, longitude -123.8092) to river mile 6 (latitude 47.0337, longitude -123.8023).	Rearing/ Migration Only	Primary Contact	All, Except Domestic Water	All	-
Wishkah River: Upstream from river mile 6 (latitude 47.0337, longitude -123.8023) to latitude 47.1089, longitude -123.7908.	Spawning /Rearing	Primary Contact	All	All	-
Wishkah River: From latitude 47.1089, longitude -123.7908 to confluence with West Fork (latitude 47.1227, longitude -123.7779), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Wishkah River and West Fork: Upstream from the confluence (latitude 47.1227, longitude -123.7779) to headwaters, including tributaries. ¹	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 22 - Lower Chehalis	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Wynoochee River: Upstream from latitude 46.9709, longitude -123.6252 (near railroad crossing) to Olympic National Forest boundary (latitude 47.3452, longitude -123.6452), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Wynoochee River: Upstream from Olympic National Forest boundary (latitude 47.3452, longitude -123.6452) to Wynoochee Dam (latitude 47.3851, longitude -123.6055), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Wynoochee River: Above Wynoochee Dam (latitude 47.3851, longitude -123.6055), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Notes for WRIA 22:

1. No waste discharge will be permitted from south boundary of Sec. 33-T21N-R8W (river mile 32.0) to headwaters.
2. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 23 - Upper Chehalis	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Bunker Creek: Upstream from the mouth (latitude 46.6438, longitude -123.1092), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Cedar Creek: Upstream from latitude 46.8795, longitude -123.2714 (near intersection with Highway 12), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Chehalis River, South Fork: Upstream from latitude 46.6018, longitude -123.1251 (near junction with State Route 6), including tributaries (except where specifically designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Chehalis River: Upstream from latitude 46.6004, longitude -123.1473, including tributaries (except where specifically designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Chehalis River mainstem: Upstream from the upper boundary of Grays Harbor at Cosmopolis (latitude 46.95801, longitude -123.76252) to latitude 46.6004, longitude -123.1473 on main stem and to latitude 46.6018, longitude -123.125 on South Fork. ¹	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Chehalis River, South Fork, and unnamed tributary: All waters above the confluence (latitude 46.4514, longitude -123.2919), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Chehalis River, West Fork, and East Fork Chehalis River: All waters above the confluence (latitude 46.4514, longitude -123.2919), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Coffee Creek: Upstream from the mouth (latitude 46.7313, longitude -122.9658), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Eight Creek and unnamed tributary: All waters above the confluence (latitude 46.621, longitude -123.4137), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Fall Creek and unnamed tributary: All waters above the confluence (latitude 46.7669, longitude -122.6741), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 23 - Upper Chehalis	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Garrard Creek, South Fork: Upstream from latitude 46.8013, longitude -123.3060, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Hanaford Creek: Upstream from the mouth to (latitude 46.7604, longitude -122.8662), including tributaries. ²	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Hanaford Creek: Upstream from (latitude 46.7604, longitude -122.8662) to the unnamed tributary at latitude 46.7301, longitude -122.6829, including tributaries (except where designated char).	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Hanaford Creek and unnamed tributary: All waters above the confluence (latitude 46.7301, longitude -122.6829), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Kearney Creek and unnamed tributary: All waters above the confluence (latitude 46.6255, longitude -122.5699), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Laramie Creek and unnamed tributary: All waters above the confluence (latitude 46.7902, longitude -122.5914), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Lincoln Creek, North Fork: Upstream from latitude 46.7371, longitude -123.2462, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Lincoln Creek, South Fork: Upstream from latitude 46.7253, longitude -123.2306, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Mima Creek: Upstream from latitude 46.8588, longitude -123.0856, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Newaukum River: Upstream from the mouth (latitude 46.6512, longitude -122.9815), including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Newaukum River, North Fork, and unnamed tributary: All waters above the confluence (latitude 46.6793, longitude -122.6685), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Newaukum River, South Fork, and Frase Creek: All waters above the confluence (latitude 46.6234, longitude -122.6321), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Pheny Creek and unnamed tributary: All waters above the confluence (latitude 46.7834, longitude -122.6291), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Porter Creek and Jamaica Day Creek: All waters above the confluence (latitude 46.9416, longitude -123.3011).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Rock Creek (upstream of Callow): All waters above confluence with Chehalis River (latitude 46.8805, longitude -123.2946), except where designated otherwise in this table.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Rock Creek (upstream of Pe Ell) and unnamed tributary: All waters above the confluence (latitude 46.5283, longitude -123.3791), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 23 - Upper Chehalis	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Scatter Creek: Upstream from latitude 46.8025, longitude -123.0863 (near mouth) to headwaters, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Seven Creek and unnamed tributary: All waters above the confluence (latitude 46.6192, longitude -123.3736), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Skookumchuck River: Upstream from the confluence with Hanaford Creek (latitude 46.7446, longitude -122.9402) to headwaters, including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Skookumchuck River mainstem: Upstream from the mouth (latitude 46.7194, longitude -122.9803) to Hanaford Creek (latitude 46.7446, longitude -122.9402).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Skookumchuck River and Hospital Creek: All waters above the confluence (latitude 46.7194, longitude -122.9803), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Stearns Creek's unnamed tributary: Upstream from the mouth (latitude 46.5713, longitude -122.9698).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Stearns Creek's unnamed tributary to West Fork: Upstream from the mouth (latitude 46.5824, longitude -123.0226).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Stillman Creek and Little Mill Creek: All waters above the confluence (latitude 46.5044, longitude -123.1407), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Thrash Creek: Upstream from the mouth (latitude 46.4751, longitude -123.2996), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Waddel Creek: Upstream from the mouth (latitude 46.9027, longitude -123.024), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Notes for WRIA 23:

1. Chehalis River from Scammon Creek (RM 65.8) to Newaukum River (RM 75.2); dissolved oxygen shall exceed 5.0 mg/L from June 1st to September 15th. For the remainder of the year, the dissolved oxygen shall meet standard criteria.
2. Dissolved oxygen shall exceed 6.5 mg/L.
3. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 24 - Willapa	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Bear River's unnamed south flowing tributary: Upstream from the mouth at latitude 46.3342, longitude -123.9394.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Bear River: Upstream from latitude 46.3284, longitude -123.9172 to headwaters, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Canon River: Upstream from latitude 46.5879, longitude -123.8672, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Lower Salmon Creek: Upstream from the mouth (latitude 46.7937, longitude -123.851), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Middle Nemah River: Upstream from latitude 46.4873, longitude -123.8855, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 24 - Willapa	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Mill Creek: Upstream from latitude 46.6448, longitude -123.6251, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Naselle River: Upstream from O'Conner Creek (latitude 46.3746, longitude -123.7971) to headwaters, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
North Nemah River: Upstream from latitude 46.5172, longitude -123.8665, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
North River and Fall River: All waters above the confluence (latitude 46.7773, longitude -123.5038).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Pioneer Creek: Upstream from latitude 46.8147, longitude -123.5498, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Salmon Creek: Upstream from latitude 46.8905, longitude -123.6828, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Smith Creek: Upstream from latitude 46.7554, longitude -123.8424, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
South Naselle River: upstream from latitude 46.3499, longitude -123.8093.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
South Nemah River: Upstream from latitude 46.4406, longitude -123.8630.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Stringer Creek: Upstream from the mouth (latitude 46.5905, longitude -123.6316), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Willapa River South Fork: Upstream from latitude 46.6479, longitude -123.7267, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Willapa River and Oxbow Creek: All waters upstream of the confluence (latitude 46.5805, longitude -123.6343).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Williams Creek: Upstream from latitude 46.5284, longitude -123.8668, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Note for WRIA 24:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 25 - Grays-Elochoman	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Abernathy Creek and Cameron Creek: All waters above the confluence (latitude 46.197, longitude -123.1632).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Coal Creek: Upstream from latitude 46.1836, longitude -123.0338 (just below Harmony Creek), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Elochoman River: Upstream from the mouth (latitude 46.2267, longitude -123.4008) to latitude 46.2292, longitude -123.3606, including tributaries.	Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 25 - Grays-Elochoman	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Elochoman River: Upstream from latitude 46.2292, longitude -123.3606 to headwaters.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Germany Creek: Upstream from latitude 46.1946, longitude -123.1259 (near mouth) to headwaters.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Grays River: Upstream from latitude 46.3454, longitude -123.6099 to headwaters.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Hull Creek: Upstream from the mouth (latitude 46.3533, longitude -123.6088), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Mill Creek: Upstream from latitude 46.1906, longitude -123.1802 (near mouth), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Skomokawa Creek and Wilson Creek: All waters above the confluence (latitude 46.2889, longitude -123.4456).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Note for WRIA 25:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 26 - Cowlitz	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Cispus River: Upstream from the mouth (latitude 46.4713, longitude -122.0727), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Coweeman River: Upstream from the mouth (latitude 46.1076, longitude -122.8901) to latitude 46.1405, longitude -122.8532, including tributaries.	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Coweeman River: Upstream from latitude 46.1405, longitude -122.8532 to Mulholland Creek (latitude 46.1734, longitude -122.7152), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Coweeman River: Upstream from Mulholland Creek (latitude 46.1734, longitude -122.7152) to headwaters.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Cowlitz River: Upstream from the mouth (latitude 46.0967, longitude -122.9173) to latitude 46.2622, longitude -122.9001, including tributaries.	Spawning /Rearing	Primary Contact	All	All	-
Cowlitz River: Upstream from latitude 46.2622, longitude -122.9001 to the base of Mayfield Dam (latitude 46.5031, longitude -122.5883).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Cowlitz River: Upstream from the base of Mayfield Dam (latitude 46.5031, longitude -122.5883) to headwaters, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Green River: Upstream from the mouth (latitude 46.3717, longitude -122.586), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv); 173-201A-332
Toutle River: Upstream from the mouth (latitude 46.3101, longitude -122.9196) to Green River (latitude 46.3717, longitude -122.586) on North Fork, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 26 - Cowlitz	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Toutle River, North Fork: Upstream from the Green River (latitude 46.3717, longitude -122.586) to headwaters, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Toutle River, South Fork: Upstream from the mouth (latitude 46.3286, longitude -122.7211), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Note for WRIA 26:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 27 - Lewis	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Alec Creek: Upstream from the mouth (latitude 46.1757, longitude -121.8534), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Big Creek: Upstream from the mouth (latitude 46.097, longitude -121.921), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Chickoon Creek: Upstream from the mouth (latitude 46.1534, longitude -121.8843), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Clear Creek: Upstream from the mouth (latitude 46.1133, longitude -122.0048), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Clearwater Creek and unnamed creek: All waters above the confluence (latitude 46.1666, longitude -122.0322), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Curly Creek: Upstream from the mouth (latitude 46.0593, longitude -121.9732), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Cussed Hollow Creek: Upstream from the mouth (latitude 46.144, longitude -121.9015), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Kalama River: Upstream of Interstate 5 (latitude 46.035, longitude -122.8571) to Kalama River Falls (latitude 46.0207, longitude -122.7323), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Kalama River: Upstream of the lower Kalama River Falls (latitude 46.0207, longitude -122.7323) to headwaters, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Lewis River: Upstream from Houghton Creek (latitude 45.9374, longitude -122.6698) to Lake Merwin (latitude 45.9568, longitude -122.5562), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Lewis River and Pass Creek (alternately known as Swamp Creek): All waters above the confluence (latitude 46.201, longitude -121.7085), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Lewis River's unnamed tributaries: Upstream from latitude 46.112, longitude -121.9188.	Char Spawning /Rearing	Primary Contact	All	All	-
Lewis River, East Fork: Upstream from, and including, Mason Creek (latitude 45.8366, longitude -122.6435) to Multon Falls (latitude 45.8314, longitude -122.3896), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 27 - Lewis	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Lewis River, East Fork: Upstream from Multon Falls (latitude 45.8314, longitude -122.3896) to headwaters, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Little Creek: Upstream from the mouth (latitude 46.0821, longitude -121.9235), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Panamaker Creek: Upstream from the mouth (latitude 46.0595, longitude -122.2936), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Pin Creek: Upstream from the mouth (latitude 46.2002, longitude -121.712), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Pine Creek: Upstream from the mouth (latitude 46.0718, longitude -122.0173), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Quartz Creek: Upstream from the mouth (latitude 46.1795, longitude -121.847), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Rush Creek: Upstream from the mouth (latitude 46.0746, longitude -121.9378), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Spencer Creek: Upstream from the mouth (latitude 46.1397, longitude -121.9063), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Steamboat Creek: Upstream from the mouth (latitude 46.1945, longitude -121.7293), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Tillicum Creek: Upstream from the mouth (latitude 46.1803, longitude -121.8329), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Note for WRIA 27:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 28 - Salmon-Washougal	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Burnt Bridge Creek: Upstream from the mouth (latitude 45.6752, longitude -122.6925).	Spawning /Rearing	Primary Contact	All	All	-
Duncan Creek and unnamed tributary just east of Duncan Creek: All waters north of highway 14 (latitude 45.6133, longitude -122.0549).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Green Leaf Creek and Hamilton Creek: All waters above the confluence (latitude 45.6416, longitude -121.9775).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Hardy Creek: Upstream of the lake inlet (latitude 45.6331, longitude -121.9969), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Lawton Creek: Upstream from latitude 45.5707, longitude -122.2574, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Salmon Creek: Upstream from latitude 45.7176, longitude -122.6958 (below confluence with Cougar Creek), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 28 - Salmon-Washougal	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Washougal River: Upstream from latitude 45.5883, longitude -122.3711, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Woodward Creek: Upstream of highway 14 (latitude 45.6214, longitude -122.0297), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Note for WRIA 28:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 29 - Wind-White Salmon	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Bear Creek (tributary to White Salmon River): Upstream from latitude 45.98290, longitude -121.52946, and below National Forest boundary.	Spawning /Rearing	Primary Contact	All	All	-
Buck Creek: Upstream from the mouth (latitude 46.0754, longitude -121.5667), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Carson Creek: Upstream from the mouth (latitude 45.7134, longitude -121.823).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Catherine Creek: Upstream from the mouth (latitude 45.7071, longitude -121.3582), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Cave Creek: Upstream from the mouth (latitude 45.9886, longitude -121.4928), and below National Forest boundary.	Spawning /Rearing	Primary Contact	All	All	-
Gilmer Creek: Upstream from the mouth (latitude 45.8569, longitude -121.5085), including tributaries, except as noted otherwise.	Char Spawning /Rearing	Primary Contact	All	All	-
Gilmer Creek's unnamed tributary: Upstream from the mouth (latitude 45.8733, longitude -121.4587).	Spawning /Rearing	Primary Contact	All	All	-
Gotchen Creek: Upstream from the mouth (latitude 46.0013, longitude -121.5051), including tributaries, except those waters in or above the Gifford Pinchot National Forest.	Char Spawning /Rearing	Primary Contact	All	All	-
Gotchen Creek: Upstream from latitude 46.04409 longitude -121.51538 (in or above the Gifford Pinchot National Forest), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Green Canyon Creek: Upstream from the mouth (latitude 46.0489, longitude -121.5485), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Jewett Creek: Upstream from the mouth (latitude 45.7164, longitude -121.4773), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Killowatt Canyon Creek: Below National Forest Boundary and unnamed creek at latitude 45.963, longitude -121.5154.	Spawning /Rearing	Primary Contact	All	All	-
Little White Salmon River: Upstream from the mouth (latitude 45.72077, longitude -121.64081), and downstream of National Forest boundary, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 29 - Wind-White Salmon	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Little White Salmon River (mouth at latitude 45.72077, longitude -121.64081): Waters in or above National Forest boundary, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Major Creek: Upstream from the mouth (latitude 45.709, longitude -121.3515), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Morrison Creek: Upstream from the mouth (latitude 46.0744, longitude -121.5351), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Rattlesnake Creek and unnamed tributary: All waters above the confluence (latitude 45.8471, longitude -121.4123), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Rock Creek: Upstream from the mouth (latitude 45.69020, longitude -121.88923) and downstream of Gifford Pinchot National Forest boundaries, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Spring Creek: Upstream from the mouth (latitude 45.9908, longitude -121.5687), and below National Forest boundary.	Spawning /Rearing	Primary Contact	All	All	-
Trout Lake Creek: Upstream from the mouth (latitude 45.9948, longitude -121.5019), and below Trout Lake (latitude 46.0072, longitude -121.5455), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Trout Lake Creek: At and above Trout Lake (latitude 46.0072, longitude -121.5455), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
White Salmon River: Upstream from the mouth (latitude 45.7283, longitude -121.5219), and downstream of the National Forest boundary, including all natural tributaries (not otherwise designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
White Salmon River (mouth at latitude 45.7283, longitude -121.5219): Occurring in or upstream of National Forest boundary, including all natural tributaries (not otherwise designated char).	Core Summer Habitat	Primary Contact	All	All	-
White Salmon River drainage's unnamed tributaries: Waters originating in Section 13 T6N R10E; all portions occurring downstream of the Gifford Pinchot National Forest boundary.	Char Spawning /Rearing	Primary Contact	All	All	-
White Salmon River drainage's unnamed tributaries: Waters originating in Section 13 T6N R10E; all portions occurring upstream of the Gifford Pinchot National Forest boundary.	Char Spawning /Rearing	Primary Contact	All	All	-
White Salmon River and Cascade Creek: All waters above the confluence (latitude 46.1042, longitude -121.6081), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Wind River: Upstream from the mouth (latitude 45.718, longitude -121.7908) and downstream of Gifford Pinchot National Forest boundaries, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Wind River (mouth at latitude 45.718, longitude -121.7908): Waters in or upstream of Gifford Pinchot National Forest, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Note for WRIA 29:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 30 - Klickitat	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Clearwater Creek and Trappers Creek: All waters above the confluence (latitude 46.2788, longitude -121.3325), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Cougar Creek and Big Muddy Creek: All waters above the confluence (latitude 46.1294, longitude -121.2895), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Diamond Fork and Cuitin Creek: All waters above the confluence (latitude 46.451, longitude -121.1729), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Diamond Fork's unnamed tributaries: Upstream from latitude 46.4205, longitude -121.1562.	Char Spawning /Rearing	Primary Contact	All	All	-
Diamond Fork's unnamed tributaries (outlet of Maiden Springs): Upstream from the mouth (latitude 46.4353, longitude -121.16).	Char Spawning /Rearing	Primary Contact	All	All	-
Fish Lake Stream: Upstream from the mouth (latitude 46.2749, longitude -121.3126), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Frasier Creek and Outlet Creek: All waters above the confluence (latitude 45.9953, longitude -121.2569), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Klickitat River mainstem: Upstream from the mouth (latitude 45.6961, longitude -121.292) to the Little Klickitat River (latitude 45.845, longitude -121.0636).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Klickitat River from Little Klickitat River: Upstream from the confluence (latitude 45.845, longitude -121.0636) to Diamond Fork (latitude 46.374, longitude -121.1943).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Klickitat River: Upstream from the confluence with Diamond Fork (latitude 46.374, longitude -121.1943), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Little Klickitat River: Upstream from the confluence with Cozy Nook Creek (latitude 45.8567, longitude -120.7701), including tributaries.	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Little Muddy Creek: Upstream from the mouth (latitude 46.2769, longitude -121.3386), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
McCreedy Creek: Upstream from the mouth (latitude 46.323, longitude -121.2527), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Note for WRIA 30:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 31 - Rock-Glade	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Squaw Creek and unnamed tributary: All waters above confluence (latitude 45.8761, longitude -120.4324).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Rock Creek and Quartz Creek: All waters above confluence (latitude 45.8834, longitude -120.5569).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Note for WRIA 31:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 32 - Walla Walla	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Blue Creek and tributaries: Waters above latitude 46.0581, longitude -118.0971.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Coppei Creek, North and South Forks: Upstream from the confluence (latitude 46.1906, longitude -118.1113), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Dry Creek and tributaries: Upstream from the confluence with unnamed creek at latitude 46.1195, longitude -118.1375 (Seaman Rd).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Mill Creek: Upstream from the mouth (latitude 46.0383, longitude -118.4795) to 13th Street Bridge in Walla Walla (latitude 46.0666, longitude -118.3565). ¹	Rearing/ Migration Only	Primary Contact	All, Except Domestic Water	All	173-201A-200 (1)(c)(iv)
Mill Creek: Upstream from the 13th Street Bridge in Walla Walla (latitude 46.0666, longitude -118.3565) to diversion structure at confluence of Mill Creek and unnamed creek (latitude 46.0798, longitude -118.2541).	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Mill Creek: Upstream from latitude 46.0798, longitude -118.2541 to headwaters, including tributaries (except where otherwise designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Mill Creek and Railroad Canyon: All waters above the confluence (latitude 46.0066, longitude -118.1185) to the Oregon state line (latitude 46.00061, longitude -118.11525), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Mill Creek: Waters within Washington that are above the city of Walla Walla Waterworks Dam (latitude 45.9896, longitude -118.0525) to headwaters, including tributaries. ²	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Touchet River: Upstream from latitude 46.3172, longitude -118.0000, including tributaries (not otherwise designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Touchet River, North Fork, and Wolf Creek: All waters above the confluence (latitude 46.2922, longitude -117.9397), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Touchet River, South Fork, and unnamed tributary: All waters above the confluence (latitude 46.2297, longitude -117.9412), except those waters in or above the Umatilla National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Touchet River, South Fork, and unnamed tributary: All waters above the confluence (latitude 46.2297, longitude -117.9412) that are in or above the Umatilla National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Walla Walla River: Upstream from the mouth (latitude 46.0642, longitude -118.9152) to Lowden (Dry Creek at latitude 46.0506, longitude -118.5944).	Rearing/ Migration Only	Primary Contact	All, Except Domestic Water	All	-
Walla Walla River: From Lowden (Dry Creek at latitude 46.0506, longitude -118.5944) to Oregon border (latitude 46, longitude -118.3796). ³	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 32 - Walla Walla	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Whiskey Creek and unnamed tributary system: All waters above confluence (latitude 46.2176, longitude -118.0661).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Notes for WRIA 32:

1. Dissolved oxygen concentration shall exceed 5.0 mg/L.
2. No waste discharge will be permitted for Mill Creek and tributaries in Washington from city of Walla Walla Waterworks Dam (latitude 45.9896, longitude -118.0525) to headwaters.
3. Temperature shall not exceed a 1-DMax of 20.0°C due to human activities. When natural conditions exceed a 1-DMax of 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t = 34/(T + 9)$.
4. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 33 - Lower Snake	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Snake River: Upstream from the mouth (latitude 46.1983, longitude -119.0368) to Washington-Idaho-Oregon border (latitude 45.99599, longitude -116.91705). ¹	Spawning /Rearing	Primary Contact	All	All	-

Note for WRIA 33:

1. Below Clearwater River (latitude 46.42711, longitude -119.04021). Temperature shall not exceed a 1-DMax of 20.0°C due to human activities. When natural conditions exceed a 1-DMax of 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t = 34/(T + 9)$. Special condition - Special fish passage exemption as described in WAC 173-201A-200 (1)(f).

Table 602: WRIA 34 - Palouse	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Palouse River mainstem: Upstream from the mouth (latitude 46.5909, longitude -118.2153) to Palouse Falls (latitude 46.6635, longitude -118.2236).	Spawning /Rearing	Primary Contact	All	All	-
Palouse River: Upstream from Palouse Falls (latitude 46.6635, longitude -118.2236) to south fork (Colfax, latitude 46.8898, longitude -117.3675).	Rearing/ Migration Only	Primary Contact	All, Except Domestic Water	All	-
Palouse River mainstem: Upstream from the confluence with south fork (Colfax, latitude 46.8898, longitude -117.3675) to Idaho border (latitude 46.9124, longitude -117.0395). ¹	Spawning /Rearing	Primary Contact	All	All	-

Note for WRIA 34:

1. Temperature shall not exceed a 1-DMax of 20.0°C due to human activities. When natural conditions exceed a 1-DMax of 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t = 34/(T + 9)$.

Table 602: WRIA 35 - Middle Snake	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
All streams flowing into Oregon: From North Fork Wenaha River (upstream from latitude 46.00025, longitude -117.85942) east to, and including, Fairview Creek (upstream from latitude 45.999, longitude -117.60893).	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Asotin River and Charley Creek: Upstream from the confluence (latitude 46.2887, longitude -117.2785) to the headwaters, including tributaries (not otherwise designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Asotin River, North Fork: Upstream of the confluence with Lick Creek (latitude 46.2621, longitude -117.2969), except those waters in or above the Umatilla National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 35 - Middle Snake	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Asotin River, North Fork: Upstream from the confluence with Lick Creek (latitude 46.2621, longitude -117.2969) and that are in or above the Umatilla National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Charley Creek and unnamed tributary: All waters above the confluence (latitude 46.2846, longitude -117.321), except those waters in or above the Umatilla National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Charley Creek and unnamed tributary: All waters above the confluence (latitude 46.2846, longitude -117.321) that are in or above the Umatilla National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Cottonwood Creek and unnamed tributary: All waters above the confluence (latitude 46.0677, longitude -117.3011).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Crooked Creek: Upstream from the Oregon Border (latitude 46, longitude -117.5553) to headwaters, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Cummings Creek: Upstream from the mouth (latitude 46.3326, longitude -117.675) except those waters in or above the Umatilla National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Cummings Creek (mouth at latitude 46.3326, longitude -117.675): Waters that are in or above the Umatilla National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
George Creek: Upstream from (latitude 46.1676, longitude -117.2543) and including Coombs Canyon, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
George Creek and unnamed tributary: All waters above confluence (latitude 46.2293, longitude -117.1879) not otherwise designated Char.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Grande Ronde River: Upstream from the mouth (latitude 46.08, longitude -116.9802) to the Oregon border (latitude 46, longitude 117.3798). ¹	Spawning /Rearing	Primary Contact	All	All	-
Grouse Creek: Upstream from the Oregon border (latitude 46, longitude -117.413), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Grub Canyon: Upstream from the mouth (latitude 46.2472, longitude -117.6795), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Hixon Canyon: Upstream from the mouth (latitude 46.2397, longitude -117.6924), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Little Tucannon River: Upstream from the mouth (latitude 46.2283, longitude -117.7226), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Menatchee Creek and West Fork Menatchee Creek: All waters above the confluence (latitude 46.0457, longitude -117.386), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 35 - Middle Snake	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Pataha Creek and Dry Pataha Creek: All waters above the confluence (latitude 46.3611, longitude -117.5562), except those waters in or above the Umatilla National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Pataha Creek and Dry Pataha Creek: All waters above the confluence (latitude 46.3611, longitude -117.5562) that are in or above the Umatilla National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Snake River: From mouth (latitude 45.99900, longitude -117.60893) to Washington-Idaho-Oregon border (latitude 45.99599, longitude -116.91705). ²	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Tenmile Creek: All waters above confluence with unnamed creek (latitude 46.2154, longitude -117.0388).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Tucannon River: Upstream from latitude 46.4592, longitude -117.8461 to Panjab Creek (latitude 46.2046, longitude -117.7061), including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Tucannon River mainstem: Upstream from the confluence with Little Tucannon River (latitude 46.2284, longitude -117.7223) to the confluence with Panjab Creek (latitude 46.2046, longitude -117.7061).	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Tucannon River and Panjab Creek: All waters above the confluence (latitude 46.2046, longitude -117.7061), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Tucannon River's unnamed tributaries (South of Marengo): All waters in Sect. 1 T10N R40E and in Sect. 35 T11N R40E above their forks.	Char Spawning /Rearing	Primary Contact	All	All	-
Tumalum Creek and unnamed tributary: All waters above the confluence (latitude 46.3592, longitude -117.6498), except those waters in or above the Umatilla National Forest including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Tumalum Creek and unnamed tributary: All waters above the confluence (latitude 46.3592, longitude -117.6498) that are in or above the Umatilla National Forest including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Willow Creek and unnamed tributary: All waters above the confluence (latitude 46.4181, longitude -117.8328) including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Notes for WRIA 35:

1. Temperature shall not exceed a 1-DMax of 20.0°C due to human activities. When natural conditions exceed a 1-DMax of 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t = 34/(T + 9)$.
2. The following two notes apply:
 - a. Below Clearwater River (latitude 46.4269, longitude -117.0372). Temperature shall not exceed a 1-DMax of 20.0°C due to human activities. When natural conditions exceed a 1-DMax of 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t = 34/(T + 9)$. Special condition - Special fish passage exemption as described in WAC 173-201A-200 (1)(f).
 - b. Above Clearwater River (latitude 46.4269, longitude -117.0372). Temperature shall not exceed a 1-DMax of 20.0°C due to human activities. When natural conditions exceed a 1-DMax of 20.0°C, no temperature increases will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed 0.3°C due to any single source or 1.1°C due to all such activities combined.
3. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 36 - Esquatzel Coulee	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
There are no specific waterbody entries for this WRIA.	-	-	-	-	-

Table 602: WRIA 37 - Lower Yakima	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Ahtanum Creek North Fork's unnamed tributaries: Upstream from the mouth (latitude 46.5458, longitude -120.8869).	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Ahtanum Creek North Fork's unnamed tributaries: Upstream from the mouth (latitude 46.5395, longitude -120.9864).	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Ahtanum Creek: Between confluence with South Fork (latitude 46.5232, longitude -120.8548) and confluence of North and Middle Forks (latitude 46.5177, longitude -121.0152), including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Ahtanum Creek, North Fork, and Middle Fork Ahtanum Creek: All waters above the confluence (latitude 46.5177, longitude -121.0152), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Ahtanum Creek, South Fork: Upstream from the mouth (latitude 46.5232, longitude -120.8548), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Carpenter Gulch: Upstream from the mouth (latitude 46.5432, longitude -120.9671), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Foundation Creek: Upstream from the mouth (latitude 45.5321, longitude -120.9973), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Nasty Creek: Upstream from the mouth (latitude 46.5641, longitude -120.918), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Sulphur Creek: Upstream from the mouth (latitude 46.3815, longitude -119.9584).	Rearing/ Migration Only	Primary Contact	All, Except Domestic Water	All	-
Yakima River: Upstream from the mouth (latitude 46.248, longitude -119.2422) to Cle Elum River (latitude 47.17683, longitude -120.99756) except where specifically designated otherwise in Table 602. ¹	Spawning /Rearing	Primary Contact	All	All	-

Notes for WRIA 37:

- Temperature shall not exceed a 1-DMax of 21.0°C due to human activities. When natural conditions exceed a 1-DMax of 21.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t = 34/(T + 9)$.
- This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 38 - Naches	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
American River: Upstream from the mouth (latitude 46.9756, longitude -121.1574), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Barton Creek: Upstream from the mouth (latitude 46.8725, longitude -121.2934), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 38 - Naches	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Bumping Lake's unnamed tributaries: Upstream from the mouth (latitude 46.8464, longitude -121.3106).	Char Spawning /Rearing	Primary Contact	All	All	-
Bumping River's unnamed tributaries: Upstream from latitude 46.9316, longitude -121.2078 (outlet of Flat Iron Lake).	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Bumping River: Upstream from the mouth (latitude 46.9853, longitude -121.0931) to the upper end of Bumping Lake (latitude 46.8394, longitude -121.3662), including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Bumping River: Upstream of Bumping Lake (latitude 46.8394, longitude -121.3662), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Cedar Creek: Upstream from the mouth (latitude 46.8411, longitude -121.3644), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Clear Creek: Upstream from the mouth (latitude 46.6352, longitude -121.2856), including tributaries (including Clear Lake).	Char Spawning /Rearing	Primary Contact	All	All	-
Crow Creek: Upstream from the mouth (latitude 47.0153, longitude -121.1341), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Deep Creek: Upstream from the mouth (latitude 46.8436, longitude -121.3175), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Goat Creek: Upstream from the mouth (latitude 46.9173, longitude -121.2243), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Granite Creek: Upstream from the mouth (latitude 46.8414, longitude -121.3253), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Indian Creek: Upstream from the mouth (latitude 46.6396, longitude -121.2487), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Little Naches River and Bear Creek: All waters above the confluence (latitude 47.0732, longitude -121.2413), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Little Naches River, South Fork: Upstream from the mouth (latitude 47.0659, longitude -121.2265), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Naches River: Upstream from latitude 46.7641, longitude -120.8284 (just upstream of Cougar Canyon) to the Snoqualmie National Forest boundary (latitude 46.9007, longitude -121.0135), including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Naches River: Upstream from the Snoqualmie National Forest boundary (latitude 46.9007, longitude -121.0135) to headwaters (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Pileup Creek: Upstream from the mouth (latitude 47.0449, longitude -121.1829), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Quartz Creek: Upstream from the mouth (latitude 47.0169, longitude -121.1351), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 38 - Naches	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Rattlesnake Creek: All waters above the confluence with North Fork Rattlesnake Creek (latitude 46.8096, longitude -121.0679).	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Rattlesnake Creek, North Fork: All waters above latitude 46.8107, longitude 121.0694 (from and including the unnamed tributary just above confluence with mainstem).	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Sand Creek: Upstream from the mouth (latitude 47.0432, longitude -121.1923), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Sunrise Creek: Upstream from the mouth (latitude 46.9045, longitude -121.2431), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Tieton River: Upstream from the mouth (latitude 46.7463, longitude -120.7871), including tributaries (except where otherwise designated).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Tieton River, North Fork: Upstream from the confluence with Clear Lake (latitude 46.6278, longitude -121.2711), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Tieton River, South Fork: Upstream from the mouth (latitude 46.6261, longitude -121.133), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Note for WRIA 38:

- This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 39 - Upper Yakima	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Cle Elum River: Upstream from the mouth (latitude 47.1771, longitude -120.9982) to latitude 47.3805 longitude -121.0979 (above Little Salmon la Sac Creek).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Cle Elum River: Upstream from the confluence with unnamed tributary (latitude 47.3807, longitude -121.0975) to headwaters, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Indian Creek: Upstream from the mouth (latitude 47.2994, longitude -120.8581) and downstream of Wenatchee National Forest boundary, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Indian Creek (mouth at latitude 47.2994, longitude -120.8581): Waters in or above the National Forest boundary, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Jack Creek: Upstream from the mouth (latitude 47.3172, longitude -120.8561) and downstream of Wenatchee National Forest boundary, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Jack Creek (mouth at latitude 47.3172, longitude -120.8561): Waters in or above National Forest boundary, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Little Kachess Lake: Upstream from the narrowest point dividing Kachess Lake from Little Kachess Lake (latitude 47.3542, longitude -121.2378), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 39 - Upper Yakima	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Manastash Creek mainstem: Upstream from the mouth (latitude 46.9941, longitude -120.5814) to confluence of North and South Forks (latitude 46.9657, longitude -120.7359).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Manastash Creek, tributaries to mainstem: Between the mouth (latitude 46.9941, longitude -120.5814) and the confluence of North and South Forks (latitude 46.9657, longitude -120.7359).	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Manastash Creek: All waters above the confluence of the North and South Forks (latitude 46.9657, longitude -120.7359) and downstream of the Wenatchee National Forest boundary.	Core Summer Habitat	Primary Contact	All	All	-
Manastash Creek: All waters above the confluence of the North and South Forks (latitude 46.9657, longitude -120.7359) that are in or above the Wenatchee National Forest.	Core Summer Habitat	Primary Contact	All	All	-
Swauk Creek mainstem: Upstream from the mouth (latitude 47.1239, longitude -120.7381) to confluence with First Creek (latitude 47.2081, longitude -120.7007).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Swauk Creek: Upstream from the confluence with First Creek (latitude 47.2081, longitude -120.7007) to Wenatchee National Forest, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Taneum Creek mainstem: Upstream from the mouth (latitude 47.0921, longitude -120.7092) to Wenatchee National Forest boundary (latitude 47.1134, longitude -120.8997).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Taneum Creek, tributaries to mainstem: Between the mouth (latitude 47.0921, longitude -120.7092) and Wenatchee National Forest boundary (latitude 47.1134, longitude -120.8997).	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Teanaway River mainstem: Upstream from the mouth (latitude 47.1672, longitude -120.835) to West Fork Teanaway River (latitude 47.2567, longitude -120.8981).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Teanaway River, tributaries to mainstem: Between the mouth (latitude 47.1672, longitude -120.835) and West Fork Teanaway River (latitude 47.2567, longitude -120.8981).	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Teanaway River, West Fork and Middle Fork: Upstream from the mouth (latitude 47.2567, longitude -120.8981) and downstream of the Wenatchee National Forest, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Teanaway River, West Fork and Middle Fork (confluence at latitude 47.2567, longitude -120.8981): Upstream of the Wenatchee National Forest, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Teanaway River, North Fork: Upstream from mouth (latitude 47.2514, longitude -120.8785) to Jungle Creek (latitude 47.3328, longitude -120.8564) and downstream of the Wenatchee National Forest boundary, including tributaries (except where designated otherwise).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 39 - Upper Yakima	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Teanaway River, North Fork: Upstream from the mouth (latitude 47.2514, longitude -120.8785) to Jungle Creek (latitude 47.3328, longitude -120.8564) and in or above the Wenatchee National Forest boundary, including tributaries (except where designated otherwise).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Teanaway River, North Fork, and Jungle Creek: Upstream from the confluence (latitude 47.3328, longitude -120.8564), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Yakima River mainstem: Upstream from the mouth (latitude 46.25010, longitude -119.24668) to the confluence with the Cle Elum River (latitude 47.1768, longitude -120.9976) except where specifically designated otherwise in Table 602. ¹	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Yakima River: Upstream from the confluence with the Cle Elum River (latitude 47.1768, longitude -120.9976) to headwaters, including tributaries (except where designated otherwise).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Yakima River: Upstream from the confluence with, but not including, Cedar Creek (latitude 47.2892, longitude -121.2947) including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Notes for WRIA 39:

1. Temperature shall not exceed a 1-DMax of 21.0°C due to human activities. When natural conditions exceed a 1-DMax of 21.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t = 34/(T + 9)$.
2. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 40 - Alkaki-Squilchuck	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
There are no specific water body entries for this WRIA.	-	-	-	-	-

Table 602: WRIA 41 - Lower Crab	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Crab Creek: Upstream from the mouth (latitude 47.1452, longitude -119.2655), including tributaries.	Rearing/ Migration Only	Primary Contact	All, Except Domestic Water	All	-

Table 602: WRIA 42 - Grand Coulee	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Crab Creek: Upstream from the mouth (latitude 47.1452, longitude -119.2655), including tributaries.	Rearing/ Migration Only	Primary Contact	All, Except Domestic Water	All	-

Table 602: WRIA 43 - Upper Crab-Wilson	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Crab Creek: Upstream from the mouth (latitude 47.1452, longitude -119.2655), including tributaries.	Rearing/ Migration Only	Primary Contact	All, Except Domestic Water	All	-

Table 602: WRIA 44 - Moses Coulee	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
There are no specific waterbody entries for this WRIA.	-	-	-	-	-

Table 602: WRIA 45 - Wenatchee	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Chiwaukum Creek: Upstream from the confluence with Skinney Creek (latitude 47.6865, longitude -120.7351) to headwaters, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Chiwawa River: Upstream from the mouth (latitude 47.7883, longitude -120.6594) to Chikamin Creek (latitude 47.9036, longitude -120.7307), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Chiwawa River and Chikamin Creek: Upstream from the confluence (latitude 47.9036, longitude -120.7307), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Chumstick Creek: Upstream from the mouth (latitude 47.6026, longitude -120.6444) and downstream of the National Forest boundary, including tributaries (not otherwise designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Chumstick Creek (mouth at latitude 47.6026, longitude -120.6444): In or above the National Forest boundary, including tributaries (not otherwise designated char).	Core Summer Habitat	Primary Contact	All	All	-
Dry Creek and Chumstick Creek: All waters above the confluence (latitude 47.7151, longitude -120.5734), except those waters in or above the Wenatchee National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Dry Creek and Chumstick Creek: All waters above the confluence (latitude 47.7151, longitude -120.5734) that are in or above the Wenatchee National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Eagle Creek and unnamed tributary: All waters above the confluence (latitude 47.6544, longitude -120.5165) except those waters in or above the Wenatchee National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Eagle Creek and unnamed tributary: All waters above the confluence (latitude 47.6544, longitude -120.5165) that are in or above the Wenatchee National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Icicle Creek: Upstream from the mouth (latitude 47.5799, longitude -120.6664) to the National Forest boundary, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Icicle Creek: Upstream from the National Forest boundary to confluence with Jack Creek (latitude 47.6081, longitude -120.8991), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Icicle Creek and Jack Creek: Upstream from the confluence (latitude 47.6081, longitude -120.8991), including all tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Ingalls Creek: Upstream from the mouth (latitude 47.4635, longitude -120.6611), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Table 602: WRIA 45 - Wenatchee	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Mission Creek: Upstream from latitude 47.4496, longitude -120.4944 to headwaters and downstream of the National Forest boundary, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Mission Creek: Upstream from latitude 47.4496, longitude -120.4944 to headwaters and in, or above, the National Forest boundary, including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Peshastin Creek: Upstream from the National Forest boundary (latitude 47.4898, longitude -120.6502) to headwaters, including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All, Except Aesthetics	173-201A-200 (1)(c)(iv)
Peshastin Creek: Upstream from the confluence with Mill Creek (latitude 47.5105, longitude -120.6319) to the National Forest boundary, including tributaries.	Core Summer Habitat	Primary Contact	All	All, Except Aesthetics	173-201A-200 (1)(c)(iv)
Second Creek and unnamed tributary: All waters above the confluence (latitude 47.7384, longitude -120.5946), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Van Creek and unnamed tributary: All waters above the confluence (latitude 47.6719, longitude -120.5385), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Wenatchee River mainstem: Between Peshastin Creek (latitude 47.5573, longitude -120.5741) and the boundary of the Wenatchee National Forest (latitude 47.5851, longitude -120.6902).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Wenatchee River: From Wenatchee National Forest boundary (latitude 47.5851, longitude -120.6902) to Chiwawa River (latitude 47.7883, longitude -120.6594), including tributaries (except where designated otherwise).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Wenatchee River: Upstream from the confluence with Chiwawa River (latitude 47.7883, longitude -120.6594), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Note for WRIA 45:

- This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 46 - Entiat	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Brennegan Creek and unnamed tributary: All waters above the confluence (latitude 47.9096, longitude -120.4199), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Entiat River: Occurring below the National Forest boundary from, and including, the Mad River (latitude 47.7358, longitude -120.3633) to Wenatchee National Forest boundary on the mainstem Entiat River (latitude 47.84815, longitude -120.42051), including tributaries.	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Entiat River: Upstream from the unnamed creek at latitude 47.9135, longitude -120.4942 (below Fox Creek), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Entiat River's unnamed tributaries: Upstream of latitude 47.9107, longitude -121.5012 (below Fox Creek).	Char Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 46 - Entiat	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Gray Canyon, North Fork, and South Fork Gray Canyon: All waters above the confluence (latitude 47.8133, longitude -120.399), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Hornet Creek: Upstream from the mouth (latitude 47.771, longitude -120.4332), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Mad River: Upstream from latitude 47.8015 longitude -120.4920 (below Young Creek), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Mud Creek and Switchback Canyon: All waters above the confluence (latitude 47.7802, longitude -120.3073), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Potato Creek and Gene Creek: All waters above the confluence (latitude 47.8139, longitude -120.3424).	Char Spawning /Rearing	Primary Contact	All	All	-
Preston Creek and South Fork Preston Creek: All waters above the confluence (latitude 47.8835, longitude -120.4241), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Stormy Creek and unnamed tributary: All waters above the confluence (latitude 47.8383, longitude -120.3877), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Tillicum Creek and Indian Creek: All waters above the confluence (latitude 47.7291, longitude -120.4322), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Note for WRIA 46:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 47 - Chelan	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Stehekin River: Upstream from the mouth (latitude 48.3202, longitude -120.6791).	Core Summer Habitat	Primary Contact	All	All	-
Chelan River: Downstream from the Lake Chelan Dam outlet (latitude 47.8338, longitude -120.0112) to the fish passage barrier at the end of the canyon (latitude 47.8117, longitude -119.9848). ^{1, 4}	Migration for Naturally Limited Waters ²	Primary Contact	All	All	173-201A-440 (9)
Chelan River: From the fish passage barrier at the end of the canyon (latitude 47.8117, longitude -119.9848) to the confluence with the Columbia River (latitude 47.8044, longitude -119.9842). ^{3, 4, 5}	Salmonid Spawning, Rearing, and Migration for Naturally Limited Waters	Primary Contact	All	All	173-201A-440 (9)

Notes for WRIA 47:

1. The temperature criterion is 17.5°C as a 7-DADMax. When water temperature is greater than 17.5°C as a daily maximum at the end of the canyon (compliance point), the temperature within the water body segment may not exceed a 7-DADMax increase of 3.50°C above temperature measured at the dam outlet. The dissolved oxygen criteria are 8.0 mg/L or 90% saturation. The 7-DADMax temperature increase and dissolved oxygen criteria are not to be exceeded at a frequency of more than once every 10 years on average.
2. Migration is generally limited to downstream.
3. The temperature criterion is 17.5°C as a 7-DADMax. When water temperature is greater than 17.5°C as a daily maximum above the confluence with powerhouse channel (compliance point), the temperature within the water body segment may not exceed a 7-DADMax increase of 1.20°C above temperature measured at the end of canyon. The dissolved oxygen criteria are 8.0 mg/L or 95% saturation. The 7-DADMax temperature increase and dissolved oxygen criteria are not to be exceeded at a frequency of more than once every 10 years on average.
4. No further point or nonpoint heat source inputs are allowed downstream of the Lake Chelan Dam outlet to the Chelan River confluence with the Columbia River.

5. Lake Chelan Dam tailrace waters must be cooler than Chelan River when the river water temperature is greater than 17.5°C as a daily maximum above the confluence with powerhouse channel.

Table 602: WRIA 48 - Methow	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Bear Creek: Upstream from the mouth (latitude 48.4484, longitude -120.161) to the headwaters and in or above the National Forest boundary, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Bear Creek: Upstream from the mouth (latitude 48.4484, longitude -120.161) to the headwaters and downstream of the National Forest boundary, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Beaver Creek and South Fork Beaver Creek: All waters above the confluence (latitude 48.435, longitude -120.0215), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Big Hidden Lake and outlet stream to the East Fork Pasayten River: Upstream from the mouth (latitude 48.9375, longitude -120.509), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Boulder Creek and Pebble Creek: All waters above the confluence (latitude 48.5878, longitude -120.1069), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Buttermilk Creek: Upstream from the mouth (latitude 48.3629, longitude -120.3392), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Chewuch River: Upstream from the mouth (latitude 48.4753, longitude -120.1808) to headwaters, including tributaries (except where designated otherwise).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Chewuch River: Upstream from the confluence with Buck Creek (latitude 48.7572, longitude -120.1317), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Eagle Creek: Upstream from the mouth (latitude 48.359, longitude -120.3907), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Early Winters Creek: Upstream from the mouth (latitude 48.6013, longitude -120.4389) to headwaters, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Eureka Creek: Upstream from the mouth (latitude 48.7004, longitude -120.4921), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Goat Creek: Upstream from the confluence with Roundup Creek (latitude 48.6619, longitude -120.3282) to headwaters, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Gold Creek: Upstream from the mouth (latitude 48.1879, longitude -120.0953), except those waters in or above the Okanogan National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Gold Creek: Upstream from the mouth (latitude 48.1879, longitude -120.0953) and in, or above, the Okanogan National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Lake Creek: Upstream from the mouth (latitude 48.7513, longitude -120.1371), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Libby Creek and Hornel Draw: All waters above the confluence (latitude 48.2564, longitude -120.1879), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 48 - Methow	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Little Bridge Creek: Upstream of the mouth (latitude 48.379, longitude -120.286), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Lost River Gorge: Upstream from the confluence with Sunset Creek (latitude 48.728, longitude -120.4518), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Methow River: Upstream from the mouth (latitude 48.0505, longitude -119.9025) to the confluence with Twisp River (latitude 48.368, longitude -120.1188).	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Methow River: Upstream from the confluence with Twisp River (latitude 48.368, longitude -120.1188) to Chewuch River (latitude 48.475, longitude -120.1812).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Methow River: Upstream from the confluence with Chewuch River (latitude 48.475, longitude -120.1812) to headwaters, including tributaries (except where designated char).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Methow River, West Fork: Upstream from the confluence with, and including, Robinson Creek (latitude 48.6595, longitude -120.5389) to headwaters, including tributaries (except unnamed tributary above mouth at latitude 48.6591, longitude -120.5493).	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Pipestone Canyon Creek: Upstream from the mouth (latitude 48.397, longitude -120.058) and below Campbell Lake (latitude 48.4395, longitude -120.0656), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Pipestone Canyon Creek: Upstream from, and including, Campbell Lake (latitude 48.4395, longitude -120.0656), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Smith Canyon Creek and Elderberry Canyon: All waters above the confluence (latitude 48.2618, longitude -120.1682), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Twisp River: Upstream from the mouth (latitude 48.368, longitude -120.1188) to War Creek (latitude 48.3612, longitude -120.396).	Core Summer Habitat	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Twisp River and War Creek: All waters above the confluence (latitude 48.3612, longitude -120.396), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)
Wolf Creek and unnamed tributary: Upstream from the confluence (latitude 48.4848, longitude -120.3178) to headwaters, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Note for WRIA 48:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 49 - Okanogan	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Okanogan River: Upstream from the mouth (latitude 48.1011, longitude -119.7207).	Spawning /Rearing	Primary Contact	All	All	173-201A-200 (1)(c)(iv)

Note for WRIA 49:

1. This WRIA contains waters requiring supplemental spawning and incubation protection for salmonid species per WAC 173-201A-200 (1)(c)(iv). See ecology publication 06-10-038 for further information.

Table 602: WRIA 50 - Foster	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
There are no specific waterbody entries for this WRIA.	-	-	-	-	-

Table 602: WRIA 51 - Nespelem	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
There are no specific waterbody entries for this WRIA.	-	-	-	-	-

Table 602: WRIA 52 - Sandpile	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
There are no specific waterbody entries for this WRIA.	-	-	-	-	-

Table 602: WRIA 53 - Lower Lake Roosevelt	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
There are no specific waterbody entries for this WRIA.	-	-	-	-	-

Table 602: WRIA 54 - Lower Spokane	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Spokane River: Upstream from the mouth (latitude 47.8937, longitude -118.3345) to Long Lake Dam (latitude 47.837, longitude -117.8394). ¹	Spawning /Rearing	Primary Contact	All	All	-
Spokane River: Upstream from Long Lake Dam (latitude 47.837, longitude -117.8394) to Nine Mile Bridge (latitude 47.777, longitude -117.5449). ²	Core Summer Habitat	Primary Contact	All	All	-
Spokane River: Upstream from Nine Mile Bridge (latitude 47.777, longitude -117.5449) to the Idaho border (latitude 47.69747, longitude -117.04185). ³	Spawning /Rearing	Primary Contact	All	All	-

Notes for WRIA 54:

1. Temperature shall not exceed a 1-DMax of 20.0°C due to human activities. When natural conditions exceed a 1-DMax of 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t = 34/(T + 9)$.
2. a. The average euphotic zone concentration of total phosphorus (as P) shall not exceed 25µg/L during the period of June 1st to October 31st.
b. Temperature shall not exceed a 1-DMax of 20.0°C, due to human activities. When natural conditions exceed a 1-DMax of 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t = 34/(T + 9)$.
3. Temperature shall not exceed a 1-DMax of 20.0°C due to human activities. When natural conditions exceed a 1-DMax of 20.0°C no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time exceed $t = 34/(T + 9)$.

Table 602: WRIA 55 - Little Spokane	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
There are no specific waterbody entries for this WRIA.	-	-	-	-	-

Table 602: WRIA 56 - Hangman	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
There are no specific waterbody entries for this WRIA.	-	-	-	-	-

Table 602: WRIA 57 - Middle Spokane	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Lake Creek: Upstream from the Idaho border (latitude 47.5603, longitude -117.0409), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Spokane River: Upstream from Nine Mile Bridge (latitude 47.777, longitude -117.5449) to the Idaho border (latitude 47.69747, longitude -117.04185). ¹	Spawning /Rearing	Primary Contact	All	All	-

Note for WRIA 57:

1. Temperature shall not exceed a 1-DMax of 20.0°C due to human activities. When natural conditions exceed a 1-DMax of 20.0°C no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time exceed $t = 34/(T + 9)$.

Table 602: WRIA 58 - Middle Lake Roosevelt	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
There are no specific waterbody entries for this WRIA.	-	-	-	-	-

Table 602: WRIA 59 - Colville	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Colville River: Upstream from the mouth (latitude 48.5738, longitude -118.1115).	Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 60 - Kettle	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
There are no specific waterbody entries for this WRIA.	-	-	-	-	-

Table 602: WRIA 61 - Upper Lake Roosevelt	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
There are no specific waterbody entries for this WRIA.	-	-	-	-	-

Table 602: WRIA 62 - Pend Oreille	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
All streams flowing into Idaho: From Bath Creek (latitude 48.5866, longitude 117.0346) to the Canadian border (latitude 49.000, longitude -117.0308).	Char Spawning /Rearing	Primary Contact	All	All	-
Calispell Creek: Upstream from the confluence with Small Creek (latitude 48.3205, longitude -117.3081) to Calispell Lake (latitude 48.2902, longitude -117.3212), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Calispell Lake: Upstream from (latitude 48.2902, longitude -117.3212), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Cedar Creek: Upstream from the mouth (latitude 48.7432, longitude -117.4176) to latitude 48.7502, longitude -117.4346, in or above Colville National Forest boundary, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Cedar Creek: Upstream from the mouth (latitude 48.7432, longitude -117.4176) to latitude 48.7502, longitude -117.4346, and downstream of the Colville National Forest, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-

Table 602: WRIA 62 - Pend Oreille	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Cedar Creek: Upstream from latitude 48.7502, longitude -117.4346 to headwaters, and in the Colville National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Cedar Creek: Upstream from latitude 48.7502, longitude -117.4346 to headwaters, and outside the Colville National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Harvey Creek (also called Outlet Creek) and Paupac Creek: All waters above the confluence (latitude 48.7708, longitude -117.2978), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Indian Creek: Upstream from the mouth (latitude 48.2445, longitude -117.1515) to headwaters.	Char Spawning /Rearing	Primary Contact	All	All	-
Le Clerc Creek, East Branch, and West Branch Le Clerc Creek: All waters above the confluence (latitude 48.5337, longitude -117.2827), except those waters in or above the Colville National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Le Clerc Creek, East Branch, and West Branch Le Clerc Creek: All waters above the confluence (latitude 48.5337, longitude -117.2827) that are in or above the Colville National Forest, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Le Clerc Creek: Upstream from the mouth (latitude 48.5189, longitude -117.2821) to the confluence with West Branch Le Clerc Creek (latitude 48.5337, longitude -117.2827), including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Mill Creek: From mouth (latitude 48.4899, longitude -117.2645) to headwaters, including tributaries.	Core Summer Habitat	Primary Contact	All	All	-
Pend Oreille River: From Canadian border (latitude 49.000, longitude -117.3534) to Idaho border (latitude 48.1998, longitude -117.0389). ¹	Spawning /Rearing	Primary Contact	All	All	-
Slate Creek: From mouth (latitude 48.924, longitude -117.3292) to headwaters, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Small Creek: From mouth (latitude 48.3206, longitude -117.3087) to the National Forest (latitude 48.8462, longitude -117.2884), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Small Creek: In or above the National Forest (latitude 48.32680, longitude -117.39423), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
South Salmo River: Upstream from latitude 48.9990, longitude -117.1365, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Sullivan Creek: Upstream of confluence with Harvey Creek (latitude 48.8462, longitude -117.2884) to headwaters, including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-
Tacoma Creek, South Fork: Upstream of confluence with Tacoma Creek (latitude 48.3938, longitude -117.3238) and downstream of the Colville National Forest boundary (latitude 48.3989, longitude -117.3487), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Table 602: WRIA 62 - Pend Oreille	Aquatic Life Uses	Recreation Uses	Water Supply Uses	Misc. Uses	Additional info for waterbody
Tacoma Creek, South Fork: Upstream of the Colville National Forest boundary (latitude 48.3989, longitude -117.3487), including tributaries.	Char Spawning /Rearing	Primary Contact	All	All	-

Note for WRIA 62:

1. Temperature shall not exceed a 1-DMax of 20.0°C due to human activities. When natural conditions exceed a 1-DMax of 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t = 34/(T + 9)$.

[Statutory Authority: Chapter 90.48 RCW and 40 C.F.R. 131.12. WSR 24-01-088 (Order 22-06), § 173-201A-602, filed 12/18/23, effective 1/18/24. Statutory Authority: RCW 90.48.035, 40 C.F.R. 131.20, and 40 C.F.R. 131.20. WSR 21-19-097 (Order 20-01), § 173-201A-602, filed 9/17/21, effective 10/18/21; WSR 19-04-007 (Order 16-07), § 173-201A-602, filed 1/23/19, effective 2/23/19. Statutory Authority: RCW 90.48.035. WSR 11-09-090 and 11-11-022 (Order 10-10), § 173-201A-602, filed 4/20/11 and 5/9/11, effective 5/21/11 and 6/9/11; WSR 06-23-117 (Order 06-04), § 173-201A-602, filed 11/20/06, effective 12/21/06. Statutory Authority: Chapters 90.48 and 90.54 RCW. WSR 03-14-129 (Order 02-14), § 173-201A-602, filed 7/1/03, effective 8/1/03.]