CERTIFICATION OF ENROLLMENT

ENGROSSED SUBSTITUTE SENATE BILL 5624

Chapter 279, Laws of 1991

52nd Legislature 1991 Regular Session

BULKHEAD OR ROCKWALL CONSTRUCTION--HYDRAULIC PERMITS FOR

EFFECTIVE DATE: 7/28/91

Passed by the Senate April 22, 1991 CERTIFICATE Yeas 41 Nays 0 I, Gordon Golob, Secretary of the Senate of the State of Washington, do JOEL PRITCHARD hereby certify that the attached is President of the Senate ENGROSSED SUBSTITUTE SENATE BILL 5624 as passed by the Senate and the House Passed by the House April 19, 1991 of Representatives on the dates hereon Yeas 90 Nays 5 set forth. JOE KING GORDON A. GOLOB Speaker of the Secretary House of Representatives Approved May 20, 1991 FILED May 20, 1991 - 10:55 a.m.

BOOTH GARDNER
Governor of the State of Washington

Secretary of State

State of Washington

ENGROSSED SUBSTITUTE SENATE BILL 5624

AS AMENDED BY THE HOUSE

Passed Legislature - 1991 Regular Session

State of Washington 52nd Legislature 1991 Regular Session

By Senate Committee on Environment & Natural Resources (originally sponsored by Senators Craswell, Conner and Metcalf).

Read first time February 27, 1991.

- 1 AN ACT Relating to the protection of the food fish resource; and
- 2 adding a new section to chapter 75.20 RCW.
- 3 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF WASHINGTON:
- 4 <u>NEW SECTION.</u> **Sec. 1.** A new section is added to chapter 75.20 RCW
- 5 to read as follows:
- 6 (1) In order to protect the property of marine waterfront shoreline
- 7 owners it is necessary to facilitate issuance of hydraulic permits for
- 8 bulkheads or rockwalls under certain conditions.
- 9 (2) The department shall issue a hydraulic permit with or without
- 10 conditions within forty-five days of receipt of a complete and accurate
- 11 application which authorizes commencement of construction, replacement,
- 12 or repair of a marine beach front protective bulkhead or rockwall for
- 13 single-family type residences or property under the following
- 14 conditions:

- 1 (a) The waterward face of a new bulkhead or rockwall shall be
- 2 located only as far waterward as is necessary to excavate for footings
- 3 or place base rock for the structure and under no conditions shall be
- 4 located more than six feet waterward of the ordinary high water line;
- 5 (b) Any bulkhead or rockwall to replace or repair an existing
- 6 bulkhead or rockwall shall be placed along the same alignment as the
- 7 bulkhead or rockwall it is replacing; however, the replaced or repaired
- 8 bulkhead or rockwall may be placed waterward of and directly abutting
- 9 the existing structure only in cases where removal of the existing
- 10 bulkhead or rockwall would result in environmental degradation or
- 11 removal problems related to geological, engineering, or safety
- 12 considerations;
- 13 (c) Construction of a new bulkhead or rockwall, or replacement or
- 14 repair of an existing bulkhead or rockwall waterward of the existing
- 15 structure shall not result in the permanent loss of critical food fish
- 16 or shellfish habitats; and
- 17 (d) Timing constraints shall be applied on a case-by-case basis for
- 18 the protection of critical habitats, including but not limited to
- 19 migration corridors, rearing and feeding areas, and spawning habitats,
- 20 for the proper protection of fish life.
- 21 (3) Any bulkhead or rockwall construction, replacement, or repair
- 22 not meeting the conditions in this section shall be processed under
- 23 this chapter in the same manner as any other application.
- 24 (4) Any person aggrieved by the approval, denial, conditioning, or
- 25 modification of a hydraulic permit approval under this section may
- 26 formally appeal the decision to the hydraulic appeals board pursuant to
- 27 this chapter.

Passed the Senate April 22, 1991. Passed the House April 19, 1991. Approved by the Governor May 20, 1991. Filed in Office of Secretary of State May 20, 1991.