## SUBSTITUTE HOUSE BILL 2758

State of Washington 60th Legislature 2008 Regular Session

**By** House Technology, Energy & Communications (originally sponsored by Representatives Morris, Morrell, and Hudgins)

READ FIRST TIME 02/05/08.

1 AN ACT Relating to adding products to the energy efficiency code; 2 and amending RCW 19.260.030, 19.260.040, and 19.260.050.

3 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF WASHINGTON:

4 **Sec. 1.** RCW 19.260.030 and 2006 c 194 s 2 are each amended to read 5 as follows:

(1) This chapter applies to the following types of new products 6 7 sold, offered for sale, or installed in the state: (a) Automatic commercial ice cube machines; (b) commercial clothes washers; (c) 8 9 ((commercial prerinse spray valves; (d))) commercial refrigerators and 10 freezers; ((<del>(e) metal halide lamp fixtures; (f)</del>)) (d) single-voltage AC to DC power supplies;  $\left(\left(\frac{1}{2}\right)\right)$  (e) state-regulated 11 external 12 incandescent reflector lamps; ((<del>and (h)</del>)) <u>(f)</u> unit heaters<u>; (g) wine</u> 13 chillers for use by an individual; (h) illumination of remote reach-in cabinets, cabinets without doors, and wine chillers that are not 14 15 consumer products; (i) hot water dispensers and minitank electric water 16 heaters; (j) bottle-type water dispensers and point-of-use water dispensers; (k) pool heaters, residential pool pumps, and portable 17 electric spas; (1) tub spout diverters; (m) commercial hot food holding 18 cabinets; and (n) consumer audio and video equipment. 19 This chapter applies equally to products whether they are sold, offered for sale, or installed as a stand-alone product or as a component of another product.

4 (2) This chapter does not apply to (a) new products manufactured in 5 the state and sold outside the state, (b) new products manufactured 6 outside the state and sold at wholesale inside the state for final 7 retail sale and installation outside the state, (c) products installed 8 in mobile manufactured homes at the time of construction, or (d) 9 products designed expressly for installation and use in recreational 10 vehicles.

## 11 **Sec. 2.** RCW 19.260.040 and 2006 c 194 s 3 are each amended to read 12 as follows:

13 The legislature establishes the following minimum efficiency 14 standards for the types of new products set forth in RCW 19.260.030.

15 (1)(a) Automatic commercial ice cube machines must have daily 16 energy use and daily water use no greater than the applicable values in 17 the following table:

18				Maximum	Maximum condenser
19			Harvest rate	energy use	water use
20	Equipment type	Type of cooling	(lbs. ice/24 hrs.)	(kWh/100 lbs.)	(gallons/100 lbs. ice)
21	Ice-making head	water	<500	7.800055H	200022H
22			>=500<1436	5.580011H	200022H
23			>=1436	4.0	200022H
24	Ice-making head	air	450	10.260086H	Not applicable
25			>=450	6.890011H	Not applicable
26	Remote condensing but	air	<1000	8.850038	Not applicable
27	not remote compressor		>=1000	5.10	Not applicable
28	Remote condensing and	air	<934	8.850038H	Not applicable
29	remote compressor		>=934	5.3	Not applicable
30	Self-contained models	water	<200	11.400190H	1910315H
31			>=200	7.60	1910315H
32	Self-contained models	air	<175	18.00469H	Not applicable
33			>=175	9.80	Not applicable

34 Where H= harvest rate in pounds per twenty-four hours which must be reported within 5% of the tested value.

35 "Maximum water use" applies only to water used for the condenser.

1 (b) For purposes of this section, automatic commercial ice cube 2 machines shall be tested in accordance with ARI 810-2003 test method as 3 published by the air-conditioning and refrigeration institute. Ice-4 making heads include all automatic commercial ice cube machines that 5 are not split system ice makers or self-contained models as defined in 6 ARI 810-2003.

7 (2) Commercial clothes washers must have a minimum modified energy 8 factor of 1.26. For the purposes of this section, capacity and 9 modified energy factor are defined and measured in accordance with the 10 current federal test method for clothes washers as found at 10 C.F.R. 11 Sec. 430.23.

12 (3) ((Commercial prerinse spray valves must have a flow rate equal 13 to or less than 1.6 gallons per minute when measured in accordance with 14 the American society for testing and materials' "Standard Test Method 15 for Prerinse Spray Valves," ASTM F2324-03.

16 (4))(a) Commercial refrigerators and freezers must meet the 17 applicable requirements listed in the following table:

18	Equipment Type	Doors	Maximum Daily Energy Consumption (kWh)
19	Reach-in cabinets, pass-through cabinets,	Solid	0.10V+ 2.04
20	and roll-in or roll-through cabinets that are	Transparent	0.12V+ 3.34
	refrigerators		
21	Reach-in cabinets, pass-through cabinets,	Transparent	.126V+ 3.51
22	and roll-in or roll-through cabinets that are		
23	"pulldown" refrigerators		
24	Reach-in cabinets, pass-through cabinets,	Solid	0.40V+ 1.38
25	and roll-in or roll-through cabinets that are	Transparent	0.75V+ 4.10
	freezers		
26	Reach-in cabinets that are refrigerator-	Solid	0.27AV - 0.71
27	freezers		
28	with an AV of 5.19 or higher		

29 kWh= kilowatt hours

30 V= total volume (ft<sup>3</sup>)

31 AV = adjusted volume = [1.63 x freezer volume (ft<sup>3</sup>)] + refrigerator volume (ft<sup>3</sup>)

32 (b) For purposes of this section, "pulldown" designates products 33 designed to take a fully stocked refrigerator with beverages at 90 34 degrees F and cool those beverages to a stable temperature of 38 35 degrees F within 12 hours or less. Daily energy consumption shall be 36 measured in accordance with the American national standards

SHB 2758

institute/American society of heating, refrigerating and airconditioning engineers test method 117-2002, except that the backloading doors of pass-through and roll-through refrigerators and freezers must remain closed throughout the test, and except that the controls of all appliances must be adjusted to obtain the following product temperatures.

7	Product or compartment type	Integrated average product temperature in degrees Fahrenheit
8	Refrigerator	38 <u>+</u> 2
9	Freezer	$0\pm 2$
10	(( <del>(5) Metal halide lamp f</del> i	xtures designed to be operated with lamps
11	rated greater than or equal to	o 150 watts but less than or equal to 500
12	watts shall not contain a prob	be-start metal halide lamp ballast.
13	<del>(6)</del> )) <u>(4)</u> (a) Single-voltag	ge external AC to DC power supplies shall
14	meet the requirements in the s	following table:

15	Nameplate output	e output Minimum Efficiency in Active Mode	
16	< 1 Watt	0.49 * Nameplate Output	
17	> or= 1 Watt and < or= 49 Watts	0.09 * Ln (Nameplate Output)+ 0.49	
18	>49 Watts	0.84	
19		Maximum Energy Consumption in No-Load Mode	
20	< 10 Watts	0.5 Watts	
21	> or= 10 Watts and < or= 250 Watts	0.75 Watts	

22 Where Ln (Nameplate Output) - Natural Logarithm of the nameplate output expressed in Watts

(b) For the purposes of this section, efficiency of single-voltage external AC to DC power supplies shall be measured in accordance with the United States environmental protection agency's "Test Method for Calculating the Energy Efficiency of Single-Voltage External AC to DC and AC to AC Power Supplies," by Ecos Consulting and Power Electronics Application Center, dated August 11, 2004.

29 ((<del>(7)</del>)) <u>(5)</u>(a) <u>The lamp electrical power input of s</u>tate-regulated 30 incandescent reflector lamps shall meet the minimum average lamp 31 efficacy requirements for federally regulated incandescent reflector 32 lamps contained in 42 U.S.C. Sec. 6295(i)(l)(A)<u>-(B)</u>.

33 (b) The following types of incandescent lamps are exempt from these 34 requirements:

1	(i) Lamps rated at fifty watts or less of the following types: BR
2	30, ER 30, BR 40, and ER 40;
3	(ii) Lamps rated at sixty-five watts of the following types: BR
4	30, BR 40, and ER 40; and
5	(iii) R 20 lamps of forty-five watts or less.
6	(( (8))) (6) Unit heaters must be equipped with intermittent
7	ignition devices and must have either power venting or an automatic
8	flue damper.
9	(7) Wine chillers designed and sold for use by an individual must
10	not exceed the applicable requirements listed in the following table:
11	Equipment Type Maximum Annual Appliance Energy
12	Consumption (kWh)
13	Wine chillers with manual defrost $13.7V + 267$
14	Wine chillers with automatic defrost $17.4V + 344$
15	
16	<u>V = volume in ft<sup>3</sup>.</u>
17	(8) The internal illumination of the following appliances,
18	manufactured on or after January 1, 2009, shall be only by (a) T-8
19	fluorescent lamps with electronic ballasts, or (b) a lighting system
20	that has no fewer lumens per watt than a system using only T-8
21	fluorescent lamps with electronic ballasts:
22	(i) Remote reach-in cabinets with transparent doors, remote
23	pass-through cabinets with transparent doors, and remote roll-in or
24	roll-through cabinets with transparent doors;
25	(ii) Cabinets without doors; and
26	(iii) Wine chillers that are not consumer products.
27	(9) The standby energy consumption of bottle-type water dispensers,
28	and point-of-use water dispensers, dispensing both hot and cold water,
29	manufactured on or after January 1, 2009, shall not exceed 1.2 kWh/day.
30	(10)(a) The standby loss of hot water dispensers and minitank
31	electric water heaters manufactured on or after January 1, 2009, shall
32	be not greater than 35 watts.
33	(b) This subsection does not apply to any water heater:
34	(i) That is within the scope of 42 U.S.C. Sec. 6292(a)(4) or
35	<u>6311(1)(F);</u>

1	<u>(ii) That</u>	has a rated storage volume of less	s than 20 gallons; and
2	(iii) For which there is no federal test method applicable to that		
3	<u>type of water</u>	<u>heater.</u>	
4	<u>(11)</u> The	following standards are establis	hed for pool heaters,
5	<u>residential p</u>	ool pumps, and portable electric sp	bas:
6	<u>(a)</u> Natur	al gas pool heaters shall not be	equipped with constant
7	<u>burning pilot</u>	<u>S.</u>	
8	<u>(b) Pool</u>	pump motors shall meet the followir	<u>ng standards:</u>
9	<u>(i) Pool</u>	pump motors manufactured on or afte	er January 1, 2009, may
10	<u>not be split-</u>	phase or capacitor start inducti	<u>ion run type.</u>
11	<u>(ii) Pool</u>	pump motors with a capacity of 1	HP or more which are
12	manufactured	on or after January 1, 2009, shall	have the capability of
13	operating at	two or more speeds with a low speed	having a rotation rate
14	<u>that is no mo</u>	re than one-half of the motor's max	<u>kimum rotation rate.</u>
15	<u>(iii) Poc</u>	l pump motor controls manufactured	on or after January 1,
16	<u>2009, shall h</u>	ave the capability of operating the	e pool pump at at least
17	two speeds.	The default circulation speed shal	l be the lowest speed,
18	<u>with a high s</u>	peed override capability being for	a temporary period not
19	to exceed one	normal cycle.	
20	<u>(c) The s</u>	tandby power of portable electric s	spas manufactured on or
21	<u>after January</u>	1, 2009, shall be not greater that	an $5(V^{2/3})$ watts where V
22	<u>= the total v</u>	<u>olume, in gallons.</u>	
23	<u>(12)(a) T</u>	<u>he leakage rate of tub spout divert</u>	ers shall be no greater
24	<u>than the appl</u>	icable requirements shown in the fo	ollowing table:
25			Maximum Leakage Rate
26	Appliance	Testing Conditions	Effective January 1, 2009
27	Appliance	When new	<u>0.01 gpm</u>
28	Tub spout diverters	After 15,000 cycles of diverting	<u>0.05 gpm</u>
	-		
29		rhead-tub spout diverter combinatio	
30		showerheads and the standard for tu	
31		idle energy rate of commercial hot	
32		on or after January 1, 2009, shall	
33		ic foot of measured interior volume	
34		power usage of consumer audio	
35	manufactured	on or after the effective dates sho	wn shall be not greater

1	than the applicable shown in	the following ta	ble. For equipment that
2	consists of more than one ir	ndividually power	<u>ed product, each with a</u>
3	separate main plug, the indiv	vidually powered	products shall each have
4	a power usage not greater than	<u>the applicable</u>	requirements shown in the
5	following table:		
6	Appliance Type	Effective Date	Maximum Power Usage (watts)
0	<u>Appnance Type</u>	Effective Date	Maximum Fower Osage (waits)
7	Compact Audio Products	January 1, 2010	2 W in Audio standby-passive mode
8			for those without a permanently
9			illuminated clock display
10			4 W in Audio standby-passive mode
11			for those with a permanently
12			illuminated clock display
13	<u>Televisions</u>	January 1, 2009	3 W in TV standby-passive mode
14			
15	Digital Versatile Disc Players and	January 1, 2009	3 W in Video standby-passive mode
16	Digital Versatile Disc Recorders		
17	Digital Television Adapters	January 1, 2011	1 W in standby-passive mode,

18

19 **Sec. 3.** RCW 19.260.050 and 2006 c 194 s 4 are each amended to read 20 as follows:

8 W in STB on mode

21 (1) No new ((commercial prerinse spray valve,)) commercial clothes 22 commercial refrigerator washer, or freezer, state-regulated 23 incandescent reflector lamp, or unit heater manufactured on or after 24 January 1, 2007, may be sold or offered for sale in the state unless 25 the efficiency of the new product meets or exceeds the efficiency standards set forth in RCW 19.260.040. No new automatic commercial ice 26 27 cube machine( $(\tau)$ ) or single-voltage external AC to DC power supply, ((or metal halide lamp fixtures)) manufactured on or after January 1, 28 29 2008, may be sold or offered for sale in the state unless the 30 efficiency of the new product meets or exceeds the efficiency standards set forth in RCW 19.260.040. 31

(2) On or after January 1, 2008, no new ((commercial prerinse spray
valve,)) commercial clothes washer, commercial refrigerator or freezer,
single-voltage external AC to DC power supply, state-regulated
incandescent reflector lamp, or unit heater manufactured on or after
January 1, 2007, may be installed for compensation in the state unless

the efficiency of the new product meets or exceeds the efficiency 1 standards set forth in RCW 19.260.040. On or after January 1, 2009, no 2 new automatic commercial ice cube machine ((or metal halide lamp 3 fixtures)) manufactured on or after January 1, 2008, may be installed 4 for compensation in the state unless the efficiency of the new product 5 meets or exceeds the efficiency standards set forth in RCW 19.260.040. 6 (3) Standards for ((metal halide lamp fixtures and)) state-7 regulated incandescent reflector lamps are effective on the dates in 8 subsections (1) and (2) of this section. 9 (4) The following products, if manufactured on or after January 1, 10 2009, may not be sold or offered in the state unless the efficiency of 11 12 the new product meets or exceeds the efficiency standards set forth in 13 RCW 19.260.040: 14 (a) Wine chillers for use by an individual; (b) Illumination of remote reach-in cabinets, cabinets without 15 doors, and wine chillers that are not consumer products; 16 (c) Hot water dispensers and minitank electric water heaters; 17 (d) Bottle-type water dispensers and point-of-use water dispensers; 18 (e) Pool heaters, residential pool pumps, and portable electric 19 20 <u>spas;</u> 21 (f) Tub spout diverters; and 22 (q) Commercial hot food holding cabinets. (5) The following products, if manufactured on or after January 1, 23 2009, may not be installed for compensation in the state on or after 24 January 1, 2010, unless the efficiency of the new product meets or 25 26 exceeds the efficiency standards set forth in RCW 19.260.040: 27 (a) Wine chillers for use by an individual; (b) Illumination of remote reach-in cabinets, cabinets without 28 doors, and wine chillers that are not consumer products; 29 (c) Hot water dispensers and minitank electric water heaters; 30 (d) Bottle-type water dispensers and point-of-use water dispensers; 31 (e) Pool heaters, residential pool pumps, and portable electric 32 <u>sp</u>as; 33 (f) Tub spout diverters; and 34 35 (q) Commercial hot food holding cabinets. 36 (6) Televisions, digital versatile disc players, and digital 37 versatile disc recorders manufactured after January 1, 2009, may not be

sold or offered for sale in the state unless the efficiency of the new 1 2 product meets or exceeds the efficiency standards set forth in RCW 19.260.040. 3 (7) Televisions, digital versatile disc players, and digital 4 versatile disc recorders, manufactured after January 1, 2009, may not 5 be installed for compensation in the state after January 1, 2010, 6 unless the efficiency of the new product meets or exceeds the 7 efficiency standards set forth in RCW 19.260.040. 8 (8) Compact audio products, manufactured on or after January 1, 9 2010, may not be sold or offered for sale in the state unless the 10 efficiency of the new product meets or exceeds the efficiency standards 11 12 set forth in RCW 19.260.040. 13 (9) Compact audio products, manufactured on or after January 1, 2010, may not be installed for compensation in the state after January 14 1, 2011, unless the efficiency of the new product meets or exceeds the 15 efficiency standards set forth in RCW 19.260.040. 16 17 (10) Digital television adapters, manufactured on or after January 1, 2011, may not be sold or offered for sale in the state unless the 18 efficiency of the new product meets or exceeds the efficiency standards 19 20 set forth in RCW 19.260.040. 21 (11) Digital television adapters, manufactured on or after January 1, 2011, may not be installed for compensation in the state after 22 January 1, 2012, unless the efficiency of the new product meets or 23

24 exceeds the efficiency standards set forth in RCW 19.260.040.

--- END ---