

CERTIFICATION OF ENROLLMENT

**HOUSE BILL 1542**

68th Legislature  
2023 Regular Session

Passed by the House April 13, 2023  
Yeas 96 Nays 0

---

**Speaker of the House of  
Representatives**

Passed by the Senate March 31, 2023  
Yeas 48 Nays 0

---

**President of the Senate**

Approved

---

**Governor of the State of Washington**

CERTIFICATE

I, Bernard Dean, Chief Clerk of the House of Representatives of the State of Washington, do hereby certify that the attached is **HOUSE BILL 1542** as passed by the House of Representatives and the Senate on the dates hereon set forth.

---

**Chief Clerk**

FILED

**Secretary of State  
State of Washington**

---

HOUSE BILL 1542

---

AS AMENDED BY THE SENATE

Passed Legislature - 2023 Regular Session

State of Washington

68th Legislature

2023 Regular Session

By Representatives Bronoske, Fosse, Berry, Hackney, Abbarno, Griffey, Walsh, Ortiz-Self, Taylor, Ramel, Simmons, Jacobsen, Schmidt, Graham, Ormsby, Pollet, Kloba, Doglio, Bateman, Macri, Leavitt, and Timmons

Read first time 01/24/23. Referred to Committee on Labor & Workplace Standards.

1 AN ACT Relating to requiring automated external defibrillators to  
2 be available and accessible when work is being performed on high  
3 voltage lines and equipment; adding a new section to chapter 49.17  
4 RCW; and providing an effective date.

5 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF WASHINGTON:

6 NEW SECTION. **Sec. 1.** A new section is added to chapter 49.17  
7 RCW to read as follows:

8 (1) Any employer with employees who operate, maintain, or  
9 construct high voltage lines and equipment or who conduct line-  
10 clearance tree trimming in close proximity to high voltage lines and  
11 equipment shall:

12 (a) Make an automated external defibrillator available and  
13 accessible to employees when work is being performed on, or in close  
14 proximity to, high voltage lines and equipment by two or more  
15 employees;

16 (b) Conduct regular maintenance and annual inspections of the  
17 automated external defibrillator to ensure operability and  
18 availability; and

19 (c) Provide training or facilitate the provision of training to  
20 ensure there are at least two employees proficient on the proper and  
21 safe use of the automated external defibrillator at any site

1 involving work on, or in close proximity to, high voltage lines and  
2 equipment. To be considered proficient, an employee must have  
3 completed initial or updated training within the previous two years.

4 (2) For the purposes of this section, "high voltage lines and  
5 equipment" refers to any energized communication line, electric  
6 supply line, or equipment with a voltage of 601 or greater.

7 NEW SECTION. **Sec. 2.** This act takes effect January 1, 2025.

--- END ---