

Chapter 70.79 RCW
BOILERS AND UNFIRED PRESSURE VESSELS

Sections

- 70.79.010 Board of boiler rules—Members—Terms—Meetings.
- 70.79.020 Compensation and travel expenses.
- 70.79.030 Duties of board.
- 70.79.040 Rules and regulations—Scope.
- 70.79.050 Rules and regulations—Effect.
- 70.79.060 Construction, installation must conform to rules—
Inspection certificate.
- 70.79.070 Existing installations—Conformance required.
- 70.79.080 Exemptions from chapter.
- 70.79.090 Exemptions from certain provisions.
- 70.79.095 Espresso machines—Local regulation prohibited.
- 70.79.100 Chief inspector—Qualifications—Appointment, removal.
- 70.79.110 Chief inspector—Duties in general.
- 70.79.120 Deputy inspectors—Qualifications—Employment.
- 70.79.130 Special inspectors—Qualifications—Commission.
- 70.79.140 Special inspectors—Compensation—Continuance of
commission.
- 70.79.150 Special inspectors—Inspections—Exempts from inspection
fees.
- 70.79.160 Report of inspection by special inspector—Filing.
- 70.79.170 Examinations for inspector's appointment or commission—
Reexamination.
- 70.79.180 Suspension, revocation of inspector's commission—Grounds
—Reinstatement.
- 70.79.190 Suspension, revocation of commission—Appeal.
- 70.79.200 Lost or destroyed certificate or commission.
- 70.79.220 Inspections—Who shall make.
- 70.79.230 Access to premises by inspectors.
- 70.79.240 Inspection of boilers, unfired pressure vessels—Scope—
Frequency.
- 70.79.250 Inspection—Frequency—Grace period.
- 70.79.260 Inspection—Frequency—Modification by rules.
- 70.79.270 Hydrostatic test.
- 70.79.280 Inspection during construction.
- 70.79.290 Inspection certificate—Contents—Posting—Fee.
- 70.79.300 Inspection certificate invalid on termination of
insurance.
- 70.79.310 Inspection certificate—Suspension—Reinstatement.
- 70.79.320 Operating without inspection certificate prohibited—
Penalty.
- 70.79.330 Inspection fees—Expenses—Schedules—Waiver of provisions
during state of emergency.
- 70.79.350 Inspection fees—Receipts for—Pressure systems safety
fund.
- 70.79.361 Board determinations—Appeals.

Excessive steam in boilers, penalty: RCW 70.54.080.

State building code: Chapter 19.27 RCW.