

# Title 173 WAC

## ECOLOGY, DEPARTMENT OF

**Reviser's note:** See also department of ecology rules and regulations filed subsequent to January 1, 1971, within Title 18, Air Pollution (Title 18 rules filed after January 1, 1971, are so codified); Title 372, Water Pollution Control Board; Title 508, Department of Water Resources.

### Chapters

- |        |   |          |  |
|--------|---|----------|--|
| 173-03 | Public records.   | 173-124  | Quincy ground water management subarea and zones.  |
| 173-04 | Practice and procedure.   | 173-128A | Odessa ground water management subarea.  |
| 173-06 | Delegation of powers.   | 173-130A | Odessa ground water subarea management policy.   |
| 173-08 | Environmental Coordination Procedures Act of 1973--Master application procedures.   | 173-132  | Duck Lake ground water management subarea.   |
| 173-10 | Permit processing procedure applicable to two or more permit programs.  | 173-134A | Quincy ground water subarea management policy.   |
| 173-12 | General procedure.  | 173-136  | The establishment of a system of authorizing the withdrawal of artificially stored ground waters embodied in an approved declaration under RCW 90.44.130, which are commingled with public ground waters in ground water areas, subareas, and zones established under RCW 90.44.130. |
| 173-14 | Permits for developments on shorelines of the state.  | 173-142  | Delegation of permit program under State Flood Control Zone Act.   |
| 173-15 | Permits for oil or natural gas exploration activities conducted from state marine waters.   | 173-160  | Minimum standards for construction and maintenance of water wells.   |
| 173-16 | Shoreline Management Act guidelines for development of master programs.   | 173-162  | Rules and regulations governing the regulation and licensing of water well contractors and operators.  |
| 173-18 | Shoreline Management Act--Streams and rivers constituting shorelines of the state.  | 173-164  | Water rate charges.  |
| 173-19 | Shoreline Management Act of 1971--State master program.   | 173-166  | Emergency water withdrawal facilities.   |
| 173-20 | Shoreline Management Act--Lakes constituting shorelines of the state.   | 173-201  | Water quality standards for waters of the state of Washington.   |
| 173-22 | Adoption of designations of wetlands associated with shorelines of the state.   | 173-202  | Washington forest practices rules and regulations to protect water quality.  |
| 173-24 | Regulation relating to tax exemptions and credits for pollution control facilities.   | 173-208  | Grant of authority sewerage systems.   |
| 173-28 | Establishing Lake Washington as a region pursuant to Shoreline Management Act of 1971.  | 173-216  | State waste discharge permit program.  |
| 173-32 | Regulation relating to allocation of financial aid to counties and cities to assist in comprehensive planning for solid waste management. | 173-220  | National pollutant discharge elimination system permit program.  |
| 173-34 | Exemptions from the detailed statement requirements of the State Environmental Policy Act.  | 173-225  | Federal Water Pollution Control Act--Establishment of implementation procedures of application for certification.  |
| 173-40 | Pollution disclosure.   | 173-230  | Certification of operators of wastewater treatment plants.   |
| 173-44 | Fees--Radioactive waste management facilities.  | 173-240  | Submission of plans and reports for construction of wastewater facilities.   |
| 173-58 | Sound level measurement procedures.   | 173-250  | Construction grants program--Priority rating system and project priority list.   |
| 173-60 | Maximum environmental noise levels.   | 173-255  | Limitations on use of Referendum 26 grant funds for water pollution abatement.   |
| 173-62 | Motor vehicle noise performance standards.  | 173-301  | Regulations relating to minimum functional standards for solid waste handling.   |
| 173-70 | Watercraft noise performance standards.   | 173-303  | Dangerous waste regulations.   |
| 173-80 | Limitations on use of Referendum 39 grant funds for water pollution abatement.  | 173-310  | Litter receptacles.  |
|        |   | 173-320  | Beverage containers--Detachable pull tabs.   |
|        |   | 173-400  | General regulations for air pollution sources.   |
|        |   | 173-402  | Civil sanctions under Washington Clean Air Act.  |

- |  |   |
|--|---|
| <p>173-403 Implementation of regulations for air contaminant sources.</p> <p>173-405 Kraft pulping mills.</p> <p>173-410 Sulfite pulping mills.</p> <p>173-415 Primary aluminum plants.</p> <p>173-422 Motor vehicle emission inspection.</p> <p>173-425 Open burning.</p> <p>173-430 Burning of field and forage and turf grasses grown for seed.</p> <p>173-435 Emergency episode plan.</p> <p>173-475 Ambient air quality standards for carbon monoxide, ozone, and nitrogen dioxide.</p> <p>173-490 Emission standards and controls for sources emitting volatile organic compounds (VOC).</p> <p>173-495 Weather modification.</p> <p>173-500 Water resources management program established pursuant to the Water Resources Act of 1971.</p> <p>173-507 Instream resources protection program-- Snohomish River basin, water resource inventory area (WRIA) 7.</p> <p>173-508 Instream resources protection program-- Cedar-Sammamish basin, water resource inventory area (WRIA) 8.</p> <p>173-509 Instream resources protection program-- Green-Duwamish River basin, water resource inventory area (WRIA) 9.</p> <p>173-510 Instream resources protection program-- Puyallup River basin, water resource inventory area (WRIA) 10.</p> <p>173-511 Instream resources protection program-- Nisqually River basin, water resource inventory area (WRIA) 11.</p> <p>173-512 Instream resources protection program-- Chambers-Clover Creeks basin water resource inventory area (WRIA) 12.</p> <p>173-513 Instream resources protection program-- Deschutes River basin, water resource inventory area (WRIA) 13.</p> <p>173-515 Instream resources protection program-- Kitsap water resource inventory area (WRIA) 15.</p> <p>173-522 Water resources program in the Chehalis River basin, WRIA-22 and 23.</p> <p>173-530 Water resources program in the Klickitat River basin, WRIA-30.</p> <p>173-531A Water resources program for the John Day-McNary Pools Reach of the Columbia River, WRIA 31 and parts of WRIsAs 32, 33, 36, and 37.</p> <p>173-532 Water resources program for the Walla Walla River basin, WRIA-32.</p> <p>173-545 Instream resources protection program-- Wenatchee River basin, water resource inventory area (WRIA) 45.</p> <p>173-548 Water resources program in the Methow River basin, WRIA-48.</p> <p>173-549 Water resources program in the Okanogan River basin, WRIA-49.</p> | <p>173-555 Water resources program in the Little Spokane River basin, WRIA-55.</p> <p>173-559 Water resources program for the Colville River basin, WRIA-59.</p> <p>173-563 Instream resources protection program for the main stem Columbia River in Washington state.</p> <p>173-590 Procedures relating to the reservation of water for future public water supply.</p> <p>173-596 Procedures and policies governing appropriations of significant amounts of water for agricultural irrigation use.</p> <p>173-801 Department of ecology "SEPA" guidelines.</p> <p>173-805 Model ordinance for use in integration of SEPA guidelines.</p> |
|--|---|

## DISPOSITION OF CHAPTERS FORMERLY CODIFIED IN THIS TITLE

## Chapter 173-02

## METHODS OF OPERATION AND ORGANIZATION

- 173-02-010 Purpose. [Order 71-9, § 173-02-010, filed 8/4/71.] Repealed by 78-02-041 (Order DE 77-35), filed 1/17/78. Statutory Authority: RCW 42.17.250 through 42.17.340.
- 173-02-020 General responsibilities. [Order 71-9, § 173-02-020, filed 8/4/71.] Repealed by 78-02-041 (Order DE 77-35), filed 1/17/78. Statutory Authority: RCW 42.17.250 through 42.17.340.
- 173-02-030 Organization. [Order 71-9, § 173-02-030, filed 8/4/71.] Repealed by 78-02-041 (Order DE 77-35), filed 1/17/78. Statutory Authority: RCW 42.17.250 through 42.17.340.
- 173-02-040 Functions. [Order 71-9, § 173-02-040, filed 8/4/71.] Repealed by 78-02-041 (Order DE 77-35), filed 1/17/78. Statutory Authority: RCW 42.17.250 through 42.17.340.
- 173-02-050 Ecological commission. [Order 71-9, § 173-02-050, filed 8/4/71.] Repealed by 78-02-041 (Order DE 77-35), filed 1/17/78. Statutory Authority: RCW 42.17.250 through 42.17.340.
- 173-02-060 Public information. [Order 71-9, § 173-02-060, filed 8/4/71.] Repealed by 78-02-041 (Order DE 77-35), filed 1/17/78. Statutory Authority: RCW 42.17.250 through 42.17.340.
- 173-02-070 Submissions and requests. [Order 71-9, § 173-02-070, filed 8/4/71.] Repealed by 78-02-041 (Order DE 77-35), filed 1/17/78. Statutory Authority: RCW 42.17.250 through 42.17.340.

## Chapter 173-30

## MINIMUM WATER FLOWS--CEDAR RIVER

- 173-30-010 Background and authority. [Order 71-7, § 173-30-010, filed 8/17/71.] Repealed by 79-10-002 (Order DE 79-9), filed 9/6/79. Statutory Authority: Chapters 90.22 and 90.54 RCW. Later promulgation, see chapter 173-508 WAC.
- 173-30-020 Applicability. [Order 71-7, § 173-30-020, filed 8/17/71.] Repealed by 79-10-002 (Order DE 79-9), filed 9/6/79. Statutory Authority: Chapters 90.22 and 90.54 RCW. Later promulgation, see chapter 173-508 WAC.
- 173-30-030 Measurement. [Order 71-7, § 173-30-030, filed 8/17/71.] Repealed by 79-10-002 (Order DE 79-9), filed 9/6/79. Statutory Authority: Chapters 90.22 and 90.54 RCW. Later promulgation, see chapter 173-508 WAC.
- 173-30-040 Declaration of minimum flows. [Order 71-7, § 173-30-040, filed 8/17/71.] Repealed by 79-10-002 (Order DE 79-9), filed 9/6/79. Statutory Authority:

Chapters 90.22 and 90.54 RCW. Later promulgation, see chapter 173-508 WAC.

- 173-30-050 Future rights. [Order 71-7, § 173-30-050, filed 8/17/71.] Repealed by 79-10-002 (Order DE 79-9), filed 9/6/79. Statutory Authority: Chapters 90.22 and 90.54 RCW. Later promulgation, see chapter 173-508 WAC.
- 173-30-060 Enforcement. [Order 71-7, § 173-30-060, filed 8/17/71.] Repealed by 79-10-002 (Order DE 79-9), filed 9/6/79. Statutory Authority: Chapters 90.22 and 90.54 RCW. Later promulgation, see chapter 173-508 WAC.
- 173-30-070 Public information. [Order 71-7, § 173-30-070, filed 8/17/71.] Repealed by 79-10-002 (Order DE 79-9), filed 9/6/79. Statutory Authority: Chapters 90.22 and 90.54 RCW. Later promulgation, see chapter 173-508 WAC.

#### Chapter 173-108

##### WITHDRAWAL OF THE WATERS OF THE LITTLE SPOKANE RIVER WATERSHED FROM ADDITIONAL APPROPRIATIONS

- 173-108-010 Authority. [Order 73-19, § 173-108-010, filed 9/21/73.] Repealed by Order DE 75-24, filed 1/6/76. Later promulgation, see chapters 173-500 and 173-555 WAC.
- 173-108-020 Purpose. [Order 73-19, § 173-108-020, filed 9/21/73.] Repealed by Order DE 75-24, filed 1/6/76. Later promulgation, see chapters 173-500 and 173-555 WAC.
- 173-108-030 Definitions. [Order 73-19, § 173-108-030, filed 9/21/73.] Repealed by Order DE 75-24, filed 1/6/76. Later promulgation, see chapters 173-500 and 173-555 WAC.
- 173-108-040 Declaration of withdrawal. [Order 73-19, § 173-108-040, filed 9/21/73.] Repealed by Order DE 75-24, filed 1/6/76.
- 173-108-050 Existing rights not affected. [Order 73-19, § 173-108-050, filed 9/21/73.] Repealed by Order DE 75-24, filed 1/6/76.
- 173-108-060 Existing rights not affected—Exemptions. [Order 73-19, § 173-108-060, filed 9/21/73.] Repealed by Order DE 75-24, filed 1/6/76.

#### Chapter 173-128

##### ODESSA GROUND WATER MANAGEMENT SUBAREA

- 173-128-010 Background. [Order 72-25, § 173-128-010, filed 1/15/73.] Repealed by 82-14-041 (Order DE 82-23), filed 6/30/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-128A-020.
- 173-128-020 Purpose. [Order 72-25, § 173-128-020, filed 1/15/73.] Repealed by 82-14-041 (Order DE 82-23), filed 6/30/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-128A-030.
- 173-128-030 Authority. [Order 72-25, § 173-128-030, filed 1/15/73.] Repealed by 82-14-041 (Order DE 82-23), filed 6/30/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-128A-010.
- 173-128-040 Subarea definition. [Order 72-25, § 173-128-040, filed 1/15/73.] Repealed by 82-14-041 (Order DE 82-23), filed 6/30/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-128A-040.
- 173-128-050 Subarea map. [Order 72-25, § 173-128-050, filed 1/15/73.] Repealed by 82-14-041 (Order DE 82-23), filed 6/30/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-128A-050.

#### Chapter 173-130

##### ODESSA GROUND WATER SUBAREA MANAGEMENT POLICY

- 173-130-010 Background. [Order DE 73-32, § 173-130-010, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-020.
- 173-130-020 Authority. [Order DE 73-32, § 173-130-020, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-010.
- 173-130-030 Definitions. [Order DE 73-32, § 173-130-030, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-030.
- 173-130-040 Purpose. [Order DE 73-32, § 173-130-040, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-040.
- 173-130-050 Depth zone designation. [Order DE 73-32, § 173-130-050, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).
- 173-130-060 Rate of decline in water level to be controlled. [Order DE 73-32, § 173-130-060, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-060.
- 173-130-070 Maximum lowering of the water table. [Order DE 73-32, § 173-130-070, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-070.
- 173-130-080 Regulation of withdrawal of ground water. [Order DE 75-33, § 173-130-080, filed 1/23/76; Order DE 73-32, § 173-130-080, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-080.
- 173-130-090 Notice of regulation. [Order DE 73-32, § 173-130-090, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-090.
- 173-130-100 No increase in ground water withdrawals during regulation. [Order DE 73-32, § 173-130-100, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).
- 173-130-110 Supplemental wells regulated. [Order DE 73-32, § 173-130-110, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).
- 173-130-120 Annual volume of water determined. [Order DE 73-32, § 173-130-120, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).
- 173-130-130 New ground water withdrawals. [Order DE 73-32, § 173-130-130, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).
- 173-130-140 New applications for withdrawal of ground waters. [Order DE 73-32, § 173-130-140, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82.

- Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-100.
- 173-130-150 Time sequence for processing new applications to appropriate ground water. [Order DE 75-33, § 173-130-150, filed 1/23/76; Order DE 73-32, § 173-130-150, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).
- 173-130-155 Reworking wells. [Order DE 75-33, § 173-130-155, filed 1/23/76.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-180.
- 173-130-160 Bore hole logs required. [Order DE 75-33, § 173-130-160, filed 1/23/76; Order DE 73-32, § 173-130-160, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-190.
- 173-130-170 Distance of wells from East Low Canal. [Order DE 73-32, § 173-130-170, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-110.
- 173-130-180 Supplemental surface water. [Order DE 73-32, § 173-130-180, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).
- 173-130-190 Ground water supervisors. [Order DE 73-32, § 173-130-190, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).
- 173-130-195 Irrigation season. [Order DE 75-33, § 173-130-195, filed 1/23/76.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-130.
- 173-130-200 Review of regulations. [Order DE 75-33, § 173-130-200, filed 1/23/76; Order DE 73-32, § 173-130-200, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-220.
- Chapter 173-134**
- THE ESTABLISHMENT OF REGULATIONS FOR THE ADMINISTRATION OF THE QUINCY GROUND WATER SUBAREA ESTABLISHED PURSUANT TO RCW 90.44.130**
- 173-134-010 Administration of withdrawal of ground waters in the Quincy subarea. [Statutory Authority: Chapters 43.21, 43.21A, 43.27A, 90.03 and 90.44 RCW. 79-08-080 (Order DE 79-4), § 173-134-010, filed 7/26/79; Order 74-35, § 173-134-010, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-010.
- 173-134-020 Definitions. [Order 74-35, § 173-134-020, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-040.
- 173-134-030 Quincy ground water subarea—Background statement. [Order 74-35, § 173-134-030, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-020.
- 173-134-040 Quincy ground water subarea—Managed and regulated by department of ecology. [Order 74-35, § 173-134-040, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-050.
- 173-134-050 Quincy ground water subarea—Withdrawals of waters of deep management unit—Controlled by prior appropriation provisions. [Statutory Authority: Chapters 43.21, 43.21A, 43.27A, 90.03 and 90.44 RCW. 79-08-080 (Order DE 79-4), § 173-134-050, filed 7/26/79; Order 74-35, § 173-134-050, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-060.
- 173-134-055 Quincy ground water subarea—Public ground water permit amendments. [Statutory Authority: Chapters 43.21, 43.21A, 43.27A, 90.03 and 90.44 RCW. 79-08-080 (Order DE 79-4), § 173-134-055, filed 7/26/79.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-070.
- 173-134-060 Regulation of water of the shallow management unit—Permit requirements. [Statutory Authority: Chapters 43.21, 43.21A, 43.27A, 90.03 and 90.44 RCW. 79-08-080 (Order DE 79-4), § 173-134-060, filed 7/26/79; Order DE 75-4, § 173-134-060, filed 2/21/75; Order 74-35, § 173-134-060, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-080.
- 173-134-070 Responsibility for water management—Designation of critical management areas. [Order 74-35, § 173-134-070, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-090.
- 173-134-080 Establishment of a technical committee of scientific and engineering experts—Purpose. [Order 74-35, § 173-134-080, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-100.
- 173-134-085 Holder request for protection of interest—Department denial—Subject to review before the pollution control hearings board. [Order 74-35, § 173-134-085, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-110.
- 173-134-090 Permits not required—Conditions of exemptions. [Order 74-35, § 173-134-090, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-120.
- 173-134-100 Permits issued or extended—Conditions under which agreements may be entered into. [Order 74-35, §

- 173-134-100, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-130.
- 173-134-110 Notification requirements. [Order 74-35, § 173-134-110, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see chapter 173-134A WAC.
- 173-134-120 Existing laws and rights recognized—Specific jurisdiction. [Order 74-35, § 173-134-120, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see chapter 173-134A WAC.
- 173-134-130 Modification of rules when action appears justified. [Order 74-35, § 173-134-130, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see chapter 173-134A WAC.
- 173-134-140 Artificially stored ground water permit applications—Lands not covered by declarations. [Statutory Authority: Chapters 43.21, 43.21A, 43.27A, 90.03 and 90.44 RCW. 79-08-080 (Order DE 79-4), § 173-134-140, filed 7/26/79.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see chapter 173-134A WAC.
- 173-134-150 Area described at department Order No. DE 75-54—Public ground water permits. [Statutory Authority: Chapters 43.21, 43.21A, 43.27A, 90.03 and 90.44 RCW. 79-08-080 (Order DE 79-4), § 173-134-150, filed 7/26/79.] Repealed by 80-02-025 (Order DE 79-33), filed 1/9/80. Statutory Authority: RCW 43.21A.080 and 43.27A.090(11).
- 173-134-160 Authorized and unused public ground water in deep management unit—Reservation. [Statutory Authority: Chapters 43.21, 43.21A, 43.27A, 90.03 and 90.44 RCW. 79-08-080 (Order DE 79-4), § 173-134-160, filed 7/26/79.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-160.
- Chapter 173-302**  
**HAZARDOUS WASTE REGULATION**
- 173-302-010 Purpose. [Order DE 77-34, § 173-302-010, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-010.
- 173-302-020 Applicability. [Order DE 77-34, § 173-302-020, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-020.
- 173-302-030 Abbreviations. [Order DE 77-34, § 173-302-030, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-030.
- 173-302-040 Definitions. [Order DE 77-34, § 173-302-040, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-040.
- 173-302-050 Conference. [Order DE 77-34, § 173-302-050, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260.
- 173-302-060 Imminent hazard. [Order DE 77-34, § 173-302-060, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-050.
- 173-302-070 Designation of EHW. [Order DE 77-34, § 173-302-070, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-080 Categorization. [Order DE 77-34, § 173-302-080, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-101.
- 173-302-090 Criteria for dangerous wastes (DW). [Order DE 77-34, § 173-302-090, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-100 Criteria for extremely hazardous waste (EHW). [Order DE 77-34, § 173-302-100, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-110 Hazardous due to toxicity to man and wildlife. [Order DE 77-34, § 173-302-110, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-120 Hazardous due to quantity. [Order DE 77-34, § 173-302-120, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-102.
- 173-302-130 Hazardous due to persistence and potential hazard. [Order DE 77-34, § 173-302-130, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-140 Containers. [Order DE 77-34, § 173-302-140, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-160.
- 173-302-150 Division, dilution, and accumulation. [Order DE 77-34, § 173-302-150, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-150.
- 173-302-160 Appeal of designation. [Order DE 77-34, § 173-302-160, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-165 Disposal prohibited. [Statutory Authority: RCW 70.105.020 and 70.105.030. 78-08-021 (Order DE 78-14), § 173-302-165, filed 7/12/78.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-170 Requirements for generators. [Order DE 77-34, § 173-302-170, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW

- 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-180 Manifest procedures. [Order DE 77-34, § 173-302-180, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-180.
- 173-302-190 Manifest form. [Order DE 77-34, § 173-302-190, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-180.
- 173-302-200 Waste transporter requirements. [Order DE 77-34, § 173-302-200, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-240.
- 173-302-210 Transporter applicability. [Order DE 77-34, § 173-302-210, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-240.
- 173-302-220 Waste acceptance. [Order DE 77-34, § 173-302-220, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-250 and 173-303-370.
- 173-302-230 Transportation. [Order DE 77-34, § 173-302-230, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-250.
- 173-302-240 Operator requirements. [Order DE 77-34, § 173-302-240, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260.
- 173-302-250 Yearly operating plan. [Order DE 77-34, § 173-302-250, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260.
- 173-302-260 Hazardous waste acceptance. [Order DE 77-34, § 173-302-260, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-370.
- 173-302-270 EHW handling at the disposal site. [Order DE 77-34, § 173-302-270, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260.
- 173-302-280 Environmental requirements. [Order DE 77-34, § 173-302-280, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-290 Security requirements. [Order DE 77-34, § 173-302-290, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-310.
- 173-302-300 Safety requirements. [Order DE 77-34, § 173-302-300, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260.
- 173-302-310 Emergency requirements. [Order DE 77-34, § 173-302-310, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-350 through 173-303-360.
- 173-302-320 Personnel requirements. [Order DE 77-34, § 173-302-320, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-330.
- 173-302-330 Department surveillance. [Order DE 77-34, § 173-302-330, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-340 Financial requirements. [Order DE 77-34, § 173-302-340, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-620.
- 173-302-350 Treater requirements. [Order DE 77-34, § 173-302-350, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-360 Treater applicability. [Order DE 77-34, § 173-302-360, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-370 EHW acceptance. [Order DE 77-34, § 173-302-370, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-380 Treatment criteria. [Order DE 77-34, § 173-302-380, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-390 Compliance. [Statutory Authority: RCW 70.105.020 and 70.105.030. 78-08-021 (Order DE 78-14), § 173-302-390, filed 7/12/78; Order DE 77-34, § 173-302-390, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.

#### Chapter 173-531

#### WATER RESOURCE PROGRAM FOR THE JOHN DAY-MCNARY POOLS REACH OF THE COLUMBIA RIVER, WRIA 31 AND PARTS OF WRIAS 32, 33, 36, AND 37

- 173-531-010 Purpose. [Statutory Authority: RCW 90.54.040 and 90.54.050. 78-09-015 (Order DE 77-31), § 173-531-010, filed 8/8/78.] Repealed by 80-08-020 (Order DE 80-1), filed 6/24/80. Statutory Authority: RCW 90.54.040 and 90.54.050. Later promulgation, see WAC 173-531A-010.
- 173-531-020 Definitions. [Statutory Authority: RCW 90.54.040 and 90.54.050. 78-09-015 (Order DE 77-31), § 173-531-020, filed 8/8/78.] Repealed by 80-08-020 (Order DE 80-1), filed 6/24/80. Statutory Authority: RCW 90.54.040 and 90.54.050. Later promulgation, see WAC 173-531A-020.
- 173-531-030 Existing water rights protected. [Statutory Authority: RCW 90.54.040 and 90.54.050. 78-09-015 (Order DE 77-31), § 173-531-030, filed 8/8/78.] Repealed by 80-08-020 (Order DE 80-1), filed 6/24/80. Statutory Authority: RCW 90.54.040 and 90.54.050. Later promulgation, see WAC 173-531A-030.
- 173-531-040 Reservation for future irrigation use. [Statutory Authority: RCW 90.54.040 and 90.54.050. 78-09-015 (Order DE 77-31), § 173-531-040, filed 8/8/78.] Repealed by 80-08-020 (Order DE 80-1), filed 6/24/80. Statutory Authority: RCW 90.54.040 and 90.54.050. Later promulgation, see WAC 173-531A-040.

- 173-531-050 Reservation for municipal use. [Statutory Authority: RCW 90.54.040 and 90.54.050. 78-09-015 (Order DE 77-31), § 173-531-050, filed 8/8/78.] Repealed by 80-08-020 (Order DE 80-1), filed 6/24/80. Statutory Authority: RCW 90.54.040 and 90.54.050. Later promulgation, see WAC 173-531A-050.
- 173-531-060 Department to develop an instream resource protection program. [Statutory Authority: RCW 90.54.040 and 90.54.050. 78-09-015 (Order DE 77-31), § 173-531-060, filed 8/8/78.] Repealed by 80-08-020 (Order DE 80-1), filed 6/24/80. Statutory Authority: RCW 90.54.040 and 90.54.050. Later promulgation, see WAC 173-531A-060.
- 173-531-070 Department to review regulation. [Statutory Authority: RCW 90.54.040 and 90.54.050. 78-09-015 (Order DE 77-31), § 173-531-070, filed 8/8/78.] Repealed by 80-08-020 (Order DE 80-1), filed 6/24/80. Statutory Authority: RCW 90.54.040 and 90.54.050. Later promulgation, see WAC 173-531A-070.
- Chapter 173-800**
- INTEGRATION OF POLICIES AND PROCEDURES OF SEPA INTO THE PROGRAMS OF THE DEPARTMENT OF ECOLOGY**
- 173-800-010 Authority. [Order DE 76-12, § 173-800-010, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-010.
- 173-800-015 Impact of guidelines on the department. [Order DE 76-12, § 173-800-015, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-020 Purpose. [Order DE 76-12, § 173-800-020, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-030.
- 173-800-030 Effect of SEPA. [Order DE 76-12, § 173-800-030, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-040.
- 173-800-035 Integration of SEPA procedures with other departmental operations. [Order DE 76-12, § 173-800-035, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-045.
- 173-800-040 Definitions. [Order DE 76-12, § 173-800-040, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-050 Designation of responsible official. [Order DE 76-12, § 173-800-050, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-050.
- 173-800-060 Timing. [Order DE 76-12, § 173-800-060, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-060.
- 173-800-070 Scope of a proposal and its impacts for the purposes of lead agency determination, threshold determination, and EIS preparation. [Order DE 76-12, § 173-800-070, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-080 Summary of information which may be required of a private applicant. [Order DE 76-12, § 173-800-080, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-070.
- 173-800-090 No presumption of significance for nonexempt actions. [Order DE 76-12, § 173-800-090, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-100 Categorical exemptions. [Order DE 76-12, § 173-800-100, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-105 Exemptions applicable to other agencies. [Order DE 76-12, § 173-800-105, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-110 Exemptions and nonexemptions specifically applicable to the department. [Order DE 76-12, § 173-800-110, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-120 Exemption for emergency actions. [Order DE 76-12, § 173-100-120 (codified as WAC 173-800-120), filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-140 Sensitive areas. [Order DE 76-12, § 173-800-140, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-080.
- 173-800-145 Use and effect of categorical exemptions. [Order DE 76-12, § 173-800-145, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-150 Lead agency—Responsibilities. [Order DE 76-12, § 173-800-150, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-160 Determination of lead agency—Procedures. [Order DE 76-12, § 173-800-160, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-170 Lead agency designation—Governmental proposals. [Order DE 76-12, § 173-800-170, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-180 Lead agency designation—Proposals involving both private and public construction activity. [Order DE 76-12, § 173-800-180, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-190 Lead agency designation—Private projects for which there is only one agency with jurisdiction. [Order DE 76-12, § 173-800-190, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-200 Lead agency designation—Private projects requiring licenses from more than one agency, when one of the agencies is a county/city. [Order DE 76-12, § 173-800-200, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-210 Lead agency designation—Private projects requiring licenses from more than one state agency. [Order DE 76-12, § 173-800-210, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-220 Lead agency designation—Specific proposals. [Order DE 76-12, § 173-800-220, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-230 Local agency transfer of lead agency status to a state agency. [Order DE 76-12, § 173-800-230, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-240 Agreements as to lead agency status. [Order DE 76-12, § 173-800-240, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-250 Agreements between agencies as to division of lead agency duties. [Order DE 76-12, § 173-800-250, filed 5/14/76.] Repealed by 78-04-090 (Order DE

- 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-260 Dispute as to lead agency determination—Resolution by CEP. [Order DE 76-12, § 173-800-260, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-270 Assumption of lead agency status by another agency with jurisdiction. [Order DE 76-12, § 173-800-270, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-280 Individuals making SEPA-related determinations. [Order DE 76-12, § 173-800-280, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-090.
- 173-800-300 Environmental checklist. [Order DE 76-12, § 173-800-300, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-310 Environmental checklist procedures. [Order DE 76-12, § 173-800-310, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-320 Threshold determination procedures—Initial review of environmental checklist. [Order DE 76-12, § 173-800-320, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-330 Threshold determination procedures—Information in addition to checklist. [Order DE 76-12, § 173-800-330, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-340 Threshold determination procedures—Negative declarations. [Order DE 76-12, § 173-800-340, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-345 Assumption of lead agency status by another agency with jurisdiction over a proposal—Prerequisites, effect and form of notice. [Order DE 76-12, § 173-800-345, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-350 Affirmative threshold determination. [Order DE 76-12, § 173-800-350, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-355 Form of declaration of significance/nonsignificance. [Order DE 76-12, § 173-800-355, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-360 Threshold determination criteria—Application of environmental checklist. [Order DE 76-12, § 173-800-360, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-370 Withdrawal of affirmative threshold determination. [Order DE 76-12, § 173-800-370, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-375 Withdrawal of negative threshold determination. [Order DE 76-12, § 173-800-375, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-380 Threshold determination appeal procedures. [Order DE 76-12, § 173-800-380, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-100.
- 173-800-390 Statute of limitation. [Order DE 76-12, § 173-800-390, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-110.
- 173-800-400 Duty to begin preparation of a draft EIS. [Order DE 76-12, § 173-800-400, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-405 Purpose and function of a draft EIS. [Order DE 76-12, § 173-800-405, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-410 Predraft consultation procedures. [Order DE 76-12, § 173-800-410, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-420 Preparation of EIS by persons outside the lead agency. [Order DE 76-12, § 173-800-420, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-425 Organization and style of a draft EIS. [Order DE 76-12, § 173-800-425, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-440 Contents of a draft EIS. [Order DE 76-12, § 173-800-440, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-442 Special considerations regarding contents of an EIS on a nonproject action. [Order DE 76-12, § 173-800-442, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-444 List of elements of the environment. [Order DE 76-12, § 173-800-444, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-450 Public awareness of availability of draft EIS. [Order DE 76-12, § 173-800-450, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-460 Specific agencies to which draft EIS shall be sent. [Order DE 76-12, § 173-800-460, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-465 Agencies possessing environmental expertise. [Order DE 76-12, § 173-800-465, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-470 Cost to the public for reproduction of environmental documents. [Order DE 76-12, § 173-800-470, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-480 Public hearing on a proposal—When required. [Order DE 76-12, § 173-800-480, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-485 Public hearing on environmental impact of the proposal. [Order DE 76-12, § 173-800-485, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-490 Public hearing on the proposal—Use of environmental documents. [Order DE 76-12, § 173-800-490, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-495 Preparation of amended or new draft EIS. [Order DE 76-12, § 173-800-495, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-500 Responsibilities of consulted agencies—Local agencies. [Order DE 76-12, § 173-800-500, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-510 Responsibilities of consulted agencies—State agencies with jurisdiction. [Order DE 76-12, § 173-800-510, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-520 Responsibilities of consulted agencies—State agencies with environmental expertise. [Order DE 76-12, §



- 173-800-520, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-530 Responsibilities of consulted agencies—When predraft consultation has occurred. [Order DE 76-12, § 173-800-530, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-535 Cost of performance of consulted agency responsibilities. [Order DE 76-12, § 173-800-535, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-540 Limitations on responses to consultation. [Order DE 76-12, § 173-800-540, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-545 Effect of no written comment. [Order DE 76-12, § 173-800-545, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-550 Consulted agency coordination. [Order DE 76-12, § 173-800-550, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-570 Preparation of the final EIS—Contents—When no critical comments received on the draft EIS. [Order DE 76-12, § 173-800-570, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-580 Preparation of the final EIS—Contents—When critical comments received on the draft EIS. [Order DE 76-12, § 173-800-580, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-600 Circulation of the final EIS. [Order DE 76-12, § 173-800-600, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-650 Effect of an adequate final EIS prepared pursuant to NEPA. [Order DE 76-12, § 173-800-650, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-652 Supplementation by a lead agency of an inadequate final NEPA EIS. [Order DE 76-12, § 173-800-652, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-660 Use of previously prepared EIS for a different proposed action. [Order DE 76-12, § 173-800-660, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-690 Use of lead agency's EIS by other acting agencies for the same proposal. [Order DE 76-12, § 173-800-690, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-695 Draft and final supplements to a revised EIS. [Order DE 76-12, § 173-800-695, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-710 EIS combined with existing planning and review processes. [Order DE 76-12, § 173-800-710, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-810 Responsibility of agencies—Amendments to this chapter. [Order DE 76-12, § 173-800-810, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-830 Responsibility of agencies—SEPA public information center. [Order DE 76-12, § 173-800-830, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-840 Application of these guidelines to on-going actions. [Order DE 76-12, § 173-800-840, filed 5/14/76.]

- 173-800-910 Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Severability. [Order DE 76-12, § 173-800-910, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-130.

## Chapter 173-03 WAC PUBLIC RECORDS

### WAC

- |            |   |
|------------|---|
| 173-03-010 | Purpose.  |
| 173-03-020 | Definitions.  |
| 173-03-030 | Description of organization.                              |
| 173-03-040 | Public records available.                                 |
| 173-03-050 | Records index.  |
| 173-03-060 | Requests for public records.                              |
| 173-03-070 | Fees.   |
| 173-03-080 | Statement of reason for denial of public records request. |
| 173-03-090 | Reviews of denial of public records request.              |
| 173-03-100 | Protection of public records.                             |

**WAC 173-03-010 Purpose.** The purpose of this chapter is to implement the requirements of sections 25 through 32, chapter 1, Laws of 1973 (RCW 42.17.250 - 42.17.320) relating to public records. [Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-010, filed 1/17/78.]

**WAC 173-03-020 Definitions.** (1) The terms "person," "public record," and "writing" shall have the meanings as stated in RCW 42.17.020.

(2) "Department" means the department of ecology.

(3) "Director" means the director of the department.

(4) "Public records officer" means the records manager of the department.

(5) "Designee" means the employee of the department designated by the director or the public records officer to serve as the public records officer at the central office or at each of the regional offices in the absence of the officer. [Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-020, filed 1/17/78.]

**WAC 173-03-030 Description of organization.** (1) **Headquarters office.**

(a) The headquarters office is located on the campus of St. Martins College, Lacey, Washington. The mailing address is:

Department of Ecology  
Olympia, Washington 98504

(b) The offices of the director, deputy director, and assistant directors all are located in the headquarters office.

(c) The titles and responsibilities of the six assistant directors are as follows:

(i) Assistant director for water programs — water quality, water resources.

(ii) Assistant director for air programs — air quality, air monitoring.

(iii) Assistant director for land programs — solid waste, shorelines.

(iv) Assistant director for comprehensive programs — major industries, tax credits for pollution control expenditures, environmental review.

(v) Assistant director for external affairs — department liaison with other agencies.

(vi) Assistant director for field operations — enforcement, regional affairs.

(d) The offices of public affairs and legal affairs, also are at the headquarters office.

(2) Regional offices and their geographical jurisdictions are as follows:

(a) Northwest regional office (Whatcom, Skagit, Snohomish, San Juan, Island, King, and Kitsap counties):

4350 - 150th Avenue N.E.  
Redmond, Washington 98050

(b) Southwest regional office (Pierce, Thurston, Mason, Clallam, Jefferson, Grays Harbor, Pacific, Lewis, Cowlitz, Wahkiakum, Clark, and Skamania counties):

7272 Cleanwater Lane  
Tumwater, Washington 98504

(c) Central regional office (Okanogan, Chelan, Douglas, Kittitas, Yakima, Benton, and Klickitat counties):

2802 Main Street  
Union Gap, Washington 98903

2015 South First Street  
Yakima, Washington 98703  
(Environmental Quality Section)

(d) Eastern regional office (Ferry, Stevens, Pend Oreille, Grant, Lincoln, Spokane, Adams, Whitman, Franklin, Walla Walla, Columbia, Garfield, and Asotin counties):

103 East Indiana  
Spokane, Washington 99207

[Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-030, filed 1/17/78.]

**WAC 173-03-040 Public records available.** (1) All public records of the department are available for public inspection and copying pursuant to these rules subject to subsections (2), (3), and (4) of this section.

(2) Availability of public records is subject to the exemptions and requirements of RCW 42.17.310.

(3) When a public record includes information the disclosure of which would lead to an unreasonable invasion of personal privacy, and the department becomes aware of this fact, the department shall delete such information before making the record available.

(4) Public records requested may not be readily available for immediate inspection. If the requested records are not readily available, the department shall notify the requester when and where such records will be available.

[Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-040, filed 1/17/78.]

**WAC 173-03-050 Records index.** The department does not maintain an index of just the material listed in RCW 42.17.260. It does maintain for its own use a "Records Management Procedures Manual" which indexes the location of categories of all records, not just public records, which exist in the department. The manual is available to the public for inspection and copying. With the assistance of the public records officer or designee, any person can obtain access to public records of the department using the manual.

Because of the existence of the manual, the department has not developed any other index for its own use, and it would be unduly burdensome to develop such an index merely for the material listed in RCW 42.17.260. [Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-050, filed 1/17/78.]

**WAC 173-03-060 Requests for public records.** (1) All requests for inspection or copying made in person at a department office shall be made on a form substantially as follows:

REQUEST FOR PUBLIC RECORDS

Date ----- Time -----

Name -----

Address -----

Description of Records:  
-----  
-----  
-----

I certify that lists of names obtained through this request for public records will not be used for political or commercial purposes.

-----  
Signature

Number of copies -----

Number of pages -----

Per page charge \$-----

Total charge \$-----

(2) All requests made in person may be made at a department office between the hours of 8:00 a.m. to 12:00 noon and 1:00 p.m. to 4:00 p.m., Monday through Friday, excluding legal holidays.

(3) A request for inspection or copying of public records may be made by mail in a letter containing the following information:

(a) The name and address of the person making the request and the organization the person represents;

(b) The time of day and calendar date on which the person wishes to inspect the public records;

(c) A description of the public records requested;

(d) A statement whether access to copying equipment is desired;

(e) A phone number where the person can be reached in case the public records officer or designee needs to contact the person for further description of the material or any other reason.

(f) A statement that the record will not be used for commercial purposes.

(4) All requests by mail must be received by the department at least three business days before the requested date of inspection to allow the public records officer or designee to make certain the requested records are available and not exempt and, if necessary, to contact the person requesting inspection.

(5) The department may in its discretion fill requests made by telephone. [Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-060, filed 1/17/78.]

**WAC 173-03-070 Fees.** No fee shall be charged for the inspection of public records. For printed, typed, and written material of a maximum size of 8 1/2" by 14", the department shall charge a reasonable fee, determined from time to time by the department, for providing copies of public records and for use of the department's copy equipment, payable at the time copies are furnished. This charge is the amount necessary to reimburse the department for its actual costs incident to such copying and shall not exceed 20 cents per copy. For copies from microfilm, the charge shall not exceed 40 cents per copy. Copies of maps, photos, reports, and other nonstandard items shall be furnished at the regular price established by the department. When other special copy work for nonstandard items is requested, the fee charged will reflect the total cost, including the time of department personnel. [Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-070, filed 1/17/78.]

**WAC 173-03-080 Statement of reason for denial of public records request.** When the department refuses, in whole or part, a written request for inspection of any public record, it shall include a statement of the specific exemption authorizing the refusal and a brief explanation of how the exemption applies to the record withheld. [Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-080, filed 1/17/78.]

**WAC 173-03-090 Reviews of denial of public records request.** (1) Any person who objects to the refusal of a written request for a public record may petition for prompt review of such decision by tendering a written request for review. The written request shall specifically refer to the written statement by the public records officer or designee which constituted or accompanied the refusal.

(2) Immediately after receiving a written request for review of a decision denying a public record, the public records officer or other staff member denying the request shall refer it to the director or his delegate. The

director or his delegate shall immediately consider the matter and either affirm or reverse such refusal. The final decision shall be sent to the objecting person within two business days following receipt of the petition for review. [Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-090, filed 1/17/78.]

**WAC 173-03-100 Protection of public records.** In order to adequately protect the public records of the department, the following guidelines shall be adhered to by any person inspecting such public records:

(1) No public records shall be removed from the department's premises.

(2) Inspection of any public record shall be conducted in the presence of a designated department employee.

(3) No public records may be marked or defaced in any manner during inspection.

(4) Public records, which are maintained in a file or jacket, or chronological order, may not be dismantled except for purposes of copying and then only by the public records officer or designee.

(5) Access to file cabinets, shelves, vaults, and other storage areas is restricted to department personnel, unless other arrangements are made with the public records officer or designee. [Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-100, filed 1/17/78.]

## Chapter 173-04 WAC

### PRACTICE AND PROCEDURE

#### WAC

173-04-010 Hearings boards.

173-04-020 Uniform procedural rules.

**WAC 173-04-010 Hearings boards.** Appeals from decisions and orders of the department of ecology are under the jurisdiction of the pollution control hearings board. Practice and procedure before the pollution control hearings board is governed by the provisions of chapter 371-08 WAC. Declaratory proceedings under the Shoreline Management Act of 1971 (section 18(4), chapter 286, Laws of 1971 ex. sess.) are under the jurisdiction of the shorelines hearings board. [Order DE 71-14, § 173-04-010, filed 9/3/71.]

**WAC 173-04-020 Uniform procedural rules.** In those contested cases, declaratory proceedings, and requests for rule making in which the department of ecology has authority to conduct hearings, practice and procedure shall be in accordance with those uniform rules promulgated by the code reviser and codified as chapter 1-08 WAC as now written or as hereafter amended. [Order DE 71-14, § 173-04-020, filed 9/3/71.]

**Chapter 173-06 WAC**  
**DELEGATION OF POWERS**

**WAC**

173-06-010	Introduction.
173-06-020	Definitions.
173-06-030	Delegation.
173-06-040	Director's powers.
173-06-050	Regulations.
173-06-065	NPDES delegation.

**DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER**

173-06-060	NPDES delegation. [Statutory Authority: RCW 43.21A.090. 79-08-034 (Order DE 79-10), § 173-06-060, filed 7/16/79; Order DE 77-12, § 173-06-060, filed 8/2/77.] Repealed by 80-17-044 (Order DE 80-47), filed 11/19/80. Statutory Authority: RCW 43.21A.090.
------------	--

**WAC 173-06-010 Introduction.** By the terms of RCW 43.21A.060, the department of ecology is provided with authority to perform powers, duties and functions, formerly assigned to other entities, in the areas of water and air pollution control, water resources management and solid waste disposal. In addition, since the creation of the department of ecology, the legislature has assigned to such department certain new powers, duties and function.

Among the purposes of assigning these various responsibilities to a single state agency is, as shown by RCW 43.21A.020, the objective of "orderly, efficient and effective" administration of programs relating to the environment. In order to meet this objective, certain delegations of authority are necessary, as contemplated and authorized by RCW 43.21A.090. [Order DE 71-13, § 173-06-010, filed 9/8/71.]

**WAC 173-06-020 Definitions.** As used in this chapter:

- (1) "Department" shall mean department of ecology;
- (2) "Director," "deputy director," "executive assistant director," and "assistant director" refer to persons bearing such titles within the department of ecology in accordance with the description of organization set forth in chapter 173-02 WAC. [Order DE 71-13, § 173-06-020, filed 9/8/71.]

**WAC 173-06-030 Delegation.** The authority delegated hereby includes the authority to issue orders, directives or decisions reviewable before appropriate administrative or judicial bodies. The authority delegated is limited to the power to act for the department in carrying out functions within the power of the department. No delegation made shall be effective or within the authority of any particular person to exercise unless that person has been issued a specific letter of authorization from the director authorizing him to act for the department in the specifics set forth in such letter. Subject to the foregoing restriction, the following delegations are made:

(1) To the deputy director, executive assistant director and assistant directors, the authority to:

- (a) Issue orders relating to emergency episodes;
- (b) Issue regulatory notices and orders and resource damage claims;
- (c) Impose civil penalties;
- (d) Perform departmental functions relating to grants, gifts, loans, bonds, fees and special funds;
- (e) Enter into contracts and appoint personnel;
- (f) Initiate requests for review before Shorelines Hearings Board;

(g) Issue determinations relating to tax credits or exemptions for pollution control facilities;

(h) Perform the responsibilities in (2) below.

(2) To the regional managers and division heads the authority to perform departmental functions relating to:

(a) Licenses, permits, variances, certificates, certifications and adjudications of rights;

(b) Approval, modification or denial of proposals, and plans and specifications required to be submitted to the department;

(c) Reports, environmental impact statements, and registrations required to be submitted to the department.

[Order DE 75-7, § 173-06-030, filed 5/16/75; Order DE 71-13, § 173-06-030, filed 9/8/71.]

**WAC 173-06-040 Director's powers.** The director may perform all powers, duties and functions within the authority of the department. The delegations set forth in this chapter shall not preclude the director from exercising any of the powers, duties and functions delegated. In the director's absence, the deputy director may act as director. [Order DE 71-13, § 173-06-040, filed 9/8/71.]

**WAC 173-06-050 Regulations.** Nothing in this chapter shall be construed as a delegation of authority to adopt, amend or repeal any rule or regulation. The power to adopt, amend or repeal rules or regulations rests with the director, or in his absence, the deputy director. [Order DE 71-13, § 173-06-050, filed 9/8/71.]

**WAC 173-06-065 NPDES delegation.** The sole and complete responsibility for administration of the National Pollutant Discharge Elimination System permit program is delegated by the director to Bruce A. Cameron, an assistant director, [who qualifies] under 33 U.S.C. 1314(i) and implementing regulations to administer the program. [Statutory Authority: RCW 43.21A.090. 81-24-033 (Order DE 81-41), § 173-06-065, filed 11/25/81; 81-09-056 (Order DE 81-7), 173-06-065, filed 4/17/81.]

**Reviser's note:** RCW 34.04.058 requires the use of underlining and deletion marks to indicate amendments to existing rules, and deems ineffectual changes not filed by the agency in this manner. The bracketed material in the above section does not appear to conform to the statutory requirement.

**Chapter 173-08 WAC**  
**ENVIRONMENTAL COORDINATION**  
**PROCEDURES ACT OF 1973—MASTER**  
**APPLICATION PROCEDURES**

**WAC**

173-08-010	Authority.
173-08-020	Purpose.
173-08-030	Definitions.
173-08-040	Master application form.
173-08-050	Scope of master application procedure.
173-08-065	Modification of the proposed project.
173-08-070	Appeals to final decisions.

**DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS**  
**CHAPTER**

173-08-060	Certification. [Order 74-6, § 173-08-060, filed 5/1/74.] Repealed by Order DE 77-23, filed 12/1/77.
------------	---

**WAC 173-08-010 Authority.** This regulation is adopted pursuant to chapter 185, Laws of 1973 1st ex. sess., the Environmental Coordination Procedures Act (ECPA) of 1973; amending section 1, RCW 90.62.010; section 2, RCW 90.62.020; section 4, RCW 90.62.040; section 5, RCW 90.62.050; section 6, RCW 90.62.060; section 8, RCW 90.62.080; section 9, RCW 90.62.090; section 10, RCW 90.62.100; and creating a new section (modification of the proposal). [Order DE 77-23, § 173-08-010, filed 12/1/77; Order 74-6, § 173-08-010, filed 5/1/74.]

**WAC 173-08-020 Purpose.** Chapter 185, Laws of 1973 1st ex. sess., requires the director of the department of ecology, in cooperation with other state agencies and local governments having environmental regulatory programs, to provide:

(1) An optional master application procedure, wherein a person undertaking a project which affects or contemplates the use of the state's air, land, or water resources is assured a greater degree of certainty in terms of permit requirements of state and local governments;

(2) A mechanism which will coordinate administrative decision-making procedures, and related quasi-judicial and judicial review;

(3) For better coordination and understanding between state and local regulatory agencies;

(4) A better and easier opportunity for the public to present its views on proposed uses of natural resources and related environmental matters before governmental decisions; and

(5) An opportunity for members of the public to obtain information pertaining to federal and state statutory requirements before undertaking a project. [Order DE 77-23, § 173-08-020, filed 12/1/77; Order 74-6, § 173-08-020, filed 5/1/74.]

**WAC 173-08-030 Definitions.** (1) Department: The department of ecology.

(2) Local government: A county, city, or town.

(3) Board: Pollution control hearings board.

(4) Permit: Any license, permit, certificate, certification, approval, compliance schedule, or other similar document pertaining to any regulatory or management program related to the protection, conservation, use of, or interference with the natural resources of land, air or water in the state. This document must be obtained from a participating agency before constructing or operating a project in the state of Washington. "Permit" shall also mean a substantial development permit under RCW 90.58.140, and any permit required by a local government for a project that a local government has chosen to process under this chapter. In accordance with these definitions of "permit," the issuing agencies respective statutory authorities are as follows:

Department of natural resources

- Burning permits – RCW 76.04.150 and 76.04.170
- Dumping permits on forest lands – RCW 76.04.242
- Surface mine reclamation permit – RCW 78.44.080
- Drilling permit – RCW 78.52.120
- Log patrol license – RCW 76.40.030
- Forest Practices Application/Notification – RCW 76.09.060

Regional air pollution control authorities

- New source construction approval – RCW 70.94.152
- Burning permit – RCW 70.94.650
- Burning of field and turf grasses grown for seed – RCW 70.94.650

Local government

- Substantial development permit – (shoreline management permit) RCW 90.58.140
- Any other permit(s) chosen by local government for inclusion

Department of ecology

- Surface water rights permit – RCW 90.03.250
- Dam safety approval – RCW 90.03.350
- Reservoir permit – RCW 90.03.370
- Approval of change of place or purpose of use or point of diversion – RCW 90.03.380, surface water code; RCW 90.44.100, ground water code
- Ground water permit – RCW 90.44.050
- New source construction – approval RCW 70.94.152
- Burning of field and turf grasses grown for seed – RCW 70.94.650
- Flood control zone permit – RCW 86.16.080
- Waste discharge permit – RCW 90.48.180
- NPDES permit – chapter 173-220 WAC
- Sewage and industrial waste treatment facilities approval – RCW 90.48.110
- Weather modification permit – RCW 43.37.110
- Water quality certification – RCW 90.48.160

## Department of fisheries

- Hydraulic project approval – RCW 75.20.100
- Salmon aquaculture permit – RCW 75.16.100
- Mechanical harvest permit – RCW 75.28.287

## Parks and recreation commission

- Park and recreation facilities, state parks approval – RCW 53.08.270
- Safe and adequate port district skilift facilities and equipment certification – RCW 70.88.020
- Permits for volunteer improvement of state parks – RCW 43.51.130

## Department of game

- Hydraulic project approval – RCW 75.20.100

## Department of social and health services

- Public sewage – chapter 248-92 WAC
- Public water supplies – chapter 248-54 WAC

## Department of agriculture

- Rendering plant operation – RCW 16.68.040

(5) Project: Any new activity, or any expansion of or addition to an existing activity, fixed in location, for which one or more permits are required before construction or operation. Permits would need to be required from two or more state agencies or one or more state agencies and one or more local governments, if the local government is processing permits or requests for variances, rezones, or other permits under this act. Such construction or operation may include, but need not be limited to, industrial and commercial operations and developments. For the purposes of this section, plans and specifications submitted for a hydraulic project, or other work, to the departments of fisheries and game, under RCW 75.20.100, shall be considered an application for a permit required by one state agency.

(6) Person: Any individual, municipal, public or private corporation, or other entity, including a state agency and county.

(7) Processing and processing of applications: The entire procedures to be followed in relation to reviewing and to making decisions on an application for a permit.

(8) State agency: Any state department, commission, board or other agency of the state however titled. For the limited purposes of this chapter only "state agency" shall also mean: (a) Any local or regional air pollution control authority established under chapter 70.94 RCW; and (b) any local government, when said government is acting in its capacity as a decision maker on an application for a substantial development permit pursuant to RCW 90.58.140.

(9) Participating agency: Any state agency or local government involved in the processing of an application for a permit pursuant to the procedures of this act.

(10) Master application: The initial application filed with the department which provides a statement of intention to undertake a project. Sufficient information for

participating agencies to determine if various permit programs apply to the project shall be included.

(11) Application: An application required in relation to a regulatory or management program as described in WAC 173-08-030.

(12) County permit information office: A designated location where permit information and a master application can be obtained.

(13) Master application center: The administrative headquarters where this act is implemented. The headquarters shall be located at the department of ecology in Olympia and shall be operated by the department independently of the department's other programs and administrative offices.

(14) Certification: A signed statement by local governments that the proposed project complies with local zoning ordinances, associated comprehensive plans, or relevant policies in effect for the subject area.

(15) Director: The director of the department of ecology.

(16) SEPA: The State Environmental Policy Act.

(17) EIS: An environmental impact statement, which means the detailed statement required in RCW 43.21C-.030 (2)(c).

(18) Threshold determination: The decision by a lead agency whether or not an environmental impact statement is required for a proposal.

(19) Environmental checklist: The form completed by the applicant and used by the lead agency to determine whether or not the proposal will result in a significant adverse impact upon the quality of the environment.

(20) Lead agency: The agency, designated by WAC 197-10-200 through 197-10-270 or 197-10-345, which is responsible for making the threshold determination and preparing or supervising preparation of the draft and final environmental impact statements.

(21) De novo quasi judicial hearing: A hearing held according to the Administrative Procedure Act, chapter 34.04 RCW. [Order DE 77-23, § 173-08-030, filed 12/1/77; Order 74-6, § 173-08-030, filed 5/1/74.]

**WAC 173-08-040 Master application form.** The department shall supply a master application form to counties and department regional offices for applicants using this program. No other form shall be acceptable for the master application procedure. [Order DE 77-23, § 173-08-040, filed 12/1/77; Order 74-6, § 173-08-040, filed 5/1/74.]

**WAC 173-08-050 Scope of master application procedure.** (1) Use of the master application procedure is optional and at the discretion of the applicant.

(2) Procedures of this chapter shall be initiated by obtaining a blank master application form from the center in Olympia. Forms may also be obtained at one of the department's regional offices or a county permit information office.

After completing the form, assisted by any of those offices, the master application form shall be filed, at one of those offices, personally or by mail (the date of receipt at one of the offices shall be considered to be the

filing date, if mailed). If filed at a regional office or a county permit information office, the master application shall be submitted immediately to the center in Olympia. To establish priority dates for water rights processed under this chapter, the priority date shall be the date of filing the master application.

(3) When the center receives the properly completed master application form, the center shall forward copies to all participating agencies.

(4) Upon receiving a copy of the master application, each notified participating agency shall respond, in writing, to the center. Response shall be on forms provided by the department within the given date, which shall not exceed fifteen days, as determined by the center. The response shall include statements on:

(a) Whether or not said agency has an interest in the project and, if an interest does exist, a written indication as to the pertinent permits, jurisdictions or interests including any information and data needed in addition to that provided in the master application;

(b) Whether or not a public hearing would be of value in considering the overall public interest.

(c) At the same time as provided in WAC 173-08-050(3), the master application center shall send a certification form to local government. The form should be completed and returned to the center within the given date, which shall not exceed fifteen days, as determined by the center. The form shall be completed by indicating one of the following:

(i) The proposal complies with all zoning ordinances and associated comprehensive plans and relevant policies administered by the local government relating to the location of the proposal. Therefore, certification is issued;

(ii) Local government has no applicable zoning ordinances or comprehensive plans and relevant policies in effect for the subject area. Therefore, certification is issued;

(iii) The proposal does not comply with either local governments zoning ordinances, associated comprehensive plans or relevant policies in effect for the subject area. Local government elects to process according to this chapter the permits necessary to certify this proposal.

(iv) The proposal does not comply with either local governments zoning ordinances, associated comprehensive plans or relevant policies in effect for the subject area. Local government does not elect to process according to this chapter the permits necessary to certify this proposal. Therefore, certification is not issued.

Permit applications shall be accepted by the master application office for transmittal and further processing if local government issues a certification or elects to process permits pursuant to this chapter. The master application procedure shall be terminated if certification is not granted by local government.

Should any participating agency not respond pursuant to WAC 173-08-050 (4)(a) and (b), within the given time, said participating agency shall not then require a permit of the applicant for the project described in the

master application. However, the bar to requiring a permit subsequently shall not apply if the master application given the participating agency contained false, misleading, or deceptive information, or other information, or lack thereof, which would cause the reviewing agency to misjudge the application. The center shall, at the same time, carefully evaluate the project's scope and all interests involved, including overall public interest, to determine if a public hearing is needed.

(5) The center shall send the requested information received from participating agencies to the applicant within five working days of the time given in WAC 173-08-050(4). At this time the center shall verify compliance with SEPA and, if not already accomplished, shall send an environmental checklist to the applicant for completion.

(6) Upon receipt of the blank application forms, the applicant shall complete these forms as required by the center and return them to the center within ninety days. Applicable fees, in the form of check or money order made out to the agency requiring the fee, shall be included. If the center has not received the completed permit application forms within ninety days (including applicable fees), the master application process for that project will be terminated. The applicant shall be notified by the center of this termination by certified mail.

(7) Upon return of the applications, and, if needed, the environmental checklist, the center shall forward these to the participating agencies. At the same time, the center shall identify the SEPA lead agency (pursuant to WAC 197-10-230(6)) and so notify the participating agencies.

(8) Along with the distribution of the application forms and other materials to the various participating agencies, the center shall prepare a notice of application. The center shall instruct the applicant to publish the notice, at the applicant's expense. Publication of the notice shall be coordinated with the timing requirements of SEPA, as determined by the lead agency. Timing considerations shall be given to predraft consultation requests (if requested by the applicant), to preparing the draft environmental impact statement (if required), and to the scheduling requirements of local boards, commissions and councils. The applicant shall publish the notice on the same day of the week for two consecutive weeks in a newspaper of general circulation within the county or counties in which the development is proposed to be constructed or operated. An affidavit of publication shall be transmitted by the applicant to the center. The applicant shall insure that the affidavit of publication is on file with the center prior to the public hearing or in the absence of a public hearing prior to issuance of the final permit decisions.

(9) Should the center, or any agency reviewing a given master application, indicate the need for public hearing, after considering overall public interest, a hearing shall be held no sooner than fifteen days after the date of the last publication of the notice, in the county in which all or a major part of the proposed project is to be constructed or operated. If an affirmative threshold determination is made by the lead agency, the public

hearing shall be held during the draft EIS review period. At the public hearing:

(a) The applicant may submit any relevant information and material to support his applications. Members of the public may present relevant views and supporting materials in relation to any or all of the applications being considered, and any SEPA related documents including a draft EIS.

(b) Each agency having an application for a permit before it, as described in the public notice, may be represented at the public hearing by its chief administrative officer or his designee. Representatives of all participating agencies may present agency views, information, and supporting materials which are relevant to the applications under their jurisdictions.

(c) The director of the department, or a hearing officer duly appointed by him, shall chair the hearing. However, the representative of any agency (other than the department) within whose jurisdiction a certain application lies shall conduct the part of the hearing when information, views, and supporting materials relevant to that application are submitted.

(d) The hearings officer may, when appropriate, continue a hearing from time to time and place to place. The hearing shall be recorded in any manner suitable for transcription, as determined by the center. Depending on how large and complex the project is, the hearings officer may hold public hearings in two parts. The initial hearing shall inform the public of the general intent and impact of the project and shall not be an adversary or trial hearing. Upon completion of this hearing the hearings officer shall request written comments from interested parties, to be submitted before the second hearing. The second hearing will inform the public of the tentative decisions of the participating agencies and additional oral and written comments from interested parties concerning the project will be accepted.

(10) After the public hearing(s), the center shall provide or forward copies of the complete record to participating agencies. If a public hearing is not held, the center shall wait twenty days from the date of last publication of the notice for public comment, and then forward the record to participating agencies. Participating agencies will consider the complete record provided by the center when making final decisions.

At the same time, the center shall notify each participating agency, in writing, of the date for final decisions on applications. This date shall be set after the center consults with agency representatives. Final decisions shall be forwarded to the center by that date. With reasonable cause, however, this date may be extended.

(11) All final decisions by participating agencies shall give the basis for the conclusion reached. A final order shall also be given. This order shall approve or deny the permit, subject to any conditions of approval which the deciding agency has the authority to impose.

Final decisions shall be based on the record given to the participating agencies by the center. This record shall include, but not be limited to, the following:

(a) Master application;

(b) Permit applications;

(c) Public notices;

(d) Project description, as modified or amended during the procedures of this chapter;

(e) Environmental checklist;

(f) Draft and final environmental impact statements, including written comments received during the draft review period;

(g) All other written environmental investigations and studies;

(h) All correspondence on the project, sent from or received by the center during these procedures;

(i) Hearing transcript;

(j) Written comments from the hearing;

(k) All other pertinent documents submitted in evidence during the ECPA procedures.

(12) When received by the center, the final decisions shall be compiled, without being modified, into one document. This assembled document shall then be given to the applicant personally or sent by registered mail. [Order DE 77-23, § 173-08-050, filed 12/1/77; Order 74-6, § 173-08-050, filed 5/1/74.]

**WAC 173-08-065 Modification of the proposed project.** It is anticipated that the proposed project, as originally described in the master application, may be modified during the procedures provided in this chapter. These modifications may be made by the applicant or by requirements of participating agencies. Generally, modifications to the proposal will not require resubmittal of a master application. However, modifications to the proposal will require resubmittal of a master application when:

(1) A participating agency proposes modifications which require submitting a new application for a permit;

(2) An applicant proposes modifications which require a new permit within the scope of this chapter and the center agrees or a majority of the participating agencies agree;

(3) An applicant's proposed modification requires resubmittal of an application for a permit on file and the center agrees or a majority of the participating agencies agree. [Order DE 77-23, § 173-08-065, filed 12/1/77.]

**WAC 173-08-070 Appeals to final decisions.** Any person aggrieved by a final decision issued through these procedures relating only to a substantial development permit may obtain review by filing a request with the shorelines hearings board. This request must be filed within thirty days of the date the final decision document is sent out by the master application center.

Review of a final decision relating to any state only permit, except a substantial development permit, may be obtained by filing a request with the pollution control hearings board within the same time limit.

If a request for review includes a final decision involving a substantial development permit, and any other state permit(s), a single staged hearing of the permits shall be held by the joint boards.

The period for review of final decisions is extended an additional thirty days, if the department of ecology



modifies or disapproves a substantial development permit with a conditional use or variance. The extended thirty day review period will commence when the master application center sends out notification to participating agencies and interested persons.

Any hearing held under this chapter by the shorelines hearings board or the pollution control hearings board, or by the boards jointly, shall be a de novo quasi-judicial hearing. This hearing shall be held under the procedures of chapter 34.04 RCW, the Administrative Procedure Act.

Any person aggrieved by and desiring to appeal any final decision of a local government, issued through the provisions of this chapter, shall obtain review in the same manner which would apply if the local government had not used the procedures of this chapter. [Order DE 77-23, § 173-08-070, filed 12/1/77.]

### Chapter 173-10 WAC

#### PERMIT PROCESSING PROCEDURE APPLICABLE TO TWO OR MORE PERMIT PROGRAMS

##### WAC

173-10-010	Authority.
173-10-020	Purpose.
173-10-030	Definitions.
173-10-040	Single application form.
173-10-050	Public notice.
173-10-060	Procedures superseded.
173-10-070	Public hearing.
173-10-080	Public notice of public hearing.
173-10-090	Scope of single application procedure.
173-10-100	Final action on the single application.
173-10-110	Appeal.

**WAC 173-10-010 Authority.** This regulation is adopted pursuant to the Environmental Coordination Procedures Act of 1973, in particular, RCW 90.62.110(3). [Order DE 75-26, § 173-10-010, filed 11/7/75.]

**WAC 173-10-020 Purpose.** RCW 90.62.110(3) authorizes the director of the department of ecology to establish a permit application processing procedure which may be used, at the request of an applicant, in relation to two or more permit programs administered solely by the department of ecology consistent with the policies of the Environmental Coordination Procedures Act contained in RCW 90.62.010. [Order DE 75-26, § 173-10-020, filed 11/7/75.]

**WAC 173-10-030 Definitions.** For the purposes of this regulation:

- (1) "Department" means department of ecology.
- (2) "Board" means pollution control hearings board.
- (3) "NPDES permit" means a permit issued by the department pursuant to RCW 90.48.260 and WAC 173-220-020, as a part of the National Pollutant Discharge Elimination System, (NPDES) created by section 402 of the Federal Water Pollution Control Act (FWPCA), for the discharge of pollutants from point sources into waters of the state and the United States.

(4) "Permit" means any license, permit, certificate, certification, approval, compliance schedule, or other similar documents pertaining to any regulatory or management program related to the protection, conservation, or use of, or interference with the natural resources of land, air, or water in the state, which is required to be obtained from the department prior to constructing or operating a project in the state of Washington; provided that occupational licenses and training certifications issued by the department shall be excluded from the definition of permit as used herein. The permit and/or environmental authorization programs covered by this regulation and the statutory authority providing for such issuance are listed herein:

New source construction approval	RCW 70.94.152
Burning for weed abatement, instruction or agricultural activities	RCW 70.94.650
Burning of field and turf grasses grown for seed	RCW 70.94.650
Weather modification permit	RCW 43.37.100
Surface water rights permit	RCW 90.03.250
Dam safety approval	RCW 90.03.350
Reservoir permit	RCW 90.03.370
Certificate for change of water rights surface waters	RCW 90.03.380
Amendment of ground water permit or diversion	RCW 90.44.100
Ground water rights permit	RCW 90.44.050
Flood control zone permit	RCW 86.16.160
Sewage and industrial waste treatment facilities approval	RCW 90.48.110
Waste disposal permit	RCW 90.48.180
NPDES permit	RCW 90.48.160
	RCW 90.48.260
	WAC 173-220-020

(5) "Project" means any new activity or any expansion of or addition to an existing activity, fixed in location, for which two or more permits are required from the department prior to construction or operation, including but not limited to industrial and commercial operations and developments. [Order DE 75-26, § 173-10-030, filed 11/7/75.]

**WAC 173-10-040 Single application form.** A single application form shall be supplied by the department for applicants making use of the procedures of this chapter: *Provided*, That when an NPDES permit is included among the permits applied for, the applicant choosing to utilize the procedures of this chapter shall complete both a single application and a special NPDES application. [Order DE 75-26, § 173-10-040, filed 11/7/75.]

**WAC 173-10-050 Public notice.** (1) The department, within 30 days after receipt of a properly completed single application, shall cause a notice to be

published at the applicant's expense once each week on the same day of the week for three consecutive weeks in a newspaper of general circulation within each county in which the project is proposed to be constructed or operated.

(2) The public notice shall describe the nature of the single application including, with reasonable specificity, the following:

- (a) Name, address, phone number, and representative of agency issuing the public notice;
- (b) Name and address of the applicant;
- (c) The proposed project including its location; and
- (d) Permits applied for.

(3) The notice shall state that members of the public may present relevant views and supporting materials in writing to the department in relation to any of the permits applied for within 30 days after the last date of publication of the notice in a newspaper. It shall further state that a copy of the single application for the project is available for public inspection at the appropriate regional office as well as at the Olympia office of the department.

(4) All written comments submitted by members of the public during the 30-day comment period shall be retained by the department and considered in the formulation of its final determinations with respect to the application. The period for comment may, at the discretion of the department, be extended for up to an additional period of 60 days. [Order DE 75-26, § 173-10-050, filed 11/7/75.]

**WAC 173-10-060 Procedures superseded.** In accordance with RCW 90.62.090, when the single application procedure, as provided herein, is used for the processing of permit applications by the department, the timing, hearing, and public notice requirements of the permit programs specified in WAC 173-10-030(4) shall be superseded by the provisions of this regulation; Provided that where there are conflicts between the procedures established by this chapter and those specified for NPDES applications, the latter shall control the processing of permit applications pursuant to this chapter. [Order DE 75-26, § 173-10-060, filed 11/7/75.]

**WAC 173-10-070 Public hearing.** (1) The applicant, any affected government agency, or any interested person or group of persons may request a public hearing with respect to a single application. Any such request for a public hearing shall be filed prior to expiration of the 30-day period prescribed in the public notice of WAC 173-10-050(3).

(2) If, at any time, or after taking into consideration opportunities for members of the public to present views, the department concludes that the public interest so requires, the department shall hold a public hearing relative to the proposed project.

(3) At any public hearing, the applicant may submit any relevant information and material in support of his applications, and members of the public may present relevant views and supporting materials in relation to

any or all of the permits being applied for. [Order DE 75-26, § 173-10-070, filed 11/7/75.]

**WAC 173-10-080 Public notice of public hearing.**

(1) Normally, the notice of a public hearing shall be included with the notice provided for in WAC 173-10-050.

(2) If public notice of any hearing held pursuant to WAC 173-10-070 is made subsequent to the notice provided for in WAC 173-10-050, said notice shall be given in the same manner as that in WAC 173-10-050.

(3) The notice of public hearing shall include, in addition to such information required in WAC 173-10-050(2), the following:

(a) Location of the public hearing (in the county in which all or a major part of the proposed project is to be constructed or operated); and

(b) Time of the public hearing (to be held not less than 20 days after the date of last publication of the notice). [Order DE 75-26, § 173-10-080, filed 11/7/75.]

**WAC 173-10-090 Scope of single application procedure.** (1) Utilization of the single application procedure is optional with the applicant. However, the department shall encourage applicants to make use of the procedures of this chapter.

(2) Initiation of the procedures of this chapter shall be accomplished by obtaining a single application form (or forms when an NPDES permit is sought) from the department in Olympia or one of the department's regional offices. It shall be the responsibility of the office to provide reasonable assistance in preparation of said application to any person requesting the same. Upon completion of the form, it shall be filed at the regional office serving the county in which all or a major portion of the proposed project is to be located or operated. Filing shall be by mail or in person. The date of receipt at the appropriate office shall be considered to be the filing date.

(3) Upon receipt of a properly completed single application form, the regional manager (or division supervisor) shall assign a permit coordinator to do the following:

(a) To distribute the completed application to all appropriate personnel in the department;

(b) To act as liaison between the applicant and other department personnel; and

(c) To coordinate the department's correspondence with the applicant.

(4) Within 60 days after receipt of a properly completed single application, the permit coordinator shall notify the applicant in writing of the status of the application, providing as a minimum, the following information:

(a) Whether a public hearing is required;

(b) Any requirements which must be satisfied relating to detailed statements under RCW 43.21C.030;

(c) Whether additional information is required from the applicant; and

(d) The anticipated decision deadline.

The status letter shall be signed by a regional manager or division supervisor. [Order DE 75-26, § 173-10-090, filed 11/7/75.]

**WAC 173-10-100 Final action on the single application.** (1) Where a detailed statement under RCW 43.21C.030 is not required for a proposed project, the department shall make all reasonable efforts to issue rulings on permits within 60 days following the public hearing or if no public hearing is required then 60 days following the deadline for public comment as provided in WAC 173-10-050(3).

(2) As soon as all final decisions have been made by the department for all permits covered under a single application, the department shall incorporate them into one document and transmit the same to the applicant either personally or by certified mail. Included as part of the document shall be a summary cover sheet prepared in a manner prescribed by the director. [Order DE 75-26, § 173-10-100, filed 11/7/75.]

**WAC 173-10-110 Appeal.** Any person aggrieved by any decision of the department made pursuant to this chapter may appeal that decision to the board according to the procedures of RCW 90.62.080. [Order DE 75-26, § 173-10-110, filed 11/7/75.]

#### Chapter 173-12 WAC GENERAL PROCEDURE

##### WAC

173-12-010	Purpose.
173-12-020	Scope of directions—Requests for advice and guidance.
173-12-030	Requests of the director for advice and guidance.
173-12-040	Ecological commission submission of views.
173-12-050	Adoption of regulations.
173-12-060	Meetings.

**WAC 173-12-010 Purpose.** The ecological commission, hereinafter referred to as the commission, was established to provide advice and guidance to the director of the department of ecology on various matters before action is taken by the director. The purpose of this regulation is to set forth the relationship between the director and the ecological commission with regard to such advice and guidance and the procedures to be followed by the director in requesting advice and guidance and by the members of the commission in responding with their views. [Order DE 70-11, § 173-12-010, filed 1/5/71.]

**WAC 173-12-020 Scope of directions--Requests for advice and guidance.** The director, as required by RCW 43.21A.190, shall submit all regulations, other than those relating to procedural matters, to the member of the commission to obtain their advice and guidance. In addition, it is the intention of the director, whenever practicable, to submit all positions or actions he proposes to take of major significance to the commission for their advice and guidance. Matters of major significance shall include, but are not limited to, procedural regulations pertaining to applications for and granting of variances

and to financial assistance grants proposed to be given to public entities, and bills prepared for introduction in the legislature by departmental request. Notwithstanding the last paragraph of RCW 43.21A.190, the director shall submit to the commission all comprehensive water resource plans, or planning processes proposed for adoption as a regulation. Comprehensive environmental quality plans or planning processes shall be similarly submitted for advice and guidance. [Order DE 70-11, § 173-12-020, filed 1/5/71.]

**WAC 173-12-030 Requests of the director for advice and guidance.** The director shall include with each request to the members of the commission for advice and guidance a statement of the background occasioning the request together with the director's proposal; e.g., a proposed regulation. The request shall be in the form of a letter to each commissioner setting forth the subject of the request and a date by which the director desires the commissioners to submit their views to him. Accompanying each letter will be three attachments: (1) A background statement, (2) the director's proposal, and (3) a form for submission of each commissioner's views to the director.

Except in matters involving "emergency" regulations, the director, in setting of dates for submission of views by the commissioners, shall under normal conditions allow for at least one public meeting of the commission between the dates of the request and of the submission.

Whenever practicable the director shall, pursuant to RCW 34.04.025, hold public hearings relating to a regulation proposed for adoption in conjunction with meetings of the ecological commission. If no public hearings are held in relation to a regulation, other than one relating to an emergency, proposed for adoption, the director shall, whenever practicable, furnish the data, views and other written material provided to the director by interested persons prior to the date of submission of views by the commissioners. [Order 71-10, § 173-12-030, filed 8/4/71; Order DE 70-11, § 173-12-030, filed 1/5/71.]

**WAC 173-12-040 Ecological commission submission of views.** Each member of the commission shall submit his views separately and in writing with regard to each request for advice and guidance as provided in WAC 173-12-030. Whenever possible a commissioner shall submit his views to the director on the form provided by the director under WAC 173-12-030. Commissioners shall submit their views to the secretary of the commission at his office in Olympia. If the secretary is someone other than the director, the secretary, upon receiving the views of a commissioner, shall forthwith deliver the same to the director. The secretary of the commission shall be responsible for maintaining a register containing a full and complete file of all relevant documents pertaining to each request for advice and guidance of the director. [Order DE 70-11, § 173-12-040, filed 1/5/71.]

**WAC 173-12-050 Adoption of regulations.** Except as hereafter provided in this section, the director shall

not adopt a regulation, other than those pertaining to procedural matters, until thirty days after the director's request for views of the commissioners: *Provided, however,* That whenever a regulation is designated by the director as an emergency regulation, the director may adopt said regulation as soon as he has received views of at least three commissioners generally approving the regulation as proposed by the director. [Order 71-10, § 173-12-050, filed 8/4/71; Order DE 70-11, § 173-12-050, filed 1/5/71.]

**WAC 173-12-060 Meetings.** Regular meetings of the commission shall be held quarterly on the second Wednesday of March, June, September, and December at 9:30 a.m. at a location to be designated by the commission. Any person may obtain information as to said location by contacting the secretary of the commission at the offices of the department of ecology, Olympia, Washington. [Order DE 72-16, § 173-12-060, filed 6/30/72.]

### Chapter 173-14 WAC PERMITS FOR DEVELOPMENTS ON SHORELINES OF THE STATE

#### WAC

173-14-010	Authority.
173-14-020	Purpose.
173-14-030	Definitions.
173-14-040	Exemptions from permit system.
173-14-050	Application of the permit system to substantial development undertaken prior to the act.
173-14-060	Time requirements of permit.
173-14-062	Applicability of permit system to federal agencies.
173-14-064	Revisions to substantial development, conditional use, and variance permits.
173-14-070	Notice required.
173-14-080	Public hearings.
173-14-090	Filing with department and attorney general.
173-14-100	Review criteria for substantial development permits.
173-14-110	Application for substantial development, conditional use, or variance permit.
173-14-115	Letter of exemption.
173-14-120	Permits for substantial development, conditional use, or variance.
173-14-130	Department review of conditional use and variance permits.
173-14-140	Review criteria for conditional use permits.
173-14-150	Review criteria for variance permits.
173-14-155	Minimum standards for conditional use and variance permits.
173-14-170	Requests for review.
173-14-174	Certification of requests for review.
173-14-180	Regulatory orders by local government or the department.

#### DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

173-14-160	Department of ecology review. [Order DE 76-17, § 173-14-160, filed 7/27/76; Order DE 75-22, § 173-14-160, filed 10/16/75.] Repealed by 78-07-001 (Order DE 78-7), filed 6/14/78. Statutory Authority: RCW 90.58.200.
173-14-190	Hearings on regulatory orders. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-190, filed 6/14/78; Order DE 75-22, § 173-14-190, filed 10/16/75.] Repealed by 81-04-027

(Order DE 80-42), filed 2/2/81. Statutory Authority: Chapters 90.22 and 90.54 RCW.

**WAC 173-14-010 Authority.** This regulation is adopted pursuant to RCW 90.58.140(3) and 90.58.200, the Shoreline Management Act of 1971. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-010, filed 6/14/78; Order DE 75-22, § 173-14-010, filed 10/16/75; Order 71-18, § 173-14-010, filed 12/16/71.]

**WAC 173-14-020 Purpose.** RCW 90.58.140(3) requires local governments to establish a program, consistent with rules adopted by the department of ecology, for the administration and enforcement of the permit system for shoreline management established therein. The purpose of this regulation is to establish basic rules for the permit system in harmony with the spirit of RCW 90.58.140(3).

This administrative regulation is drafted to also reflect RCW 90.58.050 which provides that the intent of the Shoreline Management Act is to establish a cooperative program between local government and the state. According to this provision, local government shall have the primary responsibility for initiating and administering the regulatory program of shoreline management, whereas the department shall act primarily in a supportive and review capacity with primary emphasis on insuring compliance with the policies and provisions of the Shoreline Management Act. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-020, filed 6/14/78; Order DE 75-22, § 173-14-020, filed 10/16/75; Order 71-18, § 173-14-020, filed 12/16/71.]

**WAC 173-14-030 Definitions.** The following definitions shall apply:

- (1) "Department" means the department of ecology.
- (2) "Local government" means any county, incorporated city or town which contains within its boundaries any lands or waters subject to this chapter.
- (3) "Final order" shall include the approval or disapproval of a permit, or a letter of exemption as set forth in WAC 173-14-115.
- (4) "Act" shall mean chapter 286, Laws of 1971 ex. sess., the Shoreline Management Act of 1971.
- (5) "Substantial development undertaken on the shorelines of the state prior to the effective date of the act" shall mean actual construction begun upon the shoreline as opposed to preliminary engineering or planning.
- (6) "Average grade level" shall mean the average of the natural or existing topography of the portion of the lot, parcel or tract of real property which will be directly under the proposed building or structure: *Provided,* That in the case of structures to be built over water, average grade level shall be the elevation of ordinary high water.

Calculation of the average grade level shall be made by averaging the elevations at the center of all exterior walls of the proposed building or structure.

- (7) "Natural or existing topography" shall mean the topography of the lot, parcel or tract of real property

immediately prior to any site preparation grading, excavation, or filling.

(8) "Height" shall be measured from average grade level to the highest point of a structure: *Provided*, That appurtenances such as television antennas and chimneys shall not be used in calculating height.

(9) "Applicable master program" shall mean the master program approved or adopted by the department pursuant to RCW 90.58.090 or 90.58.190 prior to issuance of the permit by local government.

(10) The definitions and concepts set forth in RCW 90.58.030 shall also apply as used herein. [Statutory Authority: RCW 90.58.200, 78-07-011 (Order DE 78-7), § 173-14-030, filed 6/14/78; Order DE 76-17, § 173-14-030, filed 7/27/76; Order DE 75-22, § 173-14-030, filed 10/16/75; Order 71-18, § 173-14-030, filed 12/16/71.]

**WAC 173-14-040 Exemptions from permit system.** The following shall not require substantial development permits for the purposes of the act:

(1) Any development of which the total cost or fair market value, whichever is higher, does not exceed \$1000, if such development does not materially interfere with the normal public use of the water or shorelines of the state.

(2) Normal maintenance or the repair of existing structures or developments, including damage by accident, fire or elements.

(3) Construction of the normal protective bulkhead common to single-family residences.

(4) Emergency construction necessary to protect property from damage by the elements.

(5) Construction of a barn or similar agricultural structure on wetlands. Construction and practices normal or necessary for farming, irrigation, and ranching activities, including agricultural service roads and utilities on wetlands, and the construction and maintenance of irrigation structures including but not limited to head gates, pumping facilities, and irrigation channels: *Provided*, That a feedlot of any size, all processing plants, other activities of a commercial nature, alteration of the contour of the wetlands by leveling or filling other than that which results from normal cultivation, shall not be considered normal or necessary farming or ranching activities. A feedlot shall be an enclosure or facility used or capable of being used for feeding livestock hay, grain, silage, or other livestock feed, but shall not include land for growing crops or vegetation for livestock feeding and/or grazing, nor shall it include normal livestock wintering operations.

(6) Construction or modification of navigational aids such as channel markers and anchor buoys.

(7) Construction on wetlands by an owner, lessee or contract purchaser of a single-family residence for his own use or for the use of his family, which residence does not exceed a height of thirty-five feet above average grade level and which meets all requirements of the state agency or local government having jurisdiction thereof, other than requirements imposed pursuant to this chapter.

(8) Construction of a dock, designed for pleasure craft only, for the private noncommercial use of the owners, lessee, or contract purchaser of a single-family residence, for which the cost or fair market value, whichever is higher, does not exceed two thousand five hundred dollars.

(9) Operation, maintenance, or construction of canals, waterways, drains, reservoirs, or other facilities that now exist or are hereafter created or developed as a part of an irrigation system for the primary purpose of making use of system waters, including return flow and artificially stored ground water from the irrigation of lands.

(10) The marking of property lines or corners on state owned lands, when such marking does not significantly interfere with normal public use of the surface of the water.

(11) Operation and maintenance of any system of dikes, ditches, drains, or other facilities existing on the effective date of the 1975 amendatory act which were created, developed or utilized primarily as a part of an agricultural drainage or diking system.

(12) Any project with a certification from the governor pursuant to chapter 80.50 RCW.

(13) The construction of up to 500 feet of one and only one road or segment of a road, for forest practices, provided such road does not enter the shoreline more than once. Such exemption from said permit requirements shall be limited to a single road or road segment for each forest practice and such road construction shall be subject to the requirements of chapter 76.09 RCW, the Forest Practices Act, and regulations adopted pursuant thereto and to the prohibitions or restrictions of any master program in effect under the provisions of chapter 90.58 RCW. Nothing in this subsection shall add to or diminish the authority of the Shoreline Management Act regarding road construction except as specifically provided herein. The provisions of this subsection shall not relate to any road which crosses over or through a stream, lake, or other water body subject to chapter 90.58 RCW. [Statutory Authority: RCW 90.58.200, 78-07-011 (Order DE 78-7), § 173-14-040, filed 6/14/78; Order DE 76-17, § 173-14-040, filed 7/27/76; Order DE 75-28, § 173-14-040, filed 12/4/75; Order DE 75-22, § 173-14-040, filed 10/16/75; Order 71-18, § 173-14-040, filed 12/16/71.]

**WAC 173-14-050 Application of the permit system to substantial development undertaken prior to the act.** Substantial development undertaken on the shorelines of the state prior to the effective date of the act shall not require a permit except under the following circumstances:

(1) Where the activity was unlawful prior to the effective date of the act.

(2) Where there has been an unreasonable period of dormancy in the project between its inception and the effective date of the act.

(3) Where the development is not completed within two years after the effective date of the act. In determining the running of the two-year period hereof, those periods of time after June 1, 1971, shall not be included

during which a development was not actually pursued by construction and the pendency of litigation reasonably related thereto made it reasonable not to so pursue.

(4) Where substantial development occurred prior to the effective date of the act on a shoreline and continued on to a different lake, river or tributary after the effective date, a permit shall be required for the development undertaken after the effective date.

Substantial development undertaken prior to the effective date of the act shall not continue without a permit into other phases that were not part of the plan being followed at the time construction commenced. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-050, filed 6/14/78; Order 73-23, § 173-14-050, filed 10/23/73; Order 71-18, § 173-14-050, filed 12/16/71.]

**WAC 173-14-060 Time requirements of permit.**

The following time requirements shall apply to all substantial development, conditional use and variance permits:

(1) Construction or substantial progress toward construction of a project for which a permit has been granted pursuant to the act must be undertaken within two years after the approval of the permit. Substantial progress towards construction shall include, but not be limited to the letting of bids, making of contracts, purchase of materials involved in development, but shall not include development or uses which are inconsistent with the criteria set forth in WAC 173-14-100. In determining the running of the two-year period hereof, there shall not be included the time during which a development was not actually pursued by construction and the pendency of litigation reasonably related thereto made it reasonable not to so pursue: *Provided*, That local government may, at its discretion extend the two-year time period for a reasonable time based on factors, including the inability to expeditiously obtain other governmental permits which are required prior to the commencement of construction.

(2) If a project for which a permit has been granted pursuant to the act has not been completed within five years after the approval of the permit by local government, the local government that granted the permit shall, at the expiration of the five-year period, review the permit, and upon a showing of good cause, do either of the following:

- (a) Extend the permit for one year; or
- (b) Terminate the permit:

*Provided*, That the running of the five-year period shall not include the time during which a development was not actually pursued by construction and the pendency of litigation reasonably related thereto made it reasonable not to so pursue, and: *Provided further*, That nothing herein shall preclude local government from issuing permits with a fixed termination date of less than five years. [Statutory Authority: RCW 90.58.200. 80-04-027 (Order DE 80-9), § 173-14-060, filed 3/18/80; 78-07-011 (Order DE 78-7), § 173-14-060, filed 6/14/78; Order DE 75-22, § 173-14-060, filed 10/16/75; Order 71-18, § 173-14-060, filed 12/16/71.]

**WAC 173-14-062 Applicability of permit system to federal agencies.** The permit system shall be applied in the following manner to federal agencies on lands meeting the criteria of the Shoreline Management Act and the department for shorelines of the state.

(1) Federal agencies shall not be required to obtain permits for developments undertaken by the federal government on lands owned in fee by the federal government, unless the federal government grants or reserves to the state or local government, substantial jurisdiction over activities on those lands.

(2) The permit system shall apply to nonfederal activities constituting developments undertaken on lands subject to nonfederal ownership, lease or easement, even though such lands may fall within the external boundaries of a federal ownership.

(3) The permit system shall apply to developments undertaken on lands not federally owned but under lease, easement, license, or other similar federal property rights short of fee ownership, to the federal government.

(4) Federal agency actions shall be consistent with the approved Washington state coastal zone management program subject to certain limitations set forth in the Federal Coastal Zone Management Act, 16 U.S.C. 1451 et seq. and regulations adopted pursuant thereto. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-062, filed 6/14/78; Order DE 75-22, § 173-14-062, filed 10/16/75.]

**WAC 173-14-064 Revisions to substantial development, conditional use, and variance permits.** When an applicant seeks to revise a substantial development, conditional use, or variance permit, local government shall request from the applicant detailed plans and text describing the proposed changes in the permit.

(1) If local government determines that the proposed changes are within the scope and intent of the original permit, local government may approve a revision.

(2) "Within the scope and intent of the original permit" shall mean the following:

(a) No additional over water construction will be involved;

(b) Lot coverage and height may be increased a maximum of ten percent from the provisions of the original permit: *Provided*, That revisions involving new structures not shown on the original site plan shall require a new permit, and: *Provided further*, That any revisions authorized under this subsection shall not exceed height, lot coverage, setback or any other requirements of the master program for the area in which the project is located.

(c) Landscaping may be added to a project without necessitating an application for a new permit: *Provided*, That the landscaping is consistent with conditions (if any) attached to the original permit and is consistent with the master program for the area in which the project is located;

(d) The use authorized pursuant to the original permit is not changed;

(e) No additional significant adverse environmental impact will be caused by the project revision.

(3) If the revision or the sum of the revision and any previously approved revisions pursuant to WAC 173-14-064 will violate the terms of one or more of the provisions in WAC 173-14-064(2) above, local government shall require that the applicant apply for a new substantial development, conditional use, or variance permit, as appropriate, in the manner provided for herein.

(4) The revised permit shall become effective immediately. Within eight days of the date of final local government action the revised site plan, text and the approved revision shall be submitted to the appropriate regional office of the department and the attorney general for the completion of their files. In addition, local government shall submit a notice of revision approval to persons who have notified local government of their desire to receive a copy of the action on a permit pursuant to WAC 173-14-070.

(5) Appeals shall be in accordance with RCW 90.58.180 and shall be filed within fifteen days from the date of receipt of the local governments action by the department of ecology regional office. Appeals shall be based only upon contentions of noncompliance with one or more of the provisions of WAC 173-14-064(2) above. Construction undertaken pursuant to that portion of a revised permit not authorized under the original permit shall be at the applicants own risk until the expiration of the appeals deadline. If an appeal is successful in proving that a revision was not within the scope and intent of the original permit, the decision shall have no bearing on the original permit. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-064, filed 6/14/78; Order DE 76-17, § 173-14-064, filed 7/27/76; Order DE 75-22, § 173-14-064, filed 10/16/75.]

**WAC 173-14-070 Notice required.** Upon receipt of a proper application for a shoreline management substantial development, conditional use, or variance permit, local government shall insure that notices thereof are published at least once a week on the same day of the week for two consecutive weeks in a newspaper of general circulation within the area in which the development is proposed. In addition, local government shall insure that additional notice of such application is given by at least one of the following methods:

(1) Mailing of the notice to the latest recorded real property owners as shown by the records of the county assessor within at least three hundred feet of the boundary of the property upon which the substantial development is proposed,

(2) Posting of the notice in a conspicuous manner on the property upon which the project is to be constructed or,

(3) Any other manner deemed appropriate by local authorities to accomplish the objectives of reasonable notice to adjacent landowners and the public.

An affidavit that the notice has been properly published, and/or as applicable, posted or deposited in the U.S. mail pursuant to this section shall be affixed to the

application. All such notices shall include a statement that within thirty days of the final newspaper publication, any interested person may submit his written views upon the application to the appropriate local government or notify the local government of his desire to receive a copy of the action taken upon the application. All persons who notify the appropriate local government of their desire to receive a copy of the final order shall be notified in a timely manner of the action taken upon the application. If a hearing is to be held on an application, notices of such a hearing shall include a statement that any person may submit oral or written comments on an application at such hearing.

All notices of applications for shoreline management substantial development, conditional use, or variance permits shall contain, as a minimum, the information called for in the following form:

NOTICE OF APPLICATION FOR  
SHORELINE MANAGEMENT  
SUBSTANTIAL DEVELOPMENT, CONDITIONAL USE, OR  
VARIANCE PERMIT (use appropriate)

Notice is hereby given that \_\_\_\_\_ (state full name) who is \_\_\_\_\_ (describe relationship to property, such as owner, purchaser, lessee, etc.) of the below-described property has filed an application for a substantial development, conditional use, or variance permit (use appropriate) for the development of \_\_\_\_\_ (describe development, including uses) located at \_\_\_\_\_ (give street address, if known, otherwise give distance and direction to nearest town) within \_\_\_\_\_ (quarter section) of section \_\_\_\_\_ of township \_\_\_\_\_ N., Range \_\_\_\_\_ W.M., in \_\_\_\_\_ (city or town) \_\_\_\_\_ (County) Washington. Said development is proposed to be within \_\_\_\_\_ (name of water area) and/or its associated wetlands. Any person desiring to express his views or to be notified of the action taken on this application should notify \_\_\_\_\_ (name of local government official) in writing of his interest within thirty days of the final date of publication of this notice which is \_\_\_\_\_ (date).

Written comments must be received by \_\_\_\_\_ (date).

[Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-070, filed 6/14/78; Order DE 76-17, § 173-14-070, filed 7/27/76; Order DE 75-22, § 173-14-070, filed 10/16/75; Order 71-18, § 173-14-070, filed 12/16/71.]

**WAC 173-14-080 Public hearings.** Local governments may establish a mandatory or optional public hearing procedure to precede the issuance or denial of substantial development, conditional use, or variance permits in order to allow interested persons to present their views. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-080, filed 6/14/78; Order DE 75-22, § 173-14-080, filed 10/16/75; Order 71-18, § 173-14-080, filed 12/16/71.]

WAC 173-14-090 Filing with department and attorney general. Any ruling by local government or an application for a substantial development, conditional use or variance permit, whether it be an approved or denial, shall be filed with the department and attorney general. When a substantial development permit and a conditional use or variance permit are required for a development, the filing of local government's rulings on the permits shall be made concurrently.

Copies of the original application, affidavit of public notice, site plan, vicinity map, permit, and final order shall be filed with the regional office of the department and attorney general within eight days of the local government final decision. Where applicable local government shall also file the following materials required by chapter 43.21C RCW, the State Environmental Policy Act; environmental checklist, threshold determination, and environmental impact statement, or in lieu thereof, a statement summarizing the actions and dates of such actions taken pursuant to chapter 43.21C RCW.

Filing shall not be complete until the required documents have actually been received by the regional office of the department within which the project lies, and by the attorney general. This same rule shall apply to conditional uses, variances, rescissions and revisions of permits.

"Date of filing" of a local government final order involving approval or denial of substantial development permit, or involving a denial of a variance or conditional use permit, shall be the date of actual receipt by the regional office of the department. With regard to a permit for a conditional use or variance approved by local government, and such permits which also involve concurrent filing by local government of a substantial development permit, the "date of filing" shall mean the date the department's final decision on the variance or conditional use permit is transmitted to local government and the applicant. The department shall in all circumstances notify in writing the local government and the applicant of the "date of filing." [Statutory Authority: RCW 90.58-200. 78-07-011 (Order DE 78-7), § 173-14-090, filed 6/14/78; Order DE 76-17, § 173-14-090, filed 7/27/76; Order DE 75-22, § 173-14-090, filed 10/16/75; Order 71-18, § 173-14-090, filed 12/16/71.]

WAC 173-14-100 Review criteria for substantial development permits. \* (1) Prior to the effective date of an applicable master program, a substantial development permit shall be granted only when the development proposed is consistent with:

- (a) The policies and procedures of the act;
- (b) The guidelines and regulations of the department; and,
- (c) So far as can be ascertained, the master program being developed for the area.

(2) After the adoption or approval, as appropriate, by the department of an applicable master program, a substantial development permit shall be granted only when the development proposed is consistent with:

- (a) The policies and procedures of the act;
- (b) The provisions of this regulation; and,
- (c) The applicable master program adopted or approved for the area.

\* The State Environmental Policy Act, chapter 43.21C RCW, has been determined to be applicable to government permit programs. See WAC 461-08-175, rules of practice and procedures of the shoreline hearings board. Also see State Environmental Policy Act guidelines.

[Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-100, filed 6/14/78; Order DE 75-22, § 173-14-100, filed 10/16/75; Order 71-18, § 173-14-100, filed 12/16/71.]

WAC 173-14-110 Application for substantial development, conditional use, or variance permit. Applications for a substantial development, conditional use, or variance permit shall contain, as a minimum, the information called for in the following form. Such forms shall be supplied by local government.

APPLICATION FOR SUBSTANTIAL DEVELOPMENT, CONDITIONAL USE, OR VARIANCE PERMIT

TO THE APPLICANT: This is an application for a substantial development, conditional use, or variance permit as authorized by the Shoreline Management Act of 1971. It is suggested that you check with appropriate local, state, or federal officials to determine whether your project falls within any other permit systems.

1. Name of applicant -----
2. Mailing address -----
3. Relation of applicant to property:
  - Owner -----
  - Purchaser -----
  - Lessee -----
  - Other -----
4. Name and address of owner, if other than applicant -----
5. General location of proposed project (please list section to the nearest quarter section, township, and range) -----
6. Name of water area and/or wetlands within which development is proposed -----
7. Current use of the property with existing improvements -----



8. Proposed use of property (Please be specific) -----  
-----  
-----

9. (To be completed by local official.) Nature of the existing shoreline. (Describe type of shoreline, such as marine, stream, lake, lagoon, marsh, bog, swamp, flood plain, floodway, delta; type of beach, such as accretion, erosion, high bank, low bank, or dike; material such as sand, gravel, mud, clay, rock, riprap; and extent and type of bulkheading, if any.)  
-----  
-----  
-----

10. (To be completed by local official.) In the event that any of the proposed buildings or structures will exceed a height of thirty-five feet above the average grade level, indicate the approximate location of and number of residential units, existing and potential, that will have an obstructed view.

11. (To be completed by local official.) If the application involves a conditional use or variance, set forth in full that portion of the master program which provides that the proposed use may be a conditional use, or, in the case of a variance, from which the variance is being sought.

**PROJECT DIAGRAMS:** Draw all site plans and maps to scale, clearly indicating scale on lower right-hand corner and attach them to the application.

- (a) **SITE PLAN:** Include on plan:
  - (1) Site boundary.
  - (2) Property dimensions in vicinity of project.
  - (3) Ordinary high-water mark.
  - (4) Typical cross section or sections showing:
    - (i) Existing ground elevations.
    - (ii) Proposed ground elevation.
    - (iii) Height of existing structures.
    - (iv) Height of proposed structures.
  - (5) Where appropriate, proposed land contours using five-foot intervals in water area and ten-foot intervals on areas landward of ordinary high-water mark, if development involves grading, cutting, filling, or other alteration of land contours.
  - (6) Show dimensions and locations of existing structures which will be maintained.
  - (7) Show dimensions and locations of proposed structures.
  - (8) Identify source, composition, and volume of fill material.
  - (9) Identify composition and volume of any extracted materials, and identify proposed disposal area.
  - (10) Location of proposed utilities, such as sewer, septic tanks and drainfields, water, gas, electricity.
  - (11) If the development proposes septic tanks, does proposed development comply with local health and state regulations?

(12) Shoreline designation according to master program.

(13) Show which areas are shorelines and which are shorelines of state-wide significance.

(b) **VICINITY MAP.**

(1) Indicate site location using natural points of reference (roads, state highways, prominent land marks, etc.)

(2) If the development involves the removal of any soils by dredging or otherwise, please identify the proposed disposal site on the map. If the disposal site is beyond the confines of the vicinity map, provide another vicinity map showing the precise location of the disposal site and its distance to the nearest city or town.

(3) Give a brief narrative description of the general nature of the improvements and land use within one thousand feet in all directions from development site. (i.e., residential to the north, commercial to the south, etc.). [Statutory Authority: RCW 90.58.200, 78-07-011 (Order DE 78-7), § 173-14-110, filed 6/14/78; Order DE 76-17, § 173-14-110, filed 7/27/76; Order DE 75-22, § 173-14-110, filed 10/16/75; Order 71-18, § 173-14-110, filed 12/16/71.]

**WAC 173-14-115 Letter of exemption.** Whenever a development falls within the exemptions stated in WAC 173-14-040 and the development is subject to a U.S. Corps of Engineers section 10 permit under the Rivers and Harbors Act of 1899, or a section 404 permit under the Federal Water Pollution Control Act of 1972, the local government shall prepare a letter addressed to the applicant and the appropriate regional office of the department, exempting the development from the substantial development permit requirements of chapter 90.58 RCW. This exemption shall be in substantially the following form. Such forms will be supplied by local government.

EXEMPTION FROM SHORELINE  
MANAGEMENT ACT SUBSTANTIAL  
DEVELOPMENT PERMIT REQUIREMENT

To: -----  
(name and address of the applicant)

The proposal by (name of applicant) to undertake the the following development (please be specific)

-----  
upon the following property (please list legal description, i.e., section to the nearest quarter section)  
-----  
-----

within (name of water area) and/or its associated wetlands is exempt from the requirement of a substantial development permit because the development

-----  
(Identify exemptions as outlined in WAC 173-14-040)

-----  
(Corps Public Notice Number)

The proposed development is consistent or inconsistent with:

CHECK ONE

CONSISTENT      INCONSISTENT

- Policies of the Shoreline Management Act.
- The guidelines of the Department of Ecology where no master program has been finally approved or adopted by the department.
- The master program.

-----  
(Date)

-----  
(Signature of Authorized Local Governmental Official)

[Statutory Authority: RCW 90.58.200, 78-07-011 (Order DE 78-7), § 173-14-115, filed 6/14/78; Order DE 76-17, § 173-14-115, filed 7/27/76; Order DE 75-22, § 173-14-115, filed 10/16/75.]

**WAC 173-14-120 Permits for substantial development, conditional use, or variance.** Each permit for a substantial development, conditional use or variance, issued by local government shall contain a provision that construction pursuant to the permit shall not begin and is not authorized until thirty days from the date of filing as defined in RCW 90.58.140(6) and WAC 173-14-090; or until all review proceedings initiated within thirty days from the date of such filing have been terminated; except as provided in RCW 90.58.140 (5)(a)(b)(c).

Permits for substantial development, conditional use, or variance shall be in substantially the following form. Such forms will be supplied by local government.

SHORELINE MANAGEMENT ACT OF 1971  
PERMIT FOR SHORELINE MANAGEMENT SUBSTANTIAL DEVELOPMENT, CONDITIONAL USE, OR VARIANCE

NOTE - THIS PAGE FOR  
LOCAL GOVERNMENT USE  
ONLY

(Consecutive but  
beginning with  
No. 1)

Application No. -----

Administering Agency -----  
(city or county)

Date received -----

Approved ----- Denied -----

Date -----

Type of Action(s)

- Substantial Development Permit
- Conditional Use Permit
- Variance Permit

Pursuant to chapter 90.58 RCW, a permit is hereby granted/denied to:

-----  
(name of applicant)

-----  
(address)

-----  
to undertake the following development: (Please be specific) -----

-----  
upon the following property (please list the legal description, i.e., section to the nearest quarter section, township, range):

-----  
Within (name of water area) and/or its associated wetlands.

The project will (be/not be) within shorelines of state-wide significance (RCW 90.58.030). The project will be located within a (environment) designation. The following master program provisions are applicable to this development (state the master program section or page number): If a conditional use or variance, also identify the portion of the master program which provides that the proposed use may be a conditional use, or that portion of the master program being varied.

-----  
Development pursuant to this permit shall be undertaken pursuant to the following terms and conditions:

-----  
This permit is granted pursuant to the Shoreline Management Act of 1971 and nothing in this permit shall excuse the applicant from compliance with any other federal, state or local statutes, ordinances or regulations applicable to this project, but not inconsistent with the Shoreline Management Act (chapter 90.58 RCW).

This permit may be rescinded pursuant to RCW 90.58.140(8) in the event the permittee fails to comply with the terms or conditions hereof.

CONSTRUCTION PURSUANT TO THIS PERMIT WILL NOT BEGIN OR IS NOT AUTHORIZED UNTIL THIRTY DAYS FROM THE DATE OF FILING AS DEFINED IN RCW 90.58.140(6) AND WAC 173-14-090, OR UNTIL ALL REVIEW PROCEEDINGS INITIATED WITHIN THIRTY DAYS FROM THE DATE OF SUCH FILING HAVE TERMINATED; EXCEPT AS PROVIDED IN RCW 90.58.140 (5)(a)(b)(c).

-----  
(Date) (Signature of Authorized Local Government Official)

-----  
THIS SECTION FOR DEPARTMENT USE ONLY IN REGARD TO A CONDITIONAL USE OR VARIANCE PERMIT.

Date received by the department -----

Approved ----- Denied -----

This conditional use/variance permit is approved/denied by the department pursuant to chapter 90.58 RCW.

Development shall be undertaken pursuant to the following additional terms and conditions:

-----  
-----

-----  
(Date) (Signature of Authorized Department Official)

[Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-120, filed 6/14/78; Order DE 76-17, § 173-14-120, filed 7/27/76; Order DE 75-22, § 173-14-120, filed 10/16/75; Order 71-18, § 173-14-120, filed 12/16/71.]

**WAC 173-14-130 Department review of conditional use and variance permits.** After local government approval of a conditional use or variance permit, local government shall submit the permit to the appropriate regional office of the department for the departments approval, approval with conditions (with concurrence of local government), or denial. The department shall render and transmit to local government and the applicant its final decision approving, approving with conditions, or disapproving the permit within thirty days of the date of submittal by local government pursuant to WAC 173-14-090. Local government shall notify those interested persons having requested notification from local government pursuant to WAC 173-14-070 of the departments final decision. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-130, filed 6/14/78; Order DE 76-17, § 173-14-130, filed 7/27/76; Order DE 75-22, § 173-14-130, filed 10/16/75.]

**WAC 173-14-140 Review criteria for conditional use permits.** The purpose of a conditional use permit is to allow greater flexibility in varying the application of the use regulations of the master program in a manner consistent with the policies of RCW 90.58.020: *Provided*, That conditional use permits should also be

granted in a circumstance where denial of the permit would result in a thwarting of the policy enumerated in RCW 90.58.020. In authorizing a conditional use, special conditions may be attached to the permit by local government or the department to prevent undesirable effects of the proposed use.

(1) Uses which are classified or set forth in the applicable master program as conditional uses may be authorized provided the applicant can demonstrate all of the following:

(a) That the proposed use will be consistent with the policies of RCW 90.58.020 and the policies of the master program.

(b) That the proposed use will not interfere with the normal public use of public shorelines.

(c) That the proposed use of the site and design of the project will be compatible with other permitted uses within the area.

(d) That the proposed use will cause no unreasonably adverse effects to the shoreline environment designation in which it is to be located.

(e) That the public interest suffers no substantial detrimental effect.

(2) Other uses which are not classified or set forth in the applicable master program may be authorized as conditional uses provided the applicant can demonstrate, in addition to the criteria set forth in WAC 173-14-140(1) above, that extraordinary circumstances preclude reasonable use of the property in a manner consistent with the use regulations of the master program.

(3) Uses which are specifically prohibited by the master program may not be authorized.

(4) In the granting of all conditional use permits, consideration shall be given to the cumulative impact of additional requests for like actions in the area. For example, if conditional use permits were granted for other developments in the area where similar circumstances exist, the total of the conditional uses should also remain consistent with the policies of RCW 90.58.020 and should not produce substantial adverse effects to the shoreline environment. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-04-027 (Order DE 80-42), § 173-14-140, filed 2/2/81. Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-140, filed 6/14/78; Order DE 75-22, § 173-14-140, filed 10/16/75.]

**WAC 173-14-150 Review criteria for variance permits.** The purpose of a variance permit is strictly limited to granting relief to specific bulk, dimensional or performance standards set forth in the applicable master program where there are extraordinary or unique circumstances relating to the property such that the strict implementation of the master program would impose unnecessary hardships on the applicant or thwart the policies set forth in RCW 90.58.020.

Construction pursuant to this permit will not begin or is not authorized in a thwarting of the policy enumerated in RCW 90.58.020. In all instances extraordinary circumstances should be shown and the public interest shall suffer no substantial detrimental effect.

(2) Variance permits for development that will be located landward of the ordinary high water mark (OHWM), as defined in RCW 90.58.030 (2)(b), except within those areas designated by the department as marshes, bogs, or swamps pursuant to chapter 173-22 WAC, may be authorized provided the applicant can demonstrate all of the following:

(a) That the strict application of the bulk, dimensional or performance standards set forth in the applicable master program precludes or significantly interferes with a reasonable use of the property not otherwise prohibited by the master program.

(b) That the hardship described in WAC 173-14-150 (2)(a) above is specifically related to the property, and is the result of unique conditions such as irregular lot shape, size, or natural features and the application of the master program, and not, for example, from deed restrictions or the applicant's own actions.

(c) That the design of the project will be compatible with other permitted activities in the area and will not cause adverse effects to adjacent properties or the shoreline environment designation.

(d) That the variance authorized does not constitute a grant of special privilege not enjoyed by the other properties in the area, and will be the minimum necessary to afford relief.

(e) That the public interest will suffer no substantial detrimental effect.

(3) Variance permits for development that will be located either waterward of the ordinary high water mark (OHWM), as defined in RCW 90.58.030 (2)(b), or within marshes, bogs, or swamps as designated by the department pursuant to chapter 173-22 WAC, may be authorized provided the applicant can demonstrate all of the following:

(a) That the strict application of the bulk, dimensional or performance standards set forth in the applicable master program precludes a reasonable use of the property not otherwise prohibited by the master program.

(b) That the hardship described in WAC 173-14-150 (3)(a) above is specifically related to the property, and is the result of unique conditions such as irregular lot shape, size, or natural features and the application of the master program, and not, for example, from deed restrictions or the applicant's own actions.

(c) That the design of the project will be compatible with other permitted activities in the area and will not cause adverse effects to adjacent properties or the shoreline environment designation.

(d) That the requested variance will not constitute a grant of special privilege not enjoyed by the other properties in the area, and will be the minimum necessary to afford relief.

(e) That the public rights of navigation and use of the shorelines will not be adversely affected by the granting of the variance.

(f) That the public interest will suffer no substantial detrimental effect.

(4) In the granting of all variance permits, consideration shall be given to the cumulative impact of additional requests for like actions in the area. For example if variances were granted to other developments in the area where similar circumstances exist the total of the variances should also remain consistent with the policies of RCW 90.58.020 and should not produce substantial adverse effects to the shoreline environment.

(5) Requests for varying the use to which a shoreline area is to be put are not requests for variances, but rather requests for conditional uses. Such requests shall be evaluated using the criteria set forth in WAC 173-14-140. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-04-027 (Order DE 80-42), § 173-14-150, filed 2/2/81. Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-150, filed 6/14/78; Order DE 76-17, § 173-14-150, filed 7/27/76; Order DE 75-22, § 173-14-150, filed 10/16/75.]

**WAC 173-14-155 Minimum standards for conditional use and variance permits.** Pursuant to RCW 90.58.100(5) and 90.58.140(3), the criteria contained in WAC 173-14-140 and 173-14-150 for shoreline conditional use and variance permits shall constitute the minimum criteria for review of these permits by local government and the department. Local government and the department may, in addition, apply the more restrictive criteria where it exists in approved and adopted master programs. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-04-027 (Order DE 80-42), § 173-14-155, filed 2/2/81.]

**WAC 173-14-170 Requests for review.** All requests for review of any final permit decisions under chapter 90.58 RCW and chapter 173-14 WAC are governed by the procedures established in RCW 90.58.180 and chapter 461-08 WAC, the rules of practice and procedure of the shorelines hearings board. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-170, filed 6/14/78; Order DE 75-22, § 173-14-170, filed 10/16/75.]

**WAC 173-14-174 Certification of requests for review.** All requests for review filed with the department pursuant to RCW 90.58.180(1) must contain the items required by WAC 461-08-055. Such requests shall be filed with the department within thirty days of the date of filing as defined in RCW 90.58.140(6) and WAC 173-14-090. The department will certify the request for review to the shorelines hearings board within thirty days of receipt of same if it appears the request has set forth valid reasons to seek review. Failure of the department to provide such certification does not preclude the requestor from obtaining certification from the attorney general or from obtaining a review in the superior court under any right to review otherwise available. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-174, filed 6/14/78.]

**WAC 173-14-180 Regulatory orders by local government or the department.** (1) Local government and

the department shall have the authority to serve upon a person undertaking, or about to undertake development as defined in RCW 90.58.030 (3)(d), a regulatory order if:

(a) The development constitutes an integral part of a project being undertaken, or about to be undertaken, on the shorelines of the state in the absence of a substantial development, conditional use, or variance permit; or

(b) The development being undertaken, although an integral part of a project approved by an existing, valid substantial development, conditional use, or variance permit is outside the scope and intent of said permit; or

(c) The development being undertaken on the shorelines of the state is in violation of chapter 90.58 RCW, and/or one of the following:

(i) Prior to the formal adoption or approval by the department of a master program for the area, the guidelines and regulations of the department, and so far as can be ascertained, the master program being developed for the area.

(ii) Thereafter this regulation of the department and the adopted or approved master program for the area.

(2) The regulatory order shall set forth or contain:

(a) The specific nature, extent and time of violation, and the damage or potential damage;

(b) An order that the violation or the potential violation cease and desist or, in appropriate cases, the specific corrective action to be taken within a specific and reasonable time.

(3) A regulatory order issued pursuant hereto shall become effective immediately upon receipt by the person to whom the order is directed. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-04-027 (Order DE 80-42), § 173-14-180, filed 2/2/81. Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-180, filed 6/14/78; Order DE 76-17, § 173-14-180, filed 7/27/76; Order DE 75-22, § 173-14-180, filed 10/16/75.]

#### Chapter 173-15 WAC

### PERMITS FOR OIL OR NATURAL GAS EXPLORATION ACTIVITIES CONDUCTED FROM STATE MARINE WATERS

#### WAC

173-15-010	Authority and purpose.
173-15-020	Definitions.
173-15-030	Exploration activity permit system.
173-15-040	Penalties.

**WAC 173-15-010 Authority and purpose.** These rules are promulgated pursuant to RCW 90.58.550(6) for the purpose of establishing the basic requirements for the exploration activity permit system. [Statutory Authority: RCW 90.58.550, 90.58.560 and 1983 c 138. 84-01-028 (Order DE 83-35), § 173-15-010, filed 12/12/83.]

**WAC 173-15-020 Definitions.** The following definitions shall apply:

(1) "Department" means the department of ecology.

(2) "Exploration activity" means reconnaissance or survey work related to gather information about geologic features and formations underlying or adjacent to marine waters. Such activities include sonic, ultrasonic, seismic, sparker, side-scan sonar, infrared, heat sensor, chemical analysis (sniffer), or other remote sensing techniques which do not disturb the surface of the aquatic lands, as well as drilling, core sampling, or other exploratory techniques which penetrate the beds underlying or adjacent to marine waters.

(3) "Marine waters" includes the waters of Puget Sound north to the Canadian border, the waters of the Strait of Juan de Fuca, the waters between the western boundary of the state and the ordinary high water mark, and related bays and estuaries. RCW 90.58.550 (1)(b).

(4) "Normal public use of the marine waters of the state" means those activities generally enjoyed by members of the public including, but not limited to, recreation, fishing (commercial and sports), navigation and commerce.

(5) "Vessel" includes ships, boats, barges, or any other floating craft. RCW 90.58.550 (1)(c).

(6) "Director" means the director of the department of ecology.

(7) "Person" means any individual, public or private corporation, agency, or other entity whatsoever, except for state or federal agencies. [Statutory Authority: RCW 90.58.550, 90.58.560 and 1983 c 138. 84-01-028 (Order DE 83-35), § 173-15-020, filed 12/12/83.]

**WAC 173-15-030 Exploration activity permit system.** The permit system established by RCW 90.58.550 shall be as follows:

(1) Applicability.

(a) A person desiring to perform oil or natural gas exploration activities by vessel located on or within marine waters of the state shall first obtain a permit from the department.

(b) An exploration activity permit obtained under (a) of this subsection shall be the sole permit required to be obtained for exploration activity under chapter 90.58 RCW.

(c) Except as provided in (b) of this subsection, nothing herein shall modify any powers of local governments set forth in chapter 90.58 RCW.

(2) Exploration activity permit application.

(a) Applications for an exploration activity permit shall be supplied by the department.

(b) Applications shall be filed with the Shorelands Division, Department of Ecology, Headquarters Office, Olympia, WA 98504.

(c) No application shall be processed until it is deemed complete by the department.

(d) Each application for an exploration activity permit shall be accompanied by a completed environmental checklist as provided in Title 197 WAC.

(3) Processing of complete application.

(a) A complete application will be forwarded to state natural resource management agencies and local governments and Indian tribes affected by the proposed exploration activity.

(b) Comments will be requested regarding the proposed exploration activity and its compatibility with the criteria established under RCW 90.58.550(2). Normally, reviewing agencies will be allowed fifteen days, from receipt of the application as provided by the department, in which to submit comments to the department.

(4) Public notice.

(a) Upon receipt of a completed application, the department shall instruct the applicant to publish notice thereof.

(b) Notices of the proposed exploration activity shall be published in the newspaper of the largest general circulation within each of the counties in which the activity is proposed.

(c) Any person wishing to express views on the proposed exploration activity will be given fifteen days to comment to the department.

(d) All notices of applications for exploration activity permits shall contain, as a minimum, the information called for in the following form:

Notice of Application for  
Exploration Activity Permit

Notice is hereby given that (company name or institution) has filed an application for an exploration activity permit for oil and/or natural gas survey and reconnaissance work in (list major bodies of water) \_\_\_\_\_.

The exploration activity consists of (describe survey gear, vessel, and other equipment in sufficient detail to inform public of the nature of the operation) \_\_\_\_\_.

The exploration activity is proposed to commence on (date) and end (date) \_\_\_\_\_.

Any person desiring to express views or to be notified of the action taken on this application should notify the department of ecology in writing of his/her interest within fifteen days of the final date of publication of this notice which is (date). Written comments should be mailed or delivered to the Washington Department of Ecology, Shorelands Division, Mail Stop PV-11, Olympia, WA 98504, (206) 459-6272. Comment period deadline is (date).

(e) An affidavit that the notice has been properly published pursuant to this section shall be provided to the department by the applicant.

(5) Public hearing. A public hearing on the proposed exploration activity permit will be held by the department if it determines, upon consideration of such factors as location, timing, duration, method of operation, and public comments, that a hearing would assist it in implementing the intent of RCW 90.58.550(2).

(6) Department exploration activity permit decision.

(a) The department will approve an exploration activity permit application if it determines that the proposed activity meets the criteria set forth in RCW 90.58.550(2). Exploration activities may not:

(i) Interfere materially with the normal public uses of the marine waters of the state;

(ii) Interfere with activities authorized by a permit issued under RCW 90.58.140(2);

(iii) Injure the marine biota or other fish and wildlife, beds, or tidelands of the waters;

(iv) Violate water quality standards established by the department;

(v) Create a public nuisance; or

(vi) Conflict with a shoreline master program approved by the department under RCW 90.58.090 or 90.58.190.

(b) The department, as lead agency, will comply with the provisions of the State Environmental Policy Act as governed by the procedures established under chapter 43.21 RCW and its implementing rules.

(c) No application for an exploration activity permit shall be approved by the department under this section which relates to surface drilling for oil or gas in the waters of Puget Sound north to the Canadian boundary or the Strait of Juan de Fuca seaward of the ordinary high water mark. RCW 90.58.160.

(7) Exploration activity permit terms and conditions.

(a) The department shall place terms and conditions in the exploration activity permit as necessary to assure that the permitted activity meets the requirements of RCW 90.58.550(2).

(b) Such terms and conditions may include but are not limited to:

(i) Geographic limits on the area of operation;

(ii) Timing of the operation;

(iii) Limitations on hours of operation;

(iv) Placement of on-board observers;

(v) Use of lead boats;

(vi) Insurance or bond; and/or

(vii) Fishermen (or other users group) notification procedures.

(8) Modifications of exploration activity permits. When a permittee seeks to modify an exploration activity permit, detailed maps/charts and text describing the nature of the modification shall be submitted to the department. Modifications to the permit may be made by the department when the department determines that such changes are of a minor nature.

(9) Request for review. All requests for review of any final permit decision under RCW 90.58.550(2) and these rules are governed by the procedures established in chapter 43.21B RCW and its implementing rules. [Statutory Authority: RCW 90.58.550, 90.58.560 and 1983 c 138. 84-01-028 (Order DE 83-35), § 173-15-030, filed 12/12/83.]

**WAC 173-15-040 Penalties.** Any person violating RCW 90.58.550, or the provisions of these rules, is subject to a civil penalty issued by the department in an amount of up to five thousand dollars a day. See RCW 90.58.560 (1) and (2). [Statutory Authority: RCW 90.58.550, 90.58.560 and 1983 c 138. 84-01-028 (Order DE 83-35), § 173-15-040, filed 12/12/83.]

**Chapter 173-16 WAC**  
**SHORELINE MANAGEMENT ACT GUIDELINES**  
**FOR DEVELOPMENT OF MASTER PROGRAMS**

**WAC**

173-16-010	Purpose.
173-16-020	Applicability.
173-16-030	Definitions.
173-16-040	The master program.
173-16-050	Natural systems.
173-16-060	The use activities.
173-16-070	Variances and conditional uses.
173-16-200	Appendix.

**WAC 173-16-010 Purpose.** This regulation is adopted pursuant to chapter 90.58 RCW, in order to: (1) Serve as standards for implementation of the policy of chapter 90.58 RCW for regulations of uses of the shorelines; and

(2) Provide criteria to local governments and the department of ecology in developing master programs. [Order DE 72-12, § 173-16-010, filed 6/20/72 and 7/20/72.]

**WAC 173-16-020 Applicability.** The provisions of this chapter shall apply state-wide to all shorelines and shorelines of state-wide significance as defined in chapter 90.58 RCW and WAC 173-16-030. [Order DE 72-12, § 173-16-020, filed 6/20/72 and 7/20/72.]

**WAC 173-16-030 Definitions.** As used herein, the following words and phrases shall have the following meanings:

(1) "Act" means Shoreline Management Act of 1971, chapter 90.58 RCW.

(2) "Department" means state of Washington, department of ecology.

(3) "Development" means a use, consisting of the construction or exterior alteration of structures; dredging; drilling; dumping; filling; removal of any sand, gravel or minerals; bulkheading; driving of piling; placing of obstructions; or any project of a permanent or temporary nature which interferes with the normal public use of the surface of the waters overlying lands subject to the act at any state of water level.

(4) "Director" means the director of the department of ecology.

(5) "Extreme low tide" means the lowest line on the land reached by a receding tide.

(6) "Guidelines" means those standards adopted to implement the policy of this chapter for regulation of use of the shorelines of the state prior to adoption of master programs. Such standards shall also provide criteria to local governments and the department in developing master programs.

(7) "Hearings board" means the shorelines hearings board established by the act.

(8) "Local government" means any county, incorporated city, or town which contains within its boundaries any lands or waters subject to the Shoreline Act of 1971.

(9) "Master program" means the comprehensive use plan for a described area, and the use regulations, together with maps, diagrams, charts or other descriptive

material and text, a statement of desired goals and standards developed in accordance with the policies enunciated in section 2 of the act.

(10) "Ordinary high-water mark" means the mark on all lakes, streams, and tidal waters, which will be found by examining the beds and banks and ascertaining where the presence and action of waters are so common and usual, and so long continued in all ordinary years, as to mark upon the soil a character distinct from that of the abutting upland, in respect to vegetation, as that condition exists on the effective date of this chapter, or as it may naturally change thereafter: *Provided*, That in any area where the ordinary high-water mark cannot be found, the ordinary high-water mark adjoining saltwater shall be the line of mean higher high tide and the ordinary high-water mark adjoining freshwater shall be the line of mean high water.

(11) "Permit" means that required by the act for substantial development on shorelines, to be issued by the local government entity having administrative jurisdiction and subject to review by the department of ecology and the attorney general.

(12) "Shorelines" means all of the water areas of the state, including reservoirs, and their associated wetlands, together with the lands underlying them, except:

(a) Shorelines of state-wide significance;

(b) Shorelines on segments of streams upstream of a point where the mean annual flow is 20 cubic feet per second or less, and the wetlands associated with such upstream segments; and

(c) Shorelines on lakes less than 20 acres in size and wetlands associated with such small lakes.

(13) "Shorelines of state-wide significance" means the following shorelines of the state:

(a) The area between the ordinary high-water mark and the western boundary of the state from Cape Disappointment on the south to Cape Flattery on the north, including harbors, bays, estuaries, and inlets;

(b) Those areas of Puget Sound and adjacent saltwaters and the Strait of Juan de Fuca between the ordinary high-water mark and the line of extreme low tide as follows:

(i) Nisqually Delta - from DeWolf Bight to Tatsolo Point;

(ii) Birch Bay - from Point Whitehorn to Birch Point;

(iii) Hood Canal - from Tala Point to Foulweather Bluff;

(iv) Skagit Bay and adjacent area - from Brown Point to Yokeko Point; and

(v) Padilla Bay - from March Point to William Point.

(c) Those areas of Puget Sound and the Strait of Juan de Fuca and adjacent saltwaters north to the Canadian line and lying seaward from the line of extreme low tide;

(d) Those lakes, whether natural, artificial or a combination thereof, with a surface acreage of 1,000 acres, or more, measured at the ordinary high-water mark;

(e) Those natural rivers or segments thereof, as follows:

(i) Any west of the crest of the Cascade range downstream of a point where the mean annual flow is measured at 1,000 cubic feet per second, or more;

(ii) Any east of the crest of the Cascade range downstream of a point where the annual flow is measured at 200 cubic feet per second, or more, or those portions of rivers east of the crest of the Cascade range downstream from the first 300 square miles of drainage area, whichever is longer;

(f) Those wetlands associated with (a) through (e) above.

(14) "Shorelines of the state" means the total of all "shorelines" and "shorelines of state-wide significance" within the state.

(15) "State master program" means the cumulative total of all master programs approved or adopted by the department of ecology.

(16) "Substantial development" means any development of which the total cost, or fair market value, exceeds \$1,000, or any development which materially interferes with normal public use of the water or shorelines of the state; except that the following shall not be considered substantial developments:

(a) Normal maintenance or repair of existing structures or developments, including damage by fire, accident, or elements;

(b) Construction of the normal protective bulkhead, common to single-family residences;

(c) Emergency construction necessary to protect property from damage by the elements;

(d) Construction of a barn or similar agricultural structure on wetlands;

(e) Construction or modification of navigational aids, such as channel markers and anchor buoys;

(f) Construction on wetlands by an owner, lessee, or contract purchaser, of a single-family residence, for his own use or for the use of his family, which residence does not exceed a height of 35 feet above average grade level and which meets all requirements of the state agency or local government having jurisdiction thereof.

(17) "Wetlands" or "wetland areas" means those lands extending landward for 200 feet in all directions, as measured on a horizontal plane from the ordinary high-water mark and all marshes, bogs, swamps, floodways, river deltas, and flood plains associated with the streams, lakes and tidal waters which are subject to the provisions of the act. [Order DE 72-12, § 173-16-030, filed 6/20/72 and 7/20/72.]

**WAC 173-16-040 The master program.** The master program is to be developed by local government to provide an objective guide for regulating the use of shorelines. The master program should clearly state local policies for the development of shorelands and indicate how these policies relate to the goals of the local citizens and to specific regulations of uses affecting the physical development of land and water resources throughout the local governments' jurisdiction.

The master program developed by each local government will reflect the unique shoreline conditions and the development requirements which exist and are projected in that area. As part of the process of master program development, local governments can identify problems and seek solutions which best satisfy their needs.

A master program, by its definition, is general, comprehensive and long-range in order to be applicable to the whole area for a reasonable length of time under changing conditions.

"General" means that the policies, proposals and guidelines are not directed towards any specific sites.

"Comprehensive" means that the program is directed towards all land and water uses, their impact on the environment and logical estimates of future growth. It also means that the program shall recognize plans and programs of the other government units, adjacent jurisdictions and private developers.

"Long-range" means that the program is to be directed at least 20-to-30 years into the future, look beyond immediate issues, and follow creative objectives rather than a simple projection of current trends and conditions.

Finally, chapter 90.58 RCW requires that the master program shall constitute use regulations for the various shorelines of the state. Specific guidelines are outlined in RCW 90.58.100(1) for preparing the master programs to accomplish this purpose. It is the intention of these guidelines, especially those related to citizen involvement, and the inventory to aid in carrying out this section of the act.

To facilitate an effective implementation of chapter 90.58 RCW throughout the state, the procedures on the following pages shall be observed while developing master programs for the shorelines. Exceptions to some of the specific provisions of these guidelines may occur where unique circumstances justify such departure. Any departure from these guidelines must, however, be compatible with the intent of the Shoreline Management Act as enunciated in RCW 90.58.020. Further, in all cases, local governments must meet the master program requirements specified in the Shoreline Management Act of 1971.

The following provisions set forth guidelines as to citizen involvement. (1) Citizen involvement. While public involvement and notification is required of the master program at the time of adoption by the act, the general public must be involved in the initial planning stage during formulation of the master plan.

The act requires that prior to approval or adoption of a master program, or a portion thereof, by the department, at least one public hearing shall be held in each county affected by the program for the purpose of obtaining the views and comments of the public.

The act charges the state and local government with not only the responsibility of making reasonable efforts to inform the people of the state about the shoreline management program, but also actively encourages participation by all persons, private groups, and entities, which have an interest in shoreline management.

To meet these responsibilities, the local government agencies responsible for the development of the master program should establish a method for obtaining and utilizing citizen involvement. The extent of citizen involvement in the formulation of the master program will be considered by the department in the review of the program. A failure by the local government to encourage



and utilize citizen involvement, or to justify not having done so, may be noted as a failure to comply with the act.

Though the department recognizes various forms of citizen involvement as viable approaches for involving the public in the master program, the local government will be encouraged to utilize the method as suggested in these guidelines. If a local government does not followed these guidelines, it should provide an explanation of the method used. The department will be available to explain and help organize the suggested approach to citizen involvement upon request.

The suggested approach to citizen involvement to be utilized by the local government agency responsible for the development of the master program includes the following:

(a) Appoint a citizen advisory committee whose function will be to guide the formulation of the master program through a series of public evening meetings and at least one public hearing. The committee members should represent both commercial interests as well as environmentalists. However, the advisory committee itself is not to be a substitute for general citizen involvement and input. The aim of the committee will be to utilize citizen input in:

- (i) Studying existing public policies related to shorelines.
- (ii) Defining the needs to satisfy local demands for shorelines.
- (iii) Studying the type and condition of local shorelines relative to needs.
- (iv) Developing goals and policies for the master program with the local government fulfilling the specifications of the master program, including designation of the environments.
- (v) Identifying use conflicts.
- (vi) Proposing alternatives for the use of shorelines.
- (vii) Examining the effects of the master program on the environment.

(b) The citizen advisory committee should hold at least three public meetings during development of the master program and designation of the environments according to the following guidelines:

- (i) Public notice (as stated in subsection 1 below) must be provided seven days prior to the evening meeting.
- (ii) All meetings must be open to the public for free discussion.
- (iii) Meetings should be held in the evening at a location accessible to the general public.
- (iv) Record of all meetings should be filed with the local government and made available to the public.
- (v) Local government should provide resource persons to assist in the preparation, organization and diffusion of information.
- (vi) The final evening meeting should be held at least seven days prior to the public hearing.
- (c) A newsletter should be published by the advisory committee in cooperation with the local government.
- (i) The information sheet should be available to the public at posted locations.

(ii) It should be available after the first evening public meeting and prior to the second.

(iii) The date, time, and location of future meetings and hearings should be stated.

(iv) A phone number should be provided to obtain further information.

(v) Public notice should be made of the availability of the newsletter as stated in subsection (d) below.

(d) Publicity of the master program should utilize:

(i) Public notice postings as per subsection (i) below.

(ii) Newsletter.

(iii) Radio, T.V. and local news media.

(iv) A local paper of general circulation.

(v) Announcements to community groups.

(e) At least one public hearing should be held by the local government after the three public meetings have been held to discuss the proposed master plan.

(i) Public notice (as stated in subsection (i) below) must be made a minimum of once in each of three weeks immediately preceding the hearing in one or more newspapers of general circulation in the area in which the hearing is to be held.

(ii) The master program should be available for public inspection at the local government office and available upon request at least seven days prior to the public hearing.

(f) Prior to adoption of the master program, all reasonable attempts should have been made to obtain a general concurrence of the public and the advisory committee. The method of obtaining or measuring concurrence must be established by the local government and must provide a clear indication of how citizen input is utilized.

(g) If the level of concurrence on the master program is not considered adequate by the advisory committee at the conclusion of the public hearing, the local government should hold subsequent public meetings and public hearings until such time as adequate concurrence as per subsection (f) above is reached.

(h) Attached to the master program upon its submission to the department of ecology shall be a record of public meetings and citizen involvement. A discussion of the use of citizen involvement and measurement on concurrence should be included.

(i) Public notice shall include:

(i) Reference to the authority under which the rule is proposed.

(ii) A statement of either the terms or substance of the proposed rule or a description of the subjects and issues involved.

(iii) The time, place and manner in which interested persons may present their views thereon (as stated in RCW 30.04.025).

(2) Policy statements. Each local government shall submit policy statements, developed through the citizen involvement process, regarding shoreline development as part of its master program. Because goal statements are often too general to be useful to very specific decision problems, the policy statements are to provide a bridge for formulating and relating use regulations to the goals also developed through the citizen involvement process.

In summary, the policy statements must reflect the intent of the act, the goals of the local citizens, and specifically relate the shoreline management goals to the master program use regulations.

Clearly stated policies are essential to the viability of the master programs. The policy statements will not only support the environmental designations explained below, but, also being more specific than goal statements, will provide an indication of needed environmental designations and use regulations.

The following methodology for developing policy statements is recommended:

(a) Obtain a broad citizen input in developing policy by involving interested citizens and all private and public entities having interest or responsibilities relating to shorelines. Form a citizen advisory committee and conduct public meetings as outlined in WAC 173-16-040(1) to encourage citizens to become involved in developing a master program.

(b) Analyze existing policies to identify those policies that may be incorporated into the master program and those which conflict with the intent of the act. Further, identify constraints to local planning and policy implementation which are a result of previous government actions, existing land-use patterns, actions of adjacent jurisdictions or other factors not subject to local control or influence.

(c) Formulate goals for the use of shoreline areas and develop policies to guide shoreland activities to achieve these goals.

The policies should be consistent with RCW 90.58-.020 and provide guidance and support to local government actions regarding shoreline management. Additionally, the policies should express the desires of local citizens and be based on principles of resource management which reflect the state-wide public interest in all shorelines of state-wide significance.

(3) Master program elements. Consistent with the general nature of master programs, the following land and water use elements are to be dealt with, when appropriate, in the local master programs. By dealing with shoreline uses, systematically as belonging to these generic classes of activities, the policies and goals in the master programs can be clearly applied to different shoreline uses. In the absence of this kind of specificity in the master programs, the application of policy and use regulations could be inconsistent and arbitrary.

The plan elements are:

(a) Economic development element for the location and design of industries, transportation facilities, port facilities, tourist facilities, commercial and other developments that are particularly dependent on shoreland locations.

(b) Public access element for assessing the need for providing public access to shoreline areas.

(c) Circulation element for assessing the location and extent of existing and proposed major thoroughfares, transportation routes, terminals and other public facilities and correlating those facilities with the shoreline use elements.

(d) Recreational element for the preservation and expansion of recreational opportunities through programs of acquisition, development and various means of less-than-fee acquisition.

(d) Shoreline use element for considering:

(i) The pattern of distribution and location requirements of land uses on shorelines and adjacent areas, including, but not limited to, housing, commerce, industry, transportation, public buildings and utilities, agriculture, education and natural resources.

(ii) The pattern of distribution and location requirements of water uses including, but not limited to, aquaculture, recreation and transportation.

(f) Conservation element for the preservation of the natural shoreline resources, considering such characteristics as scenic vistas, parkways, estuarine areas for fish and wildlife protection, beaches and other valuable natural or aesthetic features.

(g) Historical/cultural element for protection and restoration of buildings, sites and areas having historic cultural, educational or scientific values.

(h) In addition to the above-described elements, local governments are encouraged to include in their master programs, an element concerned with the restoration of areas to a natural useful condition which are blighted by abandoned and dilapidated structures. Local governments are also encouraged to include in their master programs any other elements, which, because of present uses or future needs, are deemed appropriate and necessary to effectuate the Shoreline Management Act.

(4) Environments. In order to plan and effectively manage shoreline resources, a system of categorizing shoreline areas is required for use by local governments in the preparation of master programs. The system is designed to provide a uniform basis for applying policies and use regulations within distinctively different shoreline areas. To accomplish this, the environmental designation to be given any specific area is to be based on the existing development pattern, the biophysical capabilities and limitations of the shoreline being considered for development and the goals and aspirations of local citizenry.

The recommended system classifies shorelines into four distinct environments (natural, conservancy, rural and urban) which provide the framework for implementing shoreline policies and regulatory measures.

This system is designed to encourage uses in each environment which enhance the character of that environment. At the same time, local government may place reasonable standards and restrictions on development so that such development does not disrupt or destroy the character of the environment.

The basic intent of this system is to utilize performance standards which regulate use activities in accordance with goals and objectives defined locally rather than to exclude any use from any one environment. Thus, the particular uses or type of developments placed in each environment must be designed and located so that there are no effects detrimental to achieving the objectives of the environment designations and local development criteria.

This approach provides an "umbrella" environment class over local planning and zoning on the shorelines. Since every area is endowed with different resources, has different intensity of development and attaches different social values to these physical and economic characteristics, the environment designations should not be regarded as a substitute for local planning and land-use regulations.

(a) The basic concept for using the system is for local governments to designate their shorelines into environment categories that reflect the natural character of the shoreline areas and the goals for use of characteristically different shorelines. The determination as to which designation should be given any specific area should be made in the following manner:

(i) The resources of the shoreline areas should be analyzed for their opportunities and limitations for different uses. Completion of the comprehensive inventory of resources is a requisite to identifying resource attributes which determine these opportunities and limitations.

(ii) Each of the plan elements should be analyzed for their effect on the various resources throughout shoreline areas. Since shorelines are only a part of the system of resources within local jurisdiction, it is particularly important that planning for shorelines be considered an integral part of area-wide planning. Further, plans, policies and regulations for lands adjacent to the shorelines of the state should be reviewed in accordance with RCW 90.58.340.

(iii) Public desires should be considered through the citizen involvement process to determine which environment designations reflect local values and aspirations for the development of different shoreline areas.

(b) The management objectives and features which characterize each of the environments are given below to provide a basis for environment designation within local jurisdictions.

(i) Natural environment. The natural environment is intended to preserve and restore those natural resource systems existing relatively free of human influence. Local policies to achieve this objective should aim to regulate all potential developments degrading or changing the natural characteristics which make these areas unique and valuable.

The main emphasis of regulation in these areas should be on natural systems and resources which require severe restrictions of intensities and types of uses to maintain them in a natural state. Therefore, activities which may degrade the actual or potential value of this environment should be strictly regulated. Any activity which would bring about a change in the existing situation would be desirable only if such a change would contribute to the preservation of the existing character.

The primary determinant for designating an area as a natural environment is the actual presence of some unique natural or cultural features considered valuable in their natural or original condition which are relatively intolerant of intensive human use. Such features should be defined, identified and quantified in the shoreline inventory. The relative value of the resources is to be

based on local citizen opinion and the needs and desires of other people in the rest of the state.

(ii) Conservancy environment. The objective in designating a conservancy environment is to protect, conserve and manage existing natural resources and valuable historic and cultural areas in order to ensure a continuous flow of recreational benefits to the public and to achieve sustained resource utilization.

The conservancy environment is for those areas which are intended to maintain their existing character. The preferred uses are those which are nonconsumptive of the physical and biological resources of the area. Nonconsumptive uses are those uses which can utilize resources on a sustained yield basis while minimally reducing opportunities for other future uses of the resources in the area. Activities and uses of a nonpermanent nature which do not substantially degrade the existing character of an area are appropriate uses for a conservancy environment. Examples of uses that might be predominant in a conservancy environment include diffuse outdoor recreation activities, timber harvesting on a sustained yield basis, passive agricultural uses such as pasture and range lands, and other related uses and activities.

The designation of conservancy environments should seek to satisfy the needs of the community as to the present and future location of recreational areas proximate to concentrations of population, either existing or projected. For example, a conservancy environment designation can be used to complement city, county or state plans to legally acquire public access to the water.

The conservancy environment would also be the most suitable designation for those areas which present too severe biophysical limitations to be designated as rural or urban environments. Such limitations would include areas of steep slopes presenting erosion and slide hazards, areas prone to flooding, and areas which cannot provide adequate water supply or sewage disposal.

(iii) Rural environment. The rural environment is intended to protect agricultural land from urban expansion, restrict intensive development along undeveloped shorelines, function as a buffer between urban areas, and maintain open spaces and opportunities for recreational uses compatible with agricultural activities.

The rural environment is intended for those areas characterized by intensive agricultural and recreational uses and those areas having a high capability to support active agricultural practices and intensive recreational development. Hence, those areas that are already used for agricultural purposes, or which have agricultural potential should be maintained for present and future agricultural needs. Designation of rural environments should also seek to alleviate pressures of urban expansion on prime farming areas.

New developments in a rural environment are to reflect the character of the surrounding area by limiting residential density, providing permanent open space and by maintaining adequate building setbacks from water to prevent shoreline resources from being destroyed for other rural types of uses.

Public recreation facilities for public use which can be located and designed to minimize conflicts with agricultural activities are recommended for the rural environment. Linear water access which will prevent overcrowding in any one area, trail systems for safe nonmotorized traffic along scenic corridors and provisions for recreational viewing of water areas illustrate some of the ways to ensure maximum enjoyment of recreational opportunities along shorelines without conflicting with agricultural uses. In a similar fashion, agricultural activities should be conducted in a manner which will enhance the opportunities for shoreline recreation. Farm management practices which prevent erosion and subsequent siltation of water bodies and minimize the flow of waste material into water courses are to be encouraged by the master program for rural environments.

(iv) Urban environment. The objective of the urban environment is to ensure optimum utilization of shorelines within urbanized areas by providing for intensive public use and by managing development so that it enhances and maintains shorelines for a multiplicity of urban uses.

The urban environment is an area of high-intensity land-use including residential, commercial, and industrial development. The environment does not necessarily include all shorelines within an incorporated city, but is particularly suitable to those areas presently subjected to extremely intensive use pressure, as well as areas planned to accommodate urban expansion. Shorelines planned for future urban expansion should present few biophysical limitations for urban activities and not have a high priority for designation as an alternative environment.

Because shorelines suitable for urban uses are a limited resource, emphasis should be given to development within already developed areas and particularly to water-dependent industrial and commercial uses requiring frontage on navigable waters.

In the master program, priority is also to be given to planning for public visual and physical access to water in the urban environment. Identifying needs and planning for the acquisition of urban land for permanent public access to the water in the urban environment should be accomplished in the master program. To enhance waterfront and ensure maximum public use, industrial and commercial facilities should be designed to permit pedestrian waterfront activities. Where practicable, various access points ought to be linked to nonmotorized transportation routes, such as bicycle and hiking paths.

(5) Shorelines of state-wide significance. The act designated certain shorelines as shorelines of state-wide significance. Shorelines thus designated are important to the entire state. Because these shorelines are major resources from which all people in the state derive benefit, the guidelines and master programs must give preference to uses which favor public and long-range goals.

Accordingly, the act established that local master programs shall give preference to uses which meet the principles outlined below in order of preference. Guidelines for ensuring that these principles are incorporated

into the master programs and adhered to in implementing the act follow each principle.

(a) Recognize and protect the state-wide interest over local interest. Development guidelines:

(i) Solicit comments and opinions from groups and individuals representing state-wide interests by circulating proposed master programs for review and comment by state agencies, adjacent jurisdictions' citizen advisory committees, and state-wide interest groups. (See Appendix, Reference No. 32.)

(ii) Recognize and take into account state agencies' policies, programs and recommendations in developing use regulations. Reference to many of these agencies' policies are provided in the appendix. This information can also be obtained by contacting agencies listed in the *Shoreline Inventory Supplement Number One*.

(iii) Solicit comments, opinions and advice from individuals with expertise in ecology, oceanography, geology, limnology, aquaculture and other scientific fields pertinent to shoreline management. Names of organizations and individuals which can provide expert advice can be obtained from the department's resource specialist listing.

(b) Preserve the natural character of the shoreline. Development guidelines:

(i) Designate environments and use regulations to minimize man-made intrusions on shorelines.

(ii) Where intensive development already occurs, upgrade and redevelop those areas to reduce their adverse impact on the environment and to accommodate future growth rather than allowing high intensity uses to extend into low intensity use or underdeveloped areas.

(iii) Ensure that where commercial timber-cutting is allowed as provided in RCW 90.58.150, reforestation will be possible and accomplished as soon as practicable.

(c) Result in long-term over short-term benefit. Development guidelines:

(i) Prepare master programs on the basis of preserving the shorelines for future generations. For example, actions that would convert resources into irreversible uses or detrimentally alter natural conditions characteristic of shorelines of state-wide significance, should be severely limited.

(ii) Evaluate the short-term-economic gain or convenience of developments in relationship to long-term and potentially costly impairments to the natural environment.

(iii) Actively promote aesthetic considerations when contemplating new development, redevelopment of existing facilities or for the general enhancement of shoreline areas.

(d) Protect the resources and ecology of shorelines. Development guidelines:

(i) Leave undeveloped those areas which contain a unique or fragile natural resource.

(ii) Prevent erosion and sedimentation that would alter the natural function of the water system. In areas where erosion and sediment control practices will not be effective, excavations or other activities which increase erosion are to be severely limited.

(iii) Restrict or prohibit public access onto areas which cannot be maintained in a natural condition under human uses.

(e) Increase public access to publicly owned areas of the shorelines. Development guidelines:

(i) In master programs, give priority to developing paths and trails to shoreline areas, linear access along the shorelines, and to developing upland parking.

(ii) Locate development inland from the ordinary high-water mark so that access is enhanced.

(f) Increase recreational opportunities for the public on the shorelines. Development guidelines:

(i) Plan for and encourage development of facilities for recreational use of the shorelines.

(ii) Reserve areas for lodging and related facilities on uplands well away from the shorelines with provisions for nonmotorized access to the shorelines. [Order DE 72-12, § 173-16-040, filed 6/20/72 and 7/20/72.]

**WAC 173-16-050 Natural systems.** This section contains brief and general descriptions of the natural geographic systems around which the shoreline management program is designed. The intent of this section is to define those natural systems to which the Shoreline Management Act applies, to highlight some of the features of those systems which are susceptible to damage from human activity, and to provide a basis for the guidelines pertaining to human-use activities contained in WAC 173-16-060.

It is intended that this section will provide criteria to local governments in the development of their master programs, as required in RCW 90.58.030(a).

(1) Marine beaches. Beaches are relatively level land areas which are contiguous with the sea and are directly affected by the sea even to the point of origination. The most common types of beaches in Washington marine waters are:

(a) Sandy beaches. Waves, wind, tide and geological material are the principal factors involved in the formation of beaches. The beach material can usually be traced to one of four possible sources: The cliffs behind the beach; from the land via rivers; offshore wind; and finally from longshore drifting of material. Longshore-drifting material must have been derived initially from the first three sources. Most beach material in Puget Sound is eroded from the adjacent bluffs composed of glacial till.

The effect of wave action on the movement and deposition of beach material varies depending upon the size of the material. Hence, in most cases, beaches composed of different sized material are usually characterized by different slopes and profiles. The entire process of beach formation is a dynamic process resulting from the effect of wave action on material transport and deposition. Initially, wave action will establish currents which transport and deposit material in various patterns. However, once a particular beach form and profile is established it begins to modify the effects of waves thus altering the initial patterns of material transport and deposition. Hence, in building beach structures such as groins, bulkheads or

jetties, it is particularly important to recognize that subsequent changes in wave and current patterns will result in a series of changes in beach formation over time. (See WAC 173-16-060 (6), (11), (12) and (13).)

In the process of beach formation, sand particles are transported up the beach by breaking waves that wash onto the beach in a diagonal direction and retreat in a vertical direction. At the same time, longshore currents are created in the submerged intertidal area by the force of diagonally approaching waves. Beach material suspended by the force of the breaking waves is transported in one direction or another by the longshore current. Longshore drifting of material often results in the net transportation of beach material in one direction causing the loss of material in some areas and gains in others.

The profile of a beach at any time will be determined by the wave conditions during the preceding period. Severe storms will erode or scour much material away from the beaches due to the force of retreating waves. During calm weather, however, the waves will constructively move material back onto the beach. This destructive and constructive action, called cut and fill, is evidenced by the presence of beach ridges or berms. New ridges are built up in front of those that survive storm conditions as sand is supplied to the beach in succeeding phases of calmer weather. In time, the more stable landward ridges are colonized by successional stages of vegetation. The vegetation stabilizes the ridges, protects them from erosion and promotes the development of soil.

(b) Rocky beaches. Rocky beaches, composed of cobbles, boulders and/or exposed bedrock are usually steeper and more stable than sandy shores. Coarse material is very permeable which allows attacking waves to sink into the beach causing the backwash to be reduced correspondingly. On sandy shores a strong backwash distributes sand more evenly, thus creating a flatter slope.

On rocky shores a zonal pattern in the distribution of plants and animals is more evident than on muddy or sandy shores. The upper beach zone is frequently very dry, limiting inhabitants to species which can tolerate a dry environment. The intertidal zone is a narrow area between mean low tide and mean high tide that experiences uninterrupted covering and uncovering by tidal action. One of the major characteristics of this zone is the occurrence of tidal pools which harbor separate communities which can be considered subzones within the intertidal zone. The subtidal zone is characterized by less stressful tidal influences but is subject to the forces of waves and currents which affect the distribution and kinds of organisms in this zone.

(c) Muddy shores. Muddy shores occur where the energy of coastal currents and wave action is minimal, allowing fine particles of silt to settle to the bottom. The result is an accumulation of mud on the shores of protected bays and mouths of coastal streams and rivers. Most muddy beaches occur in estuarine areas. However, some muddy shore areas may be found in coastal inlets and embayments where salinity is about the same as the adjacent sea.

Few plants have adapted to living on muddy shores. Their growth is restricted by turbidity which reduces light penetration into the water and thereby inhibits photosynthesis. In addition, the lack of solid structures to which algae may attach itself and siltation which smothers plants effectively prevents much plant colonization of muddy shores. While the lack of oxygen in mud makes life for fauna in muddy shores difficult, the abundance of food as organic detritus provides nutrition for a large number of detritus feeders.

(2) Spits and bars. Spits and bars are natural formations composed of sand and gravel and shaped by wind and water currents and littoral drifting. Generally a spit is formed from a headland beach (tall cliff with a curved beach at the foot) and extends out into the water (hooks are simply hookshaped spits). While spits usually have one end free in open water, bars generally are attached to land at both ends. These natural forms enclose an area which is protected from wave action, allowing life forms such as shellfish, to reproduce and live protected from the violence of the open coast. (See WAC 173-16-060(16).)

(3) Dunes. Dunes are mounds or hills of sand which have been heaped up by wind action. Typically, dunes exhibit four distinct features:

(a) Primary dunes. The first system of dunes shoreward of the water, having little or no vegetation, which are intolerant of unnatural disturbances.

(b) Secondary dunes. The second system of dunes shoreward from the water, with some vegetative cover.

(c) Back dunes. The system of dunes behind the secondary dunes, generally having vegetation and some top soil, and being more tolerant of development than the primary and secondary systems.

(d) Troughs. The valleys between the dune systems.

Dunes are a natural levee and a final protection line against the sea. The destructive leveling of, or interference with the primary dune system (such as cutting through the dunes for access) can endanger upland areas by subjecting them to flooding from heavy wave action during severe storms and destroy a distinct and disappearing natural feature. Removal of sand from the beach and shore in dune areas starves dunes of their natural supply of sand and may cause their destruction from lack of sand. (See WAC 173-16-060(16).) Appropriate vegetation can and should be encouraged throughout the entire system for stabilization. (See WAC 173-16-060(21).)

(4) Islands. An island, broadly defined, is a land mass surrounded by water. Islands are particularly important to the state of Washington since two entire counties are made up of islands and parts of several other counties are islands. A fairly small island, such as those in our Puget Sound and north coast area, is an intriguing ecosystem, in that no problem or area of study can be isolated. Every living and nonliving thing is an integral part of the functioning system. Each island, along with the mystique afforded it by man, is a world of its own, with a biological chain, fragile and delicately balanced. Obviously it does not take as much to upset this balance as it would the mainland system. Because of this, projects

should be planned with a more critical eye toward preserving the very qualities which make island environments viable systems as well as aesthetically captivating to humans.

(5) Estuaries. An estuary is that portion of a coastal stream influenced by the tide of the marine waters into which it flows and within which the sea water is measurably diluted with freshwater derived from land drainage.

Estuaries are zones of ecological transition between fresh and saltwater. The coastal brackish water areas are rich in aquatic life, some species of which are important food organisms for anadromous fish species which use these areas for feeding, rearing and migration. An estuarine area left untouched by man is rare since historically they have been the sites for major cities and port developments. Because of their importance in the food production chain and their natural beauty, the limited estuarial areas require careful attention in the planning function. Close scrutiny should be given to all plans for development in estuaries which reduce the area of the estuary and interfere with water flow. (See WAC 173-16-060(14).) Special attention should be given to plans for upstream projects which could deplete the freshwater supply of the estuary.

(6) Marshes, bogs, swamps. Marshes, bogs and swamps are areas which have a water table very close to the surface of the ground. They are areas which were formerly shallow water areas that gradually filled through nature's processes of sedimentation (often accelerated by man's activities) and the decay of shallow water vegetation.

Although considered abysmal wastelands by many, these wet areas are extremely important to the food chain. Many species of both animal and plant life depend on this wet environment for existence. Birds and waterfowl choose these locations for nesting places. Wet areas are important as ground water recharge areas and have tremendous flood control value.

The high-water table and poor foundation support provided by the organic soils in these areas usually prevent development on them. The extraction of peat from bogs is possible when it is accomplished in such a manner that the surrounding vegetation and wildlife is left undisturbed and the access roads and shorelines are returned to a natural state upon completion of the operation.

The potential of marshes, bogs and swamps to provide permanent open space in urbanizing regions is high because of the costs involved in making these areas suitable for use. Unlimited public access into them, however, may cause damage to the fragile plant and animal life residing there.

(7) Lakes. A lake can be defined broadly as a body of standing water located inland. Lakes originate in several ways. Many lakes are created each year by man, either by digging a lake basin or by damming a natural valley. Natural lakes can be formed in several ways: by glaciers gouging basins and melting and depositing materials in such a way as to form natural dams; by landslides which close off open ends of valleys; extinct craters which fill

with water; changes in the earth's crust, as can happen during earthquakes, forming basins which fill with water; or by changes in a river or stream course which isolate parts of the old course forming lakes, called oxbow lakes.

A lake, like its inhabitants, has a life span. This lifetime may be thousands of years for a large lake or just a few years for a pond. This process of a lake aging is known generally as eutrophication. It is a natural process which is usually accelerated by man's activities. Human sewage, industrial waste, and the drainage from agricultural lands increases the nutrients in a lake which in turn increases the growth of algae and other plants. As plants die, the chemical process of decomposition depletes the water's supply of oxygen necessary for fish and other animal life. These life forms then disappear from the lake, and the lake becomes a marsh or swamp.

Shallow lakes are extremely susceptible to increases in the rate of eutrophication resulting from discharges of waste and nutrient-laden runoff waters. Temperature stratification does not normally occur in shallow lakes. Efficient bottom-to-surface circulation of water in these shallow lakes moves nutrients to the surface photosynthetic zone encouraging increased biotic productivity. Large quantities of organic matter are produced under these conditions. Upon decomposition, heavy demands are made on the dissolved oxygen content of shallow lakes. Eventually, the oxygen level drops and some fish and other life forms die.

The entire ecosystem of a lake can be altered by man. By removing the surrounding forest for lumber or to provide a building site or farm land, erosion into the lake is accelerated. Fertilizers, whether agricultural or those used by homeowners, can enter the lake either from runoff or leaching along with other chemicals that interfere with the intricate balance of living organisms. The construction of bulkheads to control erosion and filling behind them to enlarge individual properties can rob small fish and amphibians of their habitats. The indiscriminate construction of piers, docks and boathouses, can deprive all of the waterfront owners and the general public of a serene natural view and reduce the lake's surface. (See WAC 173-16-060 (5), (8), (11), (12), (13).)

(8) Rivers, streams and creeks. Generally, rivers, streams and creeks can be defined as surface-water runoff flowing in a natural or modified channel. Runoff results either from excessive precipitation which cannot infiltrate the soil, or from ground water where the water table intersects the surface of the ground. Drawn by gravity to progressively lower levels and eventually to the sea, the surface runoff organizes into a system of channels which drain a particular geographic area.

The drainage system serves as a transportation network for nature's leveling process, selectively eroding materials from the higher altitudes and transporting the materials to lower elevations where they are deposited. A portion of these materials eventually reaches the sea where they may form beaches, dunes or spits.

Typically, a river exhibits several distinct stages as it flows from the headwaters to the mouth. In the upper

reaches where the gradient is steepest, the hydraulic action of the flowing water results in a net erosion of the stream bed and a V-shaped cross section, with the stream occupying all or most of the valley floor.

Proceeding downstream, the gradient decreases and the valley walls become gentler in slope. A point is eventually reached where erosion and deposition equalize and the action of the stream changes from vertical cutting to lateral meandering. As the lateral movement continues, a flood plain is formed, over which the river meanders and upon which materials are deposited during floods. Finally, when the river enters a body of standing water, the remaining sediment load is deposited.

Extensive human use is made of rivers, including transportation, recreation, waste and sewage dumping and for drinking water. Rivers are dammed for the production of electric power, diked for flood control and withdrawn for the irrigation of crops. Many of these activities directly affect the natural hydraulic functioning of the streams and rivers as well as the biology of the water courses. (See WAC 173-16-060(17).)

(9) Flood plains. A flood plain is a shoreland area which has been or is subject to flooding. It is a natural corridor for water which has accumulated from snow melt or from heavy rainfall in a short period. Flood plains are usually flat areas with rich soil because they have been formed by deposits from flood waters. As such they are attractive places for man to build and farm until the next flood passes across the plain. In certain areas, these plains can be "flood proofed" by diking or building levees along the adjacent river or stream, but always with provisions for tremendous amounts of water that will sooner or later be generated by weather conditions. Streamway modifications can be placed in such a way to cause channelization. Channelization tends to destroy the vital and fragile flood-plain-shoreline habitats and increase the velocity of waters in times of extreme flow. (See WAC 173-16-060(17).)

This may cause considerable damage downstream even in areas already given some flood protection. In unprotected flood plains, land-use regulations must be applied to provide an adequate open corridor within which the effects of bank erosion, channel shifts and increased runoff may be contained. Obviously, structures which must be built on a flood plain should be of a design to allow the passage of water and, wherever possible, permanent vegetation should be preserved to prevent erosion, retard runoff, and contribute to the natural beauty of the flood plain.

(10) Puget Sound. Puget Sound is a complex of interconnected inlets, bays and channels with tidal sea water entering from the west and freshwater streams entering at many points throughout the system. Most of what is known as Puget Sound was formed by glacial action that terminated near Tenino in Thurston County. The entire system, of which Puget Sound is actually a small portion, also includes the Strait of Georgia and the Strait of Juan de Fuca. The large complex may be divided into nine oceanographic areas which are interrelated: Strait of Juan de Fuca, Admiralty Inlet, Puget Sound Basin, Southern Puget Sound, Hood Canal, Possession Sound,

Bellingham Bay, San Juan Archipelago, and Georgia Strait (from *Puget Sound and Adjacent Waters, Appendix XV, Plan Formulation.*)

The economic development of the central Puget Sound Basin has been stimulated by the fact that the sound is one of the few areas in the world which provides several deepwater inland harbors. The use of Puget Sound waters by deep-draft vessels is on the increase due to its proximity to the developing Asian countries. This increased trade will attract more industry and more people which will put more use pressure on the Sound in the forms of recreation (sport fishing, boating and other water-related sports) and the requirements for increased food supply.

Puget Sound waters are rich in nutrients and support a wide variety of marine fish and shellfish species. An estimated 2,820 miles of stream are utilized by anadromous fish for spawning and rearing throughout the area. Some of these fish are chinook, coho, sockeye, pink and chum salmon, steelhead, searun cutthroat and Dolly Vardon trout. All these fish spend a portion of their lives in the saltwaters of Puget Sound and the Pacific Ocean before returning to streams of origin to spawn. The juveniles of these fish spend varying amounts of time in the shore waters of the area before moving to sea to grow to maturity. Aquaculture or sea farming is now in the process of becoming reality in the Puget Sound complex. The mass production of seaweed, clams, geoducks, scallops, shrimp, oysters, small salmon, lobsters and other possibilities looms as an important new industry. Shoreline management is particularly crucial to the success of sea farming. Aquaculture on any scale can be compatible and coexist with maritime shipping and shoreland industrial activities only be careful planning and regulation.

The shoreline resources of Puget Sound include few beach areas which are not covered at high tide. Bluffs ranging from 10 to 500 feet in height rim nearly the entire extent of the Sound making access to beach and intertidal areas difficult. Because of the glacial-till composition of these bluffs, they are susceptible to fluvial and marine erosion and present constant slide hazards. Although Puget Sound is protected from the direct influence of Pacific Ocean weather, storm conditions can create very turbulent and sometimes destructive wave action. Without recognizing the tremendous energy contained in storm waves, development of shoreline resources can be hazardous and deleterious to the resource characteristics which make Puget Sound beaches attractive. (WAC 173-16-060 (11), (12), (13).)

(11) Pacific Ocean. From Cape Flattery on the north to Cape Disappointment on the south, there are approximately 160 miles of beaches, rocky headlands, inlets and estuaries on Washington's Pacific Coast. The shoreline south of Cape Flattery to the Quinault River is generally characterized as being rugged and rocky, with high bluffs. The remaining shoreline south of the Quinault River is predominantly flat sandy beaches with low banks and dunes.

During the winter, Pacific currents set toward the north, while during summer months they set to the

south. Associated with the summer currents is a general offshore movement of surface water, resulting in upwelling of water from lower depths. This upwelled water is cold, high in salinity, low in oxygen content and rich in nutrients. It is this latter characteristic which causes upwelled water to be extremely significant in biological terms, since it often triggers "blooms" of marine plant life.

Directions of wave action and littoral drift of sediments shift seasonally with Pacific Ocean storms. Although very little data are available on the net direction of littoral transport, the University of Washington has offshore data which indicate a northerly offshore flow. RCW 43.51.650 declares:

"The beaches bounding the Pacific Ocean from the Straits of Juan de Fuca to Cape Disappointment at the mouth of the Columbia River constitute some of the last unspoiled seashore remaining in the United States. They provide the public with almost unlimited opportunities for recreational activities, like swimming, surfing and hiking; for outdoor sports, like hunting, fishing, clamming, and boating; for the observation of nature as it existed for hundreds of years before the arrival of white men and for relaxation away from the pressures and tensions of modern life. In past years, these recreational activities have been enjoyed by countless Washington citizens, as well as by tourists from other states and countries. The number of people wishing to participate in such recreational activities grows annually. This increasing public pressure makes it necessary that the state dedicate the use of the ocean beaches to public recreation and to provide certain recreational and sanitary facilities. Nonrecreational use of the beach must be strictly limited. Even recreational uses must be regulated in order that Washington's unrivaled seashore may be saved for our children in much the same form as we know it today." (See Appendix Reference Nos. 30 and 31.) [Order DE 72-12, § 173-16-050, filed 6/20/72 and 7/20/72.]

**WAC 173-16-060 The use activities.** This section contains guidelines for the local regulation of use activities proposed for shorelines. Each topic, representing a specific use or group of uses, is broadly defined and followed by several guidelines. These guidelines represent the criteria upon which judgments for proposed shoreline developments will be based until master programs are completed. In addition, these guidelines are intended to provide the basis for the development of that portion of the master program concerned with the regulation of such uses.

In addition to application of the guidelines in this section, the local government should identify the type or types of natural systems (as described in WAC 173-16-050) within which a use is proposed and should impose regulations on those developments and uses which would tend to affect adversely the natural characteristics needed to preserve the integrity of the system. Examples would include but would not be limited to proposed uses that would threaten the character of fragile dune areas,



reduce water tables in marshes, impede water flow in estuaries, or threaten the stability of spits and bars.

These guidelines have been prepared in recognition of the flexibility needed to carry out effective local planning of shorelines. Therefore, the interpretation and application of the guidelines may vary relative to different local conditions. Exceptions to specific provisions of these guidelines may occur where local circumstances justify such departure. Any departure from these guidelines must, however, be compatible with the intent of the act as enunciated in RCW 90.58.020.

It should be noted that there are several guidelines for certain activities which are not explicitly defined in the shoreline act as developments for which substantial development permits are not required (for example, the suggestion that a buffer of permanent vegetation be maintained along water bodies in agriculture areas.) While such activities generally cannot be regulated through the permit system, it is intended that they be dealt with in the comprehensive master program in a manner consistent with policy and intent of the Shoreline Act. To effectively provide for the management of the shorelines of the state, master programs should plan for and foster all reasonable and appropriate uses as provided in RCW 90.58.020.

Finally, most of the guidelines are intentionally written in general terms to allow some latitude for local government to expand and elaborate on them as local conditions warrant. The guidelines are adopted state regulations, however, and must be complied with both in permit application review and in master program development.

(1) Agricultural practices. Agricultural practices are those methods used in vegetation and soil management, such as tilling of soil, control of weeds, control of plant diseases and insect pests, soil maintenance and fertilization. Many of these practices require the use of agricultural chemicals, most of which are water soluble and may wash into contiguous land or water areas causing significant alteration and damage to plant and animal habitats, especially those in the fragile shoreline areas. Also, large quantities of mineral and organic sediments enter water bodies through surface erosion when proper land management techniques are not utilized.

Guidelines:

(a) Local governments should encourage the maintenance of a buffer of permanent vegetation between tilled areas and associated water bodies which will retard surface runoff and reduce siltation.

(b) Master programs should establish criteria for the location of confined animal feeding operations, retention and storage ponds for feed lot wastes, and stock piles of manure solids in shorelines of the state so that water areas will not be polluted. Control guidelines prepared by the U.S. Environmental Protection Agency should be followed. (Also see Reference Nos. 3, 4, 5, 6, 7 and 8.)

(c) Local governments should encourage the use of erosion control measures, such as crop rotation, mulching, strip cropping and contour cultivation in conformance with guidelines and standards established by the

Soil Conservation Service, U.S. Department of Agriculture.

(2) Aquaculture. Aquaculture is the culture or farming of food fish, shellfish, or other aquatic plants and animals. This activity is of state-wide and national interest. Properly managed, it can result in long term over short term benefit and can protect the resources and ecology of the shoreline. Aquaculture is dependent on the use of the water area and, when consistent with control of pollution and prevention of damage to the environment, is a preferred use of the water area.

Potential locations for aquaculture are relatively restricted due to specific requirements for water quality, temperature, flows, oxygen content, adjacent land uses, wind protection, commercial navigation, and, in marine waters, salinity. The technology associated with present-day aquaculture is still in its formative stages and experimental. Local shoreline master plans should therefore recognize the necessity for some latitude in the development of this emerging economic water use as well as its potential impact on existing uses and natural systems.

(a) Guidelines:

(i) Aquacultural activities and structures should be located in areas where the navigational access of upland owners, recreational boaters and commercial traffic is not significantly restricted.

(ii) Recognition should be given to the possible detrimental impact aquacultural development might have on the visual access of upland owners and on the general aesthetic quality of the shoreline area.

(iii) As aquaculture technology expands with increasing knowledge and experience, emphasis should be placed on structures which do not significantly interfere with navigation or impair the aesthetic quality of Washington shorelines.

(iv) Certain aquacultural activities are of state-wide interest and should be managed in a consistent manner state-wide. Local master program development and administration should therefore seek to support state aquaculture management programs as expressed in state laws, regulations, and established management plans. State management programs should seek to determine and accommodate local environmental concerns. To facilitate state-local coordination, the department will encourage state agencies to develop specific resource management plans and to include participation of local shoreline agencies.

(v) Shellfish resources and conditions suitable for aquaculture only occur in limited areas. The utility and productivity of these sites is threatened by activities and developments which reduce water quality such as waste discharges, nonpoint runoff and disruption of bottom sediments. Proposed developments and activities should be evaluated for impact on productive aquaculture areas. Identified impacts should be mitigated through permit conditions and performance standards.

(vi) Aquaculture is a preferred, water-dependent use. Water surface, column, and bedland areas suitable for aquaculture are limited to certain sites. These sites are

subject to pressures from competing uses and degradation of water quality. The shoreline program is intended to provide a comprehensive land and water use plan which will reduce these conflicts and provide for appropriate uses. Therefore, a special effort should be made through the shoreline management program to identify and resolve resource use conflicts and resource management issues in regard to use of identified sites.

(b) Implementation of WAC 173-16-060 (2)(a)(vi):

(i) Within one month of the effective date of this regulation, the department of ecology shall notify each local jurisdiction in which major subtidal clam or geoduck beds have been identified by the department of fisheries that a program update will be required. The department of ecology shall provide maps showing the general location of each jurisdiction's major subtidal clam and geoduck beds. The department shall also provide information on subtidal clam and geoduck harvesting techniques, environmental impacts, mitigation measures, and guidance on format and issue coverage for submittal of proposed amendments.

(ii) Each local jurisdiction with identified major beds shall evaluate the application of its shoreline master program to commercial use of the identified beds. Where necessary, amendments to the master program shall be prepared to better address management and use of the beds. For example, such amendments may be necessary to address newly identified concerns, to coordinate with state-wide interests, or to bring policies into conformance with current scientific knowledge.

(iii) Within four months of notification under WAC 173-16-060 (2)(b)(i), each affected jurisdiction shall submit a progress report to the department. This report shall outline the procedure which will be used to comply with WAC 173-16-060 (2)(b)(ii) and an assessment of the need for coastal zone management financial assistance.

(iv) Within thirteen months of notification by the department under WAC 173-16-060 (2)(b)(i), each affected local government shall submit to the department for approval all portions of the shoreline management master program affecting use of the identified sites for shellfish management. Submittals shall include relevant existing master program elements proposed to be retained as well as program additions. Explanation shall be submitted to the department for any use designations or management standards which would prohibit or prevent use of identified sites.

(v) The department, in considering local program submittals, will consider the advice of the state departments of fisheries and natural resources, other interested local, state, and federal agencies, and interest groups pertaining to the scientific basis, sufficiency, and practicality of proposed standards and use regulations.

(vi) The department may postpone notification under (i) above for those subtidal clam and geoduck beds which the department of social and health services believes are not certifiable. Should a bed become certifiable at some future date, the department shall make the notification required in (i) above.

(vii) If a local shoreline jurisdiction does not or is unable to comply with the requirements of this subsection, the department may undertake the required master program evaluation and preparation and adoption of necessary amendments.

(3) Forest management practices. Forest management practices are those methods used for the protection, production and harvesting of timber. Trees along a body of water provide shade which insulate the waters from detrimental temperature change and dissolved oxygen release. A stable water temperature and dissolved oxygen level provide a healthy environment for fish and other more delicate forms of aquatic life. Poor logging practices on shorelines alter this balance as well as result in slash and debris accumulation and may increase the suspended sediment load and the turbidity of the water. Guidelines:

(a) Seeding, mulching, matting and replanting should be accomplished where necessary to provide stability on areas of steep slope which have been logged. Replanted vegetation should be of a similar type and concentration as existing in the general vicinity of the logged area.

(b) Special attention should be directed in logging and thinning operations to prevent the accumulation of slash and other debris in contiguous waterways.

(c) Shoreline areas having scenic qualities, such as those providing a diversity of views, unique landscape contrasts, or landscape panoramas should be maintained as scenic views in timber harvesting areas. Timber harvesting practices, including road construction and debris removal, should be closely regulated so that the quality of the view and viewpoints in shoreline areas of the state are not degraded.

(d) Proper road and bridge design, location and construction and maintenance practices should be used to prevent development of roads and structures which would adversely affect shoreline resources.

(e) Timber harvesting practices in shorelines of the state should be conducted to maintain the state board of health standards for public water supplies. (See Reference No. 34.)

(f) Logging should be avoided on shorelines with slopes of such grade that large sediment runoff will be precipitated, unless adequate restoration and erosion control can be expeditiously accomplished.

(g) Local governments should ensure that timber harvesting on shorelines of state-wide significance does not exceed the limitations established in RCW 90.58.150 except as provided in cases where selective logging is rendered ecologically detrimental or is inadequate for preparation of land for other uses.

(h) Logging within shoreline areas should be conducted to ensure the maintenance of buffer strips of ground vegetation, brush, alder and conifers to prevent temperature increases adverse to fish populations and erosion of stream banks.

(4) Commercial development. Commercial developments are those uses which are involved in wholesale and retail trade or business activities. Commercial developments range from small businesses within residences, to high-rise office buildings. Commercial developments are

intensive users of space because of extensive floor areas and because of facilities, such as parking, necessary to service them. Guidelines:

(a) Although many commercial developments benefit by a shoreline location, priority should be given to those commercial developments which are particularly dependent on their location and/or use of the shorelines of the state and other development that will provide an opportunity for substantial numbers of the people to enjoy the shorelines of the state.

(b) New commercial developments on shorelines should be encouraged to locate in those areas where current commercial uses exist.

(c) An assessment should be made of the effect a commercial structure will have on a scenic view significant to a given area or enjoyed by a significant number of people.

(d) Parking facilities should be placed inland away from the immediate water's edge and recreational beaches.

(5) **Marinas.** Marinas are facilities which provide boat launching, storage, supplies and services for small pleasure craft. There are two basic types of marinas: The open-type construction (floating breakwater and/or open-pile work) and solid-type construction (bulkhead and/or landfill). Depending upon the type of construction, marinas affect fish and shellfish habitats. Guidelines:

(a) In locating marinas, special plans should be made to protect the fish and shellfish resources that may be harmed by construction and operation of the facility.

(b) Marinas should be designed in a manner that will reduce damage to fish and shellfish resources and be aesthetically compatible with adjacent areas.

(c) Master programs should identify locations that are near high-use or potentially high-use areas for proposed marina sites. Local as well as regional "need" data should be considered as input in location selection.

(d) Special attention should be given to the design and development of operational procedures for fuel handling and storage in order to minimize accidental spillage and provide satisfactory means for handling those spills that do occur.

(e) Shallow-water embayments with poor flushing action should not be considered for overnight and long-term moorage facilities.

(f) The Washington state department of fisheries has prepared guidelines concerning the construction of marinas. These guidelines should be consulted in planning for marinas. (See Reference No. 16.)

(g) State and local health agencies have standards and guidelines for the development of marinas which shall be consulted by local agencies. (See Reference No. 18.)

(6) **Mining.** Mining is the removal of naturally occurring materials from the earth for economic use. The removal of sand and gravel from shoreline areas of Washington usually results in erosion of land and silting of water. These operations can create silt and kill bottom-living animals. The removal of sand from marine beaches can deplete a limited resource which may not be restored through natural processes. Guidelines:

(a) When rock, sand, gravel and minerals are removed from shoreline areas, adequate protection against sediment and silt production should be provided.

(b) Excavations for the production of sand, gravel and minerals should be done in conformance with the Washington State Surface Mining Act. (See Reference No. 20.)

(c) Local governments should strictly control or prohibit the removal of sand and gravel from marine beaches.

(d) When removal of sand and gravel from marine beaches is permitted by existing legislation, it should be taken from the least sensitive biophysical areas of the beach.

(7) **Outdoor advertising, signs and billboards.** Signs are publicly displayed boards whose purpose is to provide information, direction, or advertising. Signs may be pleasing or distracting, depending upon their design and location. A sign, in order to be effective, must attract attention; however, a message can be clear and distinct without being offensive. There are areas where signs are not desirable, but generally it is the design that is undesirable, not the sign itself.

(a) Off-premise outdoor advertising signs should be limited to areas of high-intensity land use, such as commercial and industrial areas.

(b) Master programs should establish size, height, density, and lighting limitations for signs.

(c) Vistas and viewpoints should not be degraded and visual access to the water from such vistas should not be impaired by the placement of signs.

(d) Outdoor advertising signs (where permitted under local regulations) should be located on the upland side of public transportation routes which parallel and are adjacent to rivers and water bodies (unless it can be demonstrated that views will not be substantially obstructed).

(e) When feasible, signs should be constructed against existing buildings to minimize visual obstructions of the shoreline and water bodies.

(8) **Residential development.** The following guidelines should be recognized in the development of any subdivision on the shorelines of the state. To the extent possible, planned unit developments (sometimes called cluster developments) should be encouraged within the shoreline area. Within planned unit developments, substantial portions of land are reserved as open space or recreational areas for the joint use of the occupants of the development. This land may be provided by allowing houses to be placed on lots smaller than the legal minimum size for normal subdivisions, as long as the total number of dwellings in the planned unit development does not exceed the total allowable in a regular subdivision. Guidelines:

(a) Subdivisions should be designed at a level of density of site coverage and of occupancy compatible with the physical capabilities of the shoreline and water.

(b) Subdivisions should be designed so as to adequately protect the water and shoreline aesthetic characteristics.

(c) Subdividers should be encouraged to provide public pedestrian access to the shorelines within the subdivision.

(d) Residential development over water should not be permitted.

(e) Floating homes are to be located at moorage slips approved in accordance with the guidelines dealing with marinas, piers, and docks. In planning for floating homes, local governments should ensure that waste disposal practices meet local and state health regulations, that the homes are not located over highly productive fish food areas, and that the homes are located to be compatible with the intent of the designated environments.

(f) Residential developers should be required to indicate how they plan to preserve shore vegetation and control erosion during construction.

(g) Sewage disposal facilities, as well as water supply facilities, must be provided in accordance with appropriate state and local health regulations. Storm drainage facilities should be separate, not combined with sewage disposal systems.

(h) Adequate water supplies should be available so that the ground water quality will not be endangered by overpumping.

(9) Utilities. Utilities are services which produce and carry electric power, gas, sewage, communications and oil. At this time the most feasible methods of transmission are the lineal ones of pipes and wires. The installation of this apparatus necessarily disturbs the landscape but can usually be planned to have minimal visual and physical effect on the environment. Guidelines:

(a) Upon completion of installation/maintenance projects on shorelines, banks should be restored to pre-project configuration, replanted with native species and provided maintenance care until the newly planted vegetation is established.

(b) Whenever these facilities must be placed in a shoreline area, the location should be chosen so as not to obstruct or destroy scenic views. Whenever feasible, these facilities should be placed underground, or designed to do minimal damage to the aesthetic qualities of the shoreline area.

(c) To the extent feasible, local government should attempt to incorporate major transmission line right of ways on shorelines into their program for public access to and along water bodies.

(d) Utilities should be located to meet the needs of future populations in areas planned to accommodate this growth.

The Washington State Thermal Power Plant Siting Law (chapter 80.50 RCW) regulates the location of electrical generating and distribution facilities. Under this law, the state preempts the certification and regulation of thermal power plant sites and thermal power plants. (See Reference No. 28.)

(10) Ports and water-related industries. Ports are centers for water-borne traffic and as such have become gravitational points for industrial/manufacturing firms. Heavy industry may not specifically require a waterfront

location, but is attracted to port areas because of the variety of transportation available. Guidelines:

(a) Water-dependent industries which require frontage on navigable water should be given priority over other industrial uses.

(b) Port facilities should be designed to permit viewing of harbor areas from view points, waterfront restaurants and similar public facilities which would not interfere with port operations or endanger public health and safety.

(c) Sewage treatment, water reclamation, desalinization and power plants should be located where they do not interfere with and are compatible with recreational, residential or other public uses of the water and shorelands. Waste treatment ponds for water-related industry should occupy as little shoreline as possible.

(d) The cooperative use of docking, parking, cargo handling and storage facilities should be strongly encouraged in waterfront industrial areas.

(e) Land transportation and utility corridors serving ports and water-related industry should follow the guidelines provided under the sections dealing with utilities and road and railroad design and construction. Where feasible, transportation and utility corridors should be located upland to reduce pressures for the use of waterfront sites.

(f) Master program planning should be based on a recognition of the regional nature of port services. Prior to allocating shorelands for port uses, local governments should consider state-wide needs and coordinate planning with other jurisdictions to avoid wasteful duplication of port services within port-service regions.

(g) Since industrial docks and piers are often longer and greater in bulk than recreational or residential piers, careful planning must be undertaken to reduce the adverse impact of such facilities on other water-dependent uses and shoreline resources. Because heavy industrial activities are associated with industrial piers and docks, the location of these facilities must be considered a major factor determining the environmental compatibility of such facilities.

(11) Bulkheads. Bulkheads or seawalls are structures erected parallel to and near the high-water mark for the purpose of protecting adjacent uplands from the action of waves or currents. Bulkheads are constructed of steel, timber or concrete piling, and may be either of solid or open-piling construction. For ocean-exposed locations, bulkheads do not provide a long-lived permanent solution, because eventually a more substantial wall is required as the beach continues to recede and layer waves reach the structure.

While bulkheads and seawalls may protect the uplands, they do not protect the adjacent beaches, and in many cases are actually detrimental to the beaches by speeding up the erosion of the sand in front of the structures.

The following guidelines apply to the construction of bulkheads and seawalls designed to protect the immediate upland area. Proposals for landfill must comply with the guidelines for that specific activity. Guidelines:

(a) Bulkheads and seawalls should be located and constructed in such a manner which will not result in adverse effects on nearby beaches and will minimize alterations of the natural shoreline.

(b) Bulkheads and seawalls should be constructed in such a way as to minimize damage to fish and shellfish habitats. Open-piling construction is preferable in lieu of the solid type.

(c) Consider the effect of a proposed bulkhead on public access to publicly owned shorelines.

(d) Bulkheads and seawalls should be designed to blend in with the surroundings and not to detract from the aesthetic qualities of the shoreline.

(e) The construction of bulkheads should be permitted only where they provide protection to upland areas or facilities, not for the indirect purpose of creating land by filling behind the bulkhead. Landfill operations should satisfy the guidelines under WAC 173-16-060(14).

(12) Breakwaters. Breakwaters are another protective structure usually built offshore to protect beaches, bluffs, dunes or harbor areas from wave action. However, because offshore breakwaters are costly to build, they are seldom constructed to protect the natural features alone, but are generally constructed for navigational purposes also. Breakwaters can be either rigid in construction or floating. The rigid breakwaters, which are usually constructed of riprap or rock, have both beneficial and detrimental effects on the shore. All breakwaters eliminate wave action and thus protect the shore immediately behind them. They also obstruct the free flow of sand along the coast and starve the down-stream beaches. Floating breakwaters do not have the negative effect on sand movement, but cannot withstand extensive wave action and thus are impractical with present construction methods in many areas. Guidelines:

(a) Floating breakwaters are preferred to solid landfill types in order to maintain sand movement and fish habitat.

(b) Solid breakwaters should be constructed only where design modifications can eliminate potentially detrimental effects on the movement of sand and circulation of water.

(c) The restriction of the public use of the water surface as a result of breakwater construction must be recognized in the master program and must be considered in granting shoreline permits for their construction.

(13) Jetties and groins. Jetties and groins are structures designed to modify or control sand movement. A jetty is generally employed at inlets for the purpose of navigation improvements. When sand being transported along the coast by waves and currents arrives at an inlet, it flows inward on the flood tide to form an inner bar, and outward on ebb tide to form an outer bar. Both formations are harmful to navigation through the inlet.

A jetty is usually constructed of steel, concrete or rock. The type depends on foundation conditions and wave, climate and economic considerations. To be of maximum aid in maintaining the navigation channel, the jetty must be high enough to completely obstruct the sand stream. The adverse effect of a jetty is that sand is impounded at the updrift jetty and the supply of sand to

the shore downdrift from the inlet is reduced, thus causing erosion.

Groins are barrier-type structures extending from the backshore seaward across the beach. The basic purpose of a groin is to interrupt the sand movement along a shore.

Groins can be constructed in many ways using timber, steel, concrete or rock, but can be classified into basic physical categories as high or low, long or short, and permeable or impermeable.

Trapping of sand by a groin is done at the expense of the adjacent downdrift shore, unless the groin system is filled with sand to its entrapment capacity. Guidelines:

(a) Master programs must consider sand movement and the effect of proposed jetties or groins on that sand movement. Provisions can be made to compensate for the adverse effects of the structures either by artificially transporting sand to the downdrift side of an inlet with jetties, or by artificially feeding the beaches in case of groins.

(b) Special attention should be given to the effect these structures will have on wildlife propagation and movement, and to the design of these structures which will not detract from the aesthetic quality of the shoreline.

(14) Landfill is the creation of dry upland area by the filling or depositing of sand, soil or gravel into a wetland area. Landfills also occur to replace shoreland areas removed by wave action or the normal erosive processes of nature. However, most landfills destroy the natural character of land, create unnatural heavy erosion and silting problems and diminish the existing water surface. Guidelines:

(a) Shoreline fills or cuts should be designed and located so that significant damage to existing ecological values or natural resources, or alteration of local currents will not occur, creating a hazard to adjacent life, property, and natural resources systems.

(b) All perimeters of fills should be provided with vegetation, retaining walls, or other mechanisms for erosion prevention.

(c) Fill materials should be of such quality that it will not cause problems of water quality. Shoreline areas are not to be considered for sanitary landfills or the disposal of solid waste.

(d) Priority should be given to landfills for water-dependent uses and for public uses. In evaluating fill projects and in designating areas appropriate for fill, such factors as total water surface reduction, navigation restriction, impediment to water flow and circulation, reduction of water quality and destruction of habitat should be considered.

(15) Solid waste disposal. Generally, all solid waste is a possible source of much nuisance. Rapid, safe and nuisance-free storage, collection, transportation and disposal are of vital concern to all persons and communities. If the disposal of solid waste material is not carefully planned and regulated, it can become not only a nuisance but a severe threat to the health and safety of human beings, livestock, wildlife and other biota. Guidelines:

(a) Local master programs and use regulations must be consistent with approved county or multicounty comprehensive solid waste management plans and regulations of jurisdictional health agencies.

(b) Local governments must regulate sanitary landfills and solid waste handling in accordance with regulations for solid waste handling when adopted by the department of ecology. New regulations restricting sanitary landfills within any water course and within flood plains of any water course have been proposed for adoption by the department.

(16) Dredging. Dredging is the removal of earth from the bottom of a stream, river, lake, bay or other water body for the purposes of deepening a navigational channel or to obtain use of the bottom materials for landfill. A significant portion of all dredged materials are deposited either in the water or immediately adjacent to it, often resulting in problems of water quality. Guidelines:

(a) Local governments should control dredging to minimize damage to existing ecological values and natural resources of both the area to be dredged and the area for deposit of dredged materials.

(b) Local master programs must include long-range plans for the deposit and use of spoils on land. Spoil deposit sites in water areas should also be identified by local government in cooperation with the state departments of natural resources, game and fisheries. Depositing of dredge material in water areas should be allowed only for habitat improvement, to correct problems of material distribution affecting adversely fish and shellfish resources, or where the alternatives of depositing material on land is more detrimental to shoreline resources than depositing it in water areas.

(c) Dredging of bottom materials for the single purpose of obtaining fill material should be discouraged.

(17) Shoreline protection. Flood protection and streamway modifications are those activities occurring within the streamway and wetland areas which are designed to reduce overbank flow of high waters and stabilize eroding streambanks. Reduction of flood damage, bank stabilization to reduce sedimentation, and protection of property from erosion are normally achieved through watershed and flood plain management and by structural works. Such measures are often complementary to one another and several measures together may be necessary to achieve the desired end. Guidelines:

(a) Ripraping and other bank stabilization measures should be located, designed and constructed so as to avoid the need for channelization and to protect the natural character of the streamway.

(b) Where flood protection measures such as dikes are planned, they should be placed landward of the streamway, including associated swamps and marshes and other wetlands directly interrelated and interdependent with the stream proper.

(c) Flood protection measures which result in channelization should be avoided.

(18) Road and railroad design and construction. A road is a linear passageway, usually for motor vehicles, and a railroad is a surface linear passageway with tracks for train traffic. Their construction can limit access to

shorelines, impair the visual qualities of water-oriented vistas, expose soils to erosion and retard the runoff of flood waters. Guidelines:

(a) Whenever feasible, major highways, freeways and railways should be located away from shorelands, except in port and heavy industrial areas, so that shoreland roads may be reserved for slow-moving recreational traffic.

(b) Roads located in wetland areas should be designed and maintained to prevent erosion and to permit a natural movement of ground water.

(c) All debris, overburden, and other waste materials from construction should be disposed of in such a way as to prevent their entry by erosion from drainage, high water, or other means into any water body.

(d) Road locations should be planned to fit the topography so that minimum alterations of natural conditions will be necessary.

(e) Scenic corridors with public roadways should have provision for safe pedestrian and other nonmotorized travel. Also, provision should be made for sufficient view points, rest areas and picnic areas in public shorelines.

(f) Extensive loops or spurs of old highways with high aesthetic quality should be kept in service as pleasure bypass routes, especially where main highways, paralleling the old highway, must carry large traffic volumes at high speeds.

(g) Since land-use and transportation facilities are so highly interrelated, the plans for each should be coordinated. The designation of potential high-use areas in master programs should be done after the environmental impact of the transportation facilities needed to serve those areas have been assessed.

(19) Piers. A pier or dock is a structure built over or floating upon the water, used as a landing place for marine transport or for recreational purposes. While floating docks generally create less of a visual impact than those on piling, they constitute an impediment to boat traffic and shoreline trolling. Floating docks can also alter beach sand patterns in areas where tides and littoral drift are significant. On lakes, a proliferation of piers along the shore can have the effect of substantially reducing the usable water surface. Guidelines:

(a) The use of floating docks should be encouraged in those areas where scenic values are high and where conflicts with recreational boaters and fishermen will not be created.

(b) Open-pile piers should be encouraged where shore trolling is important, where there is significant littoral drift and where scenic values will not be impaired.

(c) Priority should be given to the use of community piers and docks in all new major waterfront subdivisions. In general, encouragement should be given to the cooperative use of piers and docks.

(d) Master programs should address the problem of the proliferation of single-purpose private piers and should establish criteria for their location, spacing, and length. The master programs should also delimit geographical areas where pile piers will have priority over floating docks.

(e) In providing for boat docking facilities in the master program, local governments should consider the capacity of the shoreline sites to absorb the impact of waste discharges from boats including gas and oil spillage.

(20) Archeological areas and historic sites. Archeological areas, ancient villages, military forts, old settlers homes, ghost towns, and trails were often located on shorelines because of the proximity of food resources and because water provided an important means of transportation. These sites are nonrenewable resources and many are in danger of being lost through present day changes in land use and urbanization. Because of their rarity and the educational link they provide to our past, these locations should be preserved. Guidelines:

(a) In preparing shoreline master programs, local governments should consult with professional archeologists to identify areas containing potentially valuable archeological data, and to establish procedures for salvaging the data.

(b) Where possible, sites should be permanently preserved for scientific study and public observation. In areas known to contain archeological data, local governments should attach a special condition to a shoreline permit providing for a site inspection and evaluation by an archeologist to ensure that possible archeological data are properly salvaged. Such a condition might also require approval by local government before work can resume on the project following such an examination.

(c) Shoreline permits, in general, should contain special provisions which require developers to notify local governments if any possible archeological data are uncovered during excavations.

(d) The National Historic Preservation Act of 1966 and chapter 43.51 RCW provide for the protection, rehabilitation, restoration and reconstruction of districts, sites, buildings, structures and objects significant in American and Washington history, architecture, archeology or culture. The state legislation names the director of the Washington state parks and recreation commission as the person responsible for this program.

(21) Recreation. Recreation is the refreshment of body and mind through forms of play, amusement or relaxation. Water-related recreation accounts for a very high proportion of all recreational activity in the Pacific Northwest. The recreational experience may be either an active one involving boating, swimming, fishing or hunting or the experience may be passive such as enjoying the natural beauty of a vista of a lake, river or saltwater area. Guidelines:

(a) Priority will be given to developments, other than single-family residences which are exempt from the permit requirements of the act, which provide recreational uses and other improvements facilitating public access to shorelines.

(b) Access to recreational locations such as fishing streams and hunting areas should be a combination of areas and linear access (parking areas and easements, for example) to prevent concentrations of use pressure at a few points.

(c) Master programs should encourage the linkage of shoreline parks and public access points through the use of linear access. Many types of connections can be used such as hiking paths, bicycle trails and/or scenic drives.

(d) Attention should be directed toward the effect the development of a recreational site will have on the environmental quality and natural resources of an area.

(e) Master programs should develop standards for the preservation and enhancement of scenic views and vistas.

(f) To avoid wasteful use of the limited supply of recreational shoreland, parking areas should be located inland away from the immediate edge of the water and recreational beaches. Access should be provided by walkways or other methods. Automobile traffic on beaches, dunes and fragile shoreland resources should be discouraged.

(g) Recreational developments should be of such variety as to satisfy the diversity of demands from groups in nearby population centers.

(h) The supply of recreation facilities should be directly proportional to the proximity of population and compatible with the environment designations.

(i) Facilities for intensive recreational activities should be provided where sewage disposal and vector control can be accomplished to meet public health standards without adversely altering the natural features attractive for recreational uses. (See Reference No. 35.)

(j) In locating proposed recreational facilities such as playing fields and golf courses and other open areas which use large quantities of fertilizers and pesticides in their turf maintenance programs, provisions must be made to prevent these chemicals from entering water. If this type of facility is approved on a shoreline location, provision should be made for protection of water areas from drainage and surface runoff.

(k) State and local health agencies have broad regulations which apply to recreation facilities, recreation watercraft and ocean beaches which should be consulted by local governments in preparing use regulations and issuing permits. (See Reference Nos. 30, 31, 35, 36, 37.) [Statutory Authority: RCW 90.58.060 and 90.58.190. 80-15-072 (Order DE-80-37), § 173-16-060, filed 10/17/80; Order DE 72-12, § 173-16-060, filed 6/20/72 and 7/20/72.]

#### WAC 173-16-070 Variances and conditional uses.

The act states that each local master program shall contain provisions covering conditional uses and variances. Any permit for a variance or a conditional use granted to local government under approved master programs must be submitted to the department for approval or disapproval.

This provision of the act should be utilized in a manner which, while protecting the environment, will assure that a person will be able to utilize his property in a fair and equitable manner.

(1) Conditional uses. The objective of a conditional use provision is to provide more control and flexibility for implementing the regulations of the master program. With provisions to control undesirable effects, the scope

of uses within each of the four environments can be expanded to include many uses.

Uses classified as conditional uses can be permitted only after consideration by the local government and by meeting such performance standards that make the use compatible with other permitted uses within that area.

Conditional use permits will be granted only after the applicant can demonstrate all of the following:

(a) The use will cause no unreasonably adverse effects on the environment or other uses.

(b) The use will not interfere with public use of public shorelines.

(c) Design of the site will be compatible with the surroundings and the master program.

(d) The proposed use will not be contrary to the general intent of the master program.

(2) Variances. Variance deals with specific requirements of the master program and its objective is to grant relief when there are practical difficulties or unnecessary hardship in the way of carrying out the strict letter of the master program. The property owner must show that if he complies with the provisions he cannot make any reasonable use of his property. The fact that he might make a greater profit by using his property in a manner contrary to the intent of the program is not a sufficient reason for variance. A variance will be granted only after the applicant can demonstrate the following:

(a) The hardship which serves as basis for granting of variance is specifically related to the property of the applicant.

(b) The hardship results from the application of the requirements of the act and master program and not from, for example, deed restrictions or the applicant's own actions.

(c) The variance granted will be in harmony with the general purpose and intent of the master program.

(d) Public welfare and interest will be preserved; if more harm will be done to the area by granting the variance than would be done to the applicant by denying it, the variance will be denied. [Order DE 72-12, § 173-16-070, filed 6/20/72 and 7/20/72.]

#### WAC 173-16-200 Appendix.

##### Agricultural practices

1. Chapter 15.57 RCW, Washington Pesticide Act. Formulation, distribution and sale of agricultural pesticides.
2. Chapter 17.21 RCW, Washington Pesticide Application Act. Application equipment, licensing, records, handling of and enforcement.
3. Agricultural Extension Service, Washington State University, Pullman, June 1964, *Cattle Manure Handling and Disposal*.
4. Cooperative Extension Service, College of Agriculture, Washington State University, Pullman, October, 1965, *Guideline for Sanitary Handling of Animal Manure*.

5. Cooperative Extension Service, College of Agriculture, Washington State University, Pullman, June 1969, *Guidelines for Handling Animal Wastes as Related to Water and Air Pollution Control*.

6. Cooperative Extension Service, College of Agriculture, Washington State University, Pullman, June 1971, *The Stockman's Role in Water Pollution Control*.

7. Eric B. Wilson, University of Idaho, A Pacific Northwest Cooperative Extension Publication, PNW Bulletin 53, January 1963, *Your Feedlot - Build It - Mechanize It*.

8. Cooperative Extension Service, College of Agriculture, Washington State University, Pullman, June 1971, *Livestock Waste Management Guidelines*.

##### Forest management practices

9. Chapter 76.04 RCW, Forest protection, fire and burning control, permits and enforcement.

10. Anonymous, Pacific Northwest Cooperative Extension Publication, March 1971, *Building Woodland Roads*, distributed by Washington State University Cooperative Extension Service, College of Agriculture.

11. State of Washington departments of fisheries, game and natural resources, *Agreement*, related to management of projects affecting land and fisheries resources.

12. Pacific Northwest Pollution Control Council, Task Force Report, August 1971, *Log Storage and Rafting in Public Waters*.

##### Aquaculture

13. Chapter 75.16 RCW, Food fish and shellfish conservation and propagation.

14. Chapter 248-58 WAC, State board of health, shellfish.

##### Archeological areas and historic sites

15. RCW 43.51.750 - 43.51.820, Preservation of sites and funding requirements.

##### Bulkheads and breakwaters

16. Washington state department of fisheries, criteria governing the design of bulkheads, landfills and marinas.

##### Landfill

17. *Wilbour v. Gallagher* 77 Wn.2d 306, 462 P.2d 232 (1969).  
See Bulkheads, this page.

##### Marinas

See Bulkheads, this page.



- 18. Chapter 248-148 WAC, Marinas (to be adopted).
- Mining**
- 19. RCW 43.51.685, Accreted lands, sale of sand and lease and removal permits.
- 20. Chapter 78.44 RCW, Surface Mining Act. Reclamation requirements, site inspection and permits.
- Outdoor advertising**
- 21. Chapter 47.42 RCW, Highway Advertising Control Act. Sign locations, scenic areas and permits.
- Residential development**
- 22. *Bach v. Sarich*. 74 Wn.2d 575, 445 P.2d 648 (1968).
- 23. Washington state department of social and health services, health services division, "standards for individual sewage waste disposal system."
- 24. U.S. Department of Agriculture, Soil Conservation Service, June 1967, *Know the Soil You Build On*, Bulletin No. 320.
- 25. U.S. Department of Agriculture, Soil Conservation Service, (September 1968) *Soil Conservation*, "Soil and Water Conservation in Suburbia" reprints available.
- 26. WAC 248-50-100 State board of health regulation, disposal of human excreta.
- 27. Chapter 248-96 WAC, state board of health regulation, individual sewage disposal (to be adopted).
- Utilities**
- 28. Chapter 80.50 RCW, Thermal power plants - site locations.
- 29. Ports and water related industries, Washington department of natural resources, proposed harbor area guidelines.
- Pacific Ocean beaches**
- 30. RCW 79.16.160 Declared a public highway.
- 31. RCW 79.16.172 Declared a public recreation area.
- Environmental impacts**
- 32. Chapter 43.21C RCW, Washington State Environmental Policy Act of 1971 requires all branches of government to include in every recommendation or report on proposals for legislation and other major actions significantly affecting the environment, a detailed statement by the responsible official on the environmental impact of the proposed action.

- Public health, state board of health
  - 33. WAC 248-50-140 Stagnant water
  - 34. Chapter 248-54 WAC, Public water supplies
  - 35. Chapter 248-72 WAC, Camps and parks
  - 36. Chapter 248-92 WAC, Public sewage disposal
  - 37. Chapter 248-98 WAC, Swimming pools, bathing beaches and wading pools
- [Order DE 72-12, § 173-16-200, filed 6/20/72 and 7/20/72.]

**Chapter 173-18 WAC**  
**SHORELINE MANAGEMENT ACT--STREAMS**  
**AND RIVERS CONSTITUTING SHORELINES OF**  
**THE STATE**

- WAC
- 173-18-010 Purpose.
- 173-18-020 Applicability.
- 173-18-030 Definitions.
- 173-18-040 Streams and rivers.
- 173-18-044 Review of designations.
- 173-18-046 Conflicts between designations and criteria.
- 173-18-050 Adams County.
- 173-18-060 Asotin County.
- 173-18-070 Benton County.
- 173-18-080 Chelan County.
- 173-18-090 Clallam County.
- 173-18-100 Clark County.
- 173-18-110 Columbia County.
- 173-18-120 Cowlitz County.
- 173-18-130 Douglas County.
- 173-18-140 Ferry County.
- 173-18-150 Franklin County.
- 173-18-160 Garfield County.
- 173-18-170 Grant County.
- 173-18-180 Grays Harbor County.
- 173-18-190 Island County.
- 173-18-200 Jefferson County.
- 173-18-210 King County.
- 173-18-220 Kitsap County.
- 173-18-230 Kittitas County.
- 173-18-240 Klickitat County.
- 173-18-250 Lewis County.
- 173-18-260 Lincoln County.
- 173-18-270 Mason County.
- 173-18-280 Okanogan County.
- 173-18-290 Pacific County.
- 173-18-300 Pend Oreille County.
- 173-18-310 Pierce County.
- 173-18-320 San Juan County.
- 173-18-330 Skagit County.
- 173-18-340 Skamania County.
- 173-18-350 Snohomish County.
- 173-18-360 Spokane County.
- 173-18-370 Stevens County.
- 173-18-380 Thurston County.
- 173-18-390 Wahkiakum County.
- 173-18-400 Walla Walla County.
- 173-18-410 Whatcom County.
- 173-18-420 Whitman County.
- 173-18-430 Yakima County.

**WAC 173-18-010 Purpose.** The department of ecology, pursuant to RCW 90.58.300, is designated the

state agency responsible for the program of regulation of the shorelines of the state. This chapter delimits the streams and rivers and portions thereof which constitute shorelines of the state pursuant to RCW 90.58.030 (2)(d) and (e). [Order DE 72-13, § 173-18-010, filed 6/30/72.]

**WAC 173-18-020 Applicability.** The provisions of this chapter shall apply state-wide. [Order DE 72-13, § 173-18-020, filed 6/30/72.]

**WAC 173-18-030 Definitions.** The definitions and concepts set forth in RCW 90.58.030 shall apply as used herein. [Order DE 72-13, § 173-18-030, filed 6/30/72.]

**WAC 173-18-040 Streams and rivers.** The following provisions of this chapter delimit, by County, the streams and rivers which constitute shorelines of the state as follows:

(1) streams which constitute shorelines.

(a) Western Washington. The following provisions describe the streams in western Washington from the point at which the stream reaches a mean annual flow of twenty cubic feet per second down to the mouth of said stream or river: *Provided*, That the stream falls at said point, within the jurisdiction of chapter 90.58 RCW.

(b) Eastern Washington. The following provisions describe the streams in eastern Washington from the point at which the stream reaches a mean annual flow of twenty cubic feet per second down to the mouth of said stream or river: *Provided*, That the stream falls at said point, within the jurisdiction of chapter 90.58 RCW.

(2) Rivers which constitute shorelines of statewide significance.

(a) Western Washington. The following provisions describe the point on those rivers in western Washington where the mean annual flow reaches one thousand cubic feet per second and lists said river in all counties below said point through which said river passes with a mean annual flow in excess of one thousand cubic feet per second: *Provided*, That the river falls at said point within the jurisdiction of chapter 90.58 RCW.

(b) Eastern Washington. The following provisions describe either of the following points on those rivers in eastern Washington, whichever is farther upstream;

(i) The point at which the mean annual flow exceeds two hundred cubic feet per second, or

(ii) The lowest extremity of the first three hundred square miles of drainage area east of the crest of the Cascade range; provided that either of said points which is utilized is within the jurisdiction of chapter 90.58 RCW.

(iii) The following provisions additionally list said river in all counties below said point through which said river passes.

(3) Streams or rivers outside the jurisdiction of chapter 90.58 RCW. In those cases where the above described points on streams or rivers fall in geographical areas outside of the jurisdiction of chapter 90.58 RCW. The following provisions list said streams or rivers in all

counties downstream from the boundaries of said geographical areas. In such listing, if the body of water is a shoreline of statewide significance below said geographical area, such will be indicated in the description and by asterisk.

(4) Other data.

(a) Wherever a river of state-wide significance falls within a County, it is followed by an asterisk.

(b) The following provisions set forth the name of the quadrangle maps where the stream or river is shown. The quadrangle in which the shoreline delimitation begins and the first quadrangle downstream from the County line is underlined. The quadrangle in which the shoreline of statewide significance begins is followed by an asterisk. The size, in minutes, of all quadrangle maps is designated.

(c) Where quadrangle maps are unavailable, photomaps have been used as indicated. [Order 73-14, § 173-18-040, filed 8/27/73; Order DE 72-13, § 173-18-040, filed 6/30/72.]

**WAC 173-18-044 Review of designations.** The department shall review all the designations made herein at least once in every five year period following the effective date of chapter 90.58 RCW or as frequently before then as is deemed advisable by the department, and prepare the necessary revisions to ensure that the designations conform to the policies of chapter 90.58 RCW and of chapter 173-18 WAC in the manner and form prescribed for adopting and amending rules and regulations in chapter 34.04 RCW (the Administrative Procedure Act). [Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-052 (Order DE 80-20), § 173-18-044, filed 6/30/80.]

**WAC 173-18-046 Conflicts between designations and criteria.** In the event that any of the designations set forth in this chapter conflict with the criteria set forth in RCW 90.58.030(2) or in WAC 173-18-040 the criteria shall control. The designation of the stream or river shall be governed by the criteria. [Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-052 (Order DE 80-20), § 173-18-046, filed 6/30/80.]

#### WAC 173-18-050 Adams County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Cow Creek*	<u>Karakul Hills</u> * 7 1/2 Marengo 7 1/2 Benge 15 Ritzville S.E. 7 1/2	From mouth of Lugenbeal Creek (Sec.15,T19N,R37E) downstream thru Hallin and Cow Lakes, thru Fimmel Lake to mouth on Palouse River (Sec.27,T15N,R37E). This stream has a 300 square mile drainage area ending at mouth of Lugenbeal Creek.
(2) Palouse River*	<u>La Crosse</u> 15 Benge 15 Starbuck 15	From Whitman County line (Sec.24,T16N,R38E) along County line downstream to Franklin County line (Sec. 5,T15N,R37E), right shore only. This stream has over 300 sq. miles of drainage area.

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(3) Rock Creek*	<u>Revera 7 1/2</u>	From Whitman County line (Sec.12,T18N,R38E) downstream back to Whitman County line (Sec.24 & 25, same township). This stream has over 300 square miles of drainage area.

[Order 73-14, § 173-18-050, filed 8/27/73; Order DE 72-13, § 173-18-050, filed 6/30/72.]

### WAC 173-18-060 Asotin County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Asotin Creek (S. Fork)	<u>Harlow Ridge 7 1/2</u> <u>Potter Hill 7 1/2</u>	From the confluence of the South Fork Asotin Creek and the Alder Gulch Stream (Sec.34,T9N,R44E) downstream to mouth at Asotin Creek (Sec.10, same township).
(2) Asotin Creek*	<u>Potter Hill 7 1/2</u> <u>Rock Pile Creek 7 1/2</u> <u>Asotin 7 1/2</u>	From the confluence of North and South Forks of Asotin Creek (Sec.10,T9N,R44E) downstream to mouth on Snake River near Asotin (Sec.16,T10N,R46E). This stream has a 300 square mile drainage area ending at mouth of George Creek (Sec.24,T10N,R45E).
(3) Asotin Creek (N. Fork)	<u>Harlow Ridge 7 1/2</u> <u>Potter Hill 7 1/2</u>	From the Umatilla National Forest boundary (Sec.19, T9N,R44E) downstream to mouth at Asotin Creek (Sec.10, same township).
(4) George Creek	<u>Asotin 7 1/2</u>	From the confluence of George Creek and Pintler Creek (Sec.36,T10N,R45E) downstream to mouth at Asotin Creek (Sec.24, same township).
(5) Grand Ronde River*	<u>Mountain View 7 1/2</u> <u>Fields Spring 7 1/2</u> <u>Black Butte 7 1/2</u> <u>Flora 7 1/2</u>	From the Washington-Oregon boundary (Sec.14, T6N,R43E) downstream to mouth at Snake River and Washington - Idaho boundary line (Sec.13, T7N,R46E). This stream has over 300 square miles of drainage area.
(6) Joseph Creek	<u>Black Butte 7 1/2</u>	From the Oregon-Washington state line (Sec.18,T6N,R46E) downstream to its mouth at Grande Ronde River (Sec.26,T7N,R46E).
(7) Snake River*	<u>Jim Creek Butte 7 1/2</u> <u>Limekiln Rapids 7 1/2</u> <u>Captain John Rapids 7 1/2</u> <u>Lewiston Orchards S. 7 1/2</u> <u>Asotin 7 1/2</u> <u>Clarkston 7 1/2</u> <u>Silcott 7 1/2</u>	From Washington - Oregon boundary (Sec.16,T6N,R47E) downstream to Garfield County line (Sec.6,T11N,R45E), left bank only. This stream has both over 300 square miles of drainage area and over 200 cfs MAF at Washington - Oregon boundary.

[Order DE 76-14, § 173-18-060, filed 5/3/76; Order 73-14, § 173-18-060, filed 8/27/73; Order DE 72-13, § 173-18-060, filed 6/30/72.]

### WAC 173-18-070 Benton County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Columbia River (Cont.)*	<u>Priest Rapids 15</u> <u>Richland 15</u> <u>Eltopia 15</u>	From the Yakima County line (Sec.7,T13N,R24E) downstream right bank only, to Hanford works boundary (Sec.9, same township), plus the right bank within Richland city limits (T10N,R28E; T9N, R28E; T9N,R29E). This stream has over 200 cfs MAF at Yakima County line.
(2) Glade Creek*	<u>Blalock Island * 7 1/2</u>	From mouth of East Fork Glade Creek (Sec.6,T5N, R25E) downstream to mouth on Columbia River (Sec.28, same township). This stream has a 300 square mile drainage area ending at East Branch Glade Creek.
(3) Yakima River (Cont.)*	<u>Prosser 7 1/2</u> <u>Whitstran 7 1/2</u> <u>Corral Canyon 15</u> <u>Richland 15</u> <u>Badger Mtn. 7 1/2</u> <u>Eltopia 7 1/2</u>	From Benton-Yakima County line (Sec.7,T8N,R24E) downstream to mouth on Columbia River (Sec.19, T9N,R29E). The flow exceeds 200 cfs MAF at Benton-Yakima County line.

[Order 73-14, § 173-18-070, filed 8/27/73; Order DE 72-13, § 173-18-070, filed 6/30/72.]

### WAC 173-18-080 Chelan County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Chelan River*	<u>Wenatchee (AMS) * 1:250,000</u> <u>Manson 7 1/2</u> <u>Winesap 7 1/2</u> <u>Cooper Ridge 7 1/2</u> <u>Chelan 7 1/2</u> <u>Chelan Falls 7 1/2</u>	From the Lake Chelan Dam (Sec.13,T27N,R22E) downstream to Chelan Falls at mouth at Columbia River (Sec.29, T27N,R23E). The 200 cfs MAF point begins at the dam.
(2) Chiwawa River*	<u>Holden 15</u> <u>Wenatchee Lake 15 Plain* 7 1/2</u>	From Wenatchee National Forest boundary (NW1/4 Sec.27,T30N,R16E) downstream to mouth at Wenatchee River, (Sec.1, T26N,R17E) (excluding federal lands). The 200 cfs MAF point begins at (SW1/4, NE1/4 Sec.20,T28N,R17E).
(3) Columbia River (Cont.)*	<u>Wells Dam 7 1/2</u> <u>Wenatchee 7 1/2</u> <u>Rock Island 7 1/2</u> <u>Malaga 7 1/2</u> <u>Rock Island Dam 7 1/2</u>	From the Okanogan County line on the Columbia River (Sec.6,T28N,R24E) downstream along the Douglas/Chelan County line to Kittitas County (Sec.5,T20N,R22E). The flow exceeds 200 cfs MAF at Okanogan-Chelan County line.
(4) Entiat River*	<u>Brief * 7 1/2</u> <u>Tyce MTN 7 1/2</u> <u>Baldy MTN 7 1/2</u> <u>Ardenvoir 7 1/2</u> <u>Entiat 7 1/2</u>	From the Wenatchee National Forest boundary (Sec.29,T28N,R19E) downstream (excluding all federal properties) to mouth at the Columbia River (Sec.17,T25N,R21E). The 200 cfs MAF point begins at Wenatchee National Forest boundary.

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(5) Icicle Creek*	<u>Chiwaukum Mts.</u> 15 <u>Leavenworth</u> 15	From the Wenatchee National Forest boundary (west section line) (Sec. 5,T24N,R16E) downstream to mouth at Wenatchee River (Sec.13,T24N,R17E) (excluding federal land). The flow exceeds 200 cfs MAF at Wenatchee National Forest boundary.	(14) White River*	<u>Wenatchee Lake</u> * 15	From Wenatchee National Forest boundary (Sec.18, T28N,R16E) downstream to mouth at Wenatchee Lake (Sec.14,T27N,R16E). Exclude federal land. The 200 cfs MAF point is at gauging station (Sec.5,T27N,R16E).
(6) Little Wenatchee River*	<u>Wenatchee Lake</u> * 15	From confluence with Soda Creek (Sec.10, T27N,R15E) downstream to mouth on Wenatchee Lake (Sec.23,T27N,R16E). Exclude federal lands. The 200 cfs point begins at confluence with Soda Creek.	(15) Railroad Creek	<u>Holden</u> 15 <u>Lucerne</u> 15	From Wenatchee National Forest boundary (Sec.7, T31N,R17E) downstream, excluding federal lands, to mouth at Lake Chelan (Sec.10,T31N,R18E).
(7) Mad River	<u>Tyee Mtn.</u> 7 1/2 <u>Ardenvoir</u> 7 1/2 <u>Chumstick Mtn.</u> 7 1/2	From the Wenatchee National Forest boundary (Sec.13,T26N,R19E) downstream to mouth at Entiat River (Sec.19,T26N, R20E). Exclude federal lands.	(16) Twenty-five Mile Creek	<u>Stormy Mtn.</u> 7 1/2	From South section line (Sec.36,T29N,R20E) downstream to mouth at Lake Chelan (Sec.19,T29N,R21E).
(8) Mission Creek	<u>Monitor</u> 7 1/2 <u>Cashmere</u> 7 1/2	From the confluence of Mission Creek and Bear Gulch (Sec.31,T23N,R19E) downstream to mouth at Wenatchee River (Sec.4, T23N,R19E).	(17) Phelps Creek	<u>Holden</u> 15	From NE1/4 of SW1/4 (Sec.10,T30N,R16E) downstream to mouth Chiwawa River (Sec.27, same township). Exclude federal lands.
(9) Napeequa River	<u>Wenatchee Lake</u> 15	From confluence of Twin Lakes Cr. and Napeequa River (Sec.17,T28N,R16E) downstream to mouth at White River (Sec.18, same township).	(18) White-pine Creek	<u>Wenatchee Lake</u> 15	From South section line (Sec.11,T26N,R15E) downstream to mouth at Nason Creek (Sec.1, same township). Exclude federal lands.
(10) Nason Creek*	<u>Labyrinth Mtn.</u> *7 1/2 <u>Wenatchee Lake</u> 15 <u>Plain</u> 7 1/2	From west section line (Sec.5,T26N,R15E) downstream to mouth at Wenatchee River (Sec.28, T27N,R17E). Exclude federal lands. The 200 cfs MAF point is at confluence with Roaring Creek (Sec.11,T26N,R16E).	(19) Chiwaukum Creek	<u>Chiwaukum Mts.</u> 15 <u>Leavenworth</u> 15	From confluence with South Fork Chiwaukum (Sec.34,T26N,R16E) downstream to mouth at Wenatchee River (Sec.9,T25N,R17E). Exclude federal lands.
(11) Peshastin Creek	<u>Liberty</u> 15 <u>Leavenworth</u> 15	From the Wenatchee National Forest boundary (Sec.25,T23N,R17E) downstream (excluding all federal lands) to mouth at Wenatchee River (Sec.22,T24N,R18E).	(20) Chiwaukum Creek (S. Fork)	<u>Chiwaukum Mts.</u> 15	From confluence with Painter Creek (Sec.3, T25N,R16E) downstream to mouth at Chiwaukum Creek (Sec.34,T26N,R16E). Exclude federal lands.
(12) Stehekin River*	<u>McGregor Mtn.</u> 7 1/2 <u>Stehekin</u> 7 1/2	From the North Cascades National Park boundary (Sec.11,T33N,R16E) downstream, excluding federal lands, to mouth on Lake Chelan (Sec.36, T33N,R17E). The 200 cfs MAF point begins at National Park boundary.	(21) Eight-mile Creek	<u>Chiwaukum Mts.</u> 15	From the west section line (Sec.25,T24N,R16E) downstream to Icicle Cr. (Sec.19,T24N,R17E). Exclude federal lands.
(13) Wenatchee River*	<u>Plain</u> * 7 1/2 <u>Leavenworth</u> 15 <u>Monitor</u> 7 1/2 <u>Wenatchee</u> 7 1/2 <u>Cashmere</u> 7 1/2	From the outlet on Wenatchee Lake (Sec.28, T27N,R17E) downstream (excluding all federal lands) to the mouth at the Columbia River (Sec. 27,T23N,R20E). The 200 cfs MAF point begins at gauging station (Sec.28, T27N,R17E).	(22) Ingalls Creek	<u>Mount Stuart</u> 15 <u>Liberty</u> 15	From west section line (Sec.31,T23N,R17E) downstream to mouth at Peshastin Creek (Sec.25,T23N,R17E). Exclude federal lands.

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-052 (Order DE 80-20), § 173-18-080, filed 6/30/80; Order DE 76-14, § 173-18-080, filed 5/3/76; Order 73-14, § 173-18-080, filed 8/27/73; Order DE 72-13, § 173-18-080, filed 6/30/72.]

#### WAC 173-18-090 Clallam County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Big River	<u>Lake Pleasant</u> 15	From the confluence of Big River and unnamed creek (Sec.16,T31N,R14W) downstream to mouth on Lake Ozette (Sec.10,T30N, R15W).

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(2) Bear Creek	<u>Forks</u> 15	From the confluence of Bear Creek and unnamed creek (Sec.24,T28N,R13W) downstream to mouth at Bogachiel River (Sec.35, T28N,R13W).	(14) Dickey River	<u>La Push</u> 15	From the confluence of East and West Forks of Dickey River (Sec.30, T29N,R14W) downstream to Olympic National Park boundary (Sec.22,T28N,R15W).
(3) Bear Creek	<u>Pysht</u> 15	From the Olympic National Forest boundary (Sec.25, T30N,R12W) downstream to mouth at Soleduck River (Sec.27, same township).	(15) Dickey River (W. Fork)	<u>La Push</u> 15 <u>Ozette Lake</u> 15	From the outlet of Lake Dickey (Sec.16,T30N, R14W) downstream to mouth at Dickey River (Sec.30,T29N,R14W).
(4) Beaver Creek	<u>Lake Pleasant</u> 15	From the Olympic National Forest boundary (Sec.20, T30N,R12W) downstream to mouth at Soleduck River (Sec.30,T30N,R12W).	(16) Dickey River (E. Fork)	<u>Lake Pleasant</u> 15 <u>Ozette Lake</u> 15	From the confluence of the East Fork Dickey River and unnamed creek (Sec.19,T30N, R13W) downstream to mouth at Dickey River (Sec.30, T29N,R14W).
(5) Bockman Creek	<u>Lake Pleasant</u> 15	From the Olympic National Forest boundary (Sec.1, T29N,R13W) downstream to mouth at Soleduck River (same section).	(17) Dickey River (M. Fork)	<u>Lake Pleasant</u> 15	From the confluence of the Middle Fork Dickey River and unnamed creek (Sec.14, T30N,R14W) downstream to mouth at West Fork Dickey River (Sec.21, same township).
(6) Bogachiel River (Cont.)*	<u>Forks</u> * 15 <u>La Push</u> 15	From the Jefferson County line (Sec.35,T28N,R13W) downstream to mouth at Quillayute River (Sec.20, T28N,R14W). The 1,000 cfs MAF point begins at mouth of Bear Creek (Sec.35, T28N,R13W).	(18) Deep Creek	<u>Pysht</u> 15	From the Olympic National Forest boundary (Sec.36, T31N,R11W) downstream to mouth at Strait of Juan de Fuca (Sec.20,T31N,R10W).
(7) Calawah River*	<u>Forks</u> * 15	From confluence of North and South Forks of Calawah River (Sec.35,T29N,R13W) downstream to mouth at Bogachiel River (Sec.13, T28N,R14W). The 1,000 cfs MAF point begins at confluence of North and South Forks.	(19) Dungeness River	<u>Tyler Peak</u> 15 <u>Carlsborg</u> 7 1/2 <u>Dungeness</u> 7 1/2	From the Olympic National Forest boundary (Sec.24, T29N,R4W) downstream to mouth at Dungeness Bay (Sec.25,T31N,R4W).
(8) Calawah River (S. Fork)	<u>Forks</u> 15	From the Olympic National Forest boundary (Sec.1, T28N,R13W) downstream to mouth at Calawah River (Sec.35,T29N,R13W).	(20) East Twin River	<u>Lake Crescent</u> 15	From the confluence of East Twin River and unnamed creek at Olympic National Forest boundary (Sec.36,T31N,R10W) downstream to mouth at Strait of Juan de Fuca (Sec.23, same township).
(9) Calawah River (N. Fork)	<u>Pysht</u> 15 <u>Lake Pleasant</u> 15 <u>Forks</u> 15	From the North section line (Sec.15, T29N,R11W) to mouth at Calawah River (Sec.35, T29N,R13W). Exclude federal lands.	(21) Elk Creek	<u>Forks</u> 15	From a point approximately 1000' west of the Olympic National Forest boundary (Sec.12,T28N,R13W) downstream to mouth at Calawah River (Sec.3, same township).
(10) Clallam River	<u>Lake Pleasant</u> 15 <u>Pysht</u> 15 <u>Clallam Bay</u> 15	From the confluence of Clallam River and unnamed creek (Sec.12,T31N,R13W) downstream to mouth at Clallam Bay (Sec.20,T32N, R12W).	(22) Elwha River*	<u>Joyce</u> * 15	From the center of (Sec. 28,T30N,R7W) downstream to mouth at Freshwater Bay (Sec.27,T31N,R7W). The 1,000 cfs MAF point begins at center of (Sec.28,T30N, R7W).
(11) Colby Creek	<u>La Push</u> 15	From the intersection of private road and Colby Creek (Sec.8,T28N,R14W) downstream to mouth at Dickey River (Sec.6,T28N, R14W).	(23) Herman Creek	<u>Lake Pleasant</u> 15	From the confluence of North Branch Herman Creek and Herman Creek (Sec.28, T31N,R13W) downstream to mouth at Hoko River (Sec. 30, same township).
(12) Coal Creek	<u>La Push</u> 15	From the confluence of Coal Creek and unnamed creek (Sec.1,T28N,R15W) downstream to mouth at Dickey River (Sec.12, same township).	(24) Hoko River	<u>Lake Pleasant</u> 15 <u>Clallam Bay</u> 15	From the confluence of Hoko River and unnamed creek (Sec.16,T30N,R13W) downstream to mouth at Strait of Juan de Fuca (Sec.10,T32N,R13W).
(13) Crooked Creek	<u>Ozette Lake</u> 15	From the confluence of the North Fork and the South Fork (Sec.19,T30N,R14W) downstream to mouth at Ozette Lake (Sec.15,T30N, R15W).	(25) Indian Creek	<u>Joyce</u> 15	From the confluence of Indian Creek and unnamed creek (Sec.23,T30N,R8W) downstream to mouth at Lake Aldwell (Sec.28,T30N, R7W).

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(26) Little Hoko River	<u>Lake Pleasant</u> 15 <u>Clallam Bay</u> 15	From the confluence of Little Hoko River and Lamb Creek (Sec.3,T31N, R13W) downstream to mouth at Hoko River (Sec.22,T32N, R13W).	(38) Salt Creek	<u>Joyce</u> 15	From the confluence of Salt Creek and unnamed creek (SE1/4, SE1/4 of Sec. 34,T31N,R8W) downstream to mouth at Crescent Bay on Strait of Juan de Fuca (Sec.21, same township).
(27) Little River (S. Br.)	<u>Joyce</u> 15	From the Olympic National Forest boundary (Sec.25, T30N,R7W) downstream to mouth at Elwha River (Sec. 28, same township). Excluding federal lands.	(39) Sekiu River (S. Fk.)	<u>Lake Pleasant</u> 15	From the confluence of the South Fork Sekiu River and unnamed creek (Sec.26,T32N, R14W) downstream to mouth at Sekiu River (Sec.15, same township).
(28) Lyre River	<u>Lake Crescent</u> 15	From the Olympic National Forest boundary (Sec.10, T30N,R9W) downstream to mouth at Strait of Juan de Fuca (Sec.22,T31N,R9W).	(40) Sekiu River (N. Fk.)	<u>Cape Flattery</u> 15	From the confluence of North Fork Sekiu River and unnamed creek (Sec.7, T32N,R14W) downstream to mouth at Sekiu River (Sec. 15, same township).
(29) Maxfield Creek	<u>Forks</u> 15	From the confluence of Maxfield Creek and South Fork Maxfield Creek (Sec. 27,T28N,R14W) downstream to mouth at Bogachiel River (Sec.28, same township).	(41) Sekiu River	<u>Clallam Bay</u> 15	From confluence of North and South Forks of Sekiu River (Sec.15,T32N,R14W) downstream to mouth on Strait of Juan de Fuca (Sec.8,T32N,R13W).
(30) McDonald Creek	<u>Carlsborg</u> 7 1/2 <u>Dungeness</u> 7 1/2	From the confluence of McDonald Creek and unnamed creek (Sec.6,T29N,R4W) downstream to mouth at Strait of Juan de Fuca (Sec.5,T30N,R4W).	(42) Shuwah Creek	<u>Lake Pleasant</u> 15	From the confluence of Shuwah Creek and unnamed creek (NW1/4 SW1/4 of Sec. 15,T29N,R13W) downstream to mouth at Soleduck River (Sec.22, same township).
(31) Murphy Creek	<u>La Push</u> 15	From the confluence of Murphy Creek and unnamed creek (Sec.33,T28N,R14W) downstream to mouth at Bogachiel River (Sec.29, same township).	(43) Skunk Creek	<u>Lake Pleasant</u> 15	From the confluence of Skunk Creek and unnamed creek (Sec.29,T30N,R13W) downstream to mouth at the Dickey River (Sec.31,T39N, R13W).
(32) Pilchuck Creek	<u>Ozette Lake</u> 15	From a point (SW1/4 of NE1/4 Sec.33,T32N,R15W) downstream to mouth at Sooes River (Sec.28, same township).	(44) Snag Creek	<u>Ozette Lake</u> 15	From the confluence of Snag Creek and unnamed creek (Sec.6,T31N,R14W) downstream to mouth at Sooes River (Sec.30,T32N, R14W).
(33) Morse Creek	<u>Morse Creek</u> 7 1/2	From Olympic National Park boundary (Sec.8,T29N,R5W) downstream to mouth at Port Angeles Harbor (Sec. 5,T30N,R5W).	(45) Soleduck River*	<u>Pysht</u> 15 <u>Lake Pleasant*</u> 15 <u>Forks</u> 15 <u>La Push</u> 15	From the Olympic National Forest boundary (Sec.35, T30N,R10W) downstream to mouth at Quillayute River (Sec.20,T28N,R14W). The 1,000 cfs MAF point begins at mouth of Bockman Creek (Sec.1,T29N,R13W). Excludes federal lands.
(34) Ponds Creek	<u>Lake Pleasant</u> 15	From the confluence of Ponds Creek and unnamed creek on the south section line (Sec.34,T31N,R14W) downstream to mouth at Dickey Lake (Sec.9,T30N, R14W).	(46) Sooes River	<u>Ozette Lake</u> 15 <u>Cape Flattery</u> 15	From the confluence of Snag Creek and Sooes River (Sec.30,T32N,R14W) downstream to Indian Reservation boundary (Sec.16,T32N,R15W).
(35) Pysht River	<u>Pysht</u> 15	From the Olympic National Forest boundary (Sec.34, T31N,R12W) downstream to mouth at Strait of Juan de Fuca near Pysht (Sec.9, T31N,R11W).	(47) Thunder Creek	<u>Lake Pleasant</u> 15	From the confluence of Thunder Creek and unnamed creek (Sec.11,T29N,R14W) downstream to mouth at East Fork Dickey River (Sec.23, same township).
(36) Pysht River (S. Fk.)	<u>Pysht</u> 15	From the confluence of the South Fork Pysht River and Middle Creek (Sec.28,T31N, R11W) downstream to mouth at Pysht River (Sec.13,T31N, R12W).	(48) Umbrella Creek	<u>Ozette Lake</u> 15	From the confluence of Umbrella Creek and unnamed creek (Sec.23,T31N,R15W) downstream to mouth at Umbrella Point on Lake Ozette (Sec.4,T30N,R15W).
(37) Quillayute River*	<u>La Push</u> * 15	From confluence of Soleduck and Bogachiel Rivers (Sec. 20,T28N,R14W) downstream to Olympic National Park boundary (Sec.24,T28N,R15W). The 1,000 cfs MAF point begins at confluence of Soleduck River and Bogachiel River.	(49) West Twin River	<u>Lake Crescent</u> 15	From the Olympic National Forest boundary (Sec.34, T31N,R10W) downstream to mouth at Strait of Juan de Fuca (Sec.23,T31N,R10W).

[Order DE 76-14, § 173-18-090, filed 5/3/76; Order 73-14, § 173-18-090, filed 8/27/73; Order DE 72-13, § 173-18-090, filed 6/30/72.]

**WAC 173-18-100 Clark County. Streams**

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Big Tree Creek	Yacolt 15 Yacolt 7 1/2	From the confluence of Big Tree Creek and Big Creek (Sec.6,T4N,R4E) downstream to mouth at East Fork Lewis River (Sec.13,T4N,R3E).	(11) Fifth Plain Creek	Lackamas 7 1/2	From the confluence of Fifth Plain Creek and Shanghai Creek (Sec.6,T2N,R3E) downstream to mouth at Lackamas Creek (Sec.7, same township).
(2) Boulder Creek	Camas 15	From the confluence of Boulder Creek and unnamed creek (Sec.9,T2N,R4E) downstream to confluence of Boulder Creek and East Fork Little Washougal River (Sec.8, same township).	(12) Fly Creek	Yacolt 15	From the confluence of Fly Creek and unnamed creek (Sec.1,T4N,R4E) downstream to mouth at Canyon Creek (Sec.4,T5N,R4E).
(3) Burnt Bridge Creek	Orchards 7 1/2 Vancouver 7 1/2	From I-205 overcrossing (Sec.16,T2N,R2E) and Burnt Bridge Creek downstream to Vancouver Lake (Sec.9,T2N,R1E).	(13) Gee Creek	Ridgefield 7 1/2	From the confluence of Gee Creek and unnamed creek (Sec.19,T4N,R1E) downstream to mouth at Lewis River (Sec.11,T4N,R1W).
(4) Canyon Creek	Lookout Mt. 15 Yacolt 15	From the National Forest boundary line (Sec.12,T5N,R4E) downstream to mouth at Lewis River (Sec.31,T6N,R4E) excluding the portion which flows thru Gifford Pinchot National Forest.	(14) Glenwood Creek	Orchards 7 1/2	From the intersection of Glenwood Creek and NE 119th St. (Sec.29,T3N,R2E) downstream to Salmon Creek (Sec.20, same township).
(5) Cedar Creek	Yacolt 15	From the confluence of Cedar Creek and Cold Creek (Sec.8,T3N,R4E) downstream to mouth at Rock Creek (Sec.31,T4N,R4E).	(15) Hagan Creek	Camas 15 Bridal Veil 15	From the confluence of Hagan Creek and unnamed creek (Sec.36,T3N,R4E) downstream to Skamania County line (Sec.1,T2N,R4E).
(6) Cedar Creek	Amboy 7 1/2 Yacolt 7 1/2 Ariel 7 1/2	From the confluence of Cedar Creek and unnamed creek (Sec.24,T5N,R3E) downstream to mouth at Lewis River (Sec.12,T5N,R1E).	(16) King Creek	Yacolt 15	From the confluence of King Creek and unnamed creek (Sec.26,T4N,R4E) downstream to mouth at Lewis River East Fork (Sec.21, same township).
(7) Chelatchie Creek	Amboy 7 1/2	From an approximate point along the south section line (SE1/4 of NW1/4 of Sec. 14,T5N,R3E) downstream to mouth at Cedar Creek (Sec.16, same township).	(17) Lackamas Creek	Camas 15 Lackamas 7 1/2	From the Military Reservation boundary (Sec.9,T2N,R3E) downstream through Lackamas Lake to Washougal River near Camas (Sec.12,T1N,R3E).
(8) Columbia River (Cont.)*	Bridal Veil 15 Washougal 7 1/2 Camas 7 1/2 Mount Tabor 7 1/2 Portland 7 1/2 Vancouver 7 1/2 Sauvie Island 7 1/2 St. Helens 7 1/2	From the Skamania County line on Columbia River (Sec.19,T1N,R5E) downstream along the Washington-Oregon boundary to Cowlitz County line at Lewis River (Sec.10,T4N,R1W). The flow exceeds 1,000 cfs MAF at Skamania-Clark County line.	(18) Lewis River (E. Fk.)*	Lookout Mt. 15 Yacolt 15 Battle Ground 7 1/2 Ridgefield* 7 1/2 Yacolt 7 1/2	From the Gifford Pinchot National Forest boundary (Sec.24,T4N,R4E) downstream to mouth at Lewis River (Sec.32,T5N,R1E). The 1,000 cfs MAF begins at the mouth of Mason Creek. (Sec.14,T4N,R1E).
(9) Lewis River*	Mt. St. Helens 15 Cougar 15 Yacolt 15 Amboy 7 1/2 Ariel 7 1/2 Woodland 7 1/2 Ridgefield 7 1/2 St. Helens 7 1/2	From the Skamania County line (Sec.36,T7N,R4E) left bank only downstream to mouth at Columbia River (Sec.2,T4N,R1W). The flow exceeds 1,000 cfs MAF at Skamania-Clark County line.	(19) Little Washougal River	Camas 15	From the confluence of Boulder Creek and East Fork Little Washougal River (Sec.8,T2N,R4E) downstream to mouth on Washougal River (Sec.32, same township).
(10) Copper Creek	Lookout Mtn. 15 Yacolt 15	From the Gifford Pinchot National Forest boundary (Sec.25,T4N,R4E) downstream to mouth at Lewis River East Fork (Sec.24, same township).	(20) Little Washougal River (E. Fk.)	Camas 15	From the confluence of East Fork Little Washougal River and Jones Creek (Sec.9,T2N,R4E) downstream to mouth at confluence with Boulder Creek (Sec.8, T2N,R4E).
			(21) Lockwood Creek	Ridgefield 7 1/2	From the confluence of Lockwood Creek and unnamed creek (Sec.1,T4N,R1E) downstream to mouth at East Fork Lewis River (Sec.11, same township).
			(22) Mason Creek	Battleground 7 1/2	From the confluence of Mason Creek and unnamed creek (Sec.8,T4N,R2E) downstream to mouth at East Fork Lewis River (Sec.14,T4N,R1E).

Stream Name	Quadrangle Name and Size	Legal Description
(23) Matney Creek	<u>Camas 15</u> <u>Lackamas 7 1/2</u>	From the confluence of Matney Creek and unnamed creek (Sec.15,T2N,R3E) downstream to mouth at Lackamas Creek (Sec.9, same township).
(24) Mill Creek	<u>Battle Ground 7 1/2</u> <u>Orchards 7 1/2</u> <u>Vancouver 7 1/2</u>	From the confluence of Mill Creek and unnamed creek (SW1/4 Sec.7,T3N,R2E) downstream to mouth at Salmon Creek (Sec.24, T3N,R1E).
(25) Morgan Creek	<u>Yacolt 7 1/2</u> <u>Battle Ground 7 1/2</u>	From an approximate point (SE1/4 of Sec.12,T3N,R2E) downstream to mouth at Salmon Creek (Sec.12, same township).
(26) North Siouxon Creek	<u>Lookout Mt. 15</u> <u>Yacolt 15</u>	From the Skamania County line (Sec.25,T6N,R4E) downstream to mouth at Siouxon Creek (Sec.25, same township).
(27) Rock Creek	<u>Yacolt 15</u>	From an approximate point on the north section line (SE1/4 of NW1/4 of Sec.33, T4N,R3E) downstream to mouth on Salmon Creek (Sec.4,T3N,R3E).
(28) Rock Creek	<u>Battle Ground 7 1/2</u>	From the confluence of Rock Creek and unnamed creek (Sec.2,T4N,R2E) downstream to mouth on East Fork Lewis River (Sec.14, same township).
(29) Rock Creek	<u>Yacolt 7 1/2</u>	From the confluence of Rock Creek and unnamed creek (Sec.9,T3N,R4E) downstream to mouth at East Fork Lewis River (Sec.19,T4N,R4E).
(30) Salmon Creek	<u>Yacolt 7 1/2</u> <u>LaCenter 15</u> <u>Orchards 7 1/2</u> <u>Vancouver 7 1/2</u>	From the confluence of Salmon Creek and unnamed creek (NW1/4 of Sec.10,T3N,R3E) downstream to mouth at Lake River (Sec.19,T3N,R1E).
(31) Siouxon Creek (Cont.)	<u>Lookout Mtn. 15</u> <u>Yacolt 15</u>	From the Skamania County line (Sec.36,T6N,R4E) downstream to mouth in Yale Lake (Sec.26, same township).
(32) Unnamed Creek (Tributary to Chelatchie Creek)	<u>Amboy 7 1/2</u>	From intersection of Eaton Road and unnamed creek (Sec.15,T5N,R3E) downstream to mouth at Chelatchie Creek (Sec.16, same township).
(33) Washougal River (Cont.)*	<u>Bridal Veil 15</u> <u>Washougal* 7 1/2</u> <u>Camas 7 1/2</u>	From the Skamania County line (Sec.36,T2N,R4E) downstream to mouth at Columbia River near Camas (Sec.11,T1N,R3E). The 1,000 cfs MAF begins at mouth of Little Washougal River (Sec.32,T2N,R4E).
(34) Yacolt Creek	<u>Yacolt 7 1/2</u>	From an approximate point (near SE corner of the NE1/4 of NW1/4 Sec.11,T4N,R3E) downstream to mouth at Big Tree Creek (Sec.13, T4N,R3E).

[Order DE 76-14, § 173-18-100, filed 5/3/76; Order 73-14, § 173-18-100, filed 8/27/73; Order DE 72-13, § 173-18-100, filed 6/30/72.]

## WAC 173-18-110 Columbia County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Pataha Creek (Cont.)	<u>Hay 15</u>	From the Garfield County line (Sec.12,T12N,R39E) downstream to mouth at Tucannon River (Sec.24, T12N,R38E).
(2) Tucannon River*	<u>Pomeroy 30</u> <u>Hopkins Ridge 7 1/2</u> <u>Zumwalt 7 1/2</u> <u>Turner 7 1/2</u> <u>Tucannon 7 1/2</u> <u>Hay* 15</u> <u>Starbuck 15</u>	From the Umatilla National Forest boundary line (Sec. 35,T10N,R41E) downstream to mouth at Snake River (Sec.3,T12N,R37E). This stream has over 300 square miles of drainage area ending at Pataha Creek (Sec.24,T12N,R38E).
(3) Touchet River (S. Fk.)	<u>Pomeroy 30</u> <u>Robinette Mtn. 7 1/2</u> <u>Dayton 7 1/2</u>	From a point of (SE1/4 of NE1/4 of Sec.5,T8N,R39E) downstream to mouth at Touchet River near Dayton (Sec.32,T10N,R39E).
(4) Touchet River (N. Fk.)	<u>Pomeroy 30</u> <u>Eckler Mtn. 7 1/2</u> <u>Cahill Mtn. 7 1/2</u> <u>Dayton 7 1/2</u>	From the confluence of the North Fork Touchet River and unnamed creek (Sec.28, T8N,R40E) downstream to Touchet River near Dayton (Sec.32,T10N,R39E) (Note: called North Fork on Quad.) Excluding all federal lands.
(5) Touchet River	<u>Pomeroy 30</u> <u>Walla Walla 30</u> <u>Dayton 7 1/2</u> <u>Huntsville 7 1/2</u>	From the confluence of North and South Forks of Touchet River (Sec.32, T10N,R39E) downstream to Walla Walla County line (Sec.7,T9N,R38E).
(6) Robinson Creek	<u>Dayton 7 1/2</u>	From north line (Sec.23, T9N,R39E) downstream to mouth at North Fork Touchet River (Sec.11, same township).

[Order DE 76-14, § 173-18-110, filed 5/3/76; Order 73-14, § 173-18-110, filed 8/27/73; Order DE 72-13, § 173-18-110, filed 6/30/72.]

## WAC 173-18-120 Cowlitz County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Abernathy Creek	<u>Ryderwood 15</u> <u>Clatskanie 15</u>	From the confluence of Abernathy Creek and Ordway Creek (Sec.5,T9N,R4W) downstream to mouth at Columbia River (Sec.10, T8N,R4W).
(2) Alder Creek	<u>Toutle 15</u>	From the confluence of Alder Creek and unnamed creek (Sec.26,T10N,R2E) downstream to mouth at North Fork Toutle River (Sec.15, same township).
(3) Arkansas Creek	<u>Ryderwood 15</u>	From the confluence of Arkansas Creek and unnamed creek (NE1/4 Sec.26,T10N,R3W) downstream to mouth at Cowlitz River near Castle Rock (Sec.15,T9N,R2W).
(4) Baird Creek	<u>Pigeon Springs 15</u>	From an approximate point (SW1/4 of SW1/4 of SW1/4 of Sec.9,T8N,R2E) downstream to mouth at Coweeman River (Sec.19, same township).



Shoreline Management Act—Streams & Rivers

173-18-120

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(5) Bear Creek	<u>Cougar 15</u>	From the confluence of Bear Creek and unnamed creek (Sec.9,T8N,R3E) downstream to South Fork Toutle River (Sec.29,T9N,R3E).	(16) Cowlitz River (Cont.)*	<u>Castle Rock 15</u> Kelso 7 1/2 Rainier 7 1/2	From Cowlitz-Lewis County line (Sec.4,T10N,R2W) downstream to mouth on Columbia River (Sec.10,T7N,R2W). The flow exceeds 1,000 cfs MAF at Cowlitz-Lewis County line (Sec.3, T10N,R2W).
(6) Bear Creek	<u>Elk Rock 15</u> Toutle 15	From the intersection of Bear Creek and light duty road (Sec.33,T10N,R3E) downstream to mouth at Hoffstadt Creek (Sec.23, T10N,R2E).	(17) Deer Creek	<u>Elk Rock 15</u>	From the confluence of Deer Creek and unnamed creek (Sec.31,T10N,R3E) downstream to mouth at North Fork Toutle River (Sec.36,T10N,R2E).
(7) Cameron Creek	<u>Clatskanie 15</u>	From the confluence of Cameron Creek and unnamed creek (Sec.28,T9N,R4W) downstream to mouth at Abernathy Creek (Sec.10, T8N,R4W).	(18) Delameter Creek	<u>Castle Rock 15</u> Kelso 7 1/2	From the confluence of Delameter Creek and unnamed creek (Sec.24,T9N, R3W) downstream to mouth at Arkansas Creek (Sec.16, T9N,R2W).
(8) Campbell Creek	<u>Ryderwood 15</u>	From an approximate point near the north section line (SW1/4 of NE1/4 of Sec.10,T10N,R3W) downstream to mouth at Stillwater Creek (Sec.3, same township).	(19) Devils Creek	<u>Toutle 15</u>	From the Lewis County line (Sec.2,T10N,R2E) downstream to mouth at the Green River (same section).
(9) Castle Creek	<u>Elk Rock 15</u>	From the confluence of Castle Creek and the South Fork Castle Creek (Sec.14, T9N,R4E) downstream to mouth at North Fork Toutle River (Sec.10, same township).	(20) Elk Creek	<u>Cougar 15</u>	From the confluence of Elk Creek and unnamed creek (Sec.12,T7N,R2E) downstream to mouth at Kalama River (Sec.24, same township).
(10) Chehalis River (S. Fk.)	<u>Ryderwood 15</u>	From the confluence of South Fork Chehalis River and unnamed creek (Sec.11, T10N,R4W) downstream to the Lewis County line (Sec.2, same township).	(21) Elochoman River (E. Fk.)	<u>Ryderwood 15</u>	From the confluence of East Fork Elochoman River and unnamed creek (Sec.8, T10N,R4W) downstream to Wahkiakum County line (same section).
(11) Coal Creek	<u>Clatskanie 15</u>	From the confluence of Coal Creek and unnamed creek (Sec.28,T9N,R3W) downstream to mouth at Coal Creek Slough (Sec. 14,T8N,R3W).	(22) Germany Creek	<u>Ryderwood 15</u> Clatskanie 15	From the confluence of Germany Creek and unnamed creek (Sec.25,T10N,R4W) downstream to mouth at Columbia River (Sec.12, T8N,R4W).
(12) Cold-water Creek (cont.)	<u>Spirit Lake 15</u>	From the Gifford Pinchot National Forest boundary (also Skamania County line) (Sec.36,T10N,R4E) downstream to mouth at North Fork Toutle River (Sec.2,T9N,R4E).	(23) Gobar Creek	<u>Pigeon Springs 15</u>	From the confluence of Gobar Creek and unnamed creek (Sec.8,T7N,R2E) downstream to mouth at Kalama River (Sec.36,T7N, R1E).
(13) Columbia River (Cont.)*	<u>St. Helens 7 1/2</u> <u>Deer Island 7 1/2</u> <u>Kalama 7 1/2</u> <u>Rainier 7 1/2</u> <u>Clatskanie 15</u>	From the Lewis River at the Clark County line (Sec.10,T4N,R1W) downstream along the Washington-Oregon line to Wahkiakum County line (Sec.20,T8N, R4W). The flow exceeds 1,000 cfs MAF at Cowlitz-Clark County line.	(24) Goble Creek	<u>Pigeon Springs 15</u> <u>Kalama 7 1/2</u> Mt. Brynion 7 1/2	From the confluence of Goble Creek and unnamed creek (Sec.13,T7N,R1W) downstream to mouth of Coweeman River (Sec.34, T8N,R1W).
(14) Cougar Creek	<u>Cougar 15</u>	From the Gifford Pinchot National Forest boundary (Sec.23,T7N,R4E) downstream to mouth at Yale Lake (Sec.27,T7N,R4E).	(25) Goble Creek (N. Fk.)	<u>Pigeon Springs 15</u> <u>Kalama 7 1/2</u>	From the confluence of the North Fork Goble Creek and unnamed creek (Sec.31, T8N,R1E) downstream to mouth at Goble Creek (Sec.2,T7N,R1W).
(15) Coweeman River	<u>Cougar 15</u> <u>Pigeon Springs 15</u> <u>Mt. Brynion 7 1/2</u> <u>Kelso 7 1/2</u> <u>Rainier 7 1/2</u>	From the Gifford Pinchot National Forest boundary (Sec.19,T8N,R3E) downstream to mouth at Cowlitz River (Sec.11,T7N,R2W).	(26) Green River (cont.)	<u>Spirit Lake 15</u> <u>Elk Rock 15</u> Toutle 15	From the Skamania-Cowlitz County line (Sec.1,T10N,R4E) downstream to mouth at North Fork Toutle River (Sec.8,T10N,R2E) excluding those reaches within Lewis County.
			(27) Hemlock Creek	<u>Toutle 15</u>	From the confluence of Hemlock Creek and unnamed creek (Sec.18,T9N,R1E) downstream to mouth at Silver Lake (Sec.1,T9N, R1W).

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(28) Hoffstadt Creek	<u>Elk Rock 15</u> <u>Toutle 15</u>	From the confluence of Hoffstadt Creek and unnamed creek (Sec.24, T10N,R3E) downstream to mouth at North Fork Toutle River (Sec.23,T10N,R2E).	(40) Olequa Creek (Cont.)	<u>Castle Rock 15</u>	From Lewis County line (Sec.32,T11N,R2W) downstream to mouth at Cowlitz River (Sec.9, T10N,R2W).
(29) Jackson Creek	<u>Elk Rock 15</u>	From the approximate point near the north section line (SW1/4 of SW1/4 of Sec. 8,T9N,R4E) downstream to mouth at North Fork Toutle River (Sec.12,T9N,R3E).	(41) Ostrander Creek	<u>Mt. Brynion 7 1/2</u> <u>Kelso 7 1/2</u>	From the confluence of Ostrander Creek and unnamed creek (Sec.27,T9N, R1W) downstream to mouth at Cowlitz River (Sec.11, T8N,R2W).
(30) Johnson Creek	<u>Toutle 15</u>	From the confluence of Johnson Creek and unnamed creek (Sec.36,T10N,R1E) downstream to South Fork Toutle River (Sec.34, same township).	(42) Ostrander Creek (S. Fk.)	<u>Mt. Brynion 7 1/2</u> <u>Kelso 7 1/2</u>	From the confluence of South Fork Ostrander Creek and unnamed creek (Sec.18, T8N,R1W) downstream to mouth at Ostrander Creek (Sec.12,T8N,R2W).
(31) Kalama River*	<u>Cougar 15</u> <u>Pigeon Springs* 15</u> <u>Kalama 7 1/2</u>	From the Gifford Pinchot National Forest boundary (Sec.5,T7N,R4E) downstream to mouth at Columbia River (Sec.1,T6N,R2W) excluding all federal lands. The 1,000 cfs MAF point begins at mouth of Little Kalama River (Sec.17,T6N,R1E).	(43) Rock Creek	<u>Cougar 15</u> <u>Amboy 7 1/2</u>	From the confluence of Rock Creek and unnamed creek (Sec.8,T6N,R3E) downstream to mouth at Lake Merwin (Sec.20, same township).
(32) Kalama River (N. Fk.)	<u>Cougar 15</u>	From confluence of Kalama River N. Fk. and unnamed creek (Sec.34,T8N,R3E) downstream to mouth at Kalama River (Sec.14,T7N, R3E).	(44) Salmon Creek (Cont.)	<u>Castle Rock 15</u>	From the Lewis County line (Sec.3,T10N,R1W) back to Lewis County line (same section) except those reaches within Lewis County.
(33) Langdon Creek	<u>Cougar 15</u>	From confluence of Langdon Creek and unnamed creek (Sec.9,T7N,R3E) downstream to mouth at Kalama River (Sec.22,T7N,R3E).	(45) Shultz Creek	<u>Elk Rock 15</u>	From the confluence of Shultz Creek and unnamed creek (N1/2 Sec.14,T10N, R4E) downstream to mouth at Green River (Sec.3, same township).
(34) Lewis River (Cont.)*	<u>Mt. St. Helens * 15</u> <u>Cougar 15</u> <u>Yacolt 15</u> <u>St. Helens 15</u> <u>Amboy 7 1/2</u> <u>Ariel 7 1/2</u> <u>Woodland 7 1/2</u>	From the Skamania County line (Sec.25,T7N,R4E) downstream through Yale Lake and Lake Merwin to mouth at the Columbia River (Sec.2,T4N,R1W) on right shore of Lewis River only. The flow exceeds 1,000 cfs MAF at Cowlitz-Skamania County line.	(46) South Coldwater Creek	<u>Spirit Lake 15</u> <u>Elk Rock 15</u>	From the Gifford Pinchot National Forest boundary (Sec.1,T9N,R4E) downstream to mouth at Coldwater Creek (Sec.2, same township).
(35) Little Kalama River	<u>LaCenter 15</u> <u>Pigeon Springs 15</u>	From the confluence of the Little Kalama River and unnamed creek (Sec.16,T6N, R1E) downstream to mouth at Kalama River (Sec.17, same township).	(47) Speelyai Creek	<u>Cougar 15</u> <u>Yacolt 15</u> <u>Amboy 7 1/2</u>	From the confluence of the Speelyai Creek and the West Fork of Speelyai Creek (Sec.5,T6N,R4E) downstream to mouth at Lake Merwin (Sec.23,T6N, R3E).
(36) Little Mill Creek	<u>Clatskanie 15</u>	From the confluence of Little Mill Creek and unnamed creek (Sec.8, T8N,R4W) downstream to mouth at Mill Creek (Sec.9, same township).	(48) Stillwater Creek	<u>Ryderwood 15</u>	From the confluence of Stillwater Creek and unnamed creek (Sec.6,T10N, R3W) downstream to the Lewis County line (Sec.3, same township).
(37) Mill Creek (Cont.)	<u>Clatskanie 15</u>	From the Wahkiakum County line (Sec.32,T9N,R4W) downstream to mouth on the Columbia River (Sec.9,T8N, R4W).	(49) Studebaker Creek	<u>Toutle 15</u>	From the confluence of Studebaker Creek and unnamed creek (Sec.33,T10N, R1E) downstream to mouth at Toutle River (S. Fork) (Sec.29, same township).
(38) Monahan Creek	<u>Ryderwood 15</u> <u>Castle Rock 15</u>	From the confluence of Monahan Creek and unnamed creek (Sec.2,T9N,R3W) downstream to mouth at Delameter Creek (Sec.18, T9N,R2W).	(50) Toutle River*	<u>Toutle * 15</u> <u>Castle Rock 15</u>	From confluence of North and South Forks of Toutle River (Sec.29,T10N,R1E) downstream to mouth on Cowlitz River (Sec.34,T10N, R2W). The 1,000 cfs MAF point begins at mouth of Green River (Sec.8,T10N, R2E) at North Fork Toutle River.
(39) Mulholland Creek	<u>Pigeon Springs 15</u>	From the confluence of Mulholland Creek and unnamed creek (Sec.2,T8N, R1E) downstream to mouth at Coweeman River (Sec.17, same township).	(51) Toutle River (N. Fk.)	<u>Spirit Lake 15</u> <u>Elk Rock 15</u> <u>Toutle 15</u>	From the Gifford Pinchot National Forest boundary at the Skamania County line (Sec.13,T9N,R4E) downstream to mouth at Toutle River (Sec.29,T10N, R1E).

Stream Name	Quadrangle Name and Size	Legal Description
(52) Toutle River (S. Fk.)	<u>Cougar 15</u> Pigeon Springs 15 Toutle 15	From the Gifford Pinchot National Forest boundary (Sec.2,T8N,R4E) downstream to mouth at the Toutle River (Sec.29,T10N,R1E).
(53) Unnamed Tributary to Kalama River	<u>Cougar 15</u>	From an approximate point (SW1/4 of SE1/4 of NW1/4 of Sec.13,T7N,R3E) downstream to mouth at Kalama River (Sec.12, same township).
(54) Unnamed Tributary to Speelyai Creek	<u>Cougar 15</u>	From an approximate point near the east section line (Sec.12,T6N,R3E) downstream to mouth at Speelyai Creek (Sec.7,T6N,R4E).
(55) Unnamed Tributary to Toutle River (S. Fk.)	<u>Cougar 15</u>	From confluence of unnamed tributary and unnamed creek (Sec.12,T8N,R3E) downstream to mouth at South Fork Toutle River (Sec.36,T9N,R3E).
(56) Wild Horse Creek	<u>Pigeon Springs 15</u>	From the confluence of Wild Horse Creek and unnamed creek (Sec.23, T7N,R1E) downstream to mouth at Kalama River (Sec.36,T7N,R1E).
(57) Wolf Creek	<u>Cougar 15</u>	From the confluence of Wolf Creek and unnamed creek (Sec.28,T7N,R3E) downstream to mouth at Kalama River (Sec.21, same township).
(58) Wyant Creek	<u>Toutle 15</u>	From the confluence of Wyant Creek and unnamed creek (Sec.13,T10N,R1E) downstream to mouth at North Fork Toutle River (Sec.20, same township).
(59) Unnamed Tributary to Toutle River (S. Fk.)	<u>Cougar 15</u>	From north end of Goat Marsh (SW1/4, NW1/4 Sec.23, T8N,R4E) downstream to mouth at Toutle River S. Fk. excluding federal lands.
(60) Fossil Creek	<u>Cougar 15</u>	From Gifford Pinchot National Forest boundary (Sec.31,T8N,R4E) downstream to mouth at Kalama River (Sec.6,T7N,R4E).

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-052 (Order DE 80-20), § 173-18-120, filed 6/30/80; Order DE 76-14, § 173-18-120, filed 5/3/76; Order 73-14, § 173-18-120, filed 8/27/73; Order DE 72-13, § 173-18-120, filed 6/30/72.]

WAC 173-18-130 Douglas County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Columbia River (Cont.)*	Chief Joseph Dam 7 1/2 Bridgport 7 1/2 Brewster 7 1/2 Wells Dam 7 1/2 Azwell 7 1/2 Chelan Falls 7 1/2 Wenatchee 7 1/2 Rock Island 7 1/2 Malala 7 1/2 Rock Island Dam 7 1/2 Chelan 7 1/2 Winesap 7 1/2 Entiat 7 1/2 Orondo 7 1/2 Rocky Reach Dam 7 1/2 West Bar 7 1/2	Beginning (Sec.24,T29N, R25E) below Chief Joseph Dam downstream to (Sec. 13,T20N,R22E) excluding any federal lands. The flow exceeds 200 cfs MAF at Chief Joseph Dam.
(2) Moses Coulee* (Rattlesnake Creek) (Douglas Creek)	Palisades * 7 1/2 Appledale 7 1/2 Rock Island Dam 7 1/2	From the confluence of Douglas Creek and Moses Coulee (Sec.36,T23N,R23E) downstream to mouth at Columbia River (Sec.33, T21N,R22E). This stream has over 300 sq. miles of drainage area ending at mouth of Douglas Creek.

[Order 73-14, § 173-18-130, filed 8/27/73; Order DE 72-13, § 173-18-130, filed 6/30/72.]

WAC 173-18-140 Ferry County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Boulder Creek	<u>Orient 15</u> Orient 7 1/2	From the Colville National Forest boundary (Sec.36, T39N,R36E) downstream to mouth at Kettle River and Stevens County line (same section).
(2) Columbia River (Cont.)*	<u>Marcus 7 1/2</u>	All of Columbia River (Franklin D. Roosevelt Lake) within Ferry County is under federal jurisdiction.
(3) Curlew Creek	<u>Curlew 15</u>	From the confluence of Curlew Creek and St. Peter Creek (Sec.11,T38N,R33E) downstream to Kettle River (Sec.14,T39N,R33E).
(4) Kettle River*	<u>Bodie Mtn. 15</u> Curlew 15 Togo Mtn. 15 Laurier 7 1/2 Orient 7 1/2	From the United States - Canada border (Sec.3,T40N,R32E) downstream to said border (Sec.3, T40N,R34E) returning to the U.S. (Sec.2,T40N,R36E) right bank only downstream to (Sec.20,T38N,R37E) excluding all Colville National Forest lands. The flow exceeds 200 cfs MAF at United States - Canada boundary.
(5) Sanpoil River	<u>Republic 15</u> Seventeen-Mile Mtn. 15 Keller 15 Wilbur 15	From the confluence of Sanpoil River and O'Brien Creek (Sec.5,T36N,R33E) downstream to federal boundary (Sec.12,T35N,R32E).

Stream Name	Quadrangle Name and Size	Legal Description
(6) Toroda Creek (Cont.)	<u>Bodie Mtn.</u> 15	From the Intersection of Nickolson Creek and Toroda Creek (Sec.30,T40N,R32E) downstream to mouth at Kettle River near Toroda (Sec.27, same township).
(7) Sherman Creek	<u>Kettle Falls</u> 15	From the Colville National Forest boundary (Sec.30, T36N,R37E) downstream to mouth at Columbia River (Sec.27,T36N,R37E).

[Order DE 76-14, § 173-18-140, filed 5/3/76; Order 73-14, § 173-18-140, filed 8/27/73; Order DE 72-13, § 173-18-140, filed 6/30/72.]

**WAC 173-18-150 Franklin County. Streams**

Stream Name	Quadrangle Name and Size	Legal Description
(1) Columbia River (Cont.)*	<u>Hanford</u> 15 <u>Richland</u> 15 <u>Kennewick</u> 7 1/2 <u>Pasco</u> 7 1/2	From Hanford Works boundary (Sec.23,T12N,R28E) downstream left bank only to (Sec.13,T9N,R28E) Questionable. The flow exceeds 200 cfs MAF at Hanford Works boundary.
(2) Esquatzel Coulee*	<u>Mesa</u> * 15 <u>Eltopia</u> 15	From mouth of Old Maid Coulee (Sec.11,T12N,R30E) downstream to a sump (Sec. 12,T9N,R29E) (Esquatzel River gradually sinking into ground). This stream has over 300 sq. miles of drainage area ending at mouth of Old Maid Coulee.
(3) Palouse River (Cont.)*	<u>Starbuck</u> 15	From Adams County line (Sec.5,T14N,R37E) downstream right bank only to mouth on Snake River (Sec.19, T13N,R37E). This stream has over 300 sq. miles of drainage area and over 200 cfs MAF flow at Adams County line.
(4) Snake River (Cont.)*		All of Snake River within Franklin County is under federal jurisdiction. The flow exceeds 200 cfs MAF at Whitman County line.

[Order 73-14, § 173-18-150, filed 8/27/73; Order DE 72-13, § 173-18-150, filed 6/30/72.]

**WAC 173-18-160 Garfield County. Streams**

Stream Name	Quadrangle Name and Size	Legal Description
(1) Pataha Creek	<u>Pomeroy</u> 30 <u>Hay</u> 15 <u>Zumwalt</u> 7 1/2	From the confluence of Pataha Creek and Totman Gulch Stream (Sec.5,T11N,R41E) downstream to Columbia County line (Sec. 7,T12N,R40E).
(2) Snake River (Cont.)*	<u>Clarkston</u> 15 <u>Colton</u> 7 1/2 <u>Bishop</u> 7 1/2 <u>Kirby</u> 7 1/2 <u>Alinota</u> 7 1/2 <u>Penawawa</u> 15 <u>Hay</u> 15	From the Asotin County line (Sec.6,T11N,R45E) downstream along Whitman County line left bank only to the Columbia County line (Sec.7,T13N,R40E). The flow exceeds 200 cfs MAF at Asotin County line. Under Federal jurisdiction.

[Order 73-14, § 173-18-160, filed 8/27/73; Order DE 72-13, § 173-18-160, filed 6/30/72.]

**WAC 173-18-170 Grant County. Streams**

Stream Name	Quadrangle Name and Size	Legal Description
(1) Columbia River (Cont.)*	<u>Grand Coulee Dam</u> 15 <u>West Bar</u> 7 1/2 <u>Babcock Ridge</u> 7 1/2 <u>Cape Horn</u> S.E. 7 1/2 <u>Vantage</u> 7 1/2 <u>Beverly</u> 7 1/2 <u>Evergreen Ridge</u> 7 1/2 <u>Priest Rapids</u> 15	From the Douglas County line on the Columbia River (Sec.18,T20N,R23E) downstream left bank only to Hanford Works boundary (Sec.10,T13N,R24E). The flow exceeds 200 cfs MAF at Douglas County line.
(2) Crab Creek*	<u>Marlin</u> 7 1/2 <u>Wilson Creek</u> 15 <u>Wilson Creek</u> N.W. 7 1/2 <u>Stratford</u> 7 1/2 <u>Soap Lake</u> 7 1/2 <u>Grant Orchards</u> 7 1/2 <u>Gloyd</u> 7 1/2 <u>Moses Lake</u> North 7 1/2	From the Lincoln County line (Sec.13,T22N,R30E) downstream through Brook Lake to mouth at Parker Horn of Moses Lake (Sec. 14,T19N,R28E). This stream has over 300 sq. miles drainage area.
(3) Lind Coulee*	<u>Basset Junction</u> * 7 1/2 <u>Sieler</u> 7 1/2 <u>Soda Lake</u> 7 1/2 <u>Corfu</u> 15	From south section line (Sec. 18,T18N,R30E) downstream to mouth of Potholes Reservoir (Sec.1 and 12,T17N,R28E). This stream has over 300 sq. miles of drainage area ending at Lind Coulee in (Sec.18,T18N,R30E).
(4) Lower Crab Creek	<u>Corfu</u> 15 <u>Smyrna</u> 15 <u>Beverly</u> S.E. 7 1/2 <u>Beverly</u> 7 1/2	From CNW Refuge Bdy. (Sec. 36,T16N,R26E) downstream, excluding all federal lands to mouth at Columbia River (Sec.3,T15N,R23E).
(5) Rocky Ford Creek	<u>Grant Orchards</u> 7 1/2 <u>Moses Lake</u> N.W. 7 1/2	From the confluence of Rocky Ford Creek and several springs (Sec.16, T21N,R27E) downstream to mouth at Moses Lake (Sec. 8,T20N,R27E).
(6) Wilson Creek (Cont.)*	<u>Almira S.W.</u> 7 1/2 <u>Hartline</u> S.E. 7 1/2 <u>Wilson Creek</u> 15	From Lincoln County line (Sec.1,T24N,R30E) downstream to mouth at Crab Creek (Sec.12,T22N,R29E). This stream has over 300 sq. miles of drainage area.

[Order DE 76-14, § 173-18-170, filed 5/3/76; Order 73-14, § 173-18-170, filed 8/27/73; Order DE 72-13, § 173-18-170, filed 6/30/72.]

**WAC 173-18-180 Grays Harbor County. Streams**

Stream Name	Quadrangle Name and Size	Legal Description
(1) Andrews Creek	<u>Grayland</u> 7 1/2	From the confluence of Andrews Creek and unnamed creek (SW1/4 NW1/4 of Sec.2, T15N,R11W) downstream to mouth at Beardslee Slough of South Bay (Sec.27,T16N,R11W).
(2) Big Creek	<u>Humptulips</u> 15	From the confluence of the Big Creek and South Branch of the Big Creek (Sec.2,T19N,R10W) downstream to mouth at Humptulips River (Sec.1, T19N,R11W).

Shoreline Management Act--Streams & Rivers

173-18-180

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(3) Bitter Creek	<u>Wynoochee Valley 15</u>	From a point on the north line of (Sec.11,T18N,R8W) intersecting with Bitter Creek downstream to mouth at Black Creek (same section).	(14) Connor Creek	<u>Copalis Beach 7 1/2</u>	From the confluence of Cranberry Creek (Sec.10, T18N,R12W) downstream to mouth at Pacific Ocean (Sec.33,T19N,R12W).
(4) Black Creek	<u>Wynoochee Valley 15</u>	From the confluence of Black Creek and the unnamed creek (Sec.13, T18N,R8W) downstream to mouth at Wynoochee River (Sec.26,T18N,R8W).	(15) Copalis River	<u>Quinault Lake 15</u> <u>Macafee Hill 15</u> <u>Carlisle 7 1/2</u> <u>Moclips 7 1/2</u> <u>Copalis Beach 7 1/2</u>	From the intersection of Copalis River and unimproved road (Sec.30, T21N,R10W) downstream to mouth at Pacific Ocean (Sec.21,T19N,R12W).
(5) Black River (Cont.)	<u>Rochester 15</u>	From the Thurston County line (Sec.27,T16N,R4W) downstream to mouth at Chehalis River (Sec.5, T15N,R4W) excluding all federal lands.	(16) Decker Creek (Cont.)	<u>Elma 15</u>	Beginning at a point where Decker Creek crosses Grays Harbor Co. and Mason Co. line (Sec. 24,T20N,R7W) downstream to Grays Harbor Co. and Mason Co. line (Sec.25, of same Township).
(6) Boone Creek	<u>Moclips 7 1/2</u>	From an approximate point in the (NW1/4 of NW1/4 of SW1/4 Sec.4,T19N,R12W) downstream to mouth at Pacific Ocean, near Iron Springs (Sec.4,T19N,R12W).	(17) Deep Creek	<u>Humptulips 15</u> <u>Copalis</u> Crossing 7 1/2	From the confluence of Deep Creek and unnamed creek (Sec.30,T19N,R10W) downstream to mouth at Humptulips River (Sec.22, T19N,R11W).
(7) Canyon River (Cont.)	<u>Mt. Tebo 15</u> <u>Wynoochee Valley 15</u> <u>Grisdale 15</u>	Beginning at Mason Co. and Grays Harbor Co. line (Sec. 13,T21N,R7W) downstream to mouth at Satsop West Fork River (Sec.22,T20N,R7W).	(18) Delezena Creek	<u>Malone 15</u>	From the confluence of the Delezena Creek and unnamed Creek (SE1/4 of NW1/4 Sec. 27,T17N,R6W) downstream to the Chehalis River (Sec.12,T17N,R6W).
(8) Carter Creek	<u>Wynoochee Valley 15</u>	From an approximate point on the west line of (NE1/4 Sec.12,T19N,R8W) downstream to mouth at Wynoochee River (Sec.14, T19N,R8W).	(19) Donkey Creek	<u>Quinault Lake 15</u>	From the intersection of Olympic National Forest boundary and Donkey Creek (Sec.3,T21N,R9W) downstream to mouth at West Fork Humptulips River (Sec.16,T21N,R9W).
(9) Cedar Creek	<u>Copalis Beach 7 1/2</u>	From the confluence of Cedar Creek and unnamed creek (Sec.23,T19N,R12W), downstream to mouth at Copalis River (Sec.22, T19N,R12W).	(20) Elkhorn Creek	<u>Montesano 15</u>	From the confluence of Elk Horn Creek and unnamed creek (Sec.10,T15N,R8W) downstream to Pacific Co. line (same section).
(10) Cedar Creek	<u>Rochester 15</u>	From the Thurston County line (Sec.2,T16N,R4W) downstream to mouth at Chehalis River (Sec.10, T16N,R5W).	(21) Elk River (E. Br.)	<u>Western 7 1/2</u>	From the confluence of Elk River East Branch and unnamed creek (Sec. 5,T15N,R10W) downstream to mouth at Elk River (same section).
(11) Charley Creek	<u>Aberdeen 7 1/2</u>	From a point between confluence of one unnamed creek and Charley Creek and confluence of another unnamed creek and Charley Creek (Sec.27,T17N,R9W) downstream to mouth at south channel of Grays Harbor (Sec.18,T17N,R9W).	(22) Elk River	<u>Western 7 1/2</u> <u>Grayland 7 1/2</u>	From the confluence of Elk River and East Branch Elk River (Sec.5,T15N, R10W) to mouth on South Bay (Sec.26,T16N,R11W).
(12) Chehalis River (Cont.)*	<u>Rochester 15</u> <u>Malone 15</u> <u>Montesano 15</u> <u>Aberdeen 7 1/2</u>	From the Thurston Co. line (Sec.10,T15N,R4W) downstream on the southerly shore only (north shore on Indian Reservation). Both shores beginning (Sec. 25,T16N,R5W) downstream to mouth at Grays Harbor (Sec.9,T17N,R9W). The flow exceeds 1,000 cfs MAF at Thurston-Grays Harbor County line.	(23) Garrard Creek	<u>Malone 15</u>	From the confluence of the Garrard Creek and the Kellogg Creek (Sec.8,T15N, R5W) downstream to mouth at the Chehalis River (Sec.1,T15N,R5W).
(13) Clo-quallam Creek	<u>Elma 15</u> <u>Malone 15</u>	From the Mason Co. line (Sec.1,T18N,R6W) downstream to mouth at Chehalis River (Sec.2,T17N,R6W).	(24) Garrard Creek (S. Fk.) (Cont.)	<u>Malone 15</u>	From the Lewis County line SE corner (Sec.9,T15N, R5W) downstream to mouth at the Garrard Creek (Sec. 10,T15N,R5W).
			(25) Hoquiam River	<u>Humptulips 15</u> <u>Hoquiam 7 1/2</u>	From confluence of West and Middle Forks of Hoquiam River (Sec.22, T18N,R10W) downstream to mouth in Grays Harbor in Hoquiam (Sec.12,T17N,R10W).

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(26) Hoquiam River (E. Fk.)	<u>Humptulips</u> 15 <u>Hoquiam</u> 7 1/2	From the confluence of the East Fork Hoquiam River and unnamed creek (Sec. 32,T20N,R9W) downstream to mouth at Hoquiam River (Sec.35,T18N,R10W).	(38) Little North River	<u>Montesano</u> 15	From an approximate point near the center of (NW1/4 of SW1/4 of NW1/4 Sec.1,T16N,R8W) downstream to mouth at North River (Sec.8, T16N,R8W).
(27) Hoquiam River (M. Fk.)	<u>Humptulips</u> 15	From approximately the south line of the (NE1/4 of the SE1/4 Sec.30,T19N, R9W) downstream to mouth at Hoquiam River (Sec.22, T18N,R10W).	(39) Lower Salmon Creek	<u>Montesano</u> 15 <u>Aberdeen</u> S.E. 7 1/2	From the confluence of Lower Salmon Creek and unnamed creek (Sec.5, T15N,R8W) downstream to mouth at North River (Sec. 7,T15N,R9W) except where it passes thru Pacific County in (Sec.14 & 15, T15N,R9W).
(28) Hoquiam River (W. Fk.)	<u>Humptulips</u> 15	From intersection of West Fork Hoquiam River and middle duty road (Sec.34, T19N,R10W) downstream to mouth at Hoquiam River (Sec.22,T18N,R10W).	(40) Moclips River	<u>Moclips</u> 7 1/2	From the Quinault Indian Reservation boundary (Sec. 9, T20N,R12W) downstream across said boundary and back, downstream to mouth at Pacific Ocean near the Town of Moclips (Sec.8, T20N,R12W).
(29) Hump-tulips River*	<u>Humptulips</u> * 15 <u>Carlisle</u> 7 1/2 <u>Copalis Crossing</u> 7 1/2	From the confluence of East and West Forks of Humptulips River (Sec.2, T20N,R10W) downstream to mouth at North Bay (Sec. 21,T18N,R11W). The 1,000 cfs MAF point begins at confluence of East and West Forks.	(41) Mox Chehalis Creek	<u>Elma</u> 15 <u>Malone</u> 15	From the intersection of Mox Chehalis Creek and McCleary and Malone Road (Sec.24,T18N,R5W) downstream to mouth at Chehalis River (Sec.18, T17N,R5W).
(30) Hump-tulips River (E. Fk.)	<u>Quinault Lake</u> 15 <u>Humptulips</u> 15	From the Olympic National Forest boundary (Sec.12, T21N,R9W) downstream to confluence with West Fork Humptulips River (Sec.2, T20N,R10W).	(42) Newman Creek	<u>Elma</u> 15 <u>Malone</u> 15	From the intersection of Newman Creek and Newman Creek Road (Sec.29,T18N, R6W) downstream to mouth at Chehalis River (Sec.6, T17N,R6W).
(31) Hump-tulips River (W. Fk.)	<u>Quinault Lake</u> 15 <u>Humptulips</u> 15	From the Olympic National Forest boundary (Sec.9, T21N,R9W) downstream to confluence with East Fork Humptulips River (Sec.2, T20N,R10W).	(43) Newkah Creek	<u>Aberdeen</u> 7 1/2	From a point approximately 200' west of confluence of Newkah Creek and unnamed creek (NW1/4 of SE1/4 Sec.4, T16N,R9W) downstream to mouth at South Channel of Grays Harbor (Sec.18,T16N, R9W).
(32) Independence Creek (cont.)	<u>Rochester</u> 15	From Lewis Co. line (Sec. 10,T15N,R4W) downstream to mouth on Chehalis River (same section).	(44) North River* (Cont.)	<u>Montesano</u> 15 <u>Aberdeen</u> S.E. 7 1/2	From the Pacific Co. line (Sec.10,T15N,R7W) downstream to Pacific Co. line again (Sec.7,T15N,R9W). The 1,000 cfs MAF point begins at mouth of Lower Salmon Creek (Sec.7,T15N,R9W).
(33) Joe Creek	<u>Carlisle</u> 7 1/2 <u>Moclips</u> 7 1/2	From the confluence of Joe Creek and unnamed creek (Sec.18,T20N,R11W) downstream to mouth at Pacific Beach (Sec.20, T20N,R12W).	(45) Pioneer Creek	<u>Malone</u> 15	From the confluence of Pioneer Creek and unnamed creek (Sec.25,T16N,R7W) downstream to mouth at the North River (Sec.4,T15N, R7W).
(34) Johns River (S. Fk.)	<u>Western</u> 7 1/2	From the confluence of South Fork Johns River and Hall Creek (Sec.22, T16N,R10W) downstream to mouth at North Fork Johns River (same section).	(46) Porter Creek	<u>Rochester</u> 15 <u>Malone</u> 15	From the confluence of the North Fork Porter Creek and the South Fork Porter Creek (Sec.1,T17N, R5W) downstream to mouth at Chehalis River (Sec.28, T17N,R5W).
(35) Johns River (N. Fk.)	<u>Hoquiam</u> 7 1/2	From the confluence of North Fork Johns River and unnamed creek (Sec.15, T16N,R10W) downstream to mouth at Johns River (Sec. 22,T16N,R10W).	(47) Porter Creek (N. Fk.)	<u>Rochester</u> 15	From an approximate point near the SW corner of (SE1/4 on NW1/4 of NW1/4 of Sec.3, T17N,R4W) downstream to mouth at Porter Creek (Sec.1,T17N,R5W).
(36) Little River	<u>Grisdale</u> 15	From an approximate point in (SW1/4 of NE1/4 of SE1/4 Sec.22,T21N,R7W) downstream to mouth at West Fork Satsop River (Sec.27,T21N, R7W).			
(37) Little Hoquiam River	<u>Hoquiam</u> 7 1/2	From the confluence of Little Hoquiam River and the North Fork Little Hoquiam River (Sec.3, T17N,R10W) downstream to mouth at Hoquiam River (Sec.2,T17N,R10W).			

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(48) Porter Creek (S. Fk.)	<u>Rochester 15</u>	From the confluence of Hell Creek and the S. Fork Porter Creek (Sec.7, T17N,R4W) downstream to mouth at Porter Creek (Sec.1,T17N,R5W).	(59) Schafer Creek	<u>Wynoochee Valley 15</u>	From an approximate point on the west line of (SE1/4 of SE1/4 Sec.1,T20N,R8W) downstream to mouth at the Wynoochee River (Sec.25, T20N,R8W).
(49) Porter Creek (W. Fk.)	<u>Rochester 15</u>	From the confluence of the West Fork Porter Creek and Bozy Creek (Sec.31, T18N,R4W) downstream to mouth at Porter Creek (Sec. 11,T17N,R5W).	(60) Stevens Creek	<u>Quinault Lake 15</u>	From the confluence of Stevens Creek and unnamed creek (Sec.12,T21N,R10W) downstream to mouth at Humpulips River (Sec.12, T20N,R11W).
(50) Rainic Creek (Rt. Fk.)	<u>Malone 15</u>	From an approximate point near the center of the (SW1/4 of the NE1/4 Sec.3, T15N,R6W) downstream to Pacific County line (Sec.9,T15N,R6W).	(61) Sylvia Creek	<u>Montesano 15</u>	From the confluence of Sylvia Creek and unnamed creek (Sec.1,T17N,R8W) downstream to mouth at Wynoochee River (Sec.7, T17N,R7W).
(51) Raney Creek	<u>Humtuplups 15</u>	From confluence of Raney Creek and unnamed creek (SE1/4 NE1/4 Sec.22,T20N,R9W) downstream to mouth at West Fork Wishkah River (Sec.26,T20N,R9W).	(62) Unnamed Tributary to Humtuplups River	<u>Humtuplups 15</u>	From the confluence of two unnamed creeks (Sec. 14,T20N,R10W) downstream to mouth at Humtuplups River (Sec.9,T20N,R10W).
(52) Rock Creek	<u>Malone 15</u>	From the confluence of Rock Creek and unnamed creek (Sec.11,T16N,R6W) downstream to mouth at Chehalis River (Sec.15, T16N,R5W).	(63) Vance Creek	<u>Malone 15</u>	From the intersection of Vance Creek and light duty road (Sec.3,T17N,R6W) downstream to mouth at Chehalis River (Sec.6, T17N,R6W).
(53) Salmon Creek	<u>Montesano 15</u>	From the confluence of Salmon Creek and unnamed creek (Sec.13,T16N,R8W) downstream to mouth at North River (Sec.9,T16N, R8W).	(64) Vesta Creek (E. Fk.)	<u>Malone 15</u> <u>Montesano 15</u>	From the confluence of the East Fork Vesta Creek and unnamed creek (Sec.13, T16N,R7W) downstream to mouth at Vesta Creek (Sec. 14,T16N,R7W).
(54) Sand Creek	<u>Malone 15</u>	From an approximate point near the center of (SE1/4 of NE1/4 Sec.5,T17N,R5W) downstream to mouth at Mox Chehalis Creek (same section).	(65) Vesta Creek	<u>Montesano 15</u>	From confluence of East and West Forks of Vesta Creek (Sec.14,T16N,R7W) downstream to mouth on North River (Sec.32,T16N, R7W).
(55) Satsop River*	<u>Wynoochee Valley * 15</u> <u>Elma 15</u> <u>Malone 15</u>	From the confluence of East and West Forks of Satsop River (Sec.23,T18N, R7W) downstream to mouth at Chehalis River (Sec.7, T17N,R6W). The flow is more than 1,000 cfs MAF at mouth of East Fork Satsop River (Sec.23,T18N,R7W).	(66) Vesta Creek (W. Fk.)	<u>Montesano 15</u>	From the confluence of Vesta Creek West Fork and unnamed creek from the east (Sec.3,T16N,R7W) downstream to mouth at Vesta Creek (Sec.14,T16N, R7W).
(56) Satsop River (E. Fk.)* (Cont.)	<u>Elma * 15</u> <u>Wynoochee Valley 15</u>	From Mason Co. and Grays Harbor Co. line (Sec.6, T18N,R6W) downstream to mouth at Satsop River (Sec.23,T18N,R7W). The 1,000 cfs MAF point begins at mouth of Middle Fork Satsop River, (Sec.3,T19W,R6W).	(67) Wedekind Creek	<u>Wynoochee Valley 15</u>	From the confluence of Wedekind Creek and unnamed creek (Sec.19, T18N,R8W) downstream to mouth at Wynoochee River (Sec.28,T18N,R8W).
(57) Satsop River (M. Fk.) (cont.)	<u>Mt. Tebo 15</u> <u>Wynoochee Valley 15</u> <u>Elma 15</u>	From Mason Co. and Grays Harbor Co. line (Sec.1, T20N,R7W) downstream to Grays Harbor Co. and Mason Co. line (Sec.36, T19N,R7W).	(68) Wildcat Creek	<u>Elma 15</u>	From the confluence of East and West Forks of Wildcat Creek (Sec.16, T18N,R5W) downstream to mouth at Cloquallum Creek (Sec.30,T18N,R5W).
(58) Satsop River (W. Fk.)	<u>Grisdale 15</u> <u>Wynoochee Valley 15</u>	From the Olympic National Forest boundary (Sec.10, T21N,R7W) downstream to mouth at confluence of West Fork Satsop River and East Fork Satsop River (Sec.23,T18N,R7W).	(69) Wildcat Creek (W. Fk.)	<u>Elma 15</u>	From the confluence of West Fork Wildcat Creek and unnamed creek (Sec.16, T18N,R5W) downstream to confluence with East Fork Wildcat Creek (same section).
			(70) Wildcat Creek (E. Fk.)	<u>Elma 15</u>	From the confluence of East Fork Wildcat Creek & unnamed creek (Sec.15, T18N,R5W) downstream to confluence of East Fork Wildcat Creek and West Fork Wildcat Creek (Sec. 16,T18N,R5W).

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(71) Williams Creek	<u>Malone 15</u>	From the confluence of Williams Creek and unnamed creek (SE1/4 Sec.20,T16N,R5W) downstream to Rock Creek (Sec.16,T16N,R5W).
(72) Wishkah River (W. Fk.)	<u>Humtulpils 15</u>	From the confluence of West Fork Wishkah River and unnamed creek (Sec.15, T20N,R9W) downstream to mouth at Wishkah River (Sec.22,T19N,R9W).
(73) Wishkah River (E. Fk.)	<u>Wynoochee Valley 15</u> <u>Humtulpils 15</u>	From the confluence of the East Fork Wishkah River and unnamed creek (Sec.28, T20N,R8W) downstream to mouth at Wishkah River (Sec.2,T18N,R9W).
(74) Wishkah River	<u>Grisdale 15</u> <u>Wynoochee Valley 15</u> <u>Humtulpils 15</u> <u>Aberdeen 7 1/2</u>	From the confluence of Wishkah River and unnamed creek inside the State Game Reserve (Sec.20,T21N, R8W) downstream to mouth at the Chehalis River at Aberdeen (Sec.9,T17N,R9W).
(75) Workman Creek	<u>Malone 15</u>	From the confluence of Workman Creek and unnamed creek (NW1/4 SE1/4 Sec.20, T17N,R6W) downstream to mouth at Chehalis River (Sec.9,T17N,R6W).
(76) Wynoochee River*	<u>Grisdale 15</u> <u>Wynoochee Valley* 15</u> <u>Montesano 7 1/2</u>	From the Olympic National Forest boundary (Sec.1, T21N,R8W) downstream to mouth at Chehalis River (Sec.18,T17N,R7W). The 1,000 cfs MAF point begins at mouth of Carter Creek (Sec.14,T19N,R8W).
(77) Johns River	<u>Western 7 1/2</u> <u>Hoquiam 7 1/2</u>	From confluence of North Fork & South Fork Johns River (Sec.22,T16N,R10W) downstream to its mouth at Grays Harbor (Sec.36,T17N,R11W).
(78) Quinault River* (Cont.)	<u>Kloochman Rock 15</u> <u>Quinault Lk.</u>	From Jefferson/Grays Harbor County line (Sec.1, T23W,R9W) downstream to mouth at Quinault Lake (Sec.16,T23W,R9W). Exclude federal lands. The flow is over 1,000 cfs MAF at Jefferson/Grays Harbor County line.

[Order DE 76-14, § 173-18-180, filed 5/3/76; Order 73-14, § 173-18-180, filed 8/27/73; Order DE 72-13, § 173-18-180, filed 6/30/72.]

### WAC 173-18-190 Island County. Streams

Island County has no 20 cfs streams but has shorelines.

Island County has no 1,000 cfs MAF Rivers of state-wide significance.

[Order 73-14, § 173-18-190, filed 8/27/73; Order DE 72-13, § 173-18-190, filed 6/30/72.]

### WAC 173-18-200 Jefferson County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Big Quilcene River	<u>Mt. Walker 7 1/2</u> <u>Quilcene 7 1/2</u>	From the Olympic National Forest boundary (Sec.27, T27N,R2W) downstream to mouth at Quilcene Bay (Sec.19,T27N,R1W).
(2) Bogachiel River	<u>Spruce Mt. 15</u> <u>Forks 15</u>	From the Olympic National Forest boundary (Sec.4, T27N,R12W) downstream to the Clallam County line (Sec.2,T27N,R13W).
(3) Cedar Creek	<u>Destruction Island 15</u>	From the confluence of Cedar Creek and the South Fork of Cedar Creek (Sec. 34,T26N,R13W) downstream to the Olympic National Park boundary (Sec.33, T26N,R13W).
(4) Chimacum Creek	<u>Port Townsend S. 7 1/2</u>	From the confluence of Chimacum Creek and unnamed creek in Chimacum Valley (Sec.11,T29N,R1W) downstream to mouth at Bay of Port Townsend (Sec. 35,T30N,R1W) near Irondale.
(5) Christmas Creek	<u>Salmon River 15</u>	From an approximate point near the center of (NE1/4 of Sec.2,T25N,R12W) downstream to mouth at Clearwater River (Sec.22, T25N,R12W).
(6) Clearwater River*	<u>Kloochmon Rock 15</u> <u>Salmon River* 15</u> <u>Destruction Island 15</u>	From the confluence of Clearwater River and unnamed creek (Sec.25, T26N,R10W) downstream (excluding federal lands) to Quinault Indian Reservation (Sec.29,T24N,R12W). The 1,000 cfs MAF point begins at mouth of Miller Creek (Sec.27,T25N,R12W).
(7) Dosewallips River	<u>Brinnon 7 1/2</u>	From the Olympic National Forest boundary between (Sec.25,T26N,R3W) and (Sec.30,T26N,R2W) downstream to mouth at Dabob Bay near Brinnon (Sec.2,T25N,R2W).
(8) Duckabush River	<u>Brinnon 7 1/2</u>	From the Olympic National Forest boundary between (Sec.17 & 18,T25N,R2W) downstream to mouth at Hood Canal (Sec.21,T25N, R2W).
(9) Fulton Creek	<u>Brinnon 7 1/2</u> <u>Holly 7 1/2</u>	From the confluence of Fulton Creek and the South Fork of Fulton Creek (Sec. 30,T25N,R2W) downstream to mouth at Hood Canal (Sec.31,T25N,R2W).
(10) Goodman Creek	<u>Forks 15</u> <u>LaPush 15</u>	From the confluence of Goodman Creek and unnamed creek (Sec.23,T27N,R13W) downstream to Olympic National Park boundary (Sec.23,T27N,R14W).
(11) Hoh River*	<u>Spruce Mt. * 15</u> <u>Forks 15</u> <u>Destruction Island 15</u>	From the Olympic National Park boundary (Sec.29, T27N,R10W) downstream to Hoh Indian Reservation boundary (Sec.20,T26N, R13W). The 1,000 cfs MAF point starts at the Olympic National Park boundary.



Shoreline Management Act--Streams & Rivers

173-18-210

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(12) Hoh River (S. Fk.)	<u>Mt. Tom 15</u>	From the Olympic National Park boundary (Sec.2,T26N, R10W) downstream to the Olympic National Forest boundary (Sec.29,T27N, R10W).	(24) Salmon River	<u>Salmon River 15</u>	From the Olympic National Forest boundary (Sec.36, T24N,R11W) downstream back to said boundary (Sec.35) coming out of Indian Reservation (Sec.36,T24N, R12W) returning to Indian Reservation & coming out again (Sec.35,T24N,R12W) downstream to Olympic National Forest boundary (same section).
(13) Hurst Creek	<u>Destruction Island 15</u>	From an approximate point near the north line of (SE1/4 of NW1/4 of NE1/4 of Sec.17,T24N,R12W) downstream to mouth at the Clearwater River (Sec.19,T24N,R12W).	(25) Shale Creek	<u>Salmon River 15 Destruction Island 15</u>	From an approximate point near the NE corner of the (SE1/4 of SW1/4 of Sec.26, T25N,R12W) downstream to mouth at Clearwater River (Sec.28,T25N,R12W).
(14) Kalaloch Creek	<u>Destruction Island 15</u>	From the confluence of Kalaloch Creek & West Fork Kalaloch Creek (Sec.17, T25N,R13W) downstream to the Olympic National Park boundary (Sec.3,T24N, R13W).	(26) Snahapish River	<u>Salmon River 15</u>	From the intersection of Snahapish River and unimproved road (Sec.21, T26N,R11W) downstream to mouth at Clearwater River (Sec.19,T25N,R11W).
(15) Little Quilcene River	<u>Mt. Walker 7 1/2 Quilcene 7 1/2</u>	From the Olympic National Forest boundary (Sec.33, T28N,R2W) downstream to mouth at Quilcene Bay (Sec.18,T27N,R1W).	(27) Snow Creek	<u>Uncas 7 1/2</u>	From the confluence of Snow Creek and unnamed creek from Crocker Lake (Sec.2,T28N,R2W) downstream to mouth at Port Discovery (Sec.24, T29N,R2W).
(16) Maple Creek	<u>Spruce Mt. 15</u>	From the confluence of Maple Creek and Dry Creek (Sec.3,T26N,R11W) downstream to Hoh River (Sec.35,T27N,R11W).	(28) Solleks River	<u>Kloochman Rock 15 Salmon River 15</u>	From the confluence of Solleks River and unnamed creek (Sec.2,T25N,R10W) downstream to mouth at Clearwater River (Sec.10, T25N,R11W).
(17) Matheny Creek	<u>Salmon River 15</u>	From the Olympic National Forest boundary (Sec.24, T24N,R11W) downstream to the Olympic National Park boundary (Sec.22,T24N, R11W).	(29) Stequaleho Creek	<u>Salmon River 15</u>	From the confluence of the Stequaleho Creek and unnamed creek (Sec.19, T25N,R10W) downstream to mouth at Clearwater River (Sec.16,T25N,R11W).
(18) Miller Creek	<u>Destruction Island 15 Salmon River 15</u>	From the confluence of Miller Creek and unnamed creek (Sec.17,T25N,R12W) downstream to mouth at Clearwater River (Sec.27, T25N,R12W).	(30) Winfield Creek	<u>Spruce Mt. 15</u>	From the confluence of Winfield Creek and unnamed creek (Sec.1,T26N,R12W) downstream to mouth at the Hoh River (Sec.27,T27N, R12W).
(19) Miller Creek (E. Fk.)	<u>Salmon River 15</u>	From the confluence of the East Fork Miller Creek and unnamed creek (Sec. 15,T25N,R12W) downstream to mouth at Miller Creek (Sec.27,T25N,R12W).	(31) Quinault River*	<u>Mt. Christie * 15 Kloochman Rock 15</u>	From east section line (Sec.33,T24N,R8W) downstream to Jefferson/Grays Harbor County line (Sec.1,T23N, R9W). Exclude federal land. The flow is over 1000 cfs MAF at east section line (Sec.33, T24N,R8W).
(20) Minter Creek	<u>Forks 15</u>	From the intersection of the north line of (Sec.30, T27N,R13W) and Minter Creek, downstream to Goodman Creek (Sec.24, T27N,R14W).			
(21) Mosquito Creek	<u>Forks 15</u>	From the intersection of north line of (Sec.5, T26N,R13W) and Mosquito Creek, downstream to Olympic National Park boundary (Sec.36,T27N, R14W).			
(22) Nolan Creek	<u>Destruction Island 15 Forks 15</u>	From an approximate point on the north line of (NE1/4 of SW1/4 of Sec.21,T26N, R12W) downstream to mouth at Hoh River (Sec.23,T26N, R13W).			
(23) Owl Creek	<u>Spruce Mt. 15</u>	From an approximate point near the center of the north line of (SW1/4 of NE1/4 of Sec.8,T26N,R10W) downstream to mouth at Hoh River (Sec.35,T27N,R11W).			

[Order DE 76-14, § 173-18-200, filed 5/3/76; Order 73-14, § 173-18-200, filed 8/27/73; Order DE 72-13, § 173-18-200, filed 6/30/72.]

WAC 173-18-210 King County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Bear Creek	<u>Eagle Gorge 7 1/2</u>	From an approximate point (NE corner of SE1/4 of SW1/4 of NW1/4 of Sec.28,T21N, R8E) downstream to mouth at Green River (Sec.20, same township).

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(2) Bear Creek	<u>Everett 15</u> <u>Bothell 7 1/2</u>	From the intersection of Bear Creek and the east section line (Sec.9,T26N,R5E) downstream to mouth at Sammamish River (same section).	(14) Cherry Creek	<u>Monroe 15</u> <u>Monroe 7 1/2</u> <u>Carnation 7 1/2</u>	From the confluence of Cherry Creek and Hannen Creek (Sec.2,T26N,R7E) downstream to mouth at Snoqualmie River (Sec.6, same township).
(3) Bear	<u>Redmond 7 1/2</u>	From the confluence with Seidel Creek (Sec.20,T26N,R6E) downstream to mouth (Sec.6,T25N,R6E).	(15) Coal Creek	<u>Cumberland 7 1/2</u>	From the confluence of Coal Creek and unnamed creek (Sec.27,T21N,R7E) downstream to mouth at Fish Lake (Sec.31, same township).
(4) Beckler River (Cont.)	<u>Skykomish 7 1/2</u>	From the Snohomish County line (Sec.5,T26N,R12E) downstream to Skykomish River (South Fork) (Sec.25,T26N,R11E).	(16) Covington Creek	<u>Black Diamond 7 1/2</u> <u>Auburn 7 1/2</u>	From the confluence of waters from Lake Sawyer (Sec.4,T21N,R6E) downstream to mouth at Big Soos Creek (Sec.11, T21N,R5E).
(5) Big Soos Creek	<u>Auburn 7 1/2</u>	From the confluence of the Big Soos Creek and the Little Soos Creek (Sec.35, T22N,R5E) downstream to mouth at Green River (Sec.16,T21N,R5E).	(17) Evans Creek	<u>Redmond 7 1/2</u>	From the confluence of Evans Creek and unnamed creek (Sec.8,T25N,R6E) downstream to mouth at Sammamish River (Sec.11,T25N,R5E).
(6) Black River	<u>Renton 7 1/2</u> <u>Des Moines 7 1/2</u>	From confluence of Spring Brook Creek and Black River (Sec.13,T23N,R4E) downstream to mouth of Duwamish River (Sec.14, same township).	(18) Foss River	<u>Skykomish 7 1/2</u>	From the Snoqualmie National Forest boundary (Sec.32,T26N,R12E) downstream (excluding portion of federal lands) to mouth at Skykomish River (Sec.31, same township).
(7) Boise Creek	<u>Enumclaw 15</u> <u>Enumclaw 7 1/2</u> <u>Buckley 7 1/2</u>	From an approximate point (NW corner of the SE1/4 of SE1/4 of NE 1/4 of Sec.28, T20N,R7E) downstream to mouth at White River (Sec.34,T20N,R6E).	(19) Friday Creek	<u>Lester 15</u>	From the confluence of Friday Creek and unnamed creek (Sec.18,T20N,R11E) downstream to mouth at the Green River (same section).
(8) Boxley Creek	<u>Bandera 15</u>	From an approximate point (NW1/4 of SW1/4 of Sec.25, T23N,R8E) downstream to mouth at South Fork Snoqualmie River (Sec.24, same township).	(20) Gale Creek	<u>Bandera 15</u>	From the confluence of Gale Creek and unnamed creek (Sec.36,T21N,R8E) downstream to mouth at Howard Hanson Reservoir (same section).
(9) Calligan Creek	<u>Mount Si 15</u>	From an approximate point (SE1/4 of NE1/4 of Sec.3, T24N,R9E) downstream through Calligan Lake to mouth at Snoqualmie River (North Fork) (Sec.31,T25N,R9E).	(21) Granite Creek	<u>Bandera 15</u>	From an approximate point (SE1/4 of SE1/4 of SW1/4 of Sec.11,T23N,R9E) downstream to mouth at the Middle Fork Snoqualmie River (Sec.10, same township).
(10) Carroll Creek	<u>Scenic 7 1/2</u>	From the Snoqualmie National Forest boundary (Sec.35,T26N,R12E) downstream to mouth at Tye River (Sec.26, same township).	(22) Green River*	<u>Lester 15</u> <u>Greenwater 15</u> <u>Bandera 15</u> <u>Eagle Gorge* 7 1/2</u> <u>Cumberland 7 1/2</u> <u>Black Diamond 7 1/2</u> <u>Auburn 7 1/2</u> <u>Renton 7 1/2</u> <u>Des Moines 7 1/2</u> <u>Seattle South 7 1/2</u>	From confluence of Green River & Tacoma Creek (Sec.35,T20N,R11E) downstream thru Duwamish River to mouth on Elliott Bay (Sec.18,T24N,R4E) (thru Howard Hanson Reservoir also). The 1,000 cfs MAF point begins at the toe of Howard A. Hanson Dam (Sec.28,T21N,R8E).
(11) Cedar River	<u>North Bend 7 1/2</u> <u>Hobart 7 1/2</u> <u>Maple Valley 7 1/2</u> <u>Renton 7 1/2</u> <u>Mercer Island 7 1/2</u> <u>Cumberland 7 1/2</u>	From east section line (Sec.9,T21N,R10E) downstream to mouth at Lake Washington in Renton (Sec.7,T23N,R5E), excluding all federal lands.	(23) Green River (N. Fk.)	<u>Bandera 15</u> <u>Eagle Gorge 7 1/2</u>	From the Snoqualmie National Forest boundary (Sec.18,T21N,R9E) downstream to mouth at Howard Hanson Reservoir (Sec.22,T21N,R8E).
(12) Champion Creek	<u>Greenwater 15</u>	From the confluence of Champion Creek and unnamed creek (Sec.28,T20N,R10E) downstream to mouth at Green River (Sec.20, same township).	(24) Greenwater River	<u>Lester 15</u> <u>Greenwater 15</u>	From the Snoqualmie National Forest boundary (Sec.31,T19N,R11E) downstream to White River (along the northerly shore only) (Sec.4,T19N,R9E). Exclude federal lands.
(13) Charley Creek	<u>Eagle Gorge 7 1/2</u>	From the Snoqualmie National Forest boundary (Sec.3,T20N,R8E) downstream to mouth at Howard Hansen Reservoir (Sec.34,T21N,R8E).			

Shoreline Management Act--Streams & Rivers

173-18-210

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(25) Griffin Creek	<u>Lake Joy 7 1/2</u> <u>Snoqualmie 7 1/2</u> <u>Fall City 7 1/2</u>	From the confluence of Griffin Creek and East Fork Griffin Creek (Sec. 19, T25N, R8E) downstream to mouth at the Snoqualmie River (Sec. 28, T25N, R7E).	(37) Money Creek	<u>Grotto 7 1/2</u>	From the Snoqualmie National Forest boundary (Sec. 28, T26N, R11E) downstream back to the Snoqualmie National Forest boundary (same section).
(26) Hancock Creek	<u>Mount Si 15</u>	From an approximate point (NE 1/4 of NW 1/4 of Sec. 15, T24N, R9E) downstream to mouth at Lake Hancock thence downstream to North Fork Snoqualmie River (Sec. 7, same township).	(38) Newaukum Creek	<u>Enumclaw 15</u> <u>Enumclaw 7 1/2</u> <u>Buckley 7 1/2</u> <u>Black Diamond 7 1/2</u>	From the confluence of Newaukum Creek and unnamed creek (Sec. 7, T20N, R7E) downstream to mouth at the Green River (Sec. 29, T21N, R6E).
(27) Harris Creek	<u>Carnation 7 1/2</u>	From the intersection of Harris Creek and Swan Mill Road (Sec. 34, T26N, R7E) downstream to mouth at Snoqualmie River (Sec. 5, T25N, R7E).	(39) North Creek (Cont.)	<u>Everett 15</u> <u>Bothell 7 1/2</u>	From King County and Snohomish County line (Sec. 5, T26N, R5E) downstream to mouth at Sammamish River (Sec. 8, same township).
(28) Index Creek	<u>Index 15</u> <u>Baring 7 1/2</u>	From the Snoqualmie National Forest boundary (Sec. 10, T26N, R10E) downstream to mouth at South Fork Skykomish River (Sec. 2, same township).	(40) North Fork Creek	<u>Lake Joy 7 1/2</u>	From the beginning of creek at swamp (Sec. 18, T26N, R8E) downstream to mouth at North Fork Tolt River (Sec. 29, same township).
(29) Issaquah Creek	<u>Hobart 7 1/2</u> <u>Maple Valley 7 1/2</u> <u>Issaquah 7 1/2</u>	From the confluence of Holder Creek and Carey Creek (Sec. 25, T23N, R6E) downstream to mouth at Sammamish Lake (Sec. 17, T24N, R6E).	(41) Paterson Creek	<u>Fall City 7 1/2</u>	From the confluence of Patterson Creek and Canyon Creek (Sec. 8, T24N, R7E) downstream to mouth at the Snoqualmie River (Sec. 4, same township).
(30) Jenkins Creek	<u>Black Diamond 7 1/2</u> <u>Auburn 7 1/2</u>	From the intersection of Jenkins Creek and light-duty County road (Sec. 36, T22N, R5E) downstream to mouth at Big Soos Creek (Sec. 2, T21N, R5E).	(42) Philippa Creek	<u>Mount Si 15</u>	From an approximate point (SE 1/4 of Sec. 22, T25N, R9E) downstream to mouth at Snoqualmie River (Sec. 15, same township).
(31) Kimball Creek	<u>Snoqualmie 7 1/2</u>	From the confluence of Coal Creek and Kimball Creek (Sec. 31, T24N, R8E) downstream to mouth at Snoqualmie River (Sec. 30, same township).	(43) Pratt River	<u>Snoqualmie Pass 15</u> <u>Bandera 15</u> <u>Mount Si 15</u>	From east section line (Sec. 27, T23N, R10E) downstream to mouth on Middle Fk. Snoqualmie R. (Sec. 31, T24N, R10E) excluding federal lands.
(32) Maloney Creek	<u>Skykomish 7 1/2</u>	From the Snoqualmie National Forest boundary (Sec. 35, T26N, R11E) downstream to mouth at South Fork Skykomish River (Sec. 26, same township).	(44) Raging River	<u>North Bend 7 1/2</u> <u>Hobart 7 1/2</u> <u>Fall City 7 1/2</u>	From the confluence of Raging River and unnamed stream (SE 1/4 of NW 1/4 Sec. 25, T23N, R7E) downstream to mouth at Snoqualmie River (Sec. 14, T24N, R7E) near Fall City.
(33) Martin Creek	<u>Scenic 7 1/2</u>	From the Snoqualmie National Forest boundary (Sec. 13, T26N, R12E) downstream to federal boundary (Sec. 25, same township).	(45) Rock Creek	<u>Greenwater 15</u>	From the Snoqualmie National Forest boundary (Sec. 34, T20N, R10E) downstream to mouth at Green River (Sec. 21, same township).
(34) May Creek	<u>Mercer Island 7 1/2</u>	From the intersection of May Creek and light-duty road (SE 1/4, SE 1/4 Sec. 32, T24N, R5E) downstream to mouth at Lake Washington (same section).	(46) Rock Creek	<u>Hobart 7 1/2</u>	From the confluence of Rock Creek and waters from the diversion ditch (Sec. 16, T22N, R7E) downstream to mouth at the Cedar River (Sec. 17, same township).
(35) Mercer Slough	<u>Mercer Island 7 1/2</u>	From the east section line (Sec. 5, T24N, R5E) downstream through Mercer Slough to mouth at East Channel (Sec. 8, same township).	(47) Rock Creek	<u>Maple Valley 7 1/2</u>	From the intersection of County road, railroad and Rock Creek (Sec. 22, T22N, R6E) downstream to Cedar River (Sec. 23, same township).
(36) Miller River	<u>Grotto 7 1/2</u>	From the Snoqualmie National Forest boundary (Sec. 33, T26N, R11E) downstream, excluding those reaches within Snoqualmie National Forest, to mouth at Skykomish River (Sec. 28, same township).	(48) Sammamish River	<u>Redmond 7 1/2</u> <u>Kirkland 7 1/2</u> <u>Bothell 7 1/2</u> <u>Edmonds East 7 1/2</u>	From Sammamish Lake (Sec. 13, T25N, R5E) downstream to mouth at Lake Washington (Sec. 11, T26N, R4E).

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(49) Sawmill Creek	Lester 15	From the Snoqualmie National Forest boundary (Sec.30,T20N,R11E) downstream, excluding all federal lands to mouth at Green River (Sec.24,T20N,R10E).	(59) Sunday Creek	Mount Si 15	From the Snoqualmie National Forest boundary (Sec.13,T25N,R9E) downstream to mouth at the North Fork Snoqualmie River (Sec.15, same township).
341					
(50) Scatter Creek	Enumclaw 15	From the confluence of Scatter Creek and unnamed creek (Sec.2,T19N,R7E) downstream to mouth at the White River (Sec.11, same township).	(60) Swamp Creek (Cont.)	Bothell 7 1/2	From Snohomish County line (Sec.2,T26N,R4E) downstream to mouth at Sammamish River (Sec.12, same township).
(51) Skykomish River* (S. Fk.)	Skykomish * 7 1/2 Grotto 7 1/2 Baring 7 1/2	From confluence of Tye River and Foss River (Sec. 31,T26N,R12E) downstream to Snohomish County line (Sec.3,T26N,R10E) excluding all federal lands. The 1,000 cfs MAF point begins at mouth of Beckler Creek (Sec.25, T26N,R11E).	(61) Taylor Creek	Eagle Gorge 7 1/2 North Bend 7 1/2	From confluence of Middle Fork & South Fork Taylor Creek (Sec.32,T22N,R8E) downstream to mouth at Cedar River (Sec.13,T22N,R7E).
(52) Smay Creek	Greenwater 15	From the Snoqualmie National Forest boundary (Sec.7,T20N,R10E) downstream to mouth at Green River (Sec.13,T20N,R9E).	(62) Ten Creek	Snoqualmie 7 1/2	From the intersection of light-duty road and Ten Creek (Sec.11,T24N,R8E) downstream to mouth at Tokul Creek (Sec.9, same township).
(53) Snoqualmie River*	Snoqualmie * 7 1/2 Fall City 7 1/2 Carnation 7 1/2 Redmond 7 1/2 Monroe 7 1/2	From the confluence of Middle Fork and South Fork of Snoqualmie River (Sec. 33,T24N,R8E) downstream to Snohomish County line (Sec.6,T26N,R7E). The 1,000 cfs MAF point begins at confluence of Middle Fork and South Fork Snoqualmie River.	(63) Tokul Creek	Lake Joy 7 1/2 Snoqualmie 7 1/2	From the confluence of Tokul Creek and Beaver Creek (Sec.21,T25N,R8E) downstream to mouth at Snoqualmie River (Sec.24, T24N,R7E).
(54) Snoqualmie River (M. Fk.)*	Mount Si * 15 Bandera 15 North Bend 7 1/2 Snoqualmie 7 1/2	From Snoqualmie National Forest boundary (Sec.26, T24N,R10E) downstream to confluence with South Fork of Snoqualmie River (Sec. 33,T24N,R8E), excluding all federal lands. The 1,000 cfs MAF point begins at Snoqualmie National Forest boundary.	(64) Tolt River	Lake Joy 7 1/2	From the confluence of North Fork Tolt River and South Fork Tolt River (Sec.31,T26N,R8E) downstream to mouth at Snoqualmie River (Sec.21, T25N,R7E).
(55) Snoqualmie River (N. Fk.)	Mount Si 15 Snoqualmie 7 1/2 North Bend 7 1/2	From the Snoqualmie National Forest boundary (Sec.12,T25N,R9E) downstream to mouth at Snoqualmie River (Main Fork) (Sec.34,T24N,R8E).	(65) Tolt River (N. Fk.)	Mount Si 15 Lake Joy 7 1/2	From confluence with Titecaed Creek (Sec.12, T26N,R9E) downstream to mouth at Tolt River (Sec. 31,T26N,R8E).
(56) Snoqualmie River (S. Fk.)	Bandera 15 North Bend 7 1/2 Snoqualmie 7 1/2	From the Snoqualmie National Forest boundary (Sec.33,T23N,R11E) downstream to confluence with Snoqualmie River (Main Fork) (Sec.33,T24N,R8E) excluding all federal lands.	(66) Tolt River (S. Fk.)	Mount Si 15 Lake Joy 7 1/2	From the Snoqualmie National Forest boundary (Sec.31,T26N,R10E) downstream to mouth at Tolt River (Sec.31,T26N,R8E).
(57) Spring Brook Creek	Renton 7 1/2	From the intersection of Spring Brook Creek and medium-duty road (SW1/4 of NE1/4 of Sec.24,T23N,R4E) downstream to mouth at Black River (Sec.13, same township).	(67) Tye River	Scenic 7 1/2 Skykomish 7 1/2	From the Snoqualmie National Forest boundary (Sec.26,T26N,R12E) downstream to mouth at Skykomish River (Sec.31, same township) excluding all federal lands.
(58) Sunday Creek	Lester 15	From the Snoqualmie National Forest boundary (Sec.3,T20N,R11E) downstream to mouth at the Green River (Sec.18, T20N,R11E). Exclude federal lands.	(68) Unnamed Tributary to Index Creek	Index 15	From the Snoqualmie National Forest boundary (Sec.10,T26N,R10E) downstream to mouth at Index Creek (same section).
			(69) Unnamed Tributary to Snoqualmie River (N. Fk.)	Mount Si 15	From the confluence of unnamed tributary to Snoqualmie River (North Fork) and another unnamed creek (Sec.29,T24N,R9E) downstream to mouth at North Fork Snoqualmie River (Sec.19, same township).
			(70) Unnamed Tributary to Tolt River (S. Fk.)	Mount Si 15	From the confluence of unnamed tributary to Tolt River South Fork and another unnamed stream (Sec.35,T26N,R8E) downstream to South Fork Tolt River (same section).

Shoreline Management Act--Streams & Rivers

173-18-230

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(71) White River*	<u>Greenwater</u> * 15 Enumclaw 15 Enumclaw 7 1/2 Buckley 7 1/2 Sumner 7 1/2 Auburn 7 1/2	From confluence of White River and Greenwater River (Sec.4,T19N,R9E) downstream following King-Pierce County line to Pierce County line (Sec.36,T21N,R4E) excluding Indian Reservation lands. The 1,000 cfs MAF point begins at mouth of Greenwater River.	(3) Burley Creek	<u>Burley</u> 7 1/2	From the confluence of Burley Creek and unnamed creek (Sec.12,T22N,R1E) downstream to mouth at Burley Lagoon (same section).
(72) Issaquah Creek (E. Fk.)	<u>Issaquah</u> 7 1/2	From railroad bridge (SE1/4 Sec.27,T24N,R6E) downstream to mouth at Issaquah Creek (Sec.28, same township).	(4) Chico Creek	<u>Bremerton West</u> 7 1/2	From the confluence of Chico Creek and Dickerson Creek (Sec.8,T24N,R1E) downstream to mouth in Chico Bay on Dyes Inlet (Sec.5, same township).
(73) Cedar River (N. Fk.)	<u>Snoqualmie Pass</u> 15	From confluence of Cedar River North Fk. and unnamed creek (Sec.7,T21N,R11E) downstream to mouth at Cedar River (Sec.10, T21N,R10E) excluding federal lands.	(5) Curley Creek	<u>Bremerton East</u> 7 1/2	From an approximate point (NE1/4 of NE1/4 of Sec.8, T23N,R2E) downstream to mouth at Yukon Harbor (Sec.33,T24N,R2E).
(74) Cedar River (S. Fk.)	<u>Snoqualmie Pass</u> 15	From Snoqualmie National Forest boundary, east line of (Sec.23,T21N,R10E) downstream to mouth at Cedar River (Sec.10,T21N,R10E) excluding federal lands.	(6) Tahuya River	<u>Wildcat Lake</u> 7 1/2	From the confluence of the Tahuya River and unnamed creek (Sec.25, T24N,R2W) downstream to Mason County line (Sec.1, T23N,R2W).
(75) Rex River	<u>Bandera</u> 15	From Snoqualmie National Forest south boundary (Sec.11,T21N,R9E). downstream to mouth at Chester Morse Lake (Sec.19,T22N,R9E).	(7) Union River	<u>Wildcat Lake</u> 7 1/2 <u>Belfair</u> 7 1/2	From the confluence of Union River and East Fork Union River (Sec.10,T23N,R1W) downstream to Mason Co. line (Sec.9,T23N,R1W).
(76) Taylor Creek (M. Fk.)	<u>Eagle Gorge</u> 7 1/2	From confluence of unnamed tributary (NE1/4 of NE1/4 Sec.34, T22N,R8E) downstream to mouth at Taylor Creek (Sec.32, T22N,R8E).	[Order 73-14, § 173-18-220, filed 8/27/73; Order DE 72-13, § 173-18-220, filed 6/30/72.]		
(77) Taylor Creek (N. Fk.)	<u>Eagle Gorge</u> 7 1/2	From the bridge crossing in (NW1/4, NW1/4 Sec.29,T22N,R8E) downstream to mouth at Taylor Creek (Sec.29,T22N,R8E).			

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-052 (Order DE 80-20), § 173-18-210, filed 6/30/80; Order DE 77-15, § 173-18-210, filed 9/1/77; Order DE 76-14, § 173-18-210, filed 5/3/76; Order 73-14, § 173-18-210, filed 8/27/73; Order DE 72-13, § 173-18-210, filed 6/30/72.]

WAC 173-18-220 Kitsap County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Big Beef Creek	<u>Wildcat Lake</u> 7 1/2 <u>Seabeck</u> 7 1/2	From the confluence of Big Beef Creek and unnamed creek (Sec.34,T25N,R1W) downstream to mouth at Big Beef Harbor (Sec.15, same township).
(2) Black Jack Creek	<u>Bremerton West</u> 7 1/2	From the confluence of Black Jack Creek and unnamed creek (Sec.11, T23N,R1E) downstream to mouth at Sinclair Inlet (Sec.25,T24N,R1E).

WAC 173-18-230 Kittitas County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Big Creek	<u>Easton</u> 15	From the Wenatchee National Forest boundary (Sec.35, T20N,R13E) downstream (excluding federal lands) to mouth at Yakima River (Sec.21,T20N,R14E).
(2) Cabin Creek	<u>Lester</u> 15 <u>Easton</u> 15	From Wenatchee National Forest boundary (Sec.19, T20N,R13E) downstream to mouth on Yakima River (Sec.9,T20N,R13E).
(3) Cle Elum River*	<u>Kachess Lake</u> * 15 <u>Easton</u> 15 <u>Cle Elum</u> 15	From the Wenatchee National Forest boundary crossing Cle Elum Lake (Sec.33, 34 & 35,T21N, R14E) downstream to mouth at Yakima River (Sec.32, T20N,R15E). The stream flow exceeds 200 cfs MAF at Wenatchee National Forest boundary.
(5) Columbia River (Cont.)*	<u>Rock Island Dam</u> * 7 1/2 <u>West Bar</u> 7 1/2 <u>Babcock Ridge</u> 7 1/2 <u>Cape Horn</u> S.E. 7 1/2 <u>Evergreen</u> 7 1/2 <u>Vantage</u> 7 1/2 <u>Beverly</u> 7 1/2 <u>Priest Rapids</u> 7 1/2	From the Chelan Co. line on the Columbia River (Sec. 5,T20N,R22E) downstream along the Douglas and Kittitas Co. line to Yakima Co. (Sec.32, T15N,R23E). The stream flow exceeds 200 cfs MAF at Chelan Co. line.

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(6) Kachess River*	<u>Kachess Lake</u> * 15	From the Wenatchee National Forest (Sec.3, T20N,R13E) downstream through Lake Easton State Park and to mouth at Yakima River (same section). The flow exceeds 200 cfs MAF at Wenatchee National Forest boundary.	(17) Wilson Creek*	<u>Ellensburg So.</u> * 7 1/2 Kittitas 7 1/2	From mouth at Naneum Creek (Sec.30,T17N,R19E) downstream to mouth on Yakima River (Sec.31,T17N,R19E). This stream has over 300 sq. miles of drainage area ending at mouth of Cherry Creek (Sec.31,T17N,R19E).
(7) Little Creek	<u>Easton</u> 15	From the Wenatchee National Forest boundary (Sec.33,T20N,R14E) (excluding all federal lands) downstream to mouth at Yakima River (Sec.22,T20N,R14E).	(18) Yakima River*	<u>Snoqualmie Pass</u> * 15 Kachess 15 Easton 15 Cle Elum 15 Thorp 7 1/2 Ellensburg North 7 1/2 Ellensburg South 7 1/2 Wymer 7 1/2 Pamona 7 1/2 Kittitas 7 1/2	From the Wenatchee National Forest boundary (Sec.15,T21N,R12E) downstream (excluding all federal lands) to the Yakima Co. line (Sec.33, T15N,R19E). The stream flow exceeds 200 cfs MAF at Wenatchee National Forest boundary.
(8) Log Creek	<u>Lester</u> 15	From confluence of Log Creek and unnamed creek (NW1/4, SW1/4 Sec.31,T20N,R13E) downstream to mouth on Cabin Creek (Sec.19, T20N,R13E).	(19) Little Naches River*	<u>Lester</u> 15 Easton 15* Cliffdell 7 1/2	From confluence of North Fork & Middle Fork of Little Naches River (Sec.31,T19N,R12E) downstream left bank to mouth of Naches River (Sec.4,T17N,R14E). Exclude federal lands. The 200 cfs MAF point begins at confluence with Crow Creek (Sec.30, T18N,R14E).
(9) Manastash Creek	<u>Yakima (AMS)</u> Ellensburg 15 Ellensburg S. 7 1/2	From confluence of North and South Forks Manastash Creek (Sec.17,T17N,R17E) downstream to mouth on Yakima River (Sec.4,T17N,R18E).			
(10) Manastash Creek (South Fork)	<u>Cle Elum</u> 15 Ellensburg 15 Manastash Lake 7 1/2	From the Wenatchee National Forest boundary (Sec.31,T18N,R16E) downstream to mouth at Manastash Creek (Sec.17, T17N,R17E).			
(11) Swauk Creek	<u>Thorp</u> 15	From the Wenatchee National Forest boundary (Sec.10,T20N,R17E) downstream (excluding all federal lands) to mouth at Yakima River (Sec.20,T19N,R17E).			
(12) Taneum Creek	<u>Cle Elum</u> 15 Thorp 7 1/2	From Wenatchee National Forest boundary (Sec.30, T19N,R16E) downstream (excluding all federal lands) to mouth on Yakima River (Sec.33,T19N,R17E).			
(13) Teanaway River*	<u>Mt. Stuart</u> * 15 Cle Elum 15	From the confluence of the Middle Fork and the West Fork Teanaway River (Sec. 6,T20N,R16E) downstream to Yakima River (Sec.3, T19N,R16E). The 200 cfs MAF point begins at confluence of West Fork & North Fork Teanaway River (Sec.6,T20N,R16E).			
(14) Teanaway River (M. Fk.)	<u>Mt. Stuart</u> 15	From the Wenatchee National Forest boundary (Sec.15,T21N,R15E) downstream to mouth at Teanaway River (Sec.6, T20N,R16E).			
(15) Teanaway River (N. Fk.)	<u>Mt. Stuart</u> 15	From the Wenatchee National Forest boundary (Sec.4,T21N,R16E) downstream (excluding all federal lands) to the Teanaway River (Sec.6, T20N,R16E).			
(16) Teanaway River (W. Fk.)	<u>Kachess Lake</u> 15 Mt. Stuart 15	From the Wenatchee National Forest boundary (Sec.30,T21N,R15E) downstream (excluding all federal lands) to the Teanaway River (Sec.6, T20N,R16E).			

[Order DE 77-15, § 173-18-230, filed 9/1/77; Order DE 76-14, § 173-18-230, filed 5/3/76; Order 73-14, § 173-18-230, filed 8/27/73; Order DE 72-13, § 173-18-230, filed 6/30/72.]

**WAC 173-18-240 Klickitat County. Streams**

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Bowman Creek	<u>Klickitat</u> 15	From the confluence of Bowman Creek and unnamed creek (Sec.35,T5N,R14E) downstream to mouth at Little Klickitat River (Sec.10,T4N,R14E).
(2) Buck Creek	<u>Willard</u> 15	From the confluence of Buck Creek and unnamed creek (Sec.16,T4N,R10E) downstream to Skamania County line (Sec.35, same township).
(3) Columbia River (cont.)*		All Columbia River within Klickitat County is under federal jurisdiction. Stream flow exceeds 200 cfs MAF.
(4) Dead Canyon Creek	<u>Klickitat</u> 15	From the confluence of Dead Canyon Creek and unnamed creek (Sec.2,T5N,R13E) downstream to mouth at Klickitat River (Sec.12, same township).
(5) Gilmer Creek	<u>Husum</u> 15 Willard 15	From the confluence of Gilmer Creek and Hangman Creek (Sec.1,T4N,R10E) downstream to mouth at White Salmon River (Sec. 2,T4N,R10E).

			WAC 173-18-250 Lewis County. Streams		
<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(6) Klickitat River*	Mt. Adams 30 Klickitat* 15 The Dalles 15 White Salmon 15	From Yakima Indian Reservation (Sec.24,T6N,R13E) downstream to mouth on Columbia River (Sec.34, T3N,R12E). The stream flow exceeds 200 cfs MAF at Yakima Co. line.	(1) Big Creek	Randle 15 Mineral 15	From confluence of Big Creek and Tealey Creek (Sec.4,T14N,R7E) downstream to mouth at Nisqually River (Sec.34,T15N,R6E).
(7) Little Klickitat River (E. Prong)	Satus Pass 15 Goldendale 15 Klickitat 15	From the confluence of Little Klickitat River, E. Prong and Dry Creek (Sec. 10,T5N,R17E) downstream to mouth at Klickitat River (Sec.9,T4N,R14E).	(2) Brim Creek	Ryderwood 15 Castle Rock 15	From confluence of Brim Creek and North Fork at (Sec.24,T11N,R3W) downstream to mouth at Stillwater Creek (Sec.25,T11N,R3W).
(8) Major Creek	Husum 15 White Salmon 15	From the confluence of Major Creek, East Fork and West Fork (Sec.12,T3N, R11E) downstream to mouth at Columbia River (Sec.31, T3N,R12E).	(3) Bunker Creek	Adna 15	Beginning in the (SE1/4 of NE1/4 Sec.17,T14N,R4W) downstream to mouth at Chehalis River (Sec.6,T13N, R3W).
(9) Mill Creek	Goldendale 15 Klickitat 15	From the confluence of Mill Creek and unnamed creek (Sec.13,T4N,R14E) downstream to mouth at Little Klickitat River (Sec.14, same township).	(4) Butter Creek	Mt. Rainier 30 Packwood 15	Beginning at Gifford Pinchot National Forest boundary at (Sec.3,T13N, R9E) downstream to mouth at Cowlitz River (Sec.10 of same township).
(10) Rattlesnake Creek	Husum 15	From the confluence of Rattlesnake Creek and unnamed creek (Sec.29,T5N, R12E) downstream to mouth at White Salmon River (Sec.30,T4N,R11E).	(5) Catt Creek	Mt. Rainier 30 Mineral 15 Randle 15	Beginning at Snoqualmie National Forest boundary (Sec.13,T14N,R6E) downstream to mouth at Big Creek (Sec.2,T14N,R6E).
(11) Rock Creek	Satus Pass 15 Goodnoe Hills 7 1/2 The Dalles AMS (1:250,000)	From the confluence of Rock Creek and Luna Gulch (Sec.23,T4N,R18E) downstream to mouth at Columbia River (Sec.32, T3N,R19E).	(6) Cedar Creek	Toutle 15	From confluence of Cedar Creek and unnamed Creek (Sec.11,T11N,R1E) downstream to Salmon Creek (Sec.36,T11N,R1W).
(12) Snyder Canyon Creek	Klickitat 15	From an approximate point (NW1/4 of NE1/4 Sec.16,T4N, R13E) downstream to mouth at Klickitat River (Sec. 23,T4N,R13E).	(7) Chehalis River*	Skamokawa 15 Pe Ell 15 Adna* 15 Centralia 15 Rochester 15	From confluence of East Fork, West Fork and Chehalis River at (Sec. 10,T11N,R5W) downstream to Lewis Co. and Thurston Co. line (Sec.26,T15N, R3W). The 1,000 cfs MAF point begins at mouth of South Fork Chehalis River (Sec.13,T13N,R4W).
(13) Swale Creek	Wishram 15 The Dalles 15 Klickitat 15	From the north section line (Sec.30,T3N,R15E) downstream to the mouth at Klickitat River (Sec. 18,T4N,R14E).	(8) Chehalis River (E. Fk.)	Skamokawa 15	From confluence of Chehalis River East Fork and unnamed creek (Sec.27, T11N,R5W) downstream to mouth at confluence of West Fork Chehalis River and Chehalis River (Sec. 10,T11N,R5W).
(14) Trout Lake Creek*	Steamboat Mt. 30 Willard* 15	From the Skamania County line (Sec.6,T6N,R10E) downstream through Trout Lake to mouth at White Salmon River (Sec.24, same township). The flow at the Skamania County-Gifford Pinchot National Forest boundary exceeds 200 cfs MAF.	(9) Chehalis River (W. Fk.)	Skamokawa 15	From confluence of Chehalis River West Fork and unnamed creek (Sec.20, T11N,R5W) downstream to mouth at confluence of East Fork and Chehalis River (Sec.10,T11N,R5W).
(15) White Salmon River*	Steamboat Mt. 30 Willard* 15 Husum 15	Beginning at National Forest boundary (Sec.3, T6N,R10E) downstream to mouth at Columbia River (Sec.23,T3N,R10E) excluding that part of west bank within Skamania County. The flow at Gifford Pinchot National Forest boundary exceeds 200 cfs MAF.	(10) Chehalis River (S. Fk.) (Cont.)	Ryderwood 15 Adna 15	Beginning where the Chehalis River South Fork crosses the Lewis Co. and Cowlitz Co. line (Sec.2, T10N,R4W) downstream to mouth at Chehalis River (Sec.13,T13N,R4W).
			(11) Cinnabar Creek	Onalaska 15	Beginning at (NW1/4 of SW1/4 Sec.13,T13N,R2E) downstream to mouth at Tilton River (Sec.26,T13N,R2E).

[Order DE 76-14, § 173-18-240, filed 5/3/76; Order 73-14, § 173-18-240, filed 8/27/73; Order DE 72-13, § 173-18-240, filed 6/30/72.]

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(12) Cispus River*	Steamboat Mt. 30 Spirit Lake 15 Greenhorn Buttes 7 1/2 Tower Rock* 7 1/2	Beginning in the Gifford Pinchot National Forest (Sec.18,T11N,R8E) downstream to the mouth at Cowlitz River (Sec.31,T12N,R6E). The 1,000 cfs MAF point is at Gifford Pinchot National Forest boundary. Exclude federal lands.	(22) East Creek	Mineral 15 Kapowsin 15	Beginning at approximately the 1/4 corner on west section line (Sec.6,T14N,R5E) the Snoqualmie National Forest boundary, downstream to mouth at Alder Reservoir (Sec.29,T15N,R5E).
(13) Coal Creek	Mt. Rainier 30 Packwood 15	Beginning at Gifford Pinchot National Forest boundary at east section line (Sec.1,T13N,R9E) downstream to mouth at Cowlitz River (same section).	(23) Eight Creek (Cont.)	Pe Ell 15	Beginning at a point on Pacific Co. and Lewis Co. line (Sec.7,T13N,R5W) downstream to mouth at Elk Creek (Sec.8,T13N,R5W).
(14) Connelly Creek	Morton 15	Beginning at confluence with Heller Creek (Sec.23,T13N,R4E) downstream to mouth at Tilton River (Sec.35, of same township).	(24) Elk Creek (Cont.)	Pe Ell 15	Beginning at a point on Lewis Co. and Pacific Co. line SW corner (Sec.6,T13N,R5W) downstream to mouth at Chehalis River (Sec.3 of same township).
(15) Cowlitz River*	Mt. Rainier 30 Randle 15 Mineral 15 Spirit Lake 15 Packwood* 15 Greenhorn Butte 7 1/2 Elk Rock 15 Morton 15 Onalaska 15 Toutle 15 Castle Rock 15	Starting at the Gifford Pinchot National Forest boundary (Sec.1,T13N,R9E) downstream to Cowlitz Co. line (Sec.33,T11N,R2W). The 1,000 cfs MAF point is at Gifford Pinchot N.F. boundary.	(25) Elk Creek	Elk Rock 15	From confluence of Elk Creek and unnamed creek (Sec.27,T11N,R4E) downstream to mouth at Green River (Sec.32,T11N,R4E).
(16) Crim Creek	Pe Ell 15	From confluence of Crim Creek and unnamed creek (Sec.19,T12N,R5W) downstream to mouth at Chehalis River (Sec.10, same township).	(26) Gallup Creek	Mineral 15	From confluence of Gallup Creek and unnamed creek (Sec.1,T13N,R5E) downstream to mouth at Mineral Creek (Sec.25,T14N,R5E).
(17) Davis Creek	Mt. Rainier 30	Beginning at Gifford Pinchot National Forest boundary north section line (Sec.16,T12N,R8E) downstream to mouth at Cowlitz River (Sec.17, of same township).	(27) Garrard Creek (South Fork)	Malone 15	From confluence of Garrard Creek South Fork and unnamed Creek (Sec.16,T15N,R5W) downstream to Grays Harbor Co. line (Sec.9, same township).
(18) Deep Creek	Adna 15	From confluence of Deep Creek and Tapp Creek (Sec.24,T14N,R4W) downstream to mouth at Bunker Creek (Sec.6,T13N,R3W).	(28) Green River (Cont.)	Spirit Lake 15 Elk Rock 15	From south line (Sec.33,T11N,R4E) Lewis-Skamania County line downstream to Lewis-Skamania County line (Sec.31, same township) downstream to Lewis-Cowlitz County line (Sec.31,T11N,R4E).
(19) Deschutes River	Morton 15 Ohop Valley 15	From confluence of West Fork and Deschutes River (Sec.1,T14N,R3E) downstream to Lewis Co. and Thurston Co. line (Sec.24,T15N,R3E).	(29) Halfway Creek	Adna 15	From confluence of Halfway Creek and unnamed creek (Sec.9,T12N,R4W) downstream to mouth at Stillman Creek (Sec.14, same township).
(20) Devils Creek	Elk Rock 15 Toutle 15	Starting at (NW1/4 of NW1/4 Sec.31,T11N,R3E) downstream to Lewis Co. and Cowlitz Co. line at SW corner (Sec.36,T11N,R2E).	(30) Hall Creek	Mt. Rainier 30 Packwood 15	From the North Sec. line (Sec.27,T13N,R9E) downstream to mouth at Cowlitz River (Sec.33, same township) (exclude all federal land).
(21) Dillenbaugh Creek	Centralia 15	From confluence of Dillenbaugh Creek and Berwick Creek (Sec.9,T13N,R2W) downstream to mouth at Chehalis River (Sec.31,T14N,R2W).	(31) Hanaford Creek	Onalaska 15 Tenino SW 7 1/2 Centralia 15 Bucoda 7 1/2	Beginning at (NE1/4 of NW1/4 Sec.5,T14N,R1E) downstream to mouth at Skookumchuck River (Sec.33,T15N,R2W).
			(32) Hanlan Creek	Ryderwood 15	From confluence of Hanlan Creek and unnamed creek (Sec.34,T11N,R4W) downstream to mouth at Chehalis River (Sec.35, of same township).
			(33) Independence Creek	Rochester 15	From confluence of Independence Creek and unnamed creek (Sec.29,T15N,R4W) downstream to Grays Harbor Co. line (Sec.15,T15N,R4W).



Shoreline Management Act--Streams & Rivers

173-18-250

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(34) Johnson Creek	Mt. Rainier 30 Packwood 15	Beginning where Johnson Creek crosses Gifford Pinchot National Forest boundary (Sec.32,T13N,R9E) downstream to mouth at Cowlitz River (same section).	(47) Lincoln Creek (S. Fork)	Adna 15	From confluence of Lincoln Creek South Fork and Wildcat Creek (Sec.7, T14N,R4W) downstream to mouth at Lincoln Creek (Sec.5, same township).
(35) Jones Creek	Pe Ell 15	From confluence of Jones Creek and Katula Creek (Sec.23,T13N,R5W) downstream to mouth at Chehalis River (same section).	(48) Lost Creek	Adna 15	From confluence of Lost Creek and unnamed creek north section line (Sec. 10,T12N,R4W) downstream to mouth at Stillman Creek (Sec.2 of same township).
(36) Kearney Creek	Onalaska 15	From confluence of Kearney Creek and Door Creek (Sec. 18,T13N,R2E) downstream to mouth at Newaukum River South Fork (Sec.13,T13N,R1E).	(49) Lucas Creek	Onalaska 15 Centralia 15	From confluence of Lucas Creek and unnamed creek (Sec.5,T13N,R1E) downstream to mouth at Newaukum River North Fork (Sec.2,T13N,R1W).
(37) King Creek	Centralia 15 Castle Rock 15	From confluence of King Creek and unnamed creek (Sec.29,T12N,R2W) downstream to mouth at Olequa Creek (Sec.28, same township).	(50) Mill Creek	Onalaska 15	Beginning at the (NW1/4 of SW1/4 Sec.28,T13N,R2E) downstream to mouth at Cowlitz River (Sec.23, T12N,R1E).
(38) Kiona Creek	Mineral 15 Randle 15	Beginning at Gifford Pinchot National Forest boundary (Sec.4,T12N,R6E) downstream to mouth at Cowlitz River (Sec.20, T12N,R7E).	(51) Mineral Creek	Mineral 15	From confluence of Mineral Creek and unnamed creek (Sec.9,T13N,R6E) downstream to mouth at Nisqually River (Sec.26, T15N,R5E).
(39) Klickitat Creek	Onalaska 15	From confluence of Klickitat Creek and unnamed creek (Sec.14, T12N,R2E) downstream to mouth at Mayfield Lake (Sec.10, same township).	(52) Mineral Creek (N. Fk.)	Mineral 15	Beginning at the (NW1/4 of SW1/4 Sec.35,T14N,R2E) downstream to mouth at Mineral Creek (Sec.10, T14N,R5E).
(40) Lacamas Creek	Centralia 15 Castle Rock 15	From confluence of Lacamas Creek and Baker Creek (Sec. 15,T12N,R1W) downstream to mouth at Cowlitz River (Sec.27,T11N,R2W).	(53) Newaukum River (M. Fk.)	Centralia 15	From confluence of Newaukum River Middle Fork and unnamed creek (NE of other unnamed creek) (Sec. 22,T13N,R1W) downstream to mouth at North Fork Newaukum River (Sec.20 of same township).
(41) Lake Creek	Adna 15	Beginning at (SE1/4 of NW1/4 Sec.21,T12N,R3W) downstream to mouth at Chehalis River South Fork (Sec.30,T13N,R3W).	(54) Newaukum River (N. Fk.)	Onalaska 15	From confluence of Newaukum River North Fork and unnamed creek (Sec. 13,T14N,R1E) downstream to mouth at Newaukum River (Sec.18,T13N,R1W).
(42) Lake Creek	Mineral 15	Beginning at outlet on Anderson Lake (Sec.15, T14N,R6E) downstream to mouth at Catt Creek (Sec. 2,T14N,R6E).	(55) Newaukum River (S. Fk.)	Onalaska 15	Beginning at the (NE1/4 of SE1/4 Sec.27,T14N,R2E) downstream to mouth at Newaukum River (Sec.19, T13N,R1W) downstream through Newaukum River to mouth at Chehalis River (Sec.31,T14N,R2W).
(43) Lake Creek	Mt. Rainier 30 Packwood 15	Beginning at Gifford Pinchot National Forest boundary at west section line (Sec.12,T13N,R9E) downstream to mouth at Cowlitz River (Sec.11, same township).	(56) Nisqually River*	Randle 15 Kapowsin* 15 Mount Wow 7 1/2 Mineral 15	Beginning at the Snoqualmie National Forest boundary left (south) bank only (Sec.33,T15N,R7E) downstream through Alder Reservoir to Lewis Co., Pierce Co., and Thurston Co. lines in the Reservoir (Sec.29,T15N,R5E). The 1,000 cfs MAF point begins at mouth of Mineral Creek (Sec.26,T15N,R5E).
(44) Landers Creek	Spirit Lake 15	From an approximate point in center of (SE1/4 Sec.7, T11N,R5E) downstream to mouth on Davisson Lake (Sec.7,T11N,R5E).	(57) Olequa Creek	Centralia 15 Castle Rock 15	From confluence of Olequa Creek and unnamed creek closest to GN, NP, UP Railroad track (Sec.21, T12N,R2W) downstream to Lewis Co. and Cowlitz Co. line (Sec.32,T11N,R2W).
(45) Lincoln Creek	Adna 15 Rochester 15	From confluence of North Fork, South Fork of Lincoln Creek and Lincoln Creek (Sec.5,T14N,R4W) downstream to mouth at Chehalis River (Sec.35, T15N,R3W).			
(46) Lincoln Creek (N. Fork)	Adna 15	Beginning at the (NW1/4 of NE1/4 Sec.6,T14N,R4W) downstream to mouth Lincoln Creek (Sec.5, same township).			

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(58) Quartz Creek	<u>Spirit Lake 15</u>	From the National Forest boundary (Sec.10,T11N,R6E) downstream to mouth on Cispus River (same section).	(69) Skookum-chuck River	<u>Morton 15</u> <u>Onalaska 15</u> <u>Lake Lawrence 7 1/2</u> <u>Tenino SW 7 1/2</u> <u>Centralia 15</u>	From confluence of Bigwater Creek and Skookumchuck River (Sec.7,T14N,R3E) downstream excluding federal lands to Lewis Co. and Thurston Co. thence downstream (Sec.28,T15N,R2W) to mouth (Sec.7,T14N,R2W).
(59) Rainy Creek	<u>Mineral 15</u> <u>Spirit Lake 15</u>	From confluence of Rainy Creek and unnamed creek (Sec.8,T12N,R6E) downstream to mouth at Davisson Lake (Sec.27,T12N,R5E).	(70) Smith Creek	<u>Mt. Rainier 30</u> <u>Packwood 15</u>	From the Gifford Pinchot National Forest boundary (Sec.5,T12N,R9E) downstream to Cowlitz River (Sec.32,T13N,R9E).
(60) Rock Creek	<u>Pe Ell 15</u>	Beginning at a point approximately at the 1/4 corner (Sec.1,T12N,R6W) on Pacific Co. and Lewis Co. line downstream to mouth at Chehalis River (Sec.33,T13N,R5W).	(71) South Hanaford Creek	<u>Centralia 15</u> <u>Tenino S.W. 7 1/2</u>	Beginning at the (NE1/4 of NE1/4 Sec.12,T14N,R2W) downstream to mouth at Hanaford Creek (Sec.26, T15N,R2W).
(61) Roger Creek	<u>Skamokawa 15</u> <u>Pe Ell 15</u>	From confluence of Little Roger Creek, Big Roger Creek and Roger Creek (Sec. 27,T12N,R5W) downstream to mouth at Chehalis River (Sec.22,T12N,R5W).	(72) Stearns Creek	<u>Centralia 15</u> <u>Adna 15</u>	From confluence of Stearns Creek and unnamed creek (Sec.32,T13N,R2W) downstream to mouth at Chehalis River (Sec.2, T13N,R3W).
(62) Roundtop Creek	<u>Mineral 15</u>	From confluence of Roundtop Creek and unnamed creek (Sec.20, T14N,R5E) downstream to mouth at Mineral Creek (Sec.3, same township).	(73) Stillman Creek	<u>Ryderwood 15</u> <u>Adna 15</u>	From confluence of Stillman Creek and unnamed creek (Sec.14,T11N, R4W) downstream to mouth at Chehalis River South Fork (Sec.2,T12N,R4W).
(63) Salmon Creek	<u>Toutle 15</u> <u>Castle Rock 15</u>	From confluence of Salmon Creek and Rapid Creek (Sec. 17,T11N,R2E) downstream to Lewis Co. and Cowlitz Co. line, excluding Salmon Creek on Cowlitz Co. side (Sec.34,T11N,R1W) downstream to mouth at Cowlitz River (Sec.19,T11N,R1W).	(74) Still-water Creek (Cont.)	<u>Ryderwood 15</u> <u>Castle Rock 15</u>	From Lewis Co. and Cowlitz Co. line south section line (Sec.34,T11N,R3W) downstream to mouth at Olequa Creek (Sec.32,T11N, R2W).
(64) Salzer Creek	<u>Centralia 15</u>	From the confluence of Salzer Creek and unnamed creek (Sec.23,T14N,R2W) downstream to Chehalis River (Sec.18,T14N,R2W).	(75) Stowe Creek	<u>Pe Ell 15</u>	From confluence of Stowe Creek and Sand Creek (Sec. 35,T13N,R5W) downstream to mouth at Chehalis River (Sec.34, same township).
(65) Shelton Creek	<u>Morton 15</u> <u>Elk Rock 15</u>	From confluence of Shelton Creek and unnamed creek (Sec.27,T12N,R4E) downstream to mouth at Davisson Lake (Sec.27, same township).	(76) Thrash Creek	<u>Skamokawa 15</u>	Beginning at (SE1/4 of NE1/4 Sec.31,T12N,R5W) downstream to mouth at Chehalis River (Sec.33, same township).
(66) Siler Creek	<u>Mt. Rainier 30</u> <u>Randle 15</u>	From confluence of Siler Creek and unnamed creek (Sec.27,T12N,R7E) downstream to mouth at Cowlitz River (Sec.20, same township) exclude federal land.	(77) Tilton River	<u>Mineral 15</u> <u>Onalaska 15</u> <u>Morton 15</u>	Beginning at the closest point on Tilton River to center of (Sec.5,T13N, R5E) downstream to mouth at Mayfield Lake (Sec.26, T13N,R2E).
(67) Silver Creek	<u>Randle 15</u>	From confluence of Silver Creek and Lynx Creek (Sec.22,T13N,R7E) downstream to Cowlitz River (Sec.15,T12N,R7E). Exclude federal lands.	(78) Tilton River (E. Fk.)	<u>Mineral 15</u>	From confluence of Tilton River East Fork and unnamed creek (NW1/4 Sec.19, T13N,R6E) downstream to mouth at Tilton River South Fork, on downstream to Tilton River (Sec.25, T13N,R4E).
(68) Skate Creek	<u>Mt. Rainier 30</u> <u>Packwood 15</u>	From the Gifford Pinchot National Forest boundary at SE corner (Sec.8,T13N, R9E) downstream to mouth at Cowlitz River (Sec.21, same township).	(79) Tilton River (N. Fk.)	<u>Morton 15</u>	From north section line Forest boundary (Sec.3, T13N,R3E) downstream to mouth at Tilton River (Sec.30,T13N,R4E). Exclude federal lands.
			(80) Tilton River (S. Fk.)	<u>Mineral 15</u>	Beginning in (NE1/4 of NE1/4 Sec.32,T13N,R5E) downstream to confluence point with East Fork Tilton River, on downstream to mouth at Tilton River (Sec.25,T13N,R4E).

Shoreline Management Act--Streams & Rivers

173-18-270

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(81) Tilton River (W. Fk.)	<u>Mineral</u> 15	From confluence of Trout Creek and Tilton River (W. Fk.) (Sec.2, T13N,R4E) downstream to mouth at Tilton River (Sec.19,T13N,R5E).	(3) Negro Creek	<u>Sprague</u> 15	From the confluence of Negro Creek and unnamed creek in the town of Sprague (Sec.23,T21N, R38E) downstream to mouth at Sprague Lake (Sec.21, same township).
(82) Unnamed Trib. to Newaukum River (S. Fk.)	<u>Onalaska</u> 15	From confluence of unnamed creek and unnamed creek (Sec.27,T14N,R2E) downstream to mouth at Newaukum River South Fork (same section).	(4) Spokane River*	<u>Wellpinit</u> * 15 <u>Turtle Lake</u> 15 <u>Lincoln</u> 15	From the Spokane County line (Sec.24,T27N,R39E) starting on left bank of Long Lake (SE corner of same section) thence downstream along left bank of Long Lake to Spokane River, thence downstream on left bank to (Sec.27,T27N,R38E). This stream has both over 200 cfs MAF flow and over 300 sq. miles of drainage area at Spokane County line.
(83) Unnamed Trib. to Stillman Creek	<u>Ryderwood</u> 15	From confluence of unnamed creek and unnamed creek (Sec.9,T11N,R4W) downstream to mouth at Stillman Creek (Sec.34,T12N,R4W).	(5) Wilson Creek*	<u>Almira</u> * 7 1/2 <u>Almira SW</u> 7 1/2	From mouth of Corbett Draw (Sec.16,T25N,R31E) downstream to Grant County line (Sec.6,T24N, R31E). This stream has over 300 sq. miles of drainage area ending at mouth of Corbett Draw.
(84) Willamee Creek	<u>Mt. Rainier</u> 30 <u>Packwood</u> 15	From Gifford Pinchot National Forest boundary (Sec.31,T13N,R9E) downstream to Cowlitz River (Sec.6,T12N,R9E).			
(85) Winston Creek	<u>Elk Rock</u> 15 <u>Onalaska</u> 15 <u>Toutle</u> 15	From confluence of Winston Creek and Thurston Creek (Sec.11,T11N,R3E) downstream to mouth at Mayfield Lake (Sec.20, T12N,R2E).			
(86) Winston Creek (S. Fk.)	<u>Elk Rock</u> 15	From confluence of Winston Creek South Fork and unnamed creek (Sec.9,T11N, R3E) downstream to mouth at Winston Creek (Sec.36, T12N,R2E).			
(87) Little Nisqually River	<u>Morton</u> 15	From confluence of Hiawatha Creek and Little Nisqually River (Sec.9,T14N,R4E) downstream to Lewis-Thurston County line (Sec.28,T15N,R4E). Exclude federal lands.			

[Order 73-14, § 173-18-260, filed 8/27/73; Order DE 72-13, § 173-18-260, filed 6/30/72.]

WAC 173-18-270 Mason County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Baker Creek	<u>Mt. Tebo</u> 15	Beginning at Olympic National Forest boundary, at center of (Sec.10,T21N,R6W) downstream to mouth at Satsop River Middle Fork (Sec.16, same township). Exclude federal land.
(2) Bingham Creek	<u>Mt. Tebo</u> 15 <u>Elma</u> 15	Beginning at (SW1/4 of NE1/4 Sec.31,T21N,R5W) downstream to mouth at East Fork Satsop River (Sec.11,T19N,R6W).
(3) Canyon River	<u>Mt. Tebo</u> 15 <u>Grisdale</u> 15	Beginning at Olympic National Forest boundary at north section line (Sec.18, T21N,R6W) downstream to Mason County, Grays Harbor County line (same section).
(4) Clo-quallum Creek	<u>Elma</u> 15	From a point near intersection of a road and Cloquallum Creek (Sec.14,T19N,R5W) downstream to Grays Harbor County line (Sec.36,T19N,R6W).
(5) Coulter Creek	<u>Belfair</u> 7 1/2	From the confluence of Coulter Creek and unnamed creek (Sec.9, T22N,R1W) downstream to mouth of North Bay (same section).

[Order DE 76-14, § 173-18-250, filed 5/3/76; Order 73-14, § 173-18-250, filed 8/27/73; Order DE 72-13, § 173-18-250, filed 6/30/72.]

WAC 173-18-260 Lincoln County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Columbia River (Cont.)*		All of Columbia River within Lincoln County (Franklin D. Roosevelt Lake) is under federal jurisdiction. The stream flow is over 200 cfs MAF.
(2) Crab Creek*	<u>Sprague Lake</u> <u>NE</u> 7 1/2 <u>Sprague Lake</u> 7 1/2 <u>Sprague Lake</u> <u>SW</u> 7 1/2 <u>Harrington</u> <u>SE</u> 7 1/2 <u>Lamona WA</u> 7 1/2 <u>U.S.G.S.</u> <u>Blue Line</u> <u>Advance</u> <u>Sylvan Lake</u> 7 1/2 <u>Odessa</u> 7 1/2 <u>Irby</u> 7 1/2 <u>Marlin SW</u> 7 1/2 <u>Marlin</u> 7 1/2	From the confluence of Rock Creek and Crab Creek (Sec.18,T22N,R38E) downstream through Sylvan Lake to Grant County line (Sec.18, T22N,R31E). This stream has over 300 sq. miles of drainage area down to mouth (right bank only) at unnamed tributary (Sec.34,T22N,R37E).

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(6) Cranberry Creek	<u>Potlatch 15</u>	Beginning at NE point of Cranberry Lake (Sec. 28, T21N, R3W) downstream to mouth at Oakland Bay (Sec. 35 of same township).	(16) Jefferson Creek	<u>The Brothers 15</u>	Beginning where Jefferson Creek crosses the Olympic National Forest boundary at NW corner (Sec. 18, T24N, R3W) downstream to mouth at Hamma Hamma River (Sec. 8 of same township) (excluding federal lands).
(7) Decker Creek	<u>Elma 15</u>	Beginning at (NW1/4 of SE1/4 Sec. 18, T20N, R6W) downstream to (Sec. 19, T20N, R6W) and Grays Harbor County, Mason County line returning to Mason County line at (Sec. 30, T20N, R6W) on downstream to mouth at Satsop River East Fork (Sec. 31, T19N, R6W).	(17) Johns Creek	<u>Potlatch 15</u> <u>Shelton 15</u>	Beginning where Johns Creek crosses light-duty road (Sec. 30, T21N, R3W) downstream to mouth at Oakland Bay (Sec. 3, T20N, R3W).
(8) Deer Creek	<u>Mason Lake 7 1/2</u> <u>Potlatch 15</u>	From confluence of Deer Creek and unnamed creek (SW1/4 of SE1/4 Sec. 19, T21N, R2W) downstream to mouth on Oakland Bay (Sec. 36, T21N, R3W).	(18) Kennedy Creek (Cont.)	<u>Shelton 15</u>	From the Thurston County line (Sec. 31, T19N, R3W) downstream to mouth at Oyster Bay (Sec. 32, T19N, R3W).
(9) Dewatto River	<u>Holly 7 1/2</u> <u>Lake Wooten 7 1/2</u> <u>Potlatch 15</u>	From a point approximately 1000' north of section line in (SE1/4 of Sec. 6, T23N, R2W) downstream to mouth at Dewatto Bay on Hood Canal (Sec. 28, T23N, R3W).	(19) Lilliwaup Creek	<u>Potlatch 15</u>	Beginning in the Lilliwaup Swamp (Sec. 11, T23N, R4W) downstream to mouth at Lilliwaup Bay in Hood Canal at (Sec. 30, T23N, R3W).
(10) Dry Bed Creek	<u>Mt. Tebo 15</u> <u>Elma 15</u>	Beginning where Dry Bed Creek crosses the Beeville Loop Road at (Sec. 27, T21N, R6W) downstream to mouth at Decker Creek (Sec. 5, T19N, R6W).	(20) McTaggart Creek	<u>Potlatch 15</u>	From confluence of McTaggart Creek and Frigid Creek at (Sec. 30, T22N, R4W) downstream to Skokomish River North Fork (same section).
(11) Dry Creek	<u>Mt. Tebo 15</u>	Beginning where Dry Creek crosses unimproved road at center of (Sec. 35, T21N, R6W) downstream to mouth at Dry Bed Creek (Sec. 3, T20N, R6W).	(21) Mission Creek	<u>Lake Wooten 7 1/2</u> <u>Belfair 7 1/2</u>	From confluence of Mission Creek and unnamed creek (Sec. 24, T23N, R2W) downstream to mouth at Hood Canal (Sec. 1, T22N, R2W).
(12) Dry Run Creek	<u>Elma 15</u>	Beginning at (NE1/4 of NW1/4) at South Bend Creek (Sec. 27, T19N, R6W) downstream to mouth at Satsop River East Fork (Sec. 28 of same township).	(22) Rendsland Creek	<u>Potlatch 15</u>	Beginning where Rendsland Creek crosses the north section line of (NW1/4 of SE1/4 Sec. 17, T22N, R3W) downstream to mouth at Hood Canal (Sec. 19 same township).
(13) Golsborough Creek (S. Fork)	<u>Elma 15</u> <u>Shelton 15</u>	From confluence of Golsborough Creek South Fork and unnamed creek (Sec. 25, T20N, R5W) downstream to mouth at Oakland Bay (Sec. 20, T20N, R3W).	(23) Satsop River (E. Fork)	<u>Elma 15</u>	From the confluence of Satsop River East Fork, Phillips Creek and Stillwater Creek (Sec. 22, T20N, R5W) downstream to Mason Co., Grays Harbor Co. line (Sec. 31, T19N, R6W).
(14) Gosnell Creek	<u>Shelton 15</u> <u>Olympia 15</u> <u>Squaxin Island 7 1/2</u>	From confluence of Gosnell Creek and unnamed creek (Sec. 10, T19N, R4W) downstream through Isabella Lake to mouth at Hammersley Inlet of Puget Sound (Sec. 25, T20N, R3W).	(24) Satsop River (M. Fork)	<u>Mt. Tebo 15</u> <u>Elma 15</u>	From the Olympic National Forest boundary (Sec. 16, T21N, R6W) downstream to Mason Co., Grays Harbor Co. line (Sec. 6, T20N, R6W) reentering Mason Co. at (Sec. 31, T19N, R6W) to mouth at Satsop River East Fork.
(15) Hamma Hamma River	<u>The Brothers 15</u>	Beginning where the Hamma Hamma River crosses the Olympic National Forest boundary (Sec. 7, T24N, R3W) downstream to mouth at Hood Canal of Puget Sound (Sec. 27 of same township).	(25) Shumocher Creek	<u>Potlatch 15</u> <u>Mason Lake 7 1/2</u>	From confluence of Shumocher Creek and unnamed creek (Sec. 13, T21N, R3W) downstream to mouth at Mason Lake (Sec. 7, T21N, R2W).

			WAC 173-18-280 Okanogan County. Streams		
Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(26) Skokomish River*	<u>Potlatch</u> * 15	From confluence of North Fork of Skokomish River and South Fork Skokomish River (Sec.18,T21N,R4W) downstream to mouth in Great Bend on Hood Canal (Sec.6,T21N,R3W) excluding portion on left bank within Skokomish Indian Reservation. The 1,000 cfs MAF flow begins at confluence of N. Fork and S. Fork.	(1) Beaver Creek	<u>Blue Buck Mt.</u> 7 1/2 <u>Twisp East</u> 7 1/2	From the confluence of Beaver Creek and unnamed creek (NE1/4 of NE1/4 Sec. 26,T34N,R22E) downstream to mouth at Methow River (Sec.27,T33N,R22E).
(27) Skokomish River (N. Fork)	<u>Potlatch</u> 15	From confluence of Skokomish R. N. Fork and Frigid Cr. (Sec.30,T22N,R4W) downstream to confluence with South Fork Skokomish R. (Sec.18,T21N,R4W).	(2) Bonaparte Creek	<u>Tonasket</u> 15	From the confluence of Bonaparte Creek and Bannon Creek (Sec.32, T37N,R28E) downstream to mouth on Okanogan River near Tonasket (Sec.16, T37N,R27E).
(28) Skokomish River (S. Fork)	<u>Mt. Tebo</u> 15 <u>Potlatch</u> 15	From the Olympic National Forest boundary (Sec.15,T22N,R5W) downstream to confluence with North Fork Skokomish River (Sec. 18,T21N,R4W). Exclude federal lands.	(3) Chewack* River	<u>Doe Mt.*</u> 15 <u>Winthrop</u> 7 1/2	From the Okanogan National Forest boundary (Sec.2,T35N,R21E) downstream to mouth at Methow River (Sec.2, T34N,R21E). The flow exceeds 200 cfs MAF at Okanogan N.F. boundary.
(29) Skookum Creek	<u>Shelton</u> 15	From confluence of Skookum Creek and unnamed creek (Sec.27, T19N,R4W) downstream to mouth at Skookum Inlet in Puget Sound (Sec.17, T19N,R3W).	(4) Columbia River (cont.)*	<u>Grand Coulee Dam</u> 15 <u>Bridgeport</u> 15 <u>Brewster</u> 15 <u>Wells Dam</u> 7 1/2 <u>Azwell</u> 7 1/2	From the intersection of the Okanogan County line and the Colville Indian Reservation boundary (Sec. 18,T30N,R25E) downstream right bank only to Chelan County line (Sec.31,T29N,R24E). The flow exceeds 200 cfs MAF at the Colville Indian Reservation boundary.
(30) Tahuya River (cont.)	<u>Wahat Lake</u> 7 1/2 <u>Holly</u> 7 1/2 <u>Lake Wooten</u> 7 1/2 <u>Potlatch</u> 15	From the Kitsap Co. line (Sec.36,T24N,R2W) downstream to mouth at Hood Canal near Tahuya (Sec.27,T22N,R3W).	(5) Gold Creek	<u>Concrete AMS</u> <u>Methow</u> 7 1/2	From the confluence of Gold Creek and South Fork Gold Creek (Sec.17, T31N,R22E) downstream to mouth at Methow River (Sec.16, same township).
(31) Union River (cont.)	<u>Belfair</u> 7 1/2	From the Kitsap Co. line (Sec.10,T23N,R1W) downstream to mouth of Lynch Cove near Belfair (Sec.31,T23N,R1W).	(6) Methow River*	<u>Mazama</u> 15* <u>Brewster</u> 15 <u>Doe Mtn.</u> 15 <u>Thompson Ridge</u> 15 <u>Winthrop</u> 7 1/2 <u>Blue Buck Mtn.</u> 7 1/2 <u>Twisp East</u> 7 1/2 <u>Methow</u> 7 1/2 <u>Cooper Mtn.</u> 7 1/2	From the Okanogan National Forest boundary (Sec.6,T36N,R19E) downstream to mouth at the Columbia River (Sec. 36,T30N,R23E) excluding all federal lands. The stream flow is 200 cfs MAF at confluence of Methow River and Lost River (Sec.5,T37N,R19E).
(32) Unnamed Creek	<u>Mt. Tebo</u> 15 <u>Elma</u> 15	Beginning where logging railroad crosses unnamed creek (Sec.4,T20N,R5W) downstream to mouth at Nahwatzel Lake (Sec.5 same township).	(7) Myers Creek	<u>Mt. Bonaparte</u> 15	From the confluence of Myers Creek and Mary Ann Creek (Sec.28,T40N,R30E) downstream to the Canadian Border (Sec.3, same township).
(33) Vance Creek	<u>Mt. Tebo</u> 15	From the Olympic National Forest boundary NW corner of (Sec.4, T21N,R5W) downstream to mouth on Skokomish River (Sec.18,T21N,R4W).	(8) Okanogan River*	<u>Oroville*</u> 15 <u>Tonasket</u> 15 <u>Omak Lake</u> 15 <u>Okanogan</u> 15 <u>Bridgeport</u> 15 <u>Conconully</u> 15	From the United States-Canadian Border crossing Osoyoos Lake (Sec. 4&5,T40N,R27E) downstream on both shores to Colville Indian Reservation (Sec.6,T34N,R27E) the west shore only to mouth at Columbia River (Sec.18,T30N,R25E), excluding all federal lands. This stream has over 200 cfs MAF and over 300 sq. miles of drainage area at United States-Canadian Border.
(34) Goldsborough Creek (N. Fork)	<u>Shelton</u> 15	From confluence of Winter Creek and Goldsborough Cr. N. Fk. (Sec.9,T20N,R4W) downstream to mouth at Goldsborough Cr. S. Fk. (Sec.19 same township).			
(35) Sherwood Creek	<u>Mason Lake</u> 7 1/2 <u>Vaughn</u> 7 1/2 <u>Belfair</u> 7 1/2	From its start in Mason Lake (Sec.34,T22N,R2W) downstream to mouth at North Bay on Case Inlet (Sec.20,T22N,R1W).			

[Order 73-14, § 173-18-270, filed 8/27/73; Order DE 72-13, § 173-18-270, filed 6/30/72.]

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(9) Sanpoil River (W. Fk.)	<u>Aeneas Valley</u> 15 Aeneas 15	From the confluence of West Fork Sanpoil River and Frosty Creek (Sec. 12, T35N, R30E) to the Okanogan National Forest boundary (Sec. 22, T35N, R31E).	(4) Bone River	<u>South Bend</u> 7 1/2 Bay Center 7 1/2	Beginning at a point (SW1/4 of NW1/4 Sec. 36, T14N, R10W) downstream to mouth at Willapa Bay (Sec. 4, T13N, R10W).
(10) Similkameen River*	<u>Loomis*</u> 15 Oroville 15	From the Canadian Border (Sec. 4, T40N, R25E) downstream to mouth at Okanogan River (Sec. 9, T39N, R27E) excluding all federal lands. This stream has over 200 cfs MAF and over 300 sq. miles of drainage at Canadian Border.	(5) Butte Creek	<u>Raymond</u> 15	From the confluence of Butte Creek and unnamed creek (Sec. 32, T15N, R8W) downstream to mouth at Smith Creek (Sec. 31, same township).
(11) Sinlahekin River (Creek)	<u>Conconully</u> 15 Loomis 15	From the confluence on the Sarsapkin Creek and Sinlahekin Creek (Sec. 10, T37N, R25E) downstream to mouth at Palmer Lake (Sec. 13, T39N, R25E).	(6) Canon River	<u>South Bend</u> 15 North Nemah 7 1/2 Nemah 7 1/2	From confluence of Canon River and unnamed creek (Sec. 5, T12N, R9W) downstream to mouth at Middle Fork of Palix River (Sec. 24, T13N, R10W).
(12) Toats Coulee Creek	<u>Horseshoe Basin</u> 15 Loomis 15	From the confluence of South and Middle Fork Toats Coulee Creek (Sec. 35, T39N, R24E) downstream to mouth at Sinlahekin Creek (Sec. 35, T39N, R25E).	(7) Canyon Creek	<u>South Bend</u> 15 North Nemah 7 1/2	From the confluence of Canyon Creek and unnamed creek (Sec. 29, T13N, R9W) downstream to mouth at Canon River (Sec. 32, same township).
(13) Toroda Creek	<u>Bodie Mt.</u> 15	From the confluence of Beaver Creek and Toroda Creek (Sec. 22, T39N, R31E) downstream to the Ferry County line (Sec. 25, T40N, R31E) excluding federal lands.	(8) Cedar River	<u>Western</u> 7 1/2 Bay Center 7 1/2	From confluence of North Fork Cedar River and Cedar River (Sec. 25, T15N, R11W) downstream to mouth at Willapa Bay (Sec. 6, T14N, R10W).
(14) Twisp River*	<u>Concrete</u> AMS Winthrop* 7 1/2 Twisp West 7 1/2 Twisp East 7 1/2	From the Okanogan National Forest boundary (Sec. 10, T33N, R21E) downstream to mouth at Methow River (Sec. 8, T33N, R22E). The flow exceeds 200 cfs MAF at Okanogan N.F. boundary.	(9) Cedar River (N. Fork)	<u>Grayland</u> 7 1/2 Western 7 1/2	From confluence of North Fork Cedar River and unnamed creek (NW1/4, NE1/4 Sec. 26, T15N, R11W) downstream to mouth at Cedar River (Sec. 25, same township).
			(10) Chinook River	<u>Chinook</u> 7 1/2	From a point approximately 1000' south of northern section line (Sec. 8, T9N, R10W) downstream to mouth in Baker Bay of Columbia River (Sec. 31, T10N, R10W).
			(11) Clearwater Creek	<u>South Bend</u> 15 South Bend 7 1/2 Aberdeen S.E. 7 1/2	Beginning at a point where Clearwater Creek crosses the unimproved dirt road near north section line (Sec. 35, T15N, R9W) downstream to mouth at Smith Creek (Sec. 26, same township).

[Order DE 77-15, § 173-18-280, filed 9/1/77; Order DE 76-14, § 173-18-280, filed 5/3/76; Order 73-14, § 173-18-280, filed 8/27/73; Order DE 72-13, § 173-18-280, filed 6/30/72.]

### WAC 173-18-290 Pacific County. Streams

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(1) Alder Creek	<u>Grays River</u> 15 Upper Naselle River 7 1/2	From the confluence of Alder Creek and unnamed creek (NW1/4 Sec. 35, T12N, R8W) downstream to the mouth at Naselle River (Sec. 16, T11N, R8W).	(12) Columbia River (cont.)*	<u>Grays River</u> 15 Roseburg 7 1/2 Knappton 7 1/2 Astoria 7 1/2 Warrenton 7 1/2 Chinook 7 1/2 Cape Disappointment 7 1/2	From the Wahkiakum County line on the Columbia River (Sec. 1, T9N, R9W) downstream along the Washington-Oregon boundary to mouth on Pacific Ocean (Sec. 18, T9N, R11W). This stream exceeds 1,000 cfs MAF at Wahkiakum Co. line.
(2) Bear River	<u>Knappton</u> 7 1/2 Chinook 7 1/2	From confluence of Bear Branch and unnamed creek (S1/2 of Sec. 36, T10N, R10W) downstream to mouth in Shoalwater Bay (Sec. 7, same township).	(13) Dell Creek	<u>Knappton</u> 7 1/2	From the confluence of Dell Creek and unnamed creek (Sec. 7, T10N, R9W) downstream to mouth on Naselle River (Sec. 8, same township).
(3) Blaney Creek	<u>Skamakawa</u> 15	From the confluence of Blaney Creek and unnamed creek (Sec. 32, T11N, R6W) downstream to mouth at Grays River (Sec. 31, same township).	(14) Eight Creek	<u>Pe Ell</u> 15	From confluence of Eight Creek and unnamed creek (Sec. 11, T13N, R6W) downstream to Lewis County line (Sec. 12, same township).

Shoreline Management Act--Streams & Rivers

173-18-290

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(15) Elk Creek	<u>Pe Ell 15</u>	From confluence of Elk Creek and unnamed creek (Sec.29,T14N,R6W) downstream to Lewis County line (Sec.1,T13N,R6W).	(28) Grays River (S.Frk.) (cont.)	<u>Skamokawa 15</u>	From Wahkiakum Co. line (Sec.32,T11N,R6W) downstream to mouth on Grays River East Fork (Sec.31, same township).
(16) Elk Creek	<u>Raymond 15</u>	From confluence of Elk Creek and unnamed creek (Sec.17,T14N,R8W) downstream to mouth at Willapa River (Sec.19, same township).	(29) Hull Creek	<u>Grays River 15</u>	From confluence of Hull Creek and unnamed tributary (Sec.30, T11N,R7W) downstream to Wahkiakum County line (Sec.32, same township).
(17) Elkhorn Creek (cont.)	<u>Montesano 15</u> <u>Aberdeen SE 7 1/2</u>	From Grays Harbor County line (Sec.15,T15N,R8W) downstream to mouth at Smith Creek (Sec.26, T15N,R9W).	(30) Half Moon Creek	<u>Raymond 15</u>	Beginning at a point (SW1/4 of SE1/4 Sec.26, T13N,R7W) downstream to mouth at Willapa River (Sec.4,T12N,R7W).
(18) Ellis Creek	<u>Grays River 15</u> <u>Raymond 15</u>	Beginning at a point (SW1/4 of NE1/4 Sec.28, T12N,R7W) downstream to mouth at Fork Creek (Sec.16, same township).	(31) Johnson Creek	<u>Skamokawa 15</u>	From the confluence of Johnson Creek and unnamed creek (Sec.6, T11N,R6W) downstream to mouth at Grays River (Sec.7, same township).
(19) Fairchild Creek	<u>Raymond 15</u>	From mouth of North Fork Fairchild Creek (Sec.24, T14N,R8W) downstream to mouth at Ward Creek (Sec.14, same township).	(32) Little Elk Creek	<u>Pe Ell 15</u>	Beginning at a point (SE1/4 of Sec.5,T13N,R6W) downstream to mouth at Elk Creek (Sec.33,T14N, R6W).
(20) Fairchild Creek (North Fork)	<u>Raymond 15</u>	From confluence of Fairchild Creek N.Fk. and unnamed creek (Sec. 8,T14N,R7W) downstream to mouth at Fairchild Creek (Sec.24,T14N,R8W).	(33) Lower Salmon Creek (cont.)	<u>Aberdeen S.E. 7 1/2</u>	From Grays Harbor County line (Sec.14,T15N,R9W) downstream back to said county line (Sec.15 same township).
(21) Ellsworth Creek	<u>Long Island 7 1/2</u>	From confluence of Ellsworth Cr. and unnamed creek (SE1/4 of SW1/4 Sec.35,T11N,R10W) downstream to mouth on Naselle River (Sec.22 same township).	(34) Middle Nemah River	<u>Oman Ranch 7 1/2</u> <u>Long Island 7 1/2</u> <u>Nemah 7 1/2</u>	From confluence of Middle Nemah River and unnamed creek (SW1/4,NE1/4 Sec.9,T11N,R9W) downstream to mouth at South Nemah River (Sec. 27,T12N,R10W).
(22) Fall River	<u>Pe Ell 15</u> <u>Raymond 15</u> <u>Montesano 15</u>	From confluence of Fall River and unnamed creek (Sec.2,T14N,R6W) downstream to mouth at (Sec.24,T15N,R7W).	(35) Mill Creek	<u>Raymond 15</u>	From confluence of Mill Creek and unnamed creek (Sec.11,T13N,R7W) downstream to mouth at Willapa River (Sec.2, T13N,R8W).
(23) Falls Creek	<u>Pe Ell 15</u> <u>Raymond 15</u>	From confluence of Falls Creek and unnamed creek (Sec.24,T12N,R7W) downstream to mouth at Willapa River (Sec.11, same township).	(36) Mitchell Creek	<u>Skamokawa 15</u>	From the confluence of Mitchell Creek and unnamed creek (Sec.8, T11N,R6W) downstream to mouth at Grays River East Fork (Sec.17, same township).
(24) Fern Creek	<u>Pe Ell 15</u> <u>Raymond 15</u>	Beginning at a point (NW1/4 of SW1/4 Sec.6,T12N, R6W) downstream to mouth at Willapa River (Sec. 3,T12N,R7W).	(37) Naselle River	<u>Grays River 15</u> <u>Up. Naselle River 7 1/2</u> <u>Roseburg 7 1/2</u> <u>Knappton 7 1/2</u> <u>Oman Ranch 7 1/2</u> <u>Long Island 7 1/2</u>	From a point on east section line (Sec.36, T12N,R8W) downstream thru Chetlo Harbor and Stanley Channel to Willapa Bay (Sec.31, T12N,R10W) excluding those reaches within Wahkiakum County.
(25) Finn Creek	<u>Oman Ranch 7 1/2</u>	From confluence of Finn Creek and unnamed creek (NE1/4 Sec.29,T12N,R9W) downstream to mouth on North Nemah River (Sec.30, same township).	(38) Naselle River (South Fork)	<u>Knappton 7 1/2</u>	From confluence of Naselle River S. Fork and Bean Creek (Sec.33, T10N,R9W) downstream to mouth at Naselle River (Sec.9, same township).
(26) Fork Creek	<u>Raymond 15</u>	Beginning at a point (SW1/4 of SE1/4 Sec.15, T12N,R7W) downstream to mouth at Willapa River (Sec.6,T12N,R7W).	(39) Nia-wiakum River	<u>South Bend 15</u> <u>Bay Center 7 1/2</u> <u>Nemah 7 1/2</u>	Beginning at a point near the section center (Sec.14,T13N,R10W) downstream to mouth at Palix River (Sec.9, same township).
(27) Grays River (East Fork)	<u>Skamokawa 15</u>	From confluence of Grays River East Fork and unnamed creek (Sec.14, T11N,R6W) downstream to mouth at Grays River (Sec.17, same township).			

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(40) North River*	<u>Malone</u> 15 Montesano 15 Aberdeen S.E.*  7 1/2 Western 7 1/2 Bay Center 7 1/2	From confluence of Redfield Creek and Wheeler Creek (Sec.22,T15N,R6W) downstream to mouth on Willapa Bay (Sec.35, T15N,R10W) excluding those reaches within Grays Harbor County. The 1,000 cfs MAF point begins at mouth of Lower Salmon Creek (Sec.7, T15N,R9W).	(51) Smith Creek	<u>Montesano</u> 15 Raymond 15 Aberdeen S.E. 7 1/2 Bay Center 7 1/2	From the east section (Sec.18,T15N,R7W) downstream to mouth at North River (Sec.35, T15N,R10W).
(41) North Fork Naselle River	<u>Raymond</u> 15 Upper Naselle Riv. 7 1/2	From confluence of North Naselle River and unnamed creek (Sec.19, T12N,R8W) downstream to mouth at Naselle River (Sec.17,T11N,R8W).	(52) Smith Creek	<u>Oman Ranch</u> 7 1/2	From confluence of Smith Creek and unnamed creek (SE1/4,SE1/4 Sec.26, T11N,R10W) downstream to mouth on Naselle River (Sec.24, same township).
(42) North Nemah River	<u>Grays River</u> 15 North Nemah 7 1/2 Up. Naselle River 7 1/2 Nemah 7 1/2 Oman Ranch 7 1/2	From the confluence of North Nemah River and unnamed creek (Sec.11, T11N,R9W) downstream to mouth at Willapa Bay (Sec.22,T12N,R10W).	(53) S. Nemah River	<u>Long Island</u> 7 1/2 Nemah 7 1/2	From confluence of South Nemah River and unnamed creek (NW1/4 Sec.2,T11N,R10W) downstream to mouth in Willapa Bay (Sec.22,T12N,R10W).
(43) Palix River	<u>Nemah</u> 7 1/2 Bay Center 7 1/2	From confluence of South and North Forks of Palix River (Sec.22,T13N,R10W) downstream to mouth on Willapa Bay (Sec.5, same township).	(54) Swem Creek	<u>Pe Ell</u> 15	Beginning at a point (SW1/4 of NE1/4 Sec.26,T14N,R6W) downstream to mouth at Elk Creek (Sec.34, same township).
(44) Palix River (North Fork)	<u>South Bend</u> 15 South Bend 7 1/2 North Nemah 7 1/2 Nemah 7 1/2	Beginning at a point (SE1/4 of NW1/4 Sec.7,T13N,R9W) downstream to mouth on Palix River (Sec.22, T13N,R10W).	(55) Trap Creek	<u>Raymond</u> 15	From confluence of Trap Creek and unnamed creek (Sec.9,T12N,R8W) downstream to Willapa River (Sec.1, same township).
(45) Palix River (South Fork)	<u>South Bend</u> 15 Nemah 7 1/2	Beginning at a point (NE1/4 of NW1/4 Sec.35, T13N,R10W) downstream to mouth on Palix River (Sec.22, same township).	(56) Unnamed Tributary to Canon River	<u>South Bend</u> 15 North Nemah 7 1/2	From a point (NW1/4 of NW1/4 Sec.33,T13N,R9W) downstream to mouth at Canon River (Sec.32, same township).
(46) Rainie Creek (cont.)	<u>Malone</u> 15	From Grays Harbor County line (Sec.16,T15N,R6W) downstream to mouth on North River (Sec.20, same township).	(57) Unnamed Tributary to Grays River	<u>Skamokawa</u> 15	From confluence of the unnamed tributary and unnamed creek (Sec.32, T12N,R6W) downstream to mouth at Grays River (Sec.5,T11N,R6W).
(47) Redfield Creek	<u>Malone</u> 15	From confluence of Redfield Creek and Wheeler Creek (Sec.22, T15N,R6W) downstream to mouth at confluence of Redfield Creek and North River (Sec.21, same township).	(58) Unnamed Tributary to Hull Creek	<u>Grays River</u> 15	From a point (SE1/4 of SW1/4 Sec.30,T11N,R7W) downstream to mouth on Hull Creek (Sec.32, same township).
(48) Rock Creek	<u>Pe Ell</u> 15	From confluence of Rock Creek and unnamed right bank tributary (Sec.2,T12N,R6W) downstream to Lewis County line (Sec.1, same township).	(59) Unnamed Tributary to Palix River (N. Fork)	<u>South Bend</u> 15 North Nemah 7 1/2	From confluence of the unnamed tributary and other unnamed tributary (Sec.8,T13N,R9W) downstream to mouth at Palix River North Fork (Sec.18, same township).
(49) Rue Creek	<u>Raymond</u> 15	From confluence of Rue Creek with the Middle and West Forks of Rue Creek (Sec.15,T13N,R8W) downstream to mouth at So. Fork Willapa River (Sec.8, same township).	(60) Unnamed Tributary to Smith Creek	<u>Montesano</u> 15	From confluence of unnamed tributary and another unnamed tributary (Sec.25, T15N,R8W) downstream to mouth at Smith Creek (Sec.26, same township).
(50) Salmon Creek	<u>Grays River</u> 15 Up. Naselle River 7 1/2 Roseburg 7 1/2 Knappton 7 1/2	From the confluence of Salmon Creek and unnamed creek (Sec.26,T11N,R8W) downstream to mouth at Naselle River (Sec.10, T10N,R9W) excluding those reaches within Wahkiakum County.	(61) Wallacut River	<u>Cape Disappointment</u> 7 1/2	From the confluence of Wallacut River and unnamed creek (SW1/4 Sec.26, T10N,R11W) downstream to mouth at Baker Bay (Sec.34, same township).
			(62) Ward Creek	<u>Raymond</u> 15	From a point (NW1/4 of SE1/4 Sec.2,T14N,R8W) downstream to mouth at Willapa River (Sec.27, same township).



Shoreline Management Act—Streams & Rivers

173-18-300

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(63) W.F. Grays River	<u>Grays River</u> 15	From confluence of West Fork Grays River and unnamed creek (Sec.16, T11N,R7W) downstream to Wahkiakum County line (Sec.33, same township).	(3) Le Clerc Creek	<u>Metaline</u> 30 <u>Ruby</u> 7 1/2	From the confluence of West Branch of Le Clerc Creek and the East Branch of Le Clerc Creek (Sec.17,T35N,R44E) downstream to mouth at Pend Oreille River (Sec.20, same township).
(64) Whitcomb Creek	<u>Raymond</u> 15	From a point (SW1/4 of NE1/4 Sec.35,T14N,R8W) downstream to mouth at Ward Creek (Sec.27, same township).	(4) Le Clerc Creek (W.Branch)	<u>Metaline</u> 30 <u>Ruby</u> 7 1/2	From the Kaniksu National Forest boundary (Sec.6,T35N,R44E) downstream to mouth at Le Clerc Creek (Sec.17, same township).
(65) Willapa River*	<u>Pe Ell</u> 15 <u>Raymond*</u> 15 <u>South Bend</u> 7 1/2	From confluence of Willapa River and unnamed creek (Sec.8, T12N,R6W) downstream to mouth at Willapa Bay (Sec.18,T14N,R9W). The streamflow is 1,000 cfs MAF at mouth of South Frk. Willapa River (Sec. 24,T14N,R9W).	(5) Le Clerc Creek (E.Branch)	<u>Metaline</u> 30 <u>Ruby</u> 7 1/2	From the Kaniksu National Forest boundary (Sec.5,T35N,R44E) downstream to mouth at Le Clerc Creek (Sec.17, same township).
(66) Willapa River (S. Fork)	<u>South Bend</u> 15 <u>North Nemah</u> 7 1/2	From an approximate point (NW1/4 Sec.2,T12N, R9W) downstream to mouth at Willapa River (Sec.24, T14N,R9W).	(6) Pend Oreille River*	<u>Newport</u> 30 <u>Newport, Wash.</u> — <u>Idaho*</u> 7 1/2 <u>Diamond Lake</u> 7 1/2 <u>Skookum Creek</u> 7 1/2 <u>Cusick</u> 7 1/2 <u>Metaline</u> 7 1/2 <u>Metaline Falls</u> 7 1/2 <u>Jared</u> 7 1/2 <u>Ruby</u> 7 1/2 <u>Scotchman Lake</u> 7 1/2 <u>Ione</u> 7 1/2	From the Washington-Idaho border (Sec.7,T31N,R46E) downstream (excluding all federal lands) to United States-Canadian border (Sec.3,T40N,R43E). The flow exceeds 200 cfs MAF at Washington-Idaho border and has 300 square miles of drainage area.
(67) Williams Creek	<u>South Bend</u> 15 <u>Nemah</u> 7 1/2 <u>North Nemah</u> 7 1/2	From an approximate point (SW1/4 of Sec.15, T12N,R9W) downstream to mouth at North Nemah River (Sec.14,T12N,R10W).	(7) Little Spokane River	<u>Newport</u> 7 1/2 <u>Diamond Lake</u> 7 1/2 <u>Camden</u> 7 1/2	From an approximate point (NE1/4 of SW1/4 of NW1/4 of NW1/4 of Sec.34,T31N, R45E) downstream thru Chain Lake and to the Spokane County line (Sec.34,T30N,R44E).
(68) Wilson Creek	<u>Raymond</u> 15	From the east section line (Sec.27,T14N,R7W) downstream to mouth at Ward Creek (Sec.22,T14N, R8W).	(8) Little Spokane River (W.Branch)	<u>Newport</u> 30	Flowing from Sacheen Lake (Sec.35,T31N,R43E) downstream thru Trout Lake, downstream thru Horseshoe Lake, downstream to Spokane County line.
(69) Wilson Creek (North Fork)	<u>Raymond</u> 15	From confluence of Wilson Creek North Fork and unnamed creek (Sec. 20,T14N,R7W) downstream to mouth at Wilson Creek (Sec.30, same township).	(9) Skookum Creek	<u>Newport</u> 30 <u>Skookum Creek</u> 7 1/2	From the confluence of Skookum Creek and N. Fork Skookum Creek (Sec.34, T33N,R44E) downstream to mouth at Pend Oreille River (Sec.4, T32N,R44E).

[Order DE 77-15, § 173-18-290, filed 9/1/77; Order DE 76-14, § 173-18-290, filed 5/3/76; Order 73-14, § 173-18-290, filed 8/27/73; Order DE 72-13, § 173-18-290, filed 6/30/72.]

WAC 173-18-300 Pend Oreille County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Calispell Creek	<u>Newport</u> 30 <u>Cusick</u> 7 1/2	From the confluence of North and South Forks of Calispell Creek (Sec.34,T32N,R43E) downstream thru Calispell Lake to mouth on Pend Oreille River (Sec.19,T33N,R44E).	(10) Sullivan Creek*	<u>Metaline</u> * 30	From the Colville National Forest boundary (Sec.22,T39N,R43E) downstream to mouth at Pend Oreille River (Sec. 23, same township). The flow exceeds 200 cfs MAF at Colville National Forest boundary.
(2) Calispell Creek (N.Frk.)	<u>Newport</u> 30 <u>Sacheen Lake</u> 7 1/2 <u>Cusick</u> 7 1/2	From the north section line (Sec.28,T32N,R43E) downstream thru Power Lake to mouth on Calispell Creek (Sec.34, same township).	(11) Tacoma Creek	<u>Newport</u> 30 <u>Jared</u> 7 1/2	From an approximate point (NW1/4 of NW1/4 of Sec. 27,T34N,R43E) downstream (excluding all federal lands) to mouth at Pend Oreille River (Sec.30,T34N,R44E).

[Order 73-14, § 173-18-300, filed 8/27/73; Order DE 72-13, § 173-18-300, filed 6/30/72.]

WAC 173-18-310 Pierce County, Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Beaver Creek	<u>Kapowsin</u> 15	From an approximate point near the center of (Sec. 35,T16N,R5E) downstream to the mouth at Mashel River (Sec.21, T16N,R5E).	(13) Mashel River	<u>Kapowsin</u> 15 Eatonville 7 1/2	From the confluence of Mashel River and unnamed creek (Sec.18,T16N,R6E) downstream to mouth at Nisqually River (Sec.29, T16N,R4E).
(2) Busy Wild Creek	<u>Kapowsin</u> 15	From the confluence of Busy Wild Creek and unnamed creek (Sec.10, T15N,R6E) downstream to mouth at Mashel River (Sec.25,T16N,R5E).	(14) Milky Creek	<u>Enumclaw</u> 15	From an approximate point near the NW corner of the (NE1/4 of SE1/4 of NW1/4 of Sec.34, T19N,R8E) downstream to the mouth at the Clearwater River (same section).
(3) Carbon River	<u>Mowich Lake</u> 7 1/2 <u>Enumclaw</u> 15 Golden Lakes 7 1/2 <u>Wilkeson</u> 7 1/2 <u>Orting</u> 7 1/2 <u>Sumner</u> 7 1/2	From the Mount Rainier National Park boundary (Sec.35,T18N,R7E) downstream to mouth at the Puyallup River. (Sec.13,T19N,R4E).	(15) Minter Creek	<u>Burley</u> 7 1/2 Fox Island 7 1/2	From the confluence of Minter Creek and Huge Creek (Sec.20,T22N,R1E) downstream to mouth at Carr Inlet (Sec.29, same township).
(4) Chambers Creek	<u>Steilacoom</u> 7 1/2	From outflow of Steilacoom Lake (Sec.34, T20N,R2E) downstream to mouth at Chambers Bay and Puget Sound (Sec.29, T20N,R2E).	(16) Mowick River	<u>Golden Lakes</u> 7 1/2 <u>Kapowsin</u> 15	From the Mount Rainier National Park boundary (Sec.33,T17N,R7E) downstream to mouth at Puyallup River (Sec.3, T16N,R6E).
(5) Clarks Creek	<u>Puyallup</u> 7 1/2	Beginning in the (NE1/4 of the SE1/4 Sec.32,T20N, R4E), downstream to mouth at Puyallup River (Sec.15, same township).	(17) Muck Creek	<u>Fort Lewis</u> 7 1/2	From Fort Lewis Military Reservation boundary (Sec. 27,T18N,R2E) downstream through Muck Lake to same boundary (Sec.34, same township).
(6) Clear-water River	<u>Enumclaw</u> 15	From the Snoqualmie National Forest boundary (Sec.34,T19N,R8E) downstream to mouth at the White River (Sec.7,T19N,R8E).	(18) Niesson Creek	<u>Kapowsin</u> 15	From an approximate point near the NW corner of the (NE1/4 of NE1/4 of Sec.4,T16N,R6E) downstream to the Puyallup River (Sec.33,T17N,R6E).
(7) Clover Creek	<u>Tacoma South</u> 15 <u>Spanaway</u> 7 1/2 <u>Tacoma South</u> 7 1/2 <u>Steilacoom</u> 7 1/2 <u>Frederickson</u> 7 1/2	From the intersection of Clover Creek and railroad (Sec.25,T19N,R3E) downstream to Steilacoom Lake (Sec.3,T19N,R2E). Delete federal lands.	(19) Nisqually River*	<u>Randle</u> 15 <u>Mount Wow</u> 7 1/2 <u>Mineral</u> 15 <u>Kapowsin*</u> 15 <u>Eatonville</u> 7 1/2 <u>Bald Hill</u> 7 1/2 <u>Harts Lake</u> 7 1/2 <u>McKenna</u> 7 1/2 <u>Nisqually</u> 7 1/2	From Snoqualmie National Forest boundary (Sec.33, T15N,R7E) downstream along the north and east shores only, excluding all federal lands to the Fort Lewis Military Reservation (Sec.16, T17N,R2E), from Military Reservation (Sec.5, T18N,R1E) to mouth on Nisqually Reach (Sec.28, T19N,R1E). *Note: The 1,000 cfs MAF point starts at mouth of Mineral Creek (Sec.26, T15N,R5E).
(8) Evans Creek	<u>Kapowsin</u> 15	From the east line of (Sec.11,T17N,R6E) downstream to mouth at Carbon River (Sec.35, T18N,R6E).	(20) Ohop Creek	<u>Kapowsin</u> 15 <u>Orting</u> 7 1/2	From the confluence of Ohop Creek and unnamed creek (Sec.21,T17N,R5E) downstream through Lake Kapowsin to mouth at Puyallup River (Sec.20, T18N,R5E).
(9) Gale Creek	<u>Enumclaw</u> 15 <u>Wilkeson</u> 7 1/2	From an approximate point near the center of the (NE1/4 of SW1/4 of NE1/4 of NW1/4 of Sec.13, T18N,R6E) downstream to mouth at Wilkeson Creek (Sec.34,T19N,R6E).	(21) Ohop Creek	<u>Tanwax Lake</u> 7 1/2 Eatonville 7 1/2	From confluence of Twenty Five Mile Creek and Ohop Creek (Sec.26, T17N,R4E) downstream through Ohop Lake to Kapowsin Creek, thence downstream to mouth at Nisqually River (Sec.25, T16N,R3E).
(10) Green-water River	<u>Lester</u> 15 <u>Greenwater</u> 15	From the Snoqualmie National Forest boundary (Sec.31,T19N,R11E) downstream on the left shore only to the mouth at White River (Sec.4,T19N,R9E). Exclude federal lands.	*NOTE: (Exclude area from La Grande Dam downstream to power house due to use of aqueduct.)		
(11) Little Mashel River	<u>Kapowsin</u> 15 Eatonville 7 1/2	From the confluence of the Little Mashel River and unnamed creek (Sec. 30,T16N,R5E) downstream to Mashel River (Sec.22, T16N,R4E).			
(12) Lynch Creek	<u>Kapowsin</u> 15 <u>Tanwax Lake</u> 7 1/2	From an approximate point on the west line of (SE1/4 of NE1/4 of NW1/4 of Sec.17,T16N,R5E) downstream to mouth at Ohop Creek (Sec.10,T16N,R4E).			

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(22) Puyallup River*	<u>Mt. Rainier</u> 30 <u>Kapowsin</u> 15 <u>Orting</u> 7 1/2 <u>Sumner</u> * 7 1/2 <u>Puyallup</u> 7 1/2 <u>Tacoma South</u> 7 1/2 <u>Tacoma North</u> 7 1/2	From the confluence of North and South Forks Puyallup River (Sec.20,T16N,R7E) downstream (excluding all federal lands) to Commencement Bay at Tacoma (Sec.33,T21N,R3E). The 1,000 cfs MAF point begins at mouth of Carbon River (Sec.13, T19N,R4E).	(33) White River*	<u>Greenwater</u> * 15 <u>Enumclaw</u> 15 <u>Enumclaw</u> 7 1/2 <u>Auburn</u> 7 1/2 <u>Sumner</u> 7 1/2 <u>Puyallup</u> 7 1/2 <u>Buckley</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.36,T19N,R9E) downstream to the King-Pierce County line along County line on southerly shore only to the Muckleshoot Indian Reservation (Sec.2,T20N, R5E) returning from the reservation (Sec.1,T20N, R4E) downstream to mouth at Puyallup River (Sec.26, same township). The 1,000 cfs MAF point begins at mouth of Greenwater River (Sec.4, T19N,R9E).
(23) Rocky Creek	<u>Vaughn</u> 7 1/2	From the confluence of Rocky Creek and the unnamed creek (Sec.27, T22N,R1W) downstream to mouth at Rocky Bay (same section).	(34) White River (West Fork)	<u>Greenwater</u> 15	From the Snoqualmie National Forest boundary (Sec.33,T19N,R9E) downstream to mouth at the White River (Sec.23, same township).
(24) Rushingwater Creek	<u>Golden Lakes</u> 7 1/2 <u>Kapowsin</u> 15	From the Snoqualmie National Forest boundary (Sec.1,T16N,R6E) downstream to mouth at Mowich River (Sec.2, same township).	(35) Wilkeson Creek	<u>Wilkeson</u> 7 1/2 <u>Buckley</u> 7 1/2	From confluence of Wilkeson Creek and Gale Creek (Sec.34,T19N,R6E) downstream to mouth at South Prairie Creek (Sec.17, same township).
(25) Sequa-litchew Creek	<u>Anderson Island</u> 15 <u>Fort Lewis</u> 7 1/2 <u>Nisqually</u> 7 1/2	From the Fort Lewis Military Reservation (Sec.25,T19N,R1E) downstream to mouth at Nisqually Reach (Sec.22, same township).	(36) North Puyallup River	<u>Mount Wow</u> 7 1/2	From Mount Rainer National Park boundary (Sec.21,T16N,R7E) downstream to mouth at Puyallup River (Sec.20,T16N,R7E).
(26) South Creek	<u>Ohop Valley</u> 15 <u>Harts Lake</u> 7 1/2 <u>Spanaway</u> 7 1/2 <u>Tanwax Lake</u> 7 1/2	From the confluence of South Creek and unnamed creek (Sec.8,T17N,R4E) downstream to Fort Lewis Military Reservation boundary (Sec.34,T18N, R3E).	(37) South Puyallup River	<u>Mount Wow</u> 7 1/2	From Mount Rainer National Park boundary (Sec.33,T16N,R7E) downstream to mouth at Puyallup River (Sec.20,T16N,R7E).
(27) South Prairie Creek	<u>Enumclaw</u> 15 <u>Wilkeson</u> 7 1/2 <u>Buckley</u> 7 1/2 <u>Sumner</u> 7 1/2 <u>Orting</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.32,T19N,R7E) downstream to mouth at Carbon River (Sec.27, T19N,R5E).			
(28) Spanaway Creek	<u>Tacoma South</u> 15 <u>Tacoma South</u> 7 1/2 <u>Spanaway</u> 7 1/2	From the confluence of waters from Spanaway Lake (Sec.20,T19N,R3E) downstream to mouth at Clover Creek (Sec.8, same township).			
(29) Tanwax Creek	<u>Tanwax Lake</u> 7 1/2 <u>Harts Lake</u> 7 1/2 <u>Bald Hill</u> 7 1/2	From the confluence of Tanwax Creek and unnamed creek (Sec.31,T17N,R4E) downstream to mouth at the Nisqually River (Sec.20,T16N,R3E).			
(30) Twenty Five Mile Creek	<u>Kapowsin</u> 15 <u>Tanwax Lake</u> 7 1/2	From an approximate point near the west line of the (NE1/4 of NW1/4 of SE1/4 of Sec.25,T17N,R4E) downstream to mouth at Ohop Creek (Sec.26, same township).			
(31) Unnamed Tributary to Mashel River	<u>Kapowsin</u> 15	From an approximate point near the SW corner of (NE1/4 of Sec.29, T16N,R6E) downstream to mouth at Mashel River (Sec.19, same township).			
(32) Voight Creek	<u>Kapowsin</u> 15 <u>Wilkeson</u> 7 1/2 <u>Orting</u> 7 1/2	From the intersection of the west line of (Sec.3, T17N,R6E) and Voight Creek, downstream to mouth at Carbon River (Sec.33,T19N,R5E).			

[Order DE 76-14, § 173-18-310, filed 5/3/76; Order 73-14, § 173-18-310, filed 8/27/73; Order DE 72-13, § 173-18-310, filed 6/30/72.]

**WAC 173-18-320 San Juan County. Streams.** San Juan County has no 20 cfs streams but has shorelines. No rivers of state-wide significance. [Order 73-14, § 173-18-320, filed 8/27/73; Order DE 72-13, § 173-18-320, filed 6/30/72.]

**WAC 173-18-330 Skagit County. Streams**

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Alder Creek	<u>Hamilton</u> 15	From confluence of Alder Creek and unnamed creek (Sec.6,T35N,R7E) downstream to mouth at Skagit River (Sec.18, same township).
(2) Baker River*	<u>Lake Shannon</u> * 15	Beginning at Mt. Baker National Forest boundary in Lake Shannon (Sec.1, T36N,R8E) down through Lake Shannon and Baker Dam to mouth at Skagit River (Sec.11,T35N,R8E). The 1,000 cfs MAF begins at Mt. Baker National Forest boundary.

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(3) Bear Creek	<u>Clear Lake 15</u>	From confluence of Bear Creek and unnamed creek (Sec.18,T33N,R6E) downstream to mouth at Pilchuck Creek (Sec.17, same township).	(15) Friday Creek (cont.)	<u>Samish Lake 15</u> <u>Alger 7 1/2</u> <u>Lake Whatcom 7 1/2</u>	From Whatcom County line (Sec.1,T36N,R3E) downstream to mouth at Samish River (Sec.5,T35N,R4E).
(4) Bear Creek	<u>Hamilton 15</u>	From confluence of Bear Creek and unnamed creek (Sec.10,T36N,R8E) downstream to mouth at Lake Shannon (Sec.14, same township).	(16) Gilligan Creek	<u>Clear Lake 15</u>	From confluence of Gilligan Creek and unnamed creek (Sec.11, T34N,R5E) downstream to mouth at Skagit River (Sec.35,T35N,R5E).
(5) Big Creek	<u>Prairie Mt. 7 1/2</u>	Beginning at Mt. Baker National Forest boundary (Sec.18,T33N,R11E) downstream to mouth at Suittle River (Sec.13, same township).	(17) Grandy Creek	<u>Hamilton 15</u>	From outlet of Grandy Lake (Sec.31,T36N,R8E) downstream to mouth at Skagit River (Sec.15, T35N,R7E).
(6) Boulder Creek	<u>Snowking Mt. 7 1/2</u> <u>Marblemount 15</u>	From an approximate point (NW1/4 of NW1/4 of SW1/4 Sec.26,T35N,R11E) downstream to mouth at Cascade River (Sec.15, same township).	(18) Hansen Creek	<u>Wickersham 15</u>	From an approximate point (SW1/4 of SW1/4 Sec.17,T35N,R5E) downstream to mouth at Skagit River (Sec.20, same township).
(7) Carpenter Creek	<u>Mt. Vernon 15</u> <u>Conway 7 1/2</u>	From confluence of Carpenter Creek and unnamed creek (Sec.17, T33N,R4E) downstream to mouth at Tom Moore Slough (Sec.30, same township).	(19) Howard Creek (cont.)	<u>Hamilton 15</u>	From Whatcom County line (Sec.2,T36N,R6E) downstream to mouth at Nooksack River South Fork (Sec.13, same township).
(8) Cascade River*	<u>Marblemount * 15</u>	From Mt. Baker National Forest boundary (Sec.12, T35N,R11E) downstream to mouth at Skagit River (Sec. 18, same township). The 1,000 cfs MAF point begins at mouth of Boulder Creek (Sec.15, T35N,R11E).	(20) Illabot Creek	<u>Illabot Peaks 7 1/2</u> <u>Rockport 7 1/2</u>	From Mt. Baker National Forest boundary (Sec.1, T34N,R10E) downstream to mouth at Skagit River (Sec.29,T35N,R10E).
(9) Cavanaugh Creek	<u>Wickersham 15</u>	From an approximate point (NW1/4 of NE1/4 of SE1/4 Sec.5,T36N,R6E) downstream to mouth at Nooksack River (Sec.2,T36N,R5E).	(21) Irene Creek	<u>Marblemount 15</u>	From Mt. Baker National Forest boundary (Sec.13, T35N,R11E) downstream to mouth at Cascade River (Sec.12, same township).
(10) Corkindale Creek	<u>Marblemount 15</u>	From confluence of Corkindale Creek and unnamed creek near west section line (Sec.14, T35N,R10E) downstream to mouth at Skagit River (Sec.22, same township).	(22) Jackman Creek	<u>Lake Shannon 15</u>	From Mt. Baker National Forest boundary (Sec.3, T35N,R9E) downstream to mouth at Skagit River (Sec.13,T35N,R8E).
(11) Cumberland Creek	<u>Oso 15</u> <u>Hamilton 15</u>	From confluence of Cumberland Creek and unnamed creek (Sec.25, T35N,R6E) downstream to mouth at Skagit River (Sec.14, same township).	(23) Joe Leary Creek	<u>Samish Lake 15</u> <u>Bow 7 1/2</u>	From confluence of Joe Leary Creek and unnamed creek (Sec.20,T35N,R3E) downstream to mouth at Padilla Bay (Sec.18, same township).
(12) Day Creek	<u>Oso 15</u> <u>Clear Lake 7 1/2</u>	Beginning at outlet of Day Lake (Sec.25,T34N, R6E) downstream to mouth at Skagit River (Sec.20, T35N,R6E).	(24) Jones Creek	<u>Wickersham 15</u>	From an approximate point (SE1/4 of SE1/4 of NE1/4 Sec.32,T36N,R6E) downstream to mouth at Skagit River (Sec.17,T35N,R6E).
(13) Deer Creek	<u>Oso 15</u>	From the Mt. Baker National Forest boundary (Sec.1,T33N,R7E) downstream to Snohomish County line (Sec.32, same township).	(25) Jordan Creek	<u>Illabot Peaks 7 1/2</u>	Beginning at Mt. Baker National Forest boundary (Sec.33,T35N,R11E) downstream to mouth at Cascade River (Sec.18, same township).
(14) Finney Creek	<u>Finney Peak 7 1/2</u> <u>Lake Shannon 15</u> <u>Hamilton 15</u>	From the Mt. Baker National Forest boundary (Sec.1,T34N,R8E) downstream to mouth at Skagit River (Sec. 13,T35N,R7E).	(26) Lake Creek	<u>Clear Lake 15</u> <u>Mt. Vernon 7 1/2</u>	From confluence of Lake Creek and unnamed creek (Sec.17,T33N,R5E) downstream through Big Lake and Nookachamps Creek to the mouth at Nookachamps Creek in Skagit River (Sec.4,T34N,R4E).
			(27) Lake Creek	<u>Clear Lake 15</u>	From outlet of Lake Cavanaugh (Sec.22,T33N, R6E) downstream to mouth at Pilchuck Creek (Sec.17, same township).

Shoreline Management Act--Streams & Rivers

173-18-330

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(28) Little Deer Creek	Oso 15	From Mt. Baker National Forest boundary (Sec.35, T34N,R7E) downstream to mouth at Deer Creek (same section).	(40) Silver Creek	Samish Lake 15 Alger 7 1/2	Beginning where heavy duty highway crosses Silver Creek (Sec.7, T36N,R4E) downstream to mouth at Friday Creek (Sec.18, same township).
(29) Mill Creek	Hamilton 15	From an approximate point (SW1/4 of SW1/4 of SW1/4 Sec.23,T35N,R7E) downstream to mouth at Skagit River (Sec.22, same township).	(41) Skagit River*	Marblemount * 15 Lake Shannon 15 Hamilton 15 Wickersham 15 Clear Lake 15 Illabot Peaks 7 1/2 Rockport 7 1/2 Finney Peak 7 1/2 Mount Vernon 7 1/2 Utsalady 7 1/2 Conway 7 1/2	Beginning at Mt. Baker National Forest boundary (Sec.1,T36N,R11E) downstream splitting into the North Fork and the South Fork, on down to mouth at Skagit Bay (Sec.7,T33N,R2E) and (Sec.36,T33N,R3E). The 1,000 cfs MAF point begins at Mt. Baker N.F. boundary.
(30) Nookachamps Creek (E.Fk.)	Clear Lake 15 Mt. Vernon 7 1/2	From confluence of Nookachamps Creek East Fork and unnamed creek (Sec.28,T34N,R5E) downstream to mouth at Nookachamps Creek (Sec.10,T34N,R4E).	(42) Stillaguamish River (N. Fork)	Fortson 7 1/2	From Mt. Baker National Forest boundary (Sec.27, T33N,R9E) downstream to Skagit County and Snohomish County line (Sec.34, same township).
(31) Nooksack River (S. Fk.)	Hamilton 15 Wickersham 15	Beginning at Mt. Baker National Forest boundary (Sec.10,T36N,R7E) downstream to Skagit County line (Sec.2, T36N,R5E).	(43) Suiattle River* (cont.)	Prairie Mt. * 7 1/2 Darrington 7 1/2	From Skagit-Snohomish County line (Sec.32,T33N,R11E) downstream to mouth at Sauk River (Sec.20,T33N,R10E). This river has over 1,000 cfs MAF at Skagit-Snohomish County line.
(32) O'Toole Creek	Oso 15	Beginning at Mt. Baker National Forest boundary (Sec.28,T35N,R7E) downstream to mouth at Skagit River (Sec.21, same township).	(44) Tenas Creek	Prairie Mt. 7 1/2	From Mt. Baker National Forest boundary (Sec.19, T33N,R11E) downstream to mouth at Suiattle River (Sec.30, same township).
(33) Pilchuck Creek	Clear Lake 15	From confluence of Pilchuck Creek and unnamed creek (Sec.10, T33N,R6E) downstream to Skagit County and Snohomish County line (Sec.33,T33N,R5E).	(45) Thunder Creek	Lake Shannon 15	Beginning at Mt. Baker National Forest boundary (Sec.17,T36N,R9E) downstream to mouth at Lake Shannon (Sec.24, T36N,R8E).
(34) Presentin Creek	Oso 15 Hamilton 15	Beginning at Mt. Baker National Forest boundary (Sec.36,T35N,R7E) downstream to mouth at Skagit River (Sec.13, same township).	(46) Thunder Creek (S. Fk.)	Lake Shannon 15	From an approximate point (NW1/4 of SE1/4 of NE1/4 Sec.20,T36N,R9E) downstream to mouth at Thunder Creek (Sec.18, same township).
(35) Rocky Creek	Clear Lake 15	From confluence of Rocky Creek and unnamed creek (Sec.17,T34N,R6E) downstream to mouth at Day Creek (Sec.10, same township).	(47) Unnamed Tributary to Bear Creek	Lake Shannon 15	From confluence of unnamed tributary to Bear Creek and unnamed creek (Sec.10,T36N,R8E) downstream to mouth at Bear Creek (same section).
(36) Rocky Creek	Lake Shannon 15	From Whatcom County line (Sec.1,T36N,R8E) downstream to Skagit County line (same section).	(48) Walker Creek	Clear Lake 15	From an approximate point (SW1/4 of SW1/4 of NE1/4 Sec.5,T33N,R5E) downstream to mouth at Nookachamps Creek East Fork (Sec.30,T34N,R5E).
(37) Rocky Creek	Marblemount 15	Beginning at Mt. Baker National Forest boundary (Sec.22,T35N,R10E) downstream to mouth at Skagit River (same section).	(49) White Creek	Rockport 7 1/2	From confluence of White Creek and unnamed creek (Sec.20,T34N,R10E) downstream to mouth at Sauk River (Sec.31, same township).
(38) Samish River (cont.)	Wickersham 15	From Whatcom County line (Sec.6,T36N,R5E) downstream to mouth at Samish Bay (Sec.5,T35N, R3E).	(50) Youngs Slough	Wickersham 15	From confluence of Youngs Slough and unnamed tributary (Sec. 14,T35N,R5E) downstream to mouth at Skagit River (Sec.27, same township).
(39) Sauk River (cont.)*	Darrington * 7 1/2 Rockport 7 1/2	From Snohomish County line (Sec.32,T33N,R10E) downstream to mouth at Skagit River (Sec.35, T35N,R9E). The flow exceeds 1,000 cfs MAF at Snohomish County line.			

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(51) Bacon Creek	<u>Marblemount</u> 15	From west section line (Sec.8,T36N,R11E) downstream to mouth at Skagit River (Sec.20,T36N,R11E). Exclude federal lands.	(10) Hagen Creek (cont.)	<u>Bridal Veil</u> 15	From the Clark County line (Sec.6,T2N,R5E) downstream to mouth at the West Fork Washougal River (same section).
(52) Diobsud Creek	<u>Marblemount</u> 15	From west section line (Sec.30,T36N,R11E) downstream to mouth at Skagit River (Sec.32,T36N,R11E). Exclude federal lands.	(11) Hamilton Creek	<u>Bridal Veil</u> 15	From the confluence of Hamilton Creek and unnamed creek (Sec.36, T3N,R6E) downstream to Columbia River (Sec.30, T2N,R7E).

[Order DE 76-14, § 173-18-330, filed 5/3/76; Order 73-14, § 173-18-330, filed 8/27/73; Order DE 72-13, § 173-18-330, filed 6/30/72.]

**WAC 173-18-340 Skamania County. Streams**

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(1) Bear Creek	<u>Wind River</u> 15	From the Gifford Pinchot National Forest boundary (Sec.5,T3N,R8E) downstream to mouth at Wind River (Sec.8, same township).	(13) Lewis River*	<u>Burnt Peak * 7 1/2 Mt. St. Helens</u> 15	From Gifford Pinchot National Forest boundary (Sec.24,T7N,R6E) downstream through Swift Reservoir to Cowlitz County line (Sec. 31,T7N,R5E) except those reaches within the National Forest. The 1,000 cfs MAF point is at Gifford Pinchot N.F. boundary.
(2) Buck Creek (cont.)	<u>Willard</u> 7 1/2	From Klickitat County line (Sec.2,T3N,R10E) downstream to mouth at White Salmon River (same section).	(14) Little White Salmon River*	<u>Willard * 15 Hood River</u> 15	Beginning in (NE1/4 of NE1/4 of NE1/4 Sec.2,T4N,R9E) downstream to Drano Lake (Sec.26,T3N,R9E), excluding all federal lands. The 200 cfs MAF begins at confluence with Lava Creek (Sec.1, T3N,R9E).
(3) Canyon Creek	<u>Bridal Veil</u> 15	Beginning in (NW1/4 of SE1/4 Sec.4,T1N,R5E) downstream to Washougal River (Sec.6, same township).	(15) Little Wind River	<u>Wind River</u> 15 <u>Bonneville Dam</u> 15	From the Gifford Pinchot National Forest boundary (Sec.14,T3N,R8E) downstream to mouth at Wind River (Sec.22, same township).
(4) Columbia River (cont.)*	<u>Hood River</u> 15 <u>Bonneville Dam</u> 15 <u>Bridal Veil</u> 15	From Klickitat County line (Sec.23,T3N,R10E) downstream along Washington shoreline to Clark County line (Sec. 19,T1N,R5E) excluding any federal lands. The flow exceeds 200 cfs MAF at Klickitat County line.	(16) Lookout Creek	<u>Lookout Mt.</u> 15	From an approximate point (NW1/4 of Sec.6,T3N, R6E) downstream to mouth at Washougal River (Sec.1,T3N,R5E).
(5) Deer Creek	<u>Bridal Veil</u> 15	From an approximate point (NE1/4 of Sec.17, T3N,R6E) downstream to mouth at Prospector Creek (Sec.18, same township).	(17) Muddy River	<u>Mt. St. Helens</u> 15	From the west section line (Sec.16,T8N,R6E) downstream to mouth at Lewis River (Sec.24,T7N,R6E). Exclude federal lands.
(6) Dougan Creek	<u>Bridal Veil</u> 15	From the confluence of Dougan Creek and unnamed creek (Sec.2,T2N,R5E) downstream to Washougal River (Sec.11, same township).	(18) North Fork Toutle River	<u>Spirit Lake</u> 15	From Spirit Lake (Sec. 15,T9N,R5E) downstream to Skamania County line (Sec.18, same township), excluding all federal lands.
(7) Duncan Creek	<u>Bridal Veil</u> 15	Beginning in (NW1/4 of SE1/4 of NE1/4 of Sec.17,T2N, R6E) downstream to Columbia River (Sec.34, same township).	(19) North Siouyon Creek	<u>Mt. St. Helens</u> 15 <u>Lookout Mt.</u> 15	From the Gifford Pinchot National Forest boundary (Sec.16,T6N,R5E) downstream to the Clark County line (Sec. 30, same township).
(8) Forest Creek	<u>Wind River</u> 15 <u>Bonneville Dam</u> 15	From the Gifford Pinchot National Forest boundary (Sec.17,T3N,R7E) downstream to mouth at Rock Creek (same section).	(20) Ole Creek	<u>Mt. St. Helens</u> 15	From the confluence of Ole Creek and an unnamed creek (Sec.31,T7N,R5E) downstream to Lewis River (same section).
(9) Green-leaf Creek	<u>Bonneville Dam</u> 15	From an approximate point (NW1/4 of Sec.16, T2N,R7E) downstream through Greenleaf Slough to mouth at Hamilton Creek (Sec.20, same township).	(21) Panther Creek	<u>Wind River</u> 15	Beginning in (NW1/4 of SE1/4 of SE1/4 of Sec.25,T4N,R71/2E) down- stream to mouth at Wind River (Sec.8,T3N,R8E).

Shoreline Management Act--Streams & Rivers

173-18-340

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(22) Pro-spector Creek	<u>Bridal Veil 15</u>	From the confluence of Prospector Creek and Deer Creek (Sec.18,T3N,R6E) downstream to mouth at Washougal River (Sec.13,T3N,R5E).	(34) White Salmon River (cont.)*	<u>Willard 15 Hood River 15</u>	From Klickitat County line (Sec.2,T3N,R10E) downstream right bank only to mouth on Columbia River (Sec.23, same township). The flow exceeds 200 cfs MAF at Skamania-Klickitat County line.
(23) Range Creek	<u>Mt. St. Helens 15</u>	From south section line of (Sec.12,T6N,R5E) downstream to Swift Reservoir (Sec.6,T6N,R6E).	(35) Wildboy Creek	<u>Bridal Veil 15</u>	From the confluence of Wildboy Creek and Texas Creek (Sec.17,T2N,R5E) downstream to West Fork Washougal River (Sec.20, same township).
(24) Rock Creek	<u>Lookout Mt. 15</u> <u>Wind River 15</u> <u>Bonneville Dam 15</u>	From west section line (Sec.2,T3N,R6E) downstream to Columbia River (Sec.1,T2N,R7E).	(36) Wind River*	<u>Wind River * 15</u> <u>Bonneville Dam 15</u>	Beginning at the north section line of (Sec.9, T4N,R7E) downstream to mouth at Columbia River (Sec.27,T3N,R8E). The 200 cfs MAF point begins at Gifford Pinchot N.F. boundary (Sec.1,T3N,R71/2E).
(25) Siouxxon Creek	<u>Lookout Mt. 15</u>	From the Gifford Pinchot National Forest boundary (Sec.31,T6N,R5E) downstream to Clark County line (same section) excluding federal lands.	(37) Woodward Creek	<u>Bridal Veil 15</u>	From the confluence of Woodward Creek and unnamed creek (Sec.27, T2N,R6E) downstream to mouth at Columbia River (Sec.36, same township).
(26) Spring Creek	<u>Bonneville Dam 15</u>	From the Gifford Pinchot National Forest boundary (Sec.22,T3N,R7E) downstream to mouth at Rock Creek (Sec.27, same township).	(38) Unnamed Tributary to Swift Reservoir	<u>Mt. St. Helens 15</u>	From the east section line (Sec.2,T6N,R6E) downstream to mouth at Swift Reservoir (Sec.35, T7N,R6E).
(27) Stebbins Creek	<u>Bridal Veil 15</u>	From the confluence of Stebbins Creek and unnamed creek (Sec.28, T3N,R6E) downstream to mouth at Washougal River (Sec.6,T2N,R6E).	(39) Green River	<u>Spirit Lake 15</u>	From the Gifford Pinchot National Forest boundary (Sec.4,T7N,R5E) downstream to the Swift Reservoir (Sec.16, same township) except those reaches within the National Forest.
(28) Swift Creek	<u>Mt. St. Helens 15</u>	From the Gifford Pinchot National Forest boundary (Sec.4,T7N,R5E) downstream to mouth at Swift Reservoir (Sec.16, same township) except those reaches within the National Forest.	(40) Drift Creek	<u>Mt. St. Helens 15</u>	From south section line (Sec.8,T6N,R6E) downstream to Swift Reservoir (Sec.5, same township). Exclude federal lands.
(29) Trout Creek	<u>Wind River 15</u>	Beginning in (SE1/4 of SE1/4 of NE1/4 of Sec.27,T4N,R7E) downstream to mouth at Wind River (Sec.26, same township).	(41) Cold-water Creek	<u>Spirit Lake 15</u>	From east section line (Sec.29,T10N,R5E) downstream to Cowlitz-Skamania County line (Sec.31, same township). Exclude federal lands.
(30) Unnamed Tributary to Swift Creek	<u>Mt. St. Helens 15</u>	From the Gifford Pinchot National Forest boundary (Sec.10,T7N,R5E) downstream to mouth at Swift Creek (Sec.9, same township).	(42) Miners Creek	<u>Spirit Lake 15</u>	From confluence of Miners Creek and unnamed creek (SE1/4 Sec.8,T10N,R5E) downstream to Lewis-Skamania County line same section.
(31) Washougal River	<u>Lookout Mt. 15</u>	From Gifford Pinchot National Forest boundary (Sec.1,T3N,R5E) downstream to mouth at Clark County line (Sec.31,T2N,R5E).	(43) Smith Creek	<u>Mt. St. Helens 15</u>	From east section line of (Sec.30,T9N,R6E) downstream to mouth at Muddy River. (Sec.15,T8N,R6E) Exclude federal lands.
(32) Washougal River (W. Fork)	<u>Bridal Veil 15</u>	From an approximate point (NW1/4 of SW1/4 of Sec.29,T3N,R5E) downstream to mouth at Washougal River (Sec.32,T2N,R5E).	(44) Cold Creek	<u>Wind River 15</u>	From NW1/4 of NE 1/4 (Sec.16,T4N,R7E) downstream to mouth at Wind River (Sec.9, same township).
(33) West Fork Swift Creek	<u>Mt. St. Helens 15</u>	Beginning in (SE1/4 of NW1/4 of SW1/4 of Sec.4,T7N,R5E) downstream to Swift Creek (Sec.16, same township).			

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(45) Moss Creek	<u>Willard</u> 15	From the west section line of (Sec.27,T4N,R9E) downstream to confluence with Little White Salmon River (Sec.26, same township). Exclude federal lands.	(9) Dubuque Creek	<u>Everett</u> 15 <u>Snohomish</u> 7 1/2	From confluence of Dubuque Creek and Panther Creek (Sec.22, T29N,R6E) downstream to mouth at Pilchuck River (Sec.21, same township).
<p>[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-052 (Order DE 80-20), § 173-18-340, filed 6/30/80; Order DE 76-14, § 173-18-340, filed 5/3/76; Order 73-14, § 173-18-340, filed 8/27/73; Order DE 72-13, § 173-18-340, filed 6/30/72.]</p>			(10) Elk Creek	<u>Index</u> 15	Beginning at Snoqualmie National Forest boundary (Sec.3,T28N,R10E) downstream, to mouth at Sultan River (Sec.30, T29N,R10E), excluding Snoqualmie National Forest land.

**WAC 173-18-350 Snohomish County. Streams**

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(1) Anderson Creek	<u>Index</u> 15	From the Snoqualmie National Forest boundary (Sec.24,T27N,R9E) downstream to mouth at Skykomish River (same section).	(12) French Creek	<u>Everett</u> 15 <u>Snohomish</u> 7 1/2	From confluence of French Creek and unnamed creek (Sec.27,T28N,R6E) downstream to mouth at Snohomish River (Sec.30, same township).
(2) Ashton Creek	<u>Fortson</u> 7 1/2	From confluence of Ashton Creek and unnamed creek (Sec.20,T32N,R9E) downstream to mouth at Squire Creek (Sec.8, same township).	(13) French Creek	<u>Oso</u> 15	From Mt. Baker National Forest boundary (Sec.16, T32N,R8E) downstream to mouth at Stillaguamish River (Sec.10, same township) excluding Mt. Baker National Forest land.
(3) Barclay Creek	<u>Baring</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.25,T27N,R10E) downstream to mouth at Skykomish River South Fork (Sec.34, same township), excluding the part within Snoqualmie National Forest.	(14) Jim Creek	<u>Granite Falls</u> 15 <u>Arlington</u> East 7 1/2	From U.S. Naval Reservation boundary (Sec.31,T32N,R7E) downstream to mouth at Stillaguamish River South Fork (Sec.7,T31N,R6E).
(4) Boulder River	<u>Granite Falls</u> 15 <u>Oso</u> 15	From the Mt. Baker National Forest boundary (Sec.19,T32N,R8E) downstream to mouth at Stillaguamish River (Sec.9,T32N,R8E), excluding the part within Mt. Baker National Forest.	(15) Little Pilchuck Creek	<u>Lake Stevens</u> 7 1/2 <u>Snohomish</u> 7 1/2	From confluence of Little Pilchuck Creek and unnamed creek (Sec. 22,T30N,R6E) downstream to mouth (Sec.21,T29N, R6E) at Pilchuck River.
(5) Brooks Creek	<u>Oso</u> 15	Beginning where Brooks Creek is crossed by unimproved dirt road (Sec.9,T32N,R7E) downstream to mouth at Stillaguamish River North Fork (same section).	(16) May Creek	<u>Index</u> 15	From the Snoqualmie National Forest boundary (Sec.3,T27N,R9E) downstream to mouth at Wallace River (Sec.36,T28N,R8E).
(6) Canyon Creek	<u>Granite Falls</u> 15	From the Mt. Baker National Forest boundary (Sec.25,T31N,R7E) downstream to mouth at Stillaguamish River South Fork (Sec.12,T30N, R6E).	(17) McCoy Creek	<u>Monroe</u> 15 <u>Sultan</u> 7 1/2	From confluence of McCoy Creek and unnamed creek (Sec.17,T27N,R8E) downstream to mouth at Skykomish River (Sec.7, same township).
(7) Dan Creek	<u>Darrington</u> 7 1/2	From Mt. Baker National Forest boundary (Sec.8, T32N,R10E) downstream to mouth at Sauk River (same section).	(18) Montague Creek	<u>Oso</u> 15	From confluence of Montague Creek and unnamed creek (Sec.14, T32N,R7E) downstream to mouth at Stillaguamish River North Fork (Sec. 10, same township).
(8) Deer Creek (cont.)	<u>Oso</u> 15	From the Skagit County line (Sec.5,T32N,R7E) downstream to mouth at Stillaguamish River North Fork (Sec.17,T32N, R7E).	(19) Mud Lake Outlet	<u>Granite Falls</u> 15	From an approximate point (SE1/4 of SE1/4, Sec.33,T31N,R7E) downstream to mouth at Canyon Creek (Sec.3, T30N,R7E).
			(20) North Creek	<u>Everett</u> 15 <u>Bothell</u> 7 1/2	From confluence of North Creek and unnamed creek (Sec.19,T27N,R5E) downstream to King County line (Sec.32, same township).



Shoreline Management Act—Streams & Rivers

173-18-350

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(21) Olney Creek	<u>Index</u> 15	From Snoqualmie National Forest boundary (Sec.6, T28N,R9E) downstream to mouth at Wallace River (Sec.36,T28N,R8E).	(31) Skykomish River (South Fork) (cont.)*	<u>Baring</u> 7 1/2 <u>Index</u> 15	From King County line (Sec.34,T27N,R10E) downstream to mouth at Skykomish River (Sec.19, same township) excluding all federal land. The flow exceeds 1,000 cfs MAF at King County line.
(22) Pilchuck Creek (cont.)	<u>Clear Lake</u> 15 <u>Arlington West</u> 7 1/2	From Skagit County line (Sec.4,T32N,R5E) downstream to mouth at Stillaguamish River (Sec.6,T31N,R5E).	(32) Snohomish River*	<u>Everett</u> 15 <u>Maltby</u> * 7 1/2 <u>Snohomish</u> 7 1/2 <u>Everett</u> 7 1/2 <u>Marysville</u> 7 1/2	From confluence of Skykomish River and Snoqualmie River (Sec. 16,T27N,R6E) downstream to mouth at Possession Sound (Sec.7,T29N,R5E). The flow exceeds 1,000 cfs MAF at confluence of Skykomish River and Snoqualmie River.
(23) Pilchuck River	<u>Index</u> 15 <u>Lake Stevens</u> 7 1/2 <u>Snohomish</u> 7 1/2 <u>Monroe</u> 15 <u>Granite Falls</u> 15	From the Snoqualmie National Forest boundary (Sec.23,T29N,R8E) downstream to mouth at Snohomish River (Sec.19, T28N,R6E).	(33) Snoqualmie River* (cont.)	<u>Monroe</u> 15 <u>Maltby</u> 7 1/2 <u>Monroe</u> 7 1/2	From the King County line (Sec.31,T27N,R7E) downstream to mouth at Snohomish River (Sec.16, T27N,R6E). The flow exceeds 1,000 cfs MAF at King County line.
(24) Portage Creek	<u>Arlington West</u> 7 1/2	From confluence of Portage Creek and unnamed creek (Sec.7, T31N,R5E) downstream to mouth at South Slough of the Stillaguamish River (Sec.12,T31N,R4E).	(34) Squire Creek	<u>Silverton</u> 15 <u>Fortson</u> 7 1/2	From the Mt. Baker National Forest boundary (Sec.27,T32N,R9E) downstream to mouth at Stillaguamish River N. Fork (Sec.8, same township).
(25) Proctor Creek	<u>Index</u> 15	From the Snoqualmie National Forest boundary (Sec.15,T27N,R9E) downstream to mouth at Skykomish River (Sec.10, same township).	(35) Stevens Creek	<u>Lake Stevens</u> 7 1/2 <u>Snohomish</u> 7 1/2	From confluence of Stevens Creek and Catherine Creek (Sec.8, T29N,R6E) downstream to mouth at Little Pilchuck Creek (Sec.16, same township).
(26) Quilceda Creek	<u>Marysville</u> 7 1/2	From confluence of Quilceda Cr. and Middle Fork (Sec.9,T30N,R5E) downstream to mouth at Ebbey Slough of Possession Sound (Sec. 31,T30N,R5E) excluding federal lands.	(36) Stillaguamish River*	<u>Arlington East</u> * 7 1/2 <u>Arlington West</u> 7 1/2 <u>Stanwood</u> 7 1/2	From confluence of South Fork and North Fork of Stillaguamish River (Sec. 2,T31N,R5E) downstream to mouth at Port Susan in Puget Sound (Sec.12,T31N,R3E). The flow exceeds 1,000 cfs MAF at confluence of N. Fork and South Fork Stillaguamish River.
(27) Rollins Creek	<u>Oso</u> 15	From confluence of Rollins Creek and unnamed creek (Sec.1, T32N,R7E) downstream to mouth at Stillaguamish River North Fork (Sec. 12, same township).	(37) Stillaguamish River (N.F.) (cont.)*	<u>Fortson</u> 7 1/2 <u>Oso</u> * 15 <u>Clear Lake</u> 15 <u>Arlington East</u> 7 1/2 <u>Arlington West</u> 7 1/2	From Snohomish County line (Sec.3,T32N,R9E) downstream to mouth at Stillaguamish River South Fork (Sec.2,T31N, R5E). The 1,000 cfs MAF point begins at mouth of Boulder Creek (Sec.9, T32N,R8E).
(28) Sauk River*	<u>Silverton</u> * 15 <u>Darrington</u> 7 1/2	From Mt. Baker National Forest boundary (Sec.36, T32N,R9E) downstream to Snohomish County and Skagit County line (Sec.5,T32N,R10E). The 1,000 cfs MAF point is at Mt. Baker N. F. boundary.	(38) Stillaguamish River (South Fork)*	<u>Silverton</u> 15 <u>Granite Falls</u> * 15 <u>Lake Stevens</u> 7 1/2 <u>Arlington</u> 7 1/2	From Mt. Baker National Forest boundary (Sec.19, T30N,R10E) downstream to mouth at Stillaguamish River North Fork (Sec.2, T31N,R5E). The 1,000 cfs MAF point begins at mouth of Cranberry Creek (Sec.12,T30N,R7E). Exclude federal lands.
(29) Skykomish River*	<u>Index</u> * 15 <u>Sultan</u> 7 1/2 <u>Monroe</u> 7 1/2	From confluence of North Fork and South Fork of Skykomish River (Sec. 19,T27N,R10E) downstream to mouth at Snohomish River (Sec. 16,T27N,R6E) excluding all federal land. The 1,000 cfs MAF point begins at confluence of North and South Fork Skykomish River.	(39) Stony Creek	<u>Silverton</u> 15	From an approximate point (NE1/4 of NW1/4 Sec. 18,T29N,R10E) downstream to mouth at Williamson Creek (Sec.12,T29N,R9E) excluding all federal land.
(30) Skykomish River (N.Fk.)*	<u>Index</u> * 15	Beginning at SW1/4 (Sec.20,T28N,R11E) downstream to mouth at at Skykomish River (Sec.19, T27N,R10E) excluding those shores within federal lands. The 1,000 cfs MAF point begins at east section line (Sec.16,T27N,R10E)			

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(40) Sultan River	<u>Monte Cristo</u> 7 1/2 <u>Sultan</u> 7 1/2 Monroe 15 Index 15	Beginning at Snoqualmie National Forest boundary (Sec.22,T29N,R10E) downstream to mouth at Skykomish River (Sec.6, T27N,R8E) excluding all federal lands.	(51) Suiattle River*	<u>Huckleberry Mtn.</u> * 7 1/2 Prairie Mtn. 7 1/2	From the east section (Sec.20,T32N,R12E) downstream to Skagit-Snohomish County line (Sec.5,T32N,R11E). Exclude federal lands. The flow is 1000 cfs MAF at east section line (Sec.20,T32N,R12E).
(41) Sultan River (N. Fork of South Fork)	<u>Index</u> 15	From confluence of Sultan River North Fork of South Fork and unnamed creek (Sec.7, T28N,R10E) downstream to mouth at Sultan River (Sec.28,T29N,R9E) excluding all federal land.	(52) Beckler River	<u>Evergreen Mtn.</u> 7 1/2	From the west section line (Sec.8,T27N,R12E) downstream to Snohomish-King County line (Sec.32,T27N,R12E). Exclude federal lands.
(42) Swamp Creek	<u>Edmonds</u> 15 Edmonds E. 7 1/2 Bothell 7 1/2	From confluence of Swamp Creek and unnamed creek (Sec.26,T27N,R4E) downstream to King County line (Sec.35, same township).	(53) Rapid River	<u>Captain Point</u> 7 1/2 <u>Evergreen Mtn.</u> 7 1/2	From east section line (Sec.13,T27N,R12E) downstream to Beckler River (Sec.29,T27N,R12E). Exclude federal lands.
(43) Unnamed Tributary to French Creek	<u>Everett</u> 15 Snohomish 7 1/2	From confluence of unnamed tributary to French Creek and unnamed creek (NW1/4 of Sec.34, T28N,R6E) downstream to mouth at French Creek (Sec.20, same township).	[Order DE 76-14, § 173-18-350, filed 5/3/76; Order 73-14, § 173-18-350, filed 8/27/73; Order DE 72-13, § 173-18-350, filed 6/30/72.]		
(44) Wallace River	<u>Index</u> 15 <u>Sultan</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.25,T28N,R9E) downstream to mouth at Skykomish River (Sec.4, T27N,R8E).	<b>WAC 173-18-360 Spokane County. Streams</b>		
(45) Wallace River (N.Fk.)	<u>Index</u> 15	From confluence of North Fork Wallace River and unnamed creek (Sec.28, T28N,R9E) downstream to mouth at Wallace River (Sec.33, same township).	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(46) William-son Creek	<u>Silverton</u> 15 Index 15	Beginning at Snoqualmie National Forest boundary (Sec.6,T29N,R10E) downstream to mouth at Sultan River (Sec.24, T29N,R9E) excluding all federal lands.	(1) Deadman Creek	<u>Deer Park</u> 15	From the confluence of Deadman Creek and two unnamed creeks (Sec.1, T26N,R43E) downstream to mouth at Spokane River (Sec.33,T27N, R43E).
(47) Woods Creek	<u>Monroe</u> 15 Monroe 7 1/2	From confluence of Woods Creek and unnamed creek (Sec.26,T29N,R7E) downstream to mouth at Skykomish River (Sec. 12,T27N,R6E).	(2) Dragoon Creek	<u>Deer Park</u> 15	From the confluence of Dragoon Creek and West Branch of the Dragoon Creek (Sec.22,T28N, R42E) downstream to mouth at the Little Spokane River (Sec.4, T27N,R43E).
(48) Woods Creek (W. Fk.)	<u>Monroe</u> 15 Monroe 7 1/2	From confluence of Carpenter Creek and Woods Creek West Fork (Sec.5,T28N,R7E) downstream to mouth at Woods Creek (Sec.33, same township).	(3) Hangman Creek (cont.)* or Latah Creek	<u>Fairfield</u> 15 <u>Spangle</u> * 15 Spokane SE 7 1/2 Spokane SW 7 1/2 Spokane NW 7 1/2	From the Whitman-Spokane County line (Sec.32,T21N, R45E) downstream to mouth on Spokane River (Sec.14, T25N,R42E). This stream has 300 square miles of drainage area ending at unnamed tributary (Sec. 13,T23N,R43E) upstream from Rock Creek.
(49) Worthy Creek	<u>Granite Falls</u> 15	From confluence of Worthy Creek and unnamed creek (Sec.26,T30N,R7E) downstream to mouth at Pilchuck River (Sec.2, T29N,R7E).	(4) Little Spokane River (cont.)*	<u>Camden</u> 7 1/2 Elk 7 1/2 <u>Deer Park</u> * 15 Clayton 15	From the Pend Oreille County line (Sec.3,T29N, R44E) downstream (excluding all federal lands) to mouth at the Spokane River and Stevens County line (Sec.32,T27N,R42E). This stream has a 300 square mile drainage area ending at mouth of Deer Creek (Sec.34,T28N,R43E).
(50) Youngs Creek	<u>Monroe</u> 15 Sultan 7 1/2	From an approximate point (NE1/4 of SE1/4 Sec. 34,T27N,R8E) downstream to mouth at Elwell Creek (Sec.24,T27N,R7E).	(5) Little Spokane River (West Branch)	<u>Newport</u> 30 <u>Fan Lake</u> 7 1/2 Elk 7 1/2 <u>Deer Park</u> 15	From the Pend Oreille County line (Sec.5, T29N,R43E) downstream through Eloika Lake to mouth at Little Spokane River (Sec.26, same township).

Shoreline Management Act--Streams & Rivers

173-18-370

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(6) Pine Creek (cont.)	Spangle 15	From Whitman County line (Sec.34,T21N,R43E) downstream back to Whitman County line (Sec.31, same township).	(5) Columbia River*	Boundary * 7 1/2 Northport 7 1/2 Onion Creek 7 1/2 China Bend 7 1/2 Bossburg 7 1/2 Marcus 7 1/2 Kettle Falls 7 1/2 Bangs Mountain 7 1/2 Inchelium 15 Hunters 15 Wilmont Creek 15	From the United States-Canadian boundary (Sec.2,T40N,R41E) downstream to Spokane Indian Reservation boundary (Sec.23, T29N,R35E). This river has over 200 cfs MAF at U.S.-Canadian border.
(7) Rock Creek	Fairfield 15 Spangle 15 Spokane SE 7 1/2	From the confluence of Rock Creek and Rose Creek (Sec. 34,T23N,R45E) downstream to mouth at Latah Creek (Sec.11,T23N,R43E).	(6) Kettle River*	Marcus 30 Orient 7 1/2 Laurier* 7 1/2	From the United States-Canadian border (Sec.2,T40N,R36E) downstream along Ferry-Stevens Co. line. Left bank only to (Sec.20, T38N,R37E), excluding federal lands. This stream has both 200 cfs MAF and 300 sq. miles of drainage area at U.S.-Canadian border.
(8) Spokane River*	Green Acres * 15 Spokane NE 7 1/2 Spokane NW 7 1/2 Airway Heights 7 1/2 Clayton 15 Wellpinit 15	From the Washington-Idaho border (Sec.6,T25N,R46E) downstream to the Spokane-Stevens County line, along said county line to the Lincoln County line (Sec.19,T27N,R40E) excluding all federal lands. The flow is 200 cfs MAF and has 300 square miles of drainage area at Washington-Idaho border.	(7) Little Pend Oreille River	Lake Gillette 7 1/2 Park Rapids 7 1/2 Cliff Ridge 7 1/2 Addy Mt. 7 1/2 Arden 7 1/2	That part of the Little Pend Oreille River outside the Little Pend Oreille National Wildlife Refuge (Sec.11,T35N,R41E) and that part outside Refuge (Sec.15 & 16, T35N,R41E), and that part outside refuge from (Sec. 10,T34N,R40E) to Colville River (Sec.10,T34N,R39E).

[Order DE 76-14, § 173-18-360, filed 5/3/76; Order 73-14, § 173-18-360, filed 8/27/73; Order DE 72-13, § 173-18-360, filed 6/30/72.]

WAC 173-18-370 Stevens County. Streams

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(1) Big Sheep Creek*	Colville 30 Belshazzor Mt. 7 1/2 Northport* 7 1/2	From the Colville National Forest boundary (Sec.13, T40N,R38E) downstream to mouth at the Columbia River near Sand Point (Sec.30,T40N,R40E). The 200 cfs MAF point begins at mouth of Little Sheep Creek (Sec.14,T40N,R39E).	(8) Little Sheep Cr.	Colville 30 Northport 7 1/2	From the confluence of Boundary Creek and Little Sheep Creek (Sec.10,T40N, R39E) downstream to mouth at Big Sheep Creek (Sec. 14, same township).
(2) Chamokane Creek	Clayton 15 Wellpinit 15	From the confluence of Chamokane Creek and unnamed stream (Sec.23, T29N,R40E) downstream left shore only (right shore in Spokane Indian Reservation) to mouth on Spokane River (Sec.15, T27N,R39E).	(9) Mill Creek	White Mud Lake 7 1/2 Colville 7 1/2	From the Colville National Forest boundary (Sec.15,T36N,R40E) downstream (excluding all federal lands) to mouth at Colville River (Sec.31,T36N,R39E).
(3) Chewelah Creek	Chewelah Mt. 15 Chewelah 7 1/2	From the confluence of the North Fork and the South Fork Chewelah Cr. (Sec.11,T32N,R40E) downstream to mouth on Colville River (Sec.23, same township).	(10) Onion Creek	Colville 30 Onion Creek 7 1/2	From the confluence of Onion Creek and unnamed creek (Sec.12,T38N,R39E) downstream to mouth at Columbia River (Sec.23, T39N,R39E). Excluding Coulee Dam National Recreation area.
(4) Colville River*	Forest Center 7 1/2 Waitts Lake 7 1/2 Valley 7 1/2 Chewelah* 7 1/2 Addy 7 1/2 Addy Mt. 7 1/2 Arden 7 1/2 Colville 7 1/2 Marcus 30	From the confluence of Deer Cr. and Sheep Creek (Sec.9,T30N,R40E) downstream (excluding all federal lands) to mouth at Columbia River (Sec.36, T36N,R37E). This river has over 300 sq. miles of drainage area ending at mouth of Chewelah Creek (Sec.23,T32N,R40E).	(11) Spokane River (Cont.)*	Clayton 15 Wellpinit 15 Turtle Lake 15 Lincoln 15	From the Spokane County line on the Spokane River (Sec.32,T27N,R42E) downstream through Long Lake to Spokane Indian Reservation boundary (Sec.15,T27N,R39E), right shore only. This river has 300 sq. miles of drainage area and over 200 cfs MAF at Spokane Co. line.
			(12) Deep Creek (South Fork)	Spirit 7 1/2 Aladdin 7 1/2	From the confluence of Rocky Creek and South Fork of Deep Creek in (Sec.8,T37N,R41E) downstream to confluence North Fork Deep Creek and Deep Creek in (Sec.5,T38N,R41E).

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(13) Deep Creek (North Fork)	<u>Deep Lake 7 1/2 Aladdin 7 1/2</u>	From the confluence of McKinnon Creek and North Fork Deep Creek in (Sec. 11, T39N, R41E) downstream through Deep Lake to confluence with South Fork Deep Creek and Deep Creek in (Sec. 5, T38N, R41E).	(9) McLane Creek	<u>Tumwater 7 1/2</u>	From an approximate point (SW1/4 of NE1/4 of Sec. 25, T18N, R3W) downstream to mouth at Eld Inlet (Sec. 19, T18N, R2W).
(14) Deep Creek	<u>Aladdin 7 1/2 Spirit 7 1/2</u>	From the confluence of the South Fork and North Fork of Deep Creek in (Sec. 5, T38N, R41E) downstream to mouth at Columbia River (Sec. 34, T40N, R40E).	(10) Mima Creek	<u>Rochester 15</u>	From an approximate point (NE1/4 of NW1/4 of Sec. 16, T16N, R3W) downstream to mouth at Black River (Sec. 20, same township).
			(11) Mitchell Creek	<u>Ohop Valley 15 Bald Hill 7 1/2</u>	From the confluence of Mitchell Creek and unnamed creek (Sec. 18, T15N, R3E) downstream to mouth at Deschutes River (Sec. 7, same township).
			(12) Nisqually River (cont.)*	<u>Kapowsin 15 Ohop Valley 15 Yelm 7 1/2 Anderson Island 15</u>	From the Pierce County line in Alder Reservoir (Sec. 20, T15N, R5E) downstream along left shore only, (exclude area from LaGrande Dam downstream to powerhouse due to use of aqueduct; also exclude all federal lands) to the Nisqually Indian Reservation boundary (Sec. 11, T17N, R1E). The flow exceeds 1,000 cfs MAF at Pierce County line in Alder Reservoir.

[Order DE 76-14, § 173-18-370, filed 5/3/76; Order 73-14, § 173-18-370, filed 8/27/73; Order DE 72-13, § 173-18-370, filed 6/30/72.]

### WAC 173-18-380 Thurston County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Beaver Creek	<u>Tenino 15 Maytown 7 1/2 Rochester 15</u>	From the confluence of Beaver Creek and unnamed creek (Sec. 11, T16N, R2W) downstream to mouth at Black River (Sec. 2, T16N, R3W).	(13) Percival Creek	<u>Tumwater 7 1/2</u>	From the confluence of Percival Creek and stream from Black Lake (Sec. 21, T18N, R2W) downstream to mouth at Capitol Lake (Sec. 22, same township).
(2) Black River	<u>Tenino 15 Maytown 7 1/2 Rochester 15</u>	From the confluence of Dempsey Creek and the Black River (Sec. 13, T17N, R3W) downstream to Grays Harbor County line (Sec. 26, T16N, R4W).	(14) Scatter Creek	<u>Tenino 15 Bucoda 7 1/2 Tenino S.W. 7 1/2 Rochester 15</u>	From confluence of Scatter Creek and unnamed creek (Sec. 20, T16N, R1W) downstream to mouth at Chehalis River (Sec. 7, T15N, R3W).
(3) Cedar Creek	<u>Rochester 15</u>	From the confluence of Cedar Cr. and Sherman Creek (Sec. 2, T16N, R4W) downstream to Grays Harbor County line (same section).	(15) Sherman Creek	<u>Rochester 15</u>	From the confluence of Sherman Creek and Monroe Creek (Sec. 25, T17N, R4W) downstream to mouth on Cedar Cr. (Sec. 2, T16N, R4W).
(4) Chehalis River (cont.)*	<u>Rochester 15</u>	From Lewis County line (Sec. 23, T15N, R3W) downstream to Grays Harbor County line (Sec. 11, T15N, R4W), excluding all federal lands. The flow exceeds 1,000 cfs MAF at Lewis County line.	(16) Skoookumchuck River (cont.)	<u>Yelm 15 Tenino 15</u>	From the Lewis County line (Sec. 20, T15N, R2E) downstream back to the Lewis County line (Sec. 21, T15N, R2W).
(5) Deschutes River (cont.)	<u>Ohop Valley 15 Bald Hill 7 1/2 Lake Lawrence 7 1/2 Vail 7 1/2 Weir Prairie 7 1/2 East Olympia 7 1/2 Tumwater 7 1/2 Maytown 7 1/2</u>	From Lewis County line (Sec. 24, T15N, R3E) downstream to mouth at Capitol Lake (Sec. 26, T18N, R2W), excluding all federal lands.	(17) Thompson Creek	<u>Yelm 15 Weir Prairie 7 1/2</u>	From the intersection of Highway SR 510 and Thompson Creek (Sec. 11, T17N, R1E) downstream to mouth at Nisqually River (same section).
(6) Kennedy Creek	<u>Shelton 15</u>	From the confluence of Kennedy Creek and unnamed creek (Sec. 14, T18N, R4W) downstream to the Mason County line (Sec. 6, T18N, R3W).	(18) Waddell Creek	<u>Rochester 15</u>	From an approximate point (SE1/4 of NW1/4 of Sec. 8, T17N, R3W) downstream to mouth at Black River (Sec. 2, T16N, R3W).
(7) Little Nisqually River (cont.)	<u>Ohop Valley 15 Eatonville 7 1/2</u>	From the Lewis-Thurston County line (Sec. 21, T15N, R4E) downstream to Alder Lake (Sec. 16, same township).	(19) Woodland Creek	<u>Lacey 7 1/2</u>	From an approximate point (NE1/4 of NE1/4 of SE1/4 of Sec. 9, T18N, R1W) downstream to mouth at Henderson Inlet near South Bay (Sec. 32, T19N, R1W).
(8) McAllister Creek	<u>Anderson Island 15 Nisqually 7 1/2</u>	From the McAllister Springs (Sec. 19, T18N, R1E) downstream to mouth at Nisqually Head (Sec. 31, T19N, R1E).			

Shoreline Management Act—Streams & Rivers

173-18-390

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(20) Yelm Creek	Yelm 15 McKenna 7 1/2 Weir Prairie 7 1/2	From the confluence of Yelm Creek and Yelm ditch (Sec.29,T17N,R2E) downstream to mouth at Nisqually River (Sec.12, T17N,R1E).	(10) Falk Creek	Skamokawa 15	From an approximate point (NW1/4 of NE1/4 of SW1/4 of Sec.33,T10N,R6W) downstream to mouth at Skamokawa Creek (Sec.5, T9N,R6W).

[Order DE 76-14, § 173-18-380, filed 5/3/76; Order 73-14, § 173-18-380, filed 8/27/73; Order DE 72-13, § 173-18-380, filed 6/30/72.]

WAC 173-18-390 Wahkiakum County. Streams

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(1) Alger Creek	Skamokawa 15	From the intersection of State Sign Route 4 and Alger Creek (Sec.15,T9N, R6W) downstream to mouth at Brooks Slough (same section).	(11) Fossil Creek	Grays River 15	From the confluence of Fossil Cr. and an unnamed cr. (Sec.10,T10N,R7W) downstream to mouth at Grays River (Sec.9, same township).
(2) Beaver Creek	Cathlamet 15	From the confluence of Beaver Cr. and unnamed creek (Sec.33,T9N,R5W) downstream to mouth at Elochoman River (Sec.32, same township).	(12) Grays River (cont.)	Grays River 15	From the Pacific Co. line (Sec.2,T10N,R7W) downstream to mouth at Grays Bay (Sec.32,T10N,R8W).
(3) Columbia River (cont.)*	Clatskanie 15 Cathlamet 15 Skamokawa 15 Grays River 15	From the Cowlitz Co. line on Columbia River (Sec.20, T8N,R4W) downstream along the Wash.-Oregon boundary to the Pacific Co. line to Grays Bay (Sec.7,T9N, R9W). The flow exceeds 1,000 cfs MAF at Cowlitz County line.	(13) Grays River (S.Fork)	Skamokawa 15	From an approximate point (SW1/4 of NE1/4 of Sec.1, T10N,R6W) downstream to Pacific County line (Sec.5, same township).
(4) Crooked Creek	Grays River 15	From the confluence of Crooked Creek and the So. Fork Crooked Cr. (Sec.36, T10N,R8W) downstream to Grays Bay (Sec.4,T9N, R8W).	(14) Grays River (W.Fk.) (cont.)	Grays River 15	From the Pacific County line (NW1/4 of NW1/4 Sec.4, T10N,R7W) downstream to mouth at Grays River (Sec.9, same township).
(5) Deep River	Grays River 15	From the confluence of Deep River and Hendrickson Canyon Stream (Sec.9, T10N,R8W) downstream to mouth at Grays Bay (Sec. 31,T9N,R8W).	(15) Hull Creek (cont.)	Grays River 15	From Pacific County line (Sec.5,T10N,R7W) downstream to mouth at Grays R. (Sec.13,T10N,R8W).
(6) Elochoman River	Skamokawa 15 Cathlamet 15	From the confluence of the West Fork Elochoman and the North Fork Elochoman River (Sec.26, T10N,R5W) downstream to mouth at Elochoman Slough (Sec.36,T9N,R6W).	(16) Jim Crow Creek	Grays River 15	From the confluence of Jim Crow Creek and unnamed creek (Sec.4,T9N,R7W) downstream to mouth at Columbia River (Sec.16, same township).
(7) Elochoman River (East Fk.) (cont.)	Ryderwood 15	From the Cowlitz Co. line (Sec.7,T10N,R4W) downstream to Elochoman River (Sec.13,T10N,R5W).	(17) McDonald Creek	Skamokawa 15	From the confluence of McDonald Creek and unnamed creek (Sec.22,T10N,R6W) downstream to mouth at Skamokawa Creek (Sec.29, same township).
(8) Elochoman River (North Fk.)	Skamokawa 15 Ryderwood 15	From the confluence of North Fk. Elochoman R. and unnamed creek (Sec. 12,T10N,R5W) downstream to mouth at Elochoman River (Sec.26,T10N,R5W).	(18) Mill Creek	Cathlamet 15 Clatskanie 15	From the NW Section corner (Sec.25,T9N,R5W) downstream to the Cowlitz County line (Sec.31,T9N,R4W).
(9) Elochoman River (West Fk.)	Skamokawa 15	From the confluence of West Fork Elochoman R. and unnamed creek (Sec. 21,T10N,R5W) downstream to mouth at Elochoman River (Sec.26, same township).	(19) Naselle River	Grays River 15	From the Pacific County line (Sec.6,T10N,R8W) downstream back to Pacific Co. line (same section).
			(20) Nelson Creek	Cathlamet 15	From the intersection of Nelson Cr. and Risk Rd. (Sec.25,T9N,R6W) downstream to mouth at Elochoman River (Sec.26, same township).
			(21) Otter Creek	Ryderwood 15	From the confluence of Otter Cr. and unnamed creek near the north section line (Sec.7, T10N,R4W) downstream to the East Fk. Elochoman R. (same section).
			(22) Salmon Creek (cont.)	Grays River 15	From the Pacific County line (Sec.5,T10N,R8W) downstream to Pacific County line (Sec.7, same township).
			(23) Skamokawa Creek	Skamokawa 15	From the confluence of McDonald Creek and Standard Creek (Sec.28, T10N,R6W) downstream to mouth at Columbia River (Sec.17,T9N,R6W).

Stream Name	Quadrangle Name and Size	Legal Description
(24) Skamokawa Creek (Left Fk.)	Skamokawa 15	From the confluence of the Left Fork Skamokawa Cr. and unnamed creek (Sec.19,T10N,R6W) downstream to mouth at Skamokawa Creek (Sec.29, same township).
(25) Skamokawa Creek (West Fk.)	Skamokawa 15	From the confluence of West Fork Skamokawa Creek and Kelly Creek (Sec.31, T10N,R6W) downstream to Skamokawa Creek (Sec.8, T9N,R6W).
(26) West Valley Creek	Skamokawa 15	From an approximate point (NE1/4 of Sec.1,T9N,R7W) downstream to mouth at the West Fork Skamokawa Cr. (Sec.6,T9N,R6W).
(27) Wilson Creek	Skamokawa 15	From the confluence of Wilson Cr. and unnamed creek (SW1/4 of NE1/4 of Sec.5,T9N,R5W) downstream to mouth at Skamokawa Creek (Sec.5, T9N,R6W).

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-052 (Order DE 80-20), § 173-18-390, filed 6/30/80; Order DE 76-14, § 173-18-390, filed 5/3/76; Order 73-14, § 173-18-390, filed 8/27/73; Order DE 72-13, § 173-18-390, filed 6/30/72.]

**WAC 173-18-400 Walla Walla County. Streams**

Stream Name	Quadrangle Name and Size	Legal Description
(1) Columbia River (cont.)*		Columbia River within Walla Walla County is under federal jurisdiction. This river has over 200 cfs MAF at Franklin County line.
(2) Dry Cr.	Walla Walla 30 Lowden 7 1/2 College Place 7 1/2 Hadley 7 1/2 Valley Grove 7 1/2 Dixie 7 1/2	From an approximate point near the center of quarter section (SE1/4 of Sec.36, T8N,R36E) downstream to mouth at Walla Walla River (Sec.29,T7N,R34E).
(3) Mill Cr.	Walla Walla 30 Kooškooskie' 7 1/2 Buroker 7 1/2 Walla Walla 7 1/2 College Place 7 1/2	From the Wash.-Ore. state boundary (Sec.18,T6N, R38E) downstream to mouth at Walla Walla River (Sec.31,T7N,R35E) exclude left bank (Sec. 32, same township).
(4) Snake R. (cont.)*		Snake River within Walla Walla County is under federal jurisdiction. This stream has over 300 sq. miles drainage area and over 200 cfs MAF at Columbia County line.
(5) Touchet River (cont.)*	Walla Walla 30 Eureka 7 1/2 Rulo 7 1/2 Welland 7 1/2 Touchet 7 1/2 Huntsville 7 1/2 Waitsburg 7 1/2 Prescott 7 1/2 Harsha 7 1/2	From the Columbia County line (Sec.12,T9N,R37E) downstream to mouth on Walla Walla River (Sec.4, T6N,R33E). This river has over 300 sq. miles of drainage area ending at mouth of left bank unnamed tributary (Sec. 11,T9N,R37E).

Stream Name	Quadrangle Name and Size	Legal Description
(6) Walla Walla River*	Walla Walla 30 College Place 7 1/2 Lowden 7 1/2 Touchet 7 1/2 Zangar Junction 7 1/2 Walla Walla 7 1/2	From the Washington-Oregon boundary (Sec.13, T6N,R35E) downstream to mouth at Lake Wallula (Sec.26,T7N,R31E). This river has 300 sq. miles of drainage area at Washington-Oregon boundary.

[Order DE 76-14, § 173-18-400, filed 5/3/76; Order 73-14, § 173-18-400, filed 8/27/73; Order DE 72-13, § 173-18-400, filed 6/30/72.]

**WAC 173-18-410 Whatcom County. Streams**

Stream Name	Quadrangle Name and Size	Legal Description
(1) Anderson Creek	Lyden 15 Lawrence 7 1/2	From confluence of Anderson Creek and unnamed creek (Sec.7,T38N,R4E) downstream to mouth at Nooksack River (Sec.17,T39N,R4E).
(2) Austin Creek	Samish Lake 15 Lake Whatcom 7 1/2	From confluence of Austin Creek and Beaver Creek (Sec.7,T37N,R4E) downstream to mouth at Lake Whatcom (Sec.5, same township).
(3) Bertrand Creek	Blaine 15 Bertrand Creek 7 1/2	Beginning at U.S., Canada border (Sec.35,T41N,R2E) downstream to mouth at Nooksack R. (Sec.34,T40N, R2E).
(4) Boulder Creek	Van Zandt 15	From confluence of Boulder Creek and unnamed creek (Sec.22,T40N,R6E) downstream to mouth at Nooksack River (Sec.28, same township).
(5) Breckenridge Creek	Lynden 15 Sumas 7 1/2	From approximate point (SE1/4 of NW1/4 Sec.26,T40N, R4E) downstream to mouth Sumas River (Sec.29, same township).
(6) California Creek	Blaine 15 Blaine 7 1/2	From confluence of California Creek and unnamed creek (Sec.27, T40N,R1E) downstream to mouth at Drayton Harbor (Sec.18, same township).
(7) Canyon Creek	Mt. Baker 15	From Mt. Baker National Forest boundary (Sec.25, T40N,R6E) downstream to mouth at Nooksack River North Fork (Sec.35, same township).
(8) Canyon Creek	Van Zandt 15	From confluence of Canyon Creek and unnamed creek (Sec.32,T39N,R6E) downstream through Canyon Lake to mouth at Nooksack River M. Fork (Sec.34,T39N,R5E).
(9) Clearwater Creek	Mt. Baker 15 Van Zandt 15	Beginning at Mt. Baker National Forest boundary (Sec.11,T38N,R6E) downstream to mouth at Nooksack River M. Fk. (Sec.21, same township).
(10) Coal Creek	Van Zandt 15	From an approximate point (SW1/4 of SE1/4 Sec.4,T39N, R5E) downstream to mouth at Nooksack River (Sec.10, same township).

Shoreline Management Act—Streams & Rivers

173-18-410

Stream Name	Quadrangle Name and Size	Legal Description	Stream Name	Quadrangle Name and Size	Legal Description
(11) Dakota Creek	Blaine 15 Blaine 7 1/2	From confluence of Dakota Creek and North Fork Dakota Creek (Sec.14,T40N,R1E) downstream to mouth at Drayton Harbor (Sec.7, same township).	(23) Nooksack River (N.Fk.)	Mt. Baker 15	From Mt. Baker National Forest boundary (Sec.5, T39N,R7E) downstream to where the medium-duty road crosses Nooksack River (Sec.2,T39N,R6E).
(12) Fishtrap Creek	Lynden 15 Lynden 7 1/2 Bertrand 7 1/2	From the British Columbia-Washington state border (Sec.34, T41N,R3E) downstream to mouth at Nooksack River (Sec.35,T40N,R2E).	(24) Nooksack River (S.Fk.) (cont.)*	Wickersham * 15 Van Zandt 15	From Skagit County line (Sec.35,T37N,R5E) downstream to mouth at Nooksack River (Sec. 6,T38N,R5E). The 1,000 cfs MAF point begins at mouth of Hutchinson Creek (Sec.9,T37N,R5E).
(13) Friday Creek	Samish Lake 15 Lake Whatcom 7 1/2	From the outflow of Samish Lake on southern tip (Sec. 36,T37N,R3E) downstream to Skagit County line (same section).	(25) Orsino Creek	Wickersham 15	From an approximate point (SE1/4 of NW1/4 Sec.9,T37N, R6E) downstream to mouth at Skookum Creek (Sec.16, same township).
(14) Galbraith Creek	Wickersham 15 Van Zandt 15	From confluence of Galbraith Creek and unnamed creek (Sec.33, T38N,R6E) downstream to mouth at Nooksack River (Sec.27, same township).	(26) Porter Creek	Van Zandt 15	From confluence of Porter Creek and unnamed creek (Sec.12,T38N,R5E) downstream to mouth at Nooksack River M. Fork (Sec.11, same township).
(15) Hayden Creek	Hamilton 15 Wickersham 15	From confluence of Hayden Creek and unnamed creek (Sec.26,T37N,R6E) downstream to mouth at Skookum Creek (Sec.22 same township).	(27) Racehorse Creek	Van Zandt 15	Beginning at north section line (SW1/4 of NE1/4 of Sec.21,T39N,R6E) downstream to mouth at Nooksack River (Sec.10,T39N,R5E).
(16) Howard Creek	Hamilton 15	From confluence of Howard Creek and unnamed creek (Sec.35,T37N,R6E) downstream to Skagit County line (Sec.36, same township).	(28) Rocky Creek	Mt. Baker 15	From Mt. Baker National Forest boundary (Sec.35, T39N,R6E) downstream to mouth at Clearwater Creek (Sec.2,T38N,R6E).
(17) Hutchinson Creek	Wickersham 15	From confluence of Hutchinson Creek and unnamed creek (Sec.1, T37N,R5E) downstream to mouth at Nooksack River South Fork (Sec.9, same township).	(29) Saar Creek	Van Zandt 15	From an approximate point (NW1/4 of SE1/4 Sec.7,T40N, R5E) downstream to British Columbia-Washington state boundary (Sec.32,T41N,R5E).
(18) Johnson Creek (in flood plain)	Lynden 15 Sumas 7 1/2 Van Zandt 15	From confluence of Johnson Creek and unnamed creek near north section line (Sec.8, T40N,R4E) downstream to mouth at Sumas River (Sec.35,T41N,R4E).	(30) Samish River (in flood plain)	Wickersham 15	From confluence of Samish River and unnamed creek (Sec.31,T37N,R5E) downstream to Skagit County line (same section).
(19) Kendall Creek	Van Zandt 15	Beginning where medium duty highway crosses Kendall Creek (Sec.27,T40N, R5E) downstream to mouth at Nooksack River (Sec.3, T39N,R5E).	(31) Sisters Creek	Hamilton 15 Mt. Baker 15	From Mt. Baker National Forest boundary (Sec.25, T38N,R6E) downstream to mouth at Nooksack River M. Fork (Sec.26, same township).
(20) Maple Creek	Van Zandt 15	Beginning where unimproved dirt road crosses Maple Creek (Sec.18,T40N,R6E) downstream to mouth at Nooksack River (Sec.31, same township).	(32) Skookum Creek	Wickersham 15	From confluence of Hayden Creek and Fish Creek (Sec.22,T37N,R6E) downstream to mouth at Nooksack River South Fork (Sec.27,T37N,R5E).
(21) Nooksack River*	Mt. Baker* 15 Lawrence 7 1/2 Sumas 7 1/2 Lynden 7 1/2 Bertrand 7 1/2 Ferndale 7 1/2 Van Zandt 15	Beginning at east section line (Sec.5,T39N,R7E) south bank only, both sides starting at east section line (Sec.1, T39N,R6E), downstream to mouth at Bellingham Bay (Sec.19,T38N, R2E). Exclude federal lands. The 1,000 cfs MAF point begins at confluence with Glacier Creek.	(33) Smith Creek (in flood plain)	Lynden 15 Lawrence 7 1/2	From confluence of Smith Creek and unnamed creek (Sec.26,T39N,R4E) downstream to mouth at Nooksack River (Sec.21, same township).
(22) Nooksack River (M.Fk.)	Mt. Baker 15 Van Zandt 15	From Mt. Baker National Forest boundary (Sec.25, T38N,R6E) downstream to mouth at Nooksack River (Sec.27,T39N,R5E).	(34) Squilicum Creek	Lynden 15 Bellingham N. 7 1/2 Ferndale 7 1/2	Beginning where unimproved dirt road crosses Squilicum Creek (Sec.9,T38N,R3E) downstream to mouth at Bellingham Bay (Sec.24,T38N,R2E).
			(35) Sumas River	Lynden 15 Van Zandt 15 Sumas 7 1/2	From confluence of Sumas River and Dale Creek (Sec. 4,T39N,R4E) downstream to British Columbia-Washington state boundary (Sec.36,T41N,R4E).

WAC 173-18-420 Whitman County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(36) Tenmile Creek	<u>Lynden 15</u> Bellingham North 7 1/2 Ferndale 7 1/2 Lynden 7 1/2	From east section line (Sec.17,T39N,R3E) downstream through Barrett Lake to mouth at Nooksack River (Sec.20,T39N,R2E).
(37) Terrell Creek	<u>Blaine 7 1/2</u> Birch Point 7 1/2	Beginning at (NE1/4 of SE1/4 of NE1/4 Sec.2,T39N,R1W) downstream to mouth at Birch Bay (Sec.30,T40N,R1E).
(38) Unnamed tributary flowing to Canada	<u>Mt. Baker 15</u> Van Zandt 15	From an approximate point (between NW1/4 and NE1/2 Sec.2,T40N,R6E) to downstream to British Columbia-Washington state boundary (Sec.34,T41N,R6E).
(39) Warm Creek	<u>Mt. Baker 15</u>	From Mt. Baker National Forest boundary (Sec.24, T38N,R6E) downstream to mouth at Nooksack River M.Fk. (Sec.25, same township).
(40) West Cornell Creek	<u>Mt. Baker 15</u>	From confluence of unnamed creek and West Cornell Creek (Sec.13,T39N,R6E) downstream to mouth at Nooksack River North Fork (Sec.1, same township).
(41) Whatcom Creek	<u>Bellingham N. 7 1/2</u>	From the outlet of Lake Whatcom (Sec.28,T38N,R3E) downstream to mouth at Bellingham Bay (Sec.30, same township).
(42) Glacier Creek	<u>Mt. Baker 15</u>	From confluence of Glacier Creek and Davis Creek (Sec.8,T39N,R7E) downstream to mouth at North Fork Nooksack River (Sec.6, same township).
(43) Padden Creek	<u>Bellingham S. 7 1/2</u>	From confluence of unnamed creek and Padden Creek (NW1/4 Sec.7,T37N,R3E) downstream to mouth on Bellingham Bay (Sec.1, T37N,R2E).
(44) Anderson Creek	<u>Wickersham 15</u> Lake Whatcom 7 1/2	From outlet on Mirror Lk. (Sec.30,T37N,R5E) downstream to mouth on Lake Whatcom (Sec.27,T37N,R4E).
(45) Chuckanut Creek	<u>Bellingham S. 7 1/2</u>	From confluence of unnamed creek and Chuckanut Creek (NW1/4 of SW1/4 Sec.17,T37N,R3E) downstream to mouth at Chuckanut Bay (Sec.13, T37N,R2E).
(46) Smith Creek	<u>Lake Whatcom 7 1/2</u>	From confluence of unnamed creek and Smith Creek (SE1/4 of SW1/4,Sec.33,T38N,R4E) downstream to mouth on Lake Whatcom (Sec.5, T37N,R4E).

Stream Name	Quadrangle Name and Size	Legal Description
(1) Hangman Creek (Latah Creek)	<u>Tekoa 7 1/2</u> <u>Oaksdale 7 1/2</u> Fairfield 15	From the Washington-Idaho boundary (Sec.29,T20N,R46E) downstream to Whitman-Spokane County line (Sec.4,T29N,R45E).
(2) Palouse River (S. Fork)	<u>Pullman 7 1/2</u> Albion 7 1/2 Colfax South 7 1/2 Colfax North 7 1/2	From the confluence of the South Fork of the Palouse River and unnamed creek (Sec.16,T14N,R45E) downstream to mouth at Palouse River (Sec.11, T16N,R43E) in Colfax.
(3) Palouse River*	<u>Palouse 7 1/2</u> Elberton 7 1/2 Colfax 7 1/2 Diamond 7 1/2 Endicott 15 La Crosse 15 Benge 15 Starbuck 15	From the Washington-Idaho boundary (Sec.5,T16N,R46E) downstream to Adams County line (Sec.24,T16N,R38E) along Adams and Franklin County lines to mouth at Snake River (Sec.19,T13N,R37E). The flow is 200 cfs MAF at Washington-Idaho boundary.
(4) Pine Creek*	<u>Rosalia 7 1/2</u> Spangle 15 Malden* 7 1/2 Pine City 7 1/2	From the confluence of Pine Creek and unnamed creek (NW1/4 of Sec.16, T20N,R44E) downstream to mouth at Rock Creek (Sec.15,T20N,R41E), excluding that stretch within Spokane County. This stream has over 300 sq. miles of drainage area ending at mouth of Cache Creek (Sec.23, T20N,R42E).
(5) Rock Creek*	<u>Pine City 7 1/2</u> <u>Rock Lake 7 1/2</u> Ewan 7 1/2 Texas Lake 7 1/2 Revere 7 1/2 La Crosse 15	From the confluence of Rock Creek and Pine Creek (Sec.15,T20N,R41E) downstream through Rock Lake to mouth at Palouse River (Sec.5,T16N,R39E) excluding those reaches in Adams County. Over 300 sq. miles drainage area at confluence of Rock Creek and Pine Creek.
(6) Snake River*	<u>Clarkston* 15</u> Colton 7 1/2 Bishop 7 1/2 Kirby 7 1/2 Almota 7 1/2 Penawawa 15 Hay 15 Starbuck 15	From the Washington-Idaho boundary (Sec.16,T36N,R46E) downstream along the Whitman-Asotin County line and Garfield-Whitman County line and Columbia-Whitman County line to the Franklin County line (Sec.30, T13N,R37E). All of river under federal jurisdiction. This stream has over 200 cfs MAF flow at Washington-Idaho border.
(7) Union Flat Creek*	<u>Ewartsville 7 1/2</u> Colfax South 7 1/2 Wilcox 7 1/2 Endicott 15 La Crosse* 15	From the confluence of Wilbur Creek and Union Flat Creek (Sec.6,T14N,R44E) downstream to mouth at Palouse River (Sec.35, T16N,R38E). This stream has over 300 sq. miles of drainage area ending at mouth of left bank unnamed tributary (Sec.31,T16N,R39E).

[Order DE 76-14, § 173-18-410, filed 5/3/76; Order 73-14, § 173-18-410, filed 8/27/73; Order DE 72-13, § 173-18-410, filed 6/30/72.]

[Order DE 76-14, § 173-18-420, filed 5/3/76; Order 73-14, § 173-18-420, filed 8/27/73; Order DE 72-13, § 173-18-420, filed 6/30/72.]



WAC 173-18-430 Yakima County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Ahtanum Creek	Tampico 7 1/2 Wiley City 7 1/2 Yakima West 7 1/2 Yakima East 7 1/2	From confluence of North and South Forks of Ahtanum Creek (Sec.17,T12N,R16E) downstream to mouth at Yakima River (Sec.17, T12N,R19E) excluding those reaches within Yakima Indian Reservation.
(2) Ahtanum Creek (N.Fk.)	Foundation Ridge 7 1/2 Pine Mtn. 7 1/2 Tampico 7 1/2	From confluence of Ahtanum Creek North Fork and Ahtanum Creek Middle Fork (Sec.24,T12N,R14E) downstream to mouth at Ahtanum Creek South Fork (Sec.17,T12N,R16E).
(3) Ahtanum Creek (S.Fk.)	Pine Mtn. 7 1/2 Tampico 7 1/2	From confluence of unnamed creek and Ahtanum Creek South Fork (Sec.24,T12N,R15E) downstream to mouth at Ahtanum Creek (left bank only).
(4) Columbia River*	Priest Rapids 15	From the Yakima Firing Center boundary (Sec.3, T13N,R23E) downstream along the Grant-Yakima County line to Benton County line (Sec.12, T13N,R23E). The flow exceeds 200 cfs MAF at Yakima Firing Center boundary.
(5) Cowiche Creek (S. Fork)	Tieton 7 1/2 Naches 7 1/2 Wiley City 7 1/2 Yakima 7 1/2 Selah West 7 1/2	From an approximate point (NW1/4 of NE1/4 Sec.33,T14N,R16E) downstream through Cowiche Creek to mouth at Naches River (Sec.9,T13N,R18E).
(6) Bumping River*	Bumping Lake * 15 Old Scab Mtn. 7 1/2 Cliffdell 7 1/2	From U.S.G.S. gaging station (Sec.23,T16N,R12E) downstream to mouth at Naches and Little Naches rivers (Sec.4,T17N,R14E). Exclude federal lands. The flow is over 200 cfs MAF at U.S.G.S. gaging station.
(7) Little Naches River*	Lester 15 Easton* 15 Cliffdell 7 1/2	From confluence of North Fork and Middle Fork Little Naches River (Sec.36,T19N,R12E) downstream to mouth at Naches River (Sec.4,T17N,R14E). Exclude federal lands. The 200 cfs MAF point begins at confluence with Crow Creek (Sec.30,T18N,R14E).
(8) Naches River*	Cliffdell 7 1/2 Manastash Lake 7 1/2 Nile 7 1/2 Milk Canyon 7 1/2 Tieton 7 1/2 Naches 7 1/2 Selah 7 1/2	From confluence of Little Naches River and Bumping River (Sec.4,T17N,R14E) downstream to mouth at Yakima River (Sec.12,T13N,R18E). Exclude federal lands. The flow is 200 cfs MAF at confluence of Little Naches River and Bumping River.

Stream Name	Quadrangle Name and Size	Legal Description
(9) Rattle-snake Creek*	Meeks Table 7 1/2 Nile 7 1/2	From Snoqualmie National Forest boundary (Sec.6, T15N,R15E) downstream to mouth at Naches River (Sec.3, same township). The flow at Snoqualmie N.F. boundary is 200 cfs MAF.
(10) Tieton River*	Weddle Canyon 7 1/2 Tieton* 7 1/2	From west section line (Sec.29,T14N,R15E) downstream to mouth at Naches River (Sec.35,T15N,R16E). Exclude federal lands. The flow is 200 cfs MAF at west section line (Sec.29,T14N,R15E).
(11) Tieton River (S. Fk.)	White Pass 15 Rimrock Lake 7 1/2	From the south section line (Sec.23,T12N,R12E) downstream to mouth at Rimrock Lake (Sec.7,T13N,R14E). Exclude federal lands.
(12) Yakima River (cont.)*	Pomona * 7 1/2 Selah 7 1/2 Yakima East 7 1/2 Wapato 7 1/2 Toppenish 7 1/2 Granger N.W. 7 1/2 Granger 7 1/2 Sunnyside 7 1/2 Mabton West 7 1/2 Mabton East 7 1/2 Prosser 7 1/2	From the Kittitas County line (Sec.33,T15N,R19E) downstream, excluding all federal lands and Yakima Indian Reservation, to Benton County line (Sec. 7,T8N,R24E). The flow exceeds 200 cfs MAF at Kittitas County line.

[Order DE 76-14, § 173-18-430, filed 5/3/76; Order 73-14, § 173-18-430, filed 8/27/73; Order DE 72-13, § 173-18-430, filed 6/30/72.]

Chapter 173-19 WAC  
SHORELINE MANAGEMENT ACT OF 1971--  
STATE MASTER PROGRAM

WAC	Purpose.
173-19-010	Purpose.
173-19-020	Definitions.
173-19-030	Master programs organized by county.
173-19-040	Date of adoption or approval.
173-19-044	Local government change of jurisdiction—Effect of annexation.
173-19-050	Incorporation by reference.
173-19-060	Revising of master programs.
173-19-062	Submittal of revised master program by local government.
173-19-064	Adoption of the revised master program by the department.
173-19-070	Appeal procedures for master programs.
173-19-080	Applicability of master program to federal agencies.
173-19-090	Adams County.
173-19-100	Asotin County.
173-19-1001	Asotin, city of.
173-19-1002	Clarkston, city of.
173-19-110	Benton County.
173-19-1101	Benton City, city of.
173-19-1102	Kennewick, city of.
173-19-1103	Prosser, city of.
173-19-1104	Richland, city of.
173-19-1105	West Richland, city of.
173-19-120	Chelan County.
173-19-1201	Cashmere, city of.
173-19-1202	Chelan, city of.
173-19-1203	Entiat, town of.
173-19-1204	Leavenworth, city of.

173-19-1205	Wenatchee, city of.	173-19-2603	Poulsbo, city of.
173-19-130	Clallam County.	173-19-2604	Winslow, city of.
173-19-1301	Port Angeles, city of.	173-19-270	Kittitas County.
173-19-140	Clark County.	173-19-2701	Cle Elum, city of.
173-19-1401	Camas, city of.	173-19-2702	Ellensburg, city of.
173-19-1402	LaCenter, town of.	173-19-2703	South Cle Elum, town of.
173-19-1403	Ridgefield, town of.	173-19-280	Klickitat County.
173-19-1404	Vancouver, city of.	173-19-2801	Bingen, town of.
173-19-1405	Washougal, city of.	173-19-2802	Goldendale, city of.
173-19-150	Columbia County.	173-19-2803	White Salmon, town of.
173-19-1501	Dayton, city of.	173-19-290	Lewis County.
173-19-1502	Starbuck, town of.	173-19-2901	Centralia, city of.
173-19-160	Cowlitz County.	173-19-2902	Chehalis, city of.
173-19-1601	Castle Rock, city of.	173-19-2903	Morton, city of.
173-19-1602	Kalama, city of.	173-19-2904	Pe Ell, town of.
173-19-1603	Kelso, city of.	173-19-2905	Toledo, city of.
173-19-1604	Longview, city of.	173-19-2906	Vader, city of.
173-19-1605	Woodland, city of.	173-19-2907	Winlock, city of.
173-19-170	Douglas County.	173-19-300	Lincoln County.
173-19-1701	Bridgeport, town of.	173-19-3001	Odessa, town of.
173-19-1702	East Wenatchee, city of.	173-19-3002	Sprague, city of.
173-19-1703	Rock Island, town of.	173-19-310	Mason County.
173-19-180	Ferry County.	173-19-3101	Shelton, city of.
173-19-1801	Republic, town of.	173-19-320	Okanogan County.
173-19-190	Franklin County.	173-19-3201	Brewster, town of.
173-19-1901	Pasco, city of.	173-19-3202	Conconully, town of.
173-19-200	Garfield County.	173-19-3203	Okanogan, city of.
173-19-210	Grant County.	173-19-3204	Omak, city of.
173-19-2101	Krupp, town of.	173-19-3205	Oroville, town of.
173-19-2102	Moses Lake, city of.	173-19-3206	Pateros, town of.
173-19-2103	Soap Lake, city of.	173-19-3207	Riverside, town of.
173-19-2104	Wilson Creek, town of.	173-19-3208	Tonasket, town of.
173-19-220	Grays Harbor County.	173-19-3209	Twisp, town of.
173-19-2201	Aberdeen, city of.	173-19-3210	Winthrop, town of.
173-19-2202	Cosmopolis, city of.	173-19-330	Pacific County.
173-19-2203	Elma, city of.	173-19-3301	Ilwaco, town of.
173-19-2204	Hoquiam, city of.	173-19-3302	Long Beach, town of.
173-19-2205	Montesano, city of.	173-19-3303	Raymond, city of.
173-19-2206	Oakville, city of.	173-19-3304	South Bend, city of.
173-19-2207	Ocean Shores, city of.	173-19-340	Pend Oreille County.
173-19-2208	Westport, city of.	173-19-3401	Cusick, town of.
173-19-230	Island County.	173-19-3402	Ione, town of.
173-19-2301	Coupeville, town of.	173-19-3403	Metaline, town of.
173-19-2302	Langley, city of.	173-19-3404	Metaline Falls, town of.
173-19-2303	Oak Harbor, city of.	173-19-3405	Newport, city of.
173-19-240	Jefferson County.	173-19-350	Pierce County.
173-19-2401	Port Townsend, city of.	173-19-3501	Bonney Lake, city of.
173-19-250	King County.	173-19-3502	Buckley, city of.
173-19-2501	Auburn, city of.	173-19-3503	Dupont, city of.
173-19-2502	Beaux Arts Village, town of.	173-19-3504	Eatonville, town of.
173-19-2503	Bellevue, city of.	173-19-3505	Fife, city of.
173-19-2504	Black Diamond, city of.	173-19-3506	Gig Harbor, town of.
173-19-2505	Bothell, city of.	173-19-3507	Orting, town of.
173-19-2506	Carnation, town of.	173-19-3508	Puyallup, city of.
173-19-2507	Des Moines, city of.	173-19-3509	Roy, city of.
173-19-2508	Duvall, city of.	173-19-3510	Ruston, town of.
173-19-2509	Hunts Point, town of.	173-19-3511	South Prairie, town of.
173-19-2510	Issaquah, city of.	173-19-3512	Steilacoom, town of.
173-19-2511	Kent, city of.	173-19-3513	Sumner, city of.
173-19-2512	Kirkland, city of.	173-19-3514	Tacoma, city of.
173-19-2513	Lake Forest Park, city of.	173-19-3515	Wilkeson, town of.
173-19-2514	Medina, city of.	173-19-360	San Juan County.
173-19-2515	Mercer Island, city of.	173-19-3601	Friday Harbor, town of.
173-19-2516	Normandy Park, city of.	173-19-370	Skagit County.
173-19-2517	North Bend, city of.	173-19-3701	Anacortes, city of.
173-19-2518	Pacific, city of.	173-19-3702	Concrete, town of.
173-19-2519	Redmond, city of.	173-19-3703	Hamilton, town of.
173-19-2520	Renton, city of.	173-19-3704	La Conner, town of.
173-19-2521	Seattle, city of.	173-19-3705	Lyman, town of.
173-19-2522	Skykomish, town of.	173-19-3706	Mount Vernon, city of.
173-19-2523	Snoqualmie, city of.	173-19-3707	Burlington, city of.
173-19-2524	Tukwila, city of.	173-19-380	Skamania County.
173-19-2525	Yarrow Point, town of.	173-19-3801	North Bonneville, city of.
173-19-260	Kitsap County.	173-19-3802	Stevenson, town of.
173-19-2601	Bremerton, city of.	173-19-390	Snohomish County.
173-19-2602	Port Orchard, city of.	173-19-3901	Arlington, city of.

173-19-3902	Brier, city of.
173-19-3903	Edmonds, city of.
173-19-3904	Everett, city of.
173-19-3905	Gold Bar, town of.
173-19-3906	Granite Falls, town of.
173-19-3907	Index, town of.
173-19-3908	Lake Stevens, city of.
173-19-3909	Marysville, city of.
173-19-3910	Monroe, city of.
173-19-3911	Mountlake Terrace, city of.
173-19-3912	Mukilteo, city of.
173-19-3913	Snohomish, city of.
173-19-3914	Stanwood, city of.
173-19-3915	Sultan, town of.
173-19-3916	Woodway, town of.
173-19-400	Spokane County.
173-19-4001	Latah, town of.
173-19-4002	Medical Lake, town of.
173-19-4003	Millwood, town of.
173-19-4004	Rockford, town of.
173-19-4005	Spokane, city of.
173-19-4006	Waverly, town of.
173-19-410	Stevens County.
173-19-4101	Chewelah, city of.
173-19-4102	Northport, town of.
173-19-420	Thurston County.
173-19-4201	Bucoda, town of.
173-19-4202	Lacey, city of.
173-19-4203	Olympia, city of.
173-19-4204	Tenino, town of.
173-19-4205	Tumwater, city of.
173-19-4206	Yelm, town of.
173-19-430	Wahkiakum County.
173-19-4301	Cathlamet, town of.
173-19-440	Walla Walla County.
173-19-4401	Waitsburg, town of.
173-19-4402	Walla Walla, city of.
173-19-450	Whatcom County.
173-19-4501	Bellingham, city of.
173-19-4502	Blaine, city of.
173-19-4503	Everson, city of.
173-19-4504	Ferndale, city of.
173-19-4505	Lynden, city of.
173-19-4506	Nooksack, city of.
173-19-4507	Sumas, city of.
173-19-460	Whitman County.
173-19-4601	Albion, town of.
173-19-4602	Colfax, city of.
173-19-4603	Malden, town of.
173-19-4604	Palouse, city of.
173-19-4605	Pullman, city of.
173-19-4606	Rosalia, town of.
173-19-4607	Tekoa, city of.
173-19-470	Yakima County.
173-19-4701	Grandview, city of.
173-19-4702	Granger, town of.
173-19-4703	Naches, town of.
173-19-4704	Selah, city of.
173-19-4705	Union Gap, city of.
173-19-4706	Yakima, city of.
173-19-4707	Zillah, city of.

**Reviser's note:** Shoreline master programs for various areas of the state were filed by Order DE 77-16, filed September 9, 1977, and Order DE 77-28, filed October 24, 1977, and have been omitted from publication by the authority of RCW 34.04.050. Copies may be obtained from the department of ecology.

**WAC 173-19-010 Purpose.** Pursuant to RCW 90.58.090, the department of ecology must adopt or approve the master programs submitted to it by all local governments. In order to facilitate the administration and enforcement of these master programs, they are incorporated by reference in this state master program. [Order DE 74-23, § 173-19-010, filed 12/30/74.]

**WAC 173-19-020 Definitions.** As used herein, the following words have the following meanings:

- (1) "Department" means the department of ecology.
- (2) "Local government" means any county, incorporated city or town which contains within its boundaries any lands or waters subject to this chapter.
- (3) "Master program" means the comprehensive use plan for a described area, and the use regulations, together with maps, diagrams, charts, or other descriptive material and text, a statement of desired goals and standards developed in accordance with the policies enunciated in RCW 90.58.020.
- (4) "State master program" is the cumulative total of all master programs approved or adopted by the department of ecology.

In addition, the definitions and concepts set forth in section 3 of the act shall also apply as used herein. [Order DE 74-23, § 173-19-020, filed 12/30/74.]

**WAC 173-19-030 Master programs organized by county.** The master programs have been assigned section numbers and are listed alphabetically by county. The master programs for incorporated cities and towns are grouped alphabetically by section following the county sections. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-030, filed 1/30/80; Order DE 74-23, § 173-19-030, filed 12/30/74.]

**WAC 173-19-040 Date of adoption or approval.** The date of adoption or approval of each master program by the department is set forth beside the name of the appropriate local government. [Order DE 74-23, § 173-19-040, filed 12/30/74.]

**WAC 173-19-044 Local government change of jurisdiction--Effect of annexation.** In the event of annexation of a shoreline area, the local government assuming jurisdiction shall revise their master program to include the annexed area. Such revision shall be in accordance with the procedures established in WAC 173-19-060 and shall be submitted to the department after completion of annexation. Until a revised program is approved or adopted by the department, any ruling on an application for permit in the annexed shoreline area shall be based upon compliance with the preexisting master program approved or adopted for the area. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 79-09-001 (Order DE 79-6), § 173-19-044, filed 8/2/79.]

**WAC 173-19-050 Incorporation by reference.** Due to the sheer bulk of the master programs adopted or approved by the department, they are not included in the text of this chapter, but rather are incorporated herein as an appendix hereto, having full force and effect as published herein. Copies of the appendix are available to the public at all reasonable times for inspection in the headquarters of the department of ecology in Olympia, with the Washington state code reviser and the county auditor or city clerk as appropriate. Copies of portions

thereof, or the complete set, will be provided by the department at the expense of the party requesting the same. [Order DE 74-23, § 173-19-050, filed 12/30/74.]

**WAC 173-19-060 Revising of master programs.** At any time after adoption or approval of the master program by the department, local government may pursuant to RCW 90.58.190 propose additions, deletions, or modifications to the master program deemed necessary by local government to reflect changing local circumstances, new information, or improved data. A revision to the master program shall be consistent with chapter 90.58 RCW and chapter 173-16 WAC, and shall be submitted to the department for its review and formal action. No such revision submitted to a master program by local government shall become effective until thirty days after the department's order adopting the revision has been filed with the code reviser. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-060, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-060, filed 8/2/79; Order DE 74-23, § 173-19-060, filed 12/30/74.]

**WAC 173-19-062 Submittal of revised master program by local government.** (1) The local government shall, prior to the submittal of a revised master program to the department, conduct at least one public hearing to consider the proposed changes to the program.

(a) Public notice of the hearing shall be made a minimum of once in each of the three weeks immediately preceding the hearing. The notice shall be published in one or more newspapers of general circulation in the county in which the hearing is to be held. The public notice shall include:

(i) Reference to the authority under which the action is proposed.

(ii) A statement or summary of the proposed changes to the master program.

(iii) The date, time, and location of the hearing, and the manner in which interested persons may present their views thereon.

(b) The local government shall also notify abutting local governments affected by the proposed master program revision and specify any environment designation changes.

(c) The revised master program should be available for public inspection at the local government office and available upon request at least seven days prior to the public hearing.

(2) Attached to the master program revision upon submittal to the department shall be a copy of the resolution or ordinance relating to the revisions submitted by the local government. The submittal letter must bear the signature of the authorized local official. In addition, the following items should also be included in the submittal:

(a) An affidavit showing that the notice has been properly published.

(b) An explanatory statement, staff report, record of the hearing, and/or other materials which document the

necessity for the proposed changes to the master program.

(c) The material specified by chapter 43.21C RCW; i.e. an environmental checklist, threshold determination, and environmental impact statement, as required. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-062, filed 1/30/80.]

**WAC 173-19-064 Adoption of the revised master program by the department.** If more than one local government submits revised programs to the department for action and they are pending with the department, the department may elect to consolidate the proceedings for adoption. Adoption shall be in accordance with the provisions of RCW 34.04.025, insofar as such provisions are not inconsistent with the provisions of chapter 90.58 RCW, and shall follow the procedures set forth below:

(1) A notice of intent to adopt the revised master program shall be filed with the state code reviser's office in accordance with the procedures and closing dates established by the code reviser. The department shall file notice in a manner that will allow for the most expeditious adoption of the revised program: *Provided*, That the department will not file notice more often than six times in each year unless special circumstances dictate more frequent filing.

(2) The department shall, prior to an adoption proceeding, hold a public hearing to consider the proposed changes to the master program.

(a) The location of the public hearing and the adoption proceeding shall be as follows:

(i) The public hearing shall be held in a location convenient to the department: *Provided*, That if there is substantial public interest in a revised program, as determined by the department, the department may elect to conduct the public hearing in the local area affected by the revised program.

(ii) The adoption proceeding shall be held in a location convenient to the department.

(b) The date of the public hearing shall be established in accordance with the schedule of the code reviser for the first agency action date. The adoption proceeding shall be commenced within fourteen days of the public hearing unless the department determines that the public interest or special circumstances requires a longer time between the public hearing and the adoption proceeding.

(c) Prior to the date of the public hearing, the department shall publish notice of the hearing and adoption proceeding in at least one newspaper of general circulation in the area affected by the revised master program. The public notice shall include:

(i) Reference to the authority under which the action is proposed; and

(ii) The dates, times, and locations of the public hearing and adoption proceeding, and the manner in which persons may present their views.

(d) The department shall also notify local governments and interested persons who have expressed a desire to be advised of the proposed action.

(e) A request for advice and guidance to members of the ecological commission shall be submitted at least thirty days prior to the adoption proceedings in accordance with chapter 43.21A RCW.

(f) An evaluation of economic impact shall be completed prior to adoption of the revised program in accordance with chapter 43.21H RCW.

(3) The department staff shall present at the public hearing its proposed recommendation that the department:

(a) Adopt the revised program, or portions thereof;

(b) Adopt with conditions, the revised program or portions thereof; or

(c) Deny adoption of the revised program, or portions thereof. If the recommendation is that the revised master program be denied in whole or in part, the department shall state the reasons upon which that recommendation is based, including inconsistency with:

(i) The policies and procedures of the act; and

(ii) The guidelines, rules and regulations of the department.

(4) When the department determines to deny a revised master program in whole or in part, it shall, at the adoption proceeding date, advise the local government in writing of the reasons for the denial and the department's suggested modifications to the revised program which would make it consistent with chapter 90.58 RCW and chapter 173-16 WAC. The local government may, after it receives the recommendations from the department, make the specific modifications designed to eliminate the inconsistencies and resubmit the revised program to the department. Any resubmitted revision shall be subject to the full adoption procedure.

(5) With regard to those segments of the program relating to shorelines of state-wide significance, the department may develop and adopt an alternative to the local governments proposal if the program submitted does not provide for the optimum implementation of the policies of chapter 90.58 RCW to satisfy the state-wide interest. The department shall notify local government of its intent to do so in writing at the adoption proceeding date.

(6) The department shall present at the adoption proceeding, its decision on the revised master program, together with any resulting modifications to that proposal.

(7) If the department determines to adopt a revised master program in whole or in part, following the adoption proceeding it shall file the amended rules and a copy of the revised master program with the state code reviser. The department shall also notify the appropriate city clerk or county auditor of the final action taken.

(8) The revised master program shall not become effective until at least thirty days from the date of filing with the code reviser the order adopting the revisions in accordance with the provisions of chapter 34.04 RCW.

(9) The procedure for adopting emergency rules described in RCW 34.04.030 shall be used in lieu of the procedure described above only if the criteria in RCW 34.04.030 are met and the department determines that the proposed revision is not controversial. [Statutory

Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-064, filed 1/30/80.]

**WAC 173-19-070 Appeal procedures for master programs.** The procedures for appeals by local government of master programs and revisions thereto shall be governed by RCW 90.58.180 (4) and (5). [Order DE 74-23, § 173-19-070, filed 12/30/74.]

**WAC 173-19-080 Applicability of master program to federal agencies.** The state master program shall be applicable in the following manner to federal agencies on lands meeting the criteria of the Shoreline Management Act and the department for shorelines of the state:

(1) The master program shall not be applicable to activities of federal agencies on lands owned in fee by the federal government unless the federal government grants or reserves to the state or local government jurisdiction over uses on those lands.

(2) The federal government shall be subject to the state master program as provided by the approved Washington coastal zone management program, within certain limitations set forth in the Federal Coastal Zone Management Act, 16 U.S.C. 1451, et seq., and regulations adopted pursuant thereto.

(3) The state master program shall apply to nonfederal development or uses, otherwise subject to the Shoreline Management Act, undertaken on lands under nonfederal ownership, lease, or easement even though such lands may fall within the external boundaries of a federal ownership.

(4) The state master program shall apply to development or uses otherwise subject to the Shoreline Management Act on lands not federally owned, but under lease, easement, license, or other similar federal property right short of ownership, to the federal government. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-080, filed 1/30/80; Order DE 74-23, § 173-19-080, filed 12/30/74.]

**WAC 173-19-090 Adams County.** Adams County master program approved June 2, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 79-09-001 (Order DE 79-6), § 173-19-090, filed 8/2/79; Order DE 77-16, § 173-19-090, filed 9/9/77; Order DE 74-23, § 173-19-090, filed 12/30/74.]

**WAC 173-19-100 Asotin County.** Asotin County master program approved October 22, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-100, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-100, filed 8/2/79; Order DE 75-21, § 173-19-100, filed 8/12/75; Order DE 74-23, § 173-19-100, filed 12/30/74.]

**WAC 173-19-1001 Asotin, city of.** City of Asotin master program approved March 7, 1975. [Statutory

Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1001, filed 1/30/80.]

**WAC 173-19-1002 Clarkston, city of.** City of Clarkston master program approved March 7, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1002, filed 1/30/80.]

**WAC 173-19-110 Benton County.** Benton County master program approved April 25, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-110, filed 1/30/80; 79-11-053 (Order DE 79-28), § 173-19-110, filed 10/16/79; 79-09-001 (Order DE 79-6), § 173-19-110, filed 8/2/79; Order DE 76-15, § 173-19-110, filed 5/3/76; Order DE 75-21, § 173-19-110, filed 8/12/75; Order DE 74-23, § 173-19-110, filed 12/30/74.]

**WAC 173-19-1101 Benton City, city of.** City of Benton City master program approved August 25, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1101, filed 1/30/80.]

**WAC 173-19-1102 Kennewick, city of.** City of Kennewick master program approved December 11, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1102, filed 1/30/80.]

**WAC 173-19-1103 Prosser, city of.** City of Prosser master program approved June 2, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1103, filed 1/30/80.]

**WAC 173-19-1104 Richland, city of.** City of Richland master program approved September 9, 1974. Revision approved August 29, 1979. Revision approved June 23, 1983. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-14-003 (Order DE 83-17), § 173-19-1104, filed 6/23/83. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1104, filed 1/30/80.]

**WAC 173-19-1105 West Richland, city of.** City of West Richland master program approved October 22, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1105, filed 1/30/80.]

**WAC 173-19-120 Chelan County.** Chelan County master program approved April 22, 1975. Revision approved June 26, 1980. Revision approved July 15, 1981. Revision approved October 1, 1981. Revision approved October 13, 1983. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-21-094 (Order DE 83-27), § 173-19-120, filed 10/19/83; 81-20-042 (Order DE 81-

27), § 173-19-120, filed 10/1/81; 81-15-062 (Order DE 81-23), § 173-19-120, filed 7/20/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-08-054 (Order DE 80-25), § 173-19-120, filed 6/30/80; 80-02-123 (Order DE 79-34), § 173-19-120, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-120, filed 8/2/79; Order DE 75-21, § 173-19-120, filed 8/12/75; Order DE 74-23, § 173-19-120, filed 12/30/74.]

**WAC 173-19-1201 Cashmere, city of.** City of Cashmere master program approved April 22, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1201, filed 1/30/80.]

**WAC 173-19-1202 Chelan, city of.** City of Chelan master program approved April 22, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1202, filed 1/30/80.]

**WAC 173-19-1203 Entiat, town of.** Town of Entiat master program approved April 22, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1203, filed 1/30/80.]

**WAC 173-19-1204 Leavenworth, city of.** City of Leavenworth master program approved April 22, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1204, filed 1/30/80.]

**WAC 173-19-1205 Wenatchee, city of.** City of Wenatchee master program approved April 22, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1205, filed 1/30/80.]

**WAC 173-19-130 Clallam County.** Clallam County master program approved August 5, 1976. Revision approved November 16, 1976. Revision approved August 10, 1979. Revision approved January 4, 1983. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-02-066 (Order DE 82-48), § 173-19-130, filed 1/5/83. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-130, filed 1/30/80; 79-11-053 (Order DE 79-28), § 173-19-130, filed 10/16/79; 79-09-131 (Order DE 79-16), § 173-19-130, filed 9/5/79; 79-09-001 (Order DE 79-6), § 173-19-130, filed 8/2/79; Order DE 77-16, § 173-19-130, filed 9/9/77; Order DE 74-23, § 173-19-130, filed 12/30/74.]

**WAC 173-19-1301 Port Angeles, city of.** City of Port Angeles master program approved August 5, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1301, filed 1/30/80.]

**WAC 173-19-140 Clark County.** Clark County master program approved December 18, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-140, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-140, filed 8/2/79; Order DE 76-15, § 173-19-140, filed 5/3/76; Order DE 74-23, § 173-19-140, filed 12/30/74.]

**WAC 173-19-1401 Camas, city of.** City of Camas master program approved January 30, 1978. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1401, filed 1/30/80.]

**WAC 173-19-1402 LaCenter, town of.** Town of LaCenter master program approved December 18, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1402, filed 1/30/80.]

**WAC 173-19-1403 Ridgefield, town of.** Town of Ridgefield master program approved June 29, 1978. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1403, filed 1/30/80.]

**WAC 173-19-1404 Vancouver, city of.** City of Vancouver master program approved September 25, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1404, filed 1/30/80.]

**WAC 173-19-1405 Washougal, city of.** City of Washougal master program approved September 12, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1405, filed 1/30/80.]

**WAC 173-19-150 Columbia County.** Columbia County master program approved September 22, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-150, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-150, filed 8/2/79; Order DE 76-15, § 173-19-150, filed 5/3/76; Order 74-23, § 173-19-150, filed 12/30/74.]

**WAC 173-19-1501 Dayton, city of.** City of Dayton master program approved September 22, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1501, filed 1/30/80.]

**WAC 173-19-1502 Starbuck, town of.** Town of Starbuck master program approved September 22, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1502, filed 1/30/80.]

**WAC 173-19-160 Cowlitz County.** Cowlitz County master program approved February 17, 1978. Revision

approved February 9, 1982. Revision approved May 18, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-11-105 (Order DE 82-10), § 173-19-160, filed 5/19/82; 82-05-017 (Order DE 81-53), § 173-19-160, filed 2/9/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-160, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-160, filed 8/2/79; Order DE 77-16, § 173-19-160, filed 9/9/77; Order DE 74-23, § 173-19-160, filed 12/30/74.]

**WAC 173-19-1601 Castle Rock, city of.** City of Castle Rock master program approved ----- [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1601, filed 1/30/80.]

**WAC 173-19-1602 Kalama, city of.** City of Kalama master program approved January 16, 1978. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1602, filed 1/30/80.]

**WAC 173-19-1603 Kelso, city of.** City of Kelso master program approved November 26, 1979. [Statutory Authority: RCW 90.58.120 and 90.58.200. 80-04-026 (Order DE 80-10), § 173-19-1603, filed 3/18/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1603, filed 1/30/80.]

**WAC 173-19-1604 Longview, city of.** City of Longview master program approved May 19, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1604, filed 1/30/80.]

**WAC 173-19-1605 Woodland, city of.** City of Woodland master program approved January 16, 1980. [Statutory Authority: RCW 90.58.120 and 90.58.200. 80-04-026 (Order DE 80-10), § 173-19-1605, filed 3/18/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1605, filed 1/30/80.]

**WAC 173-19-170 Douglas County.** Douglas County master program approved February 20, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-170, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-170, filed 8/2/79; Order DE 75-21, § 173-19-170, filed 8/12/75; Order DE 74-23, § 173-19-170, filed 12/30/74.]

**WAC 173-19-1701 Bridgeport, town of.** Town of Bridgeport master program approved February 20, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1701, filed 1/30/80.]

**WAC 173-19-1702 East Wenatchee, city of.** City of East Wenatchee master program approved February 20,

1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1702, filed 1/30/80.]

**WAC 173-19-1703 Rock Island, town of.** Town of Rock Island master program approved February 20, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1703, filed 1/30/80.]

**WAC 173-19-180 Ferry County.** Ferry County master program approved October 21, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-180, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-180, filed 8/2/79; Order DE 76-15, § 173-19-180, filed 5/3/76; Order DE 74-23, § 173-19-180, filed 12/30/74.]

**WAC 173-19-1801 Republic, town of.** Town of Republic master program approved October 21, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1801, filed 1/30/80.]

**WAC 173-19-190 Franklin County.** Franklin County master program approved December 10, 1974. Revision approved December 12, 1975. Revision approved August 28, 1978. Revision approved October 2, 1978. Revision approved July 8, 1983. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-17-032 (Order DE 83-18), § 173-19-190, filed 8/11/83. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-190, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-190, filed 8/2/79; Order DE 76-15, § 173-19-190, filed 5/3/76; Order DE 74-23, § 173-19-190, filed 12/30/74.]

**WAC 173-19-1901 Pasco, city of.** City of Pasco master program approved December 10, 1974. Revision approved December 12, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1901, filed 1/30/80.]

**WAC 173-19-200 Garfield County.** Garfield County master program approved September 13, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 79-09-001 (Order DE 79-6), § 173-19-200, filed 8/2/79; Order DE 74-23, § 173-19-200, filed 12/30/74.]

**WAC 173-19-210 Grant County.** Grant County master program approved September 16, 1975. Revision approved June 11, 1981. [Statutory Authority: RCW 90.58.120 and 90.58.200. 81-13-055 (Order DE 81-14), § 173-19-210, filed 6/17/81; Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-210, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-210, filed 8/2/79; Order DE 76-15, § 173-19-210, filed

5/3/76; Order DE 74-23, § 173-19-210, filed 12/30/74.]

**WAC 173-19-2101 Krupp, town of.** Town of Krupp master program approved September 16, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2101, filed 1/30/80.]

**WAC 173-19-2102 Moses Lake, city of.** City of Moses Lake master program approved December 18, 1974. Revision approved July 15, 1981. Revision approved August 12, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-17-046 (Order DE 82-29), § 173-19-2102, filed 8/16/82; 81-16-079 (Order DE 81-20), § 173-19-2102, filed 8/5/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2102, filed 1/30/80.]

**WAC 173-19-2103 Soap Lake, city of.** City of Soap Lake master program approved November 19, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2103, filed 1/30/80.]

**WAC 173-19-2104 Wilson Creek, town of.** Town of Wilson Creek master program approved September 16, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2104, filed 1/30/80.]

**WAC 173-19-220 Grays Harbor County.** Grays Harbor County master program approved August 6, 1975. Revision approved December 2, 1977. Revision approved July 17, 1978. Revision approved March 27, 1980. [Statutory Authority: RCW 90.58.120 and 90.58.200. 80-07-007 (Order DE 80-26), § 173-19-220, filed 6/6/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-220, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-220, filed 8/2/79; Order DE 77-16, § 173-19-220, filed 9/9/77; Order DE 75-21, § 173-19-220, filed 8/12/75; Order DE 74-23, § 173-19-220, filed 12/30/74.]

**WAC 173-19-2201 Aberdeen, city of.** City of Aberdeen master program approved June 30, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2201, filed 1/30/80.]

**WAC 173-19-2202 Cosmopolis, city of.** City of Cosmopolis master program approved August 12, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2202, filed 1/30/80.]

**WAC 173-19-2203 Elma, city of.** City of Elma master program approved September 18, 1974. Revision approved December 15, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-02-003 (Order DE



82-40), § 173-19-2203, filed 12/23/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2203, filed 1/30/80.]

**WAC 173-19-2204 Hoquiam, city of.** City of Hoquiam master program approved April 14, 1976. Revisions approved July 29, 1980. [Statutory Authority: RCW 90.58.120 and 90.58.200. 80-10-017 (Order DE 80-30), § 173-19-2204, filed 7/31/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2204, filed 1/30/80.]

**WAC 173-19-2205 Montesano, city of.** City of Montesano master program approved ----- [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2205, filed 1/30/80.]

**WAC 173-19-2206 Oakville, city of.** City of Oakville master program approved ----- [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2206, filed 1/30/80.]

**WAC 173-19-2207 Ocean Shores, city of.** City of Ocean Shores master program approved August 12, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2207, filed 1/30/80.]

**WAC 173-19-2208 Westport, city of.** City of Westport master program approved November 7, 1974. Revision approved October 6, 1983. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-21-019 (Order DE 83-24), § 173-19-2208, filed 10/7/83. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2208, filed 1/30/80.]

**WAC 173-19-230 Island County.** Island County master program approved June 25, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-230, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-230, filed 8/2/79; Order DE 77-16, § 173-19-230, filed 9/9/77; Order DE 74-23, § 173-19-230, filed 12/30/74.]

**WAC 173-19-2301 Coupeville, town of.** Town of Coupeville master program approved June 25, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2301, filed 1/30/80.]

**WAC 173-19-2302 Langley, city of.** City of Langley master program approved June 25, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2302, filed 1/30/80.]

**WAC 173-19-2303 Oak Harbor, city of.** City of Oak Harbor master program approved June 25, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2303, filed 1/30/80.]

**WAC 173-19-240 Jefferson County.** Jefferson County master program approved December 20, 1974. [Revision approved August 12, 1982.] Revision approved July 6, 1983. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-14-086 (Order DE 83-20), § 173-19-240, filed 7/6/83; 82-17-047 (Order DE 82-30), § 173-19-240, filed 8/16/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-240, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-240, filed 8/2/79; Order DE 75-21, § 173-19-240, filed 8/12/75; Order DE 74-23, § 173-19-240, filed 12/30/74.]

**Reviser's note:** RCW 34.04.058 requires the use of underlining and deletion marks to indicate amendments to existing rules, and deems ineffectual changes not filed by the agency in this manner. The bracketed material in the above section does not appear to conform to the statutory requirement.

**WAC 173-19-2401 Port Townsend, city of.** City of Port Townsend master program approved December 20, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2401, filed 1/30/80.]

**WAC 173-19-250 King County.** King County master program approved July 8, 1976. Revision approved November 22, 1976. Revision approved June 30, 1978. Revision approved July 5, 1979. Revision approved September 23, 1981. Revision approved February 9, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-05-018 (Order DE 81-54), § 173-19-250, filed 2/9/82; 81-20-006 (Order DE 81-24), § 173-19-250, filed 9/24/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-250, filed 1/30/80; 79-09-131 (Order DE 79-16), § 173-19-250, filed 9/5/79; 79-09-001 (Order DE 79-6), § 173-19-250, filed 8/2/79; Order DE 77-28, § 173-19-250, filed 10/24/77; Order DE 77-16, § 173-19-250, filed 9/9/77; Order DE 76-15, § 173-19-250, filed 5/3/76; Order DE 75-21, § 173-19-250, filed 8/12/75; Order DE 74-23, § 173-19-250, filed 12/30/74.]

**WAC 173-19-2501 Auburn, city of.** City of Auburn master program approved April 4, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2501, filed 1/30/80.]

**WAC 173-19-2502 Beaux Arts Village, town of.** Town of Beaux Arts Village master program approved August 12, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2502, filed 1/30/80.]

**WAC 173-19-2503 Bellevue, city of.** City of Bellevue master program approved February 26, 1975. Revision approved January 8, 1979. Revision approved May 14, 1981. Revision approved February 24, 1983. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-07-080 (Order DE 83-3), § 173-19-2503, filed 3/23/83; 81-11-027 (Order DE 81-10), § 173-19-2503, filed 5/15/81. Statutory Authority: RCW 90.58-.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2503, filed 1/30/80.]

**WAC 173-19-2504 Black Diamond, city of.** City of Black Diamond master program approved December 21, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2504, filed 1/30/80.]

**WAC 173-19-2505 Bothell, city of.** City of Bothell master program approved February 27, 1975. Revision approved July 2, 1976. Revision approved January 31, 1977. Revision approved March 8, 1983. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-07-019 (Order DE 83-9), § 173-19-2505, filed 3/11/83. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2505, filed 1/30/80.]

**WAC 173-19-2506 Carnation, town of.** Town of Carnation master program approved August 16, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2506, filed 1/30/80.]

**WAC 173-19-2507 Des Moines, city of.** City of Des Moines master program approved April 3, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2507, filed 1/30/80.]

**WAC 173-19-2508 Duvall, city of.** City of Duvall master program approved August 12, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2508, filed 1/30/80.]

**WAC 173-19-2509 Hunts Point, town of.** Town of Hunts Point master program approved November 15, 1974. Revision approved July 2, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2509, filed 1/30/80.]

**WAC 173-19-2510 Issaquah, city of.** City of Issaquah master program approved ..... [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2510, filed 1/30/80.]

**WAC 173-19-2511 Kent, city of.** City of Kent master program approved [April 4, 1974][April 9, 1974]. Revision approved December 8, 1978. Revision approved April 10, 1979. Revision approved December

10, 1980. [Statutory Authority: RCW 90.58.120 and 90.58.200. 81-01-039 (Order DE 80-48), § 173-19-2511, filed 12/11/80. Statutory Authority: RCW 90.58-.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2511, filed 1/30/80.]

**Reviser's note:** RCW 34.04.058 requires the use of underlining and deletion marks to indicate amendments to existing rules, and deems ineffectual changes not filed by the agency in this manner. The bracketed material in the above section does not appear to conform to the statutory requirement.

**WAC 173-19-2512 Kirkland, city of.** City of Kirkland master program approved August 27, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2512, filed 1/30/80.]

**WAC 173-19-2513 Lake Forest Park, city of.** City of Lake Forest Park master program approved April 19, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2513, filed 1/30/80.]

**WAC 173-19-2514 Medina, city of.** City of Medina master program approved November 22, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2514, filed 1/30/80.]

**WAC 173-19-2515 Mercer Island, city of.** City of Mercer Island master program approved September 24, 1974. Revision approved May 14, 1981. [Statutory Authority: RCW 90.58.120 and 90.58.200. 81-11-028 (Order DE 81-11), § 173-19-2515, filed 5/15/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2515, filed 1/30/80.]

**WAC 173-19-2516 Normandy Park, city of.** City of Normandy Park master program approved April 5, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2516, filed 1/30/80.]

**WAC 173-19-2517 North Bend, city of.** City of North Bend master program approved September 18, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2517, filed 1/30/80.]

**WAC 173-19-2518 Pacific, city of.** City of Pacific master program approved September 19, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2518, filed 1/30/80.]

**WAC 173-19-2519 Redmond, city of.** City of Redmond master program approved September 20, 1974. Revision approved December 15, 1981. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-01-048 (Order DE 81-42), § 173-19-2519, filed 12/16/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120,

and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2519, filed 1/30/80.]

**WAC 173-19-2520 Renton, city of.** City of Renton master program approved January 23, 1976. Revision approved February 23, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2520, filed 1/30/80.]

**WAC 173-19-2521 Seattle, city of.** City of Seattle master program approved June 30, 1976. Revision approved March 11, 1977. Revision approved September 10, 1980. Revision approved February 24, 1981. Revision approved May 14, 1981. Revision approved October 1, 1981. Revision approved January 5, 1982. Revision approved February 24, 1983. Revision approved June 7, 1983. Revision approved July 12, 1983. Revision approved October 13, 1983. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-21-094 (Order DE 83-27), § 173-19-2521, filed 10/19/83; 83-15-014 (Order DE 83-19), § 173-19-2521, filed 7/12/83; 83-13-029 (Order DE 83-4), § 173-19-2521, filed 6/7/83; 83-07-081 (Order DE 83-4), § 173-19-2521, filed 3/23/83; 82-02-079 (Order DE 81-44), § 173-19-2521, filed 1/6/82; 81-20-043 (Order DE 81-28), § 173-19-2521, filed 10/1/81; 81-11-029 (Order DE 81-12), § 173-19-2521, filed 5/15/81; 81-06-051 (Order DE 81-2), § 173-19-2521, filed 2/27/81; 80-13-031 (Order DE 80-34), § 173-19-2521, filed 9/10/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2521, filed 1/30/80.]

**WAC 173-19-2522 Skykomish, town of.** Town of Skykomish master program approved ----- [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2522, filed 1/30/80.]

**WAC 173-19-2523 Snoqualmie, city of.** City of Snoqualmie master program approved August 16, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2523, filed 1/30/80.]

**WAC 173-19-2524 Tukwila, city of.** City of Tukwila master program approved September 26, 1974. Revision approved May 18, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-11-106 (Order DE 82-11), § 173-19-2524, filed 5/19/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2524, filed 1/30/80.]

**WAC 173-19-2525 Yarrow Point, town of.** Town of Yarrow Point master program approved March 13, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2525, filed 1/30/80.]

**WAC 173-19-260 Kitsap County.** Kitsap County master program approved April 30, 1976. Revision approved October 24, 1977. Revision approved December 22, 1981. Revision approved March 16, 1983. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-08-002 (Order DE 83-11), § 173-19-260, filed 3/24/83; 82-01-087 (Order DE 81-35), § 173-19-260, filed 12/22/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-260, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-260, filed 8/2/79; Order DE 77-16, § 173-19-260, filed 9/9/77; Order DE 76-15, § 173-19-260, filed 5/3/76; Order DE 74-23, § 173-19-260, filed 12/30/74.]

**WAC 173-19-2601 Bremerton, city of.** City of Bremerton master program approved January 9, 1978. Revision approved March 3, 1978. Revision approved June 28, 1978. Revision approved August 22, 1978. Revision approved October 24, 1978. Revision approved January 19, 1982. Revision approved March 4, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-07-003 (Order DE 82-2), § 173-19-2601, filed 3/4/82; 82-03-042 (Order DE 81-45), § 173-19-2601, filed 1/19/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2601, filed 1/30/80.]

**WAC 173-19-2602 Port Orchard, city of.** City of Port Orchard master program approved March 10, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2602, filed 1/30/80.]

**WAC 173-19-2603 Poulsbo, city of.** City of Poulsbo master program approved January 12, 1976. Revision approved October 21, 1976. Revision approved October 24, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2603, filed 1/30/80.]

**WAC 173-19-2604 Winslow, city of.** City of Winslow master program approved October 3, 1979. Revision approved June 9, 1981. [Statutory Authority: RCW 90.58.120 and 90.58.200. 81-13-015 (Order DE 81-16), § 173-19-2604, filed 6/11/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2604, filed 1/30/80.]

**WAC 173-19-270 Kittitas County.** Kittitas County master program approved September 3, 1975. Revision approved August 28, 1979. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-270, filed 1/30/80; 79-11-053 (Order DE 79-28), § 173-19-270, filed 10/16/79; 79-09-001 (Order DE 79-6), § 173-19-270, filed 8/2/79; Order DE 77-16, § 173-19-270, filed 9/9/77; Order DE 76-15, § 173-19-270, filed 5/3/76; Order DE 74-23, § 173-19-270, filed 12/30/74.]

**WAC 173-19-2701 Cle Elum, city of.** City of Cle Elum master program approved ----- . [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2701, filed 1/30/80.]

**WAC 173-19-2702 Ellensburg, city of.** City of Ellensburg master program approved ----- . [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2702, filed 1/30/80.]

**WAC 173-19-2703 South Cle Elum, town of.** Town of South Cle Elum master program approved June 28, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2703, filed 1/30/80.]

**WAC 173-19-280 Klickitat County.** Klickitat County master program approved August 29, 1975. Revision approved September 6, 1979. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-280, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-280, filed 8/2/79; Order DE 76-15, § 173-19-280, filed 5/3/76; Order DE 74-23, § 173-19-280, filed 12/30/74.]

**WAC 173-19-2801 Bingen, town of.** Town of Bingen master program approved August 29, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2801, filed 1/30/80.]

**WAC 173-19-2802 Goldendale, city of.** City of Goldendale master program approved August 29, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2802, filed 1/30/80.]

**WAC 173-19-2803 White Salmon, town of.** Town of White Salmon master program approved August 29, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2803, filed 1/30/80.]

**WAC 173-19-290 Lewis County.** Lewis County master program approved November 1, 1974. Revision approved January 16, 1978. Revision approved September 24, 1979. Revision approved October 2, 1980. [Statutory Authority: RCW 90.58.120 and 90.58.200. 80-15-023 (Order DE 80-40), § 173-19-290, filed 10/7/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-290, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-290, filed 8/2/79; Order DE 77-16, § 173-19-290, filed 9/9/77; Order DE 74-23, § 173-19-290, filed 12/30/74.]

**WAC 173-19-2901 Centralia, city of.** City of Centralia master program approved March 29, 1978.

[Revision approved January 30, 1980.] Revision approved August 12, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-17-048 (Order DE 82-31), § 173-19-2901, filed 8/16/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2901, filed 1/30/80.]

**Reviser's note:** RCW 34.04.058 requires the use of underlining and deletion marks to indicate amendments to existing rules, and deems ineffectual changes not filed by the agency in this manner. The bracketed material in the above section does not appear to conform to the statutory requirement.

**WAC 173-19-2902 Chehalis, city of.** City of Chehalis master program approved February 10, 1977. Revision approved January 5, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-02-078 (Order DE 81-46), § 173-19-2902, filed 1/6/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2902, filed 1/30/80.]

**WAC 173-19-2903 Morton, city of.** City of Morton master program approved October 12, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2903, filed 1/30/80.]

**WAC 173-19-2904 Pe Ell, town of.** Town of Pe Ell master program approved November 15, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2904, filed 1/30/80.]

**WAC 173-19-2905 Toledo, city of.** City of Toledo master program approved November 1, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2905, filed 1/30/80.]

**WAC 173-19-2906 Vader, city of.** City of Vader master program approved October 24, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2906, filed 1/30/80.]

**WAC 173-19-2907 Winlock, city of.** City of Winlock master program approved October 24, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2907, filed 1/30/80.]

**WAC 173-19-300 Lincoln County.** Lincoln County master program approved February 25, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-300, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-300, filed 8/2/79; Order DE 77-16, § 173-19-300, filed 9/9/77; Order DE 74-23, § 173-19-300, filed 12/30/74.]

**WAC 173-19-3001 Odessa, town of.** Town of Odessa master program approved February 25, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3001, filed 1/30/80.]

**WAC 173-19-3002 Sprague, city of.** City of Sprague master program approved February 25, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3002, filed 1/30/80.]

**WAC 173-19-310 Mason County.** Mason County master program approved August 6, 1975. Revision approved December 18, 1975. Revision approved February 22, 1980. Revision approved June 23, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-14-017 (Order DE 82-18), § 173-19-310, filed 6/28/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-05-053 (Order DE 80-12), § 173-19-310, filed 4/16/80; 80-02-123 (Order DE 79-34), § 173-19-310, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-310, filed 8/2/79; Order DE 76-15, § 173-19-310, filed 5/3/76; Order DE 75-21, § 173-19-310, filed 8/12/75; Order DE 74-23, § 173-19-310, filed 12/30/74.]

**WAC 173-19-3101 Shelton, city of.** City of Shelton master program approved March 18, 1975. Revision approved December 18, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3101, filed 1/30/80.]

**WAC 173-19-320 Okanogan County.** Okanogan County master program approved December 16, 1975. Revision approved March 9, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-320, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-320, filed 8/2/79; Order DE 76-15, § 173-19-320, filed 5/3/76; Order DE 74-23, § 173-19-320, filed 12/30/74.]

**WAC 173-19-3201 Brewster, town of.** Town of Brewster master program approved December 16, 1975. Revision approved March 9, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3201, filed 1/30/80.]

**WAC 173-19-3202 Conconully, town of.** Town of Conconully master program approved December 16, 1975. Revision approved March 9, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3202, filed 1/30/80.]

**WAC 173-19-3203 Okanogan, city of.** City of Okanogan master program approved December 16,

1975. Revision approved March 9, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3203, filed 1/30/80.]

**WAC 173-19-3204 Omak, city of.** City of Omak master program approved December 16, 1975. Revision approved March 9, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3204, filed 1/30/80.]

**WAC 173-19-3205 Oroville, town of.** Town of Oroville master program approved December 16, 1975. Revision approved March 9, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3205, filed 1/30/80.]

**WAC 173-19-3206 Pateros, town of.** Town of Pateros master program approved December 16, 1975. Revision approved March 9, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3206, filed 1/30/80.]

**WAC 173-19-3207 Riverside, town of.** Town of Riverside master program approved December 16, 1975. Revision approved March 9, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3207, filed 1/30/80.]

**WAC 173-19-3208 Tonasket, town of.** Town of Tonasket master program approved December 16, 1975. Revision approved March 9, 1976. Revision approved August 12, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-17-049 (Order DE 82-32), § 173-19-3208, filed 8/16/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3208, filed 1/30/80.]

**WAC 173-19-3209 Twisp, town of.** Town of Twisp master program approved December 16, 1975. Revision approved March 9, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3209, filed 1/30/80.]

**WAC 173-19-3210 Winthrop, town of.** Town of Winthrop master program approved December 16, 1975. Revision approved March 9, 1976. [Revision approved February 2, 1979.] Revision approved November 23, 1981. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 81-24-074 (Order DE 81-36), § 173-19-3210, filed 12/2/81; 80-02-123 (Order DE 79-34), § 173-19-3210, filed 1/30/80.]

**Reviser's note:** RCW 34.04.058 requires the use of underlining and deletion marks to indicate amendments to existing rules, and deems ineffectual changes not filed by the agency in this manner. The bracketed material in the above section does not appear to conform to the statutory requirement.

**WAC 173-19-330 Pacific County.** Pacific County master program approved April 8, 1975. Revision approved June 26, 1980. Revision approved March 16, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-07-045 (Order DE 81-55), § 173-19-330, filed 3/18/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-08-054 (Order DE 80-25), § 173-19-330, filed 6/30/80; 80-02-123 (Order DE 79-34), § 173-19-330, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-330, filed 8/2/79; Order DE 75-21, § 173-19-330, filed 8/12/75; Order DE 74-23, § 173-19-330, filed 12/30/74.]

**WAC 173-19-3301 Ilwaco, town of.** Town of Ilwaco master program approved May 2, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3301, filed 1/30/80.]

**WAC 173-19-3302 Long Beach, town of.** Town of Long Beach master program approved May 2, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3302, filed 1/30/80.]

**WAC 173-19-3303 Raymond, city of.** City of Raymond master program approved April 9, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3303, filed 1/30/80.]

**WAC 173-19-3304 South Bend, city of.** City of South Bend master program approved May 2, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3304, filed 1/30/80.]

**WAC 173-19-340 Pend Oreille County.** Pend Oreille County master program approved April 18, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-340, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-340, filed 8/2/79; Order DE 75-21, § 173-19-340, filed 8/12/75; Order DE 74-23, § 173-19-340, filed 12/30/74.]

**WAC 173-19-3401 Cusick, town of.** Town of Cusick master program approved April 18, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3401, filed 1/30/80.]

**WAC 173-19-3402 Ione, town of.** Town of Ione master program approved April 18, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3402, filed 1/30/80.]

**WAC 173-19-3403 Metaline, town of.** Town of Metaline master program approved April 18, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120,

and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3403, filed 1/30/80.]

**WAC 173-19-3404 Metaline Falls, town of.** Town of Metaline Falls master program approved April 18, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3404, filed 1/30/80.]

**WAC 173-19-3405 Newport, city of.** City of Newport master program approved April 18, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3405, filed 1/30/80.]

**WAC 173-19-350 Pierce County.** Pierce County master program approved April 4, 1975. Revision approved November 16, 1976. Revision approved October 26, 1977. Revision approved February 21, 1979. Revision approved June 11, 1979. Revision approved August 16, 1979. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-350, filed 1/30/80; 79-11-019 (Order DE 79-19), § 173-19-350, filed 10/9/79; 79-09-131 (Order DE 79-16), § 173-19-350, filed 9/5/79; 79-09-129 (Order DE 79-27), § 173-19-350, filed 9/5/79; 79-09-001 (Order DE 79-6), § 173-19-350, filed 8/2/79; Order DE 77-16, § 173-19-350, filed 9/9/77; Order DE 76-15, § 173-19-350, filed 5/3/76; Order DE 75-21, § 173-19-350, filed 8/12/75; Order DE 74-23, § 173-19-350, filed 12/30/74.]

**WAC 173-19-3501 Bonney Lake, city of.** City of Bonney Lake master program approved August 6, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3501, filed 1/30/80.]

**WAC 173-19-3502 Buckley, city of.** City of Buckley master program approved April 7, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3502, filed 1/30/80.]

**WAC 173-19-3503 Dupont, city of.** City of Dupont master program approved June 11, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3503, filed 1/30/80.]

**WAC 173-19-3504 Eatonville, town of.** Town of Eatonville master program approved April 29, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3504, filed 1/30/80.]

**WAC 173-19-3505 Fife, city of.** City of Fife master program approved September 6, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3505, filed 1/30/80.]

**WAC 173-19-3506 Gig Harbor, town of.** Town of Gig Harbor master program approved September 10, 1975. Revision approved December 10, 1980. [Statutory Authority: RCW 90.58.120 and 90.58.200. 81-01-038 (Order DE 80-50), § 173-19-3506, filed 12/11/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3506, filed 1/30/80.]

**WAC 173-19-3507 Orting, town of.** Town of Orting master program approved April 8, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3507, filed 1/30/80.]

**WAC 173-19-3508 Puyallup, city of.** City of Puyallup master program approved May 31, 1974. Revision approved May 24, 1983. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-12-017 (Order DE 83-15), § 173-19-3508, filed 5/24/83. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3508, filed 1/30/80.]

**WAC 173-19-3509 Roy, city of.** City of Roy master program approved April 9, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3509, filed 1/30/80.]

**WAC 173-19-3510 Ruston, town of.** Town of Ruston master program approved September 20, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3510, filed 1/30/80.]

**WAC 173-19-3511 South Prairie, town of.** Town of South Prairie master program approved ----- . [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3511, filed 1/30/80.]

**WAC 173-19-3512 Steilacoom, town of.** Town of Steilacoom master program approved ----- . [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3512, filed 1/30/80.]

**WAC 173-19-3513 Sumner, city of.** City of Sumner master program approved December 11, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3513, filed 1/30/80.]

**WAC 173-19-3514 Tacoma, city of.** City of Tacoma master program approved April 5, 1977. Revision approved December 5, 1979. Revision approved March 17, 1981. Revision approved November 23, 1981. Revision approved April 6, 1982. Revision approved May 24, 1983. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-12-018 (Order DE 83-16), § 173-19-3514, filed 5/24/83; 82-10-002 (Order DE 82-06),

§ 173-19-3514, filed 4/23/82; 81-24-072 (Order DE 81-37), § 173-19-3514, filed 12/2/81; 81-08-005 (Order DE 81-4), § 173-19-3514, filed 3/19/81; 80-04-026 (Order DE 80-10), § 173-19-3514, filed 3/18/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3514, filed 1/30/80.]

**WAC 173-19-3515 Wilkeson, town of.** Town of Wilkeson master program approved October 21, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3515, filed 1/30/80.]

**WAC 173-19-360 San Juan County.** San Juan County master program approved May 28, 1976. Revision approved October 29, 1976. Revision approved April 13, 1981. [Statutory Authority: RCW 90.58.120 and 90.50.200 [90.58.200]. 81-09-057 (Order DE 81-8), § 173-19-360, filed 4/17/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-360, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-360, filed 8/2/79; Order DE 77-16, § 173-19-360, filed 9/9/77; Order DE 74-23, § 173-19-360, filed 12/30/74.]

**WAC 173-19-3601 Friday Harbor, town of.** Town of Friday Harbor master program approved July 14, 1978. Revision approved January 5, 1979. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3601, filed 1/30/80.]

**WAC 173-19-370 Skagit County.** Skagit County master program [approved October 5, 1976.] [Revision] approved January 5, 1979. Revision approved May 11, 1979. Revision approved March 3, 1980. Revision approved September 10, 1980. [Revision approved December 10, 1980.] Revision approved September 23, 1981. Revision approved November 23, 1981. Revision approved August [19][25], 1982. Revision approved February 24, 1983. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-07-082 (Order DE 83-5), § 173-19-370, filed 3/23/83; 82-18-027 (Order DE 82-33), § 173-19-370, filed 8/25/82; 81-24-075 (Order DE 81-38), § 173-19-370, filed 12/2/81; 81-20-004 (Order DE 81-25), § 173-19-370, filed 9/24/81; 81-01-040 (Order DE 80-51), § 173-19-370, filed 12/11/80; 80-13-030 (Order DE 80-35), § 173-19-370, filed 9/10/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-05-053 (Order DE 80-12), § 173-19-370, filed 4/16/80; 80-02-123 (Order DE 79-34), § 173-19-370, filed 1/30/80; 79-09-131 (Order DE 79-16), § 173-19-370, filed 9/5/79; 79-09-001 (Order DE 79-6), § 173-19-370, filed 8/2/79; Order DE 77-16, § 173-19-370, filed 9/9/77; Order DE 74-23, § 173-19-370, filed 12/30/74.]

Reviser's note: RCW 34.04.058 requires the use of underlining and deletion marks to indicate amendments to existing rules, and deems

ineffectual changes not filed by the agency in this manner. The bracketed material in the above section does not appear to conform to the statutory requirement.

**WAC 173-19-3701 Anacortes, city of.** City of Anacortes master program approved April 9, 1976. Revision approved November 25, 1980. Revision approved July 1, 1981. Revision approved December [15] [23], 1982. Revision approved November 15, 1983. [Statutory Authority: RCW 90.48.120 and 90.58.200. 83-23-062 (Order DE 83-28), § 173-19-3701, filed 11/16/83. Statutory Authority: RCW 90.58.120 and 90.58.200. 83-02-004 (Order DE 82-43), § 173-19-3701, filed 12/23/82; 81-15-006 (Order DE 81-15), § 173-19-3701, filed 7/2/81; 80-18-024 (Order DE 80-41), § 173-19-3701, filed 11/26/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3701, filed 1/30/80.]

**Reviser's note:** RCW 34.04.058 requires the use of underlining and deletion marks to indicate amendments to existing rules, and deems ineffectual changes not filed by the agency in this manner. The bracketed material in the above section does not appear to conform to the statutory requirement.

**WAC 173-19-3702 Concrete, town of.** Town of Concrete master program approved March 3, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3702, filed 1/30/80.]

**WAC 173-19-3703 Hamilton, town of.** Town of Hamilton master program approved July 27, 1979. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3703, filed 1/30/80.]

**WAC 173-19-3704 La Conner, town of.** Town of La Conner master program approved May 3, 1977. Revision approved July 1, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-14-089 (Order DE 82-24), § 173-19-3704, filed 7/7/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3704, filed 1/30/80.]

**WAC 173-19-3705 Lyman, town of.** Town of Lyman master program approved February 23, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3705, filed 1/30/80.]

**WAC 173-19-3706 Mount Vernon, city of.** City of Mount Vernon master program approved May 16, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3706, filed 1/30/80.]

**WAC 173-19-3707 Burlington, city of.** City of Burlington master program approved July 15, 1981. [Statutory Authority: RCW 90.58.120 and 90.58.200. 81-16-077 (Order DE 81-22), § 173-19-3707, filed 8/5/81.]

**WAC 173-19-380 Skamania County.** Skamania County master program approved September 6, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-380, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-380, filed 8/2/79; Order DE 74-23, § 173-19-380, filed 12/30/74.]

**WAC 173-19-3801 North Bonneville, city of.** City of North Bonneville master program approved September 6, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3801, filed 1/30/80.]

**WAC 173-19-3802 Stevenson, town of.** Town of Stevenson master program approved September 6, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3802, filed 1/30/80.]

**WAC 173-19-390 Snohomish County.** Snohomish County master program approved December 27, 1974. Revision approved June 16, 1978. Revision approved June 23, 1982. Revision approved August 25, 1983. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-18-005 (Order DE 83-23), § 173-19-390, filed 8/26/83; 82-14-018 (Order DE 82-19), § 173-19-390, filed 6/28/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-390, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-390, filed 8/2/79. Statutory Authority: RCW 90.58.020. 78-08-076 (Order DE 78-9), § 173-19-390, filed 7/26/78; Order DE 77-16, § 173-19-390, filed 9/9/77; Order DE 76-15, § 173-19-390, filed 5/3/76; Order DE 75-21, § 173-19-390, filed 8/12/75; Order DE 74-23, § 173-19-390, filed 12/30/74.]

**WAC 173-19-3901 Arlington, city of.** City of Arlington master program approved December 27, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3901, filed 1/30/80.]

**WAC 173-19-3902 Brier, city of.** City of Brier master program approved December 27, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3902, filed 1/30/80.]

**WAC 173-19-3903 Edmonds, city of.** City of Edmonds master program approved January 23, 1976. Revision approved March 5, 1979. Revision approved May 6, 1980. [Statutory Authority: RCW 90.58.120 and 90.58.200. 80-06-050 (Order DE 80-13), § 173-19-3903, filed 5/14/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3903, filed 1/30/80.]

**WAC 173-19-3904 Everett, city of.** City of Everett master program approved January 5, 1976. [Statutory



Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3904, filed 1/30/80.]

**WAC 173-19-3905 Gold Bar, town of.** Town of Gold Bar master program approved December 27, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3905, filed 1/30/80.]

**WAC 173-19-3906 Granite Falls, town of.** Town of Granite Falls master program approved December 27, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3906, filed 1/30/80.]

**WAC 173-19-3907 Index, town of.** Town of Index master program approved December 27, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3907, filed 1/30/80.]

**WAC 173-19-3908 Lake Stevens, city of.** City of Lake Stevens master program approved December 27, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3908, filed 1/30/80.]

**WAC 173-19-3909 Marysville, city of.** City of Marysville master program approved January 22, 1975. Amended August 10, 1977. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3909, filed 1/30/80.]

**WAC 173-19-3910 Monroe, city of.** City of Monroe master program approved December 27, 1974. Revision approved February 18, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-06-013 (Order DE 81-56), § 173-19-3910, filed 2/22/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3910, filed 1/30/80.]

**WAC 173-19-3911 Mountlake Terrace, city of.** City of Mountlake Terrace master program approved December 27, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3911, filed 1/30/80.]

**WAC 173-19-3912 Mukilteo, city of.** City of Mukilteo master program approved September 20, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3912, filed 1/30/80.]

**WAC 173-19-3913 Snohomish, city of.** City of Snohomish master program approved September 20, 1974. Revision approved February 11, 1977. Revision approved March 26, 1980. [Statutory Authority: RCW 90.58.120 and 90.58.200. 80-06-050 (Order DE 80-13), § 173-19-3913, filed 5/14/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-

02-123 (Order DE 79-34), § 173-19-3913, filed 1/30/80.]

**WAC 173-19-3914 Stanwood, city of.** City of Stanwood master program approved April 9, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3914, filed 1/30/80.]

**WAC 173-19-3915 Sultan, town of.** Town of Sultan master program approved December 27, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3915, filed 1/30/80.]

**WAC 173-19-3916 Woodway, town of.** Town of Woodway master program approved December 27, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3916, filed 1/30/80.]

**WAC 173-19-400 Spokane County.** Spokane County master program approved January 15, 1975. Revision approved September 6, 1977. Revision approved August 15, 1979. Revision approved February 24, 1981. Revision approved December 15, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-02-005 (Order DE 82-44), § 173-19-400, filed 12/23/82; 81-06-052 (Order DE 81-3), § 173-19-400, filed 2/27/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-400, filed 1/30/80; 79-11-053 (Order DE 79-28), § 173-19-400, filed 10/16/79; 79-09-001 (Order DE 79-6), § 173-19-400, filed 8/2/79; Order DE 77-16, § 173-19-400, filed 9/9/77; Order DE 75-21, § 173-19-400, filed 8/12/75; Order DE 74-23, § 173-19-400, filed 12/30/74.]

**WAC 173-19-4001 Latah, town of.** Town of Latah master program approved January 15, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4001, filed 1/30/80.]

**WAC 173-19-4002 Medical Lake, town of.** Town of Medical Lake master program approved January 15, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4002, filed 1/30/80.]

**WAC 173-19-4003 Millwood, town of.** Town of Millwood master program approved January 15, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4003, filed 1/30/80.]

**WAC 173-19-4004 Rockford, town of.** Town of Rockford master program approved January 15, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4004, filed 1/30/80.]

**WAC 173-19-4005 Spokane, city of.** City of Spokane master program approved March 7, 1975. Revision approved October 5, 1976. Revision approved December 22, 1977. Revision approved February 24, 1983. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-07-083 (Order DE 83-6), § 173-19-4005, filed 3/23/83. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4005, filed 1/30/80.]

**WAC 173-19-4006 Waverly, town of.** Town of Waverly master program approved January 15, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4006, filed 1/30/80.]

**WAC 173-19-410 Stevens County.** Stevens County master program approved ----- [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-410, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-410, filed 8/2/79; Order DE 74-23, § 173-19-410, filed 12/30/74.]

**WAC 173-19-4101 Chewelah, city of.** City of Chewelah master program approved ----- [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4101, filed 1/30/80.]

**WAC 173-19-4102 Northport, town of.** Town of Northport master program approved ----- [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4102, filed 1/30/80.]

**WAC 173-19-420 Thurston County.** Thurston County master program approved May 21, 1976. Revision approved August 27, 1976. Revision approved August 7, 1979. Revision approved September 23, 1981. Revision approved March 4, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-07-004 (Order DE 82-3), § 173-19-420, filed 3/4/82; 81-20-005 (Order DE 81-26), § 173-19-420, filed 9/24/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-420, filed 1/30/80; 79-11-019 (Order DE 79-19), § 173-19-420, filed 10/9/79; 79-09-001 (Order DE 79-6), § 173-19-420, filed 8/2/79; Order DE 77-16, § 173-19-420, filed 9/9/77; Order DE 74-23, § 173-19-420, filed 12/30/74.]

**WAC 173-19-4201 Bucoda, town of.** Town of Bucoda master program approved May 21, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4201, filed 1/30/80.]

**WAC 173-19-4202 Lacey, city of.** City of Lacey master program approved May 21, 1976. Revision approved January 5, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-02-080 (Order DE 81-47),

§ 173-19-4202, filed 1/6/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4202, filed 1/30/80.]

**WAC 173-19-4203 Olympia, city of.** City of Olympia master program approved May 21, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4203, filed 1/30/80.]

**WAC 173-19-4204 Tenino, town of.** Town of Tenino master program approved May 21, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4204, filed 1/30/80.]

**WAC 173-19-4205 Tumwater, city of.** City of Tumwater master program approved May 21, 1976. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4205, filed 1/30/80.]

**WAC 173-19-4206 Yelm, town of.** Town of Yelm master program approved May 21, 1976. Revision approved January 5, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-02-081 (Order DE 81-48), § 173-19-4206, filed 1/6/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4206, filed 1/30/80.]

**WAC 173-19-430 Wahkiakum County.** Wahkiakum County master program approved June 17, 1975. Revision approved January 2, 1980. Revision approved May 20, 1981. [Statutory Authority: RCW 90.58.120 and 90.58.200. 81-12-003 (Order DE 81-13), § 173-19-430, filed 5/21/81; 80-04-026 (Order DE 80-10), § 173-19-430, filed 3/18/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-430, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-430, filed 8/2/79; Order DE 75-21, § 173-19-430, filed 8/12/75; Order DE 74-23, § 173-19-430, filed 12/30/74.]

**WAC 173-19-4301 Cathlamet, town of.** Town of Cathlamet master program approved June 17, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4301, filed 1/30/80.]

**WAC 173-19-440 Walla Walla County.** Walla Walla County master program approved May 2, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-440, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-440, filed 8/2/79; Order DE 77-16, § 173-19-440, filed 9/9/77; Order DE 75-21, § 173-19-440, filed 8/12/75; Order DE 74-23, § 173-19-440, filed 12/30/74.]

**WAC 173-19-4401 Waitsburg, town of.** Town of Waitsburg master program approved May 25, 1976.

[Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4401, filed 1/30/80.]

**WAC 173-19-4402 Walla Walla, city of.** City of Walla Walla master program approved February 23, 1977. Revision approved July 15, 1981. [Statutory Authority: RCW 90.58.120 and 90.58.200. 81-16-078 (Order DE 81-21), § 173-19-4402, filed 8/5/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4402, filed 1/30/80.]

**WAC 173-19-450 Whatcom County.** Whatcom County master program approved August 27, 1976. Revision approved April 11, 1977. Revision approved August 11, 1978. Revision approved December 22, 1981. Revision approved January 5, 1982. Revision approved March 4, 1982. Revision approved December 15, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-02-006 (Order DE 82-45), § 173-19-450, filed 12/23/82; 82-07-005 (Order DE 82-4), § 173-19-450, filed 3/4/82; 82-02-077 (Order DE 81-49), § 173-19-450, filed 1/6/82; 82-01-088 (Order DE 81-31), § 173-19-450, filed 12/22/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-450, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-450, filed 8/2/79; Order DE 77-16, § 173-19-450, filed 9/9/77; Order DE 76-15, § 173-19-450, filed 5/3/76; Order DE 74-23, § 173-19-450, filed 12/30/74.]

**WAC 173-19-4501 Bellingham, city of.** City of Bellingham master program approved September 30, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4501, filed 1/30/80.]

**WAC 173-19-4502 Blaine, city of.** City of Blaine master program approved September 29, 1975. Revision approved August 30, 1977. Revision approved December 28, 1978. Revision approved June 26, 1980. Revision approved April 6, 1982. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-10-001 (Order DE 82-05), § 173-19-4502, filed 4/23/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-08-054 (Order DE 80-25), § 173-19-4502, filed 6/30/80; 80-02-123 (Order DE 79-34), § 173-19-4502, filed 1/30/80.]

**WAC 173-19-4503 Everson, city of.** City of Everson master program approved September 29, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4503, filed 1/30/80.]

**WAC 173-19-4504 Ferndale, city of.** City of Ferndale master program approved December 15, 1981. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-01-049 (Order DE 81-43), § 173-19-4504, filed 12/16/81. Statutory Authority: RCW 90.58.030 (3)(c),

90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4504, filed 1/30/80.]

**WAC 173-19-4505 Lynden, city of.** City of Lynden master program approved September 29, 1975. Revision approved November 23, 1981. [Statutory Authority: RCW 90.58.120 and 90.58.200. 81-24-076 (Order DE 81-39), § 173-19-4505, filed 12/2/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4505, filed 1/30/80.]

**WAC 173-19-4506 Nooksack, city of.** City of Nooksack master program approved September 29, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4506, filed 1/30/80.]

**WAC 173-19-4507 Sumas, city of.** City of Sumas master program approved September 29, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4507, filed 1/30/80.]

**WAC 173-19-460 Whitman County.** Whitman County master program approved February 6, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-460, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-460, filed 8/2/79; Order DE 75-21, § 173-19-460, filed 8/12/75; Order DE 74-23, § 173-19-460, filed 12/30/74.]

**WAC 173-19-4601 Albion, town of.** Town of Albion master program approved February 6, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4601, filed 1/30/80.]

**WAC 173-19-4602 Colfax, city of.** City of Colfax master program approved February 6, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4602, filed 1/30/80.]

**WAC 173-19-4603 Malden, town of.** Town of Malden master program approved February 6, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4603, filed 1/30/80.]

**WAC 173-19-4604 Palouse, city of.** City of Palouse master program approved February 6, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4604, filed 1/30/80.]

**WAC 173-19-4605 Pullman, city of.** City of Pullman master program approved February 6, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4605, filed 1/30/80.]

**WAC 173-19-4606 Rosalia, town of.** Town of Rosalia master program approved February 6, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4606, filed 1/30/80.]

**WAC 173-19-4607 Tekoa, city of.** City of Tekoa master program approved February 6, 1975. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4607, filed 1/30/80.]

**WAC 173-19-470 Yakima County.** Yakima County master program approved September 5, 1974. Revision approved September 8, 1977. Revision approved February 24, 1981. Revision approved October 1, 1981. [Statutory Authority: RCW 90.58.120 and 90.58.200. 81-20-044 (Order DE 81-29), § 173-19-470, filed 10/1/81; 81-06-050 (Order DE 81-1), § 173-19-470, filed 2/27/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-470, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-470, filed 8/2/79; Order DE 75-21, § 173-19-470 filed 8/12/75; Order DE 74-23, § 173-19-470, filed 12/30/74.]

**WAC 173-19-4701 Grandview, city of.** City of Grandview master program approved September 5, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4701, filed 1/30/80.]

**WAC 173-19-4702 Granger, town of.** Town of Granger master program approved September 5, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4702, filed 1/30/80.]

**WAC 173-19-4703 Naches, town of.** Town of Naches master program approved September 5, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4703, filed 1/30/80.]

**WAC 173-19-4704 Selah, city of.** City of Selah master program approved September 5, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4704, filed 1/30/80.]

**WAC 173-19-4705 Union Gap, city of.** City of Union Gap master program approved September 5, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4705, filed 1/30/80.]

**WAC 173-19-4706 Yakima, city of.** City of Yakima master program approved September 5, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4706, filed 1/30/80.]

**WAC 173-19-4707 Zillah, city of.** City of Zillah master program approved September 5, 1974. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120, and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4707, filed 1/30/80.]

## Chapter 173-20 WAC

### SHORELINE MANAGEMENT ACT--LAKES CONSTITUTING SHORELINES OF THE STATE

WAC	Purpose.
173-20-010	Purpose.
173-20-020	Applicability.
173-20-030	Definitions.
173-20-040	Lakes coming under purview of chapter 90.58 RCW.
173-20-044	Review of designations.
173-20-046	Conflicts between designations and criteria.
173-20-050	Lakes coming under purview of chapter 90.58 RCW—Adams County lakes.
173-20-060	Lakes coming under purview of chapter 90.58 RCW—Adams County lakes of state-wide significance.
173-20-070	Lakes coming under purview of chapter 90.58 RCW—Asotin County lakes.
173-20-080	Lakes coming under purview of chapter 90.58 RCW—Asotin County lakes of state-wide significance.
173-20-090	Lakes coming under purview of chapter 90.58 RCW—Benton County lakes.
173-20-100	Lakes coming under purview of chapter 90.58 RCW—Chelan County lakes.
173-20-110	Lakes coming under purview of chapter 90.58 RCW—Chelan County lakes of state-wide significance.
173-20-120	Lakes coming under purview of chapter 90.58 RCW—Clallam County lakes.
173-20-130	Lakes coming under purview of chapter 90.58 RCW—Clallam County lakes of state-wide significance.
173-20-140	Lakes coming under purview of chapter 90.58 RCW—Clark County lakes.
173-20-150	Lakes coming under purview of chapter 90.58 RCW—Clark County lakes of state-wide significance.
173-20-160	Lakes coming under purview of chapter 90.58 RCW—Columbia County lakes.
173-20-170	Lakes coming under purview of chapter 90.58 RCW—Columbia County lakes of state-wide significance.
173-20-180	Lakes coming under purview of chapter 90.58 RCW—Cowlitz County lakes.
173-20-190	Lakes coming under purview of chapter 90.58 RCW—Cowlitz County lakes of state-wide significance.
173-20-200	Lakes coming under purview of chapter 90.58 RCW—Douglas County lakes.
173-20-210	Lakes coming under purview of chapter 90.58 RCW—Douglas County lakes of state-wide significance.
173-20-220	Lakes coming under purview of chapter 90.58 RCW—Ferry County lakes.
173-20-230	Lakes coming under purview of chapter 90.58 RCW—Ferry County lakes of state-wide significance.
173-20-240	Lakes coming under purview of chapter 90.58 RCW—Franklin County lakes.
173-20-250	Lakes coming under purview of chapter 90.58 RCW—Franklin County lakes of state-wide significance.
173-20-260	Lakes coming under purview of chapter 90.58 RCW—Garfield County lakes.

173-20-270	Lakes coming under purview of chapter 90.58 RCW—Garfield County lakes of state-wide significance.	173-20-570	Lakes coming under purview of chapter 90.58 RCW—Pierce County lakes of state-wide significance.
173-20-280	Lakes coming under purview of chapter 90.58 RCW—Grant County lakes.	173-20-580	Lakes coming under purview of chapter 90.58 RCW—San Juan County lakes.
173-20-290	Lakes coming under purview of chapter 90.58 RCW—Grant County lakes of state-wide significance.	173-20-590	Lakes coming under purview of chapter 90.58 RCW—San Juan County lakes of state-wide significance.
173-20-300	Lakes coming under purview of chapter 90.58 RCW—Grays Harbor County lakes.	173-20-600	Lakes coming under purview of chapter 90.58 RCW—Skagit County lakes.
173-20-310	Lakes coming under purview of chapter 90.58 RCW—Grays Harbor County lakes of state-wide significance.	173-20-610	Lakes coming under purview of chapter 90.58 RCW—Skagit County lakes of state-wide significance.
173-20-320	Lakes coming under purview of chapter 90.58 RCW—Island County lakes.	173-20-620	Lakes coming under purview of chapter 90.58 RCW—Skamania County lakes.
173-20-330	Lakes coming under purview of chapter 90.58 RCW—Island County lakes of state-wide significance.	173-20-630	Lakes coming under purview of chapter 90.58 RCW—Skamania County lakes of state-wide significance.
173-20-340	Lakes coming under purview of chapter 90.58 RCW—Jefferson County lakes.	173-20-640	Lakes coming under purview of chapter 90.58 RCW—Snohomish County lakes.
173-20-350	Lakes coming under purview of chapter 90.58 RCW—Jefferson County lakes of state-wide significance.	173-20-650	Lakes coming under purview of chapter 90.58 RCW—Snohomish County lakes of state-wide significance.
173-20-360	Lakes coming under purview of chapter 90.58 RCW—King County lakes.	173-20-660	Lakes coming under purview of chapter 90.58 RCW—Spokane County lakes.
173-20-370	Lakes coming under purview of chapter 90.58 RCW—King County lakes of state-wide significance.	173-20-670	Lakes coming under purview of chapter 90.58 RCW—Spokane County lakes of state-wide significance.
173-20-380	Lakes coming under purview of chapter 90.58 RCW—Kitsap County lakes.	173-20-680	Lakes coming under purview of chapter 90.58 RCW—Stevens County lakes.
173-20-390	Lakes coming under purview of chapter 90.58 RCW—Kitsap County lakes of state-wide significance.	173-20-690	Lakes coming under purview of chapter 90.58 RCW—Stevens County lakes of state-wide significance.
173-20-400	Lakes coming under purview of chapter 90.58 RCW—Kittitas County lakes.	173-20-700	Lakes coming under purview of chapter 90.58 RCW—Thurston County lakes.
173-20-410	Lakes coming under purview of chapter 90.58 RCW—Kittitas County lakes of state-wide significance.	173-20-710	Lakes coming under purview of chapter 90.58 RCW—Thurston County lakes of state-wide significance.
173-20-420	Lakes coming under purview of chapter 90.58 RCW—Klickitat County lakes.	173-20-720	Lakes coming under purview of chapter 90.58 RCW—Wahkiakum County lakes.
173-20-430	Lakes coming under purview of chapter 90.58 RCW—Klickitat County lakes of state-wide significance.	173-20-730	Lakes coming under purview of chapter 90.58 RCW—Wahkiakum County lakes of state-wide significance.
173-20-440	Lakes coming under purview of chapter 90.58 RCW—Lewis County lakes.	173-20-740	Lakes coming under purview of chapter 90.58 RCW—Walla Walla County lakes.
173-20-450	Lakes coming under purview of chapter 90.58 RCW—Lewis County lakes of state-wide significance.	173-20-750	Lakes coming under purview of chapter 90.58 RCW—Walla Walla County lakes of state-wide significance.
173-20-460	Lakes coming under purview of chapter 90.58 RCW—Lincoln County lakes.	173-20-760	Lakes coming under purview of chapter 90.58 RCW—Whatcom County lakes.
173-20-470	Lakes coming under purview of chapter 90.58 RCW—Lincoln County lakes of state-wide significance.	173-20-770	Lakes coming under purview of chapter 90.58 RCW—Whatcom County lakes of state-wide significance.
173-20-480	Lakes coming under purview of chapter 90.58 RCW—Mason County lakes.	173-20-780	Lakes coming under purview of chapter 90.58 RCW—Whitman County lakes.
173-20-490	Lakes coming under purview of chapter 90.58 RCW—Mason County lakes of state-wide significance.	173-20-790	Lakes coming under purview of chapter 90.58 RCW—Whitman County lakes of state-wide significance.
173-20-500	Lakes coming under purview of chapter 90.58 RCW—Okanogan County lakes.	173-20-800	Lakes coming under purview of chapter 90.58 RCW—Yakima County lakes.
173-20-510	Lakes coming under purview of chapter 90.58 RCW—Okanogan County lakes of state-wide significance.	173-20-810	Lakes coming under purview of chapter 90.58 RCW—Yakima County lakes of state-wide significance.
173-20-520	Lakes coming under purview of chapter 90.58 RCW—Pacific County lakes.	173-20-820	Private lands within the confines of federal lands.
173-20-530	Lakes coming under purview of chapter 90.58 RCW—Pacific County lakes of state-wide significance.		
173-20-540	Lakes coming under purview of chapter 90.58 RCW—Pend Oreille County lakes.		
173-20-550	Lakes coming under purview of chapter 90.58 RCW—Pend Oreille County lakes of state-wide significance.		
173-20-560	Lakes coming under purview of chapter 90.58 RCW—Pierce County lakes.		

**WAC 173-20-010 Purpose.** The department of ecology, pursuant to RCW 90.58.300 is designated the state agency responsible for the program of regulation of the shorelines of the state. This chapter delimits the lakes which are classified as shorelines of the state. [Order DE 72-14, § 173-20-010, filed 6/30/72.]

**WAC 173-20-020 Applicability.** The provisions of this chapter shall apply state-wide. [Order DE 72-14, § 173-20-020, filed 6/30/72.]

**WAC 173-20-030 Definitions.** As used herein, the following words and phrases shall have the following meanings:

(1) "Lakes" means all the surface water areas of the state, including reservoirs; except

(a) Lakes less than twenty acres in size;  
 (b) Streams or rivers (as described in WAC 173-18-030);

(c) Shorelines of state-wide significance.  
 (2) "Lakes of state-wide significance" means those lakes, whether natural, artificial or a combination thereof, with a surface acreage of one thousand acres or more measured at the ordinary high-water mark. [Order DE 72-14, § 173-20-030, filed 6/30/72.]

**WAC 173-20-040 Lakes coming under purview of chapter 90.58 RCW.** Volumes I and II of the book Lakes of Washington by Ernest E. Wolcott and updated information from the United States Geological Survey were used as reference material for this listing.

This listing includes only those lakes coming under purview of chapter 90.58 RCW.

Use designations are taken directly from Lakes of Washington as follows:

R - Recreation-wildlife, general public use, beautification, fishing, etc.

D - Domestic-private use, farm pond, fire protection, stock, garden, etc.

PS - Public supply, municipal use, civic, industrial use, etc.

P - Power hydroelectric.

I - Irrigation.

Acreage given includes only water surface acres and not contiguous wetlands. [Order DE 73-13, § 173-20-040, filed 8/27/73; Order DE 72-14, § 173-20-040, filed 6/30/72.]

**WAC 173-20-044 Review of designations.** The department shall review all the designations made herein at least once in every five year period following the effective date of chapter 90.58 RCW or as frequently before then as is deemed advisable by the department, and prepare the necessary revisions to ensure that the designations conform to the policies of chapter 90.58 RCW and of chapter 173-20 WAC in the manner and form prescribed for adoption and amending rules and regulations in chapter 34.04 RCW (the Administrative Procedure Act). [Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-053 (Order DE 80-21), § 173-20-044, filed 6/30/80.]

**WAC 173-20-046 Conflicts between designations and criteria.** In the event that any of the designations set forth in this chapter conflict with the criteria set forth in RCW 90.58.030(2) or in WAC 173-20-030 the criteria

shall control. The designation of the lake shall be governed by the criteria. [Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-053 (Order DE 80-21), § 173-20-046, filed 6/30/80.]

**WAC 173-20-050 Lakes coming under purview of chapter 90.58 RCW--Adams County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T15N-R29E	4-SW1/4	Rodeo Lk.	60.0	R
(2) T15N-R29E	32-B	Linda Lk.	99.2	R
(3) T16N-R28E	3-A/B	Black Lks.-Upper	24.8	R
(4) T16N-R29E	16-N	Thread Lk.	29.4	R
(5) T16N-R29E	29-N	Unnamed Lk.	21.7	R
(6) T16N-R29E	31-G	Owl Lk.	20.6	R
(7) T17N-R38E	9-NE1/4	Twelve Mile Lk.	44.8	R
(8) T17N-R38E	9/16	Twelve Mile Slough	211.2	R
(9) T19N-R36E	36	Finnel Lk.	30.9	R
(10) T19N-R37E	15-SW1/4	Hallin Lk.	33.3	R
(11) T19N-R37E	21-N1/2	Cow Lk.	226.0	R
(12) T19N-R38E	3-W1/2	Green Lk.	79.7	R
(13) T19N-R38E	10-M/Na	Unnamed Lk.	26.1	R
(14) T20N-R37E	1-W1/2	Fourth of July Lk.	74.4 Adams Co. 35.9 Lincoln Co.	R
			110.3 Total	R
(15) T20N-R38E	12	Pines Lk.(Alkali Lk)	120.8	R
(16) T20N-R38E	29	Palm Lk.	88.3	R

[Order DE 76-16, § 173-20-050, filed 5/3/76; Order DE 72-14, § 173-20-050, filed 6/30/72.]

**WAC 173-20-060 Lakes coming under purview of chapter 90.58 RCW--Adams County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T20N-R37E	12	Sprague Lk.	1202.9 Adams Co. 637.7 Lincoln Co.	R
			1840.6 Total	R

[Order DE 72-14, § 173-20-060, filed 6/30/72.]

**WAC 173-20-070 Lakes coming under purview of chapter 90.58 RCW--Asotin County lakes.** None. [Order DE 72-14, § 173-20-070, filed 6/30/72.]

**WAC 173-20-080 Lakes coming under purview of chapter 90.58 RCW--Asotin County lakes of state-wide significance.** None. [Order DE 72-14, § 173-20-080, filed 6/30/72.]

**WAC 173-20-090 Lakes coming under purview of chapter 90.58 RCW--Benton County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T6N-R31E	5-SW1/4	Mound Pond	34.8	R
(2) T6N-R31E	7-NE1/4	Yellepit Pond	36.3	R

[Order DE 72-14, § 173-20-090, filed 6/30/72.]

**WAC 173-20-100 Lakes coming under purview of chapter 90.58 RCW--Chelan County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T21N-R20E	21-B/C	Black Lk. (Spring Hill Reservoir)	28.1	R,I
(2) T21N-R20E	29-D	Upper Wheeler Res.	36.2	R,I
(3) T22N-R21E	29-K/Q	Three Lakes Res. (Cortez Lake)	32.9	R,I
(4) T22N-R21E	33-D	Meadow Lk.	35.7	R,I
(5) T23N-R16E	10-W1/2	Colchuck Lk.	87.8	R

Shoreline Management Act--Lakes

173-20-200

Location	Section	Name	Area (Acres)	Use
(6) T24N-R14E	3-SE1/4	Klonaqua Lks.-Lower	66.0	R,I
(7) T24N-R14E	3-N/P	Klonaqua Lks.-Upper	67.0	R,I
(8) T24N-R16E	33-N	Eight Mile Lk. (Res.)	71.6	R
(9) T26N-R16E	19-A/H	Loch Eileen Lk.	24.8	R
(10) T26N-R16E	29-L	Chiwaukum Lk.	66.6	R
(11) T27N-R17E	22-D	Fish Lk.	513.3	R
(12) T28N-R21E	22-G	Grass Lk. (Dry Lk.)	76.8	R
(13) T28N-R21E	23-K	Wapato Lk.	185.6	R,I
(14) T28N-R21E	26-B	Alkali Lk.(Roses Lk)	179.2	R
(15) T29N-R21E	36-P	Antilon Lk. (Res.)	96.0	R,I
(16) T24N-R16E	9	Victoria Lk.	26.6	R

[Order DE 76-16, § 173-20-100, filed 5/3/76; Order DE 72-14, § 173-20-100, filed 6/30/72.]

**WAC 173-20-110 Lakes coming under purview of chapter 90.58 RCW--Chelan County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T16N-R23E	16/17	Wanapum Dam Res.	440.0 Chelan Co. 1184.0 Douglas Co. 6748.0 Grant Co. 6308.0 Kittitas Co.	
(2) T21N-R22E	5-H/J	Rock Island Pool	14680.0 Total 1735.0 Chelan Co. 1735.0 Douglas Co.	
(3) T24N-R20E	35	Entiat Lk.	3470.0 Total 4930.0 Chelan Co. 4930.0 Douglas Co.	R,P
(4) T27N-R17E	28-L	Wenatchee Lk.	9860.0 Total	R,P
(5) T27N-R22E	13-J	Chelan Lk.	2445.0	R
(6) T28N-R24E	6/7	Wells Res.	33104.0 97.0 Chelan Co. 4850.0 Douglas Co. 4753.0 Okanogan Co.	R,I,P
			9700.0 Total	P,R

[Order DE 72-14, § 173-20-110, filed 6/30/72.]

**WAC 173-20-120 Lakes coming under purview of chapter 90.58 RCW--Clallam County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T29N-R14W	20 A/B	Wentworth Lk.	53.8	R
(2) T30N-R8W	22-Q	Sutherland Lk.	360.8	R
(3) T30N-R12W	9-J/K	Beaver Lk.	36.3	R
(4) T30N-R13W	35-E	Pleasant Lk.	486.0	R
(5) T30N-R14W	16-L	Dickey Lk.	527.0	R
(6) T31N-R15W	12-W1/2	Elk Lk.	59.0	R
(7) T31N-R15W	18-E/M	Seafield Lk.	22.0	R

[Order DE 76-16, § 173-20-120, filed 5/3/76; Order DE 72-14, § 173-20-120, filed 6/30/72.]

**WAC 173-20-130 Lakes coming under purview of chapter 90.58 RCW--Clallam County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T31N-R15W	31-A	Ozette Lk.	7787.0	R
(2) T30N-R7W	15-G	Aldwell Lk.	320.8	P,R

[Order DE 76-16, § 173-20-130, filed 5/3/76; Order DE 72-14, § 173-20-130, filed 6/30/72.]

**WAC 173-20-140 Lakes coming under purview of chapter 90.58 RCW--Clark County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T1N-R3E	2-F/L	Lacamas Lk. (Res.)	315.0	PS,R
(2) T1N-R3E	2-F/L	Round Lk.	32.4	PS,R
(3) T2N-R1E	9-G/H	Unnamed	23.0	R
(4) T4N-R1E	6	Mud Lk.	92.0	R
(5) T4N-R3E	30-E	Battleground Lk.	28.0	R

[Order DE 76-16, § 173-20-140, filed 5/3/76; Order DE 73-13, § 173-20-140, filed 8/27/73; Order DE 72-14, § 173-20-140, filed 6/30/72.]

**WAC 173-20-150 Lakes coming under purview of chapter 90.58 RCW--Clark County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T6N-R2E	33-J	Merwin Lk. (Res.)	2400.3 Clark Co. 1689.3 Cowlitz Co.	
(2) T6N-R4E	32-NE1/4	Yale Res.	4089.6 Total 2022.4 Clark Co. 1779.2 Cowlitz Co.	P,R
			3801.6 Total	P,R

[Order DE 73-13, § 173-20-150, filed 8/27/73; Order DE 72-14, § 173-20-150, filed 6/30/72.]

**WAC 173-20-160 Lakes coming under purview of chapter 90.58 RCW--Columbia County lakes. None.** [Order DE 72-14, § 173-20-160, filed 6/30/72.]

**WAC 173-20-170 Lakes coming under purview of chapter 90.58 RCW--Columbia County lakes of state-wide significance. None.** [Order DE 72-14, § 173-20-170, filed 6/30/72.]

**WAC 173-20-180 Lakes coming under purview of chapter 90.58 RCW--Cowlitz County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T5N-R1E	19-M	Horseshoe Lk.	78.9	R
(2) T7N-R4E	16	Merrill Lk.	344.0	R
(3) T8N-R2W	33-SW1/4	Sacajawea Lk.	47.7	R
(4) T10N-R4E	25-E/F	Fawn Lk.	23.6	R

[Order DE 72-14, § 173-20-180, filed 6/30/72.]

**WAC 173-20-190 Lakes coming under purview of chapter 90.58 RCW--Cowlitz County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T6N-R2E	33-J	Merwin Lk. (Res.)	1689.3 Cowlitz Co. 2400.3 Clark Co.	
(2) T6N-R4E	32-NE1/4	Yale Res.	4089.6 Total 1779.2 Cowlitz Co. 2022.4 Clark Co.	P,R
(3) T10N-R1W	36-R	Silver Lk.	3801.6 Total 2996.0	P,R

[Order DE 72-14, § 173-20-190, filed 6/30/72.]

**WAC 173-20-200 Lakes coming under purview of chapter 90.58 RCW--Douglas County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T25N-R25E	12-J/K	Jameson Lk.	331.7	R
(2) T25N-R25E	12-K/Q	Jameson Pothole	20.6	R
(3) T25N-R27E	31-N/N	Intermittent	22.8	R
(4) T26N-R26E	20	Grimes Lk.	124.0	R

Location	Section	Name	Area (Acres)	Use
(5) T26N-R27E	33-B/C	Haynes Lk.	50.4	R
(6) T26N-R27E	34-D	Stallard Lk.	64.0	R
(7) T28N-R24E	35-NE1/4	Cornell Lk.	37.2	R
(8) T29N-R27E	17-J/R	Unnamed Lk.	24.2	R
(9) T29N-R27E	20-A/B	Boot Lk.	36.6	R
(10) T29N-R28E	22-E/F	Elbow Lk.	25.4	R
(11) T29N-R29E	2-G/H	Unnamed Lk.	21.8	R
(12) T29N-R29E	22-H/J	Unnamed Lk.	42.2	R
(13) T29N-R29E	22-N	Wilson Lk.	34.5	R
(14) T29N-R30E	7-SW1/4	Smith Lk.	34.1	R
(15) T30N-R29E	36-A/B	Unnamed Lk.	24.0	R
(16) T30N-R30E	7-J/K	Black Lk.	36.2	R

[Order DE 77-17, § 173-20-200, filed 9/1/77; Order DE 76-16, § 173-20-200, filed 5/3/76; Order DE 72-14, § 173-20-200, filed 6/30/72.]

**WAC 173-20-210 Lakes coming under purview of chapter 90.58 RCW--Douglas County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T16N-R23E	16/17	Wanapum Dam Res.	1184.0 Douglas Co. 440.0 Chelan Co. 6748.0 Grant Co. 6308.0 Kittitas Co. <hr/> 14680.0 Total	
(2) T21N-R22E	5-H/J	Rock Island Pool	1735.0 Douglas Co. <hr/> 1735.0 Chelan Co. <hr/> 3470.0 Total	R,P
(3) T24N-R20E	35	Entiat Lk.	4930.0 Douglas Co. <hr/> 4930.0 Chelan Co. <hr/> 9860.0 Total	R,P
(4) T28N-R24E	6 & 7	Wells Reservoir	4850.0 Douglas Co. 4753.0 Okanogan Co. 97.0 Chelan Co. <hr/> 9700.0 Total	P,R
(5) T29N-R25E	24-S1/2	Rufus Wood Lk.	3900.0 Douglas Co.	P,R
(6) T28N-R29E	22&29	Banks Lk.	24,600.0 Grant Co. 300.0 Douglas Co. <hr/> 24,900.0 Total	

[Order DE 76-16, § 173-20-210, filed 5/3/76; Order DE 73-13, § 173-20-210, filed 8/27/73; Order DE 72-14, § 173-20-210, filed 6/30/72.]

**WAC 173-20-220 Lakes coming under purview of chapter 90.58 RCW--Ferry County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T37N-R32E	27-SW1/4	Mud Lk.	23.0	R
(2) T37N-R33E	32-N1/2	San Poil Lk.	27.7	R,PS
(3) T38N-R33E	28-D	Curlew Lk.	869.6	R,I

[Order DE 72-14, § 173-20-220, filed 6/30/72.]

**WAC 173-20-230 Lakes coming under purview of chapter 90.58 RCW--Ferry County lakes of state-wide significance. None.** [Order DE 72-14, § 173-20-230, filed 6/30/72.]

**WAC 173-20-240 Lakes coming under purview of chapter 90.58 RCW--Franklin County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T12N-R30E	17-J/R	Clark Pond	49.3	R
(2) T12N-R30E	20-SE1/4	Unnamed Lk.	26.2	R
(3) T13N-R29E	5-W1/2	Unnamed Lk.	29.7	R
(4) T13N-R29E	15-N1/2	Unnamed Lks.	50.0	R
(5) T13N-R30E	24-L/M	Bailie Pond	22.7	R
(6) T13N-R30E	34	Mesa Lk.	50.0	R
(7) T13N-R30E	5-E1/2	Unnamed Lk.	63.0	R
(8) T13N-R33E	5-N	Sulphur Lk.	22.0	R
(9) T13N-R34E	4-SE1/4	Kahlotus Lk.	321.0	R
(10) T14N-R28E	24-NW1/4	Unnamed Lk.	20.0	R
(11) T14N-R28E	26-NW1/4	Unnamed Lk.	25.0	R
(12) T14N-R29E	11-N1/2	Unnamed Lk.	71.9	R
(13) T14N-R29E	11-Q/R	Unnamed Lk.	29.5	R
(14) T14N-R29E	12	Scootney Lk.	217.0	R
(15) T14N-R29E	14-E1/2	Unnamed Lk.	50.0	R
(16) T14N-R29E	23-B	Unnamed Lk.	24.0	R
(17) T14N-R29E	25-D	Unnamed Lk.	49.6	R
(18) T14N-R29E	26	Unnamed Lk.	130.0	R
(19) T14N-R29E	36-S1/2	Unnamed Lk.	20.0	R
(20) T14N-R30E	14-B	Unnamed Lk.	25.8	R
(21) T14N-R30E	27-J	Scootney Reservoir	685.0	R,I
(22) T14N-R30E	27-R	Unnamed Lk.	23.0	R
(23) T14N-R30E	33-SW1/4	Unnamed Lks.	30.0	R
(24) T14N-R34E	36-N	Washtucna Lk.	43.4	R

[Order DE 73-13, § 173-20-240, filed 8/27/73; Order DE 72-14, § 173-20-240, filed 6/30/72.]

**WAC 173-20-250 Lakes coming under purview of chapter 90.58 RCW--Franklin County lakes of state-wide significance. None.** [Order DE 72-14, § 173-20-250, filed 6/30/72.]

**WAC 173-20-260 Lakes coming under purview of chapter 90.58 RCW--Garfield County lakes. None.** [Order DE 73-13, § 173-20-260, filed 8/27/73; Order DE 72-14, § 173-20-260, filed 6/30/72.]

**WAC 173-20-270 Lakes coming under purview of chapter 90.58 RCW--Garfield County lakes of state-wide significance. None.** [Order DE 72-14, § 173-20-270, filed 6/30/72.]

**WAC 173-20-280 Lakes coming under purview of chapter 90.58 RCW--Grant County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T17N-R26E	8	Frenchman Hills Lk.	800.0	R
(2) T17N-R26E	5-SW1/4	Sand Lk.	28.4	R
(3) T18N-R26E	25	Winchester Wasteway Extension	400.0	R
(4) T17N-R28E	27-NE1/4	Goose Lk.	112.0	R
(5) T17N-R28E	34-J	Lower Goose Lk.	50.0	R
(6) T17N-R29E	10-B	Warden Lk.	186.0	R
(7) T17N-R29E	15-SW1/4	South Warden Lk.	24.0	R
(8) T17N-R29E	17-P/Q	Susan Lk.	20.0	R
(9) T17N-R29E	18-P	Soda Lk.	155.0	R,I
(10) T17N-R29E	22-SW1/4	Virgin Lk.	20.0	R
(11) T17N-R29E	27-D/E	North Windmill Lk.	22.3	R
(12) T17N-R29E	28-L/P	Heart Lk.	25.8	R
(13) T17N-R29E	28-Q	Windmill Lk.	33.8	R
(14) T17N-R29E	32-B	Long Lk.	74.8	R,I
(15) T17N-R29E	33-N1/2	Canal Lk.	76.1	R
(16) T18N-R26E	15-SE1/4	Beda Lk.	34.0	R
(17) T18N-R25E	30-E1/2	Unnamed Lk.	60.0	R
(18) T19N-R23E	9	Ancient Lk.	250.0	R
(19) T19N-R23E	10-R	Stan Coffin Lk.	40.9	R
(20) T19N-R23E	13	Flat Lk.	98.2	R
(21) T19N-R23E	15-NE1/4	Quincy Lk.	42.6	R
(22) T19N-R23E	15-L	Burke Lk.	73.3	R
(23) T19N-R23E	16	Dusty Lk.	30.0	R
(24) T19N-R23E	22-C	Evergreen Res.	235.0	R,I
(25) T19N-R25E	25-SE1/4	Winchester Wasteway Reservoir	660.0	R,I
(26) T20N-R23E	9-A/H	Crater Lk.	25.0	R
(27) T20N-R23E	10-L	Babcock Ridge Lk.	20.0	R,I
(28) T20N-R28E	10-E	Unnamed Lk.	79.4	R



Location	Section	Name	Area (Acres)	Use
(29) T18N-R23E	21-NE1/4	Hilltop Lk.	30.8	R
(30) T21N-R27E	6	Ephrata Lk.	25.0	R
(31) T21N-R27E	12	South Willow Lk.	39.4	R
(32) T21N-R27E	12-N1/2	Willow Lk.	23.3	R
(33) T21N-R27E	16-W1/2	Unnamed Lk.	27.0	R
(34) T21N-R28E	32-SE1/4	Unnamed Lk.	80.9	R
(35) T21N-R29E	7-SE1/4	Broken Rock Lakes		
		(1) Northernmost	20.0	R
		(2) Southernmost	40.0	R
(36) T21N-R30E	20-F	Black Rock Lk.	66.7	R
(37) T22N-R27E	19	Soap Lk.	840.0	R
(38) T22N-R28E	2-N	Brook Lk.	427.6	R
(39) T22N-R28E	8-J	Round Lk.	110.6	R
(40) T22N-R29E	23-Q/R	Unnamed Lk.	28.7	R
(41) T23N-R26E	1-NE1/4	Alkali Lk.(Part of Lenore)	308.1	R
(42) T23N-R26E	35	Little Soap Lk.	99.2	R
(43) T24N-R27E	15-SW1/4	Park Lk.	341.5	R
(44) T24N-R27E	29-N	Blue Lk.	536.1	R
(45) T24N-R28E	6	Dry Falls Lk.	98.9	R
(46) T24N-R28E	8-M	Deep Lk.	104.3	R
(47) T25N-R28E	35-E1/2	Table Lk.	20.0	R
(48) T25N-R28E	33-SW1/4	Lena Lk. (Coulee)	24.8	R
(49) T27N-R29E	26-SE1/4	Higginbotham Res.	62.0	R,D
(50) T28N-R30E	25-G/H	Long Lk.	24.8	R
(51) T16N-R24E	29-SE1/4	Lenice Lk.	80.9	R
(52) T16N-R24E	29-SW1/4	Merry Lk.	21.8	R
(53) T16N-R24E	30-S1/2	Nunnally Lk.	37.1	R
(54) T17N-R28E	16-E1/2	Corral Lk.	80.0	R

[Order DE 73-13, § 173-20-280, filed 8/27/73; Order DE 72-14, § 173-20-280, filed 6/30/72.]

**WAC 173-20-290 Lakes coming under purview of chapter 90.58 RCW--Grant County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T13N-R23E	2/3	Priest Rapids Dam Reservoir	4540.0 Grant Co. 2080.0 Kittitas Co. 1080.0 Yakima Co.	
			7700.0 Total	P,R
(2) T16N-R23E	16/17	Wanapum Dam Res.	6748.0 Grant Co. 6308.0 Kittitas Co. 1184.0 Douglas Co. 440.0 Chelan Co.	
			14680.0 Total	-
(3) T17N-R28E	11	Potholes Res.	28200.0	R,I
(4) T18N-R28E	5-F	Moses Lk.	6815.2	R,I
(5) T23N-R26E	35-B/G	Lenore Lk.	1670.0	R
(6) T23N-R28E	36-NW1/4	Long Lk. Res.	1010.0	R,I
(7) T25N-R28E	32/33	Banks Lk.	24600.0	R
			300.0 Douglas Co.	
			24900.0 Total	

[Order DE 73-13, § 173-20-290, filed 8/27/73; Order DE 72-14, § 173-20-290, filed 6/30/72.]

**WAC 173-20-300 Lakes coming under purview of chapter 90.58 RCW--Grays Harbor County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T17N-R5W	17-S1/2	Unnamed	23.0	R
(2) T17N-R9W	1-SE1/4	Aberdeen Lk. (Res.)	64.0	PS,R
(3) T17N-R10W	13	Unnamed	76.0	PS
(4) T17N-R12W	14	Duck Lk.	197.0	R
(5) T18N-R7W	31-R	Sylvia Lk. (Res.)	31.0	R
(6) T19N-R10W	30-H	Failor Lk. (Res.)	60.0	R
(7) T21N-R10W	22-J/R	Unnamed	20.0	R

[Order DE 72-14, § 173-20-300, filed 6/30/72.]

**WAC 173-20-310 Lakes coming under purview of chapter 90.58 RCW--Grays Harbor County lakes of state-wide significance. None. [Order DE 72-14, § 173-20-310, filed 6/30/72.]**

**WAC 173-20-320 Lakes coming under purview of chapter 90.58 RCW--Island County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T29N-R2E	24-N1/2	Unnamed Lk.	26.8	R
(2) T29N-R3E	6-D	Goss Lk.	55.1	R
(3) T29N-R3E	7-A	Lone Lk.	92.1	R
(4) T29N-R3E	26	Deer Lk.	82.1	R
(5) T31N-R1E	6-S1/2	Unnamed Lk.	25.0	R
(6) T31N-R1E	22	Crockett Lake	500.0	R
(7) T32N-R3E	30-N	Kristoferson Lk.	25.0	D,R
(8) T33N-R2E	18-N1/2	Unnamed Lk.	50.0	R
(9) T34N-R1E	35-NW1/4	Cranberry Lk.	128.1	R

[Order DE 76-16, § 173-20-320, filed 5/3/76; Order 73-13, § 173-20-320, filed 9/12/73 and Order DE 73-13, filed 8/27/73; Order DE 72-14, § 173-20-320, filed 6/30/72.]

**WAC 173-20-330 Lakes coming under purview of chapter 90.58 RCW--Island County lakes of state-wide significance. None. [Order DE 72-14, § 173-20-330, filed 6/30/72.]**

**WAC 173-20-340 Lakes coming under purview of chapter 90.58 RCW--Jefferson County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T27N-R1W	1-A/H	Wahl Lk.	22.0	R
(2) T28N-R1W	6-K/L	Peterson Lk.	22.7	R
(3) T28N-R1W	18-N1/2	Tarboo Lk.	21.6	R
(4) T28N-R1W	26-K	Sandy Shore Lk.	36.2	R
(5) T28N-R2W	12-NW1/4	Crocker Lk.	65.3	R
(6) T28N-R2W	26-J	Leland Lk.	99.3	R
(7) T28N-R2W	33-A/B	Lords Lk. (Res.)	56.0	PS,R
(8) T29N-R1W	9-E1/2	Anderson Lk.	58.7	R
(9) T29N-R1W	28-L/P	Gibbs Lk.	36.8	R
(10) T30N-R1W	11-D/E	Kah Tai Lagoon	62.0	R
(11) T30N-R1W	16-H/J	Unnamed Lk.	21.6	R

[Order DE 72-14, § 173-20-340, filed 6/30/72.]

**WAC 173-20-350 Lakes coming under purview of chapter 90.58 RCW--Jefferson County lakes of state-wide significance. None. [Order DE 72-14, § 173-20-350, filed 6/30/72.]**

**WAC 173-20-360 Lakes coming under purview of chapter 90.58 RCW--King County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T20N-R6E	2-A	Bass Lk.	24.0	R
(2) T20N-R7E	28-N/P	White River Mill Pond	23.0	PS
			46.4	R
(3) T21N-R4E	9-N1/2	Steel Lk.	21.1	R
(4) T21N-R4E	10-NW1/4	Dolloff Lk.	55.2	R
(5) T21N-R4E	15-SW1/4	North Lk.	28.8	R
(6) T21N-R4E	22-K/L	Geneva Lk.	31.3	R
(7) T21N-R4E	27-A	Killarney Lk.	38.4	R
(8) T21N-R4E	27-N/P	Fivemile Lk.	22.4	R
(9) T21N-R5E	23-E1/2	Moneysmith Lk.	279.0	R
(10) T21N-R6E	4-J	Sawyer Lk.	66.4	R
(11) T21N-R6E	7-E1/4	Morton Lk.	43.2	R
(12) T21N-R6E	12-A/H	Twelve Lk.	22.5	R
(13) T21N-R6E	14-Q	Jones Lk.	39.0	R
(14) T21N-R7E	29-K/Q	Deep Lk.	53.2	R
(15) T21N-R8E	13-P/Q	Eagle Lk.	—	PS,R
(16) T21N-R8E	27	Howard Hanson Res.	22.3	R
(17) T21N-R10E	7-W1/2	Findley Lks. (1)	102.3	R
(18) T22N-R4E	3-NW1/4	Angle Lk.		R

Location	Section	Name	Area (Acres)	Use
(19) T22N-R4E	34-NW1/4	Star Lk.	34.4	R
(20) T22N-R5E	1-A/B	Shady Lk.	21.1	R
(21) T22N-R5E	5-H/J	Panther Lk.	33.0	R
(22) T22N-R5E	11-R	Youngs Lk. (Res.)	700.0	PS
(23) T22N-R5E	27	Meridian Lk.	149.6	R
(24) T22N-R6E	7-SE1/4	Shadow Lk.	49.6	R
(25) T22N-R6E	22-M/N	Wilderness Lk.	66.6	R
(26) T22N-R6E	28-E	Pipe Lk.	52.1	R
(27) T22N-R6E	29	Lucerne Lk.		R
(28) T22N-R7E	9-W1/2	Walsh Lk.	105.0	PS
(29) T22N-R7E	32	Retreat Lk.	52.7	R
(30) T22N-R8E	11-C	Masonry Pool (Res.)	280.0	PS,P
(31) T22N-R10E	5-A/B	Mason Lk.	32.6	R
(32) T23N-R4E	19-M	Burien Lk.	43.7	R
(33) T23N-R5E	36-NE1/4	Desire Lk.	71.6	R
(34) T23N-R6E	18-K/Q	Kathleen Lk.	38.5	R
(35) T23N-R6E	31-E1/2	Spring Lk.	67.9	R
(36) T23N-R8E	34-SW1/4	Rattlesnake Lk.	112.0	R
(37) T23N-R10E	2-P/Q	Derrick Lk.	36.9	R
(38) T23N-R10E	10-SE1/4	Caroline Lk.	59.6	R
(39) T23N-R10E	11-S1/2	Wildcat Lk.-Upper	53.7	R
(40) T23N-R10E	19-P	Thompson Lk.	42.7	R
(41) T23N-R10E	23-N1/2	Kaleetan Lk.	42.8	R
(42) T23N-R10E	32-H/J	Kulla Kulla Lk.	60.1	R
(43) T23N-R10E	35-C/D	Tusohatchie Lk.		R
		Lower	31.8	R
(44) T23N-R11E	19	Snow Lk.	159.5	R
(45) T23N-R12E	11-N1/2	Iceberg Lk.	21.1	R
(46) T24N-R5E	2-SE1/4	Phantom Lk.	63.2	R
(47) T24N-R6E	9-N1/2	Pine Lk.	88.3	R
(48) T24N-R6E	11-B	Beaver Lk. No. 2	61.9	R
(49) T24N-R7E	10-E1/2	Intermittent Lk.	49.0	R
(50) T24N-R7E	27-J/R	Alice Lk.	32.6	R
(51) T24N-R8E	2-D/E	Boyle Lk.	24.0	R
(52) T24N-R8E	11-M	Klaus Lk.	62.0	R
(53) T24N-R8E	29-SW1/4	Snoqualmie Mill Pond	66.0	PS,R
(54) T24N-R9E	8-R	Hancock Lk.	236.2	R
(55) T24N-R9E	22-SW1/4	S.M.C. Lk.	40.7	R
(56) T24N-R9E	22-B/G	Moolock Lk.	45.4	R
(57) T24N-R10E	2-E	Marten Lk.	40.4	R
(58) T25N-R4E	5-M/N	Green Lk.	255.3	R
(59) T25N-R4E	17-K	Portage Bay	148.0	R
(60) T25N-R4E	19-C	Union Lk.	598.0	R
(61) T25N-R7E	13-B/G	Loop Lk.	35.7	R
(62) T25N-R7E	19-N1/2	Ames Lk.	79.9	R
(63) T25N-R7E	22-E1/2	Langlois Lk.	40.0	R
(64) T25N-R8E	13-P	Black Lk.	25.7	R
(65) T25N-R8E	35-M	Bridges Lk.	34.0	R
(66) T25N-R9E	24-E/M	Lock Katrine (Lk.)	51.2	R
(67) T25N-R9E	25-L/M	Lock Katrine (Lk.)		R
		Upper	24.4	R
(68) T25N-R9E	32-Q	Calligan Lk.	361.0	R
(69) T25N-R9E	35-N1/2	Phillippa Lk.	121.4	R
(70) T26N-R6E	7-P	Cottage Lk.	63.1	R
(71) T26N-R7E	3-M	Margaret Lk.(Res.)	43.8	R
(72) T26N-R7E	35-NE1/4	Joy Lk.	105.1	R
(73) T26N-R8E	25-F/G	Lynch Lk.	22.9	R
(74) T26N-R9E	32-E/M	Toit Res.	850.0	PS

[Order DE 76-16, § 173-20-360, filed 5/3/76; Order DE 73-13, § 173-20-360, filed 8/27/73; Order DE 72-14, § 173-20-360, filed 6/30/72.]

**WAC 173-20-370 Lakes coming under purview of chapter 90.58 RCW--King County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T19N-R7E	17-NE1/4	Mud Mtn. Res.	600.0 King Co. 600.0 Pierce Co.	
			1200.0 Total	PS,R
(2) T22N-R8E	12-NE1/4	Chester Morse Lk. Res.	1682.0	PS,P
(3) T25N-R4E	16-Q	Washington Lk.	22138.0	R
(4) T25N-R5E	13-K	Sammamish Lk.	4897.3	R

[Order DE 72-14, § 173-20-370, filed 6/30/72.]

**WAC 173-20-380 Lakes coming under purview of chapter 90.58 RCW--Kitsap County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T22N-R1W	2-E1/2	Wye Lk.	37.9	R
(2) T22N-R1W	2-E1/2	Carney Lake	18.7 Kitsap Co. 20.5 Pierce Co.	
			39.2 Total	R
(3) T24N-R1E	8-N	Kitsap Lk.	238.4	R
(4) T24N-R1W	2-H	Wildcat Lk.	111.6	R
(5) T24N-R1W	26-M	Union River Res.	93.0	PS
(6) T24N-R1W	31-L	Panther Lk.	74.1 Kitsap Co. 30.0 Mason Co.	
			104.1 Total	R
(7) T24N-R1W	32-C	Mission Lk.	87.7	R
(8) T24N-R1W	35-Q/R	Twin Lks. (Res.)	21.7	PS
(9) T24N-R1W	35-Q/R	Tiger Lk.		
(10) T22N-R1E	10-K/L	Horseshoe Lk.	40.3	R
(11) T23N-R2E	8-E	Long Lk.	314.0	R
(12) T25N-R1E	3-S1/2	Island Lk.	42.7	R
(13) T27N-R2E	21-M	Miller Lk.	25.7	R
(14) T24N-R1W	5	William Symington		
(15) T24N-R1W	17	Tahuya Lk.		R
(16) T24N-R2W	23&26	Three Fingers Pond & Holland Ponds	30.8	R
(17) T28N-R2E	21	Buck Lk.	22.0	R
(18) T24N-R2W		Morgan Marsh	95.0	R

[Statutory Authority: RCW 90.58.120 and 90.58.200. 81-13-013 (Order DE 81-17), § 173-20-380, filed 6/11/81; Order DE 76-16, § 173-20-380, filed 5/3/76; Order DE 73-13, § 173-20-380, filed 8/27/73; Order DE 72-14, § 173-20-380, filed 6/30/72.]

**WAC 173-20-390 Lakes coming under purview of chapter 90.58 RCW--Kitsap County lakes of state-wide significance. None. [Order DE 72-14, § 173-20-390, filed 6/30/72.]**

**WAC 173-20-400 Lakes coming under purview of chapter 90.58 RCW--Kittitas County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T17N-R15E	3-A	Manastash Lk.	23.5	R
(2) T20N-R13E	11-F	Easton Lk.	237.6	R,I
(3) T21N-R11E	3-L	Lost Lk.	144.8	R
(4) T21N-R12E	15-NW1/4	Unnamed Lks.	60.0	R
(5) T22N-R13E	2	Cooper Lk.	119.7	R
(6) T23N-R14E	3-NE1/4	Tucquala Lk.	63.0	R

[Order DE 72-14, § 173-20-400, filed 6/30/72.]

**WAC 173-20-410 Lakes coming under purview of chapter 90.58 RCW--Kittitas County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T15N-R23E	32	Priest Rapids Dam Res.	2080.0 Kittitas Co. 4540.0 Grant Co. 1080.0 Yakima Co.	
			7700.0 Total	P,R
(2) T16N-R23E	17	Wanapum Dam Res.	6308.0 Kittitas Co. 6748.0 Grant Co. 1184.0 Douglas Co. 440.0 Chelan Co.	
			14680.0 Total	-
(3) T20N-R14E	10-A	Cle Elum Lk. (Res.)	4810.0	R,I
(4) T21N-R11E	12-H	Keechelus Lk.	2560.0	R,I

Location	Section	Name	Area (Acres)	Use
(5) T21N-R13E	34-N/P	Kachess Lk.	4540.0	R,I

[Order DE 72-14, § 173-20-410, filed 6/30/72.]

**WAC 173-20-420 Lakes coming under purview of chapter 90.58 RCW--Klickitat County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T2N-R13E	25-E/M	Spearfish Lk.	21.8	R
(2) T5N-R15E	13-E/M	Carp Lk.	21.6	R
(3) T6N-R10E	15-E	Trout Lake	110.0	R

[Order DE 73-13, § 173-20-420, filed 8/27/73; Order DE 72-14, § 173-20-420, filed 6/30/72.]

**WAC 173-20-430 Lakes coming under purview of chapter 90.58 RCW--Klickitat County lakes of state-wide significance. None.** [Order DE 72-14, § 173-20-430, filed 6/30/72.]

**WAC 173-20-440 Lakes coming under purview of chapter 90.58 RCW--Lewis County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T13N-R1E	30-K/Q	Carlisle Lk.	20.3	R
(2) T14N-R5E	9-B	Mineral Lk.	277.3	R

[Order DE 72-14, § 173-20-440, filed 6/30/72.]

**WAC 173-20-450 Lakes coming under purview of chapter 90.58 RCW--Lewis County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T12N-R2E	29-C	Mayfield Res.	2200.0	P,R
(2) T12N-R3E	10-N	Mossyrock Res.	10200.0	P,R
(3) T15N-R4E	9-F	Alder Res.	124.0 Lewis Co. 1689.6 Pierce Co. 1117.6 Thurston Co.	
			2931.2 Total	P,R

[Order DE 76-16, § 173-20-450, filed 5/3/76; Order DE 72-14, § 173-20-450, filed 6/30/72.]

**WAC 173-20-460 Lakes coming under purview of chapter 90.58 RCW--Lincoln County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T21N-R33E	3-Q/R	Reisenauer Res.	22.0	R,I,PS
(2) T21N-R33E	12-SE1/4	Sylvan Lk.	550.0	R
(3) T21N-R38E	36-F	Fourth of July Lk.	35.9 Lincoln Co. 74.9 Adams Co.	
			110.3 Total	R
(4) T21N-R39E	10-H/J	Unnamed Lk.	28.9	R
(5) T21N-R39E	12-N	Fishtrap Lk. (Res.)	172.8 Lincoln Co. 22.8 Spokane Co.	
			195.6 Total	R
(6) T21N-R39E	22-L	Intermittent Lk.	93.0	R
(7) T21N-R39E	25-Q	Downs Lk.	28.8 Lincoln Co.	
			394.6 Spokane Co.	
			423.4 Total	R
(8) T21N-R39E	26-P	Unnamed Lk.	99.0	R
(9) T21N-R39E	34-N1/2	Intermittent Lk.	60.0	R
(10) T22N-R31E	28-B	Peterson Lk.	20.5	R
(11) T22N-R32E	6-NE1/4	Sullivan Lk.	72.4	R
(12) T22N-R32E	6-SW1/4	Wooley Lk.	23.7	R
(13) T22N-R32E	12-SW1/4	Pacific Lk.	129.7	R
(14) T22N-R32E	26-SW1/4	Tule Lk. (Bobs)	126.7	R
(15) T22N-R33E	4-N1/2	Neves Lk.	25.1	R

(1983 Ed.)

Location	Section	Name	Area (Acres)	Use
(16) T22N-R39E	22-SE1/4	Ames Lk.	29.1	R
(17) T22N-R39E	32-N/P	Unnamed Lk.	24.8	R
(18) T23N-R32E	7-W1/2	Unnamed Lk.	42.2	R
(19) T23N-R32E	27-SW1/4	Goetz Lk.	36.2	R
(20) T23N-R33E	13-SE1/4	Coffee Pot Lk.	316.8	R
(21) T23N-R33E	23-E1/2	Deer Springs Lk.	60.3	R
(22) T23N-R33E	34-S1/2	Browns Lk.	42.2	R
(23) T23N-R33E	34-S1/2	Tavares Lk.		
(24) T23N-R34E	3-D	Twin Lks. - Lower	44.9	R
(25) T23N-R34E	25-NE1/4	Unnamed Lk.	25.3	R
(26) T23N-R35E	19-Na	Cormana Lk.	48.3	R
(27) T24N-R32E	12-NW1/4	Drapers Lk.	34.2	R
(28) T24N-R33E	31-N1/2	Unnamed Lk.	48.3	R
(29) T24N-R34E	1-SW1/4	Florence Lk.	33.8	R
(30) T24N-R34E	15-W1/2	Wills Lk.	22.0	R,D
(31) T24N-R34E	16-NW1/4	Phillips Lk.	31.2	R
(32) T24N-R34E	16-S1/2	Unnamed Lk.	40.8	R
(33) T24N-R34E	22-NW1/4	Meadow Lk.	44.4	R,D
(34) T24N-R34E	35-NW1/4	Twin Lks. - Upper	39.2	R
(35) T24N-R35E	3-A/B	Whittaker Lk.	26.1	R
(36) T24N-R35E	4-SW1/4	Unnamed Lk.	20.0	R
(37) T24N-R35E	19	Wall Lk.	32.2	R
(38) T25N-R33E	8-L/M	"H" Lake	26.0	R
(39) T25N-R33E	17-SW1/4	Wagner Lk.	92.7	R
(40) T25N-R33E	34-L	Bergeau Lk.	31.0	R
(41) T25N-R34E	27-SW1/4	Unnamed Lk.	54.3	R
(42) T25N-R34E	32	Swanson Lk.	63.3	R
(43) T25N-R34E	33-NW1/4	Swanson Lk.	38.6	R
(44) T25N-R35E	10-S1/2	Unnamed Lk.	28.8	R
(45) T25N-R39E	9-SE1/4	Unnamed Lk.	42.2	
(46) T25N-R39E	10-S1/2	Unnamed Lk.	67.0	R
(47) T26N-R34E	27-SE1/4	Greenwood Lk.	20.0	D,R
(48) T26N-R38E	33-SE1/4	Unnamed Lk.	24.0	R
(49) T27N-R39E	20-B	Little Falls Res.	125.0 Lincoln Co. 125.0 Stevens Co.	
			250.0 Total	P,R

[Order DE 72-14, § 173-20-460, filed 6/30/72.]

**WAC 173-20-470 Lakes coming under purview of chapter 90.58 RCW--Lincoln County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T20N-R37E	12	Sprague Lk.	637.7 Lincoln Co. 1202.9 Adams Co.	
			1840.6 Total	
(2) T27N-R39E	13-M	Long Lk. (Res.)	100.0 Lincoln Co. 2510.0 Spokane Co. 2410.0 Stevens Co.	
			5020.0 Total	P,R

[Order DE 72-14, § 173-20-470, filed 6/30/72.]

**WAC 173-20-480 Lakes coming under purview of chapter 90.58 RCW--Mason County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T19-3W	4	Fawn Lk.		
(2) T19-R5W	1-E1/2	Lost Lk.	121.6	R
(3) T19-R5W	8-A/B	Lystair Lk.	30.4	R
(4) T19-R5W	17	Simpson Lk.	29.4	R
(5) T19-R5W	28-W1/2	Stump Lk.	23.2	R
(6) T20N-R2W	5	Phillips Lk.	111.4	R
(7) T20N-R2W	18	Timber Lk.		
(8) T20N-R2W	30-H/J	Forbes Lk.	38.4	R
(9) T20N-R3W	6-SW1/4	Island Lk.	109.0	R
(10) T20N-R3W	31-K	Isabella Lk.	208.0	R
(11) T20N-R4W	12-E1/2	Intermittent Lks.	75.0	R
(12) T20N-R5W	1-E	Hanks Lake	27.0	R
(13) T20N-R5W	8-N1/2	Nahwatzel Lk.	268.8	R
(14) T21N-R2W	3-P	Benson Lk.	81.8	R
(15) T21N-R2W	32-N	Spencer Lk.	220.4	R
(16) T21N-R3W	28-B	Cranberry Lk.	170.6	R
(17) T21N-R3W	27	Lk. Limerick		
(18) T21N-R3W	31-D/E	Intermittent Lk.	20.0	R
(19) T21N-R5W	21-W1/2	Bingham Lk.	24.0	R
(20) T22N-R1W	7-H	Devreaux Lk.	100.4	R

[Title 173 WAC--p 123]

Location	Section	Name	Area (Acres)	Use
(21) T22N-R1W	19	Unnamed Lk.		
(22) T22N-R2W	23-R	Prickett Lk.	68.1	R
(23) T22N-R2W	34-F	Mason Lk.	996.0	R
(24) T22N-R3W	14-C/D	Maggie Lk.	22.3	R
(25) T22N-R4W	16-F	Cushman Res. No. 2	70.4	P,R
(26) T23N-R1W	5	Tiger Lk.	109.1	R
(27) T23N-R2W	19-S1/2	Wooten Lk.	69.8	R
(29) T23N-R2W	20-NE1/4	Bennettson Lk.	25.4	R
(30) T23N-R2W	30-H	Haven Lk.	70.5	R
(31) T23N-R3W	35-K/Q	Tee Lk.	38.4	R
(32) T23N-R4W	11-P	Lilliwaup Swamp	225.0	R
(33) T23N-R4W	12-G/H	Melbourne Lk.	34.1	R
(34) T23N-R4W	22-NE1/4	Price Lk.	61.8	R
(35) T24N-R1W	31	Panther Lk.	30.0 Mason Co. 74.1 Kitsap Co.	
			104.1 Total	R

[Order DE 72-14, § 173-20-480, filed 6/30/72.]

**WAC 173-20-490 Lakes coming under purview of chapter 90.58 RCW--Mason County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T22N-R4W	5-L	Cushman Lk. (Res.)	4003.0	P,R

[Order DE 72-14, § 173-20-490, filed 6/30/72.]

**WAC 173-20-500 Lakes coming under purview of chapter 90.58 RCW--Okanogan County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T29N-R23E	10/15	Alta Lk.	187.4	R
(2) T31N-R24E	22-B	Rat Lk.	62.7	R,PS
(3) T33N-R25E	16-G	Leader Lk. (Res.)	159.0	R
(4) T34N-R21E	8-E	Patterson Lk. (Res.)	142.9	R,I
(5) T34N-R21E	15-A/H	Twin Lks. (Little)	23.8	R
(6) T34N-R21E	15-G/K	Twin Lks. (Big)	77.4	R
(7) T34N-R21E	27-NW1/4	Moccasin Lk.	33.1	R
(8) T34N-R22E	20-D/E	Davis Lk.	39.3	R
(9) T34N-R25E	13-E1/2	Green Lk.	44.8	R
(10) T34N-R26E	7-C	Brown Lk.	61.4	R
(11) T34N-R26E	10-R	Duck Lk.	29.1	R,I
(12) T34N-R29E	5-D	Crawfish Lk.	80.4	R
(13) T35N-R21E	36	Pearrygin Lk. (Res.)	192.0	R,I
(14) T35N-R25E	4-K/Q	Roberts Lk.	29.8	R
(15) T35N-R25E	6-K	Salmon Lk.	313.0	R,I
(16) T35N-R25E	18-NW1/4	Conconully Res.	450.0	R,I
(17) T35N-R26E	3-P/Q	Booher Lk.	24.8	R
(18) T35N-R26E	5-S1/2	Medicine Lk.	37.9	R
(19) T35N-R26E	7-Q/R	Peninsula Lk.	23.4	R
(20) T35N-R26E	8-N	Horseshoe Lk.	28.7	R
(21) T35N-R26E	22-NE1/4	Alkali Lk.	46.1	R
(22) T35N-R26E	28-B	Evans Lk.	26.9	R
(23) T36N-R25E	22-D	Fish Lk.	102.3	R
(24) T36N-R27E	30-NW1/4	Unnamed Lk.	22.7	R
(25) T36N-R28E	21-A/B	Talkire Lk.	26.9	R
(26) T36N-R30E	19-E/F	Round Lk.	20.3	R
(27) T36N-R30E	19-G/K	"L" Lk.	21.4	R
(28) T37N-R25E	2-E	Forde Lk.	23.9	R
(29) T37N-R25E	13-H/J	Lemanasky Lk.	20.1	R
(30) T37N-R25E	21-H	Blue Lake (Res.)	186.0	R
(31) T37N-R26E	25-NW1/4	Aenes Lk.	60.7	R
(32) T38N-R25E	35-E/F	Lower Sinlahekin Impoundment	57.7	R
(33) T38N-R26E	2-Q	Spectacle Lk.	314.8	R,I
(34) T38N-R27E	17-P	Whitestone Lk. (Res.)	169.6	R,I
(35) T38N-R28E	2-A/B	Fanchers Dam Res.	20.0	R,D
(36) T38N-R30E	17-NE1/4	Bonapart Lk.	158.7	R
(37) T38N-R30E	27-F/L	Walker Lk.	43.5	R
(38) T38N-R30E	29-C/F	Meadow Lk.	23.7	R
(39) T39N-R25E	4-R	Chopaka Lk.	148.8	R
(40) T39N-R26E	24-E	Wannacut Lk.	411.6	R
(41) T39N-R27E	6-W1/2	Blue Lk.	110.6	R
(42) T39N-R27E	22-SW1/4	Horseshoe Lk.	59.9	R
(43) T39N-R27E	27-G/K	Unnamed Lk.	26.1	R
(44) T39N-R29E	15-NW1/4	Muskrat Lk.	89.6	R

Location	Section	Name	Area (Acres)	Use
(45) T40N-R25E	17-J/R	Unnamed Lk.	23.4	R
(46) T40N-R27E	27-P	Zosels Mill Pond	100.0	R
(47) T40N-R29E	6-S1/2	Sidley Lk.	108.8	R
(48) T40N-R29E	8-D	Molson Lk.	20.3	R
(49) T40N-R29E	26-B/G	Fields Lk.	21.7	R
(50) T39N-R30E	28-E/M	Lost Lk.	46.8	R

[Order DE 76-16, § 173-20-500, filed 5/3/76; Order 72-14, § 173-20-500, filed 6/30/72.]

**WAC 173-20-510 Lakes coming under purview of chapter 90.58 RCW--Okanogan County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T28N-R24E	6/7	Wells Dam Res.	4753.0 Okanogan Co. 4850.0 Douglas Co. 97.0 Chelan Co.	
			9700.0 Total	P,R
(3) T39N-R25E	13-H	Palmer Lk.	2063.0	R,I
(4) T40N-R27E	22-M	Osoyoos Lk.	2036.0 Okanogan Co.	
			3693.9 British Col.	
			5729.0 Total	R

[Order DE 76-16, § 173-20-510, filed 5/3/76; Order DE 72-14, § 173-20-510, filed 6/30/72.]

**WAC 173-20-520 Lakes coming under purview of chapter 90.58 RCW--Pacific County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T10N-R11W	4-SW1/4	Breaker Lk.	20.3	R
(2) T10N-R11W	33-A	Black Lk.	30.0	PS
(3) T11N-R11W	9-K	Loomis Lk.	150.7	R
(4) T11N-R11W	21-E1/2	Island Lk.	55.8	R
(5) T12N-R11W	9-K/Q	Skating Lk.	66.0	R
(6) T12N-R11W	16-J/R	Espy Lk.	20.0	R

[Order DE 72-14, § 173-20-520, filed 6/30/72.]

**WAC 173-20-530 Lakes coming under purview of chapter 90.58 RCW--Pacific County lakes of state-wide significance. None.** [Order DE 72-14, § 173-20-530, filed 6/30/72.]

**WAC 173-20-540 Lakes coming under purview of chapter 90.58 RCW--Pend Oreille County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T30N-R43E	5-K/L	Lost Lk.	22.1	R
(2) T30N-R43E	8-N	Horseshoe Lk.	128.0	R
(3) T30N-R43E	9-A	Trout Lk.	94.8	R
(4) T30N-R43E	32-L	Fan Lk.	72.9	R
(5) T30N-R44E	3-SE1/4	Diamond Lk.	754.5	R
(6) T30N-R44E	35-N1/2	Chain Lk.	77.6	R
(7) T30N-R46E	30-M/N	Trask Pond	50.3	R
(8) T31N-R43E	35-B	Sacheen Lk.	282.2	R
(9) T31N-R44E	10-SE1/4	Kent Meadows Lk.	134.3	R
(10) T31N-R45E	23-S1/2	Unnamed Lk.	37.9	R
(11) T32N-R43E	27-P	Power Lk.	54.8	R,P
(12) T32N-R44E	31-G	Davis Lk.	145.9	R
(13) T32N-R45E	23-Q	Marshall Lk.	188.7	R,D
(14) T32N-R46E	31	Shearer Lk.	48.7	R
(15) T33N-R43E	12-13/14	Unnamed Slough	64.8	R
(16) T34N-R44E	36-NE1/4	North Skookum Lk.	38.5	R
(17) T33N-R44E	2-A	Kings Lk.	53.2	R
(18) T34N-R43E	3-C/F	Parker Lk.	22.1	R
(19) T36N-R42E	3-L/M	Leo Lk.	39.3	R
(20) T36N-R43E	12-NW1/4	Scotchman Lk.	34.1	R
(21) T36N-R43E	23-NE1/4	Yocum Lk.	41.7	R
(22) T37N-R42E	35-N	Nile Lk.	22.8	R
(23) T37N-R42E	36-K/Q	Browns Lk.	20.2	R

Shoreline Management Act--Lakes

173-20-610

Location	Section	Name	Area (Acres)	Use
(24) T37N-R43E	6-E1/2	Ione Mill Pond	37.2	R,PS
(25) T39N-R43E	25-A	Sullivan Res.	62.8	R,PS
(26) T40N-R43E	34-Q	Ledbetter Lk.	22.7	R
(27) T32N-R45E	4	Bead Lk.	719.8	R

[Order DE 76-16, § 173-20-540, filed 5/3/76; Order DE 72-14, § 173-20-540, filed 6/30/72.]

**WAC 173-20-550 Lakes coming under purview of chapter 90.58 RCW--Pend Oreille County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T32N-R43E	12-F	Calispell Lk.	1031.0	R
(2) T40N-R43E	10-NE1/4	Boundary Res.	1600.0	R,P

[Order DE 76-16, § 173-20-550, filed 5/3/76; Order DE 72-14, § 173-20-550, filed 6/30/72.]

**WAC 173-20-560 Lakes coming under purview of chapter 90.58 RCW--Pierce County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T20N-R1W	1-M	Bay Lk.	129.6	R
(2) T22N-R1W	14-A	Carney Lk.	20.5 Pierce Co. 18.7 Kitsap Co.	R
			39.2 Total	R
(3) T16N-R3E	1-J/K	Cranberry Lk.	25.6	R
(4) T16N-R3E	7-A/B	Harts Lk.	108.8	R
(5) T16N-R3E	9-P/Q	Tule Lk.	30.8	R
(6) T16N-R3E	12-E1/2	Silver Lk.	138.0	R
(7) T16N-R3E	14-SW1/4	Kreger Lk.	42.4	R
(8) T16N-R4E	6-A	Rapjohn Lk.	55.8	R
(9) T16N-R4E	10-J	Ohop Lk.	235.6	R
(10) T16N-R4E	33-Q	La Grande Res.	55.0	P
(11) T17N-R4E	14-A/H	Whitman Lk.	29.6	R
(12) T17N-R4E	23-E	Tanwax Lk.	172.8	R
(13) T17N-R4E	26-W1/2	Clear Lk.	155.1	R
(14) T17N-R4E	27-K/L	Twenty Seven Lk.	21.0	R
(15) T17N-R4E	33-C	Mud Lk.	20.6	R
(16) T17N-R5E	5-SW1/4	Kapowsin Lk.	512.0	R
(17) T18N-R2E	34-B/C	Muck Lk.	25.7	R
(18) T18N-R5E	30-M/N	Morgan Lk.	23.0	R
(19) T19N-R1E	4-N1/2	Florence Lk.	66.5	R
(20) T19N-R1E	9-NE1/4	Josephine Lk.	72.5	R
(21) T19N-R2E	4-E/M	Louise Lk.	39.1	R
(22) T19N-R2E	10-E1/2	Gravelly Lk.	147.8	R
(23) T19N-R3E	20-SE1/4	Spanaway Lk.	262.4	R
(24) T19N-R6E	4-E1/2	Wickersham Basin	60.0	P,R
(25) T20N-R2E	24-B/G	Unnamed Lk.	29.0	R
(26) T20N-R2E	33	Waughop Lk.		R
(27) T20N-R2E	33-P/Q	Mud Lake	21.7	R
(28) T20N-R2E	34-G	Steilacoom Lk.	313.2	R
(29) T20N-R3E	29-C/F	Wapato Lk.	28.2	R
(30) T20N-R4E	4-K/Q	Surprise Lk.	29.9	R
(31) T20N-R5E	26-N1/2	Printz Basin	30.0	P,R
(32) T22N-R2E	20-A	Crescent Lk.	46.8	R
(33) T22N-R1E	19	Stansberry Lk.		R
(34) T22N-R1E	30-31	Manmade Lk.		R
(35) T19N-R7E	17-NE1/4	Mud Mt. Res.	600.0	PS,R

[Order DE 72-14, § 173-20-560, filed 6/30/72.]

**WAC 173-20-570 Lakes coming under purview of chapter 90.58 RCW--Pierce County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T15N-R4E	9-F	Alder Lk. (Res.)	1689.6 Pierce Co. 1117.6 Thurston Co. 124.0 Lewis Co.	
			2931.2 Total	P,R
(2) T19N-R2E	20	American Lk.	1125.1	R

Location	Section	Name	Area (Acres)	Use
(3) T20N-R5E	8-E	Tapps Lk. (Res.)	2296.0	P,R

[Order DE 72-14, § 173-20-570, filed 6/30/72.]

**WAC 173-20-580 Lakes coming under purview of chapter 90.58 RCW--San Juan County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T35N-R1W	4-G	Spencer Lk.	64.0	R
(2) T35N-R2W	23-A	Hummel Lk.	36.1	R
(3) T35N-R3W	17-Q/R	Zylstra Lk.		
(4) T35N-R3W	18-M	Trout Lk. (Res.)	54.0	PS
(5) T35N-R3W	19-G	Woods Res.		
		(Proposed)	29.0	D,R
(6) T36N-R1W	33-N1/2	Horseshoe Lk.	84.0	R
(7) T36N-R2W	12-L	Martins Lk.	21.5	R
(8) T36N-R3W	30-E/M	Briggs Pond	29.1	PS
(9) T36N-R3W	33-Q	Sportsmans Lk.	66.0	R,D
(10) T37N-R1W	32-P	Cascade Lk.	171.6	R,P
(11) T37N-R1W	34-M	Mountain Lk.	198.0	PS,R

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-053 (Order DE 80-21), § 173-20-580, filed 6/30/80; Order DE 72-14, § 173-20-580, filed 6/30/72.]

**WAC 173-20-590 Lakes coming under purview of chapter 90.58 RCW--San Juan County lakes of state-wide significance. None.** [Order DE 72-14, § 173-20-590, filed 6/30/72.]

**WAC 173-20-600 Lakes coming under purview of chapter 90.58 RCW--Skagit County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T33N-R4E	13-M/N	Devils Lk.	30.9	R
(2) T33N-R4E	15-M/N	Sixteen Lk.	41.6	R
(3) T33N-R5E	30-D	McMurray Lk.	160.6	R
(4) T33N-R6E	22-Q	Cavanaugh Lk.	844.0	R
(5) T34N-R1E	11-NE1/4	Erie Lk.	111.0	R
(6) T34N-R1E	13-H	Campbell Lk.	410.3	R
(7) T34N-R1E	23-K	Pass Lk.	98.6	R
(8) T34N-R2E	6-SW1/4	Whistle Lk.	29.7	PS
(9) T34N-R3E	36-J	Britt Slough	21.0	R
(10) T34N-R4E	1-E1/2	Clear Lk.	222.9	R
(11) T34N-R4E	2-N1/2	Unnamed Lk.	74.0	R
(12) T34N-R4E	10-SW1/4	Barney Lk.	152.0	R
(13) T34N-R4E	15-E1/2	Unnamed Lk.	28.0	R
(14) T34N-R4E	36-C	Big Lk.	545.2	R
(15) T34N-R5E	7-W1/2	Beaver Lk.	73.4	R
(16) T34N-R6E	25-F	Day Lk.	136.5	R
(17) T35N-R1E	23-K/Q	Cranberry Lk.	26.8	R
(18) T35N-R1E	36-SW1/4	Heart Lk.	60.8	R
(19) T35N-R5E	13-N1/2	Minkler Lk.	36.7	R
(20) T35N-R5E	32-E1/2	Judy Res.	108.0	PS
(21) T35N-R10E	31-A	Barnaby Slough	20.0	R
(22) T35N-R10E	32-L/M	Mill Slough	20.0	R
(23) T35N-R11E	36-SE1/4	Granite Lk. No. 3	38.4	R
(24) T36N-R8E	32	Grandy Lk.	56.0	R
(25) T34N-R2E	12-M	Old Channel Lk.	23.2	R

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-053 (Order DE 80-21), § 173-20-600, filed 6/30/80; Order DE 72-14, § 173-20-600, filed 6/30/72.]

**WAC 173-20-610 Lakes coming under purview of chapter 90.58 RCW--Skagit County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T35N-R8E	2-M	Shannon Lk. (Res.)	2148.0	P,R

[Order DE 72-14, § 173-20-610, filed 6/30/72.]

**WAC 173-20-620 Lakes coming under purview of chapter 90.58 RCW--Skamania County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T1N-R6E	4-N1/2	Franz Lk.	99.0	R
(2) T2N-R6E	34-H/J	Unnamed Lk.	20.0	R
(3) T2N-R7E	1-NW1/4	Stevenson Lk.	84.0	PS,R
(4) T2N-R7E	11-E/F	Ashes Lk.	51.2	PS,R
(5) T2N-R7E	14-D/E	Wauna Lk.	55.2	R
(6) T2N-R7E	20-M	Greenleaf Slough (Lk)	47.8	R
(7) T2N-R7E	30-NW1/4	Unnamed Lk.	20.0	R
(8) T3N-R9E	26-S1/2	Drano Lk.	220.0	R
(9) T3N-R10E	10-B/C	Northwestern Lk.	97.0	R,P
(10) T10N-R5E	14-N	Venus Lk.	21.0	R
(11) T10N-R5E	19-E/F	Elk Lk.	30.5	R
(12) T10N-R5E	19-M/P	Hanaford Lk.	23.6	R

[Order DE 73-13, § 173-20-620, filed 8/27/73; Order DE 72-14, § 173-20-620, filed 6/30/72.]

**WAC 173-20-630 Lakes coming under purview of chapter 90.58 RCW--Skamania County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T2N-R7E	21-E1/2	Bonneville Pool (Res.)	10100.0 Skamania Co. 10100.0 Oregon	P,R
(2) T7N-R5E	28-F/L	Swift Res.	20200.0 Total	P,R
(3) T9N-R5E	15-A	Spirit Lk.	4588.8 1262.0	P,R R

[Order DE 73-13, § 173-20-630, filed 8/27/73; Order DE 72-14, § 173-20-630, filed 6/30/72.]

**WAC 173-20-640 Lakes coming under purview of chapter 90.58 RCW--Snohomish County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T27N-R4E	1-SW1/4	Martha Lk.	59.3	R
(2) T27N-R4E	32-SW1/4	Ballinger Lk.	103.2	R
(3) T27N-R5E	36-SE1/4	Crystal Lk. (Res.)	39.1	R
(4) T27N-R7E	22-A/B	Fontal Lk.	37.2	R
(5) T27N-R7E	23-SW1/4	Hannan Lk.	48.4	R
(6) T27N-R8E	21-B/C	Tomtit Lk.	27.9	R
(7) T27N-R8E	21-E/M	Dagger Lk.	27.7	R
(8) T27N-R11E	21-NE1/4	Sunset Lk.	38.4	R
(9) T28N-R4E	34-S1/2	Serene Lk.	42.3	R
(10) T28N-R4E	35-A/B	Stickney Lk.	25.7	R
(11) T28N-R5E	24-E1/4	Hanson Slough	35.0	R
(12) T28N-R5E	30-H	Silver Lk.	102.3	R
(13) T28N-R6E	1-SE1/4	Storm Lk.	78.1	R
(14) T28N-R6E	2-A	Flowing Lk.	134.8	R
(15) T28N-R6E	2-C/D	Panther Lk.	46.7	R
(16) T28N-R6E	7-NW1/4	Blackmans Lk.	60.1	R
(17) T28N-R6E	24-A	Chain Lk.	22.8	R
(18) T28N-R7E	12-J	Woods Lk.	20.5	R
(19) T28N-R7E	16-A	Cochran Lk.	33.6	R
(20) T28N-R8E	6-G	Chaplain Lk. (Res.)	443.7	PS
(21) T28N-R8E	22-G/H	Kellogg Lk.	20.2	R
(22) T28N-R9E	20-NE1/4	Wallace Lk.	55.3	R
(23) T28N-R10E	5-G/H	Boulder Lk.	21.7	R
(24) T28N-R11E	1-W1/2	Bianca Lk.	179.0	R
(25) T29N-R7E	15-NE1/4	Purdy Creek Ponds	20.0	R
(26) T29N-R7E	27-N/P	Hughes Lk.	20.2	R
(27) T29N-R7E	28-E	Roesiger Lk.	352.2	R
(28) T29N-R8E	21-D	Echo Lk.	24.6	R
(29) T29N-R9E	9-M/N	East Boardman Lk.	24.7	R
(30) T29N-R9E	36-J/R	Greider Lks. Upper	58.4	R
(31) T29N-R10E	4	Copper Lk.	60.8	R
(32) T30N-R6E	31-C/D	Cassidy Lk.	124.6	R
(33) T30N-R6E	36-E1/2	Bosworth Lk.	95.4	R
(34) T31N-R4E	18-SE1/4	Martha Lk.	58.4	R
(35) T31N-R4E	20-L/P	Howard Lk.	27.1	R
(36) T31N-R4E	23-L	Ki Lk.	97.4	R
(37) T31N-R4E	33-G	Goodwin Lk.	546.8	R
(38) T31N-R4E	33-P	Shoecraft Lk.	136.8	R
(39) T31N-R4E	34-H	Crabapple Lk.	36.3	R
(40) T31N-R4E	35-A/H	Loma Lk.	21.1	R

Location	Section	Name	Area (Acres)	Use
(41) T32N-R4E	26-K/L	Sunday Lk.	38.7	R
(42) T32N-R5E	26-SE1/4	Armstrong Lk.	30.7	R
(43) T32N-R5E	27-F/G	Bryant Lk.	20.2	R
(44) T32N-R6E	26-C	Little Lk.	23.4	R
(45) T32N-R7E	19-H/J	Riley Lk.	30.0	R
(46) T32N-R10E	28	Evangeline Lk.	25.0	R

[Order DE 76-16, § 173-20-640, filed 5/3/76; Order DE 72-14, § 173-20-640, filed 6/30/72.]

**WAC 173-20-650 Lakes coming under purview of chapter 90.58 RCW--Snohomish County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T29N-R6E	8-L	Stevens Lk.	1021.1	R

[Order DE 72-14, § 173-20-650, filed 6/30/72.]

**WAC 173-20-660 Lakes coming under purview of chapter 90.58 RCW--Spokane County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T21N-R39E	12-N	Fishtrap Lk. (Res.)	22.8 Spokane 172.8 Lincoln	R
(2) T21N-R39E	25-Q	Downs Lk.	195.6 Total 394.6 Spokane Co. 28.8 Lincoln Co.	R
(3) T21N-R40E	7-B/C	Unnamed Lk.	423.4 Total	R
(4) T21N-R40E	13-C	Williams Lk.	21.0	R
(5) T21N-R40E	32-NE1/4	Feustal Lk.	318.6	R
(6) T21N-R41E	4-M	Badger Lk.	36.6	R
(7) T21N-R42E	20F	Bonnie Lk.	243.8	R
(8) T22N-R40E	25-N1/2	Alkali Lk.	284.3 Spokane Co. 81.8 Whitman Co.	R
(9) T22N-R40E	30-B	Hog Lk.	366.1 Total	R
(10) T22N-R40E	33-S1/2	Mason Lk.	96.0	R
(11) T22N-R40E	36-J	Amber Lk.	53.0	R
(12) T22N-R41E	27-J	Unnamed Lk.	52.1	R
(13) T22N-R41E	36-H	Chapman Lk.	116.8	R
(14) T22N-R42E	11-K	Philleo Lk.	26.0	R
(15) T23N-R42E	5-A/H	Fish Lk.	145.6	R
(16) T23N-R42E	14-NW1/4	Unnamed Lk.	70.8	R
(17) T24N-R40E	13-W1/4	West Medical Lk.	47.1	R
(18) T24N-R40E	21-J/R	Unnamed Lk.	20.0	R
(19) T24N-R40E	27-NW1/4	Lonelyville Lk.	234.8	R
(20) T24N-R41E	17-G/H	Silver Lk.	38.0	R
(21) T24N-R41E	18-W1/2	Medical Lk.	22.8	R
(22) T24N-R41E	19-K/Q	Otter Lk.	559.1	R
(23) T24N-R41E	19-H	Ring Lake	148.9	R
(24) T24N-R41E	22-N/P	Granite Lk.	26.1	R
(25) T24N-R41E	22-P	Willow Lk.	22.9	R
(26) T24N-R41E	26-B	Meadow Lk.	105.8	R
(27) T24N-R41E	30-SW1/4	Clear Lk.	79.7	R
(28) T24N-R42E	28-B	Queen Lucas Lk.	31.9	R
(29) T25N-R43E	18-J	Upper Falls Res.	374.8	R,I
(30) T25N-R44E	24-F/G	Shelley Lk.	36.8	R
(31) T25N-R45E	22-H	Liberty Lk.	146.0	R
(32) T26N-R40E	10-SW1/4	Horseshoe Lk.	35.6	R
(33) T26N-R40E	10-G/K	Woods Lk.	711.4	R
(34) T26N-R42E	6-R	Nine Mile Res.	67.9	R
(35) T27N-R41E	7-K/L	Knight Lk.	32.0	R
(36) T28N-R43E	15-G/K	Bear Lk.	440.0	P,R
(37) T29N-R42E	34-K/Q	Dragon Lk.	34.0	R
(38) T29N-R43E	15-L	Eloika Lk.	33.8	R
(39) T29N-R44E	19-J	Reflection Lk.	22.4	R,I
			659.2	R
			51.8	R

[Order DE 76-16, § 173-20-660, filed 5/3/76; Order DE 72-14, § 173-20-660, filed 6/30/72.]

**WAC 173-20-670 Lakes coming under purview of chapter 90.58 RCW--Spokane County lakes of state-wide significance.**

Shoreline Management Act--Lakes

173-20-760

Location	Section	Name	Area (Acres)	Use
(1) T26N-R45E	11-G	Newman Lk.	1190.2	R
(2) T27N-R39E	13-M	Long Lk. (Res.)	2510.0 Spokane Co. 100.0 Lincoln Co. 2410.0 Stevens Co.	
			5020.0 Total	P,R

[Order DE 72-14, § 173-20-670, filed 6/30/72.]

**WAC 173-20-680 Lakes coming under purview of chapter 90.58 RCW--Stevens County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T27N-R39E	20-B	Little Falls Res.	125.0	P,R
(2) T30N-R37E	4-Q/R	Hunter Res.	20.0	D,I,R
(3) T30N-R37E	32-F/L	Newbill Lk.	21.7	R,D
(4) T31N-R40E	17-R	Waitts Lk.(Res.)	455.4	R,P,I
(5) T31N-R40E	36-R	Jumpoff Lk.	105.1	R
(6) T31N-R41E	21-R	Beitey Res.	24.2	D,R
(7) T31N-R41E	24-A/H	Nelson Lk.	20.4	R
(8) T32N-R37E	34-P/Q	Clark Lk.	23.8	R
(9) T32N-R39E	36-NW1/4	Rainbow Lk. (Fourmile Lk.)	27.8	R
(10) T32N-R41E	15-L	Horseshoe Lk.	23.5	R
(11) T32N-R41E	29	Bailey Lk.		
(12) T34N-R41E	20-K/Q	Pond No. 1	24.0	R
(13) T35N-R40E	19-F/L	White Mud Lk.	59.4	R
(14) T35N-R40E	30-SE1/4	Hatch Lk.	34.3	R
(15) T35N-R40E	36-K	Starvation Lk.	28.4	R
(16) T35N-R41E	3-W1/2	Black Lk.	69.6	R
(17) T35N-R41E	4-B	Spruce Lk. (Twin Lks.)	26.8	R
(18) T36N-R38E	15-D/E	Mission Lk.	21.9	R
(19) T36N-R42E	8-Q	Heritage Lk.	71.1	R
(20) T36N-R42E	17-W1/2	Thomas Lk.	162.6	R
(21) T36N-R42E	19-A	Gillette Lk.	48.0	R
(22) T36N-R42E	19-H/J	Sherry Lk.	26.1	R
(23) T37N-R39E	16-F	Peterson Swamp	37.8	R
(24) T38N-R37E	13-J/K	Dilly Lk.	35.4	R
(25) T38N-R37E	13-L/M	Perkins Lk.	25.6	R
(26) T38N-R37E	24-D	Ryan Lk.	25.4	R
(27) T38N-R38E	36-C/F	Williams Lk.	37.7	R
(28) T39N-R37E	8-G	Pierre Lk.	105.6	R
(29) T39N-R41E	34-C	Deep Lk.	198.1	R
(30) T40N-R41E	26-L	Cedar Lk.	51.2	R

[Order DE 77-17, § 173-20-680, filed 9/1/77; Order DE 72-14, § 173-20-680, filed 6/30/72.]

**WAC 173-20-690 Lakes coming under purview of chapter 90.58 RCW--Stevens County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T27N-R39E	13-M	Long Lk. (Res.)	2410.0 Stevens Co. 2510.0 Spokane Co. 100.0 Lincoln Co.	
			5020.0 Total	P,R
(2) T30N-R41E	NE1/4	Deer Lk.	1162.8	R
(3) T30N-R41E	33-L	Loon Lk.	1118.5	R,I

[Order DE 72-14, § 173-20-690, filed 6/30/72.]

**WAC 173-20-700 Lakes coming under purview of chapter 90.58 RCW--Thurston County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T16N-R1W	13-E	McIntosh Lk.	115.8	R
(2) T16N-R2W	3-NE1/4	Deep Lk.	66.1	R
(3) T17N-R1W	28-K	Bushman Lk. (Tempo)	40.0	R
(4) T17N-R1W	33-E	Offutt Lk.	192.0	R
(5) T17N-R2W	1-L/P	Munn Lk.	29.8	R
(6) T17N-R2W	33-A/H	Scott Lake	66.8	R
(7) T17N-R2W	35-H/J	Pitman Lk.	27.0	R
(8) T18N-R1W	22-H	Long Lk.	311.0	R
(9) T18N-R1W	27-L	Hicks Lk.	171.3	R

Location	Section	Name	Area (Acres)	Use
(10) T18N-R1W	29-B/G	Chambers Lk. (Little Chambers Lk.)	49.1	R
(11) T18N-R1W	29-C	Chambers Lk. (Russel Lk.)	72.5	R
(12) T18N-R1W	33-H/J	Southwick Lk.	37.1	R
(13) T18N-R1W	35-P	Patterson Lk.	257.0	R
(14) T18N-R2W	15-J	Capitol Lk.	306.0	R
(15) T18N-R2W	34-G/K	Barnes Lake		R
(16) T18N-R2W	16-W1/2	Grass Lk.	120.0	R
(17) T18N-R2W	20-H/J	Ken Lk.	24.6	R
(18) T18N-R2W	22-G	Percival Lk.	22.4	R
(19) T18N-R2W	32-C	Black Lk.	576.1	R
(20) T18N-R2W	36-B/C	Ward Lake	66.8	R
(21) T18N-R2W	36-J	Hewitt Lk.	26.6	R
(22) T18N-R4W	13-A	Summit Lk.	522.6	R
(23) T16N-R2E	29-B	Lawrence Lk.	339.2	R
(24) T16N-R3E	31-S1/2	Clear Lk.	172.8	R
(25) T16N-R3E	32-B/C	Elbow Lk.	36.0	R
(26) T16N-R3E	32-R	Bald Hill Lk.	44.8	R
(27) T18N-R1E	31-32	St. Clair Lk.	244.7	R
(28) T17N-R1W	11	Sunwood Lk.	23.0	D
(29) T15N-R1E	17	Skookumchuck Res.	550.0	D

[Order DE 73-13, § 173-20-700, filed 8/27/73; Order DE 72-14, § 173-20-700, filed 6/30/72.]

**WAC 173-20-710 Lakes coming under purview of chapter 90.58 RCW--Thurston County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T15N-R4E	24	Alder Lk. (Res.)	1117.6	P,R

[Order DE 72-14, § 173-20-710, filed 6/30/72.]

**WAC 173-20-720 Lakes coming under purview of chapter 90.58 RCW--Wahkiakum County lakes. None.**

**WAC 173-20-730 Lakes coming under purview of chapter 90.58 RCW--Wahkiakum County lakes of state-wide significance. None.**

**WAC 173-20-740 Lakes coming under purview of chapter 90.58 RCW--Walla Walla County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T7N-R32E	30-SW1/4	Johnson Pond	24.0	R
(2) T7N-R36E	23-SE1/4 24-W1/2 25-NW1/4	Mill Creek Res.	52.0	PS,R
(3) T8N-R31E	20-NW1/4	"J" Line Pond	30.0	R
(4) T8N-R31E	21-NW1/4	Casey Pond	60.0	R
(5) T8N-R31E	29-H/J	Curlew Pond	35.0	R

[Order DE 72-14, § 173-20-740, filed 6/30/72.]

**WAC 173-20-750 Lakes coming under purview of chapter 90.58 RCW--Walla Walla County lakes of state-wide significance. None.**

**WAC 173-20-760 Lakes coming under purview of chapter 90.58 RCW--Whatcom County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T37N-R3E	8-N	Padden Lk. (Res.)	152.0	PS,R
(2) T37N-R3E	36-R	Samish Lk.	814.0	R
(3) T37N-R4E	8-F/L	Louise Lk.	22.4	R
(4) T37N-R4E	32-SW1/4	Cain Lk.	72.2	R
(5) T38N-R3E	11-N/P	Toad Lk.	29.7	R

Location	Section	Name	Area (Acres)	Use
(6) T38N-R4E	7-E/F	Squalicum Lk.	33.0	R
(7) T39N-R1E	16	Terrell Lk. (Res.)	438.0	R
(8) T39N-R2E	21-S1/2	Barrett Lk.	40.0	R
(9) T39N-R2E	32-A/B	Tennant Lk.	43.0	R
(10) T39N-R3E	6-NW1/4	Wiser Lk.	123.0	R
(11) T39N-R3E	13-L/P	Fazon Lk.	32.0	R
(12) T39N-R6E	30-R	Canyon Lk.	45.0	R
(13) T40N-R6E	7-R	Silver Lk.	172.8	R
(14) T41N-R4E	31-W1/2	Judson Lk.	112.0	R
(15) T41N-R1E	34-N1/2	Beaver Lk.	21.0	R

[Order DE 76-16, § 173-20-760, filed 5/3/76; Order DE 72-14, § 173-20-760, filed 6/30/72.]

**WAC 173-20-770 Lakes coming under purview of chapter 90.58 RCW--Whatcom County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T38N-R3E	28-A	Whatcom Lk. (Res.)	5003.0	PS,R
(2) T37N-R9E	31	Baker Lk. (Res.)	3616.0	PS,R

[Order DE 76-16, § 173-20-770, filed 5/3/76; Order DE 72-14, § 173-20-770, filed 6/30/72.]

**WAC 173-20-780 Lakes coming under purview of chapter 90.58 RCW--Whitman County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T18N-R39E	26-A/B	Texas Lk.	23.8	R
(2) T18N-R40E	17-A/B	Intermittant Lk.	24.8	R
(3) T19N-R40E	1-SE1/4	Miller Lk. (Alkali)	25.2	R
(4) T19N-R40E	13-SE1/4	Lavista Lk.	20.7	R
(5) T19N-R40E	23-NW1/4	Unnamed Lk.	32.4	R
(6) T19N-R40E	34-H/J	Stevens Lk.	27.0	R
(7) T20N-R39E	6-E1/2	Snyder Slough	42.0	R
(8) T20N-R39E	8-SE1/4	Sheep Lk.	56.7	R
(9) T20N-R39E	15-S1/2	Folsom Lk.	85.5	R
(10) T20N-R39E	16-NE1/4	Crooked Knee Lk.	83.8	R
(11) T20N-R39E	16-F/L	Unnamed Lk.	20.7	R
(12) T20N-R40E	36-SE1/4	Tule Lk.	21.6	R
(13) T20N-R41E	12-NE1/4	Bonnie Lk.	81.8	Whitman Co.
			284.3	Spokane Co.
			366.1	Total
(14) T18N-R40E	3-B/C	Duck Lk.	23.4	R

[Order DE 76-16, § 173-20-780, filed 5/3/76; Order DE 72-14, § 173-20-780, filed 6/30/72.]

**WAC 173-20-790 Lakes coming under purview of chapter 90.58 RCW--Whitman County lakes of state-wide significance.**

Location	Section	Name	Area (Acres)	Use
(1) T19N-R40E	13-N	Rock Lk.	2147.1	R

[Order DE 72-14, § 173-20-790, filed 6/30/72.]

**WAC 173-20-800 Lakes coming under purview of chapter 90.58 RCW--Yakima County lakes.**

Location	Section	Name	Area (Acres)	Use
(1) T8N-R23E	12-E	Byron Ponds (Res.)	50.0	R
(2) T9N-R22E	22-M	Horseshoe Pond	59.0	R
(3) T9N-R22E	25-F	Morgan Pond	24.6	R
(4) T9N-R22E	26-B	Giffin Lk.	104.8	R
(5) T9N-R23E	7-S1/2	Oleys Lk.	35.4	R
(6) T13N-R19E	7-M	Freeway Lk.	23.2	R
(7) T14N-R19E	31-L/P	Unnamed Lk.	22.3	R
(8) T15N-R17E	2-N	Wenas Lk. (Res.)	61.4	R,I
(9) T13N-R18E	11-S1/2, S1/2	Unnamed Lake	21.4	R
(10) T13N-R18E	11 S1/2 SE1/4	Unnamed Lake	21.3	R

[Order DE 76-16, § 173-20-800, filed 5/3/76; Order DE 72-14, § 173-20-800, filed 6/30/72.]

**WAC 173-20-810 Lakes coming under purview of chapter 90.58 RCW--Yakima County lakes of state-wide significance.**

Location	Section	Name	Area (Areas)	Use
(1) T13N-R23E	2/3	Priest Rapids Dam (Res.)	1080.0 Yakima Co. 4540.0 Grant Co. 2080.0 Kittitas Co.	
			7700.0 Total	P,R

[Order DE 72-14, § 173-20-810, filed 6/30/72.]

**WAC 173-20-820 Private lands within the confines of federal lands.** In addition to the delimitations contained herein, lakes or portions thereof which are located on nonfederal lands within the exterior boundaries of federal lands, which lakes fall within the definitions of lakes and lakes of state-wide significance, as stated in WAC 173-20-030, shall be likewise subject to the jurisdiction of chapter 90.58 RCW. [Order DE 72-14, § 173-20-820, filed 6/30/72.]

**Chapter 173-22 WAC**

**ADOPTION OF DESIGNATIONS OF WETLANDS ASSOCIATED WITH SHORELINES OF THE STATE**

WAC	Purpose.
173-22-010	Relationship to National Coastal Zone Management Act of 1972.
173-22-015	Act of 1972.
173-22-020	Applicability.
173-22-030	Definitions.
173-22-040	Designation criteria.
173-22-050	Review of designations.
173-22-055	Conflicts between designations and criteria.
173-22-060	Designation maps.
173-22-070	Lands within federal boundaries.

**Reviser's note:** Order 73-24, filed 8/28/73 amends maps of wetlands associated with shorelines of the state of Washington and are to be used in conjunction with Administrative Order 73-11, filed 7/20/73. Sections within this chapter filed will show this date where applicable. The maps are listed by county and are entitled "Shoreline Management Act of 1971, chapter 90.58 RCW amendment to the wetland designations of the state of Washington--chapter 173-22 WAC--Department of ecology--September 1973."

Order DE 77-18, filed 9/20/77 amends chapter 173-22 WAC, regarding designations of associated wetlands which constitute shorelines of the state and are subject to the Shoreline Management Act of 1971 as defined by RCW 90.58.030 (c), (d), (e), (f) and (g).

Order DE 78-15, filed 8/15/78 designating associated wetlands in San Juan County, consists of maps omitted from publication in the Washington Administrative Code under the authority of RCW 34.04.050(3) as being unduly cumbersome to publish. Copies of the maps may be obtained from the Department of Ecology, St. Martin's College, Lacey, Washington 98504.

**WAC 173-22-010 Purpose.** Pursuant to RCW 90.58.030 (2)(f), the department of ecology herein designates the wetland areas associated with the streams, lakes and tidal waters which are subject to the provisions of chapter 90.58 RCW. [Order DE 72-15, § 173-22-010, filed 6/30/72.]



**WAC 173-22-015 Relationship to National Coastal Zone Management Act of 1972.** Insofar as state law allows, the following designations are in conformance with the National Coastal Zone Management Act of 1972. [Order DE 73-11, § 173-22-015, filed 7/20/73.]

**WAC 173-22-020 Applicability.** The provisions of this chapter shall apply state-wide. [Order DE 72-15, § 173-22-020, filed 6/30/72.]

**WAC 173-22-030 Definitions.** As used herein, the following words have the following meanings:

(1) "Wetlands" or "wetland areas" means those lands extending landward for two hundred feet in all directions as measured on a horizontal plane from the ordinary high-water mark; and all marshes, bogs, swamps, floodways, river deltas and flood plains associated with the streams, lakes and tidal waters which are subject to the provisions of chapter 90.58 RCW.

(2) "Associated wetlands" means those wetlands or wetland areas which either influence or are influenced by and are in proximity to any stream, river, lake, or tidal water, or combination thereof, subject to chapter 90.58 RCW.

(3) The definitions set forth in chapter 90.58 RCW shall also apply as used herein. [Statutory Authority: RCW 90.58.030 (2)(f), 90.58.120, and 90.58.200. 80-08-086 (Order DE 80-22), § 173-22-030, filed 7/2/80; Order DE 73-11, § 173-22-030, filed 7/20/73; Order DE 72-15, § 173-22-030, filed 6/30/72.]

**WAC 173-22-040 Designation criteria.** (1) Salt-water areas and lakes. The wetlands shall be measured on a horizontal plane two hundred feet in all directions from the line of vegetation. If there is no vegetative cover, the measurement will be, wherever possible, from a line connecting the lines of vegetation on either side of an area; otherwise, the measurement will be from the mean higher high tide on salt water, and the mean high water on fresh water.

(2) Riverine flood plains.

(a) The wetland area within the flood plains shall be not less than those lands extending landward for two hundred feet in all directions as measured on a horizontal plane from the ordinary high water mark or floodway pursuant to subsection (b) below, whichever is greater. The wetland area shall not be greater than the 100-year flood plain boundary as established by acceptable methods.

(b) Wetland boundaries shall remain as the 100-year flood plain boundary, as defined by chapter 173-22 WAC, unless local government chooses to change the wetland boundaries. If the boundaries are changed, those changes shall be according to one of the following methods:

(i) Appropriate surface soil type boundaries.

(ii) Changes in type, quantity or quality of vegetative ground cover.

(iii) Readily identifiable natural barriers or permanent flood control devices such as levees, dikes or revetments.

(iv) Any reasonable method which meets the objectives of the Shoreline Management Act.

(c) The proposed revision of wetland boundaries by any of the above methods must be submitted to the department of ecology for review. Prior to submittal to the department of ecology, a decision as to the relative environmental significance of the revision shall be made pursuant to chapter 197-10 WAC, the SEPA guidelines. If the department of ecology is satisfied that the proposal conforms to the criteria contained herein, the local shoreline master program shall be revised to reflect the boundary changes. The department of ecology shall amend chapter 173-19 WAC (state master program) at a reasonable interval following amendment of the local shoreline master program.

(3) Marshes, bogs and swamps. If marshes, bogs and swamps which constitute associated wetlands extend more than two hundred feet beyond the ordinary high-water mark of the body of water with which they are associated, their perimeters shall be the outer limit of the wetland designation. Such marshes, bogs and swamps shall be defined and designated according, but not limited to, the following definitions:

(a) Marsh - A low flat area on which the vegetation consists mainly of herbaceous plants such as cattails, bulrushes, tules, sedges, skunk cabbage, and other aquatic or semi-aquatic plant. Shallow water usually stands on a marsh, at least during a considerable part of the year. The surface is commonly soft mud or muck.

(b) Bog - A depression or other undrained or poorly drained area containing, or covered with, peat (usually more than one layer) on which characteristic kinds of sedges, reeds, rushes, mosses, and other similar plants grow. In the early stages of development the vegetation is herbaceous and the peat is very wet. In middle stages the dominant vegetation is brush. In mature stages trees are usually the dominant vegetation, and the peat, at least near the surface, may be comparatively dry.

(c) Swamp - A swamp is similar to a marsh except that reeds and shrubs comprise the characteristic vegetation. Marshes and swamps merge into each other, and both tend to merge into bogs. [Statutory Authority: RCW 90.58.030 (2)(f), 90.58.120, and 90.58.200. 80-08-086 (Order DE 80-22), § 173-22-040, filed 7/2/80; Order DE 76-30, § 173-22-040, filed 7/27/76; Order DE 73-11, § 173-22-040, filed 7/20/73; Order DE 72-15, § 173-22-040, filed 6/30/72.]

**WAC 173-22-050 Review of designations.** The department shall review all the designations made herein at least once in every five-year period following the effective date of chapter 90.58 RCW or as frequently before then as is deemed advisable by the department, and prepare the necessary revisions to ensure that the designations conform to the policies of chapter 90.58 RCW and of chapter 173-22 WAC in the manner and form prescribed for adopting and amending rules and regulations in chapter 34.04 RCW (the Administrative Procedure Act). [Statutory Authority: RCW 90.58.030 (2)(f), 90.58.120, and 90.58.200. 80-08-086 (Order DE 80-22), § 173-22-050, filed 7/2/80; Order DE 73-11, §

173-22-050, filed 7/20/73; Order DE 72-15, § 173-22-050, filed 6/30/72.]

**WAC 173-22-055 Conflicts between designations and criteria.** In the event that any of the wetland designations shown on the maps conflict with the criteria set forth in this chapter the criteria shall control. The boundary of the designated wetland areas shall be governed by the criteria as follows:

(1) Saltwater areas and lakes. The wetland boundary for saltwater areas and lakes shall be designated as set forth in WAC 173-22-040.

(2) Riverine flood plains. The wetland boundary in riverine flood plain areas shall be designated as set forth in WAC 173-22-040. The 100-year flood plain boundary shown on the designation maps shall control except, where this boundary has been established and mapped by others using acceptable methods. As to the 100-year floodway, the flood insurance study maps published by the Federal Insurance Administration shall, when adopted by the local government, be used to ascertain the 100-year floodway location, provided that these criteria not affect the designations nor the criteria for designation of marshes, bogs or swamps which lie within the floodplain or floodways.

(3) Marshes, bogs, and swamps. The wetland boundary for marshes, bogs, and swamps shall be designated as set forth in WAC 173-22-040. [Statutory Authority: RCW 90.58.030 (2)(f), 90.58.120, and 90.58.200. 80-08-086 (Order DE 80-22), § 173-22-055, filed 7/2/80; Order DE 73-11, § 173-22-055, filed 7/20/73.]

**WAC 173-22-060 Designation maps.** [Due to the bulk of the maps designating the wetland areas, they are not included in the text of this chapter, but rather are incorporated herein as an appendix hereto, having full legal force and effect as if published herein. Copies of the appendix are available to the public at all reasonable times for inspection in the headquarters of the department of ecology in Olympia, the Washington state code reviser's office, the appropriate county auditor and city clerk. Copies of portions thereof, or of the complete set, will be available from the department at the expense of the party requesting the same.] [Statutory Authority: RCW 90.58.120, 90.58.200 and 90.58.030 (2)(f). 81-13-034 (Order DE 81-18), § 173-22-060, filed 6/15/81; Order DE 72-15, § 173-22-060, filed 6/30/72.]

**Reviser's note:** The designation maps filed with this rule are not capable of being reproduced in the Washington Administrative Code and are therefore omitted pursuant to RCW 34.04.050(3). Copies of the maps may be obtained from the Department of Ecology, Mailstop PV-11, Olympia, WA 98504, or may be inspected at the office of the code reviser.

**Reviser's note:** RCW 34.04.058 requires the use of underlining and deletion marks to indicate amendments to existing rules, and deems ineffectual changes not filed by the agency in this manner. The bracketed material in the above section does not appear to conform to the statutory requirement.

**Reviser's note:** Volumes I, II, III entitled "Shorelines under the Shorelines Management Act of 1971" (chapter 90.58 RCW, chapter 286, Laws of 1971 1st ex. sess.) were adopted by reference on June 30, 1972, Order DE 72-15, WAC 173-22-060 and filed July 27, 1972, in the code reviser's office. The volumes of maps are available to the

public for inspection in the Code Reviser's Office, Legislative Building, Olympia, WA, and can be purchased by writing the Department of Ecology, Olympia, WA 98504.

**WAC 173-22-070 Lands within federal boundaries.** In addition to those designations contained in the appendix, those nonfederal lands lying within the exterior boundaries of federal lands and those federal lands leased by the federal government to other persons, which lands fall within the definition of wetlands contained herein, shall also be subject to the jurisdiction of chapter 90.58 RCW. [Order DE 73-11, § 173-22-070, filed 7/20/73; Order DE 72-15, § 173-22-070, filed 6/30/72.]

### Chapter 173-24 WAC

## REGULATION RELATING TO TAX EXEMPTIONS AND CREDITS FOR POLLUTION CONTROL FACILITIES

### WAC

173-24-010	Introduction and purpose.
173-24-020	Authority.
173-24-030	Definitions.
173-24-040	Applications submitted to the department of revenue.
173-24-050	Applications reviewed by the department.
173-24-060	Action by the department within thirty days—Request for further information.
173-24-070	Identification and classification of facilities.
173-24-080	Approval of a facility.
173-24-090	Installation for the purpose of pollution control.
173-24-100	Operation for the purpose of pollution control.
173-24-110	Meeting the intent and purposes of chapters 70.94 and 90.48 RCW.
173-24-120	Treatment prior to connection to utilities.
173-24-125	Revision of prior findings.
173-24-130	Administrative appeal of department decision.
173-24-140	Delegation.
173-24-150	Delegation of state responsibilities under federal program.

**WAC 173-24-010 Introduction and purpose.** Chapter 82.34 RCW provides for tax credits and exemptions for pollution control facilities approved by the appropriate control agency. The purpose of this regulation is to establish a procedure for reviewing applications for tax benefits received from the department of revenue for review by the department of ecology, including the establishment of criteria for identifying the individual facilities within each application and, for each facility, approving the facility, approving the facility as a "dual purpose pollution control facility," or denying the facility. [Statutory Authority: RCW 43.21A.080 - 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-010, filed 3/14/78; Order DE 70-7, § 173-24-010, filed 8/4/71.]

**WAC 173-24-020 Authority.** This regulation is adopted pursuant to the authority granted the director of the department of ecology by RCW 43.21A.080 and 43.21A.090. [Order DE 70-7, § 173-24-020, filed 8/4/71.]

**WAC 173-24-030 Definitions.** Unless a different meaning is plainly required by the context, the following

words as hereinafter used in this chapter shall have the following meanings:

(1) "Commercial or industrial operation" shall mean the industrial, manufacturing, waste disposal, utility or other commercial establishment operated by an applicant for a certificate under chapter 82.34 RCW.

(2) "Department" shall mean the Washington state department of ecology.

(3) "Dual purpose pollution control facility" or "dual purpose facility" shall mean a facility in which the portion for the purpose of pollution control is so integrated into the total facility with portions for other purposes that separation into identifiable component parts is not possible.

(4) "Facility" shall mean any treatment works, control devices, disposal systems, machinery, equipment, structures or property for which a certificate is applied for under chapter 82.34 RCW or any physically or conceptually identifiable part or accessories thereof.

(5) "Necessary to the manufacture of products" shall mean that without which manufacture of products at the present or proposed level could not be undertaken.

If the manufacture of products could be undertaken at present levels without a facility, even though such manufacture would be uneconomical or impractical, such facility is not necessary to the manufacture of products. However, if a commercial or industrial operation is recovering or producing chemicals or heat for use in the manufacturing process at the time it submits an application, then any facilities necessary for such production or for recovery of chemicals at present percentage rates will be considered necessary to the manufacture of products.

(6) "Pollution" shall mean "air contaminant" and "air pollution" as defined in RCW 70.94.030, and "pollution" as defined in RCW 90.48.020.

(7) "Products" as used in the phrase, "manufacture of products," shall include the item or items which an industrial operation is designed primarily to manufacture or produce.

(8) "Regional or local air pollution control authority" shall mean any local or regional entity or control program considered as an "authority" for the purpose of chapter 70.94 RCW.

(9) "Single purpose facility" shall mean a facility other than a dual purpose facility. [Statutory Authority: RCW 43.21A.080 - 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-030, filed 3/14/78; Order DE 70-7, § 173-24-030, filed 8/4/71.]

**WAC 173-24-040 Applications submitted to the department of revenue.** Applications filed pursuant to RCW 82.34.020 shall be submitted to the department of revenue pursuant to that department's requirements. The department of revenue will supply an identifying application number and forward the application to the department or regional or local air pollution control authority, as appropriate, for review pursuant to RCW 82.34.030. [Order DE 70-7, § 173-24-040, filed 8/4/71.]

**WAC 173-24-050 Applications reviewed by the department.** The department will review applications for approval of facilities which may be designated "water pollution control facilities" as defined in RCW 82.34-.010 (1)(b). The department will also review any application relating to a facility which is not within the jurisdiction of an activated regional or local air pollution control authority, or which is within any area over which the department has assumed jurisdiction pursuant to RCW 70.94.390. The department will also review any application for approval of a facility relating to any air contaminant source subject to rules and regulations adopted by the department or its predecessor agencies pursuant to RCW 70.94.395.

The department will, when necessary, advise the department of revenue of the proper agency or agencies to which an application is to be submitted for review. [Order DE 70-7, § 173-24-050, filed 8/4/71.]

**WAC 173-24-060 Action by the department within thirty days—Request for further information.** The department shall within thirty days of receipt of an application from the department of revenue make the identification and classification described in WAC 173-24-070 and approval or denial described in WAC 173-24-080, or it shall request further information from the applicant. A copy of any request from the department to the applicant for further information shall be transmitted to the department of revenue. The failure of the applicant to supply any additional information requested by the department, without reasonable grounds for such failure, may result in disapproval of all or part of the application.

The department shall notify the department of revenue in writing of its decisions on any application submitted to it, and a copy of such notification shall be sent to the applicant by certified mail. [Statutory Authority: RCW 43.21A.080 - 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-060, filed 3/14/78; Order DE 70-7, § 173-24-060, filed 8/4/71.]

**WAC 173-24-070 Identification and classification of facilities.** The department will review each application to determine whether the facility is a single, integrated facility, or can be separated, either physically or conceptually, into identifiable component parts. Each component part shall be considered as a separate facility for the purpose of the department's review of the application. The department will identify all such facilities within each application.

For each facility identified, the department shall classify it as a "dual purpose facility" or a "single purpose facility." [Statutory Authority: RCW 43.21A.080 - 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-070, filed 3/14/78; Order DE 70-7, § 173-24-070, filed 8/4/71.]

**WAC 173-24-080 Approval of a facility.** The department shall approve any facility when:

(1) It was installed or intended to be installed for the primary purpose of pollution control, and;

(2) When it is operated or intended to be operated primarily for the purpose of pollution control, and;

(3) When it is suitable, reasonably adequate, and meets the intent and purposes of chapter 70.94 or 90.48 RCW;

If the facility does not meet these criteria, it shall be denied. [Statutory Authority: RCW 43.21A.080 - 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-080, filed 3/14/78; Order DE 70-7, § 173-24-080, filed 8/4/71.]

**WAC 173-24-090 Installation for the purpose of pollution control.** A facility will be considered to be installed or intended to be installed for the primary purpose of pollution control when:

(1) It was installed or intended to be installed in response to a requirement of the department or a regional or local air pollution control authority contained in a permit, order, or regulation which applies to the particular industry or commercial establishment [in] [is] question, and such facility meets or exceeds the requirements of such permit, order, or regulation and

(2) It was installed pursuant to a requirement developed under chapter 90.48 or 70.94 RCW and not under some other statute administered by the department such as, for example, chapter 70.95 or 70.105 RCW. [Statutory Authority: Chapter 82.34 RCW, RCW 43.21A.080, and 43.21A.090. 80-15-020 (Order DE 80-33), § 173-24-090, filed 10/7/80; Order DE 70-7, § 173-24-090, filed 8/4/71.]

**Reviser's note:** RCW 34.04.058 requires the use of underlining and deletion marks to indicate amendments to existing rules, and deems ineffectual changes not filed by the agency in this manner. The bracketed material in the above section does not appear to conform to the statutory requirement.

**WAC 173-24-100 Operation for the purpose of pollution control.** A facility is operated or intended to be operated primarily for the purpose of pollution control when:

(1) The emissions or effluents from the commercial or industrial operation do or will contain measurably less pollution with the facility installed than they would without the facility installed, and;

(2) For a facility other than a dual purpose facility it is not necessary to the manufacture of products. [Statutory Authority: RCW 43.21A.080 - 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-100, filed 3/14/78; Order DE 70-7, § 173-24-100, filed 8/4/71.]

**WAC 173-24-110 Meeting the intent and purposes of chapters 70.94 and 90.48 RCW.** A facility is suitable, reasonably adequate, and meets the intent and purposes of chapters 70.94 and 90.48 RCW, when:

(1) Normal operation of the particular commercial or industrial operation with the facility installed will not be in violation of any provision of chapter 70.94 or 90.48 RCW and;

(2) Such operation will meet the requirements of any applicable permits, orders, regulations or standards of the department or a regional or local air pollution control authority. [Statutory Authority: RCW 43.21A.080 - 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-110, filed 3/14/78; Order DE 70-7, § 173-24-110, filed 8/4/71.]

**WAC 173-24-120 Treatment prior to connection to utilities.** Any facility designed for the primary purpose of reducing, controlling, disposing of, or treating industrial or commercial wastes prior to the ultimate conveyance thereof to the waste collecting facilities of public or privately owned utilities shall be approved if it satisfies the requirements set forth in this chapter; however, any facility installed or constructed for the primary purpose of connecting any commercial establishment with the waste collecting facilities of public or privately owned utilities shall not be eligible for approval. [Order DE 70-7, § 173-24-120, filed 8/4/71.]

**WAC 173-24-125 Revision of prior findings.** On its own initiative or on complaint of the local or regional air pollution control agency in which an air pollution control facility is located, the department may revise the prior findings of the appropriate control agency whenever it appears that any of the conditions listed in RCW 82.34.100 (1) or (2) have been met or when the department determines that the prior determination had been made in error. [Statutory Authority: Chapter 82.34 RCW, RCW 43.21A.080, and 43.21A.090. 80-15-020 (Order DE 80-33), § 173-24-125, filed 10/7/80.]

**WAC 173-24-130 Administrative appeal of department decision.** The approval or disapproval by the department pursuant to RCW 82.34.030 of any application, or any revision of prior findings by the department pursuant to RCW 82.34.100 shall constitute a decision of the department subject to review by the pollution control hearings board pursuant to chapter 43.21B RCW. Any aggrieved party may appeal any such decision pursuant to the rules and regulations of the pollution control hearings board no later than thirty days after receipt of written notice thereof. [Order DE 70-7, § 173-24-130, filed 8/4/71.]

**WAC 173-24-140 Delegation.** The powers, duties and functions vested in the department by chapter 82.34 RCW, will be performed by the deputy director of the department or his delegate. [Statutory Authority: RCW 43.21A.080 - 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-140, filed 3/14/78; Order DE 70-7, § 173-24-140, filed 8/4/71.]

**WAC 173-24-150 Delegation of state responsibilities under federal program.** The functions of the "state certifying authority" for the federal tax credit program for pollution control facilities shall be performed by the deputy director of the department or his delegate. [Statutory Authority: RCW 43.21A.080 - 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), §

173-24-150, filed 3/14/78; Order DE 70-7, § 173-24-150, filed 8/4/71.]

**Chapter 173-28 WAC**  
**ESTABLISHING LAKE WASHINGTON AS A**  
**REGION PURSUANT TO SHORELINE**  
**MANAGEMENT ACT OF 1971**

WAC	
173-28-010	Authority.
173-28-020	Findings.
173-28-030	Conclusion.
173-28-040	Composition of Lake Washington region.
173-28-050	Geographical extent of region.
173-28-060	Duties of the local governmental units comprising the region.
173-28-070	Review of master programs by the department of ecology.
173-28-080	Fund availability.

**WAC 173-28-010 Authority.** This permanent regulation is adopted pursuant to chapter 34.04 RCW and sections 11(1) and 20 of chapter 286, Laws of 1971 ex. sess. and RCW 90.58.110(1) and 90.58.200. [Order 73-8, § 173-28-010, filed 6/19/73.]

**WAC 173-28-020 Findings.** In accord with section 11(1) of chapter 286, Laws of 1971 ex. sess. and RCW 90.58.110(1), the director of the department of ecology finds the following:

(a) That the shorelines and wetlands of Lake Washington constitute some of the most valuable natural resources of the state;

(b) That said shorelines and wetlands constitute shorelines of state-wide significance;

(c) That due to its proximity to the population center of the state, Lake Washington is subject to considerable pressures from both the public and private sectors for further development; and

(d) That eleven local governmental entities share local jurisdiction over the shorelines and wetlands of Lake Washington. [Order 73-8, § 173-28-020, filed 6/19/73.]

**WAC 173-28-030 Conclusion.** Having made the findings contained in WAC 173-28-020 of this regulation, the director, for the purpose of this permanent regulation, hereby designates Lake Washington as a region to assure a uniformity of policy in the preparation of master programs for Lake Washington. [Order 73-8, § 173-28-030, filed 6/19/73.]

**WAC 173-28-040 Composition of Lake Washington region.** The Lake Washington region shall be composed of each of the following local governments having jurisdiction over the shorelines and wetlands of Lake Washington:

- (a) Beaux Arts Village
- (b) Bellevue
- (c) Hunts Point
- (d) King County
- (e) Kirkland

- (f) Lake Forest Park
- (g) Medina
- (h) Mercer Island
- (i) Renton
- (j) Seattle
- (k) Yarrow Point

[Order 73-8, § 173-28-040, filed 6/19/73.]

**WAC 173-28-050 Geographical extent of region.** The Lake Washington region shall be comprised of all shorelines and wetlands as defined in RCW 90.58.030 (2)(d) which comprise Lake Washington, and, in addition, all wetlands designated by the department of ecology pursuant to chapters 173-18, 173-20, and 173-22 WAC, associated with Lake Washington. [Order 73-8, § 173-28-050, filed 6/19/73.]

**WAC 173-28-060 Duties of the local governmental units comprising the region.** Pursuant to RCW 90.58.110 it shall be the duty of each local governmental unit comprising the Lake Washington region to:

(1) Develop cooperatively with all other local governmental units in the region consistent policies to be utilized by local governments for developments on the shorelines and wetlands of Lake Washington, which policies, after adoption by the region, shall be incorporated into the master programs of the local governmental units comprising the region;

(2) Develop thereafter and submit to the department of ecology a separate master program pursuant to the policies established in conformity with section (1) above, for the shorelines and wetlands of Lake Washington falling within said local governmental unit;

(3) Obtain full citizen input consistent with the final guidelines approved pursuant to the Shoreline Management Act, which input shall address Lake Washington as a region. Consistent with their authority under any and all applicable laws, they should form a technical committee to act as staff for the region; and

(4) Appoint one or more members from the citizen advisory committee of the local governmental unit to serve on the regional citizen committee. [Order 73-8, § 173-28-060, filed 6/19/73.]

**WAC 173-28-070 Review of master programs by the department of ecology.** The department of ecology shall review as one master program all the policies and master programs submitted for Lake Washington by the governmental units comprising the region in the manner prescribed for review of master programs by RCW 90.58.090. [Order 73-8, § 173-28-070, filed 6/19/73.]

**WAC 173-28-080 Fund availability.** Recognizing that the regional planning provided for by this regulation may require funds over and above those needed for local shoreline planning efforts, the department will, to the extent funds are available for this purpose, make funds available to the region, pursuant to an agreement to be prepared in conformity with chapter 39.34 RCW. [Order 73-8, § 173-28-080, filed 6/19/73.]

## Chapter 173-32 WAC

## REGULATION RELATING TO ALLOCATION OF FINANCIAL AID TO COUNTIES AND CITIES TO ASSIST IN COMPREHENSIVE PLANNING FOR SOLID WASTE MANAGEMENT

## WAC

173-32-010	Introduction.
173-32-020	Purpose.
173-32-030	Criteria for allocation of funds.
173-32-040	Implementation.

**WAC 173-32-010 Introduction.** RCW 70.95.130 provides that counties and cities may apply to the department of ecology for financial aid for the preparation of a comprehensive county plan for solid waste management. Such a plan is described in RCW 70.95.080. RCW 70.95.130 further provides that the department shall determine priorities and allocate available funds among those counties and cities applying for aid, and shall adopt regulations establishing the criteria by which such allocations shall be made. Such criteria shall be based upon population, urban development, environmental effects of waste disposal, existing waste handling practices, and the local justification of proposed expenditures. [Order DE 71-2, § 173-32-010, filed 4/30/71.]

**WAC 173-32-020 Purpose.** The purpose of this regulation is to establish criteria by which the department of ecology shall allocate financial aid to counties and cities for the development of comprehensive solid waste management plans. [Order DE 71-2, § 173-32-020, filed 4/30/71.]

**WAC 173-32-030 Criteria for allocation of funds.** The criteria to be used by the department for allocation of funds are as follows: (1) Intensity of local solid waste management problems, including but not limited to their interrelationships with:

- (a) Population;
  - (b) Existing and proposed development of urban areas located within the applicant county or multicounty area and relationship with industrial, commercial and residential areas;
  - (c) Water pollution;
  - (d) Air pollution;
  - (e) Land management and zoning;
  - (f) Existing waste handling practices.
- (2) Evidence of the city-county cooperation necessary for development of a comprehensive county or multicounty solid waste management plan.
- (3) Availability of qualified personnel for planning purposes.
- (4) Other planning efforts undertaken or proposed within the planning jurisdiction and their relationship to solid waste management.
- (5) Ability to make rapid progress toward development of a comprehensive local plan.
- (6) Proportion of local solid waste planning costs to be borne by the applicant.
- (7) Existing and proposed participation of community groups, private industry, professional organizations, the

general public, and others toward development and implementation of the proposed solid waste management plan. [Order DE 71-2, § 173-32-030, filed 4/30/71.]

**WAC 173-32-040 Implementation.** The implementation of this regulation shall be performed by the assistant director provided for in section 2(3) of department of ecology docket No. DE 70-15. [Order DE 71-2, § 173-32-040, filed 4/30/71.]

## Chapter 173-34 WAC

## EXEMPTIONS FROM THE DETAILED STATEMENT REQUIREMENTS OF THE STATE ENVIRONMENTAL POLICY ACT

## WAC

173-34-010	Purpose.
173-34-020	Definitions.
173-34-030	Exemptions.
173-34-040	Exemptions—Nonexempt actions.
173-34-050	Exemptions—Limitation of exemptions.

**WAC 173-34-010 Purpose.** The purpose of this chapter is to establish, pursuant to chapter 179, Laws of 1973 1st ex. sess., those classes of actions of governmental agencies relating to the location, construction or modification of individual single-family residences which shall be exempt from the requirement for preparation of a "detailed statement" as provided in RCW 43.21C.030. [Order 73-15, § 173-34-010, filed 8/14/73.]

**WAC 173-34-020 Definitions.** (1) "Individual single-family residence" is defined as a house or similar dwelling designed to accommodate human habitation for not more than one family. The phrase is also defined to include garages, patios, buildings, and other appurtenant facilities directly associated with said house or similar dwelling.

(2) "Sensitive area" is defined as any area which:

(a) Contains significant threats to the environment arising from earth slides, avalanches, or flooding from a flood of a frequency expected to recur on the average of once every one hundred years or a flood magnitude which has a one percent chance of occurring in any given year; or

(b) Contains any special natural values such as a marsh land, or habitation place of substantial concentrations of flora or fauna or of rare or endangered species of flora or fauna or,

(c) Is being given special attention because of a problem of critically low or declining resource supply or quality, or

(d) Contains elements having significant aesthetic, recreational or historical value; or,

(e) Is within "shorelines of the state" as defined in the Shoreline Management Act of 1971.

(3) "Branches of government" are defined as state agencies, municipal and public corporations, and counties. [Order 73-15, § 173-34-020, filed 8/14/73.]

**WAC 173-34-030 Exemptions.** All classes of acts of branches of government in Washington relating directly to construction or modification of individual single-family residences located in areas of the state, other than sensitive areas, are exempted from the "detailed statement" requirement of RCW 43.21C.030 of the State Environmental Policy Act of 1971. Examples of such exempted acts include, but are not limited to, actions relating to:

- (1) Building permits
- (2) Sewerage/septic tank permits
- (3) Electric power facilities
- (4) Water supply facilities
- (5) Grading permits
- (6) Dimensional variances. [Order 73-15, § 173-34-030, filed 8/14/73.]

**WAC 173-34-040 Exemptions--Nonexempt actions.** Any action of a governmental agency pertaining to individual single-family residences not classified as exempt by WAC 173-34-030 shall not be presumed to either require or not require a "detailed statement." Every such nonexempted action shall be the subject of a determination by the governmental agency as to whether the same constitutes a major action requiring a "detailed statement." [Order 73-15, § 173-34-040, filed 8/14/73.]

**WAC 173-34-050 Exemptions--Limitation of exemptions.** (1) Recognition is given to ambiguous language of the statute involving the scope of the department of ecology's authority to exempt actions from the "detailed statement" requirements of SEPA. The department interprets chapter 43.21C RCW to be limited in its exemption authority to building permits and other actions relating to individual single-family residences. This interpretation is based on investigations of legislative history and background and is thought to best reflect legislative intent of this unclear wording.

(2) Section 1, chapter 179, Laws of 1973 1st ex. sess. directs the department to implement a regulation within a limited time after the section's effective date. The department recognizes that certain definitions contained in WAC 173-34-020(2) pertaining to "sensitive areas" are imprecise in terms of geographic coverage. The department of ecology intends to continue to investigate possibilities for alternative words of more precision for use in WAC 173-34-060, and when such words are developed, amend this regulation. [Order 73-15, § 173-34-050, filed 8/14/73.]

**WAC 173-40-010 Authority.** This regulation is adopted pursuant to chapter 90.52 RCW, the Pollution Disclosure Act of 1971, and chapter 43.21A RCW. [Order 72-26, § 173-40-010, filed 11/27/72.]

**WAC 173-40-020 Purpose.** Chapter 90.52 RCW requires the director of the department of ecology to adopt a critical materials registry and establish an annual reporting procedure for those operations which discharge wastes, other than sanitary sewage, into waters of the state and/or into the air of the state. [Order 72-26, § 173-40-020, filed 11/27/72.]

**WAC 173-40-030 Definitions.** As used herein "director" shall mean the director of the department of ecology. "Department" shall mean the department of ecology. Waters of the state shall include both surface and ground waters. [Order 72-26, § 173-40-030, filed 11/27/72.]

**WAC 173-40-040 Critical materials registry.** The director, having consulted with a committee of environmental specialists as required by law, hereby designates the following materials as critical materials to be set forth in a critical materials registry filed at the department:

- Asbestos
- Arsenic, elemental and compounds of
- Barium, soluble salts of
- Beryllium, elemental and compounds of
- Boron, elemental and compounds of
- Cadmium, elemental and compounds of
- Chlorinated hydrocarbons, compounds
- Chlorine, elemental and compounds of
- Chromium, soluble salts and all chromates
- Copper, elemental and compounds of
- Cyanides, compounds including the organic nitriles
- Fluorine, elemental and compounds of
- Lead, elemental and compounds of
- Mercury, elemental and compounds of
- Nickel, soluble salts of
- Organo phosphorus; insecticide, algacide, and slimeicide compounds
- Phenols and polychlorinated biphenyls, compounds
- Selenium, elemental and compounds of
- Silver, soluble salts of
- Zinc, soluble salts of

[Order 72-26, § 173-40-040, filed 11/27/72.]

**WAC 173-40-050 Annual reports.** Upon notification by the director of the department of ecology, commercial operations including industrial operations which discharge wastes, other than sanitary sewage, into waters of the state and/or into the air of the state, shall file annually, during the month of January, reports, on forms provided by the department. The information required shall pertain to those materials set forth in WAC 173-40-040 above, which are in excess of the corresponding materials occurring in the intake source used

**Chapter 173-40 WAC  
POLLUTION DISCLOSURE**

WAC	
173-40-010	Authority.
173-40-020	Purpose.
173-40-030	Definitions.
173-40-040	Critical materials registry.
173-40-050	Annual reports.

by the operation. The information shall also include volumes of process and cooling water to be discharged into the water, air or into any sewer system. The information given is to be an estimate of the amount(s) of such materials to be discharged in the calendar year in which the report is being filed. The reports shall be postmarked no later than January 31 and be sent to:

Director  
 Department of Ecology  
 Olympia, Washington 98504  
 ATTN: POLLUTION DISCLOSURE

[Order 72-26, § 173-40-050, filed 11/27/72.]

**Chapter 173-44 WAC**

**FEES--RADIOACTIVE WASTE MANAGEMENT FACILITIES**

WAC	
173-44-010	Purpose and scope.
173-44-020	Authority.
173-44-030	Definitions.
173-44-040	Perpetual care and maintenance fee.
173-44-050	PCM fee--Method of payment.
173-44-060	PCM fee--Disposition.
173-44-070	Severability.

**WAC 173-44-010 Purpose and scope.** The proper perpetual care and maintenance of radioactive waste management facilities is required to protect the public health, safety, and welfare. This chapter establishes the fees charged by the Washington state department of ecology for financing the necessary perpetual care and maintenance of radioactive waste management facilities. Promulgation of this regulation is further intended to satisfy the state's financial responsibilities to the United States government pursuant to the perpetual care agreement executed July 29, 1965. [Statutory Authority: 1983 1st ex.s. c 19 and Title 43 RCW. 83-18-020 (Order DE 83-25), § 173-44-010, filed 8/30/83. Formerly WAC 173-16-010.]

**WAC 173-44-020 Authority.** This chapter is promulgated by the state department of ecology pursuant to authority granted in RCW 43.21F.045 and chapter 19, Laws of 1983 1st ex. sess. [Statutory Authority: 1983 1st ex.s. c 19 and Title 43 RCW. 83-18-020 (Order DE 83-25), § 173-44-020, filed 8/30/83. Formerly WAC 173-16-020.]

**WAC 173-44-030 Definitions.** (1) "Facility" means any site, location, structure, or property used or to be used for the storage, disposal, or burial of radioactive materials or waste, which lies within the one hundred acre tract described in the perpetual care agreement between the state of Washington and the United States government executed July 29, 1965.

(2) "Department" means the Washington state department of ecology.

(3) "Perpetual care and maintenance" means the activities necessary to stabilize and secure a closed facility

during the perpetual care period, including but not limited to: Trench stabilization; upkeep of erosion control measures, fences, and warning signs; and sampling of monitor wells.

(4) "Sublessee" means a party to a sublease with the state of Washington for a portion of the one thousand acres of land, as described in the state's lease with the United States government executed September 10, 1964, lying within the Hanford Reservation. [Statutory Authority: 1983 1st ex.s. c 19 and Title 43 RCW. 83-18-020 (Order DE 83-25), § 173-44-030, filed 8/30/83. Formerly WAC 173-16-030.]

**WAC 173-44-040 Perpetual care and maintenance fee.** (1) Any sublessee of the state who stores, disposes, or buries radioactive materials or waste at a facility shall pay a perpetual care and maintenance fee.

(2) The perpetual care and maintenance fee shall be one dollar seventy-five cents per cubic foot of radioactive material or waste buried or permanently stored at a facility. [Statutory Authority: 1983 1st ex.s. c 19 and Title 43 RCW. 83-18-020 (Order DE 83-25), § 173-44-040, filed 8/30/83. Formerly WAC 173-16-040.]

**WAC 173-44-050 PCM fee--Method of payment.** (1) The perpetual care and maintenance fee shall be due on a quarterly basis for the quarters ending January 15, April 15, July 15, and October 15. All perpetual care and maintenance fee payments shall be paid within forty-five days after the due date.

(2) Perpetual care and maintenance payments shall be by check, draft, or money order payable to the Washington state department of ecology. [Statutory Authority: 1983 1st ex.s. c 19 and Title 43 RCW. 83-18-020 (Order DE 83-25), § 173-44-050, filed 8/30/83. Formerly WAC 173-16-050.]

**WAC 173-44-060 PCM fee--Disposition.** (1) Upon receipt of perpetual care and maintenance fee payments, the department shall transmit such payments to the state treasurer for deposit in the perpetual maintenance account authorized by chapter 19, Laws of 1983 1st ex. sess.

(2) Moneys in the perpetual maintenance account shall be invested by the state investment board in the same manner as other state moneys. Any interest accruing as a result of investment shall accrue to the perpetual maintenance account.

(3) The department shall maintain a segregated account of perpetual care and maintenance fee payments which are deposited in the perpetual maintenance account.

(4) The department, in consultation with the state radiation control agency, shall periodically evaluate the perpetual care and maintenance fee to determine whether it will provide adequate financing to assure perpetual care and maintenance of a closed facility. Any adjustments to the fees shall be made by rule adopted pursuant to chapter 34.04 RCW. [Statutory Authority:



1983 1st ex.s. c 19 and Title 43 RCW. 83-18-020 (Order DE 83-25), § 173-44-060, filed 8/30/83. Formerly WAC 173-16-060.]

**WAC 173-44-070 Severability.** If any portion of this chapter or its application to any person or circumstance is held invalid, the remainder of this chapter, or the application of the provision to other persons or circumstances, shall not be affected. [Statutory Authority: 1983 1st ex.s. c 19 and Title 43 RCW. 83-18-020 (Order DE 83-25), § 173-44-070, filed 8/30/83. Formerly WAC 173-16-070.]

### Chapter 173-58 WAC

#### SOUND LEVEL MEASUREMENT PROCEDURES

WAC	
173-58-010	Introduction.
173-58-020	Definitions.
173-58-030	Instrumentation.
173-58-040	Ambient conditions.
173-58-050	Measurement equipment preparation and use.
173-58-060	Equipment variation allowances.
173-58-070	Environmental noise measurement procedure.
173-58-080	Close proximity exhaust system sound level measurement procedure.
173-58-090	Watercraft sound level measurement procedure.

**WAC 173-58-010 Introduction.** (1) Authority. Statutory authority for the guidance and direction contained in these procedures is authorized by chapter 70.107 RCW, the Noise Control Act of 1974.

(2) Purpose. The purpose of these rules is to establish standardized procedures for the measurement of sound levels of sources regulated by the department of ecology, including, but not limited to, environmental noise, watercraft, motor racing vehicles, construction, float planes, railroads, and aircraft engine testing.

(3) Personnel. For the purposes of enforcement, personnel shall have received training in the use of equipment and proper site selection. Certification of competence in the use of the sound level measurement procedures established in this chapter shall be provided by the department of ecology upon a showing that the enforcement personnel can perform these procedures to the satisfaction of the department. Certification is not required for enforcement personnel to use the procedures described in this chapter, however training may be given only by persons certified by the department.

(4) These regulations will be amended as needed to include any new instrumentation, equipment, or procedures which the department shall deem necessary to accurately measure sound levels for enforcement purposes. [Statutory Authority: Chapter 70.107 RCW. 79-04-033 (Order DE 78-19), § 173-58-010, filed 3/22/79.]

**WAC 173-58-020 Definitions.** As used in this chapter, unless the context clearly indicates otherwise:

(1) "Background sound level" means the level of all sounds in a given environment, independent of the specific source being measured.

(2) "dBA" means the sound pressure level in decibels measured using the "A" weighting network on a sound level meter.

(3) "Department" means the department of ecology.

(4) "Director" means the director of the department of ecology.

(5) "EDNA" means the environmental designation for noise abatement, being an area or zone (environment) within which maximum permissible noise levels are established.

(6) "Impulse sound" means either a single pressure peak or a single burst of multiple pressure peaks which occur for a duration of less than one second as measured on a peak unweighted sound level meter.

(7) "Local government" means county or city government or any combination of the two.

(8) "Noise" means the intensity, duration and character of sounds, from any and all sources.

(9) "Operator" means any person who is in actual physical or electronic control of a powered watercraft, motor vehicle, aircraft, off highway vehicle, or any other engine driven vehicle.

(10) "Person" means any individual, corporation, partnership, association, governmental body, state agency, or other entity whatsoever.

(11) "Property boundary" means the surveyed line at ground surface, which separates the real property owned, rented, or leased by one or more persons, from that owned, rented, or leased by one or more other persons, and its vertical extension.

(12) "Racing event" means any motor vehicle competition conducted under a permit issued by a governmental authority having jurisdiction or, if such permit is not required, then under the auspices of a recognized sanctioning body.

(13) "Receiving property" means real property within which the maximum permissible noise levels specified in WAC 173-60-040 shall not be exceeded from sources outside such property.

(14) "Shoreline" means the existing intersection of water with the ground surface or with any permanent, shore-connected facility.

(15) "Sound level meter" means a device or combination of devices which measures sound pressure levels and conforms to Type 1, Type 2, or Type 3 standards as specified in the American National Standards Institute Specification S1.4-1971. An impulse sound level meter shall be a peak or impulse, unweighted sound level meter which is capable of measuring impulse sound in conformance with the Type 1 or Type 2 specifications of ANSI S1.4-1971.

(16) "Watercraft" means any contrivance, excluding aircraft, used or capable of being used as a means of transportation or recreation on water. A new watercraft is any watercraft with an internal or external combustion engine which has been manufactured after December 31, 1979, and for which the equitable or legal title has never been transferred to a person who, in good faith, purchases the new watercraft and/or engine for

purposes other than resale. [Statutory Authority: Chapter 70.107 RCW. 79-04-033 (Order DE 78-19), § 173-58-020, filed 3/22/79.]

**WAC 173-58-030 Instrumentation.** The following instrumentation and equipment shall be used for the measurement procedures established in this chapter:

(1) Sound level meter. The sound level meter shall meet the Type 1, Type 2, or Type 3 requirements of ANSI S1.4-1971. The meter weighting and response mode will be set as required in the specific procedure used. The sound level meter shall be returned to the manufacturer or a qualified laboratory at least once a year, to be calibrated to standards traceable to the National Bureau of Standards.

Type 1, Type 2, or Type 3 sound level meters shall be used for any initial inspection procedures, but only Type 1 or Type 2 sound level meters shall be used for the measurement of sound levels for enforcement purposes.

(2) Sound level calibrator. An acoustically coupled calibrator shall be used periodically to assure the accuracy of the sound level meter and microphone. The calibrator shall be returned to the manufacturer or a qualified laboratory at least once a year to be calibrated to standards traceable to the National Bureau of Standards.

(3) Tachometer. The tachometer shall be either one of two types: electric or vibrating reed. The electric tachometer shall be an inductive pickup type for easy attachment to any spark plug cable, contain its own internal power supply, and shall meet SAE J197 specifications for off road electric tachometers. The vibrating reed tachometer shall be designed for use on any internal combustion engine. Calibration accuracy for both types of tachometers shall be at least  $\pm 3$  percent of full scale reading. All tachometers shall be calibrated at least once a year in accordance with the manufacturer's calibration procedures.

(4) Windscreen. A windscreen of open cell foam, cloth, or other acoustically invisible material as shall be provided by the manufacturer, shall be placed over the microphone to protect it from moisture, exhaust gases and wind effects.

(5) Anemometer. An anemometer shall be used periodically during measurements to test the wind speed. [Statutory Authority: Chapter 70.107 RCW. 79-04-033 (Order DE 78-19), § 173-58-030, filed 3/22/79.]

**WAC 173-58-040 Ambient conditions.** The following ambient conditions shall be observed during measurements and shall determine whether testing is to occur or not:

(1) Wind. Sound level measurements shall not be made when the wind speed is in excess of:

(a) 20 mph (32 km/hr) for the close proximity test, WAC 173-58-080;

(b) 12 mph (19 km/hr) for all other tests.

(2) Precipitation. Sound level measurements shall not be made when precipitation is falling in such a way as to affect the equipment or the measurement readings.

(3) Background sound level. Sound level measurements shall not be made when the difference between the background sound level and the level of the measured sound source is less than 10 dBA, unless, the measurement personnel are technically qualified to logarithmically subtract the background level from the measured source's sound level. [Statutory Authority: Chapter 70.107 RCW. 79-04-033 (Order DE 78-19), § 173-58-040, filed 3/22/79.]

**WAC 173-58-050 Measurement equipment preparation and use.** (1) Battery check. A battery check shall be conducted on all instruments before field calibration and measurement.

(2) Calibration. Sound level meters shall be field calibrated (using procedures described in the manufacturer's instruction manual) at the beginning and end of each measurement period, and at intervals not exceeding two hours when the instrument is used for more than a two-hour period.

(3) Microphone orientation. The microphone shall be oriented with respect to the sound source as described in the manufacturer's instruction manual. [Statutory Authority: Chapter 70.107 RCW. 79-04-033 (Order DE 78-19), § 173-58-050, filed 3/22/79.]

**WAC 173-58-060 Equipment variation allowances.** Due to unavoidable variations in measurement sites and test instruments, the following allowances shall be made for the respective sound level meters:

$\pm 1$ dBA	for Type 1 sound level meters
$\pm 2$ dBA	for Type 2 sound level meters

This tolerance value shall be applied, after all necessary calculations have been made, to the final reported sound level for the measured sound source. [Statutory Authority: Chapter 70.107 RCW. 79-04-033 (Order DE 78-19), § 173-58-060, filed 3/22/79.]

**WAC 173-58-070 Environmental noise measurement procedure.** (Reserved.) [Statutory Authority: Chapter 70.107 RCW. 79-04-033 (Order DE 78-19), § 173-58-070, filed 3/22/79.]

**WAC 173-58-080 Close proximity exhaust system sound level measurement procedure.** This section establishes specific procedures for the measurement of sound levels from exhaust systems at a distance of 20 inches (0.5 meter) from the exhaust outlet. The procedures of subsections (3), (4) and (5) of this section shall not be used for exhaust systems which utilize the introduction of water to the exhaust gas flow for the purpose of muffling the exhaust noise levels, or systems which exhaust the gas flow directly into water.

(1) For the purposes of this section "vehicle" means any motor driven contrivance used as a means of transportation or recreation off of public highways.

(2) Initial inspection. An initial inspection of the vehicle exhaust system shall be conducted to determine if the following defects or modifications exist:

(a) The absence of a muffler;

(b) The presence of a muffler cut-out, bypass, or similar device which is not standard or normal equipment for the exhaust system being inspected;

(c) Defects in the exhaust system including, but not limited to, pinched outlets, and holes or rusted through areas of the muffler or pipes;

(d) The presence of equipment which will produce excessive or unusual noise from the exhaust system.

If the above defects are observed and are a violation of the muffler integrity standards established for the type of vehicle which is being inspected, then a citation shall be issued in accordance with the enforcement section of the applicable regulation.

An evaluation of the vehicle sound level shall also be made by the enforcement officer, using the human ear as a sensing device.

If the exhaust noise is discernibly louder than the engine noise, or if any of the defects or modifications described above exist but are not violations of applicable regulations, the enforcement officer shall request the vehicle operator to submit the vehicle to any measurement procedures described in this chapter which are applicable to the type of vehicle being inspected. If the operator refuses to submit the vehicle to these measurement procedures, he shall be in violation of this chapter.

(3) Test site and instrumentation set up. The test site and instrumentation shall be set up as follows:

(a) The test site shall be a flat, open area free of large, sound-reflecting surfaces (other than the surface on which the vehicle is resting), such as signboards, buildings, large docks, hillsides, or other vehicles, located within a 16-foot (5-meter) radius of the vehicle being tested and the location of the microphone. The vehicle shall not be on a hoist, rack, or over a pit. Testing shall not occur within a shop or building. Nobody shall stand in the measurement area, except the observer and the vehicle operator.

(b) The microphone shall be at the same height as the center of the exhaust outlet if possible, but no closer to any surface than 8 inches (0.2 meter). The microphone shall be positioned with its longitudinal axis parallel to the ground,  $20 \pm 1$  inches (0.5 meter) from the edge of the exhaust outlet, and  $45 \pm 10$  degrees from the axis of the outlet. For exhaust outlets located inboard from the vehicle body, the microphone shall be located at the above specified angle and at least 8 inches (0.2 meter) from the nearest part of the vehicle.

For vehicles provided with exhaust outlets spaced more than 12 inches (0.3 meter) apart, measurements shall be made for each outlet as if it were the only one, and the highest level shall be recorded. If the exhaust outlets are less than twelve inches (0.3 meter) apart, a single measurement shall be made for any one of the outlets.

For vehicles with a vertical exhaust, the microphone shall be placed at a height of  $48 \pm 2$  inches (1.2 meter). Its axis shall be vertical and oriented upwards. It shall be placed at a distance of  $20 \pm 1$  inches (0.5 meter) from the side of the vehicle nearest the exhaust outlet.

For vehicles with the exhaust system outlet near the engine, the engine hood (if one exists) should be closed as much as possible to reduce engine noise.

If a measuring device is attached to the exhaust outlet and the microphone to maintain proper distance, insure that no vibrations from the vehicle shall be transmitted to the instrument.

(4) Vehicle operation. The vehicle shall be operated as follows:

(a) Controlled ignition vehicles. The engine shall be operated at a normal operating temperature with transmission in park or neutral. Sound level measurements shall be made at three-fourths (75 percent) of the RPM for rated horsepower  $\pm 100$  RPM of meter reading.

(b) Vehicles with motorcycle engines. The engine shall be operated at normal operating temperatures with the transmission in neutral. If no neutral is provided, the vehicle shall be operated either with the rear wheel or wheels 2-4 inches (5-10 centimeters) clear of the ground, or with the drive chain or belt removed. The sound level measurement shall be made with the engine speed stabilized at one of the following values:

(i) If the engine data is available, test the vehicle at one-half (50 percent) of the RPM for maximum rated horsepower  $\pm 100$  RPM.

(ii) If the engine data is not available, and if the vehicle has a tachometer showing the manufacturer's recommended maximum engine speed ("red line"), test the vehicle at 60 percent of the "red line" RPM  $\pm 100$  RPM.

(iii) If the engine data and red line RPM are not available, test the vehicle at:

(A)  $3500 \pm 100$  RPM for engines with total cylinder displacement between 0-950 cc (0-58 in.<sup>3</sup>).

(B)  $2800 \text{ RPM} \pm 100 \text{ RPM}$  for engines with total cylinder displacement greater than 950 cc (58 in.<sup>3</sup>).

(c) Diesel engine vehicles. The engine shall be operated at normal operating temperatures with transmission in park or neutral. Sound level measurements shall be made at the vehicle's maximum governed no-load speed. If the engine is not provided with a governor, the vehicle shall be operated in the same manner as a vehicle with a controlled ignition.

(5) Measurement. The exhaust system sound level shall be measured as follows:

(a) The sound level meter shall be set for slow response and on the "A" weighting scale.

(b) The sound level meter shall be observed during the full cycle of engine acceleration-deceleration. The recorded sound level shall be the highest value obtained at the appropriate, constant engine speed as specified in subsection (4) of this section, and shall exclude peaks due to unrelated ambient noise, engine noise, or extraneous impulsive-type noise.

(c) At least two measurements shall be made, and the reported sound level shall be the average of the two highest readings which are within one dBA of each other. [Statutory Authority: Chapter 70.107 RCW, 79-04-033 (Order DE 78-19), § 173-58-080, filed 3/22/79.]

**WAC 173-58-090 Watercraft sound level measurement procedure.** This section establishes specific procedures for the measurement of watercraft sound levels.

(1) Initial inspection. An initial inspection may be made to determine if the watercraft shall be required to undergo the pass-by measurement described in subsections (2), (3), and (4) of this section.

(a) A Type 3 or better sound level meter shall be used to measure the sound level of any watercraft. The microphone shall be located in a boat or on a dock and no closer than 2 feet from any surface of the boat or dock.

(b) The watercraft shall be measured as it passes at a distance not less than 50 feet from the microphone.

(c) The enforcement officer shall require the watercraft operator to submit to a pass-by or exhaust system sound level measurement if the initial inspection level is within 2 dBA of, or greater than, the levels established in WAC 173-70-040(3).

(2) Test site and instrumentation set-up. The test site and instrumentation shall be set up as follows:

(a) The test site shall be a calm body of water, large enough to allow full-speed pass-bys. The area around the microphone and boat shall be free of large obstructions, other than the deck or platform on which the microphone is standing, such as buildings, boats, hills, large piers, breakwater, etc., for a minimum distance of 100 feet (30 m). Three markers (buoys or posts) shall be placed in line, 50 feet (15 m) apart, to mark the course the boat is to follow while being tested.

(b) The sound level meter shall be a Type 2 or better. The microphone shall be placed 50 feet (15 m) from the line determined by the three markers, normal to the line and opposite the center marker. It shall also be placed 4-5 feet (1.2-1.5 m) above the water surface and no closer than 2 feet (0.6 m) from the surface of the deck or platform on which the microphone stands, as near to the end of the deck or platform as possible or overhanging the end of the deck or platform.

(3) Watercraft operation. The watercraft shall pass within 1-3 feet (0.3-0.9 meter) on the far side of all three markers, on a straight course.

(a) Watercraft which weigh less than 7,000 lbs. gross weight shall be operated according to the following procedure. The watercraft shall approach the first marker at idle speed. When the bow is even with the first marker, the engine shall be immediately accelerated to its full throttle RPM range. The watercraft shall continue to accelerate until its bow passes the third marker.

(b) Watercraft which weigh 7,000 lbs. or more gross weight shall be operated at the midpoint of the manufacturer's recommended maximum continuous (or "cruise") RPM range,  $\pm$  100 RPM. The watercraft shall be at this speed when it passes the first marker, and shall continue to operate at this speed until its bow passes the third marker.

(4) Measurement. The watercraft sound level shall be measured as follows:

(a) The sound level meter shall be set for fast response and on the "A" weighting scale.

(b) The meter shall be observed during the entire passby. The applicable reading shall be the sound level

obtained as the stern of the watercraft passes the middle marker. Peaks due to unrelated ambient noise, water noise from waves or wakes, propellor cavitation noise, or extraneous impulsive-type noise shall be excluded. At least two measurements shall be made for each side of the watercraft. All values shall be recorded.

(c) The sound level for each side of the watercraft shall be the average of the two highest readings which are within 1 dBA of each other, rounded to the nearest 0.5 dBA. The reported sound level shall be that of the loudest side of the watercraft.

(5) New watercraft shall be tested according to the specifications of the SAE J34 measurement procedure. [Statutory Authority: Chapter 70.107 RCW. 79-04-033 (Order DE 78-19), § 173-58-090, filed 3/22/79.]

## Chapter 173-60 WAC

### MAXIMUM ENVIRONMENTAL NOISE LEVELS

#### WAC

173-60-010	Authority and purpose.
173-60-020	Definitions.
173-60-030	Identification of environments.
173-60-040	Maximum permissible environmental noise levels.
173-60-050	Exemptions.
173-60-060	Nuisance regulations not prohibited.
173-60-070	Future regulations.
173-60-080	Variations and implementation schedules.
173-60-090	Enforcement policy.
173-60-100	Appeals.
173-60-110	Cooperation with local government.
173-60-120	Effective date.

**WAC 173-60-010 Authority and purpose.** These rules are adopted pursuant to chapter 70.107 RCW, the Noise Control Act of 1974, in order to establish maximum noise levels permissible in identified environments, and thereby to provide use standards relating to the reception of noise within such environments. [Order 74-32, § 173-60-010, filed 4/22/75, effective 9/1/75.]

**WAC 173-60-020 Definitions.** (1) "Background sound level" means the level of all sounds in a given environment, independent of the specific source being measured.

(2) "dBA" means the sound pressure level in decibels measured using the "A" weighting network on a sound level meter. The sound pressure level, in decibels, of a sound is 20 times the logarithm to the base 10 of the ratio of the pressure of the sound to a reference pressure of 20 micropascals.

(3) "Department" means the department of ecology.

(4) "Director" means the director of the department of ecology.

(5) "Distribution facilities" means any facility used for distribution of commodities to final consumers, including facilities of utilities that convey water, waste water, natural gas, and electricity.

(6) "EDNA" means the environmental designation for noise abatement, being an area or zone (environment) within which maximum permissible noise levels are established.

(7) "Existing" means a process, event, or activity in an established area, producing sound subject to or exempt from this chapter, prior to the effective date of September 1, 1975.

(8) "Local government" means county or city government or any combination of the two.

(9) "Noise" means the intensity, duration and character of sounds, from any and all sources.

(10) "Person" means any individual, corporation, partnership, association, governmental body, state agency or other entity whatsoever.

(11) "Property boundary" means the surveyed line at ground surface, which separates the real property owned, rented, or leased by one or more persons, from that owned, rented, or leased by one or more other persons, and its vertical extension.

(12) "Racing event" means any motor vehicle competition conducted under a permit issued by a governmental authority having jurisdiction or, if such permit is not required, then under the auspices of a recognized sanctioning body.

(13) "Receiving property" means real property within which the maximum permissible noise levels specified herein shall not be exceeded from sources outside such property.

(14) "Sound level meter" means a device which measures sound pressure levels and conforms to Type 1 or Type 2 as specified in the American National Standards Institute Specification S1.4-1971.

(15) "Watercraft" means any contrivance, excluding aircraft used or capable of being used as a means of transportation or recreation on water. [Statutory Authority: Chapter 70.107 RCW. 83-15-046 (Order DE 82-42), § 173-60-020, filed 7/19/83; Order DE 77-1, § 173-60-020, filed 6/1/77; Order 74-32, § 173-60-020, filed 4/22/75, effective 9/1/75.]

#### WAC 173-60-030 Identification of environments.

(1) Except when included within specific prior designations as provided in subsections (2), (3), and (4) of this section, the EDNA of any property shall be based on the following typical uses, taking into consideration the present, future, and historical usage, as well as the usage of adjacent and other lands in the vicinity.

(a) Class A EDNA - Lands where human beings reside and sleep. Typically, Class A EDNA will be the following types of property used for human habitation:

- (i) Residential
- (ii) Multiple family living accommodations
- (iii) Recreational and entertainment, (e.g., camps, parks, camping facilities, and resorts)
- (iv) Community service, (e.g., orphanages, homes for the aged, hospitals, health and correctional facilities)

(b) Class B EDNA - Lands involving uses requiring protection against noise interference with speech. Typically, Class B EDNA will be the following types of property:

- (i) Commercial living accommodations
- (ii) Commercial dining establishments
- (iii) Motor vehicle services
- (iv) Retail services

(v) Banks and office buildings

(vi) Miscellaneous commercial services, property not used for human habitation

(vii) Recreation and entertainment, property not used for human habitation (e.g., theaters, stadiums, fairgrounds, and amusement parks)

(viii) Community services, property not used for human habitation (e.g., educational, religious, governmental, cultural and recreational facilities).

(c) Class C EDNA - Lands involving economic activities of such a nature that higher noise levels than experienced in other areas is normally to be anticipated. Persons working in these areas are normally covered by noise control regulations of the department of labor and industries. Uses typical of Class A EDNA are generally not permitted within such areas. Typically, Class C EDNA will be the following types of property:

(i) Storage, warehouse, and distribution facilities.

(ii) Industrial property used for the production and fabrication of durable and nondurable man-made goods

(iii) Agricultural and silvicultural property used for the production of crops, wood products, or livestock.

(d) Where there is neither a zoning ordinance in effect nor an adopted comprehensive plan, the legislative authority of local government may, by ordinance or resolution, designate specifically described EDNAs which conform to the above use criteria and, upon departmental approval, EDNAs so designated shall be as set forth in such local determination.

(e) Where no specific prior designation of EDNAs has been made, the appropriate EDNA for properties involved in any enforcement activity will be determined by the investigating official on the basis of the criteria of (a), (b), and (c) of this subsection.

(2) In areas covered by a local zoning ordinance, the legislative authority of the local government may, by ordinance or resolution designate EDNAs to conform with the zoning ordinance as follows:

- (a) Residential zones - Class A EDNA
- (b) Commercial zones - Class B EDNA
- (c) Industrial zones - Class C EDNA

Upon approval by the department, EDNAs so designated shall be as set forth in such local determination. EDNA designations shall be amended as necessary to conform to zone changes under the zoning ordinance.

(3) In areas not covered by a local zoning ordinance but within the coverage of an adopted comprehensive plan the legislative authority of the local government may, by ordinance or resolution designate EDNAs to conform with the comprehensive plan as follows:

- (a) Residential areas - Class A EDNA
- (b) Commercial areas - Class B EDNA
- (c) Industrial areas - Class C EDNA

Upon approval by the department EDNAs so designated shall be as set forth in such local determination. EDNA designations shall be amended as necessary to conform to changes in the comprehensive plan.

(4) The department recognizes that on certain lands, serenity, tranquility, or quiet are an essential part of the quality of the environment and serve an important public need. Special designation of such lands with appropriate

noise level standards by local government may be adopted subject to approval by the department. The director may make such special designation pursuant to the procedures of the Administrative Procedure Act, chapter 34.04 RCW. [Order 74-32, § 173-60-030, filed 4/22/75, effective 9/1/75.]

**WAC 173-60-040 Maximum permissible environmental noise levels.** (1) No person shall cause or permit noise to intrude into the property of another person which noise exceeds the maximum permissible noise levels set forth below in this section.

(2) (a) The noise limitations established are as set forth in the following table after any applicable adjustments provided for herein are applied.

EDNA of NOISE SOURCE	EDNA of RECEIVING PROPERTY		
	Class A	Class B	Class C
CLASS A	55dBA	57dBA	60dBA
CLASS B	57	60	65
CLASS C	60	65	70

(b) Between the hours of 10:00 p.m. and 7:00 a.m. the noise limitations of the foregoing table shall be reduced by 10 dBA for receiving property within Class A EDNAs.

(c) At any hour of the day or night the applicable noise limitations in (a) and (b) above may be exceeded for any receiving property by no more than:

- (i) 5 dBA for a total of 15 minutes in any one-hour period; or
- (ii) 10 dBA for a total of 5 minutes in any one-hour period; or
- (iii) 15 dBA for a total of 1.5 minutes in any one-hour period. [Order 74-32, § 173-60-040, filed 4/22/75, effective 9/1/75.]

**WAC 173-60-050 Exemptions.** (1) The following shall be exempt from the provisions of WAC 173-60-040 between the hours of 7:00 a.m. and 10:00 p.m.:

- (a) Sounds originating from residential property relating to temporary projects for the maintenance or repair of homes, grounds and appurtenances.
- (b) Sounds created by the discharge of firearms on authorized shooting ranges.
- (c) Sounds created by blasting.
- (d) Sounds created by aircraft engine testing and maintenance not related to flight operations: *Provided*, That aircraft testing and maintenance shall be conducted at remote sites whenever possible.
- (e) Sounds created by the installation or repair of essential utility services.

(2) The following shall be exempt from the provisions of WAC 173-60-040 (2)(b):

- (a) Noise from electrical substations and existing stationary equipment used in the conveyance of water, waste water, and natural gas by a utility.

(b) Noise from existing industrial installations which exceed the standards contained in these regulations and which, over the previous three years, have consistently operated in excess of 15 hours per day as a consequence of process necessity and/or demonstrated routine normal operation. Changes in working hours, which would affect exemptions under this regulation, require approval of the department.

(3) The following shall be exempt from the provisions of WAC 173-60-040, except insofar as such provisions relate to the reception of noise within Class A EDNAs between the hours of 10:00 p.m. and 7:00 a.m.

(a) Sounds originating from temporary construction sites as a result of construction activity.

(b) Sounds originating from forest harvesting and silvicultural activity.

(4) The following shall be exempt from all provisions of WAC 173-60-040:

(a) Sounds created by motor vehicles when regulated by chapter 173-62 WAC.

(b) Sounds originating from aircraft in flight and sounds that originate at airports which are directly related to flight operations.

(c) Sounds created by surface carriers engaged in interstate commerce by railroad.

(d) Sounds created by warning devices not operating continuously for more than five minutes, or bells, chimes, and carillons.

(e) Sounds created by safety and protective devices where noise suppression would defeat the intent of the device or is not economically feasible.

(f) Sounds created by emergency equipment and work necessary in the interests of law enforcement or for health safety or welfare of the community.

(g) Sounds originating from motor vehicle racing events at existing authorized facilities.

(h) Sounds originating from officially sanctioned parades and other public events.

(i) Sounds emitted from petroleum refinery boilers during startup of said boilers: *Provided*, That the startup operation is performed during daytime hours whenever possible.

(j) Sounds created by watercraft.

(k) Sounds created by the discharge of firearms in the course of hunting.

(l) Sounds caused by natural phenomena and unamplified human voices.

(m) Sounds created by motor vehicles, licensed or unlicensed, when operated off public highways EXCEPT when such sounds are received in Class A EDNAs.

(n) Sounds originating from existing natural gas transmission and distribution facilities. However, in circumstances where such sounds impact EDNA Class A environments and complaints are received, the director or his designee may take action to abate by application of EDNA Class C source limits to the facility under the requirements of WAC 173-60-050(5).

(6) Nothing in these exemptions is intended to preclude the department from requiring installation of the best available noise abatement technology consistent with economic feasibility. The establishment of any such

requirement shall be subject to the provisions of the Administrative Procedure Act, chapter 34.04 RCW. [Statutory Authority: Chapter 70.107 RCW. 83-15-046 (Order DE 82-42), § 173-60-050, filed 7/19/83; Order DE 77-1, § 173-60-050, filed 6/1/77; Order 75-18, § 173-60-050, filed 8/1/75; Order 74-32, § 173-60-050, filed 4/22/75, effective 9/1/75.]

**WAC 173-60-060 Nuisance regulations not prohibited.** Nothing in this chapter or the exemptions provided herein, shall be construed as preventing local government from regulating noise from any source as a nuisance. Local resolutions, ordinances, rules or regulations regulating noise on such a basis shall not be deemed inconsistent with this chapter by the department. [Order 74-32, § 173-60-060, filed 4/22/75, effective 9/1/75.]

**WAC 173-60-070 Future regulations.** It is the intention of the department to establish use standards and/or performance standards for the following sources of noise exempted or partially exempted from the requirements of this chapter within two years after adequate legislative funding is made available to conduct studies providing the necessary data.

(1) Sounds created by aircraft engine testing and maintenance not related to flight operations, through the adoption of a new chapter 173-64 WAC.

(2) Sounds created by construction equipment and emanating from construction sites, through the adoption of a new chapter 173-66 WAC.

(3) Sounds created by motor vehicle racing events, through the adoption of a new chapter 173-63 WAC.

(4) Sounds created by watercraft, through the adoption of a new chapter 173-70 WAC.

(5) Sounds created by the operation of equipment or facilities of surface carriers engaged in commerce by railroad, to the extent consistent with federal law and regulations through the adoption of a new chapter 173-72 WAC. [Order DE 77-1, § 173-60-070, filed 6/1/77; Order 74-32, § 173-60-070, filed 4/22/75, effective 9/1/75.]

**WAC 173-60-080 Variances and implementation schedules.** (1) Variances may be granted to any person from any particular requirement of this chapter, if findings are made that immediate compliance with such requirement cannot be achieved because of special circumstances rendering immediate compliance unreasonable in light of economic or physical factors, encroachment [encroachment] upon an existing noise source, or because of nonavailability of feasible technology or control methods. Any such variance or renewal thereof shall be granted only for the minimum time period found to be necessary under the facts and circumstances.

(2) An implementation schedule for achieving compliance with this chapter shall be incorporated into any variance issued.

(3) Variances shall be issued only upon application in writing and after providing such information as may be

requested. No variance shall be issued for a period of more than 30 days except upon due notice to the public with opportunity to comment. Public hearings may be held, when substantial public interest is shown, at the discretion of the issuing agency.

(4) Sources of noise, subject to this chapter, upon which construction begins after the effective date hereof shall immediately comply with the requirements of this chapter, except in extraordinary circumstances where overriding considerations of public interest dictate the issuance of a variance. [Order 74-32, § 173-60-080, filed 4/22/75, effective 9/1/75.]

**WAC 173-60-090 Enforcement policy.** Noise measurement for the purposes of enforcing the provisions of WAC 173-060-040 shall be measured in dBA with a sound level meter with the point of measurement being at any point within the receiving property. Such enforcement shall be undertaken only upon receipt of a complaint made by a person who resides, owns property, or is employed in the area affected by the noise complained of, EXCEPT for parks, recreational areas, and wildlife sanctuaries. For enforcement purposes pursuant to RCW 70.107.050, each day, defined as the 24-hour period beginning at 12:01 a.m., in which violation of the noise control regulations (chapter 173-60 WAC) occurs, shall constitute a separate violation. [Order DE 76-5, § 173-60-090, filed 2/5/76; Order 74-32, § 173-60-090, filed 4/22/75, effective 9/1/75.]

**WAC 173-60-100 Appeals.** Any person aggrieved by any decision of the department in relation to the enforcement of the maximum permissible noise levels provided for herein, the granting or denial of a variance or the approval or disapproval of a local resolution or ordinance for noise abatement and control may appeal to the pollution control hearings board pursuant to chapter 43-.21B RCW under the procedures of chapter 371-08 WAC. [Order 74-32, § 173-60-100, filed 4/22/75, effective 9/1/75.]

**WAC 173-60-110 Cooperation with local government.** (1) The department conceives the function of noise abatement and control to be primarily the role of local government and intends actively to encourage local government to adopt measures for noise abatement and control. Wherever such measures are made effective and are being actively enforced, the department does not intend to engage directly in enforcement activities.

(2) No ordinance or resolution of any local government which imposes noise control requirements differing from those adopted by the department shall be effective unless and until approved by the director. If approval is denied, the department, within 60 days of submission of such local ordinance or resolution to the department, shall deliver its statement or order of denial, designating in detail the specific provision(s) found to be objectionable and the precise grounds upon which the denial is based, and shall submit to the local government, the department's suggested modification.

(3) The department shall encourage all local governments enforcing noise ordinances pursuant to this chapter to consider noise criteria and land use planning and zoning. [Order 74-32, § 173-60-110, filed 4/22/75, effective 9/1/75.]

**WAC 173-60-120 Effective date.** This chapter shall become effective on September 1, 1975. It is the intention of the department to periodically review the provisions hereof as new information becomes available for the purpose of making amendments as appropriate. [Order 74-32, § 173-60-120, filed 4/22/75, effective 9/1/75.]

### Chapter 173-62 WAC

#### MOTOR VEHICLE NOISE PERFORMANCE STANDARDS

##### WAC

173-62-010	Authority and purpose.
173-62-020	Definitions.
173-62-030	Standards.
173-62-040	Exemptions.
173-62-050	Implementation schedules.
173-62-060	Enforcement.
173-62-070	Effective date.

**WAC 173-62-010 Authority and purpose.** (1) Under RCW 70.107.030(5) of the Noise Control Act of 1974 (chapter 183, Laws of 1974), the legislature directed the department of ecology, in exercising rule-making authority to give first priority to the adoption of motor vehicle noise performance standards. The purpose of this chapter is to carry out that legislative directive through the adoption of noise emission standards for new motor vehicles and noise emission standards for the operation of motor vehicles on public highways.

(2) Local needs. The standards established in this chapter provide several methods of evaluating motor vehicle noise levels. Nothing in these rules is meant to require enforcement agencies or local governments to adopt or use every standard in this chapter to determine a violation. Specific local needs shall dictate the standard(s) which may be adopted or used. [Statutory Authority: Chapter 70.107 RCW. 80-14-041 (Order DE 80-29), § 173-62-010, filed 9/30/80; Order DE 74-33, § 173-62-010, filed 1/30/75, effective 7/1/75.]

**WAC 173-62-020 Definitions.** As used in this chapter:

(1) "dBA" means the sound level in decibels measured using the "A" weighting network on a sound level meter as specified in the American National Standard Specification For Sound Level Meters S1.4-1971. A decibel is a unit of sound, based on a logarithmic scale, of the ratio of the magnitude of a particular sound pressure to a standard reference pressure of 20 micropascals;

(2) "Department" means the department of ecology;

(3) "Director" means director of the department of ecology;

(4) "Gross vehicle weight rating (GVWR)" means the value specified by the manufacturer as the loaded weight of a single vehicle;

(5) "In-use" motor vehicle is any motor vehicle which is used on a public highway, except farm vehicles as defined under RCW 46.04.181;

(6) "Motor vehicle" means any vehicle which is self-propelled, used primarily for transporting persons or property upon public highways and required to be licensed under RCW 46.16.010 (aircraft, water craft and vehicles used exclusively on stationary rails or tracks are not motor vehicles as that term is used herein);

(7) "Motorcycle" means any motor vehicle having a saddle for the use of the rider and designed to travel on not more than three wheels in contact with the ground, except farm tractors;

(8) "Muffler" means a device consisting of a series of chambers or other mechanical designs for the purpose of receiving exhaust gas from an internal combustion engine and effective in reducing noise to comply with the standards of this chapter;

(9) "New motor vehicle" means a motor vehicle manufactured after December 31, 1975, whose equitable or legal title has never been transferred to a person who, in good faith, purchases the new motor vehicle for purposes other than resale;

(10) "Off-highway vehicle" means any self-propelled vehicle not used primarily for transporting persons or property upon public highways nor required to be licensed under RCW 46.16.010;

(11) "Person" means any individual, corporation, partnership, association, governmental body, state agency or other entity whatsoever;

(12) "Public highway" means the entire width between the boundary lines of every way publicly maintained by the department of highways or any county or city when any part thereof is generally open to the use of the public for purposes of vehicular travel as a matter of right;

(13) "Sound level" means a weighted sound pressure level measured by use of a sound level meter using the "A" weighting network and reported as dBA. [Statutory Authority: Chapter 70.107 RCW. 80-14-041 (Order DE 80-29), § 173-62-020, filed 9/30/80; Order DE 75-17, § 173-62-020, filed 8/11/75; Order DE 74-33, § 173-62-020, filed 1/30/75, effective 7/1/75.]

**WAC 173-62-030 Standards.** (1) No person shall operate any motor vehicle or any combination of such vehicles upon any public highway under any conditions of grade, load, acceleration or deceleration in such a manner as to exceed the maximum permissible sound levels for the category of vehicle in Table I, as measured at a distance of 50 feet (15.2 meters) from the center of the lane of travel within the speed limits specified, under procedures established by the state commission on equipment in chapter 204-56 WAC, "procedures for measuring motor vehicle sound levels."



Table I  
IN-USE MOTOR VEHICLE NOISE PERFORMANCE STANDARDS

Measured @ 50 feet (15.2 meters)

Vehicle Category (type)	Effective Date	Maximum Sound Level, dBA Speed Zones		Stationary Test
		45 mph (72 kph) or less	over 45 mph (72 kph)	
Motorcycles	July 1, 1980	78	82	N/A
Automobiles, light trucks and all other motor vehicles 10,000 pounds (4536 kg) GVWR or less	July 1, 1980	72	78	N/A
		35 mph (56 kph) or less	Over 35 mph (56 kph)	
All motor vehicles over 10,000 pounds (4536 kg) GVWR	June 1, 1977 1986 and after	86 Reserved	90 Reserved	86 Reserved

(2) Every motor vehicle operated upon the public highways shall at all times be equipped with an exhaust system and a muffler in good working order and constant operation to prevent excessive or unusual noise.

(3) No person shall operate a motor vehicle in such a manner as to cause or allow to be emitted squealing, screeching or other such noise from the tires in contact with the ground because of rapid acceleration or excessive speed around corners or other such reason, except that noise resulting from emergency braking to avoid imminent danger shall be exempt from this provision.

(4) No person shall operate any motor vehicle upon any public highway if the vehicle exhaust system exceeds

the maximum permissible sound levels of Table II for the category and year of vehicle, as measured at a distance of twenty inches (0.5 meter) from the exhaust outlet under procedures established by the state commission on equipment in chapter 204-56 WAC, "procedures for measuring motor vehicle sound levels."

(5) No person shall sell or offer for sale a NEW MOTOR VEHICLE except an off-highway vehicle, which produces a maximum noise exceeding the noise levels in Table III at a distance of 50 feet (15.2 meters) under acceleration test procedures established by the state commission on equipment in chapter 204-56 WAC, "procedures for measuring motor vehicle sound levels."

Table II  
IN-USE MOTOR VEHICLE EXHAUST SYSTEM NOISE PERFORMANCE STANDARDS

Measured @ 20 inches (0.5 meter)

Vehicle Category (type)	Model Year	Maximum Sound Level, dBA
Motorcycles	before 1986	99
	1986 and after	(reserved)
Automobiles, light trucks and all other motor vehicles 10,000 pounds (4536 kg) GVWR or less	before 1986	95
	1986 and after	(reserved)

Table III  
 MAXIMUM SOUND LEVELS FOR NEW MOTOR VEHICLES  
 Measured @ 50 feet (15.2 meters)

Vehicle Category (type)	Date of Manufacture	Maximum Sound Level, dBA
Any motor vehicle over 10,000 pounds (4536 kg) GVWR excluding buses	before January 1, 1978	86
	after January 1, 1978	83
	after January 1, 1982	80
All buses over 10,000 pounds (4536 kg) GVWR	after January 1, 1980	85
	after January 1, 1983	83
	after January 1, 1986	80
Motorcycles	after January 1, 1976	83
	after January 1, 1986	80
Automobiles, light trucks and all other motor vehicles 10,000 pounds (4536 kg) GVWR or less	after January 1, 1976	80

[Statutory Authority: Chapter 70.107 RCW. 80-14-041 (Order DE 80-29), § 173-62-030, filed 9/30/80; Order DE 77-2, § 173-62-030, filed 6/1/77; Order DE 75-17, § 173-62-030, filed 8/11/75; Order DE 74-33, § 173-62-030, filed 1/30/75, effective 7/1/75.]

**WAC 173-62-040 Exemptions.** The provisions of this chapter shall not apply to noise caused by auxiliary equipment on motor vehicles used for highway maintenance, nor to noise caused in the performance of emergency work for the immediate safety, health or welfare of the community or of individuals of the community, or to restore property to a safe condition following a public calamity. [Order DE 75-17, § 173-62-040, filed 8/11/75; Order DE 74-33, § 173-62-040, filed 1/30/75, effective 7/1/75.]

**WAC 173-62-050 Implementation schedules.** (1) **Conditions of issuance.** The department may approve and issue to any person, an implementation schedule for meeting any particular requirement of this chapter, if it finds that immediate compliance with such requirement cannot be achieved because of conditions beyond the control of such person or because of special circumstances rendering immediate compliance unreasonable in light of economic or physical factors or because of the nonavailability of feasible technology or control methods.

(2) **Requesting procedure.** Implementation schedules shall be issued only upon application in writing to the department. Such application shall state in a concise manner the facts to show cause why such schedule should be approved. Any aggrieved person may appeal the department's decision on an application to the pollution control hearings board pursuant to chapter 43.21B

RCW. [Order DE 74-33, § 173-62-050, filed 1/30/75, effective 7/1/75.]

**WAC 173-62-060 Enforcement.** (1) Measurements shall be made with a sound level meter meeting Type 1, S1A, 2 or S2A requirements as specified in the American National Standards Specifications For Sound Level Meters S1.4-1971 as required under measurement procedures established in chapter 204-56 WAC, "procedures for measuring motor vehicle sound levels."

(2) Violation of any in-use motor vehicle noise standard set forth in this chapter shall be a traffic infraction, enforced by such authorities and in such manner as violations of chapter 46.37 RCW.

(3) Law enforcement personnel selected to measure vehicle sound levels shall have received training in the techniques of sound measurement and the operation of sound measuring instruments.

(4) Any enforcement officer who by use of the initial inspection procedures of chapter 204-56 WAC suspects that a motor vehicle may be in violation of the standards of this chapter may require the operator to have the vehicle presented for sound level measurement. Measurements of a motor vehicle may be performed at off-road sites to determine compliance with the in-use standards.

(5) Any operator who fails to comply with the directive to present the vehicle to a sound level measurement test shall be in violation of this chapter.

(6) Any seller, importer, or manufacturer who sells or offers for sale a motor vehicle which violates the standards in WAC 173-62-030 shall be subject to a civil penalty not to exceed one hundred dollars as established in RCW 70.107.050. Every motor vehicle sold or offered for sale shall constitute a separate violation. [Statutory Authority: Chapter 70.107 RCW. 80-14-041 (Order DE 80-29), § 173-62-060, filed 9/30/80; Order DE 74-33, § 173-62-060, filed 1/30/75, effective 7/1/75.]

**WAC 173-62-070 Effective date.** This chapter shall become effective July 1, 1975. [Order DE 74-33, § 173-62-070, filed 1/30/75, effective 7/1/75.]

### Chapter 173-70 WAC WATERCRAFT NOISE PERFORMANCE STANDARDS

WAC	
173-70-010	Introduction.
173-70-020	Definitions.
173-70-030	Identification of receiving property environments.
173-70-040	Standards.
173-70-050	Exemptions.
173-70-060	Nuisance regulations not prohibited.
173-70-070	Future standards.
173-70-080	Implementation schedules.
173-70-090	Enforcement.
173-70-100	Appeals.
173-70-110	Cooperation with local government.
173-70-120	Effective date.

**WAC 173-70-010 Introduction.** (1) Authority and purpose. These rules are adopted pursuant to chapter 70.107 RCW, the Noise Control Act of 1974, in order to establish noise performance standards for watercraft operating on all waters of Washington state.

(2) Local needs. The standards established in this chapter assume a general view toward providing as many methods of watercraft noise measurement as possible. Nothing in these regulations is meant to require a local government to adopt every standard in this chapter. Specific local needs shall dictate the specific standards which the local government shall adopt. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-010, filed 3/22/79, effective 5/1/79.]

**WAC 173-70-020 Definitions.** As used in this chapter, unless the context clearly indicates otherwise:

(1) "dB(A)" means the sound pressure level in decibels measured using the "A" weighting network on a sound level meter. The sound pressure level, in decibels, of a sound is 20 times the logarithm to the base 10 of the ratio of the pressure of the sound to a reference pressure of 20 micropascals.

(2) "Department" means the department of ecology.

(3) "Director" means the director of the department of ecology.

(4) "EDNA" means the environmental designation for noise abatement, being an area or zone (environment) within which maximum permissible noise levels are established.

(5) "Local government" means county or city government or any combination of the two.

(6) "Muffler" means a device consisting of a series of chambers or other mechanical designs for the purpose of receiving exhaust gas from an engine, or for the purpose of introducing water to the flow of the exhaust gas, and which is effective in reducing noise from the engine exhaust.

(7) "Noise" means the intensity, duration, and character of sounds, from any and all sources.

(8) "Operator" means any person who is in actual physical or electronic control of a powered watercraft.

(9) "Person" means any individual, corporation, partnership, association, governmental body, state agency, or other entity whatsoever.

(10) "Property boundary" means the surveyed line at ground surface which separates the real property owned, rented, or leased by one or more persons, from that owned, rented, or leased by one or more other persons, and its vertical extension.

(11) "Receiving property" means real property within which the maximum permissible noise levels specified in this chapter shall not be exceeded from sources outside such property.

(12) "Sound level meter" means a device which measures sound pressure levels and conforms to Type 1, Type 2, or Type 3 as specified in the American National Standards Institute Specification S1.4-1971.

(13) "Shoreline" means the existing intersection of water with the ground surface or with any permanent, shore connected facility.

(14) "Watercraft" means any contrivance, excluding aircraft, used or capable of being used as a means of transportation or recreation on water, including model craft, powered by an internal or external combustion engine.

(15) "New watercraft" means a watercraft with an internal or external combustion engine which has been manufactured after December 31, 1979, and for which the equitable or legal title has never been transferred to a person who, in good faith, purchases the new watercraft and/or engine for purposes other than resale.

(16) "Waters of Washington state" include all lakes, rivers, ponds, streams, inland waters, saltwaters and all other surface waters and watercourses within the jurisdiction of the state of Washington. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-020, filed 3/22/79, effective 5/1/79.]

**WAC 173-70-030 Identification of receiving property environments.** (1) Except when included within specific prior designations as provided in subsections (2), (3), and (4) of this section, the EDNA of any property shall be based on the following typical uses, taking into consideration the present, future, and historical usage, as well as the usage of adjacent and other lands in the vicinity.

(a) Class A EDNA - Properties where human beings reside and sleep. Typically, Class A EDNA will be the following types of property used for human habitation:

(i) Residential.

- (ii) Multiple family living accommodations.
- (iii) Recreational and entertainment, (e.g., camps, parks, camping facilities, and resorts).
- (iv) Community service, (e.g., orphanages, homes for the aged, hospitals, health, and correctional facilities).
- (b) Class B EDNA – Properties involving uses requiring protection against noise interference with speech. Typically, Class B EDNA will be the following types of property:
  - (i) Commercial living accommodations.
  - (ii) Commercial dining establishments.
  - (iii) Motor vehicle services.
  - (iv) Retail services.
  - (v) Banks and office buildings.
  - (vi) Miscellaneous commercial services, property not used for human habitation.
  - (vii) Recreation and entertainment, property not used for human habitation (e.g., theaters, stadiums, fairgrounds, and amusement parks).
  - (viii) Community services, property not used for human habitation (e.g., educational, religious, governmental, cultural and recreational facilities).

(c) Class C EDNA – Properties involving economic activities of such a nature that higher noise levels than experienced in other areas is normally to be anticipated. Persons working in these areas are normally covered by noise control regulations of the department of labor and industries. Uses typical of Class A EDNA are generally not permitted within such areas. Typically, Class C EDNA will be the following types of property:

- (i) Storage, warehouse, and distribution facilities.
- (ii) Industrial property used for the production and fabrication of durable and nondurable man-made goods.
- (iii) Agricultural, aquacultural, and silvicultural property used for the production of crops, wood products, food products, or livestock.

(d) Where there is neither a zoning ordinance in effect nor an adopted comprehensive plan, the legislative authority of local government may, by ordinance or resolution, designate specifically described EDNAs which conform to the above use criteria and, upon departmental approval, EDNAs so designated shall be as set forth in such local determination.

(e) Where no specific prior designation of EDNAs has been made, the appropriate EDNA for properties involved in any enforcement activity will be determined by the investigating official on the basis of the criteria of subparagraphs (a), (b), and (c) of this subsection.

(2) In areas covered by a local zoning ordinance, the legislative authority of the local government may, by ordinance or resolution, designate EDNAs to conform with the zoning ordinance as follows:

- (a) Residential zones – Class A EDNA;
- (b) Commercial zones – Class B EDNA;
- (c) Industrial zones – Class C EDNA.

Upon approval by the department, EDNAs so designated shall be as set forth in such local determination. EDNA designations shall be amended as necessary to conform to zone changes under the zoning ordinance.

(3) In areas not covered by a local zoning ordinance, but within the coverage of an adopted comprehensive

plan, the legislative authority of the local government may, by ordinance or resolution, designate EDNAs to conform with the comprehensive plan as follows:

- (a) Residential areas – Class A EDNA;
- (b) Commercial areas – Class B EDNA;
- (c) Industrial areas – Class C EDNA.

Upon approval by the department, EDNAs so designated shall be set forth in such local determination. EDNA designations shall be amended as necessary to conform to changes in the comprehensive plan.

(4) The department recognizes that on certain lands, serenity, tranquility, or quiet are an essential part of the quality of the environment and serve an important public need. Special designation of such lands with appropriate watercraft noise level standards by local government may be adopted subject to approval by the department. The director may make such special designation pursuant to the procedures of the Administrative Procedure Act, chapter 34.04 RCW. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-030, filed 3/22/79, effective 5/1/79.]

**WAC 173-70-040 Standards.** (1) Any watercraft operated on the waters of Washington state shall be equipped with a muffler which shall be maintained in proper working condition. Any of the following defects in the muffling system shall constitute a violation of this regulation:

- (a) The absence of a muffler;
- (b) The presence of a muffler cut-out, bypass, or similar device which is not standard or normal equipment for the exhaust system being inspected;
- (c) Defects in the exhaust system including, but not limited to, pinched outlets, holes, or rusted-through areas of the muffler or pipes;
- (d) The presence of equipment which will produce excessive or unusual noise from the exhaust system.

(2) No person shall operate any watercraft on the waters of Washington state in such a manner as to exceed the following maximum noise limits when measured at the shoreline or anywhere within a receiving property:

- (a) At any hour of the day or night, the limit for any receiving property shall be 74 dBA;
- (b) Between sunset and sunrise, the limit for a Class A EDNA receiving property shall be 64 dBA.

Enforcement of the above standards shall be undertaken only upon receipt of a complaint made by a person who resides, owns property, or is employed in the area affected by the noise complained of, except for persons in parks, recreational areas, and wildlife sanctuaries.

(3) Any watercraft operated on the waters of Washington state shall not exceed the following maximum noise limits when measured at a distance of not less than fifty feet from the closest point of the watercraft's hull according to procedures established in WAC 173-58-090, "watercraft sound level measurement procedure."

- (a) For watercraft and engines manufactured before January 1, 1980, a noise level of 84 dBA.
- (b) For watercraft and engines manufactured after January 1, 1980, a noise level of 82 dBA.

(c) For watercraft and engines manufactured after January 1, 1984, a noise level of 80 dBA.

(4) Any watercraft operated on the waters of Washington state shall not exceed the following maximum noise limits when measured at a distance of twenty inches (0.5 meter) from the exhaust outlet according to procedures established in WAC 173-58-080, "close proximity exhaust system sound level measurement procedure." These standards shall not apply to exhaust systems which utilize the introduction of water to the exhaust gas flow, or systems which exhaust the gas directly into water.

(a) For watercraft and engines manufactured before January 1, 1980, a noise level of 98 dBA.

(b) For watercraft and engines manufactured after January 1, 1980, a noise level of 96 dBA.

(c) For watercraft and engines manufactured after January 1, 1984, a noise level of 94 dBA.

(5) No person shall sell or offer for sale a new watercraft or new watercraft engine for use in any existing watercraft which exceeds the following maximum noise limits when measured according to the procedures of the society of automotive engineer's recommended practice SAE-J34.

(a) For watercraft and engines manufactured after January 1, 1980, a noise level of 82 dBA.

(b) For watercraft and engines manufactured after January 1, 1984, a noise level of 80 dBA. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-040, filed 3/22/79, effective 5/1/79.]

**WAC 173-70-050 Exemptions.** (1) Normal docking, undocking, and water skier pick-up and drop-off operations of all watercraft shall be exempt from the provisions of WAC 173-70-040(2).

(2) The following sounds shall be exempt from all provisions of WAC 173-70-040.

(a) Sounds created by the operation of commercial, nonrecreational watercraft. These commercial activities include, but are not limited to, tugboats, fishing boats, ferries, and vessels engaged in intrastate, interstate or international commerce.

(b) Sounds created by safety and protective devices where noise suppression would defeat the intent of the device.

(c) Sounds created by a warning device not operating continuously for more than five minutes.

(d) Sounds created by emergency equipment for emergency work necessary in the interests of law enforcement or for the health, safety, and welfare of the community.

(e) Sounds created by auxiliary equipment operated on watercraft for the purposes of dredging, pile driving, operation of a marina, clam and oyster harvesting are exempt, however, such operations are not exempt from requirements of chapter 173-60 WAC "maximum environmental noise levels."

(3) The provisions of WAC 173-70-040 shall not apply to motorboats competing under a local public entity or United States Coast Guard permit in a regatta, in a

boat race, while on trial runs, or while on official trials for speed records during the time and in the designated area authorized by the permit. In addition, motorboats preparing for an officially sanctioned race or regatta are exempt if authorized by a permit issued by the local entity having jurisdiction over the area where the preparations will occur.

(4) Nothing in these exemptions is intended to preclude the enforcing or permitting authority from requiring installation of the best available noise abatement technology consistent with economic feasibility. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-050, filed 3/22/79, effective 5/1/79.]

**WAC 173-70-060 Nuisance regulations not prohibited.** Nothing in this chapter or the exemptions provided herein shall be construed as preventing local government from regulating noise from watercraft as a nuisance. Local resolutions, ordinances, rules, or regulations regulating watercraft noise on such a basis shall not be deemed inconsistent with this chapter by the department. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-060, filed 3/22/79, effective 5/1/79.]

**WAC 173-70-070 Future standards.** It is the intention of the department to establish use standards and/or performance standards for the following sources of noise exempted or partially exempted from the requirements of this chapter. Adoption of these standards will depend on the extent of future local needs, and on the provision of adequate legislative funding to conduct studies providing necessary data.

(1) Sounds created by commercial, nonrecreational watercraft through the amendment of this chapter.

(2) Sounds created by watercraft racing events through the amendment of this chapter. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-070, filed 3/22/79, effective 5/1/79.]

**WAC 173-70-080 Implementation schedules.** (1) Conditions of issuance.

The department or local entity with an ordinance which has been approved by the department may approve and issue to any person an implementation schedule for meeting any particular requirement of this chapter if it finds that immediate compliance with such requirement cannot be achieved because of conditions beyond the control of such person or because of special circumstances rendering immediate compliance unreasonable in light of economic or physical factors or because of the nonavailability of feasible technology or control methods.

(2) Request procedure.

Implementation schedules shall be issued only upon application in writing to the department or local entity with an approved ordinance. Such application shall state in a concise manner the facts to show cause why such schedule should be approved. Any aggrieved person may appeal the department's decision on an application to the

pollution control hearings board pursuant to chapter 43.21B RCW. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-080, filed 3/22/79, effective 5/1/79.]

**WAC 173-70-090 Enforcement.** (1) Measurements shall be made with a sound level meter meeting Type 1 or Type 2 standards as specified in the American National Standards Institute Specifications S1.4-1971 to document violations for final enforcement actions under measurement procedures established in chapter 173-58 WAC.

(2) Any law enforcement officer or noise control enforcement personnel shall be competent in the use of sound measuring equipment. The personnel shall be trained by the department, or by a person certified by the department, in the use of the watercraft sound level measurement procedures established in chapter 173-58 WAC. Any enforcement personnel who by the use of the initial inspection procedure of WAC 173-58-080(2) suspects that a watercraft may be in violation of the standards of this chapter, shall require the operator to submit to a measurement of the sound level of the watercraft according to the procedures of chapter 173-58 WAC: *Provided*, That the enforcement personnel shall have discretion in determining whether measurement would occur under unsafe conditions. Weather, water conditions, operator competence, and similar considerations shall be taken into account. If conditions are unsafe, measurement shall not be required. Shoreline measurements shall be made under any conditions, except as provided in WAC 173-58-040, ambient conditions.

(3) Any operator who fails to comply with the directive to submit to a sound level measurement shall be in violation of this chapter.

(4) Any person operating a watercraft found in violation of the established noise levels of this chapter shall be subject to a civil penalty not to exceed one hundred dollars per day of violation.

(5) Any seller, importer, or manufacturer who violates the standards in WAC 173-70-040(4) shall be subject to a civil penalty not to exceed one hundred dollars as established in RCW 70.107.050. Each watercraft or engine offered for sale or sold shall constitute a separate violation. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-090, filed 3/22/79, effective 5/1/79.]

**WAC 173-70-100 Appeals.** Any person aggrieved by any final decision of the department in relation to the enforcement of the watercraft noise levels provided for in this chapter, the granting or denial of a variance or the approval or disapproval of a local resolution or ordinance for noise abatement and control may appeal to the pollution control hearings board pursuant to chapter 43.21B RCW under the procedures of chapter 371-08 WAC. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-100, filed 3/22/79, effective 5/1/79.]

**WAC 173-70-110 Cooperation with local government.** (1) The department conceives the function of noise abatement and control to be primarily the role of local government and intends actively to encourage local government to adopt measures for noise abatement and control. Wherever such measures are made effective and are being actively enforced, the department does not intend to engage directly in enforcement activities.

(2) No ordinance or resolution of any local government which imposes watercraft noise control requirements differing from those adopted by the department shall be effective unless and until approved by the director. If approval is denied, the department, within sixty days of receipt of such local ordinance or resolution by the department, shall deliver its statement or order of denial, designating in detail the specific provision(s) found to be objectionable and the precise grounds upon which the denial is based, and shall submit to the local government, the department's suggested modification. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-110, filed 3/22/79, effective 5/1/79.]

**WAC 173-70-120 Effective date.** This chapter shall become effective on May 1, 1979. It is the intention of the department to periodically review the provisions in this chapter as new information becomes available for the purpose of making amendments as appropriate. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-120, filed 3/22/79, effective 5/1/79.]

#### Chapter 173-80 WAC

#### LIMITATIONS ON USE OF REFERENDUM 39 GRANT FUNDS FOR WATER POLLUTION ABATEMENT

##### WAC

173-80-010	Purpose and scope.
173-80-020	Definitions.
173-80-030	Limitations on the use of funds.
173-80-040	Provision of guidelines.
173-80-050	Wastewater treatment works grants—Priority rating and other provisions.
173-80-060	Lake restoration project grants—General eligibility requirements and priority rating.
173-80-070	Agricultural wastes project grants—General eligibility requirements and priority rating.

**WAC 173-80-010 Purpose and scope.** The purpose of this chapter is to set forth limitations on the allocation and uses of monies administered by the department of ecology for purposes of providing grants and loans for wastewater treatment facilities, agricultural pollution abatement facilities, and lake restoration projects pursuant to chapter 43.99F RCW (Referendum 39). To derive the most benefit for the state in protecting the health and safety of the people it is necessary to establish criteria for the use of funds made available by Referendum 39. This chapter will outline (1) limitations on the allocation and uses of the funds, (2) the criteria to be considered for determining who will receive funds,

and (3) the process to be followed for distributing the funds. [Statutory Authority: RCW 43.21A.080. 82-05-011 (Order DE 81-50), § 173-80-010, filed 2/5/82.]

**WAC 173-80-020 Definitions.** (1) "Department" means the Washington state department of ecology.

(2) "Wastewater treatment works construction program" (hereinafter referred to as the wastewater treatment program) means the state/local program of grants and loans under chapter 43.99F RCW (Referendum 39) to public entities for the purpose of planning, designing, constructing, or upgrading treatment works.

(3) "Agricultural wastes grants program" means the program of grants and loans administered by the department for the planning, design and construction of publicly owned or operated agricultural pollution control facilities.

(4) "Lake restoration grants program" means the program of state grants and loans administered by the department for the planning, design and implementation of lake restoration projects.

(5) "Director" means the director of the Washington state department of ecology or his or her authorized designee.

(6) "Management of wastes" means the control, collection, transport, treatment, and disposal of nonradioactive solid and nonradioactive liquid waste materials.

(7) "Renewable energy" means, but is not limited to, the production of steam, hot water for steam heat, electricity, cogeneration, gas, fuel through incineration of wastes, refuse - derived fuel processes, pyrolysis, hydrolysis or bioconversion, and energy savings through material recovery from waste source separation and/or recycling.

(8) "Energy savings as a result of the management of the wastes" means but is not limited to the capital cost associated with an energy efficient treatment or transport process chosen over a process more commonly used in standard engineering practice which is more energy intensive.

(9) "Project priority list" means the annual list of rated and ranked projects for which state grant assistance is expected during the year for which the list is issued.

(10) "Priority rating system" means the process and criteria used by the department of ecology to rate and rank projects in the state that are considered eligible for assistance under chapter 43.99F RCW. [Statutory Authority: RCW 43.21A.080. 82-05-011 (Order DE 81-50), § 173-80-020, filed 2/5/82.]

**WAC 173-80-030 Limitations on the use of funds.**

(1) The following water program projects shall be eligible for state grants, loans, or combination of grants and loans in an amount not to exceed seventy-five percent of the total eligible cost of the project as determined by the department and subject to the special provisions contained in this chapter.

- (a) Wastewater treatment projects.
- (b) Lake restoration projects.
- (c) Agricultural pollution control projects.

(2) Loans may be authorized by the director, provided:

(a) The loan repayment period does not exceed five years.

(b) The cumulative total of all loans authorized during any biennium does not exceed ten percent of the cumulative total of funds appropriated by the legislature for that biennium, excluding any special appropriation authorized by WAC 173-80-050(6).

(c) The director considers and documents why it is in the best interest of the state's citizens to provide a loan.

(d) The director considers and documents how the loan will be repaid.

(3) The wastewater treatment program will establish an accounting procedure to identify the money which is spent on projects that are capable of producing renewable energy or energy savings as a result of the management of the wastes. [Statutory Authority: RCW 43.21A.080. 82-05-011 (Order DE 81-50), § 173-80-030, filed 2/5/82.]

**WAC 173-80-040 Provision of guidelines.** The department will publish guidelines which establish procedures for awarding grants and eligibility criteria for each Referendum 39 grant program identified in WAC 173-80-030(1). These guidelines will describe the grant application, review, and award process and will be available prior to the first grant award. [Statutory Authority: RCW 43.21A.080. 82-05-011 (Order DE 81-50), § 173-80-040, filed 2/5/82.]

**WAC 173-80-050 Wastewater treatment works grants—Priority rating and other provisions.** (1) In instances where applications for wastewater treatment works grant funds exceed the amount currently available to the department, the director will establish a project priority list using published priority rating criteria which consider, but are not limited to, the following:

(a) Water quality impacts caused by existing circumstances.

(b) Public health impacts caused by existing circumstances.

(c) The prior local effort expended toward correcting the existing or similar wastewater problems.

(d) The cost-benefit relationship of the proposed project.

(e) Problem prevention aspects of the proposed project.

(2) In instances where a priority list is required, the director will ensure that:

(a) A project priority list is developed on an annual basis.

(b) The priority list be readily available to the public for review and comment thirty days prior to its approval by the director.

(c) Comments received during any review period are considered and responded to before a final list is approved by the director.

(d) An approved list is available on or about forty-five days after the close of the application period.

(3) The department may use funds authorized by chapter 43.99F RCW as fifteen percent grants to wastewater treatment projects for public entities who have received a federal grant under Title II of Public Law 97-117 prior to October 1, 1982, or a written guarantee from the department, prior to the effective date of this chapter, that such a grant will be available when a federal grant is received. New phases of those continuing construction wastewater treatment projects begun prior to October 1, 1982, are also eligible for a fifteen percent grant. Funds are to be awarded under this authority only if funds provided by chapter 43.83A RCW (Referendum Bill No. 26) are not available.

(4) Prior to December 31, 1982, the department may award a grant for seventy-five percent of the eligible costs for completion of any wastewater treatment facility that began construction under the federal wastewater treatment program prior to October 1, 1981, and is not scheduled to receive a federal grant prior to federal fiscal year 1983.

(5) Wastewater treatment program projects, except those allowed by WAC 173-80-050(4), shall not receive grants exceeding fifty percent of the eligible costs of the project.

(6) The director may enter into a single lump sum design and construction contract with a grantee whose project exceeds a total cost of \$100 million and requires more than three years to design and construct, providing that all the following conditions are met:

(a) The project appears on the current project priority list within the range fundable with remaining, unobligated monies authorized by chapter 43.99F RCW.

(b) The contract contains provisions limiting the total amount of state funding to fifty percent of the eligible costs or an agreed upon figure (whichever is less), establishing cash flow agreements, and any other provisions the director deems necessary to protect the financial interests of the state.

(c) The legislature appropriates the necessary funds.

(d) The grantee agrees to a one-time grant, including limited increases at time of bid, and will not thereafter seek any further funds under the provisions of chapter 43.99F RCW. [Statutory Authority: RCW 43.21A.080. 82-05-011 (Order DE 81-50), § 173-80-050, filed 2/5/82.]

**WAC 173-80-060 Lake restoration project grants—General eligibility requirements and priority rating.** (1) General eligibility requirements include:

(a) The lake must have a documented water quality problem which is resulting in impairment of beneficial uses;

(b) The proposed project must be sponsored by a public body as defined in chapter 43.99F RCW;

(c) The project sponsor must be able to provide at least ten percent of the total project cost unless a lower share is specifically authorized by the director; and

(d) Public access must be provided which is sufficient to allow the general public the same opportunity to enjoy the lake's recreational benefits as that enjoyed by residents living immediately adjacent to the lake.

(2) When applications for grant funds exceed the amount currently available to the department, the director will establish a lake restoration project priority list using rating criteria which consider, but are not limited to, the following:

(a) Water quality improvements to be achieved

(b) Increased or enhanced lake utilization

(c) Restoration potential

(d) Public health impacts to be corrected

(3) When a lake restoration project priority list is required, the director will ensure that the priority list is readily available to the public for review and comment thirty days prior to its approval by the director. [Statutory Authority: RCW 43.21A.080. 82-05-011 (Order DE 81-50), § 173-80-060, filed 2/5/82.]

**WAC 173-80-070 Agricultural wastes project grants—General eligibility requirements and priority rating.** (1) General eligibility requirements include:

(a) The project sponsor must be a public body as defined in chapter 43.99F RCW;

(b) Eligible project elements must benefit the public and be utilized by more than one member of the sponsoring group or agency;

(c) The project must directly benefit the quality of the receiving water; and

(d) The project sponsor must provide at least ten percent of the grant eligible costs unless a lesser amount is authorized by the director.

(2) Project rating—when applications for grant funds exceed the amount currently available to the department, the director will establish an agricultural wastes project priority list using criteria which includes, but are not limited to:

(a) Water quality improvements to be achieved

(b) Improved efficiency in water quantity utilization

(c) Resource conservation potential

(d) Reduction in impairment of beneficial uses

(3) When an agricultural waste project priority list is required, the director will ensure that the priority list is readily available to the public for review and comment thirty days prior to its approval by the director. [Statutory Authority: RCW 43.21A.080. 82-05-011 (Order DE 81-50), § 173-80-070, filed 2/5/82.]

## Chapter 173-124 WAC

### QUINCY GROUND WATER MANAGEMENT SUBAREA AND ZONES

#### WAC

173-124-010	Background.
173-124-020	Purpose.
173-124-030	Authority.
173-124-040	Subarea definition.
173-124-050	Subarea zone definition.
173-124-060	Subarea map.
173-124-06001	Subarea, zone, and unit distinctions.

**WAC 173-124-010 Background.** (1) On March 1, 1969, the department of water resources promulgated



WAC 508-14-010 to curtail further ground water development in a defined area of the Columbia Basin, referred to as the "Quincy Basin," pending the outcome of detailed ground water investigations to determine if further appropriation of public ground waters in this area should be allowed.

(2) The extensive investigation program was to be completed no later than December 31, 1972, and thereafter procedures would be developed to insure proper allocation and management of the Quincy Basin ground water resource.

(3) Since the effective date of WAC 508-14-010, all applications to appropriate ground water in the defined Quincy Basin have been held in abeyance pending the outcome of the ground water investigations.

(4) As part of the investigation program a digital ground water model has been developed to analyze ground water conditions in most of the Columbia Basin including the Quincy Basin.

(5) Through use of this ground water model it has been possible to define with reasonable accuracy the extent of a practical ground water management unit in the Quincy Basin area. [Order 72-24, § 173-124-010, filed 1/15/73.]

**WAC 173-124-020 Purpose.** The purpose of this regulation is to establish areal boundaries and depth zones for the Quincy ground water subarea as the initial step toward development of a proper ground water management program for this part of the Columbia Basin. [Order 72-24, § 173-124-020, filed 1/15/73.]

**WAC 173-124-030 Authority.** This regulation is promulgated by the department of ecology under authority and procedures provided in chapters 43.21A, 90.03, and 90.44 RCW and after giving notice as provided in chapter 34.04 RCW. [Order 72-24, § 173-124-030, filed 1/15/73.]

**WAC 173-124-040 Subarea definition.** "Quincy ground water subarea" shall mean those lands lying within the Columbia Basin described as follows:

Township (North)	Range (East)	Sections
17	23	1 thru 4, 11 and 12
17	24	1 thru 16
17	25	1 thru 18 and 24
17	26	1 thru 24
17	27	1 thru 24
17	28	1 thru 20
17	29	1 thru 12 and 14 thru 18
17	30	*1 thru 8, 12, and that part of 9, 10, 11, 13 and 14 lying to the right of the center line of the east low canal
17	31	*7 and that part of 5, 6, 8, 17 and 18 lying to the right of the center line of the east low canal
18	22	1, 12, and 13
18	23	1 thru 36
18	24	1 thru 36
18	25	1 thru 36

Township (North)	Range (East)	Sections
18	26	1 thru 36
18	27	1 thru 36
18	28	1 thru 36
18	29	1 thru 36
18	30	*3 thru 10, 15 thru 24, 26 thru 36 and that part of 2, 11, 13, 14 and 25 lying to the right of the center line of the east low canal
18	31	*That part of 17, 18, 19, 30, and 31 lying to the right of the center line of the east low canal
19	23	1 thru 5 and 8 thru 17, 20 thru 29 and 31 thru 36
19	24	1 thru 36
19	25	1 thru 36
19	26	1 thru 36
19	27	1 thru 36
19	28	1 thru 36
19	29	*5 thru 8, 17 thru 21, 28 thru 33, and that part of 4, 9, 15, 16, 22, 23, 27, 34, 35 and 36 lying to the right of the center line of the east low canal
19	30	*That part of 28 and 31 thru 35 lying to the right of the center line of the east low canal
20	23	1 thru 5 and 8 thru 17, 20 thru 29 and 32 thru 36
20	24	1 thru 36
20	25	1 thru 36
20	26	1 thru 36
20	27	1 thru 36
20	28	1 thru 36
20	29	*19, 20, 29 thru 32, and that part of 6, 7, 16, 17, 18, 21, 28, and 33 lying to the right of the center line of the east low canal
21	23	25 thru 28 and 32 thru 36
21	24	25 thru 36
21	25	24 thru 36
21	26	1 thru 4, 9 thru 16 and 19 thru 36
21	27	1 thru 36
21	28	*5 thru 9, 13 thru 36 and that part of 3, 4, 9, 10, 11 and 12 lying to the right of the center line of the east low canal
21	29	*That part of 7, 8, 17, 18, 19, 30, and 31 lying to the right of the center line of the east low canal
22	26	2, 10 thru 16, 21 thru 28 and 33 thru 36
22	27	1 thru 4 and 7 thru 36
22	28	*1 thru 11, 31 and that part of 18, 19, 29, 30, 32, and 33 lying to the right of the center line of the east low canal
23	27	34 thru 36
23	28	31 thru 36

\*Right and left sides are determined by looking in the downstream direction or direction of flow.


[Order 72-24, § 173-124-040, filed 1/15/73.]

**WAC 173-124-050 Subarea zone definition.** (1) "Quincy unconsolidated zone" shall mean those rock units in the Quincy ground water subarea lying between ground surface and the top of the uppermost basalt flow.

(2) "Quincy basalt zone" shall mean those rock units in the Quincy ground water subarea consisting of basalt flows of tertiary age. [Order 72-24, § 173-124-050, filed 1/15/73.]

WAC 173-124-060 Subarea map. "Quincy ground water subarea" shall include those lands that lie within the heavy outline shown on the following map:

QUINCY GROUND WATER SUBAREA



[Order 72-24, § 173-124-060, filed 1/15/73.]

WAC 173-124-06001 Subarea, zone, and unit distinctions. The Quincy unconsolidated zone and the Quincy basalt zone, defined at WAC 173-124-050, are separate and distinct depth zones, as that term is used in chapter 90.44 RCW. The Quincy unconsolidated zone and the Quincy basalt zone are different than the Quincy shallow management unit and the Quincy deep management unit, which are defined at WAC 173-134-020.

The horizontal boundaries of the Quincy depth zones and the Quincy management units are identical to the exterior boundaries of the Quincy ground water subarea, and no Quincy depth zone or management unit extends

beyond those boundaries, for comprehensive water management purposes. Neither does any depth zone of the Odessa ground water subarea, as defined at chapter 173-130 WAC, extend beyond the exterior boundaries of the Odessa ground water subarea, as those are defined and indicated at chapter 173-128 WAC. The bodies of ground water contained within the exterior boundaries of the Quincy ground water subarea are considered to be separate and distinct from the bodies of ground water contained within the exterior boundaries of the Odessa ground water subarea, which is significantly different than the Quincy ground water subarea in various respects.

This regulation is adopted to clarify the differences between the Quincy ground water subarea and the Odessa ground water subarea, and the differences among depth zones and management units. This regulation merely restates what the department of ecology consistently has understood to be the meaning and effect of this chapter and related chapters, notwithstanding any other understanding by the public or any other agency or board, federal or state. [Statutory Authority: RCW 43.21A.080, 43.27A.090 and 90.44.130. 78-05-007 (Order DE 77-36), § 173-124-060, (codified as WAC 173-124-06001), filed 4/7/78.]

**Chapter 173-128A WAC**  
**ODESSA GROUND WATER MANAGEMENT**  
**SUBAREA**

- WAC
- 173-128A-010 Authority.
- 173-128A-020 Background.
- 173-128A-030 Purpose.
- 173-128A-040 Subarea definition.
- 173-128A-050 Subarea map.

**WAC 173-128A-010 Authority.** This regulation is promulgated by the department of ecology under authority and procedures provided in chapters 34.04, 43.21A, 90.03, and 90.44 RCW. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-14-041 (Order DE 82-23), § 173-128A-010, filed 6/30/82. Formerly WAC 173-128-030.]

**WAC 173-128A-020 Background.** (1) Since 1967, the segment of the Columbia basin ground water system centered around the community of Odessa has experienced a steady decline in ground water levels.

(2) Spurred by local concern and foreseeable management problems, the department of water resources (now department of ecology) closed an area of approximately 1,100 square miles to the drilling of large producing water wells and initiated a detailed investigation of ground water conditions in the Odessa basin.

(3) As a result of this investigation, a digital ground water model of the Odessa basin was developed and used in 1974 and 1975 to predict the effect of additional ground water withdrawals on existing water level declines.

(4) In 1975, the department expanded its ground water monitoring program and discontinued use of the predictive model.

(5) The expanded monitoring program, with additional data on the actual effects of pumping, included wells south of the subarea which showed ground water declines similar in magnitude to those inside the subarea. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-14-041 (Order DE 82-23), § 173-128A-020, filed 6/30/82. Formerly WAC 173-128-010.]

**WAC 173-128A-030 Purpose.** The purpose of this regulation is to expand the boundaries of the Odessa ground water subarea as originally set forth in chapter 173-128 WAC. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-14-041 (Order DE 82-23), § 173-128A-030, filed 6/30/82. Formerly WAC 173-128-020.]


**WAC 173-128A-040 Subarea definition.** "Odessa ground water subarea" shall mean those lands lying within the Columbia Basin described as follows:

Township (North)	Range (East)	Sections
13	31	1 thru 12
13	32	1 thru 12
14	31	*1 thru 6, 8 thru 17, 19 thru 36, and that part of 7 and 18 lying to the left of the center line of the East Low Canal
14	32	1 thru 36
15	30	*1, and that part of 2, 11, 12 lying to the left of the center line of the East Low Canal
15	31	*1 thru 29, 32 thru 36, and that part of 30 and 31 lying to the left of the center line of the East Low Canal
15	32	1 thru 36
15	33	1 thru 36
16	30	*1 thru 4, 10 thru 14, 23 thru 25, 36, and that part of 5, 6, 8, 9, 15, 16, 21, 22, 26, 27, 28, 34, and 35 lying to the left of the center line of the East Low Canal
16	31	1 thru 36
16	32	1 thru 36
16	33	1 thru 36
16	34	1 thru 22
16	35	1 thru 18
16	36	6 and 7
17	30	*15, 16, 21 thru 28, 33 thru 36, and that part of 8 thru 11, 13, 14, 17, 20, 29, 31, and 32 lying to the left of the center line of the East Low Canal
17	31	*1 thru 4, 9 thru 16, 19 thru 36, and that part of 5, 6, 8, 17 and 18 lying to the left of the center line of the East Low Canal
17	32	1 thru 36
17	33	1 thru 36
17	34	1 thru 36
17	35	1 thru 36
17	36	5 thru 8, 17 thru 20, 30 and 31
18	30	*1, 12 and that part of 2, 11, 13, and 14 lying to the left of the center line of the East Low Canal
18	31	*1 thru 16, 20 thru 29, 32 thru 36, and that part of 17, 18, 19, 30, and 31 lying to the left of the center line of the East Low Canal
18	32	1 thru 36
18	33	1 thru 36
18	34	1 thru 36
18	35	1 thru 36
18	36	4 thru 9, 16 thru 21, and 28 thru 33
19	29	*1 thru 3, 10 thru 14, 24, 25, and that part of 3, 4, 9, 10, 15, 16, 22, 23,

Township (North)	Range (East)	Sections
19	30	26, 27, 34, 35, and 36 lying to the left of the center line of the East Low Canal *1 thru 27, 29, 30, 36 and that part of 28 and 31 thru 35 lying to the left of the center line of the East Low Canal
19	31	1 thru 36
19	32	1 thru 36
19	33	1 thru 36
19	34	1 thru 36
19	35	1 thru 36
19	36	3 thru 10, 15 thru 22 and 27 thru 33
20	29	*1 thru 5, 8 thru 15, 22 thru 27, 34 thru 36 and that part of 6, 7, 16, 17, 18, 21, 28 and 33 lying to the left of the center line of the East Low Canal
20	30	1 thru 36
20	31	1 thru 36
20	32	1 thru 36
20	33	1 thru 36
20	34	1 thru 36
20	35	1 thru 36
20	36	4 thru 9, 16 thru 21, and 28 thru 33
21	28	*1, 2, and that part of 3, 4, 10, 11 and 12 lying to the left of the center line of the East Low Canal
21	29	*1 thru 6, 9 thru 16, 20 thru 29, 32 thru 36 and that part of 7, 8, 17, 18, 19, 30 and 31 lying to the left of the center line of the East Low Canal
21	30	1 thru 36
21	31	1 thru 36
21	32	1 thru 36
21	33	1 thru 36
21	34	1 thru 36
21	35	1 thru 36
21	36	5 thru 8, 16 thru 21, and 28 thru 33
22	28	*12 thru 17, 20 thru 28, 34 thru 36 and that part of 18, 19, 29, 30, 32 and 33 lying to the left of the center line of the East Low Canal
22	29	1 thru 36
22	30	1 thru 36
22	31	1 thru 36
22	32	1 thru 36
22	33	1 thru 36
22	34	1 thru 36
22	35	1 thru 36
22	36	30 and 31
23	29	13, 20 thru 29, and 32 thru 36
23	30	12 thru 36
23	31	7 thru 36
23	32	7 thru 36
23	33	7 thru 36
23	34	7 thru 9 and 13 thru 36
23	35	15 thru 23 and 25 thru 36

\*Right and left sides are determined by looking in the downstream or flow direction. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-14-041 (Order DE 82-23), § 173-128A-040, filed 6/30/82. Formerly WAC 173-128-040.]

**WAC 173-128A-050 Subarea map.** "Odessa ground water subarea" shall include those lands that lie within the heavy outline shown on the following map:



[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-14-041 (Order DE 82-23), § 173-128A-050, filed 6/30/82. Formerly WAC 173-128-050.]

**Chapter 173-130A WAC  
ODESSA GROUND WATER SUBAREA  
MANAGEMENT POLICY**

- WAC**
- 173-130A-010 Authority.
  - 173-130A-020 Background.
  - 173-130A-030 Definitions.
  - 173-130A-040 Purpose.
  - 173-130A-050 Exemptions.
  - 173-130A-060 Rate of decline in water level to be controlled.
  - 173-130A-070 Maximum lowering of the water table.
  - 173-130A-080 Regulation of withdrawal of ground water.
  - 173-130A-090 Notice of regulation.
  - 173-130A-100 Applications for withdrawal of ground water.
  - 173-130A-110 Distance of wells from East Low Canal.
  - 173-130A-120 Ground water mound—Columbia Basin project interests.
  - 173-130A-130 Irrigation season.
  - 173-130A-140 Airlines.
  - 173-130A-150 Water duty.
  - 173-130A-160 Development schedule.
  - 173-130A-170 Casing and sealing.
  - 173-130A-180 Reworking wells.
  - 173-130A-190 Bore hole information.
  - 173-130A-200 Acreage expansion program.
  - 173-130A-210 General implementation.
  - 173-130A-220 Regulation review.

**WAC 173-130A-010 Authority.** This regulation is promulgated by the department of ecology under authority and procedures provided in chapters 34.04, 43.21A.90.03 and 90.44 RCW. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-010, filed 8/4/82. Formerly WAC 173-130-020.]

**WAC 173-130A-020 Background.** The Odessa ground water subarea was established and the boundaries set forth in chapter 173-128A WAC. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-020, filed 8/4/82. Formerly WAC 173-130-010.]

**WAC 173-130A-030 Definitions.** For the purposes of this chapter, the following definitions shall be used:

- (1) "Water table" shall mean the surface formed by mapping the altitude at which water stands in wells.
- (2) "Priority" shall mean the date of receipt by the department of ecology or its predecessor of an acceptable application to appropriate public ground water.
- (3) "Department" shall mean the department of ecology.
- (4) "Bore hole information" shall include data required to determine the extent and nature of subsurface geologic and hydrologic properties. Examples of bore hole information includes data contained on a completed department water well report form, all or a portion of a suite of geophysical logs such as resistivity, flow, caliper, and television video scanning. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-030, filed 8/4/82. Formerly WAC 173-130-030.]

**WAC 173-130A-040 Purpose.** The purpose of this regulation is to provide a procedure for managing ground water within the Odessa ground water subarea to insure the maintenance of a safe sustaining yield from the ground water body within a reasonable and feasible pumping lift. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-040, filed 8/4/82. Formerly WAC 173-130-040.]

**WAC 173-130A-050 Exemptions.** The following shall not be subject to this management regulation:

- (1) Wells from which the withdrawal is less than 5,000 gallons per day;
- (2) Wells drilled under prior authorization which were defined as "Zone C" wells in WAC 173-130-030(3), now repealed. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-050, filed 8/4/82.]

**WAC 173-130A-060 Rate of decline in water level to be controlled.** The rate of decline in the water level will be limited to a total amount of thirty feet in three consecutive years. In the case of a new well, the base

time shall commence in the spring following the first season of irrigation use. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-060, filed 8/4/82. Formerly WAC 173-130-060.]

**WAC 173-130A-070 Maximum lowering of the water table.** These regulations will be used to prevent the spring static water table, as measured prior to commencement of pumping for irrigation, from lowering more than three hundred feet below the altitude of the static water level as it existed in the spring of 1967. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-070, filed 8/4/82. Formerly WAC 173-130-070.]

**WAC 173-130A-080 Regulation of withdrawal of ground water.** (1) Upon complaint from a water right holder that the water level in the associated well or wells is being drawn down at a rate in excess of thirty feet in three years as set forth in WAC 173-130A-060 as a primary result of pumping by subsequent appropriators, the department shall evaluate the complaint and take appropriate regulatory action, to the extent practicable, to protect the rights of the prior appropriator.

(2) Whenever the department has reason to believe that the provision of WAC 173-130A-070 is going to be violated, regulatory action to limit withdrawals in the affected area will be initiated according to the procedure outlined in WAC 173-130A-090. Such regulation shall conform to the priority of the pertinent, valid rights and shall prevail on an annual basis until the condition no longer exists, unless the aggregate withdrawal is decreased by mutual agreement of the affected water right holders pursuant to RCW 90.44.180.

(3) The department shall take regulatory action, to the extent necessary, to assure compliance with water right conditions. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-080, filed 8/4/82. Formerly WAC 173-130-080.]

**WAC 173-130A-090 Notice of regulation.** (1) Notice of regulation shall be provided to each water right holder within the area identified pursuant to WAC 173-130A-080(2) by certified mail on or before May 1 of each year when regulation of withdrawals is contemplated for the next calendar year. Said notice shall also provide for a public meeting within thirty days to be held in the affected area to discuss proposed regulatory action.

(2) Within sixty days following this public meeting, departmental orders will be sent to those water right holders to be regulated. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-090, filed 8/4/82. Formerly WAC 173-130-090.]

**WAC 173-130A-100 Applications for withdrawal of ground water.** All applications for permits to appropriate

ground water from within the Odessa ground water subarea shall be analyzed in order of priority to determine the calculated effect that the requested rate and volume of withdrawal will have on existing ground water declines. No permit will be issued for withdrawals which calculations show will cause the conditions of WAC 173-130A-060 or 173-130A-070 to be exceeded at any location within the subarea. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-100, filed 8/4/82. Formerly WAC 173-130-140.]

**WAC 173-130A-110 Distance of wells from East Low Canal.** No well may be drilled closer than one-quarter mile to the centerline of the East Low Canal. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-110, filed 8/4/82. Formerly WAC 173-130-170.]

**WAC 173-130A-120 Ground water mound--Columbia Basin project interests.** Irrigation of Columbia Basin project lands lying westerly of the East Low Canal and canal leakage have caused development of a ground water mound lying generally under the canal. The retention of existing water levels under the canal is necessary to maintain the present water table gradient toward the Potholes Reservoir to allow the recapture and utilization of artificially stored ground water (see order of the department of ecology, under Docket No. 74-772, dated the 8th day of January, 1975). All applications for permit within the following described area will be evaluated on a case-by-case basis consistent with this chapter. Additionally, the potential effects of the proposed appropriation on existing rights including protection of the ground water mound will be determined. All new permits will be conditioned to assure retention of the existing water levels under the East Low Canal.

<u>Twp N</u>	<u>Rge E</u>	<u>Section</u>
17	30	15, 16, 23, 24 and all those portions of 9 through 11, 13 and 14 lying southerly of the East Low Canal.
	31	3, 4, 9 through 11, 14 through 16, 19 through 23, and those portions of 5, 6, 8, and 17 lying easterly of the East Low Canal.
18	30	1, 12, and all those portions of 2, 11, 13 and 14 lying easterly of East Low Canal.
	31	4 through 10, 15, 16, 21, 22, 27 through 29, 32 through 34, and all those portions of 17 through 20, 30 and 31 lying northerly and easterly of the East Low Canal.
19	29	1 through 3, 10 through 14, 24 through 26, and all those portions of 4, 9, 15, 16, 22, 23, 27, and 34 through 36 lying easterly and northerly of the East Low Canal.
	30	19 through 23, 25 through 27, 29, 30, 36, and all those portions of 28, 31 through 35 lying northerly and easterly of the East Low Canal.
	31	30 and 31

<u>Twp N</u>	<u>Rge E</u>	<u>Section</u>
20	29	27, 35, and all those portions of 21, 28, 33 and 34 lying easterly of the East Low Canal.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-120, filed 8/4/82.]

**WAC 173-130A-130 Irrigation season.** The irrigation season for withdrawal of ground water in the Odessa ground water subarea shall be from February 1 to November 30, each year. However, the department recognizes that conditions will vary from year to year, making application of water to the land necessary during December and/or January in some years. Permission to withdraw ground water during December and January may be granted by the department upon showing of a need by individual permit or certificate holders and if not inconsistent with the regulatory program of this chapter. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-130, filed 8/4/82. Formerly WAC 173-130-195.]

**WAC 173-130A-140 Airlines.** An airline and pressure gauge shall be installed and maintained in operating condition on all new or reworked wells and equipped with a standard tire valve, placed in an accessible location. The airline shall extend from land surface to the top of the pump bowls. The total length of the airline and any changes in length shall be reported to the department. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-140, filed 8/4/82.]

**WAC 173-130A-150 Water duty.** The duty of water issued in permits for agricultural irrigation shall be not more than 2.5 acre feet per acre per calendar year. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-150, filed 8/4/82.]

**WAC 173-130A-160 Development schedule.** All new permits issued will require beginning of construction of the authorized well(s) within two years after permit issuance. Beginning of construction means that the well drilling has been started and is being actively pursued toward completion. No extensions of time will be granted to this schedule. Violation of this requirement will result in cancellation of the related permits. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-160, filed 8/4/82.]

**WAC 173-130A-170 Casing and sealing.** In order to protect existing shallow domestic and stock water wells, and springs, casing and sealing requirements will be determined on a case-by-case basis and included as a provision on all new permits issued. New permits will also be conditioned to prohibit cascading water in wells in accordance with chapter 173-160 WAC (minimum

standards for construction and maintenance of water wells). Sealing of required casing shall consist of filling the annular space between casing and well bore with cement grout placed by pumping from the bottom of the casing to land surface. Alternative methods to provide the same protection afforded by casing and sealing may be submitted to the department for review and shall only be used if approved in writing by the department prior to well completion. [Statutory Authority: RCW 43.21A-.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-170, filed 8/4/82.]

**WAC 173-130A-180 Reworking wells.** Any well which is reworked shall be constructed to comply with the casing and sealing provisions of WAC 173-130A-170. Reworking shall include, but not be limited to, reaming to enlarge well diameter or deepening. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-180, filed 8/4/82. Formerly WAC 173-130-155.]

**WAC 173-130A-190 Bore hole information.** It shall be the responsibility of the owner of all new or reworked wells drilled in the Odessa ground water subarea to provide the department of ecology with such logs as the department may reasonably require. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-190, filed 8/4/82. Formerly WAC 173-130-160.]

**WAC 173-130A-200 Acreage expansion program.** (1) Water right certificate holders who wish to expand their authorized irrigated acreage while not increasing actual historic withdrawal rates in gallons per minute or acre feet per year, within the maximum limits of their water right, may submit a request in writing to the department at least four months prior to initiation of irrigation. Such request shall include documentation substantiating actual quantities applied to a beneficial use within authorized acreage for a minimum of the three previous consecutive irrigation seasons. This documentation shall consist of accurate flow meter readings, electrical consumption which has been converted to actual acre footage withdrawn, or any other data acceptable to the department.

(2) The acreage expansion, if authorized, will allow the certificate holder to apply the average of the quantity of water beneficially used during the past three consecutive years to more land.

(3) Where the acreage expansion program is continuous from year to year, the initial documentation of beneficial use of water shall apply to each subsequent year.

(4) New wells will not be permitted to be drilled as part of this program. Every well authorized for use under this program must be equipped with an accurately operating flow meter before acreage expansion can be implemented.

(5) By December 31 of each year, the water user shall submit in writing to the department a statement of the

total water used, in acre feet, under the acreage expansion program for the completed irrigation season.

(6) The acreage expansion program will be administered as a temporary change through an annual letter of authorization. No permanent amendment or change in any water right certificate shall be issued as part of this program.

The penalty for noncompliance with the provisions of this section shall include, but not be limited to, termination from the acreage expansion program for one calendar year. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-200, filed 8/4/82.]

**WAC 173-130A-210 General implementation.** The department recognizes the uncertainties associated with ground water occurrence and water well construction, both being dependent in large part on the geologic and hydrologic characteristics of the aquifer materials underlying a specific proposed well site. Therefore, the department shall endeavor to implement this chapter in a reasonable and practical manner consistent with its purpose. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-210, filed 8/4/82.]

**WAC 173-130A-220 Regulation review.** The department may review these regulations whenever requested or by action initiated by the department. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-220, filed 8/4/82. Formerly WAC 173-130-200.]

## Chapter 173-132 WAC

### DUCK LAKE GROUND WATER MANAGEMENT SUBAREA

WAC	
173-132-010	Background.
173-132-020	Purpose.
173-132-030	Authority.
173-132-040	Subarea definition.
173-132-050	Subarea map.

**WAC 173-132-010 Background.** (1) Through well data collected since 1958 and refraction seismic surveys conducted in 1970 and 1971, the department of ecology has identified a semiclosed ground water basin in the area of Duck Lake in Okanogan County, Washington.

(2) The principal aquifer in this area consists of glacial and fluvial sands and gravels that lie unconformably over metamorphic and igneous bedrock.

(3) Natural recharge to the aquifer occurs primarily through ground water migration from Johnson Creek Valley which lies northwest of the Duck Lake basin.

(4) The aquifer is also artificially recharged through waters diverted to Duck Lake from Salmon and Johnson creeks by the Okanogan irrigation district and from waters incidental to irrigation of project lands.

(5) Since the basin retains substantial quantities of artificially stored ground water, in accordance with chapter 90.44 RCW it has been recommended that the Duck Lake aquifer be designated as a ground water subarea. [Order DE 74-24, § 173-132-010, filed 10/18/74.]

**WAC 173-132-020 Purpose.** The purpose of this regulation is to establish areal boundaries for the Duck Lake ground water subarea as the initial step toward development of an appropriate ground water management program for this area. [Order DE 74-24, § 173-132-020, filed 10/18/74.]

**WAC 173-132-030 Authority.** This regulation is promulgated by the department of ecology under authorities and procedures provided in chapters 43.21A, 90.03 and 90.44 RCW and after giving notice as provided in chapter 34.04 RCW. [Order DE 74-24, § 173-132-030, filed 10/18/74.]


**WAC 173-132-040 Subarea definition.** "Duck Lake ground water subarea" shall mean those lands lying within Okanogan County described as follows:

Beginning at the west quarter corner of Sec. 23; thence northeast through the north quarter corner of Sec. 23 and the east quarter corner of Sec. 14 to the north quarter corner of Sec. 13; thence east to the northeast corner of Sec. 13; thence north to the east quarter corner of Sec. 12; thence northwest to the southeast corner of Sec. 2; thence northwest to the center of the northwest quarter of Sec. 2; thence southwest through the west quarter corner of Sec. 2 to the south quarter corner of Sec. 3; thence west to the southwest corner of Sec. 3; thence south along the west line of Sec. 10 to the "bedrock" exposure which lies approximately 1,300 feet north from the southwest corner of Sec. 10; thence southeasterly along the "bedrock" to the south quarter corner of Sec. 10; thence south 1,320 feet; thence west 1,320 feet to the center of the northwest quarter of Sec. 15; thence south 3,960 feet to the south line of Sec. 15; thence east to the south quarter corner of Sec. 15; thence southeast to the point of beginning; ALL in T. 34 N., R. 26 E.W.M., Okanogan County.

[Order DE 77-3, § 173-132-040, filed 4/21/77; Order DE 74-24, § 173-132-040, filed 10/18/74.]

**WAC 173-132-050 Subarea map.** "Duck Lake ground water subarea" shall include those lands that lie within the heavy outline shown on the following map:

DUCK LAKE GROUND WATER SUBAREA



[Order DE 74-24, § 173-132-050, filed 10/18/74.]

### Chapter 173-134A WAC QUINCY GROUND WATER SUBAREA MANAGEMENT POLICY

#### WAC

- 173-134A-010 Authority.
- 173-134A-020 Background.
- 173-134A-030 Purpose.
- 173-134A-040 Definitions.
- 173-134A-050 Management and regulation.
- 173-134A-060 Withdrawal of waters of deep management unit.
- 173-134A-070 Public ground water permit amendments.
- 173-134A-080 Regulation of waters of the shallow management unit—Permit requirements.
- 173-134A-090 Responsibility for water management—Designation of critical management areas.
- 173-134A-100 Establishment of a technical committee.
- 173-134A-110 Request for protection of interest.
- 173-134A-120 Exemptions.
- 173-134A-130 Agreements.
- 173-134A-140 Existing laws and rights.
- 173-134A-150 Regulation review.
- 173-134A-160 Relinquishments—Public ground water.
- 173-134A-170 Appeals to pollution control hearings board.



**WAC 173-134A-010 Authority.** This chapter is promulgated by the department of ecology under authority and procedures provided in chapters 34.04, 43.21A, 90.03, and 90.44 RCW. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-010, filed 6/1/83. Formerly chapter 173-134 WAC.]

**WAC 173-134A-020 Background.** The Quincy ground water subarea was duly established and the boundaries were set forth in chapter 173-124 WAC on January 15, 1973. Management rules for the Quincy subarea were then adopted on January 9, 1975, as chapter 173-134 WAC and amended on July 26, 1979.

The department has managed the ground waters within the Quincy subarea since that time in accordance with those rules.

The following information is provided as a background to assist in understanding this chapter.

By the end of the 1973 irrigation season (in October), there were approximately 3,493,142 acre-feet of imported waters stored underground in the Quincy ground water subarea. These imported waters are derived from the activities of the bureau and the Columbia Basin project. Most of the imported water is located in the shallow management unit where it commingles with naturally occurring public ground waters.

The general pattern of flow of ground water in the shallow management unit is toward Potholes Reservoir, a facility of the Columbia Basin project.

By order of the department of ecology, under Docket No. 74-772, dated the 8th day of January, 1975, declarations of artificially stored waters of the United States Bureau of Reclamation were accepted for the Quincy subarea and zones. There are no other accepted declarations relating to the Quincy subarea and zones.

Based on the best information available to the department in 1983, all waters naturally supplied to the Quincy Basin ground water system have been allocated to permits or certificates under state law. Of the aggregate thus allocated, it appears that because of nonuse, small additional amounts of such water can be appropriated without overdraft. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-020, filed 6/1/83. Formerly WAC 173-134-030.]

**WAC 173-134A-030 Purpose.** The purpose of this chapter is to set forth rules of the department of ecology for the administration of all ground waters within the Quincy ground water subarea, including among others, commingled public ground waters and artificially stored ground waters. This chapter replaces chapter 173-134 WAC. The rules established herein set forth the regulatory and management program for these waters and all such waters shall be authorized for withdrawal and otherwise regulated in accordance with the provisions hereof. This state program is designated to protect both the public interest and private rights and interests in

such waters and shall be implemented in a spirit of cooperation with affected persons and entities, public and private, including the holder of a declaration accepted by the department pursuant to RCW 90.44.130. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-030, filed 6/1/83. Formerly WAC 173-134-010.]

**WAC 173-134A-040 Definitions.** For purposes of this chapter, the following definitions shall apply:

(1) "Artificially stored ground waters" means waters beneath the land surface within an area, subarea, or zone which are the subject of the declaration by the bureau and accepted by the department of ecology.

(2) "Bureau" means the United States Department of the Interior, Bureau of Reclamation.

(3) "Critical management area" means a specified locality within the Quincy subarea where depletion of ground waters, including interference with surface waters, necessitates the implementation of special ground water restrictions to ensure protection to rights and interests in said waters as set forth in this chapter.

(4) "Deep management unit" means all ground waters underlying the shallow management unit.

(5) "Department" means the department of ecology.

(6) "Ground waters" means all waters that exist beneath the land surface or beneath the bed of any stream, lake, or reservoir, or other body of surface water within the boundaries of the Quincy ground water subarea.

(7) "Public ground waters" means all ground waters in the Quincy ground water subarea other than artificially stored ground water.

(8) "Quincy ground water subarea," and "Quincy subarea" mean the subarea established pursuant to RCW 90.44.130 and set forth in chapter 173-124 WAC.

(9) "Shallow management unit" means the ground water hydraulically continuous between land surface and a depth of 200 feet into the Quincy basalt zone and includes all of the Quincy unconsolidated zone.

It is noted that the definitions of (1) and (7) hereof are not intended to be identical with the definitions in RCW 90.44.035. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-040, filed 6/1/83. Formerly WAC 173-134-020.]

**WAC 173-134A-050 Management and regulation.** All public and artificially stored ground water of the Quincy subarea shall be managed and regulated by the department of ecology in accordance with this chapter. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-050, filed 6/1/83. Formerly WAC 173-134-040.]

**WAC 173-134A-060 Withdrawal of waters of deep management unit.** All withdrawals of waters of the deep management unit will be controlled by the prior appropriation provisions of RCW 90.44.050 and 90.44.060

and related code sections. The total authorized withdrawals under state permits or certificates from the deep management unit shall not exceed 97,901 acre-feet per year, unless the department should determine otherwise through further studies. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-060, filed 6/1/83. Formerly WAC 173-134-050.]

**WAC 173-134A-070 Public ground water permit amendments.** The department may approve amendments to public ground water permits for lands located within the Quincy subarea, including changes in points of withdrawal, purpose, and places of use, only if it believes, after investigation, that the activities proposed in the amendment or amendments will not:

- (1) Impair existing rights;
- (2) Prove detrimental to the public interest;
- (3) Cause the tapping of a different body of ground water (as defined herein or as determined by the department);
- (4) Adversely affect the comprehensive scheme of water management adopted for the Quincy subarea.

In addition, with regard to holders of permits or certificates for the use of public ground waters in the Quincy subarea, said permits and certificates shall represent "a valid right to withdraw public ground waters," as that term is used in RCW 90.44.100, only to the extent of beneficial use actually made under the permit or certificate. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-070, filed 6/1/83. Formerly WAC 173-134-055.]

**WAC 173-134A-080 Regulation of waters of the shallow management unit--Permit requirements.** Waters of the shallow management unit shall be subject to the following:

- (1) Applications for withdrawal of public ground waters shall be processed in accordance with the provisions of chapters 90.44 and 90.03 RCW.

The total quantity of withdrawals of public waters, whether authorized by permits and certificates issued under RCW 90.44.050, 90.44.060 or otherwise, shall not exceed 58,000 acre-feet per year. It appears there may be relatively small amounts of public waters (in the range of not more than 4,000 acre-feet annually) available for appropriation in the shallow management unit. Such small amounts are reserved for withdrawal for domestic and group domestic uses.

- (2) No withdrawal of, or construction of any works for the withdrawal of artificially stored ground waters shall be commenced by any person without obtaining permission of the department of ecology. Permission shall be obtained through the issuance of a permit as provided in chapter 173-136 WAC. Application for a permit shall be on a form furnished by the department. In relation to ruling upon any such application, the following shall apply:

(a) Each permit shall be conditioned to ensure that no withdrawal will interfere with the furnishing of adequate supplies of water to the Potholes Reservoir facility of the bureau to satisfy existing and future project needs of the bureau.

(b) Each permit shall be conditioned to ensure that no interference with rights established under state law, previously or in the future, to withdraw public waters or artificially stored ground waters shall be allowed. Rights described herein shall include rights to the (1) maintenance of certain ground water levels to ensure availability and (2) protection of the use ability of certain withdrawal facilities.

(c) To the maximum extent possible, consistent with rights and interest in the ground waters of the Quincy subarea; wildlife, recreation, and other values associated with the general public interest in the ground water in the subarea shall be protected and permits issued hereunder shall be so conditioned.

(d) Permits shall be conditioned such that the well depth shall be no greater than 200 feet into the basalt (the shallow management unit). However, when the total production from the authorized well(s), completed within the shallow management unit does not produce the quantity of water authorized under the permit in gallons per minute, the permittee may apply to the department of ecology for an exemption to the well depth limitation imposed by these regulations. Such an exemption will be granted if reasonable efforts have been made to develop water in the shallow management unit and the proposed deepening will not adversely affect existing rights in the deep management unit. The depth of the well(s) in any event shall not penetrate the top of the Grand Ronde Basalt unit. When an exemption is granted, the department will advise the permittee of the depth to the top of the Grand Ronde Basalt unit at the specific well site(s). The authorized wells must be of adequate diameter and casing wall thickness to accommodate a pump of sufficient capacity to produce the permitted quantity in gallons per minute. Notwithstanding the definitions in WAC 173-134A-040, withdrawals of water subject to exemptions shall be considered as artificially stored ground water.

(e) Each permit shall be conditioned to provide that failure of the permittee to comply with the terms of an executed agreement as described in WAC 173-134A-130 shall constitute grounds for the department to terminate a permit issued under this subsection.

(f) Applications for permits shall be processed in order of their priority, based on the date of receipt of an application by the department of ecology.

(g) Permits granted herein shall pertain to a specific point(s) of withdrawal, and purpose, and place of use. No assignment of such permits can be made without written approval of the department.

The department may approve amendments to permits granted herein regarding changes in point of withdrawal, purpose, and place of use, if it believes, after investigation, that the amendment will comply with WAC 173-134A-070(1) through (4). Application for amendments

provided herein shall be made on forms provided by the department.

Permits for the use of artificially stored ground waters may be amended as to places of use and purpose only to the extent that waters actually have been placed to beneficial use pursuant to the terms of said permits.

(h) No permit shall authorize the withdrawal of waters for agricultural irrigation use for more acres than authorized by federal reclamation law.

(i) Permits issued hereunder shall have no expressed termination date provided, however, the permit shall be modifiable and terminable by the department at any time for good cause in order to accomplish the water management and regulation program of this chapter. Modifications and terminations as provided herein shall be effectuated through the issuance of regulatory orders as described in WAC 173-134A-090.

All permits provided for in chapter 173-136 WAC shall contain development schedules requiring that water be put to beneficial use within a three-year period from the date of issuance. Any permit under which development has not been completed may be perfected to the extent of beneficial use, and cancellation proceedings will be initiated on the remaining undeveloped portion.

(j) By applying for an obtaining a permit hereunder, an applicant expressly waives all other claims of rights to withdraw ground waters of the Quincy subarea for irrigation uses, except as such rights are (1) embodied in a permit or certificate pertaining to public ground waters issued previously by the department of ecology or one of its predecessors or (2) based upon rights established prior to the enactment of chapter 90.44 RCW and are the subject of a claim filed with the department of ecology pursuant to RCW 90.14.041.

(k) There shall be no fee for filing an application for a permit authorized for withdrawal of artificially stored ground waters under this subsection. Said application shall include the names and signatures of all legal owners of the lands proposed for irrigation.

(l) Withdrawals of artificially stored waters authorized by permit under this section shall be limited to a maximum cumulative total of no more than 177,000 acre-feet for each calendar year.

Withdrawals from wells presently drilled into both the shallow and deep management units, covered by an application filed with the department or a license to withdraw water issued by the bureau between May 12, 1967, and February 14, 1974, and which are also subject of a permit issued under this subsection (2), shall be considered as withdrawals from the shallow management unit.

(m) The duty of water for agricultural irrigation uses shall be not more than 3.5 acre-feet for each acre for each calendar year.

(n) No applications for permits submitted pursuant to WAC 173-134A-080(2) shall be approved for withdrawals of artificially stored ground waters from wells located on lands adjacent to bureau waterways and on lands underlain by ground water that hydraulically responds to changes in the water level of the Potholes Reservoir, which specifically are those lands described in

amended department of ecology Order No. 75-54, entered on October 9, 1975. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-080, filed 6/1/83. Formerly WAC 173-134-060.]

**WAC 173-134A-090 Responsibility for water management—Designation of critical management areas.** (1) The department of ecology shall be responsible for the water management and regulation program applicable to the comingled waters provided in this chapter, including the authorization of withdrawals of artificially stored ground waters and regulation of the same. The department shall, in order to ensure compliance with the water regulation and administration programs of this chapter, issue regulatory orders. Such orders shall be issued pursuant to RCW 43.27A.190 through 43.27A.210 and shall be subject to review as provided in chapter 43.21B RCW, before the pollution control hearings board.

(2) In times of shortage of water available to satisfy all ground water withdrawals authorized under WAC 173-134A-080(2), the department shall reduce withdrawals, through issuance of regulatory orders, in order of the priority date of the permit, with the latest priority being regulated first. In relation thereto, the department may designate critical management areas within the Quincy subarea based upon any of the following:

(a) Where there is an inadequate supply of water to the Potholes Reservoir and the Potholes canal system;

(b) When there is a shortage of water to satisfy ground water withdrawals authorized under WAC 173-134A-080(2);

(c) Where existing wildlife, recreational, and other values associated with the general public interest are or will be detrimentally affected on a significant scale, or

(d) Where necessary to protect rights to withdraw public waters. Designation of critical management areas shall be made through issuance of regulatory orders which shall define the areas and specify if the regulatory period is permanent or not. During this management period, the department shall determine the allowable limits of withdrawal of artificially stored ground water within the critical management area.

(3) As part of its enforcement program, the department shall terminate permits, through the issuance of regulatory orders, when permittees fail to comply with the terms of an executed agreement as provided in WAC 173-134A-130. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-090, filed 6/1/83. Formerly WAC 173-134-070.]

**WAC 173-134A-100 Establishment of a technical committee.** (1) For the purpose of advising the department in the implementation of this chapter, there is established a technical committee consisting of one permanent member and one alternate member each from the bureau and the department assisted by other

technical advisors (e.g. irrigation districts, municipalities) as the permanent members consider necessary.

(2) The role of the committee shall relate generally to providing advice pertaining to ground and surface water conditions and management in the Quincy subarea.

(3) The committee shall meet as necessary when called by a permanent member of the committee. Telephone conference calls may constitute a committee meeting. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-100, filed 6/1/83. Formerly WAC 173-134-080.]

**WAC 173-134A-110 Request for protection of interest.** Whenever the bureau believes its interest in the ground waters of the Quincy subarea are not being adequately protected, it may request the department to issue regulatory orders or take other appropriate management and regulatory actions designed to protect such interest. If the department concludes the requested action is not warranted in the administration of this chapter, the department shall issue an order denying the request. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-110, filed 6/1/83. Formerly WAC 173-134-085.]

**WAC 173-134A-120 Exemptions.** (1) The permit program of WAC 173-134A-080(2) shall not relate to (a) agricultural drains or (b) withdrawals of artificially stored ground waters performed for the purpose of removing excess waters injurious to private or project lands, to bureau canals or wasteways or other similar facilities; provided that no activities pertaining to (b) above will be conducted without first notifying the department and requesting its comment within a reasonable time.

(2) The permit program of WAC 173-134A-080(2) shall not relate to withdrawals by public entities of artificially stored ground waters performed as a necessary incident of the operation of an essential public service activity, such as a solid waste disposal facility or the fighting of fires. The public entity shall not construct facilities for making such withdrawals or engage in such withdrawals without first notifying the department and requesting comments from the department regarding the intended action. This subsection shall not relate to other than essential public services and shall not pertain to the supplying of water for general municipal uses pertaining to satisfaction of industrial and domestic needs.

(3) No permit shall be required under WAC 173-134A-080(2) for withdrawals of artificially stored ground waters of less than 5,000 gallons per day for stockwatering purposes, for watering of a lawn or of a noncommercial garden not exceeding one-half acre in area, for single or group domestic uses, or for an industrial purpose as prescribed in RCW 90.44.050 pertaining to the withdrawal of public ground waters. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090,

90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-120, filed 6/1/83. Formerly WAC 173-134-090.]

**WAC 173-134A-130 Agreements.** (1) No use of water under a permit issued pursuant to WAC 173-134A-080(2) shall take place until the recipient of such permit shall enter into an agreement with the bureau, on a form and in a content, approved and previously agreed to by the bureau and the department, pertaining to withdrawal of artificially stored ground waters. The agreement shall relate to reasonable charges for withdrawal of artificially stored ground waters and other pertinent provisions necessary to comply with federal law and ensure payment of such charges. Use of water before the permittee enters into an agreement with the bureau shall cause the permit to be terminated by the department.

(2) The bureau shall not enter into an agreement, as provided in WAC 173-134A-130(1), until a copy of a permit issued by the department pursuant to WAC 173-134A-080(2) is received by the bureau. Thereafter, upon presentation of a request the bureau shall enter into an agreement with eligible persons having state permits as described in WAC 173-134A-130(1). [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-130, filed 6/1/83. Formerly WAC 173-134-100.]

**WAC 173-134A-140 Existing laws and rights.** (1) Nothing in this chapter, including any permit issued pursuant hereto, shall authorize the use of waters in a manner which injures the property of others.

(2) Nothing in this chapter purports or is intended to modify any rights of an irrigation district created under a water delivery and "repayment" contract between the United States and irrigation districts located within the Columbia Basin project.

(3) Nothing herein shall modify the rights of the United States to make use of the courts to protect its interests.

(4) Nothing in this chapter is intended to require the bureau to obtain a permit for recapture of ground water for project purposes by wasteways and drains, including Potholes Reservoir, which water is covered by an accepted declaration of right to withdraw artificially stored ground water pursuant to RCW 90.44.130.

(5) Nothing in this chapter purports to regulate the administration and operation of Columbia Basin project facilities. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-140, filed 6/1/83. Formerly chapter 173-134 WAC.]

**WAC 173-134A-150 Regulation review.** The rules in this chapter shall be reviewed by the department at least once in every five years. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130,

90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-150, filed 6/1/83. Formerly chapter 173-134 WAC.]

**WAC 173-134A-160 Relinquishments—Public ground water.** To the extent the department identifies ground water rights that have reverted to the state pursuant to RCW 90.14.130, et seq.; it, in its discretion, may issue public ground water permits not exceeding those quantities. Public ground water made available due to relinquishment of water rights shall be subject to appropriation, reservation, or withdrawal in accordance with the applicable state water laws. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-160, filed 6/1/83.]

**WAC 173-134A-170 Appeals to pollution control hearings board.** All final decisions of the department of ecology pertaining to permits, regulatory orders, and related decisions, shall be subject to review by the pollution control hearings board under chapter 43.21B RCW. [Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-170, filed 6/1/83.]

#### Chapter 173-136 WAC

### THE ESTABLISHMENT OF A SYSTEM OF AUTHORIZING THE WITHDRAWAL OF ARTIFICIALLY STORED GROUND WATERS EMBODIED IN AN APPROVED DECLARATION UNDER RCW 90.44.130, WHICH ARE COMMINGLED WITH PUBLIC GROUND WATERS IN GROUND WATER AREAS, SUBAREAS, AND ZONES ESTABLISHED UNDER RCW 90.44.130

#### WAC

173-136-010	Purpose of chapter.
173-136-020	Definitions—This chapter.
173-136-030	Permit to withdraw.
173-136-040	Criteria for ruling upon application for permits.
173-136-050	Public notice of application and public hearings—When required.
173-136-060	Permits—Priorities and conditions of right of withdrawal.
173-136-070	Permits do not establish or embody water rights.
173-136-080	Permits shall be transmitted to the holder of a declaration.
173-136-090	Failure to obtain permit—Unlawful.
173-136-100	Review before the pollution control hearings board.

**WAC 173-136-010 Purpose of chapter.** The purpose of this chapter is to establish a permit system as a part of a comprehensive state water management and regulatory control program pertaining to the withdrawal and use of ground waters consisting of commingled artificially stored ground waters and public waters located in areas, subareas, and zones designated pursuant to RCW 90.44.130. The permit system established in this chapter relates only to the withdrawal and use of artificially stored ground waters of such ground waters. [Order 74-36, § 173-136-010, filed 1/9/75.]

**WAC 173-136-020 Definitions—This chapter.** Definitions. For purposes of this chapter the following definitions shall apply. (It is noted that the (2) and (6) hereof are not intended to be identical with definitions contained in RCW 90.44.035.)

(1) "Area, subarea, or zone" means a ground water area, subarea, or zone designated by the department of ecology pursuant to RCW 90.44.130(3), which contains commingled artificially stored and public ground waters.

(2) "Artificially stored ground waters" mean water beneath the land surface within an area, subarea, or zone(s) which are the subject of a declaration accepted by the department of ecology pursuant to RCW 90.44.130(6).

(3) "Department" means the department of ecology.

(4) "Ground waters" means all waters beneath the land surface of an area, subarea, or zone.

(5) "Person" means individual, public, or private corporation, municipality, county, partnership, association, federal, or state agency or body, or any other entity whatsoever.

(6) "Public ground waters" means all ground waters within an area, subarea, or zone other than artificially stored ground waters. [Order 74-36, § 173-136-020, filed 1/9/75.]

**WAC 173-136-030 Permit to withdraw.** No person, unless expressly exempted by a specific management regulation of the department adopted for an area or subarea, may withdraw any artificially stored ground waters for beneficial use from any area, subarea, or zone without first obtaining a permit from the department of ecology as hereinafter provided. An application for a permit shall be submitted on a form provided by the department. The application shall contain the following information:

- (1) Name
- (2) Address
- (3) Point of withdrawal
- (4) Place of use
- (5) Purpose of use
- (6) Time of use

(6a) Amounts of withdrawal, including both maximum rate and the total volume each calendar year

(7) The area, subarea, and zone from which the waters are to be withdrawn. [Order 74-36, § 173-136-030, filed 1/9/75.]

**WAC 173-136-040 Criteria for ruling upon application for permits.** (1) The criteria for ruling on an application for a permit are as follows. An application shall be approved if:

(a) Artificially stored waters are available for withdrawal; and

(b) The public interest will not be detrimentally affected; and

(c) Rights to withdraw public water will not be impaired; and

(d) The interests of the holder embodied [embodied] in a declaration accepted by the department pursuant to RCW 90.44.130(6) will not be impaired.

(e) The withdrawal and use proposed in the application can be performed consistent with the provision of the chapter of the Washington Administrative Code containing the water management and regulation regulations for the specific ground water area, subarea, or zone to which the application relates.

(2) Prior to issuance of a permit to withdraw artificially stored ground water, the department shall consult with the holder of a declaration accepted by the department pursuant to RCW 90.44.130. [Order 74-36, § 173-136-040, filed 1/9/75.]

**WAC 173-136-050 Public notice of application and public hearings—When required.** (1) Public notices of applications filed with the department shall be required by the department only when it appears to the department that the public interest will be served. When a notice is required the applicant shall be responsible for its publication in a form, manner, and frequency as determined by the department unless otherwise specified.

(2) Public hearings on such applications shall be required by the department only when it appears to the department that the public interest will be served. [Order 74-36, § 173-136-050, filed 1/9/75.]

**WAC 173-136-060 Permits—Priorities and conditions of right of withdrawal.** Every permit issued pursuant to this chapter shall be:

(1) Conditioned to insure the protection of public interest and values and of the rights of withdrawal and use established in public waters and artificially stored ground waters both prior and subsequent to the issuance of such a permit.

(2) Conditioned to comply with the provisions of the chapter of the Washington Administrative Code containing the water management and regulation regulations for the specific ground water area, subarea, or zone to which the application relates.

(3) Conditioned to provide for inspection, monitoring, entry, and reporting of data by or to the department and the holder of an accepted declaration as required by the department.

(4) Conditioned to provide that a permit shall be subject to termination or modification for failure to comply with any agreement, approved by the department, between the permittee and the holder of a declaration accepted by the department of ecology pursuant to RCW 90.44.130.

(5) Subject to termination or modification, through issuance of supplemental orders of the department, for good cause, including but not limited to:

- (a) Violation of a permit condition;
- (b) Obtaining a permit by misrepresentation or failure to fully disclose all relevant facts;
- (c) The receipt of new facts or information dictate the same. [Order 74-36, § 173-136-060, filed 1/9/75.]

**WAC 173-136-070 Permits do not establish or embody water rights.** Permits issued pursuant to this chapter do not establish or embody water rights as provided

in RCW 90.44.050 and 90.44.060. [Order 74-36, § 173-136-070, filed 1/9/75.]

**WAC 173-136-080 Permits shall be transmitted to the holder of a declaration.** A copy of each permit issued by the department under this chapter shall be transmitted, at the time of issuance, to the holder of a declaration accepted by the department pursuant to RCW 90.44.130 pertaining to artificially stored ground water. [Order 74-36, § 173-136-080, filed 1/9/75.]

**WAC 173-136-090 Failure to obtain permit—Unlawful.** Failure to comply with the provisions of this chapter, including failure to obtain a permit as required herein and violation of a condition of such a permit, shall constitute a basis for the imposition of civil and criminal sanctions contained in applicable state statutes. [Order 74-36, § 173-136-090, filed 1/9/75.]

**WAC 173-136-100 Review before the pollution control hearings board.** Rulings on permits and other orders and decisions related to this chapter shall be subject to review before the pollution control hearings board in accordance with chapter 43.21B RCW. [Order 74-36, § 173-136-100, filed 1/9/75.]

## Chapter 173-142 WAC

### DELEGATION OF PERMIT PROGRAM UNDER STATE FLOOD CONTROL ZONE ACT

#### WAC

173-142-010	Authority.
173-142-020	Purpose.
173-142-030	Definitions.
173-142-040	Scope of delegation.
173-142-050	Conformity with department rules.
173-142-070	Requests for delegation.
173-142-080	Procedure for delegation.
173-142-090	Withdrawal of delegation.
173-142-100	Permits under delegated programs.
173-142-110	Appeals.

#### DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

173-142-060	Subdelegation. [Order DE 74-11, § 173-142-060, filed 6/17/74.] Repealed by 82-24-026 (Order DE 82-38), filed 11/23/82. Statutory Authority: RCW 86.16.027.
-------------	--

**WAC 173-142-010 Authority.** By section 1, chapter 75, Laws of 1973, the legislature enacted RCW 86.16.085, permitting the department of ecology, when requested by the governing body of any county, city or town, to delegate to such body the authority to administer the permit program established by RCW 86.16.080 for a flood control zone or portions thereof within its jurisdiction, if the department determines the requestor has:

- (1) The resources, expertise, and capability to administer such a program, and
- (2) indicated an intention to administer the program in accordance with the State Flood Control Zone Act and the general guidelines contained in rules adopted by

the department pertaining to flood control zones. [Order DE 74-11, § 173-142-010, filed 6/17/74.]

**WAC 173-142-020 Purpose.** The purpose of this chapter is to set forth procedures and criteria for the delegation of the permit program of RCW 86.16.080 to the governing bodies of counties, cities or towns. [Order DE 74-11, § 173-142-020, filed 6/17/74.]

**WAC 173-142-030 Definitions.** As used in this chapter:

(1) "Department" shall mean the department of ecology;

(2) "Director" shall mean director of the department of ecology;

(3) "Flood control zone" shall mean any zone established and delineated by the department or any of its predecessor agencies pursuant to the State Flood Control Zone Act, chapter 86.16 RCW;

(4) "Permit program" shall mean the administration of applications to construct, reconstruct, modify, operate or maintain any structures or works affecting flood waters within any flood control zone as required by RCW 86.16.080 and as more specifically governed by rules issued thereunder; and

(5) "Requestor" shall mean the governing body of any county or any incorporated city or town which submits to the department a request for delegation of authority to administer the permit program established by RCW 86.16.080 within its area of jurisdiction.

(6) "Implementing ordinance" shall mean the ordinance that will be the basis under which the requestor shall implement and administer the delegated permit program. This ordinance shall identify the regulatory area and shall state that the permit program shall be administered in accordance with chapter 86.16 RCW and chapter 508-60 WAC. [Statutory Authority: RCW 86.16.027, 82-24-026 (Order DE 82-38), § 173-142-030, filed 11/23/82; Order DE 74-11, § 173-142-030, filed 6/17/74.]

**WAC 173-142-040 Scope of delegation.** (1) Authority delegated hereunder shall be limited to the administration of the permit program within established flood control zones or portions thereof identified in the requestor's approved implementing ordinance.

(2) Delegations to counties hereunder shall extend to all unincorporated areas with flood control zones identified in the implementing ordinance. Counties may, in addition, be delegated authority to administer the permit program in portions of flood control zones within the boundaries of incorporated cities and towns, but such authority shall be so delegated only where the county and the incorporated city or town have entered into a memorandum of agreement, or other appropriate document, evidencing the consent of the governing body of the city or town to the county's exercise of such authority within municipal corporation boundaries. [Statutory Authority: RCW 86.16.027, 82-24-026 (Order DE 82-38), § 173-142-040, filed 11/23/82; Order DE 74-11, § 173-142-040, filed 6/17/74.]

**WAC 173-142-050 Conformity with department rules.** (1) The requestor may set higher and more rigid standards for construction and development in the floodplain than the minimum criteria established by the department based on knowledge of local conditions and in the interest of human safety.

(2) All approved implementing ordinances shall contain a proviso requiring that the permit program as administered by any county or any incorporated city or town be revised, as necessary and to the satisfaction of the department, to conform with any changes in state rules pertaining to flood control zones which may be adopted by the department subsequent to the effective date of the delegation.

(3) All amendments of approved implementing ordinances shall be submitted for information purposes to the department. [Statutory Authority: RCW 86.16.027, 82-24-026 (Order DE 82-38), § 173-142-050, filed 11/23/82; Order DE 74-11, § 173-142-050, filed 6/17/74.]

**WAC 173-142-070 Requests for delegation.** No particular form shall be required for requests for delegation hereunder. The requestor shall provide the following information to the department:

(1) A statement of the requestor's intention to administer the permit program in accordance with the State Flood Control Zone Act and the state rules and regulations pertaining to flood control zones, as now or hereafter amended;

(2) A description of the geographic area to which the request relates. This may be identified as that portion of the named and numbered zones which are located in the incorporated or unincorporated area of the city, town or county. If the request is from a county desiring to administer the permit program within the boundaries of any incorporated city or town, the county shall include a memorandum of agreement with the city or town in accordance with the Interlocal Cooperation Act, chapter 39.34 RCW;

(3) A description of the financial and staffing capabilities used to administer the permit program along with the name of the community office which will administer the program;

(4) A copy of the implementing ordinance which is the basis for administering the permit program. [Statutory Authority: RCW 86.16.027, 82-24-026 (Order DE 82-38), § 173-142-070, filed 11/23/82; Order DE 74-11, § 173-142-070, filed 6/17/74.]

**WAC 173-142-080 Procedure for delegation.** (1) The requestor shall submit the request to the director for delegation.

(2) The department shall review the request for delegation and respond within ninety days as to adequacy of the request.

(3) Upon approval by the department of the request for delegation, the director shall issue an order of delegation to the requestor accompanied by the implementing ordinance in the form approved by the department. Such order shall be conditioned to take effect upon the

effective date of the implementing ordinance after adoption by the requestor in the form approved.

(4) Whenever any order of delegation made hereunder takes effect, the department shall transfer to the delegatee all pending applications which relate to the permit program in the area to which the delegation applies. [Statutory Authority: RCW 86.16.027, 82-24-026 (Order DE 82-38), § 173-142-080, filed 11/23/82; Order DE 74-11, § 173-142-080, filed 6/17/74.]

#### WAC 173-142-090 Withdrawal of delegation.

Whenever the department determines, after a public hearing, that a county or incorporated city or town to which a delegation has been made hereunder is not administering the permit program in accordance with the State Flood Control Zone Act, the applicable state rules or the applicable implementing ordinance, the department shall notify said local government and, if corrective action is not taken within a reasonable time, not to exceed ninety days, the department, by order, shall withdraw the delegation. [Order DE 74-11, § 173-142-090, filed 6/17/74.]

**WAC 173-142-100 Permits under delegated programs.** (1) The department shall provide permit forms to local governments delegated authority hereunder: *Provided*, That any delegatee may use its own permit forms when the same have been approved by the department.

(2) The department shall be furnished with a copy of each permit issued under a delegated program immediately upon issuance of the permit: *Provided*, That the department may waive this requirement in its entirety or by category of structure or works. [Order DE 74-11, § 173-142-100, filed 6/17/74.]

**WAC 173-142-110 Appeals.** Any person aggrieved by a ruling on an application for a permit under a delegated program may obtain review thereof by filing an appeal, within thirty days, with the pollution control hearings board pursuant to chapter 43.21B RCW and chapter 371-08 WAC. [Order DE 74-11, § 173-142-110, filed 6/17/74.]

### Chapter 173-160 WAC

#### MINIMUM STANDARDS FOR CONSTRUCTION AND MAINTENANCE OF WATER WELLS

##### WAC

173-160-010	Purpose.
173-160-020	General.
173-160-030	Definitions.
173-160-040	Permit.
173-160-050	Records.
173-160-060	Location of well site and access requirements.
173-160-070	Design and construction.
173-160-080	Design and construction—Casing.
173-160-090	Design and construction—Well completion—General.
173-160-09001	Recommended well diameters.
173-160-100	Design and construction—Sealing materials.
173-160-110	Design and construction—Sealing of casing—General.
173-160-120	Design and construction—Sealing of consolidated formations.

173-160-130	Sealing of unconsolidated formations without significant clay beds.
173-160-140	Sealing of unconsolidated formations with clay beds.
173-160-150	Special sealing standards for artesian wells.
173-160-160	Artificial gravel-packed wells—General.
173-160-170	Sealing of artificial gravel-packed wells.
173-160-180	Sealing of dug wells.
173-160-190	Special standards for driven or jetted wells.
173-160-200	Upper terminal of well.
173-160-210	Capping.
173-160-220	Testing of well.
173-160-230	Testing of well—Access port or pressure gage.
173-160-240	Disinfection.
173-160-250	Quality of drilling water.
173-160-260	Pump installation.
173-160-270	Explosives.
173-160-280	Chemical conditioning.
173-160-290	Abandonment or destruction of wells.
173-160-300	Abandonment or destruction of wells—Abandonment or destruction of drilled or jetted wells.
173-160-310	Abandonment or destruction of wells—Abandonment or destruction of gravel-packed wells.
173-160-320	Abandonment or destruction of wells—Abandonment or destruction of artesian wells.
173-160-330	Abandonment or destruction of wells—Abandonment or destruction of dug wells.
173-160-340	Abandonment or destruction of wells—Plugging of test wells.
173-160-350	Artificial recharge of ground water bodies.
173-160-360	Special exemptions.
173-160-370	Relationship to other authorities.
173-160-380	Comparable construction standards.

**WAC 173-160-010 Purpose.** These regulations are adopted pursuant to chapter 18.104 RCW, in order to establish minimum standards for the construction of all water wells in the state of Washington. [Order 73-6, § 173-160-010, filed 4/30/73.]

**WAC 173-160-020 General.** The following general standards shall apply to all water wells constructed in the state of Washington. These standards are minimum standards which must be adhered to in the construction of all wells. It is the responsibility of the water well contractor and the property owner to take whatever measures are necessary to guard against waste and contamination of the ground water resources. (1) It will be necessary in some cases to construct wells with additional requirements beyond the minimum standards.

(2) When strict compliance with these regulations appears to be impractical, the well contractor or driller shall make application to the department for approval of comparable alternative specifications prior to the work being done. [Order 73-6, § 173-160-020, filed 4/30/73.]

**WAC 173-160-030 Definitions.** As used in this chapter:

(1) "Abandoned well" is a water well which has been filled or plugged so that it is rendered unproductive. A properly abandoned well will not produce water nor serve as a channel for movement of water from the well or between water-bearing zones.

(2) "Access port" is a 1/2- to 2-inch tapped hole or tube equipped with a screw cap, which has access to the inner casing, which will allow measurement of the depth to water surface.



(3) "Annular space" is the space between the surface or outer casing and the inner casing, or the space between the drilled hole and the inner casing.

(4) "Aquifer" is any geologic formation that will yield water to a well in sufficient quantity for beneficial use.

(5) "Artesian well" is a well tapping an aquifer in which the water is confined under pressure so that the water will rise in the well above the point of initial penetration (above the bottom of the confining or impermeable layer overlying the aquifer). This term includes both flowing and nonflowing wells.

(6) "Artificial gravel pack" is a term used to describe gravel placed in the annular space around the well casing. A gravel pack is frequently used to prevent the movement of finer material into the well casing, to increase the ability of the well to yield water and to lend lateral support to screens in unstable formations.

(7) "Artificial recharge" is the practice of increasing by artificial means the amount of water that enters a ground water basin.

(8) "Capped well" is a well that is not in use and has a permanent seal or locked cap installed on top of the casing.

(9) "Casing" is a pipe, generally of metal, which is installed in the well hole to maintain the opening and to provide protection of the ground waters from waste and contamination.

(10) "Curbing" is a liner or pipe made of concrete, precast tile or steel used in dug wells to provide a space between the well bore and the liner for sealing.

(11) "Consolidated formation" means any geologic formation in which the earth materials have become firm and coherent through natural rock forming processes. Such rocks commonly found in Washington include basalt, granite, sandstone, shale, conglomerate, and limestone. These deposits will normally stand at the edges of a drill hole without caving.

(12) "Contamination" is an impairment of natural ground water quality by organisms, chemical, organic and radioactive material or by the introduction of heated or cooled water where temperatures are so affected as to lower the water quality to a degree which creates a potential hazard to public health.

(13) "Department" means the department of ecology.

(14) "Disinfection" is the introduction of chlorine, or other disinfecting agent approved by the department, in a sufficient concentration and followed by an adequate contact time so as to inactivate coliform or other indicator organisms.

(15) "Domestic water supply" is any water supply system intended or used for human consumption or other use serving one single family residence.

(16) "Drawdown" in a well means the extent of lowering of the water level when pumping is in progress or when water is discharging from a flowing well. Drawdown is the difference, measured in feet, between the static water level and the pumping level.

(17) "Drilled well" is a well in which the hole is usually excavated by mechanical means such as rotary or cable tool rigs.

(18) "Driven well" is a well constructed by joining a "drive point" with a length of pipe, extended as may be necessary and driving the assembly into the ground.

(19) "Dug well" is a well in which the hole is often excavated by hand tools, and which is usually at a shallower depth and larger diameter than drilled wells.

(20) "Grout" is a cementing agent, such as portland cement, used for sealing water wells during construction or destruction.

(21) "Impermeable" is a descriptive term for a rock material which has a texture or structure that does not permit water to perceptibly move into or through its pores or interstices.

(22) "Operator" means any person who is employed by a water well contractor or who is self-employed as a contractor-operator for the control and supervision of the construction of a water well or for the operation of water well construction equipment.

(23) "Permeable" is a descriptive term for describing a rock material which has a texture or structure that permits water to move through it. The degree of permeability depends upon the size and shape of the pores or other openings and their interconnections.

(24) "Pressure grouting" is a method of forcing grout by means of adequate pressure into specific portions of a well for sealing purposes.

(25) "Public water supply" is any system or water supply intended or used for human consumption or other domestic uses, including source, treatment, storage, transmission and distribution facilities where water is furnished to any community, collection or number of individuals, or is made available to the public for human consumption or domestic use, but excluding water supplies serving one single family residence.

(26) "Puddling clay" is a form of bentonite in combination with other natural materials that act naturally to seal out or retard the movement of water. Composition is such that the bentonite fraction is 50% with the remaining portion not exceeding the size of coarse sand.

(27) "Static water level" is the vertical distance from the surface of the ground to the water level in a well when no water is being taken from the aquifer either by pumping or by free flow.

(28) "Test well" is an exploratory hole, either cased or uncased, usually of small diameter constructed for the purpose of locating depth to water in each aquifer, determining the quality and quantity of water, identifying underlying rock formations (lithology), and locating of optimum sections to be screened or perforated.

(29) "Unconsolidated formation" means any naturally occurring, loosely cemented or poorly indurated earth materials including such materials as uncompacted sand, silt and gravel.

(30) "Water well" means and includes any excavation that is drilled, cored, bored, washed, driven, dug, jetted, or otherwise constructed when the intended use of the well is for the location, diversion, artificial recharge, or withdrawal of ground water. "Water well" does not mean an excavation made for the purpose of obtaining or prospecting for oil, natural gas, minerals or products

of mining, or quarrying, or for inserting media to re-pressure oil or natural gas bearing formations, or for storing petroleum, natural gas or other products.

(31) "Well driller" is synonymous with "operator."

(32) "Well rig" is any power driven, percussion, rotary, boring, digging, jetting or auguring machine used in the construction of a water well. [Order 73-6, § 173-160-030, filed 4/30/73.]

**WAC 173-160-040 Permit.** As provided RCW 90.44.050, no wells shall be constructed if a withdrawal of more than 5,000 gallons a day is contemplated, unless an application to appropriate such waters has been made to the department and a permit has been granted. [Order 73-6, § 173-160-040, filed 4/30/73.]

**WAC 173-160-050 Records.** (1) Every water well contractor, within 30 days after completion of a well, is required to submit a complete record on the construction or alteration of the well to the department. This shall apply to all water wells, regardless of size or ownership.

(2) The well record shall be made on a form provided by the department and include the following information, where applicable, as a minimum: Location of well by smallest legal subdivision; intended use of well; the depth, diameter, and general specifications of each well; the thickness in feet and character of each bed, stratum or formation penetrated by each well; the length and position in feet below land surface; and the commercial specifications of all casing, also of each screen or perforated zone in the casing; the tested capacity of each well in gallons per minute; for each nonflowing well, the depth to the static water level, as measured in feet below the land surface, and also the drawdown of the water level in feet at the end of the well capacity test; for each flowing well, the shut-in pressure measured in feet above the land surface, or in pounds per square inch at the land surface, and such additional factual information as reasonably may be required by the department. [Order 73-6, § 173-160-050, filed 4/30/73.]

**WAC 173-160-060 Location of well site and access requirements.** The proposed well should be located on high ground consistent with the general terrain. It shall be protected from normal flooding and from any surface and subsurface drainage capable of impairing the quality of the ground water supply. The well shall, where practical, be located upslope from possible sources of contamination, and due consideration shall be given to porosity and permeability of the soil, local ground water conditions and end use of the well.

When a well is located adjacent to a building, it shall be so situated such that the centerline of the well extended vertically will clear any projection from the building by not less than five feet.

After construction, the water well contractor or operator should strongly emphasize, to the well owner, the importance of retaining a good accessibility to the well to permit future inspection and maintenance.

(1) **Public water supply wells.** Before construction begins, site approval must be obtained from the department of social and health services, water supply and waste unit, and the requirements of the state board of health regulation regarding public water supplies (WAC 248-54-290, 248-54-300 and 248-54-350) shall apply. These sections include requirement for zone of protection, location of the well, accessibility requirements, and certain construction requirements.

(2) **Individual domestic, irrigation, industrial and other wells.** Wells shall not be located within certain minimum distances of potential sources of contamination. These minimum distances shall comply with local health regulations as appropriate. In general, wells shall be located at least 50 feet, and preferably 100 feet from a sewer, septic tank or privy. [Order 73-6, § 173-160-060, filed 4/30/73.]

**WAC 173-160-070 Design and construction.** Every well shall be planned and constructed so that it is: (1) Adapted to the geologic and ground water conditions existing at the site of the well to insure full utilization of every natural protection afforded thereby.

(2) Designed to facilitate such supplementary construction as may be required to provide a sufficient and safe water supply where obtainable and to conserve ground water.

(3) Capable of yielding, where obtainable, the quantity of water required to satisfy the requirements which the user has stated are necessary and for which well water is intended to be used. [Order 73-6, § 173-160-070, filed 4/30/73.]

**WAC 173-160-080 Design and construction--Casing.** Proper casing shall be installed in all water wells. The casing shall be designed to withstand the normal forces which may act upon it during and after installation. It shall be resistant to the corrosive effects of enclosing rocks, earth and water. Unless prior approval is obtained from the department, materials for well casings shall be as specified hereunder: (1) Minimum specifications for steel casing and pipe for driven wells are contained in the following table:

TABLE 1

Nominal Size (inches)	Outside Diameter (inches)	Wall Thickness (inches)	Weight Per Foot (pounds)
1 1/2	1.900	0.145	2.72
2	2.375	0.154	3.65
2 1/2	2.875	0.203	5.79
3	3.500	0.216	7.58
3 1/2	4.000	0.226	9.11
4	4.500	0.237	10.79
6	6.625	0.250	17.02
8	8.625	0.250	22.36
10	10.750	0.250	28.04
12	12.750	0.250	33.38
14	14.000	0.312	45.61
16	16.000	0.344	62.85

Nominal Size (inches)	Outside Diameter (inches)	Wall Thickness (inches)	Weight Per Foot (pounds)
18	18.000	0.375	70.59
20	20.000	0.375	78.60

All casings greater than a nominal size of 20 inches shall have a minimum wall thickness of .375 inches.

Suitable casings shall be new or, in like-new condition, if only previous contact has been with water, and be free of pits and breaks. When casing lengths are joined together, they shall be connected by welded or screw coupled joints which fit and are water tight. Welded joints shall be at least as thick as the wall thickness of the well casing and be fully penetrating.

(2) Plastic casing shall meet all the requirements defined by the national sanitation foundation for plastic well casing.

(3) Liner pipe installed for sealing off unused aquifers, caving or fractured formations and installed without driving, shall have a minimum thickness of .188 inches and conform to the quality standards for steel casing above.

(4) Poured concrete casing shall: (a) Consist of clean, hard and durable aggregate with not less than 5 sacks of portland cement per cubic yard of concrete. The maximum diameter of aggregate particles shall not exceed 1 1/2 inches, but in any case shall not exceed 1/5 the minimum width of the casing thickness. The ratio of coarse aggregate to fine aggregate (passing No. 4 U.S. Standard Sieve) shall be approximately 1 1/2 to 1 by volume, but in any case, shall not exceed 2 to 1 nor be less than 1 to 2.

(b) Be at least 6 inches thick so placed as to be free of voids. The walls shall be poured in one continuous operation. [Order 73-6, § 173-160-080., filed 4/30/73.]

**WAC 173-160-090 Design and construction--Well completion--General.** The well may be completed with screens, perforated liners or pipe, or open bottom; these shall be of sufficient strength to withstand the forces to which they are subjected during and after construction. It is the responsibility of the well driller or designer to instruct the owner or his representative as to the most appropriate method of completion. Wells shall be completed in a manner which prevents the production of inordinate amounts of sand or turbid water.

(1) **Standard open bottom completion.** Open bottom completion shall be considered appropriate only where the withdrawn waters are essentially free of sand, silt and turbidity.

(2) **Perforated pipe completion.** Perforated pipe completion shall be considered suitable only for a coarse-grained, permeable aquifer where the withdrawn waters are free of excessive sand, silt or turbidity.

Perforations above the static water level shall not be permitted. Wells may be completed with perforations as follows:

(a) In-place perforations with Star, Mills knife, or similar type perforators.

(b) Perforated pipe liners, either torch-cut, mill-slotted or punched. Such liners may be of steel, plastic or other suitable corrosion-resistant material, but if other than steel, a full evaluation of the structural stability of the liner must be made prior to its placement. They may be used in a natural development or gravel-packed type of construction. Where appropriate, the top of the liner shall be fitted with neoprene or lead packers or grout sealed to the well casing. The bottom of the liner shall be fitted with a suitable closure. *The use of preperforated casing for working casing as the hole is being drilled is prohibited*, except in those cases where the contractor can, through personal experience in the particular area of drilling, attest to the sufficiency of the preperforated casing in all respects for the specific well being constructed.

(3) **Well screens.** Well screens (and well points) shall be constructed of one type of corrosion-resistant material. Where appropriate, suitable neoprene or lead packers or grout seal shall be fitted to the top of the well screen assembly. The bottom of well screens shall be fitted with a suitable closure.

(4) **Alignment.** A completed well must be so constructed that the drill hole and/or installed casing does not deviate from an alignment that would allow a 20 foot dummy section of pipe of no more than one diameter size smaller than the casing liner or drilled hole to be inserted to the bottom of the well without binding. Minimum specifications for casing sizes for various ranges in well yield or pumping rate are shown under WAC 173-160-09001. [Statutory Authority: RCW 18.104.040(4), 79-02-010 (Order DE 78-22), § 173-160-090, filed 1/10/79; Order 73-6, § 173-160-090, filed 4/30/73.]

**WAC 173-160-09001 Recommended well diameters.**

Anticipated Well Yield, in gpm	Nominal Size of Pump Bowls, in inches	Optimum Size of Well Casing, in inches	Smallest Size of Well Casing, in inches
Less than 100	4	6 ID	5 ID
75 to 175	5	8 ID	6 ID
150 to 400	6	10 ID	8 ID
350 to 650	8	12 ID	10 ID
600 to 900	10	14 OD	12 ID
850 to 1300	12	16 OD	14 OD
1200 to 1800	14	20 OD	16 OD
1600 to 3000	16	24 OD	20 OD

[Statutory Authority: RCW 18.104.040(4), 79-02-010 (Order DE 78-22), § 173-160-09001, filed 1/10/79.]

**WAC 173-160-100 Design and construction--Sealing materials.** Puddling clay shall consist of any stable, fine-grained, impervious material with at least 50% bentonite with the maximum size of the remaining portion not exceeding that of coarse sand (.5 mm - .1 mm), which is capable of providing a water tight seal between the casing and formation throughout the depth required to protect against objectionable matter and which is reasonably free of shrinkage. Cement grout (neat cement) shall consist of either portland cement or quick

setting cement mixed with not more than six gallons of water per sack of cement. Up to 5% bentonite clay, by weight, may be added to improve flow qualities and compensate for shrinkage. Pelletized bentonite may be used in all wells sealed to a depth not to exceed the 18' minimum standard. [Statutory Authority: RCW 18.104.040(4), 79-02-010 (Order DE 78-22), § 173-160-100, filed 1/10/79; Order 73-6, § 173-160-100, filed 4/30/73.]

**WAC 173-160-110 Design and construction—Sealing of casing—General.** In developing, redeveloping or conditioning a well, care shall be taken to preserve the natural barriers to ground water movement between aquifers and to seal aquifers or strata penetrated during drilling operations which might impair water quality or result in cascading water. All sealing should be permanent and shall prevent possible downward movement of surface waters in the annular space around the well casing. Sealing shall also be accomplished to prevent the upward movement of artesian waters within the annular space around the well casing that could result in the waste of ground water. The sealing shall also restrict the movement of ground water either upward or downward from zones that have been cased out of the well because of poor quality. When cement grout is used in sealing, it shall be set in place 72 hours before additional drilling takes place, unless special additives are mixed with the grout that will cause it to adequately set in a shorter period of time. All grouting shall be performed by adding the mixture from the bottom of the space to be grouted toward the surface in one continuous operation. The minimum grout thickness shall be one inch.

When casing diameter is reduced, a minimum of 8 feet of overlap shall be required and the bottom of the annular space between the casings shall be sealed with suitable packer; the remainder of the annular space will be pressure grouted with bentonite or neat cement. [Order 73-6, § 173-160-110, filed 4/30/73.]

**WAC 173-160-120 Design and construction—Sealing of consolidated formations.** In drilled wells that penetrate an aquifer either within or overlain by a consolidated formation, sealing of the casing shall conform with one of the following procedures. (1) An upper drill hole at least 4 inches greater in diameter than the nominal size of the permanent well casing shall extend from land surface to at least 5 feet into sound, uncreviced, consolidated rock, but in no instance shall said upper drill hole extend less than 18 feet below land surface.

Unperforated permanent casing shall be installed to extend to this same depth and the lower part of the casing shall be sealed into the rock formation with cement grout. The remainder of the annular space to land surface shall be filled with cement grout or puddling clay (see Figure 1A at the end of this chapter).

If cement grout is placed by pumping to seal the entire annulus from the bottom up to land surface, the upper drill hole need only be a minimum of 2 inches larger than the outside diameter of the permanent casing.

(2) An upper drill hole at least 4 inches greater in diameter than the nominal size of the permanent casing shall extend from land surface to a depth of at least 18 feet. An unperforated permanent casing shall be installed so that it extends at least 5 feet into sound, uncreviced, rock formation.

Throughout the driving of the well casing to the rock formation, the annular space between the upper drill hole and the permanent casing shall be kept at least one-half full with bentonite slurry.

The annular space between the rock formation and the permanent casing shall be tightly sealed with cement grout. The remainder of the annular space to land surface shall then be filled with cement grout or puddling clay (see Figure 1B at the end of this chapter).

(3) If temporary surface casing is used in either of the above procedures (1) or (2), this casing shall be of sufficient diameter to conform to the upper drill hole specifications. Withdrawal of the temporary casing shall take place simultaneously with proper sealing of the annular space to land surface. [Order 73-6, § 173-160-120, filed 4/30/73.]

**WAC 173-160-130 Sealing of unconsolidated formations without significant clay beds.** In drilled wells that penetrate an aquifer overlain by unconsolidated formations such as sand and gravel without significant clay beds, an unperforated well casing shall extend to at least 1 foot below the water table. An upper drill hole having a diameter at least 4 inches greater than the nominal size of the permanent casing shall extend to at least 18 feet below land surface.

The annular space between the upper drill hole and the well casing shall be kept at least one-half full with bentonite slurry throughout the driving of the permanent casing into the aquifer. After the permanent casing is set in its final position, the remaining annular space shall be filled to land surface with cement grout or puddling clay (see Figure 2A at the end of this chapter).

If the oversized drill hole is extended to the same depth as the permanent casing, a suitable packer shall be installed between the casing and the drill hole at a position directly above the production aquifer. The remaining annular space shall be completely filled and sealed to land surface with cement grout or puddling clay (see Figure 2B at the end of this chapter).

If temporary casing is used to maintain the oversized drill hole, the annular space shall be kept full with cement grout or puddling clay as the temporary casing is being withdrawn.




Figure 1. SEALING OF CONSOLIDATED FORMATIONS

[Order 73-6, § 173-160-130, filed 4/30/73.]

**WAC 173-160-140 Sealing of unconsolidated formations with clay beds.** In drilled wells that penetrate an aquifer overlain by clay or other unconsolidated deposits such as sand and gravel in which significant (at least 6 feet thick) interbeds of clay are present, the well casing may be terminated in such clay strata, provided that the casing be sealed in substantially the same manner as is required in the case of consolidated formations (see WAC 173-160-120 and Figure 2C at the end of this chapter). [Order 73-6, § 173-160-140, filed 4/30/73.]

**WAC 173-160-150 Special sealing standards for artesian wells.** When artesian water is encountered in the well, an unperforated well casing shall extend into the confining stratum overlying the artesian zone. The casing shall be adequately sealed into the confining stratum so as to prevent surface and subsurface leakage from the artesian zone. If the well flows at land surface, it shall be equipped with a control valve so that the flow can be completely stopped. The well shall be completed with seals, packers or grout that will eliminate leakage around the well casing. The driller shall not move his drilling rig from the well site until the leakage has been

completely stopped unless authority for temporary removal is granted by the department. [Order 73-6, § 173-160-150, filed 4/30/73.]

**WAC 173-160-160 Artificial gravel-packed wells—General.** In gravel-packed wells, the gravel mixture shall be placed around the screen so that bridging or size separation will not occur. The gravel pack shall be clean, chemically stable, uniform and composed of well-rounded grains, and should be no thicker than 8 inches. All gravel and water used shall be disinfected in at least 50 ppm chlorine. [Order 73-6, § 173-160-160, filed 4/30/73.]

**WAC 173-160-170 Sealing of artificial gravel-packed wells.** (1) **Permanent surface casing not installed.** An upper drill hole having a diameter of at least 4 inches greater than the outside diameter of the production casing shall be drilled to extend from land surface into a clay or other formation of low permeability overlying the water-bearing zone. The annular space to this depth shall be filled with cement grout or puddling clay. If the clay or other impermeable formation is at or near land surface, the upper drill hole and unperforated production casing shall extend to a minimum depth of 18 feet below land surface, provided that the casing does not pass through the impermeable zone. A suitable packer shall be installed in the annular space between the gravel pack and cement grout seal. A gravel fill pipe may be installed for injecting gravel prior to sealing the top of the gravel pack. Special care shall be taken to insure that the seal is watertight around the injection pipe. The injection pipe shall be capped with a watertight seal or plug (see Figure 3A at the end of this chapter).

(2) **Permanent surface casing installed.** When permanent surface casing is installed, the well bore shall have a diameter at least 4 inches greater than the surface casing for the introduction of sealing materials. A welded steel plate or watertight seal shall be installed at the top of the gravel pack between the permanent surface and production casing. Sealing procedures and installation of gravel fill pipes are substantially the same as in (1) above. If a temporary casing is used to maintain the oversized drill hole, the annular space to be sealed under conditions of (1) and (2) above shall be kept full with cement grout or puddling clay as the temporary casing is withdrawn (see Figure 3B at the end of this chapter).

(3) If a clay layer or other formation of low permeability is not encountered before reaching the top of the water-bearing zone, the upper drill hole and unperforated production casing shall extend to a minimum depth of 18 feet below land surface. Sealing procedures, installation of gravel fill pipes and temporary casing are substantially the same as in (1) and (2) above.




Figure 2. SEALING OF UNCONSOLIDATED FORMATIONS

[Order 73-6, § 173-160-170, filed 4/30/73.]

**WAC 173-160-180 Sealing of dug wells.** The surface curbing of all dug wells shall be constructed to effectively seal the annular space between the undisturbed native material of the upper well hole and the concrete tile, steel pipe or liner to a depth of at least 18 feet or within 3 feet of the bottom in wells that are less than 21 feet in depth.


(1) In all dug wells, other than a buried slab type, concrete at least 6 inches thick shall be used as sealing material. If wooden cribbing is used as a retaining wall to provide for a concrete surface curbing, the cribbing shall be removed from the hole after the concrete has set.

(2) In buried slab type well construction, a steel casing shall extend at least 6 inches beyond the slab into the lower well hole; the buried slab shall be sealed with cement grout and the remaining annular space to land surface shall be filled with bentonite or puddled clay (see Figure 4 at the end of this chapter). [Order 73-6, § 173-160-180, filed 4/30/73.]

**WAC 173-160-190 Special standards for driven or jetted wells.** In all driven point wells, the casing shall extend at least 5 feet below the anticipated pumping level. An upper hole at least 4 inches greater in diameter than the permanent casing shall extend a minimum of 6 feet below land surface. The annular space between the

upper oversized drill hole and the permanent casing shall be kept at least one-half full with bentonite slurry throughout all driving of the pipe. The remaining annular space to land surface shall be filled with cement grout or puddling clay (see Figure 5 at the end of this chapter). [Order 73-6, § 173-160-190, filed 4/30/73.]

**WAC 173-160-200 Upper terminal of well.** The water-tight casing or curbing of any well shall extend not less than 6 inches above the established ground surface. In the case of public water supplies where the site is not subject to flooding, the pumphouse floor must be at least 1 foot above land surface, with a minimum of 6 inches of casing projecting above the floor; where the site is subject to flooding, the pumphouse floor must be at least 2 feet above the estimated water level of a 100-year frequency flood. Any vent opening, observation ports or air-line equipment shall extend from the upper end of the well by water-tight piping to a point not less than 1 foot above the pumphouse floor or cover installed above ground surface. The terminals of these facilities shall be shielded or sealed so as to prevent entrance of foreign matter or pollutants. A subsurface connection is permitted on domestic wells if made with approved fittings or welding procedures approved by the department, provided that the connection *must be above static water level*, and the pump location must not be subject to flooding.



NOT TO SCALE

A - Well constructed without surface casing.  
 B - Well constructed with surface casing

Figure 3. SEALING OF GRAVEL-PACKED WELLS





Figure 4. SEALING OF DUG WELLS



NOT TO SCALE

Figure 5. SEALING OF DRIVEN AND JETTED WELLS

[Statutory Authority: RCW 18.104.040(4), 79-02-010 (Order DE 78-22), § 173-160-200, filed 1/10/79; Order 73-6, § 173-160-200, filed 4/30/73.]

**WAC 173-160-210 Capping.** Temporary capping of a well until pumping equipment is installed or when the well is temporarily out of service shall be accomplished by capping, such that no pollutants can enter the well. Capping shall be affixed by tack welds or equal seal to prevent unauthorized entrance. [Order 73-6, § 173-160-210, filed 4/30/73.]

**WAC 173-160-220 Testing of well.** (1) **Well authorized by appropriation permit.** Before being put to use, each well shall be pump tested for yield and drawdown and reports submitted as required in chapter 90.44 RCW. The test pump shall have a capacity at least equal to the pumping rate at which it is expected the

well will be pumped during its usage. The test pump shall be installed to operate continuously for a minimum of 4 hours or until such time that the water level has stabilized and at which time the yield and drawdown shall be determined. Periodic water level observation should be made during drawdown and subsequent recovery periods. Periods of observation shall be more frequent during the onset of drawdown and may decrease in frequency as drawdown or recovery proceeds toward stabilization. A bailer test is not an acceptable substitute for testing wells under permit.

(2) **Wells not requiring appropriation permit.** Testing of a well not requiring an appropriation permit shall be conducted for a period of not less than one hour either by bailer or with a pump. Data must be reported to the department in the water well report. [Order 73-6, § 173-160-220, filed 4/30/73.]

**WAC 173-160-230 Testing of well—Access port or pressure gage.** All wells shall be equipped with an access port that will allow for the measurement of the depth to water surface or a pressure gage that will indicate the shut-in pressure of an artesian well (see Figure 6 at the end of this chapter). The access ports and pressure gages or other openings in the cover shall be sealed or capped to prevent entrance of surface water or foreign material into the well. [Order 73-6, § 173-160-230, filed 4/30/73.]

**WAC 173-160-240 Disinfection.** (1) All tools and drilling equipment shall be thoroughly disinfected with a chlorine compound prior to beginning well construction.

(2) Every new or reconditioned well, after completion of construction or repair, and before being placed in service, shall be cleared of all foreign materials.

(3) The well casing shall be swabbed and cleaned to remove oil, grease or joint dope.

(4) All pumping equipment, sand or gravel used in gravel-packed wells and the well casing shall be thoroughly sluiced with clean water and be disinfected with a solution containing at least 50 ppm of chlorine.

(5) Prior to use for drinking purposes, sufficient disinfectant (chlorine compound) shall be added to the standing water in the well to give a residual of 50 ppm free chlorine. The disinfectant should then be thoroughly mixed with the water in the well and shall remain in the well for a period of at least 24 hours, after which period there shall remain a minimum of 10 ppm free chlorine residual. The well shall then be flushed to remove all traces of chlorine. If testing indicates a presence of coliform bacteria, more stringent disinfection methods may be required by the department of social and health services or local health authority.






Figure 6. SUGGESTED METHODS FOR INSTALLING PRESSURE GAGES AND AIR LINES FOR MEASURING WATER LEVELS IN WELLS

[Order 73-6, § 173-160-240, filed 4/30/73.]

**WAC 173-160-250 Quality of drilling water.** All water introduced into a well for drilling purposes shall be obtained from a potable water source or be thoroughly disinfected to assure noncontamination of the water-bearing body. [Order 73-6, § 173-160-250, filed 4/30/73.]

**WAC 173-160-260 Pump installation.** All pumps and pumping equipment shall be installed in a manner consistent with the intent and goals of these regulations. [Order 73-6, § 173-160-260, filed 4/30/73.]

**WAC 173-160-270 Explosives.** The use of explosives in the construction, development or reconditioning of any water well shall comply with procedures developed by the department and be used under the supervision of an individual licensed under chapter 70.74 RCW. [Order 73-6, § 173-160-270, filed 4/30/73.]

**WAC 173-160-280 Chemical conditioning.** The use of detergents, chlorine, acids or other chemicals in wells for the purpose of increasing or restoring yield shall comply with procedures developed by the department. [Order 73-6, § 173-160-280, filed 4/30/73.]

**WAC 173-160-290 Abandonment or destruction of wells.** All wells including those which are not developed to provide a supply of water and are subsequently abandoned, shall be abandoned in the manner consistent with

the meaning and intent of these regulations. The abandonment procedure of a well must be recorded and reported as required by the department. [Statutory Authority: RCW 18.104.040(4), 79-02-010 (Order DE 78-22), § 173-160-290, filed 1/10/79; Order 73-6, § 173-160-290, filed 4/30/73.]

**WAC 173-160-300 Abandonment or destruction of wells—Abandonment or destruction of drilled or jetted wells.** A cement grout or concrete plug shall be placed opposite all perforations or openings in the well casing. The remainder of the well shall be filled with cement grout, concrete or puddled clay. [Order 73-6, § 173-160-300, filed 4/30/73.]

**WAC 173-160-310 Abandonment or destruction of wells—Abandonment or destruction of gravel-packed wells.** All gravel-packed wells shall be pressure-grouted throughout the perforated section of the well casing. The remainder of the well shall be filled with cement grout, concrete or puddled clay. [Order 73-6, § 173-160-310, filed 4/30/73.]

**WAC 173-160-320 Abandonment or destruction of wells—Abandonment or destruction of artesian wells.** A cement grout or concrete plug shall be placed in the confining stratum overlying the artesian zone so as to prevent subsurface leakage from the artesian zone. The remainder of the well shall be filled with cement grout or concrete. [Order 73-6, § 173-160-320, filed 4/30/73.]

**WAC 173-160-330 Abandonment or destruction of wells—Abandonment or destruction of dug wells.** Clean chlorinated sand shall be used to fill the bottom of the well to a point 2 feet above static water level. The remainder of the well to land surface shall be filled with clay, concrete or puddled clay. Piping of cementing materials directly to the point of application or placement by means of a dump bailer or tremie is recommended. If concrete, cement grout or neat cement, when used as a sealing material below the static water level in the well, it should be placed from the bottom up by methods that shall avoid segregation or dilution of the material. [Order 73-6, § 173-160-330, filed 4/30/73.]

**WAC 173-160-340 Abandonment or destruction of wells—Plugging of test wells.** Uncased wells shall be abandoned as prescribed for dug wells. In the abandonment of cased wells in which the well casing is to be removed, the well shall be plugged as the casing is withdrawn. The well shall be sealed with grout or puddled clay. [Order 73-6, § 173-160-340, filed 4/30/73.]

**WAC 173-160-350 Artificial recharge of ground water bodies.** Approval must be obtained from the department before starting any project related to the artificial recharge of ground water bodies. [Order 73-6, § 173-160-350, filed 4/30/73.]

**WAC 173-160-360 Special exemptions.** (1) Development of shallow unconfined ground water bodies for

other than domestic or public water supply purposes through construction of infiltration galleries, trenches, ponds, sumps or other open-hole excavations shall be exempted from compliance with the minimum construction standards: *Provided*, That the well contractor obtain a waiver from the department prior to construction: *Provided further*, That the department, at its own discretion, may require special construction standards if it determines the proposed method of construction would in any manner be adverse to the public health or welfare.

(2) Open-hole excavation for dewatering purposes in construction work shall be exempted from compliance with the minimum well construction standards, but abandonment shall conform with the meaning and intent of these regulations. Cased wells constructed for either temporary or permanent dewatering purposes are not exempted; they must be constructed and abandoned or destroyed in accordance with the most appropriate minimum well construction standards. [Order 73-6, § 173-160-360, filed 4/30/73.]

**WAC 173-160-370 Relationship to other authorities.** Nothing in these regulations shall be construed to waive any legal requirements of other state agencies or local governmental entities relating to water well construction nor shall it preclude the adoption of more stringent minimum water well construction standards by local government. [Order 73-6, § 173-160-370, filed 4/30/73.]

**WAC 173-160-380 Comparable construction standards.** Nothing in these regulations shall be construed to limit the department's authority to approve comparable alternative specifications for well construction as technology in the industry develops and/or new and comparable methods of construction become known to the department. [Order 73-6, § 173-160-380, filed 4/30/73.]

### Chapter 173-162 WAC

#### RULES AND REGULATIONS GOVERNING THE REGULATION AND LICENSING OF WATER WELL CONTRACTORS AND OPERATORS

##### WAC

173-162-010	Purpose.
173-162-020	General.
173-162-030	Definitions.
173-162-040	Compliance—Requirement for licensing.
173-162-050	Exemptions.
173-162-060	License required—Qualifications for licensing.
173-162-070	Applications and fees.
173-162-080	Examinations—Time and place.
173-162-090	Examinations—Notification of examinations.
173-162-100	Examinations—Type of examinations.
173-162-110	Examinations—Conducting examinations.
173-162-120	Examinations—Notification of examination results.
173-162-130	Licenses—General.
173-162-140	Licenses—Unconditional license.
173-162-150	Licenses—Conditional license.
173-162-160	Temporary authorization.
173-162-170	Retaking examination.
173-162-180	Water well contractors—Identification numbers.

##### 173-162-190 Water well contractors—Responsibilities.

**WAC 173-162-010 Purpose.** These regulations are adopted pursuant to chapter 18.104 RCW in order to establish procedures for the examination, licensing and regulation of water well contractors and operators. [Order DE 73-10, § 173-162-010, filed 6/29/73.]

**WAC 173-162-020 General.** These regulations are applicable to all water well contractors and operators who are contracting for water well construction or constructing water wells in the state of Washington. [Order DE 73-10, § 173-162-020, filed 6/29/73.]

**WAC 173-162-030 Definitions.** As used in this chapter:

(1) "Constructing a well" or "construct a well" means and includes boring, digging, drilling, or excavating and installing casing, lining or well screens, whether in the installation of a new well or the alteration of an existing well.

(2) "Department" means department of ecology.

(3) "Director" means director of the department of ecology.

(4) "Examining board" means the board composed of three members responsible for the preparation, administration and evaluation of examinations for licenses; one named by the director from the department; the second appointed by the governor, being a person other than one employed by the state, actively engaged in water well drilling activities at the time of his appointment; the third named by the department of social and health services by the secretary thereof (RCW 18.104.090).

(5) "Operator" means any person, other than a person exempted by RCW 18.104.180, who is employed by a water well contractor for the control and supervision of the construction of a water well or for the operation of water well construction equipment.

(6) "Water well" means and includes any excavation that is drilled, cored, bored, washed, driven, dug, jetted, or otherwise constructed when the intended use of the well is for the location, diversion, artificial recharge or withdrawal of ground water. "Water well" does not mean an excavation made for the purpose of obtaining or prospecting for oil, natural gas, minerals or products of mining, or quarrying, or for inserting media to re-pressure oil or natural gas-bearing formations, or for storing of petroleum, natural gas or other products.

(7) "Water well contractor" means any person, firm, partnership, co-partnership, corporation, association, or other entity engaged in the business of constructing water wells.

(8) "Supervision" or "supervising" means being present at the site of well construction and responsible for proper construction at any and all times that water well construction equipment is being operated. [Order DE 73-10, § 173-162-030, filed 6/29/73.]

**WAC 173-162-040 Compliance—Requirement for licensing.** (1) A water well construction operators license is required for all operators.

(2) A water well construction operators license is required for all water well contractors as follows:

(a) Every water well contractor shall designate one official as "liaison representative" who shall have the full responsibility and authority to act as the contractor's agent in all its dealings with the department. The "liaison representative" shall be licensed.

(b) An owner-operator who enters contracts on his own behalf is a water well contractor and must be licensed. He shall act as his own "liaison agent" in all dealings with the department.

(3) An architectural, engineering or other similar type professional consulting firm, general contractor or construction firm and highway or bridge construction firm need not have a licensed water well construction operator in its employ; provided that all water well construction associated with their various projects is conducted through a duly licensed water well contractor. [Order DE 73-10, § 173-162-040, filed 6/29/73.]

**WAC 173-162-050 Exemptions.** A water well construction operators license shall not be required of:

(1) Any individual who personally drills a well on land which is owned or leased by him or in which he has a beneficial interest as a contract purchaser and is used by the individual for farm or noncommercial domestic use only.

(2) Any individual who performs labor or services for a water well contractor in connection with the drilling of a well at the direction and under the supervision and control of a licensed operator. [Order DE 73-10, § 173-162-050, filed 6/29/73.]

**WAC 173-162-060 License required--Qualifications for licensing.** A person shall be qualified to receive a license if he:

(1) Has made application to the department and has paid a twenty-five dollar application fee.

(2) Has passed a written examination, except that a person who can establish his illiteracy to the satisfaction of the department shall be entitled to an oral examination in lieu of a written examination. [Order DE 73-10, § 173-162-060, filed 6/29/73.]

**WAC 173-162-070 Applications and fees.** Applications for license or renewal of license shall be submitted on forms provided by the department.

(1) An application fee of twenty-five dollars made payable to the department must be submitted with each application for license.

(2) A renewal fee of ten dollars made payable to the department must be submitted with each application for renewal of license. [Order DE 73-10, § 173-162-070, filed 6/29/73.]

**WAC 173-162-080 Examinations--Time and place.** Examinations shall be held at such times and places as may be determined by the department, but not later than thirty days after a completed application with appropriate fee has been received and accepted by the department; provided that in the case where an application

is received after an examination has been scheduled and there is either insufficient time for the department to duly notify the applicant of the time and place of the examination or the applicant is unable to take the examination at the scheduled time, the thirty day period will start from the scheduled examination date; provided further, however, that if an examination is not taken within ninety days after the initial receipt of the application in the department, the application shall be voided and the application fee forfeited. [Order DE 73-10, § 173-162-080, filed 6/29/73.]

**WAC 173-162-090 Examinations--Notification of examinations.** Upon receipt of a properly completed application, the department shall notify the applicant of the date, time and place of the next scheduled examination. All incomplete application forms will be returned for completion. The applicant should notify the department if the examination schedule cannot be met and the reasons therefor. [Order DE 73-10, § 173-162-090, filed 6/29/73.]

**WAC 173-162-100 Examinations--Type of examinations.** The examinations shall be prepared, administered and evaluated by the examining board. They shall be broken down into sections including a basic general category and specialist categories including but not necessarily limited to cable tool, rotary, driven and dug well construction technology. The examination shall be prepared to test the knowledge and understanding of the following subjects:

(1) Washington ground water laws as they relate to well construction;

(2) Sanitary standards for water well drilling and construction of water wells;

(3) Types of water well construction;

(4) Drilling tools and equipment;

(5) Underground geology as it relates to water well construction;

(6) Rules and regulations of the department and the department of social and health services relating to water well construction;

(7) Preparation of well reports;

(8) Township and range location system as it relates to location of wells; and

(9) Basic ground water hydraulics as it relates to well construction. [Order DE 73-10, § 173-162-100, filed 6/29/73.]

**WAC 173-162-110 Examinations--Conducting examinations.** The examining board may delegate the authority to conduct and monitor examinations to any staff members of the department. [Order DE 73-10, § 173-162-110, filed 6/29/73.]

**WAC 173-162-120 Examinations--Notification of examination results.** The department shall make a determination of the applicant's qualifications for a license within ten days after the examination and notify said

applicant of the results within ten days after such determination. [Order DE 73-10, § 173-162-120, filed 6/29/73.]

**WAC 173-162-130 Licenses—General.** It is the intent of the department and the examining board, in its implementation of the licensing phase of the Washington Water Well Construction Act to effect a smooth transition of this requirement into the water well construction industry without causing undue hardship on individuals and/or businesses whose livelihood is dependent upon continuing work in this field. [Order DE 73-10, § 173-162-130, filed 6/29/73.]

**WAC 173-162-140 Licenses—Unconditional license.** An applicant who has passed the basic general examination and all specialist categories shall be granted a water well construction operators license without any restrictions or conditions. [Order DE 73-10, § 173-162-140, filed 6/29/73.]

**WAC 173-162-150 Licenses—Conditional license.** An applicant who has passed the basic general examination, but not all of the specialist categories, prior to July 1, 1975, shall be granted a conditional water well construction operators license covering only those specialist categories in which he has passed the examination subject to the following conditions:

(1) His work as a licensee shall be restricted to those specialist categories authorized by the conditional license.

(2) The holder of a conditional license may, within two years after the date of original examination, apply to retake that part of the examination relating to the specialist category or categories he initially failed to pass in order to either broaden his authorization for practice under a conditional license or become qualified for an unconditional license.

(3) If more than two years has expired since the date of original examination, the holder of a conditional license shall, as in the case of a new applicant, file an application for license along with the statutory twenty-five dollar application fee and retake a complete examination if he wishes to apply for an unconditional license. A simple continuance of the conditional license will result if the complete examination is not passed.

Effective July 1, 1975, the practice of issuing conditional licenses to new applicants shall be discontinued. [Order DE 73-10, § 173-162-150, filed 6/29/73.]

**WAC 173-162-160 Temporary authorization.** An applicant who fails to pass the basic general category of the examination or any of the specialist categories may request and receive a letter of temporary authorization to continue the practice of water well construction until July 1, 1974 provided that:

(1) He has had a minimum of two years' experience in water well construction.

(2) He submits a sworn statement from two licensed water well construction operators attesting to his competency in water well construction.

(a) If he is in the employ of a water well contractor, he shall submit a statement from the "liaison representative" for the contractor affirming that the responsibility for proper well construction shall be fully borne by said water well contractor.

(b) If an owner-operator, he shall substantiate, to the satisfaction of the examining board, that the public will be assured of his proper well construction. [Order DE 73-10, § 173-162-160, filed 6/29/73.]

**WAC 173-162-170 Retaking examination.** Upon failing to qualify for an unconditional license, the applicant shall not be entitled to retake the examination or any parts thereof for a period of ninety days from the date of his original examination. (1) An applicant who has failed to pass the basic general category or has passed the basic general category, but failed to pass any of the specialist categories, shall be considered as a new applicant in all respects. (2) An applicant who has qualified for a license in one or more of the specialist categories will not be required to pay additional fees for retaking only a part of the examination as authorized under WAC 173-162-150(2). [Order DE 73-10, § 173-162-170, filed 6/29/73.]

**WAC 173-162-180 Water well contractors—Identification numbers.** The department shall assign an identification number to every water well contractor. [Order DE 73-10, § 173-162-180, filed 6/29/73.]

**WAC 173-162-190 Water well contractors—Responsibilities.** (1) Every water well contractor shall plainly mark the assigned identification number on each well drilling machine.

(2) The water well contractor shall be responsible for appointment of a "liaison representative." Any change of "liaison representative" must be immediately reported to the department in order to assure continuity of communication. [Order DE 73-10, § 173-162-190, filed 6/29/73.]

## Chapter 173-164 WAC WATER RATE CHARGES

### WAC

173-164-010	Purpose.
173-164-020	Authority.
173-164-030	Definitions.
173-164-040	Rates of charge.
173-164-050	Determination of rate.
173-164-060	Payment schedule.
173-164-070	Measurement of water.

**WAC 173-164-010 Purpose.** The purpose of this chapter is to implement the provisions of section 10(1), chapter 1, Laws of 1977 1st ex. sess. [Statutory Authority: 1977 ex. sess. c 1. 78-08-026 (Order DE 77-33), § 173-164-010, filed 7/13/78.]

**WAC 173-164-020 Authority.** This regulation is promulgated by the department of ecology under authorities and procedures provided in chapter 1, Laws of 1977 1st ex. sess., after giving notice as provided in chapter 34.04 RCW. [Statutory Authority: 1977 ex. sess. c 1. 78-08-026 (Order DE 77-33), § 173-164-020, filed 7/13/78.]

**WAC 173-164-030 Definitions.** (1) "Department" shall mean the department of ecology.

(2) "Purchaser" shall mean any person, public or municipal corporation or other governmental bodies buying water from the department.

(3) "Director" shall mean the director of the department of ecology. [Statutory Authority: 1977 ex. sess. c 1. 78-08-026 (Order DE 77-33), § 173-164-030, filed 7/13/78.]

**WAC 173-164-040 Rates of charge.** The purchaser shall pay the department for all waters delivered from such facilities as constructed by the department pursuant to chapter 1, Laws of 1977 1st ex. sess., at a rate per acre-foot as determined by the director. [Statutory Authority: 1977 ex. sess. c 1. 78-08-026 (Order DE 77-33), § 173-164-040, filed 7/13/78.]

**WAC 173-164-050 Determination of rate.** Each irrigation season, the director shall determine the rate of payment per acre-foot of water per project, based on recovery of capital costs, type of crop, and ability to repay. For the [1981] irrigation season, the director has determined that the rate of charge for water from the irrigation well located in the NW 1/4, SE 1/4, Sec. 6, T9N, R25E, shall be [forty-five] dollars per acre-foot of water. An additional charge for water delivered under pressure based on the vertical distance (discharge head) from pump to point of discharge will be in accordance with the following rate table:

ADDITIONAL COST PER ACRE FOOT AT GIVEN DISCHARGE HEADS

Discharge Head from Pump (feet)	Price per Acre-foot
0 to 10	\$ .70
10 to 20	1.51
20 to 30	2.18
30 to 40	2.95
40 to 50	3.67
50 to 60	4.90
60 to 70	5.15
70 to 80	5.93
80 to 90	6.63
90 to 100	7.35
100 to 110	8.10
110 to 120	8.84
120 to 130	9.58
130 to 140	10.32
140 to 150	11.06

[Statutory Authority: RCW 43.83B.345. 81-07-037 (Order DE 81-5), § 173-164-050, filed 3/13/81; 80-09-052 (Order DE 80-28), § 173-164-050, filed 7/14/80. Statutory Authority: 1977 ex. sess. c 1. 78-08-026 (Order DE 77-33), § 173-164-050, filed 7/13/78.]

**Reviser's note:** RCW 34.04.058 requires the use of underlining and deletion marks to indicate amendments to existing rules, and deems ineffectual changes not filed by the agency in this manner. The bracketed material in the above section does not appear to conform to the statutory requirement.

**WAC 173-164-060 Payment schedule.** (1) The department shall enter into contracts not to exceed twenty-five years with any public or municipal corporation or other governmental body having authority to distribute water for payment for the amount of water received.

(2) Full payment for the amount of water purchased by any other purchaser of water not having the authority to distribute water shall be made to the department monthly prior to delivery of water to the purchaser based on the estimated water to be purchased during the month. Adjustment will be made at the end of each month to account for the difference between the estimated and actual delivery. The adjustment will be made when the estimated payment is made for the following month. [Statutory Authority: 1977 ex. sess. c 1. 78-08-026 (Order DE 77-33), § 173-164-060, filed 7/13/78.]

**WAC 173-164-070 Measurement of water.** The amount of water purchased shall be measured at the well site with a measuring device provided by the department. [Statutory Authority: 1977 ex. sess. c 1. 78-08-026 (Order DE 77-33), § 173-164-070, filed 7/13/78.]

Chapter 173-166 WAC

EMERGENCY WATER WITHDRAWAL FACILITIES

WAC

- 173-166-010 Purpose.
- 173-166-020 Authority.
- 173-166-030 Definitions.
- 173-166-040 Grant and loan fund conditions.
- 173-166-050 Loan and grant formula.
- 173-166-060 Loans.

**WAC 173-166-010 Purpose.** The purpose of this chapter is to implement that specific appropriation general fund-state emergency water projects revolving account as provided in section 75, chapter 339, Laws of 1977 ex. sess., relating to implementation of chapter 1, Laws of 1977 ex. sess. [Statutory Authority: 1977 c 339 § 75. 78-04-019 (Order 78-3), § 173-166-010, filed 3/10/78.]

**WAC 173-166-020 Authority.** This regulation is promulgated by the department of ecology under authorities and procedures provided in chapters 1 and 339, Laws of 1977 ex. sess., and after giving notice as provided in chapter 34.04 RCW. [Statutory Authority: 1977 c 339 § 75. 78-04-019 (Order 78-3), § 173-166-020, filed 3/10/78.]

**WAC 173-166-030 Definitions.** (1) "Department" shall mean the department of ecology.

(2) "User" shall mean any public body which operates, maintains and manages agricultural water supply

facilities to divert, carry and distribute water to moisture deficient land used for the production of commercial crops. [Statutory Authority: 1977 c 339 § 75. 78-04-019 (Order 78-3), § 173-166-030, filed 3/10/78.]

**WAC 173-166-040 Grant and loan fund conditions.**

(1) The director may make loans or combination loans and grants for the following types of projects:

(a) Water withdrawal facilities to divert water from any source approved under provisions of chapter 1, Laws of 1977 ex. sess., to provide supplemental water to lands previously irrigated for projects which include one or more of the following facilities:

- (i) Diversion structures
- (ii) Pumps and motors and accessories
- (iii) Penstocks and discharge lines
- (iv) Canals
- (v) Pipelines
- (vi) Wells

(b) Water conservation facilities to provide water which would not otherwise be available to the lands previously irrigated for projects which include the following work:

- (i) Repair
- (ii) Rehabilitation
- (iii) Improvement
- (iv) Replacement
- (v) Control structures

(2) Criteria. The director may make loans or combination loans and grants to an eligible user, for projects generally meeting the following criteria:

(a) Wherever possible, considering cost/effectiveness, the least costly alternative, including conservation measures, to supply adequate water supplies.

(b) The project will produce measurable water supply benefits in relation to the total needs arising from drought conditions.

(c) Projects having long-term drought-relief benefits.

(d) The project selected will minimize impacts on the environment.

(e) Alternate sources, including conservation through improvements to existing withdrawal facilities, will be favored over increasing withdrawal of water supplies impacted by drought conditions.

(f) The project will provide water to previously irrigated lands.

(g) The project will not reduce flows or levels below essential minimums as necessary (i) to assure the maintenance of fisheries requirements, and (ii) to protect federal and state interests including, among others, power generation, navigation, and existing water rights. [Statutory Authority: 1977 c 339 § 75. 78-04-019 (Order 78-3), § 173-166-040, filed 3/10/78.]

**WAC 173-166-050 Loan and grant formula.** The director may make loans and grants, according to the following formula:

(1) The department may advance funds from these emergency appropriations to make loans or combinations of loans and grants to a user. The grant portion of a

combination loan and grant to a user for any project shall not exceed fifteen percent of the total amount received under the drought program by such project.

(2) Loan and grants shall be based upon the user's repayment capabilities.

(3) The grant shall be contingent upon the user accepting the loan. [Statutory Authority: 1977 c 339 § 75. 78-04-019 (Order 78-3), § 173-166-050, filed 3/10/78.]

**WAC 173-166-060 Loans.** Loans for rehabilitation may be provided by the director, whenever a combination fifteen percent grant and eighty-five percent loan is made. [Statutory Authority: 1977 c 339 § 75. 78-04-019 (Order 78-3), § 173-166-060, filed 3/10/78.]

**Chapter 173-201 WAC**

**WATER QUALITY STANDARDS FOR WATERS OF THE STATE OF WASHINGTON**

**WAC**

173-201-010	Introduction.
173-201-025	Definitions.
173-201-035	General considerations.
173-201-045	General water use and criteria classes.
173-201-070	General classifications.
173-201-080	Specific classifications—Freshwater.
173-201-085	Specific classifications—Marine water.
173-201-090	Achievement considerations.
173-201-100	Implementation.
173-201-110	Surveillance.
173-201-120	Enforcement.

**DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER**

173-201-020	Water use and quality criteria. [Statutory Authority: RCW 90.48.035. 78-02-043 (Order DE 77-32), § 173-201-020, filed 1/17/78; Order 73-4, § 173-201-020, filed 7/6/73.] Repealed by 82-12-078 (Order DE 82-12), filed 6/2/82. Statutory Authority: RCW 90.48.035.
173-201-030	Water use and quality criteria—General water use and criteria classes. [Order 73-4, § 173-201-030, filed 7/6/73.] Repealed by 78-02-043 (Order DE 77-32), filed 1/17/78. Statutory Authority: RCW 90.48.035.
173-201-040	Water use and quality criteria—General considerations. [Order 73-4, § 173-201-040, filed 7/6/73.] Repealed by 78-02-043 (Order DE 77-32), filed 1/17/78. Statutory Authority: RCW 90.48.035.
173-201-050	Characteristic uses to be protected. [Statutory Authority: RCW 90.48.035. 78-02-043 (Order DE 77-32), § 173-201-050, filed 1/17/78; Order 73-4, § 173-201-050, filed 7/6/73.] Repealed by 82-12-078 (Order DE 82-12), filed 6/2/82. Statutory Authority: RCW 90.48.035.
173-201-060	Water course classification. [Order 73-4, § 173-201-060, filed 7/6/73.] Repealed by 78-02-043 (Order DE 77-32), filed 1/17/78. Statutory Authority: RCW 90.48.035.
173-201-130	Definitions. [Order 73-4, § 173-201-130, filed 7/6/73.] Repealed by 78-02-043 (Order DE 77-32), filed 1/17/78. Statutory Authority: RCW 90.48.035.
173-201-140	Miscellaneous. [Statutory Authority: RCW 90.48.035. 78-02-043 (Order DE 77-32), § 173-201-140, filed 1/17/78; Order 73-4, § 173-201-140, filed 7/6/73.] Repealed by 82-12-078 (Order DE 82-12), filed 6/2/82. Statutory Authority: RCW 90.48.035.

**WAC 173-201-010 Introduction.** (1) The purpose of this chapter is to establish water quality standards for surface waters of the state of Washington pursuant to the provisions of chapter 90.48 RCW and the policies and purposes thereof.

(2) This chapter shall be reviewed periodically by the department and appropriate revisions shall be undertaken.

(3) The water use and quality criteria set forth in WAC 173-201-035 through 173-201-085 are established in conformance with present and potential water uses of the surface waters of the state of Washington and in consideration of the natural water quality potential and limitations of the same. These shall be the sole criteria for said waters. [Statutory Authority: RCW 90.48.035, 82-12-078 (Order DE 82-12), § 173-201-010, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-010, filed 1/17/78; Order 73-4, § 173-201-010, filed 7/6/73.]

**WAC 173-201-025 Definitions.** (1) Background conditions: The biological, chemical, and physical conditions of a water body, upstream from the point or non-point source of any discharge under consideration. Background sampling location in an enforcement action would be upstream from the point of discharge, but not upstream from other inflows. If several discharges to any water body exist, and enforcement action is being taken for possible violations to the standards, background sampling would be undertaken immediately upstream from each discharge.

(2) Department: State of Washington department of ecology.

(3) Director: Director of the state of Washington department of ecology.

(4) Fecal coliform: That portion of the coliform group which is present in the intestinal tracts and feces of warm-blooded animals as detected by the product of acid or gas from lactose in a suitable culture medium within 24 hours at 44.5 plus or minus 0.2 degrees Celsius.

(5) Geometric mean: The nth root of a product of n factors.

(6) Mean detention time: The time obtained by dividing a reservoir's mean annual minimum total storage by the 30-day ten-year low-flow from the reservoir.

(7) Permit: A document issued pursuant to RCW 90.48.160 et seq. or 90.48.260 or both, specifying the waste treatment and control requirements and waste discharge conditions.

(8) pH: The negative logarithm of the hydrogen ion concentration.

(9) Primary contact recreation: Activities where a person would have direct contact with water to the point of complete submergence, including but not limited to skin diving, swimming and water skiing.

(10) Secondary contact recreation: Activities where a person's water contact would be limited (wading or fishing) to the extent that bacterial infections of eyes, ears, respiratory or digestive systems or urogenital areas would normally be avoided.

(11) Surface waters of the state: Include lakes, rivers, ponds, streams, inland waters, saltwaters, and all other surface waters and water courses within the jurisdiction of the state of Washington.

(12) Temperature: Water temperature expressed in degrees Celsius (°C).

(13) Turbidity: The clarity of water expressed as nephelometric turbidity units (NTU) and measured with a calibrated turbidimeter.

(14) Upwelling: The annual natural phenomenon where the summer prevailing, northerly winds parallel to Washington's coast produce a seaward transport of surface waters. Cold, deeper more saline waters rich in nutrients and low in dissolved oxygen rise to replace the surface water. The cold, oxygen deficient water flows into Puget Sound and other coastal estuaries replacing the deep water with lower dissolved oxygen concentrations reaching the surface during late summer and fall.

(15) USEPA: United States Environmental Protection Agency.

(16) Wildlife habitat: Waters of the state used by fish, other aquatic life and wildlife for any life history stage or activity. [Statutory Authority: RCW 90.48.035, 82-12-078 (Order DE 82-12), § 173-201-025, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-025, filed 1/17/78.]

**WAC 173-201-035 General considerations.** The following general guidelines shall apply to the water quality criteria and classifications set forth in WAC 173-201-045 through 173-201-085 hereof:

(1) At the boundary between waters of different classifications, the water quality criteria for the higher classification shall prevail.

(2) In brackish waters of estuaries, where the fresh and marine water quality criteria differ within the same classification, the criteria shall be interpolated on the basis of salinity; except that the marine water quality criteria shall apply for dissolved oxygen when the salinity is one part per thousand or greater and for fecal coliform organisms when the salinity is ten parts per thousand or greater.

(3) The water quality criteria herein established shall not apply within an authorized dilution zone adjacent to or surrounding a waste-water discharge.

(4) Generally, waste discharge permits, whether issued pursuant to the National Pollutant Discharge Elimination System or otherwise, shall be conditioned in such manner as to authorize discharges which meet the water quality standards.

(a) However, persons discharging wastes in compliance with the terms and conditions of permits shall not be subject to civil and criminal penalties on the basis that discharge violates water quality standards.

(b) Permits shall be subject to modification by the department whenever it appears to the department the discharge violates water quality standards. Modification of permits, as provided herein, shall be subject to review in the same manner as originally issued permits.

(5) Nonpoint sources and water quality standards.

(a) It is recognized that many activities not subject to a waste discharge permit system are now being performed in the state, which result in conflicts with the water quality standards of this chapter. Further, the department has not developed a program which, in a reasonable or fully satisfactory manner, provides methods or means for meeting such standards. Persons conducting such activities shall not be subject to civil or criminal sanctions for violation of water quality standards if the activities are either:

(i) Conducted in accordance with management practices set forth by rules of the department.

For example, promulgation of regulations by the department which set forth approved management practices or other effluent limits shall be accomplished so that activities conducted within such regulations, (i.e., forest practices rules and regulations chapter 173-202 WAC and Title 222 WAC) will achieve compliance with water pollution control laws. When the regulations are violated, the water quality standard can be enforced as described in WAC 173-201-045 through 173-201-085; or,

(ii) Subject to a regulatory order issued by the department relating to specific activities as provided for in WAC 173-201-100(2).

(b) Management practices or regulatory orders described in WAC 173-201-035(5) hereof, shall be subject to modification by the department whenever it appears to the department that the discharge violates water quality standards. Modification of management practices or regulatory orders, as provided herein, shall be subject to review in the same manner as the originally issued management practices or regulatory orders.

(6) The water quality criteria herein established for total dissolved gas shall not apply when the stream flow exceeds the 7-day, 10-year frequency flood.

(7) The total area and/or volume of a receiving water assigned to a dilution zone shall be as described in a valid discharge permit as needed and be limited to that which will:

(a) Not cause acute mortalities of sport, food, or commercial fish and shellfish species of established biological communities within populations or important species to a degree which damages the ecosystem.

(b) Not diminish aesthetic values or other beneficial uses disproportionately.

(8) The antidegradation policy of the state of Washington, as generally guided by chapter 90.48 RCW, Water Pollution Control Act, and chapter 90.54 RCW, Water Resources Act of 1971, is stated as follows:

(a) Existing beneficial uses shall be maintained and protected and no further degradation which would interfere with or become injurious to existing beneficial uses will be allowed.

(b) No degradation will be allowed of waters lying in national parks, national recreation areas, national wildlife refuges, national scenic rivers, and other areas of national ecological importance.

(c) Whenever waters are of a higher quality than the criteria assigned for said waters, the existing water

quality shall be protected and waste and other materials and substances shall not be allowed to enter such waters which will reduce the existing quality thereof, except, in those instances where:

(i) It is clear that overriding considerations of the public interest will be served, and

(ii) All wastes and other materials and substances proposed for discharge into the said waters shall be provided with all known, available, and reasonable methods of treatment before discharge.

(d) Whenever the natural conditions of said waters are of a lower quality than the criteria assigned, the natural conditions shall constitute the water quality criteria.

(e) The criteria and special conditions established in WAC 173-201-045 through 173-201-085 may be modified for a specific water body on a short-term basis when necessary to accommodate essential activities, respond to emergencies, or to otherwise protect the public interest. Such modification shall be issued in writing by the director or his designee subject to such terms and conditions as he may prescribe. The aquatic application of herbicides which result in water use restrictions shall be considered an activity for which a short-term modification generally may be issued subject to the following conditions:

(i) A request for a short-term modification shall be made to the department on forms supplied by the department. Such request generally shall be made at least thirty days prior to herbicide application.

(ii) Such herbicide application shall be in accordance with state of Washington department of agriculture regulations.

(iii) Such herbicide application shall be in accordance with label provisions promulgated by USEPA under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. (7 U.S.C. 136, et seq.)

(iv) Notice, including identification of the herbicide, applicator, location where the herbicide will be applied, proposed timing and method of application, and water use restrictions shall be given according to the following requirements:

(A) Appropriate public notice as determined and prescribed by the director or his designee shall be given of any water use restrictions specified in USEPA label provisions.

(B) The appropriate regional offices of the departments of fisheries and game shall be notified twenty-four hours prior to herbicide application.

(C) In the event of any fish kills, the departments of ecology, fisheries, and game shall be notified immediately.

(v) The herbicide application shall be made at times so as to:

(A) Minimize public water use restrictions during weekends.

(B) Completely avoid public water use restrictions during the opening week of fishing season, Memorial Day weekend, July 4 weekend, and Labor Day weekend.

(vi) Any additional conditions as may be prescribed by the director or his designee.



(f) In no case, will any degradation of water quality be allowed if this degradation interferes with or becomes injurious to existing water uses and causes long-term and irreparable harm to the environment.

(g) No waste discharge permit will be issued which violates established water quality criteria, except, as provided for under WAC 173-201-035 (8)(e).

(9) Due consideration will be given to the precision and accuracy of the sampling and analytical methods used as well as existing conditions at the time, in the application of the criteria.

(10) The analytical testing methods for these criteria shall be in accordance with the most recent editions of "Standard Methods for the Examination of Water and Wastewater," published by the American Public Health Association, American Water Works Association, and the Water Pollution Control Federation, and "Methods for Chemical Analysis of Water and Wastes," published by USEPA, and other or superseding methods published and/or approved by the department following consultation with adjacent states and concurrence of the USEPA.

(11) Deleterious concentrations of radioactive materials for all classes shall be as determined by the lowest practicable concentration attainable and in no case shall exceed:

(a) 1/100 of the values listed in WAC 402-24-220 (Column 2, Table II, Appendix A, rules and regulations for radiation protection); or,

(b) USEPA Drinking Water Regulations for radionuclides, as published in the Federal Register of July 9, 1976, or subsequent revisions thereto.

(12) Deleterious concentrations of toxic, or other non-radioactive materials, shall be determined by the department in consideration of the Quality Criteria for Water, published by USEPA 1976, and as revised, as the authoritative source for criteria and/or other relevant information, if justified.

(13) Nothing in this chapter shall be interpreted to be applicable to those aspects of governmental regulation of radioactive wastes which have been preempted from state regulation by the Atomic Energy Act of 1954, as amended, as interpreted by the United States Supreme Court in the cases of Northern States Power Co. v. Minnesota 405 U.S. 1035 (1972) and Train v. Colorado Public Interest Research Group 426 U.S. 1 (1976).

(14) Nothing in this chapter shall be interpreted to prohibit the establishment of effluent limitations for the control of the thermal component of any discharge in accordance with Section 316 of the Federal Clean Water Act (P.L. 95-217 as amended). [Statutory Authority: RCW 90.48.035. 82-12-078 (Order DE 82-12), § 173-201-035, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-035, filed 1/17/78.]

**WAC 173-201-045 General water use and criteria classes.** The following criteria shall apply to the various classes of surface waters in the state of Washington:

(1) **Class AA (extraordinary).**

(a) General characteristic. Water quality of this class shall markedly and uniformly exceed the requirements for all or substantially all uses.

(b) Characteristic uses. Characteristic uses shall include, but not be limited to, the following:

(i) Water supply (domestic, industrial, agricultural).

(ii) Stock watering.

(iii) Fish and shellfish:

Salmonid migration, rearing, spawning, and harvesting.

Other fish migration, rearing, spawning, and harvesting.

Clam, oyster, and mussel rearing, spawning, and harvesting.

Crustaceans and other shellfish (crabs, shrimp, crayfish, scallops, etc.) rearing, spawning, and harvesting.

(iv) Wildlife habitat.

(v) Recreation (primary contact recreation, sport fishing, boating, and aesthetic enjoyment).

(vi) Commerce and navigation.

(c) Water quality criteria.

(i) Fecal coliform organisms.

(A) Freshwater - fecal coliform organisms shall not exceed a geometric mean value of 50 organisms/100 mL, with not more than 10 percent of samples exceeding 100 organisms/100 mL.

(B) Marine water - fecal coliform organisms shall not exceed a geometric mean value of 14 organisms/100 mL, with not more than 10 percent of samples exceeding 43 organisms/100 mL.

(ii) Dissolved oxygen.

(A) Freshwater - dissolved oxygen shall exceed 9.5 mg/L.

(B) Marine water - dissolved oxygen shall exceed 7.0 mg/L. When natural conditions, such as upwelling, occur, causing the dissolved oxygen to be depressed near or below 7.0 mg/L, natural dissolved oxygen levels can be degraded by up to 0.2 mg/L by man-caused activities.

(iii) Total dissolved gas shall not exceed 110 percent of saturation at any point of sample collection.

(iv) Temperature shall not exceed 16.0°C (freshwater) or 13.0°C (marine water) due to human activities. Temperature increases shall not, at any time, exceed  $t=23/(T+5)$  (freshwater) or  $t=8/(T-4)$  (marine water).

When natural conditions exceed 16.0°C (freshwater) and 13.0°C (marine water), no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C.

For purposes hereof, "t" represents the permissive temperature change across the dilution zone; and "T" represents the highest existing temperature in this water classification outside of any dilution zone.

Provided that temperature increase resulting from nonpoint source activities shall not exceed 2.8°C, and the maximum water temperature shall not exceed 16.3°C (freshwater).

(v) pH shall be within the range of 6.5 to 8.5 (freshwater) or 7.0 to 8.5 (marine water) with a man-caused variation within a range of less than 0.2 units.

(vi) Turbidity shall not exceed 5 NTU over background turbidity when the background turbidity is 50 NTU or less, or have more than a 10 percent increase in turbidity when the background turbidity is more than 50 NTU.

(vii) Toxic, radioactive, or deleterious material concentrations shall be less than those which may affect public health, the natural aquatic environment, or the desirability of the water for any use.

(viii) Aesthetic values shall not be impaired by the presence of materials or their effects, excluding those of natural origin, which offend the senses of sight, smell, touch, or taste.

(2) **Class A (excellent).**

(a) General characteristic. Water quality of this class shall meet or exceed the requirements for all or substantially all uses.

(b) Characteristic uses. Characteristic uses shall include, but not be limited to, the following:

(i) Water supply (domestic, industrial, agricultural).

(ii) Stock watering.

(iii) Fish and shellfish:

Salmonid migration, rearing, spawning, and harvesting.

Other fish migration, rearing, spawning, and harvesting.

Clam, oyster, and mussel rearing, spawning, and harvesting.

Crustaceans and other shellfish (crabs, shrimp, crayfish, scallops, etc.) rearing, spawning, and harvesting.

(iv) Wildlife habitat.

(v) Recreation (primary contact recreation, sport fishing, boating, and aesthetic enjoyment).

(vi) Commerce and navigation.

(c) Water quality criteria.

(i) Fecal coliform organisms.

(A) Freshwater – fecal coliform organisms shall not exceed a geometric mean value of 100 organisms/100 mL, with not more than 10 percent of samples exceeding 200 organisms/100 mL.

(B) Marine water – fecal coliform organisms shall not exceed a geometric mean value of 14 organisms/100 mL, with not more than 10 percent of samples exceeding 43 organisms/100 mL.

(ii) Dissolved oxygen.

(A) Freshwater – dissolved oxygen shall exceed 8.0 mg/L.

(B) Marine water – dissolved oxygen shall exceed 6.0 mg/L. When natural conditions, such as upwelling, occur, causing the dissolved oxygen to be depressed near or below 6.0 mg/L, natural dissolved oxygen levels can be degraded by up to 0.2 mg/L by man-caused activities.

(iii) Total dissolved gas shall not exceed 110 percent of saturation at any point of sample collection.

(iv) Temperature shall not exceed 18.0°C (freshwater) or 16.0°C (marine water) due to human activities. Temperature increases shall not, at any time, exceed  $t=28/(T+7)$  (freshwater) or  $t=12/(T-2)$  (marine water).

When natural conditions exceed 18.0°C (freshwater) and 16.0°C (marine water), no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C.

For purposes hereof, "t" represents the permissive temperature change across the dilution zone; and "T" represents the highest existing temperature in this water classification outside of any dilution zone.

Provided that temperature increase resulting from nonpoint source activities shall not exceed 2.8°C, and the maximum water temperature shall not exceed 18.3°C (freshwater).

(v) pH shall be within the range of 6.5 to 8.5 (freshwater) or 7.0 to 8.5 (marine water) with a man-caused variation within a range of less than 0.5 units.

(vi) Turbidity shall not exceed 5 NTU over background turbidity when the background turbidity is 50 NTU or less, or have more than a 10 percent increase in turbidity when the background turbidity is more than 50 NTU.

(vii) Toxic, radioactive, or deleterious material concentrations shall be below those of public health significance, or which may cause acute or chronic toxic conditions to the aquatic biota, or which may adversely affect any water use.

(viii) Aesthetic values shall not be impaired by the presence of materials or their effects, excluding those of natural origin, which offend the senses of sight, smell, touch, or taste.

(3) **Class B (good).**

(a) General characteristic. Water quality of this class shall meet or exceed the requirements for most uses.

(b) Characteristic uses. Characteristic uses shall include, but not be limited to, the following:

(i) Water supply (industrial and agricultural).

(ii) Stock watering.

(iii) Fish and shellfish:

Salmonid migration, rearing, and harvesting.

Other fish migration, rearing, spawning, and harvesting.

Clam, oyster, and mussel rearing and spawning.

Crustaceans and other shellfish (crabs, shrimp, crayfish, scallops, etc.) rearing, spawning, and harvesting.

(iv) Wildlife habitat.

(v) Recreation (secondary contact recreation, sport fishing, boating, and aesthetic enjoyment).

(vi) Commerce and navigation.

(c) Water quality criteria.

(i) Fecal coliform organisms.

(A) Freshwater – fecal coliform organisms shall not exceed a geometric mean value of 200 organisms/100 mL, with not more than 10 percent of samples exceeding 400 organisms/100 mL.

(B) Marine water – fecal coliform organisms shall not exceed a geometric mean value of 100 organisms/100 mL, with not more than 10 percent of samples exceeding 200 organisms/100 mL.

(ii) Dissolved oxygen.

(A) Freshwater – dissolved oxygen shall exceed 6.5 mg/L.

(B) Marine water – dissolved oxygen shall exceed 5.0 mg/L. When natural conditions, such as upwelling, occur, causing the dissolved oxygen to be depressed near or below 5.0 mg/L, natural dissolved oxygen levels can be degraded by up to 0.2 mg/L by man-caused activities.

(iii) Total dissolved gas shall not exceed 110 percent of saturation at any point of sample collection.

(iv) Temperature shall not exceed 21.0°C (freshwater) or 19.0°C (marine water) due to human activities. Temperature increases shall not, at any time, exceed  $t=34/(T+9)$  (freshwater) or  $t=16/T$  (marine water).

When natural conditions exceed 21.0°C (freshwater) and 19.0°C (marine water), no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C.

For purposes hereof, "t" represents the permissive temperature change across the dilution zone; and "T" represents the highest existing temperature in this water classification outside of any dilution zone.

Provided that temperature increase resulting from nonpoint source activities shall not exceed 2.8°C, and the maximum water temperature shall not exceed 21.3°C (freshwater).

(v) pH shall be within the range of 6.5 to 8.5 (freshwater) and 7.0 to 8.5 (marine water) with a man-caused variation within a range of less than 0.5 units.

(vi) Turbidity shall not exceed 10 NTU over background turbidity when the background turbidity is 50 NTU or less, or have more than a 20 percent increase in turbidity when the background turbidity is more than 50 NTU.

(vii) Toxic, radioactive, or deleterious material concentrations shall be below those which adversely affect public health during characteristic uses, or which may cause acute or chronic toxic conditions to the aquatic biota, or which may adversely affect characteristic water uses.

(viii) Aesthetic values shall not be reduced by dissolved, suspended, floating, or submerged matter not attributed to natural causes, so as to affect water use or taint the flesh of edible species.

#### (4) Class C (fair).

(a) General characteristic. Water quality of this class shall meet or exceed the requirements of selected and essential uses.

(b) Characteristic uses. Characteristic uses shall include, but not be limited to, the following:

(i) Water supply (industrial).

(ii) Fish (salmonid and other fish migration).

(iii) Recreation (secondary contact recreation, sport fishing, boating, and aesthetic enjoyment).

(iv) Commerce and navigation.

(c) Water quality criteria – marine water.

(i) Fecal coliform organisms shall not exceed a geometric mean value of 200 organisms/100 mL, with not more than 10 percent of samples exceeding 400 organisms/100 mL.

(ii) Dissolved oxygen shall exceed 4.0 mg/L. When natural conditions, such as upwelling, occur, causing the dissolved oxygen to be depressed near or below 4.0

mg/L, natural dissolved oxygen levels can be degraded by up to 0.2 mg/L by man-caused activities.

(iii) Temperature shall not exceed 22.0°C due to human activities. Temperature increases shall not, at any time, exceed  $t=20/(T+2)$ .

When natural conditions exceed 22.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C.

For purposes hereof, "t" represents the permissive temperature change across the dilution zone; and "T" represents the highest existing temperature in this water classification outside of any dilution zone.

(iv) pH shall be within the range of 6.5 to 9.0 with a man-caused variation within a range of less than 0.5 units.

(v) Turbidity shall not exceed 10 NTU over background turbidity when the background turbidity is 50 NTU or less, or have more than a 20 percent increase in turbidity when the background turbidity is more than 50 NTU.

(vi) Toxic, radioactive, or deleterious material concentrations shall be below those which adversely affect public health during characteristic uses, or which may cause acute or chronic toxic conditions to the aquatic biota, or which may adversely affect characteristic water uses.

(vii) Aesthetic values shall not be interfered with by the presence of obnoxious wastes, slimes, aquatic growths, or materials which will taint the flesh of edible species.

#### (5) Lake class.

(a) General characteristic. Water quality of this class shall meet or exceed the requirements for all or substantially all uses.

(b) Characteristic uses. Characteristic uses shall include, but not be limited to, the following:

(i) Water supply (domestic, industrial, agricultural).

(ii) Stock watering.

(iii) Fish and shellfish:

Salmonid migration, rearing, spawning, and harvesting.

Other fish migration, rearing, spawning, and harvesting.

Clam and mussel rearing, spawning, and harvesting.

Crayfish rearing, spawning, and harvesting.

(iv) Wildlife habitat.

(v) Recreation (primary contact recreation, sport fishing, boating, and aesthetic enjoyment).

(vi) Commerce and navigation.

(c) Water quality criteria.

(i) Fecal coliform organisms shall not exceed a geometric mean value of 50 organisms/100 mL, with not more than 10 percent of samples exceeding 100 organisms/100 mL.

(ii) Dissolved oxygen – no measurable decrease from natural conditions.

(iii) Total dissolved gas shall not exceed 110 percent of saturation at any point of sample collection.

(iv) Temperature – no measurable change from natural conditions.

(v) pH - no measurable change from natural conditions.

(vi) Turbidity shall not exceed 5 NTU over background conditions.

(vii) Toxic, radioactive, or deleterious material concentrations shall be less than those which may affect public health, the natural aquatic environment, or the desirability of the water for any use.

(viii) Aesthetic values shall not be impaired by the presence of materials or their effects, excluding those of natural origin, which offend the senses of sight, smell, touch, or taste. [Statutory Authority: RCW 90.48.035. 82-12-078 (Order DE 82-12), § 173-201-045, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-045, filed 1/17/78.]

**WAC 173-201-070 General classifications.** General classifications applying to various surface water bodies not specifically classified under WAC 173-201-080 or 173-201-085 are as follows:

(1) All surface waters lying within the mountainous regions of the state assigned to national parks, national forests, and/or wilderness areas, are classified Class AA or lake class.

(2) All lakes and their feeder streams within the state are classified lake class and Class AA respectively, except for those feeder streams specifically classified otherwise.

(3) All reservoirs with a mean detention time of greater than 15 days are classified lake class.

(4) All reservoirs with a mean detention time of 15 days or less are classified the same as the river section in which they are located.

(5) All reservoirs established on preexisting lakes are classified as lake class.

(6) All unclassified surface waters that are tributaries to Class AA waters are classified Class AA. All other unclassified surface waters within the state are hereby classified Class A. [Statutory Authority: RCW 90.48-.035. 82-12-078 (Order DE 82-12), § 173-201-070, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-070, filed 1/17/78; Order 73-4, § 173-201-070, filed 7/6/73.]

**WAC 173-201-080 Specific classifications--Freshwater.** Specific fresh surface waters of the state of Washington are classified as follows:

- (1) American River. Class AA
- (2) Big Quilcene River and tributaries. Class AA
- (3) Bumping River. Class AA
- (4) Burnt Bridge Creek. Class A
- (5) Cedar River from Lake Washington to Landsburg Dam (river mile 21.6). Class A
- (6) Cedar River and tributaries from Landsburg Dam (river mile 21.6) to headwaters. Special condition - no waste discharge will be permitted. Class AA
- (7) Chehalis River from upper boundary of Grays Harbor at Cosmopolis (river mile 3.1, longitude 123°45'45" W) to Scammon Creek (river mile 65.8). Class A

(8) Chehalis River from Scammon Creek (river mile 65.8) to Newaukum River (river mile 75.2). Special condition - dissolved oxygen shall exceed 5.0 mg/L from June 1, to September 15. For the remainder of the year, the dissolved oxygen shall meet Class A criteria.

Class A

(9) Chehalis River from Newaukum River (river mile 75.2) to Rock Creek (river mile 106.7).

Class A

(10) Chehalis River, from Rock Creek (river mile 106.7) to headwaters.

Class AA

(11) Chehalis River, south fork.

Class A

(12) Chewack River.

Class AA

(13) Chiwawa River.

Class AA

(14) Cispus River.

Class AA

(15) Clearwater River.

Class A

(16) Cle Elum River.

Class AA

(17) Cloquallum Creek.

Class A

(18) Clover Creek from outlet of Lake Spanaway to inlet of Lake Steilacoom.

Class A

(19) Columbia River from mouth to the Washington-Oregon border (river mile 309.3). Special conditions - temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed 0.3°C due to any single source or 1.1°C due to all such activities combined. Dissolved oxygen shall exceed 90 percent of saturation.

Class A

(20) Columbia River from Washington-Oregon border (river mile 309.3) to Grand Coulee Dam (river mile 596.6). Special condition from Washington-Oregon border (river mile 309.3) to Priest Rapids Dam (river mile 397.1). Temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed  $t=34/(T+9)$ .

Class A

(21) Columbia River from Grand Coulee Dam (river mile 596.6) to Canadian border (river mile 745.0).

Class AA

(22) Colville River.

Class A

(23) Coweeman River from mouth to Mulholland Creek (river mile 18.4).

Class A

(24) Coweeman River from Mulholland Creek (river mile 18.4) to headwaters.

Class AA

(25) Cowlitz River from mouth to base of Riffe Lake Dam (river mile 52.0).

Class A

(26) Cowlitz River from base of Riffe Lake Dam (river mile 52.0) to headwaters.

Class AA

(27) Crab Creek and tributaries.

Class B

(28) Decker Creek.

Class AA

(29) Deschutes River from mouth to boundary of Snoqualmie National Forest (river mile 48.2).	Class A	(48) Hanaford Creek from east boundary of Sec. 25-T15N-R2W (river mile 4.1) to headwaters.	Class A
(30) Deschutes River from boundary of Snoqualmie National Forest (river mile 48.2) to headwaters.	Class AA	(49) Hoh River and tributaries.	Class AA
(31) Dickey River.	Class A	(50) Hoquiam River (continues as west fork above east fork) from mouth to river mile 9.3 (DeKay Road bridge) (upper limit of tidal influence).	Class B
(32) Dosewallips River and tributaries.	Class AA	(51) Humptulips River and tributaries from mouth to Olympic National Forest boundary on east fork (river mile 12.8) and west fork (river mile 40.4) (main stem continues as west fork).	Class A
(33) Duckabush River and tributaries.	Class AA	(52) Humptulips River, east fork from Olympic National Forest boundary (river mile 12.8) to headwaters.	Class AA
(34) Dungeness River from mouth to Canyon Creek (river mile 10.8).	Class A	(53) Humptulips River, west fork from Olympic National Forest boundary (river mile 40.4) to headwaters.	Class AA
(35) Dungeness River and tributaries from Canyon Creek (river mile 10.8) to headwaters.	Class AA	(54) Issaquah Creek.	Class AA
(36) Duwamish River from mouth south of a line bearing 254°true from the NW corner of berth 3, terminal No. 37 to the Black River (river mile 11.0) (Duwamish River continues as the Green River above the Black River).	Class B	(55) Kalama River from lower Kalama River Falls (river mile 10.4) to headwaters.	Class AA
(37) Elochoman River.	Class A	(56) Klickitat River from Little Klickitat River (river mile 19.8) to headwaters.	Class AA
(38) Elwha River and tributaries.	Class AA	(57) Lake Washington Ship Canal from Government Locks (river mile 1.0) to Lake Washington (river mile 8.6). Special condition - salinity shall not exceed one part per thousand (1.0 ppt) at any point or depth along a line that transects the ship canal at the University Bridge (river mile 6.1).	Lake Class
(39) Entiat River from Wenatchee National Forest boundary (river mile 20.5) to headwaters.	Class AA	(58) Lewis River, east fork, from Multon Falls (river mile 24.6) to headwaters.	Class AA
(40) Grande Ronde River from mouth to Oregon border (river mile 37). Special condition - temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t=34/(T+9)$ .	Class A	(59) Little Wenatchee River.	Class AA
(41) Grays River from Grays River Falls (river mile 15.8) to headwaters.	Class AA	(60) Methow River from mouth to Chewack River (river mile 50.1).	Class A
(42) Green River (Cowlitz County).	Class AA	(61) Methow River from Chewack River (river mile 50.1) to headwaters.	Class AA
(43) Green River (King County) from Black River (river mile 11.0 and point where Duwamish River continues as the Green River) to west boundary of Sec. 27-T21N-R6E (west boundary of Flaming Geyser State Park at river mile 42.3).	Class A	(62) Mill Creek from mouth to 13th street bridge in Walla Walla (river mile 6.4). Special condition - dissolved oxygen concentration shall exceed 5.0 mg/L.	Class B
(44) Green River (King County) from west boundary of Sec. 27-T21N-R6E (west boundary of Flaming Geyser State Park, river mile 42.3) to west boundary of Sec. 13-T21N-R7E (river mile 59.1).	Class AA	(63) Mill Creek from 13th Street bridge in Walla Walla (river mile 6.4) to Walla Walla Waterworks Dam (river mile 25.2).	Class A
(45) Green River and tributaries (King County) from west boundary of Sec. 13-T21N-R7E (river mile 59.1) to headwaters. Special condition - no waste discharge will be permitted.	Class AA	(64) Mill Creek and tributaries from city of Walla Walla Waterworks Dam (river mile 25.2) to headwaters. Special condition - no waste discharge will be permitted.	Class AA
(46) Hamma Hamma River and tributaries.	Class AA	(65) Naches River from Snoqualmie National Forest boundary (river mile 35.7) to headwaters.	Class AA
(47) Hanaford Creek from mouth to east boundary of Sec. 25-T15N-R2W (river mile 4.1). Special condition - dissolved oxygen shall exceed 6.5 mg/L.	Class A	(66) Naselle River from Naselle "Falls" (cascade at river mile 18.6) to headwaters.	Class AA
		(67) Newaukum River.	Class A
		(68) Nisqually River from mouth to Alder Dam (river mile 44.2).	Class A
		(69) Nisqually River from Alder Dam (river mile 44.2) to headwaters.	Class AA
		(70) Nooksack River from mouth to Maple Creek (river mile 49.7).	Class A

(71) Nooksack River from Maple Creek (river mile 49.7) to headwaters.	Class AA	(95) Skykomish River from mouth to May Creek (above Gold Bar at river mile 41.2).	Class A
(72) Nooksack River, south fork, from mouth to Skookum Creek (river mile 14.3).	Class A	(96) Skykomish River from May Creek (above Gold Bar at river mile 41.2) to headwaters.	Class AA
(73) Nooksack River, south fork, from Skookum Creek (river mile 14.3) to headwaters.	Class AA	(97) Snake River from mouth to Washington-Idaho-Oregon border (river mile 176.1). Special condition.	
(74) Nooksack River, middle fork.	Class AA	(a) Below Clearwater River (river mile 139.3). Temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t=34/(T+9)$ .	
(75) Okanogan River.	Class A	(b) Above Clearwater River (river mile 139.3). Temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed 0.3°C due to any single source or 1.1°C due to all such activities combined.	Class A
(76) Palouse River from mouth to south fork (Colfax, river mile 89.6).	Class B	(98) Snohomish River from mouth and east of longitude 122°13'40"W upstream to latitude 47°56'30"N (southern tip of Ebey Island river mile 8.1). Special condition - fecal coliform organisms shall not exceed a geometric mean value of 200, organisms/100 mL. with not more than 10 percent of samples exceeding 400 organisms/100 mL.	Class A
(77) Palouse River from south fork (Colfax, river mile 89.6) to Idaho border (river mile 123.4). Special condition - temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t=34/(T+9)$ .	Class A	(99) Snohomish River upstream from latitude 47°56'30"N (southern tip of Ebey Island river mile 8.1) to confluence with Skykomish and Snoqualmie River (river mile 20.5).	Class A
(78) Pend Oreille River from Canadian border (river mile 16.0) to Idaho border (river mile 87.7). Special condition - temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t=34/(T+9)$ .	Class A	(100) Snoqualmie River and tributaries from mouth to west boundary of Twin Falls State Park on south fork (river mile 9.1).	Class A
(79) Pilchuck River from city of Snohomish Waterworks Dam (river mile 26.8) to headwaters.	Class AA	(101) Snoqualmie River, middle fork.	Class AA
(80) Puyallup River from mouth to river mile 1.0.	Class B	(102) Snoqualmie River, north fork.	Class AA
(81) Puyallup River from river mile 1.0 to Kings Creek (river mile 31.6).	Class A	(103) Snoqualmie River, south fork, from west boundary of Twin Falls State Park (river mile 9.1) to headwaters.	Class AA
(82) Puyallup River from Kings Creek (river mile 31.6) to headwaters.	Class AA	(104) Soleduck River and tributaries.	Class AA
(83) Queets River and tributaries.	Class AA	(105) Spokane River from mouth to Idaho border (river mile 96.5). Special condition - temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t=34/(T+9)$ .	Class A
(84) Quillayute River.	Class AA	(106) Stehekin River.	Class AA
(85) Quinault River and tributaries.	Class AA		
(86) Salmon Creek (Clark County).	Class A		
(87) Satsop River from mouth to west fork (river mile 6.4).	Class A		
(88) Satsop River, east fork.	Class AA		
(89) Satsop River, middle fork.	Class AA		
(90) Satsop River, west fork.	Class AA		
(91) Skagit River from mouth to Skiyou Slough-lower end (river mile 25.6).	Class A		
(92) Skagit River and tributaries (includes Baker, Suak, Suiattle, and Cascade rivers) from Skiyou Slough-lower end, (river mile 25.6) to Canadian border (river mile 127.0).	Class AA		
(93) Skokomish River and tributaries.	Class AA		
(94) Skookumchuck River from Bloody Run Creek (river mile 21.4) to headwaters.	Class AA		

(107) Stillaguamish River from mouth to north and south forks (river mile 17.8).	Class A	(127) Wenatchee River from Wenatchee National Forest boundary (river mile 27.1) to headwaters.	Class AA
(108) Stillaguamish River, north fork, from mouth to Squire Creek (river mile 31.2).	Class A	(128) White River (Pierce-King counties) from Mud Mountain Dam (river mile 29.6) to headwaters.	Class AA
(109) Stillaguamish River, north fork, from Squire Creek (river mile 31.2) to headwaters.	Class AA	(129) White River (Chelan County).	Class AA
(110) Stillaguamish River, south fork, from mouth to Canyon Creek (river mile 33.7).	Class A	(130) Wildcat Creek.	Class A
(111) Stillaguamish River, south fork, from Canyon Creek (river mile 33.7) to the headwaters.	Class AA	(131) Willapa River upstream of a line bearing 70° true through Mailboat Slough light (river mile 1.8).	Class A
(112) Sulphur Creek.	Class B	(132) Wishkah River from mouth to river mile 6 (SW 1/4 SW 1/4 NE 1/4 Sec. 21-T18N-R9W).	Class B
(113) Sultan River from mouth to Chaplain Creek (river mile 5.9).	Class A	(133) Wishkah River from river mile 6 (SW 1/4 SW 1/4 NE 1/4 Sec. 21-T18N-R9W) to west fork (river mile 17.7).	Class A
(114) Sultan River and tributaries from Chaplain Creek (river mile 5.9) to headwaters. Special condition - no waste discharge will be permitted above city of Everett Diversion Dam (river mile 9.4).	Class AA	(134) Wishkah River from west fork of Wishkah River (river mile 17.7) to south boundary of Sec. 33-T21N-R8W (river mile 32.0).	Class AA
(115) Sumas River from Canadian border (river mile 12) to headwaters (river mile 23).	Class A	(135) Wishkah River and tributaries from south boundary of Sec. 33-T21N-R8W (river mile 32.0) to headwaters. Special condition - no waste discharge will be permitted.	Class AA
(116) Tieton River.	Class AA	(136) Wynoochee River from mouth to Olympic National Forest boundary (river mile 45.9).	Class A
(117) Tolt River, south fork and tributaries from mouth to west boundary of Sec. 31-T26N-R9E (river mile 6.9).	Class AA	(137) Wynoochee River from Olympic National Forest boundary (river mile 45.9) to headwaters.	Class AA
(118) Tolt River, south fork from west boundary of Sec. 31-T26N-R9E (river mile 6.9) to headwaters. Special condition - no waste discharge will be permitted.	Class AA	(138) Yakima River from mouth to Sunnyside Dam (river mile 103.8).	Class B
(119) Touchet River, north fork from Dayton water intake structure (river mile 3.0) to headwaters.	Class AA	(139) Yakima River from Sunnyside Dam (river mile 103.8) to Cle Elum River (river mile 185.6). Special condition - temperature shall not exceed 21.0°C due to human activities. When natural conditions exceed 21.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t=34/(T+9)$ .	Class A
(120) Toutle River, north fork, from Green River to headwaters.	Class AA	(140) Yakima River from Cle Elum River (river mile 185.6) to headwaters.	Class AA
(121) Toutle River, south fork.	Class AA	[Statutory Authority: RCW 90.48.035. 82-12-078 (Order DE 82-12), § 173-201-080, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-080, filed 1/17/78; Order DE 73-22, § 173-201-080, filed 11/16/73; Order 73-4, § 173-201-080, filed 7/6/73.]	
(122) Tucannon River from Umatilla National Forest boundary (river mile 38.1) to headwaters.	Class AA		
(123) Twisp River.	Class AA		
(124) Union River and tributaries from Bremerton Waterworks Dam (river mile 6.9) to headwaters. Special condition - no waste discharge will be permitted.	Class AA		
(125) Walla Walla River from mouth to Lowden (Dry Creek at river mile 27.2).	Class B		
(126) Walla Walla River from Lowden (Dry Creek at river mile 27.2) to Oregon border (river mile 40). Special condition - temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t=34/(T+9)$ .	Class A		

**WAC 173-201-085 Specific classifications--Marine water.** Specific marine surface waters of the state of Washington are classified as follows:

- (1) Budd Inlet south of latitude 47°04'N (south of Priest Point Park). Class B
- (2) Coastal waters: Pacific Ocean from Ilwaco to Cape Flattery. Class AA
- (3) Commencement Bay south and east of a line bearing 258° true from "Brown's

point" and north and west of line bearing 225° true through the Hylebos waterway light.

(4) Commencement Bay, inner, south and east of a line bearing 225° true through Hylebos Waterway light except the city waterway south and east of south 11th Street.

(5) Commencement Bay, city waterway south and east of south 11th Street.

(6) Drayton Harbor, south of entrance.

(7) Dyes and Sinclair Inlets west of longitude 122°37'W.

(8) Elliott Bay east of a line between Pier 91 and Duwamish head.

(9) Everett Harbor, inner, north and east of a line bearing 121° true from light "4" (Snohomish River mouth).

(10) Grays Harbor west of longitude 123°59'W.

(11) Grays Harbor east of longitude 123°59'W to longitude 123°45'45"W (Cosmopolis Chehalis River, river mile 3.1). Special condition - dissolved oxygen shall exceed 5.0 mg/L.

(12) Guemes Channel, Padilla, Samish and Bellingham Bays east of longitude 122°39'W and north of latitude 48°27'20"N.

(13) Hood Canal.

(14) Mukilteo and all North Puget Sound west of longitude 122°39' W (Whidbey, Fidalgo, Guemes and Lummi islands and state highway 20 bridge at Deception Pass), except as otherwise noted.

(15) Oakland Bay west of longitude 123°05'W (inner Shelton harbor).

(16) Port Angeles south and west of a line bearing 152° true from buoy "2" at the tip of Ediz Hook.

(17) Port Gamble south of latitude 47°51'20"N.

(18) Port Townsend west of a line between Point Hudson and Kala point.

(19) Possession Sound, south of latitude 47°57'N.

(20) Possession Sound, Port Susan, Saratoga Passage, and Skagit Bay east of Whidbey Island and state highway 20 bridge at Deception Pass between latitude 47°57'N (Mukilteo) and latitude 48°27'20"N (Similk Bay), except as otherwise noted.

(21) Puget Sound through Admiralty Inlet and South Puget Sound, south and west to longitude 122°52'30"W (Brisco Point) and longitude 122°51'W (northern tip of Hartstene Island).

(22) Sequim Bay southward of entrance.

(23) South Puget Sound west of longitude 122°52'30"W (Brisco Point) and longitude

122°51'W (northern tip of Hartstene Island, except as otherwise noted).

Class A

Class A

(24) Strait of Juan de Fuca.

Class AA

(25) Willapa Bay seaward of a line bearing 70° true through Mailboat Slough light (Willapa River, river mile 1.8).

Class A

Class B

Class C

Class A

[Statutory Authority: RCW 90.48.035. 82-12-078 (Order DE 82-12), § 173-201-085, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-085, filed 1/17/78.]

Class A

**WAC 173-201-090 Achievement considerations.** To fully achieve and maintain the foregoing water quality in the state of Washington, it is the intent of the department to apply the various implementation and enforcement authorities at its disposal, including participation in the programs of the Federal Clean Water Act (P.L. 95-217) as appropriate. It is also the intent that cognizance will be taken of the need for participation in cooperative programs with other state agencies and private groups with respect to the management of related problems. The department's planned program for water pollution control will be defined and revised annually in accordance with section 106 of said federal act. Further, it shall be required that all activities which discharge wastes into waters within the state, or otherwise adversely affect the quality of said waters, be in compliance with the waste treatment and discharge provisions of state or federal law. [Statutory Authority: RCW 90.48.035. 82-12-078 (Order DE 82-12), § 173-201-090, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-090, filed 1/17/78; Order 73-4, § 173-201-090, filed 7/6/73.]

Class A

Class B

Class A

Class B

Class A

Class AA

Class AA

Class B

Class A

Class A

Class A

Class AA

Class A

Class AA

Class AA

**WAC 173-201-100 Implementation. (1) Discharges from municipal, commercial, and industrial operations.** The primary means to be used for controlling municipal, commercial, and industrial waste discharges shall be through the issuance of waste disposal permits, as provided for in RCW 90.48.160 and following.

(2) Miscellaneous waste discharge or water quality effect sources. The director shall, through the issuance of regulatory permits, directives, and orders, as are appropriate, control miscellaneous waste discharges and water quality effect sources not covered by WAC 173-201-100(1) hereof. It is noted that, from time to time, certain short-term activities which are deemed necessary to accommodate essential activities or to otherwise protect the public interest may be specially authorized by the director as indicated in WAC 173-201-035 (8)(e), under such conditions as the director may prescribe, even though such activities may result in a reduction of water quality conditions below those criteria and classifications established by this regulation. [Statutory Authority: RCW 90.48.035. 78-02-043 (Order DE 77-32), § 173-201-100, filed 1/17/78; Order 73-4, § 173-201-100, filed 7/6/73.]

**WAC 173-201-110 Surveillance.** A continuing surveillance program, to ascertain whether the regulations,



waste disposal permits, orders, and directives promulgated and/or issued by the department are being complied with, will be conducted by the department staff as follows:

- (1) Inspecting treatment and control facilities.
- (2) Monitoring and reporting waste discharge characteristics.
- (3) Monitoring receiving water quality. [Statutory Authority: RCW 90.48.035. 78-02-043 (Order DE 77-32), § 173-201-110, filed 1/17/78; Order 73-4, § 173-201-110, filed 7/6/73.]

**WAC 173-201-120 Enforcement.** To insure that the provisions of chapter 90.48 RCW, the standards for water quality promulgated herein, the terms of waste disposal permits, and other orders and directives of the department are fully complied with, the following enforcement tools will be relied upon by the department, in cooperation with the attorney general as it deems appropriate:

(1) Issuance of notices of violation and regulatory orders as provided for in RCW 90.48.120. Under this section, whenever in the opinion of the department a person is violating or about to violate chapter 90.48 RCW, the department shall notify said person of its determination. Within thirty days said person shall notify the department of the action taken or being taken in response to the department's determination, whereupon the department may issue a regulatory order as it deems appropriate. Whenever the department deems immediate action is necessary to accomplish the purposes of chapter 90.48 RCW, it may issue a regulatory order without first giving notice and thirty days for response.

(2) Initiation of actions requesting injunctive or other appropriate relief in the various courts of the state, as provided for in RCW 90.48.037.

(3) Levying of civil penalties as provided for in RCW 90.48.144. Under this section, the director may levy a civil penalty up to five thousand dollars per day against a person who violates the terms of a waste discharge permit, or who discharges without such a permit when the same is required, or violates the provisions of RCW 90.48.080. If the amount of the penalty, which is subject to mitigation or remission by the department, is not paid within thirty days after receipt of said notice, the attorney general, upon request of the director, shall bring an action in superior court to recover the same.

(4) Initiation of a criminal proceeding by the appropriate county prosecutor, as provided for in RCW 90.48.140.

(5) Issuance of regulatory orders or directives as provided for in RCW 90.48.240. [Statutory Authority: RCW 90.48.035. 82-12-078 (Order DE 82-12), § 173-201-120, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-120, filed 1/17/78; Order 73-4, § 173-201-120, filed 7/6/73.]

## Chapter 173-202 WAC

### WASHINGTON FOREST PRACTICES RULES AND REGULATIONS TO PROTECT WATER QUALITY

#### WAC

173-202-010 Authority.

173-202-020 Certain WAC sections adopted by reference.

**WAC 173-202-010 Authority.** RCW 76.09.040, a portion of the Forest Practices Act of 1974, authorizes the adoption of regulations establishing standards for forest practices. Forest practices regulations pertaining to water quality protection are to be adopted individually by the forest practices board and the department of ecology after the two state agencies have reached agreement thereon. All other forest practices regulations are to be adopted by the forest practices board.

The forest practices board has adopted forest practice regulations in chapters 222-08 through 222-50 WAC. The portions of said chapters, as set forth in WAC 173-202-020, pertain to water quality protection and have been jointly developed by the department of ecology and the forest practices board.

The purpose of this chapter is to set forth forest practice regulations pertaining to water quality protection as authorized for adoption by RCW 76.09.040.

For ease of understanding, the department of ecology has incorporated by reference in WAC 173-202-020 those regulations pertaining to water quality protection previously adopted by the forest practices board. [Order DE 76-32, § 173-202-010, filed 7/13/76.]

**WAC 173-202-020 Certain WAC sections adopted by reference.** The following sections of the Washington Administrative Code as now promulgated are hereby adopted by reference as part of this chapter in all respects as though the sections were set forth herein in full:

WAC 222-12-010—Authority.

WAC 222-12-070—Enforcement.

WAC 222-12-090—Forest practice board manual.

WAC 222-16-010—General definitions.

WAC 222-16-020—Water categories.

WAC 222-16-030—Water typing system.

WAC 222-16-040—Temperature sensitive waters.

WAC 222-16-050—Classes of forest practices.

WAC 222-24-010—Policy.

WAC 222-24-020(2), (3), (4)—Road location.

WAC 222-24-025(5), (6), (7), (8), (9)—Road design.

WAC 222-24-030(2), (4), (5), (6), (8), (9), (10)—Road construction.

WAC 222-24-035(1)—Landing location and construction.

WAC 222-24-040(1), (2), (3), (4)—Water crossing structures.

WAC 222-24-050—Road maintenance.

WAC 222-24-060(1), (2), (3), (6)—Rock quarries, gravel pits, borrow pits, and spoil disposal areas.

WAC 222-30-010—Policy: Timber harvesting.

WAC 222-30-020(2), (3)(c), (3)(e), (4)—Harvest unit planning and design.

WAC 222-30-030—Streambank integrity.

WAC 222-30-040—Temperature control.

WAC 222-30-050(1), (2), (3), (4)—Felling and bucking.

WAC 222-30-060(1), (2), (3), (4)(c)—Cable yarding.

WAC 222-30-070(1), (2), (4), (6), (7), (8)—Tractor and wheeled skidding systems.

WAC 222-30-080(1), (2)—Landing cleanup.

WAC 222-30-100(1)(c), (4), (5)—Slash disposal.

WAC 222-34-040—Site preparation and rehabilitation.  
 WAC 222-38-010—Policy: Forest chemicals.  
 WAC 222-38-020(1), (2), (3), (4), (5), (6), (10)—Handling, storage, application.

[Statutory Authority: RCW 76.09.040, 83-15-045 (Order DE 82-37), § 173-202-020, filed 7/19/83; Order DE 76-32, § 173-202-020, filed 7/13/76.]

### Chapter 173-208 WAC

#### GRANT OF AUTHORITY SEWERAGE SYSTEMS

##### WAC

173-208-010	Authority.
173-208-020	Purpose.
173-208-030	Declaration of policy.
173-208-040	Definitions.
173-208-050	Applications for authorization.
173-208-060	Delegation procedure.
173-208-070	Scope of authorization.
173-208-080	Permits under authorized programs.
173-208-090	Conformity with department rules.
173-208-100	Withdrawal of authorization.
173-208-110	Requirement of program review.
173-208-120	Appeal.

**WAC 173-208-010 Authority.** RCW 90.48.165 empowers the department of ecology, as successor to the water pollution control commission to grant to any city, town, or municipal corporation operating a sewerage system including treatment facilities the authority to issue permits for the discharge of wastes into such system, provided that the department finds to its satisfaction that the sewerage system and inspection and control program operated and conducted by the city, town, or municipal corporation will protect the public interest in the quality of the state's water as provided in the Water Pollution Control Act, chapter 90.48 RCW. Permits for the discharge of wastes into publicly operated sewerage systems are required for commercial or industrial operations by virtue of RCW 90.48.160. [Order DE 75-10, § 173-208-010, filed 4/30/75.]

**WAC 173-208-020 Purpose.** The purpose of this chapter is to set forth the procedures and criteria for the granting of authority for the administration of the permit program of RCW 90.48.160 as it pertains to waste discharges into publicly operated sewerage systems to the governing bodies of cities, towns, and municipal corporations operating such sewerage systems and receiving into them industrial and commercial wastes as hereinafter defined. [Order DE 75-10, § 173-208-020, filed 4/30/75.]

**WAC 173-208-030 Declaration of policy.** (1) The department encourages qualified cities, towns, and other municipal corporations to apply for a grant of authority to conduct and operate a permit system for the regulation of commercial and industrial waste discharges into their sewerage systems in accordance with RCW 90.48.165.

(2) The department is committed to the policy of maintaining the highest possible standards of water

quality within the state in compliance with the basic aims expressed in RCW 90.48.010 and national policies and goals expressed by the Federal Water Pollution Control Act Amendments of 1972, (FWPCAA). The implementation of a permit issuance program by any city, town, or municipal corporation shall be continuously evaluated by the department for compliance with these policies, aims, and goals.

(3) In compliance with the requirements of the National Pollutant Discharge Elimination System (NPDES), as provided for in the FWPCAA, the department shall maintain its enforcement of compliance of effluent limitation standards upon publicly owned or operated treatment works under their NPDES permits. Under such permit, any municipality granted authority hereunder to administer a permit program as hereinafter defined shall continue to be primarily responsible for its effluent quality according to the terms of such NPDES permit. [Order DE 75-10, § 173-208-030, filed 4/30/75.]

**WAC 173-208-040 Definitions.** As used in this chapter:

(1) "Applicant" shall mean that municipality applying to the department for authority to administer the permit program pursuant to RCW 90.48.165.

(2) "Application for authorization" shall mean that application submitted by a municipality seeking permit-issuing authority pursuant to RCW 90.48.165.

(3) "Application to discharge" shall mean that information required from a discharger in acquiring a permit to discharge commercial and industrial wastes into a municipal sewerage system.

(4) "Commercial and industrial wastes" shall mean the wastes, whether solid or liquid, from any commercial or industrial operation, other than domestic sewage.

(5) "Department" shall mean the department of ecology.

(6) "Discharge" shall mean any commercial or industrial operation which results in the disposal of solid or liquid waste material into a sewerage system operated by a municipality which discharges into the public waters of the state.

(7) "Enforcement action" shall mean any administrative or judicial action initiated to achieve compliance with the conditions of a discharge permit, regulations of the department, and water pollution control laws of this state or of the federal government.

(8) "Municipality" shall mean any city, town, or municipal corporation established according to the applicable laws of this state.

(9) "Permit" shall mean the official authorization to dispose of commercial and industrial wastes into waters, to include all regulatory constraints and conditions described therein, issued to a discharger.

(10) "Permit program" shall mean the process of granting or denying by municipalities, authorized as herein provided, of approval of applications to discharge into the sewerage system of such municipalities, the monitoring and inspection of dischargers, and the taking of appropriate enforcement action.

(11) "Sewerage system" shall mean any system operated by a municipality for the collection, transfer, treatment, and disposal of sewage. [Order DE 75-10, § 173-208-040, filed 4/30/75.]

**WAC 173-208-050 Applications for authorization.** No particular form shall be required for an application for authorization. No such decision shall be made on any such application, however, unless the applicant supplies to the department:

(1) A request from the municipality seeking authority to conduct a permit program for the discharge of commercial and industrial wastes into its sewerage system in accordance with state and federal water pollution control laws, regulations, and policies as now exist or are hereafter amended.

(2) A listing of all self-monitoring and reporting procedures to be required, and inspection and other regulatory control criteria and procedures applicant intends to use in administering the permit program.

(3) An estimate of the financial resources the applicant will commit to the permit program on an annual basis and the sources of funding therefor.

(4) A commitment showing the number of personnel who will be assigned to the permit program, either on a full-time or part-time basis, broken down by person-years or person-hours or other appropriate measure of personnel usage, and assurances that such personnel commitment is or will be adequately funded.

(5) An assurance that the background, experience and continuing training of personnel to be assigned to the permit program will be sufficient to achieve and maintain the goals and policies of state and federal water pollution control acts.

(6) A copy of the actual or proposed municipal ordinance or resolution intended for use in establishing and conducting the proposed waste discharge permit system.

(7) An outline of the procedures to be used in processing individual permit applications.

(8) Copies of the application for permit and of the proposed permit format.

(9) A description of enforcement procedures to be followed.

(10) A list of all potential dischargers into the sewerage system which will require permits pursuant to any delegation hereunder.

(11) If the applicant is the recipient of a federal grant for any phase of treatment works construction to be utilized by the discharger, it shall demonstrate to the department that it has adopted a system of charges to assure that each discharger shall pay a proportionate share of the costs of operation and maintenance of any waste treatment services provided by the applicant, and further demonstrate that it has made provision for the payment to the applicant by dischargers of that portion of the cost of construction of such treatment works which is allocable to the treatment of commercial and industrial wastes to the extent attributable to the federal share of the cost of construction.

(12) Any additional information required by the department. [Order DE 75-10, § 173-208-050, filed 4/30/75.]

**WAC 173-208-060 Delegation procedure.** (1) Upon receipt of any application for authorization, the department shall review such application, and if necessary, require additional information to make a determination thereon.

(2) Upon notification by the department that all information required by it has been received, the applicant shall twice publish notice of the application for authorization in a newspaper of general circulation in the area to which the request relates, providing thirty days for written comments on the request to be received by the department. Such notice shall be in a form provided by the department. In addition to such publication, a copy of such notice shall be mailed by the applicant to the governing body of each sewer district and of general purpose government, all or a portion of which lies within the jurisdictional boundaries to which the request relates.

(3) After review of the completed application and of comments timely received in response to the notice provided for above, the department shall either deny the request, giving its reasons therefor, find that there is sufficient public interest to warrant holding a public hearing on the application, or issue an order approving the same in whole or in part.

(4) If a public hearing is held upon proper notice, the department shall afford interested parties the opportunity to present their views on the application, and, upon review of all information gathered, shall either deny the application or issue an order approving the same.

(5) Any approval order issued by the department hereunder shall contain conditions and restrictions relative to the administration of the permit program and shall be binding upon the municipality so long as such approval remains in effect. Said approval order may subsequently be altered or amended in whole or in part to reflect changes in applicable laws, regulations, or policies relating to water pollution control. The department shall give the municipality thirty days notice of any contemplated amendments, unless an emergency precludes the giving of such notice, and will invite comments from the municipality. [Order DE 75-10, § 173-208-060, filed 4/30/75.]

**WAC 173-208-070 Scope of authorization.** (1) Authority granted hereunder shall be limited to the administration of the permit program within applicant's jurisdictional boundaries as now existing or as hereafter changed.

(2) Grants of authority to municipalities hereunder shall be limited to the conduct of a permit program for the discharge of commercial and industrial wastes into a sewerage system and shall confer no authority to issue permits for the discharge of such wastes into surface or groundwaters of the state. Administration of permit requirements for waste discharges other than commercial

and industrial wastes entering a sewerage system, shall remain solely with the department.

(3) No authorization made hereunder shall be construed as limiting or abridging the powers or abrogating the duties required of the department. The department may initiate appropriate enforcement action against a municipality to whom authority has been granted hereunder, or against any discharger for violations of any requirements of chapter 90.48 RCW, the FWPCAA, or regulations thereunder. [Order DE 75-10, § 173-208-070, filed 4/30/75.]

**WAC 173-208-080 Permits under authorized programs.** Any municipality to which permit authority has been granted hereunder may use its own application and permit forms when the same have been approved by the department. [Order DE 75-10, § 173-208-080, filed 4/30/75.]

**WAC 173-208-090 Conformity with department rules.** (1) It is contemplated that various applicants may present to the department differing regulatory criteria designed to cope with particular local needs and conditions. For the purposes of determining whether an applicant intends to administer the permit program in accordance with applicable state and federal laws, regulations, and policies, the department shall evaluate proposed regulatory criteria on the basis of whether such criteria, if implemented, would be at least as stringent as state or federal requirements.

(2) All implementing ordinances or resolutions shall contain a proviso requiring that the permit program as administered by any municipality be revised, as necessary and to the satisfaction of the department, to conform with any changes in applicable rules and regulations which may be adopted by the department or the federal government subsequent to the effective date of the grant of authority. All amendments of implementing ordinances or resolutions shall be submitted to the department for approval prior to passage.

(3) Any municipality granted authority hereunder to administer a permit program shall adhere to, as a minimum requirement for commercial and industrial dischargers, the state or federal pretreatment standards and regulations, as now exist or are hereafter amended. If necessary to impose more stringent standards in order to meet the effluent limitations contained in its National Pollutant Discharge Elimination System (NPDES) permit, the municipality shall impose and enforce such stricter pretreatment requirements as necessary to meet these limitations pursuant to the authority preserved to the state by section 510 of the FWPCAA.

(4) Nothing in this grant of authority shall relieve the municipality of its obligation of compliance with the terms and conditions of its NPDES permit or the requirements of state and federal laws and rules pertaining to water pollution control. [Order DE 75-10, § 173-208-090, filed 4/30/75.]

**WAC 173-208-100 Withdrawal of authorization.** Whenever the department shall determine that a municipality to which a grant of authority has been made hereunder is not administering the permit system in accordance with an approval order issued hereunder, state and/or federal water pollution control acts and regulations or the applicable implementing ordinance or resolution of the municipality, the department shall notify such local government and, if corrective action is not taken within a reasonable time, not to exceed sixty days, the department by order, shall withdraw the authority. Permits issued under this program shall automatically terminate if the authority to issue the same is revoked by the department and the provisions of RCW 90.48.160 shall apply. [Order DE 75-10, § 173-208-100, filed 4/30/75.]

**WAC 173-208-110 Requirement of program review.** It is the objective of the department to place reliance for internal system controls upon any municipality granted authority hereunder and to avoid complex procedures for the measuring and evaluating the effectiveness of a municipal permit system, insofar as is consistent with statutory responsibilities of the department under the provisions of chapter 90.48 RCW. A program review shall be necessary, however, to fulfill those responsibilities and shall be accomplished through the following actions:

(1) The municipality shall immediately provide the department with a copy of each application for discharge, together with a copy of each permit issued thereupon, or notice of denial thereof.

(2) The municipality will devise and submit a quarterly written report to the department within thirty days after the end of each calendar year quarter to reflect the following:

(a) A listing of all permits issued by the municipality during the previous quarter.

(b) A report on the status of compliance by dischargers having permits that incorporate compliance schedules.

(c) A brief narrative covering violations and enforcement actions, if any, occurring during the reporting period, to include specifics as to cause and effect of the violation and preventative measures taken.

(d) Maintain copies of monitoring reports submitted by all permit holders for purposes of inspection by department personnel.

(e) Identification of problem areas or potential problem areas which may be resolved with the assistance of the department.

(3) The municipality and the department shall hold joint staff meetings involving personnel from municipal and department staff no less than semiannually for purposes of discussing functional problems and solutions related to industrial and commercial waste discharge permit systems. [Order DE 75-10, § 173-208-110, filed 4/30/75.]

**WAC 173-208-120 Appeal.** Any person aggrieved by a final ruling by a municipality upon an application

for a permit or violations of the same under a delegated program may obtain review thereof by filing an appeal, within thirty days, with the pollution control hearings board, pursuant to chapter 43.21B RCW and chapter 371-08 WAC. The defense of any such appeal shall be the responsibility of the municipality. [Order DE 75-10, § 173-208-120, filed 4/30/75.]

### Chapter 173-216 WAC

#### STATE WASTE DISCHARGE PERMIT PROGRAM

##### WAC

173-216-010	Purpose.
173-216-020	Policy enunciated.
173-216-030	Definitions.
173-216-040	Authorization required.
173-216-050	Discharges not subject to permits.
173-216-060	Prohibited discharges.
173-216-070	Application for a permit.
173-216-080	Confidentiality of information.
173-216-090	Public notice.
173-216-100	Public hearings.
173-216-110	Permit terms and conditions.
173-216-120	Transfer of a permit.
173-216-130	Modification, suspension, and revocation of permits.
173-216-140	Relationship with NPDES permits.

**WAC 173-216-010 Purpose.** (1) The purpose of this chapter is to implement a state permit program, applicable to the discharge of waste materials from industrial, commercial, and municipal operations into ground and surface waters of the state and into municipal sewerage systems. However, this regulation excludes the point source discharge of pollutants into navigable waters of the state which is regulated by national pollutant discharge elimination system (NPDES) permit program, chapter 173-220 WAC.

(2) Permits issued under this chapter are designed to satisfy the requirement for discharge permits under the Water Pollution Control Act, chapter 90.48 RCW and to implement applicable pretreatment standards under section 307 of the Federal Water Pollution Control Act (33 U.S.C. § 1241 et seq.). [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-010, filed 11/18/83. Formerly chapter 372-24 WAC.]

**WAC 173-216-020 Policy enunciated.** (1) It shall be the policy of the department in carrying out the requirements of this chapter, to maintain the highest possible standards to ensure the purity of all waters of the state and to require the use of all known, available and reasonable methods to prevent and control the discharge of wastes into the waters of the state. Notwithstanding that standards of quality established for the waters of the state would not be violated, wastes and other materials shall not be allowed to enter such waters which will reduce the existing quality thereof, except in those situations where it is clear that overriding considerations of public interest will be served.

(2) Consistent with this policy, the disposal of waste materials from industrial, commercial, or municipal

sources into wells will not be authorized by the department excepting in the most extraordinary circumstances. Under the extraordinary circumstance when an application for a permit is approved, the department shall include terms and conditions which shall require the use of all known, available, and reasonable methods to prevent and control waste discharges, to preserve beneficial uses of ground and surface waters, and to protect the public's health and welfare.

(3) Consistent with this policy, the discharge of waste materials into municipal sewerage systems which would interfere with, pass through, or otherwise be incompatible with such systems or which would contaminate the sludge will not be permitted.

(4) Consistent with this policy, the department will act to prevent the disposal of wastes that present a risk to human health, including the potential, chronic effects of lifetime exposure to waste materials. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-020, filed 11/18/83.]

**WAC 173-216-030 Definitions.** For the purposes of this chapter the following definitions shall be applicable:

(1) "Beneficial uses" shall include, but not be limited to, use for domestic water, irrigation, fish, shellfish, game, and other aquatic life, municipal, recreation, industrial water, generation of electric power, and navigation.

(2) "Dangerous wastes" means any discarded, useless, unwanted, or abandoned nonradioactive substances, including but not limited to certain pesticides, or any residues or containers of such substances which are disposed of in such quantity or concentration as to pose a substantial present or potential hazard to human health, wildlife, or the environment because such wastes or constituents or combinations of such wastes:

(a) Have short-lived, toxic properties that may cause death, injury, or illness or have mutagenic, teratogenic, or carcinogenic properties; or

(b) Are corrosive, explosive, flammable, or may generate pressure through decomposition or other means (Hazardous Waste Disposal Act, chapter 70.105 RCW).

(3) "Department" means department of ecology.

(4) "Domestic wastewater" means water carrying human wastes, including kitchen, bath, and laundry wastes from residences, buildings, industrial establishments or other places, together with such ground water infiltration or surface waters as may be present (submission of plans and reports for construction of wastewater facilities, chapter 173-240 WAC).

(5) "Domestic wastewater facility" means all structures, equipment, or processes required to collect, carry away, treat, reclaim, or dispose of domestic wastewater together with such industrial waste as may be present. In case of subsurface sewage treatment and disposal, the term is restricted to mean those facilities treating and disposing of domestic wastewater only from:

(a) A septic tank with subsurface sewage treatment and disposal and an ultimate design capacity exceeding fourteen thousand five hundred gallons per day at any common point; or

(b) A mechanical treatment system or lagoon followed by subsurface disposal with an ultimate design capacity exceeding three thousand five hundred gallons per day at any common point (submission of plans and reports for construction of wastewater facilities, chapter 173-240 WAC).

(6) "FWPCA" means Federal Water Pollution Control Act as amended by 1981 amendment (33 U.S.C. § 466 et seq.).

(7) "Municipal sewerage system" means a publicly owned domestic wastewater facility or a privately owned domestic wastewater facility that is under contract to a municipality.

(8) "NPDES" means National Pollutant Discharge Elimination System permit program under section 402 of FWPCA.

(9) "Pass through" means the discharge of pollutants through a municipal sewerage system into waters of the state in quantities or concentrations which are a cause of or significantly contribute to a violation of any requirement of water quality standards for waters of state of Washington, chapter 173-201 WAC, or of the NPDES or state waste discharge permit, including an increase in the magnitude or duration of a violation (section 307 of FWPCA). Failure to obtain approval of an application for a new or increased discharge or change in the nature of the discharge according to WAC 173-216-110(5) would constitute such a violation.

(10) "Person" includes any political subdivision, local, state or federal government agency, municipality, industry, public or private corporation, partnership, association, firm, individual, or any other entity whatsoever.

(11) "Subsurface sewage treatment and disposal" means the physical, chemical, or biological treatment and disposal of domestic wastewater within the soil profile by placement beneath the soil surface in trenches, beds, seepage pits, mounds, or fills (submission of plans and reports for construction of wastewater facilities, chapter 173-240 WAC).

(12) "Waste materials" means any discarded, abandoned, unwanted or unrecovered material(s), except the following are not waste material for the purposes of this chapter:

(a) Discharges into the ground or ground water of return flow, unaltered except for temperature, from a ground water heat pump used for space heating or cooling: *Provided*, That such discharges do not have significant potential, either individually, or collectively, to affect ground water quality or uses.

(b) Discharges of stormwater that is not contaminated or potentially contaminated by industrial or commercial sources.

(13) "Waters of the state" means all lakes, rivers, ponds, streams, inland waters, ground waters, salt waters, and all other waters and water courses within the jurisdiction of the state of Washington.

(14) "Well" means any bored, drilled, driven or dug shaft where the depth is greater than the largest surface dimension and into which fluids are or may be emplaced. [Statutory Authority: Chapters 43.21A and

90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-030, filed 11/18/83.]

**WAC 173-216-040 Authorization required.** (1) No waste materials may be discharged from any commercial or industrial operation into waters of the state, or into any municipal sewerage system, nor may waste materials be discharged from any municipal sewerage system into waters of the state, except as authorized pursuant to this chapter or chapter 173-220 WAC.

(2) Any person who constructs or modifies or proposes to construct or modify wastewater facilities must first comply with the regulations for Submission of plans and reports for construction of wastewater facilities, chapter 173-240 WAC. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-040, filed 11/18/83.]

**WAC 173-216-050 Discharges not subject to permits.** (1) The following discharges are not subject to permits under this chapter:

(a) Discharges to municipal sewerage systems of domestic wastewater from residential, commercial, or industrial structures.

(b) Any industrial or commercial discharge to a municipal sewerage system for which authority to issue permits has been granted to the municipality under RCW 90.48.165.

(c) Any industrial or commercial discharge to a municipal sewerage system operating under a local pretreatment program approved under section 307 of FWPCA.

(d) Discharges to municipal sewerage systems of wastes from industrial or commercial sources whose wastewater is similar in character and strength to normal domestic wastewater: *Provided*, That such discharges do not have the potential to adversely affect performance of the system. Examples of this type of discharge sources may include hotels, restaurants, laundries and food preparation establishments.

(e) Discharges for which an NPDES permit from the department is required pursuant to chapter 173-220 WAC.

(f) Discharges of domestic wastewater from a septic tank with subsurface sewage treatment and disposal and an ultimate design capacity less than or equal to fourteen thousand five hundred gallons per day. These systems are governed by on-site sewage disposal systems, chapter 248-96 WAC which is administered by the Washington state department of social and health services.

(g) Discharges of domestic wastewater from a mechanical treatment system or lagoon followed by subsurface disposal with an ultimate design capacity less than or equal to three thousand five hundred gallons per day. These systems are governed by on-site sewage disposal systems, chapter 248-96 WAC which is administered by the Washington state department of social and health services.

(2) A permit is required for any source subject to pretreatment standards promulgated under section 307

of FWPCA, unless exempted under subsections (1)(b) and (1)(c) of this section.

(3) These exemptions shall not relieve any discharger from the requirement to apply all known, available, and reasonable methods to prevent and control waste discharges to the waters of the state, nor the requirement to obtain approval of plans and reports for the construction of wastewater facilities. Nothing herein shall limit the authority of the department to take enforcement action for any unlawful discharge of waste materials or other violations of the Water Pollution Control Act, chapter 90.48 RCW. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-050, filed 11/18/83.]

**WAC 173-216-060 Prohibited discharges.** (1) The discharge restrictions and prohibitions of dangerous waste regulations, chapter 173-303 WAC shall apply to this chapter.

(2) In addition, the following are prohibited:

(a) The disposal through wells of dangerous wastes.

(b) The discharge into a municipal sewerage system of substances prohibited from such discharge by section 307 of FWPCA.

(c) All of the following discharges to a municipal sewerage system:

(i) Waste materials that pass through the treatment works untreated or interfere with its operation or performance.

(ii) Any liquids, solids or gases which by reason of their nature or quantity are or may be sufficient either alone or by interaction to cause fire or explosion or be capable of creating a public nuisance or hazard to life or are sufficient to prevent entry into the sewers for their maintenance and repair or be injurious in any other way to the operation of the system or the operating personnel.

(iii) Solid or viscous substances which may cause obstruction to the flow in a sewer or other interference with the operation of the system.

(iv) Any wastewater having a pH less than 5.0 or greater than 11.0 or having any other corrosive property capable of causing damage or hazard to structures, equipment, or personnel of the system, unless the system is specifically designed to accommodate such discharge and the discharge is authorized by a permit under this chapter.

(v) Wastewater which would cause the influent temperature to exceed 40°C (104°F), unless the system is specifically designed to accommodate such discharge and the discharge is authorized by a permit under this chapter. In any case, any wastewater having a temperature which will interfere with the biological activity in the system is prohibited.

(vi) Any waste materials, including oxygen demanding waste materials (BOD, etc.), released in either a slug load or continuous discharge of such volume or strength as to cause interference to the system.

(vii) Any of the following discharges unless approved by the department under extraordinary circumstances,

such as lack of direct discharge alternatives due to combined sewer service or need to augment sewage flows due to septic conditions:

(A) Noncontact cooling water in significant volumes.

(B) Stormwater, and other direct inflow sources.

(C) Wastewaters significantly affecting system hydraulic loading, which do not require treatment or would not be afforded a significant degree of treatment by the system. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-060, filed 11/18/83.]

**WAC 173-216-070 Application for a permit.** (1) Any person not exempt under WAC 173-216-050, who proposes to discharge waste materials into waters of the state or into a municipal sewerage system, must file an application with the department at least sixty days prior to discharging, or in the case of an expiring permit, at least sixty days prior to the expiration of the permit.

(2) Applications for permits shall be on forms as prescribed by the department.

(3) The requirement for a permit application will be satisfied, if the discharger files:

(a) A completed permit application;

(b) When applicable, signature of approval by an authorized representative of the municipal sewerage system; and

(c) Any other information determined as necessary by the department.

(4) The application shall be signed in case of:

(a) Corporations, by a principal executive officer of at least the level of vice president;

(b) A partnership, by a general partner;

(c) A sole proprietorship, by the proprietor;

(d) A municipal, state, federal, or other public facility, by either a principal executive officer or ranking elected official.

(5) In the case of application by a corporation, the principal executive officer shall personally examine the application and certify its truth, accuracy, and completeness. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-070, filed 11/18/83.]

**WAC 173-216-080 Confidentiality of information.** (1) Any information submitted pursuant to this chapter may be claimed as confidential by the applicant. Any such claim must be asserted at the time of application or notification by placing the words "confidential business information" or similar words, on each page containing such information. If no claim is made, the department may make the information available to the public without further notice. Claims of confidentiality for the following information will be denied:

(a) Name and address of applicant;

(b) Description of proposal;

(c) Description of proposed receiving waters;

(d) Description of quality and quantity of receiving water; and

(e) Description of project's environmental impacts as provided in the State Environmental Policy Act, chapter 43.21C RCW;

(f) Description of quantity and characteristics of the effluent.

(2) Claims of confidentiality will be handled in accordance with the provisions of Disclosure—Campaign finances—Lobbying—Records, chapter 42.17 RCW, Public records, chapter 173-03 WAC, and Request for certification of records as confidential—Procedure, RCW 43.21A.160. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-080, filed 11/18/83.]

**WAC 173-216-090 Public notice.** (1) The applicant shall publish notice for each application in such a manner to inform and seek comments from interested and potentially interested persons.

(2) The public notice shall be in a form provided by the department and shall include at least the following:

(a) Name, address, and phone number of the office of the department issuing the public notice;

(b) Name and address of the applicant, and if different, of the facility or activity to be permitted;

(c) Brief description of the applicant's activities or operations which result in the discharge described in the application (e.g. municipal waste treatment plant, steel manufacturing, drainage from mining activities);

(d) A brief description of the discharge point(s);

(e) A statement of any tentative determination to issue or deny a permit for the discharge described in the application;

(f) A brief description of the procedures for the formulation of final determinations, including the thirty-day comment period required by subsection (6) of this section and any other means by which interested persons may influence or comment upon those determinations; and

(g) Address and phone number of the office of the department at which interested persons may obtain further information.

(3) Circulation of public notice shall include at least publishing once each week for two consecutive weeks, at applicants' expense, a public notice in a newspaper of general circulation in the county of the proposal. The department shall also, in the case of a discharge into a municipal sewerage system, notify the municipality of the intent to issue or deny a permit.

(4) The department may require the following additional public notification requirements:

(a) Mailing the notice to persons who have expressed an interest in being notified;

(b) Mailing the notice to other state agencies and local governments with a regulatory interest in the proposal;

(c) Posting the notice on the premises.

(5) The public notification requirements do not apply for permit renewal, if there are no increases in volume or changes in characteristics of discharge beyond those previously authorized.

(6) The public notice shall include a statement that any person may express their views in writing to the department within thirty days of the last date of publication.

(7) Any person submitting written comment or any other person may, upon request, obtain a copy of the department's final decision.

(8) The applicant shall provide the department with an affidavit of publication.

(9) The department shall add the name of any person, upon request, to a mailing list to receive copies of notices for all applications within the state or within a geographical area. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-090, filed 11/18/83.]

**WAC 173-216-100 Public hearings.** (1) Any interested person may request a public hearing with respect to permit applications for which notice is required pursuant to WAC 173-216-090. Any such request for a public hearing shall be filed within the thirty-day period prescribed in WAC 173-216-090(6) and shall indicate the interest of the party filing such request and the reasons why a hearing is warranted.

(2) The department shall hold a hearing if it determines there is a significant public interest.

(3) Any hearing held pursuant to this subsection shall be held at a time and place deemed appropriate by the department.

(4) Public notice of any hearing held pursuant to this section shall be circulated at least as widely as was the notice of the application.

(5) Procedures for the circulation of public notice for hearings held shall include at least the following:

(a) Notice shall be published, at the applicant's expense, in at least one newspaper of general circulation within the area of the discharge;

(b) Notice shall be sent to all persons who received a copy of the notice given under WAC 173-216-090;

(c) Notice shall be mailed to any person upon request;

(d) Notice shall be given at least thirty days in advance of the hearing.

(6) The contents of public notice of any hearing held pursuant to this section shall include at least the following:

(a) Name, address, and phone number of the office of the department holding the public hearing;

(b) The purpose of the hearing;

(c) Name and address of the applicant;

(d) A brief description of the point(s) of discharge;

(e) Information regarding the time and location for the hearing;

(f) A brief description of the nature of the hearing;

(g) A concise statement of the issues raised by the persons requesting the hearing, when applicable;

(h) A brief reference to the public notice issued for each application, including identification number and date of issuance; and

(i) Address and phone number of premises at which interested persons may obtain information. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-



073 (Order DE 83-29), § 173-216-100, filed 11/18/83.]

**WAC 173-216-110 Permit terms and conditions.**

(1) Any permit issued by the department shall specify conditions necessary to prevent and control waste discharges into the waters of the state, including the following, whenever applicable:

(a) All known, available, and reasonable methods of prevention, control, and treatment;

(b) Pretreatment standards under section 307 of the FWPCA;

(c) Requirements pursuant to other laws, including the state's Hazardous Waste Disposal Act, chapter 70.105 RCW, the Solid waste management—Recovery and recycling, chapter 70.95 RCW, the Resource Conservation and Recovery Act of 1976, Public Law 95.190 or any other applicable state or federal statute, to the extent that they pertain to the prevention or control of waste discharges into the waters of the state;

(d) Any conditions necessary to meet applicable water quality standards for surface waters or to preserve or protect beneficial uses for ground waters;

(e) Requirements necessary to avoid conflict with a plan approved pursuant to section 208(b) of FWPCA;

(f) Any conditions necessary to prevent and control pollutant discharges from plant site runoff, spillage or leaks, sludge or waste disposal, or raw material storage;

(g) Any appropriate monitoring and reporting requirements as specified by the department, including applicable requirements under sections 307 and 308 of FWPCA;

(h) Schedules of compliance, including those required under sections 301 and 307 of FWPCA, which shall set forth the shortest reasonable time period to achieve the specified requirements; and

(i) Prohibited discharge requirements as contained in WAC 173-216-060.

(2) The permits shall be for a fixed term, not exceeding five years.

(3) Representatives of the department shall have the right to enter at all reasonable times in or upon any property, public or private, for the purpose of inspecting and investigating conditions relating to the pollution or the possible pollution of any waters of the state. Reasonable times shall include normal business hours, hours during which production, treatment, or discharge occurs, or times when the department suspects a violation requiring immediate inspection. Representatives of the department shall be allowed to have access to, and copy at reasonable cost, any records required to be kept under terms and conditions of the permit, to inspect any monitoring equipment or method required in the permit and to sample the discharge, waste treatment processes, or internal waste streams.

(4) The permittee shall at all times be responsible for the proper operation and maintenance of any facilities or systems of control installed by the permittee to achieve compliance with the terms and conditions of the permit.

Where design criteria have been established, the permittee shall not permit flows or waste loadings to exceed approved design criteria or approved revisions thereto.

(5) A new application, or supplement to the previous application, shall be submitted, along with required engineering plans and reports, whenever a new or increased discharge or change in the nature of the discharge is anticipated which is not specifically authorized by the current permit. Such application shall be submitted at least sixty days prior to any proposed changes.

(6) In the event the permittee is unable to comply with any of the permit terms and conditions due to any cause, the permittee shall:

(a) Immediately take action to stop, contain, and cleanup unauthorized discharges or otherwise stop the violation, and correct the problem;

(b) Immediately notify the department of the failure to comply; and

(c) Submit a detailed written report to the department within thirty days, unless requested earlier by the department, describing the nature of the violation, corrective action taken and/or planned, steps to be taken to prevent a recurrence, and any other pertinent information.

(7) In the case of discharge into a municipal sewerage system, the department shall consider in the final permit documents the requirements of the municipality operating the system.

(8) Permits for domestic wastewater facilities shall be issued only to a public entity, except in the following circumstances:

(a) Facilities existing or approved for construction with private operation on or before the effective date of this chapter, until such time as the facility is expanded;

(b) Facilities that serve a single nonresidential, industrial, or commercial establishment. Commercial/industrial complexes serving multiple owners or tenants and multiple residential dwelling facilities such as mobile home parks, apartments, and condominiums are not considered single commercial establishments for the purpose of the preceding sentence.

(c) Facilities that are owned by nonpublic entities and under contract to a public entity shall be issued a joint permit to both the owner and the public entity. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-110, filed 11/18/83.]

**WAC 173-216-120 Transfer of a permit.** (1) A permit is automatically transferred to a new owner or operator if:

(a) A written agreement between the old and new owner or operator containing a specific date for transfer of permit responsibility, coverage, and liability is submitted to the department; and

(b) The department does not notify the permittee of the need to modify, or revoke and reissue the permit.

(2) Unless a permit is automatically transferred according to subsection (1) of this section, a permit may be transferred only if modified or revoked and reissued to identify the new permittee and to incorporate such

other requirements as determined necessary by the department. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-120, filed 11/18/83.]

**WAC 173-216-130 Modification, suspension, and revocation of permits.** (1) Any permit issued under this chapter can be modified, suspended, or revoked, in whole or in part by the department for the following causes:

- (a) Violation of any permit term or condition;
- (b) Obtaining a permit by misrepresentation or failure to fully disclose all relevant facts;
- (c) A material change in quantity or type of waste disposal; or
- (d) A material change in the condition of the waters of the state.

(2) The department may modify a permit, including the schedule of compliance or other conditions, if it determines good and valid cause exists, which includes promulgation of categorical standards. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-130, filed 11/18/83.]

**WAC 173-216-140 Relationship with NPDES permits.** For a given facility, permit requirements under this chapter and NPDES permit requirements under Water Pollution Control Act, RCW 90.48.260, shall under normal circumstances, be contained in a single permit document, except for general permits as provided for in NPDES permit program, WAC 173-220-045. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-140, filed 11/18/83.]

### Chapter 173-220 WAC

#### NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT PROGRAM

WAC	
173-220-010	Purpose.
173-220-020	Permit required.
173-220-030	Definitions.
173-220-040	Application for permit.
173-220-045	General permits.
173-220-050	Public notice.
173-220-060	Fact sheets.
173-220-070	Notice to other government agencies.
173-220-080	Public access to information.
173-220-090	Public hearings.
173-220-100	Public notice of public hearings.
173-220-110	Permit preparation.
173-220-120	Prohibited discharges.
173-220-130	Effluent limitations, water quality standards and other requirements for permits.
173-220-135	Signing of permits.
173-220-140	Schedules of compliance.
173-220-150	Other terms and conditions.
173-220-160	Transmission to regional administrator of issued permit.
173-220-170	Relationship with non-NPDES permits.
173-220-180	Duration and replacement of existing permit.
173-220-190	Modification, suspension, and revocation of permits.
173-220-200	Transfer of permit.
173-220-210	Monitoring, recording and reporting.
173-220-220	Control of disposal of pollutants into wells.
173-220-225	Appeals.

173-220-230	Enforcement.
173-220-240	Relationship of department of ecology to permits issued by the energy facility site evaluation council.

**WAC 173-220-010 Purpose.** The purpose of this chapter is to establish a state permit program, applicable to the discharge of pollutants and other wastes and materials to the navigable waters of the state, operating under state law as a part of the National Pollutant Discharge Elimination System (NPDES) created by section 402 of the Federal Water Pollution Control Act (FWPCA). Permits issued under this chapter are designed to satisfy the requirements for discharge permits under both section 402(b) of the FWPCA and chapter 90.48 RCW. [Order DE 74-1, § 173-220-010, filed 2/15/74.]

**WAC 173-220-020 Permit required.** No pollutants or other wastes or substances shall be discharged directly to any navigable water of the state from a point source, except as authorized by an individual or general permit issued pursuant to this chapter. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-020, filed 12/1/82; Order DE 74-1, § 173-220-020, filed 2/15/74.]

**WAC 173-220-030 Definitions.** For purposes of this chapter, the following definitions shall be applicable:

- (1) "Department" means department of ecology.
- (2) "Director" means the director of the department of ecology or his authorized representative.
- (3) "Administrator" means the administrator of the United States Environmental Protection Agency.
- (4) "Regional administrator" means the regional administrator of Region X of the Environmental Protection Agency (EPA).
- (5) "Point source" means any discernible, confined and discrete conveyance, including but not limited to any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, or vessel or other floating craft, from which pollutants are or may be discharged. This term does not include return flows from irrigated agriculture.
- (6) "Pollutant" means dredged spoil, solid waste, incinerator residue, sewage, garbage, sewage sludge, munitions, chemical wastes, biological materials, radioactive materials, heat, wrecked or discarded equipment, rock, sand, cellar dirt and industrial, municipal and agricultural waste discharged into water. This term does not include sewage from vessels within the meaning of section 312 of the FWPCA nor does it include dredged or fill material discharged in accordance with a permit issued under section 404 of the FWPCA.

(7) "Navigable waters of the state" means all navigable waters as defined in section 502 of the FWPCA within the boundaries of the state such as lakes, rivers, ponds, streams, inland waters, ocean, bays, estuaries, sounds and inlets.

(8) "Person" means an individual, corporation, partnership, association, state, municipality, commission, or political subdivision of a state, or any interstate body.

(9) "Discharge of pollutant" and the term "discharge of pollutants" each means (a) any addition of any pollutant or combination of pollutants to navigable waters of the state from any point source, (b) any addition of any pollutant or combination of pollutants to the waters of the contiguous zone or the ocean from any point source, other than a vessel or other floating craft which is being used as a means of transportation.

(10) "Major discharger" means any discharger appearing on the list of major dischargers appearing in the annual state-EPA agreement.

(11) "Combined waste treatment facility" means any publicly owned waste treatment facility in which the maximum monthly average influent from any one industrial category, or categories producing similar wastes, constitutes over eighty-five percent of the design load for biochemical oxygen demand or suspended solids. Each single industrial category must contribute a minimum of ten percent of the applicable load. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-030, filed 12/1/82; Order DE 74-1, § 173-220-030, filed 2/15/74.]

**WAC 173-220-040 Application for permit.** (1) Any person presently discharging pollutants to navigable waters of the state must file an application with the department on a form prescribed by the department. For the purpose of satisfying the requirements of this subsection, any completed application filed with the Environmental Protection Agency prior to the approval by the administrator under section 402(b) of the FWPCA of this state permit program shall constitute a filing with the department.

(2) Any person proposing to commence a discharge of pollutants to navigable waters of this state must file an application with the department on a form prescribed by the department, (a) no less than 180 days in advance of the date on which it is desired to commence the discharge of pollutants, or (b) in sufficient time prior to commencement of the discharge of pollutants to insure compliance with the requirements of section 306 of the FWPCA and any other applicable water quality standards or effluent standards and limitations.

(3) The requirement for permit application will be satisfied if the discharger files:

- (a) A complete refuse act application; or
- (b) A complete application form which is appropriate for the type, category, or size of discharge; or
- (c) A complete notification of coverage by a general permit; and
- (d) Any additional information required by the department pertaining to pollutant discharge.

(4) The application form shall bear a certification of correctness to be signed:

- (a) In the case of corporations, by a responsible corporate officer.
- (b) In the case of a partnership, by a general partner.
- (c) In the case of sole proprietorship, by the proprietor.

(d) In the case of a municipal, state, or other public facility, by either a principal executive officer or ranking elected official.

(5) No discharge of wastes into the navigable waters of the state is authorized until such time as an application has been approved and a permit issued consistent with the terms and conditions of this chapter. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-040, filed 12/1/82; Order DE 74-1, § 173-220-040, filed 2/15/74.]

**WAC 173-220-045 General permits.** (1) The director may issue general permits to cover categories of dischargers as described under subsection (2) of this section. The area shall correspond to existing geographic or political boundaries, such as:

- (a) Designated planning areas under section 208 of the FWPCA;
- (b) Sewer districts or other special purpose districts;
- (c) City, county or state political boundaries;
- (d) State or county highway systems;
- (e) Standard metropolitan statistical areas as defined by the Federal Office of Management and Budget;
- (f) Urbanized areas as designated by the Bureau of the Census; or
- (g) Any other appropriate division or combination of boundaries.

(2) General permits may be written to cover the following within a described area:

- (a) Separate storm sewers;
- (b) Categories of point sources involving the same or substantially similar types of operations;
- (c) Point sources discharging the same types of wastes;
- (d) Point sources that require the same effluent limitations, operating conditions, or similar monitoring; or
- (e) Point sources which in the opinion of the director are more appropriately controlled under a general permit than under individual permits.

(3) General permits may be issued, modified, revoked and reissued, or terminated in accordance with WAC 173-220-190.

(4) The director may require any discharger authorized by a general permit to apply for and obtain an individual permit. Cases where an individual permit may be required include, but are not limited to the following:

- (a) The discharger is not in compliance with conditions of the general permit;
- (b) A change occurs in the technology or practices for control or abatement of pollutants applicable to the point source;
- (c) Effluent limitation guidelines are promulgated for point sources covered by the general permit;
- (d) A water quality management plan containing requirements applicable to such point sources is approved;
- (e) Effluent limitations more stringent than those contained in a general permit are necessary to meet water quality standards; or
- (f) Other causes listed in 40 CFR Part 122.15, 122.16, or 122.59(b)(2)(A), as promulgated May 19, 1980.

(5) In cases where the director requires any owner or operator to apply for an individual permit, the owner or operator must be notified in writing that an individual permit application is required. This notice shall include a statement of why an individual permit is being required, an application form and a time limit for submitting the application.

(6) Any discharger authorized by a general permit may request to be excluded from coverage by the general permit by applying for an individual permit. The owner or operator shall submit to the director an application as described in WAC 173-220-040, with reasons supporting the request. The director shall either issue an individual permit or deny the request with a statement explaining the reason for denial.

(7) When an individual permit is issued to a discharger otherwise subject to a general permit, the applicability of the general permit to that permittee is automatically terminated on the effective date of the individual permit.

(8) Following issuance by the department of a general permit all dischargers who desire to be covered by the general permit shall notify the department on a form prescribed by the department. Unless the department responds in writing to the notification, coverage of a discharger by a general permit will automatically commence on the thirty-first day following the later of:

(a) The end of the thirty-day comment period required by WAC 173-220-050(2); or

(b) Receipt by the department of a completed notification of coverage.

(9) Any previously issued individual permit shall remain in effect until terminated in writing by the department, except that continuation of an expired individual permit (pursuant to WAC 173-220-180(5)), shall terminate upon coverage by the general permit.

(10) Where the department has determined that a discharger should not be covered by a general permit, it shall respond in writing within the time specified within subsection (8) of this section, to a notification of coverage stating the reason(s) why coverage cannot become effective and any actions needed to be taken by the discharger in order for coverage by the general permit to become effective. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-045, filed 12/1/82.]

**WAC 173-220-050 Public notice.** (1) Public notice of every draft permit determination or notification of coverage by a general permit, shall be circulated in a manner designed to inform interested and potentially interested persons of the proposed discharge and of the proposed determination to issue or deny a permit for the proposed discharge. Circulation of public notice shall include at least the following:

(a) Notice shall be circulated within the geographical areas of the proposed discharge; for individual permits, such circulation may include any of the following, as directed by the department:

(i) Posting in the post office and public places of the municipality nearest the premises of the applicant in which the effluent source is located; or

(ii) Posting near the entrance of the applicant's premises and nearby places; or

(iii) Publishing by the applicant, at his own cost within such time as the director shall prescribe, through a notice form provided by the department, in local newspapers or periodicals or, if appropriate, in a daily newspaper of general circulation;

(b) For general permits, such circulation shall include the following:

(i) Publishing by the department of a notice of intent to issue a general permit in a newspaper or newspapers of general circulation in each affected area; and

(ii) Posting or publishing by the applicant of a notice of coverage by a general permit in accordance with (i), (ii), or (iii) in paragraph (a).

(c) Notice shall be mailed to any person or group upon request; and

(d) The department shall add the name of any person or group upon request to a mailing list to receive copies of notices within the state or within a certain geographical area.

(2) The department shall provide a period of not less than thirty days following the date of the public notice during which time interested persons may submit their written views on the draft permit determinations or a notification of coverage by a general permit. All written comments submitted during the thirty-day comment period shall be retained by the department and considered in the formulation of its final determinations with respect to the application. The period for comment may be extended at the discretion of the department.

(3) The contents of the public notice shall include at least the following:

(a) Name, address, phone number of agency issuing the public notice;

(b) Except when unknown, in the case of general permit issuance, name and address of each applicant, and if different, of the facility or activity to be regulated;

(c) Brief description of each applicant's activities or operations which result in a discharge (e.g., municipal waste treatment plant, steel manufacturing, drainage from mining activities);

(d) Except in the case of general permit issuance, name of waterway to which each discharge is made and a short description of the location of each discharge on the waterway indicating whether such discharge is a new or an existing discharge;

(e) A statement of the tentative determination to issue or deny a permit for the discharge;

(f) A brief description of the procedures for the formulation of final determinations, including the thirty-day comment period required by subsection (2) of this section and any other means by which interested persons may influence or comment upon those determinations; and

(g) Address and phone number of state premises at which interested persons may obtain further information.

(4) Copies of permit applications, draft permit determinations, notifications of coverage, and general permits will be provided to any person upon request by the department. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-050, filed 12/1/82; Order DE 76-20, § 173-220-050, filed 5/19/76; Order 74-7, § 173-220-050, filed 5/1/74; Order DE 74-1, § 173-220-050, filed 2/15/74.]

**WAC 173-220-060 Fact sheets.** (1) For every major discharger the department shall prepare and, following public notice, shall send, upon request to any person, a fact sheet with respect to the draft permit determination described in the public notice. The contents of such fact sheets shall include at least the following information:

(a) A brief description of the type of facility or activity which is the subject of the application;

(b) A sketch or detailed description of the location of the discharge described in the application;

(c) A quantitative description of the discharge described in the application which includes at least the following:

(i) The rate or frequency of the proposed discharge, if the discharge is continuous, the average daily flow in gallons per day or million gallons per day;

(ii) For thermal discharges subject to the jurisdiction of the department, the average summer and winter temperatures in degrees Fahrenheit; and

(iii) The average daily discharge in pounds per day of any pollutants which are present in significant quantities or which are subject to limitations or prohibition under sections 301, 302, 306, or 307 of the FWPCA and regulations published thereunder;

(d) Tentative determination of conditions in a proposed permit;

(e) A brief summary of the basis for the draft permit determination;

(f) A brief citation, including a brief identification of the uses for which the receiving waters have been classified, of the water quality standards and effluent standards and limitations applied to the proposed discharge; and

(g) A fuller description of the procedures for the formulation of final determinations than that given in the public notice including:

(i) The 30-day comment period required by WAC 173-220-050(2);

(ii) Procedures for requesting a public hearing and the nature thereof; and

(iii) Any other procedures by which the public may participate in the formulation of the final determinations.

(2) The department shall add the name of any person or group upon request to a mailing list to receive copies of fact sheets. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-060, filed 12/1/82; Order DE 74-1, § 173-220-060, filed 2/15/74.]

**WAC 173-220-070 Notice to other government agencies.** The department shall notify other appropriate government agencies of each draft permit determination or notification of coverage and shall provide such agencies an opportunity to submit their written views and recommendations. Such notification shall include the following:

(1) Unless the regional administrator has agreed to waive review, transmission of an application, fact sheet if applicable (WAC 173-220-060), and draft permit to the regional administrator for comment or objection within thirty days (ninety days for general permits), or a longer period if requested up to a maximum of ninety days.

(2) At the time of issuance of public notice pursuant to WAC 173-220-050, transmission of the public notice to any other states whose waters may be affected by the issuance of a permit. Each affected state shall be afforded an opportunity to submit written recommendations to the department and to the regional administrator which the department may incorporate into the permit if issued. Should the department fail to incorporate any written recommendations thus received, it shall provide to the affected state or states (and to the regional administrator) a written explanation of its reasons for failing to accept any of the written recommendations.

(3) At the time of issuance of public notice pursuant to WAC 173-220-050, the public notice shall be sent to the appropriate district engineer of the Army Corps of Engineers.

(4) A copy of any written agreement between the department and a district engineer dispensing with requirements of the immediately preceding subsection shall be forwarded to the regional administrator and shall be made available to the public for inspection and copying.

(5) Copies of public notices shall be mailed to any other federal, state, or local agency, or any affected country, upon request. Such agencies shall have an opportunity to respond, comment, or request a public hearing pursuant to WAC 173-220-090. Such agencies shall include at least the agency responsible for the preparation of an approved plan pursuant to section 208(b) of the FWPCA. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-070, filed 12/1/82; Order DE 74-1, § 173-220-070, filed 2/15/74.]

**WAC 173-220-080 Public access to information.**

(1) Any NPDES forms or any public comment upon those forms shall be available to the public for inspection and copying. The department, at its discretion, may also make available to the public, any other records, reports, plans, or information obtained by the state, pursuant to its participation in the permit process. Nothing herein shall modify the requirements of chapter 42.17 RCW, where applicable.

(2) The department shall protect any information (other than effluent) contained in such form, or other records, reports, or plans as confidential upon a showing

by any person that such information if made public would divulge methods of processes entitled to protection as trade secrets of such person. If, however, the information being considered for confidential treatment is contained in a form, the department shall forward such information to the regional administrator for his concurrence in any determination of confidentiality. Upon arriving at his determination as to confidentiality, the regional administrator shall communicate to the department the decision. If such determination is not to concur with withholding of such information, the department and the regional administrator shall then make available to the public, upon request, that information determined not to constitute trade secrets.

(3) Any information accorded confidential status, whether or not contained in a form, shall be disclosed, upon request, to the regional administrator, or his authorized representative, who shall maintain the disclosed information as confidential.

(4) Facilities for the inspection of information relating to forms shall be provided by the department and shall insure that employees honor requests for such inspection promptly without undue requirements or restrictions. The department shall either (a) insure that a machine or device for the copying of papers and documents is available for a reasonable fee, or (b) otherwise provide for or coordinate with copying facilities or services such that requests for copies of nonconfidential documents may be honored promptly. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-080, filed 12/1/82; Order DE 74-1, § 173-220-080, filed 2/15/74.]

**WAC 173-220-090 Public hearings.** The applicant, any affected state, any affected interstate agency, any affected country, the regional administrator, or any interested agency, person, or group of persons may request a public hearing with respect to a draft permit determination or notification of coverage. Any such request for a public hearing shall be filed within the [next] 30-day period prescribed in WAC 173-220-050(2) and shall indicate the interest of the party filing such request and the reasons why a hearing is warranted. The department shall hold a hearing if[, on the basis of requests or any other information,] it determines there is a significant public interest. Instances of doubt will be resolved in favor of holding the hearing. Any hearing brought pursuant to this subsection shall be held at a time and place deemed appropriate by the department. [Statutory Authority: RCW 90.48.010, 90.48.035, and 90.58.260. 83-10-063 (Order DE 83-14), § 173-220-090, filed 5/4/83; Order DE 74-1, § 173-220-090, filed 2/15/74.]

**Reviser's note:** RCW 34.04.058 requires the use of underlining and deletion marks to indicate amendments to existing rules, and deems ineffectual changes not filed by the agency in this manner. The bracketed material in the above section does not appear to conform to the statutory requirement.

**WAC 173-220-100 Public notice of public hearings.** (1) Public notice of any hearing held pursuant to WAC 173-220-090 above shall be circulated at least as widely

as was the notice pursuant to WAC 173-220-050. Procedures for the circulation of public notice for hearings held under WAC 173-220-090 shall include at least the following:

(a) Notice shall be published in at least one newspaper of general circulation within the geographical area of the discharge;

(b) Notice shall be sent to all persons and government agencies which received a copy of the notice pursuant to WAC 173-220-050 or the fact sheet;

(c) Notice shall be mailed to any person or group upon request; and

(d) Notice shall be effected pursuant to subparagraphs (a) and (c) of this paragraph at least thirty days in advance of the hearing.

(2) The contents of public notice of any hearing held in pursuant to WAC 173-220-090 shall include at least the following:

(a) Name, address, and phone number of agency holding the public hearing;

(b) A brief reference to the public notice issued pursuant to WAC 173-220-050, including identification number and date of issuance;

(c) Information regarding the time and location for the hearing;

(d) The purpose of the hearing;

(e) Address and phone number of premises at which interested persons may obtain information;

(f) A brief description of the nature of the hearing;

(g) A concise statement of the issues raised by the persons requesting the hearing, when applicable and except in the case of general permit issuance:

(i) Name and address of each applicant whose proposed discharge will be considered at the hearing;

(ii) Name of waterway to which each discharge is made and a short description of the location of each discharge on the waterway. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-100, filed 12/1/82; Order DE 74-1, § 173-220-100, filed 2/15/74.]

**WAC 173-220-110 Permit preparation.** The department will prepare tentative staff determinations with respect to a permit application or a determination that a class of dischargers is appropriately covered by a general permit, in advance of public notice of the proposed issuance or denial of a permit. Such tentative determinations shall include at least the following:

(1) A proposed determination to issue or deny a permit for the discharge described in the application; and

(2) If the determination is to issue the permit, the following shall be included in a draft permit:

(a) Proposed effluent limitations for those pollutants proposed to be limited;

(b) A proposed schedule of compliance, including interim dates and requirements, for meeting the proposed effluent limitations; and

(c) A brief description of any other proposed special conditions which will have a significant impact upon the discharge described in the application. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078

(Order DE 82-39), § 173-220-110, filed 12/1/82; Order DE 74-1, § 173-220-110, filed 2/15/74.]

**WAC 173-220-120 Prohibited discharges.** No permit issued by the department shall authorize any person to:

(1) Discharge any radiological, chemical or biological warfare agent or high-level radioactive waste into navigable waters;

(2) Discharge any pollutants which the secretary of the army acting through the chief, corps of engineers, finds would substantially impair anchorage and navigation;

(3) Discharge any pollutant to which the regional administrator, not having waived his right to object pursuant to section 402(e) of the FWPCA, has objected in writing pursuant to section 402(d) of the FWPCA;

(4) Discharge from a point source any pollutant which is in conflict with the plan or amendment thereto approved pursuant to section 208(b) of the FWPCA;

(5) Discharge any pollutant subject to a toxic pollutant discharge prohibition under section 307 of FWPCA. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-120, filed 12/1/82; Order DE 74-1, § 173-220-120, filed 2/15/74.]

**WAC 173-220-130 Effluent limitations, water quality standards and other requirements for permits.** (1) Any permit issued by the department shall apply and insure compliance with all of the following, whenever applicable:

(a) Effluent limitations under sections 301, 302, 306, and 307 of the FWPCA. The effluent limitations shall not be less stringent than those based upon the treatment facility design efficiency contained in approved engineering plans and reports or approved revisions thereto. The effluent limits shall reflect any seasonal variation in industrial loading.

For combined waste treatment facilities, the effluent limitations for biochemical oxygen demand or suspended solids may be adjusted upwards to a maximum allowed by applying effluent limitations pursuant to sections 301(b)(1)(B) or 301(h) of the FWPCA to the domestic portion of the influent and effluent limitations pursuant to sections 301(b)(1)(A)(i), 301(b)(2)(A), and 301(b)(2)(E) of the FWPCA or standards of performance pursuant to section 306 of the FWPCA to the industrial portion of the influent: *Provided*, That the following additional condition is met:

Fecal coliform levels shall not exceed a monthly average of 200 organisms per 100 ml with a maximum weekly average of 400 organisms per 100 ml, unless a waiver is granted pursuant to section 301(h) of the FWPCA;

(b) Any more stringent limitation, including those:

(i) Necessary to meet water quality standards, treatment standards or schedules of compliance established pursuant to any state law or regulation under authority preserved to the state by section 510 of the FWPCA; or

(ii) Necessary to meet any federal law or regulation other than the FWPCA or regulations thereunder; or

(iii) Required to implement any applicable water quality standards; such limitations to include any legally applicable requirements necessary to implement total maximum daily loads established pursuant to section 303(d) and incorporated in the continuing planning process approved under section 303(e) of the FWPCA and any regulations and guidelines issued pursuant thereto;

(iv) Necessary to prevent or control pollutant discharges from plant site runoff, spillage or leaks, sludge or waste disposal, or raw material storage;

(v) Necessary to provide all known, available and reasonable methods of treatment.

(c) Any more stringent legal applicable requirements necessary to comply with a plan approved pursuant to section 208(b) of the FWPCA; and

(d) Prior to promulgation by the administrator of applicable effluent standards and limitations pursuant to sections 301, 302, 306, and 307 of the FWPCA, such conditions as the department determines are necessary to carry out the provisions of the FWPCA.

(2) In any case where an issued permit applies the effluent standards and limitations described in subparagraph (a) of paragraph (1) of this section, the department shall make a finding that any discharge authorized by the permit will not violate applicable water quality standards.

(3) In the application of effluent standards and limitations, water quality standards and other legally applicable requirements pursuant to paragraphs (1) and (2) hereof, each issued permit shall specify average and maximum daily quantitative (in terms of weight) or other such appropriate limitations for the level of pollutants and the authorized discharge. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-130, filed 12/1/82; Order DE 74-1, § 173-220-130, filed 2/15/74.]

**WAC 173-220-135 Signing of permits.** Permits authorized for issuance under chapter 173-220 WAC may be signed by the director or any person designated in WAC 173-06-030. [Order DE 74-1, § 173-220-135, filed 2/15/74.]

**WAC 173-220-140 Schedules of compliance.** (1) In addition to the application of the effluent standards and limitations, water quality standards, and other legally applicable requirements, all pursuant to WAC 173-220-130 (1), (2), the department shall establish schedules and permit conditions as follows to achieve compliance with applicable effluent standards and limitations, water quality standards, and other legally applicable requirements:

(a) With respect to any discharge which is found not to be in compliance with applicable effluent standards and limitations, applicable water quality standards, or other legally applicable requirements listed in WAC 173-220-130, the permittee shall be required to take specific steps to achieve compliance with the following:

(i) Any legally applicable schedule of compliance contained in:

- (I) Section 301 of FWPCA;
- (II) Applicable effluent standards and limitations;
- (III) If more stringent, water quality standards; or
- (IV) If more stringent, legally applicable requirements listed in WAC 173-220-130; (b) schedules of compliance, shall set forth the shortest, reasonable period of time, to achieve the specified requirements, such period to be consistent with the guidelines and requirements of the FWPCA.

(2) In any case where the period of time for compliance specified in paragraph (1)(a) of this section exceeds one year, a schedule of compliance shall be specified in the permit which will set forth interim requirements and the dates for their achievement; however, in no event shall more than one year elapse between interim dates. If the time necessary for completion of the interim requirement (such as construction of a treatment facility) is more than one year and is not readily divided into stages of completion, interim dates shall be specified for the submission of reports of progress toward completion of the interim requirement.

(3) Either before or up to fourteen days following each interim date and the final date of compliance, the permittee shall provide the department with written notice of the permittee's compliance or noncompliance with the interim or final requirement.

(4) On the last day of the months of February, May, August, and November, the department shall transmit to the regional administrator a list of all instances, as of sixty days prior to the date of such report, of failure or refusal of a major permittee to comply with an interim or final requirement or to notify the department of compliance with each interim or final requirement (as required pursuant to paragraph (2) of this section). Such list shall be available to the public for inspection and copying and shall contain at least the following information with respect to each instance of noncompliance:

(a) Name and address of each noncomplying permittee;

(b) A short description of each instance of noncompliance (e.g., failure to submit preliminary plans, two-week delay in commencement of construction of treatment facility; failure to notify department of compliance with interim requirement to complete construction by June 30, etc.)

(c) A short description of any actions or proposed actions by the permittee or the department to comply or enforce compliance with the interim or final requirement; and

(d) Any details which tend to explain or mitigate an instance of noncompliance within interim or final requirement.

(5) If a permittee fails or refuses to comply with an interim or final requirement in a permit such noncompliance shall constitute a violation of the permit for which the department may modify, suspend or revoke the permit or take direct enforcement action. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078

(Order DE 82-39), § 173-220-140, filed 12/1/82; Order DE 74-1, § 173-220-140, filed 2/15/74.]

**WAC 173-220-150 Other terms and conditions.** (1)

In addition to the requirements of WAC 173-220-130 and 173-220-140, each issued permit shall require that:

(a) All discharges authorized by the permit shall be consistent with the terms and conditions of the permit; any facility expansions, production increases or process modifications which would result in new or increased discharges of pollutants must be reported to the department by submission of a new application or supplement thereto; or, if such discharge does not violate effluent limitations specified in the permit, by submission to the department of notice of such new or increased discharges of pollutants; any discharge of any pollutant more frequent than or at a level in excess of that identified and authorized by the permit shall constitute a violation of the terms and conditions of the permit.

(b) The permit may be modified, suspended or revoked in whole or in part during its terms for cause including, but not limited to, the following:

(i) Violation of any term or condition of the permit;

(ii) Obtaining a permit by misrepresentation or failure to disclose fully all relevant facts; and

(iii) A change in any condition that requires either a temporary or permanent reduction or elimination of the permitted discharge.

(c) The permittee shall allow the department or its authorized representative upon the presentation of credentials and at reasonable times:

(i) To enter upon permittee's premises in which an effluent source is located or in which any records are required to be kept under terms and conditions of the permit subject to any access restrictions due to the nature of the project;

(ii) To have access to and copy at reasonable cost any records required to be kept under terms and conditions of the permit;

(iii) To inspect any monitoring equipment or method required in the permit; or

(iv) To sample any discharge of pollutants.

(d) That, if the permit is for a discharge from a publicly owned treatment works, the permittee shall provide notice to the department of the following:

(i) Any new introduction of pollutants into such treatment works from a source which would be a new source as defined in section 306 of the FWPCA if such source were discharging pollutants;

(ii) Except as to such categories and classes of point sources or discharges specified by the department, any new introduction of pollutants into such treatment works from a source which would be subject to section 301 of the FWPCA if such source were discharging pollutants;

(iii) Any substantial change in volume or character of pollutants being introduced into such treatment works by a source introducing pollutants into such works at the time of issuance of the permit.

Such notice shall include information on:

(I) The quality and quantity of effluent to be introduced into such treatment works; and



(II) Any anticipated impact of such change in the quantity or quality of effluent to be discharged from such publicly owned treatment works.

(e) The permittee shall at all times properly operate and maintain any facilities or systems of control installed by the permittee to achieve compliance with the terms and conditions of the permit. Where design criteria have been established, the permittee shall not permit flows or waste loadings to exceed approved design criteria, or approved revisions thereto.

(f) If a toxic effluent standard or prohibition (including any schedule of compliance specified in such effluent standard or prohibition) is established under section 307(a) of the FWPCA for a toxic pollutant which is present in the permittee's discharge and such standard or prohibition is more stringent than any limitation upon such pollutant in the permit, the department shall revise or modify the permit in accordance with the toxic effluent standard of prohibition and so notify the permittee.

(3) Every permit shall be conditioned to insure that any industrial user of any publicly owned treatment works will comply with sections 204(b), 307, and 308 of the FWPCA. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-150, filed 12/1/82; Order DE 74-1, § 173-220-150, filed 2/15/74.]

**WAC 173-220-160 Transmission to regional administrator of issued permit.** The department shall transmit, to the regional administrator, a copy of every issued permit, immediately following issuance, along with any and all terms, conditions, requirements, or documents which are a part of such permit or which affect the authorization by the permit of the discharge of pollutants. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-160, filed 12/1/82; Order DE 74-1, § 173-220-160, filed 2/15/74.]

**WAC 173-220-170 Relationship with non-NPDES permits.** Discharges of pollutants or other wastes that require permits from the department under RCW 90.48.160, which are not satisfied through permits issued under this chapter, shall be subject to the permit requirements of RCW 90.48.160, et seq. Except where permits under RCW 90.48.160 are issued by a municipal corporation pursuant to chapter 173-208 WAC, permit requirements under this chapter and permit requirements under RCW 90.48.160 shall be contained in a single permit document. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-170, filed 12/1/82; Order DE 74-1, § 173-220-170, filed 2/15/74.]

**WAC 173-220-180 Duration and replacement of existing permit.** (1) Permits shall be issued for fixed terms not exceeding five years.

(2) Any permittee shall make application for replacement to existing permits or continuation of discharges after the expiration date of his permit by filing with the department an application for replacement of his permit

at least one hundred eighty days prior to its expiration. The filing requirement for replacement shall be satisfied by written request for replacement by the permittee to the department, unless the department, at its discretion, requires a permittee to request a replacement by submitting to the department all applicable forms.

(3) The scope and manner of any review of an application for replacement of a permit by the department shall be sufficiently detailed as to insure the following:

(a) That the permittee is in compliance with or has substantially complied with all of the terms, conditions, requirements and schedules of compliance of the expired permit;

(b) That the department has up-to-date information on the permittee's production levels, permittee's waste treatment practices, nature, content and frequencies of permittee's discharge, either pursuant to the submission of new forms and applications or pursuant to monitoring records and reports resubmitted to the department by the permittee; and

(c) That the discharge is consistent with applicable effluent standards and limitations, water quality standards, and other legally applicable requirements listed in WAC 173-220-130, including any additions to, or revisions or modifications of such effluent standards and limitations, water quality standards, or other legally applicable requirements during the term of the permit.

(4) The notice and public participation procedures specified in WAC 173-220-050 through 173-220-100 are applicable to each draft replacement permit.

(5) When a permittee has made timely and sufficient application for the renewal of a permit, an expiring permit remains in effect and enforceable until the application has been finally determined by the department.

(6) Notwithstanding any other provision in this part, any point source, the construction of which is commenced after the date of enactment of the Federal Water Pollution Control Act Amendments of 1972 and which is so constructed as to meet all applicable standards of performance, shall not be subject insofar as the FWPCA is concerned to any more stringent standard of performance during a ten year period beginning on the date of completion of such construction or during the period of depreciation or amortization of such facility for the purposes of section 167 or 169 (or both) of the Internal Revenue Code of 1954, whichever period ends first. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-180, filed 12/1/82; Order DE 74-1, § 173-220-180, filed 2/15/74.]

**WAC 173-220-190 Modification, suspension, and revocation of permits.** (1) Any permit issued under this chapter can be modified, suspended or revoked in whole or in part by the department for cause including, but not limited to, the causes listed in WAC 173-220-150 (1)(b), or for failure or refusal of the permittee to allow entry according to RCW 90.48.090.

(2) The department may, upon request of the permittee, revise or modify a schedule of compliance or operating conditions in an issued permit if it determines good

and valid cause (such as an act of God, strike, flood, materials shortage, or other event over which the permittee has little or no control) exists for such revision.

(3) The department shall modify, suspend or revoke permits only after public notice and opportunity for public hearing as provided in this chapter in those instances where changes are proposed which lessen the stringency of effluent limitations. In all other instances, the form of public notice and public participation, if any, shall be determined by the department on a case-by-case basis according to the significance of the proposed action.

(4) Nothing herein shall apply to permits remanded to the department for modification by the pollution control hearings board. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-190, filed 12/1/82; Order DE 74-1, § 173-220-190, filed 2/15/74.]

**WAC 173-220-200 Transfer of permit.** (1) A permit is automatically transferred to a new owner or operator if:

(a) A written agreement between the old and new owner or operator is submitted to the director, containing a specific date for transfer of permit responsibility, coverage, and liability; and

(b) The director does not notify the old and new owner or operator of his intent to modify, or revoke and reissue the permit. If this notice is not given, the transfer is effective on the date specified in the agreement mentioned in paragraph (a) above.

(2) Unless a permit is automatically transferred according to subsection (1) of this section, a permit may be transferred only if modified or revoked and reissued to identify the new permittee and incorporate such other requirements as may be necessary. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-200, filed 12/1/82; Order DE 74-1, § 173-220-200, filed 2/15/74.]

**WAC 173-220-210 Monitoring, recording and reporting.** (1) Monitoring.

(a) Any discharge authorized by a permit may be subject to such monitoring requirements as may be reasonably required by the department, including the installation, use, and maintenance of monitoring equipment or methods (including, where appropriate, biological monitoring methods). These monitoring requirements would normally include:

(i) Flow (in gallons per day); and (ii) all of the following pollutants:

(A) Pollutants (either directly or indirectly through the use of accepted correlation coefficients or equivalent measurements) which are subject to reduction or elimination under the terms and conditions of the permit;

(B) Pollutants which the department finds could have a significant impact on the quality of navigable waters;

(C) Pollutants specified by the administrator, in regulations issued pursuant to the FWPCA, as subject to monitoring; and (b) each effluent flow or pollutant required to be monitored pursuant to paragraph (b) of this

section shall be monitored at intervals sufficiently frequent to yield data which reasonably characterizes the nature of the discharge of the monitored effluent flow or pollutant. Variable effluent flows and pollutant levels may be monitored at more frequent intervals than relatively constant effluent flows and pollutant levels which may be monitored at less frequent intervals.

(c) Monitoring of intake water, influent to treatment facilities, and/or other internal waste streams may be required when determined necessary by the department to verify compliance with net discharge limitations or removal requirements, or to verify that proper waste treatment or control practices are being maintained.

(2) Recording of monitoring activities and results. Any permit which requires monitoring of the authorized discharge shall require that:

(a) The permittee shall maintain records of all information resulting from any monitoring activities required of him in his permit;

(b) Any records of monitoring activities and results shall include for all samples:

(i) The date, exact place, and time of sampling;

(ii) The dates analyses were performed;

(iii) Who performed the analyses;

(iv) The analytical techniques/methods used; and

(v) The results of such analyses; and

(c) The permittee shall be required to retain for a minimum of three years any records of monitoring activities and results including all original strip chart recording for continuous monitoring instrumentation and calibration and maintenance records. This period of retention shall be extended during the course of any unresolved litigation regarding the discharge of pollutants by the permittee or when requested by the department or regional administrator.

(3) Reporting of monitoring results.

(a) The permittee shall periodically report (at a frequency of not less than once per year) on the proper reporting form, the monitoring results obtained pursuant to monitoring requirements in a permit. In addition to the required reporting form, the department at its discretion may require submission of such other results as it determines to be necessary.

(b) Monitoring reports shall be signed by:

(i) In the case of corporations, by a responsible corporate officer or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which the discharge originates.

(ii) In the case of a partnership, by a general partner.

(iii) In the case of a sole proprietorship, by the proprietor.

(iv) In the case of a municipal, state or other public facility, by either a principal executive officer, ranking elected official, or other duly authorized employee. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-210, filed 12/1/82; Order DE 74-1, § 173-220-210, filed 2/15/74.]

**WAC 173-220-220 Control of disposal of pollutants into wells.** (1) The disposal of pollutants into wells, excepting in the most extraordinary circumstances, is not authorized by the department.

(2) All applications requesting permission to dispose of pollutants into wells shall be processed under RCW 90.48.160, and/or under an approved underground injection control program.

(3) Under the extraordinary circumstance where an application for a permit is approved, the department shall include terms and conditions which shall control the proposed disposal in order to prevent pollution of ground and surface water resources and to protect the public health and welfare. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-220, filed 12/1/82; Order DE 74-1, § 173-220-220, filed 2/15/74.]

**WAC 173-220-225 Appeals.** (1) Individual permits are subject to appeals as specified in chapter 371-08 WAC.

(2) For general permits: (a) The terms and conditions of a general permit as they apply to the appropriate class of dischargers is subject to appeal within thirty days of issuance of a general permit; (b) the terms and conditions of a general permit as they apply to an individual discharger are subject to appeal within thirty days of the effective date of coverage of that discharger. Consideration of an appeal of general permit coverage of an individual discharger is limited to the general permit's applicability or nonapplicability to that discharger. Appeal of general permit coverage of an individual discharger does not affect any other individual dischargers. If the terms and conditions of a general permit are found to be inapplicable to any discharger, the matter shall be remanded to the department for consideration of issuance of an individual permit. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-225, filed 12/1/82.]

**WAC 173-220-230 Enforcement.** (1) The department, with the assistance of the attorney general, may sue in courts of competent jurisdiction to enjoin any threatened or continuing violations of any permits or conditions thereof without the necessity of a prior revocation of the permit;

(2) The department may enter any premises in which an effluent source is located or in which records are required to be kept under terms or conditions of a permit, and otherwise be able to investigate, inspect, or monitor any suspected violations of water quality standards, or effluent standards and limitations, or of permits or terms or conditions thereof;

(3) The department may assess or, with the assistance of the attorney general, sue to recover in court, such civil fines, penalties, and other civil relief as may be appropriate for the violation by any person of (a) any effluent standards and limitations or water quality standards, (b) any permit or term or condition thereof, (c) any filing

requirements, (d) any duty to permit or carry out inspection, entry, or monitoring activities, or (e) any rules, regulations, or orders issued by the department.

(4) The department may request the prosecuting attorney to seek criminal sanctions for the violation by such persons of (a) any effluent standards and limitations or water quality standards, (b) any permit or term or condition thereof, (c) any filing requirements.

(5) The department, with the assistance of the prosecuting attorney, may seek criminal sanctions against any person who knowingly makes any false statement, representation, or certification in any form or any notice or report required by the terms and conditions of any issued permit or knowingly renders inaccurate any monitoring device or method required to be maintained by the department. [Order DE 74-1, § 173-220-230, filed 2/15/74.]

**WAC 173-220-240 Relationship of department of ecology to permits issued by the energy facility site evaluation council.** (1) The energy facility site evaluation council (EFSEC) shall be the state agency to receive applications for, issue, and modify permits for energy facilities subject to chapter 80.50 RCW. Processing of such applications shall be controlled by chapter 463-38 WAC. Application for issuance and modification of permits for all other energy facilities shall be the responsibility of the department.

(2) Monitoring, recording, and reporting activities required of operators of all energy facilities by the terms of a permit issued by EFSEC shall be supervised and enforced by the department.

(3) The department shall carry on an inspection program for the periodic inspection (to be performed not less than once every year) of discharges of pollutants from energy facilities authorized by a permit issued by EFSEC. Such inspections shall determine compliance or noncompliance with issued permits and, in particular, compliance or noncompliance with specific effluent limitations and schedules of compliance in such permits.

(4) The department shall carry on a surveillance program with respect to energy facility discharges for the random sampling and analysis of the discharge for the purpose of identifying occasional and continuing violations of permit conditions and the accuracy of information submitted by permittees in reporting forms.

(5) Enforcement activities regarding the NPDES program, including the levying of civil and criminal fines pertaining to all thermal power plants, whether the permit is issued by the department or EFSEC, shall be undertaken by the department, EFSEC, the attorney general, or the prosecuting attorney, as appropriate.

(6) Nothing in this section shall authorize the department to undertake enforcement or monitoring activities in a manner not consistent with the terms and conditions of any EFSEC-issued NPDES permit. [Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-240, filed 12/1/82; Order DE 74-1, § 173-220-240, filed 2/15/74.]

## Chapter 173-225 WAC

**FEDERAL WATER POLLUTION CONTROL ACT--  
ESTABLISHMENT OF IMPLEMENTATION  
PROCEDURES OF APPLICATION FOR  
CERTIFICATION**

## WAC

- 173-225-010 Introduction.  
173-225-020 Purpose.  
173-225-030 Public notice and public hearings.

**WAC 173-225-010 Introduction.** Section 401 of the Federal Water Pollution Control Act (FWPCA) provides that applicants for a license or permit from the federal government relating to any activity which may result in any discharge into the navigable waters shall obtain a certification from the state in which the discharge originates, or will originate, that any such discharge will comply with the applicable provisions of sections 301, 302, 306, and 307 of the FWPCA. The department of ecology, under chapter 90.48 RCW, has been designated as the state water pollution control agency for all purposes of the FWPCA, and is authorized to participate fully in the programs of that act as well as to take all action necessary to meet the requirements thereof. [Order 73-29, § 173-225-010, filed 11/15/73.]

**WAC 173-225-020 Purpose.** The purpose of this regulation is to establish procedures for public notice and public hearings in relation to the processing of applications for certification required by section 401 of the FWPCA. [Order 73-29, § 173-225-020, filed 11/15/73.]

**WAC 173-225-030 Public notice and public hearings.** Whenever an application for certification required by section 401 of FWPCA is filed with the department of ecology, the following procedures pertaining to public notice and public hearings shall apply:

(1) Public notice of an application shall be performed in relation to all applications, as follows:

(a) By mailing notice of the application for certification to persons and organizations who have requested the same and to all others deemed appropriate; and

(b) When determined by the department as desirable in the public interest, by publication of a notice twice, once each on the same day of the week in two consecutive weeks, in a newspaper of general circulation in the county in which the activity described in the application is located, and in such other counties as are deemed appropriate by the department. The applicant for a certification shall be required to cause such notice to be published in a form approved by the department and the applicant shall bear the cost of such publication and provide an affidavit of publication to the department.

(2) Any person desiring to present views on the application in relation to water pollution control considerations shall do so by providing the same in writing to the regional office of the department of ecology identified in the notice of application within 20 days after notice of the application was last published or such longer period

of time as the director may determine, or, in the case where notice is provided only by WAC 173-225-030 (1)(a), within the time period stated in said notice.

(3) If the department determines there is sufficient public interest in any application, a public hearing for the submission of oral views as well as written views shall be held. When this determination is made before notice of application is performed, such notice shall set forth the time and place of the hearing; otherwise, a separate notice of public hearing shall be made and such notice shall be distributed and published in the manner provided in WAC 173-225-030(1). Whenever a public hearing is to be held, the requirement of WAC 173-225-030(2) above in relation to the timing of submitting written views shall not apply, but the deadline for submitting written views shall be set forth in the notice announcing the hearing. [Order DE 75-6, § 173-225-030, filed 3/7/75; Order 73-29, § 173-225-030, filed 11/15/73.]

## Chapter 173-230 WAC

**CERTIFICATION OF OPERATORS OF  
WASTEWATER TREATMENT PLANTS**

## WAC

- 173-230-010 General.  
173-230-020 Definitions.  
173-230-030 Duties of the board.  
173-230-040 Certification required.  
173-230-050 Certification prerequisites.  
173-230-061 Applications and certification requirements.  
173-230-070 Examination.  
173-230-080 Certificate term and renewals.  
173-230-090 Fees.  
173-230-100 Suspension and revocation.  
173-230-110 Reciprocity.  
173-230-120 Appeals.  
173-230-130 Violations.  
173-230-140 Classification of wastewater treatment plants.

**DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS  
CHAPTER**

- 173-230-060 Applications. [Order 73-30, § 173-230-060, filed 11/9/73.] Repealed by 82-09-056 (Order DE 82-07), filed 4/16/82. Statutory Authority: Chapter 70.95B RCW.

**WAC 173-230-010 General.** One of the basic requirements of the Wastewater Treatment Plant Operator Certification Act of 1973 (chapter 139, Laws of 1973) (chapter 70.95B RCW) is to have every operator in responsible charge of a wastewater treatment plant certified in a class equal to or higher than the class of his treatment plant. Certification under this act is available to all operators who can meet the minimum qualification of a given classification. Each operator is encouraged to apply for certification in the highest classification consistent with his qualifications. [Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-010, filed 4/16/82. Statutory Authority: RCW 70.95B.040. 78-11-016 (Order DE 78-16), § 173-230-010, filed 10/11/78; Order 73-30, § 173-230-010, filed 11/9/73.]

**WAC 173-230-020 Definitions.** (1) "Director" means the director of the department of ecology.

(2) "Department" means the department of ecology.

(3) "Board" means the water and wastewater operators certification board of examiners established by RCW 70.95B.070.

(4) "Certificate" means the certificate of competency issued by the director stating that the operator has met the requirements for the specified operator classification of the certification program.

(5) "Wastewater treatment plant" means a facility used in the collection, transmission, storage, pumping, treatment or discharge of any liquid or waterborne waste, whether of domestic origin or a combination of domestic, commercial or industrial waste, and which by its design requires the presence of an operator for its operation. It shall not include any facility used exclusively by a single family residence nor septic tanks with subsoil absorption nor industrial wastewater works.

(6) "Operator" means an individual employed or appointed by any county, sewer district, municipality, public or private corporation, company, institution, person, or the state of Washington who is performing work in the actual operation of a wastewater treatment plant.

(7) "Responsible charge" means the position held by an operator working on site at a wastewater treatment plant, including weekends, holidays, and shifts, where appropriate, who is in direct charge and is responsible for the operation of the plant or segment thereof. Responsible charge can, but is not required to, include supervisory responsibility over other employees. Responsible charge time may be accrued by the operator in charge of a shift, working alone as the only operator on duty, or when assigned as operator in charge in the absence of the designated operator in charge. [Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-020, filed 4/16/82. Statutory Authority: RCW 70.95B.040. 78-11-016 (Order DE 78-16), § 173-230-020, filed 10/11/78; Order 73-30, § 173-230-020, filed 11/9/73.]

**WAC 173-230-030 Duties of the board.** (1) Recommend to the director classification of wastewater treatment plants and maintain records thereof.

(2) Develop operator qualification standards consistent with the wastewater treatment plant classification system and examine the qualifications of applicants for certification.

(3) Assist in the development of rules and regulations; prepare, administer and evaluate examinations of operator competency as required by law, and recommend the issuance or revocation of certificates.

(4) Encourage to become certified operating personnel other than those who are required to be certified by the virtue of their responsibility as operator in charge.

(5) Maintain records of operator qualifications, certifications, and a register of certified operators. [Statutory Authority: RCW 70.95B.040. 78-11-016 (Order DE 78-16), § 173-230-030, filed 10/11/78; Order 73-30, § 173-230-030, filed 11/9/73.]

**WAC 173-230-040 Certification required.** (1) After July 1, 1974, it shall be unlawful for any person, firm, corporation, municipal corporation or other governmental subdivision or agency to operate a wastewater treatment plant unless the operator in responsible charge of day-to-day operation of the plant holds a valid certificate issued by the director of at least the same classification as that of the wastewater treatment plant.

(2) When a wastewater treatment plant is operated on more than one daily shift, including weekends or holidays, the operator in charge of each shift shall be certified. [Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-040, filed 4/16/82. Statutory Authority: RCW 70.95B.040. 78-11-016 (Order DE 78-16), § 173-230-040, filed 10/11/78; Order 73-30, § 173-230-040, filed 11/9/73.]

**WAC 173-230-050 Certification prerequisites.** (1) Certificates shall be issued only upon application and only after payment of fees as required herein. Except as provided in WAC 173-230-050(2), certificates in appropriate classifications shall be issued to those who are eligible for examination pursuant to WAC 173-230-061 and only after successful completion of an examination as provided for in WAC 173-230-070.

(2) Certificates shall be issued without examination under the following conditions:

(a) In appropriate classifications, to an operator who on July 1, 1973, held a certificate of competency attained by examination under the voluntary certification program sponsored jointly by the department of social and health services and the pacific northwest pollution control association.

(b) In appropriate classifications, to a person verified by the governing body or owner to have been the operator in responsible charge of a wastewater treatment plant on July 1, 1973. A certificate issued to any person under this subsection shall be known as a "provisional" certificate and shall be valid only for the plant of which he was the operator on July 1, 1973, and shall not be renewed if such plant thereafter has been or is significantly modified or if the operator terminates his service with that plant.

(c) In appropriate classifications, to persons who fill a vacated position required to have a certified operator. A certificate issued under this subsection shall be known as a "temporary" certificate and shall be issued for a period of not more than twelve months from date of issue and shall be nonrenewable. If a position is vacated by the holder of a temporary certificate issued under this subsection, no additional temporary certificate shall be issued to his replacement. [Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-050, filed 4/16/82. Statutory Authority: RCW 70.95B.040. 78-11-016 (Order DE 78-16), § 173-230-050, filed 10/11/78; Order 73-30, § 173-230-050, filed 11/9/73.]

**WAC 173-230-061 Applications and certification requirements.** (1) Application for certification to the

various classifications of wastewater treatment plant operator shall be filed with the secretary for wastewater treatment of the water and wastewater operator certification board. The secretary shall make application forms available upon request.

(2) Upon receipt of a completed application, the secretary shall assemble all information needed and screen the application against the following criteria to determine eligibility for examination or reciprocal certification.

(3) Certification requirements: Applicants for examination or reciprocal certification to the various wastewater treatment operator classifications must meet the following minimum requirements or equivalents:

Class	Education	Operating Experience	Responsible Charge Time
OIT	12 years	3 months	None
Group I	12 years	1 year	None
Group II	12 years	3 years	None
Group III	14 years	4 years	2 years
Group IV	16 years	4 years	2 years

At least half of the experience requirement for certification to a Class II, III, or IV operator must be on-site, day-to-day experience. At least half of the responsible charge time requirement for certification to a Class III or IV operator must have been accrued on site in a plant with a classification not less than one classification lower than the class of certification being applied for.

(4) Definitions and equivalents related to certification requirements:

(a) "College" means a college degree or course work that is relevant to the operation of a wastewater treatment plant, such as sanitary, chemical, civil, electrical, or mechanical engineering, chemistry, biology, pharmacy, mathematics, or any of the environmental sciences. College shall also mean continuing education units CEUs in courses relevant to the operation of a wastewater treatment plant.

(b) One year of college credit shall mean thirty semester hours or forty-five quarter hours or forty-five continuing education units CEUs.

(c) Continuing education unit, (CEU) means a nationally recognized unit of measurement similar to college credits. One CEU is awarded for every ten contact lecture hours of participation in an organized continuing education experience, under responsible sponsorship, capable direction and qualified instruction. One CEU will also be awarded for twenty contact laboratory hours of training.

(d) Vocational experience shall mean work experience that is relevant to the operation of a wastewater treatment plant. Some related vocations are chemist, machinist, and electrician.

(5) Equivalent education:

(a) One year of operating experience may be substituted for one year of high school - four years maximum.

(b) One year of responsible charge time may be substituted for one year of college - one year maximum.

(6) Equivalent experience: College credit used as an equivalent for experience must be supported with a copy of college transcripts.

(a) Three CEUs relevant to the operation of a sewage treatment plant may be substituted for three months experience by an applicant for OIT.

(b) An applicant for Group I certification may not use an equivalent experience credit.

(c) An applicant for Group II certification may substitute up to one and one-half years of college for one and one-half years of experience.

(d) An applicant for Group III or IV certification may substitute up to two additional years of college for two years of experience.

(7) Equivalent responsible charge time: An applicant for Group III or IV may substitute one additional year of college for one year of responsible charge time.

(8) Equivalent experience. An applicant who does not satisfy the full amount of equivalent experience as specified under WAC 173-230-061(3) or (6) may request the board to allow any of the following or similar work experience to be credited toward the experience maximums set forth in WAC 173-230-061(3):

(a) Operation consultant equals 0 to 50 percent of time on duty.

(b) Wastewater collection or pump station operator or specialist equals 0 to 25 percent of time on duty.

(c) Water treatment plant operator equals 50 percent of time on duty.

(d) Water distribution and management equals to 0 to 50 percent of time on duty.

(e) Sewage treatment plant process control and laboratory equals 100 percent of time on duty.

(f) Sewage treatment plant operation and pump station operation equals 100 percent of time on duty.

(g) Sewage treatment plant operation and incineration operation equals 100 percent of time on duty.

(9) If no examination is required, the secretary shall present the application to the board for recommendation to the director as required by WAC 173-230-070(6) or 173-230-110.

(10) Group IV applications shall be submitted to the board for approval prior to scheduling for examination.

(11) If an examination is required, the secretary shall notify, schedule, and examine all applicants for certification. [Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-061, filed 4/16/82.]

**WAC 173-230-070 Examination.** (1) The board shall prepare written examinations to be used in determining the competency of operators.

(2) Examinations shall be held at least three times annually at places and times set by the board with advance announcements made by the board.

(3) All examinations will be graded by the board or by others designated by the board, and the applicant shall be notified of grade attained and pass or fail. Examinations will not be returned to the applicant.

(4) An applicant who fails to pass an examination may be reexamined at the next subsequent scheduled examination with no additional application or fee.

(5) An applicant who fails to pass a second examination as provided for in WAC 173-230-070(4) must reapply for further examination as provided for in WAC 173-230-090(2). The examination will not be administered until the second scheduled examination period following the date of the applicant's last examination.

(6) The board shall forward its recommendations for certification of those examined to the director. [Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-070, filed 4/16/82; Order 73-30, § 173-230-070, filed 11/9/73.]

**WAC 173-230-080 Certificate term and renewals.**

(1) Except as provided for in WAC 173-230-050 (2)(c), the term for any certificate or renewal thereof shall be from the first of January of the year of issuance until the thirty-first of December of the same year.

(2) Except as provided in WAC 173-230-050 (2)(c), all certificates shall be renewable annually upon presentation of satisfactory evidence that the operator demonstrates continued professional growth in the field. In order to demonstrate continued professional growth in the field, each certified operator must accomplish one of the following three activities during a three-year period ending December 31, 1979, and in each three-year period thereafter.

(a) Accumulate a minimum of three relevant continuing education units CEUs, or three relevant college quarter hour credits; or

(b) Advance in his level of wastewater certification by examination. Advancement from OIT to I does not fulfill this requirement; or

(c) Retake and satisfactorily pass the examination given by the board for the classification for which a renewable certificate is desired. [Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-080, filed 4/16/82; Order 73-30, § 173-230-080, filed 11/9/73.]

**WAC 173-230-090 Fees.** (1) Except for applications for certificates under WAC 173-230-050 (2)(a), initial applications will be accepted for processing only when accompanied by an application fee of ten dollars.

(2) Except as provided under WAC 173-230-070(4), applications for reexamination will be accepted for processing only when accompanied by an application fee of ten dollars.

(3) Applications for certificate renewals will be accepted for processing only when accompanied by a renewal fee of five dollars.

(4) All receipts hereunder shall be paid into the state general fund. [Statutory Authority: RCW 70.95B.040. 78-11-016 (Order DE 78-16), § 173-230-090, filed 10/11/78; Order 73-30, § 173-230-090, filed 11/9/73.]

**WAC 173-230-100 Suspension and revocation.** (1) When a certificate is not renewed, such certificate, upon notice by the director, shall be suspended for thirty days. If, during such suspension period, renewal of the certificate is not completed, the director shall give notice of

revocation to the employer and to the certificate holder, and if, during the revocation notice period, renewal of the certificate is not completed, the certificate shall be revoked ten days after such notice is given.

(2) Certificates may be revoked when the board so recommends to the director, upon finding:

(a) Fraud or deceit in obtaining the certificate.

(b) Gross negligence in the operation of a wastewater treatment plant.

(c) Violation of the requirements of this chapter or the statute it implements or of any lawful rule, regulation or order of the department.

(3) No revocation shall be made under this subsection unless the operator has been notified that revocation is proposed, has been advised of the grounds therefor and has been given an opportunity to appear before the board and be heard on the matter.

(4) Whenever his certificate is revoked, the operator shall not be certified again until he has applied for certification as herein provided, paid the initial application fee, and successfully completed the examination provided for in WAC 173-230-070.

(5) If revocation was made pursuant to subsection (2) above, the operator shall not be eligible to reapply for a certificate for one year from the date the revocation became final. [Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-100, filed 4/16/82. Statutory Authority: RCW 70.95B.040. 78-11-016 (Order DE 78-16), § 173-230-100, filed 10/11/78; Order 73-30, § 173-230-100, filed 11/9/73.]

**WAC 173-230-110 Reciprocity.** The director shall accord an operator certified by another state reciprocal treatment, when in his judgment, and upon advice of the board, the certification requirements of such state are substantially equivalent to the requirements of this chapter. When such reciprocity is granted, the director shall so advise the operator. However, the term of such reciprocal approval shall be as provided in WAC 173-230-080 and the operator shall be subject to the same requirement of renewal as any operator initially certified in this state. [Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-110, filed 4/16/82; Order 73-30, § 173-230-110, filed 11/9/73.]

**WAC 173-230-120 Appeals.** Decisions of the director under this chapter may be appealed within thirty days from the date of notice thereof to the pollution control hearings board pursuant to chapter 43.21B RCW and chapter 371-08 WAC. [Order 73-30, § 173-230-120, filed 11/9/73.]

**WAC 173-230-130 Violations.** Violation of this chapter is a misdemeanor. Each day of operation in violation hereof constitutes a separate offense. Upon conviction, violators are subject to fines not exceeding one hundred dollars for each offense. Injunctions may be obtained for continuing violations. [Order 73-30, § 173-230-130, filed 11/9/73.]

**WAC 173-230-140 Classification of wastewater treatment plants.** Wastewater treatment plants are classified in four groups, according to the total point rating as derived from the items listed below. Assignment of treatment works to the proper classification group will be made by the director.

(1) <b>PLANT CLASS:</b>	
(a) Class I - 1 - 25 total points.	
(b) Class II - 26 - 50 total points.	
(c) Class III - 51 - 70 total points.	
(d) Class IV - 71 or more total points.	
	<b>Rating Value</b>
(2) <b>DESIGN FLOW</b> .....	1 per 5 mgd, not to exceed 20 points (Example: 1 to 5 mgd= 1 point; 5.1 to 10 mgd= 2 points, etc.)
(3) <b>POPULATION EQUIVALENT(P.E.)</b> ...	1 per 5,000 P.E., not to exceed 20 points
(4) <b>PRETREATMENT UNITS</b>	
(a) Manually cleaned screens .....	1
(b) Mechanically cleaned screens .....	2
(c) Grit removal .....	3
(d) Preaeration .....	1
(e) Comminutor, barminutors, grinders, etc. ....	1
(f) Plant pumping .....	3
(5) <b>PRIMARY TREATMENT UNITS</b>	
(a) Imhoff tanks, spirogesters, Clarigesters, etc. ....	3
(b) Primary clarifiers .....	5
(c) Primary clarifiers utilizing settling aid chemicals .....	9
(6) <b>SECONDARY TREATMENT UNITS</b>	
(a) Trickling filter (without recirculation) .....	5
(b) Trickling filter (with recirculation) .....	7
(c) Activated sludge	
(i) Mechanical aeration .....	8
(ii) Diffused or dispersed air .....	10
(iii) Oxidation ditch .....	8
(iv) Pure oxygen .....	13
(d) Stabilization ponds .....	5
(e) Stabilization ponds with aeration .....	7
(f) Secondary clarifiers .....	5
(7) <b>TERTIARY TREATMENT UNITS</b>	
(a) Polishing pond .....	2
(b) Land disposal of effluent .....	5
(c) Chemical treatment for phosphorus removal .....	5
(d) Activated carbon beds (with carbon regeneration) .....	10

(e) Activated carbon beds (without carbon regeneration) .....	8
(f) Sand or mixed-media filters .....	4
(g) Other nutrient removal processes following secondary treatment .....	10
(8) <b>DISINFECTION</b> .....	4
(9) <b>SLUDGE TREATMENT</b>	
(a) Sludge digesters (anaerobic) .....	4
(i) If heated, add .....	3
(ii) If mechanically or gas mixed, add .....	2
(b) Sludge digesters (aerobic) .....	6
(c) Drying beds or evaporation lagoons .....	2
(d) Thickener clarifier .....	5
(e) Vacuum filter .....	7
(f) Centrifuge .....	7
(g) Incinerator .....	10
(h) Utilizing digester gas for other than heating purposes .....	3

When a wastewater treatment plant handles a complex waste or a unique treatment process that is not reflected in the classification system, the director upon recommendations of the board may establish a classification consistent with the intent of the above classification system. [Statutory Authority: RCW 70.95B.040. 78-11-016 (Order DE 78-16), § 173-230-140, filed 10/11/78; Order 73-30, § 173-230-140, filed 11/9/73.]

**Chapter 173-240 WAC**

**SUBMISSION OF PLANS AND REPORTS FOR CONSTRUCTION OF WASTEWATER FACILITIES**

<b>WAC</b>	
173-240-010	Purpose and scope.
173-240-020	Definitions.
	<b>DOMESTIC WASTEWATER FACILITIES</b>
173-240-030	Submission of plans and reports.
173-240-035	Restrictions—Subsurface disposal systems.
173-240-040	Review standards.
173-240-050	General sewer plan.
173-240-060	Engineering report.
173-240-070	Plans and specifications.
173-240-075	Construction quality assurance plan.
173-240-080	Operation and maintenance manual.
173-240-090	Declaration of construction completion.
173-240-095	Form—Declaration of construction of water pollution control facilities.
173-240-100	Requirement for certified operator.
173-240-104	Ownership and operation and maintenance.
	<b>INDUSTRIAL WASTEWATER FACILITIES</b>
173-240-110	Submission of plans and reports.
173-240-120	Review standards.
173-240-130	Engineering report.
173-240-140	Plans and specifications.
173-240-150	Operation and maintenance manual.
	<b>DOMESTIC AND INDUSTRIAL WASTEWATER FACILITIES</b>
173-240-160	Requirement for professional engineer.
173-240-170	Right of inspection.
173-240-180	Approval of construction changes.



## DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

173-240-105 Form—Certificate of construction of water pollution control facilities. [Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-105, filed 1/23/79. Formerly chapter 372-20 WAC.] Repealed by 83-23-063 (Order DE 83-30), filed 11/16/83. Statutory Authority: Chapters 43.21A and 90.48 RCW.

**WAC 173-240-010 Purpose and scope.** The purpose of this chapter is to implement RCW 90.48.110. The department interprets "plans and specifications" as mentioned in RCW 90.48.110 as including "engineering reports," "plans and specifications," and "general sewer plans," all as defined in WAC 173-240-020. This chapter also includes provisions for review and approval of proposed methods of operation and maintenance. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-010, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-010, filed 1/23/79. Formerly chapter 372-20 WAC.]

**WAC 173-240-020 Definitions.** (1) "Approval" means written approval.

(2) "Construction quality assurance plan" means a plan describing the methods by which the professional engineer in responsible charge of inspection of the project will determine that the facilities were constructed without significant change from the department approved plans and specifications.

(3) "Department" means the Washington state department of ecology.

(4) "Domestic wastewater" means water carrying human wastes, including kitchen, bath, and laundry wastes from residences, buildings, industrial establishments or other places, together with such groundwater infiltration or surface waters as may be present.

(5) "Domestic wastewater facility" means all structures, equipment, or processes required to collect, carry away, treat, reclaim or dispose of domestic wastewater together with such industrial waste as may be present. In the case of subsurface sewage treatment and disposal, the term is restricted to mean those facilities treating and disposing of domestic wastewater only from:

(a) A septic tank system with subsurface sewage treatment and disposal and an ultimate design capacity exceeding fourteen thousand five hundred gallons per day at any common point; or

(b) A mechanical treatment system or lagoon followed by subsurface disposal with an ultimate design capacity exceeding three thousand five hundred gallons per day at any common point.

Where the proposed system utilizing subsurface disposal has received a state construction grant or a federal construction grant under the Federal Water Pollution Control Act as amended, such system is a "domestic wastewater facility" regardless of size.

(6) "Engineering report" means a document which thoroughly examines the engineering and administrative aspects of a particular domestic or industrial wastewater

facility. The report shall contain the appropriate information required in WAC 173-240-060 or 173-240-130. In the case of a domestic wastewater facility project, the report describes the recommended financing method.

The facility plan described in federal regulation 40 CFR 35 is an "engineering report." This federal regulation describes the Environmental Protection Agency's municipal wastewater construction grants program.

(7) "General sewer plan" means the:

(a) Sewerage general plan adopted by counties under chapter 36.94 RCW; or

(b) Comprehensive plan for a system of sewers adopted by sewer districts under chapter 56.08 RCW; or

(c) Plan for a system of sewerage adopted by cities under chapter 35.67 RCW; or

(d) Comprehensive plan for a system of sewers adopted by water districts under chapter 57.08 RCW; or

(e) Plan for sewer systems adopted by public utility districts under chapter 54.16 RCW and port districts under chapter 53.08 RCW.

(f) The "general sewer plan" is a comprehensive plan for a system of sewers adopted by a local government entity. The plan includes the items specified in each respective statute. It includes the general location and description of treatment and disposal facilities, trunk and interceptor sewers, pumping stations, monitoring and control facilities, local service areas and a general description of the collection system to serve those areas. The plan also includes preliminary engineering in adequate detail to assure technical feasibility, provides for the method of distributing the cost and expense of the sewer system, and indicates the financial feasibility of plan implementation.

(8) "Industrial wastewater" means the water or liquid carried waste from industrial or commercial processes, as distinct from domestic wastewater. These wastes may result from any process or activity of industry, manufacture, trade or business, from the development of any natural resource, or from animal operations such as feedlots, poultry houses, or dairies. The term includes contaminated stormwater and also leachate from solid waste facilities.

(9) "Industrial wastewater facility" means all structures, equipment, or processes required to collect, carry away, treat, reclaim or dispose of industrial wastewater.

(10) "Owner" means the state, county, city, town, federal agency, corporation, firm, company, institution, person or persons, or any other entity owning a domestic or industrial wastewater facility.

(11) "Plans and specifications" means the detailed drawings and specifications used in the construction or modification of domestic or industrial wastewater facilities. Except as otherwise allowed, plans and specifications are preceded by an approved engineering report. For some industrial facilities final conceptual drawings for all or parts of the system may be substituted for plans and specifications with the permission of the department.

(12) "Sewerage system" means a system of sewers and appurtenances for the collection, transportation, pumping, treatment and disposal of domestic wastewater

together with such industrial waste as may be present. By definition a sewerage system is a "domestic wastewater facility."

(13) "Sewer line extension" shall mean any pipe added or connected to an existing sewerage system, together with any pump stations: *Provided*, That the term does not include gravity side sewers which connect individual building or dwelling units to the sewer system when these side sewers are less than one hundred fifty feet in length and not over six inches in diameter.

(14) "Subsurface sewage treatment and disposal" means the physical, chemical, or bacteriological treatment and disposal of domestic wastewater within the soil profile by placement beneath the soil surface in trenches, beds, seepage pits, mounds, or fills.

(15) "Waters of the state" means all lakes, rivers, ponds, streams, inland waters, ground waters, salt waters, and all other waters and watercourses within the jurisdiction of the state of Washington. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-020, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-020, filed 1/23/79. Formerly WAC 372-20-010.]

## DOMESTIC WASTEWATER FACILITIES

### WAC 173-240-030 Submission of plans and reports.

(1) Prior to the construction or modification of domestic wastewater facilities, engineering reports and plans and specifications for the project shall be submitted to and approved by the department, except as noted in WAC 173-240-030(5).

(2) All reports and plans and specifications shall be submitted by the owner or his authorized representative consistent with a compliance schedule issued by the department or at least sixty days prior to the time approval is desired.

(3) Construction or modification of domestic wastewater facilities shall conform to the following schedule of tasks unless otherwise modified by these regulations:

- (a) Submission and approval of engineering report;
- (b) Submission and approval of plans and specifications;
- (c) Submission and approval of construction quality assurance plan;
- (d) Submission and approval of draft operation and maintenance manual;
- (e) Declaration of completion of construction by the project engineer; and
- (f) Submission of complete operation and maintenance manual.

(4) Where two or more years has lapsed since approval of the engineering report or plans and specifications and construction has not begun, it may be necessary to update that document to reflect changed conditions such as: Water quality, services availability, regulatory requirements, or engineering technology.

(5) If the local government entity has received department approval of a general sewer plan and standard

design criteria, engineering reports and plans and specifications for sewer line extensions, including pump stations, need not be submitted for approval. In this case the entity need only provide a description of the project and written assurance that the extension is in conformance with the general sewer plan. However in the following situations specific department approval is necessary for sewer line extensions prior to construction:

(a) The proposed sewers, or pump stations involve installation of overflows or bypasses; or

(b) The proposed sewers, pump or lift stations discharge to an overloaded treatment, collection, or disposal facility. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-030, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-030, filed 1/23/79. Formerly chapter 372-20 WAC.]

**WAC 173-240-035 Restrictions--Subsurface disposal systems.** (1) Domestic wastewater facilities utilizing subsurface sewage treatment and disposal, as defined in WAC 173-240-020(5), are prohibited except under those extraordinary circumstances where no other reasonable alternatives exist and providing:

(2) The facility is owned, operated, and maintained by a public entity, except as noted in WAC 173-240-104; and

(3) Adequate facility construction oversight is provided by the public entity; and

(4) The proposed project is consistent with local health and land use regulations; and

(5) Loading rates do not exceed 1,570 gallons per day per acre of gross land area in medium sands or finer grained soils and shall not exceed 900 gallons per day per acre of gross land in coarser grained soils or other soils where conditions are such that adequate treatment is not provided. For the purposes of this section gross land area is defined as the contiguous land area of a proposed development which might include the centerline of adjoining road or street right-of-ways. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-035, filed 11/16/83.]

**WAC 173-240-040 Review standards.** (1) The department will review general sewer plans, engineering reports, plans and specifications, and operation and maintenance manuals for domestic wastewater facilities to ascertain that the proposed facilities will be designed, constructed, operated, and maintained to meet effluent limitations and other requirements of an NPDES or state waste discharge permit, if applicable, and to meet the policies and requirements of chapters 90.48 and 90.54 RCW pertaining to prevention and control of pollution of waters of the state.

(2) In addition to the above, the department will review documents submitted pursuant to this chapter to ascertain that they are reasonably consistent with the appropriate sections of the state of Washington, "Criteria for sewage works design." Additional references may include, but are not limited to, the following:

(a) Manuals of Practice, Water Pollution Control Federation.

(b) Manuals of Engineering Practice, American Society of Civil Engineering.

(c) Standard Specifications for Municipal Public Works Construction, American Public Works Association.

(d) Considerations for Preparation of Operation and Maintenance Manuals, United States Environmental Protection Agency.

(e) Process Design Manuals, United States Environmental Protection Agency.

(f) Design Criteria for Mechanical, Electric, and Fluid System and Component Reliability, United States Environmental Protection Agency.

(g) Design Manual: Onsite Wastewater Treatment and Disposal Systems, U.S.E.P.A. October 1980.

(h) Guidelines for Larger On-Site Sewage Disposal Systems, Washington State Department of Social and Health Services and Department of Ecology. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-040, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-040, filed 1/23/79. Formerly chapter 372-20 WAC.]

**WAC 173-240-050 General sewer plan.** (1) All general sewer plans required of any governmental agency prior to providing sewer service are "plans" within the requirements of RCW 90.48.110. Three copies of the proposed general sewer plan and each amendment to it shall be submitted to and approved by the department prior to its implementation.

(2) The general sewer plan shall be sufficiently complete so that engineering reports can be developed from it without substantial alterations of concept and basic considerations.

(3) The general sewer plan shall include the following information together with any other relevant data as requested by the department. To satisfy the requirements of the local government jurisdiction, additional information may be necessary.

(a) The purpose and need for the proposed plan.

(b) A discussion of who will own, operate, and maintain the system(s).

(c) The existing and proposed service boundaries.

(d) Layout map including the following:

(i) Boundaries. The boundary lines of the municipality or special district to be sewerred, including a vicinity map;

(ii) Existing sewers. The location, size, slope, capacity, direction of flow of all existing trunk sewers, and the boundaries of the areas served by each;

(iii) Proposed sewers. The location, size, slope, capacity, direction of flow of all proposed trunk sewers, and the boundaries of the areas to be served by each;

(iv) Existing and proposed pump stations and force mains. The location of all existing and proposed pumping stations and force mains, designated to distinguish between those existing and proposed;

(v) Topography and elevations. Topography showing pertinent ground elevations and surface drainage shall be shown, as well as proposed and existing streets;

(vi) Streams, lakes, and other bodies of water. The location and direction of flow of major streams, the high and low elevations of water surfaces at sewer outlets, and controlled overflows, if any. All existing and potential discharge locations should be noted; and

(vii) Water systems. The location of wells or other sources of water supply, water storage reservoirs and treatment plants, and water transmission facilities.

(e) The population trend as indicated by available records, and the estimated future population for the stated design period. Briefly describe the method used to determine future population trends and the concurrence of any applicable local or regional planning agencies.

(f) Any existing domestic and/or industrial wastewater facilities within twenty miles of the general plan area and within the same topographical drainage basin containing the general plan area.

(g) A discussion of any infiltration and inflow problems. Also a discussion of actions which will alleviate these problems in the future.

(h) A statement regarding provisions for treatment and discussion of the adequacy of such treatment.

(i) List of all establishments producing industrial wastewater, the quantity of wastewater and periods of production, and the character of such industrial wastewater insofar as it may affect the sewer system or treatment plant. Consideration shall be given to future industrial expansion.

(j) Discussion of the location of all existing private and public wells, or other sources of water supply, and distribution structures as they are related to both existing and proposed domestic wastewater treatment facilities.

(k) Discussion of the various alternatives evaluated, and a determination of the alternative chosen, if applicable.

(l) A discussion, including a table, which shows the cost per service in terms of both debt service and operation and maintenance costs, of all facilities (existing and proposed) during the planning period.

(m) A statement regarding compliance with any adopted water quality management plan pursuant to the Federal Water Pollution Control Act as amended.

(n) A statement regarding compliance with the State Environmental Policy Act (SEPA) and the National Environmental Policy Act (NEPA), if applicable. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-050, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-050, filed 1/23/79. Formerly chapter 372-20 WAC.]

**WAC 173-240-060 Engineering report.** (1) The engineering report for a domestic wastewater facility shall include each appropriate (as determined by the department) item required in WAC 173-240-050 for general sewer plans unless an up-to-date general sewer plan is on file with the department. Normally, an engineering

report is not required for sewer line extensions or pump stations. See WAC 173-240-020(13) and 173-240-030(5). The facility plan described in federal regulation 40 CFR 35 is an "engineering report."

(2) The engineering report shall be sufficiently complete so that plans and specifications can be developed from it without substantial changes. Three copies of the report shall be submitted to the department for approval, excepting as waived under WAC 173-240-030 (5).

(3) The engineering report shall include the following information together with any other relevant data as requested by the department:

(a) The name, address, and telephone number of the owner of the proposed facilities, and his authorized representative.

(b) A project description including a location map and a map of the present and proposed service area.

(c) A statement of the present and expected future quantity and quality of wastewater, including any industrial wastes which may be present or expected in the sewer system.

(d) The degree of treatment required based upon applicable permits and regulations, the receiving body of water, the amount and strength of wastewater to be treated, and other influencing factors.

(e) A description of the receiving water, applicable water quality standards, and how water quality standards will be met outside of any applicable dilution zone.

(f) The type of treatment process proposed, based upon the character of the wastewater to be handled, the method of disposal, the degree of treatment required, and a discussion of the alternatives evaluated and the reasons they are unacceptable.

(g) The basic design data and sizing calculations of each unit of the treatment works. Expected efficiencies of each unit and also of the entire plant, and character of effluent anticipated.

(h) Discussion of the various sites available and the advantages and disadvantages of the site(s) recommended. The proximity of residences or developed areas to any treatment works. The relationship of the twenty-five-year and one hundred-year flood to the treatment plant site and the various plant units.

(i) A flow diagram showing general layout of the various units, the location of the effluent discharge, and a hydraulic profile of the system that is the subject of the engineering report and any hydraulically related portions.

(j) A discussion of infiltration and inflow problems, overflows and bypasses, and proposed corrections and controls.

(k) A discussion of any special provisions for treating industrial wastes, including any pretreatment requirements for significant industrial sources.

(l) Detailed outfall analysis or other disposal method selected.

(m) A discussion of the method of final sludge disposal and any alternatives considered.

(n) Provision for future needs.

(o) Staffing and testing requirements for the facilities.

(p) An estimate of the costs and expenses of the proposed facilities and the method of assessing costs and expenses. The total amount shall include both capital costs and also operation and maintenance costs for the life of the project, and shall be presented in terms of total annual cost and present worth.

(q) A statement regarding compliance with any applicable state or local water quality management plan or any such plan adopted pursuant to the Federal Water Pollution Control Act as amended.

(r) A statement regarding compliance with the State Environmental Policy Act (SEPA) and the National Environmental Policy Act (NEPA), if applicable.

(4) The engineering report for projects utilizing land application, including seepage lagoons, irrigation, and subsurface disposal, shall include information on the following together with appropriate parts of subsection (3) of this section, as determined by the department:

(a) Soils and their permeability;

(b) Geohydrologic evaluation of such factors as:

(i) Depth to ground water and ground water movement during different times of the year;

(ii) Water balance analysis of the proposed discharge area;

(iii) Overall effects of the proposed facility upon the ground water in conjunction with any other land application facilities that may be present;

(c) Availability of public sewers;

(d) Reserve areas for additional subsurface disposal.

(5) The engineering report for projects funded by the Environmental Protection Agency shall, in addition to the requirements of subsection (3) or (4) of this section, follow EPA facility plan guidelines contained in the EPA publication, "Guidance for Preparing a Facility Plan" (MCD-46), and shall indicate how the special requirements contained in 40 CFR 35.719-1 will be met. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-060, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-060, filed 1/23/79. Formerly chapter 372-20 WAC.]

#### **WAC 173-240-070 Plans and specifications. (1)**

The plans and specifications for a domestic wastewater facility are the detailed construction documents by which the owner or his contractor bid and construct the facility. The content and format of the plans and specifications shall be as stated in the state of Washington, "criteria for sewage works design," and shall include a listing of the facility design criteria and a plan for interim operation of facilities during construction.

(2) Plans and specifications for sewer line extensions shall include, as a separate report, an analysis of the existing collection and treatment systems ability to transport and treat additional flow and loading.

(3) Two copies of the plans and specifications shall be submitted to the department for approval prior to start of construction, excepting as waived under WAC 173-240-030(5). [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-

070, filed 11/16/83. Statutory Authority: RCW 90.48-.110. 79-02-033 (Order DE 78-10), § 173-240-070, filed 1/23/79. Formerly chapter 372-20 WAC.]

**WAC 173-240-075 Construction quality assurance plan.** (1) Prior to construction a detailed plan must be submitted to the department showing how adequate and competent construction inspection will be provided.

(2) The construction quality assurance plan shall include:

(a) Construction schedule with a summary of planned construction activities, their sequence, interrelationships, durations, and terminations.

(b) Description of the construction management organization, management procedures, lines of communication, and responsibility.

(c) Description of anticipated quality control testing including type of test, frequency, and who will perform the tests.

(d) Description of the change order process including who will initiate change orders, as well as who will review, negotiate, and approve change orders.

(e) Description of the technical records handling methodology including where plans and specifications, as-built drawings, field orders, and change orders will be kept.

(f) Description of construction inspection program including inspection responsibility, anticipated inspection frequency, deficiency resolution, and inspector qualifications. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-075, filed 11/16/83.]

**WAC 173-240-080 Operation and maintenance manual.** (1) The proposed method of operation and maintenance of the domestic wastewater facility shall be stated in the engineering report or plans and specifications and approved by the department. The statement shall be a discussion of who will own, operate, and maintain the facility and what the staffing and testing requirements are. The owner shall follow the approved method of operation after the facility is constructed, unless changes have been approved by the department.

(2) In those cases where the facility includes mechanical components, a detailed operation and maintenance manual shall be prepared prior to completion of construction. The purpose of the manual is to present technical guidance and regulatory requirements to the operator to enhance operation under both normal and emergency conditions. Two copies of the manual shall be submitted to the department for approval prior to completion of construction.

(3) In order to assure proper operation during construction and timely review and approval of the final operation and maintenance manual, a draft manual shall be submitted in the early stages of the construction of a facility. In addition, manufacturer's information on equipment must be available to the plant operator prior to unit start-up.

(4) The operation and maintenance manual shall include the following list of topics. For those projects

funded by the Environmental Protection Agency the manual shall also follow the requirements of the EPA publication, "Considerations for Preparation of Operation and Maintenance Manuals."

(a) The assignment of managerial and operational responsibilities to include plant classification and classification of required operators.

(b) A description of plant type, flow pattern, operation, and efficiency expected.

(c) The principal design criteria.

(d) A process description of each plant unit, including function, relationship to other plant units, and schematic diagrams.

(e) A discussion of the detailed operation of each unit and description of various controls, recommended settings, fail-safe features, etc.

(f) A discussion of how the treatment facilities are to be operated during anticipated maintenance procedures, and under less than design loading conditions, if applicable, such as initial loading on a system designed for substantial growth.

(g) A section on laboratory procedures including sampling techniques, monitoring requirements, and sample analysis.

(h) Recordkeeping procedures and sample forms to be used.

(i) A maintenance schedule incorporating manufacturer's recommendations, preventative maintenance and housekeeping schedules, and special tools and equipment usage.

(j) A section on safety.

(k) A section stating the spare parts inventory, address of local suppliers, equipment warranties, and appropriate equipment catalogues.

(l) Emergency plans and procedures.

(5) In those cases where the facility does not include mechanical components, an operation and maintenance manual, which may be less detailed than that described in subsection (4) of this section, shall be submitted to the department for approval prior to completion of construction. The manual shall fully describe the treatment and disposal system and outline routine maintenance procedures needed for proper operation of the system. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-080, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-080, filed 1/23/79. Formerly chapter 372-20 WAC.]

**WAC 173-240-090 Declaration of construction completion.** (1) Within thirty days following acceptance by the owner of the construction or modification of a domestic wastewater facility, the professional engineer in responsible charge of inspection of the project shall submit to the department (a) one complete set of record drawings or as-builts (b) a declaration stating the facilities were constructed in accordance with the provisions of the construction quality assurance plan and without significant change from the department approved plans and specifications.

(2) The declaration will be furnished by the department and will be the same form as WAC 173-240-095, declaration of construction of water pollution control facilities. The submission of the declaration is not necessary for sewer line extensions where the local government entity has received approval of a general sewer plan and standard design criteria. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-090, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-090, filed 1/23/79. Formerly chapter 372-20 WAC.]

**WAC 173-240-095 Form--Declaration of construction of water pollution control facilities.**

**DECLARATION OF CONSTRUCTION OF WATER POLLUTION CONTROL FACILITIES**

**Instructions:**

- A. Upon completion, and prior to the use of any project or portions thereof, a professional engineer shall complete and sign this form, declaring that the project was constructed in accordance with the provisions of the construction quality assurance plan and with the plans and specifications and major change orders approved by the department of ecology.
- B. If a project is being completed in phased construction, a map shall be attached showing that portion of the project to which the declaration applies. A declaration of construction must be submitted for each phase of a project as it is completed. Additional declaration forms are available upon request from the department of ecology offices listed below.

NAME AND BRIEF DESCRIPTION OF PROJECT: -----

-----  
-----

NAME OF OWNER ----- DOE PROJECT NO. -----

ADDRESS ----- DATE PROJECT OR  
PHASE COMPLETED -----

CITY ----- STATE ----- ZIP -----

DOE PLAN AND  
SPECIFICATION  
APPROVAL DATE -----

I hereby declare that I am the project engineer of the above identified project and that said project was reviewed and observed by me or my authorized agent in accordance with the provisions of the construction quality assurance plan. I further declare that said project was to the best of my knowledge and information constructed and completed in accordance with the plans and specification and major change orders approved by the department of ecology and as shown on the owner's "as-built" plans.

-----  
Signature or Professional Engineer  
DATE -----  
SEAL  
OF  
ENGINEER

Please return completed form to the department of ecology office checked below.

- SW Regional Office  
Department of Ecology  
Mail stop LU-11  
7272 Cleanwater Lane  
Olympia, WA 98504
- Central Regional Office  
Department of Ecology  
3601 W. Washington  
Yakima, WA 98903
- NW Regional Office  
Department of Ecology  
4350 150th Ave. NE  
Redmond, WA 98052
- Eastern Regional Office  
Department of Ecology  
East 103 Indiana Ave.  
Spokane, WA 99207
- Municipal Division  
Department of Ecology  
PV-11  
Olympia, WA 98503

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-095, filed 11/16/83.]

**WAC 173-240-100 Requirement for certified operator.** Each owner of a domestic wastewater treatment facility is required by chapter 70.95B RCW to have an operator, certified by the state, in responsible charge of the day to day operation of the facility. This requirement does not apply to a septic tank utilizing subsurface disposal. The certification procedures are set forth in chapter 173-230 WAC. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-100, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-100, filed 1/23/79. Formerly chapter 372-20 WAC.]

**WAC 173-240-104 Ownership and operation and maintenance.** (1) Domestic sewage facilities will not be approved unless ownership and responsibility for operation and maintenance is by a public entity except as provided in subsections (2) and (3) of this section. If a waste discharge permit is required it must be issued to the public entity. Nothing herein precludes a public entity from contracting operation and maintenance of domestic sewage facilities.

(2) Ownership by nonpublic entities may be approved if the department determines such ownership is in the public interest; provided there is an enforceable contract, approved by the department, between the nonpublic entity and a public entity with an approved sewer general plan which will assure immediate assumption of the system under the following conditions:

- (a) Treatment efficiency is unsatisfactory either as a result of plant capacity or physical operation; or
  - (b) If such assumption is necessary for the implementation of a general sewer plan.
- (3) The following domestic wastewater facilities would not require public entity ownership, operation, and maintenance:

(a) Those facilities existing or approved for construction as of the effective date of this section, until such time as the facility is expanded to accommodate additional development.

(b) Those facilities that serve a single nonresidential, industrial, or commercial establishment. Commercial/industrial complexes serving multiple owners or tenants and multiple residential dwelling facilities such as mobile home parks, apartments, and condominiums are not considered commercial establishments for the purpose of this section. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-104, filed 11/16/83.]

### INDUSTRIAL WASTEWATER FACILITIES

#### WAC 173-240-110 Submission of plans and reports.

(1) Prior to the construction or modification of industrial wastewater facilities, engineering reports and plans and specifications for the project shall be submitted to and approved by the department.

(2) All engineering reports and plans and specifications should be submitted by the owner consistent with a compliance schedule issued by the department or at least thirty days prior to the time approval is desired. The department will generally review and either approve (or conditionally approve), comment on, or disapprove such plans and reports within the thirty-day period unless circumstances prevent, in which case the owner will be notified and informed of the reason for the delay.

(3) Construction or modification of industrial wastewater facilities shall conform to the following schedule of tasks unless waived in accordance with subsection (5).

- (a) Submission and approval of an engineering report;
- (b) Submission and approval of plans and specifications;
- (c) Submission of an operation and maintenance manual.

(4) Where two or more years has elapsed since approval of the engineering report or plans and specifications, it may be necessary to update that document to reflect changed water quality conditions, regulatory requirements, or engineering technology.

(5) Upon request by the owner, the department may waive the requirement for a three step submission of documents for industrial facilities. In such a case the department will require instead conceptual plans which also include the appropriate (as determined by the department) information from the engineering report and an operation and maintenance manual. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-110, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-110, filed 1/23/79. Formerly chapter 372-20 WAC.]

**WAC 173-240-120 Review standards.** The department will review engineering reports, plans and specifications, and operation and maintenance manuals for industrial wastewater facilities to ascertain that the proposed facilities will be designed, constructed, operated

and maintained to meet effluent limitations and other requirements of an NPDES or state waste discharge permit, if applicable, and to meet the policies and requirements of chapters 90.48 and 90.54 RCW pertaining to prevention and control of pollution of waters of the state, and will be consistent with good engineering practices. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-120, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-120, filed 1/23/79. Formerly chapter 372-20 WAC.]

**WAC 173-240-130 Engineering report.** (1) The engineering report for an industrial wastewater facility shall be sufficiently complete so that plans and specifications can be developed from it without substantial changes. Two copies of the report shall be submitted to the department for approval.

(2) The engineering report shall include the following information together with any other relevant data as requested by the department:

- (a) Type of industry or business.
- (b) The kind and quantity of finished product.
- (c) The quantity and quality of water used by the industry and a description of how consumed or disposed of, including:
  - (i) The quantity and quality of all process wastewater and method of disposal;
  - (ii) The quantity of domestic wastewater and how disposed of;
  - (iii) The quantity and quality of noncontact cooling water (including air conditioning) and how disposed of; and
  - (iv) The quantity of water consumed or lost to evaporation.
- (d) The amount and kind of chemicals used in the treatment process, if any.
- (e) The basic design data and sizing calculations of the treatment units.
- (f) A discussion of the suitability of the proposed site for the facility.
- (g) A description of the treatment process and operation, including a flow diagram.
- (h) All necessary maps and layout sketches.
- (i) Provisions for bypass, if any.
- (j) Physical provision for oil and hazardous material spill control and/or accidental discharge prevention.
- (k) Results to be expected from the treatment process including the predicted wastewater characteristics, as shown in the waste discharge permit, where applicable.
- (l) A description of the receiving water, location of the point of discharge, applicable water quality standards, and how water quality standards will be met outside of any applicable dilution zone.
- (m) Detailed outfall analysis.
- (n) The relationship to existing treatment facilities, if any.
- (o) Where discharge is to a municipal sewerage system, a discussion of that systems ability to transport and treat the proposed industrial waste discharge without

exceeding the municipality's allocated industrial capacity. Also, a discussion on the effects of the proposed industrial discharge on municipal sludge utilization or disposal.

(p) Where discharge is through land application, including seepage lagoons, irrigation, and subsurface disposal, a geohydrologic evaluation of such factors as:

(i) Depth to ground water and ground water movement during different times of the year;

(ii) Water balance analysis of the proposed discharge area;

(iii) Overall effects of the proposed facility upon the ground water in conjunction with any other land application facilities that may be present.

(q) A statement, expressing sound engineering justification through the use of pilot plant data, results from other similar installations, and/or scientific evidence from the literature, that the effluent from the proposed facility will meet applicable permit effluent limitations and/or pretreatment standards.

(r) A discussion of the method of final sludge disposal selected and any alternatives considered with reasons for rejection.

(s) A statement as to who will own, operate, and maintain the system after construction.

(t) A statement regarding compliance with any state or local water quality management plan or any such plan adopted pursuant to the Federal Water Pollution Control Act as amended.

(u) Provisions for any committed future plans.

(v) A discussion of the various alternatives evaluated, if any, and reasons they are unacceptable.

(w) A timetable for final design and construction.

(x) A statement regarding compliance with the State Environmental Policy Act (SEPA) and the National Environmental Policy Act (NEPA), if applicable.

(y) Additional items to be included in an engineering report for a solid waste leachate treatment system are:

(i) A vicinity map and also a site map which shows topography, location of utilities, and location of the leachate collection network, treatment systems, and disposal;

(ii) Discussion of the solid waste site, working areas, soil profile, rainfall data, and ground water movement and usage;

(iii) A statement of the capital costs and the annual operation and maintenance costs;

(iv) A description of all sources of water supply within two thousand feet of the proposed disposal site. Particular attention should be given to showing impact on usable or potentially usable aquifers. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-130, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-130, filed 1/23/79. Formerly chapter 372-20 WAC.]

**WAC 173-240-140 Plans and specifications.** (1) Upon request of the owner the department may, at its discretion, allow submission of conceptual plans for industrial facilities, as noted in WAC 173-240-110(5).

Two copies of the plans and specifications shall be submitted to the department for approval prior to start of construction.

(2) The plans and specifications shall include the following information together with any other relevant data as requested by the department:

(a) Repeat presentation of the basic engineering design criteria from the engineering report.

(b) If there are any deviations from the concepts of the engineering report, explanation of the changes to include as much detail as would have been provided in an engineering report.

(c) The plan and section drawings of major components such as the treatment units, pump stations, flow measuring devices, sludge handling equipment, and influent and effluent piping. Foundations and/or soil preparation should be shown for major structures.

(d) A general site drawing showing the location with respect to the entire plant site and a detailed site drawing showing the component siting.

(e) A schematic drawing showing flows to include: In plant collection, and wastewater pumping, treatment, and discharge.

(f) A hydraulic profile showing head under maximum flows. This requirement may be waived where the three step submission of documents has been waived pursuant to WAC 173-240-110(5).

(g) Instrumentation, controls, and sampling schematics.

(h) General operating procedures such as startup, shutdown, spills, etc. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-140, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-140, filed 1/23/79. Formerly chapter 372-20 WAC.]

**WAC 173-240-150 Operation and maintenance manual.**

(1) A detailed operation and maintenance manual shall be prepared for an industrial wastewater facility which includes mechanical components prior to the completion of construction. The manual is to be submitted to the department for review and approval. The purpose of the manual is to present technical guidance and regulatory requirements to the operator to enhance operation under both normal and emergency conditions.

(2) The operation and maintenance manual shall include the following list of topics:

(a) The names and phone numbers of the responsible individuals.

(b) A description of plant type, flow pattern, operation, and efficiency expected.

(c) The principal design criteria.

(d) A process description of each plant unit, including function, relationship to other plant units, and schematic diagrams.

(e) Explanation of the operational objectives for the various wastewater parameters, i.e. sludge age, settleability, etc.



(f) A discussion of the detailed operation of each unit and description of various controls, recommended settings, fail-safe features, etc.

(g) A discussion of how the facilities are to be operated during anticipated startups and shutdowns, maintenance procedures, and less than design loading conditions, so as to maintain efficient treatment.

(h) A section on laboratory procedures including sampling techniques, monitoring requirements, and sample analysis.

(i) Recordkeeping procedures and sample forms to be used.

(j) A maintenance schedule incorporating manufacturer's recommendations, preventative maintenance and housekeeping schedules, and special tools and equipment usage.

(k) A section on safety.

(l) A section containing the spare parts inventory, address of local suppliers, equipment warranties, and appropriate equipment catalogues.

(m) Emergency plans and procedures. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-150, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-150, filed 1/23/79. Formerly chapter 372-20 WAC.]

#### DOMESTIC AND INDUSTRIAL WASTEWATER FACILITIES

**WAC 173-240-160 Requirement for professional engineer.** (1) All required engineering reports, and plans and specifications for the construction or modification of wastewater facilities shall be prepared under the supervision of a professional engineer licensed in accordance with chapter 18.43 RCW. All copies of these documents submitted to the department for review shall bear the seal of the professional engineer under whose supervision they have been prepared.

(2) Upon request of the owner, the department may waive the above requirement for construction or modification at industrial wastewater facilities. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-160, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-160, filed 1/23/79. Formerly chapter 372-20 WAC.]

**WAC 173-240-170 Right of inspection.** Pursuant to RCW 90.48.090, the department or its authorized representative shall have the right to enter at all reasonable times in or upon any property, public or private, for the purposes of inspection or investigation relating to the pollution or possible pollution of the waters of the state, including the inspection of construction activities related to domestic or industrial wastewater facilities. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-170, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-170, filed 1/23/79. Formerly chapter 372-20 WAC.]

**WAC 173-240-180 Approval of construction changes.** All wastewater facilities subject to the provisions of this regulation shall be constructed in accordance with the plans and specifications approved by the department. Any contemplated changes during construction, which are significant deviations from the approved plans, shall first be submitted to the department for approval. [Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-180, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-180, filed 1/23/79. Formerly chapter 372-20 WAC.]

#### Chapter 173-250 WAC

#### CONSTRUCTION GRANTS PROGRAM--PRIORITY RATING SYSTEM AND PROJECT PRIORITY LIST

##### WAC

173-250-010	Purpose and scope.
173-250-020	Definitions.
173-250-030	Development and approval of the system.
173-250-040	Development and approval of the state project priority list.

**WAC 173-250-010 Purpose and scope.** The director shall publish a priority rating and ranking system annually which shall be used for the purpose of constituting a project priority list. The purpose of this chapter is to describe (1) the criteria to be considered when establishing the numerical rating parameters portion of the system, (2) the criteria to be considered when establishing the administrative and management ranking procedures portion of the system, (3) the process to be followed in seeking approval of the system, (4) how the system is to be used to constitute a project priority list, and (5) the process to be followed in seeking approval of the project priority list. [Statutory Authority: RCW 43.21A.080. 78-09-067 (Order DE 78-11), § 173-250-010, filed 8/24/78.]

**WAC 173-250-020 Definitions.** For the purpose of this chapter:

(1) "Category of projects" means one of the following: (a) Secondary treatment, (b) more stringent treatment, (c) infiltration-inflow correction, (d) major sewer system rehabilitation, (e) new collection sewer and appurtenances, (f) new interceptors and appurtenances, (g) correction of combined sewer overflows and (h) subsurface disposal systems.

(2) "Director" means the director of the Washington state department of ecology, or his duly authorized representative.

(3) "Priority rating and ranking system" (hereinafter referred to as the system) means the process and criteria used by the department of ecology to rate and rank projects in the state that are considered eligible for assistance under the construction grants program. Ranking criteria include the administrative and management procedures for constituting and revising the project priority list.

(4) Project means any one of the following: (a) Facility planning (step 1), (b) design (step 2), (c) and construction (step 3).

(5) Project priority list means the annual list of rated and ranked projects for which federal and state grant assistance is expected during the five-year planning period starting at the beginning of the next federal fiscal year.

(6) Significant revisions means changes to the approved project priority list which effect the public-at-large.

(7) "Wastewater treatment works construction grants program" (hereinafter referred to as the construction grants program) means the federal funded program under Title II of Public Law 95-217 and the state funded program under chapter 43.83A RCW (Referendum 26) that provides for grants to public and private entities for the purpose of constructing or upgrading treatment works to meet the requirements of the state and federal water pollution control laws. [Statutory Authority: RCW 43.21A.080. 78-09-067 (Order DE 78-11), § 173-250-020, filed 8/24/78.]

**WAC 173-250-030 Development and approval of the system.** (1) The director will establish project rating parameters which consider, but are not limited to, the following criteria:

(a) The severity of the pollution problem in navigable waters and ground waters;

(b) The existing population affected;

(c) The need for preservation of high quality waters;

(d) The need for protection of the public health by improving the sanitary condition of surface and underground waters; and

(e) Violation of state water quality standards and other enforceable provisions of Public Law 95-217.

(2) The director will establish project ranking procedures which consider, but are not limited to, the following criteria:

(a) Numerical rating of each project achieved in accordance with the priority rating criteria established under WAC 173-250-030(1);

(b) Readiness for grant award during the next federal fiscal year;

(c) Readiness for grant award during each of the ensuing four federal fiscal years following the next;

(d) Phasing of large dollar amount projects to allow for effective distribution of grant funds;

(e) A proper mix of projects which are ready for facility planning, design and construction;

(f) Determination of the priority to be given each category of projects;

(g) Total federal or state grant funds available during the next fiscal year and anticipated during each of the ensuing four fiscal years;

(h) The deadline for obligation of federal funds;

(i) Special needs of small and rural communities; and

(j) An identification of what constitutes significant revisions to the approved project priority list (including bypass, deletion or addition of projects).

(3) The system will be described each year and be the subject of an annual public hearing. Notice of this hearing shall appear in the state Register pursuant to chapter 34.08 RCW.

(4) A fact sheet describing the proposed system shall be developed by the director each year and be available to the public at the regional offices of the department of ecology at least fifteen days prior to the public hearing.

(5) After reviewing public comments the director will revise the proposed system as appropriate. A summary of state responses to public comment and to any public hearing testimony shall be prepared and made available for distribution to the public.

(6) The proposed system as published by the director shall be submitted each year to the Federal Environmental Protection Agency for approval. [Statutory Authority: RCW 43.21A.080. 78-09-067 (Order DE 78-11), § 173-250-030, filed 8/24/78.]

**WAC 173-250-040 Development and approval of the state project priority list.** (1) A list of prospective projects will be developed using the municipal needs inventory, the NPDES permit files, and requests received from municipal entities, and information received from local and state health agencies.

(2) The director shall utilize the published system to constitute a project priority list as follows:

(a) Use the project rating parameters to generate a numerical score for each prospective project; and

(b) Use the project ranking procedures to constitute the project priority list.

(3) The fundable portion of the project priority list shall include those projects planned for award during the first year of the five-year planning period and shall not exceed the total federal funds expected to be available during the year less all applicable reserves provided for by federal regulations.

(4) Thirty days public notice shall be given that the project priority list will be the subject of a public hearing. Notice of this hearing shall appear in the state Register pursuant to chapter 34.08 RCW.

(5) The project priority list will be available to the public at the regional offices of the department of ecology, at least fifteen days prior to the public hearing.

(6) The public comments will be reviewed and the director shall approve the project priority list as proposed or as revised in accordance with public comments.

(7) The project priority list, as approved by the director, shall be submitted to the Federal Environmental Protection Agency for review to ensure compliance with the approved system.

(8) Significant revisions to the approved project priority list shall be the subject of the public notice and hearing process as set forth in WAC 173-250-040 (4), (5), (6), and (7). [Statutory Authority: RCW 43.21A.080. 78-09-067 (Order DE 78-11), § 173-250-040, filed 8/24/78.]

**Chapter 173-255 WAC**  
**LIMITATIONS ON USE OF REFERENDUM 26**  
**GRANT FUNDS FOR WATER POLLUTION**  
**ABATEMENT**

WAC	
173-255-010	Purpose and scope.
173-255-020	Effective date.
173-255-030	Definitions.
173-255-040	Limitation of programs eligible for funding under Referendum Bill No. 26.
173-255-050	Limitation on grant awards within the municipal grants program.
173-255-060	Provision of guidelines.

**WAC 173-255-010 Purpose and scope.** The purpose of this chapter is to set forth the limitations on uses of moneys administered by the department of ecology pursuant to chapter 43.83A RCW (Referendum Bill No. 26). The limitations are necessary to insure that these funds will be used to their optimum extent to protect the resources and environment of the state of Washington and the health and safety of its people by providing adequate publicly owned facilities and systems for the collection, treatment and disposal of solid and liquid waste materials. [Statutory Authority: RCW 43.21A.080. 78-09-066 (Order DE 78-12), § 173-255-010, filed 8/24/78.]

**WAC 173-255-020 Effective date.** All projects, or phases of projects, which have not received a federal or state grant award for design, before the effective date of this chapter will be subject to provisions contained herein. [Statutory Authority: RCW 43.21A.080. 78-09-066 (Order DE 78-12), § 173-255-020, filed 8/24/78.]

**WAC 173-255-030 Definitions.** For the purpose of this chapter:

- (1) "Department" means the Washington state department of ecology.
- (2) "Agricultural pollution grants program" means the program of grants administered by the department for the planning, design and construction of publicly owned or operated agricultural pollution abatement facilities.
- (3) "Lake restoration grants program" means the program of state grants administered by the department for the planning, design and implementation of lake restoration projects.
- (4) "Marina pumpout grants program" means the program of state grants administered by the department for the design and construction of sewage pumpout facilities and dump stations at publicly owned or operated marinas.
- (5) "Municipal wastewater treatment works construction grants program" (hereinafter referred to as the construction grants program) means the federal/state matching program of grants under Title II of Public Law 95-217 to municipal entities for the purpose of upgrading their treatment works to meet the effluent requirements of state and federal law.

(6) "Water supply residual waste treatment works grants program" means the program of state grants administered by the department for the design and construction of pollution abatement facilities for publicly owned or operated water supply plants in existence on February 3, 1976, that discharge residual wastes to the waters of the state.

(7) "Individual systems" means privately owned treatment works serving one or more principal residences or small commercial establishments constructed prior to and inhabited on or before December 27, 1977, to abate an existing water pollution or public health problem.

(8) "Industrial cost recovery program" means the program established under Title II section 204(b) of the Federal Water Pollution Control Act Amendments (Public Law 92-217) to recover the cost of municipal treatment systems attributed to industrial users, when a municipal treatment system has been funded with federal funds under Title II.

(9) Industrial user:

(a) Any nongovernmental user of publicly owned treatment works which discharges more than twenty-five thousand gallons per day of sanitary waste, or a volume of process waste or combined process and sanitary waste, equivalent to twenty-five thousand gallons per day of sanitary waste.

(b) Any nongovernmental user of a publicly owned treatment works which discharges wastewater to the treatment works which contains toxic pollutants or poisonous solids, liquids, or gases in sufficient quantity either singly or by interaction with other wastes, to injure or interfere with any sewage treatment process, constitute a hazard to humans or animals, create a public nuisance, or create any hazard in or have an adverse effect on the waters receiving any discharge from the treatment works.

(c) All commercial users of an individual system constructed with grant assistance under section 201(h) of the Clean Water Act of 1977 (P.L. 95-217).

(10) "Innovative and alternative technology projects" means those projects employing innovative and alternative wastewater treatment processes and techniques as defined by EPA guidelines in 40 CFR 35, Appendix E, and which are eligible for federal grants under 40 CFR 35.908 promulgated on April 25, 1978, or hereafter modified. [Statutory Authority: RCW 43.21A.080. 78-09-066 (Order DE 78-12), § 173-255-030, filed 8/24/78.]

**WAC 173-255-040 Limitation of programs eligible for funding under Referendum Bill No. 26.** (1) The following programs shall be eligible for state matching grants in an amount not to exceed fifty percent of the total eligible cost of a project as determined by the department: The marina pumpout grants program, the water supply plant residual waste treatment works grants program, the lake restoration grants program, the state construction grants program and the agricultural pollution grants program. The department may authorize a matching grant less than fifty percent of the total eligible cost of a project in those cases where it would be in

the public interest, or where federal matching funds are available and it would be in the public interest to secure a local matching portion.

(2) The federal construction grants program may be eligible for state matching grants in an amount not to exceed fifteen percent of the total eligible cost of a project as determined by the department except as provided in WAC 173-255-050(1). [Statutory Authority: RCW 43.21A.080. 80-08-050 (Order DE 80-24), § 173-255-040, filed 6/30/80; 78-09-066 (Order DE 78-12), § 173-255-040, filed 8/24/78.]

**WAC 173-255-050 Limitation on grant awards within the municipal grants program.** (1) The state matching grants for innovative and alternative technology projects shall be limited to nine percent which is the same portion of the nonfederal share as other types of projects funded under the construction grants program.

(2) Expenditure of funds under the provisions of chapter 43.83A RCW is limited to public bodies which are defined in the statute to mean any agency, political subdivision, taxing district, or municipal corporation thereof, and those Indian tribes now or hereafter recognized as such by the federal government for participation in the federal land and water conservation program and which may constitutionally receive grants or loans from the state of Washington. This provision and definition prohibits the expenditure of state funds for matching grants for, among others:

(a) Individual systems; and

(b) That portion of the construction of a municipal treatment works attributable to industrial users. Such portion is to be determined through the environmental protection agency's industrial cost recovery program. [Statutory Authority: RCW 43.21A.080. 78-09-066 (Order DE 78-12), § 173-255-050, filed 8/24/78.]

**WAC 173-255-060 Provision of guidelines.** The department will publish guidelines which establish procedures, under each of the Referendum 26 grant programs, for the grant application and award process. [Statutory Authority: RCW 43.21A.080. 78-09-066 (Order DE 78-12), § 173-255-060, filed 8/24/78.]

### Chapter 173-301 WAC

#### REGULATIONS RELATING TO MINIMUM FUNCTIONAL STANDARDS FOR SOLID WASTE HANDLING

##### WAC

173-301-100	Authority and purpose.
173-301-101	Other agencies.
173-301-105	Effects on pollution, public health and safety.
173-301-110	Definitions.
173-301-120	Solid waste storage.
173-301-121	Solid waste storage—Garbage.
173-301-122	Solid waste storage—Light material.
173-301-123	Solid waste storage—Hazardous wastes.
173-301-124	Solid waste storage—Agricultural wastes.
173-301-125	Solid waste storage—Problem wastes.
173-301-126	Solid waste storage—Storage areas and containers.
173-301-140	Collection and transportation.

173-301-141	Collection and transportation—Prevention of nuisances.
173-301-142	Collection and transportation—Vehicle construction.
173-301-143	Collection and transportation—Vehicle spillage.
173-301-150	Transfer station.
173-301-151	Transfer station—Application and plans.
173-301-152	Transfer station—Architecture and landscaping.
173-301-153	Transfer station—Pollution control and cleanliness.
173-301-154	Transfer station—Roads.
173-301-155	Transfer station—Identification.
173-301-156	Transfer station—Fire protection.
173-301-157	Transfer station—Communications.
173-301-158	Transfer station—Employee facilities.
173-301-159	Transfer station—Attendant.
173-301-160	Transfer station—Safety.
173-301-161	Transfer station—Vector control.
173-301-162	Transfer station—Records.
173-301-163	Transfer station—Confined tipping.
173-301-164	Transfer station—Scavenging.
173-301-180	Solid waste disposal site.
173-301-181	Solid waste disposal site—Application and plans.
173-301-182	Solid waste disposal site—Disposal site design, architecture and landscaping.
173-301-183	Solid waste disposal site—Pollution control.
173-301-184	Solid waste disposal site—Roads.
173-301-185	Solid waste disposal site—Gate.
173-301-186	Solid waste disposal site—Employee facilities.
173-301-187	Solid waste disposal site—Disposal site identification.
173-301-188	Solid waste disposal site—Fire protection.
173-301-189	Solid waste disposal site—Communication.
173-301-190	Solid waste disposal site—Confined unloading.
173-301-191	Solid waste disposal site—Reclamation.
173-301-192	Solid waste disposal site—Scavenging.
173-301-193	Solid waste disposal site—Attendant.
173-301-194	Solid waste disposal site—Safety.
173-301-195	Solid waste disposal site—Vector control.
173-301-196	Solid waste disposal site—Light material control.
173-301-197	Solid waste disposal site—Records.
173-301-300	Sanitary landfill, leachate control.
173-301-301	Sanitary landfill, leachate control—Pollution prevention.
173-301-302	Sanitary landfill, leachate control—Gas venting.
173-301-303	Sanitary landfill, leachate control—Single layer compaction.
173-301-304	Sanitary landfill, leachate control—Daily cover.
173-301-305	Sanitary landfill, leachate control—Final cover.
173-301-306	Sanitary landfill, leachate control—Final surface.
173-301-307	Sanitary landfill, leachate control—Equipment.
173-301-308	Sanitary landfill, leachate control—Completion inspection.
173-301-309	Sanitary landfill, leachate control—Recurrent inspection and maintenance.
173-301-310	Sanitary landfill, leachate control—Recording with county auditor.
173-301-320	Sludge management.
173-301-350	Incinerator, applicability of air pollution standards.
173-301-351	Incinerator, applicability of air pollution standards—Incoming storage.
173-301-352	Incinerator, applicability of air pollution standards—Preuse inspection and performance tests.
173-301-353	Incinerator, applicability of air pollution standards—Residue disposal.
173-301-354	Incinerator, applicability of air pollution standards—Emergency disposal.
173-301-355	Incinerator, applicability of air pollution standards—Drains.
173-301-356	Incinerator, applicability of air pollution standards—Disposal of process water.
173-301-357	Incinerator, applicability of air pollution standards—Recording pyrometer.
173-301-358	Incinerator, applicability of air pollution standards—Safety.
173-301-359	Incinerator, applicability of air pollution standards—Cleaning.
173-301-400	Compost plant, odorous materials.
173-301-401	Compost plant, odorous materials—Safety.

173-301-402	Compost plant, odorous materials—Byproducts.
173-301-450	Reclamation site.
173-301-451	Reclamation site—Application and plans.
173-301-452	Reclamation site—Architecture and landscaping.
173-301-453	Reclamation site—Pollution control and cleanliness.
173-301-454	Reclamation site—Storage.
173-301-455	Reclamation site—Safety.
173-301-456	Reclamation site—Employee facilities.
173-301-457	Reclamation site—Records.
173-301-500	Other methods of solid waste handling, processing and disposal.
173-301-610	Nonconforming sites and facilities.
173-301-611	Abandoned disposal sites.
173-301-625	Enforcement.
173-301-626	Inspection.

**WAC 173-301-100 Authority and purpose.** This regulation is promulgated under the authority of chapter 70.95 RCW. The purpose of this regulation is to set minimum functional standards for the proper handling of all solid waste originating from residences, commercial, agriculture and industrial operations and other sources, in order to prevent land, air and water pollution, breeding of flies, harboring of rodents, fire hazards; and to prevent damage to recreational values, to conserve resources, to maintain esthetic values, and prevent damage to the environment, and to prevent nuisances.

It is a further purpose of this chapter to spell out the responsibilities of the persons involved, of local, county, and regional agencies, as well as those of the state and of the federal government under the existing laws and regulations, such as RCW 7.48.120, 43.20.050, 49.16.120, 49.20.020, chapters 70.94, 70.95, 70.98, 90.48 RCW, chapters 101, 109, and 293, Laws of 1971 ex. sess. and chapters 248-62, 296-25, 402-24 WAC.

These are *minimum* standards, below which there is environmental or esthetic damage. Many operations surpass many of these minima now. With a firm resolve and dedication, most of the minima should be far surpassed. Because all local conditions cannot be anticipated, these minima must be used with common sense, but subminimal operations must be carefully substantiated. [Order DE 72-21, § 173-301-100, filed 10/26/72.]

**WAC 173-301-101 Other agencies.** Reference is made in these standards to federal, state and local agencies, including department of ecology, department of labor and industries, corps of engineers, municipalities, boards of health, jurisdictional health departments, fire control agencies, air pollution control agencies, building departments, and zoning agencies. It is the responsibility of persons operating, or proposing to operate solid waste handling facilities to contact all jurisdictional agencies before starting operations. [Order DE 72-21, § 173-301-101, filed 10/26/72.]

**WAC 173-301-105 Effects on pollution, public health and safety.** Improper handling of solid waste has an effect on pollution, public health and safety including but not limited to:

(1) Generally speaking, all solid waste is a possible source of much nuisance. Rapid, safe and nuisance-free storage, collection, transportation and disposal is of vital impact on every human being, human habitat or human

community. For these reasons the handling of solid waste is of vital, though often unpleasant, concern of all citizens, citizens' organizations, leaders of agriculture, commerce, and industry, and government agencies at all levels, including aspects of health, safety, transportation, planning and, ultimately, taxation.

(2) Leachate from landfills, and/or incinerator storage pits, and process water, is a biologically and chemically enriched liquid often with high iron content and high content of soluble materials. It can pollute both ground and surface waters and create serious odor nuisances.

(3) Discarded motor vehicles are a large, unsightly nuisance, which are expensive to eliminate. The need to remove upholstery and plastic before certain types of reclamation may lead to burning the cars, causing air pollution.

(4) Rubber tires and many plastics are not biodegradable. They are combustible, but their open burning is prohibited due to the intense black smoke and acrid fumes generated. They may be burned in specially designed incinerators.

(5) Flies are the carriers of communicable diseases. Exposed garbage in a garbage can produces an average of about eleven hundred larvae per week, with a maximum of about twenty-four thousand. These larvae will develop into adult flies within four days in hot summer weather. Flies can enter garbage cans through openings as small as one-eighth inch.

(6) Cockroaches are carriers of diseases; they are unsightly and enter kitchens and food storerooms for food. Unclean storage areas due to spillage or leakage of garbage are their feeding grounds.

(7) Rodents, particularly rats, are dangerous disease carriers and destroy human food, animal feed and will chew holes through doors, ceilings, pipes and climb vertically many feet to reach the food. They will attack humans when in distress. Unclean and improperly constructed storage areas attract them and provide food and harborage for them.

(8) Paper, cartons and other loose solid waste is easily windblown and thus becomes unsightly and inflammable litter.

(9) Dogs, racoons, cats, and similar mammals will try hard to enter, or turn over garbage cans in order to get at the food materials. Rats can chew through plastic containers.

(10) Thirty-gallon containers, made of metal or plastic, are generally used for residential and small commercial storage. They must be lifted and dumped by the workmen. Their handling should cause a minimum of injuries. Fifty gallon barrels are awkward and heavy.

(11) The garbage containers are subject to severe wear and tear and corrosion.

(12) Tin cans and bottles with remainders of food and water are potential breeding grounds for mosquitos and other insects.

(13) Bulky waste, such as demolition waste, lumber, crates, bed frames and springs, and discarded utensils are a personal hazard and will provide harborage for rodents.

(14) Broken glass, sharp-edged tin cans, projecting nails, and the like are a cause of personal injury. [Order DE 72-21, § 173-301-105, filed 10/26/72.]

**WAC 173-301-110 Definitions.** (1) "Agricultural solid wastes" are wastes resulting from the production of farm or agricultural products including manures wherever produced.

(2) "Ashes" is the residue from the burning of wood, coal, coke or other combustible materials.

(3) "Bulky waste" is large items of refuse, such as appliances, furniture, trees and stumps, and other over-size wastes.

(4) "Collecting agency" is any agency, business or service operated by a person, or a private, or municipal corporation for the collecting of solid waste.

(5) "Composting" is the controlled microbial degradation of organic waste yielding a nuisance-free product.

(6) "Container, storage, individual, reusable," is a durable, corrosion-resistant, rodent-resistant, easily cleanable container with tight fitting lids and equipped with suitable handles with a capacity of 32 gallons or less.

(7) "Container, storage, individual, disposable," is a wet strength kraft paper or a polyethylene discardable container that is free standing, affixed to a wall, or mounted on or in special racks or boxes with a capacity of 20 to 35 gallon capacity.

(8) "Container detachable," is a partially mechanized self-service refuse storage container for individual or bulk use, utilizing special equipment for emptying or transporting to the disposal site.

(9) "Disposal" or "deposition" is the discharge, deposit, injection, dumping, or placing of any "solid waste" into or on any land or water.

(10) "Disposal site" is the location where any final treatment, utilization, processing, or deposition of solid waste occurs. (RCW 70.95.030.)

(11) "Final treatment" is the act of processing or preparing "solid waste" for disposal, utilization, reclamation, or other approved method of use.

(12) "Garbage" is all putrescible material including animal and vegetable wastes resulting from the handling, preparation, cooking and consumption of food; swill and carcasses of dead animals, except sewage, sewage sludge, and human body wastes.

(13) "Hazardous wastes" include, but are not limited to, explosives, medical wastes, radioactive wastes, and chemicals which are harmful to the public health or the environment.

(14) "Incineration" is the controlled combustion of solid waste, that yields satisfactory nonputrescible residues and air effluents.

(15) "Incinerator" is a furnace and associated building designed to burn solid wastes under controlled conditions, of more than 50 pounds per hour capacity.

(16) "Industrial wastes" are waste by-products at manufacturing operations.

(17) "Inert material" is inactive or neutral solid waste.

(18) "Jurisdictional health department" means city, county, city-county or district health department, or its duly authorized representative. (RCW 70.95.030)

(19) "Leachate" is water that has passed through a land-fill or an accumulation of solid waste, containing dissolved and suspended and/or microbial contaminants.

(20) "Light material" is paper, plastic, cardboard, and other wastes which may be wind transported.

(21) "Litter" is solid waste that is scattered in a careless manner.

(22) "Litter receptacle" is a specialized storage container for nonputrescible litter approved under the Litter Control Act. (Chapter 70.93 RCW)

(23) "Local fire control agency" is a public or private corporation providing fire protection such as a local department or district, the department of natural resources and the U.S. Forest Service.

(24) "Nuisance" consists in unlawfully doing an act, or omitting to perform a duty, which act or omission either annoys, injures, or endangers the comfort, repose, health or safety of others, offends decency, or unlawfully interferes with, obstructs, or tends to obstruct, any lake or navigable river, bay, stream, canal, or basin, or any public park, square, street or highway; or in any way renders other persons insecure in life, or in the use of property. (RCW 7.48.120)

(25) "Open burning" is the burning of solid wastes in an open area, or pile; or in a barrel or furnace with inadequate controls which yields an unsatisfactory residue and an unsatisfactory air effluent.

(26) "Person" is an individual, firm, association, co-partnership, political subdivision, government agency, municipality, industry, public or private corporation, or any other entity whatsoever. (RCW 70.95.030)

(27) "Premise" is a tract or parcel of land with or without habitable buildings.

(28) "Problem wastes" are bulky wastes, abandoned vehicles, construction and demolition wastes, industrial wastes, manure, fly ash and such other solid waste that may take special handling.

(29) "Processing" is the operation of solid waste handling that converts it into a useful product or prepares it for disposal.

(30) "Reclamation" is a process in which there is hand and/or mechanical segregation of solid waste for the purpose of sale and reuse including salvage.

(31) "Reclamation site" is a location used for the processing or the storage of reclaimed material.

(32) "Recycling" is process of reclamation.

(33) "Sanitary landfill" is a method of disposing of solid waste on land without creating nuisances or hazards to public health or safety, by utilizing the principles of engineering to confine the solid waste to the smallest practical area, to reduce it to the smallest practical volume, and to cover it with a layer of earth at the conclusion of each day's operation or at such more frequent intervals as may be necessary.

(34) "Scavenging" is the uncontrolled removal of materials at a disposal site or transfer station.

(35) "Sludge" means a semisolid substance consisting of settled sewage solids combined with varying amounts

of water and dissolved materials generated from a wastewater treatment plant not to include septage from domestic septic tank systems.

(36) "Solid waste" means all putrescible and nonputrescible solid and semisolid wastes, including but not limited to garbage, rubbish, ashes, industrial wastes, swill, demolition and construction wastes, abandoned vehicles or parts thereof, and discarded commodities. (RCW 70.95.030) This includes all solid and semisolid, materials not presently used, needed, or wanted, resulting from private, industrial, commercial, mining, and agricultural operations, including but not limited to sludge from a wastewater treatment plant.

(37) "Solid waste handling" means the storage, collection, transportation, treatment, utilization, processing, and final disposal of solid wastes. (RCW 70.95.030)

(38) "Tipping floor" is the unloading area for delivering solid waste to an incinerator, transfer station, or reclamation site.

(39) "Transfer station" is a fixed, supplemental, collection/transportation/disposal facility, used by persons and route collection vehicles to deposit solid wastes into a larger transfer vehicle for transport to the disposal site. This does not include a detachable container used for consolidation of the solid wastes from individuals in rural or small town populations.

(40) "Utilization" means to benefit by consuming, expending, or exhausting by use, "solid waste" materials.

(41) "Vector" is a living animal, insect or other arthropod which transmits an infectious disease from one animal or person to another. [Statutory Authority: RCW 70.95.060 and chapter 70.95 RCW. 83-09-017 (Order DE 83-2), § 173-301-110, filed 4/13/83; Order DE 72-21, § 173-301-110, filed 10/26/72.]

**WAC 173-301-120 Solid waste storage.** The owner and/or occupant of any premise, business establishment or industry shall be responsible for the safe and sanitary storage of all solid waste accumulated at that premise until it is removed. [Order DE 72-21, § 173-301-120, filed 10/26/72.]

**WAC 173-301-121 Solid waste storage--Garbage.** (1) Garbage shall be stored in:

(a) Individual or detachable containers as approved by the jurisdictional health department which are durable, corrosion-resistant, nonabsorbent, water-tight, rodent-resistant and easily cleanable containers with a closefitting, cover and which are suitable for handling, with no sharp edges or other hazardous condition.

(b) Other types of containers acceptable to the jurisdictional health department which conform to the intent of this section.

(c) The size and allowable weight of the container shall be determined by the collecting agency subject to agreement with the jurisdictional health department, the municipality, and the customer.

(2) Where garbage and similar putrescible wastes are stored in combination with nonputrescible wastes, containers for the storage of the mixture shall meet garbage storage standards.

(3) Garbage shall be removed from the premises at least once per week.

(4) Any litter container required and approved pursuant to the model litter act (chapter 70.93 RCW) shall be exempt from the provisions of this section. [Order DE 72-21, § 173-301-121, filed 10/26/72.]

**WAC 173-301-122 Solid waste storage--Light material.** Light materials shall be contained to prevent blowing. [Order DE 72-21, § 173-301-122, filed 10/26/72.]

**WAC 173-301-123 Solid waste storage--Hazardous wastes.** Hazardous wastes shall be properly labelled and stored inaccessible to the public. (WAC 296-62-070) Wastes from medical and dental clinics, laboratories, hospitals, nursing homes, and the like containing pathogenic, or highly infectious wastes, hypodermic needles, and body parts, shall be stored in disposable opaque plastic or special paper containers or liners with special identification; and shall be stored inaccessible to the public. [Order DE 72-21, § 173-301-123, filed 10/26/72.]

**WAC 173-301-124 Solid waste storage--Agricultural wastes.** Agricultural wastes shall be stored so as to minimize nuisances, fly, rodent, and odor problems, and water pollution. [Order DE 72-21, § 173-301-124, filed 10/26/72.]

**WAC 173-301-125 Solid waste storage--Problem wastes.** Problem wastes or other wastes unsuitable for storage containers shall be stored in a nuisance-free manner. [Order DE 72-21, § 173-301-125, filed 10/26/72.]

**WAC 173-301-126 Solid waste storage--Storage areas and containers.** The storage area and reusable containers shall be maintained in a clean and nuisance free condition. Provisions shall be made for sanitary disposal of leakage and drainage water from stationary compactors and from storage areas. [Order DE 72-21, § 173-301-126, filed 10/26/72.]

**WAC 173-301-140 Collection and transportation.** The owner and/or occupant of any premise, business establishment, or industry shall be responsible for the satisfactory and legal arrangement for the handling of all solid waste accumulated by him on his property at that premise. [Order DE 72-21, § 173-301-140, filed 10/26/72.]

**WAC 173-301-141 Collection and transportation--Prevention of nuisances.** The person collecting or transporting solid waste shall be responsible for prevention of littering, or the creation of other nuisances at the loading point, and during transport; and for the proper unloading of the solid waste at an authorized transfer station, or other solid waste disposal site. [Order DE 72-21, § 173-301-141, filed 10/26/72.]

**WAC 173-301-142 Collection and transportation--Vehicle construction.** Vehicles or containers used for the collection and transportation of garbage and similar putrescible waste shall be tightly covered, durable and of easily cleanable construction. These shall be cleaned frequently to prevent nuisances and insect breeding and shall be maintained in good repair. [Order DE 72-21, § 173-301-142, filed 10/26/72.]

**WAC 173-301-143 Collection and transportation--Vehicle spillage.** Vehicles or containers used for the collection and transportation of any solid waste shall be loaded and moved in such manner that the contents will not fall, leak or spill therefrom. Where spillage does occur, the waste shall be picked up immediately by the collector or transporter and returned to the vehicle or container and the area otherwise properly cleaned. [Order DE 72-21, § 173-301-143, filed 10/26/72.]

**WAC 173-301-150 Transfer station.** A transfer station shall not be established or substantially altered until the site location, facilities and proposed method of operation have been approved by permit from the jurisdictional health department. [Order DE 72-21, § 173-301-150, filed 10/26/72.]

**WAC 173-301-151 Transfer station--Application and plans.** Application for a transfer station site permit shall be made to the jurisdictional health department on forms prescribed by the department of ecology accompanied by necessary plans and specifications. [Order DE 72-21, § 173-301-151, filed 10/26/72.]

**WAC 173-301-152 Transfer station--Architecture and landscaping.** A transfer station shall be designed and constructed so as to:

- (1) Be esthetically compatible with its environs.
- (2) Be surrounded by a fence or by rapidly growing trees or shrubbery, or by natural features so as to be screened from the view of immediately adjacent federal and state highways.
- (3) Be sturdy and of easily cleanable materials.
- (4) Be free of potential rat harborage.
- (5) Be adequately screened to collect blowing light material.
- (6) Provide protection of the tipping floor from rain or snow.
- (7) Have an adequate buffer zone around the operating area to minimize noise and dust nuisances,
- (8) And/or comply with local zoning and building codes. [Order DE 72-21, § 173-301-152, filed 10/26/72.]

**WAC 173-301-153 Transfer station--Pollution control and cleanliness.** Adequate pollution control measures shall be provided to protect surface and ground water and air from degradation.

- (1) Surface runoff water from around the transfer station and from roof drains shall be intercepted and diverted around or under the transfer site.

(2) Surface runoff from the transfer station itself shall not cause violation of applicable receiving water standards.

(3) Air pollution and dust control shall be provided as needed.

(4) Open burning is prohibited.

(5) Odor control shall be provided as needed.

(6) Noise controls shall be provided as needed.

(7) The transfer site shall be maintained in a reasonably clean and sanitary condition. [Order DE 72-21, § 173-301-153, filed 10/26/72.]

**WAC 173-301-154 Transfer station--Roads.** The approach and exit roads to the transfer station shall be of all-weather construction and maintained in good condition. Traffic separation and control at the site entrance, both on the site and on the public access road, shall be provided when traffic density warrants, as determined by the local traffic engineer. [Order DE 72-21, § 173-301-154, filed 10/26/72.]

**WAC 173-301-155 Transfer station--Identification.** A sign that identifies the transfer station and shows at least the permit number, name of the site, and hours during which the site is open for public use, what constitutes materials not to be accepted and other necessary information shall be posted at the site entrance. [Order DE 72-21, § 173-301-155, filed 10/26/72.]

**WAC 173-301-156 Transfer station--Fire protection.** Arrangements shall be made with the local fire protection agency to immediately acquire their services when needed. Adequate on-site fire protection shall be provided as determined by the fire control jurisdiction. [Order DE 72-21, § 173-301-156, filed 10/26/72.]

**WAC 173-301-157 Transfer station--Communications.** Communications shall be provided. [Order DE 72-21, § 173-301-157, filed 10/26/72.]

**WAC 173-301-158 Transfer station--Employee facilities.** When an attendant is required, provisions shall be made for employee facilities including shelter, toilets, handwashing facilities, and potable drinking water. (Chapter 248-62 WAC) (RCW 43.20.050) [Order DE 72-21, § 173-301-158, filed 10/26/72.]

**WAC 173-301-159 Transfer station--Attendant.** When the transfer station is open to the public, it shall be manned or visually monitored. [Order DE 72-21, § 173-301-159, filed 10/26/72.]

**WAC 173-301-160 Transfer station--Safety.** An adequate safety program shall be provided as outlined by the department of labor and industries. (Chapter 296-25 WAC) [Order DE 72-21, § 173-301-160, filed 10/26/72.]

**WAC 173-301-161 Transfer station--Vector control.** Effective means shall be taken to control vectors, rodents and other vermin. [Order DE 72-21, § 173-301-161, filed 10/26/72.]



**WAC 173-301-162 Transfer station--Records.** Records, on appropriate forms, of weights (or volumes) of wastes received for transfer, problem wastes received, and major deviations from the plan of operation shall be maintained. [Order DE 72-21, § 173-301-162, filed 10/26/72.]

**WAC 173-301-163 Transfer station--Confined tipping.** Tipping of solid waste shall be confined to as small an area as practicable. Adequate control of windblown materials shall be provided. [Order DE 72-21, § 173-301-163, filed 10/26/72.]

**WAC 173-301-164 Transfer station--Scavenging.** There shall be no scavenging at a transfer station. [Order DE 72-21, § 173-301-164, filed 10/26/72.]

**WAC 173-301-180 Solid waste disposal site.** A solid waste disposal site shall not be established or substantially altered until the site location, facilities and proposed method of operation have been approved by permit from the jurisdictional health department. (Chapter 70.95 RCW) Sludge utilization projects that are covered by a permit pursuant to WAC 173-301-181(4) shall not be subject to the requirements of WAC 173-301-182 through 173-301-197.

(1) The disposal site shall comply with the county or multicounty comprehensive solid waste management plan and these minimum standards as required by chapter 70.95 RCW.

(2) The disposal site or facility shall be located, designed, constructed, operated and maintained so as to prevent the creation of a nuisance, and shall comply with all state and local requirements including but not limited to, if applicable, zoning, land use, fire protection, water pollution prevention, air pollution prevention and esthetics.

(3) The owner and/or occupant of any premise shall be responsible for the satisfactory and legal disposal of solid wastes generated by his activity. [Statutory Authority: RCW 70.95.060 and chapter 70.95 RCW. 83-09-017 (Order DE 83-2), § 173-301-180, filed 4/13/83; Order DE 72-21, § 173-301-180, filed 10/26/72.]

**WAC 173-301-181 Solid waste disposal site--Application and plans.** Application for a disposal site permit shall be made to the jurisdictional health department on forms prescribed by the department of ecology, accompanied by necessary plans and specifications detailing existing and proposed facilities and operation. (RCW 70.95.180)

(1) Application for new disposal sites or substantially altered disposal sites may need additional information to fulfill State Environmental Policy Act requirements.

(2) A design report for disposal sites may also be necessary along with a permit submittal.

(3) A permit application for solid waste incineration must be accompanied by a "notice of construction."

(4) Application for sludge utilization site permitting may be done in a variety of ways. One time or infrequent application of sludge in small quantities may only require an approval by the jurisdictional health department rather than a permit. WAC 173-301-320 describes application and permitting procedures for both utilization and disposal sites. [Statutory Authority: RCW 70.95.060 and chapter 70.95 RCW. 83-09-017 (Order DE 83-2), § 173-301-181, filed 4/13/83; Order DE 72-21, § 173-301-181, filed 10/26/72.]

**WAC 173-301-182 Solid waste disposal site--Disposal site design, architecture and landscaping.** A disposal site shall be designed, constructed, and operated so as to:

(1) Be esthetically compatible with its environs.

(2) Be surrounded by a fence, or by rapidly growing trees or shrubbery or by natural features so as to be screened from the view of immediately adjacent federal and state highways.

(3) Have buildings of sturdy construction, free of potential rat harborages.

(4) Have the unloading area protected to prevent blowing light material onto adjoining areas. Windblown materials shall be collected and returned to the active disposal area.

(5) Have an adequate buffer zone around the operating area,

(6) Provide for measuring or weighing incoming waste.

(7) And/or comply with local zoning and building codes. [Order DE 72-21, § 173-301-182, filed 10/26/72.]

**WAC 173-301-183 Solid waste disposal site--Pollution control.** Adequate pollution control measures shall be provided.

(1) Surface runoff water from around the disposal site and from roof drains shall be intercepted and diverted around or under the disposal site.

(2) Surface runoff from the disposal operation itself shall not cause violation of applicable receiving water standards.

(3) Ground water pollution controls shall be provided as needed. The detailed plans for such controls shall be provided.

(4) Air pollution and dust controls shall be provided as needed.

(5) Open burning is prohibited.

(6) Noise controls shall be provided as needed.

(7) The disposal site shall be maintained in a reasonably clean and sanitary condition. [Order DE 72-21, § 173-301-183, filed 10/26/72.]

**WAC 173-301-184 Solid waste disposal site--Roads.** The approach and exit roads to the disposal site shall be of all-weather construction and maintained in good condition. Traffic separation and control at the site entrance, both on the site and on the public access road,

shall be provided when traffic density warrants, as determined by the local traffic engineer. [Order DE 72-21, § 173-301-184, filed 10/26/72.]

**WAC 173-301-185 Solid waste disposal site--Gate.** A gate shall be provided at the entrance to the site for closure whenever the site is closed to public access. [Order DE 72-21, § 173-301-185, filed 10/26/72.]

**WAC 173-301-186 Solid waste disposal site--Employee facilities.** Provisions shall be made for employee facilities including shelter, toilets, hand washing facilities, and potable drinking water. (Chapter 248-62 WAC.) [Order DE 72-21, § 173-301-186, filed 10/26/72.]

**WAC 173-301-187 Solid waste disposal site--Disposal site identification.** A sign that identifies at least the permit number, name of the site, the hours during which the site is open for public use, what constitutes materials not accepted and other pertinent information shall be posted at the site entrance. [Order DE 72-21, § 173-301-187, filed 10/26/72.]

**WAC 173-301-188 Solid waste disposal site--Fire protection.** Arrangements shall be made with the local fire protection agency to immediately acquire their services when needed. Adequate on-site fire protection shall be provided as determined by the fire control jurisdiction. [Order DE 72-21, § 173-301-188, filed 10/26/72.]

**WAC 173-301-189 Solid waste disposal site--Communication.** Communications shall be provided. [Order DE 72-21, § 173-301-189, filed 10/26/72.]

**WAC 173-301-190 Solid waste disposal site--Confined unloading.** Unloading of solid waste shall be confined to as small an area as possible. [Order DE 72-21, § 173-301-190, filed 10/26/72.]

**WAC 173-301-191 Solid waste disposal site--Reclamation.** Reclamation shall not interfere with the disposal site operation. [Order DE 72-21, § 173-301-191, filed 10/26/72.]

**WAC 173-301-192 Solid waste disposal site--Scavenging.** Scavenging at a disposal site is prohibited. [Order DE 72-21, § 173-301-192, filed 10/26/72.]

**WAC 173-301-193 Solid waste disposal site--Attendant.** When the site is open to the public, it shall be manned or visually monitored. [Order DE 72-21, § 173-301-193, filed 10/26/72.]

**WAC 173-301-194 Solid waste disposal site--Safety.** A defined safety program shall be provided as required by the department of labor and industries. (Chapter 296-25 WAC) [Order DE 72-21, § 173-301-194, filed 10/26/72.]

**WAC 173-301-195 Solid waste disposal site--Vector control.** Effective means shall be taken to control insects, rodents, and other vectors. [Order DE 72-21, § 173-301-195, filed 10/26/72.]

**WAC 173-301-196 Solid waste disposal site--Light material control.** Adequate control of windblown materials shall be provided. [Order DE 72-21, § 173-301-196, filed 10/26/72.]

**WAC 173-301-197 Solid waste disposal site--Records.** Records, on appropriate forms, shall be maintained on weights (or volumes) of wastes received for disposal, problem wastes received, and major deviations from the plan of operation. [Order DE 72-21, § 173-301-197, filed 10/26/72.]

**WAC 173-301-300 Sanitary landfill, leachate control.** Plans for a sanitary landfill shall include provisions for interception and treatment of leachate at all sites where the average annual precipitation is 25 inches or more. Interception and treatment may be required at other sites. A sampling and testing program for the leachate and its treated effluent may be required. [Order DE 72-21, § 173-301-300, filed 10/26/72.]

**WAC 173-301-301 Sanitary landfill, leachate control--Pollution prevention.** (1) The distance separating the bottom of a sanitary landfill disposing of readily decomposable organic waste and hazardous wastes shall be determined on a case-by-case basis. Generally a separation equivalent to four feet of impervious soil shall be the minimum separation between the bottom of the fill and the highest ground water.

(2) Inert materials can be disposed of at landfill sites which affords little or no protection to the ground and surface waters.

(3) Septic tank pumpings and sewage treatment plant sludge disposal shall be determined on a case-by-case basis. Generally, a ratio of sludge or pumpings to other solid waste of 1 to 4 or 1 to 5, such that the moisture content does not exceed 40% will give satisfactory disposal results.

(4) The disposal of problem wastes must be determined on a case-by-case basis.

(5) Medical wastes should be deposited above the ground water dependent on a case-by-case basis and covered as soon as possible after deposition.

(6) Odorous materials shall be covered as soon as possible. [Order DE 72-21, § 173-301-301, filed 10/26/72.]

**WAC 173-301-302 Sanitary landfill, leachate control--Gas venting.** Provision shall be made for adequate venting or redirecting of gases generated by solid waste, if conditions require. [Order DE 72-21, § 173-301-302, filed 10/26/72.]

**WAC 173-301-303 Sanitary landfill, leachate control--Single layer compaction.** Each layer of incoming solid waste shall be spread, preferably uphill, in layers of not more than two feet and thoroughly compacted before

succeeding layers are added. The slopes of the face preferably shall not exceed thirty degrees nor be less than twenty degrees, or between the slopes of two and three horizontal to one vertical. [Order DE 72-21, § 173-301-303, filed 10/26/72.]

**WAC 173-301-304 Sanitary landfill, leachate control--Daily cover.** The compacted solid waste shall be compacted and covered fully with at least six inches of compacted soil after each day of operation, or as specified by the jurisdictional health department, and department of ecology. [Order DE 72-21, § 173-301-304, filed 10/26/72.]

**WAC 173-301-305 Sanitary landfill, leachate control--Final cover.** As soon as possible after reaching the final lift of given area of a site, the area shall be covered with an equivalent of two feet of compacted soil adequately sloped to allow surface water to run off. [Order DE 72-21, § 173-301-305, filed 10/26/72.]

**WAC 173-301-306 Sanitary landfill, leachate control--Final surface.** The finished surface of the filled area shall be covered with adequate tillable soil and seeded with native grasses or other suitable vegetation immediately upon completion, or as soon as conditions permit. If necessary, slopes shall be covered with straw or other mulch to prevent erosion, both before and after seeding. [Order DE 72-21, § 173-301-306, filed 10/26/72.]

**WAC 173-301-307 Sanitary landfill, leachate control--Equipment.** Reserve operational equipment shall be available to maintain minimum operating requirements. [Order DE 72-21, § 173-301-307, filed 10/26/72.]

**WAC 173-301-308 Sanitary landfill, leachate control--Completion inspection.** At the completion of a sanitary landfill the jurisdictional health department shall be notified at least five days in advance in order that a site investigation may be conducted by that agency before earth moving equipment is removed from the property. [Order DE 72-21, § 173-301-308, filed 10/26/72.]

**WAC 173-301-309 Sanitary landfill, leachate control--Recurrent inspection and maintenance.** Following the completion and abandonment of the sanitary landfill site, and inspection by the health department, necessary maintenance shall be conducted by the owner of this site at the time of abandonment and/or completion until the fill becomes stabilized or for a minimum of five years. Necessary leveling and repairs shall be made. [Order DE 72-21, § 173-301-309, filed 10/26/72.]

**WAC 173-301-310 Sanitary landfill, leachate control--Recording with county auditor.** Maps and a statement of fact concerning the disposal area shall be recorded as part of the deed with the county auditor not later than three months after the completion of operations. Records and plans specifying materials, location and periods of operation shall be available for inspection.

Areas used for the disposal of hazardous wastes shall not be sold or transferred without advanced notification of the jurisdictional health department. [Order DE 72-21, § 173-301-310, filed 10/26/72.]

**WAC 173-301-320 Sludge management.** While sludges are considered part of the solid waste stream, the management and handling of sludge can be much different than the management and handling of garbage.

(1) Controlling and permitting - Each jurisdictional health department is responsible for final permit issuance for all sludge disposal or utilization sites. Procedures for sludge utilization site permitting shall be established by each jurisdictional health department. A jurisdictional health department may contract with the department for alternative methods of controlling and permitting sludge disposal and utilization projects. Sludge management procedures identified in such contracts need not be limited to those described in this section but should be consistent with all other requirements of law and this chapter.

(2) Sludge utilization - The department recommends the utilization of sludge whenever possible. General provisions for the storage, transportation and beneficial use of sludge generated from wastewater treatment facilities have been established by the department. The "Municipal and Domestic Sludge Utilization Guidelines (WDOE 82-11)" establishes specific provisions for the controlled land spreading of sludge to protect public health and the environment. Land spreading can be an environmentally sound long-term solution for sludge generating facilities. The need for formal or written permit review and approval shall be at the discretion of the jurisdictional health department when sludge utilization projects are conducted in accordance with established guidelines.

(3) Sludge disposal - Provisions for the landfilling, dumping or depositing of sludge are basically the same as those of a sanitary landfill. The requirements for permitting and reviewing sludge landfilling or disposal sites must follow those procedures established in WAC 173-301-180 through 173-301-310 to protect human health and the environment. When landfilling has been chosen as the preferred alternative for sludge handling the following methods of disposal have been identified:

(a) Trenching - Where a subsurface excavation is required so that sludge can be placed entirely below the original ground surface. Trench width and depth is a function of volume needed, depth to ground water, side-wall stability and equipment limitations. Daily cover is required.

(b) Fill area - Where sludge is placed above the original ground surface. To achieve stacking sludge it is necessary to mix in a bulking agent (usually soil) to create a mound. Stacking sludge can also be accomplished by alternating layers of soil or sludge. Mixing and layering methods require sludge solids content to be fifteen to twenty percent and at least one part soil is needed for each part sludge. Daily cover is required.

(c) Sludge/soil mixing - Where sludge mixed with soil is used as interim or final cover over completed areas of refuse landfills or sludge is mixed or covered with

top soil at a shallow depth above agronomic rates with a treatment system, berms or liner required.

(d) Other sludges such as screening, grit, skimmings and industrial sludge may require special handling and disposal practices reviewed and approved on a case-by-case basis.

(e) Any sludge that is designated as a dangerous waste must be managed at a dangerous waste site permitted according to the dangerous waste regulations, chapter 173-303 WAC. [Statutory Authority: RCW 70.95.060 and chapter 70.95 RCW, 83-09-017 (Order DE 83-2), § 173-301-320, filed 4/13/83.]

**WAC 173-301-350 Incinerator, applicability of air pollution standards.** Incinerators shall be designed and operated in a manner to conform to the current edition of the Oregon-Washington incinerator committee standard. [Order DE 72-21, § 173-301-350, filed 10/26/72.]

**WAC 173-301-351 Incinerator, applicability of air pollution standards—Incoming storage.** All incoming solid waste shall be confined to the tipping floor. Storage bins shall consist of two or more compartments with separate drains, dust control, and wash down facilities. [Order DE 72-21, § 173-301-351, filed 10/26/72.]

**WAC 173-301-352 Incinerator, applicability of air pollution standards—Preuse inspection and performance tests.** Upon completion of the plant and prior to initial operation, the jurisdictional health department and local air pollution control authority shall be notified to allow personnel to inspect the plant both prior to and during the performance tests. A report covering the results of the performance tests, with all supporting data in such case, shall be certified by the design engineer of the project and submitted to the health department. [Order DE 72-21, § 173-301-352, filed 10/26/72.]

**WAC 173-301-353 Incinerator, applicability of air pollution standards—Residue disposal.** All residue removed from the incinerator plant shall be promptly disposed of at an approved sanitary landfill. [Order DE 72-21, § 173-301-353, filed 10/26/72.]

**WAC 173-301-354 Incinerator, applicability of air pollution standards—Emergency disposal.** Satisfactory emergency disposal of input solid waste in the event of major incinerator plant breakdown shall be provided. [Order DE 72-21, § 173-301-354, filed 10/26/72.]

**WAC 173-301-355 Incinerator, applicability of air pollution standards—Drains.** Adequate drains shall be provided in the incinerator plants to drain washdown water, dust spray, or surface water carrying organic wastes into the sanitary sewer or special treatment facility. The discharge water after treatment shall not cause violation of applicable water quality standards. [Order DE 72-21, § 173-301-355, filed 10/26/72.]

**WAC 173-301-356 Incinerator, applicability of air pollution standards—Disposal of process water.** All process water including water from the incinerator shall be

discharged into a sanitary sewer or other system approved by the jurisdictional health department and the department of ecology. The discharge water after treatment shall not cause violation of applicable water quality standards. [Order DE 72-21, § 173-301-356, filed 10/26/72.]

**WAC 173-301-357 Incinerator, applicability of air pollution standards—Recording pyrometer.** A continuously recording pyrometer shall be provided to maintain continuous and permanent records of temperatures in the combustion chambers of furnaces having a capacity of two ton/hr or greater. A copy of such records shall be available to the jurisdictional health department on request. Such records shall be retained for three years. [Order DE 72-21, § 173-301-357, filed 10/26/72.]

**WAC 173-301-358 Incinerator, applicability of air pollution standards—Safety.** The charging openings as well as all equipment throughout the plant shall be provided with adequate safety equipment prescribed by the department of labor and industries. [Order DE 72-21, § 173-301-358, filed 10/26/72.]

**WAC 173-301-359 Incinerator, applicability of air pollution standards—Cleaning.** Adequate equipment and space shall be provided in the storage and charging areas, and elsewhere as needed, to allow cleaning after each day of operation or as may be required in order to maintain the plant in a sanitary and clean condition. [Order DE 72-21, § 173-301-359, filed 10/26/72.]

**WAC 173-301-400 Compost plant, odorous materials.** Odorous materials such as spoiled foods, blood and slaughterhouse wastes shall be immediately covered. [Order DE 72-21, § 173-301-400, filed 10/26/72.]

**WAC 173-301-401 Compost plant, odorous materials—Safety.** Materials resulting from composting and offered for use by others shall contain no pathogenic organisms, shall not reheat upon standing, shall be innocuous, and shall contain no sharp particles which would cause injury to persons handling the compost. [Order DE 72-21, § 173-301-401, filed 10/26/72.]

**WAC 173-301-402 Compost plant, odorous materials—Byproducts.** Byproducts removed during processing shall be handled and disposed of in a sanitary and nuisance-free manner. [Order DE 72-21, § 173-301-402, filed 10/26/72.]

**WAC 173-301-450 Reclamation site.** A reclamation site shall not be established or substantially altered until the site location, facilities and proposed method of operation has been approved by permit from the jurisdictional health department.

(1) The reclamation site shall comply with county or multicounty comprehensive solid waste management plan as required by chapter 70.95 RCW.

(2) The reclamation site shall be located, designed, constructed, operated and maintained so as to prevent the creation of a nuisance, and shall comply with all

state and local requirements including, but not limited to, if applicable, zoning, land use, fire protection, water pollution prevention, air pollution prevention and esthetics. [Order DE 72-21, § 173-301-450, filed 10/26/72.]

**WAC 173-301-451 Reclamation site--Application and plans.** Application for a reclamation site permit shall be made to the jurisdictional health department on forms prescribed by the department of ecology accompanied by necessary plans and specifications detailing existing and proposed facilities. (RCW 70.95.180) Applications for new sites or substantially altered sites shall be accompanied by an environmental impact study. A design report may be required. [Order DE 72-21, § 173-301-451, filed 10/26/72.]

**WAC 173-301-452 Reclamation site--Architecture and landscaping.** A reclamation site shall be designed and constructed so as to:

- (1) Be esthetically compatible with its environs.
- (2) Be surrounded by a fence, or by rapidly growing trees or shrubbery, or by natural features so as to be screened from immediately adjacent federal and state highways.
- (3) Be of sturdy and easily cleanable construction, if applicable.
- (4) Be free of potential rat harborage.
- (5) Have an adequate buffer zone around the operating area to minimize noise and dust nuisances,
- (6) And/or comply with local zoning and building codes. [Order DE 72-21, § 173-301-452, filed 10/26/72.]

**WAC 173-301-453 Reclamation site--Pollution control and cleanliness.** Adequate pollution control measures shall be provided to protect the environment from degradation:

- (1) Surface runoff from the reclamation site shall not cause violation of applicable receiving water standards.
- (2) Air pollution and dust controls shall be provided as needed.
- (3) Open burning is prohibited.
- (4) Odor control shall be provided as needed.
- (5) Noise control shall be provided as needed.
- (6) Light windblown material shall be controlled.
- (7) The reclamation site shall be maintained in a clean and sanitary condition. [Order DE 72-21, § 173-301-453, filed 10/26/72.]

**WAC 173-301-454 Reclamation site--Storage.** Reclaimed materials, pending use or resale, shall be stored in such a manner as to prevent vector problems and esthetic degradation. Unusable materials shall be properly stored and removed frequently enough so as to prevent nuisances. [Order DE 72-21, § 173-301-454, filed 10/26/72.]

**WAC 173-301-455 Reclamation site--Safety.** A defined safety program shall be provided as required by the department of labor and industries. (Chapter 296-25

WAC.) [Order DE 72-21, § 173-301-455, filed 10/26/72.]

**WAC 173-301-456 Reclamation site--Employee facilities.** Provisions shall be made for employee (paid or volunteer) facilities, including shelter, toilets, hand-washing facilities and potable drinking water. (Chapter 248-62 WAC.) [Order DE 72-21, § 173-301-456, filed 10/26/72.]

**WAC 173-301-457 Reclamation site--Records.** Records on appropriate forms shall be maintained of the kinds and weights (or volume) of wastes received for reclamation, the destination of unreclaimable wastes, and major deviations from the plan of operation. [Order DE 72-21, § 173-301-457, filed 10/26/72.]

**WAC 173-301-500 Other methods of solid waste handling, processing and disposal.** Before any method of solid waste handling, processing and disposal, not otherwise provided for in this chapter, is practiced or placed into operation, complete plans, specifications and design data shall be submitted to the jurisdictional health department for written approval. [Order DE 72-21, § 173-301-500, filed 10/26/72.]

**WAC 173-301-610 Nonconforming sites and facilities.** Modification of existing sites, facilities, and operating procedures for conformance with the requirements of this chapter shall be accomplished as promptly as possible and in conformance to the county or regional solid waste management plan. When the degree of necessary improvement is of such an extent that immediate compliance cannot be accomplished, special approval shall be requested from the jurisdictional health department. Such a request shall set forth a program for compliance with this chapter along with a time schedule for the commencement and completion of necessary improvements. [Order DE 72-21, § 173-301-610, filed 10/26/72.]

**WAC 173-301-611 Abandoned disposal sites.** All abandoned nonconforming sites shall be compacted, covered and reseeded by the owner as soon as feasible. [Order DE 72-21, § 173-301-611, filed 10/26/72.]

**WAC 173-301-625 Enforcement.** The jurisdictional health department shall determine compliance with this chapter, with any local ordinances or regulations and with approved management plans promulgated for satisfactory solid waste storage, collection, transportation and disposal. [Order DE 72-21, § 173-301-625, filed 10/26/72.]

**WAC 173-301-626 Inspection.** Any duly authorized officer, employee or representative of the jurisdictional health department or other official having jurisdiction may enter and inspect any property, premise or place at any reasonable time for the purpose of determining compliance with this chapter, and relevant laws and regulations. [Order DE 72-21, § 173-301-626, filed 10/26/72.]

## Chapter 173-303 WAC

## DANGEROUS WASTE REGULATIONS

## WAC

173-303-010	Purpose.
173-303-020	Applicability.
173-303-030	Abbreviations.
173-303-040	Definitions.
173-303-045	References to EPA's hazardous waste and consolidated permit regulations.
173-303-050	Imminent hazard.
173-303-060	Notification and identification numbers.
173-303-070	Designation of dangerous waste.
173-303-071	Excluded categories of waste.
173-303-075	Certification of designation.
173-303-080	Dangerous waste lists.
173-303-081	Discarded chemical products.
173-303-082	Dangerous waste sources.
173-303-083	Infectious dangerous wastes.
173-303-084	Dangerous waste mixtures.
173-303-090	Dangerous waste characteristics.
173-303-100	Dangerous waste criteria.
173-303-101	Toxic dangerous wastes.
173-303-102	Persistent dangerous wastes.
173-303-103	Carcinogenic dangerous wastes.
173-303-104	Generic dangerous waste numbers.
173-303-110	Sampling and testing methods.
173-303-120	Recycled, reclaimed, and recovered wastes.
173-303-130	Containment and control of infectious wastes.
173-303-140	Disposal of extremely hazardous waste.
173-303-141	Treatment, storage, or disposal of dangerous waste.
173-303-145	Spills and discharges into the environment.
173-303-150	Division, dilution, and accumulation.
173-303-160	Containers.
173-303-170	Requirements for generators of dangerous waste.
173-303-180	Manifest.
173-303-190	Preparing dangerous waste for transport.
173-303-200	Accumulating dangerous waste on-site.
173-303-210	Generator recordkeeping.
173-303-220	Generator reporting.
173-303-230	Special conditions.
173-303-240	Requirements for transporters of dangerous waste.
173-303-250	Dangerous waste acceptance, transport, and delivery.
173-303-260	Transporter recordkeeping.
173-303-270	Discharges during transport.
173-303-275	Transfer facilities (or collection facilities).
173-303-280	General requirements for dangerous waste management facilities.
173-303-290	Required notices.
173-303-300	General waste analysis.
173-303-310	Security.
173-303-320	General inspection.
173-303-330	Personnel training.
173-303-340	Preparedness and prevention.
173-303-350	Contingency plan and emergency procedures.
173-303-360	Emergencies.
173-303-370	Manifest system.
173-303-380	Facility recordkeeping.
173-303-390	Facility reporting.
173-303-395	Other general requirements.
173-303-400	Interim status facility standards.
173-303-500	Siting standards.
173-303-510	Performance standards.
173-303-520	Buffer monitoring zones.
173-303-575	Temporary standards for new dangerous waste land disposal facilities.
173-303-600	Final facility standards.
173-303-610	Closure and post-closure.
173-303-620	Financial requirements.
173-303-630	Use and management of containers.
173-303-640	Tanks.
173-303-650	Surface impoundments.
173-303-660	Waste piles.
173-303-670	Incinerators.

173-303-700	Requirements for the Washington state extremely hazardous waste management facility at Hanford.
173-303-800	Permit requirements for dangerous waste management facilities.
173-303-801	Relationship of the department to permits issued by the energy facility site evaluation council (EFSEC).
173-303-805	Types of permits and requirements.
173-303-810	General permit conditions.
173-303-815	Applying for a permit.
173-303-820	Interim status permits.
173-303-825	Final permits.
173-303-830	Permit changes.
173-303-840	Procedures for decision making.
173-303-845	Appeal of decision.
173-303-900	Public involvement and participation.
173-303-910	Petitions.
173-303-9901	Flow chart for designating dangerous wastes.
173-303-9902	Narrative for designating dangerous wastes.
173-303-9903	Discarded chemical products list.
173-303-9904	Dangerous waste sources list.
173-303-9905	Dangerous waste constituents list.
173-303-9906	Toxic dangerous waste mixtures graph.
173-303-9907	Persistent dangerous waste mixtures graph.

**WAC 173-303-010 Purpose.** This regulation implements chapter 70.105 RCW, the Hazardous Waste Disposal Act of 1976 as amended in 1980, and Subtitle C of Public Law 94-580, the Resource Conservation and Recovery Act, which the legislature has empowered the department to implement.

(1) The purposes of this regulation are to:

(a) Designate those solid wastes which are dangerous or extremely hazardous to the public health and environment;

(b) Provide for surveillance and monitoring of dangerous wastes until they are detoxified, reclaimed, neutralized, or disposed of safely;

(c) Provide the form and rules necessary to establish a manifest system for tracking, reporting, monitoring, recordkeeping, sampling, and labeling of dangerous wastes;

(d) Establish the siting, design, operation, closure, post-closure, financial, and monitoring requirements for dangerous waste transfer, treatment, storage, and disposal facilities;

(e) Establish design, operation, and monitoring requirements for managing the state's extremely hazardous waste disposal facility;

(f) Establish and administer a program for permitting dangerous waste management facilities; and

(g) Encourage recycling to the maximum extent possible.

(2) Nothing in chapter 173-303 WAC is intended to abridge or alter the rights of action, by the state or by any person, which may exist in equity, common law, or other statutes to abate pollution or to abate a nuisance.

Nothing in chapter 173-303 WAC is intended to create or form the basis for any liability on the part of the state, or its officers, agents, or employees, for any injury or damage which result:

(a) From the failure of any person to comply with the provisions of this chapter;

(b) From any action on the part of the department of ecology related to the enforcement of this chapter; or

(c) From any inspection, order, permit, or approval by the department of ecology.

(3) Nothing in chapter 173-303 WAC is intended to alter, amend, or supersede the authority granted under chapter 80.50 RCW to the energy facility site evaluation council (EFSEC). Applications for siting, certifying, and permitting thermal power plants shall be processed in accordance with chapter 463-42 WAC. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-010, filed 2/10/82. Formerly WAC 173-302-010.]

**WAC 173-303-020 Applicability.** (1) This regulation shall apply to all persons who handle dangerous wastes including, but not limited to:

- (a) Generators;
- (b) Transporters;
- (c) Owners and operators of dangerous waste transfer, storage, treatment, and disposal facilities; and
- (d) The operator of the state's extremely hazardous waste management facility.

(2) Nothing in this regulation shall apply to radioactive wastes. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-020, filed 2/10/82. Formerly WAC 173-302-020.]

**WAC 173-303-030 Abbreviations.** The following abbreviations are used in this regulation.

- (1) ASTM - American Society for Testing Materials
- (2) APHA - American Public Health Association
- (3) CDC - Center for Disease Control
- (4) CFR - Code of Federal Regulations
- (5) DOT - Department of Transportation
- (6) °C - degrees Celsius
- (7) DW - dangerous waste
- (8) DWS - drinking water standards of the Safe Drinking Water Act
- (9) EHW - extremely hazardous waste
- (10) EP - extraction procedure
- (11) EPA - Environmental Protection Agency
- (12) °F - degrees Fahrenheit
- (13) g - gram
- (14) IARC - International Agency for Research on Cancer
- (15) kg - kilogram (one thousand grams)
- (16) L - liter
- (17) lb - pound
- (18) LC<sub>50</sub> - lethal concentration 50 percent kill
- (19) LD<sub>50</sub> - lethal dose 50 percent kill
- (20) M - molar (gram molecular weights per liter of solution)
- (21) mg - milligram (one thousandth of a gram)

- (22) NFPA - National Fire Protection Association
- (23) NIOSH - National Institute for Occupational Safety and Health
- (24) pH - negative logarithm of the hydrogen ion concentration
- (25) POTW - publicly owned treatment works
- (26) ppm - parts per million (weight/weight)
- (27) RCRA - Resource Conservation and Recovery Act
- (28) RCW - Revised Code of Washington
- (29) TLM<sub>96</sub> - toxic limit median, 96 hours
- (30) TSD facility - treatment, storage disposal facility
- (31) UBC - Uniform Building Code
- (32) UFC - Uniform Fire Code
- (33) USCG - United States Coast Guard
- (34) USGS - United States Geological Survey
- (35) WAC - Washington Administrative Code
- (36) % - percent
- (37) # - number

[Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-030, filed 2/10/82. Formerly WAC 173-302-030.]

**WAC 173-303-040 Definitions.** When used in this regulation, the following terms have the meanings given below.

- (1) "Active portion" means that portion of a facility where transfer, treatment, storage or disposal operations are being or have been conducted after the effective date of WAC 173-303-070 and which is not a closed portion. (See also "closed portion" and "inactive portion.")
- (2) "Administrator" means the administrator of the environmental protection agency or his designee.
- (3) "Aquatic LC<sub>50</sub>" (same as TLM<sub>96</sub>) means a concentration in mg/L (ppm) which kills in 96 hours half of a group of ten or more of a medium sensitivity warm water species of fish such as *Lepomis macrochirus* (bluegill) or *Pimephales promelas* (flathead minnow), or cold water species such as salmonidae, when using the testing method described in WAC 173-303-110.
- (4) "Aquifer" means a geologic formation, group of formations, or part of a formation capable of yielding a significant amount of ground water to wells or springs.
- (5) "Asbestos containing waste material" means any waste that contains more than one percent asbestos by weight and that can be crumbled, pulverized, or reduced to powder when dry, by hand pressure.
- (6) "Batch" means any waste which is generated less frequently than once a month.
- (7) "Berm" the shoulder of a dike.
- (8) "Carcinogenic" means a material known to contain greater than one percent of an IARC positive or

suspected, human or animal carcinogen. For inorganic carcinogens with nonbioaccumulative chronic effects, only those wastes (e.g., asbestos) which are likely to pose a respiratory carcinogenic threat shall be designated as carcinogenic dangerous wastes.

(9) "Claims-made policy" means an insurance policy that provides coverage for an occurrence if a claim is filed during the term of the policy.

(10) "Closed portion" means that portion of a facility which an owner or operator has closed, in accordance with the approved facility closure plan and all applicable closure requirements.

(11) "Closure" means the requirements placed upon all transfer, storage, treatment or disposal facilities to ensure that all such facilities are closed in an acceptable manner (see also post-closure definition).

(12) "Compliance procedure" shall mean any proceedings instituted pursuant to the Hazardous Waste Disposal Act as amended in 1980, or regulations issued under authority of state law, which seeks to require compliance, or which is in the nature of an enforcement action or an action to cure a violation. A compliance procedure includes a notice of intention to terminate a permit pursuant to WAC 173-303-830(5), or an application in the state superior court for appropriate relief under the Hazardous Waste Disposal Act. For purposes of this section, a compliance procedure is considered to be pending from the time a notice of intent to terminate is issued or judicial proceedings are begun, until the department notifies the owner or operator in writing that the violation has been corrected or that the procedure has been withdrawn or discontinued.

(13) "Constituent" or "dangerous waste constituent" means a chemically distinct component of a dangerous waste stream or mixture.

(14) "Container" means any portable device in which a material is stored, transported, treated, disposed of, or otherwise handled.

(15) "Contingency plan" means a document setting out an organized, planned, and coordinated course of action to be followed in case of a fire, explosion, or release of dangerous waste which could threaten the public health or environment.

(16) "Contract" means the written agreement signed by the department and the state operator.

(17) "Corrosive" means the characteristic of substances which are chemically very acidic or very basic, or which tend to corrode metals, and is a dangerous waste characteristic, WAC 173-303-090(6).

(18) "Dangerous wastes" means any discarded, useless, unwanted, or abandoned nonradioactive substances, including but not limited to certain pesticides, or any residues or containers of such substances which are disposed of in such quantity or concentration as to pose a substantial present or potential hazard to human health, wildlife, or the environment because such wastes or constituents or combinations of such wastes:

(a) Have short-lived, toxic properties that may cause death, injury, or illness or have mutagenic, teratogenic, or carcinogenic properties; or

(b) Are corrosive, explosive, flammable, or may generate pressure through decomposition or other means.

(19) "Department" means the department of ecology.

(20) "Dermal LD<sub>50</sub>" means the single dosage in milligrams per kilogram (mg/kg) body weight which, when dermally (skin) applied for 24 hours, within 14 days kills half of a group of ten rabbits each weighing between 2.0 and 3.0 kilograms.

(21) "Designated facility" means the facility designated by the generator on the manifest to receive a dangerous waste shipment.

(22) "Dike" means an embankment or ridge of natural or man-made materials used to prevent the movement of liquids, sludges, solids, or other substances.

(23) "Director" means the director of the department of ecology.

(24) "Discharge" or "dangerous waste discharge" means the accidental or intentional release of dangerous waste into the environment.

(25) "Disposal" means the discarding or abandoning of dangerous wastes or the treatment, decontamination, or recycling of such wastes once they have been discarded or abandoned. This includes the discharge of any dangerous wastes into or on any land or water.

(26) "Draft permit" means a document prepared under WAC 173-303-840 indicating the department's tentative decision to issue, modify, revoke and reissue, or terminate a permit. A notice of intent to terminate or deny a permit are types of draft permits. A denial of a request for modification, revocation and reissuance, or termination as discussed in WAC 173-303-830 is not a draft permit.

(27) "Elementary neutralization unit" means a device which:

(a) Is used for neutralizing wastes which are dangerous wastes only because they exhibit the corrosivity characteristics defined in WAC 173-303-090 or are listed in WAC 173-303-081, or in 173-303-082 only for this reason; and

(b) Meets the definition of tank container, transport vehicle, or vessel.

(28) "EPA/state identification number" or "EPA/state ID#" means the number assigned by EPA or by the department of ecology to each generator, transporter, and transfer, storage, treatment, or disposal facility.

(29) "EP toxicity" means those contaminants described in WAC 173-303-090(8), dangerous waste characteristics, which would designate the waste as a dangerous or extremely hazardous waste, if found in the waste extract obtained by using the extraction procedure set forth in WAC 173-303-110 (3)(a), testing methods.

(30) "Extremely hazardous waste" means any dangerous waste which

(a) Will persist in a hazardous form for several years or more at a disposal site and which in its persistent form

(i) Presents a significant environmental hazard and may be concentrated by living organisms through a food chain or may affect the genetic make up of man or wildlife, and



- (ii) Is highly toxic to man or wildlife
- (b) If disposed of at a disposal site in such quantities as would present an extreme hazard to man or the environment.
- (31) "Facility" means all contiguous land, and structures, other appurtenances, and improvements on the land used for transferring, storing, treating, or disposing of dangerous waste. Unless otherwise specified in this chapter, the terms "facility," "treatment, storage, disposal facility," "dangerous waste facility" or "waste management facility" shall be used interchangeably.
- (32) "Food chain crops" means tobacco, crops grown for human consumption, and crops grown to feed animals whose products are consumed by humans.
- (33) "Freeboard" means the vertical distance between the top of a tank or surface impoundment dike, and the surface of the waste contained therein.
- (34) "Fugitive emissions" means the emission of contaminants from sources other than the control system exit point. Material handling, storage piles, doors, windows and vents are typical sources of fugitive emissions.
- (35) "Generator" means any person, by site, whose act or process produces dangerous waste or whose act first causes a dangerous waste to become subject to regulation.
- (36) "Genetic properties" means those properties which cause or significantly contribute to mutagenic, teratogenic, or carcinogenic effects in man or wildlife.
- (37) "Ground water" means water which fills voids below the land surface and in the earth's crust.
- (38) "Halogenated hydrocarbons" (HH) means only those halogenated hydrocarbons which can be obtained using the testing method described in WAC 173-303-110, testing methods, and which are persistent dangerous wastes.
- (39) "Heavy metals" means only those metals which can be obtained using the extraction procedure (EP) described in WAC 173-303-110 (3)(a), testing methods, and which are listed in WAC 173-303-090(8), dangerous waste characteristics.
- (40) "Ignitable" means the characteristic of a substance which ignites or burns readily and vigorously, and is a dangerous waste characteristic, WAC 173-303-090(5).
- (41) "Incinerator" means an enclosed device using controlled flame combustion, the primary purpose of which is to thermally break down dangerous waste.
- (42) "Incompatible waste" means a dangerous waste which is unsuitable for placement in a particular device or facility because it may corrode or decay the containment materials, or is unsuitable for mixing with another waste or material because the mixture might produce heat or pressure, fire or explosion, violent reaction, toxic dusts, fumes, mists, or gases, or flammable fumes or gases.
- (43) "Infectious waste" means organisms or materials listed in WAC 173-303-083, infectious dangerous wastes.
- (44) "Inhalation LC<sub>50</sub>" means a concentration in milligrams of substance per liter of air which, when administered to the respiratory tract for 4 hours, kills

- within 14 days half of a group of ten rats each weighing between 200 and 300 grams.
- (45) "Inner liner" means a continuous layer of material placed inside a tank or container which protects the construction materials of the tank or container from the waste or reagents used to treat the waste contained therein.
- (46) "Interim status permit" means a temporary permit given to treatment, storage, and disposal facilities which qualify under WAC 173-303-805(5).
- (47) "Landfill" means a disposal facility, or part of a facility, where dangerous waste is placed in or on land and which is not a land treatment facility, a surface impoundment, or an injection well.
- (48) "Land treatment" means the practice of applying dangerous waste onto or incorporating dangerous waste into the soil surface so that it will degrade or decompose. If the waste has the quality of persistence, or will remain after the facility is closed, this practice is disposal.
- (49) "Leachate" means any liquid, including any components suspended in the liquid, that has percolated through or drained from dangerous waste.
- (50) "Legal defense costs" means any expenses that an insurer incurs in defending against claims of third parties brought under the terms and conditions of an insurance policy.
- (51) "Letter of credit" means the letter authorizing one person to pay money or extend credit to another on the credit of the writer. For the purposes of this regulation a bank would be authorized by a facility to pay money to the department in case of failure to perform closure according to this chapter.
- (52) "Liner" means a continuous layer of man-made or natural materials which restrict the escape of dangerous waste, dangerous waste constituents, or leachate through the sides, bottom, or top of a surface impoundment or landfill.
- (53) "Major facility" means a facility or activity classified by the department as major.
- (54) "Manifest" means the shipping document which is used to identify the quantity, composition, origin, routing, and destination of a dangerous waste while it is being transported to a point of transfer, disposal, treatment, or storage.
- (55) "NIOSH registry" means the registry of toxic effects of chemical substances which is published by the National Institute for Occupational Safety and Health.
- (56) "Nonsudden accident" means an unforeseen and unexpected occurrence which takes place over time and involves continuous or repeated exposure.
- (57) "Occurrence" means an accident, including continuous or repeated exposure to conditions, which results in bodily injury or property damage which the owner or operator neither expected nor intended to occur.
- (58) "On-site" means the same or bordering property. Travel between two properties divided by a public right of way, and owned by the same person, shall be considered on-site travel if: (a) The travel crosses the right of way at a perpendicular intersection; or, (b) the right of way is controlled by the property owner and is inaccessible to the public.

(59) "Operator" means the person responsible for the overall operation of a facility. (See also state operator.)

(60) "Oral LD<sub>50</sub>" means the single dosage in milligrams per kilogram (mg/kg) body weight, when orally administered, which, within 14 days, kills half a group of ten or more white rats each weighing between 200 and 300 grams.

(61) "Penal sums" means the sum agreed upon in a bond, to be forfeited if the condition of the bond is not fulfilled.

(62) "Permit" means an authorization by the department which allows a person to perform dangerous waste transfer, storage, treatment, or disposal operations, and which typically will include specific conditions for such facility operations.

(63) "Permit-by-rule" means a provision of this chapter stating that a facility or activity is deemed to have a dangerous waste permit if it meets the requirements of the provision.

(64) "Persistence" means the quality of a material which retains more than half of its initial activity after one year (365 days) in either a dark anaerobic or dark aerobic environment at ambient conditions.

(65) "Person" means any person, firm, association, county, public or municipal or private corporation, agency, or other entity whatsoever.

(66) "Pesticide" means but is not limited to: Any substance or mixture of substances intended to prevent, destroy, control, repel, or mitigate any insect, rodent, nematode, mollusk, fungus, weed, and any other form of plant or animal life, or virus (except virus on or in living man or other animal) which is normally considered to be a pest or which the department of agriculture may declare to be a pest; any substance or mixture of substances intended to be used as a plant regulator, defoliant, or desiccant; any substance or mixture of substances intended to be used as spray adjuvant; and, any other substance intended for such use as may be named by the department of agriculture by regulation.

(67) "Pile" means any noncontainerized accumulation of solid, nonflowing dangerous waste that is being treated or stored.

(68) "Point source" means any confined and discrete conveyance from which pollutants are or may be discharged. This term includes, but is not limited to, pipes, ditches, channels, tunnels, wells, cracks, containers, rolling stock, concentrated animal feeding operations, or watercraft, but does not include return flows from irrigated agriculture.

(69) "Polycyclic aromatic hydrocarbons" (PAH) means only those 4-, 5-, or 6-ring aromatic hydrocarbons which can be obtained using the testing method described in WAC 173-303-110 and which are persistent dangerous wastes.

(70) "Post-closure" means the requirements placed upon disposal facilities (e.g., landfills, impoundments closed as disposal facilities, etc.) after closure to ensure their environmental safety for a number of years after closure. (See also closure definition.)

(71) "Publicly owned treatment works" or "POTW" means any device or system, owned by the state or a

municipality, which is used in the treatment, recycling, or reclamation of municipal sewage or liquid industrial wastes. This term includes sewers, pipes, or other conveyances only if they convey wastewater to a POTW.

(72) "Reactive" means the characteristic of a substance which is unstable, easily undergoes chemical changes, or readily evolves vapors or gases, and is a dangerous waste characteristic, WAC 173-303-090(7).

(73) "Representative sample" means a sample which can be expected to exhibit the average properties of the sample source.

(74) "Run-off" means any rainwater, leachate, or other liquid which drains over land from any part of a facility.

(75) "Run-on" means any rainwater, leachate, or other liquid which drains over land onto any part of a facility.

(76) "Schedule of compliance" means a schedule of remedial measure in a permit including an enforceable sequence leading to compliance with this regulation.

(77) "Sludge" means any solid, semisolid, or liquid waste generated from a municipal, commercial, or industrial wastewater treatment plant, water supply treatment plant, or air pollution control facility. This term does not include the treated effluent from a wastewater treatment plant.

(78) "Solid waste" means all putrescible and nonputrescible solid, semisolid, or liquid wastes including, but not limited to, garbage, rubbish, ashes, industrial wastes, swill, demolition and construction wastes, pressurized gaseous wastes in containers, and discarded commodities. (See also waste.)

(79) "Spill" means the accidental or intentional release of any material into the environment.

(80) "State operator" means the person responsible for the overall operation of the state's extremely hazardous waste facility on the Hanford Reservation.

(81) "Standby trust fund" shall mean a trust fund which must be established by an owner or operator who obtains a letter of credit or surety bond as specified in these regulations. The institution issuing the letter of credit or surety bond will deposit into the standby trust fund any drawings by the department on the credit or bond.

(82) "Storage" means the holding of dangerous waste for a temporary period, except that the accumulation of dangerous waste, by the generator on the site of generation, for less than ninety days from the date the dangerous waste was generated is not storage.

(83) "Sudden accident" means an unforeseen and unexpected occurrence which is not continuous or repeated in nature.

(84) "Surety bond" means the obligation of a guarantor to pay a second party upon default by a third party in the performance the third party owes to the second party. For purposes of this regulation the guarantor may be a bank, the second party the department and the third party a facility.

(85) "Surface impoundment" means a facility or part of a facility which is a natural topographic depression, man-made excavation, or diked area formed primarily

of earthen or man-made materials, and which is designed to hold an accumulation of dangerous wastes. The term includes holding, storage, settling, and aeration pits, ponds, or lagoons, but does not include injection wells.

(86) "Tank" means a stationary device designed to contain an accumulation of dangerous waste, and which is constructed primarily of nonearthen materials to provide structural support.

(87) "Thermal treatment" means the use of a device which uses primarily elevated temperatures to treat a dangerous waste.

(88) "TLM<sub>96</sub>" means the same as "Aquatic LC<sub>50</sub>."

(89) "Totally enclosed treatment facility" means a facility for treating dangerous waste which is directly connected to a production process and which prevents the release of dangerous waste into the environment during treatment.

(90) "Toxic" means having the properties to cause or to significantly contribute to death, injury, or illness of man or wildlife.

(91) "Transfer facility" or "collection facility" means a facility at which dangerous waste shipments are collected, consolidated, and stored for more than ten days before transfer to a storage, treatment, or disposal facility.

(92) "Transportation" means the movement of dangerous waste by air, rail, highway, or water.

(93) "Transporter" means a person engaged in the off-site transportation of dangerous waste.

(94) "Travel time" means the period of time necessary for a molecule of a dangerous waste constituent released to the soil (either by accident or intent) to enter the nearest well or surface water used for drinking purposes.

(95) "Treatment" means the physical, chemical, or biological processing of dangerous waste to make such wastes nonhazardous or less hazardous, safer for transport, amenable for energy or material resource recovery, amenable for storage, or reduced in volume.

(96) "Triple rinsing" means the cleaning of containers in accordance with the requirements of WAC 173-303-160(2), containers.

(97) "Trust fund" means the money or property set aside as a trust for the benefit of another and held by a trustee.

(98) "Underground injection" means the subsurface emplacement of fluids through a bored, drilled, or driven well, or through a dug well, where the depth of the dug well is greater than the largest surface dimension.

(99) "Waste" means any discarded, abandoned, unwanted, or unrecoverable material.

(100) "Water or rail (bulk shipment)" means the bulk transportation of dangerous waste which is loaded or carried on board a vessel or railcar without containers or labels.

(101) "Waste water treatment unit" means a device which:

(a) Is part of a waste water treatment facility which is subject to regulation under either Section 402 or Section 307(b) of the Federal Clean Water Act; and

(b) Handles dangerous waste as defined in WAC 173-303-070 in either of the following manner:

(i) Receives and treats or stores an influent dangerous waste water; or

(ii) Generates and accumulates or treats or stores a dangerous waste water treatment sludge; and

(c) Meets the definition of tank in WAC 173-303-040.

(102) "Existing TSD facility" means a facility which was in operation or for which construction commenced on or before the effective date of this chapter. A facility has commenced construction if the owner or operator has obtained permits and approvals necessary under federal, state and local hazardous waste control statutes, regulations and ordinances and either:

(a) A continuous on-site, physical construction program has begun; or

(b) The owner or operator has entered into contractual obligation, which cannot be cancelled or modified without substantial loss, for physical construction of the facility to be completed within a reasonable time.

(103) "New TSD facility" means a facility which began operation or for which construction commenced after the effective date of this chapter.

Any terms used in this chapter which have not been defined in this section shall have either the same meaning as set forth in Title 40 CFR Part 260, or else shall have their standard, technical meaning.

As used in this chapter, words in the masculine gender also include the feminine and neuter genders, words in the singular include the plural, and words in the plural include the singular. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-040, filed 2/10/82. Formerly WAC 173-302-040.]

**WAC 173-303-045 References to EPA's hazardous waste and consolidated permit regulations.** (1) Any references in this chapter to any parts, subparts, or sections from EPA's hazardous waste regulations, including 40 CFR Parts 260 through 267, or EPA's consolidated permit regulations, including 40 CFR Parts 122 through 125, shall include any federal rules or amendments to federal rules as published in the Federal Register on the following dates:

- (a) May 19, 1980;
- (b) July 16, 1980;
- (c) October 30, 1980;
- (d) November 10, 1980;
- (e) November 12, 1980;
- (f) November 17, 1980;
- (g) November 19, 1980;
- (h) November 25, 1980;
- (i) December 4, 1980;
- (j) December 31, 1980;
- (k) January 9, 1981;
- (l) January 12, 1981;
- (m) January 16, 1981;
- (n) January 23, 1981;
- (o) February 13, 1981;
- (p) February 20, 1981;

- (q) March 23, 1981;
- (r) May 18, 1981;
- (s) May 20, 1981;
- (t) June 3, 1981;
- (u) June 29, 1981;
- (v) July 7, 1981;
- (w) July 15, 1981; and
- (x) November 17, 1981.

(2) Copies of these publications can be obtained from the department. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-045, filed 2/10/82.]

**WAC 173-303-050 Imminent hazard.** Notwithstanding any provisions of this regulation, the director or his designee may take immediate action within his authority to avert an imminent and substantial danger to the public health or the environment caused by the improper management of any dangerous waste, regardless of quantity or concentration. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-050, filed 2/10/82. Formerly WAC 173-302-060.]

**WAC 173-303-060 Notification and identification numbers.** (1) Any person who generates, transports, offers for transport, or transfers a dangerous waste, or who operates a dangerous waste transfer, storage, treatment, or disposal facility shall have an EPA/state identification number (EPA/state ID#).

(2) Any person who offers a dangerous waste to a transporter, transfer station, or to a dangerous waste storage, treatment, or disposal facility which does not have an EPA/state ID# shall be in violation of this regulation.

(3) Every person who must have an EPA/state ID#, and who has not already received his ID #, must notify the department by obtaining and completing a Washington state notification form, and submitting the completed form to the department. The notification form and instructions for its completion may be obtained by contacting the department.

(4) The EPA/state ID# must be used in all records and reports required by the department. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-060, filed 2/10/82.]

**WAC 173-303-070 Designation of dangerous waste.**

(1) Purpose. This section describes the procedures for determining whether or not a solid waste is a dangerous waste or an extremely hazardous waste.

(2) Applicability. The procedures in this section are applicable to any person who is required by chapter 173-303 WAC to determine whether or not his solid waste is designated as dangerous or extremely hazardous, or who desires an exemption for a designated dangerous waste. Any person who must determine whether or not his solid waste is designated under chapter 173-303 WAC shall perform such designation in the following general manner:

(a) He shall determine whether or not his waste is designated by the dangerous waste lists, which include WAC 173-303-080 through 173-303-084, or by the dangerous waste characteristics, WAC 173-303-090; or

(b) In lieu of subsection (2)(a), above, he shall determine whether or not his waste is designated by the dangerous waste criteria, which include WAC 173-303-100 through 173-303-103.

Any person who wishes to seek an exemption for a waste which has been designated dangerous or extremely hazardous shall comply with the requirements of subsection (6), below.

(3) Designation procedures. To determine whether or not his waste is designated, a person must check certain sections of this regulation. These sections are set forth in subsection (3)(a) and (b), and the manner of their use is described. Any person who determines by these procedures that his waste is designated as dangerous or extremely hazardous shall be subject to all applicable requirements of chapter 173-303 WAC. The dangerous waste designation procedures are also illustrated in WAC 173-303-9901, flowchart for designating dangerous wastes, and WAC 173-303-9902, narrative for designating dangerous wastes.

(a) Except as provided in subsection (3)(b), below, a person shall check his waste against the following sections, and in the following order:

(i) First, discarded chemical products, WAC 173-303-081;

(ii) Second, dangerous waste sources, WAC 173-303-082;

(iii) Third, infectious dangerous wastes, WAC 173-303-083;

(iv) Fourth, dangerous waste mixtures, WAC 173-303-084; and

(v) Last, dangerous waste characteristics, WAC 173-303-090.

A person shall check each section, in the order set forth, until he determines that his waste is designated. Once his waste is designated, he need not determine any other designations for his waste, except as required by subsection (5), below. If he has checked his waste against each section and his waste is not designated, then his waste is not subject to the requirements of chapter 173-303 WAC.

(b) In lieu of subsection (3)(a), above, a person shall check his waste against the following sections, and in the following order:

(i) First, toxic dangerous waste, WAC 173-303-101;

(ii) Second, persistent dangerous wastes, WAC 173-303-102;

(iii) Third, carcinogenic dangerous wastes, WAC 173-303-103; and

(iv) Last, dangerous waste characteristics, WAC 173-303-090.

A person shall check each section, in the order set forth, until he determines that his waste is designated. If he determines that his waste is designated as a dangerous waste (DW), then he must assure that it is not also an extremely hazardous waste (EHW) by checking it against the remaining sections. If he determines that his

waste is designated as an EHW, then he need not check it against any remaining sections. If he has checked his waste against all of the sections and it is not designated, then his waste is not subject to the requirements of chapter 173-303 WAC.

(4) Criteria designation required. The department may order any person to determine whether or not his waste is designated under the dangerous waste criteria, as set forth in WAC 173-303-100, if the department has reason to believe that his waste would be designated dangerous or extremely hazardous by the dangerous waste criteria. If a person, pursuant to an order issued under subsection (4), determines that his waste is a dangerous waste, then he shall be subject to the applicable requirements of this chapter 173-303 WAC. The department shall base its order on evidence that includes, but is not limited to:

- (a) Test information indicating that the person's waste may be dangerous or extremely hazardous;
- (b) Evidence that the person's waste is very similar to another persons' already designated dangerous waste;
- (c) Evidence that the persons' waste has historically been a dangerous waste; or
- (d) Evidence or information about a person's manufacturing materials or processes which indicate that his wastes may be dangerous or extremely hazardous.

(5) Special knowledge. If a generator has designated his waste under the dangerous waste lists, as set forth in WAC 173-303-080, and has knowledge that his waste also exhibits any of the dangerous waste characteristics, WAC 173-303-090, or that his waste also meets any of the dangerous waste criteria set forth in WAC 173-303-100, or both, then he shall also designate his waste in accordance with those dangerous waste characteristics, a criteria, or both.

(6) Waste exemption. A generator whose waste has been designated as a dangerous or extremely hazardous waste under the dangerous waste lists or the dangerous waste characteristics may, at any time, check his waste against the dangerous waste criteria, WAC 173-303-100, for the purposes of exempting or changing the designation of his waste. The generator shall then submit a petition to the department in accordance with WAC 173-303-910, petitions, including all relevant data. The department shall, by order, issue a final determination regarding the designation or exemption of the waste.

(7) Dangerous waste numbers. When a generator is reporting (e.g., exception reports, annual reports, etc.) or keeping records on a dangerous waste, he shall use all the dangerous waste numbers (DW#s) which he knows are assignable to his waste from the dangerous waste lists, characteristics, or criteria (e.g., if his waste is ignitable and contains extremely hazardous concentrations of halogenated hydrocarbons, he shall use the DW#s of D001 and WP01). This shall not be construed as requiring the generator to designate his waste beyond those designation requirements set forth in WAC 173-303-070(2), (3), (4), and (5), above. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-070, filed 2/10/82.]

**WAC 173-303-071 Excluded categories of waste.**

(1) Purpose. Certain categories of waste have been excluded from the requirements of chapter 173-303 WAC, except for WAC 173-303-050, because they generally are not hazardous, are regulated under other state and federal programs, or are recycled in ways which do not threaten public health or the environment. WAC 173-303-071 describes these excluded categories of waste.

(2) Petitions. Generators who believe that their wastes should be excluded may petition the department in accordance with the requirements of WAC 173-303-910, petitions, including all relevant data.

(3) Exclusions. The following categories of waste are excluded from the requirements of chapter 173-303 WAC, except for WAC 173-303-050:

- (a) Domestic sewage that passes through a sewer system to a publicly-owned treatment works (POTW) for treatment;
- (b) Industrial wastewater discharges that are point-source discharges subject to regulation under Section 402 of the Clean Water Act. This exclusion does not apply to the collection, storage, or treatment of industrial waste-waters prior to discharge, nor to sludges that are generated during industrial wastewater treatment;
- (c) Radioactive wastes or byproducts;
- (d) Household wastes;
- (e) Agricultural crops and animal manures which are returned to the soil as fertilizers;
- (f) Waste tires from motor vehicles;
- (g) Spent pickle liquor which is reused in wastewater treatment at a facility holding a national pollutant discharge elimination system (NPDES) permit, or which is being accumulated, stored, or treated before such reuse;
- (h) Roofing tars and shingles;
- (i) Waste railroad ties;
- (j) Waste telephone and utility poles and pole butts;
- (k) Irrigation return flows;
- (l) Materials subjected to in-situ mining techniques which are not removed from the ground during extraction;
- (m) Mining overburden returned to the mining site; and
- (n) Polychlorinated biphenyl (PCB) wastes regulated by EPA under 40 CFR Part 761 (Toxic Substances Control Act regulation).

(4) Temporary exclusions. The following wastes are excluded from the requirements of chapter 173-303 WAC, except for WAC 173-303-050, until January 1, 1984. The department will study data provided by industry on each of the wastes listed in WAC 173-303-071(4) to assess the need for permanent exclusions. Any waste which has not been permanently excluded (by addition to WAC 173-303-071(3), above) by January 1, 1984, shall become subject to the requirements of chapter 173-303 WAC:

- (a) Drilling fluids, produced waters, and other wastes associated with the exploration, development and production of oil, gas, or geothermal energy;
- (b) Fly ash waste, bottom ash waste, slag waste, and flue gas emission control waste generated primarily from the combustion of coal or other fossil fuels; and

(c) Cement kiln dust waste. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-071, filed 2/10/82.]

**WAC 173-303-075 Certification of designation.** (1) Purpose and applicability.

(a) The purpose of WAC 173-303-075 is to establish procedures by which the generator of a solid waste may apply to the department for a review of his waste, and for a determination of the designation of his waste. When a final determination is made, the department shall issue a certificate of designation which shall describe the status of the generator's waste with respect to the designation requirements of this chapter 173-303 WAC.

(b) The provisions of this section are applicable to any person who produces a solid waste and who may be subject to the requirements of this chapter 173-303 WAC as the generator of a dangerous waste.

(2) Certification. Any person who produces a solid waste which could be a dangerous waste may apply to the department, in accordance with the guidelines published pursuant to WAC 173-303-075(4), for a certificate of designation for his waste.

(a) The certificate of designation will describe the status of the designation for a waste or wastes as follows:

(i) Either, the certificate will state that the waste or wastes listed in the certificate are designated dangerous waste; or

(ii) The certificate will state that the waste or wastes listed in the certificate are not designated dangerous waste under the designation procedures of WAC 173-303-080 through 173-303-090; or

(iii) The certificate will state that the waste or wastes listed in the certificate are not designated dangerous waste under the dangerous waste criteria, WAC 173-303-100 through 173-303-103.

(b) The certificate of designation will, at a minimum, include the following information:

(i) The name, address, telephone number and, where applicable, the EPA/state identification number of the person to whom the certificate is issued;

(ii) A statement of the status of the designation of the waste or wastes listed in the certificate;

(iii) A listing of the waste or wastes for which the certificate has been issued;

(iv) The signature of the director or his designee;

(v) The date on which the certificate was issued; and

(vi) The period of time for which the certificate is valid.

(c) Once a certificate of designation has been issued to a person, that person is no longer subject to the designation procedures of WAC 173-303-080 through 173-303-103, unless the period of time for which the certificate is valid expires, or the department withdraws its certification of designation in accordance with WAC 173-303-075(5). If the certificate states that the waste or wastes listed in it are designated, then the person to whom the certificate is issued shall comply with all applicable requirements of this chapter 173-303 WAC. If the certificate states that the waste or wastes listed in it

are not designated, then the person to whom the certificate is issued is not subject to the requirements of this chapter 173-303 WAC, unless the certificate becomes invalid or the department withdraws its certification.

(d) While an application for a certificate of designation is pending final action by the department, the person applying for certification must comply with all applicable requirements of this chapter 173-303 WAC.

(e) While a certificate of designation is being amended, in accordance with WAC 173-303-075(5), the certificate shall remain in effect except for those parts of the certificate which the department specifically suspends.

(3) Designation. Determination of the status of designation for a waste or wastes for which a certificate of designation is being sought shall follow the procedures set forth in this paragraph, WAC 173-303-075(3).

(a) A waste shall be certified as a dangerous waste if it is designated under any of the methods set forth in WAC 173-303-080 through 173-303-103.

(b) A waste shall be certified as not a dangerous waste if:

(i) It has only been checked against WAC 173-303-080 through 173-303-090 and it is not designated; or

(ii) It has been checked against the dangerous waste criteria, WAC 173-303-100 through 173-303-103, and it is not designated.

(c) The final determination of the status of designation shall be stated in the certificate of designation, in accordance with WAC 173-303-075 (2)(b)(ii), for the waste or wastes listed in the certificate.

(4) Application.

(a) Within one hundred twenty days of the effective date of the chapter 173-303 WAC, the department will publish guidelines describing how to apply for a certificate of designation. The guidelines can be obtained from the department after publication.

(b) The application guidelines, at a minimum, will prescribe:

(i) Basic requirements for information (e.g., the name, address and telephone number of the person making application, the waste or wastes for which the certificate of designation is sought, and such other general information as the department may require);

(ii) Data necessary for designating the waste or wastes (e.g., names and concentrations of chemical constituents in a waste, if known, results of any tests performed on a waste, information on the processes which produced a waste and any chemicals used in those processes, etc.);

(iii) Sampling and testing procedures, and the circumstances under which sampling and testing will be required;

(iv) Such other information and procedures as the department may deem necessary for the accurate designation of a waste;

(v) Procedures and forms for submitting applications;

(vi) Procedures which the department will follow in considering applications and determining the status of designation;

(vii) Procedures for issuing certificates of designation; and

(viii) Procedures for reviewing certification, pursuant to WAC 173-303-075(5), including procedures for amendment and withdrawal of certification.

(5) Review of certification.

(a) The department will periodically review each certificate of designation to insure that it is current and accurately states the proper designation for the waste or wastes listed on the certificate.

(b) The department may amend, or any person with a certificate of designation may request the department to amend, any certificate in the event that changes to the certificate are necessary to keep it current or maintain its accuracy. The person will obtain concurrence of the department if he wishes to amend his certificate to reflect changes in the information on the certificate (e.g., new wastes, changes in waste properties, changes of address, etc.).

(c) The department reserves the authority to withdraw any certificate of designation if there is reason to believe that the certificate results in a threat to public health or the environment. If a certificate is withdrawn, then the waste or wastes listed on the certificate shall be subject to all applicable requirements of this chapter 173-303 WAC. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-075, filed 2/10/82.]

**WAC 173-303-080 Dangerous waste lists.** The dangerous waste lists include:

- (1) WAC 173-303-081, Discarded chemical products;
- (2) WAC 173-303-082, Dangerous waste sources;
- (3) WAC 173-303-083, Infectious dangerous wastes; and
- (4) WAC 173-303-084, Dangerous waste mixtures. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-080, filed 2/10/82.]

**WAC 173-303-081 Discarded chemical products.**

(1) A waste shall be designated as a dangerous waste if it is discarded or intended to be discarded in amounts greater than the quantity exclusion limits of WAC 173-303-081(2), below, and if it is:

(a) A commercial chemical product or manufacturing chemical intermediate which if it had met specifications would have the generic name listed in the discarded chemical products list, WAC 173-303-9903;

(b) An off-specification commercial chemical product or manufacturing chemical intermediate which if it had met specifications would have the generic name listed in the discarded chemical products list, WAC 173-303-9903;

(c) Or any residue or contaminated soil, water, or other debris resulting from the cleanup of a spill of a commercial or off-specification commercial chemical product or manufacturing chemical intermediate which if it had met specifications would have the generic name listed in the discarded chemical products list, WAC 173-303-9903.

(2) Quantity exclusion limits:

(a) A person with a waste or wastes identified in WAC 173-303-081(1), above, shall be a dangerous waste generator if the amount of his waste exceeds the following quantity exclusion limits:

(i) For chemicals designated on the discarded chemical products list as extremely hazardous wastes (EHW) - 2.2 lbs. (1.0 kg) per month or per batch;

(ii) For chemicals designated on the discarded chemical products list as dangerous wastes (DW) - 400 lbs. (181.8 kg) per month or per batch;

(iii) For residues, contaminated soil, water, or other debris from the cleanup of a spill of any chemical designated on the discarded chemical products list as EHW - 220 lbs. (100 kg) per month or per batch.

(b) A person's total monthly waste quantity shall be the sum of all his wastes of a given type (e.g., the total quantity of all EHW discarded chemical products, the total quantity of all liners contaminated by EHW discarded chemical products, etc.) which were generated during a month or a batch operation at each specific waste generation site.

(3) Mixtures. If a person mixes a solid waste with a waste that would be designated as a discarded chemical product under this section, then the entire mixture shall be designated. The mixture designation shall be the same as the designation for the discarded chemical product which was mixed with the solid waste. For example, a mixture containing 2.2 lbs. (1 kg) of Aldrin (dangerous waste number P004; EHW designation) and 22 lbs. (10 kg) of a solid waste, would be designated as an EHW, and would have the dangerous waste number P004.

(4) Discarded chemical products list. The discarded chemical products list appears in WAC 173-303-9903. The generator shall determine the appropriate DW or EHW designation for his waste from the discarded chemical products list, and shall comply with all applicable requirements for that designation. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-081, filed 2/10/82.]

**WAC 173-303-082 Dangerous waste sources.**

The dangerous waste sources list appears in WAC 173-303-9904. Any waste which is listed on the dangerous waste sources list, and which is generated in amounts which exceed 400 lbs. (181.8 kg) per month or per batch, shall be designated as a dangerous waste (DW), and shall be assigned the dangerous waste number (DW#) which corresponds to the waste's listing. If a person mixes a solid waste with a waste that would be designated as a dangerous waste source under this section, then the entire mixture shall be designated as a dangerous waste source. The mixture shall be designated as a DW, and shall have the same dangerous waste number as the dangerous waste source which was mixed with the solid waste. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-082, filed 2/10/82.]

**WAC 173-303-083 Infectious dangerous wastes.** (Reserved.) [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-083, filed 2/10/82.]

**WAC 173-303-084 Dangerous waste mixtures.** (1) Purpose. It is the purpose of this section to describe the means for designating a waste mixture containing dangerous wastes which are not listed in WAC 173-303-081 through 173-303-083.

(2) References. The 1981 publication of the National Institute for Occupational Safety and Health's (NIOSH) "Registry of Toxic Effects of Chemical Substances" (Registry) is adopted by reference. The table in the United States EPA's regulations 40 CFR Table 117.3 (Spill Table) is adopted by reference.

(3) Waste mixture defined. For the purposes of this section, a waste mixture shall be any waste about which some or all of its constituents and concentrations are known, and which has not been designated as:

(a) A discarded chemical product under WAC 173-303-081;

(b) A dangerous waste source under WAC 173-303-082; or

(c) An infectious dangerous waste under WAC 173-303-083.

(4) A person who has a waste mixture shall use data which is available to him, and, when such data is inadequate for the purposes of this section, shall refer to the NIOSH Registry and/or to the EPA Spill Table to determine:

(a) Toxicity data or category for each known constituent in his waste;

(b) Whether or not each known constituent of his waste is a halogenated hydrocarbon or a polycyclic aromatic hydrocarbon; and,

(c) Whether or not each known constituent of his waste is an International Agency for Research on Cancer (IARC) human or animal, positive or suspected carcinogen.

(5) Toxicity.

(a) If a person has toxic constituents in his waste, he shall determine the toxic category for each known toxic constituent. The toxic category for each constituent may be determined directly from EPA'S Spill Table, or by obtaining data from the NIOSH Registry and checking this data against the toxic category table, below. If data is available for more than one of the four toxicity criteria (aquatic, oral, inhalation, or dermal), then the data of severest toxicity shall be used, and the most acutely toxic category shall be assigned to the constituent. If toxicity data for a constituent cannot be found in EPA'S Spill Table, NIOSH Registry, or other source reasonably available to a person, then he need not determine the toxic category for that constituent.

TOXIC CATEGORY TABLE

Category	TLM <sub>96</sub> (Fish) or, Aquatic (Fish) LC <sub>50</sub> (ppm)	Oral (Rat) LD <sub>50</sub> (mg/kg)	Inhalation (Rat) LC <sub>50</sub> (mg/L)	Dermal (Rabbit) LD <sub>50</sub> (mg/kg)
X	<.1	<.5	<.02	< 2
A	.1 - 1	.5 - 5	.02 - .2	2 - 20
B	1 - 10	5 - 50	.2 - 2	20 - 200
C	10 - 100	50 - 500	2 - 20	200 - 2000
D	100 - 1000	500 - 5000	20 - 200	2000 - 20,000

(b) A person whose waste mixture contains one or more toxic constituents shall determine the equivalent concentration for his waste from the following formula:

$$\text{Equivalent Concentration(\%)} = \frac{\Sigma X\%}{10} + \frac{\Sigma A\%}{100} + \frac{\Sigma B\%}{1000} + \frac{\Sigma C\%}{10000} + \frac{\Sigma D\%}{100000}$$

where  $\Sigma(X,A,B,C, \text{ or } D) \%$  is the sum of all the concentration percentages for a particular toxic category.

Example 1. A person's waste mixture contains: Aldrin (X Category) - .01%; Diuron (B Category) - 1%; Benzene (C Category) - 4%; Phenol (C Category) - 2%; Cyclohexane (C Category) - 5%; Water (nontoxic) - 87%. His equivalent concentration (E.C.) would be:

$$\begin{aligned} \text{E.C. (\%)} &= .01\% + \frac{0\%}{10} + \frac{1\%}{100} + \frac{(4\% + 2\% + 5\%)}{1000} + \frac{0\%}{10000} \\ &= .01\% + 0\% + .01\% + .011\% + 0\% = .031\% \end{aligned}$$

So his equivalent concentration equals .031%.


(c) A person whose waste mixture contains toxic constituents shall determine his designation from the toxic dangerous waste mixtures graph, below, by finding the equivalent concentration percentage for his waste along the abscissa, finding his total waste mixture quantity along the ordinate, and plotting the point on the graph where the horizontal line drawn from his total waste mixture quantity intersects the vertical line drawn from his waste mixture's equivalent concentration. If the plotted point is in the area marked dangerous waste (DW), he shall designate his waste as a dangerous waste; if the plotted point is in the area marked extremely hazardous waste (EHW), he shall designate his waste as an extremely hazardous waste.

(d) If a person knows only some of the toxic constituents in his waste mixture, or only some of the constituent concentrations, and if his waste is undesignated for those known constituents or concentrations, then his waste is not designated under WAC 173-303-084(5).

(e) Toxic dangerous waste mixtures graph. A larger version of this graph appears in WAC 173-303-9906.



Figure 1.



(6) Persistence.

(a) A person whose waste mixture contains one or more halogenated hydrocarbons for which the concentrations are known shall determine his total halogenated hydrocarbon concentration by summing the concentration percentages for all of those halogenated hydrocarbons for which he knows the concentrations in his waste mixture.

Example 2. A person's waste mixture contains: Carbon tetrachloride - .009%; DDT - .012%; 1,1,1-trichloroethylene - .02%. His total halogenated hydrocarbon concentration would be:

$$\text{Total HH Concentration (\%)} = .009\% + .012\% + .02\% = .041\%$$

(b) A person whose waste mixture contains one or more four-, five-, or six-ring polycyclic aromatic hydrocarbons for which the concentrations are known shall determine his total polycyclic aromatic hydrocarbon concentration by summing the concentration percentages for all of those four-, five-, or six-ring polycyclic aromatic hydrocarbons about which he knows the concentration in his waste mixture.

Example 3. A person's waste mixture contains: Chrysene - .08%; 3, 4 - benzpyrene - 1.22%. His total

polycyclic aromatic hydrocarbon concentration would be:

$$\text{Total PAH Concentration (\%)} = .08\% + 1.22\% = 1.3\%$$


(c) A person whose waste mixture contains halogenated hydrocarbons shall determine his designation from the persistent dangerous waste mixtures graph, below, by finding the total halogenated hydrocarbon concentration for his waste along the abscissa, finding his total waste mixture quantity along the ordinate, and plotting the point on the graph where the horizontal line drawn from his total waste mixture quantity intersects the vertical line drawn from his waste mixture's total halogenated hydrocarbon concentration. If the plotted point is in the area marked dangerous waste (DW), then he shall designate his waste as a dangerous waste; if the plotted point is in the area marked extremely hazardous waste (EHW), then he shall designate his waste as an extremely hazardous waste.

(d) A person whose waste mixture contains four-, five-, or six-ring polycyclic aromatic hydrocarbons shall determine his designation from the persistent dangerous waste mixtures graph, below, by finding the total polycyclic aromatic hydrocarbon concentration of his waste along the abscissa, finding his total waste mixture quantity along the ordinate, and plotting the point on the graph where the horizontal line drawn from his total waste mixture quantity intersects the vertical line drawn from his waste mixture's total polycyclic aromatic hydrocarbon concentration. If the plotted point is in the area marked extremely hazardous waste (EHW), then he shall designate his waste as an extremely hazardous waste. If the plotted point is outside of the area marked EHW, then his waste is not designated as a dangerous waste.

(e) If a person knows only some of the persistent constituents in his waste mixture, or only some of the constituent concentrations, and if his waste is undesignated for those known constituents or concentrations, then his waste is not designated under WAC 173-303-084(6).

(f) Persistent dangerous waste mixtures graph. A larger version of this graph also appears in WAC 173-303-9907.

Figure 2.



(7) Carcinogens. Any person whose waste mixture contains one or more IARC human or animal, positive or suspected carcinogen(s) shall designate his waste as a dangerous waste (DW) if:

(a) The total concentration of carcinogen(s) in his waste exceeds 1.0% of the waste quantity; and

(b) The monthly or batch waste quantity exceeds 400 lbs. (181.8 kg.).

(8) Assigning dangerous waste numbers. A person whose waste is a dangerous waste mixture shall assign a dangerous waste number (DW#) from the generic dangerous waste numbers table in WAC 173-303-104, generic dangerous waste numbers. He shall assign the DW# from the table which corresponds to the designation for his dangerous waste. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-084, filed 2/10/82.]

**WAC 173-303-090 Dangerous waste characteristics.** (1) Purpose. The purpose of this section is to set forth characteristics which a solid waste might exhibit and which would cause that waste to be a dangerous waste.

(2) Representative samples. The department will consider a sample obtained using any of the applicable sampling methods described in WAC 173-303-110(2), sampling and testing methods, to be a representative sample.

(3) Equivalent test methods. The testing methods specified in this section shall be the only acceptable methods, unless the department approves an equivalent test method in accordance with WAC 173-303-910, petitions.

(4) Quantity exclusion limit. A solid waste which has been designated as a dangerous or extremely hazardous

waste solely because it exhibits one or more of the dangerous waste characteristics shall be subject to the requirements of chapter 173-303 WAC if its quantity exceeds 400 lbs. (181.8 kg.) per month or per batch.

(5) Characteristic of ignitability.

(a) A solid waste exhibits the characteristic of ignitability if a representative sample of the waste has any of the following properties:

(i) It is a liquid, other than an aqueous solution containing less than 24 percent alcohol by volume, and has a flash point less than 60 degrees C (140 degrees F), as determined by a Pensky-Martens Closed Cup Tester, using the test method specified in ASTM Standard D-93-79 or D-93-80, or a Setaflash Closed Cup Tester, using the test method specified in ASTM Standard D-3278-78;

(ii) It is not a liquid and is capable, under standard temperature and pressure, of causing fire through friction, absorption of moisture or spontaneous chemical changes and, when ignited, burns so vigorously and persistently that it creates a hazard;

(iii) It is an ignitable compressed gas as defined in 49 CFR 173.300 and as determined by the test methods described in that regulation; or,

(iv) It is an oxidizer as defined in 49 CFR 173.151.

(b) A solid waste that exhibits the characteristic of ignitability, but is not designated as a dangerous waste under any of the dangerous waste lists, as set forth in WAC 173-303-080, shall be designated as a dangerous waste (DW), and shall be assigned the dangerous waste number of D001.

(6) Characteristic of corrosivity.

(a) A solid waste exhibits the characteristic of corrosivity if a representative sample of the waste has any of the following properties:

(i) It is aqueous, and has a pH less than or equal to 2, or greater than or equal to 12.5, as determined by a pH meter using the testing methods specified in "Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods," available from the department; or

(ii) It is liquid, and corrodes steel (SAE 1020) at a rate greater than 0.250 inch (6.35 mm) per year at a test temperature of 55 degrees C (130 degrees F) as determined by the test method specified in NACE (National Association of Corrosion Engineers) Standard TM-01-69 as standardized in "Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods." The NACE Standard is available from the department.

(b) A solid waste that exhibits the characteristic of corrosivity, but is not designated as a dangerous waste under any of the dangerous waste lists, as set forth in WAC 173-303-080, shall be designated as a dangerous waste (DW), and shall be assigned the dangerous waste number of D002.

(7) Characteristic of reactivity.

(a) A solid waste exhibits the characteristic of reactivity if a representative sample of the waste has any of the following properties:

(i) It is normally unstable and readily undergoes violent change without detonating;

(ii) It reacts violently with water;

(iii) It forms potentially explosive mixtures with water;

(iv) When mixed with water, it generates toxic gases, vapors or fumes in a quantity sufficient to present a danger to human health or the environment;

(v) It is a cyanide or sulfide bearing waste which, when exposed to pH conditions between 2 and 12.5 can generate toxic gases, vapors or fumes in a quantity sufficient to present a danger to human health or the environment;

(vi) It is capable of detonation or explosive reaction if it is subjected to a strong initiating source or if heated under confinement;

(vii) It is readily capable of detonation or explosive decomposition or reaction at standard temperature and pressure; or

(viii) It is a forbidden explosive as defined in 49 CFR 173.51, or a Class A explosive as defined in 49 CFR 173.53, or a Class B explosive as defined in 49 CFR 173.88.

(b) A solid waste that exhibits the characteristic of reactivity, but is not designated as a dangerous waste under any of the dangerous waste lists, as set forth in WAC 173-303-080, shall be designated as a dangerous waste (DW), and shall be assigned the dangerous waste number of D003.

(8) Characteristic of EP toxicity.

(a) A solid waste exhibits the characteristic of EP toxicity if, using "Extraction Procedure Test Methods - 1981" on file with the department, the extract from a representative sample of the waste contains any of the contaminants listed in the EP toxicity list below, at concentrations equal to or greater than the respective value given in the list. When the waste contains less than 0.5 percent filterable solids, the waste itself, after filtering, is considered to be the extract for the purposes of this paragraph.

(b) A solid waste that exhibits the characteristic of EP toxicity, but is not designated as a dangerous waste under any of the dangerous waste lists, as set forth in WAC 173-303-080, has the dangerous waste number specified in the list which corresponds to the toxic contaminant causing it to be dangerous.

(c) EP toxicity list. Two levels of concentration are established for the contaminants listed. Any waste containing one or more contaminants with concentrations in the extremely hazardous waste (EHW) range shall cause that waste to be designated as extremely hazardous. Any waste containing contaminants all or some of which occur at concentrations in the dangerous waste (DW) range only (i.e., no EHW contaminants), shall be designated as dangerous waste.

EP TOXICITY LIST

Dangerous Waste Number	Contaminant	EHW Maximum Concentration		DW Maximum Concentration	
		In Extract (mg/L)		In Extract (mg/L)	
D004	Arsenic	>	500	5	- 500
D005	Barium	>	10,000	100	- 10,000
D006	Cadmium	>	100	1	- 100
D007	Chromium (VI)	>	500	5	- 500
D008	Lead	>	500	5	- 500
D009	Mercury	>	20	0.2	- 20
D010	Selenium	>	100	1	- 100
D011	Silver	>	500	5	- 500
D012	Endrin	>	2	0.02	- 2
D013	Lindane	>	40	0.4	- 40
D014	Methoxychlor	>	1,000	10	- 1,000
D015	Toxaphene	>	50	0.5	- 50
D016	2,4-D	>	1,000	10	- 1,000
D017	2,4,5-TP Silvex	>	100	1	- 100

[Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-090, filed 2/10/82.]

**WAC 173-303-100 Dangerous waste criteria.** (1) The dangerous waste criteria consist of:

- (a) Toxic dangerous wastes, WAC 173-303-101;
- (b) Persistent dangerous wastes, WAC 173-303-102;
- (c) Carcinogenic dangerous wastes, WAC 173-303-103; and
- (d) Dangerous waste characteristics, WAC 173-303-090.

(2) Applicability. Any person who has established that his waste meets any of the dangerous waste criteria is a dangerous waste generator, and shall comply with the requirements set forth in this chapter for generators. A person shall use the dangerous waste criteria to designate his waste pursuant to WAC 173-303-070 (3)(b), or 173-303-070(4), or to exempt his waste pursuant to WAC 173-303-070(6), or to otherwise establish the risk which his waste presents to public health and the environment. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-100, filed 2/10/82.]

**WAC 173-303-101 Toxic dangerous wastes.** (1) Purpose. This section describes methods for determining the toxicity of a waste and the criteria by which a toxic waste shall be designated as a dangerous or extremely hazardous waste.

(2) Categorization. (a) The following toxic category table establishes categories (X, A, B, C, or D) for particular toxicity levels. The X category is the most toxic, and the D category is least toxic. Substances which have toxicity levels below the D category are generally considered to be nontoxic.

TOXIC CATEGORY TABLE

Category	TLM <sub>96</sub> (Fish) or Aquatic (Fish) LC <sub>50</sub> (ppm)		Oral (Rat) LD <sub>50</sub> (mg/kg)		Inhalation (Rat) LC <sub>50</sub> (mg/L)		Dermal (Rabbit) LD <sub>50</sub> (mg/kg)	
X	<.1		<.5		<.02		<2	
A	.1 - 1		.5 - 5.02		.2 - 2		20	
B	1 - 10		5 - 50		.2 - 2		20 - 200	

TOXIC CATEGORY TABLE

Category	TLM <sub>96</sub> (Fish) or Aquatic (Fish) LC <sub>50</sub> (ppm)	Oral (Rat) LD <sub>50</sub> (mg/kg)	Inhalation (Rat) LC <sub>50</sub> (mg/L)	Dermal (Rabbit) LD <sub>50</sub> (mg/kg)
C	10 - 100	50 - 500	2 - 20	200 - 2000
D	100 - 1000	500 - 5000	20 - 200	2000 - 20,000

(b) In order to determine the toxic categories for the constituents in his waste, a person must obtain toxicity data on the constituents either through knowledge he has about his waste, or by obtaining data from the two sources referenced in WAC 173-303-101 (3)(a) and (b), below (EPA'S Spill Table and NIOSH Registry). If data obtained for a constituent is available for more than one of the toxicity criteria (aquatic, oral, inhalation, or dermal), then the data of severest toxicity shall be used to assign the most acutely toxic category to the waste constituent.

(3) Establishing waste toxicity. A person shall establish the toxicity of his waste or waste constituents by applying his knowledge about his waste, or by using the following information sources or testing methods, or both:

(a) The National Institute for Occupational Safety and Health (NIOSH) document "Registry of Toxic Effects of Chemical Substances" (Registry);

(b) The United States EPA's regulation 40 CFR Table 117.3 (Spill Table); and

(c) The bioassay testing methods adopted under WAC 173-303-110(3).

(4) Book designation procedure.

(a) A person may use the book designation procedure described in this paragraph only if:

(i) He knows the toxic categories (as set forth in WAC 173-303-101(2), above) for the significant toxic constituents in his waste;

(ii) He knows the concentrations of the significant toxic constituents in his waste; and

(iii) He can demonstrate to the department beyond a reasonable doubt that any waste constituents about which he has limited or no knowledge do not significantly affect the toxicity of his waste.

(b) Equivalent concentration. A person who is book designating his waste shall determine the equivalent concentration (in percent) of the toxic constituents in his waste by using the following formula:

$$\text{Equivalent Concentration (\%)} = \frac{\Sigma X\%}{10} + \frac{\Sigma A\%}{100} + \frac{\Sigma B\%}{1000} + \frac{\Sigma C\%}{10000} + \frac{\Sigma D\%}{10,000}$$

where  $\Sigma(X,A,B,C, \text{ or } D)\%$  is the sum of all the concentration percentages for a particular toxic category.


Example 1. A person's waste contains: Aldrin (X Category) - .01%; Diuron (B Category) - 1%; Benzene (C Category) - 4%; Phenol (C Category) - 2%; Cyclohexane (C Category) - 5%; Water (nontoxic) - 87%. His equivalent concentration (E.C.) would be:

$$\begin{aligned} \text{E.C. (\%)} &= .01\% + \frac{0\%}{10} + \frac{1\%}{100} + \frac{(4\% + 2\% + 5\%)}{1000} + \frac{0\%}{10,000} \\ &= .01\% + 0\% + .01\% + .011\% + 0\% = .031\% \end{aligned}$$

So his equivalent concentration equals .031%.

(c) Toxic dangerous waste graph. To book designate his waste, a person shall use the toxic dangerous waste mixtures graph, below (also, a larger version of this graph appears in the appendix WAC 173-303-9906), by finding the equivalent concentration percentage for his waste along the abscissa, finding his total waste quantity along the ordinate, and plotting the point on the graph where the horizontal line drawn from his total waste quantity intersects the vertical line drawn from his waste mixture's equivalent concentration. If the plotted point is in the area marked dangerous waste (DW), he shall designate his waste as a dangerous waste; if the plotted point is in the area marked extremely hazardous waste (EHW), he shall designate his waste as an extremely hazardous waste.

Figure.



(5) Designation from bioassay data. If a person has established the toxicity of his waste by means of the bioassay test methods adopted under WAC 173-303-110(3), sampling and testing methods, and has determined his waste's toxicity range (C category or greater toxicity, or D category toxicity), then he shall designate his waste according to the toxic dangerous waste designation table, below.

TOXIC DANGEROUS WASTE DESIGNATION TABLE

If your waste's toxic range falls in the . . .	And your monthly or batch waste quantity is . . .	Then your waste's designation is . . .
D Category	Greater than 400 lbs. (181.8 kg)	Dangerous Waste (DW)
X, A, B, or C Category	40 - 400 lbs. (18.2 - 181.8 kg)	DW
	Greater than 400 lbs. (181.8 kg)	Extremely Hazardous Waste (EHW)

[Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-101, filed 2/10/82. Formerly chapter 173-302 WAC.]

**WAC 173-303-102 Persistent dangerous wastes.** (1) Purpose. This section describes the procedures for designating wastes which contain halogenated hydrocarbons (HH) and/or four-, five-, and six-ring polycyclic aromatic hydrocarbons (PAH).

(2) Concentration determination. A person shall determine the concentration of HH and/or PAH in his waste by either testing his waste as specified in WAC 173-303-102 (2)(a), below, or by the calculation procedures described in WAC 173-303-102 (2)(b), below.

(a) Concentration tests. A person shall test his waste to determine its concentration level as follows:

(i) For HH - By using the testing methods specified in WAC 173-303-110 (3)(b); and,

(ii) For PAH - By using the testing methods specified in WAC 173-303-110 (3)(c).

(b) Concentration calculations. If a person knows the concentrations of the significant persistent constituents in his waste, and if he can demonstrate to the department beyond a reasonable doubt that any remaining persistent constituents for which he does not know the concentrations would not contribute significantly to the total persistent concentration, then he may calculate the concentration of persistent constituents in his waste as follows:

(i) A person whose waste contains one or more halogenated hydrocarbons for which the concentrations are known shall determine his total halogenated hydrocarbon concentration by summing the concentration percentages for all of his waste's significant halogenated hydrocarbons.

Example 1. A person's waste contains: Carbon tetrachloride - .009%; DDT - .012%; 1,1,1-trichloroethylene - .02%. His total halogenated hydrocarbon concentration would be:

$$\text{Total HH Concentration (\%)} = .009\% + .012\% + .02\% = .041\%$$

(ii) A person whose waste contains one or more four-, five-, or six-ring polycyclic aromatic hydrocarbons for which the concentrations are known shall determine his total polycyclic aromatic hydrocarbon concentration by summing the concentration percentages for all of his

waste's significant four-, five-, or six-ring polycyclic aromatic hydrocarbons.

Example 2. A person's waste contains: Chrysene - .08%; 3, 4 - benzpyrene - 1.22%. His total polycyclic aromatic hydrocarbon concentration would be:

$$\text{Total PAH Concentration (\%)} = .08\% + 1.22\% = 1.3\%$$

(3) Designation criteria and quantity. A person whose waste contains persistent (HH or PAH) constituents shall designate his waste according to the persistent dangerous waste table, below, if his monthly or batch waste quantity exceeds 400 lbs. (181.8 kg.).

PERSISTENT DANGEROUS WASTE TABLE

If your waste contains . . .	At a concentration level of . . .	Then your waste's designation is . . .
Halogenated Hydrocarbons (HH)	0.01 to 1.0% greater than 1.0%	Dangerous Waste (DW) Extremely Hazardous Waste (EHW)
Polycyclic Aromatic Hydrocarbons (PAH)	greater than 1.0%	EHW*

\* No DW concentration level for PAH.

[Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-102, filed 2/10/82. Formerly WAC 173-302-130.]

**WAC 173-303-103 Carcinogenic dangerous wastes.**

(1) Criteria. A substance which is listed in the National Institute for Occupational Safety and Health (NIOSH) document "Registry of Toxic Effects of Chemical Substances" (Registry), or any other documents, as an IARC (International Agency for Research on Cancer) human or animal, positive or suspected carcinogen, shall be a carcinogenic substance for the purposes of this section. Any IARC identified substance which is an inorganic, respiratory carcinogen shall be a carcinogenic substance only if it occurs in a friable format (i.e., if it is in a waste which easily crumbles and forms dust which can be inhaled).

(2) Designation. Any person whose waste contains one or more IARC carcinogen(s) shall designate his waste as a dangerous waste (DW) if:

(a) The total concentration of carcinogen(s) in his waste exceeds 1.0% of the waste quantity; and

(b) The monthly or batch waste quantity exceeds 400 lbs. (181.8 kg). [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-103, filed 2/10/82.]

**WAC 173-303-104 Generic dangerous waste numbers.**

(1) Purpose. This section sets forth the dangerous waste number (DW#) for each of the dangerous waste criteria designations.

(2) Characteristics. A waste which exhibits any of the dangerous waste characteristics, WAC 173-303-090, shall be assigned the DW# corresponding to the characteristic(s) exhibited by the waste.

(3) Criteria. The following table shall be used for assigning DW#s to wastes designated by the dangerous waste criteria.

GENERIC DANGEROUS WASTE NUMBERS TABLE

DW#	Dangerous Waste Criteria and Designation
WT01	Toxic Dangerous Wastes
WT02	EHW DW
WP01	Persistent Dangerous Wastes
WP02	Halogenated Hydrocarbons EHW DW
WP03	Polycyclic Aromatic Hydrocarbons EHW
WC01	Carcinogenic Dangerous Wastes DW

[Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-104, filed 2/10/82.]

#### WAC 173-303-110 Sampling and testing methods.

(1) Purpose. This section describes the testing methods which may be used in the process of designating a dangerous waste.

(2) Representative samples.

(a) The methods and equipment used for obtaining representative samples of a waste will vary with the type and form of the waste. The department will consider samples collected using the sampling methods below, for wastes with properties similar to the indicated materials, to be representative samples of the wastes:

(i) Crushed or powdered material – ASTM Standard D346-75;

(ii) Extremely viscous liquid – ASTM Standard D140-70;

(iii) Fly ash-like material – ASTM Standard D2234-76;

(iv) Soil-like material – ASTM Standard D1452-65;

(v) Soil or rock-like material – ASTM Standard D420-69;

(vi) Containerized liquid wastes – "COLIWASA" described in "Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods," and also in "Samplers and Sampling Procedures for Hazardous Waste Streams," EPA 600/2-80-18, January 1980; and,

(vii) Liquid waste in pits, ponds, lagoons, and similar reservoirs – "Pond Sampler" described in the same documents referenced in WAC 173-303-110 (2)(a)(vi), above.

(b) Copies of these representative sampling methods are available from the department.

(3) Test procedures. The following test procedures are on file with the department, and shall be used when testing a waste for the indicated purposes:

(a) Determining EP toxicity – "Extraction Procedure Test Methods – 1981";

(b) Determining halogenated hydrocarbon concentrations – "Parr Bomb Test for Total Chlorine";

(c) Determining polycyclic aromatic hydrocarbon concentrations – "Analysis for Polynuclear Aromatic Hydrocarbons";

(d) Determining aquatic fish toxicity (TLM<sub>96</sub> or Aquatic LC<sub>50</sub>) – "Static Acute Fish Toxicity Test" described in the document "Biological Testing Methods, Compliance with the Hazardous Waste Regulations," DOE 80-12, October, 1980; and,

(e) Determining oral rat toxicity (LD<sub>50</sub>) – "Acute Oral Rat Toxicity Test" described in the document referenced in WAC 173-303-110 (3)(d), above.

(4) Substantial changes to the testing methods described above shall be made only after the department has provided adequate opportunity for public review and comment on the proposed changes. The department may, at its discretion, schedule a public hearing on the proposed changes.

(5) Equivalent testing methods. Any person may request the department to approve an equivalent testing method by submitting a petition, prepared in accordance with WAC 173-303-910, petitions, to the department. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-110, filed 2/10/82.]

#### WAC 173-303-120 Recycled, reclaimed, and recovered wastes.

(1) Purpose. It is the purpose of this section to set forth the conditions under which a dangerous waste shall be handled when it is being recycled, reclaimed, or recovered.

(2) Any dangerous waste which is designated only because it exhibits one or more of the dangerous waste characteristics set forth under WAC 173-303-090 shall not be subject to the regulations of chapter 173-303 WAC if:

(a) It is being beneficially used or reused, or legitimately recycled, reclaimed, or recovered; or

(b) It is being accumulated, stored, or treated prior to beneficial use or reuse, or legitimate recycling, reclamation, or recovery.

(3) Any dangerous waste which is listed, or contains one or more dangerous wastes designated in the dangerous waste lists set forth under WAC 173-303-080, and which is transported or stored prior to being used, reused, recycled, reclaimed, or recovered is subject to the following requirements:

(a) WAC 173-303-060, notification and identification numbers;

(b) WAC 173-303-170 through 173-303-230 for generators;

(c) WAC 173-303-240 through 173-303-270 for transporters;

(d) WAC 173-303-280 through 173-303-395 for facility owners/operators;

(e) The storage requirements of WAC 173-303-400 through 173-303-520 for interim status facilities;

(f) The storage requirements of WAC 173-303-500 through 173-303-670 for final status facilities; and

(g) WAC 173-303-800 through 173-303-840 with respect to storage facility permits. [Statutory Authority:

Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-120, filed 2/10/82.]

**WAC 173-303-130 Containment and control of infectious wastes.** (Reserved.) [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-130, filed 2/10/82.]

**WAC 173-303-140 Disposal of extremely hazardous waste.** No person shall dispose of designated extremely hazardous waste (EHW) at any land disposal facility in the state other than the facility established and approved by the department for such purpose under chapter 70.105 RCW. A person is not prohibited from reclaiming, recycling, recovering, treating, detoxifying, neutralizing, or otherwise processing EHW to remove or reduce its harmful properties or characteristics, provided that such processing is performed in accordance with the requirements of this chapter 173-303 WAC. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-140, filed 2/10/82.]

**WAC 173-303-141 Treatment, storage, or disposal of dangerous waste.** A person shall only offer a designated dangerous waste for treatment, storage, or disposal (TSD) to a facility which is operating under a permit issued pursuant to the requirements of WAC 173-303-800 through 173-303-845, unless otherwise authorized by the department. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-141, filed 2/10/82.]

**WAC 173-303-145 Spills and discharges into the environment.** (1) Purpose and applicability. This section sets forth the requirements for any person responsible for a spill or discharge into the environment, except when such release is otherwise permitted under state or federal law. This section shall apply when any dangerous waste, or when any material having the properties of a dangerous waste, as described in WAC 173-303-080 through 173-303-103, is intentionally or accidentally spilled or discharged into the environment (unless otherwise permitted) such that public health or the environment are threatened, regardless of the quantity of material or the quantity exclusion limits for dangerous waste.

(2) Notification. Any person who is responsible for a nonpermitted spill or discharge shall immediately notify the individuals and authorities described for the following situations:

(a) For spills or discharges onto the ground or into groundwater or surface water, notify all local authorities in accordance with the local emergency plan. If necessary, check with the local emergency service coordinator and the fire department to determine all notification responsibilities under the local emergency plan. Also, notify the appropriate regional office of the department of ecology; and

(b) For spills or discharges which result in emissions to the air, notify all local authorities in accordance with

the local emergency plan. If necessary, check with the local emergency service coordinator and the fire department to determine all notification responsibilities under the local emergency plan. Also, in western Washington notify the local air pollution control authority, or in eastern Washington notify the appropriate regional office of the department of ecology.

(3) Mitigation and control. The person responsible for a nonpermitted spill or discharge shall take appropriate immediate action to protect human health and the environment (e.g., diking to prevent contamination of state waters, shutting of open valves).

(a) In addition, the department may require the person responsible for a spill or discharge to:

(i) Clean up all released substances (dangerous wastes, or materials having the properties of dangerous waste), or to take such actions as may be required or approved by federal, state, or local officials acting within the scope of their official responsibilities. This may include complete or partial removal of released substances as may be justified by the nature of the released substances, the human and environmental circumstances of the incident, and protection required by the Water Pollution Control Act, chapter 90.48 RCW;

(ii) Designate and treat, store or dispose of all soils, waters, or other materials contaminated by the spill or discharge in accordance with this chapter 173-303 WAC, unless otherwise approved by the department. The department may require testing in order to determine the amount or extent of contaminated materials, and the appropriate designation, treatment, storage, or disposal for any substances resulting from clean-up; and

(iii) If the property on which the spill or discharge occurred is not owned or controlled by the person responsible for the incident, restore the area impacted by the spill or discharge, and replenish resources (e.g., fish, plants) in a manner acceptable to the department.

(b) Where immediate removal or temporary storage of spilled or discharged substances is necessary to protect human health or the environment, the department may direct that removal be accomplished without a manifest, by transporters who do not have EPA/state identification numbers, or that the substances be temporarily stored at facilities which do not have permits issued under this chapter 173-303 WAC.

(4) Nothing in WAC 173-303-145 shall eliminate any obligations to comply with reporting requirements which may exist in a permit or under other state or federal regulations. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-145, filed 2/10/82.]

**WAC 173-303-150 Division, dilution, and accumulation.** (1) Any action taken to evade the intent of this regulation by dividing or diluting wastes to change their designation shall be prohibited, except for the purposes of treating, neutralizing, or detoxifying such wastes.

(2) Separation of a homogeneous waste into heterogeneous phases (e.g., separation of a suspension into sludge and liquid phases, or of a solvent/water mixture into solvent and water phases, etc.) shall not be considered as

division, provided that the person generating the waste either:

(a) Designates the homogeneous waste before separation, and handles the entire waste accordingly; or

(b) Designates each phase of the heterogeneous waste, in accordance with the dangerous waste designation requirements of this chapter, and handles each phase accordingly.

(3) For the purposes of designation, quantities of continuously generated wastes shall be summed monthly. All wastes generated less frequently than once a month shall be considered as batch or single event wastes. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-150, filed 2/10/82. Formerly WAC 173-302-150.]

**WAC 173-303-160 Containers.** (1) Waste quantity. Containers and inner liners shall not be considered as a part of the waste when measuring or calculating the quantity of a dangerous waste.

(2) A container or inner liner is empty when all wastes in it have been taken out that can be removed using practices commonly employed to remove materials from that type of container or inner liner (e.g., pouring, pumping, aspirating, etc.) and, either less than one inch of waste remains at the bottom of the container or inner liner, or the volume of waste remaining in the container or inner liner is equal to one percent or less of the container's or inner liner's capacity, whichever quantity is less. A container which held compressed gas is empty when the pressure inside the container equals or nearly equals atmospheric pressure.

(3) A container or inner liner which held designated dangerous waste (DW) need not be designated if it is empty, as defined in WAC 173-303-160(2), above.

(4) A container or inner liner which held extremely hazardous waste (EHW), or pesticides bearing the danger or warning label, need not be designated if it is empty, as defined in WAC 173-303-160(2), above, and if it has been rinsed at least three times with an appropriate cleaner or solvent. The volume of cleaner or solvent used for each rinsing shall be ten percent or more of the container's or inner liner's capacity. In lieu of rinsing for containers that might be damaged or made unusable by rinsing with liquids (e.g., fiber or cardboard containers without inner liners), an empty container may be vacuum cleaned, struck three times (e.g., on the ground, with a hammer or hand) to remove or loosen particles from the inner walls and corners, and vacuum cleaned again.

Any rinsate or vacuumed residue which results from the cleaning of containers or inner liners and which is a solid waste shall be reused in a manner consistent with the original intended purpose of the substance in the container or inner liner, or in the case of a farmer, if the rinsate is a pesticide or herbicide residue then the rinsate shall be disposed or reused in a manner consistent with the instructions on the pesticide or herbicide label, or else the rinsate shall be checked against the designation requirements (WAC 173-303-070 through 173-303-

090) and, if designated, managed according to the requirements of this chapter 173-303 WAC.

A person may petition the department to approve alternative container rinsing processes in accordance with WAC 173-303-910, petitions. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-160, filed 2/10/82. Formerly WAC 173-302-140.]

**WAC 173-303-170 Requirements for generators of dangerous waste.** (1) A person shall be a dangerous waste generator if his solid waste is designated by the requirements of WAC 173-303-070 through 173-303-090.

(a) The generator shall be responsible for designating his dangerous waste as extremely hazardous or dangerous waste.

(b) The generator may request an exemption for his dangerous waste according to the procedures of WAC 173-303-910, petitions.

(2) A dangerous waste generator shall comply with the requirements of WAC 173-303-170 through 173-303-230.

(3) The generator shall comply with the requirements of WAC 173-303-060, notification and identification numbers.

(4) A person who triple rinses and disposes of his own containers shall comply with WAC 173-303-230(3), special conditions, and WAC 173-303-160, containers.

(5) Any generator who transfers, stores, treats, or disposes of dangerous waste on-site shall perform his operations in accordance with the requirements of this chapter 173-303 WAC. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-170, filed 2/10/82.]

**WAC 173-303-180 Manifest.** Before transporting dangerous waste off the site of generation, the generator shall prepare a typed or printed manifest, containing the information required below, and shall follow all applicable procedures described below.

(1) Required information for manifests. The manifest shall contain at least the following information:

(a) A manifest document number;

(b) The generator's name, address, telephone number, and EPA/state identification number;

(c) The name, address, telephone number, and EPA/state identification number of the origin of the dangerous waste, if the origin is different from the generator;

(d) The transporter's name, address, telephone number, and EPA/state identification number;

(e) The name, address, and EPA/state identification number of the designated receiving facility, and of one alternate facility;

(f) The total quantity of each dangerous waste, and the type and number of containers to be received by the transporter;

(g) The description of the waste(s) as required by United States Department of Transportation (DOT) regulations, 49 CFR 172.101, 172.202, and 172.203,



and, when such information would be useful in the event of a spill or discharge during transport, the approximate percentages of each waste component;

(h) Measures to be taken in case of accident, the National Response Center phone number, 1-800-424-8802, and the CHEM-TREC phone number, 1-800-424-9300;

(i) Such other information as required by the department to implement chapter 70.105 RCW; and

(j) The following certification, or an equivalent certification, on the manifest:

"This is to certify that the above named materials are properly designated, described, packaged, marked, and labeled and are in proper condition for transportation according to the applicable regulations of the United States Department of Transportation and the Washington state department of ecology."

(2) The manifest shall consist of enough copies to provide the generator, transporter(s), and facility owner/operator with a copy, and a copy for return to the generator.

(3) Manifest procedures.

(a) The generator shall:

(i) Sign and date the manifest certification by hand;

(ii) Obtain the signature of the initial transporter and date of acceptance on the manifest; and

(iii) Retain one copy in accordance with WAC 173-303-210, generator recordkeeping.

(b) The generator shall give the remaining manifest copies to the transporter.

(c) For shipments of dangerous waste within the United States solely by water (bulk shipments only), the generator must send three copies of the manifest dated and signed in accordance with this section to the owner or operator of the designated facility or the last water (bulk shipment) transporter to handle the waste in the United States if exported by water. Copies of the manifest are not required for each transporter.

(d) For rail shipments of dangerous waste within the United States which originate at the site of generation, the generator must send at least three copies of the manifest dated and signed in accordance with this section to:

(i) The next nonrail transporter, if any; or

(ii) The designated facility if transported solely by rail; or

(iii) The last rail transporter to handle the waste in the United States if exported by rail.

(4) Special requirements for shipments to the Washington extremely hazardous waste (EHW) facility at Hanford.

(a) All generators planning to ship dangerous waste to the EHW facility at Hanford shall notify the facility in writing and by sending a copy of the prepared manifest prior to shipment.

(b) The generator shall not ship any dangerous waste without prior approval from the EHW facility. The state operator may exempt classes of waste from the requirements of WAC 173-303-180 (4)(a) and (b) where small

quantities or multiple shipments of a previously approved waste are involved, or there exists an emergency and potential threat to public health and safety. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95-.260. 82-05-023 (Order DE 81-33), § 173-303-180, filed 2/10/82. Formerly WAC 173-302-180 and 173-302-190.]

**WAC 173-303-190 Preparing dangerous waste for transport.** The generator shall fulfill the following requirements before transporting off-site or offering for off-site transport any dangerous waste.

(1) Packaging. The generator shall package all dangerous waste for transport in accordance with United States DOT regulations on packaging, 49 CFR Parts 173, 178, and 179, and with packaging requirements of the Washington state utilities and transportation commission (UTC) and the Washington state patrol.

(2) Labeling. The generator shall label each package in accordance with United States DOT regulations, 49 CFR Part 172.

(3) Marking. The generator shall:

(a) Mark each package of dangerous waste in accordance with United States DOT regulations, 49 CFR Part 172; and

(b) Mark each package containing one hundred ten gallons or less of dangerous waste with the following, or essentially equivalent, words and information, displayed in accordance with 49 CFR 172.304:

**DANGEROUS WASTE** - State and federal law prohibits improper disposal. If found, contact the nearest police or public safety authority, and the Washington state department of ecology or the United States Environmental Protection Agency.

Generator's Name and Address

.....  
.....  
.....

Manifest Document Number

.....

(4) Placarding. The generator shall placard, or offer to the initial transporter all appropriate placards in accordance with United States DOT regulations, 49 CFR Part 172, Subpart F. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-190, filed 2/10/82.]

**WAC 173-303-200 Accumulating dangerous waste on-site.** A generator may accumulate dangerous waste on-site without a permit for ninety days or less after the date of generation, provided that:

(1) All such waste is shipped off-site to a designated facility or placed in an on-site facility which is permitted by the department under WAC 173-303-800 through 173-303-845 in ninety days or less;

(2) The waste is placed in containers which meet the standards of WAC 173-303-190(1), packaging, and are

managed in accordance with WAC 173-303-630 (6) and (8), use and management of containers; or

(3) In tanks, provided the generator complies with the requirements set forth in WAC 173-303-400 for tanks except for waste analysis and trial tests (i.e., comply with Subpart J of 40 CFR Part 265 except 265.193);

(4) The date upon which each period of accumulation begins is marked and clearly visible for inspection on each container;

(5) Each container is properly labeled and marked according to WAC 173-303-190(2), labeling, and WAC 173-303-190(3), marking; and

(6) The generator complies with the requirements for facility operators contained in WAC 173-303-340 through 173-303-360. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-200, filed 2/10/82.]

**WAC 173-303-210 Generator recordkeeping.** (1) The generator shall keep a copy of each manifest signed by the initial transporter in accordance with WAC 173-303-180(3), manifest procedures, for three years, or until he receives a signed copy from the designated facility which received the waste. The signed facility copy shall be retained for at least three years from the date the waste was accepted by the initial transporter.

(2) The generator shall keep a copy of each annual report and exception report as required by WAC 173-303-220 for a period of at least three years from the due date of each report.

(3) The generator shall keep records of any test results, waste analyses, or other determinations made in accordance with WAC 173-303-170(1) for designating dangerous waste, for at least three years from the date that the waste was last transferred for on-site or off-site storage, treatment, or disposal.

(4) The periods of retention for any records described in this section shall be automatically extended:

(a) During the course of any unresolved enforcement action requiring those records; or

(b) Upon request by the director. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-210, filed 2/10/82.]

**WAC 173-303-220 Generator reporting.** The generator shall submit the following reports to the department by the specified due date for each report, or within the time period allowed for each report.

(1) Annual reports.

(a) A generator who ships his dangerous waste off-site shall submit annual reports to the department, on the generator annual report form - Part A according to the instructions on the form (copies are available from the department), no later than March 1 for the preceding calendar year.

(b) Any generator who stores, treats, or disposes of dangerous waste on-site shall comply with the reporting requirements of WAC 173-303-390, facility reporting.

(2) Exception reports.

(a) A generator who does not receive a copy of the manifest with the handwritten signature of the

owner/operator of the designated facility within thirty-five days of the date the waste was accepted by the initial transporter must contact the transporter(s) and/or facility to determine the status of the dangerous waste shipment.

(b) A generator must submit an exception report to the department if he has not received a copy of the manifest with the handwritten signature of the owner/operator of the designated facility within forty-five days of the date the waste was accepted by the initial transporter.

(c) The exception report must include:

(i) A legible copy of the manifest for which the generator does not have confirmation of delivery; and

(ii) A cover letter signed by the generator or his representative explaining the efforts taken to locate the waste and the results of those efforts.

(d) The department may require a generator to submit exception reports in less than forty-five days if it finds that the generator frequently or persistently endangers public health or the environment through improper waste shipment practices.

(3) Additional reports. The director, as he deems necessary under chapter 70.105 RCW, may require a generator to furnish additional reports concerning the quantities and disposition of his dangerous waste. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-220, filed 2/10/82.]

**WAC 173-303-230 Special conditions.** (1) Exporting dangerous waste.

(a) The requirements of 40 CFR, Section 262.50(a), (b) and (c), International Shipments, are here adopted by reference.

(b) Copies of any exception reports submitted to the Administrator of United States EPA shall be submitted to the director of the department.

(2) Importing dangerous waste. When importing dangerous waste from a foreign country into Washington state, the United States importer shall comply with all the requirements of this chapter for generators, including the requirements of WAC 173-303-180(1), required information for manifests, except that:

(a) In place of the generator's name, address and EPA/state identification number, the name and address of the foreign generator and the importer's name, address and EPA/state identification number shall be used; and

(b) In place of the generator's signature on the certification statement, the United States importer or his agent shall sign and date the certification and obtain the signature of the initial transporter.

(3) Triple rinsing. For the purposes of this chapter, a person who stores, treats, disposes, transports, or offers for transport empty containers of dangerous waste that were for his own use shall not be treated as a generator or as a facility owner/operator, provided that:

(a) He triple rinses each emptied dangerous waste container in accordance with WAC 173-303-160, containers; and

(b) The rinsate is not a dangerous waste under this chapter 173-303 WAC; or

(c) He reuses the rinsate in a manner consistent with the original product or, if he is a farmer and the rinsate contains pesticide or herbicide residues, he reuses or disposes of the rinsate in a manner consistent with the instructions on the pesticide or herbicide label.

(4) Tank cars. A person rinsing out dangerous waste tote tanks, truck or railroad tank cars shall handle the rinsate according to this chapter, 173-303 WAC, and according to chapter 90.48 RCW, water pollution control. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-230, filed 2/10/82.]

**WAC 173-303-240 Requirements for transporters of dangerous waste.** (1) Transporters shall comply with the requirements of WAC 173-303-060, notification and identification numbers.

(2) Any person who transports a dangerous waste shall comply with the requirements of WAC 173-303-240 through 173-303-270, when:

(a) The dangerous waste has been manifested according to the requirements of WAC 173-303-180; and

(b) The dangerous waste is being delivered to the owner/operator of a transfer, storage, treatment or disposal facility, whether in-state or out-of-state.

(3) Any person who transports a dangerous waste shall also comply with the requirements of WAC 173-303-170 through 173-303-230 for generators, if he:

(a) Transports dangerous waste into the state from another country; or

(b) Mixes dangerous waste of different United States Department of Transportation (DOT) shipping descriptions by mixing them into a single container.

(4) These requirements shall not apply to on-site (as defined in WAC 173-303-040) transportation of dangerous waste by generators, or owners/operators of permitted storage, treatment, or disposal facilities. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-240, filed 2/10/82. Formerly WAC 173-302-210.]

**WAC 173-303-250 Dangerous waste acceptance, transport, and delivery.** (1) A transporter shall not accept dangerous waste from a generator unless it is accompanied by a manifest prepared by the generator in accordance with WAC 173-303-180, manifest.

(2) Before transporting a dangerous waste shipment, the transporter shall sign and date the manifest, acknowledging acceptance of the dangerous waste. The transporter shall return a signed copy to the generator before commencing transport.

(3) The transporter shall insure that the manifest accompanies the dangerous waste shipment.

(4) A transporter who delivers a dangerous waste to another transporter, or to the designated facility shall:

(a) Obtain the date of delivery and the handwritten signature of that transporter or designated facility owner/operator on the manifest;

(b) Retain one copy of the manifest in accordance with WAC 173-303-260, transporter recordkeeping; and

(c) Give the remaining copies of the manifest to the accepting transporter or designated facility.

(5) The transporter shall deliver the entire quantity of dangerous waste which he has accepted from a generator or a transporter to:

(a) The designated facility listed on the manifest; or

(b) The alternate designated facility, if the dangerous waste cannot be delivered to the designated facility; or

(c) The next designated transporter; or

(d) The place outside the United States designated by the generator.

(6) If the dangerous waste cannot be delivered in accordance with WAC 173-303-250(5), above, the transporter shall contact the generator for further directions, and shall revise the manifest according to the generator's instructions.

(7) The requirements of WAC 173-303-250 (3), (4), and (8) do not apply to water (bulk shipment) transporters if:

(a) The dangerous waste is delivered by water (bulk shipment) to the designated facility;

(b) A shipping paper containing all the information required on the manifest (excluding the EPA/state identification numbers, generator certification, and signatures) accompanies the dangerous waste;

(c) The delivering transporter obtains the date of delivery and handwritten signature of the owner or operator of the designated facility on either the manifest or the shipping paper;

(d) The person delivering the dangerous waste to the initial water (bulk shipment) transporter obtains the date of delivery and signature of the water (bulk shipment) transporter on the manifest and forwards it to the designated facility; and

(e) A copy of the shipping paper or manifest is retained by each water (bulk shipment) transporter in accordance with WAC 173-303-260(2), transporter recordkeeping.

(8) For shipments involving rail transportation, the requirements of WAC 173-303-250(3), (4), and (7) do not apply and the following requirements do apply.

(a) When accepting dangerous waste from a nonrail transporter, the initial rail transporter must:

(i) Sign and date the manifest acknowledging acceptance of the dangerous waste;

(ii) Return a signed copy of the manifest to the nonrail transporter;

(iii) Forward at least three copies of the manifest to:

(A) The next nonrail transporter, if any; or

(B) The designated facility, if the shipment is delivered to that facility by rail; or

(C) The last rail transporter designated to handle the waste in the United States;

(iv) Retain one copy of the manifest and rail shipping paper in accordance with WAC 173-303-260(2).

(b) Rail transporters must ensure that a shipping paper containing all the information required on the manifest (excluding the EPA/state identification numbers,

generator certification, and signatures) accompanies the dangerous waste at all times.

(c) When delivering dangerous waste to the designated facility, a rail transporter must:

(i) Obtain the date of delivery and handwritten signature of the owner or operator of the designated facility on the manifest or the shipping paper (if the manifest has not been received by the facility); and

(ii) Retain a copy of the manifest or signed shipping paper in accordance with WAC 173-303-260(2).

(d) When delivering dangerous waste to a nonrail transporter a rail transporter must:

(i) Obtain the date of delivery and the handwritten signature of the next nonrail transporter on the manifest; and

(ii) Retain a copy of the manifest in accordance with WAC 173-303-260(2).

(e) Before accepting dangerous waste from a rail transporter, a nonrail transporter must sign and date the manifest and provide a copy to the rail transporter.

(9) Transporters who transport dangerous waste out of the United States shall:

(a) Indicate on the manifest the date the dangerous waste left the United States;

(b) Sign the manifest and retain one copy in accordance with WAC 173-303-260(3), transporter record-keeping; and

(c) Return a signed copy of the manifest to the generator. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-250, filed 2/10/82. formerly WAC 173-302-220 and 173-302-230.]

**WAC 173-303-260 Transporter recordkeeping.** (1) A transporter of dangerous waste shall keep a copy of the manifest signed by the generator, himself, and the next designated transporter or the owner or operator of the designated facility for a period of three years from the date the dangerous waste was accepted by the initial transporter.

(2) For shipments delivered to the designated facility by rail or water (bulk shipment), each rail or water (bulk shipment) transporter shall retain a copy of a shipping paper containing all the information required on a manifest (excluding the EPA/state identification numbers, generator certification, and signatures) for a period of three years from the date the dangerous waste was accepted by the initial transporter.

(3) A transporter who transports dangerous waste out of the United States shall keep a copy of the manifest, indicating that the dangerous waste left the United States, for a period of three years from the date the dangerous waste was accepted by the initial transporter.

(4) The periods of retention referred to in this section are extended automatically during the course of any unresolved enforcement action regarding the regulated activity, or as requested by the director. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-260, filed 2/10/82.]

**WAC 173-303-270 Discharges during transport.** In the event of a spill or discharge of dangerous waste during transportation, the transporter shall comply with the requirements of WAC 173-303-145, spills and discharges into the environment. In addition, the transporter shall provide the following notifications:

(1) Give notice to the generator of the waste that a discharge has occurred;

(2) Give notice to the National Response Center (800-424-8802 or 202-426-2675), if required by 49 CFR 171.15;

(3) Report in writing as required by 49 CFR 171.16 to the Director, Office of Hazardous Materials Regulations, Materials Transportation Bureau, Department of Transportation, Washington D.C., 20590; and,

(4) For a water (bulk shipment) transporter, give the same notice as required by 33 CFR 153.203 for oil and hazardous substances. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-270, filed 2/10/82.]

**WAC 173-303-275 Transfer facilities (or collection facilities).** (1) Applicability. An off-site facility which stores manifested shipments of dangerous waste for more than ten days shall be considered a transfer facility or a collection facility and must, at a minimum, comply with the storage requirements of this chapter 173-303 WAC.

(2) Requirements. A transfer or collection facility shall meet the following requirements when applicable:

(a) WAC 173-303-170 through 173-303-230, generator requirements, whenever applicable;

(b) WAC 173-303-280 through 173-303-395, general requirements for dangerous waste management facilities;

(c) WAC 173-303-400 through 173-303-520, interim status facility standards, siting standards, performance standards, and buffer monitoring zones;

(d) WAC 173-303-600 through 173-303-660, final facility standards, whenever applicable; and

(e) WAC 173-303-800 through 173-303-840, permits. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-275, filed 2/10/82.]

**WAC 173-303-280 General requirements for dangerous waste management facilities.** (1) Applicability. The requirements of WAC 173-303-280 through 173-303-395 apply to all owners and operators of facilities which store, treat, or dispose of dangerous wastes and which must be permitted under the requirements of this chapter 173-303 WAC, unless otherwise specified in this chapter. Owners and operators of transfer or collection facilities shall comply with WAC 173-303-275. Whenever a shipment of dangerous waste is initiated from a facility, the owner or operator of that facility shall comply with the requirements for generators, WAC 173-303-170 through 173-303-230.

(2) Imminent hazard. Notwithstanding any provisions of this chapter, enforcement actions may be brought in the event that the management practices of a facility

present an imminent and substantial hazard to the public health and the environment, regardless of the quantity or concentration of a dangerous waste.

(3) Identification numbers. Every facility owner or operator shall obtain an EPA/State identification number from the department. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-280, filed 2/10/82.]

**WAC 173-303-290 Required notices.** (1) The facility owner or operator who is receiving dangerous waste from a foreign source shall comply with Title 40 CFR 265.12(a). The facility owner or operator shall also send a copy of the required notification to the department at least four weeks in advance of the date the waste is expected to arrive at the facility.

(2) Before transferring ownership or operation of a facility during its active life or post-closure care period, the owner or operator shall notify the new owner or operator in writing of the requirements of this chapter 173-303 WAC.

(3) The owner or operator of a facility that receives dangerous waste from an off-site source (except where the owner or operator is also the generator) must inform the generator in writing that he has the appropriate permit(s) for, and will accept, the waste the generator is shipping. The owner or operator must keep a copy of this written notice as part of the operating record required under WAC 173-303-380(1). [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-290, filed 2/10/82.]

**WAC 173-303-300 General waste analysis.** (1) Purpose. This section requires the facility owner or operator to confirm his knowledge about a dangerous waste before he stores, treats, or disposes of it. The purpose for the analysis is to insure that a dangerous waste is managed properly.

(2) The owner or operator shall obtain a detailed chemical, physical, and/or biological analysis of a dangerous waste before he stores, treats, or disposes of it. This analysis must contain the information necessary to manage the waste in accordance with the requirements of this chapter 173-303 WAC. The analysis may include or consist of existing published or documented data on the dangerous waste, or on waste generated from similar processes, or data obtained by testing, if necessary.

(3) The owner or operator of an off-site facility shall confirm, by analysis if necessary, that each dangerous waste received at the facility matches the identity of the waste specified on the accompanying manifest or shipping paper.

(4) Analysis shall be repeated as necessary to ensure that it is accurate and current. At a minimum, analysis must be repeated:

(a) When the process or operation generating the dangerous waste has significantly changed; and

(b) When a dangerous waste received at an off-site facility does not match the identity of the waste specified on the manifest or the shipping paper.

(5) Waste analysis plan. The owner or operator shall develop and follow a written waste analysis plan which describes the procedures he will use to comply with the waste analysis requirements of WAC 173-303-300(1), (2), (3), and (4). He must keep this plan at the facility, and the plan must contain at least:

(a) The parameters for which each dangerous waste will be analyzed, and the rationale for selecting these parameters;

(b) The methods of obtaining or testing for these parameters;

(c) The methods for obtaining representative samples of wastes for analysis (representative sampling methods are discussed in WAC 173-303-110);

(d) The frequency with which analysis of a waste will be reviewed or repeated to ensure that the analysis is accurate and current;

(e) The waste analyses which generators have agreed to supply;

(f) Where applicable, the methods for meeting the additional waste analysis requirements for specific waste management methods as specified in WAC 173-303-630 through 173-303-670; and

(g) For off-site facilities, the procedures for confirming that each dangerous waste received matches the identity of the waste specified on the accompanying manifest or shipping paper. This includes at least:

(i) The procedures for identifying each waste movement at the facility; and

(ii) The method for obtaining a representative sample of the waste to be identified, if the identification method includes sampling. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-300, filed 2/10/82.]

**WAC 173-303-310 Security.** (1) The owner or operator shall comply with the requirements of this section, unless:

(a) Physical contact with wastes or equipment within the active portion of the facility will not injure persons or livestock; and

(b) Disturbance of the wastes or equipment by persons or livestock will not result in violations of this chapter 173-303 WAC.

(2) A facility must have:

(a) Signs posted at each entrance to the active portion, and at other locations, in sufficient numbers to be seen from any approach to the active portion. Signs must bear the legend, "danger-unauthorized personnel keep out," or an equivalent legend, written in English, and must be legible from a distance of twenty-five feet or more; and either

(b) A 24-hour surveillance system which continuously monitors and controls entry onto the active portion of the facility; or

(c) An artificial or natural barrier, or a combination of both, which completely surrounds the active portion of the facility, with a means to control access through gates or other entrances to the active portion of the facility at all times.

(3) In lieu of WAC 173-303-310(2), above, the owner or operator of a totally enclosed treatment facility or an elementary neutralization or wastewater treatment unit (as defined in WAC 173-303-040) must prevent the unknowing entry, and minimize the possibility for the unauthorized entry, of persons or livestock into or onto the totally enclosed treatment facility or the elementary neutralization or wastewater treatment unit. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-310, filed 2/10/82. Formerly WAC 173-302-290.]

**WAC 173-303-320 General inspection.** (1) The owner or operator shall inspect his facility to prevent malfunctions and deterioration, operator errors, and discharges which may cause or lead to the release of dangerous waste constituents to the environment, or a threat to human health. The owner or operator must conduct these inspections often enough to identify problems in time to correct them before they harm human health or the environment.

(2) The owner or operator shall develop and follow a written schedule for inspecting all monitoring equipment, safety and emergency equipment, security devices, and operating and structural equipment that help prevent, detect, or respond to hazards to the public health or the environment. In addition:

- (a) He must keep the schedule at the facility;
- (b) The schedule must identify the types of problems which are to be looked for during inspections;
- (c) The schedule shall indicate the frequency of inspection for specific items. The frequency should be based on the rate of possible deterioration of equipment, and the probability of an environmental or human health incident. Areas subject to spills must be inspected daily when in use. The inspection schedule shall also include the applicable items and frequencies required for the specific waste management methods described in WAC 173-303-630 through 173-303-670; and

(d) The owner or operator shall keep an inspection log or summary, including at least the date and time of the inspection, the printed name and the handwritten signature of the inspector, a notation of the observations made, and the date and nature of any repairs or remedial actions taken. The log or summary must be kept at the facility for at least three years from the date of inspection.

(3) The owner or operator shall remedy any problems revealed by the inspection, on a schedule which prevents hazards to the public health and environment. Where a hazard is imminent or has already occurred, remedial action must be taken immediately. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-320, filed 2/10/82.]

**WAC 173-303-330 Personnel training.** (1) Training program. The facility owner or operator shall provide a program of classroom instruction or on-the-job training for facility personnel. This program must teach personnel to perform their duties in a way that ensures the facility's compliance with this chapter 173-303 WAC, and

shall include those elements set forth in the training plan required in WAC 173-303-330(2), below. In addition:

- (a) The training program shall be directed by a person knowledgeable in dangerous waste management procedures, and must include training relevant to the positions in which the facility personnel are employed;
- (b) Facility personnel must participate in an annual review of the training provided in the training program;
- (c) This program must be successfully completed by the facility personnel:
  - (i) Within six months after these regulations become effective; or
  - (ii) Within six months after their employment at or assignment to the facility, or to a new position at the facility, whichever is later.

Employees hired after the effective date of these regulations must be supervised until they complete the training program; and

(d) At a minimum, the training program shall familiarize facility personnel with emergency equipment and systems, and emergency procedures. The program shall include other parameters as set forth by the department, but at a minimum shall include, where applicable:

- (i) Procedures for using, inspecting, repairing, and replacing facility emergency and monitoring equipment;
- (ii) Key parameters for automatic waste feed cut-off systems;
- (iii) Communications or alarm systems;
- (iv) Response to fires or explosions;
- (v) Response to ground-water contamination incidents; and
- (vi) Shutdown of operations.

(2) Written training plan. The owner or operator shall develop a written training plan which must include the following documents and records:

(a) For each position related to dangerous waste management at the facility, the job title, the job description, and the name of the employee filling each job. The job description must include the requisite skills, education, other qualifications, and duties for each position;

(b) A written description of the type and amount of both introductory and continuing training required for each position; and

(c) Records documenting that facility personnel have received and completed the training required by WAC 173-303-330.

(3) Training records. Training records on current personnel must be kept until closure of the facility. Training records on former employees must be kept for at least three years from the date the employee last worked at the facility. Personnel training records may accompany personnel transferred within the same company. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-330, filed 2/10/82. Formerly WAC 173-302-320.]

**WAC 173-303-340 Preparedness and prevention.** Facilities shall be designed, constructed, maintained and operated to minimize the possibility of fire, explosion, or any unplanned release of dangerous waste to air, soil, or

surface or ground water which could threaten the public health or the environment. This section describes preparations and preventive measures which help avoid or mitigate such situations.

(1) Required equipment. All facilities must be equipped with the following, unless it can be demonstrated to the department that none of the hazards posed by waste handled at the facility could require a particular kind of equipment specified below:

(a) An internal communications or alarm system capable of providing immediate emergency instruction to facility personnel;

(b) A device, such as a telephone or a hand-held, two-way radio, capable of summoning emergency assistance from local police departments, fire departments, or state or local emergency response teams;

(c) Portable fire extinguishers, fire control equipment, spill control equipment, and decontamination equipment; and

(d) Water at adequate volume and pressure to supply water hose streams, foam producing equipment, automatic sprinklers, or water spray systems.

All facility communications or alarm systems, fire protection equipment, spill control equipment, and decontamination equipment, where required, must be tested and maintained as necessary to assure its proper operation in time of emergency.

(2) Access to communications or alarms. Personnel must have immediate access to the signalling devices described in the situations below:

(a) Whenever dangerous waste is being poured, mixed, spread, or otherwise handled, all personnel involved must have immediate access to an internal alarm or emergency communication device, either directly or through visual or voice contact with another employee, unless such a device is not required in WAC 173-303-340(1), above;

(b) If there is ever just one employee on the premises while the facility is operating, he must have immediate access to a device, such as a telephone or a hand-held, two-way radio, capable of summoning external emergency assistance, unless such a device is not required in WAC 173-303-340(1), above.

(3) Aisle space. The owner or operator must maintain aisle space to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless it can be demonstrated to the department that aisle space is not needed for any of these purposes.

(4) Arrangements with local authorities. The owner or operator shall attempt to make the following arrangements, as appropriate for the type of waste handled at his facility and the potential need for the services of these organizations, unless the hazards posed by wastes handled at the facility would not require these arrangements:

(a) Arrangements to familiarize police, fire departments, and emergency response teams with the layout of the facility, properties of dangerous waste handled at the facility and associated hazards, places where facility

personnel would normally be working, entrances to and roads inside the facility, and possible evacuation routes;

(b) Arrangements to familiarize local hospitals with the properties of dangerous waste handled at the facility and the types of injuries or illnesses which could result from fires, explosions, or releases at the facility;

(c) Agreements with state emergency response teams, emergency response contractors, and equipment suppliers; and

(d) Where more than one police and fire department might respond to an emergency, agreements designating primary emergency authority to a specific police and a specific fire department, and agreements with any others to provide support to the primary emergency authority.

(5) Where state or local authorities decline to enter into such arrangements, the owner or operator must document the refusal in the operating record. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-340, filed 2/10/82.]

**WAC 173-303-350 Contingency plan and emergency procedures.**

(1) Purpose. The purpose of WAC 173-303-350 and 173-303-360 is to lessen the potential impact on the public health and the environment in the event of a fire, explosion, or unplanned release of dangerous waste to air, soil, surface water, or ground water by a facility. A contingency plan must be developed, and the plan shall be implemented immediately in such emergency circumstances.

(2) Contingency plan. Each owner or operator must have a contingency plan at his facility for use in emergencies which threaten the public health and the environment. If the owner or operator has already prepared a Spill Prevention Control and Countermeasures (SPCC) Plan in accordance with Part 112 of Title 40 CFR or Part 1510 of chapter V, or some other emergency or contingency plan, he need only amend that plan to incorporate dangerous waste management provisions that are sufficient to comply with the requirements of WAC 173-303-350 and 173-303-360.

(3) The contingency plan must contain the following:

(a) A description of the actions which facility personnel must take to comply with WAC 173-303-350 and 173-303-360;

(b) A description of the actions which shall be taken in the event that a dangerous waste shipment, which is damaged or otherwise presents a hazard to the public health and the environment, arrives at the facility, and is not acceptable to the owner or operator, but cannot be transported, pursuant to the requirements of WAC 173-303-370(5), manifest system, reasons for not accepting dangerous waste shipments;

(c) A description of the arrangements agreed to by local police departments, fire departments, hospitals, contractors, and state and local emergency response teams to coordinate emergency services;

(d) A current list of names, addresses, and phone numbers (office and home) of all persons qualified to act as the emergency coordinator required under WAC 173-303-360(1). Where more than one person is listed,

one must be named as primary emergency coordinator, and others must be listed in the order in which they will assume responsibility as alternates;

(e) A list of all emergency equipment at the facility (such as fire extinguishing systems, spill control equipment, communications and alarm systems, and decontamination equipment), where this equipment is required. This list must be kept up to date. In addition, the plan must include the location and a physical description of each item on the list, and a brief outline of its capabilities; and

(f) An evacuation plan for facility personnel where there is a possibility that evacuation could be necessary. This plan must describe the signal(s) to be used to begin evacuation, evacuation routes, and alternate evacuation routes.

(4) Copies of contingency plan. A copy of the contingency plan and all revisions to the plan shall be:

(a) Maintained at the facility; and

(b) Submitted to all local police departments, fire departments, hospitals, and state and local emergency response teams that may be called upon to provide emergency services.

(5) Amendments. The owner or operator shall review and immediately amend the contingency plan, if necessary, whenever:

(a) Applicable regulations or the facility permit are revised;

(b) The plan fails in an emergency;

(c) The facility changes (in its design, construction, operation, maintenance, or other circumstances) in a way that materially increases the potential for fires, explosions, or releases of dangerous waste, or in a way that changes the response necessary in an emergency;

(d) The list of emergency coordinators changes; or

(e) The list of emergency equipment changes. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95-.260. 82-05-023 (Order DE 81-33), § 173-303-350, filed 2/10/82. Formerly chapter 173-302 WAC.]

**WAC 173-303-360 Emergencies.** (1) Emergency coordinator. At all times, there must be at least one employee either on the facility premises or on call with the responsibility for coordinating all emergency response measures. This emergency coordinator must be thoroughly familiar with all aspects of the facility's contingency plan, required by WAC 173-303-350(2), all operations and activities at the facility, the location of all records within the facility, and the facility layout. In addition, this person must have the authority to commit the resources needed to carry out the contingency plan.

(2) Emergency procedures. The following procedures shall be implemented in the event of an emergency.

(a) Whenever there is an imminent or actual emergency situation, the emergency coordinator (or his designee when the emergency coordinator is on call) must immediately:

(i) Activate internal facility alarms or communication systems, where applicable, to notify all facility personnel; and

(ii) Notify appropriate state or local agencies with designated response roles if their help is needed.

(b) Whenever there is a release, fire, or explosion, the emergency coordinator must immediately identify the character, exact source, amount, and a real extent of any released materials.

(c) Concurrently, the emergency coordinator shall assess possible hazards to human health and the environment (considering direct, indirect, immediate, and long-term effects) that may result from the release, fire, or explosion.

(d) If the emergency coordinator determines that the facility has had a release, fire, or explosion which could threaten human health or the environment outside the facility, he must report his findings as follows:

(i) If his assessment indicates that evacuation of local areas may be advisable, he must immediately notify appropriate local authorities. He must be available to help appropriate officials decide whether local areas should be evacuated; and

(ii) He must immediately notify the department and either the government official designated as the on-scene coordinator, or the National Response Center (using their 24-hour toll free number (800) 424-8802).

(e) His assessment report must include:

(i) Name and telephone number of reporter;

(ii) Name and address of facility;

(iii) Time and type of incident (e.g., release, fire);

(iv) Name and quantity of material(s) involved, to the extent known;

(v) The extent of injuries, if any; and

(vi) The possible hazards to human health or the environment outside the facility.

(f) During an emergency, the emergency coordinator must take all reasonable measures necessary to ensure that fires, explosions, and releases do not occur, recur, or spread to other dangerous waste at the facility.

(g) If the facility stops operations in response to a fire, explosion, or release, the emergency coordinator must monitor for leaks, pressure buildup, gas generation, or ruptures in valves, pipes, or other equipment, wherever this is appropriate.

(h) Immediately after an emergency, the emergency coordinator must provide for treating, storing, or disposing of recovered waste, contaminated soil or surface water, or any other material that results from a release, fire, or explosion at the facility.

(i) The emergency coordinator must ensure that, in the affected area(s) of the facility:

(i) No waste that may be incompatible with the released material is treated, stored, or disposed of until cleanup procedures are completed; and

(ii) All emergency equipment listed in the contingency plan is cleaned and fit for its intended use before operations are resumed.

(j) The owner or operator must notify the department, and appropriate local authorities, that the facility is in compliance with WAC 173-303-360 (2)(i), above, before operations are resumed in the affected area(s) of the facility.



(k) The owner or operator must note in the operating record the time, date, and details of any incident that requires implementing the contingency plan. Within fifteen days after the incident, he must submit a written report on the incident to the department. The report must include:

- (i) Name, address, and telephone number of the owner or operator;
- (ii) Name, address, and telephone number of the facility;
- (iii) Date, time, and type of incident (e.g., fire, explosion);
- (iv) Name and quantity of material(s) involved;
- (v) The extent of injuries, if any;
- (vi) An assessment of actual or potential hazards to human health or the environment, where this is applicable; and
- (vii) Estimated quantity and disposition of recovered material that resulted from the incident. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-360, filed 2/10/82. Formerly chapter 173-302 WAC.]

**WAC 173-303-370 Manifest system.** (1) Applicability. The requirements of this section apply to owners and operators who receive dangerous waste from off-site sources.

(2) If a facility receives dangerous waste accompanied by a manifest, the owner or operator, or his agent, must:

- (a) Sign and date each copy of the manifest to certify that the dangerous waste covered by the manifest was received;
- (b) Note any significant discrepancies in the manifest, as described in WAC 173-303-370(4), on each copy of the manifest;
- (c) Immediately give the transporter at least one copy of the signed manifest;
- (d) Within thirty days after the delivery, send a copy of the manifest to the generator; and
- (e) Retain at the facility a copy of each manifest for at least three years from the date of delivery.

(3) If a facility receives, from a rail or water (bulk shipment) transporter, dangerous waste which is accompanied by a shipping paper containing all the information required on the manifest (excluding the EPA/state identification numbers, generator's certification, and signatures), the owner or operator, or his agent, must:

- (a) Sign and date each copy of the shipping paper to certify that the dangerous waste covered by the shipping paper was received;
- (b) Note any significant discrepancies in the shipping paper, as described in WAC 173-303-370(4), on each copy of the shipping paper;
- (c) Immediately give the rail or water (bulk shipment) transporter at least one copy of the shipping paper;
- (d) Within thirty days after the delivery, send a copy of the shipping paper to the generator. However, if the manifest is received within thirty days after the delivery, the owner or operator, or his agent, must sign and date the manifest and return it to the generator in lieu of the shipping paper; and

(e) Retain at the facility a copy of each shipping paper and manifest for at least three years from the date of delivery.

(4) Manifest discrepancies.

(a) Manifest discrepancies are significant discrepancies between the quantity or type of dangerous waste designated on the manifest or shipping paper and the quantity or type of dangerous waste a facility actually receives. Significant discrepancies in quantity are variations greater than ten percent in weight, or variations in piece count. Significant discrepancies in type are obvious physical or chemical differences which can be discovered by inspection or waste analysis (e.g., waste solvent substituted for waste acid).

(b) Upon discovering a significant discrepancy, the owner or operator must attempt to reconcile the discrepancy with the waste generator or transporter. If the discrepancy is not resolved within fifteen days after receiving the waste, the owner or operator must immediately submit to the department a letter describing the discrepancy and attempts to reconcile it, and a copy of the manifest or shipping paper at issue.

(5) Reasons for not accepting dangerous waste shipments. The owner or operator may decide that a dangerous shipment should not be accepted by his facility.

(a) The following shall be acceptable reasons for denying receipt of a dangerous waste shipment:

- (i) The facility is not capable of properly managing the type(s) of dangerous waste in the shipment;
- (ii) There is a significant discrepancy (as described in WAC 173-303-370(4), above) between the shipment and the wastes listed on the manifest or shipping paper; or
- (iii) The shipment has arrived in a condition which the owner or operator believes would present an unreasonable hazard to facility operations, or to facility personnel handling the dangerous waste(s) (including, but not limited to, leaking or damaged containers, and improperly labeled containers).

(b) The owner or operator may return the shipment to the generator, or send it on to the alternate facility designated on the manifest or shipping paper, unless, the containers are damaged to such an extent, or the dangerous waste is in such a condition as to present a hazard to the public health or the environment in the process of further transportation.

(c) If the dangerous waste shipment cannot leave the facility for the reasons described in WAC 173-303-370(5)(b), above, then the owner or operator shall take those actions described in the contingency plan, WAC 173-303-350 (3)(b). [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-370, filed 2/10/82. Formerly chapter 173-302 WAC.]

**WAC 173-303-380 Facility recordkeeping.** (1) Operating record. The owner or operator of a facility shall keep a written operating record at his facility. The following information shall be recorded, as it becomes available, and maintained in the operating record until closure of the facility:

(a) A description of and the quantity of each dangerous waste received, and the method(s) and date(s) of its treatment, storage, or disposal at the facility as required by WAC 173-303-380(2), recordkeeping instructions;

(b) The location of each dangerous waste within the facility and the quantity at each location. For disposal facilities, the location and quantity of each dangerous waste must be recorded on a map or diagram of each cell or disposal area. For all facilities, this information must include cross-references to specific manifest document numbers, if the waste was accompanied by a manifest;

(c) Records and results of waste analyses required by WAC 173-303-300, general waste analysis;

(d) Summary reports and details of all incidents that require implementing the contingency plan, as specified in WAC 173-303-360 (2)(k);

(e) Records and results of inspections as required by WAC 173-303-320 (2)(d), general inspection (except such information need be kept only for three years);

(f) Monitoring, testing, or analytical data where required by WAC 173-303-630 through 173-303-670;

(g) All closure and post-closure cost estimates required for the facility; and

(h) For off-site facilities, copies of notices to generators informing them that the facility has all appropriate permits, as required by WAC 173-303-290, required notices.

(2) Recordkeeping instructions. This paragraph provides instructions for recording the portions of the operating record which are related to describing the types, quantities, and management of dangerous wastes at the facility. This information shall be kept in the operating record, as follows:

(a) Each dangerous waste received shall be described by its common name and by its dangerous waste number(s) from WAC 173-303-080 through 173-303-104. Where a dangerous waste contains more than one process waste or waste constituent the waste description must include all applicable dangerous waste numbers. If the dangerous waste number is not listed then the waste description shall include the process which generated the waste;

(b) The waste description shall include the waste's physical form (i.e., liquid, solid, sludge, or gas);

(c) The weight, or volume and density, of the dangerous waste shall be recorded, using one of the units of measure specified in Table 1, below;

TABLE 1

Unit of Measure	Symbol	Density
Pounds	P	
Short tons (2000 lbs)	T	
Gallons (U.S.)	G	P/G
Cubic yards	Y	T/Y

TABLE 1

Unit of Measure	Symbol	Density
Kilograms	K	
Tonnes (1000 kg)	M	
Liters	L	K/L
Cubic meters	C	M/C

(d) And, the date(s) and method(s) of management for each dangerous waste received shall be recorded, using the handling code(s) specified in Table 2, below.

TABLE 2

1. Storage
  - S01 Container (barrel, drum, etc.)
  - S02 Tank
  - S03 Waste pile
  - S04 Surface impoundment
  - S05 Other (specify)
2. Treatment
  - (a) Thermal treatment
    - T06 Liquid injection incinerator
    - T07 Rotary kiln incinerator
    - T08 Fluidized bed incinerator
    - T09 Multiple hearth incinerator
    - T10 Infrared furnace incinerator
    - T11 Molten salt destructor
    - T12 Pyrolysis
    - T13 Wet air oxidation
    - T14 Calcination
    - T15 Microwave discharge
    - T16 Cement kiln
    - T17 Lime kiln
    - T18 Other (specify)
  - (b) Chemical treatment
    - T19 Absorption mound
    - T20 Absorption field
    - T21 Chemical fixation
    - T22 Chemical oxidation
    - T23 Chemical precipitation
    - T24 Chemical reduction
    - T25 Chlorination
    - T26 Chlorinolysis
    - T27 Cyanide destruction
    - T28 Degradation
    - T29 Detoxification
    - T30 Ion exchange
    - T31 Neutralization
    - T32 Ozonation
    - T33 Photolysis
    - T34 Other (specify)
  - (c) Physical treatment
    - (i) Separation of components
      - T35 Centrifugation
      - T36 Clarification
      - T37 Coagulation
      - T38 Decanting
      - T39 Encapsulation
      - T40 Filtration

- T41 Flocculation
- T42 Flotation
- T43 Foaming
- T44 Sedimentation
- T45 Thickening
- T46 Ultrafiltration
- T47 Other (specify)
  - (ii) Removal of specific components
- T48 Absorption-molecular sieve
- T49 Activated carbon
- T50 Blending
- T51 Catalysis
- T52 Crystallization
- T53 Dialysis
- T54 Distillation
- T55 Electrodialysis
- T56 Electrolysis
- T57 Evaporation
- T58 High gradient magnetic separation
- T59 Leaching
- T60 Liquid ion exchange
- T61 Liquid-liquid extraction
- T62 Reverse osmosis
- T63 Solvent recovery
- T64 Stripping
- T65 Sand filter
- T66 Other (specify)
  - (d) Biological treatment
- T67 Activated sludge
- T68 Aerobic lagoon
- T69 Aerobic tank
- T70 Anaerobic lagoon
- T71 Composting
- T72 Septic tank
- T73 Spray irrigation
- T74 Thickening filter
- T75 Trickling filter
- T76 Waste stabilization pond
- T77 Other (specify)
- T78-79 (Reserved)

3. Disposal

- D80 Underground injection
- D81 Landfill
- D82 Land treatment
- D83 Ocean disposal
- D84 Surface impoundment
  - (to be closed as a landfill)
- D85 Other (specify)

(3) Availability, retention and disposition of records.

(a) All facility records required by this chapter must be furnished upon request, and made available at all reasonable times for inspection, by any officer, employee, or representative of the department who is designated by the director.

(b) The retention period for all facility records required under this chapter is extended automatically during the course of any unresolved enforcement action regarding the facility or as requested by the director.

(c) A copy of records of waste disposal locations and quantities under this section must be submitted to the

United States EPA Regional Administrator, the department, and the local land use and planning authority upon closure of the facility. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-380, filed 2/10/82. Formerly chapter 173-302 WAC.]

**WAC 173-303-390 Facility reporting.** The owner or operator of a facility is responsible for preparing and submitting the reports described in this section.

(1) Unmanifested waste reports. If a facility accepts any dangerous waste from an off-site source without an accompanying manifest or shipping paper, and if the waste is not excluded from the manifest requirements of this chapter 173-303 WAC, then the owner or operator must prepare and submit a single copy of a report to the department within fifteen days after receiving the waste. The report form and instructions in facilities report form - Part C (which may be obtained from the department) must be used for this report. The report must include the following information:

- (a) The EPA/state identification number, name, and address of the facility;
- (b) The date the facility received the waste;
- (c) The EPA/state identification number, name, and address of the generator and the transporter, if available;
- (d) A description and the quantity of each unmanifested dangerous waste the facility received;
- (e) The method of management for each dangerous waste;
- (f) The certification signed by the owner or operator of the facility or his authorized representative; and
- (g) A brief explanation of why the waste was unmanifested, if known.

(2) Annual reports. The owner or operator shall prepare and submit a single copy of an annual report to the department by March 1 of each year. The report form and instructions in facilities report form - Part B (which may be obtained from the department) must be used for this report. The annual report must cover facility activities during the previous calendar year and must include the following information:

- (a) The EPA/state identification number, name, and address of the facility;
- (b) The calendar year covered by the report;
- (c) For off-site facilities, the EPA/state identification number of each dangerous waste generator from which the facility received a dangerous waste during the year. For imported shipments, the report must give the name and address of the foreign generator;
- (d) A description and the quantity of each dangerous waste the facility received during the year. For off-site facilities, this information must be listed by EPA/state identification number of each generator;
- (e) The method of treatment, storage, or disposal for each dangerous waste;
- (f) The most recent closure cost estimate under WAC 173-303-620(3), and for disposal facilities, the most recent post-closure cost estimate under WAC 173-303-620(5); and

(g) The certification signed by the owner or operator of the facility or his authorized representative.

(3) Additional reports. The owner or operator shall also report to the department releases of dangerous wastes, fires, and explosions as specified in WAC 173-303-360 (2)(k).

In addition, the owner or operator shall submit reports as required by the department. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-390, filed 2/10/82.]

**WAC 173-303-395 Other general requirements.** (1) Precautions for ignitable, reactive, or incompatible wastes.

(a) The owner or operator must take precautions to prevent accidental ignition or reaction of ignitable or reactive waste. This waste must be separated and protected from sources of ignition or reaction including, but not limited to, open flames, smoking, cutting and welding, hot surfaces, frictional heat, sparks (static, electrical, or mechanical), spontaneous ignition (e.g., from heat-producing chemical reactions), and radiant heat. While ignitable or reactive waste is being handled, the owner or operator must confine smoking and open flame to specially designated locations. "No smoking" signs must be conspicuously placed wherever there is a hazard from ignitable or reactive waste.

(b) Where specifically required by other sections of this chapter 173-303 WAC, the treatment, storage, or disposal of ignitable or reactive waste, and the mixture or commingling of incompatible wastes, or incompatible wastes and materials, must be conducted so that it does not:

(i) Generate extreme heat or pressure, fire or explosion, or violent reaction;

(ii) Produce uncontrolled toxic mists, fumes, dusts, or gases in sufficient quantities to threaten human health or the environment;

(iii) Produce uncontrolled flammable fumes or gases in sufficient quantities to pose a risk of fire or explosions;

(iv) Damage the structural integrity of the facility or device containing the waste; or

(v) Through other like means, threaten human health or the environment.

(c) When required to comply with WAC 173-303-395 (1)(a) and (b), the owner or operator must document that compliance in the operating record required under WAC 173-303-380(1). This documentation may be based on references to published scientific or engineering literature, data from trial tests, waste analyses, or the results of the treatment of similar wastes by similar treatment processes and under similar operating conditions.

(d) At least yearly, the owner or operator shall inspect those areas of his facility where ignitable or reactive wastes are stored. This inspection shall be performed in the presence of a professional person who is familiar with the Uniform Fire Code, or in the presence of the

local, state, or federal fire marshal. The owner or operator shall enter the following information in his inspection log or operating record as a result of this inspection:

(i) The date and time of the inspection;

(ii) The name of the professional inspector or fire marshal;

(iii) A notation of the observations made; and

(iv) Any remedial actions which were taken as a result of the inspection.

(2) Compliance with other environmental protection laws and regulations. In receiving, storing, handling, treating, processing, or disposing of dangerous wastes, the owner/operator shall design, maintain and operate his dangerous waste facility in compliance with all applicable federal, state and local laws and regulations (e.g., control of stormwater or sanitary water discharge, control of volatile air emissions, etc.).

(3) Asbestos dangerous waste disposal requirements. All asbestos containing waste material shall be disposed of at waste disposal sites which are operated in accordance with 40 CFR 61.25. Such sites will not need to comply with any other standards of chapter 173-303 WAC, if they comply with 40 CFR 61.25. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-395, filed 2/10/82.]

**WAC 173-303-400 Interim status facility standards.** (1) Purpose. The purpose of WAC 173-303-400 is to establish standards which define the acceptable management of dangerous waste during the period of interim status.

(2) Applicability.

(a) The interim status standards apply to owners and operators of facilities which treat, store, transfer, and/or dispose of dangerous waste. For purposes of this section, interim status shall apply to all facilities which comply fully with the requirements for interim status under Section 3005(e) of the Federal Resource Conservation and Recovery Act or WAC 173-303-815(2). Interim status shall end after final administrative disposition of the Part B permit application is completed.

(b) Interim status facilities must meet the interim status standards upon the effective date of these regulations. Interim status facilities handling state designated wastes (i.e., not identified by 40 CFR Part 261) or facilities which are subject to WAC 173-303-400 (3)(c) (ii), (iii), and (v), must meet interim status standards 180 days after promulgation of this regulation.

(c) The requirements of the interim status standards do not apply to:

(i) Persons disposing of dangerous waste subject to a permit issued under the Marine Protection, Research and Sanctuaries Act;

(ii) Persons disposing of dangerous waste by underground injection which is permitted under the Safe Drinking Water Act;

(iii) The owner or operator of a POTW who treats, stores, or disposes of dangerous wastes;

(iv) The owner or operator of a totally enclosed treatment facility; and

(v) Generators accumulating waste for less than ninety days except to the extent WAC 173-303-200(6) provides otherwise.

(3) Standards.

(a) Interim status standards shall be standards set forth by the Environmental Protection Agency in 40 CFR Part 265 of Subparts F through R which are incorporated by reference into this regulation, the general requirements for dangerous waste management facilities, WAC 173-303-280 through 173-303-395, and the applicable requirements of WAC 173-303-500, siting standards, WAC 173-303-510, performance standards, and WAC 173-303-520, buffer monitoring zones.

(b) For purposes of applying the interim status standards of 40 CFR Part 265 Subparts F through R to the state of Washington facilities, the federal terms shall have the following state of Washington meanings:

(i) "Regional administrator" shall mean the "department";

(ii) "Hazardous" shall mean "dangerous"; and

(iii) "Compliance procedure" shall have the meaning set forth in WAC 173-303-040, definitions.

(c) In addition to the changes described in WAC 173-303-400 (3)(b), the following modifications shall be made to interim status standards of 40 CFR Part 265 Subparts F through R:

(i) The words "within one year after the effective date of these regulations" shall mean the effective date of 40 CFR Part 265.

(ii) "Subpart N - landfills" shall have an additional section (9) added which reads: "An owner/operator shall not landfill an organic carcinogen designated in WAC 173-303-081, 173-303-082, 173-303-084, or 173-303-100, nor an extremely hazardous waste, as defined by WAC 173-303-080 to 173-303-100, except at the EHW facility at Hanford";

(iii) "Subpart R - underground injection" shall have an additional section (c) which reads: "Owners and operators of wells are prohibited from disposing of extremely hazardous waste as defined by WAC 173-303-080 to 173-303-100, or an organic carcinogen designated under WAC 173-303-081, 173-303-082, 173-303-084, or 173-303-100";

(iv) "Subpart M - land treatment," section 165.273(b) shall be modified to replace the words "Part 261, Subpart D of this chapter" with "WAC 173-303-080"; and

(v) "Subpart F - ground water monitoring," section 265.91(c) shall include the requirement that: "Groundwater monitoring wells shall be designed, constructed, and operated so as to prevent groundwater contamination in accordance with chapter 173-160 WAC. New groundwater monitoring wells shall have an inside diameter of not less than four inches (10 cm)." [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-400, filed 2/10/82.]

**WAC 173-303-500 Siting standards.** (1) Purpose. This section provides criteria for the siting of dangerous

waste facilities. The criteria are to be viewed as standards which a facility owner/operator shall meet in siting his facility.

(2) Applicability. These siting standards will apply to all facilities which require a permit under WAC 173-303-820 and 173-303-825, or as otherwise limited in each of the applicable paragraphs of this section.

(3) Earthquake fault criteria.

(a) For dangerous waste facilities, active portions of new treatment, storage, transfer, or disposal facilities will not be located within 200 feet of a fault which has had displacement in Holocene times. Where dangerous wastes are in solid or semisolid form, engineering efforts, as approved by the department, may be substituted for the 200-foot buffer zone.

(b) For extremely hazardous waste facilities, active portions of new or existing treatment, storage, transfer, or disposal facilities will not be located within 200 feet of a fault which has had displacement in Holocene times. No engineering exceptions to this limit shall be permitted.

(c) As used in WAC 173-303-500 (3)(a) and (b):

(i) "Fault" means a fracture along which rocks on one side have been displaced with respect to those on the other side;

(ii) "Displacement" means the relative movement of any two sides of a fault measured in any direction; and

(iii) "Holocene" means the most recent epoch of the Quaternary period, extending from the end of the Pleistocene to the present.

Facilities which are located in political jurisdictions other than those listed in Appendix VI of 40 CFR 264 are assumed to be in compliance with this requirement.

(4) Floodplain criteria.

(a) For dangerous waste facilities, a facility located in a 100-year floodplain must be designed, constructed, operated, and maintained to prevent washout of any dangerous waste by a 100-year flood, unless the owner or operator has included in his contingency plan (WAC 173-303-350) procedures which will cause the waste to be removed safely, before floodwaters can reach the facility, to a location where the wastes will not be vulnerable to floodwaters.

(b) For extremely hazardous waste facilities, a facility located in a 100-year floodplain must be designed, constructed, operated, and maintained to prevent washout of any extremely hazardous waste by a 100-year flood. Contingency procedures for removal of extremely hazardous waste will not be deemed equivalent to engineered flood proofing.

(c) The location to which wastes are moved must be a facility which is permitted by this chapter 173-303 WAC.

As used in WAC 173-303-500 (4)(a) and (b):

(i) "100-year floodplain" means any land area which is subject to one percent or greater chance of flooding in any given year from any source;

(ii) "Washout" means the movement of dangerous waste from the active portion of the facility as a result of flooding; and

(iii) "100-year flood" means a flood that has a one percent chance of being equalled or exceeded in any given year.

(5) The siting of facilities in areas under the jurisdiction of the 1971 Shoreline Management Act (chapter 90.58 RCW).

(a) Areas defined as "wetlands" under RCW 90.58-.030 (2)(f) (those areas under jurisdiction of the Shoreline Management Act) shall not be considered or used for the disposal of dangerous waste.

(b) Dangerous waste storage and treatment facilities, where such facilities have either historically located in areas under jurisdiction of the Shoreline Management Act, or where such facilities require a waterfront or harbor area location, shall be limited to those locations where the local shoreline management master program permits industrial, navigation, manufacturing, or similar activities. Areas classified natural, conservancy, rural, or residential shall not be considered for the location of a dangerous waste facility.

(6) Sole source aquifer criteria. No new facility shall dispose of dangerous waste over a sole source aquifer designated pursuant to section 1424(e) of the Safe Drinking Water Act (Public Law 93-523). [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-500, filed 2/10/82.]

**WAC 173-303-510 Performance standards.** (1) Purpose. This section provides general performance standards for designing, constructing, operating, and maintaining dangerous waste facilities.

(2) Applicability. This section applies to all dangerous waste facilities permitted under WAC 173-303-800 through 173-303-845. These general performance standards shall be used to determine whether more stringent facility standards should be applied than those spelled out in WAC 173-303-280 through 173-303-400 and 173-303-600 through 173-303-670.

(3) Performance standards. Unless authorized by state, local, or federal laws, or unless otherwise authorized in this regulation, the owner/operator shall design, construct, operate, or maintain a dangerous waste facility that to the maximum extent practical given the limits of technology prevents:

- (a) Degradation of ground water quality;
- (b) Degradation of air quality by open burning or other activities;
- (c) Degradation of surface water quality;
- (d) Destruction or impairment of flora and fauna outside the active portion of the facility;
- (e) Excessive noise;
- (f) Conditions that constitute a negative aesthetic impact for the public using rights of ways, or public lands, or for landowners of adjacent properties;
- (g) Unstable hillsides or soils as a result of trenches, impoundments, excavations, etc.;
- (h) The use of processes that do not treat, detoxify, recycle, reclaim, and recover waste material to the extent economically feasible;

(i) Endangerment of the health of employees, or the public near the facility. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-510, filed 2/10/82.]

**WAC 173-303-520 Buffer monitoring zones.** (1) Buffer zones.

(a) The owner/operator of a dangerous waste facility which treats or stores ignitable waste in covered tanks must treat or store his ignitable waste in a manner equivalent with the National Fire Protection Association's buffer zone requirements for tanks, contained in Tables 2-1 through 2-6 of "The Flammable and Combustible Liquids Code-1981."

(b) The owner/operator of a dangerous waste facility which stores reactive waste must store his reactive waste in a manner equivalent with the Uniform Fire Code's "American Table of Distances for Storage of Explosives," Table 77-201, 1979 Edition.

(c) Within the practical limits of the best available management technology, the owner/operator of a new dangerous waste impoundment, landfarm, or landfill should attempt to locate his facility so that the travel time (as defined in WAC 173-303-040) from the active portion of the facility to the nearest downstream well or surface water used for drinking purposes is at least:

- (i) Three years, for dangerous wastes; and
- (ii) Ten years, for extremely hazardous waste.

(2) Monitoring zones.

(a) The owner/operator of a new dangerous waste facility handling category X, A, B, C, or D dangerous waste, not designated as extremely hazardous waste, may provide a monitoring zone around lagoons, landfarms, and landfills as follows:

$$D = \frac{wv}{N} \text{ (ft)}$$

Where

- D = the minimum width of the monitoring zone
- w = 3, a constant
- v = velocity of surface soil migration, ft/yr
- N = number of times the surface soil is sampled at one spot in a year.

Samples shall be taken a distance of

$$S = \frac{D}{w} \text{ (ft) from the active portion of the facility}$$

Where

- D = the monitoring zone width in feet and
- w = 3.

(b) The same monitoring zone determinations may be made for facilities handling extremely hazardous waste (category X, A, B, or C), except that the value W = 10 shall be used.

(c) Additional information and assistance on choosing monitoring zones is available from the department. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-520, filed 2/10/82.]

**WAC 173-303-575 Temporary standards for new dangerous waste land disposal facilities.** (1) Purpose, scope and applicability.

(a) The purpose of WAC 173-303-575 is to establish minimum standards that define the acceptable management of dangerous waste for new land disposal facilities. Extremely hazardous waste can only be disposed in accordance with WAC 173-303-140.

(b) The regulations in WAC 173-303-575 apply to owners and operators of new dangerous waste landfills, surface impoundments, land treatment facilities and Class I underground injection wells that require individual permits under WAC 173-303-800.

(c) The requirements of this part do not apply to:

(i) A person disposing of dangerous waste by means of ocean disposal subject to a permit by rule issued under WAC 173-303-805;

(ii) A person disposing of dangerous waste by means of underground injection subject to a permit by WAC 173-303-805;

(iii) An owner or operator of a POTW subject to a permit by rule under WAC 173-303-805;

(iv) The owner or operator of a facility permitted, licensed, or registered by the state to manage municipal or industrial solid waste, if the only dangerous waste the facility treats, stores, or disposes of is under the quantity exclusion limits of WAC 173-303-070 to 173-303-103;

(v) The owner or operator of a facility which treats or stores dangerous waste that is recycled and not subject to regulation as set forth in WAC 173-303-120;

(vi) A generator accumulating waste on-site in compliance with WAC 173-303-200;

(vii) The owner or operator of an elementary neutralization unit or a wastewater treatment unit as defined in WAC 173-303-040; or

(viii) Persons who undertake activities to immediately contain or treat a spill of dangerous waste or material which, when spilled, becomes a dangerous waste.

(2) Applicability of final facility standards.

In addition to the standards contained in WAC 173-303-575 owners and operators of new dangerous waste landfills, surface impoundments, land treatment facilities and underground injection wells must comply with siting standards, WAC 173-303-500, performance standards, WAC 173-303-510, buffer monitoring zones, WAC 173-303-520, and general facility requirements, WAC 173-303-280 through 173-303-395.

(3) Duration of temporary standards and their relationship to final permits.

(a) The regulations in WAC 173-303-575 are applicable, and will serve as a basis for issuing permits, to owners or operators of new dangerous waste landfills, surface impoundments, land treatment facilities, or underground injections facilities until final regulations for such facilities become effective.

(b) Only those owners and operators of new dangerous waste landfills, surface impoundments, land treatment facilities or underground injection wells who have applied for a permit, and for whom public notice of the preparation of a draft permit has been issued under

WAC 173-303-840(3), by the date final facility standards for these facilities become effective may be issued permits under the regulations in WAC 173-303-575.

(4) Additional permit procedures applicable to WAC 173-303-575.

(a) The procedures for issuance, modification, revocation and reissuance, and termination of permits under WAC 173-303-830 are applicable to permits issued pursuant to WAC 173-303-575. In addition, the following procedures apply to permits for facilities regulated under WAC 173-303-575:

(i) Any facility for which a draft permit is prepared pursuant to WAC 173-303-575 may be a major dangerous waste management facility. If the department determines that a facility is major, then a fact sheet shall be prepared for each such facility in accordance with WAC 173-303-840; and

(ii) Instead of the "brief summary of the basis for the draft permit conditions" required by WAC 173-303-840 (2)(c)(iii), the fact sheet shall include a detailed discussion of basis for the draft permit conditions. This shall include a demonstration that relevant factors listed by the Environmental Protection Agency in 40 CFR 267 Subparts B through G were considered and a showing of how the draft permit reflects these considerations.

(b) The provisions of WAC 173-303-800 through 173-303-815 and WAC 173-303-825 through 173-303-845 apply to permits for facilities regulated under WAC 173-303-575. In addition to the information required by WAC 173-303-815, the applications for permits under WAC 173-303-575 must include the following information:

(i) For a landfill, sufficient information to demonstrate compliance with Subparts C and F of 40 CFR 267;

(ii) For a surface impoundment, sufficient information to demonstrate compliance with Subparts D and F of 40 CFR 267;

(iii) For a land treatment facility, sufficient information to demonstrate compliance with Subparts E and F of 40 CFR 267; and

(iv) For an underground injection well, sufficient information to demonstrate compliance with Subpart G or 40 CFR 267.

(5) Definitions.

Unless otherwise specified, terms used in WAC 173-303-575 are defined in 40 CFR 260.10 and 122.3, or WAC 173-303-040. For the purposes of WAC 173-303-575, "regional administrator" shall mean the "department."

(6) Temporary standards.

Temporary standards for new dangerous waste land disposal facilities shall be standards set forth by the Environmental Protection Agency in 40 CFR Part 267 Subparts B through F.

(7) An owner/operator shall not landfill dangerous waste containing greater than one percent IARC organic carcinogens, nor an extremely hazardous waste as defined by WAC 173-303-080 through 173-303-103 except at the extremely hazardous waste facility at Hanford.

(8) Owners and operators of underground injection wells are prohibited from disposing of extremely hazardous waste as defined by WAC 173-303-080 through 173-303-103, or dangerous waste containing greater than one percent IARC organic carcinogens.

(9) Groundwater monitoring wells shall be designed, constructed and operated so as to prevent groundwater contamination in accordance with chapter 173-160 WAC. Monitoring wells shall be a minimum of 4 inches (10 centimeters) in diameter.

(10) Owners and operators of new dangerous waste land disposal facilities shall design, construct, and operate landfills to segregate and contain wastes, wherever practical, so as to enhance the retrievability of wastes. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-575, filed 2/10/82.]

**WAC 173-303-600 Final facility standards.** Purpose, scope, and applicability.

(1) The purpose of WAC 173-303-600 through 173-303-670, is to establish minimum state-wide standards which all dangerous waste facilities must meet to obtain a permit under WAC 173-303-825.

(2) The final facility standards apply to owners and operators of all facilities which treat, store, or dispose of dangerous waste as defined in WAC 173-303-080 through 173-303-103. The final facility standards are to be used to determine whether a permit may be issued pursuant to the requirements set forth in WAC 173-303-800. In addition to WAC 173-303-600 through 173-303-670, the final facility standards include WAC 173-303-280 through 173-303-395, and WAC 173-303-500 through 173-303-520.

(3) The final facility standards do not apply to:

(a) Persons whose disposal activities are permitted under the Marine Protection, Research and Sanctuaries Act, except that storage, or treatment facilities where dangerous waste is loaded onto an ocean vessel for incineration or disposal at sea are subject to final facility standards;

(b) Persons whose disposal activities are permitted under the Underground Injection Control Program of the Safe Drinking Water Act, except that storage, or treatment facilities needed to handle dangerous wastes are subject to final facility standards;

(c) Owners or operators of POTWs which treat, store, or dispose of dangerous waste provided they follow the permit-by-rule requirement of WAC 173-303-805;

(d) A generator accumulating waste on site in compliance with WAC 173-303-200;

(e) The owner or operator of a totally enclosed treatment facility; and

(f) The owner or operator of an elementary neutralization or a wastewater treatment unit. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-600, filed 2/10/82.]

**WAC 173-303-610 Closure and post-closure.** (1) Applicability.

(a) WAC 173-303-610 (2) to (6) (which concern closure) apply to the owners and operators of all dangerous waste facilities; and

(b) WAC 173-303-610 (7) to (10) (which concern post-closure care) apply to the owners and operators of all dangerous waste disposal facilities.

(2) Closure performance standard. The owner or operator must close the facility in a manner that:

(a) Minimizes the need for further maintenance; and

(b) Controls, minimizes or eliminates to the extent necessary to prevent threats to human health and the environment, post-closure escape of dangerous waste, dangerous waste constituents, leachate, contaminated rainfall, or waste decomposition products to the ground, surface water, or the atmosphere.

(c) Returns the land to the appearance and use of surrounding land areas to the degree possible given the nature of the previous dangerous waste activity.

(3) Closure plan; amendment of plan.

(a) The owner or operator of a dangerous waste management facility must have a written closure plan. The plan must be submitted with the permit application, in accordance with WAC 173-303-815, and approved by the department as part of the permit issuance proceeding under WAC 173-303-840. The approved closure plan will become a condition of any permit. The department's decision must assure that the approved closure plan is consistent with WAC 173-303-610 (2), (4), (5), (6), and the applicable requirements of WAC 173-303-630(10), 173-303-640(5), 173-303-650(7), 173-303-660(9) and 173-303-670(8). A copy of the approved plan and all revisions to the plan must be kept at the facility until closure is completed and certified in accordance with WAC 173-303-610(6). The plan must identify steps necessary to completely or partially close the facility at any point during its intended operating life and to completely close the facility at the end of its intended operating life. The closure plan must include at least:

(i) A description of how and when the facility will be partially closed, if applicable, and finally closed. The description must identify the maximum extent of the operation which will be unclosed during the life of the facility and how the requirements of WAC 173-303-610 (2) to (6), and the applicable closure requirements of WAC 173-303-630(10), 173-303-640(5), 173-303-650(7), 173-303-660(9), and 173-303-670(8) will be met;

(ii) An estimate of the maximum inventory of wastes in storage and in treatment at any time during the life of the facility. (Any change in this estimate is a minor modification under WAC 173-303-830(4));

(iii) A description of the steps needed to decontaminate facility equipment during closure; and

(iv) An estimate of the expected year of closure and a schedule for final closure. The schedule must include, at a minimum, the total time required to close the facility and the time required for intervening closure activities which will allow tracking of the progress of closure. (For example, in the case of a landfill, estimates of the time required to treat and dispose of all waste inventory and



of the time required to place a final cover must be included.)

(b) The owner or operator may amend his closure plan at any time during the active life of the facility. (The active life of the facility is that period during which wastes are periodically received.) The owner or operator must amend the plan whenever changes in operating plans or facility design affect the closure plan, or whenever there is a change in the expected year of closure. When the owner or operator requests a permit modification to authorize a change in operating plans or facility design, he must request a modification of the closure plan at the same time (see WAC 173-303-840(10)). If a permit modification is not needed to authorize the change in operating plans or facility design, the request for modification of the closure plan must be made within sixty days after the change in plans or design occurs.

(c) The owner or operator must notify the department at least one hundred eighty days prior to the date he expects to begin closure.

(4) Closure; time allowed for closure.

(a) Within ninety days after receiving the final volume of dangerous wastes, the owner or operator must treat, remove from the site, or dispose of on site, all dangerous wastes in accordance with the approved closure plan. The department may approve a longer period if the owner or operator demonstrates that:

(i)(A) The activities required to comply with this paragraph will, of necessity, take longer than ninety days to complete; or

(B)(I) The facility has the capacity to receive additional wastes:

(II) There is a reasonable likelihood that a person other than the owner or operator will recommence operation of the site; and

(III) Closure of the facility would be incompatible with continued operation of the site; and

(ii) He has taken and will continue to take all steps to prevent threats to human health and the environment.

(b) The owner or operator must complete closure activities in accordance with the approved closure plan within one hundred eighty days after receiving the final volume of wastes. The department may approve a longer closure period if the owner or operator demonstrates that:

(i) The closure activities will, of necessity, take longer than one hundred eighty days to complete; or

(ii)(A) The facility has the capacity to receive additional wastes;

(B) There is reasonable likelihood that a person other than the owner or operator will recommence operation of the site; and

(C) Closure of the facility would be incompatible with continued operation of the site;

(iii) And he has taken and will continue to take all steps to prevent threats to human health and the environment from the unclosed but inactive facility.

(5) Disposal or decontamination of equipment. When closure is completed, all facility equipment and structures must have been properly disposed of, or decontaminated by removing all waste and residues.

(6) Certification of closure. When closure is completed, the owner or operator must submit to the department certification both by the owner or operator and by an independent registered professional engineer that the facility has been closed in accordance with the specifications in the approved closure plan.

(7) Post-closure care and use of property.

(a) Post-closure care must continue for thirty years after the date of completing closure and must consist of at least the following:

(i) Ground water monitoring and reporting as applicable; and

(ii) Maintenance of monitoring and waste containment systems as applicable.

(b) During the one hundred eighty-day period preceding closure (see WAC 173-303-610 (3)(c)) or at any time thereafter, the department may reduce the post-closure care period to less than thirty years if it finds that the reduced period is sufficient to protect human health and the environment (e.g., leachate or ground water monitoring results, characteristics of the waste, application of advanced technology, or alternative disposal, treatment, or reuse techniques indicate that the facility is secure).

Prior to the time that the post-closure care period is due to expire the department may extend the post-closure care period if it finds that the extended period is necessary to protect human health and the environment (e.g., leachate or ground water monitoring results indicate a potential for migration of waste at levels which may be harmful to human health and the environment).

(c) The department may require, at closure, continuation of any of the security requirements of WAC 173-303-310 during part or all of the post-closure period after the date of completing closure when:

(i) Wastes may remain exposed after completion of closure; or

(ii) Access by the public or domestic livestock may pose a hazard to human health or may disturb the post-closure monitoring or waste containment systems.

(d) Post-closure use of property on or in which dangerous wastes remain after closure must never be allowed to disturb the integrity of the final cover, liner(s), or any other components of any containment system, or the function of the facility's monitoring systems, unless the department finds that the disturbance:

(i) Is necessary to the proposed use of the property, and will not increase the potential hazard to human health or the environment; or

(ii) Is necessary to reduce a threat to human health or the environment.

(e) All post-closure care activities must be in accordance with the provisions of the approved post-closure plan as specified in WAC 173-303-610(8).

(8) Post-closure plan; amendment of plan.

(a) The owner or operator of a disposal facility must have a written post-closure plan. The plan must be submitted with the permit application in accordance with WAC 173-303-815, and approved by the department as part of the permit issuance proceeding under WAC 173-303-840. The approved post-closure plan will become a condition of any permit issued. A copy of the approved plan and all revisions to the plan must be kept at the facility until the post-closure care period begins. This plan must identify the activities which will be carried on after closure and the frequency of these activities, and include at least:

(i) A description of the planned ground water monitoring activities and frequencies at which they will be performed;

(ii) A description of the planned maintenance activities, and frequencies at which they will be performed, to ensure:

(A) The integrity of the cap and final cover or other containment structures where applicable; and

(B) The function of the facility monitoring equipment;

(iii) And the name, address, and phone number of the person or office to contact about the disposal facility during the post-closure period. This person or office must keep an updated post-closure plan during the post-closure period.

(b) The owner or operator may amend his post-closure plan at any time during the active life of the disposal facility or during the post-closure care period. The owner or operator must amend his plan whenever changes in operating plans or facility design, or events which occur during the active life of the facility or during the post-closure period, affect his post-closure plan. He must also amend his plan whenever there is a change in the expected year of closure.

(c) When a permit modification is requested during the active life of the facility to authorize a change in operating plans or facility design which affects the post-closure plan, modification of the post-closure plan must be requested at the same time (see WAC 173-303-840(10)). In all other cases the request for modification of the post-closure plan must be made within sixty days after the change in operating plans or facility design or the events which affect his post-closure plan occur.

(9) Notice to local land authority. Within ninety days after closure is completed, the owner or operator of a disposal facility must submit to the local zoning authority or the authority with jurisdiction over local land use and to the department a survey plat indicating the location and dimensions of landfill cells or other disposal areas with respect to permanently surveyed benchmarks. This plat must be prepared and certified by a professional land surveyor. The plat filed with the local zoning authority or the authority with jurisdiction over local land use must contain a note, prominently displayed, which states the owner's or operator's obligation to restrict disturbance of the site as specified in WAC 173-303-610 (7)(d). In addition, the owner or operator must submit to the local zoning authority or the authority with jurisdiction over local land use and to the department, a record of the type, location, and quantity of

dangerous wastes disposed of within each cell or area of the facility. For wastes disposed of before these regulations were promulgated, the owner or operator must identify the type, location, and quantity of the wastes to the best of his knowledge and in accordance with any records he has kept. Any changes in the type, location, or quantity of dangerous wastes disposed of within each cell or area of the facility that occur after the survey plat and record of wastes have been filed must be reported to the local zoning authority or the authority with jurisdiction over local land use and to the department.

(10) Notice in deed to property.

(a) The owner of the property on which a disposal facility is located must record, in accordance with state law, a notation on the deed to the facility property, or on some other instrument which is normally examined during title search, that will in perpetuity notify any potential purchaser of the property that:

(i) The land has been used to manage dangerous wastes;

(ii) Its use is restricted under WAC 173-303-610 (7)(d); and

(iii) The survey plat and record of the type, location, and quantity of dangerous wastes disposed of within each cell or area of the facility required in WAC 173-303-610(9) have been filed with the local zoning authority, or the authority with jurisdiction over local land use, and with the department.

(b) If at any time the owner or operator or any subsequent owner of the land upon which a dangerous waste facility was located removes the waste and waste residues, the liner, if any, and all contaminated underlying and surrounding soil, he may remove the notation on the deed to the facility property or other instrument normally examined during title search, or he may add a notation to the deed or instrument indicating the removal of the waste. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-610, filed 2/10/82.]

**WAC 173-303-620 Financial requirements. (1) Applicability.**

(a) The requirements of WAC 173-303-620 (3), (4), and (7), apply to owners and operators of all dangerous waste facilities, except as provided otherwise in WAC 173-303-620.

(b) The requirements of WAC 173-303-620 (5) and (6) apply only to owners and operators of dangerous waste disposal facilities.

(c) States and the federal government are exempt from the requirements of WAC 173-303-620; however, operators of facilities who are under contract with the state or federal government must meet the financial requirements of this section.

(2) The definitions of WAC 173-303-040 pertaining to liability are the common meanings of the terms as they are generally used in the insurance industry and are not intended to limit the meanings in a way that conflicts with general usage.

(3) Cost estimate for facility closure.

(a) The owner or operator must have a written estimate of the cost of closing the facility in accordance with the requirements in WAC 173-303-610 (2) through (6), and applicable closure requirements in WAC 173-303-630(10), 173-303-640(5), 173-303-650(7), 173-303-660(9) and 173-303-670(8). The owner or operator must keep this estimate, and all subsequent estimates required in WAC 173-303-620 at the facility. The estimate must equal the cost of closure at the point in the facility's operating life when the extent and manner of its operation would make closure the most expensive, as indicated by its closure plan (see WAC 173-303-610 (3)(a)).

(b) The owner or operator must prepare a new closure cost estimate whenever a change in the closure plan affects the cost of closure.

(c) On each anniversary of the date on which the first estimate was prepared as specified in WAC 173-303-620 (3)(a), the owner or operator must adjust the latest closure cost estimate using an inflation factor derived from the annual Implicit Price Deflator for Gross National Product as published by the United States Department of Commerce in its survey of current business. The inflation factor must be calculated by dividing the latest published annual deflator by the deflator for the previous year. The result is the inflation factor. The adjusted closure cost estimate must equal the latest closure cost estimate (see WAC 173-303-620 (3)(b)) times the inflation factor.

(4) Financial assurance for facility closure. An owner or operator of each facility must establish financial assurance for closure of the facility. He must choose from among the following or equivalent options:

(a) Closure trust fund. The following procedures shall be used to establish a closure trust fund:

(i) An owner or operator may satisfy the requirements of WAC 173-303-620(4) by establishing a closure trust fund which conforms to the requirements of WAC 173-303-620 (4)(a) and by sending an originally signed duplicate of the trust agreement to the department by certified mail. An owner or operator of a new facility must send the originally signed duplicate of the trust agreement to the department by certified mail at least sixty days before the date on which dangerous waste is first received for treatment, storage, or disposal. The trustee must be a bank or other financial institution which has the authority to act as a trustee and whose trust operations are regulated and examined by a federal or state agency.

(ii) The wording of the trust agreement must be identical to the wording specified in 40 CFR 264.151(a)(1) and the trust agreement must be accompanied by a formal certification of acknowledgment.

(iii) Payments to the trust fund must be made annually by the owner or operator over the term of the initial permit. The payments to the closure trust fund must be made as follows:

(A) For a new TSD facility, the first payment must be made when the trust fund is established. The first payment must be at least equal to the closure cost estimate (see WAC 173-303-620(3)), except as provided in

WAC 173-303-620 (4)(g), divided by the number of years in the term of the permit. Subsequent payments must be made no later than thirty days after each anniversary date of the first payment. The amount of each subsequent payment must be determined by performing the following calculation:

$$\text{Next payment} = \frac{\text{ACE} - \text{CV}}{\text{Y}}$$

where ACE is adjusted closure cost estimate calculated under WAC 173-303-620 (3)(c), CV is the current value of the trust fund, and Y is the number of years remaining in the term of the permit;

(B) If an owner or operator established a trust fund as specified in WAC 173-303-400, and the value of the trust fund does not equal the adjusted closure cost estimate when a permit is awarded for the facility, the amount of the adjusted closure cost estimate still to be paid into the trust fund must be paid in over the term of the permit. Payments must continue to be made no later than thirty days after each anniversary date of the first payment made pursuant to WAC 173-303-400. The amount of each payment must be determined by performing the following calculation:

$$\text{Next payment} = \frac{\text{ACE} - \text{CV}}{\text{Y}}$$

where ACE is the adjusted closure cost estimate, CV is the current value of the trust fund, and Y is the number of years remaining in the term of the permit.

(iv) The owner or operator may accelerate payments into the trust fund or he may deposit the full amount of the closure cost estimate at the time the fund is established. However, he must maintain the value of the fund at no less than the value the fund would have if annual payments were made as specified in WAC 173-303-620 (4)(a)(iii)(A) and (B).

(v) If the owner or operator establishes a closure trust fund after having initially used one or more alternate mechanisms specified in WAC 173-303-620(4), his first payment must be at least the amount that the fund would have contained if the trust fund were established and annual payments made as specified in WAC 173-303-620 (4)(a)(iii)(A) and (B).

(vi) After the term of the initial permit is completed, whenever the adjusted closure cost estimate changes, the owner or operator must compare the new estimate with the trustee's most recent annual valuation of the trust fund (as described in section 10 of the trust agreement; see WAC 173-303-620 (4)(a)(ii)).

(vii) If the value of the fund is less than the amount of the new estimate, the owner or operator must, within sixty days of the change in the cost estimate, deposit a sufficient amount into the fund so that its value after payment at least equals the amount of the new estimate, or obtain other financial assurance as specified in WAC 173-303-620(4) to cover the difference.

(viii) If an owner or operator substitutes other financial assurance as specified in WAC 173-303-620(4) for all or part of the trust fund, he may submit a written request to the department for release of the amount in

the trust fund which is greater than the amount required as a result of such substitution.

(ix) Within sixty days after receiving a request from the owner or operator for release of funds as specified in WAC 173-303-620 (4)(a)(vii) or (a)(viii), the department will instruct the trustee to release to the owner or operator such funds as the department specifies in writing.

(x) After beginning final closure, an owner or operator or any other person authorized to conduct closure may request reimbursement for closure expenditures by submitting itemized bills to the department. Within sixty days after receiving bills for closure activities, the department will instruct the trustee to make reimbursements in those amounts as the department specifies in writing, if the department determines that the closure expenditures are in accordance with the closure plan or otherwise justified.

(xi) The department will agree to termination of the trust when:

(A) The owner or operator substitutes alternate financial assurance for closure as specified in WAC 173-303-620(4); or

(B) The department notifies the owner or operator, in accordance with WAC 173-303-620 (4)(i) that he is no longer required by WAC 173-303-620 (4) to maintain financial assurance for closure of the facility.

(b) Surety bond guaranteeing payment into a closure trust fund.

(i) An owner or operator may satisfy the requirements of WAC 173-303-620(4) by obtaining a surety bond which conforms to the requirements of WAC 173-303-620 (4)(b) and by having the bond delivered to the department by certified mail. An owner or operator of a new facility must have the surety bond delivered to the department by certified mail at least sixty days before the date on which dangerous waste is first received for transfer, treatment, storage, or disposal. The surety bond must be effective before this initial receipt of dangerous waste. The surety company issuing the bond must, at a minimum, be among those listed as acceptable sureties on federal bonds in Circular 570 of the United States Department of the Treasury.

(ii) The wording of the surety bond must be identical to the wording specified in 40 CFR 264.151(b).

(iii) The owner or operator who uses a surety bond to satisfy the requirements of WAC 173-303-620 (4)(b) must also establish a standby trust fund by the time the bond is obtained. Under the terms of the surety bond, all payments made thereunder will be deposited directly into the standby trust fund. This trust fund must meet the requirements specified in WAC 173-303-620 (4)(a) except that:

(A) An originally signed duplicate of the trust agreement must be delivered to the department with the surety bond; and

(B) After a nominal initial payment agreed upon between the trustee and the owner or operator, payments as specified in WAC 173-303-620 (4)(a) are not required until the standby trust fund is funded pursuant to the requirements of WAC 173-303-620 (4)(b).

(iv) The bond must guarantee that the owner or operator will:

(A) Fund the standby trust fund in an amount equal to the penal sum of the bond at least sixty days prior to the expected date of the beginning of final closure of the facility; or

(B) Fund the standby trust fund in an amount equal to the penal sum within fifteen days after an order to begin closure is issued by a court or within fifteen days after issuance of a notice of termination of the permit pursuant to WAC 173-303-840(10); or

(C) Provide alternate financial assurance as specified in WAC 173-303-620 within thirty days after receipt by the department of a notice of cancellation of the bond from the surety.

(v) The surety will become liable on the bond obligation when the owner or operator fails to perform as guaranteed by the bond.

(vi) The penal sum of the bond must be in an amount at least equal to the amount of the adjusted closure cost estimate except as provided in WAC 173-303-620 (4)(g).

(vii) Whenever the adjusted closure cost estimate increases to an amount greater than the amount of the penal sum of the bond, the owner or operator must, within sixty days after the increase, cause the penal sum of the bond to be increased to an amount at least equal to the new estimate or obtain other financial assurance, as specified in WAC 173-303-620(4) to cover the increase. Whenever the adjusted closure cost estimate decreases, the penal sum may be reduced to the amount of the new estimate following written approval by the department. Notice of an increase or decrease in the penal sum must be sent to the department by certified mail within sixty days after the change.

(viii) The bond shall remain in force unless the surety sends written notice of cancellation by certified mail to the owner or operator and to the department. Cancellation cannot occur, however:

(A) During the ninety days beginning on the date of receipt of the notice of cancellation by the department as shown on the signed return receipt; or

(B) While a compliance procedure is pending, as defined in WAC 173-303-040.

(ix) The surety bond no longer satisfies the requirements of WAC 173-303-620 (4)(b) subsequent to the receipt by the department of a notice of cancellation of the surety bond. Upon receipt of such notice the department will issue a compliance order, unless the owner or operator has demonstrated alternate financial assurance as specified in WAC 173-303-620(4). In the event the owner or operator does not correct the violation by demonstrating such alternative financial assurance within thirty days after issuance of the compliance order, the department may direct the surety to place the penal sum of the bond in the standby trust fund.

(x) The owner or operator may cancel the bond if the department has given prior written consent based on receipt of evidence of alternate financial assurance as specified in WAC 173-303-620(4).

(xi) The department will notify the surety when the owner or operator funds the standby trust fund in the amount guaranteed by the surety bond or if he provides alternate financial assurance as specified in WAC 173-303-620(4).

(c) Surety bond guaranteeing performance of closure.

(i) An owner or operator may satisfy the requirements of WAC 173-303-620(4) by obtaining a surety bond which conforms to the requirements of this paragraph and by having the bond delivered to the department by certified mail. An owner or operator of a new facility must have the surety bond delivered to the department by certified mail at least sixty days before the date on which dangerous waste is first received for treatment, storage, or disposal. The surety bond must be effective before this initial receipt of dangerous waste. The surety company issuing the bond must, at a minimum, be among those listed as acceptable sureties on federal bonds in Circular 570 or the United States Department of the Treasury.

(ii) The wording of the surety bond must be identical to the wording specified in 40 CFR 264.151(c).

(iii) The owner or operator who uses a surety bond to satisfy the requirements of WAC 173-303-620(4) must also establish a standby trust fund by the time the bond is obtained. Under the terms of the surety bond, all payments made thereunder will be deposited directly into the standby trust fund. This trust fund must meet the requirements specified in WAC 173-303-620 (4)(a), except that:

(A) An originally signed duplicate of the trust agreement must be delivered to the department with the surety bond; and

(B) After a nominal initial payment agreed upon between the trustee and the owner or operator, payments as specified in WAC 173-303-620 (4)(a) are not required unless the standby trust fund is funded pursuant to the requirements of WAC 173-303-620 (4)(c).

(iv) The bond must guarantee that the owner or operator will:

(A) Perform final closure in accordance with the closure plan and other requirements in the permit for the facility; or

(B) Perform final closure in accordance with WAC 173-303-610 following an order to begin closure issued by a court, or following issuance of a notice of termination of the permit pursuant to WAC 173-303-840(10); or

(C) Provide alternative financial assurance as specified in WAC 173-303-620(4) within thirty days after receipt by the department of a notice of cancellation of the bond from the surety.

(v) The surety will become liable on the bond obligation when the owner or operator fails to perform as guaranteed by the bond.

(vi) The penal sum of the bond must be in an amount at least equal to the amount of the adjusted closure cost estimate.

(vii) Whenever the adjusted closure cost estimate increases to an amount greater than the amount of the penal sum of the bond, the owner or operator must,

within sixty days after the increase, cause the penal sum of the bond to be increased to an amount at least equal to the new estimate or obtain other financial assurance, as specified in WAC 173-303-620(4), to cover the increase. Whenever the adjusted closure cost estimate decreases, the penal sum may be reduced to the amount of the adjusted closure cost estimate following written approval by the department. Notice of an increase or decrease in the penal sum must be sent to the department by certified mail within sixty days after the change.

(viii) The bond shall remain in force unless the surety sends written notice of cancellation by certified mail to the owner or operator and to the department. Cancellation cannot occur, however:

(A) During the ninety days beginning on the date of receipt of the notice of cancellation by the department as shown on the signed return receipt; or

(B) While a compliance procedure is pending, as defined in WAC 173-303-040.

(ix) Following a determination pursuant to chapter 173-303 WAC that the owner or operator has failed to perform final closure in accordance with the closure plan and other permit requirements or closure order, then as an alternative the surety may deposit the amount of the penal sum into the standby trust fund.

(x) The surety bond no longer satisfies the requirements of WAC 173-303-620 (4)(c) subsequent to the receipt by the department of a notice of cancellation of the surety bond. Upon receipt of such cancellation notice, the department will issue a notice of violation pursuant to chapter 70.105 RCW, unless the owner or operator has demonstrated alternate financial assurance as specified in WAC 173-303-620(4). In the event the owner or operator does not correct the violation by demonstrating such alternate financial assurance within thirty days after issuance of the notice of violation, the department may direct the surety to place the penal sum of the bond in the standby trust fund.

(xi) The owner or operator may cancel the bond if the department has given prior written consent based on receipt of evidence of alternate financial assurance as specified in WAC 173-303-620(4).

(xii) The department will notify the surety if the owner or operator provides alternate financial assurance as specified in WAC 173-303-620(4).

(xiii) The surety will not be liable for deficiencies in the performance of closure by the owner or operator after the owner or operator has been notified by the department in accordance with WAC 173-303-620 (4)(i), that it is no longer required by WAC 173-303-620(4) to maintain financial assurance for closure of the facility.

(d) Closure letter of credit.

(i) An owner or operator may satisfy the requirements of WAC 173-303-620(4) by obtaining an irrevocable standby letter of credit which conforms to the requirements of WAC 173-303-620 (4)(d) and by having it delivered to the department by certified mail. An owner or operator of a new facility must have the letter of credit delivered to the department by certified mail at least sixty days before the date on which dangerous

waste is first received for treatment, storage, or disposal. The letter of credit must be effective before the initial receipt of dangerous waste. The issuing institution must be a bank or other financial institution which has the authority to issue letters of credit and whose letter of credit operations are regulated and examined by a federal or state agency.

(ii) The wording of the letter of credit must be identical to the wording specified in 40 CFR 264.151(f).

(iii) An owner or operator who uses a letter of credit to satisfy the requirements of WAC 173-303-620(4) must also establish a standby trust fund by the time the letter of credit is obtained. Under the terms of the letter of credit, all amounts paid pursuant to a draft by the department will be deposited promptly and directly by the issuing institution into the standby trust fund. The standby trust fund must meet the requirements of the trust fund specified in WAC 173-303-620 (4)(a), except that:

(A) An originally signed duplicate of the trust agreement must be delivered to the department with the letter of credit; and

(B) After a nominal initial payment agreed upon between the trustee and the owner or operator, payments as specified in WAC 173-303-620 (4)(a) are not required unless the standby trust fund is funded pursuant to the requirements of WAC 173-303-620 (4)(d).

(iv) The letter of credit must be irrevocable and issued for a period of at least one year. The letter of credit must provide that the expiration date will be automatically extended for a period of at least one year. If the issuing institution decides not to extend the letter of credit beyond the then current expiration date it must, at least ninety days before that date, notify both the owner or operator and the department by certified mail of that decision. The ninety-day period will begin on the date of receipt by the department as shown on the signed return receipt. Expiration cannot occur, however, while a compliance procedure is pending as defined in WAC 173-303-040.

(v) The letter of credit must be issued for at least the amount of the adjusted closure cost estimate except as provided in WAC 173-303-620 (4)(g).

(vi) Whenever the adjusted closure cost estimate increases to an amount greater than the amount of the credit during the operating life of the facility, the owner or operator must, within sixty days of the increase, cause the amount of the credit to be increased to an amount at least equal to the new estimate or obtain other financial assurance as specified in WAC 173-303-620(4) to cover the increase. Whenever the adjusted closure cost estimate decreases during the operating life of the facility the letter of credit may be reduced to the amount of the new estimate following written approval by the department. Notice of an increase or decrease in the amount of the credit must be sent to the department by certified mail within sixty days of the change.

(vii) Following a notice pursuant to chapter 70.105 RCW that the owner or operator has failed to perform

closure in accordance with the closure plan or other permit requirements, the department may draw on the letter of credit.

(viii) The letter of credit no longer satisfies the requirements of WAC 173-303-620 (4)(d) subsequent to the receipt by the department of a notice from the issuing institution that it has decided not to extend the letter of credit beyond the then current expiration date. Upon receipt of such notice, the department will issue a notice of violation pursuant to chapter 70.105 RCW, unless the owner or operator has demonstrated alternate financial assurance as specified in WAC 173-303-620(4). In the event the owner or operator does not correct the violation by demonstrating such alternate financial assurance within thirty days of issuance of the notice of violation, the department may draw on the letter of credit.

(ix) The department will return the original letter of credit to the issuing institution for termination when:

(A) The owner or operator substitutes alternate financial assurance for closure as specified in WAC 173-303-620(4); or

(B) The department notifies the owner or operator, in accordance with WAC 173-303-620 (4)(i) that he is no longer required by WAC 173-303-620 (4) to maintain financial assurance for closure of the facility.

(c) Reserved.

(f) Reserved.

(g) Use of multiple financial mechanisms. An owner or operator may satisfy the requirements of WAC 173-303-620(4) by establishing more than one financial mechanism. These mechanisms are limited to trust funds, surety bonds guaranteeing payment into a closure trust fund, and letters of credit. The mechanisms must be as specified in WAC 173-303-620 (4)(a), (b), and (d) respectively, except that it is the combination of mechanisms, rather than each single mechanism, which must provide financial assurance for an amount at least equal to the adjusted closure cost estimate. If an owner or operator uses a trust fund in combination with a surety bond or letter of credit, he may use the trust fund as the standby trust fund for the bond or letter of credit. If the multiple mechanisms include only surety bonds and letters of credit, a single standby trust may be established for all these mechanisms. The department may invoke use of any or all of the mechanisms, in accordance with the requirements of WAC 173-303-620 (4)(a), (b) and (d) to provide for closure of the facility.

(h) Use of a financial mechanism for multiple facilities. An owner or operator may use a financial assurance mechanism specified in WAC 173-303-620(4) to meet the requirements of WAC 173-303-620(4) for more than one facility of which he is the owner or operator. Evidence of financial assurance submitted to the department must include a list showing, for each facility, the EPA/state identification number, name, address, and the amount of funds for closure assured by the mechanism. If the list is changed by addition or subtraction of a facility or by an increase or decrease in the amount of funds assured for closure of one or more facilities, a corrected list must be sent to the department within

sixty days of such change. The amount of funds available through the mechanism must be no less than the sum of funds that would be available if a separate mechanism had been established and maintained for each facility.

(i) Release of the owner or operator from the requirements of WAC 173-303-620(4). Within sixty days after receiving certifications from the owner or operator and an independent registered professional engineer that closure has been accomplished in accordance with the closure plan (see WAC 173-303-610(6)), the department will notify the owner or operator in writing that he is no longer required by this section to maintain financial assurance for closure of the particular facility, unless the department has reason to believe that closure has not been in accordance with the closure plan.

(5) Cost estimate for post-closure monitoring and maintenance.

(a) The owner or operator of a disposal facility must have a written estimate of the annual cost of post-closure monitoring and maintenance of the facility in accordance with the applicable post-closure regulations in WAC 173-303-610 (7) through (10). The owner or operator must keep this estimate, and all subsequent estimates required in WAC 173-303-620(5), at the facility.

(b) The owner or operator must prepare a new annual post-closure cost estimate whenever a change in the post-closure plan affects the cost of post-closure care (see WAC 173-303-610 (8)(b)). The latest post-closure cost estimate is calculated by multiplying the latest annual post-closure cost estimate by the number of years of post-closure care required in the latest post-closure plan approved for the facility by the department.

(c) On each anniversary of the date on which the first estimate was prepared as specified in WAC 173-303-620 (5)(a), during the operating life of the facility, the owner or operator must adjust the latest post-closure cost estimate using the inflation factor calculated in accordance with WAC 173-303-620 (3)(c). The adjusted post-closure cost estimate must equal the latest post-closure cost estimate (see WAC 173-303-620 (5)(b)) times the inflation factor.

(6) Financial assurance for post-closure monitoring and maintenance. An owner or operator of each disposal facility must establish financial insurance for post-closure care in accordance with the approved post-closure plan for the facility. He must choose from among the following options:

(a) Post-closure trust fund. The post-closure trust fund requirements shall be identical to the closure trust fund requirements of WAC 173-303-620 (4)(a) except for the following:

(i) The words "post-closure" will be used wherever "closure" appears in WAC 173-303-620 (4)(a); and

(ii) The following requirement shall be used in place of WAC 173-303-620 (4)(a) in order for facilities to meet the requirement of WAC 173-303-620 (6)(a):

An owner or operator or any other person authorized to conduct post-closure may request reimbursement for post-closure expenditures by submitting itemized bills to

the department. Within sixty days after receiving bills for post-closure activities, the department will instruct the trustee to make reimbursements in those amounts as the department specifies in writing, if the department determines that the post-closure expenditures are in accordance with the post-closure plan or otherwise justified.

(b) Surety bond guaranteeing payment into a post-closure trust fund. The surety bond guaranteeing payment into a post-closure trust fund shall be identical to the surety bond requirements of WAC 173-303-620 (4)(b), except for the following:

(i) The word "post-closure" will be used wherever "closure" appears in WAC 173-303-620 (4)(b);

(ii) The words "treatment and storage" in WAC 173-303-620(4), shall not apply to the post-closure requirements of WAC 173-303-620 (6)(b);

(iii) The following requirement shall be used in place of WAC 173-303-620(4) in order for facilities to meet the requirements of WAC 173-303-620 (6)(b): The bond must guarantee that the owner or operator will:

(A) Fund the standby trust fund in an amount equal to the penal sum of the bond by the beginning of final closure of the facility; or

(B) Fund the standby trust fund in an amount equal to the penal sum within fifteen days after an order to begin closure is issued by a court, or within fifteen days after issuance of a notice of termination of the permit pursuant to WAC 173-303-840(10); or

(C) Provide alternate financial assurance as specified in WAC 173-303-620(6) within thirty days after receipt by the department of a notice of cancellation of the bond from the surety;

(iv) And, the wording of the surety bond must be identical to the wording specified in 40 CFR 264.151(d).

(c) Surety bond guaranteeing performance of post-closure care. The surety bond guaranteeing performance of post-closure care shall be identical to the surety bond requirements of WAC 173-303-620 (4)(c), except for the following:

(i) The words "post-closure" will be used wherever "closure" appears in WAC 173-303-620 (4)(c);

(ii) The words "treatment and storage" in WAC 173-303-620(4) shall not apply to the post-closure requirements of WAC 173-303-620 (6)(c);

(iii) The following requirement shall be used in place of WAC 173-303-620 (4)(c)(ii) in order for facilities to meet the requirements of WAC 173-303-620 (6)(c):

The wording of the surety bond must be identical to the wording specified in 40 CFR 264.151(e);

(iv) WAC 173-303-620 (4)(c) shall not apply to post-closure financial requirements of WAC 173-303-620 (6)(c);

(v) The following requirement shall be added to WAC 173-303-620 (4)(c):

During the period of post-closure care, the department may approve a decrease in the penal sum of the surety bond if the owner or operator demonstrates to the department that the amount exceeds the remaining cost of post-closure care;

(vi) And the words "or closure order" in WAC 173-303-620 (4)(c)(ix) shall not apply to the requirements of WAC 173-303-620 (6)(c).

(d) Post-closure letter of credit. The post-closure letter of credit requirements shall be identical to the letter of credit requirements of WAC 173-303-620 (4)(d), except for the following:

(i) The words "post-closure" will be used wherever "closure" appears in WAC 173-303-620 (4)(d);

(ii) The words "treatment and storage" in WAC 173-303-620 (4)(d)(i) shall not apply to the post-closure requirements of WAC 173-303-620 (6)(d); and

(iii) The following requirement shall be added to WAC 173-303-620 (4)(d):

During the period of post-closure care, the department may approve a decrease in the amount of the letter of credit if the owner or operator demonstrates to the department that the amount exceeds the remaining cost of post-closure care.

(e) (Reserved.)

(f) (Reserved.)

(g) Use of multiple financial mechanisms. The use of multiple financial mechanisms shall be identical to the multiple financial mechanisms of WAC 173-303-620 (4)(g), except that the words "post-closure" will be used wherever "closure" appears in WAC 173-303-620 (4)(g).

(h) Use of a financial mechanism for multiple facilities. The use of a financial mechanism for multiple facilities shall be identical to the financial mechanism for multiple facilities of WAC 173-303-620 (4)(h), except for the following:

(i) The words "post-closure" will be used wherever "closure" appears in WAC 173-303-620 (4)(h); and

(ii) WAC 173-303-620 (4)(h)(i) shall be deleted and replaced with the following requirements:

Release of the owner or operator from the requirements of WAC 173-303-620(6). When an owner or operator has completed, to the satisfaction of the department, all post-closure care requirements for the period of post-closure care specified in the permit for the facility or the period specified by the department after closure, whichever period is shorter, the department will, at the request of the owner or operator, notify him in writing that he is no longer required by WAC 173-303-620(6) to maintain financial assurance for post-closure care of the particular facility.

(7) Use of a mechanism for financial assurance of both closure and post-closure care. An owner or operator may use one of the following financial assurance mechanisms to provide financial assurance for both closure and post-closure care of one or more facilities of which he is the owner or operator:

(a) A trust fund that meets the specifications of both WAC 173-303-620 (4)(a) and (6)(a); or

(b) A letter of credit that meets the specifications of both WAC 173-303-620 (4)(d) and (6)(d). The amount of funds available under the mechanism must be no less than the sum of funds that would be available if a separate mechanism had been established and maintained for

financial assurance of closure and of post-closure care of each facility.

(8) Liability requirements.

An owner or operator of a dangerous waste treatment, storage or disposal facility must maintain sufficient liability insurance in force in such amounts as determined by the department to be reasonably necessary to protect the environment and the health, safety and welfare of the people of the state.

(9) Incapacity of institutions issuing letters of credit, surety bonds, or insurance policies. An owner or operator who fulfills the requirements of WAC 173-303-620 (4), (6), or (8) by obtaining a letter of credit, surety bond, or insurance policy will be deemed to be without the required financial assurance or liability coverage in the event of bankruptcy, insolvency, or a suspension or revocation of the license or charter of the issuing institution. The owner or operator must establish other financial assurance or liability coverage within sixty days of such events. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-620, filed 2/10/82. Formerly WAC 173-302-340.]

**WAC 173-303-630 Use and management of containers.** (1) Applicability. The regulations in WAC 173-303-630 apply to owners and operators of all dangerous waste facilities that store containers of dangerous waste.

(2) Condition of containers. If a container holding dangerous waste is not in good condition (e.g., severe rusting, apparent structural defects) or if it begins to leak, the owner or operator must transfer the dangerous waste from the container to a container that is in good condition or manage the waste in some other way that complies with the requirements of chapter 173-303 WAC.

(3) Identification of containers. The owner or operator must mark and/or label containers in a manner which is equivalent to the procedures of 49 CFR Part 172 Subpart E, and shall mark each container with its accompanying manifest document number. The owner or operator must affix labels or properly mark containers upon transfer of dangerous wastes from one container to another. The owner or operator must destroy or otherwise remove labels or markings from the emptied container. The owner or operator must ensure that labels or markings are not obscured, removed, or otherwise made unreadable in the course of inspection required under WAC 173-303-320.

(4) Compatibility of waste with containers. The owner or operator must use a container made of or lined with materials which will not react with, and are otherwise compatible with, the dangerous waste to be stored, so that the ability of the container to contain the waste is not impaired.

(5) Management of containers.

(a) A container holding dangerous waste must always be closed, except when it is necessary to add or remove waste.



(b) A container holding dangerous waste must not be opened, handled, or stored in a manner which may rupture the container or cause it to leak.

(6) Inspections. At least weekly, the owner or operator must inspect areas where containers are stored, looking for leaking containers and for deterioration of containers and the containment system caused by corrosion, deterioration, or other factors.

(7) Containment.

(a) Container storage areas must have a containment system that is capable of collecting and holding spills, leaks, and for uncovered storage areas the precipitation of a maximum 25 year storm of 24 hours duration. The containment system must:

(i) Have a base underlying the containers which is free of cracks or gaps and is sufficiently impervious to contain leaks, spills, and accumulated rainfall until the collected material is detected and removed;

(ii) Be designed for positive drainage control (such as a locked drainage valve) to prevent release of contaminated liquids; and so that uncontaminated precipitation can be drained promptly for convenience of operation; and

(iii) Have sufficient capacity to contain one hundred ten percent of the volume of the largest container.

(b) Run-on into the containment system must be prevented, unless the department waives this requirement in the permit after determining that the collection system has sufficient excess capacity in addition to that required in WAC 173-303-630 (7)(a)(iii) to accommodate any run-on which might enter the system.

(c) Spilled or leaked waste and accumulated precipitation must be removed from the sump or collection area in as timely a manner as is necessary to prevent overflow of the collection system.

(d) Extremely hazardous wastes in containers must be protected from the elements by means of a building or other protective covering that otherwise allows adequate inspection under WAC 173-303-630(6).

(8) Special requirements for ignitable or reactive waste.

(a) Containers holding reactive waste must be stored in a manner equivalent to the Uniform Fire Code's "American Table of Distances for Storage of Explosives," Table 77-201, 1979 Edition.

(b) The owner or operator shall design, operate, and maintain ignitable container storage in a manner equivalent with the Uniform Fire Code. Where no specific standard or requirements are specified in the Uniform Fire Code, or in existing state or local fire codes, applicable sections of the NFPA Pamphlet #30, "Flammable and Combustible Liquids Code," shall be used. The owner/operator shall also comply with the requirements of WAC 173-303-395 (1)(d) and 173-303-630(7).

(9) Special requirements for incompatible wastes.

(a) Incompatible wastes, or incompatible wastes and materials must not be placed in the same container, unless WAC 173-303-395 (1)(b) is complied with.

(b) Dangerous waste must not be placed in an unwashed container that previously held an incompatible waste or material.

(c) A storage container holding a dangerous waste that is incompatible with any waste or other materials stored nearby in other containers, piles, open tanks, or surface impoundments must be separated from the other materials or protected from them by means of a dike, berm, wall, or other device. Containment systems for incompatible wastes shall be separate.

(10) Closure. At closure, all dangerous waste and dangerous waste residues must be removed from the containment system. Remaining containers, liners, bases, and soil containing or contaminated with dangerous waste or dangerous waste residues must be decontaminated or removed. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-630, filed 2/10/82.]

**WAC 173-303-640 Tanks.** (1) Applicability.

(a) The regulations in WAC 173-303-640 apply to owners and operators of facilities that use tanks to treat or store dangerous waste, except as WAC 173-303-640 (1)(b) and (c) provides otherwise.

(b) The regulations in WAC 173-303-640 prohibit facilities that treat or store dangerous waste in covered underground tanks that cannot be entered for inspection, unless such tanks can be externally inspected or they have secondary containment structures that allow for monitoring, containment and removal of leaks or such tanks can be tested for leakage using methods and testing frequencies approved by the department.

(c) The regulation in WAC 173-303-640 does not apply to owners and operators of an elementary neutralization unit or a waste water treatment unit, as defined in WAC 173-303-040.

(2) Design of tanks.

(a) The owner or operator shall design tanks including the foundation, structural support, seams and pressure controls to assure sufficient shell strength, pressure controls for closed tanks, earthquake resistance etc. The owner/operator shall submit a statement with his permit application specified in WAC 173-303-815, stating the basis for selecting minimum shell thickness, such as:

- (i) Underwriters Laboratories Inc. standards;
- (ii) American Petroleum Institute standards;
- (iii) American Concrete Institute standards; or
- (iv) American Society of Mechanical Engineers standards.

The statement shall be certified by an independent professional engineer.

(b) All tanks holding extremely hazardous waste which is acutely or chronically toxic by inhalation must be designed to prevent escape of vapors, fumes, or other emissions into the air. New tanks holding extremely hazardous waste shall be constructed above ground and have an impervious base underlying the tanks in the storage area, unless state or local fire codes require otherwise.

The containment system shall have adequate capacity to contain 110 percent of the volume of the largest tank in the storage area and, for uncovered areas, have sufficient capacity to contain the precipitation of a maximum 25 year storm of 24 hours duration.

(c) All tanks holding dangerous or extremely hazardous waste shall be marked with labels or signs to identify the waste contained in the tank. The label or sign shall be legible at a distance of at least twenty-five feet, and shall bear a legend which identifies the waste in a manner consistent with United States Department of Transportation regulations 49 CFR 172. In lieu of this requirement, an owner/operator may demonstrate to the department that he uses an identification system for the tanks which adequately warns employees and the public of the hazards associated with the waste being stored or treated in the tanks.

(3) General operating requirements.

(a) Wastes and other materials (e.g., treatment reagents) which are incompatible with the material of construction of the tank must not be placed in the tank unless the tank is protected from accelerated corrosion, erosion, or abrasion through the use of:

(i) An inner liner or coating which is compatible with the waste or material and which is free of leaks, cracks, holes, or other deterioration; or

(ii) Alternative means of protection (e.g., cathodic protection or corrosion inhibitors).

(b) The owner or operator must use appropriate controls and practices to prevent overfilling. These must include:

(i) Controls to prevent overfilling (e.g., waste feed cut-off system or by-pass system to a standby tank); and

(ii) For uncovered tanks, maintenance of sufficient freeboard to prevent overtopping by wave or wind action or precipitation.

(4) Inspections.

(a) The owner or operator must inspect:

(i) Overfilling control equipment (e.g., waste feed cut-off systems and by-pass systems) at least once each operating day to ensure that it is in good working order;

(ii) Data gathered from monitoring equipment (e.g., pressure, level, volume, and temperature gauges) where present, at least once each operating day to ensure that the tank is being operated according to its design;

(iii) For uncovered tanks, the level of waste in the tank, at least once each operating day or before each filling to ensure compliance with WAC 173-303-640 (3)(b);

(iv) The construction materials of the above-ground portions of the tank, at least weekly to detect corrosion or erosion and leaking of fixtures and seams; and

(v) The area immediately surrounding the tank, at least weekly, to detect obvious signs of leakage (e.g., wet spots or dead vegetation).

(b) As part of the inspection schedule required in WAC 173-303-320 (2)(b), and the specific requirements of WAC 173-303-640 (4)(a), the owner or operator must develop a schedule and procedure for assessing the condition of the tank. The schedule and procedure must be adequate to detect cracks, leaks, corrosion, or erosion which may lead to cracks or leaks, or wall thinning to less than the thickness specified in WAC 173-303-640(2). Procedures for emptying a tank to allow

entry and inspection of the interior must be established when necessary to detect corrosion or erosion of the tank sides and bottom. The frequency of these assessments must be based on the material of construction of the tank, type of corrosion or erosion protection used, rate of corrosion or erosion observed during previous inspections, and the characteristics of the waste being treated or stored.

(c) As part of the contingency plan required under WAC 173-303-350, the owner or operator must specify the procedures he intends to use to respond to tank spills or leakage, including procedures and timing for expeditious removal of leaked or spilled waste and repair of the tank.

(5) Closure. At closure, all dangerous waste and dangerous waste residues must be removed from tanks, discharge control equipment, and discharge confinement structures.

(6) Special requirements for ignitable or reactive wastes.

(a) Ignitable or reactive waste must not be placed in a tank unless:

(i) The waste is treated, rendered, or mixed before or immediately after placement in the tank so that the resulting waste, mixture, or dissolution of material no longer meets the definition of ignitable or reactive waste under WAC 173-303-090, and 173-303-395 (1)(b) is complied with; or

(ii) The waste is stored or treated in such a way that it is protected from any material or conditions which may cause the waste to ignite or react; or

(iii) The tank is used solely for emergencies.

(b) The owner or operator of a facility which treats or stores ignitable or reactive waste in covered tanks must locate the tanks in a manner equivalent to the National Fire Protection Association's buffer zone requirements for tanks, contained in Tables 2-1 through 2-6 of the "Flammable and Combustible Liquids Code - 1981," or as required by state and local fire codes.

(7) Special requirements for incompatible wastes.

(a) Incompatible wastes, or incompatible wastes and materials, must not be placed in the same tank, unless WAC 173-303-395 (1)(b) is complied with.

(b) Dangerous waste must not be placed in an unwashed tank which previously held an incompatible waste or material, unless WAC 173-303-395 (1)(b) is complied with. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-640, filed 2/10/82. Formerly chapter 173-302 WAC.]

**WAC 173-303-650 Surface impoundments.** (1) Applicability. The regulations in WAC 173-303-650 apply to owners and operators of facilities that use surface impoundments to treat or store (but not dispose of) dangerous waste.

(2) General design requirements. A surface impoundment must be designed and built to provide at least the following:

(a) A surface impoundment must be designed to provide:

(i) At least sixty centimeters (two feet) of freeboard; or

(ii) An amount of freeboard less than sixty centimeters based on documentation, acceptable to the department, that the specified amount of freeboard will prevent overtopping including the protection from a maximum 24 hour duration, 25 year storm.

(b) A surface impoundment must be designed so that any flow of waste into the impoundment can be immediately shut off in the event of overtopping or liner failure.

(c) A surface impoundment must be designed to prevent discharge into the land and ground water, and to surface water (except discharges authorized by an NPDES permit) during the life of the impoundment by use of a containment system which complies with WAC 173-303-650(4).

(d) Dikes must be designed with sufficient structural integrity to prevent massive failure without dependence on any liner system included in the surface impoundment design.

(e) A leachate detection, collection, and removal system must be designed and operated to remove accumulated liquids from the system as quickly as possible and to avoid unnecessary buildup of hydrostatic pressure in the system.

(f) Surface impoundments may be located so as to meet the buffer zone requirements of WAC 173-303-520.

(g) Surface impoundments must be designed to repel birds.

(3) General operating requirements.

(a) A surface impoundment must be operated to prevent any overtopping due to wind and wave action, overfilling, precipitation, or any combination thereof.

(b) A surface impoundment must be operated to maintain at least the amount of freeboard specified by the department in the permit.

(c) A leachate detection, collection, and removal system installed to comply with WAC 173-303-650 (4)(b) must be operated so that leachate flows freely from the collection system and is removed as it accumulates or with sufficient frequency to prevent backwater within the collection system.

(d) Earthen dikes must be kept free of:

(i) Perennial woody plants with root systems which could displace the earthen materials upon which the structural integrity of the dike is dependent; and

(ii) Burrowing mammals which could remove earthen materials upon which the structural integrity of the dike is dependent or create leaks through burrows in the dike.

(e) Run-on must be diverted away from a surface impoundment.

(4) Containment systems.

(a) Earthen dikes must have a protective cover, such as grass, shale, or rock, to minimize wind and water erosion and to preserve the structural integrity of the dike.

(b) A liner system designed to prevent discharge into the land during the life of the surface impoundment must:

(i) Be constructed with a highly impermeable liner system in contact with the waste which will prevent discharge of the waste or leachate through the liner(s) during the life of the surface impoundment based on the liner(s) thickness, the saturated permeability of the liner(s) and the pressure head or waste or leachate to which the liner(s) will be exposed;

(ii) Be constructed with a leachate detection, collection, and removal system beneath the liner(s) in contact with the waste to detect, contain, collect, and remove any discharge from the liner system in contact with the waste; and

(iii) Be constructed above the water table to ensure the detection of any discharge of waste or leachate through the liner system in contact with the waste; prevent the discharge of ground water to the leachate detection, collection, and removal system; and to protect the structural integrity of the liner(s).

(c) A containment system must have a containment life equal to or greater than the life of the surface impoundment.

(d) Liner systems must be constructed:

(i) Of materials which have appropriate chemical properties and strength and of sufficient thickness to prevent failure due to pressure head, physical contact with the waste or leachate to which they are exposed, climatic conditions, and the stress of installation; and

(ii) On a foundation capable of providing support to the liner(s) and resistance to pressure head above the liner(s) to prevent failure of the liner(s) due to settlement or compression.

(e) For extremely hazardous wastes, the owner/operator shall submit a statement with his permit application specified in WAC 173-303-815, stating the basis for selecting the liner system required in WAC 173-303-650 (4)(d)(i), and the statement shall be certified by an independent professional engineer.

(5) Inspections and testing.

(a) During construction or installation, liner systems must be inspected for uniformity, damage, and imperfections (e.g. holes, cracks, thin spots, and foreign materials). A static test using water may be run to check for leaks.

(b) Earth material liner systems must be tested for compaction density, moisture content, and permeability after placement.

(c) Manufactured liner materials (e.g., membranes, sheets, and coatings) must be inspected to ensure tight seams and joints and the absence of tears or blisters.

(d) The owner or operator must inspect:

(i) A surface impoundment which contains free liquids at least once each operating day to ensure compliance with WAC 173-303-650 (3)(a), (b), and (c), and to detect any leaks or other failures of the impoundment; and

(ii) Each surface impoundment, including dikes, berms, and vegetation surrounding the dike, at least once a week and after storms to detect any evidence of or potential for leaks from the impoundment, erosion of dikes, and to ensure compliance with WAC 173-303-650 (3)(d).

(e) The structural integrity of any dike, including that portion of any dike which provides freeboard, must be certified against massive failure by a qualified engineer prior to the issuance or reissuance of a permit; or if the impoundment is not in service, prior to being placed in service after construction, or prior to being returned to service.

In certifying the structural integrity of the dike it must be established that the dike will withstand:

(i) The stress of the pressure head of liquids placed into the impoundment;

(ii) The weakening effect of earth materials being scoured due to leakage from the impoundment through and under the dike without relying on any liner system; and

(iii) The weakening effect of earth materials being scoured due to leakage from the impoundment through and under the dike assuming leaks develop in the liner system.

(6) Containment system repairs; contingency plans.

(a) Whenever there is any indication of a possible failure of the containment system, that system must be inspected in accordance with the provisions of the containment system evaluation and repair plan required by WAC 173-303-650 (6)(d). Indications of possible failure of the containment system include at least an unplanned and nonsudden drop in liquid level in the impoundment, liquid detected in the leachate detection system, evidence of leakage or the potential for leakage in the dike, erosion of the dike, apparent or potential deterioration of the liner(s) based on observation or test samples of the liner materials, any mishandling of wastes placed in the impoundment, and foreign objects in the impoundment.

(b) Whenever there is indication of a failure of the containment system, the impoundment must be removed from service. Indications of failure of the containment system include an unplanned sudden drop in liquid level in the impoundment, waste detected in the leachate detection system, active leakage through the dike, or a breach (e.g., a hole, tear, crack, or separation) in the liner system.

(c) If the surface impoundment must be removed from service as required by WAC 173-303-650 (6)(b), the owner or operator must:

(i) Immediately shut off the flow of or stop the addition of wastes into the impoundment;

(ii) Immediately contain any leakage which has occurred or is occurring;

(iii) Immediately cause the leak to be stopped; and

(iv) If the leak cannot be stopped by any other means, empty the impoundment to a secure facility, or manage the contained waste in a manner that eliminates the environmental impact of the leak, as approved by the department.

(d) As part of the contingency plan required in WAC 173-303-350, the owner or operator must specify:

(i) A procedure for complying with the requirements of WAC 173-303-650 (6)(c); and

(ii) A containment system evaluation and repair plan describing testing and monitoring techniques; procedures

to be followed to evaluate the integrity of the containment system in the event of a possible failure; a schedule of actions to be taken in the event of a possible failure; and a description of the repair techniques to be used in the event of leakage due to containment system failure or deterioration which does not require the impoundment to be removed from service.

(e) No surface impoundment that has been removed from service in accordance with WAC 173-303-650 (6)(b) may be restored to service unless:

(i) The containment system has been repaired; and

(ii) The containment system has been certified by a qualified engineer as meeting the design specifications approved in the permit.

(f) A surface impoundment that has been removed from service in accordance with WAC 173-303-650 (6)(b) and that will not be repaired must be closed in accordance with WAC 173-303-650(7).

(7) Closure. At closure, all dangerous waste and dangerous waste residues must be removed from the impoundment. Any component of the containment system or any appurtenant structure or equipment (e.g., discharge platforms and pipes, and baffles, skimmers, aerators, or other equipment) containing or contaminated with dangerous waste or waste residues must be decontaminated or removed.

(8) Special requirements for ignitable or reactive waste. Ignitable or reactive waste must not be placed in a surface impoundment, unless:

(a) The waste is treated, rendered, or mixed before or immediately after placement in the impoundment so that:

(i) The resulting waste, mixture, or dissolution of material no longer meets the definition of ignitable or reactive waste under WAC 173-303-090; and

(ii) WAC 173-303-395 (1)(b) is complied with; or

(b) The waste is managed in such a way that it is protected from any material or conditions which may cause it to ignite or react; or

(c) The surface impoundment is used solely for emergencies.

(9) Special requirements for incompatible wastes. Incompatible wastes, or incompatible wastes and materials must not be placed in the same surface impoundment, unless WAC 173-303-395 (1)(b) is complied with. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-650, filed 2/10/82.]

**WAC 173-303-660 Waste piles.** (1) Applicability. The regulations of WAC 173-303-660 apply to owners and operators of facilities that store or treat dangerous waste in piles.

(2) General design requirements.

(a) A waste pile must be designed to control dispersal of the waste by wind, where necessary, or by water erosion.

(b) A waste pile must be designed to prevent discharge into the land, surface water, or ground water during the life of the pile by use of a containment system which complies with WAC 173-303-660(4).

(c) All extremely hazardous and all respiratory carcinogens designated by WAC 173-303-103 stored in waste piles must be protected from dispersal by precipitation or wind (e.g., covered, stored inside a building, etc.).

(3) General operating requirements.

(a) The department shall specify control practices (e.g., cover or frequent wetting) where necessary to ensure that wind dispersal of dangerous waste from piles is controlled.

(b) Run-on must be diverted away from a waste pile.

(c) Leachate and run-off from a waste pile must be collected and controlled in accordance with chapter 173-303 WAC and chapter 90.48 RCW, the Water Pollution Control Act.

(4) Containment systems.

(a) A containment system must be designed, constructed, maintained, and operated to prevent discharge onto or into the land, surface water, or ground water during the life of the waste pile. The system must consist of:

(i) A leachate and run-off collection and control system; and either

(ii) A base underlying and in contact with the waste pile that is made of a liner (or liners) which will prevent discharge onto or into the land, surface water, or ground water during the life of the pile based on the liner(s) thickness, the permeability of the liner(s), and the characteristics of the waste or leachate to which the liner(s) will be exposed. The liner(s) must be of sufficient strength and thickness to prevent failure due to puncture, cracking, tearing, or other physical damage from equipment used to place waste in or on the pile, or to clean and expose the liner surface for inspection; or

(iii) A base as in WAC 173-303-660 (4)(a)(ii) (except that the liner(s) need not be of sufficient strength and thickness to prevent failure due to physical damage from equipment used to clean and expose the liner surface for inspection) and a leachate detection, collection, and removal system beneath the base to detect, contain, collect, and remove any discharge from the base. The leachate detection, collection, and removal system must be placed above the water table to ensure the detection of any discharge through the base; to prevent the discharge of ground water into the leachate detection, collection, and removal system; and to protect the structural integrity of the base.

(b) A waste pile base must be constructed:

(i) Of materials that have appropriate chemical properties and strength and of sufficient thickness to prevent failure due to pressure of and physical contact with the waste to which they are exposed, climatic conditions, and the stress of installation; and

(ii) On a foundation capable of providing support to the liner(s) and to loads placed or moving above the liner(s) to prevent failure of the liner(s) due to settlement or compression.

(c) A containment system must be protected from plant growth which could puncture any component of the system.

(d) A containment system must have a containment life equal to or greater than the life of the pile.

(e) For extremely hazardous waste, the owner or operator shall submit an engineering report with his permit application specified in WAC 173-303-815, stating the basis for selecting the containment system required in WAC 173-303-660 (4)(b). The statement shall be certified by an independent professional engineer.

(5) Inspections and testing. During construction or installation of the waste pile base:

(a) Liner systems must be inspected for uniformity, damage, and imperfections (e.g., holes, cracks, thin spots, and foreign materials); and

(b) Manufactured liner materials (e.g., membranes, sheets, and coatings) must be inspected to ensure tight seams and joints and the absence of tears or blisters.

(6) Containment system repairs; contingency plans.

(a) Whenever there is any indication of a possible failure of the containment system, that system must be inspected in accordance with the provisions of the containment system evaluation and repair plan required by WAC 173-303-660 (6)(d). Indications of possible failure of the containment system include liquid detected in the leachate detection system (where applicable), evidence of leakage or the potential for leakage in the base, erosion of the base, or apparent or potential deterioration of the liner(s) based on observation or test samples of the liner materials.

(b) Whenever there is a positive indication of a failure of the containment system, the waste pile must be removed from service. Indications of positive failure of the containment system include waste detected in the leachate detection system (where applicable), or a breach (e.g., a hole, tear, crack, or separation) in the base.

(c) If the waste pile must be removed from service as required by WAC 173-303-660 (6)(d), the owner or operator must:

(i) Immediately stop adding wastes to the pile;

(ii) Immediately contain any leakage which has occurred or is occurring;

(iii) Immediately cause the leak to be stopped; and

(iv) If the leak cannot be stopped by any other means, remove the waste from the base.

(d) As part of the contingency plan required in WAC 173-303-350, the owner or operator must specify:

(i) A procedure for complying with the requirements of WAC 173-303-660 (6)(c); and

(ii) A containment system evaluation and repair plan describing testing and monitoring techniques; procedures to be followed to evaluate the integrity of the containment system in the event of a possible failure; a schedule of actions to be taken in the event of a possible failure; and a description of the repair techniques to be used in the event of leakage due to containment system failure or deterioration which does not require the waste pile to be removed from service. For EHW waste piles, owner/operators must submit with their permit application a statement signed by an independent professional engineer of the basis on which the evaluation and repair plan has been established.

(e) No waste pile that has been removed from service in accordance with WAC 173-303-660 (6)(b) may be restored to service unless:

- (i) The containment system has been repaired; and
- (ii) The containment system has been certified by a qualified engineer as meeting the design specifications approved in the permit.

(f) A waste pile that has been removed from service in accordance with WAC 173-303-660 (6)(b) and will not be repaired, must be closed in accordance with WAC 173-303-660(9).

(7) Special requirements for ignitable or reactive waste.

(a) Ignitable or reactive waste must not be placed in a pile, unless:

(i) Addition of the waste to an existing pile results in the waste or mixture no longer meeting the definition of ignitable or reactive waste under WAC 173-303-090; and, complies with WAC 173-303-395 (1)(b); or

(ii) The waste is managed in such a way that it is protected from any material or conditions which may cause it to ignite or react.

(8) Special requirements for incompatible wastes.

(a) Incompatible wastes, or incompatible wastes and materials must not be placed in the same pile, unless WAC 173-303-395 (1)(b) is complied with.

(b) A pile of dangerous waste that is incompatible with any waste or other material stored nearby in other containers, piles, open tanks, or surface impoundments must be separated from the other materials, or protected from them by means of a dike, berm, wall, or other device. Piles of incompatible wastes must not be served by the same containment system required by WAC 173-303-660(4).

(c) Dangerous waste must not be piled on the same base where incompatible wastes or materials were previously piled, unless the base has been decontaminated sufficiently to ensure compliance with WAC 173-303-395 (1)(b).

(9) Closure. At closure, all dangerous waste and dangerous waste residues must be removed from the pile. Any component of the containment system containing or contaminated with dangerous waste or dangerous waste residues must be decontaminated or removed. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-660, filed 2/10/82.]

#### **WAC 173-303-670 Incinerators. (1) Applicability.**

(a) The regulations in WAC 173-303-670 apply to owners and operators of facilities that incinerate dangerous waste.

(b) The department may, in establishing permit conditions, exempt the facility from all requirements of WAC 173-303-670 except WAC 173-303-670(2), waste analysis, and WAC 173-303-670(8), closure, if the department finds, after an examination of the waste analysis included with Part B of the owner/operator's permit application, that the waste to be burned:

(i) Is either listed as a dangerous waste in WAC 173-303-080 only because it is ignitable (Hazard Code I) or,

that the waste is designated only as an ignitable dangerous waste under WAC 173-303-090;

(ii) That the waste analysis included with Part B of the permit application includes none of the dangerous constituents listed in the appendix WAC 173-303-9905 above concentration limits designated in WAC 173-303-084;

(iii) That the waste analysis included with Part B of the permit application includes no halogenated hydrocarbon above 0.01 percent and no polycyclic aromatic hydrocarbons above 1.0 percent; and

(iv) That the waste feed contains no toxic dangerous wastes designated according to WAC 173-303-084.

(c) The owner or operator of an incinerator may conduct trial burns, subject only to the requirements of WAC 173-303-805(3), trial burn permits.

(2) Waste analysis.

(a) As a portion of a trial burn plan required by WAC 173-303-805(3), or with Part B of his permit application, the owner or operator must have included an analysis of his waste feed sufficient to provide all information required by WAC 173-303-805 (3)(b) or 173-303-815(8).

(b) Throughout normal operation the owner or operator must conduct sufficient waste analysis to verify that waste feed to the incinerator is within the physical and chemical composition limits specified in his permit (under WAC 173-303-670 (6)(b)).

(3) Designation of principal organic hazardous constituents and hazardous combustion byproducts. Principal organic hazardous constituents (POHCs) and hazardous combustion byproducts must be treated to the extent required by the performance standards specified in WAC 173-303-670(4). For each waste feed to be burned, one or more POHCs and hazardous combustion byproducts will be specified from among those constituents. This specification will be based on the degree of difficulty of incineration of the organic constituents of the waste feed and its combustion byproducts, their concentration or mass, considering the results of waste analyses and trial burns or alternative data submitted with Part B of the facility's permit application. Organic constituents or byproducts which represent the greatest degree of difficulty of incineration will be those most likely to be designated as POHCs and hazardous combustion byproducts. Constituents are more likely to be designated as POHCs or hazardous combustion byproducts if they are present in large quantities or concentrations. Trial POHCs will be designated for performance of trial burns in accordance with the procedure specified in WAC 173-303-805(3) for obtaining trial burn permits. Trial hazardous combustion byproducts may be designated under the same procedures.

(4) Performance standards. An incinerator burning dangerous waste must be designed, constructed, and maintained so that, when operated in accordance with operating requirements specified under WAC 173-303-670(6), it will meet the following performance standards:

(a) An incinerator burning dangerous waste must achieve a destruction and removal efficiency (DRE) of

99.99 percent for each principal organic hazardous constituent (POHC) designated (under WAC 173-303-670(3)) in its permit for each waste feed. DRE is determined for each POHC from the following equation:

$$DRE = \frac{(W_{in} - W_{out})}{W_{in}} \times 100\%$$

Where:

$W_{in}$  = Mass feed rate of one principal organic hazardous constituent (POHC) in the waste stream feeding the incinerator, and

$W_{out}$  = Mass emission rate of the same POHC present in exhaust emissions prior to release to the atmosphere.

(b) Incinerators burning dangerous waste must destroy hazardous combustion byproducts designated under WAC 173-303-670(3) so that the total mass emission rate of these byproducts emitted from the stack is no more than .01 percent of the total mass feed rate of POHCs fed into the incinerator.

(c) An incinerator burning dangerous waste containing more than 0.5 percent chlorine must remove 99 percent of the hydrogen chloride from the exhaust gas.

(d) An incinerator burning hazardous waste must not emit particulate matter exceeding 180 milligrams per dry standard cubic meter (0.08 grains per dry standard cubic foot) when corrected for 12 percent CO<sub>2</sub> using the procedures presented in the Clean Air Act regulations, "Standards of Performance for Incinerators," 40 CFR 60.50, Subpart E. These particulate emission standards shall be met when no other standards exist. Where a state or local air pollution control authority has jurisdiction and has more stringent emission standards, an incinerator burning dangerous or extremely hazardous wastes shall comply with the applicable air pollution control authority's emission standards (including limits based on best available control technology).

(e) For purposes of permit enforcement, compliance with the operating requirements specified in the permit (under WAC 173-303-670(6)) will be regarded as compliance with WAC 173-303-670(4). However, evidence that compliance with those permit conditions is insufficient to ensure compliance with the performance requirements of WAC 173-303-670(4) may be evidence justifying modification, revocation, or reissuance of a permit under WAC 173-303-840(10).

(5) New wastes: Trial burns or permit modifications.

(a) The owner or operator of a dangerous waste incinerator may burn only wastes specified in his permit and only under operating conditions specified for those wastes under WAC 173-303-670(6); except:

(i) In approved trial burns under WAC 173-303-805(3); or

(ii) Under exemptions created by WAC 173-303-670(1).

(b) Other dangerous wastes may be burned only after operating conditions have been specified in a new permit or a permit modification as applicable. Operating requirements for new wastes may be based on either trial burn results or alternative data included with Part B of a permit application under WAC 173-303-815(8).

(6) Operating requirements.

(a) An incinerator must be operated in accordance with operating requirements specified in the permit. These will be specified on a case-by-case basis as those demonstrated (in a trial burn or in alternative data as specified in WAC 173-303-670 (5)(b) and included with Part B of a facility's permit application) to be sufficient to comply with the performance standards of WAC 173-303-670(4).

(b) Each set of operating requirements will specify the composition of the waste feed (including acceptable variations in the physical or chemical properties of the waste feed which will not affect compliance with the performance requirement of WAC 173-303-670(4)) to which the operating requirements apply. For each such waste feed, the permit will specify acceptable operating limits including the following conditions:

(i) Carbon monoxide (CO) level in the stack exhaust gas;

(ii) Waste feed rate;

(iii) Combustion temperature;

(iv) Air feed rate to the combustion system;

(v) Allowable variations in incinerator system design or operating procedures; and

(vi) Such other operating requirements as are necessary to ensure that the performance standards of WAC 173-303-670(4) are met.

(c) During startup and shutdown of an incinerator, dangerous waste (except ignitable waste exempted in accordance with WAC 173-303-670(1)) must not be fed into the incinerator unless the incinerator is operating within the conditions of operation (temperature, air feed rate, etc.) specified in the permit.

(d) Fugitive emissions from the combustion zone must be controlled by:

(i) Keeping the combustion zone totally sealed against fugitive emissions;

(ii) Maintaining a combustion zone pressure lower than atmospheric pressure; or

(iii) An alternate means of control demonstrated (with Part B of the permit application) to provide fugitive emissions control equivalent to maintenance of combustion zone pressure lower than atmospheric pressure.

(e) An incinerator must be operated with a functioning system to automatically cut off waste feed to the incinerator when operating conditions deviate from limits established under WAC 173-303-670 (6)(a).

(f) An incinerator must cease operation when changes in waste feed, incinerator design, or operating conditions exceed limits designated in its permit.

(7) Monitoring and inspections.

(a) The owner or operator must conduct, as a minimum, the following monitoring while incinerating dangerous waste:

(i) Combustion temperature, waste feed rate, and air feed rate must be monitored on a continuous basis;

(ii) Carbon monoxide (CO) must be monitored on a continuous basis at a point in the incinerator downstream of the combustion zone and prior to release to the atmosphere; and

(iii) Upon request by the department, sampling and analysis of the waste and exhaust emissions must be

conducted to verify that the operating requirements established in the permit achieve the performance standards of WAC 173-303-670(4).

(b) The incinerator and associated equipment (pumps, valves, conveyors, pipes, etc.) must be completely inspected at least daily for leaks, spills, and fugitive emissions. All emergency waste feed cutoff controls and system alarms must be checked daily to verify proper operation.

(c) This monitoring and inspection data must be recorded and the records must be placed in the operating log required by WAC 173-303-380(1).

(8) Closure. At closure the owner or operator must remove all dangerous waste and dangerous waste residues (including, but not limited to, ash, scrubber waters, and scrubber sludges) from the incinerator site. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95-.260. 82-05-023 (Order DE 81-33), § 173-303-670, filed 2/10/82.]

**WAC 173-303-700 Requirements for the Washington state extremely hazardous waste management facility at Hanford.** (1) Purpose and applicability. The purpose of this section is to set forth the requirements for the Washington extremely hazardous waste management (EHWM) facility located at Hanford, Washington. It is the only facility within the state that is allowed under law to dispose of extremely hazardous waste (RCW 70.105.050).

(2) Waste acceptance at Hanford.

(a) The state operator shall accept extremely hazardous waste for treatment, storage, or disposal when:

(i) The waste has been specified in the state operator's permit as not requiring prior approval from the department and the state operator sends a copy of each written request for disposal of waste at the EHWM facility to the department, not later than one week after receiving the request; or

(ii) If the waste has not been specified in the state operator's permit, then the department provides written approval that the waste may be accepted at the EHWM facility. Notices of approval or disapproval shall be provided as soon as possible, but not later than 15 days, after the state operator has notified the department. Written approval from the department is not required in emergencies, as specified; and

(iii) The generator has obtained prior written approval for waste acceptance from the state operator;

(iv) The waste is accompanied by a manifest specified in the generator requirements of WAC 173-303-180, manifest; and

(v) Waste containers meet the labeling and container condition requirements of WAC 173-303-190.

(b) The state operator may accept dangerous waste, as defined in this regulation, for storage, treatment, or disposal when:

(i) All the conditions of extremely hazardous waste acceptance, WAC 173-303-700(2), are met;

(ii) The generator and/or operator shows that no other permitted treatment, storage, or disposal (TSD)

facility in the state will handle such dangerous waste. The generator and/or operator shall refer to:

(A) County or municipal ordinances or solid waste permits forbidding dangerous waste disposal at nearby sites;

(B) The extremely hazardous waste site being the shortest economical haul distance where other remotely located, dangerous waste sites may be available; and

(C) Specific rejection or disapproval, in writing, by nearby dangerous waste site operators, public or private; and

(iii) The EHWM facility is designed to handle such a request or can be modified to the extent necessary to adequately dispose of the waste.

(c) The state operator, after consulting with the department, may refuse to accept any waste that does not meet the requirements of the extremely hazardous or dangerous waste acceptance procedures of WAC 173-303-700(2) until the facts are ascertained, including but not limited to:

(i) The requirement that samples of waste be taken and analyzed; or

(ii) The condition of the containers by physical inspection of the delivery load.

(d) The state operator may accept extremely hazardous or dangerous waste under emergency conditions if:

(i) An emergency and potential threat to the public health and safety exists;

(ii) the state operator notifies the department as soon as possible;

(iii) The state operator stores the waste upon delivery until the full manifest has been received and approved by the department; and

(iv) The generator is fully apprised that the waste remains his liability until approved under WAC 173-303-700 (2)(d)(iii).

(3) Other applicable requirements. The EHWM facility at Hanford shall meet all other requirements of chapter 173-303 WAC, including specific requirements for storage, treatment, transfer and disposal of extremely hazardous waste, and siting, performance, and operation of EHWM facilities. The EHWM facility shall also meet the following requirements:

(a) The state operator shall not remove any extremely hazardous waste from the facility without the department's approval;

(b) The state operator shall maintain facilities for telephone and radio contact with the Hanford Reservation security patrol, and include this information with the contingency plan required in WAC 173-303-350;

(c) As a minimum, the state operator shall provide personnel having knowledge and background in the following areas:

(i) Inspecting and checking manifests for completeness and accuracy;

(ii) Applied chemistry as it relates to reactivity, explosiveness, and flammability; and

(iii) Industrial hygiene and/or toxicology of industrial, commercial, and agricultural chemicals, and emergency procedures;



(d) The state operator shall ensure that new personnel have a complete physical examination and annual checkups thereafter. The physician should be alerted to the kinds of materials the employee has been handling, so that more specific analyses can be made. The medical records shall be made a part of the state operator's records as required in WAC 173-303-380(1); and

(e) The state operator shall submit copies of all fee schedules to the department for yearly review and approval. The state operator shall supply, and the department shall use, the following criteria to review such disposal fees:

(i) Their relationship to other fees charged for similar services;

(ii) Reasonable return on investment and profit for the operator; and

(iii) The cost of administration, development, operation, maintenance, and perpetual management of the EHW facility, including administrative costs and perpetual management costs of the department.

(4) Department surveillance.

(a) In addition to the reports required under WAC 173-303-390, facility reports, the EHW facility operator shall report the following to the department:

(i) Copies of all environmental sampling results during the previous quarter;

(ii) Telephone and written accounts of any accidents or emergencies requiring action under WAC 173-303-360; and

(iii) Complete financial reports during the previous year.

(b) The state operator shall admit the department's duly authorized representative to inspect the site at any reasonable hour of the day. Inspection may cover any of the following:

(i) The site and facilities;

(ii) The waste being delivered, stored, processed, or buried, including the taking of samples, a portion of each sample being given to the operator upon his request;

(iii) The environment, by the drilling of test wells and obtaining of samples; and

(iv) Any records, reports, information, or test results relating to the purpose of this regulation.

The inspection results will be written, filed with the department, and a copy made available to the state operator. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-700, filed 2/10/82.]

**WAC 173-303-800 Permit requirements for dangerous waste management facilities.** (1) The purpose of WAC 173-303-800 through 173-303-845 is to prevent a dangerous waste facility from endangering the public health and the environment by requiring permits that allow construction and operation in compliance with chapter 173-303 WAC.

(2) All owners/operators of dangerous waste facilities that treat, store, or dispose (TSD) of dangerous waste or

extremely hazardous waste shall obtain a permit in accordance with WAC 173-303-800 through 173-303-845.

(3) TSD facility permits will be granted only if the objectives of the siting and performance standards set forth in WAC 173-303-500 and 173-303-510 are met.

(4) Permits shall be issued according to the requirements of all applicable TSD facility standards.

(5) The owner/operator of a TSD facility is responsible for obtaining all other applicable federal, state, and local permits authorizing the development and operation of the TSD facility.

(6) The terms used in regard to permits which are not defined in WAC 173-303-040 shall have the same meanings as set forth in 40 CFR 122.3. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-800, filed 2/10/82.]

**WAC 173-303-801 Relationship of the department to permits issued by the energy facility site evaluation council (EFSEC).** Permits applicable to energy facilities which are subject to chapter 80.50 RCW shall be issued by EFSEC. Nothing in chapter 173-303 WAC is intended to alter, amend, or supersede the provisions of chapter 80.50 RCW regarding the regulation, certification, construction, or operation of energy facilities as defined therein. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-801, filed 2/10/82.]

**WAC 173-303-805 Types of permits and requirements.** (1) Permits by rule. This section provides for a permit by rule for facilities accepting dangerous wastes. Owners and operators of facilities with permits by rule are not required to submit an application for a dangerous waste facility permit. The following shall be deemed to have a dangerous waste permit by rule.

(a) Ocean disposal barges or vessels. The owner or operator of a barge or other vessel which accepts dangerous waste for ocean disposal, if the owner or operator:

(i) Has a permit for ocean dumping issued under 40 CFR Part 220 (Ocean Dumping, authorized by the Marine Protection, Research, and Sanctuaries Act, as amended, 33 U.S.C. § 1420 et seq.);

(ii) Complies with the conditions of that permit; and

(iii) Complies with the following dangerous waste regulations:

(A) WAC 173-303-060, Notification and identification numbers;

(B) WAC 173-303-370, Manifest system;

(C) WAC 173-303-380(1)(a), Operating record;

(D) WAC 173-303-390(2), Annual report; and

(E) WAC 173-303-390(1), Unmanifested waste report.

(b) Underground injection wells. Underground injection wells with an underground injection control (UIC) permit for underground injection if the owner or operator has a UIC permit issued by the department under a federally approved program for underground injection control and complies with the conditions of the permit

and requirements of 40 CFR 122.45. However, no permit by rule shall be granted to underground injection wells disposing of extremely hazardous waste.

(c) Publicly owned treatment works (POTW). The owner or operator of a POTW which accepts dangerous waste for treatment, if the owner or operator:

- (i) Has a national pollutant discharge elimination system (NPDES) permit;
- (ii) Complies with the conditions of that permit;
- (iii) Complies with the following regulations:
  - (A) WAC 173-303-060, Notification and identification numbers;
  - (B) WAC 173-303-370, Manifest system;
  - (C) WAC 173-303-380, Operating record;
  - (D) WAC 173-303-390(2), Annual report; and
  - (E) WAC 173-303-390(1), Unmanifested waste reports;
- (iv) Meets all federal, state, and local pretreatment requirements which would be applicable to the waste if it were being discharged into the POTW through a sewer, pipe, or similar conveyance; and
- (v) Accepts no extremely hazardous waste for disposal at the POTW.

(d) Totally enclosed treatment facilities and elementary neutralization or wastewater treatment units.

(i) The owner or operator of a totally enclosed treatment facility or an elementary neutralization or wastewater treatment unit, except as provided in WAC 173-303-805 (1)(d)(ii), if he complies with:

- (A) WAC 173-303-280 through 173-303-395, the general facility standards; and
- (B) WAC 173-303-510, performance standards.

(ii) The department may terminate the permit by rule, and require the owner or operator of a totally enclosed treatment facility or an elementary neutralization or wastewater treatment unit to apply for and obtain a final status permit in accordance with WAC 173-303-800 through 173-303-845, if:

(A) The owner or operator violates the requirements of WAC 173-303-280 through 173-303-395 or 173-303-510;

(B) The owner or operator is conducting other activities which require him to obtain a final status permit; or

(C) The department determines that the requirements of WAC 173-303-280 through 173-303-395 or 173-303-510 are not sufficient to protect public health or the environment and that additional requirements under this chapter 173-303 WAC are necessary to provide such protection.

(2) State permits for UIC wells. The department may issue a state discharge permit to any UIC Class I well under the authority and regulations of chapter 90.45 RCW, Water Pollution Control Act.

(3) Trial burn permits. For the purposes of determining feasibility of compliance with the incinerator performance standard of WAC 173-303-670(4) and of determining adequate incinerator operating conditions under WAC 173-303-670(6), the department may issue a trial burn permit to a facility to allow short-term operation of a dangerous waste incinerator subject to the following conditions:

(a) The trial burn must be conducted in accordance with a trial burn plan prepared by the applicant and approved by the department. The trial burn plan will then become a condition of the permit and will include the following information:

(i) An analysis of each waste or mixture of wastes to be burned which includes:

(A) Heating value of the waste in the form and composition in which it will be burned;

(B) Viscosity (if applicable), or description of physical form of the waste;

(C) An analysis and identification of any hazardous organic constituents listed in WAC 173-303-9905 which are reasonably expected to be present in the waste to be burned. The constituents excluded from analysis must be identified and the basis for their exclusion stated. The waste analysis must rely on analytical techniques specified in WAC 173-303-110, or their equivalent;

(D) An approximate quantification of the hazardous constituents identified in the waste, within the precision produced by the analytical methods specified in WAC 173-303-110; and

(E) A quantification of those hazardous constituents in the waste which may be designated as principle organic hazardous constituents (POHC) based on data submitted from other trial or operational burns which demonstrate compliance with the performance standard in WAC 173-303-670(4);

(ii) A detailed engineering description of the incinerator for which the trial burn permit is sought including:

(A) Manufacturer's name and model number of incinerator (if available);

(B) Type of incinerator;

(C) Linear dimensions of the incinerator unit including the cross sectional area of the combustion chamber;

(D) Description of the auxiliary fuel system (type/feed);

(E) Capacity of the prime air mover;

(F) Description of automatic waste feed cut-off system(s);

(G) Stack gas monitoring and pollution control equipment;

(H) Nozzle and burner design;

(I) Construction materials; and

(J) Location and description of temperature, pressure, and flow indicating and control devices;

(iii) A detailed description of sampling and monitoring procedures, including sampling and monitoring locations in the system, the equipment to be used, sampling and monitoring frequency, and planned analytical procedures for sample analysis;

(iv) A detailed test schedule for each waste for which the trial burn is planned including date(s), duration, quantity of waste to be burned, and other factors relevant to the department's decision under WAC 173-303-805 (3)(d);

(v) A detailed test protocol, including, for each waste identified, the ranges of temperature, waste feed rate, air feed rate, use of auxiliary fuel, and any other relevant

parameters that will be varied to affect the destruction and removal efficiency of the incinerator;

(vi) A description of, and planned operating conditions for, any emission control equipment which will be used;

(vii) Procedures for rapidly stopping waste feed, shutting down the incinerator, and controlling emissions in the event of an equipment malfunction; and

(viii) Such other information as the department reasonably finds necessary to determine whether to approve the trial burn plan in light of the purposes of WAC 173-303-805(3).

(b) The department, in reviewing the trial burn plan, shall evaluate the sufficiency of the information provided and may require the applicant to supplement this information, if necessary, to achieve the purposes of WAC 173-303-805(3).

(c) Based on the waste analysis data in the trial burn plan, the department will specify as trial principal organic hazardous constituents (trial POHC's) those constituents for which destruction and removal efficiencies must be calculated during the trial burn. These trial POHC's will be specified by the department based on its estimate of the difficulty of incineration of the constituents identified in the waste analysis, the concentration or mass in the waste feed, and the dangerous waste constituent or constituents identified from WAC 173-303-9905.

(d) Approval of the plan. The department shall approve a trial burn plan if it finds that:

(i) The trial burn is likely to determine whether the incinerator performance standard required by WAC 173-303-670(4) can be met;

(ii) The trial burn itself will not present an imminent hazard to human health or the environment;

(iii) The trial burn will help the department to determine operating requirements to be specified under WAC 173-303-400 and 173-303-670(6); and

(iv) The information sought in WAC 173-303-805(3)(d)(i) and (iii) cannot reasonably be developed through other means.

(e) Trial burns. During each approved trial burn (or as soon after the burn as is practicable), the applicant must make the following determinations:

(i) A quantitative analysis of the trial POHC's in the waste feed to the incinerator;

(ii) A quantitative analysis of the exhaust gas for the concentration and mass emissions of the trial POHC's, CO<sub>2</sub>, O<sub>2</sub>, and hazardous combustion byproducts, including the total mass emission rate of byproducts as a percent of the total mass feed rate of POHC's fed to the incinerator;

(iii) A quantitative analysis of the scrubber water (if any), ash residues, and other residues, for the trial POHC's;

(iv) A total mass balance of the trial POHC's in the waste;

(v) A computation of destruction and removal efficiency (DRE), in accordance with the DRE formula specified in WAC 173-303-670(4)(a);

(vi) If the waste feed contains more than 0.5 percent chlorine, a computation of chlorine removal efficiency, in accordance with WAC 173-303-670(4)(c);

(vii) A computation of particulate emissions, in accordance with WAC 173-303-670(4)(d);

(viii) An identification of sources of fugitive emissions and their means of control;

(ix) A measurement of average, maximum, and minimum temperatures, and air feed rates;

(x) A continuous measurement of carbon monoxide in the exhaust gas; and

(xi) Such other information as the department may specify as necessary to ensure that the trial burn will determine compliance with the performance standard of WAC 173-303-670(4), and to establish the operating conditions required by WAC 173-303-670(6).

(f) The applicant shall submit to the department a certification that the trial burn has been carried out in accordance with the approved trial burn plan, and to the extent possible, this submission shall be made within thirty days of the completion of the trial burn, or sooner if the department so requests.

(g) All data collected during any trial burn must be submitted to the department following the completion of the trial burn. The results of the trial burn must be included with Part B of the permit application, if a permit application is submitted.

(h) All submissions required under WAC 173-303-805(3) shall be certified on behalf of the applicant by the signature of a person authorized to sign a permit application.

(4) Emergency permit. In the event the department finds that an imminent and substantial endangerment to human health or the environment exists, the department may issue a temporary emergency permit to a facility to allow treatment, storage, or disposal (TSD) of dangerous waste at a nonpermitted facility, or at a facility covered by an effective permit that does not otherwise allow treatment, storage, or disposal of such dangerous waste. Notice of the issuance of an emergency permit shall be given to the fire marshal, police department, and other local emergency service agencies with jurisdiction near the location of the facility. The emergency permit:

(a) May be oral or written. If oral, it shall be followed within five days by a written emergency permit;

(b) Shall not exceed ninety days in duration;

(c) Shall clearly specify the dangerous wastes to be received, and the manner and location of their treatment, storage, or disposal;

(d) May be terminated by the department at any time without process if the department determines that termination is appropriate to protect human health and the environment;

(e) Shall be accompanied by a public notice that includes:

(i) The name and address of the department;

(ii) The name and location of the permitted TSD facility;

(iii) A brief description of the wastes involved;

(iv) A brief description of the action authorized and reasons for authorizing it; and

(v) The duration of the emergency permit.

(f) And shall incorporate, to the extent possible and not inconsistent with the emergency situation, all applicable requirements of this chapter.

(5) Interim status permits. Any person who owns or operates an existing dangerous waste facility on the effective date of this chapter 173-303 WAC shall comply with WAC 173-303-815(2).

(6) Final permit. (a) An owner/operator can receive a final permit only after Part A and Part B of the permit application are completed and submitted to the department in compliance with WAC 173-303-815.

(b) Physical construction of a new TSD facility can only begin after the final permit is issued, except that new TSD facilities for which construction began prior to adoption of chapter 173-303 WAC may continue construction at the owner/operator's own risk while the department is reviewing the final permit application. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-805, filed 2/10/82.]

**Reviser's note:** Chapter 90.45 RCW as used by the agency in this section is a chapter that does not exist in the Revised Code of Washington as of 1982.

**WAC 173-303-810 General permit conditions.** (1) Purpose and applicability. This section sets forth the general permit conditions that are applicable to all permits to assure compliance with chapter 70.105 RCW and chapter 173-303 WAC.

(2) Duty to comply. The permittee must comply with all conditions of his permit. Any permit noncompliance constitutes a violation and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application. The permittee need not comply with the conditions of his permit to the extent and for the duration such noncompliance is authorized in an emergency permit.

(3) Duty to reapply. If the permittee wishes to continue an activity regulated by the permit after its expiration date, the permittee must apply for and obtain a new permit.

(4) Duty to halt or reduce activity. A permittee who has not complied with his permit, and who subsequently is subject to enforcement actions, may not argue that it would have been necessary to halt or reduce the permitted activities in order to maintain compliance with the conditions of the permit.

(5) Duty to mitigate. The permittee shall take all steps required by the department to minimize or correct any adverse impact on the environment resulting from noncompliance with the permit.

(6) Proper operation and maintenance. The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control which are installed or used by the permittee to achieve compliance with the conditions of the permit. Proper operation and maintenance includes effective performance, adequate funding, adequate operator staffing and training, and

adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems only when necessary to achieve compliance with the conditions of the permit.

(7) Permit actions. The permit may be modified, revoked and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, termination, notification of planned changes, or anticipated noncompliance, does not stay any permit condition.

(8) Effect of a permit. The issuance of a permit does not convey any property rights of any sort, or any exclusive privilege. The issuance of a permit does not authorize any injury to persons or property or invasion of other private rights, or any infringement of state or local laws or regulations.

(9) Duty to provide information. The permittee shall furnish to the department, within a reasonable time, any information which it may request to determine whether cause exists for modifying, revoking and reissuing, or terminating a permit, or to determine compliance with a permit. The permittee shall also furnish to the department, upon request, copies of records required to be kept by the permit.

(10) Inspection and entry. The permittee shall allow representatives of the department, upon the presentation of proper credentials, to:

(a) Enter upon the permittee's premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of the permit;

(b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;

(c) Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under the permit; and

(d) Sample or monitor at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by chapter 173-303 WAC, any substances or parameters at any location.

(11) Monitoring and monitoring records. (a) All permits shall specify:

(i) Requirements concerning the proper use, maintenance, and installation, when appropriate, of monitoring equipment or methods; and

(ii) Required monitoring including type, intervals, and frequency sufficient to yield data which are representative of the monitored activity including, when appropriate, continuous monitoring.

(b) Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity.

(c) The permittee shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by this permit, and records of all data used to complete the application for this permit, for a

period of at least three years from the date of the sample, measurement, report, or application. This period may be extended by request of the department at any time.

(d) Records of monitoring information shall include:

- (i) The date, exact place, and time of sampling or measurements;
- (ii) The individual(s) who performed the sampling or measurements;
- (iii) The date(s) analyses were performed;
- (iv) The individual(s) who performed the analyses;
- (v) The analytical techniques or methods used; and
- (vi) The results of such analyses.

(e) The permittee shall maintain records from all ground monitoring wells and associated ground water surface elevations for the active life of the facility, and, for disposal facilities, for the post-closure period as well.

(12) Signatory requirement. All applications, reports, or information submitted to the department shall be signed and certified according to WAC 173-303-810(13). When a dangerous waste facility is owned by one person, but is operated by another person, it is the duty of the operator and owner to obtain and cosign the permit application. The permit application shall be signed as follows:

- (a) For a corporation: By a principal executive officer of at least the level of vice president, or the chief corporate officer in charge of environmental policy if he is at least the level of vice president;
- (b) For a partnership or sole proprietorship: By a general partner or the proprietor, respectively; or
- (c) For a municipality, state, federal, or other public agency: By either a principal executive officer or ranking elected official.

(13) Certification. Any person identified in WAC 173-303-810(12) as appropriate for signing the documents required for a permit application shall make the following certification:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment."

(14) Reporting. The following reports shall be provided:

(a) Planned changes. The permittee shall give notice to the department as soon as possible of any planned physical alterations or additions to the permitted facility. For a new TSD facility and for a facility being modified, the permittee may not treat, store, or dispose of dangerous waste in the new portion of the facility until:

(i) The permittee has submitted to the department by certified mail or hand delivery a letter signed by the permittee and a registered professional engineer stating that the facility has been constructed or modified in compliance with the permit; and

(ii) The department has inspected the modified or newly constructed facility and finds it is in compliance with the conditions of the permit; or

(iii) Within fifteen days of the date of submission of the letter, the permittee has not received notice from the department of its intent to inspect, prior inspection is waived and the permittee may commence treatment, storage, or disposal of dangerous waste.

(b) Anticipated noncompliance. The permittee shall give advance notice to the department of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.

(c) Transfers. The permit is not transferable to any person except after notice to the department. The department may require modification or revocation and reissuance of the permit to change the name of the permittee and incorporate such other requirements as may be necessary.

(d) Monitoring reports. Monitoring results shall be reported at the intervals specified elsewhere in the permit.

(e) Compliance schedules. Reports of permit compliance or noncompliance or any progress reports on interim and final permit requirements contained in any compliance schedule shall be submitted no later than fourteen days following each scheduled date.

(f) Immediate reporting. The permittee shall immediately report any noncompliance which may endanger health or the environment. Information shall be provided orally to the department as soon as the permittee becomes aware of the circumstances. A written submission shall also be provided within five days of the time the permittee becomes aware of the circumstances provided that the department may waive the written submission requirement in favor of a written report, to be submitted within fifteen days. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance.

Information which must be reported immediately shall include:

- (i) Release of dangerous waste that may cause an endangerment to drinking water supplies or ground or surface waters;
- (ii) Any information of a release or discharge of dangerous waste, fire, or explosion from the permitted facility which could threaten the environment or human health outside the facility. The description of the occurrence and its cause shall include:
  - (A) Name, address, and telephone number of the owner or operator;
  - (B) Name, address, and telephone number of the facility;
  - (C) Date, time, and type of incident;
  - (D) Name and quantity of material(s) involved;
  - (E) The extent of injuries, if any;

(F) An assessment of actual or potential hazards to the environment and human health outside the facility, where this is applicable; and

(G) Estimated quantity and disposition of recovered material that resulted from the incident.

(iii) The department may waive the five-day written notice requirements in favor of a written report within fifteen days.

(g) Other noncompliance. The permittee shall report all instances of noncompliance not reported under WAC 173-303-810 (14)(d), (e), and (f), at the time monitoring reports are submitted. The reports shall contain the information listed in WAC 173-303-810 (14)(f).

(h) Other information. Where the permittee becomes aware that he failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the department, he shall promptly submit this information.

(i) Other reports. In addition, the following reports are required when appropriate:

(i) Manifest discrepancy report as required by WAC 173-303-370(5);

(ii) Unmanifested waste report as required by WAC 173-303-390(1); and

(iii) Annual report as required by WAC 173-303-390(2).

(15) Confidentiality.

(a) Information submitted by the owner/operator of a facility identified as confidential will be treated in accordance with chapter 42.17 RCW and RCW 43.21A.160.

(b) Proprietary information can be held confidential if the owner/operator indicates to the department the degree of harm if the information is made to the public.

(c) Claims of confidentiality for permit application information must be substantiated at the time the application is submitted and in the manner prescribed in the application instructions.

(d) If a submitter does not provide substantiation, the department will notify the owner/operator by certified mail of the requirement to do so. If the department does not receive the substantiation within ten days after the submitter receives the notice, the department shall place the unsubstantiated information in the public file.

(e) The department will determine if the owner/operator's request meets the confidential information criteria. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-810, filed 2/10/82.]

**WAC 173-303-815 Applying for a permit.** (1) Purpose and applicability. Any person who is required to have a permit (including new applicants and permittees with expiring permits) shall complete, sign, and submit an application to the department as described in WAC 173-303-815. Persons currently authorized with an interim status permit shall apply for a written permit when required by the department.

(2) Existing dangerous waste facilities.

(a) Interim status for facilities under RCRA interim status. Any existing facility operating under interim

status gained under section 3005 of RCRA shall be deemed to have an interim status permit under this chapter 173-303 WAC provided that the owner/operator complies with the requirements of WAC 173-303-400. Facilities receiving wastes designated under amendments to 40 CFR Part 261 adopted after November 19, 1980, and which have been incorporated into this chapter 173-303 WAC, must obtain a final status permit in accordance with WAC 173-303-800 through 173-303-845.

(b) Interim status for facilities managing state-designated (non-RCRA) dangerous wastes. Any existing facility which is managing dangerous wastes which are designated under WAC 173-303-070 through 173-303-103, but which have not been designated by amendments to 40 CFR Part 261, shall be deemed to have an interim status permit provided that the owner/operator of the facility:

(i) Has complied with the notification requirements of WAC 173-303-060 within ninety days of the promulgation of these regulations, and has submitted Part A of his permit application within one hundred eighty days of the promulgation of these regulations, or amendments to WAC 173-303-070 through 173-303-103 which newly designate wastes he is handling; or

(ii) Has amended Part A of his permit application submitted under the Resource Conservation and Recovery Act to include the state designated dangerous wastes within one hundred eighty days of the promulgation of these regulations, or amendments to WAC 173-303-070 through 173-303-103 which newly designate wastes he is handling.

(c) Timely submission of both notification and submission of Part A application qualifies the owner/operator of the existing TSD facility for the interim status permit, until the department makes a final determination of the merits of the completed application.

(d) The owner/operator of an existing TSD facility shall be required to submit Part B of the permit application within six months upon the written request from the department. The owner/operator may voluntarily submit Part B of an application at any time.

(3) New dangerous waste facilities.

(a) A person may begin physical construction of a new TSD facility after submitting Part A and Part B of the permit application and receiving a dangerous waste facility permit, except that new facilities for which construction began prior to adoption of chapter 173-303 WAC may continue construction while the department is reviewing the permit application.

(b) An application for a permit for a new TSD facility may be filed with the department any time after promulgation of applicable final status standards of chapter 173-303 WAC.

(c) All permit applications must be submitted at least one hundred eighty days before physical construction is expected to begin, except that new facilities for which construction began prior to adoption of chapter 173-303 WAC shall submit a permit application to the department within ninety days of the adoption of chapter 173-303 WAC.

(4) Updating permit applications for facilities under interim status. Owners or operators of dangerous waste facilities with a filed Part A permit application shall file an amended Part A application to the department as necessary to comply with provisions of WAC 173-303-820(3) for changes during interim status.

(5) Reapplications. Any dangerous waste facility with an effective final permit shall submit a new application one hundred eighty days prior to the expiration date of the effective permit, unless the department grants a later date.

(6) Completeness. The department shall not issue a permit before receiving a complete application, except for permits by rule or emergency permits, or unless specifically approved by the department. An application for a permit is complete when the application form and any supplemental information has been completed to the department's satisfaction. The completeness of any application for a permit shall be judged independently of the status of any other permit application or permit for the same facility or activity.

(7) Recordkeeping. Applicants shall keep records of all data used to complete the permit applications, and any supplemental information submitted to the department for a period of at least three years from the date the application is signed.

(8) Part A permit form, and contents of Part B.

(a) The Part A permit form may be obtained from the department.

(b) Contents of Part B. Part B of the permit application shall include the following:

(i) A general description of the facility and an engineering report discussing the basis for the design of the facility and plans and specifications. All reports and plans and specifications shall be prepared under the direction of a registered professional engineer, except the department may waive the requirement upon request of the applicant for minor modifications or projects;

(ii) Chemical and physical analyses of the dangerous wastes to be treated, stored, or disposed at the facility as required under WAC 173-303-300, general waste analysis;

(iii) A copy of the waste analysis plan as required under WAC 173-303-300(5);

(iv) A description of the security procedures required under WAC 173-303-310;

(v) A copy of the general inspection schedule required under WAC 173-303-320;

(vi) A description of the preparedness and prevention measures required under WAC 173-303-340;

(vii) A copy of the contingency plan required under WAC 173-303-350;

(viii) A description of procedures, structures, or equipment used at the facility to:

(A) Prevent uncontrolled reaction of incompatible wastes (for example, procedures to avoid fires, explosions, or toxic gases);

(B) Prevent hazards in unloading operations (for example, ramps, special forklifts);

(C) Prevent runoff from dangerous waste handling areas to other areas of the facility or environment, or to prevent flooding (for example, berms, dikes, trenches);

(D) Prevent contamination of water supplies;

(E) Mitigate effects of equipment failure and power outages; and

(F) Prevent undue exposure of personnel to dangerous waste (for example, protective clothing);

(ix) Information sufficient for the department to determine that the facility has been sited in a manner which meets the requirements of WAC 173-303-500;

(x) Traffic pattern, volume and control (for example, show turns across traffic lanes, and stacking lanes, if appropriate; provide access road surfacing and load bearing capacity; show traffic control signals; provide estimates of traffic volume (number, types of vehicles)); and

(xi) Such other information, including that required under 40 CFR 122.25, as may be required by the department. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260, 82-05-023 (Order DE 81-33), § 173-303-815, filed 2/10/82.]

**WAC 173-303-820 Interim status permits.** (1) Applicability. This section applies to all treatment, storage and disposal (TSD) facilities meeting the requirements set forth in WAC 173-303-805(5).

(2) Facilities with an interim status permit. Facilities with an interim status permit shall not:

(a) Treat, store, or dispose of dangerous waste not specified in Part A of the permit application;

(b) Employ processes not specified in Part A of the permit application; or

(c) Exceed the design capacities specified in Part A of the permit application.

(3) Changes during interim status.

(a) Newly regulated dangerous wastes not previously identified in Part A of the application may be treated, stored, or disposed at a permitted facility if the owner/operator submits to the department a revised Part A permit application within ninety days of the promulgation of the amendments which designate and/or regulate the new dangerous wastes.

(b) Increases in the design capacity of processes used at a facility may be made if the owner or operator submits a revised Part A permit application prior to such a change (along with a justification explaining the need for the change) and the department approves the change because of a lack of available treatment, storage, or disposal capacity at other permitted TSD facilities.

(c) Changes in the processes for the treatment, storage, or disposal of dangerous waste may be made at a facility, or additional processes may be added if the owner or operator submits a revised Part A permit application prior to such changes (along with a justification explaining the need for the change) and the department approves the change because:

(i) It is necessary to prevent a threat to human health or the environment because of an emergency situation; or

(ii) It is necessary to comply with state, local, and federal regulations.

(d) Changes in the ownership or operational control of a facility may be made if the new owner or operator submits a revised Part A permit application no later than ninety days prior to the scheduled change. When a transfer of ownership or operational control of a facility occurs, the old owner or operator shall comply with the financial requirements of WAC 173-303-620, until the new owner or operator has demonstrated to the department that he is complying with the financial requirements. All other interim status permit duties are transferred effective immediately upon the date of the change of ownership or operational control of the facility. Upon demonstration to the department by the new owner or operator of compliance with WAC 173-303-620, the department shall notify the old owner or operator in writing that he no longer needs to comply with the interim status permit requirements as of the date of demonstration.

(e) In no event shall changes be made to a TSD facility under the interim status permit which amount to reconstruction of the facility. Reconstruction occurs when the capital investment in the changes to the facility exceeds fifty percent of the capital cost of a comparable entirely new TSD facility.

(4) Termination of interim status permit. The following are causes for terminating an interim status permit:

(a) Final administrative disposition of a permit application is made;

(b) When the department on examination or reexamination of a Part A application determines that it fails to meet the standards of chapter 173-303 WAC, it may notify the owner or operator that the application is deficient and that the owner or operator is therefore not entitled to the interim status permit. The owner or operator will then be subject to enforcement for operating without a permit; or

(c) Failure to submit a requested Part B application on time, or to provide in full the information required in the Part B application. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-820, filed 2/10/82.]

**WAC 173-303-825 Final permits.** (1) Applicability. This section applies to all TSD facilities meeting the requirements set forth in WAC 173-303-805(6).

(2) Permit duration.

(a) Final permits shall be effective for a fixed term not to exceed ten years.

(b) The department may issue any final permit for a duration that is less than the full allowable term.

(c) The term of a final permit shall not be extended by modification beyond ten years, unless otherwise authorized under WAC 173-303-830(3).

(3) Continuation of expiring permits.

(a) When the owner/operator submits a timely application for a final permit, the facility is allowed to continue operating under the expiring permit until the effective date of the new permit.

(b) If the facility is not in compliance with the conditions of the expiring or expired permit, the department may choose to do any or all of the following:

(i) Initiate enforcement action based upon the permit which has been continued;

(ii) Issue a notice of intent to deny the new permit. If the permit is denied, the owner or operator would then be required to cease the activities authorized by the continued permit or be subject to enforcement action for operating without a permit;

(iii) Issue a new permit with appropriate conditions; or

(iv) Take other actions authorized by chapter 173-303 WAC.

(4) Grounds for termination. The following are causes for terminating a final permit during its term, or for denying a permit renewal application:

(a) Noncompliance by the permittee with any condition of the permit;

(b) The permittee's failure in the application or during the permit issuance process to disclose fully all relevant facts, or the permittee's misrepresentation of any relevant facts at any time; or

(c) A determination that the permitted activity endangers human health or the environment and the hazard can only be controlled by permit modification or termination. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-825, filed 2/10/82.]

**WAC 173-303-830 Permit changes.** (1) Purpose and applicability. This section describes the types of permit changes that may be made to all permits issued by the department.

(2) Transfer of permits. A permit may be transferred by the permittee to a new owner or operator only if the permit has been modified or revoked and reissued under WAC 173-303-830(3), or a minor modification has been made to identify the new permittee and incorporate such other requirements as stipulated under WAC 173-303-830(4).

(3) Modification or revocation and reissuance of permits. When the department receives any information (for example, inspects the facility, receives information submitted by the permittee as required in the permit, receives a request for modification or revocation and reissuance, or conducts a review of the permit file), the department may determine whether or not one or more of the causes listed in WAC 173-303-830 (3)(a) and (b) for modification or revocation and reissuance or both exist. If cause exists, the department may modify or revoke and reissue the permit accordingly and may request an updated application if necessary. When a permit is modified, only the conditions subject to modification are reopened. If a permit is revoked and reissued, the entire permit is reopened and subject to revision and the permit is reissued for a new term. If cause does not exist under WAC 173-303-830(3) or (4), the department shall not modify or revoke and reissue the permit. If a permit modification satisfies the criteria in WAC 173-303-830(4) for "minor modifications," the permit may be



modified without a draft permit or public review. Otherwise, a draft permit must be prepared in accordance with WAC 173-303-840(1).

(a) Causes for modification. The following are causes for modification but not revocation and reissuance of permits, unless agreed to or requested by the permittee:

(i) Alterations. There are material and substantial alterations or additions to the permitted facility or activity which occurred after permit issuance which justify the application of permit conditions that are different or absent in the existing permit;

(ii) Information. Permits may be modified during their terms if the department receives information that was not available at the time of permit issuance (other than revised regulations, guidance, or test methods) and which would have justified the application of different permit conditions at the time of issuance;

(iii) New regulations. The standards or regulations on which the permit was based have been changed by promulgation of amended standards or regulations or by judicial decision after the permit was issued. Permits may be modified during their terms for this cause only when:

(A) The permit condition requested to be modified was based on an effective regulation;

(B) The department has revised, withdrawn, or modified that portion of the regulation on which the permit condition was based; or

(C) A permittee requests modification within ninety days after notice of the action on which the request is based;

(iv) Compliance schedules. The department determines good cause exists for modification of a compliance schedule, such as an act of God, strike, flood, or materials shortage, or other events over which the permittee has little or no control and for which there is no reasonably available remedy;

(v) Closure plans. When modification of a closure plan is required under WAC 173-303-610(3) or 173-303-610(8);

(vi) Revocation of changes approved prior to notice of closure. After the department receives the notification of expected closure under WAC 173-303-610(3), the department may determine that previously approved changes are no longer warranted. These include:

(A) Extension of the ninety or eighty day periods under WAC 173-303-610(4);

(B) Modification of the thirty year post-closure period under WAC 173-303-610(7);

(C) Continuation of security requirements under WAC 173-303-610(7); or

(D) Permission to disturb the integrity of the containment system under WAC 173-303-610(7).

(b) Causes for modification or revocation and reissuance. The following are causes to modify, or alternatively, revoke and reissue a permit:

(i) Cause exists for termination under WAC 173-303-820(4) for interim status permits, or WAC 173-303-825(4) for final permits, and the department determines that modification or revocation and reissuance is appropriate; or

(ii) The department has received notification of a proposed transfer of the permit.

(c) Facility siting. Suitability of the facility location will not be considered at the time of permit modification or revocation and reissuance unless new information or standards indicate that a threat to human health or the environment exists which was unknown at the time of permit issuance.

(4) Minor modifications of permits. Unless the permittee indicates otherwise, the department may modify a permit to make the corrections or allowances for changes in the permitted activity listed in this section without following the procedures of WAC 173-303-840. Any permit modification not processed as a minor modification under this section must be made for cause and with a draft permit and public notice as required in WAC 173-303-840. Minor modifications may only be made to:

(a) Correct typographical errors;

(b) Require more frequent monitoring or reporting by the permittee;

(c) Change an interim compliance date in a schedule of compliance, provided the new date is not more than one hundred twenty days after the date specified in the existing permit and does not interfere with attainment of the final compliance date requirement;

(d) Allow for a change in ownership or operational control of a facility where the department determines that no other change in the permit is necessary, provided that a written agreement containing a specific date for transfer of permit responsibility, coverage, and liability between the current and new permittees has been submitted to the department;

(e) Change the lists of facility emergency coordinators or equipment in the permit's contingency plan; or

(f) Change the following:

(i) Estimates of maximum inventory under WAC 173-303-610 (3)(a)(ii);

(ii) Estimates of expected year of closure or schedules for final closure under WAC 173-303-610 (3)(a)(iv); or

(iii) Approve periods longer than ninety days or one hundred eighty days under WAC 173-303-610 (4)(a) or (b).

(5) Permit termination. The director shall follow the applicable procedures in WAC 173-303-840, procedures for decision making, in terminating any permit.

(6) Schedules of compliance.

(a) General. The permit may, when appropriate, specify a schedule of compliance leading to compliance with chapter 173-303 WAC.

(b) Time for compliance. Any schedules of compliance under this section shall require compliance as soon as possible.

(c) Interim dates. If a permit establishes a schedule of compliance which exceeds one year from the date of permit issuance, the schedule shall set forth interim requirements and the dates for their achievement as follows;

(i) The time between interim dates shall not exceed one year; or

(ii) If the time necessary for completion of any interim requirement (such as the construction of a control facility) is more than one year and is not readily divisible into stages for completion, the permit shall specify interim dates for the submission of reports of progress toward completion of the interim requirements and indicate a projected completion date.

(d) Reporting. The permit shall be written to require that no later than fourteen days following each interim date and the final date of compliance, the permittee shall notify the department in writing of its compliance or noncompliance with the interim or final requirements. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-830, filed 2/10/82.]

**WAC 173-303-840 Procedures for decision making.**

(1) Draft permits.

(a) A draft permit is a document prepared by the department indicating the tentative decision to issue, deny, modify, revoke and reissue, or terminate a permit.

(b) When an application is completed, the department may tentatively decide whether to prepare a draft permit, or to deny the application.

(c) If the department decides to prepare a draft permit, it shall contain the following information:

(i) All conditions applicable to permits under WAC 173-303-810;

(ii) Applicable conditions under WAC 173-303-830; and

(iii) Other RCRA permits, applicable standards for storage, treatment and disposal, and other permit conditions.

(d) All draft permits must be accompanied by a fact sheet that is supported by administrative record and made available for public comment.

(2) Fact sheet.

(a) A fact sheet shall be prepared for every draft permit for a major dangerous waste management facility, and for every draft permit which the department finds is the subject of wide-spread public interest or raises major issues.

(b) The fact sheet shall briefly set forth the principal facts and the significant factual, legal, methodological, and policy questions considered in preparing the draft permit. The department shall send this fact sheet to the applicant and, on request, to any other person.

(c) The fact sheet shall include, when applicable:

(i) A brief description of the type of facility or activity which is the subject of the draft permit;

(ii) The type and quantity of wastes, fluids, or pollutants which are proposed to be or are being treated, stored, disposed, injected, emitted, or discharged;

(iii) A brief summary of the basis for the draft permit conditions including supporting references;

(iv) Reasons why any requested variances or alternatives to required standards do or do not appear justified; and

(v) A description of the procedures for reaching a final decision on the draft permit including:

(A) The beginning and ending dates of the comment period and the address where comments will be received;

(B) Procedures for requesting a hearing and the nature of that hearing;

(C) Any other procedures by which the public may participate in the final decision; and

(D) Name and telephone number of a person to contact for additional information.

(3) Public notice and involvement.

(a) The department shall give public notice that the following actions have occurred:

(i) A draft permit has been prepared;

(ii) A hearing has been scheduled; or

(iii) An appeal has been filed with the pollution control hearings board.

(b) No public notice is required when a request for permit modification, revocation and reissuance, or termination is denied. A written notice of the denial shall be given to the owner/operator who requested the permit modification.

(c) The public notice may describe more than one permit or permit action.

(d) Public notice of the preparation of a draft permit, including a notice of intent to deny a permit application shall allow at least forty-five days for public comment. Public notice of a public hearing shall be given at least thirty days before the hearing.

(e) Public notice of activities described in this section shall be given by the following methods:

(i) By mailing a copy of a notice to the following persons (any person otherwise entitled to receive notice under this paragraph may waive his or her rights to receive notice for any classes and categories of permits):

(A) The applicant;

(B) Any other agency which the department knows has issued or is required to issue a permit for the same activity or facility;

(C) Federal and state agencies with jurisdiction over fish, shellfish, and wildlife resources and over coastal zone management plans, the advisory council on historic preservation, state historic preservation officers, and other appropriate government authorities, including any affected states;

(D) Persons on the mailing list developed by:

(I) Those who request in writing to be on the list;

(II) Soliciting persons for an area list from participants in past permit proceedings in that area; and

(III) Notifying the public of the opportunity to be put on the mailing list through periodic publications in the public press and in appropriate publications of the department;

(ii) For major permits, by publication of a notice in a daily newspaper within the area affected by the facility; or

(iii) For major permits, by radio broadcast of the public notice; or

(iv) By any other method reasonably calculated to give notice of the action in question to the persons potentially affected by it, including press releases or any other forum or medium to elicit public participation.

(4) Contents of the public notice.

(a) All public notices issued shall contain the following minimum information:

(i) Name and address of the office processing the permit action for which notice is being given;

(ii) Name and address of the permittee or permit applicant and, if different, of the facility or activity regulated by the permit;

(iii) A brief description of the business conducted at the facility or activity described in the permit application or the draft permit;

(iv) Name, address, and telephone number of a person from whom interested persons may obtain further information, including copies of the draft permit, fact sheet, and the application;

(v) A brief description of the comment procedures required and the time and place of any hearing that will be held, including a statement of procedures to request a hearing (unless a hearing has already been scheduled) and other procedures by which the public may participate in the final permit decision;

(vi) Date, time, and place of the hearing;

(vii) Reference to the date of the previous public notice relating to the permit;

(viii) A brief description of the nature and purpose of the hearing including the applicable rules and procedures; and

(ix) In addition to the general public notice all persons identified in WAC 173-303-840 (3)(e)(i)(B) and (C) shall be mailed a copy of the fact sheet, the permit application (if any), and the draft permit (if any).

(b) Public comments and request for public hearings. During the public comment period any interested person may submit written comments on the draft permit and may request a public hearing, if no hearing has already been scheduled. A request for a public hearing shall be in writing and shall state the nature of the issues proposed to be raised in the hearing. All comments shall be considered in making the final decision and shall be answered according to WAC 173-303-840(9).

(5) Public hearings.

(a) The department shall hold a public hearing whenever, on the basis of requests, there is a significant degree of public interest in a draft permit or there is written notice of opposition and the director receives a request for a hearing during the forty-five day comment period. The department also may hold a public hearing at its discretion, whenever, for instance, such a hearing might clarify one or more issues involved in the permit decision. Public notice of the hearing shall be given as specified in WAC 173-303-840(3).

(b) Any person may submit oral or written statements and data concerning the draft permit. Reasonable limits may be set upon the time allowed for oral statements, and the submission of statements in writing may be required. The public comment period under WAC 173-303-840(3) shall automatically be extended to the close of any public hearing under this section. The hearing officer may also extend the comment period by so stating at the hearing.

(c) A tape recording or written transcript of the hearing may be made available to the public.

(6) Obligation to raise issues and provide information during the public comment period.

(a) All persons, including applicants, who believe any condition of a draft permit is inappropriate, or that the department's tentative decision to deny an application, terminate a permit, or prepare a draft permit is inappropriate, must raise all reasonably ascertainable issues and submit all reasonably available arguments and factual grounds supporting their position, including all supporting material, by the close of the public comment period (including any public hearing) under WAC 173-303-840(3).

(b) All supporting materials shall be included in full and may not be incorporated by reference, unless they are already part of the administrative record in the same proceeding, or consist of state or federal statutes and regulations, documents of general applicability, or other generally available reference materials. Commenters shall make supporting material not already included in the administrative record available to the department. A comment period longer than thirty days will often be necessary in complicated proceedings to give commenters a reasonable opportunity to comply with the requirements of this section. Commenters may request a longer comment period.

(7) Reopening of the public comment period. If any data, information, or arguments submitted during the public comment period, including information or arguments required, appear to raise substantial new questions concerning a permit, the director may take one or more of the following actions:

(a) Prepare a new draft permit, appropriately modified;

(b) Prepare a revised statement of basis, a fact sheet or revised fact sheet, and reopen the comment period; or

(c) Reopen or extend the comment period to give interested persons an opportunity to comment on the information or arguments submitted.

Comments filed during the reopened comment period shall be limited to the substantial new questions that caused its reopening. The public notice shall define the scope of the reopening.

(8) Issuance and effective date of permit.

(a) After the close of the public comment period under WAC 173-303-840(5) on a draft permit, the department shall issue a final permit decision. The department shall notify the applicant and each person who has submitted written comments or requested notice of the final permit decision. For purposes of this section, a final permit means a final decision to issue, deny, modify, revoke and reissue, or terminate a permit.

(b) A final permit decision shall become effective thirty days after the service of notice of the decision, unless:

(i) A later effective date is specified in the decision; or

(ii) No comments requested a change in the draft permit, in which case the permit shall become effective immediately upon issuance.

(9) Response to comments.

(a) At the time that any final permit decision is issued, the department shall issue a response to comments.

The department is required to issue a response to comments when a final permit is issued.

(b) This response shall specify which provisions, if any, of the draft permit have been changed in the final permit decision and the reason for the change, and briefly describe and respond to all significant comments of the draft permit raised during the public comment period or during any hearing.

(c) The response to comments shall be available to the public.

(10) Decision-making procedure for modification, revocation and reissuance, or termination of permits.

(a) Permits may be modified, revoked and reissued, or terminated either at the request of any interested person (including the permittee) or upon the department's initiative. However, permits may only be modified or revoked and reissued for the reasons specified in WAC 173-303-830(3) and (4), or terminated for the reasons specified in WAC 173-303-820(4) or 173-303-825(4). All requests shall be in writing and shall contain facts or reasons supporting the request.

(b) If the department tentatively decides to modify or revoke and reissue a permit under WAC 173-303-830(3), it shall prepare the draft permit under WAC 173-303-840(1), incorporating the proposed changes. The department may request additional information and, in the case of a modified permit, may require the submission of an updated permit application. In the case of revoked and reissued permits, the department shall require the submission of a new application.

(c) In a permit modification under this section, only those conditions to be modified shall be reopened when a new draft permit is prepared. All other aspects of the existing permit shall remain in effect for the duration of the unmodified permit. When a permit is revoked and reissued under this section, the entire permit is reopened just as if the permit had expired and was being reissued. During any revocation and reissuance proceeding the permittee shall comply with all conditions of the existing permit until a new final permit is reissued.

(d) "Minor modifications" as defined in WAC 173-303-830(4) are not subject to the requirements of this section.

(e) If the department tentatively decides to terminate an interim status permit under WAC 173-303-820(4) or a final permit under WAC 173-303-825(4), it shall issue a notice of intent to terminate. A notice of intent to terminate is a type of draft permit which follows the same procedures as any draft permit prepared under WAC 173-303-840(1). [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-840, filed 2/10/82.]

**WAC 173-303-845 Appeal of decision.** Any person who is adversely affected by a decision of the department under chapter 173-303 WAC may appeal the decision to the pollution control hearings board pursuant to chapter 43.21B RCW. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-845, filed 2/10/82.]

**WAC 173-303-900 Public involvement and participation.** (1) Intent. Public involvement and participation plays a significant role in the decision making process. The department intends to foster public awareness, information and consultation, and to respond actively to public concerns. The department will inform the public of major issues, proposed projects, and regulatory changes, and will consult interested and affected segments of the public before making important decisions. The overall goal of the department is to provide knowledge to the public about dangerous waste issues that vitally affect the state, to encourage broader understanding of the public role in dangerous wastes and their proper management, and to promote an open dialogue between the public, industry, and government.

(2) Applicable requirements. In fulfilling the intent of public involvement and participation in the decision making process, the department will refer to and, where applicable, follow the requirements and guidance set forth in the following:

(a) Chapter 34.04 RCW, Administrative Procedure Act;

(b) Chapter 34.08 RCW, Washington State Register Act of 1977;

(c) Chapter 42.17 RCW, Public Records Act;

(d) Chapter 197-10 WAC, Guidelines Interpreting and Implementing the State Environmental Policy Act;

(e) 40 CFR Part 25, Public Participation in Programs Under the Resource Conservation and Recovery Act, the Safe Drinking Water Act, and the Clean Water Act; and

(f) The Washington state solid waste management plan, December 1980. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-900, filed 2/10/82.]

**WAC 173-303-910 Petitions.** (1) General petitions.

(a) Any person may petition the department to modify or revoke any provision in this chapter. WAC 173-303-910(1) sets forth general requirements which apply to all such petitions. The remaining paragraphs describe additional requirements for specific types of petitions.

(b) Each petition must be submitted to the department by certified mail and must include:

(i) The petitioner's name and address;

(ii) A statement of the petitioner's interest in the proposed action;

(iii) A description of the proposed action, including (where appropriate) suggested regulatory language; and

(iv) A statement of the need and justification for the proposed action, including any supporting tests, studies, or other information.

(c) Upon the written request of any interested person, the director may, at his discretion, hold a conference to consider oral comments on the action proposed in the petition. A person requesting a conference must state the issues to be raised and explain why written comments would not suffice to communicate the person's views. The director may in any case decide on his own motion to hold a conference.

(d) After evaluating all public comments the department will make a final decision in accordance with RCW 34.04.060. The department will either deny the petition in writing (stating its reasons for denial), or grant the petition and initiate rule-making proceedings in accordance with RCW 34.04.025.

(2) Petitions for equivalent testing or analytical methods.

(a) Any person seeking to add a testing or analytical method to WAC 173-303-110 may petition for a regulatory amendment under this section. To be successful, the person must demonstrate to the satisfaction of the department that the proposed method is equal to or superior to the corresponding method prescribed in WAC 173-303-110, in terms of its sensitivity, accuracy, and precision (i.e., reproducibility).

(b) Each petition must include, in addition to the information required by WAC 173-303-910(1), above:

(i) A full description of the proposed method, including all procedural steps and equipment used in the method;

(ii) A description of the types of wastes or waste matrices for which the proposed method may be used;

(iii) Comparative results obtained from using the proposed method with those obtained from using the relevant or corresponding methods prescribed in WAC 173-303-110;

(iv) An assessment of any factors which may interfere with, or limit the use of, the proposed method; and

(v) A description of the quality control procedures necessary to ensure the sensitivity, accuracy and precision of the proposed method.

(c) After receiving a petition for an equivalent testing or analytical method, the department may request any additional information on the proposed method which it may reasonably require to evaluate the proposal.

(d) If the department amends the regulations to permit use of a new testing method, the method will be incorporated in a document which will be available from the department.

(3) Petitions for exempting dangerous wastes from a particular generator.

(a) Any generator seeking to exempt his dangerous waste may petition the department for exemption from the requirements of WAC 173-303-070 through 173-303-090.

(b) To be successful, the generator must demonstrate to the satisfaction of the department that either:

(i) His waste would not be a designated dangerous waste under the dangerous waste criteria, WAC 173-303-100, by obtaining representative samples from his waste and checking his samples against the dangerous waste criteria; or

(ii) His waste does not otherwise pose a threat to public health or the environment, as verified by data provided by the generator. Such data shall be developed through consultation with the department, and shall establish beyond a reasonable doubt that the waste does not pose a threat.

(c) Representative samples must be taken over a period of time sufficient to reflect the variability (if any) or the uniformity of the waste.

(d) Each petition must include, in addition to the information required by WAC 173-303-910(1), above:

(i) The name and address of the laboratory facility performing the sampling or tests of the waste;

(ii) The names and qualifications of the persons sampling and testing the waste;

(iii) The dates of sampling and testing;

(iv) The location of the generating facility;

(v) A description of the manufacturing processes or other operations and feed materials producing the waste and an assessment of whether such processes, operations, or feed materials can or might produce a waste that is not covered by the demonstration;

(vi) A description of the waste and an estimate of the average and maximum weekly and annual quantities of waste covered by the demonstration;

(vii) Pertinent data on and discussion of the factors delineated in the respective dangerous waste criteria, WAC 173-303-100;

(viii) A description of the methodologies and equipment used to obtain the representative samples;

(ix) A description of the sample handling and preparation techniques, including techniques used for extraction, containerization and preservation of the samples;

(x) A description of the tests performed (including results);

(xi) The names and model numbers of the instruments used in performing the tests and the date of the last calibration for instruments which must be calibrated according to manufacturer's instructions; and

(xii) The following statement signed by the generator of the waste or his authorized representative.

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this demonstration and all attached documents, and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

(e) After receiving a petition for a dangerous waste exclusion, the department may request any additional information which it may reasonably require to evaluate the petition.

(f) An exemption will only apply to the waste generated by the particular generator covered by the demonstration and will not apply to waste from any other generator.

(g) The department may exempt only part of the waste for which the demonstration is submitted where there is reason to believe that variability of the waste justifies a partial exemption.

(h) The department may (but shall not be required to) grant a temporary exemption before making a final decision under WAC 173-303-910(1), above, whenever it

finds that there is a substantial likelihood that an exemption will be finally granted.

(4) Petition for exclusion.

(a) Any generators seeking exclusion of wastes under WAC 173-303-071, excluded categories of waste, may petition the department for exclusion. To be successful, the generator must demonstrate to the satisfaction of the department that:

(i) The wastes would not pose a significant threat to public health or the environment as demonstrated by data provided by the generator;

(ii) The wastes are adequately regulated under other existing state or federal programs, and will not pose a significant threat to public health or the environment; or

(iii) The wastes are currently being recycled, reclaimed, or recovered in a manner which does not pose a significant threat to public health or the environment.

(b) In addition to the information required by WAC 173-303-910(1) and 173-303-910 (3)(d), above, each petition must include:


(i) Data showing the results of testing the waste for which exclusion is sought against the dangerous waste criteria, WAC 173-303-100 through 173-303-103;

(ii) A description of the state or federal program which regulates the wastes and information supporting the claim that the program adequately protects public health and the environment, if applicable; or

(iii) A description of the current waste recycling, reclamation and recovery practices and information supporting the claim that the practices do not pose a significant threat to public health and the environment if applicable.

(c) After receiving a petition for exclusion, the department may request any additional information it deems necessary to evaluate the petition. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-910, filed 2/10/82.]

**WAC 173-303-9901 Flow chart for designating dangerous wastes.**



1. Voluntary testing, allowed under WAC 173-303-070 (2)(b).
2. See WAC 173-303-081.
3. See WAC 173-303-082.
4. This section, WAC 173-303-083, is reserved, and is not applicable at the publication date of this chapter.
5. The discarded chemical products list appears in WAC 173-303-1003, and the dangerous waste sources list appears in WAC 173-303-1004.
6. See WAC 173-303-084.
7. See WAC 173-303-090. The dangerous waste characteristics include the properties of ignitability, corrosivity, reactivity, and EP toxicity.
8. Washington department of ecology may order testing pursuant to WAC 173-303-070 (4)(b).
9. See WAC 173-303-100.
10. As a dangerous waste generator you must comply with the requirements set forth under WAC 173-303-170.

[Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-9901, filed 2/10/82.]

**WAC 173-303-9902 Narrative for designating dangerous wastes.** The following question and answer narrative has been designed to help a generator determine if his waste is dangerous, and therefore regulated under chapter 173-303 WAC. This narrative will be most

valuable when used in conjunction with the regulations, and with specific knowledge about an actual waste or waste stream.

You should begin with paragraph (1), answer the question for yourself, then follow the directions for the appropriate yes or no response. Proceed through the narrative according to the questions and responses which are applicable to your waste.

If a given response is to continue, this indicates that you should go on to the next paragraph. In some cases there are multiple questions. If your answer to all the questions is yes, then follow the directions for the yes response. If your answer to one or more of the questions is no, then follow the directions for the no response.

(1) Do you generate a solid waste, as defined in WAC 173-303-040?

No — You are not regulated under chapter 173-303 WAC.

Yes — Continue.

(2) Do you wish to voluntarily designate your waste through the dangerous waste criteria set forth under WAC 173-303-100?

Yes — Go to (13) dangerous waste criteria.

No — Continue.

(3) Discarded chemical product. Is your waste a discarded chemical product as described under WAC 173-303-081(1)? Is your waste listed on the discarded chemical products list, WAC 173-303-9903? Does your waste quantity exceed the quantity exclusion limits described in WAC 173-303-081(2) for your waste type?

Yes — You are the generator of a discarded chemical product. Assign the appropriate designation (EHW or DW) and the dangerous waste number (DW#) which correspond to your listed waste. Go to (14) generator.

No — Continue.

(4) Dangerous waste source. Is your waste and the process which generated it listed in the dangerous waste sources list, WAC 173-303-9904? Does your waste quantity exceed 400 lbs. per month or per batch, as set forth in WAC 173-303-082(1)?

Yes — You are the generator of a dangerous waste source. Designate your waste as a DW, and assign the dangerous waste number (DW#) which corresponds to your listed waste. Go to (14) generator.

No — Continue.

(5) Infectious dangerous waste. (Reserved.) The department has not promulgated regulations in this area. Continue to the next question.

(6) Dangerous waste mixtures. Is your waste a dangerous waste mixture as defined under WAC 173-303-084(3)? Do you know any of the chemical constituents of your waste? Do you know the concentrations for these constituents in your waste?

No — Go to (11) dangerous waste characteristics.

Yes — Continue.

(7) Toxic dangerous waste mixtures. Can you obtain toxicity data for your waste constituents of known concentration? (You should check the NIOSH Registry and EPA Spill Table referenced in WAC 173-303-084(2).) Assign toxic categories to each known waste constituent

in accordance with WAC 173-303-084 (5)(a). Calculate the equivalent concentration (%) for your waste in accordance with WAC 173-303-084 (5)(b). Plot your waste on the toxic dangerous waste mixtures graph, WAC 173-303-084 (5)(e) (a larger version of the TDWM graph appears in WAC 173-303-9906), in accordance with the procedures of WAC 173-303-084 (5)(c). Does the plotted point fall in either one of the regions marked DW or EHW?

Yes — You are the generator of a toxic dangerous waste mixture. Assign the proper designation (DW or EHW) according to the region in which the plotted point fell, and assign the dangerous waste number (DW#) WT01 if the toxic waste designation is EHW, or WT02 if it is DW. Go to (14) generator.

No — Continue.

(8) Persistent (HH) dangerous waste mixtures. Does your waste contain halogenated hydrocarbons (HH)? Sum all the known concentrations for the HH in your waste in accordance with WAC 173-303-084 (6)(a). Plot your waste on the persistent dangerous waste mixtures graph, WAC 173-303-084 (6)(f) (a larger version of the PDWM graph appears in WAC 173-303-9907), in accordance with the procedures of WAC 173-303-084 (6)(c). Does the plotted point fall in either of the regions marked DW or EHW?

Yes — You are the generator of a persistent dangerous waste mixture. Assign the proper designation (DW or EHW) according to the region in which the plotted point fell, and assign the dangerous waste number (DW#) WP01 if the HH waste designation is EHW, or WP02 if it is DW. Go to (14) generator.

No — Continue.

(9) Persistent (PAH) dangerous waste mixtures. Does your waste contain polycyclic aromatic hydrocarbons (PAH) as defined in WAC 173-303-040? Sum all the known concentrations for the PAH in your waste in accordance with WAC 173-303-084 (6)(b). Plot your waste on the persistent dangerous waste mixtures graph, WAC 173-303-084 (6)(f) (a larger version of the PDWM graph appears in WAC 173-303-9907), in accordance with the procedures of WAC 173-303-084 (6)(d). Does the plotted point fall in the region marked EHW (PAH are not designated at DW threshold levels)?

Yes — You are the generator of a persistent dangerous waste mixture. Designate your waste as EHW, and assign the dangerous waste number (DW#) WP03 to your waste. Go to (14) generator.

No — Continue.

(10) Carcinogenic dangerous waste mixtures. Does your waste contain constituents which are IARC (International Agency for Research on Cancer) positive or suspected, animal or human carcinogens? (Information on IARC carcinogens appears in the NIOSH Registry referenced in WAC 173-303-084(2).) Sum the concentrations of all IARC carcinogens in your waste. Does your waste contain more than one percent total IARC carcinogens, and does your waste quantity exceed 400 lbs. per month or per batch as set forth in WAC 173-303-084(7)?

Yes — You are the generator of a carcinogenic dangerous waste mixture. Designate your waste as DW, and assign the dangerous waste number (DW#) WC01 to your waste. Go to (14) generator.

No — Continue.

(11) Dangerous waste characteristics. Does your waste exhibit any of the dangerous waste characteristics, WAC 173-303-090, including: Ignitability, WAC 173-303-090(4); Corrosivity, WAC 173-303-090(5); Reactivity, WAC 173-303-090(6); or, EP toxicity, WAC 173-303-090(7)? Does your waste quantity exceed 400 lbs. per month or per batch?

Yes — You are a dangerous waste generator. Designate your waste (either DW or EHW) in accordance with the characteristic which it exhibits, and assign the dangerous waste number (DW#) that corresponds to the characteristic exhibited by your waste. Go to (14) generator.

No — Continue.

(12) Has the Washington Department of Ecology ordered you to test your waste against the dangerous waste criteria, WAC 173-303-100, pursuant to the provisions of WAC 173-303-070 (4)(b)?

No — Go to (15) not regulated.

Yes — Continue.

(13) Dangerous waste criteria. Check or test your waste against the dangerous waste criteria set forth in WAC 173-303-100, including: Dangerous waste characteristics, WAC 173-303-090; toxic dangerous wastes, WAC 173-303-101; persistent dangerous wastes, WAC 173-303-102; and carcinogenic dangerous wastes, WAC 173-303-103. Does your waste meet one or more of the dangerous waste criteria?

Yes — You are a dangerous waste generator. Designate your waste in accordance with all applicable criteria, and assign all dangerous waste numbers (DW#) corresponding to the criteria your waste needs. Go to (14) generator.

No — Go to (15) not regulated.

(14) Generator. Because you are a generator of a dangerous waste (DW or EHW), you must comply with the requirements set forth under WAC 173-303-170. You may check your waste against the dangerous waste criteria, WAC 173-303-100, to change its designation in accordance with WAC 173-303-070 (6)(a).

(15) Not regulated. You do not generate a dangerous waste, and therefore are exempt from any other requirements of chapter 173-303 WAC. [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-9902, filed 2/10/82.]

#### WAC 173-303-9903 Discarded chemical products list.

#### DISCARDED CHEMICAL PRODUCTS LIST

Dangerous Waste No.	Substance	WDOE Hazard Designation	Reason for Designation*
<b>ACUTELY DANGEROUS CHEMICAL PRODUCTS</b>			
P023	Acetaldehyde, chloro-	EHW	B H
U001	Acetaldehyde	EHW	C
U034	Acetaldehyde, trichloro-	EHW	H
P002	Acetamide, N-(aminothioxomethyl)-	EHW	B
P057	Acetamide, 2-fluoro-	EHW	B H
P058	Acetic acid, fluoro-, sodium salt	EHW	A H
U144	Acetic acid, lead salt	EHW	D EP
P066	Acetimidic acid, N-[(methylcarbamoyl)oxy]thio-, methyl ester	EHW	B
U003	Acetonitrile	EHW	C I
P001	3-(alpha-Acetylbenzyl)-4-hydroxycoumarin and salts	EHW	A
P002	1-Acetyl-2-thiourea	EHW	B
U006	Acetyl chloride	EHW	C H O R
P003	Acrolein	EHW	X
U007	Acrylamide	EHW	C
U008	Acrylic acid	EHW	C O I
U009	Acrylonitrile	EHW	C + I
P070	Aldicarb	EHW	B
P004	Aldrin	EHW	X H
P005	Allyl alcohol	EHW	B I
P006	Aluminum phosphide	EHW	B R
P007	5-(Aminomethyl)-3-isoxazolol	EHW	B
P008	4-Aminopyridine	EHW	B
P009	Ammonium picrate	EHW	R
P119	Ammonium vanadate	EHW	B
U012	Aniline	EHW	C I
P010	Arsenic acid	EHW	B
P012	Arsenic (III) oxide	EHW	B +
P011	Arsenic (V) oxide	EHW	B
P011	Arsenic pentoxide	EHW	B
P012	Arsenic trioxide	EHW	B +
P038	Arsine, diethyl-	EHW	B
U015	Azaserine	EHW	C +
P054	Aziridine	EHW	B +
U010	Azirino(2',3':3,4)pyrrolo(1,2a)indole-4,7-dione, 6-amino-8-[(aminocarbonyl)oxy)methyl]-1,1a,2,8,8a,8b-hexahydro-8a-methoxy-5-methyl-	EHW	B +
P013	Barium cyanide	EHW	A
U157	Benzen[e]aceanthrylene, 1,2-dihydro-3-methyl-	EHW	H P
U017	Benzal chloride	EHW	D H
U018	Benz[a]anthracene	EHW	P +
U018	1,2-Benzanthracene	EHW	P +
U094	1,2-Benzanthracene, 7,12-dimethyl-	EHW	C P
U012	Benzenamine	EHW	C I
P024	Benzenamine, 4-chloro-	EHW	C H
U049	Benzenamine, 4-chloro-2-methyl-	EHW	H
U093	Benzenamine, N,N-dimethyl-4-(phenylazo)-	EHW	C +
U158	Benzenamine, 4,4-methylenbis(2-chloro-	EHW	H +
P077	Benzenamine, 4-nitro-	EHW	D ?
P028	Benzene, (chloromethyl)-	EHW	B H +
U019	Benzene	EHW	C + I
U038	Benzenoacetic acid, 4-chloro-alpha-(4-chlorophenyl)-alpha-hydroxy, ethyl ester	EHW	H
U030	Benzene, 1-bromo-4-phenoxy-	EHW	H
U037	Benzene, chloro-	EHW	B H I
U190	1,2-Benzenedicarboxylic acid anhydride	EHW	C
U070	Benzene, 1,2-dichloro-	EHW	B H
U071	Benzene, 1,3-dichloro-	EHW	B H
U072	Benzene, 1,4-dichloro-	EHW	B H
U017	Benzene, (dichloromethyl)-	EHW	D H
U223	Benzene, 1,3-diisocyanatomethyl-	EHW	B R
U239	Benzene, dimethyl-	EHW	C I
U201	1,3-Benzenediol	EHW	C
U127	Benzene, hexachloro-	EHW	H
U056	Benzene, hexahydro-	EHW	C I
U188	Benzene, hydroxy-	EHW	C
U220	Benzene, methyl-	EHW	C I
U105	Benzene, 1-methyl-1-2,4-dinitro	EHW	C
U106	Benzene, 1-methyl-2,6-dinitro-	EHW	C
U055	Benzene, (1-methylethyl)-	EHW	C I
U169	Benzene, nitro-	EHW	C I
U183	Benzene, pentachloro	EHW	H
U185	Benzene, pentachloronitro-	EHW	D H +



Dangerous Waste Regulations

173-303-9903

Dangerous Waste No.	Substance	WDOE Hazard Designation	Reason for Designation*	Dangerous Waste No.	Substance	WDOE Hazard Designation	Reason for Designation*
U020	Benzenesulfonic acid chloride	EHW	D H O R	U197	1,4-Cyclohexadienedione	EHW	C
U020	Benzenesulfonyl chloride	EHW	D H O R	U056	Cyclohexane	EHW	C I
U207	Benzene, 1,2,4,5-tetrachloro-	EHW	D H	U057	Cyclohexanone	EHW	C I
U023	Benzene, (trichloromethyl)-	EHW	H O R	U130	1,3-Cyclopentadiene, 1,2,3,4,5,5-hexachloro-	EHW	X H
P042	1,2-Benzenediol, 4-[1-hydroxy-2-(methylamino)ethyl]-	EHW	B	U058	Cyclophosphamide	EHW	C H +
P014	Benzenethiol	EHW	A	U240	2,4-D, salts and esters	EHW	B H
U021	Benztidine	EHW	B +	U060	DDD	EHW	C H +
U022	Benzo[a]pyrene	EHW	P +	U061	DDT	EHW	X H +
U022	3,4-Benzopyrene	EHW	P +	U142	Decachlorooctahydro-1,3,4-metheno-2H-cyclobuta[c,d]-pentalen-2-one	EHW	X H
U197	p-Benzoquinone	EHW	C	U062	Diallate	EHW	C H +
U023	Benzotrithloride	EHW	H O R	U133	Diamine	EHW	B + R
U050	1,2-Benzphenanthrene	EHW	P +	U063	Dibenz[a,h]anthracene	EHW	A
P028	Benzyl chloride	EHW	B H +	U063	1,2:5,6-Dibenzanthracene	EHW	P +
P015	Beryllium dust	EHW	C +	U064	1,2,7,8-Dibenzopyrene	EHW	P +
U085	2,2'-Bioxirane	EHW	B I	U064	Dibenz[a,i]pyrene	EHW	P +
U021	'1,1'-Biphenyl)-4,4'-diamine	EHW	B +	U066	1,2-Dibromo-3-chloropropane	EHW	C H +
U073	(1,1'-Biphenyl)-4,4'-diamine, 3,3'-dichloro-	EHW	H +	U062	S-(2,3-Dichloroallyl) diisopropylthiocarbamate	EHW	C H +
U095	(1,1'-Biphenyl)-4,4'-diamine, 3,3'-dimethyl-	EHW	C +	U070	o-Dichlorobenzene	EHW	B H
U024	Bis(2-chloroethoxy) methane	EHW	C H	U071	m-Dichlorobenzene	EHW	B H
U027	Bis(2-chloroisopropyl) ether	EHW	C H O	U072	p-Dichlorobenzene	EHW	B H
P016	Bis(chloromethyl) ether	EHW	B H +	U073	3,3'-Dichlorobenzidine	EHW	H +
U246	Bromine cyanide	EHW	C H	U074	1,4-Dichloro-2-butene	EHW	C H I
P017	Bromoacetone	EHW	C H	U075	Dichlorodifluoromethane	EHW	H
U225	Bromoform	EHW	H	U060	Dichloro diphenyl dichloroethane	EHW	C H +
U030	4-Bromophenyl phenyl ether	EHW	H	U061	Dichloro diphenyl trichloroethane	EHW	X H +
P018	Brucine	EHW	A	U078	1,1-Dichloroethylene	EHW	C H +
U128	1,3-Butadiene, 1,1,2,3,4,4-hexachloro-	EHW	C H	U079	1,2-Dichloroethylene	EHW	D H
U035	Butanoic acid, 4-[bis(2-chloroethyl) amino] benzene-	EHW	H +	U025	Dichloroethyl ether	EHW	C H
U160	2-Butanone peroxide	EHW	B R	U081	2,4-Dichlorophenol	EHW	D H
U053	2-Butenal	EHW	B I	U082	2,6-Dichlorophenol	EHW	D H
U074	2-Butene, 1,4-dichloro-	EHW	C H I	U240	2,4-Dichlorophenoxyacetic acid, salts and esters	EHW	B H
U032	Calcium chromate	EHW	C + EP	P036	Dichlorophenylarsine	EHW	B H
P021	Calcium cyanide	EHW	B	U083	1,2-Dichloropropane	EHW	C H I
P123	Camphene, octachloro-	EHW	X H	U084	1,3-Dichloropropane	EHW	C H
U178	Carbamic acid, methylnitroso-, ethyl ester	EHW	C +	U037	Dieldrin	EHW	X H +
U176	Carbamide, N-ethyl-N-nitroso-	EHW	C +	U085	1,2,3,4-Diepoxybutane	EHW	B I
U177	Carbamide, N-methyl-N-nitroso-	EHW	C +	P038	Diethylarsine	EHW	B
U219	Carbamide, thio-	EHW	C +	P039	O,O-Diethyl S-[2-(ethylthio)ethyl] phosphorodithioate	EHW	A
P103	Carbamimidoseleonic acid	EHW	B	U087	O,O-Diethyl-S-methyl-dithiophosphate	EHW	B
U097	Carbamoyl chloride, dimethyl-	EHW	D H +	P041	Diethyl-p-nitrophenyl phosphate	EHW	A
P022	Carbon bisulfide	EHW	D I ?	P040	O,O-Diethyl O-pyrazenyl phosphorothioate	EHW	A
P022	Carbon disulfide	EHW	D I ?	P043	Diisopropyl fluorophosphate	EHW	B H
U156	Carbonochloridic acid, methyl ester	EHW	B H I	P044	Dimethoate	EHW	A
U033	Carbon oxyfluoride	EHW	H R	U092	Dimethylamine	EHW	C I
U211	Carbon tetrachloride	EHW	C H +	U093	Dimethylaminoazobenzene	EHW	C +
P095	Carbonyl chloride	EHW	B H	U094	7,12-Dimethylbenz[a]anthracene	EHW	C P
U033	Carbonyl fluoride	EHW	B H R	U095	3,3'-Dimethylbenzidine	EHW	C +
U035	Chlorambucil	EHW	H +	U096	alpha, alpha-Dimethylbenzylhydroperoxide	EHW	C R
U036	Chlordane, technical	EHW	X H	U097	Dimethylcarbamoyl chloride	EHW	D H +
P033	Chlorine cyanide	EHW	A H	U099	1,2-Dimethylhydrazine	EHW	C + I
U026	Chloronaphazine	EHW	H +	P045	3,3-Dimethyl-1-(methylthio)-2-butanone, O-[(methylamino)carbonyl] oxime	EHW	B
P023	Chloroacetaldehyde	EHW	B H	P071	O,O-Dimethyl O-p-nitrophenyl phosphorothioate	EHW	A
P024	p-Chloroaniline	EHW	C H	P082	Dimethylnitrosamine	EHW	B +
U037	Chlorobenzene	EHW	B H I	P046	alpha, alpha-Dimethylphenethylamine	EHW	C
U039	4-Chloro-m-cresol	EHW	H	U103	Dimethyl sulfate	EHW	C O +
U041	1-Chloro-2,3-epoxypropane	EHW	C H + I	P047	4,6-Dinitro-o-cresol and salts	EHW	B
U042	2-Chloroethyl vinyl ether	EHW	C H	P034	4,6-Dinitro-o-cyclohexylphenol	EHW	C
U044	Chloroform	EHW	C H +	P048	2,4-Dinitrophenol	EHW	B
U046	Chloromethyl methyl ether	EHW	D H + I	U105	2,4-Dinitrotoluene	EHW	C
U047	beta-Chloronaphthalene	EHW	D H	U106	2,6-Dinitrotoluene	EHW	C
U048	o-Chlorophenol	EHW	D H	P020	Dinoseb	EHW	B
P026	1-(o-Chlorophenyl)thiourea	EHW	A H	U109	1,2-Diphenylhydrazine	EHW	C
P027	3-Chloropropionitrile	EHW	B H	P035	Diphosphoramidate, octamethyl	EHW	?
U049	4-Chloro-o-toluidine, hydrochloride	EHW	H	U110	Dipropylamine	EHW	C I
U032	Chromic acid, calcium salt	EHW	C H +	U111	Di-n-propylnitrosamine	EHW	C +
U050	Chrysene	EHW	P +	P039	Disulfoton	EHW	A
P029	Copper cyanides	EHW	B	P049	2,4-Dithiobiuret	EHW	A
U051	Creosote	EHW	B	P109	Dithiopyrophosphoric acid, tetraethyl ester	EHW	A
U052	Cresols	EHW	B	P050	Endosulfan	EHW	X H
U052	Cresylic acid	EHW	B	P088	Endothall	EHW	B
U053	Crotonaldehyde	EHW	B I	P051	Endrin	EHW	X H
U055	Cummene	EHW	C I	P042	Epinephrine	EHW	B
P030	Cyanides (soluble cyanide salts), not elsewhere specified	EHW	A	U001	Ethanal	EHW	C
P031	Cyanogen	EHW	B I	U174	Ethanamine, N-ethyl-N-nitroso-	EHW	C +
U246	Cyanogen bromide	EHW	C H				
P033	Cyanogen chloride	EHW	A H				

Dangerous Waste No.	Substance	WDOE Hazard Designation	Reason for Designation*	Dangerous Waste No.	Substance	WDOE Hazard Designation	Reason for Designation*
P046	Ethanamine, 1,1-dimethyl-2-phenyl-	EHW	C	U129	Lindane	EHW	H +
U067	Ethane, 1,2-dibromo-	EHW	C H +	U147	Maleic anhydride	EHW	C
U076	Ethane, 1,1-dichloro-	EHW	D H	U149	Malononitrile	EHW	C
U077	Ethane, 1,2-dichloro-	EHW	D H	U151	Mercury	EHW	EP
U114	1,2-Ethanedijylbiscarbamodithioic acid	EHW	B	P092	Mercury, (acetato-O)phenyl-	EHW	B
U131	Ethane, 1,1,1,2,2,2-hexachloro-	EHW	H	P065	Mercury fulminate	EHW	R ?
U024	Ethane, 1,1'-[methylenebis(oxy)] bis[2-chloro-	EHW	C H	U152	Methacrylonitrile	EHW	B I
U247	Ethane, 1,1,1-trichloro-2,2-bis(b-methoxy phenyl)	EHW	D H	U092	Methanamine, N-methyl-	EHW	C I
U003	Ethanenitrile	EHW	C	P016	Methane, oxybis(chloro)-	EHW	B H +
U025	Ethane, 1,1'-oxybis[2-chloro-	EHW	C H	P112	Methane, tetranitro-	EHW	A R
U184	Ethane, pentachloro-	EHW	A H	U029	Methane, bromo-	EHW	H
U208	Ethane, 1,1,1,2-tetrachloro-	EHW	H	U045	Methane, chloro-	EHW	H I
U209	Ethane, 1,1,2,2-Tetrachloro-	EHW	H	U046	Methane, chloromethoxy-	EHW	D H + I
U227	Ethane, 1,1,2-trichloro-	EHW	C H	U068	Methane, dibromo-	EHW	C H +
P084	Ethenamine, N-methyl-N-nitroso	EHW	B +	U080	Methane, dichloro-	EHW	C H
U043	Ethene, chloro-	EHW	D H +	U075	Methane, dichlorodifluoro-	EHW	H
U042	Ethane, 2-chloroethoxy-	EHW	C H	U138	Methane, iodo-	EHW	H +
U078	Ethene, 1,1-dichloro-	EHW	C H +	U211	Methane, tetrachloro-	EHW	C H +
U079	Ethene, trans-1,2-dichloro-	EHW	D H	P118	Methanethiol, trichloro-	EHW	H
U210	Ethene, 1,1,2,2-tetrachloro-	EHW	C H	U153	Methanethiol	EHW	B I
U006	Ethanoxy chloride	EHW	C H O R	U225	Methane, tribromo	EHW	H
P101	Ethyl cyanide	EHW	B	U121	Methane, trichlorofluoro-	EHW	H
U038	Ethyl 4,4'-dichlorobenzilate	EHW	D H	U044	Methane, trichloro-	EHW	C H +
U114	Ethylenebis(dithiocarbamic acid), salts and esters	EHW	B	P059	4,7-Methano-1H-indene, 1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro-	EHW	X H +
U067	Ethylene dibromide	EHW	C H	U036	4,7-Methanoindan, 1,2,4,5,6,7,8,8-octa-chloro-3a,4,7,7a-tetrahydro-	EHW	X H
U077	Ethylene dichloride	EHW	D H	P066	Methomyl	EHW	B
U115	Ethylene oxide	EHW	C I	P067	2-Methylazindine	EHW	B + I
P054	Ethylenimine	EHW	B +	P068	Methyl hydrazine	EHW	A I
U076	Ethylidene dichloride	EHW	D H	P064	Methyl isocyanate	EHW	I ?
P097	Famphur	EHW	A	P069	2-Methylactonitrile	EHW	A
P056	Fluorine	EHW	B	P071	Methyl parathion	EHW	A
P057	Fluoroacetamide	EHW	B H	U029	Methyl bromide	EHW	H
P058	Fluoroacetic acid, sodium salt	EHW	A H	U045	Methyl chloride	EHW	H I
U122	Formaldehyde	EHW	C	U156	Methyl chlorocarbonate	EHW	B H I
P065	Fulminic acid, mercury (II) salt	EHW	R ?	U226	Methylchloroform	EHW	C H
U125	2-Furancarboxaldehyde	EHW	C I	U157	3-Methylcholanthrene	EHW	H P
U147	2,5-Furandione	EHW	C	U158	4,4'-Methylenebis(2-chloroaniline)	EHW	H +
U125	Furfural	EHW	C I	U132	2,2'-Methylenebis(3,4,6-trichlorophenol)	EHW	C H
U126	Glycidylaldehyde	EHW	C +	U068	Methylene bromide	EHW	C H +
U163	Guanidine, N-nitroso-N-methyl-N'nitro-	EHW	C +	U080	Methylene chloride	EHW	C H
P059	Heptachlor	EHW	X H +	U122	Methylene oxide	EHW	C
U127	Hexachlorobenzene	EHW	H	U160	Methyl ethyl ketone peroxide	EHW	C R
U128	Hexachlorobutadiene	EHW	C H	U138	Methyl iodide	EHW	H +
U129	Hexachlorocyclohexane (gamma isomer)	EHW	H +	U163	N-Methyl-N'-nitro-N-nitrosoguanidine	EHW	C +
U130	Hexachlorocyclopentadiene	EHW	X H	U010	Mitomycin C	EHW	B +
P051	1,2,3,4,10,10-Hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-endo, endo-1,4,5,8-dimethanonaphthalene	EHW	X H	U165	Naphthalene	EHW	B
P037	1,2,3,4,10,10-Hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-endo, exo-1,4,5,8-dimethanonaphthalene	EHW	X H +	U047	Naphthalene, 2-chloro-	EHW	D H
U131	Hexachloroethane	EHW	H	U166	1,4-Naphthalenedione	EHW	C
P060	1,2,3,4,10,10-Hexachloro-1,4,4a,5,8,8a-hexahydro-1,4:5,8-endo, endo-dimethanonaphthalene	EHW	B H	U236	2,7-Naphthalenedisulfonic acid, 3,3'-[(3,3'-dimethyl-(1,1'-biphenyl)-4,4'-diyl)]-bis(azo)bis(5-amino-4-hydroxy)-, tetrasodium salt	EHW	H +
P004	1,2,3,4,10,10-Hexachloro-1,4,4a,5,8,8a-hexahydro-1,4:5,8-endo, exodimethanonaphthalene	EHW	B H	U166	1,4-Naphthaquinone	EHW	C
P060	Hexachlorohexahydro-endo, endo-dimethanonaphthalene	EHW	B H	U167	1-Naphthylamine	EHW	B +
U132	Hexachlorophene	EHW	C H	U168	2-Naphthylamine	EHW	B +
U243	Hexachloropropene	EHW	H	U167	alpha-Naphthylamine	EHW	B +
P062	Hexaethyl tetraphosphate	EHW	B	U168	beta-Naphthylamine	EHW	B +
U133	Hydrazine	EHW	B + R	U026	2-Naphthylamine, N,N'-bis(2-chloro-methyl)-	EHW	H +
P116	Hydrazinecarbothioamide	EHW	B	P072	alpha-Naphthylthiourea	EHW	B
U099	Hydrazine, 1,2-dimethyl-	EHW	C + I	P073	Nickel carbonyl	EHW	B
U109	Hydrazine, 1,2-diphenyl-	EHW	C	P074	Nickel cyanide	EHW	D R ?
P068	Hydrazine, methyl-	EHW	A I	P074	Nickel (II) cyanide	EHW	D R ?
P063	Hydrocyanic acid	EHW	A	P073	Nickel tetracarbonyl	EHW	B
P063	Hydrogen cyanide	EHW	A	P075	Nicotine and salts	EHW	B
P096	Hydrogen phosphide	EHW	B I	P076	Nitric oxide	EHW	B
U135	Hydrogen sulfide	EHW	B I	P077	p-Nitroaniline	EHW	D ?
U096	Hydroperoxide, 1-methyl-1-phenylethyl-	EHW	C R	U169	Nitrobenzene	EHW	C I
U245	Indomethacin	EHW	B H	P078	Nitrogen dioxide	EHW	A
P064	Isocyanic acid, methyl ester	EHW	I ?	P076	Nitrogen (II) oxide	EHW	B
P007	3(2H)-Isoxazolone, 5-(aminomethyl)-	EHW	B	P078	Nitrogen (IV) oxide	EHW	A
U142	Kepon	EHW	X H	P081	Nitroglycerine	EHW	R ?
U143	Lasiocarpine	EHW	C +	U170	p-Nitrophenol	EHW	C
U114	Lead acetate	EHW	D EP	U171	2-Nitropropane	EHW	C I
				U174	N-Nitrosodiethylamine	EHW	C +
				P082	N-Nitrosodimethylamine	EHW	B +
				U176	N-Nitroso-N-ethylurea	EHW	C +
				U177	N-Nitroso-N-methylurea	EHW	C +
				U178	N-Nitroso-N-methylurethane	EHW	C +
				P084	N-Nitrosomethylvinylamine	EHW	B +

Dangerous Waste Regulations

173-303-9903

Dangerous Waste No.	Substance	WDOE Hazard Designation	Reason for Designation*	Dangerous Waste No.	Substance	WDOE Hazard Designation	Reason for Designation*
U179	N-Nitrosopiperidine	EHW	C +	U084	Propene, 1,3-dichloro-	EHW	C H
U111	N-Nitroso-N-propylamine	EHW	C +	U243	1-Propene, 1,1,2,3,3,3-hexachloro-	EHW	H
P050	5-Norbornene-2,3-dimethanol, 1,4,5,6,7,7-hexachloro, cyclic sulfite	EHW	X H	U009	2-Propenenitrile	EHW	C + I
P085	Octamethylpyrophosphoramidate	EHW	A	U152	2-Propenenitrile, 2-methyl-	EHW	B I
P087	Osmium oxide	EHW	B	U008	2-Propenoic acid	EHW	C O I
P087	Osmium tetroxide	EHW	B	P005	2-Propen-1-ol	EHW	B I
P088	7-Oxabicyclo[2.2.1]heptane-2,3-dicarboxylic acid	EHW	B	U233	Propionic acid, 2-(2,4,5-trichlorophenoxy)-	EHW	B H
U058	2H-1,3,2-Oxazaphosphorine, 2-[bis(2-chloro-ethyl)amino]tetrahydro-, oxide 2-	EHW	C H I	U194	n-Propylamine	EHW	C I
U115	Oxirane	EW H	C I	U083	Propylene dichloride	EHW	C H I
U041	Oxirane, 2-(chloromethyl)-	EHW	C H + I	P067	1,2-Propylenimine	EHW	B + I
P089	Parathion	EHW	X	P102	2-Propyn-1-ol	EHW	X
U183	Pentachlorobenzene	EHW	H	P008	4-Pyridinamine	EHW	B
U184	Pentachloroethane	EHW	A H	P075	Pyridine, (S)-3-(1-methyl-2-pyrrolidinyl)-, and salts	EHW	B
U185	Pentachloronitrobenzene	EHW	D H +	U196	Pyridine	EHW	C I
U242	Pentachlorophenol	EHW	A H	U179	Pyridine, hexahydro-N-nitroso-	EHW	C +
U188	Phenol	EHW	C	U191	Pyridine, 2-methyl-	EHW	C
P034	Phenol, 2-cyclohexyl-4,6-dinitro-	EHW	C	P111	Pyrophosphoric acid, tetraethyl ester	EHW	A
P048	Phenol, 2,4-dinitro-	EHW	B	U201	Resorcinol	EHW	C
P047	Phenol, 2,4-dinitro-6-methyl-, and salts	EHW	B	P103	Selenourea	EHW	B
P020	Phenol, 2,4-dinitro-6-(1-methylpropyl)-	EHW	B	U015	L-Serine, diazoacetate (ester)	EHW	C +
P009	Phenol, 2,4,6-trinitro-, ammonium salt	EHW	R	P104	Silver cyanide	EHW	C
U048	Phenol, 2-chloro-	EHW	D H	U233	Silvex	EHW	B H
U039	Phenol, 4-chloro-3-methyl-	EHW	H	P105	Sodium azide	EHW	A
U081	Phenol, 2,4-dichloro-	EHW	D H	P106	Sodium cyanide	EHW	B
U082	Phenol, 2,6-dichloro-	EHW	D H	P107	Strontium sulfide	EHW	R
U017	Phenol, 4-nitro-	EHW	C	P108	Strychnidin-10-one, and salts	EHW	B
U242	Phenol, pentachloro-	EHW	A H	P018	Strychnidin-10-one, 2,3-dimethoxy-	EHW	A
U212	Phenol, 2,3,4,6-tetrachloro-	EHW	C H	P108	Strychnine and salts	EHW	B
U230	Phenol, 2,4,5-trichloro-	EHW	A H	U135	Sulfur hydride	EHW	B I
U231	Phenol, 2,4,6-trichloro-	EHW	A H	U103	Sulfuric acid, dimethyl ester	EHW	C O +
P036	Phenyl dichloroarsine	EHW	B H	P115	Sulfuric acid, thallium (I) salt	EHW	B
P092	Phenylmercuric acetate	EHW	B	U189	Sulfur phosphide	EHW	B I R
P093	N-Phenylthiourea	EHW	A	U232	2,4,5-T	EHW	B H +
P094	Phorate	EHW	X	U207	1,2,4,5-Tetrachlorobenzene	EHW	D H
P095	Phosgene	EHW	B H	U208	1,1,1,2-Tetrachloroethane	EHW	H
P096	Phosphine	EHW	B I	U209	1,1,2,2-Tetrachloroethane	EHW	H
P041	Phosphoric acid, diethyl p-nitrophenyl ester	EHW	A	U210	Tetrachloroethylene	EHW	C H
P044	Phosphorodithioic acid, O,O-dimethyl S-[2-(methylamino)-2-oxoethyl] ester	EHW	A	U212	2,3,4,6-Tetrachlorophenol	EHW	C H
P043	Phosphorofluoridic acid, bis(1-methyl-ethyl)-ester	EHW	B H	P109	Tetraethyldithiopyrophosphate	EHW	A
P094	Phosphorothioic acid, O,O-diethyl S-(ethylthio)methyl ester	EHW	X	P110	Tetraethyl lead	EHW	A
P097	Phosphorothioic acid, O,O-dimethyl O-[p-((dimethylamino)-sulfonyl)phenyl]ester	EHW	A	P111	Tetraethylpyrophosphate	EHW	A
P089	Phosphorothioic acid, O,O-diethyl O-(p-nitrophenyl)ester	EHW	X	P112	Tetranitromethane	EHW	A R
P040	Phosphorothioic acid, O,O-diethyl O-pyra-zinyl ester	EHW	A	P062	Tetraphosphoric acid, hexaethyl ester	EHW	B
U189	Phosphorous sulfide	EHW	B I R	P113	Thallic oxide	EHW	B
U190	Phthalic anhydride	EHW	C	P113	Thallium (III) oxide	EHW	B
U191	2-Picoline	EHW	C	P114	Thallium (I) selenide	EHW	C
P110	Plumbane, tetraethyl-	EHW	A	P115	Thallium (I) sulfate	EHW	B
P098	Potassium cyanide	EHW	A	P045	Thiofanox	EHW	B
P099	Potassium silver cyanide	EHW	A	P049	Thioimidodicarbonic diamide	EHW	A
P070	Propanal, 2-methyl-2(methylthio)-O-[(methylamino)carbonyl]oxime	EHW	B	U153	Thiomethanol	EHW	B I
U194	1-Propanamine	EHW	C I	P014	Thiophenol	EHW	A
U110	1-Propanamine, N-propyl-	EHW	C I	P116	Thiosemicarbozide	EHW	B H +
U066	Propane, 1,2-dibromo-3-chloro-	EHW	C H +	U219	Thiourea	EHW	C +
U149	Propanedinitrile	EHW	C	P026	Thiourea, (2-chlorophenyl)-	EHW	A H
P101	Propanenitrile	EHW	B	P072	Thiourea, 1-naphthalenyl-	EHW	B
P027	Propanenitrile, 3-chloro-	EHW	B H	P093	Thiourea, phenyl-	EHW	A
P079	Propanenitrile, 2-hydroxy-2-methyl-	EHW	A	U220	Toluene	EHW	C I
U171	Propane, 2-nitro-	EHW	C I	U233	Toluene diisocyanate	EHW	B R
U027	Propane, 2,2-oxobis[2-chloro-	EHW	C H O	P123	Toxaphene	EHW	X H
P081	1,2,3-Propanetriol, trinitrate-	EHW	R ?	U226	1,1,1-Trichloroethane	EHW	C H
U235	1-Propanol, 2,3-dibromo-, phosphate (3:1)	EHW	D H	U227	1,1,2-Trichloroethane	EHW	C H
U126	1-Propanol, 2,3-epoxy-	EHW	C +	U228	Trichloroethene	EHW	C H +
P017	2-Propanone, 1-bromo-	EHW	C H	U228	Trichloroethylene	EHW	C H +
P102	Propargyl alcohol	EHW	X	P118	Trichloromethanethiol	EHW	H
P003	2-Propenal	EHW	X	U121	Trichloromonofluoromethane	EHW	H
U007	2-Propenamamide	EHW	C	U230	2,4,5-Trichlorophenol	EHW	A H
				U231	2,4,6-Trichlorophenol	EHW	A H
				U232	2,4,5-Trichlorophenoxyacetic acid	EHW	B H +
				U235	Tris(2,3-dibromopropyl) phosphate	EHW	D H
				U236	Trypan blue	EHW	H +
				U237	Uracil, 5[bis(2-chloromethyl)amino]-	EHW	B H +
				U237	Uracil mustard	EHW	B H +
				P119	Vanadic acid, ammonium salt	EHW	B
				P120	Vanadium pentoxide	EHW	B
				P120	Vanadium (V) oxide	EHW	B
				U043	Vinyl chloride	EHW	D H +
				P001	Warfarin	EHW	A
				U239	Xylene	EHW	C I
				P121	Zinc cyanide	EHW	C

Dangerous Waste No.	Substance	WDOE Hazard Designation	Reason for Designation*	Dangerous Waste No.	Substance	WDOE Hazard Designation	Reason for Designation*
P122	Zinc phosphide	EHW	B R	U124	Furan	DW	I
				U213	Furan, tetrahydro-	DW	I
				U124	Furfuran	DW	I
				U206	D-Glucopyranose, 2-deoxy-2(3-methyl-3-nitrosoureido)-	DW	+
	MODERATELY DANGEROUS CHEMICAL PRODUCTS			U086	Hydraxine, 1,2-diethyl-	DW	+
U187	Acetamide, N-(4-ethoxyphenyl)-	DW	D +	U098	Hydrazine, 1,1-dimethyl-	DW	+ I
U005	Acetamide, N-9H-fluoren-2-yl-	DW	?	U134	Hydrofluoric acid	DW	D O
U112	Acetic acid, ethyl ester	DW	D I	U134	Hydrogen fluoride	DW	D O
U214	Acetic acid, thallium(I) salt	DW	?	U136	Hydroxydimethylarsine oxide	DW	D
U002	Acetone	DW	D I	U116	2-Imidazolidinethione	DW	D +
U004	Acetophenone	DW	D	U137	Indeno[1,2,3-cd]pyrene	DW	+
U005	2-Acetylaminofluorene	DW	?	U139	Iron dextran	DW	+
U150	Alanine, 3-[p-bis(2-chloroethyl)amino]phenyl-, L-	DW	+	U140	Isobutyl alcohol	DW	D I
U011	Amitrole	DW	D +	U141	Isosafrole	DW	D +
U014	Auramine	DW	+	U145	Lead phosphate	DW	+
U016	Benz[c]acridine	DW	+	U146	Lead subacetate	DW	+
U016	3,4-Benzacridine	DW	+	U148	Maleic hydrazide	DW	D
U014	Benzenamine, 4,4-carbonimidoylbis(N,N-dimethyl-)	DW	+	U150	Melphalan	DW	+
				U119	Methanesulfonic acid, ethyl ester	DW	+
U222	Benzenamine, 2-methyl-, hydrochloride	DW	D +	U123	Methanoic acid	DW	D O
U181	Benzenamine, 2-methyl-5-nitro	DW	D	U154	Methanol	DW	D I
U028	1,2-Benzenedicarboxylic acid, [bis(2-ethyl-hexyl)] ester	DW	?	U155	Methapyrene	DW	D
U069	1,2-Benzenedicarboxylic acid, dibutyl ester	DW	D	U154	Methyl alcohol	DW	D I
U088	1,2-Benzenedicarboxylic acid, diethyl ester	DW	?	U186	1-Methylbutadiene	DW	D I
U102	1,2-Benzenedicarboxylic acid, dimethyl ester	DW	?	U159	Methyl ethyl ketone	DW	D I
U107	1,2-Benzenedicarboxylic acid, di-n-octyl ester	DW	?	U161	Methyl isobutyl ketone	DW	D I
U203	Benzene, 1,2-methylenedioxy-4-allyl-	DW	D +	U162	Methyl methacrylate	DW	D I
U141	Benzene, 1,2-methylenedioxy-4-propenyl-	DW	D +	U161	4-Methyl-2-pentanone	DW	+
U090	Benzene, 1,2-methylenedioxy-4-propyl-	DW	D +	U164	Methylthiouracil	DW	+
U234	Benzene, 1,3,5-trinitro-	DW	D R	U059	5,12-Naphthacenedione, (8S-cis)-8-acetyl-10-[(3-amino-2,3,6-trideoxy-alpha-L-lyxo-hexopyranosyl)oxyl]-7,8,9,10-tetrahydro-6,8,11-trihydroxy-1-methoxy-	DW	+
U202	1,2-Benzisothiazolin-3-one, 1,1-dioxide, and salts	DW	+	U172	N-Nitrosodi-n-butylamine	DW	D +
U120	Benzo[j,k]fluorene	DW	D	U173	N-Nitrosodiethanolamine	DW	+
U091	(1,1'-Biphenyl)-4'-diamine, 3,3'-dimethoxy-	DW	D +	U180	N-Nitrosopyrrolidine	DW	D +
U244	Bis(dimethylthiocarbomoyl) disulfide	DW	D	U181	5-Nitro-o-toluidine	DW	D
U028	Bis(2-ethoxythyl) phthalate	DW	?	U139	1,2-Oxathiolane, 2,2-dioxide	DW	+
U172	1-Butanamine, N-butyl-N-nitroso-	DW	D +	U182	Paraldehyde	DW	D I
U031	1-Butanol	DW	D I	U186	1,3-Pentadiene	DW	D I
U159	2-Butanone	DW	D I	U187	Phenacetin	DW	D +
U031	n-Butyl alcohol	DW	D I	U101	Phenol, 2,4-dimethyl-	DW	D
U136	Cacodylic acid	DW	D	U137	1,10-(1,2-phenylene)pyrene	DW	+
U238	Carbamic acid, ethyl ester	DW	+	U145	Phosphoric acid, Lead salt	DW	+
U215	Carbonic acid, dithallium(I) salt	DW	?	U087	Phosphorodithioic acid, O,O-diethyl-,S-methyl ester	DW	?
U034	Chloral	DW	?	U192	Pronamide	DW	?
U059	Daunomycin	DW	+	U193	1,3-Propane sultone	DW	+
U221	Diaminotoluene	DW	?	U140	1-Propanol, 2-methyl-	DW	D I
U069	Dibutyl phthalate	DW	D	U002	2-Propanone	DW	D I
U192	3,5-Dichloro-N-(1,1-dimethyl-2-propynyl)benzamide	DW	?	U113	2-Propenoic acid, ethyl ester	DW	D I
U108	1,4-Diethylene dioxide	DW	D +	U118	2-Propenoic acid, 2-methyl-, ethyl ester	DW	I
U086	N,N-Diethylhydrazine	DW	+	U162	2-Propenoic acid, 2-methyl-, methyl ester	DW	D I
U088	Diethyl phthalate	DW	?	U155	Pyridine, 2-[(2dimethylamino)-2-thenylamino]-	DW	D
U089	Diethylstilbestrol	DW	+	U164	4(1H)-Pyrimidinone, 2,3-dihydro-6-methyl-2-thioxo-	DW	+
U148	1,2-Dihydro-3-,6-pyridinedione	DW	D	U180	Pyrrrole, tetrahydro-N-nitroso-	DW	D +
U090	Dihydrosafrole	DW	D +	U200	Reserpine	DW	?
U091	3,3'-Dimethoxybenzidine	DW	D +	U202	Saccharin and salts	DW	+
U098	1,1-Dimethylhydrazine	DW	+ I	U203	Safrole	DW	D +
U101	2,4-Dimethylphenol	DW	D	U204	Seleniousacid	DW	O
U102	Dimethyl phthalate	DW	?	U204	Selenium dioxide	DW	O
U107	Di-n-octyl phthalate	DW	?	U205	Selenium disulfide	DW	R
U108	1,4-Dioxane	DW	D +	U089	4,4'-Stilbenediol, alpha,alpha'-diethyl-	DW	+
U117	Ethane, 1,1'-oxybis-	DW	D I	U206	Streptozotocin	DW	+
U218	Ethanethioamide	DW	+	U205	Sulfur selenide	DW	R
U173	Ethanol, 2,2-(nitrosoimino)bis-	DW	+	U213	Tetrahydrofuran	DW	I
U004	Ethanone, 1-phenyl-	DW	D	U214	Thallium(1) acetate	DW	?
U112	Ethyl acetate	DW	D I	U215	Thallium(1) carbonate	DW	?
U113	Ethyl acrylate	DW	D I	U216	Thallium(1) chloride	DW	?
U238	Ethyl carbamate (urethan)	DW	+	U217	Thallium(1) nitrate	DW	?
U116	Ethylene thiourea	DW	D +	U218	Thioacetamide	DW	+
U117	Ethyl ether	DW	D I	U244	Thiran	DW	D
U118	Ethyl methacrylate	DW	I	U221	Toluenediamine	DW	?
U119	Ethyl methanesulfonate	DW	+	U222	O-Toluidine hydrochloride	DW	D +
U139	Ferric dextran	DW	+	U011	1H-1,2,4-Triazol-3-amine	DW	D +
U120	Fluoranthene	DW	D	U234	sym-Trinitrobenzene	DW	D R
U123	Formic Acid	DW	D O				

Dangerous Waste No.	Substance	WDOE Hazard Designation	Reason for Designation*
---------------------	-----------	-------------------------	-------------------------

U182	1,3,5-Trioxane, 2,4,5-trimethyl-	DW	D 1
U200	Yohimban-16-carboxylic acid, 11,17-dimethoxy-18-[(3,4,5-trimethoxybenzoyl)oxy]-, methyl ester	DW	?

- \* EHW = Extremely hazardous waste  
 DW = Dangerous waste  
 X = Toxic, Category X  
 A = Toxic, Category A  
 B = Toxic, Category B  
 C = Toxic, Category C  
 D = Toxic, Category D  
 H = Persistent, halogenated hydrocarbon  
 O = Corrosive  
 P = Persistent, polycyclic aromatic hydrocarbon  
 + = ARC positive or suspended carcinogen  
 I = Ignitable  
 R = Reactive  
 EP = Extraction procedure toxicity

[Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-9903, filed 2/10/82.]

Reviser's note: The brackets and enclosed material in the text of the above section occurred in the copy filed by the agency.

**WAC 173-303-9904 Dangerous waste sources list.**

**DANGEROUS WASTE SOURCES LIST**

Dangerous Waste No.	Sources
---------------------	---------

**Nonspecific Sources**

Generic:

- F001 The following spent halogenated solvents used in degreasing: Tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethane, carbon tetrachloride, and the chlorinated fluorocarbons; and sludges from the recovery of these solvents in degreasing operations.
- F002 The following spent halogenated solvents: Tetrachloroethylene, methylene chloride, trichloroethylene, 1,1,1-trichloroethane, chlorobenzene, 1,1,2-trichloro-1,1,1-trifluoroethane, o-dichlorobenzene, trichlorofluoromethane; and the still bottoms from the recovery of these solvents.
- F003 The following spent nonhalogenated solvents: Xylene, acetone, ethyl acetate, ethyl benzene, ethyl ether, methyl isobutyl ketone, n-butyl alcohol, cyclohexanone, and methanol; and the still bottoms from the recovery of these solvents.
- F004 The following spent nonhalogenated solvents: Cresols and cresylic acid, nitrobenzene, and the still bottoms from the recovery of these solvents.

Dangerous Waste No.	Sources
---------------------	---------

- F005 The following spent nonhalogenated solvents: Toluene, methyl ethyl ketone, carbon disulfide, isobutanol, pyridine; and the still bottoms from the recovery of these solvents.
- F006 Wastewater treatment sludges from electroplating operations except from the following processes: (1) Sulfuric acid anodizing of aluminum; (2) tin plating on carbon steel; (3) zinc plating (segregated basis) on carbon steel; (4) aluminum or zinc-aluminum plating on carbon steel; (5) cleaning/stripping associated with tin, zinc, and aluminum plating on carbon steel; and (6) chemical etching and milling of aluminum.
- F019 Wastewater treatment sludges from the chemical conversion coating of aluminum.
- F007 Spent plating bath solutions from electroplating operations (except for precious metals electroplating spent cyanide plating bath solutions).
- F008 Plating bath sludges from the bottom of plating baths from electroplating operations where cyanides are used in the process (except for precious metals electroplating bath sludges).
- F009 Spent stripping and cleaning bath solutions from electroplating operations where cyanides are used in the process (except for precious metals electroplating spent stripping and cleaning bath solutions).
- F010 Quenching bath sludge from oil baths from metal heat treating operations where cyanides are used in the process (except for precious metals heat-treating quenching bath sludges).
- F011 Spent solutions from salt bath pot cleaning from metal heat treating operations (except for precious metals heat-treating spent cyanide solutions from salt bath pot cleaning).
- F012 Quenching wastewater treatment sludges from metal heat-treating operations where cyanides are used in the process (except for precious metals heat-treating quenching wastewater treatment sludges).

**Specific Sources**

Wood Preservation:

- K001 Bottom sediment sludge from the treatment of wastewaters from wood preserving processes that use creosote and/or pentachlorophenol.

Inorganic Pigments:

Dangerous Waste No.	Sources	Dangerous Waste No.	Sources
K002	Wastewater treatment sludge from the production of chrome yellow and orange pigments.	K024	Distillation bottoms from the production of phthalic anhydride from naphthalene.
K003	Wastewater treatment sludge from the production of molybdate orange pigments.	K093	Distillation light ends from the production of phthalic anhydride from ortho-xylene.
K004	Wastewater treatment sludge from the production of zinc yellow pigments.	K094	Distillation bottoms from the production of phthalic anhydride from ortho-xylene.
K005	Wastewater treatment sludge from the production of chrome green pigments.	K025	Distillation bottoms from the production of nitrobenzene by the nitration of benzene.
K006	Wastewater treatment sludge from the production of chrome oxide green pigments (anhydrous and hydrated).	K026	Stripping still tails from the production of methyl ethyl pyridines.
K007	Wastewater treatment sludge from the production of iron blue pigments.	K027	Centrifuge and distillation residues from toluene diisocyanate production.
K008	Oven residue from the production of chrome oxide green pigments.	K028	Spent catalyst from the hydrochlorinator reactor in the production of 1,1,1-trichloroethane.
Organic Chemicals:		K029	Waste from the product steam stripper in the production of 1,1,1-trichloroethane.
K009	Distillation bottoms from the production of acetaldehyde from ethylene.	K095	Distillation bottoms from the production of 1,1,1-trichloroethane.
K010	Distillation side cuts from the production of acetaldehyde from ethylene.	K096	Heavy ends from the heavy ends column from the production of 1,1,1-trichloroethane.
K011	Bottom stream from the wastewater stripper in the production of acrylonitrile.	K030	Column bottoms or heavy ends from the combined production of trichloroethylene and perchloroethylene.
K013	Bottom stream from the acetonitrile column in the production of acrylonitrile.	K083	Distillation bottoms from aniline production.
K014	Bottoms from the acetonitrile purification column in the production of acrylonitrile.	K103	Process residues from aniline extraction from the production of aniline.
K015	Still bottoms from the distillation of benzyl chloride.	K104	Combined wastewater streams generated from nitrobenzene/aniline production.
K016	Heavy ends or distillation residues from the production of carbon tetrachloride.	K085	Distillation of fractionation column bottoms from the production of chlorobenzenes.
K017	Heavy ends (still bottoms) from the purification column in the production of epichlorohydrin.	K105	Separated aqueous stream from the reactor product washing step in the production of chlorobenzenes.
K018	Heavy ends from fractionation in ethyl chloride production.	Explosives:	
K019	Heavy ends from the distillation of ethylene dichloride in ethylene dichloride production.	K044	Wastewater treatment sludges from the manufacturing and processing of explosives.
K020	Heavy ends from the distillation of vinyl chloride in vinyl chloride monomer production.	K045	Spent carbon from the treatment of wastewater containing explosives.
K021	Aqueous spent antimony catalyst waste from fluoromethanes production.	K046	Wastewater treatment sludges from the manufacturing, formulation and loading of lead-based initiating compounds.
K022	Distillation bottom tars from the production of phenol/acetone from cumene.	K047	Pink/red water from TNT operations.
K023	Distillation light ends from the production of phthalic anhydride from naphthalene.	Inorganic Chemicals:	
		K071	Brine purification muds from the mercury cell process in chlorine production, where separately prepurified brine is not used.

Dangerous Waste No.	Sources	Dangerous Waste No.	Sources
K073	Chlorinated hydrocarbon waste from the purification step of the diaphragm cell process using graphite anodes in chlorine production.	K040	Wastewater treatment sludge from the production of phorate.
K106	Wastewater treatment sludge from the mercury cell process in chlorine production.	K041	Wastewater treatment sludge from the production of toxaphene.
Petroleum Refining:		K098	Untreated process wastewater from the production of toxaphene.
K048	Dissolved air flotation (DAF) float from the petroleum refining industry.	K042	Heavy ends or distillation residues from the distillation of tetrachlorobenzene in the production of 2,4,5-T.
K049	Slop oil emulsion solids from the petroleum refining industry.	K043	2,6-Dichlorophenol waste from the production of 2,4-D.
K050	Heat exchanger bundle cleaning sludge from the petroleum refining industry.	K099	Untreated wastewater from the production of 2,4-D.
K051	API separator sludge from the petroleum refining industry.	Secondary Lead:	
K052	Tank bottoms (leaded) from the petroleum refining industry.	K069	Emission control dust/sludge from secondary lead smelting.
Iron and Steel:		K100	Waste leaching solution from acid leaching of emission control dust/sludge from secondary lead smelting.
K061	Emission control dust/sludge from the primary production of steel in electric furnaces.	Veterinary Pharmaceuticals:	
K062	Spent pickle liquor from steel finishing operations.	K084	Wastewater treatment sludges generated during the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.
Pesticides:		K101	Distillation tar residues from the distillation of aniline-based compounds in the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.
K031	By-product salts generated in the production of MSMA and cacodylic acid.	K102	Residue from the use of activated carbon for decolorization in the production of veterinary pharmaceuticals from arsenic or organo-arsenic compounds.
K032	Wastewater treatment sludge from the production of chlordane.	Ink Formulation:	
K033	Wastewater and scrub water from the chlorination of cyclopentadiene in the production of chlordane.	K086	Solvent washes and sludges, caustic washes and sludges, or water washes and sludges from cleaning tubs and equipment used in the formulation of ink from pigments, driers, soaps, and stabilizers containing chromium and lead.
K034	Filter solids from the filtration of hexachlorocyclopentadiene in the production of chlordane.	Coking:	
K097	Vacuum stripper discharge from the chlordane chlorinator in the production of chlordane.	K060	Ammonia still-lime sludge from coking operations.
K035	Wastewater treatment sludges generated in the production of creosote.	K087	Decanter tank tar sludge from coking operations.
K036	Still bottoms from toluene reclamation distillation in the production of disulfoton.	[Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260, 82-05-023 (Order DE 81-33), § 173-303-9904, filed 2/10/82.]	
K037	Wastewater treatment sludges from the production of disulfoton.		
K038	Wastewater from the washing and stripping of phorate production.		
K039	Filter cake from the filtration of diethylphosphorodithioric acid in the production of phorate.		

**WAC 173-303-9905 Dangerous waste constituents list.**

- Acetonitrile [Ethanenitrile]  
 Acetophenone (Ethanone, 1-phenyl)  
 3-(alpha-Acetylbenzyl)-4-hydroxycoumarin and salts (Warfarin)  
 2-Acetylaminofluorene (Acetamide, N-9H-fluoren-2-yl)-  
 Acetyl chloride (Ethanoyl chloride)  
 1-Acetyl-2-thiourea (Acetamide, N-(aminothioxomethyl)-  
 Acrolein (2-Propenal)  
 Acrylamide (2-Propenamide)  
 Acrylonitrile (2-Propenenitrile)  
 Aflatoxins  
 Aldrin (1,2,3,4,10,10-Hexachloro-1,4,4a,5,8,8a,8b-hexahydro-endo,exo-1,4:5,8-Dimethanonaphthalene)  
 Allyl alcohol (2-Propen-1-ol)  
 Aluminum phosphide  
 4-Aminobiphenyl ([1,1'-Biphenyl]-4-amine)  
 6-Amino-1,1a,2,8,8a,8b-hexahydro-8-(hydroxymethyl)-8a-methoxy-5-methyl-carbamate azirino[2',3':3,4]pyrrolo[1,2-a]indole-4,7-dione, (ester) (Mitomycin C) (Azirino[2'3':3,4]pyrrolo(1,2-a)indole-4,7-dione, 6-amino-8[((amino-carbonyl)oxy)methyl]-1,1a,2,8,8a,8b-hexahydro-8amethoxy-5-methy-)  
 5-(Aminomethyl)-3-isoxazolol (3(2H)-Isoxazolone, 5-(aminomethyl)-)-4-Aminopyridine (4-Pyridinamine)<sup>1</sup>  
 Amitrole (1H-1,2,4-Triazol-3-amine)  
 Aniline (Benzenamine)  
 Antimony and compounds, N.O.S.\*  
 Aramite (Sulfurous acid, 2-chloroethyl- 2-[4-(1,1-dimethylethyl)phenoxy]-1-methylethyl ester)  
 Arsenic and compounds, N.O.S.\*  
 Arsenic acid (Orthoarsenic acid)  
 Arsenic pentoxide (Arsenic (V) oxide)  
 Arsenic trioxide (Arsenic (III) oxide)  
 Auramine (Benzenamine, 4,4-carbonimidoylbis[N,N-Dimethyl-monohydrochloride)  
 Azaserine (L-Serine, diazoacetate (ester))  
 Barium and compounds, N.O.S.\*  
 Barium cyanide  
 Benz[c]acridine (3,4-Benzacridine)  
 Benz[a]anthracene (1,2-Benzanthracene)  
 Benzene (Cyclohexatriene)  
 Benzenearsonic acid (Arsonic acid, phenyl-)  
 Benzene, dichloromethyl- (Benzal chloride)  
 Benzenethiol (Thiophenol)  
 Benzidine ([1,1'-Biphenyl]-4,4'diamine)  
 Benzo[b]fluoranthene (2,3-Benzofluoranthene)  
 Benzo[j]fluoranthene (7,8-Benzofluoranthene)  
 Benzo[a]pyrene (3,4-Benzopyrene)  
 p Benzoquinone (1,4-Cyclohexadienedione)  
 Benzotrichloride (Benzene, trichloromethyl-)  
 Benzyl chloride (Benzene, (chloromethyl)-)  
 Beryllium and compounds, N.O.S.\*  
 Bis(2-chloroethoxy)methane (Ethane, 1,1'-[methylenebis(oxy)]bis[2-chloro-])  
 Bis(2-chloroethyl) ether (Ethane, 1,1'-oxybis[2-chloro-])  
 N,N-Bis(2-chloroethyl)-2-naphthylamine (Chlornaphazine)  
 Bis(2-chloroisopropyl) ether (Propane, 2,2'-oxybis[2-chloro-])  
 Bis(chloromethyl) ether (Methane, oxybis[chloro-])  
 Bis(2-ethylhexyl) phthalate (1,2-Benzenedicarboxylic acid, bis(2-ethylhexyl) ester)  
 Bromoacetone (2-Propanone, 1-bromo-)  
 Bromomethane (Methyl bromide)  
 4-Bromophenyl phenyl ether (Benzene, 1-bromo-4-phenoxy-)  
 Brucine (Strychnidin-10-one, 2,3-dimethoxy-)  
 2-Butanone peroxide (Methyl ethyl ketone, peroxide)  
 Butyl benzyl phthalate (1,2-Benzenedicarboxylic acid, butyl phenylmethyl ester)  
 2-sec-Butyl-4,6-dinitrophenol (DNBP) (Phenol, 2,4-dinitro-6-(1-methylpropyl)-)  
 Cadmium and compounds, N.O.S.\*  
 Calcium chromate (Chromic acid, calcium salt)  
 Calcium cyanide  
 Carbon disulfide (Carbon bisulfide)  
 Carbon oxyfluoride (Carbonyl fluoride)  
 Chloral (Acetaldehyde, trichloro-)  
 Chlorambucil (Butanoic acid, 4-[bis(2-chloroethyl)amino]benzene-)  
 Chlordane (alpha and gamma isomers) (4,7-Methanoindan, 1,2,4,5,6,7,8,8-octachloro-3,4,7,7a-tetrahydro-) (alpha and gamma isomers)  
 Chlorinated benzenes, N.O.S.\*  
 Chlorinated ethane, N.O.S.\*  
 Chlorinated fluorocarbons, N.O.S.\*  
 Chlorinated naphthalene, N.O.S.\*  
 Chlorinated phenol, N.O.S.\*  
 Chloroacetaldehyde (Acetaldehyde, chloro-)  
 Chloroalkyl ethers, N.O.S.\*  
 p-Chloroaniline (Benzenamine, 4-chloro-)  
 Chlorobenzene (Benzene, chloro-)  
 Chlorobenzilate (Benzenoacetic acid, 4-chloro-alpha-(4-chlorophenyl)-alpha-hydroxy-,ethyl ester)  
 p-Chloro-m-cresol (Phenol, 4-Chloro-3-methyl)  
 1-Chloro-2,3-epoxypropane (Oxirane, 2-(chloromethyl)-)  
 2-Chloroethyl vinyl ether (Ethene, (2-chloroethoxy)-)  
 Chloroform (Methane, trichloro-)  
 Chloromethane (Methyl chloride)  
 Chloromethyl methyl ether (Methane, chloromethoxy-)



- 2-Chloronaphthalene (Naphthalene, beta-chloro-)
- 2-Chlorophenol (Phenol, o-chloro-)
- 1-(o-Chlorophenyl)thiourea (Thiourea, (2-chlorophenyl)-)
- 3-Chloropropionitrile (Propanenitrile, 3-chloro-)
- Chromium and compounds, N.O.S.\*
- Chrysene (1,2-Benzphenanthrene)
- Citrus red No. 2 (2-Naphthol, 1-[(2,5-dimethoxyphenyl)azo]-)
- Coal tars
- Copper cyanide
- Creosote (Creosote, wood)
- Cresols (Cresylic acid) (Phenol, methyl-)
- Crotonaldehyde (2-Butenal)
- Cyanides (soluble salts and complexes), N.O.S.\*
- Cyanogen (Ethanedinitrile)
- Cyanogen bromide (Bromine cyanide)
- Cyanogen chloride (Chlorine cyanide)
- Cycasin (beta-D-Glucopyranoside, (methyl-ONN-azoxy)methyl-)
- 2-Cyclohexyl-4,6-dinitrophenol (Phenol, 2-cyclohexyl-4,6-dinitro-)
- Cyclophosphamide (2H-1,3,2,-Oxazaphosphorine, [bis(2-chloroethyl)amino]-tetrahydro-, 2-oxide)
- Daunomycin (5,12-Naphthacenedione, (8S-cis)-8-acetyl-10-[(3-amino-2,3,6-trideoxy)-alpha-L-lyxo-hexopyranosyl]oxy]-7,8,9,10-tetrahydro-6,8,11-trihydroxy-1-methoxy-)
- DDD (Dichlorodiphenyldichloroethane) (Ethane, 1,1-dichloro-2,2-bis(p-chlorophenyl)-)
- DDE (Ethylene, 1,1-dichloro-2,2-bis(4-chlorophenyl)-)
- DDT (Dichlorodiphenyltrichloroethane) (Ethane, 1,1,1-trichloro-2,2-bis(p-chlorophenyl)-)
- Diallate (S-(2,3-dichloroallyl) diisopropylthiocarbamate)
- Dibenz[a,h]acridine (1,2,5,6-Dibenzacridine)
- Dibenz[a,j]acridine (1,2,7,8-Dibenzacridine)
- Dibenz[a,h]anthracene (1,2,5,6-Dibenzanthracene)
- 7H-Dibenzo[c,g]carbazole (3,4,5,6-Dibenzcarbazole)
- Dibenzo[a,c]pyrene (1,2,4,5-Dibenzpyrene)
- Dibenzo[a,h]pyrene (1,2,5,6-Dibenzpyrene)
- Dibenzo[a,i]pyrene (1,2,7,8-Dibenzpyrene)
- 1,2-Dibromo-3-chloropropane (Propane, 1,2-dibromo-3-chloro-)
- 1,2-Dibromoethane (Ethylene dibromide)
- Dibromomethane (Methylene bromide)
- Di-n-butyl phthalate (1,2-Benzenedicarboxylic acid, dibutyl ester)
- o-Dichlorobenzene (Benzene, 1,2-dichloro-)
- m-Dichlorobenzene (Benzene, 1,3-dichloro-)
- p-Dichlorobenzene (Benzene, 1,4-dichloro-)
- Dichlorobenzene, N.O.S.\* (Benzene, dichloro-, N.O.S.\*)
- 3,3'-Dichlorobenzidine ([1,1'-Biphenyl]-4,4'-diamine, 3,3'-dichloro-)
- 1,4-Dichloro-2-butene (2-Butene, 1,4-Butene, 1,4-dichloro-)
- Dichlorodifluoromethane (Methane, dichlorodifluoro-)
- 1,1-Dichloroethane (Ethylidene dichloride)
- 1,2-Dichloroethane (Ethylene dichloride)
- trans-1,2-Dichloroethene (1,2-Dichloroethylene)
- Dichloroethylene, N.O.S.\* (Ethene, dichloro-, N.O.S.\*)
- 1,1-Dichloroethylene (Ethene, 1,1-dichloro-)
- Dichloromethane (Methylene chloride)
- 2,4-Dichlorophenol (Phenol, 2,4-dichloro-)
- 2,6-Dichlorophenol (Phenol, 2,6-dichloro-)
- 2,4-Dichlorophenoxyacetic acid (2,4-D), salts and esters (Acetic acid, 2,4-dichlorophenoxy-, salts and esters)
- Dichlorophenylarsine (Phenyl dichloroarsine)
- Dichloropropane, N.O.S.\* (Propane, dichloro-, N.O.S.\*)
- 1,2-Dichloropropane (Propylene dichloride)
- Dichloropropanol, N.O.S.\* (Propanol, dichloro-, N.O.S.\*)
- Dichloropropene, N.O.S.\* (Propene, dichloro-, N.O.S.\*)
- 1,3-Dichloropropene (1-Propene, 1,3-dichloro-)
- Dieldrin (1,2,3,4,10,10-hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octa-hydro-endo, exo-1,4:5,8-Dimethanonaphthalene)
- 1,2:3,4-Diepoxybutane (2,2'-Bioxirane)
- Diethylarsine (Arsine, diethyl-)
- N,N-Diethylhydrazine (Hydrazine, 1,2-diethyl)
- O,O-Diethyl S-methyl ester of phosphorodithioic acid (Phosphorodithioic acid, O,O-diethyl S-methyl ester)
- O,O-Diethylphosphoric acid, O-p-nitrophenyl ester (Phosphoric acid, diethyl p-nitrophenyl ester)
- Diethyl phthalate (1,2-Benzenedicarboxylic acid, diethyl ester)
- O,O-Diethyl O-2-pyrazinyl phosphorothioate (Phosphorothioic acid, O,O-diethyl O-pyrazinyl ester)
- Diethylstilbesterol (4,4'-Stilbenediol, alpha,alpha-diethyl, bis(dihydrogen phosphate, (E)-)
- Dihydrosafrole (Benzene, 1,2-methylenedioxy-4-propyl-)
- 3,4-Dihydroxy-alpha-(methylamino)methyl benzyl alcohol (1,2-Benzenediol, 4-[1-hydroxy-2-(methylamino)ethyl]-)
- Diisopropylfluorophosphate (DFP) (Phosphorofluoric acid, bis(1-methylethyl) ester)
- Dimethoate (Phosphorodithioic acid, O,O-dimethyl S-[2-(methylamino)-2-oxoethyl] ester)

- 3,3'-Dimethoxybenzidine ([1,1'-Biphenyl]-4,4'diamine, 3-3'dimethoxy-)
- p-Dimethylaminoazobenzene (Benzenamine, N,N-dimethyl-4-(phenylazo)-)
- 7,12-Dimethylbenz[a]anthracene (1,2-Benzanthracene, 7,12-dimethyl-)
- 3,3'-Dimethylbenzidine ([1,1'-Biphenyl]-4,4'-diamine, 3,3'-dimethyl-)
- Dimethylcarbamoyl chloride (Carbamoyl chloride, dimethyl-)
- 1,1-Dimethylhydrazine (Hydrazine, 1,1-dimethyl-)
- 1,2-Dimethylhydrazine (Hydrazine, 1,2-dimethyl-)
- 3,3-Dimethyl-1-(methylthio)-2-butanone, O-[(methylamino) carbonyl]oxime (Thiofanox)
- alpha,alpha-Dimethylphenethylamine (Ethanamine, 1,1-dimethyl-2-phenyl)
- 2,4-Dimethylphenol (Phenol, 2,4-dimethyl-)
- Dimethyl phthalate (1,2-Benzenedicarboxylic acid, dimethyl ester)
- Dimethyl sulfate (Sulfuric acid, dimethyl ester)
- Dinitrobenzene, N.O.S.\* (Benzene, dinitro-, N.O.S.\*)
- 4,6-Dinitro-o-cresol and salts (Phenol, 2,4-dinitro-6-methyl-, and salts)
- 2,4-Dinitrophenol (Phenol, 2,4-dinitro-)
- 2,4-Dinitrotoluene (Benzene, 1-methyl-2,4-dinitro-)
- 2,6-Dinitrotoluene (Benzene, 1-methyl-2,6-dinitro-)
- Di-n-octyl phthalate (1,2-Benzenedicarboxylic acid, dioctyl ester)
- 1,4-Dioxane (1,4-Diethylene oxide)
- Diphenylamine (Benzenamine, N-Phenyl-)
- 1,2-Diphenylhydrazine (Hydrazine, 1,2-diphenyl-)
- Di-n-propylmitrosamine (N-Nitroso-di-n-propylamine)
- Disulfoton (O,O-diethyl S-[2-(ethylthio)ethyl] phosphorodithioate)
- 2,4-Dithiobiuret (Thioimidodicarbonic diamide)
- Endosulfan (5-Norbornene, 2,3-dimethanol, 1,4,5,6,7,7-hexachloro-, cyclic sulfite)
- Endrin and metabolites (1,2,3,4,10,10-hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-endo,endo-1,4:5,8-dimethanonaphthalene, and metabolites)
- Ethyl carbamate (Urethan) (Carbamic acid, ethyl ester)
- Ethyl cyanide (propanenitrile)
- Ethylenebisdithiocarbamic acid, salts and esters (1,2-Ethanediylobiscarbamodithioic acid, salts and esters)
- Ethyleneimine (Aziridine)
- Ethylene oxide (Oxirane)
- Ethylenethiourea (2-Imidazolidinethione)
- Ethylmethacrylate (2-Propenoic acid, 2-methyl-, ethyl ester)
- Ethyl methanesulfonate (Methanesulfonic acid, ethyl ester)
- Fluoranthene (Benzo[j,k]fluorene)
- Fluorine
- 2-Fluoroacetamide (Acetamide, 2-fluoro-)
- Fluoroacetic acid, sodium salt (Acetic acid, fluoro-, sodium salt)
- Formaldehyde (Methylene, oxide)
- Formic acid (Methanoic acid)
- Glycidylaldehyde (1-Propanol-2-3-epoxy)
- Halomethane, N.O.S.\*
- Heptachlor (4,7-Methano-1H-indene, 1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro-)
- Heptachlor epoxide (alpha, beta, and gamma isomers) (4,7-Methano-1H-indene, 1,4,5,6,7,8,8-heptachloro-2,3-epoxy-3a,4,7,7-tetrahydro-, alpha, beta and gamma isomers)
- Hexachlorobenzene (Benzene, hexachloro-)
- Hexachlorobutadiene (1,3-Butadiene, 1,1,2,3,4,4-hexachloro-)
- Hexachlorocyclohexane (all isomers) (Lindane and isomers)
- Hexachlorocyclopentadiene (1,3-Cyclopentadiene, 1,2,3,4,5,5-hexachloro-)
- Hexachloroethane (Ethane, 1,1,1,2,2,2-hexachloro-)
- 1,2,3,4,10,10-Hexachloro-1,4,4a,5,8,8a-hexahydro-1,4:5,8-endo,endo-dimethanonphthalene (Hexachlorohexahydro-endo,endo-dimethanonaphthalene)
- Hexachlorophene (2,2'-Methylenebis(3,4,6-trichlorophenol))
- Hexachloropropene (1-Propene, 1,1,2,3,3,3-hexachloro-)
- Hexaethyl tetraphosphate (Tetraphosphoric acid, hexaethyl ester)
- Hydrazine (Diamine)
- Hydrocyanic acid (Hydrogen cyanide)
- Hydrofluoric acid (Hydrogen fluoride)
- Hydrogen sulfide (Sulfur hydride)
- Hydroxydimethylarsine oxide (Cacodylic acid)
- Indeno(1,2,3-cd)pyrene (1,10-(1,2-phenylene)pyrene)
- Iodomethane (Methyl iodide)
- Iron Dextran (Ferric dextran)
- Isocyanic acid, methyl ester (Methyl isocyanate)
- Isobutyl alcohol (1-Propanol, 2-methyl-)
- Isosafrole (Benzene, 1,2-methylenedioxy-4-allyl-)
- Kapone (Decachlorooctahydro-1,3,4-Methano-2H-cyclobuta[cd]pentalen-2-one)
- Lasiocarpine (2-Butenoic acid, 2-methyl-, 7-[(2,3-dihydroxy-2-(1-methoxyethyl)-3-methyl-1-oxobutoxy)methyl]-2,3,5,7a-tetrahydro-1H-pyrrolizin-1-yl ester)

- Lead and compounds, N.O.S.\*
- Lead acetate (Acetic acid, lead salt)
- Lead phosphate (Phosphoric acid, lead salt)
- Lead subacetate (Lead, bis(acetato-O)tetrahydroxytri-)
- Maleic anhydride (2,5-Furandione)
- Maleic hydrazide (1,2-Dihydro-3,6-pyridazinedione)
- Malononitrile (Propanedinitrile)
- Melphalan (Alanine, 3-[p-bis(2-chloroethyl)amino]phenyl-,L-)
- Mercury Fulminate (Fulminic acid, mercury salt)
- Mercury and compounds, N.O.S.\*
- Methacrylonitrile (2-Propenenitrile, 2-methyl-)
- Methanethiol (Thiomethanol)
- Methapyrilene (Pyridine, 2-[(2-dimethylamino)ethyl]-2-thenylamino-)
- Metholonyl (Acetimidic acid, N-[(methylcarbamoyl)oxy]thio-,methyl ester)
- Methoxychlor (Ethane, 1,1,1-trichloro-2,2'-bis(p-methoxyphenyl)-)
- 2-Methylaziridine (1,2-Propylenimine)
- 3-Methylcholanthrene (Benz[j]aceanthrylene, 1,2-dihydro-3-methyl-)
- Methyl chlorocarbonate (Carbonochloridic acid, methyl ester)
- 4,4'-Methylenebis(2-chloroaniline) (Benzenamine, 4,4'-methylenebis-(2-chloro-))
- Methyl ethyl ketone (MEK) (2-Butanone)
- Methyl hydrazin (Hydrazine, methyl-)
- 2-Methylactonitrile (Propanenitrile, 2-hydroxy-2-methyl-)
- Methyl methacrylate (2-Propenoic acid, 2-methyl-, methyl ester)
- Methyl methanesulfonate (Methanesulfonic acid, methyl ester)
- 2-Methyl-2-(methylthio)propionaldehyde-o-(methylcarbonyl) oxime (Propanal,2-methyl-2-(methylthio)-, O-[(methylamino)carbonyl]oxime)
- N-Methyl-N'-nitro-N-nitrosoguanidine (Guanidine, N-nitros-N-methyl-N'nitro-)
- Methyl parathion (O,O-dimethyl O-(4-nitrophenyl) phosphorothioate)
- Methylthiouracil (4-1H-Pyrimidinone, 2,3-dihydro-6-methyl-2-thioxo-)
- Mustard gas (Sulfide, bis(2-chloroethyl)-)
- Naphthalene
- 1,4-Naphthoquinone (1,4-Naphthalenedione)
- 1-Naphthylamine (alpha-Naphthylamine)
- 2-Naphthylamine (beta-Naphthylamine)
- 1-Naphthyl-2-thiourea (Thiourea, 1-naphthalenyl-)
- Nickel and compounds, N.O.S.\*
- Nickel carbonyl (Nickel tetracarbonyl)
- Nickel cyanide (nickel (II) cyanide)
- Nicotine and salts, Pyridine, (S)-3-(1-methyl-2-pyrrolidinyl)-, and salts)
- Nitric oxide (Nitrogen (II) oxide)
- p-Nitroaniline (Benzenamine, 4-nitro-)
- Nitrobenzene (Benzene, nitro-)
- Nitrogen dioxide (Nitrogen (IV) oxide)
- Nitrogen mustard and hydrochloride salt (Ethanamine, 2-chloro-, N-(2-chloroethyl)-N-methyl-, and hydrochloride salt)
- Nitrogen mustard N-Oxide and hydrochloride salt (Ethanamine, 2-chloro-, N-(2-chloroethyl)-N-methyl-, and hydrochloride salt)
- Nitroglycerine (1,2,3-Propanetriol, trinitrate)
- 4-Nitrophenol (Phenol, 4-nitro-)
- 4-Nitroquinoline-1-oxide (Quinoline, 4-nitro-1-oxide-)
- Nitrosamine, N.O.S.\*
- N-Nitrosodi-n-butylamine (1-Butanamine, N-butyl-N-nitroso-)
- N-Nitrosodiethanolamine (Ethanol, 2,2'-(nitrosoimino)bis-)
- N-Nitrosodiethylamine (Ethanamine, N-Ethyl-N-nitroso-)
- N-Nitrosodimethylamine (Dimethylnitrosamine)
- N-Nitroso-N-ethylurea (Carbamide, N-ethyl-N-nitroso-)
- N-Nitrosomethylethylamine (Ethanamine, N-methyl-N-nitroso-)
- N-Nitroso-N-methylurea (Carbamide, N-methyl-N-nitroso-)
- N-Nitroso-N-methylurethane (Carbamic acid, methylnitroso-, ethyl ester)
- N-Nitrosomethylvinylamine (Ethenamine, N-methyl-N-nitroso-)
- N-Nitrosomorpholine (Morpholine, N-nitroso-)
- N-Nitrosornicotine (Nornicotine, N-nitroso-)
- N-Nitrosopiperidine (Pyridine, hexahydro-, N-nitroso-)
- Nitrosopyrrolidine (pyrrole, tetrahydro-, N-nitroso-)
- N-Nitrososarcosine (Sarcosine, N-nitroso-)
- 5-Nitro-o-toluidine (Benzenamine, 2-methyl-5-nitro-)
- Octamethylpyrophosphoramide (Diphosphoramide, octamethyl-)
- Osmium tetroxide (Osmium (VIII) oxide)
- 7-Occabicyclo[2.2.1]heptane-2,3-dicarbonylic acid (Endothal)
- Paraldehyde (1,3,5-Trioxane, 2,4,6-trinethyl-)
- Parathion (Phosphorothioic acid, O,O-diethyl O-(p-nitrophenyl) ester)
- Pentachlorobenzene (Benzene, pentachloro-)
- Pentachloroethane (Ethane, pentachloro-)
- Pentachloronitrobenzene (PCNB) (Benzene, pentachloronitro-)
- Pentachlorophenol (Phenol, pentachloro-)
- Phenacetin (Acetamide, N-(4-ethoxyphenyl)-)
- Phenol (Benzene, hydroxy-)
- Phenylenediamine (Benzenediamine)
- Phenylmercury acetate (Mercury, acetatophenyl-)
- N-Phenylthiourea (Thiourea, phenyl-)

- Phosgene (Carbonyl chloride)  
 Phosphine (Hydrogen phosphide)  
 Phosphorodithioic acid, O,O-diethyl S-  
 [(ethylthio)methyl] ester (Phorate)  
 Phosphorothioic acid, O,O-dimethyl O-[p-  
 ((dimethylamino)sulfonyl)phenyl] ester  
 (Famphur)  
 Phthalic acid esters, N.O.S.\* (Benzene, 1,2-  
 dicarboxylic acid, esters, N.O.S.\*  
 Phthalic anhydride (1,2-Benzenedicarboxylic  
 acid anhydride)  
 2-Picoline (Pyridine, 2-methyl-)  
 Polychlorinated biphenyl, N.O.S.\*  
 Potassium cyanide  
 Potassium silver cyanide (Argentate(1-),  
 dicyano-, potassium)  
 Pronamide (3,5-Dichloro-N-(1,1-dimethyl-2-  
 propynyl)benzamide)  
 1,3-Propanesultone (1,2-Oxathiolane, 2,2-  
 dioxide)  
 n-Propylamine (1-Propane)  
 Propylthiouracil (Undecamethylenediamine,  
 N,N'-bis(2-chlorobenzyl)-, dihydrochloride)  
 2-Propyn-1-ol (Propargyl alcohol)  
 Pyridine  
 Reserpine (Yohimban-16-carboxylic acid,  
 11,17-dimethoxy-18-[(3,4,5-  
 trimethoxybenzoyl)oxy]-, methyl ester)  
 Resorcinol (1,3-Benzenediol)  
 Saccharin and salts (1,2-Benzoisothiazolin-3-  
 one, 1,1-dioxide, and salts)  
 Safrol (Benzene, 1,2-methylenedioxy-4-allyl-)  
 Selenious acid (Selenium dioxide)  
 Selenium and compounds, N.O.S.\*  
 Selenium sulfide (Sulfur selenide)  
 Selenourea (Carbamimidoseleonic acid)  
 Silver and compounds, N.O.S.\*  
 Silver cyanide  
 Sodium cyanide  
 Streptozotocin (D-Glucopyranose, 2-deoxy-2-  
 (3-methyl-3-nitrosoureido)-)  
 Strontium sulfide  
 Strychnine and salts (Strychnidin-10-one, and  
 salts)  
 1,2,4,5-Tetrachlorobenzene (Benzene, 1,2,4,5-  
 tetrachloro-)  
 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD)  
 Dibenzo-p-dioxin, 2,3,7,8-tetrachloro-)  
 Tetrachloroethane, N.O.S.\* (Ethane,  
 tetrachloro-, N.O.S.\*)  
 1,1,1,2-Tetrachlorethane (Ethane, 1,1,1,2-  
 tetrachloro-)  
 1,1,2,2-Tetrachlorethane (Ethane, 1,1,2,2-  
 tetrachloro-)  
 Tetrachlorethylene (Ethane, 1,1,2,2-tetrachloro-)<sup>1</sup>  
 Tetrachloromethane (Carbon tetrachloride)  
 2,3,4,6-Tetrachlorophenol (Phenol, 2,3,4,6-  
 tetrachloro-)  
 Tetraethyldithiopyrophosphate  
 (Dithiopyrophosphoric acid, tetraethyl-  
 ester)  
 Tetraethyl lead (Plumbane, tetraethyl-)  
 Tetraethylpyrophosphate (Pyrophosphoric  
 acide, tetraethyl ester)  
 Tetranitromethane (Methane, tetranitro-)  
 Thallium and compounds, N.O.S.\*  
 Thallic oxide (Thallium (III) oxide)  
 Thallium (1) acetate (Acetic acid, thallium (I)  
 salt)  
 Thallium (I) carbonate (Carbonic acid,  
 dithallium (I) salt)  
 Thallium (I) chloride  
 Thallium (I) nitrate (Nitric acid, thallium (I)  
 salt)  
 Thallium selenite  
 Thallium (I) sulfate (Sulfuric acid, thallium (I)  
 salt)  
 Thioacetamide (Ethanethioamide)  
 Thiosemicarbazide  
 (Hydrazinecarbothioamide)  
 Thiourea (Carbamide thio-)  
 Thiuram (Bis(dimethylthioucarbamoyl)  
 disulfide)  
 Toluene (Benzene, methyl-)  
 Toluenediamine (Diaminotoluene)  
 o-Toluidine hydrochloride (Benzenamine, 2-  
 methyl-, hydrochloride)  
 Toluene diisocyanate (Benzene, 1,3-  
 diisocyanatomethyl-)  
 Toxaphene (Camphene, octachloro-)  
 Tribromomethane (Bromoform)  
 1,2,4-Trichlorobenzene (Benzene, 1,2,4-  
 trichloro-)  
 1,1,1-Trichloroethane (Methyl chloroform)  
 1,1,2-Trichloroethane (Ethane, 1,1,2-trichloro-)  
 Trichloroethene (Trichloroethylene)  
 Trichloromethanethiol (Methanethiol,  
 trichloro-)  
 Trichloromonofluoromethane (Methane,  
 trichlorofluoro-)  
 2,4,5-Trichlorophenol (Phenol, 2,4,5-trichloro-)  
 2,4,6-Trichlorophenol (Phenol, 2,4,6-trichloro-)  
 2,4,5-Trichlorophenoxyacetic acid (2,4,5-T)  
 (Acetic acid, 2,4,5-trichlorophenoxy-)  
 2,4,5-Trichlorophenoxypropionic acid (2,4,5-  
 TP) (Silvex) (Propionic acid, 2-(2,4,5-  
 trichlorophenoxy)-)  
 Trichloropropane, N.O.S.\* (Propane,  
 trichloro-, N.O.S.\*)  
 1,2,3-Trichloropropane (Propane, 1,2,3-  
 trichloro-)  
 O,O,O-Triethyl phosphorothioate  
 (Phosphorothioic acid, O,O,O-triethyl ester)  
 sym-Trinitrobenzene (Benzene, 1,3,5-trinitro-)  
 Tris(1-azridinyl) phosphine sulfide  
 (Phosphine sulfide, tris(1-aziridinyl)-)  
 Tris(2,3-dibromopropyl) phosphate (1-  
 Propanol, 2,3-dibromo-, phosphate)  
 Trypan blue (2,7-Naphthalenedisulfonic acid,  
 3,3'-[(3,3'-dimethyl(1,1'-biphenyl)-4,4'-  
 diyl)bis(azo)]bis(5-amino-4-hydroxy-,  
 tetrasodium salt)


- Uracil mustard (Uracil 5-[bis(2-chlorethyl)amino]-)
- Vanadic acid, ammonium salt (ammonium vanadate)
- Vanadium pentoxide (Vanadium (V) oxide)
- Vinyl chloride (Ethane, chloro-)
- Zinc cyanide
- Zinc phosphide

\*The abbreviation N.O.S. signifies those members of the general class "not otherwise specified" by name in this listing.

[Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-9905, filed 2/10/82.]


Reviser's note: The brackets and enclosed material in the text of the above section occurred in the copy filed by the agency.

**WAC 173-303-9906 Toxic dangerous waste mixtures graph.**



[Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-9906, filed 2/10/82.]

**WAC 173-303-9907 Persistent dangerous waste mixtures graph.**



[Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-9907, filed 2/10/82.]

**Chapter 173-310 WAC LITTER RECEPTACLES**

**WAC**

- 173-310-010 Purpose.
- 173-310-020 Definitions.
- 173-310-030 Responsibility to procure and place litter receptacle.
- 173-310-040 Litter receptacles, where required.
- 173-310-050 Number of litter receptacles required.
- 173-310-060 Minimum standards.
- 173-310-070 Anti-litter symbol.
- 173-310-080 Prohibited acts.
- 173-310-090 Penalties.
- 173-310-100 Effective date and compliance.
- 173-310-990 Appendix A—Anti-litter symbol.

**WAC 173-310-010 Purpose.** By the provisions of chapter 70.93 RCW, the department of ecology has been delegated authority to conduct a permanent and continuous program to control and remove litter from this state to the maximum practical extent possible. The purpose of this chapter is to provide minimum standards for litter receptacles and to prescribe the use, placement and distribution of litter receptacles throughout the state, pursuant to the authority set forth in RCW 70.93.040 and 70.93.090. [Order 72-10, § 173-310-010, filed 5/15/72, effective 9/1/72.]

**WAC 173-310-020 Definitions.** The following words and phrases as used herein shall have the following meanings, unless context clearly dictates otherwise:

- (1) "Anti-litter symbol" means the standard symbol adopted herein by the department.
- (2) "Department" means the Washington state department of ecology.
- (3) "Litter" means all waste materials including, but not limited to, disposable packages or containers susceptible to being dropped, deposited, discarded or otherwise

disposed of upon any property in the state, but not including the wastes of primary processes of mining, logging, sawmilling, farming or manufacturing.

(4) "Litter receptacle" means containers for the disposal of litter of not more than 60-gallon capacity: *Provided*, That special containers of larger capacity such as those referred to as "dumpsters," and garbage containers or other waste containers serving single or multifamily residences are not included within this definition and their use is in no way regulated or affected by this chapter.

(5) "Person" shall mean any industry, public or private corporation, copartnership, association, firm, individual, or other entity whatsoever.

(6) "Public place" means any area that is used or held out for the use of the public whether owned and operated by public or private interests, but not including indoor areas. An indoor area shall be construed to mean any enclosed area covered with a roof and protected from moisture and wind. [Order 72-10, § 173-310-020, filed 5/15/72, effective 9/1/72.]

**WAC 173-310-030 Responsibility to procure and place litter receptacle.** It shall be the responsibility of any person owning or operating any establishment or public place in which litter receptacles are required by this chapter to procure, place and maintain such receptacles at their own expense on the premises in accordance with the provisions of this chapter. [Order 72-10, § 173-310-030, filed 5/15/72, effective 9/1/72.]

**WAC 173-310-040 Litter receptacles, where required.** Litter receptacles meeting the standards established by this chapter shall be placed in the following public places in the state:

(1) Along public highways lying outside the limits of incorporated cities and towns;

(2) Parks;

(3) Campgrounds;

(4) Trailer park facilities for transient habitation;

(5) Drive-in restaurants;

(6) Gasoline service stations;

(7) Tavern parking lots;

(8) Shopping centers;

(9) Grocery store parking lots;

(10) Marinas;

(11) Boat launching areas;

(12) Boat moorage and fueling stations;

(13) Public and private piers

(14) Beaches and bathing areas;

(15) Outdoor parking lots, other than those specifically designated above, having a capacity of more than 50 automobiles;

(16) Fairgrounds;

(17) Schoolgrounds;

(18) Racetracks;

(19) Sporting event sites with seating capacity for more than 200 spectators;

(20) Sites for carnivals, festivals, circuses, shows or events of any kind to which the public is invited;

(21) Business district sidewalks.

Litter receptacles need be placed in the above public places only during times such places or events held at them are open to the public.

Placement of litter receptacles shall be in conformance with laws, ordinances, resolutions and regulations pertaining to fire, safety, public health or welfare. [Order 73-7, § 173-310-040, filed 4/23/73; Order 72-10, § 173-310-040, filed 5/15/72, effective 9/1/72.]

**WAC 173-310-050 Number of litter receptacles required.** The minimum number of receptacles meeting the standards established by this chapter required in public places listed in the preceding section is as follows:

(1) Along public highways lying outside the limits of incorporated cities and towns – one receptacle at each rest area, view point or similar turnout, officially designated as such by the primary jurisdictional authority;

(2) Parks, campgrounds and trailer park facilities for transient habitation – one receptacle at each public restroom facility, and one receptacle at each established trailhead giving access by foot, motorcycle, bicycle or similar trail for excursion or exploration out of or away from the central activity area;

(3) Gasoline service stations – one litter receptacle placed in plain view of each gasoline service island, with a minimum of one receptacle for each side of the station on which gasoline pumps are located.

(4) Drive-in restaurants, tavern parking lots, shopping centers, grocery store parking lots and outdoor parking lots having a capacity of more than 50 automobiles – one receptacle, plus one additional receptacle for each 200 parking spaces in excess of 50 spaces;

(5) Marinas, boat launching areas, boat moorage and fueling stations and public and private piers – one receptacle at each such area;

(6) Beaches and bathing areas – one receptacle at each public restroom facility, and one receptacle at each access point officially designated as such by the primary jurisdictional authority;

(7) Schoolgrounds – one receptacle at each school-ground bus loading zone officially designated as such by the primary jurisdictional authority;

(8) Racetracks and sporting event sites with seating capacity for more than 200 spectators – one receptacle, plus one additional receptacle for each 1000 seating capacity in excess of 200.

(9) Fairgrounds and sites for carnivals, festivals, circuses, shows or events of any kind to which the public is invited – one receptacle at the entrance to each ride, and one receptacle at each end of walk-through exhibit buildings;

(10) Along the sidewalks of business districts of incorporated cities and towns – one receptacle per 800 feet of sidewalk curbing.

No variance from the provisions of this section shall be allowed except upon the express permission of the department of ecology.

Notwithstanding the minimum requirements of this section, any public place in which litter receptacles meeting the standards of this chapter are required that is

found to have an accumulation of uncontained litter under circumstances that the person responsible for placing receptacles could have reasonably anticipated the litter shall be deemed to have an insufficient number of receptacles to be in compliance with this regulation. [Order DE 76-34, § 173-310-050, filed 9/13/76; Order 73-7, § 173-310-050, filed 4/23/73; Order 72-10, § 173-310-050, filed 5/15/72, effective 9/1/72.]

**WAC 173-310-060 Minimum standards.** Litter receptacles procured and placed in public places as required by this chapter shall meet the following minimum standards:

(1) General specifications.

(a) The body of each litter receptacle shall be constructed of a minimum of 24-gauge galvanized metal or other material of equivalent strength, that will with normal wear and tear, reasonably resist corrosion and acts of vandalism.

(b) All outside edges of each litter receptacle shall be rounded.

(c) Openings in covered litter receptacles shall be readily identifiable and readily accessible for the deposit of litter.

(d) Construction and general configuration of litter receptacles shall be in conformance with all pertinent laws, ordinances, resolutions or regulations pertaining to fire, safety, public health or welfare.

(2) Color and marking.

(a) The entire outer surface of each litter receptacle shall be colored medium green conforming with Federal Color Standard No. 595A, Color No. 24424, or Color No. 34424.

(b) Each litter receptacle shall bear the official anti-litter symbol, as adopted herein. The symbol shall be colored deep blue conforming with Federal Color Standard No. 595A, Color No. 15180. The symbol shall not be distorted as to proportion and shall not be incorporated into a commercial advertisement on the receptacle. For litter receptacles along the right-of-way of public highways, the symbol shall be of a size so as to be distinguishable from a minimum distance of 75 feet.

(c) The words "DEPOSIT LITTER" shall be placed on the litter receptacle. Lettering used for these two words shall be block-type capital letters to be readily legible at a distance of 30 feet.

(d) No commercial advertisement shall be placed on any litter receptacle. However, the person owning any receptacle may place a single line on the receptacle identifying his ownership, and a single credit line designating any donor of the litter receptacle other than the owner may also be placed on the receptacle: *Provided*, That the lettering does not exceed the size specified for the words "DEPOSIT LITTER," and does not interfere with or distract from the prominence of the anti-litter symbol.

(3) Maintenance. Compliance with these minimum standards shall include proper upkeep, maintenance and

repair of litter receptacles sufficient to permit such receptacles to serve the functions for which they were designed and to prevent the appearance of such receptacles from becoming unsightly. Inadequately maintained or unsightly litter receptacles shall be in violation of these minimum standards.

(4) Wherever litter receptacles are placed in any public place other than where required by this chapter, such receptacles shall conform to the provisions of this chapter. [Order 72-10, § 173-310-060, filed 5/15/72, effective 9/1/72.]

**WAC 173-310-070 Anti-litter symbol.** The official state anti-litter symbol shall be the symbol depicted in Appendix A to this chapter conforming to the Federal Color Standard No. 595A, Color No. 15180, which appendix is hereby incorporated into this chapter and made part hereof. Permission to use this symbol in the manner required by this chapter has been obtained from the copyright holder and any other use without the express permission of the copyright holder is prohibited. [Order 72-10, § 173-310-070, filed 5/15/72, effective 9/1/72.]

**WAC 173-310-080 Prohibited acts.** (1) No person shall damage, deface, abuse or misuse any litter receptacle not owned by him so as to interfere with its proper function or to detract from its proper appearance.

(2) No person shall deposit leaves, clippings, prunings or gardening refuse in any litter receptacle.

(3) No person shall deposit household garbage in any litter receptacle: *Provided*, That this subsection shall not be construed to mean that wastes of food consumed on the premises at any public place may not be deposited in litter receptacles. [Order 72-10, § 173-310-080, filed 5/15/72, effective 9/1/72.]

**WAC 173-310-090 Penalties.** Penalties for violation of this chapter shall be in accordance with chapter 70.93 RCW. [Order 72-10, § 173-310-090, filed 5/15/72, effective 9/1/72.]

**WAC 173-310-100 Effective date and compliance.**

(1) This chapter shall become effective on September 1, 1972.


(2) All litter receptacles in any public place designated in this chapter which are placed after the effective date hereof shall conform to the provisions of this chapter.

(3) Litter receptacles in any public place designated in this chapter which were in place prior to the effective date hereof shall be modified to conform with marking requirements of this chapter [WAC 173-310-060 (2)(b)(c)] no later than January 1, 1973.

(4) All litter receptacles in any public place designated in this chapter shall be modified or replaced so as to fully conform with all requirements of this chapter no later than July 1, 1975. [Order 72-10, § 173-310-100, filed 5/15/72, effective 9/1/72.]

**WAC 173-310-990 Appendix A--Anti-litter symbol.**

Appendix A



[Order 72-10, Appendix A (codified as WAC 173-310-990), filed 5/15/72, effective 9/1/72.]

**Chapter 173-320 WAC  
BEVERAGE CONTAINERS--DETACHABLE PULL  
TABS**

WAC

173-320-010	Authority.
173-320-020	Declaration of purpose.
173-320-030	Applicability.
173-320-040	Definitions.
173-320-050	Prohibition.
173-320-060	Return requirement.
173-320-070	Complaints.
173-320-080	Enforcement.

**WAC 173-320-010 Authority.** Pursuant to chapter 113, Laws of 1982, the department of ecology is given authority to adopt rules interpreting the chapter. [Statutory Authority: Chapter 113, Laws of 1982 [Chapter 70.132 RCW]. 83-12-062 (Order DE 82-39), § 173-320-010, filed 6/1/83.]

**WAC 173-320-020 Declaration of purpose.** This chapter prohibits sale or offers to sell at retail levels beverage containers with detachable pull tabs for opening after July 1, 1983. The department of ecology is designated the state agency responsible for the administration and enforcement of this chapter. [Statutory Authority: Chapter 113, Laws of 1982 [Chapter 70.132 RCW]. 83-12-062 (Order DE 82-39), § 173-320-020, filed 6/1/83.]

**WAC 173-320-030 Applicability.** The provisions of this chapter shall apply statewide to any retailer or wholesaler who engages in the distribution of beverages in sealed containers intended to be offered for sale at retail outlets within the state of Washington. [Statutory Authority: Chapter 113, Laws of 1982 [Chapter 70.132 RCW]. 83-12-062 (Order DE 82-39), § 173-320-030, filed 6/1/83.]

**WAC 173-320-040 Definitions.** (1) "Department" means the department of ecology created under chapter 43.21A RCW.

(2) "Beverage" means beer or other malt beverage or mineral water, soda water, or other drink in liquid form intended for human consumption.

(3) "Beverage container" means a separate and sealed can containing a beverage.

(4) "Sell or offer to sell" means to advertise, display or set out in such a way to make available for purchase to any other outlet or person.

(5) "Retail outlet" means any business which engages in sale of any products to the general public within the state of Washington.

(6) "Wholesale outlet" means any business or organization that sells any products to retail outlets for eventual resale to the general public within the state of Washington.

(7) "Violation" means for a retailer or wholesaler to sell or offer to sell any number of beverage containers with illegal, detachable metal rings or tabs during any one day period. Each day of continuing violation constitutes a separate violation. [Statutory Authority: Chapter 113, Laws of 1982 [Chapter 70.132 RCW]. 83-12-062 (Order DE 82-39), § 173-320-040, filed 6/1/83.]

**WAC 173-320-050 Prohibition.** No person may sell or offer to sell at retail in this state any beverage containers so designed and constructed that under normal conditions a metal part of the container is detachable in opening the container through the use of a metal ring or tab. Nothing in this section prohibits the sale of a beverage container which is opened by use of pressure sensitive or metallic tape. [Statutory Authority: Chapter 113, Laws of 1982 [Chapter 70.132 RCW]. 83-12-062 (Order DE 82-39), § 173-320-050, filed 6/1/83.]

**WAC 173-320-060 Return requirement.** Any wholesale or distributor who delivers beverage containers within the state of Washington which are in violation of this chapter on or after June 1, 1983, to any retail outlet shall be required to retrieve any illegal containers remaining at the retail sites after June 30, 1983, at his own expense, with full refund to the retailer of the price paid by that retailer. Failure to remove said containers from retail premises constitutes a violation of the act. [Statutory Authority: Chapter 113, Laws of 1982 [Chapter 70.132 RCW]. 83-12-062 (Order DE 82-39), § 173-320-060, filed 6/1/83.]



**WAC 173-320-070 Complaints.** Complaints of alleged violation of this chapter may be made to the department by any person. Complaints shall be in writing and shall contain an allegation of violation accompanied by a receipt or affidavit of purchase indicating location and date of purchase and/or by the offending items or a photo of the item. [Statutory Authority: Chapter 113, Laws of 1982 [Chapter 70.132 RCW]. 83-12-062 (Order DE 82-39), § 173-320-070, filed 6/1/83.]

**WAC 173-320-080 Enforcement.** The department shall have the authority to initiate investigations and complaints and require corrective action by the retailer or wholesaler.

Response by the department to allegations of violation may consist of:

- (1) Verification of allegation which may include visit to the site to ascertain extent of violation, and
- (2) Written warning to violator giving seven days from date of receipt.

Failure by the retailer to comply with written warning may require a written notice of violation from the department, allowing seven more days for the violator to remove the illegal container(s).

Failure by the retailer to comply with notice of violation may require assessment of a civil penalty not exceeding five hundred dollars per day for each violation, upon written order of the director of the department. [Statutory Authority: Chapter 113, Laws of 1982 [Chapter 70.132 RCW]. 83-12-062 (Order DE 82-39), § 173-320-080, filed 6/1/83.]

- 173-400-090 Sensitive area designation. [Statutory Authority: RCW 70.94.331. 80-11-059 (Order DE 80-14), § 173-400-090, filed 8/20/80; Order DE 76-38, § 173-400-090, filed 12/21/76. Formerly WAC 18-04-090.] Repealed by 83-09-036 (Order DE 83-13), filed 4/15/83. Statutory Authority: Chapters 43.21A and 70.94 RCW.
- 173-400-130 Regulatory actions. [Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-130, filed 5/8/79; Order DE 76-38, § 173-400-130, filed 12/21/76. Formerly WAC 18-04-130.] Repealed by 83-09-036 (Order DE 83-13), filed 4/15/83. Statutory Authority: Chapters 43.21A and 70.94 RCW.
- 173-400-135 Criminal penalties. [Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-135, filed 5/8/79.] Repealed by 83-09-036 (Order DE 83-13), filed 4/15/83. Statutory Authority: Chapters 43.21A and 70.94 RCW.
- 173-400-140 Appeals. [Order DE 76-38, § 173-400-140, filed 12/21/76. Formerly WAC 18-04-140.] Repealed by 83-09-036 (Order DE 83-13), filed 4/15/83. Statutory Authority: Chapters 43.21A and 70.94 RCW.
- 173-400-150 Variance. [Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-150, filed 5/8/79; Order DE 76-38, § 173-400-150, filed 12/21/76. Formerly WAC 18-04-150.] Repealed by 83-09-036 (Order DE 83-13), filed 4/15/83. Statutory Authority: Chapters 43.21A and 70.94 RCW.
- 173-400-160 Maintenance of pay. [Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-160, filed 5/8/79.] Repealed by 83-09-036 (Order DE 83-13), filed 4/15/83. Statutory Authority: Chapters 43.21A and 70.94 RCW.
- 173-400-170 Requirements for boards and director. [Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-170, filed 5/8/79.] Repealed by 83-09-036 (Order DE 83-13), filed 4/15/83. Statutory Authority: Chapters 43.21A and 70.94 RCW.

### Chapter 173-400 WAC

#### GENERAL REGULATIONS FOR AIR POLLUTION SOURCES

##### WAC

- 173-400-010 Purpose.
- 173-400-020 Applicability.
- 173-400-030 Definitions.
- 173-400-040 General standards for maximum emissions.
- 173-400-050 Minimum emission standards for combustion and incineration units.
- 173-400-060 Minimum emission standards for general process emissions units.
- 173-400-070 Minimum standards for certain source categories.
- 173-400-075 Emission standards for sources emitting hazardous air pollutants.
- 173-400-100 Registration.
- 173-400-110 New source review.
- 173-400-115 Standards of performance for new sources.
- 173-400-120 Monitoring and special report.

##### DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

- 173-400-080 Compliance schedules. [Statutory Authority: RCW 70.94.331. 80-11-059 (Order DE 80-14), § 173-400-080, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-080, filed 5/8/79; Order DE 76-38, § 173-400-080, filed 12/21/76. Formerly WAC 18-04-080.] Repealed by 83-09-036 (Order DE 83-13), filed 4/15/83. Statutory Authority: Chapters 43.21A and 70.94 RCW.

**WAC 173-400-010 Purpose.** (1) It is the policy of the department of ecology under the authority vested in it by chapter 43.21A RCW to provide for the systematic control of air pollution from air contaminant sources and progressive reduction where needed.

(2) It is the purpose of this chapter to establish standards deemed to be technically feasible and reasonably attainable and revise such standards as new information and better technology are developed and become available. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-400-010, filed 4/15/83; Order DE 76-38, § 173-400-010, filed 12/21/76. Formerly WAC 18-04-010.]

**WAC 173-400-020 Applicability.** The provisions of this chapter shall apply state-wide. An activated air pollution control authority may enforce this chapter and may in addition adopt standards or requirements which are equivalent to or more stringent than standards or requirements on the same subject matter established by this chapter. This regulation is applicable to all sources of air contaminants except:

- (1) Specific source categories over which the state, by separate regulation, has assumed or hereafter does assume jurisdiction.
- (2) Automobiles, trucks, aircraft.

(3) Those sources under the jurisdiction of the energy facility site evaluation council.

The requirements of chapter 173-403 WAC shall apply to all sources that are subject to the requirements of chapter 173-400 WAC. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-400-020, filed 4/15/83. Statutory Authority: RCW 70.94.331. 80-11-059 (Order DE 80-14), § 173-400-020, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-020, filed 5/8/79; Order DE 76-38, § 173-400-020, filed 12/21/76. Formerly WAC 18-04-020.]

**WAC 173-400-030 Definitions.** Unless a different meaning is plainly required by context, the following words and phrases, as hereinafter used in this chapter, shall have the following meanings:

(1) "Actual emissions" as of a particular date means the average rate, in weight per unit time, with air pollution controls applied, at which the affected emissions unit emitted the pollutant during the two-year period which precedes the particular date, and which is representative of normal operation. An adjustment may be made to the average annual emissions rate to account for unusual circumstances during the two-year period. The department or cognizant local authority may allow or require the use of an alternative time period upon a determination that the alternative time period is more representative of normal operation than is the immediately-preceding two years. Actual emissions shall be calculated using the unit's actual operating hours, production rates, and types of materials processed, stored, or combusted during the selected time period.

The department or cognizant local authority may presume that source-specific allowable emissions, which incorporate limits on hours of operation or production rate, are equivalent to the actual emissions of the unit.

(2) "Air contaminant" means dust, fumes, mist, smoke, other particulate matter, vapor, gas, odorous substance, or any combination thereof. "Air pollutant" means the same as "air contaminant."

(3) "Air pollution" means the presence in the outdoor atmosphere of one or more air contaminants in sufficient quantities, and of such characteristics and duration as is, or is likely to be, injurious to human health, plant or animal life, or property, or which unreasonably interferes with enjoyment of life and property.

(4) "Allowable emissions" means the emission rate calculated using the maximum rated capacity of the source (unless the source is limited in production rate or hours of operation, or both, by an applicable regulatory order) and the most stringent of (a), (b), or (c) of this subsection. Physical and process limitations must be considered in determining maximum rated capacity:

(a) Standards as set forth in 40 CFR Part 60 and Part 61, if applicable to the source, or

(b) The applicable state implementation plan emission limitation, or

(c) The emission rate specified by an applicable regulatory order.

(5) "Ambient air" means the surrounding outside air.

(6) "Ambient air quality standard" means an established concentration, exposure time and frequency of occurrence of a contaminant or multiple contaminants in the air which shall not be exceeded.

(7) "Capacity factor" means the ratio of the average load on a machine or equipment for the period of time considered to the capacity rating of the machine or equipment.

(8) "Cognizant local authority" means an activated air pollution control authority formed pursuant to chapter 70.94 RCW, which authority has jurisdiction over the source being considered.

(9) "Combustion and incineration sources" means sources using combustion for waste disposal, steam production, chemical recovery or other process requirements; but excludes open burning.

(10) "Commenced construction" means that an owner or operator has all the necessary preconstruction approvals or permits and either has:

(a) Begun, or caused to begin, a continuous program of actual on-site construction of the source, to be completed within a reasonable time; or

(b) Entered into binding agreements or contractual obligations, which cannot be canceled or modified without substantial loss to the owner or operator, to undertake a program of actual construction of the source to be completed within a reasonable time.

(11) "Concealment" means any action taken to reduce the observed or measured concentrations of a pollutant in a gaseous effluent while, in fact, not reducing the total amount of pollutant discharged.

(12) "Department" means the department of ecology.

(13) "Director" means the director of the department of ecology or his duly authorized representative.

(14) "Emission" means a release of contaminants into the ambient air.

(15) "Emission standard" means a regulation or regulatory order (or portion thereof) setting forth an allowable rate of emissions, level of opacity, or prescribing equipment or operating conditions that result in control of air pollution emission.

(16) "Emissions unit" means any equipment, device, process, or activity that produces and emits to the outside air, or that may produce and emit to the outside air, any contaminant regulated by state or federal law.

(17) "Excess emissions" means emissions of an air pollutant in excess of an emission standard.

(18) "Fossil fuel-fired steam generator" means a furnace or boiler used in the process of burning fossil fuel for the primary purpose of producing steam by heat transfer.

(19) "Fugitive dust" means a type of particulate emission made airborne by forces of wind, man's activity, or both, such as unpaved roads, construction sites, or tilled land. Two major categories are anthropogenic sources (those which result directly from and during human activities) and wind erosion sources (those resulting from erosion of soil by wind). Fugitive dust is a type of fugitive emission.

(20) "Fugitive emissions" means emissions which do not pass and which could not reasonably pass through a

stack, chimney, vent or other functionally equivalent opening.

(21) "General process unit" means an emissions unit using a procedure or a combination of procedures for the purpose of causing a change in material by either chemical or physical means excluding combustion.

(22) "Incinerator" means a furnace used primarily for the thermal destruction of waste.

(23) "Major emissions unit" means any emissions unit which has actual or allowable emissions of one hundred tons per year or more of any pollutant regulated by state or federal law.

(24) "Major source" means any source which has actual or allowable emissions of one hundred tons per year or more of any contaminant regulated by state or federal law.

(25) "Masking" means the mixing of a chemically nonreactive control agent with a malodorous gaseous effluent to change the perceived odor, usually to a less offensive odor.

(26) "Materials handling" means the handling, transporting, loading, unloading, storage, and transfer of materials with no significant alteration of the chemical or physical properties of the material.

(27) "National emission standards for hazardous air pollutants (NESHAPS)" means those federal regulations set forth in 40 CFR Part 61, as promulgated prior to January 1, 1983.

(28) "New source" means a source which commences construction after the effective date of this chapter. Addition to, enlargement, modification, replacement, or any alteration of any process or source which may increase emissions or ambient air concentrations of any contaminant for which federal or state ambient or emissions standards have been established shall be construed as construction or installation or establishment of a new source. In addition every major modification (as defined in WAC 173-403-030) shall be construed as construction or installation or establishment of a new source.

(29) "New source performance standards (NSPS)" means the federal regulations set forth in 40 CFR Part 60, as promulgated prior to January 1, 1983.

(30) "Notice of construction" means a document which makes application for permission to construct a new source or to accomplish the modification of an existing source.

(31) "Opacity" means the degree to which an object seen through a plume is obscured, stated as a percentage.

(32) "Open burning" means the combustion of material in an open fire or in an outdoor container, without providing for the control of combustion or the control of the emissions from the combustion. Wood waste disposal in wigwam burners is not considered open burning.

(33) "ppm (parts per million)" means parts of contaminant per million parts of gas, by volume, exclusive of water or particulate matter.

(34) "Particulate matter" or "particulates" means small discrete masses of liquid or solid, exclusive of uncombined water.

(35) "Person" means an individual, firm, public or private corporation, association, partnership, political subdivision, municipality or government agency.

(36) "Reasonably available control technology (RACT)" means the lowest emission limit that a particular source or source category is capable of meeting by the application of control technology that is reasonably available considering technological and economic feasibility. RACT is determined on a case-by-case basis for an individual source or source category taking into account the impact of the source upon air quality, the availability of additional controls, the emission reduction to be achieved by additional controls, the impact of additional controls on air quality and the capital and operating costs of the additional controls. RACT requirements for any source or source category may be adopted as an order or regulation after public involvement per WAC 173-403-110.

(37) "Regulatory order" means an order issued by the department or cognizant local authority to an air contaminant source which approves a notice of construction and/or limits emissions and/or establishes other air pollution control requirements.

(38) "Source" means all of the emissions unit(s) including quantifiable fugitive emissions, which are located on one or more contiguous or adjacent properties, and are under the control of the same person (or persons under common control), whose activities are ancillary to the production of a single product or functionally related group of products.

(39) "Source category" means all sources of the same type or classification.

(40) "Standard conditions" means a temperature of 20°C (68°F) and a pressure of 29.92 inches (760 mm) of mercury except when otherwise specified.

(41) "Sulfuric acid plant" means any facility producing sulfuric acid by the contact process by burning elemental sulfur, alkylation acid, hydrogen sulfide, or acid sludge. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-400-030, filed 4/15/83. Statutory Authority: RCW 70.94-.331. 80-11-059 (Order DE 80-14), § 173-400-030, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-030, filed 5/8/79; Order DE 76-38, § 173-400-030, filed 12/21/76. Formerly WAC 18-04-030.]

**WAC 173-400-040 General standards for maximum emissions.** All sources and emissions units are required to meet the emission standards of this chapter. When two or more emissions units are connected to a common stack and the operator elects not to provide the means or facilities to sample emissions from the individual emissions units, and the relative contributions of the individual emissions units to the common discharge are not readily distinguishable, then the emissions of the common stack must meet the most restrictive standard of any of the connected emissions units. Further, all emissions units are required to use reasonably available control technology which may be determined for some sources or source categories to be more stringent than

the emission limitations of this chapter. In cases where current controls are determined to be less than reasonably available control technology (RACT), the department or cognizant local authority shall, on a case-by-case basis, define RACT for each source or source category and issue a regulatory order to the source or sources for installation of RACT.

(1) Visible emissions. No person shall cause or permit the emission for more than three minutes, in any one hour, of an air contaminant from any emissions unit which at the emission point, or within a reasonable distance of the emission point, exceeds twenty percent opacity except:

(a) When the emissions occur due to soot blowing/grate cleaning and the operator can demonstrate that the emissions will not exceed twenty percent opacity for more than fifteen minutes in any eight consecutive hours. The intent of this provision is to permit the soot blowing and grate cleaning necessary to the operation of boiler facilities. As such, this practice, except for testing and trouble shooting, is to be scheduled for the same approximate times each day and the department or cognizant local authority be advised of the schedule.

(b) When the owner or operator of a source supplies valid data to show that the presence of uncombined water is the only reason for the opacity to exceed twenty percent.

(c) When two or more sources are connected to a common stack, an adjusted time limit may be allowed at the discretion of the department or cognizant local authority.

(2) Preventing particulate matter from being deposited. No person shall cause or permit the emission of particulate matter from any source to be deposited beyond the property under direct control of the owner or operator of the source in sufficient quantity to interfere unreasonably with the use and enjoyment of the property upon which the material is deposited.

(3) Fugitive emissions. The owner or operator of any emissions unit involving materials handling, construction, demolition or any other operation which is a source of fugitive emission:

(a) If located in an attainment area and not impacting any nonattainment area, shall take reasonable precautions to prevent the release of air contaminants from the operation.

(b) If the emissions unit has been identified as a significant contributor to the nonattainment status of a designated nonattainment area, shall be required to use reasonably available control technology to control emissions of the contaminants for which nonattainment has been designated. Significance will be determined by EPA interpretive ruling for PSD and offsets on file with the department.

(4) Odors. Any person who shall cause or allow the generation of any odor from any source which may unreasonably interfere with any other property owner's use and enjoyment of his property must use recognized good practice and procedures to reduce these odors to a reasonable minimum.

(5) Emission of air contaminants detrimental to persons or property. No person shall cause or permit the emission of any air contaminant from any source, including any air contaminant whose emission is not otherwise prohibited by this chapter, if the air contaminant causes detriment to the health, safety, or welfare of any person, or causes damage to property or business.

(6) Sulfur dioxide.

No person shall cause or permit the emission of a gas containing sulfur dioxide from any emissions unit in excess of one thousand ppm of sulfur dioxide, corrected to seven percent oxygen for combustion sources, and based on the average of any period of sixty consecutive minutes, except as follows:

(a) When the owner or operator of an emissions unit supplies emission data and can demonstrate to the department or cognizant local authority that there is no feasible method of reducing the concentration to less than one thousand ppm and that the state and federal ambient air quality standards for sulfur dioxide will not be exceeded. In such cases, the department or authority may require the owner or operator to equip, operate, and maintain continuous ambient air monitoring stations at locations approved by the department or authority and using equipment approved by the department or authority. All sampling results will be made available upon request and a monthly summary will be submitted to the department or authority.

(b) When a source limits such emission by a combination of constant emission controls and dispersion techniques approved by the department or cognizant local authority, as permitted by WAC 173-403-140.

(7) Concealment and masking. No person shall cause or permit the installation or use of any means which conceals or masks an emission of an air contaminant which would otherwise violate any provisions of this chapter.

(8) Fugitive dust sources.

(a) The owner or operator of a source of fugitive dust shall take reasonable precautions to prevent fugitive dust from becoming airborne and shall maintain and operate the source to minimize emissions.

(b) The owner or operator of any existing source of fugitive dust that has been identified as a significant contributor to the nonattainment status of a designated nonattainment area shall be required to use reasonably available control technology to control emissions. Significance will be determined by EPA interpretive ruling for PSD and offsets as on file with the department. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-400-040, filed 4/15/83. Statutory Authority: RCW 70.94.331. 80-11-059 (Order DE 80-14), § 173-400-040, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-040, filed 5/8/79; Order DE 76-38, § 173-400-040, filed 12/21/76. Formerly WAC 18-04-040.]

**WAC 173-400-050 Minimum emission standards for combustion and incineration units.** (1) Combustion

and incineration emissions units must meet all requirements of WAC 173-400-040 and, in addition, no person shall cause or permit emissions of particulate matter in excess of 0.23 gram per dry cubic meter at standard conditions (0.1 grain/dscf), except, for an emissions unit utilizing the combustion of wood for the production of steam, no person shall allow or permit the emission of particulate matter in excess of 0.46 gram per dry cubic meter at standard conditions (0.2 grain/dscf), as measured by procedures on file at the department.

(2) For any incinerator, no person shall cause or permit emissions in excess of one hundred ppm of total carbonyls as measured by procedures contained in "Source Test Manual - Procedures for Compliance Testing," state of Washington, department of ecology, on file at the department. Incinerators shall be operated only during daylight hours unless written permission to operate at other times is received from the department or cognizant local authority.

(3) Measured concentrations for combustion and incineration sources shall be adjusted for volumes corrected to seven percent oxygen, except when the department or cognizant local authority may determine that an alternate oxygen correction factor is appropriate. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-400-050, filed 4/15/83. Statutory Authority: RCW 70.94.331. 80-11-059 (Order DE 80-14), § 173-400-050, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-050, filed 5/8/79; Order DE 76-38, § 173-400-050, filed 12/21/76. Formerly WAC 18-04-050.]

**WAC 173-400-060 Minimum emission standards for general process emissions units.** General process units shall be required to meet all applicable provisions of WAC 173-400-040 above and in addition, no person shall cause or permit the emission of particulate material from any general process operation in excess of 0.23 grams per dry cubic meter at standard conditions (0.1 grain/dscf) of exhaust gas. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-400-060, filed 4/15/83. Statutory Authority: RCW 70.94.331. 80-11-059 (Order DE 80-14), § 173-400-060, filed 8/20/80; Order DE 76-38, § 173-400-060, filed 12/21/76. Formerly WAC 18-04-060.]

**WAC 173-400-070 Minimum standards for certain source categories.** The department finds that the reasonable regulation of sources within certain categories requires separate standards applicable to such categories. The standards set forth in this section shall be the minimum standards for emissions units within the categories listed. Except as specifically provided in this section, such emissions units shall not be required to meet the provisions of WAC 173-400-040, 173-400-050 and 173-400-060.

(1) Wigwam burners.

(a) All wigwam burners shall meet all provisions of WAC 173-400-040 (2), (3), (4), (5), (6), and (7).

(b) All wigwam burners shall use reasonably available control technology. All emissions units shall be operated and maintained to minimize emissions. These requirements may include a controlled tangential vent overfire air system, an adequate underfire system, elimination of all unnecessary openings, a controlled feed and other modifications determined necessary by the department or cognizant local authority.

(c) It shall be unlawful to install or increase the existing use of any burner that does not meet all requirements for new sources including those requirements specified in WAC 173-400-040 and 173-400-050, except operating hours.

(d) The department may establish additional requirements for wigwam burners located, or proposed for location, in sensitive areas as defined by chapter 18-06 WAC. These requirements may include but shall not be limited to:

(i) A requirement to meet all provisions of WAC 173-400-040 and 173-400-050. Wigwam burners will be considered to be in compliance with WAC 173-400-040(1) if they meet the requirements contained therein except during a startup period not to exceed thirty minutes in any eight consecutive hours.

(ii) A requirement to apply best available control technology (BACT).

(iii) A requirement to reduce or eliminate emissions if the department establishes that such emissions unreasonably interfere with the use and enjoyment of the property of others or are a cause of violation of ambient air standards.

(2) Hog fuel boilers.

(a) Hog fuel boilers shall meet all provisions of WAC 173-400-040 and 173-400-050(1), except that emissions may exceed twenty percent opacity for up to fifteen consecutive minutes once in any eight hours. The intent of this provision is to permit the soot blowing and grate cleaning necessary to the operation of these units. As such, this practice is to be scheduled for the same specific times each day and the department or cognizant local authority shall be notified as to the schedule.

(b) All hog fuel boilers shall utilize reasonably available control technology. All emissions units shall be operated and maintained to minimize emissions.

(3) Orchard heating.

(a) Burning of rubber materials, asphaltic products, crankcase oil or petroleum wastes, plastic, or garbage is prohibited.

(b) It shall be unlawful to burn any material or operate any orchard-heating device that causes a visible emission exceeding twenty percent opacity, except during the first thirty minutes after such device or material is ignited.

(4) Grain elevators.

Any grain elevator which is primarily classified as a materials handling operation shall meet all the provisions of WAC 173-400-040 (2), (3), (4), and (5).

(5) Catalytic cracking units.

(a) All existing catalytic cracking units shall meet all provisions of WAC 173-400-040 (2), (3), (4), (5), (6), and (7) and in addition:

(i) No person shall cause or permit the emission for more than three minutes, in any one hour, of an air contaminant from any catalytic cracking unit which at the emission point, or within a reasonable distance of the emission point, exceeds forty percent opacity.

(ii) No person shall cause or permit the emission of particulate material in excess of 0.46 grams per dry cubic meter at standard conditions (0.20 grains/dscf) of exhaust gas.

(b) All new catalytic cracking units shall meet all provisions of WAC 173-400-115.

(6) Other wood waste burners.

(a) Wood waste burners not specifically provided for in this section shall meet all provisions of WAC 173-400-040.

(b) Such wood waste burners shall utilize reasonably available control technology. All emissions units shall be operated and maintained to minimize emissions.

(7) Sulfuric acid plants.

No person shall cause to be discharged into the atmosphere from a sulfuric acid plant, any gases which contain acid mist, expressed as  $H_2SO_4$ , in excess of 0.15 pounds per ton of acid produced, the production being expressed as one hundred percent  $H_2SO_4$ . [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-400-070, filed 4/15/83. Statutory Authority: RCW 70.94.331. 80-11-059 (Order DE 80-14), § 173-400-070, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-070, filed 5/8/79; Order DE 76-38, § 173-400-070, filed 12/21/76. Formerly WAC 18-04-070.]

**WAC 173-400-075 Emission standards for sources emitting hazardous air pollutants.** (1) The emission standards for asbestos, beryllium, beryllium rocket motor firing, mercury and vinyl chloride promulgated by the United States Environmental Protection Agency prior to January 1, 1983, as contained in Title 40, Code of Federal Regulations, Part 61, are by this reference adopted and incorporated herein.

(2) The department or cognizant local authority, at any time after the effective date of this section, may conduct source tests and require access to records, books, files and other information specific to the control, recovery or release of asbestos, beryllium, mercury, or vinyl chloride in order to determine the status of compliance of sources of these contaminants and to carry out its enforcement responsibilities.

(3) Source testing, monitoring and analytical methods for sources of asbestos, beryllium, mercury, or vinyl chloride shall conform with the requirements of Title 40, Code of Federal Regulations, Part 61, as promulgated prior to January 1, 1983.

(4) This section shall not apply to any source operating pursuant to a waiver granted by the United States Environmental Protection Agency or an exemption granted by the president of the United States during the effective life of such waiver or exemption. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-

036 (Order DE 83-13), § 173-400-075, filed 4/15/83. Statutory Authority: RCW 70.94.331. 80-11-059 (Order DE 80-14), § 173-400-075, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-075, filed 5/8/79; Order DE 76-38, § 173-400-075, filed 12/21/76. Formerly WAC 18-04-075.]

**WAC 173-400-100 Registration.** The owner or operator of each source within the following source categories shall register the source with the department unless such registration is required by the cognizant local authority:

- (1) Agricultural drying and dehydrating operations;
- (2) Asphalt plants;
- (3) Cattle feedlots with facilities for one thousand or more cattle;
- (4) Chemical plants;
- (5) Ferrous foundries;
- (6) Fertilizer plants;
- (7) Grain handling, seed processing, pea and lentil processing facilities;
- (8) Mineralogical processing plants;
- (9) Nonferrous foundries;
- (10) Oil refineries;
- (11) Other metallurgical processing plants;
- (12) Power boilers using coal, hog fuel, oil, or other solid or liquid fuel;
- (13) Rendering plants;
- (14) Scrap metal operations;
- (15) Veneer dryers;
- (16) Wood waste incinerators including wigwam burners;
- (17) Other incinerators designed for a capacity of one hundred pounds per hour or more;
- (18) Stationary internal combustion engines rated at five hundred horse power or more;
- (19) Sawmills, including processing for lumber, plywood, shake, shingle, pulpwood insulating board, or any combination thereof;
- (20) Any category of stationary sources to which a federal standard of performance (NSPS) applies;
- (21) Any source which emits a contaminant subject to a national emission standard for hazardous air pollutants (NESHAPS);
- (22) Any major source or major emissions unit.

Registration shall be on forms to be supplied by the department or local authority within the time specified thereon.

A report of closure shall be filed with the department whenever operations producing emissions are permanently ceased at any source within the above categories. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-400-100, filed 4/15/83. Statutory Authority: RCW 70.94.331. 80-11-059 (Order DE 80-14), § 173-400-100, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-100, filed 5/8/79; Order DE 76-38, § 173-400-100, filed 12/21/76. Formerly WAC 18-04-100.]

**WAC 173-400-110 New source review.** Construction shall not commence, on any new source that is required to register per WAC 173-400-100, until a notice of construction has been approved per WAC 173-403-050. The owner or operator of any source that is required to register per WAC 173-400-100 shall notify the department or cognizant local authority prior to replacement of air pollution control equipment or process equipment other than replacement for routine maintenance and repair. The department or authority may determine that a notice of construction is required. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-400-110, filed 4/15/83. Statutory Authority: RCW 70.94.331, 70.94-.510, and 70.94.785. 81-03-002 (Order DE 80-53), § 173-400-110, filed 1/8/81. Statutory Authority: RCW 70.94.331. 80-11-059 (Order DE 80-14), § 173-400-110, filed 8/20/80. Statutory Authority: RCW 43.21A-.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-110, filed 5/8/79; Order DE 76-38, § 173-400-110, filed 12/21/76. Formerly WAC 18-04-110.]

**WAC 173-400-115 Standards of performance for new sources.** Title 40, Code of Federal Regulations, Part 60 (standards of performance for new sources), as promulgated prior to January 1, 1983, is by this reference adopted and incorporated herein with the exception of sections 60.5 (determination of construction or modification) and 60.6 (review of plans). For the purpose of state administration of the federal regulations adopted by reference hereby, the term "administrator" as used therein shall refer to the department or cognizant local authority.

(1) Sections 60.5 and 60.6 of Title 40, Code of Federal Regulations, are not incorporated herein because they provide for preconstruction review of new sources only on request. By virtue of WAC 173-403-050, such review under the state program is mandatory and an order of approval is required before the construction, installation or establishment of a new source may commence.

(2) As of January 1, 1983, the federal regulations adopted by reference hereby set standards of performance affecting facilities for the following described subparts of 40 CFR Part 60:

Subpart D	Fossil fuel fired steam generators for which construction commenced after August 17, 1971, and prior to September 19, 1978, which have a heat input greater than 73 megawatts but not greater than 250 megawatts
Subpart Da	Electric utility steam generating units for which construction commenced after September 18, 1978, which have a heat input greater than 73 megawatts but not greater than 250 megawatts
Subpart E	Incinerators
Subpart F	Portland cement plants
Subpart G	Nitric acid plants
Subpart H	Sulfuric acid plants

Subpart I	Asphalt concrete plants
Subpart J	Petroleum refineries which produce less than 25,000 barrels per day of refined products
Subpart K	Storage vessels for petroleum liquid constructed after June 11, 1973, and prior to May 19, 1978, which have a capacity greater than 40,000 gallons
Subpart Ka	Storage vessels for petroleum liquids constructed after May 18, 1978, which have a capacity greater than 40,000 gallons
Subpart L	Secondary lead smelters
Subpart M	Brass and bronze ingot production plants
Subpart N	Iron and steel plants
Subpart O	Sewage treatment plants
Subpart P	Primary copper smelters
Subpart Q	Primary zinc smelters
Subpart R	Primary lead smelters
Subpart T	Phosphate fertilizer industry: Wet process phosphoric acid plants
Subpart U	Phosphate fertilizer industry: Superphosphoric acid plants
Subpart V	Phosphate fertilizer industry: Diammonium phosphate plants
Subpart W	Phosphate fertilizer industry: Triple superphosphate plants
Subpart X	Phosphate fertilizer industry: Granular triple superphosphate storage facilities
Subpart Y	Coal preparation plants
Subpart Z	Ferroalloy production facilities
Subpart AA	Steel plants: Electric arc furnaces
Subpart CC	Glass manufacturing plants
Subpart DD	Grain elevators
Subpart EE	Industrial surface coating: Metal furniture
Subpart GG	Stationary gas turbines
Subpart HH	Lime manufacturing plants
Subpart KK	Lead acid batteries
Subpart MM	Automobile and light duty truck surface coating operations
Subpart NN	Phosphate rock plants
Subpart PP	Ammonium sulfate manufacture
Subpart QQ	Publication rotogravure printing
Subpart SS	Industrial surface coating: Large appliances
Subpart TT	Industrial surface coating: Metal coils
Subpart UU	Asphalt processing and asphalt roofing manufacture

Compliance with the standards for affected facilities within these source categories shall be determined by performance tests and visual observations of opacity as set forth in the regulations adopted by reference hereby. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-400-115, filed 4/15/83; 82-16-019 (Order DE 82-20), § 173-400-115, filed 7/27/82. Statutory Authority: RCW 70.94-.331. 80-11-059 (Order DE 80-14), § 173-400-115,

filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-115, filed 5/8/79; Order DE 76-38, § 173-400-115, filed 12/21/76. Formerly WAC 18-04-115.]

**WAC 173-400-120 Monitoring and special report.**

(1) Monitoring. The department shall conduct a continuous surveillance program to monitor the quality of the ambient atmosphere as to concentrations and movements of air contaminants.

As a part of this program, the director or his authorized representative may require any source under the jurisdiction of the department to conduct stack and/or ambient air monitoring and to report the results to the department.

(2) Investigation of conditions. Upon presentation of appropriate credentials, for the purpose of investigating conditions specific to the control, recovery, or release of air contaminants into the atmosphere, the director or authorized personnel from a cognizant local authority shall have the power to enter at reasonable times upon any private or public property, excepting nonmultiple unit private dwellings housing one or two families.

(3) Source testing. In order to demonstrate compliance with this chapter, the department, may require that a test be made of the source using procedures contained in "Source Test Manual - Procedures for Compliance Testing," state of Washington, department of ecology, on file at the department. The operator of a source may be required to provide the necessary platform and sampling ports for the department personnel to perform a test of an emissions unit. The department shall be allowed to obtain a sample from any emissions unit. The operator of the source shall be given an opportunity to observe the sampling and to obtain a sample at the same time.

(4) Report of startup, shutdown, breakdown or upset condition. If a startup, shutdown, breakdown or upset condition occurs which could result in an emissions violation or a violation of an ambient air quality standard, the owner or operator of the source shall take the following actions as applicable:

(a) For a planned condition, such as a startup or shutdown, the condition shall be reported to the department or cognizant local authority in advance of its occurrence.

(b) For an unplanned condition, such as a breakdown or upset, the condition shall be reported to the department or cognizant local authority as soon as possible.

Upon request of the department or cognizant local authority, the owner or operator of the source shall submit a full written report including the known causes, the corrective actions taken, and the preventive measures to be taken to minimize or eliminate the chance of recurrence.

Compliance with the requirements of WAC 173-400-120(4) does not relieve the owner or operator of the source from the responsibility to maintain continuous compliance with all the requirements of this chapter nor from the resulting liabilities for failure to comply.

(5) Continuous monitoring and recording. Owners and operators of the following categories of sources shall install, calibrate, maintain and operate equipment for continuously monitoring and recording those emissions specified.

(a) Fossil fuel-fired steam generators.

(i) Opacity, except where:

(A) Steam generator capacity is less than two hundred fifty million BTU per hour heat input; or

(B) Only gaseous fuel is burned; or

(C) Only oil or a mixture of oil and gas is burned and opacity and particulate regulations can be met without using particulate collection equipment; and, the source has never, through any administrative or judicial procedure, been found in violation of any visible emission standard.

(ii) Sulfur dioxide, except where:

(A) Steam generator capacity is less than two hundred fifty million BTU per hour heat input, or

(B) Sulfur dioxide control equipment has not been installed.

(iii) Percent oxygen or carbon dioxide where such measurements are necessary for the conversion of sulfur dioxide continuous emission monitoring data.

(iv) General exception. These requirements do not apply to a fossil fuel-fired steam generator with an annual average capacity factor of less than thirty percent, as reported to the Federal Power Commission for calendar year 1974, or as otherwise demonstrated to the department or cognizant local authority by the owner or operator.

(b) Sulfuric acid plants.

Sulfur dioxide where production capacity is more than three hundred tons per day, expressed as one hundred percent acid, except for those facilities where conversion to sulfuric acid is utilized primarily as a means of preventing emissions to the atmosphere of sulfur dioxide or other sulfur compounds.

(c) Fluid bed catalytic cracking units catalyst regenerators at petroleum refineries.

Opacity where fresh feed capacity is more than twenty thousand barrels per day.

(d) Wood residue fuel-fired steam generators.

(i) Opacity, except where:

Steam generator capacity is less than one hundred million BTU per hour heat input.

(ii) Continuous monitoring equipment. The requirements of WAC 173-400-120 (5)(e) do not apply to wood residue fuel-fired steam generators, but continuous monitoring equipment required by WAC 173-400-120 (5)(d) shall be subject to approval by the department.

(e) Owners and operators of those sources required to install continuous monitoring equipment under this chapter shall demonstrate to the department or cognizant local authority compliance with the equipment and performance specifications and observe the reporting requirements contained in Title 40, Code of Federal Regulations, Part 51, Appendix P, Sections 3, 4 and 5, promulgated on October 6, 1975, which is by this reference adopted and incorporated herein.



(f) All sources subject to this chapter shall procure and install equipment and commence monitoring and recording activities no later than eighteen months after adoption of this chapter by the department. Any extension to this time requirement shall be negotiated through the variance procedure of WAC 173-400-150.

(g) Special considerations. If for reason of physical plant limitations or extreme economic situations, the department determines that continuous monitoring is not a reasonable requirement, alternative monitoring and reporting procedures will be established on an individual basis. These will generally take the form of stack tests conducted at a frequency sufficient to establish the emission levels over time and to monitor deviations in these levels.

(h) Exemptions. This subsection (5) does not apply to any source which is:

(i) Subject to a new source performance standard. These sources will be governed by WAC 173-400-115.

(ii) Not subject to an applicable emission standard.

(iii) Scheduled for retirement within five years after inclusion of monitoring equipment requirements in this chapter, provided that adequate evidence and guarantees are provided that clearly show that the source will cease operations prior to that date.

(i) Monitoring system malfunctions. A source may be temporarily exempted from the monitoring and reporting requirements of this chapter during periods of monitoring system malfunctions provided that the source owner or operator shows to the satisfaction of the department or cognizant local authority that the malfunction was unavoidable and is being repaired as expeditiously as practicable.

(6) Emission inventory. The owner or operator of any air contaminant source shall submit an inventory of emissions from the source each year upon a form and according to instructions received from the department of ecology or cognizant local authority. The inventory may include stack and fugitive emissions of particulates, sulfur dioxide, carbon monoxide, total reduced sulfur compounds (TRS), fluorides, lead, volatile organic compounds, and other contaminants, and shall be submitted when required no later than one hundred five days after the end of the calendar year. The inventory shall include total emissions for the year in tons per year and an estimate of the percentage of the total emitted each quarter. An estimate shall be made of the one hour and twenty-four hour emissions while operating at maximum capacity. The report shall include the average sulfur content of any fuel or raw material used which will result in emissions of more than twenty-five tons per year of sulfur dioxide.

(7) Change in raw materials or fuels. Any change or series of changes in raw material or fuel which will result in a cumulative increase in emissions of sulfur dioxide of forty tons per year or more over that stated in the initial inventory required by WAC 173-400-120(6) shall require the submittal of sufficient information to the department or authority to determine the effect of the increase upon ambient concentrations of sulfur dioxide. The department or cognizant local authority

may issue regulatory orders requiring controls to reduce the effect of such increases. Cumulative changes in raw material or fuel of less than 0.5 percent increase in average annual sulfur content over the initial inventory shall not require such notice. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-400-120, filed 4/15/83. Statutory Authority: RCW 70.94.331. 80-11-059 (Order DE 80-14), § 173-400-120, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-012 (Order DE 78-21), § 173-400-120, filed 5/8/79; Order DE 76-38, § 173-400-120, filed 12/21/76. Formerly WAC 18-04-120.]

### Chapter 173-402 WAC

#### CIVIL SANCTIONS UNDER WASHINGTON CLEAN AIR ACT

##### WAC

173-402-010 Prior regulations.  
173-402-020 Subsequent regulations.

**WAC 173-402-010 Prior regulations.** No standard, limitation or requirement of any kind applicable to air contaminant sources and in force at the effective date of this chapter shall be construed to require any element of *scienter* before civil sanctions available under the Washington Clean Air Act can be imposed. [Statutory Authority: RCW 70.94.040, 70.94.141 and 70.94.331. 80-08-024 (Order DE 80-23), § 173-402-010, filed 6/24/80.]

**WAC 173-402-020 Subsequent regulations.** No standard, limitation or requirement of any kind applicable to air contaminant sources and adopted after the effective date of this chapter shall be construed to require any element of *scienter* before civil sanctions available under the Washington Clean Air Act can be imposed, except to the extent that a *scienter* requirement is provided for expressly. [Statutory Authority: RCW 70.94.040, 70.94.141 and 70.94.331. 80-08-024 (Order DE 80-23), § 173-402-020, filed 6/24/80.]

### Chapter 173-403 WAC

#### IMPLEMENTATION OF REGULATIONS FOR AIR CONTAMINANT SOURCES

##### WAC

173-403-010 Policy and purpose.  
173-403-020 Applicability.  
173-403-030 Definitions.  
173-403-050 New source review (NSR).  
173-403-060 Bubble rules.  
173-403-070 Issuance of emission reduction credits.  
173-403-075 Use of emission reduction credits.  
173-403-080 Prevention of significant deterioration (PSD).  
173-403-090 Retrofit requirements for visibility protection.  
173-403-100 Compliance schedules.  
173-403-110 Public involvement.  
173-403-120 Variance.  
173-403-130 Requirements for nonattainment areas.  
173-403-140 Use of dispersion techniques.  
173-403-150 Maintenance of pay.

173-403-160	Requirements for boards and director.
173-403-170	Regulatory actions.
173-403-180	Criminal penalties.
173-403-190	Appeals.

**WAC 173-403-010 Policy and purpose.** (1) It is the policy of the department of ecology under the authority vested in it by chapter 43.21A RCW to provide for the systematic control of air pollution from air contaminant sources and progressive reduction where needed.

(2) It is the purpose of this chapter to establish procedures for the implementation of regulations and rules generally applicable to the control and/or prevention of the emission of air contaminants. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-010, filed 4/11/83. Formerly WAC 18-60-010.]

**WAC 173-403-020 Applicability.** This chapter cancels and supersedes chapter 18-60 WAC. The provisions of this chapter shall apply state-wide. An activated air pollution control authority may enforce this chapter for any source under its jurisdiction and may in addition adopt requirements which are equivalent to or more stringent than standards or requirements on the same subject matter established by this chapter. This regulation is applicable to all sources of air contaminants except:

(1) Automobiles, trucks, and aircraft.

(2) Those sources under the jurisdiction of the energy facility site evaluation council. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-020, filed 4/11/83.]

**WAC 173-403-030 Definitions.** Unless a different meaning is plainly required by context, the following words and phrases, as hereinafter used in this chapter, shall have the following meanings:

(1) "Actual emissions" as of a particular date means the average rate, in weight per unit time, with air pollution controls applied, at which the affected emission unit emitted the pollutant during the two-year period which precedes the particular date, and which is representative of normal operation. An adjustment may be made to the average annual emission rate to account for unusual circumstances during the two-year period. The department or cognizant local authority may allow or require the use of an alternative time period upon a determination that the alternative time period is more representative of normal operation than is the immediately-preceding two years. Actual emissions shall be calculated using the unit's actual operating hours, production rates, and types of materials processed, stored, or combusted during the selected time period.

The department or cognizant local authority may presume that source-specific allowable emissions, which incorporate limits on hours of operation or production rate, are equivalent to the actual emissions of the unit.

(2) "Adverse impact on visibility" means visibility impairment which interferes with the management, protection, preservation, or enjoyment of the visitor's visual

experience of the Federal Class I area. This determination must be made on a case-by-case basis taking into account the geographic extent, intensity, duration, frequency, and time of visibility impairments, and how these factors correlate with (a) times of visitor use of the Federal Class I area, and (b) the frequency and timing of natural conditions that reduce visibility. This term does not include effects on integral vistas.

(3) "Air contaminant" means dust, fumes, mist, smoke, other particulate matter, vapor, gas, odorous substance, or any combination thereof. "Air pollutant" means the same as "air contaminant."

(4) "Air pollution" means the presence in the outdoor atmosphere of one or more air contaminants in sufficient quantities, and of such characteristics and duration as is, or is likely to be, injurious to human health, plant or animal life, or property, or which unreasonably interferes with enjoyment of life and property.

(5) "Allowable emissions" means the emission rate calculated using the maximum rated capacity of the source (unless the source is limited in production rate or hours of operation, or both, by an applicable regulatory order) and the most stringent of (a), (b), or (c) of this subsection. Physical and process limitations must be considered in determining maximum rated capacity.

(a) Standards as set forth in 40 CFR Part 60 and Part 61, if applicable to the source; or

(b) The applicable state implementation plan emission limitation; or

(c) The emission rate specified by an applicable regulatory order.

(6) "Ambient air" means the surrounding outside air.

(7) "Ambient air quality standard" means an established concentration, exposure time, and frequency of occurrence of air contaminant or multiple air contaminants in the ambient air which shall not be exceeded.

(8) "Best available control technology (BACT)" means technology which will result in an emission limitation (including a visible emission standard) based on the maximum degree of reduction for each air pollutant subject to this regulation which would be emitted from any proposed new or modified source which the permitting authority, on a case-by-case basis, taking into account energy, environmental, and economic impacts and other costs, determines is achievable for such sources or modification through application of production processes, available methods, systems, and techniques, including fuel cleaning or treatment or innovative fuel combustion techniques for control of such air pollutant. In no event shall application of the best available technology result in emissions of any air pollutant which would exceed the emissions allowed by any applicable standard under 40 CFR Part 60 and Part 61. If the reviewing agency determines that technological or economic limitations on the application of measurement methodology to a particular class of sources would make the imposition of an emission standard infeasible, it may instead prescribe a design, equipment, work practice or operational standard, or combination thereof, to meet the requirement of best available control technology. Such standard shall, to the degree possible, set forth the

emission reduction achievable by implementation of such design, equipment, work practice or operation and shall provide for compliance by means which achieve equivalent results. The requirement of RCW 70.94.152 that a new source will provide "all known available and reasonable methods of emission control" is interpreted to mean the same as best available control technology.

(9) "Best available retrofit technology (BART)" means any emission limitation based on the degree of reduction achievable through the application of the best system of continuous emission reduction for each pollutant which is emitted by source. The emission limitation must be established, on a case-by-case basis, taking into consideration the technology available, the costs of compliance, the energy and nonair quality environmental impacts of compliance, any pollution control equipment in use or in existence at the source, the remaining useful life of the source, and the degree of improvement in visibility which may reasonably be anticipated to result from the use of such technology. If an emission limitation is not feasible, a design, equipment, work practice, operational standard, or combination thereof, may be required. Such standards shall, to the degree possible, set forth the emission reductions achieved and provide for compliance by prescribing appropriate conditions in a regulatory order.

(10) "Bubble" means a set of emission limits which allows an increase in emissions from a given emissions unit or units in exchange for a decrease in emissions from another emissions unit or units, pursuant to RCW 70.94.155.

(11) "Class I area" means any federal, state, or Indian land which is classified or reclassified Class I.

(12) "Cognizant local authority" means an activated air pollution control authority formed pursuant to chapter 70.94 RCW, which authority has jurisdiction over the source being considered.

(13) "Commenced construction" means that the owner or operator has all the necessary preconstruction approvals or permits and either has:

(a) Begun, or caused to begin, a continuous program of actual on-site construction of the source, to be completed within a reasonable time; or

(b) Entered into binding agreements or contractual obligations, which cannot be cancelled or modified without substantial loss to the owner or operator, to undertake a program of actual construction of the source to be completed within a reasonable time.

(14) "Department" means the department of ecology.

(15) "Director" means director of the department of ecology or his authorized representative.

(16) "Dispersion technique" means any one of the following:

(a) A stack whose height exceeds good engineering practice; or

(b) An intermittent or supplemental control of pollutants varying with atmospheric conditions, including any method which attempts to affect the concentration of a pollutant according to atmospheric conditions and the manipulation of source process parameters or selective handling of exhaust gas streams; or

(c) Use of a fan or reheater to obtain a less stringent emission limitation.

(17) "Emission" means a release of air contaminants into the ambient air.

(18) "Emission reduction credit (ERC)" means a credit granted to a source for a voluntary reduction in actual emissions.

(19) "Emission standard" means a regulation or regulatory order (or portion thereof) setting forth an allowable rate of emissions, level of opacity, or prescribing equipment or operating conditions that result in control of air pollution emission.

(20) "Emissions unit" means any equipment, device, process, or activity that produces and emits to the outside air, or that may produce and emit to the outside air, any contaminant regulated by state or federal law.

(21) "Fugitive emissions" means emissions which do not pass and which could not reasonably pass through a stack, chimney, vent, or other functionally equivalent opening.

(22) "Good engineering practice (GEP)" refers to the height of a stack and means one of the following, whichever is the greatest:

(a) Sixty-five meters; or

(b) Height determined by formula. For stacks in existence on or before January 12, 1979, formula height is two and one-half times the height of any nearby structure. For stacks constructed after January 12, 1979, formula height is the height of any nearby structure plus one and one-half times the height or width of said structure, whichever is lesser. The height of the nearby structure is measured from ground level at the base of the stack. "Nearby," as used in this paragraph, means that distance up to five times the lesser of the height or width dimension of said structure, but no greater than .8 kilometer; or

(c) Height determined by physical demonstration of need to prevent excessive concentrations of a pollutant due to downwash, wakes, or eddies created by structures or terrain obstacles. To make such a demonstration it is required that maximum concentrations caused by the source's emissions from its proposed stack height, without consideration of nearby structures or terrain obstacles, will increase at least forty percent when the effects of the structures or terrain obstacles are considered. This difference in concentrations must be shown either by a fluid model study conducted in accordance with guidelines published by the environmental protection agency or by a field study which has been approved by the department or cognizant local authority. Such a study may be approved only after public involvement pursuant to WAC 173-403-110.

(23) "In operation" means engaged in activity related to the primary design function of the source.

(24) "Integral vista" means a view perceived from within the Class I area of a specific landmark or panorama located outside the boundary of the Class I area.

(25) "Land manager" means the secretary of the federal or head of the state department or Indian governing body with authority over the Class I area.

(26) "Lowest achievable emission rate (LAER)" means for any source that rate of emissions which reflects:

(a) The most stringent emission limitation which is contained in the implementation plan of any state for such class or category of source, unless the owner or operator of the proposed new or modified source demonstrates that such limitations are not achievable; or

(b) The most stringent emission limitation which is achieved in practice by such class or category of source, whichever is more stringent.

In no event shall the application of this term permit a proposed new or modified source to emit any pollutant in excess of the amount allowable under applicable new source performance standards.

(27) "Major emissions unit" means any emissions unit which has actual or allowable emissions of one hundred tons per year or more of any pollutant regulated by state or federal law.

(28) "Major modification" means (a), (b), or (c) of this subsection, whichever is the most stringent:

(a) Any physical change or change in the method of operation of a major source, a source that would become a major source as a result of the proposed change, or a major emissions unit or an emissions unit that would become a major emissions unit as a result of the proposed change that is located in an area that is not in attainment for the pollutant under consideration or is located in an area that is not in attainment for ozone and the pollutant under consideration is volatile organic compounds, which change would cause a net significant emissions increase for any pollutant regulated by state or federal law, except that a net significant emissions increase for any one of the following reasons shall not, in itself, cause the change to be a major modification:

(i) Use of an alternative fuel or raw material by reason of an order under Sections 2 (a) and (b) of the Federal Energy Supply and Environmental Coordination Act of 1974 (or any superseding legislation) or by reason of a natural gas curtailment plan pursuant to the Federal Power Act; or

(ii) Use of an alternative fuel by reason of an order or rule under Section 125 of the Federal Clean Air Act; or

(iii) Use of an alternative fuel or raw material that the source is capable of accommodating and was capable of accommodating prior to December 21, 1976, unless such change in fuel or raw material use is prohibited by a regulatory order; or

(iv) Use of an alternative fuel at a steam-generating unit to the extent that the fuel is generated from municipal solid waste; or

(v) An increase in the hours of operation or the production rate unless such increases are prohibited by a regulatory order.

(b) Any physical change or change in the method of operation of a major source, a source that would become a major source as a result of the proposed change, or a major emissions unit or an emissions unit that would become a major emissions unit as a result of the proposed change that is located in an area that is not in attainment for the pollutant under consideration or is located

in an area that is not in attainment for ozone and the pollutant under consideration is volatile organic compounds, which change would cause the allowable emissions to be exceeded.

(c) Any reconstruction of a major source, or any reconstruction of a major emissions unit that is located in an area that is not in attainment for the pollutant under consideration or located in an area that is not in attainment for ozone and the pollutant under consideration is volatile organic compounds, for which reconstruction the fixed capital cost of the new components exceeds fifty percent of the fixed capital cost of a comparable entirely new source or emissions unit.

(29) "Major source" means any source which has actual or allowable emissions of one hundred tons per year or more of any pollutant regulated by state or federal law.

(30) "National emission standards for hazardous air pollutants (NESHAPS)" means the federal regulations set forth in 40 CFR Part 61, as promulgated prior to January 1, 1983.

(31) "Natural conditions" include naturally occurring phenomenon that reduce visibility as measured in terms of visual range, contrast, or coloration.

(32) "Net emissions increase" means the amount by which the sum of the following exceeds zero:

(a) Any increase in actual emissions of a pollutant resulting from a physical change or change in method of operation of a specific emission unit in a source; and

(b) Any other increases or decreases in actual emissions of the same pollutant from the source that are contemporaneous with the change: *Provided, That*

(i) Said other increases or decreases are contemporaneous with the change only if they occur at the same time or within one year prior to the change, or if said decrease(s) has been documented by an emission reduction credit; and

(ii) Said other decreases in emissions are creditable only to the extent that the old level of actual emissions or the old level of allowable emissions, whichever is the lesser, exceeds the new level of allowable emissions; and

(iii) Said other decreases in emissions are not creditable if the specific emissions unit is a major emissions unit and is located (A) in an area that is not in attainment for the pollutant or (B) in an area that is not in attainment for ozone and the pollutant is volatile organic compounds; and

(iv) The determination of net emissions increase shall be valid only after a regulatory order has been issued which establishes that the new emissions from every emissions unit involved in the determination are equal to the new allowable emissions expressed as weight of the pollutant per unit time.

(33) "New source" means a source which commences construction after the effective date of this chapter. Addition to, enlargement, modification, replacement, or any alteration of any process or source which may increase emissions or ambient air concentrations of any contaminant for which federal or state ambient or emission standards have been established shall be construed as construction or installation or establishment of a new

source. In addition every major modification shall be construed as construction or installation or establishment of a new source.

(34) "New source performance standards (NSPS)" means the federal regulations set forth in 40 CFR Part 60, as promulgated prior to January 1, 1983.

(35) "Nonattainment area" means a clearly delineated geographic area which has been designated by EPA promulgation as exceeding a national ambient air quality standard or standards for one or more of the criteria pollutants.

(36) "Notice of construction" means a document which makes application for permission to construct a new source or to accomplish the modification of an existing source.

(37) "Opacity" means the degree to which an object seen through a plume is obscured, stated as a percentage.

(38) "Particulate matter" or "particulates" means small discrete masses of liquid or solid, exclusive of uncombined water.

(39) "Person" means an individual, firm, public or private corporation, association, partnership, political subdivision, municipality, or government agency.

(40) "Prevention of significant deterioration (PSD)" means the federal regulations set forth in 40 CFR Subpart 52.21 as promulgated prior to July 1, 1982, and as modified by WAC 173-403-080.

(41) "Reasonably attributable" means attributable by visual observation or any other technique the state deems appropriate.

(42) "Reasonably available control technology (RACT)" means the lowest emission limit that a particular source or source category is capable of meeting by the application of control technology that is reasonably available considering technological and economic feasibility. RACT is determined on a case-by-case basis for an individual source or source category taking into account the impact of the source upon air quality, the availability of additional controls, the emission reduction to be achieved by additional controls, the impact of additional controls on air quality, and the capital and operating costs of the additional controls. RACT requirements for any source or source category may be adopted as an order or regulation after public involvement per WAC 173-403-110.

(43) "Regulatory order" means an order issued by the department or cognizant local authority to an air contaminant source which approves a notice of construction and/or limits emissions and/or establishes other air pollution control requirements.

(44) "Significant emission" means a rate of emission equal to or greater than any one of the following rates:

Pollutant	Tons/Year	Pounds/Day	Pounds/Hour
Carbon monoxide	100		
Nitrogen oxides	40		
Sulfur dioxide	40	800	80
Volatile organic compounds	40		
Particulates	25	500	50
Lead	.6		
Total reduced sulfur (as H <sub>2</sub> S)	10		
Total fluoride	3		

(45) "Significant visibility impairment" means visibility impairment which interferes with the management, protection, preservation, or enjoyment of visitor visual experience of the Class I area. The determination must be made on a case-by-case basis, taking into account the geographic extent, intensity, duration, frequency, and time of the visibility impairment, and how these factors correlate with the time of visitor use of the Class I area and frequency and timing of natural conditions that reduce visibility.

(46) "Source" means all of the emissions unit(s) including quantifiable fugitive emissions, which are located on one or more contiguous or adjacent properties, and are under the control of the same person (or persons under common control), whose activities are ancillary to the production of a single product or functionally related group of products.

(47) "Source category" means all sources of the same type or classification.

(48) "Total reduced sulfur, (TRS)" means hydrogen sulfide, mercaptans, dimethyl sulfide, dimethyl disulfide, and any other organic sulfides present, expressed as hydrogen sulfide.

(49) "Visibility impairment" means any humanly perceptible change in visibility (visual range, contrast, coloration) from that which would have existed under natural conditions.

(50) "Visibility impairment of a Class I areas" means visibility impairment within the area and visibility impairment of any formally designated integral vista associated with the area.

(51) "Volatile organic compound" means a hydrocarbon or derivative of hydrocarbon that has a vapor pressure greater than 0.1 millimeters of mercury at 20 degrees C, except the following excluded compounds: Methane, ethane, trichlorofluoromethane, dichlorodifluoromethane, chlorodifluoromethane, trifluoromethane, trichlorotrifluoroethane, dichlorotetrafluoroethane, chloropentafluoroethane, methylene chloride, and 1,1,1-trichloroethane (methyl chloroform). [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-18-010 (Order DE 83-22), § 173-403-030, filed 8/26/83; 83-09-013 (Order DE 83-12), § 173-403-030, filed 4/11/83. Formerly WAC 18-60-020.]

#### **WAC 173-403-050 New source review (NSR). (1) Applicability.**

(a) A notice of construction must be filed with the department or cognizant local authority prior to the construction, installation, or establishment of a new source, if the source is in a category that is required to submit to new source review per applicable regulation of the said authority.

(b) The department or cognizant local authority may require a notice of construction prior to the construction, installation, or establishment of any new source, other than a single family or duplex dwelling.

(c) The notice of construction and new source review shall apply only to the emission unit(s) affected and the contaminants involved.

(2) **Additional information.** Within thirty days of receipt of a notice of construction, the department or cognizant local authority may require the submission of additional plans, specifications, and such other information as deemed necessary for the review of the proposed new or modified source.

(3) **Requirements for nonattainment areas.** If the proposed new source is located in an area that is not in attainment for any air contaminant that would be emitted by the source, or if the source is located in an area that is not in attainment for ozone and the source would emit volatile organic compounds, the department or cognizant local authority shall review notice(s) of construction, plans, specifications, and other information associated therewith to determine that:

(a) The new source will be in accord with applicable federal and state rules and regulations, including new source performance standards (NSPS) and national emissions standards for hazardous air pollutants (NESHAPS).

(b) The new source will use best available control technology (BACT) for emissions control.

(c) If the new source is a major source or the proposed change is a major modification, it will comply with lowest achievable emission rate (LAER) for emissions of the contaminants for which nonattainment has been designated.

(d) If the source is a major source and is located in an area that is not in attainment for carbon monoxide or ozone and the source will emit carbon monoxide or volatile organic compounds, it is required that there be an analysis of alternative sites, sizes, and production processes and environmental control techniques for the proposed new source which demonstrates that benefits of the proposed new source significantly outweigh the environmental and social costs imposed as a result of its location, construction, and modification. This analysis is the responsibility of the applicant, who may use an environmental impact statement prepared under the State Environmental Policy Act or the National Environmental Policy Act as a source of information for this analysis.

(e) The proposed new source will not violate the requirements for reasonable further progress established by the state implementation plan. If the source is a major source or the project is a major modification, the total new actual emissions from all sources existing at the time of application for notice of construction plus proposed allowable emissions for the new source, of the contaminants for which nonattainment has been designated, shall be no greater than the total actual emissions from existing sources, except that (i) the department or cognizant local authority may require that new total actual emissions be reduced to less than existing total actual emissions, as necessary to achieve air quality attainment goals stated in an approved plan of attainment, and except that (ii) the emissions from the proposed new source may be approved without an offsetting reduction from existing sources if an adequate emissions

growth allowance is included in an approved plan of attainment. The above requirements must be met by reducing actual emissions from existing source(s). Arrangements for such offsetting reduction(s) of actual emissions must be made by the owner or operator of the proposed new source. The proposed new source may be constructed only after the issuance of a regulatory order(s) to the proposed new source and to all the source(s) that provided the offset. The said orders shall include new allowable emissions limits for all the affected sources. An emission reduction that is the result of the shutdown or curtailment of an existing emissions unit may be used as an offsetting reduction to satisfy the requirements of this paragraph only by the source that created the reduction.

(f) If the source is a major source or the project is a major modification, the owner or operator shall demonstrate that all major sources owned or operated by such person (or persons under common control with such person) in the state which are subject to emission limitations are in compliance or on a schedule for compliance with applicable emission limitations and standards under the Federal Clean Air Act.

(4) **Requirements for attainment areas.** If the proposed new source is located in an area that is in attainment for all contaminants that would be emitted by the source and the source is located in an ozone attainment area if the source would emit volatile organic compounds, the department or cognizant local authority shall review notice(s) of construction, plans, specifications, and other information associated therewith to determine that:

(a) The new source will be in accord with applicable federal and state regulations, including new source performance standards (NSPS) and national emissions standards for hazardous air pollutants (NESHAPS).

(b) The project will use best available control technology (BACT) for emissions control.

(c) If the new source is a major source the source shall meet all the requirements of prevention of significant deterioration regulations under WAC 173-403-080, in Washington and any adjacent state.

(d) The allowable emissions from the proposed new facility will not delay the attainment date for an area not in attainment. This requirement will be considered to be met if the impact at any location within a nonattainment area does not exceed the following levels:

Pollutant	Annual Average	24-Hour Average	8-Hour Average	3-Hour Average	1-Hour Average
CO	—	—	0.5 mg/m <sup>3</sup>	—	2 mg/m <sup>3</sup>
TSP	1.0 ug/m <sup>3</sup>	5 ug/m <sup>3</sup>	—	—	—
SO <sub>2</sub>	1.0 ug/m <sup>3</sup>	5 ug/m <sup>3</sup>	—	25 ug/m <sup>3</sup>	30 ug/m <sup>3</sup>

(e) If the new source is a major source, the source shall undergo an impact analysis for visibility impairment with respect to all areas in Washington and any adjacent state that are mandatory Class I areas per 40 CFR 52.21 (e). The impact analysis shall consist of the following procedures:

(i) If the land manager has officially designated visibility as an important attribute of any mandatory Class I area, the owner or operator of the proposed new source

shall demonstrate that the potential to emit any pollutant at a significant emission rate, in conjunction with the emissions from any other new source permitted since January 1982, shall not cause or contribute to significant visibility impairment of the Class I area.

(ii) Upon application for a notice of construction, the department shall notify the land manager of any potentially affected mandatory Class I area. Such notification must be made in writing and include a copy of all information relevant to the application, including the information developed for (c) of this subsection. This information shall be transmitted to the land manager within thirty days of receipt of the application and at least sixty days prior to public hearing on the application for permit to construct.

(iii) All estimates of visibility impacts required under this section shall be based on the models on file with the department. Equivalent models may be substituted if approved by the department or EPA.

(iv) The results of the analysis must be sent to the affected land manager(s). The land manager(s) in the affected mandatory Class I area(s) will review the results. Frequency and time of impact, duration, geographic extent, and intensity of the predicted impairment would also be considered in this step. The land manager(s) may demonstrate within thirty days following their receipt of the source's visibility impact analysis that adverse impact on visibility in the Class I area would result.

If the department concurs with the demonstration, the notice of construction for the proposed source will not be approved unless or until mitigating measures are developed. If the department feels a land manager's demonstration is not adequate, the department will determine whether significant impairment of a mandatory Class I area would result. If the department determines it would, approval for the proposed source will not be issued unless or until mitigating measures are developed.

The land manager(s) or department may also demonstrate that the proposed source would cause impairment of any integral vista officially designated at least six months prior to the proposed source's submission of a complete application. In determining whether a source should be controlled to protect an integral vista, the department may take into account the time necessary for compliance, the energy and nonair quality environmental impacts of compliance, and the useful life of the source.

(v) The department may require preconstruction and/or post-construction visibility monitoring at the proposed site or potentially affected area as part of the applicable regulatory order.

(f) The proposed new source will not cause a violation of any ambient air quality standard.

(g) An offsetting emissions reduction, issued per WAC 173-403-050 (3)(e), may be used to satisfy the requirements of (c), (d), (e), or (f) of this subsection, if required.

(5) **Preliminary determination.** Within thirty days after receipt of all information required, the department or cognizant local authority shall:

(a) Make preliminary determinations on the matters set forth in WAC 173-403-050 (3) or (4), whichever is applicable; and

(b) Initiate compliance with the provisions of WAC 173-403-110 relating to public notice and public comment, as applicable.

(6) **Final determination.** If, after review of all information received including public comment, the department or cognizant local authority finds that all the conditions in WAC 173-403-050 (3) or (4) are satisfied, whichever is applicable, the authority will issue a regulatory order to approve the notice of construction for the proposed new source or modification.

(7) **Portable sources.** For portable sources which locate temporarily at particular sites, the owner or operator shall be allowed to operate at the temporary location without filing a notice of construction, providing that the owner or operator notifies the department or cognizant local authority of intent to operate at the new location at least thirty days prior to starting the operation, and supplies sufficient information to enable the department or cognizant local authority to determine that the operation will comply with the emission standards for a new source, will not cause a violation of applicable ambient air quality standards and, if in a nonattainment area, will not interfere with scheduled attainment of ambient standards. The permission to operate shall be for a limited period of time, but in no case longer than one year, and the department or cognizant local authority may set specific conditions for operation during said period. A temporary source shall be required to comply with all applicable emission standards.

(8) **Commencement of construction.** The owner or operator of the new source shall not commence construction until the applicable notice of construction has been approved. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-18-010 (Order DE 83-22), § 173-403-050, filed 8/26/83; 83-09-013 (Order DE 83-12), § 173-403-050, filed 4/11/83.]

**WAC 173-403-060 Bubble rules.** (1) **Applicability.** The owner(s) or operator(s) of any source(s) may apply for a bubble for any contaminant regulated by state or federal law for which the emission requirement may be stated as an allowable limit in weight of contaminant per unit time for the emissions units involved.

(2) **Conditions.** A bubble may be authorized provided the following conditions have been demonstrated to the satisfaction of the department or cognizant local authority.

(a) The contaminants exchanged must be of the same type, that is, particulates for particulates, sulfur dioxide for sulfur dioxide, etc.

(b) The bubble will not interfere with the attainment and maintenance of air quality standards.

(c) The bubble will not result in a delay in compliance by any source, nor a delay in any existing enforcement action.

(d) The bubble will not supersede NSPS, NESHAPS, BACT, or LAER. The emissions of hazardous (NESHAPS) contaminants shall not be increased.

(e) The bubble will not result in an increase in the sum of actual emission rates of the contaminant involved from the emissions units involved.

(f) A bubble may not be authorized for opacity per se. If the emission limit for particulates for a given emissions unit is increased as part of a bubble, the opacity limit for the given emissions unit may be increased subject to the following limitations:

(i) The new opacity limit shall be specific for the given emissions unit;

(ii) The new opacity limit shall be consistent with the new particulates limit;

(iii) An opacity greater than sixty percent shall never be authorized;

(iv) If the given emissions unit is a major emissions unit, the opacity shall be monitored continuously.

(g) The emission limits of the bubble are equivalent to existing limits in enforceability.

(h) Concurrently with or prior to the authorization of a bubble, each affected source shall receive (have received) a regulatory order that establishes total allowable emissions from the source of the contaminant being bubbled, expressed as weight of the contaminant per unit time. The new total allowable emissions shall be considered RACT.

(i) There will be no net adverse impact upon air quality from the establishment of new emission requirements for a specific source or emissions unit. Determination of net adverse impact shall include but not be limited to public perception of opacity and public perception of odorous contaminants.

(j) Specific situations may require additional demonstration as requested by the department or cognizant local authority.

(3) Jurisdiction. Whenever a bubble application involves emissions units, some of which and under the jurisdiction of the department and some of which are under the jurisdiction of a local authority, approval will require concurrence by both authorities. The new emission limits for each emissions unit will be enforced by the authority of original jurisdiction.

(4) Additional information. Within thirty days, after the receipt of a bubble application and all supporting data and documentation, the department or cognizant local authority may require the submission of additional information needed to review the application.

(5) Approval. Within thirty days after all the required information has been received, the department or cognizant local authority shall approve or deny the application, based on a finding that conditions in subsection (2) (a) through (j) of this section have been satisfied or not. If the application is approved, a regulatory order or equivalent document shall be issued which includes new allowable emissions expressed in weight of pollutant per unit time for each emissions unit involved in the application. The order or equivalent document must include all requirements necessary to assure that conditions in subsection (2) (a) through (j) of this section will be satisfied. If the bubble depends in whole or in part upon the

shutdown of equipment, the regulatory order or equivalent document must prohibit the operation of the affected equipment. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-18-010 (Order DE 83-22), § 173-403-060, filed 8/26/83.]

**WAC 173-403-070 Issuance of emission reduction credits.** (1) Applicability. The owner or operator of any source may apply to the department or cognizant local authority for an emission reduction credit (ERC) if the source proposes to reduce its actual emissions rate for any contaminant regulated by state or federal law for which the emission requirement may be stated as an allowable limit in weight of contaminant per unit time for the emissions unit(s) involved.

(2) Time of application. The application for an ERC must be made prior to or within one hundred eighty days after the emission reduction has been accomplished, except that within one hundred eighty days after the adoption of this regulation, an ERC application may be made for an emission reduction which took place between April 1, 1980, and the date of adoption of this regulation.

(3) Conditions. An ERC may be authorized provided the following conditions have been demonstrated to the satisfaction of the department or cognizant local authority.

(a) The quantity of emissions in the ERC shall be no greater than the old allowable emissions rate or the old actual emissions rate, whichever is the lesser, minus the new allowable emissions rate.

(b) The ERC application must include a description of all the changes that are required to accomplish the claimed emissions reduction, such as, new control equipment, process modifications, limitation of hours of operation, permanent shutdown or equipment, specified control practices, etc.

(c) The ERC must be large enough so as to be readily quantifiable in relation to the source strength of the emissions unit(s) involved, but in no case shall the ERC be for less than one ton per year.

(d) No part of the emission reductions claimed for credit shall have been used as part of a determination of net emission increase, nor as part of an offsetting transaction under WAC 173-403-050 (3)(e), nor as part of a bubble transaction under WAC 173-403-060, nor to satisfy NSPS, BACT, or LAER.

(e) Concurrently with or prior to the authorization of an ERC, the applicant shall receive (have received) a regulatory order that establishes total allowable emissions from the source of the contaminant for which the ERC is requested, expressed as weight of contaminant per unit time. The new allowable emissions shall be considered RACT.

(4) Additional information. Within thirty days after the receipt of an ERC application and all supporting data and documentation, the department or cognizant local authority may require the submission of additional information needed to review the application.



(5) Approval. Within thirty days after all the required information has been received, the department or cognizant local authority shall approve or deny the application, based on a finding that conditions in subsection (3) (a) through (e) of this section have been satisfied or not. If the application is approved, the department or cognizant local authority shall:

(a) Issue a regulatory order or equivalent document to assure that the emissions from the source will not exceed the proposed new allowable emission rate(s) claimed in the ERC application, expressed as weight of pollutant per unit time. The regulatory order or equivalent document must include all requirements that are necessary to provide such assurance. If the ERC depends in whole or in part upon the shutdown or equipment, the regulatory order or equivalent document must prohibit the startup of the affected equipment; and,

(b) Issue a certificate of emission reduction credit. The certificate shall specify the issue date, the contaminant(s) involved, the nonattainment area involved, if applicable, to what extent the ERC results from the shutdown or curtailment of an emissions unit, and the person to whom the certificate is issued. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-18-010 (Order DE 83-22), § 173-403-070, filed 8/26/83.]

**WAC 173-403-075 Use of emission reduction credits.** (1) Permissible use. An ERC may be used to satisfy the requirements for authorization of a bubble under WAC 173-403-060, as a part of a determination of "net emissions increase," as an offsetting reduction to satisfy the requirements for new source review per WAC 173-403-050 (3)(e), to satisfy requirements for PSD review per WAC 173-403-050 (4)(c), or to satisfy requirements for visibility review per WAC 173-403-050 (4)(e).

(2) Surrender of ERC certificate. When an ERC is used under subsection (1) of this section, the certificate for the ERC must be surrendered to the issuing authority. If only a portion of the ERC is used, the amended certificate will be returned to the owner.

(3) Conditions of use. An ERC may be used only for the contaminant(s) for which it was issued. The department or cognizant local authority may impose additional conditions of use to account for temporal and spatial differences between the emissions unit(s) that generated the ERC and the emissions unit(s) that use the ERC.

(4) Sale of an ERC. An ERC may be sold or otherwise transferred to a person other than the person to whom it was originally issued. Within thirty days after the transfer of ownership, the certificate must be surrendered to the issuing authority. After receiving the certificate, the issuing authority shall reissue the certificate to the new owner.

(5) Time of use. An unused ERC and any unused portion thereof shall expire ten years after date of original issue.

(6) Discount due to change in SIP. If reductions in emissions beyond those identified in the state implementation plan are required to meet an ambient air quality

standard, if the standard cannot be met through controls on operating sources, and if the plan must be revised, an ERC may be discounted by the department or cognizant local authority after public involvement per WAC 173-403-110. Any such discount shall not exceed the percentage of additional emission reduction needed to reach attainment. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-18-010 (Order DE 83-22), § 173-403-075, filed 8/26/83.]

**WAC 173-403-080 Prevention of significant deterioration (PSD).** Section 40 CFR 52.21, Subparts (b), (c), (d), (e), (f), (g), (h), (i), (j), (k), (l), (m), (n), (o), (p), (r), (t), (v), and (w), Prevention of Significant Deterioration of Air Quality, as in effect on July 1, 1982, are herein incorporated by reference with the following additions and modifications:

(1) Construction of "administrator." In 40 CFR 52.21 (b)(17), federally enforceable, (f)(1)(v), (f)(3), and (f)(4)(i), exclusions from increment consumption, (g), redesignation, (l)(2), air quality models, and (t), disputed permits or redesignations, the word "administrator" shall be construed in its original meaning. In all other cases, the word "administrator" shall be construed to mean the director of the department.

(2) Contemporaneous. Subpart 40 CFR 52.21 (b)(3)(ii) is changed to read: "An increase or decrease in actual emissions is contemporaneous with the increase from the particular change only if it occurs at the same time or within one year prior to the change, or if a decrease has been documented by an emission reduction credit."

(3) Public participation. Subpart 40 CFR 52.24(q) public participation, as in effect July 1, 1982, is hereby incorporated by reference, with the following modifications:

(a) In 40 CFR 52.24(q)(2)(iv), the word "administrator" shall be construed in its original meaning.

(b) In 40 CFR 52.24(q)(l), the phrase "specified time period" shall mean thirty days.

(4) List of Class I areas. The following areas are the Class I areas in Washington state as of January 1, 1983:

Mount Rainier National Park  
North Cascade National Park  
Olympic National Park  
Alpine Lakes Wilderness Area  
Glacier Peak Wilderness Area  
Goat Pocks Wilderness Area  
Mount Adams Wilderness Area  
Pasayten Wilderness Area.

[Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-18-010 (Order DE 83-22), § 173-403-080, filed 8/26/83.]

**WAC 173-403-090 Retrofit requirements for visibility protection.** (1) Determination of best available retrofit technology (BART). The department shall identify and analyze each source which may reasonably be anticipated to cause or contribute to impairment of visibility in any mandatory Class I area in Washington and

any adjacent state and to determine BART for the contaminant of concern and those additional air pollution control technologies that are to be required to reduce impairment from the source.

(2) Initially defined BART. The owner or operator of any source to which significant visibility impairment of a mandatory Class I area is reasonably attributable shall apply BART for each contaminant contributing to visibility impairment that is emitted at more than 250 tons per year. Each source for which BART is required must install and operate BART as expeditiously as possible, but in no case later than five years after the conditions are included in a regulatory order.

(3) Future definitions of BART. The owner or operator of any source to which significant visibility impairment of a mandatory Class I area is reasonably attributable shall apply BART as new technology becomes available for a contaminant if:

(a) The source emits more than 250 tons per year of the contaminant; and,

(b) The controls representing BART have not previously been required in this section.

(4) Appeal. Any source subject to the requirements under this section to install, operate, and maintain BART, may apply to the department for an exception from that requirement pursuant to 40 CFR 51.303. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-18-010 (Order DE 83-22), § 173-403-090, filed 8/26/83.]

**WAC 173-403-100 Compliance schedules.** (1) **Issuance.** Whenever a source is found to be in violation of an emission standard or other provision of this chapter, the department or cognizant local authority may issue a regulatory order requiring that the source be brought into compliance within a specified time. The order shall contain a schedule for installation, with intermediate benchmark dates and a final completion date, and shall constitute a compliance schedule. Requirements for public involvement pursuant to WAC 173-403-110 must be met.

(2) **Federal action.** A source shall be considered to be in compliance with this chapter if all the provisions of its individual compliance schedule included with a regulatory order are being met. Such compliance does not preclude federal enforcement action by the EPA until and unless the schedule is submitted and adopted as an amendment to the state implementation plan.

(3) **Delayed compliance penalties.** Sources on a compliance schedule but not meeting emissions standards may be subject to delayed compliance penalties as provided in the Federal Clean Air Act. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-100, filed 4/11/83.]

**WAC 173-403-110 Public involvement.** (1) **Applicability.** Public notice shall be provided prior to the approval or denial of any of the following types of applications or other actions:

(a) Notice of construction for any new or modified source or emissions unit, the approval of which would

result in a net significant emissions increase for any pollutant regulated by state or federal law; or

(b) Any application or other proposed action for which a public hearing is required by EPA prevention of significant deterioration rules; or

(c) Any order to determine reasonably available control technology; or

(d) An order to establish a compliance schedule or a variance; or

(e) The establishment or disestablishment of a nonattainment area, or the changing of the boundaries thereof; or

(f) An approval of a study to demonstrate good engineering practice for a stack; or

(g) An order to authorize a bubble; or

(h) Any application or other proposed action made pursuant to this chapter in which there is a substantial public interest according to the discretion of the department or cognizant local authority.

(2) **Public notice.** Public notice shall be made only after all information required by the department or cognizant local authority has been submitted and after applicable preliminary determinations, if any, have been made. The cost of providing public notice shall be borne by the applicant or other initiator of the action. Public notice shall include:

(a) Availability for public inspection in at least one location near the proposed project, of the nonproprietary information submitted by the applicant and of any applicable preliminary determinations, including analyses of the effect on air quality.

(b) Publication in a newspaper of general circulation in the area of the proposed project of notice:

(i) Giving a brief description of the proposal;

(ii) Advising of the location of the documents made available for public inspection;

(iii) Advising of a thirty-day period for submitting written comment to the department or cognizant local authority;

(iv) Advising that a public hearing may be held if the department or cognizant local authority determine within a thirty-day period that there is a significant public interest.

(3) **Public comment.** No final decision on any application or action of any of the types described in subsection (1) of this section, shall be made until the public comment period has ended and any comments received have been considered. Unless a public hearing is held, the public comment period shall be the thirty-day period for written comment published as provided above. If a public hearing is held the public comment period shall extend through the hearing date and thereafter for such period, if any, as the notice of public hearing may specify.

(4) **Public hearings.** The applicant, any interested governmental entity, any group or any person may request a public hearing within the thirty-day period published as above. Any such request shall indicate the interest of the entity filing it and why a hearing is warranted. The department or cognizant local authority

may, in its discretion, hold a public hearing if it determines there is a significant public interest. Any such hearing shall be held upon such notice and at such time and place as the department or cognizant local authority deems reasonable.

(5) **Other requirements of law.** Whenever other procedures permitted or mandated by law will accomplish the objectives of public notice and opportunity for comment served by this section, such procedures may be used in lieu of the provisions of this section.

(6) **Public information.** Copies of notices of construction, orders, and modifications thereof, not declared confidential by the applicant, which are issued hereunder shall be available for public inspection on request at the department or cognizant local authority. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-18-010 (Order DE 83-22), § 173-403-110, filed 8/26/83. 83-09-013 (Order DE 83-12), § 173-403-110, filed 4/11/83.]

**WAC 173-403-120 Variance.** Any person who owns or is in control of a plant, building, structure, establishment, process, or equipment may apply to the department for a variance from provisions of this chapter governing the quality, nature, duration, or extent of discharges of air contaminants in accordance with the provisions of RCW 70.94.181.

(1) **Jurisdiction.** Sources in any area over which a local air pollution control authority has jurisdiction shall make application to the said authority rather than the department. The department or local authority may grant such variance, but only after public involvement per WAC 173-403-110.

(2) **Full faith and credit.** Variances granted by a local authority for sources under their jurisdiction will be accepted as variances to this regulation.

(3) **EPA concurrence.** No variance or renewal shall be construed to set aside or delay any requirements of the Federal Clean Air Act except with the approval and written concurrence of the Federal Environmental Protection Agency. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-120, filed 4/11/83.]

**WAC 173-403-130 Requirements for nonattainment areas.** The development of specific requirements for nonattainment areas shall include consultation with local government in the area and shall include public involvement per WAC 173-403-110. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-130, filed 4/11/83.]

**WAC 173-403-140 Use of dispersion techniques.** The degree of emission limitation required for control of any pollutant shall not be affected in any manner by any dispersion technique, except as follows:

(1) **Grandfather clause.** An emissions unit which utilizes a stack of any height on which construction was commenced prior to December 31, 1970, or which utilizes any other dispersion technique(s) which was implemented prior to December 31, 1970, shall be allowed to

use such stack height or other dispersion technique(s) approved by the department or cognizant local authority to comply with any provisions of the state implementation plan.

(2) **Reheating.** Reheating of a gas stream following the use of a pollution control system shall be allowed as a means of complying with the state implementation plan.

(3) **Management.** Smoke management in an agricultural or silvicultural program shall be allowed as a means of complying with the state implementation plan.

(4) **Combining streams.** Combining exhaust gasses from several stacks into one stack shall be allowed as a means of complying with the state implementation plan.

(5) **No height limitation.** WAC 173-403-140 shall not be construed to limit the height of a stack that may be used to discharge a pollutant into the atmosphere. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-140, filed 4/11/83.]

**WAC 173-403-150 Maintenance of pay.** Any source which uses a supplemental or intermittent control system for the purpose of meeting the requirements of Section 123, Section 113(d), or Section 119 of the Federal Clean Air Act, as amended, shall not temporarily reduce the pay of any employee because of the use of the supplemental or intermittent or other dispersion-dependent control system(s). [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-150, filed 4/11/83.]

**WAC 173-403-160 Requirements for boards and director.** (1) **Public interest.** A majority of the members of any local air pollution control authority board shall represent the public interest. A majority of the members of such boards, and the director, shall not derive any significant portion of their respective incomes from persons subject to enforcement orders pursuant to the state and federal clean air acts. An elected public official and the director shall be presumed to represent the public interest. In the event that a director derives a significant portion of his income from persons subject to enforcement orders, he shall delegate sole responsibility for administration of any part of the program which involves these persons to the deputy director or an assistant director, as appropriate.

(2) **Disclosure.** Each member of any local board and the director shall adequately disclose any potential conflict of interest in any matter prior to any action or consideration thereon, and the member or director shall remove himself from participation as a board member in any action or voting on such matter.

(3) **Define significant income.** For the purposes of this section, "significant portion of income" shall mean twenty percent of gross personal income for a calendar year. In the case of a retired person, "significant portion of income" shall mean fifty percent of income in the form of pension or retirement benefits from a single source other than Social Security. Income derived from employment with local or state government shall not be

considered in the determination of "significant portion of income." [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-160, filed 4/11/83.]

**WAC 173-403-170 Regulatory actions.** The department may take any of the following regulatory actions to enforce this chapter.

(1) **Notice of violation.** Whenever the department has reason to believe that any provision of this chapter has been violated, it may cause written notice to be served on the alleged violator or violators. The notice shall specify the provision of this chapter alleged to be violated and the facts alleged to constitute a violation thereof, and may include an order that necessary corrective action be taken within a reasonable time.

(2) **Civil penalty.** Whenever any person violates any of the provisions of this chapter, he shall be subject to a penalty in the form of a fine in an amount not to exceed two hundred fifty dollars per day for each violation. Each such violation shall be separate and distinct and, in case of a continuing violation, each day's continuance shall be a separate and distinct violation. The penalty shall be imposed by a notice in writing from the director or authorized person in the cognizant local authority describing the violation with reasonable particularity.

(3) **Assurance of discontinuance.** The director or authorized person in the cognizant local authority may accept an assurance of discontinuance of any act or practice deemed in violation of this chapter. Any such assurance shall specify a time limit during which discontinuance is to be accomplished. Failure to perform the terms of any such assurance shall constitute prima facie proof of a violation of this chapter which make the alleged act or practice unlawful for the purpose of securing an injunction or other relief from the superior court.

(4) **Restraining orders, injunctions.** Whenever any person has engaged in, or is about to engage in, any acts or practices which constitute or will constitute a violation of any provision of this chapter, the director, after notice to such person and an opportunity to comply, may petition the superior court of the county wherein the violation is alleged to be occurring or to have occurred for a restraining order or a temporary or permanent injunction or another appropriate order.

(5) **Emergency episodes.** The department may issue such orders as authorized by chapter 194, Laws of 1971 ex. sess., whenever an air pollution episode forecast is declared. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-170, filed 4/11/83.]

**WAC 173-403-180 Criminal penalties.** Persons in violation of this chapter may be subject to the provisions of RCW 70.94.430. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-180, filed 4/11/83.]

**WAC 173-403-190 Appeals.** Decisions and orders of the department or a cognizant local authority may be

appealed to the pollution control hearings board pursuant to chapter 43.21B RCW and chapter 371-08 WAC. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-190, filed 4/11/83.]

## Chapter 173-405 WAC KRAFT PULPING MILLS

### WAC

173-405-012	Statement of purpose.
173-405-021	Definitions.
173-405-033	Standards of performance.
173-405-035	Emission standards for sources emitting hazardous air pollutants.
173-405-040	Emission standards.
173-405-061	More restrictive emission standards.
173-405-072	Monitoring requirements.
173-405-077	Report of startup, shutdown, breakdown or upset conditions.
173-405-078	Emission inventory.
173-405-086	New source review.
173-405-091	Special studies.

### DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

173-405-011	Statement of policy and purpose. [Order DE 76-35, § 173-405-011, filed 12/28/76. Formerly WAC 18-36-011.] Repealed by 80-11-060 (Order DE 80-15), filed 8/20/80. Statutory Authority: RCW 70.94.331 and 70.94.395.
173-405-031	Specific emission standards. [Order DE 76-35, § 173-405-031, filed 12/28/76. Formerly WAC 18-36-031.] Repealed by 80-11-060 (Order DE 80-15), filed 8/20/80. Statutory Authority: RCW 70.94.331 and 70.94.395.
173-405-036	General emission standards and nuisance control measures. [Order DE 76-35, § 173-405-036, filed 12/28/76. Formerly WAC 18-36-036.] Repealed by 80-11-060 (Order DE 80-15), filed 8/20/80. Statutory Authority: RCW 70.94.331 and 70.94.395.
173-405-071	Monitoring and reporting. [Order DE 76-35, § 173-405-071, filed 12/28/76. Formerly WAC 18-36-071.] Repealed by 80-11-060 (Order DE 80-15), filed 8/20/80. Statutory Authority: RCW 70.94.331 and 70.94.395.
173-405-076	Report of startup, shutdown, breakdown or upset condition. [Order DE 76-35, § 173-405-076, filed 12/28/76. Formerly WAC 18-36-076.] Repealed by 80-04-049 (Order DE 80-7), filed 3/21/80. Statutory Authority: RCW 43.21A.080, 70.94.011, 70.94.152, and 70.94.331.
173-405-081	Notice of construction. [Order DE 76-35, § 173-405-081, filed 12/28/76. Formerly WAC 18-36-081.] Repealed by 80-04-049 (Order DE 80-7), filed 3/21/80. Statutory Authority: RCW 43.21A.080, 70.94.011, 70.94.152, and 70.94.331.
173-405-090	Operating permit. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-060 (Order DE 80-15), § 173-405-090, filed 8/20/80.] Repealed by 83-09-036 (Order DE 83-13), filed 4/15/83. Statutory Authority: Chapters 43.21A and 70.94 RCW.
173-405-101	Exemption. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-060 (Order DE 80-15), § 173-405-101, filed 8/20/80; Order DE 76-35, § 173-405-101, filed 12/28/76. Formerly WAC 18-36-101.] Repealed by 83-09-036 (Order DE 83-13), filed 4/15/83. Statutory Authority: Chapters 43.21A and 70.94 RCW.

**WAC 173-405-012 Statement of purpose.** These rules are enacted under the provisions of the Washington Clean Air Act (RCW 70.94.395) to:

(1) Assume state jurisdiction over emissions from kraft pulping mills in order to provide for the systematic reduction and control of air pollution in the kraft pulping industry; and

(2) Establish standards deemed to be technically feasible and reasonably attainable and revise such standards as new information and better technology are developed and become available. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-060 (Order DE 80-15), § 173-405-012, filed 8/20/80.]

**WAC 173-405-021 Definitions.** (1) "Air contaminant" means dust, fumes, mist, smoke, other particulate matter, vapor, gas, odorous substance, or any combination thereof which are airborne. "Air pollutant" means the same as "air contaminant."

(2) "Ambient air" means the surrounding outside air.

(3) "Ambient air quality standard" means an established concentration, exposure time and frequency of occurrence of a contaminant or multiple contaminants in the ambient air which shall not be exceeded.

(4) "Commenced construction" means that the owner or operator has all the necessary preconstruction approvals or permits and either has:

(a) Begun or caused to begin a continuous program of actual on-site construction of the source, to be completed within a reasonable time; or

(b) Entered into binding agreements or contractual obligations, which cannot be canceled or modified without substantial loss to the owner or operator, to undertake a program of actual construction of the source to be completed within a reasonable time.

(5) "Department" means the state of Washington department of ecology.

(6) "Emission" means a release of air contaminants into the ambient air.

(7) "Emission standard" means a regulation or regulatory order (or portion thereof) setting forth an allowable rate of emissions, level of opacity, or prescribing equipment or operating conditions that result in control of air pollution emission.

(8) "Emissions unit" means any equipment, device, process, or activity that produces and emits to the outside air, or that may produce and emit to the outside air, any contaminant regulated by state or federal law.

(9) "Fugitive emissions" means emissions which do not pass and which could not reasonably pass through a stack, chimney, vent, or other functionally equivalent opening.

(10) "Kraft mill" means any manufacturing facility which uses an alkaline solution containing sodium hydroxide and/or sodium sulfide, and any other chemical pulping facility, except those covered by chapter 173-410 WAC, to produce pulp and/or paper products from wood fibers. For the purposes of this regulation "kraft mill" is equivalent to "source."

(11) "National emission standards for hazardous air pollutants (NESHAPS)" means those federal regulations set forth in 40 CFR Part 61, as promulgated prior to January 1, 1983.

(12) "New source" means a source which commences construction after September 24, 1976. Addition to, enlargement, modification, replacement, or any alteration of any process or source which may increase emissions or ambient air concentrations of any contaminant for which federal or state ambient or emissions standards have been established shall be construed as construction or installation or establishment of a new source. In addition every major modification (as defined in WAC 173-403-030) shall be construed as construction or installation or establishment of a new source.

(13) "New source performance standards (NSPS)" means the federal regulations set forth in 40 CFR Part 60, as promulgated prior to January 1, 1983.

(14) "Noncondensibles" means gases and vapors from the digestion and evaporation processes of a mill that are not condensed with the equipment used in those processes.

(15) "Notice of construction" means a document which makes application for permission to construct a new source or to accomplish the modification of an existing source.

(16) "Opacity" means the degree to which an object seen through a plume is obscured, stated as a percentage.

(17) "Particulate matter" or "particulates" means small discrete masses of liquid or solid, exclusive of uncombined water.

(18) "Person" means an individual, firm, public or private corporation, association, partnership, political subdivision, municipality or government agency.

(19) "ppm (parts per million)" means parts of a contaminant per million parts of gas, by volume, exclusive of water or particulates.

(20) "Reasonably available control technology (RACT)" means the technology which will result in the lowest emission limit that a kraft mill is capable of meeting by the application of control technology that is reasonably available considering technological and economic feasibility. RACT is determined on a case-by-case basis for an individual mill taking into account the impact of the source upon air quality, the availability of additional controls, the emission reduction to be achieved by additional controls, the impact of additional controls on air quality and the capital and operating costs of the additional controls. RACT requirements for kraft mills may be adopted as an order or regulation after public involvement per WAC 173-403-110.

(21) "Recovery furnace stack" means the stack from which the products of combustion from the recovery furnace are emitted to the ambient air.

(22) "Source" means all of the emissions unit(s) including quantifiable fugitive emissions, which are located on one or more contiguous or adjacent properties, and are under the control of the same person (or persons under common control) whose activities are ancillary to

the production of a single product or functionally related group of products.

(23) "Standard conditions" means a temperature of 20°C (68°F) and a pressure of 760 mm (29.92 inches) of mercury except when otherwise specified.

(24) "Total reduced sulfur, (TRS)" means hydrogen sulfide, mercaptans, dimethyl sulfide, dimethyl disulfide, and any other organic sulfides present, expressed as hydrogen sulfide. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-405-021, filed 4/15/83. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-060 (Order DE 80-15), § 173-405-021, filed 8/20/80. Statutory Authority: RCW 43.21A.080, 70.94.011, 70.94.152, and 70.94.331. 80-04-049 (Order DE 80-7), § 173-405-021, filed 3/21/80; Order DE 76-35, § 173-405-021, filed 12/28/76. Formerly WAC 18-36-021.]

**WAC 173-405-033 Standards of performance.** For kraft mills which commenced construction after September 24, 1976, Title 40, Code of Federal Regulations Part 60, subparts A, and BB and appendix A, B, C and D as promulgated prior to December 1, 1982, is by this reference adopted and incorporated herein with the exception of sections 60.5 (determination of construction or modification) and 60.6 (review of plans). For the purpose of state administration of the federal regulations adopted by reference hereby, the term "administrator" as used therein shall refer to the department of ecology. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-405-033, filed 4/15/83. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-060 (Order DE 80-15), § 173-405-033, filed 8/20/80. Statutory Authority: RCW 43.21A.080, 70.94.011, 70.94.152, and 70.94.331. 80-04-049 (Order DE 80-7), § 173-405-033, filed 3/21/80.]

**WAC 173-405-035 Emission standards for sources emitting hazardous air pollutants.** (1) The national emissions standards for hazardous air pollutants (NESHAPS) are by this reference adopted and incorporated herein.

(2) The department, at any time after the effective date of this section, may conduct source tests and require access to records, books, files, and other information specific to the control, recovery, or release of asbestos, beryllium, mercury, or vinyl chloride in order to determine the status of compliance of sources of these contaminants and to carry out its enforcement responsibilities. Source testing, monitoring, and analytical methods for sources of the above-named contaminants shall conform with the requirements of NESHAPS.

(3) This section shall not apply to any source operating pursuant to a waiver granted by the United States Environmental Protection Agency or an exemption granted by the president of the United States during the effective life of such waiver or exemption. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-18-010 (Order DE 83-22), § 173-405-035, filed 8/26/83.]

**WAC 173-405-040 Emission standards.** No kraft pulp mill shall cause or permit air contaminant emissions in excess of the limits described in this section, as modified by chapter 173-403 WAC if applicable. Further, all kraft pulp mills are required to use reasonably available control technology which may be determined for some mills to be more stringent than the emission limitations of this chapter. In cases where current controls are determined to be less than reasonably available control technology (RACT), the department shall, on a case-by-case basis, define RACT for each source and issue a regulatory order to the mill for installation of RACT. The order will contain a schedule for installation, with intermediate benchmark dates and a final completion date and shall constitute a compliance schedule.

(1) Recovery furnaces.

(a) The particulate emissions from each recovery furnace stack shall not exceed 0.23 grams of particulate per dry cubic meter at standard conditions (0.10 grains/dscf) corrected to eight percent oxygen.

(b) The TRS emissions from each recovery furnace stack constructed before January 1, 1970, and for recovery furnaces that have direct contact evaporators, shall not exceed 17.5 ppm corrected to eight percent oxygen for a daily average.

(c) The TRS emissions from each recovery furnace constructed after January 1, 1970, which does not have a contact evaporator, shall not exceed 5.0 ppm corrected to eight percent oxygen for a daily average.

(2) Smelt dissolver tank vent. The particulate emissions from smelt dissolver tank vents shall not exceed 0.15 grams per kilogram (0.30 pounds per ton) of solids fired at the associated recovery furnace.

(3) Lime kilns.

(a) The particulate emission from each lime kiln stack shall not exceed 0.30 grams of particulate per dry cubic meter (0.13 grains/dscf) at standard conditions corrected to ten percent oxygen.

(b) The TRS emissions from any lime kiln stack shall not exceed eighty ppm expressed as hydrogen sulfide for more than two consecutive hours in any one day.

(c) The average daily emission of TRS from any lime kiln stack shall not exceed fifty ppm. After January 1, 1985, TRS emissions from each lime kiln stack shall not exceed twenty ppm corrected to ten percent oxygen for a daily average.

(4) Other TRS emissions units. Noncondensibles from digesters, multiple-effect evaporators and condensate stripper system shall at all times be treated to reduce the emissions of TRS equal to the reduction achieved by thermal oxidation in a lime kiln. After January 1, 1982, a backup treatment system or equivalent approved by the department must be installed to assure continual treatment.

(5) Other particulate emissions units. The emission of particulates from emissions units other than kraft recovery furnaces, lime kilns, or smelt dissolving tank vents, shall not exceed the following maximums:

(a) 0.46 grams per dry cubic meter at standard conditions (0.2 grains/dscf) corrected to seven percent oxygen, for units which combust wood to produce steam and which commenced construction prior to January 1, 1983.

(b) 0.12 grams per dry cubic meter at standard conditions (0.05 grains/dscf) corrected to seven percent oxygen, for units which combust fuel other than wood to produce steam, and which commenced construction after January 1, 1983.

(c) 0.23 grams per dry cubic meter at standard conditions (0.1 grains/dscf) corrected to seven percent oxygen in the case of combustion units, for units not classified under (a) or (b) of this subsection.

(6) Fugitive emissions. Each kraft mill shall take reasonable precautions to prevent fugitive emissions.

(7) Masking. No kraft mill shall cause or permit the installation or use of any device, or the use of any means which, without resulting in a reduction in the total amount of air contaminant emitted, conceals an emission of an air contaminant which would otherwise violate any provisions of this chapter.

(8) Fallout. No kraft mill shall cause or permit the emission of particulate matter from any emissions unit which becomes deposited beyond the property under direct control of the owner or operator of the kraft mill in such quantities or of such character or duration as is, or is likely to be, injurious to human health, plant or animal life, or property, or will interfere unreasonably with the use and enjoyment of the property upon which the material is deposited.

(9) Other contaminants. No kraft mill shall cause or permit the emission of an air contaminant or water droplets including an air contaminant whose emission is not otherwise prohibited by this chapter, in such quantities or of such characteristics or duration as is, or is likely to be, injurious to human health, plant or animal life, or property, or which unreasonably interferes with use or enjoyment of property.

(10) No person shall cause or allow the emission of a plume from any kraft recovery furnace, smelt dissolver tank, or lime kiln, which has an average opacity greater than thirty-five percent for more than six consecutive minutes in any sixty minute period, except as described in WAC 173-405-040(11).

No person shall cause or allow the emission of a plume, from any emissions unit other than a kraft recovery furnace, smelt dissolver tank, or lime kiln, which has an average opacity greater than twenty percent for more than six consecutive minutes in any sixty minute period, except that these provisions do not apply when the emissions occur due to soot blowing/grate cleaning and the operator can demonstrate that the emissions will not exceed twenty percent opacity for more than fifteen minutes in any eight consecutive hours. The intent of this provision is to permit soot blowing and grate cleaning necessary to the operation of the boiler facility. As such, this practice, except for testing and trouble shooting, is to be scheduled for the same approximate times each day and the department be advised of the schedule.

There shall be no more than one violation notice issued in any sixty minute period.

These provisions shall not apply when the presence of uncombined water is the only reason for the opacity of the plume to exceed the applicable maximum.

(11) Each mill may petition for, and the department may establish by regulatory order, other opacity limits for a specific kraft recovery furnace or lime kiln, providing:

(a) Compliance with all other applicable emission limits can be demonstrated; and

(b) Best practicable operation and maintenance procedures, as approved by the department, are continuously employed.

(12) Any person electing to apply for exceptions per the provisions of WAC 173-405-040(11) shall submit a program acceptable to the department of ecology. The program shall include the following information: The amount and concentration of suspended particulate material emitted during best practicable operating procedures, opacity recorded at such emission level, the type of equipment and procedures which will be used to demonstrate compliance and the time required for installation of the equipment.

(13) The opacity provisions of this chapter shall apply until an application is received by the department petitioning for a revised limit as allowed by WAC 173-405-040(11). After a petition is received, enforcement of the opacity provisions will be stayed until the application is rejected or a new limit is established.

(14) Odors. No kraft pulping mill shall cause or permit the emission of odors in such quantities or of such duration as is, or is likely to be, injurious to human health, plant or animal life, or property, or which unreasonably interferes with the use or enjoyment of property.

(15) Operation and maintenance. At all times, including periods of abnormal operation and upset conditions, owners and operators shall, to the extent practicable, maintain and operate any affected facility, including associated air pollution control equipment, in a manner consistent with good air pollution control practice. Determination of whether acceptable operating and maintenance procedures are being used will be based on information available to the department which may include, but is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source.

(16) SO<sub>2</sub>.

(a) The emission of sulfur dioxide from any recovery furnace or lime kiln shall not exceed five hundred ppm for an hourly average, corrected to eight percent oxygen for a recovery furnace or to ten percent oxygen for a lime kiln.

(b) The emission of sulfur dioxide from any emissions unit other than a recovery furnace or lime kiln shall not exceed one thousand ppm for an hourly average, corrected to seven percent oxygen for combustion units.

(17) Source testing. In order to demonstrate compliance with this chapter, the department may require that a test be made of any emissions unit using procedures contained in "Source Test Manual - Procedures for Compliance Testing," state of Washington, department of ecology, on file at the department. The operator of a

source may be required to provide the necessary platform and sampling ports for the department personnel to perform a test of an emissions unit. The department shall be allowed to obtain a sample from any emissions unit. The operator of the source shall be given an opportunity to observe the sampling and to obtain a sample at the same time. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-405-040; filed 4/15/83. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-060 (Order DE 80-15), § 173-405-040, filed 8/20/80.]

**WAC 173-405-061 More restrictive emission standards.** The department may establish more restrictive emission standards for new mills or for mills expanding existing facilities pursuant to WAC 173-403-050. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-405-061, filed 4/15/83; Order DE 76-35, § 173-405-061, filed 12/28/76. Formerly WAC 18-36-061.]

**WAC 173-405-072 Monitoring requirements.** Each kraft mill shall conduct routine monitoring of emissions in accordance with a program that has been approved by the department. Results of the monitoring shall be reported within thirty days of the end of each calendar month and shall include data as follows:

(1) Particulate. The results of particulate measurements made on each source during the month.

(2) TRS.

(a) The average TRS concentration expressed in units of the standard for each recovery furnace and lime kiln stack.

(b) The date, time and concentration of TRS for each TRS emissions violation and the total numbers of hours that exceed the standard.

(3) Opacity or other continuous monitor.

(a) The date and time of opacity in excess of the standard.

(b) If equipment for continuous monitoring of opacity is not available, continuous monitoring of operating parameters may be required by a regulatory order as an alternate. If an alternate is approved, the date and time of each occurrence in excess of the regulatory order must be reported.

(4) Production. The average daily production of air-dried unbleached pulp.

(5) Other data. Each kraft mill shall furnish, upon request of the department, such other pertinent data as the department may require to evaluate the mill's emissions or emission control program. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-060 (Order DE 80-15), § 173-405-072, filed 8/20/80.]

**WAC 173-405-077 Report of startup, shutdown, breakdown or upset conditions.** If a startup, shutdown, breakdown or upset condition occurs which could result in an emission violation or a violation of an ambient air quality standard, the owner or operator of the source shall take the following actions as applicable:

(1) For a planned condition, such as a startup or shutdown, the condition shall be reported to the department, or its delegated authority, in advance of its occurrence.

(2) For an unplanned condition, such as a breakdown or upset, the condition shall be reported to the department, or its delegated authority as soon as possible.

Upon request of the department or its delegated authority, the owner or operator of the source shall submit a full written report including the known causes, the corrective actions taken, and the preventive measures to be taken to minimize or eliminate the change of recurrence.

Compliance with the requirements of WAC 173-405-077, does not relieve the owner or operator of the source from the responsibility to maintain continuous compliance with all the requirements of chapter 173-405 WAC nor from the resulting liabilities for failure to comply. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-405-077, filed 4/15/83. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-060 (Order DE 80-15), § 173-405-077, filed 8/20/80. Statutory Authority: RCW 43.21A.080, 70.94.011, 70.94.152, and 70.94.331. 80-04-049 (Order DE 80-7), § 173-405-077, filed 3/21/80.]

**WAC 173-405-078 Emission inventory.** The owner or operator of any kraft pulp mill shall submit an inventory of emissions from the source each year upon a form and according to instructions received from the department of ecology. The inventory may include stack and fugitive emissions of particulates, sulfur dioxide, carbon monoxide, volatile organic compounds, TRS, and other contaminants, and shall be submitted when required no later than one hundred five days after the end of the calendar year. The inventory shall include total emissions for the year in tons per year and an estimate of the percentage of the total emitted each quarter. An estimate shall be made of the one hour and twenty-four hour emissions while operating at capacity. The report shall include the average sulfur content of any fossil fuel used which will result in emissions of more than twenty-five tons per year of sulfur dioxide. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-405-078, filed 4/15/83. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-060 (Order DE 80-15), § 173-405-078, filed 8/20/80. Statutory Authority: RCW 43.21A.080, 70.94.011, 70.94.152, and 70.94.331. 80-04-049 (Order DE 80-7), § 173-405-078, filed 3/21/80.]

**WAC 173-405-086 New source review.** Construction shall not commence on any new source until a notice of construction has been approved by the department pursuant to WAC 173-403-050. The owner or operator of any source shall notify the department prior to replacement of air pollution control equipment or process equipment other than replacement for routine maintenance and repair. The department may determine that a notice of construction is required. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036



(Order DE 83-13), § 173-405-086, filed 4/15/83. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-060 (Order DE 80-15), § 173-405-086, filed 8/20/80. Statutory Authority: RCW 43.21A.080, 70.94.011, 70.94.152, and 70.94.331. 80-04-049 (Order DE 80-7), § 173-405-086, filed 3/21/80.]

**WAC 173-405-091 Special studies.** The department may require such additional special studies relevant to process emissions and establish completion dates as it determines necessary. [Order DE 76-35, § 173-405-091, filed 12/28/76. Formerly WAC 18-36-091.]

### Chapter 173-410 WAC SULFITE PULPING MILLS

#### WAC

173-410-012	Statement of purpose.
173-410-021	Definitions.
173-410-035	Emission standards for sources emitting hazardous air pollutants.
173-410-040	Emission standards.
173-410-062	Monitoring requirements.
173-410-067	Report of startup, shutdown, breakdown or upset conditions.
173-410-071	Emission inventory.
173-410-086	New source review.

#### DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

173-410-011	Statement of policy and purpose. [Order DE 76-36, § 173-410-011, filed 12/28/76. Formerly WAC 18-38-011.] Repealed by 80-11-061 (Order DE 80-16), filed 8/20/80. Statutory Authority: RCW 70.94.331 and 70.94.395.
173-410-031	Specific emission standards. [Order DE 76-36, § 173-410-031, filed 12/28/76. Formerly WAC 18-38-031.] Repealed by 80-11-061 (Order DE 80-16), filed 8/20/80. Statutory Authority: RCW 70.94.331 and 70.94.395.
173-410-036	General emission standards and nuisance control measures. [Order DE 76-36, § 173-410-036, filed 12/28/76. Formerly WAC 18-38-036.] Repealed by 80-11-061 (Order DE 80-16), filed 8/20/80. Statutory Authority: RCW 70.94.331 and 70.94.395.
173-410-041	More restrictive emission standards. [Order DE 76-36, § 173-410-041, filed 12/28/76. Formerly WAC 18-38-041.] Repealed by 80-11-061 (Order DE 80-16), filed 8/20/80. Statutory Authority: RCW 70.94.331 and 70.94.395.
173-410-051	Compliance. [Order DE 76-36, § 173-410-051, filed 12/28/76. Formerly WAC 18-38-051.] Repealed by 80-11-061 (Order DE 80-16), filed 8/20/80. Statutory Authority: RCW 70.94.331 and 70.94.395.
173-410-061	Monitoring and reporting. [Order DE 76-36, § 173-410-061, filed 12/28/76. Formerly WAC 18-38-061.] Repealed by 80-11-061 (Order DE 80-16), filed 8/20/80. Statutory Authority: RCW 70.94.331 and 70.94.395.
173-410-066	Report of startup, shutdown, breakdown or upset condition. [Order DE 76-36, § 173-410-066, filed 12/28/76. Formerly WAC 18-38-066.] Repealed by 80-04-050 (Order DE 80-8), filed 3/21/80. Statutory Authority: RCW 43.21A.080, 70.94.011, 70.94.152, and 70.94.331.
173-410-081	Notice of construction. [Order DE 76-36, § 173-410-081, filed 12/28/76. Formerly WAC 18-38-091.] Repealed by 80-04-050 (Order DE 80-8), filed 3/21/80. Statutory Authority: RCW 43.21A.080, 70.94.011, 70.94.152, and 70.94.331.

173-410-090 Operating permit. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-061 (Order DE 80-16), § 173-410-090, filed 8/20/80.] Repealed by 83-09-036 (Order DE 83-13), filed 4/15/83. Statutory Authority: Chapters 43.21A and 70.94 RCW.

173-410-091 Exemptions. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-061 (Order DE 80-16), § 173-410-091, filed 8/20/80; Order DE 76-36, § 173-410-091, filed 12/28/76. Formerly WAC 18-38-081.] Repealed by 83-09-036 (Order DE 83-13), filed 4/15/83. Statutory Authority: Chapters 43.21A and 70.94 RCW.

**WAC 173-410-012 Statement of purpose.** These rules are enacted under the provisions of the Washington Clean Air Act (RCW 70.94.395) to:

(1) Assume state jurisdiction over emissions from sulfite pulping mills in order to provide for the systematic reduction and control of air pollution in the sulfite pulping industry; and

(2) Establish standards deemed to be technically feasible and reasonably attainable and revise such standards as new information and better technology are developed and become available. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-061 (Order DE 80-16), § 173-410-012, filed 8/20/80.]

**WAC 173-410-021 Definitions.** (1) "Acid plant" means the facility in which the cooking liquor is either manufactured or fortified when not associated with a recovery system.

(2) "Air contaminant" means dust, fumes, mist, smoke, other particulate matter, vapor, gas, odorous substance, or any combination thereof which are air-borne. "Air pollutant" means the same as "air contaminant."

(3) "Ambient air" means the surrounding outside air.

(4) "Ambient air quality standard" means an established concentration, exposure time and frequency of occurrence of a contaminant or multiple contaminants in the ambient air which shall not be exceeded.

(5) "Average daily emission" means total weight of an air contaminant emitted in each month, divided by the number of days of production that month.

(6) "Average daily production" means air dried tons of unbleached pulp produced in a month, divided by the number of days of production in that month.

(7) "Blow system" includes the storage chest, tank or pit to which the digester pulp is discharged following the cook.

(8) "Commenced construction" means that the owner or operator has all the necessary preconstruction approvals or permits and either has:

(a) Begun or caused to begin a continuous program of actual on-site construction of the source, to be completed within a reasonable time; or

(b) Entered into binding agreements or contractual obligations, which cannot be canceled or modified without substantial loss to the owner or operator, to undertake a program of actual construction of the source to be completed within a reasonable time.

(9) "Department" means the state of Washington department of ecology.

(10) "Director" means the director of the department of ecology or his authorized representative.

(11) "Emission" means a release into the outdoor atmosphere of air contaminants.

(12) "Emission standard" means a regulation or regulatory order (or portion thereof) setting forth an allowable rate of emissions, level of opacity, or prescribing equipment or operating conditions that result in control of air pollution emission.

(13) "Emissions unit" means any equipment, device, process, or activity that produces and emits to the outside air, or that may produce and emit to the outside air, any contaminant regulated by state or federal law.

(14) "Fugitive emissions" means emissions that do not pass and which could not reasonably pass through a stack, chimney, vent, or other functionally equivalent opening.

(15) "National emission standards for hazardous air pollutants (NESHAPS)" means those federal regulations set forth in 40 CFR Part 61, as promulgated prior to January 1, 1983.

(16) "New source" means a source which commences construction after January 1972. Addition to, enlargement, modification, replacement, or any alteration of any process or source which may increase emissions or ambient air concentrations of any contaminant for which federal or state ambient or emissions standards have been established shall be construed as construction or installation or establishment of a new source. In addition every major modification (as defined in WAC 173-403-030) shall be construed as construction or installation or establishment of a new source.

(17) "Notice of construction" means a document which makes application for permission to construct a new source or to accomplish the modification of an existing source.

(18) "Opacity" means the degree to which an object seen through a plume is obscured, stated as a percentage.

(19) "ppm" (parts per million) means parts of a contaminant per million parts of gas, by volume, exclusive of water or particulates.

(20) "Particulate matter" or "particulates" means small discrete masses of liquid or solid, exclusive of uncombined water.

(21) "Person" means an individual, firm, public or private corporation, association, partnership, political subdivision, municipality or government agency.

(22) "Reasonably available control technology (RACT)" means the technology that will result in the lowest emission limit that a sulfite pulping mill is capable of meeting by the application of control technology that is reasonably available considering technological and economic feasibility. RACT is determined on a case-by-case basis for an individual plant taking into account the impact of the source upon air quality, the availability of additional controls, the emission reduction to be achieved by additional controls, the impact of additional controls on air quality and the capital and operating costs of the additional controls. RACT

requirements for any sulfite pulping mill may be adopted as an order or regulation after public involvement per WAC 173-403-110.

(23) "Recovery system" means the process by which all or part of the cooking chemicals may be recovered, and cooking liquor regenerated from spent cooking liquor, including evaporation, combustion, dissolving, fortification, storage facilities, and emission control equipment associated with the recovery cycle.

(24) "Source" means all of the emissions unit(s) including quantifiable fugitive emissions, which are located on one or more contiguous or adjacent properties, and are under the control of the same person (or persons under common control) whose activities are ancillary to the production of a single product or functionally related group of products.

(25) "Standard conditions" means a temperature of 20°C (68°F) and a pressure of 760 mm (29.92 inches) of mercury except when otherwise specified.

(26) "Sulfite pulping mill" means any manufacturing facility which uses a cooking liquor consisting of sulfuric acid, a sulfite or bisulfite salt alone or in any combination, with or without additional mechanical refining or delignification to produce pulp, pulp products or cellulose from wood fibers. For the purposes of this regulation "sulfite pulping mill" is equivalent to "source."

(27) "Total reduced sulfur (TRS)" means hydrogen sulfide, mercaptans, dimethyl sulfide, dimethyl disulfide, and other organic sulfides present, expressed as hydrogen sulfide. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-410-021, filed 4/15/83. Statutory Authority: RCW 70.94-.331 and 70.94.395. 80-11-061 (Order DE 80-16), § 173-410-021, filed 8/20/80. Statutory Authority: RCW 43.21A.080, 70.94.011, 70.94.152, and 70.94.331. 80-04-050 (Order DE 80-8), § 173-410-021, filed 3/21/80; Order DE 76-36, § 173-410-021, filed 12/28/76. Formerly WAC 18-38-021.]

**WAC 173-410-035 Emission standards for sources emitting hazardous air pollutants.** (1) The national emissions standards for hazardous air pollutants (NESHAPS) are by this reference adopted and incorporated herein.

(2) The department, at any time after the effective date of this section, may conduct source tests and require access to records, books, files, and other information specific to the control, recovery, or release of asbestos, beryllium, mercury, or vinyl chloride in order to determine the status of compliance of sources of these contaminants and to carry out its enforcement responsibilities. Source testing, monitoring, and analytical methods for sources of the above-named contaminants shall conform with the requirements of NESHAPS.

(3) This section shall not apply to any source operating pursuant to a waiver granted by the United States Environmental Protection Agency or an exemption granted by the president of the United States during the effective life of such waiver or exemption. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-18-010 (Order DE 83-22), § 173-410-035, filed 8/26/83.]

**WAC 173-410-040 Emission standards.** No sulfite pulping mill shall cause or permit emissions in excess of the limits listed below. All sulfite pulping mills are required to meet the emission standards of this chapter, as modified by chapter 173-403 WAC if applicable. Further, all point sources are required to use reasonably available control technology which may be determined for some sources or source categories to be more stringent than the emission limits of this chapter. In cases where current controls are determined to be less than reasonably available control technology (RACT), the department shall, on a case-by-case basis, define RACT for each source or source category and issue a regulatory order to the operator of the source defining RACT. The order will contain a schedule for installation, with intermediate benchmark dates, and a final completion date and shall constitute a compliance schedule.

(1) Sulfur dioxide.

(a) The total average daily emissions from a sulfite pulping mill, or a portion of a sulfite pulping mill which practices incineration of the spent sulfite liquor, shall not exceed ten grams of sulfur dioxide per kilogram (twenty pounds per ton) of air dried, unbleached pulp produced.

(b) The total average daily emissions from a sulfite pulping mill, or a portion of a sulfite pulping mill that does not incinerate the spent sulfite liquor, shall not exceed two grams of sulfur dioxide per kilogram (four pounds per ton) of air dried, unbleached pulp produced.

(c) The blow system emissions shall not exceed 0.1 grams of sulfur dioxide per minute, on a fifteen minute average, per kilogram (0.2 pounds per ton) of air dried, unbleached pulp discharged from the digester.

(d) Emissions from the recovery system and acid plant shall not exceed 800 ppm of sulfur dioxide for any hourly average.

(e) Emissions from recovery systems constructed after January 24, 1972, shall not exceed 300 ppm of sulfur dioxide for any hourly average.

(f) Emissions from any emissions unit, other than a recovery system, a blow system or an acid plant, shall not exceed 1000 ppm of sulfur dioxide, corrected to seven percent oxygen in the case of combustion unit, for any hourly average.

(2) Particulate.

(a) Emissions of particulate from recovery systems constructed before January 24, 1972, shall not exceed 0.23 grams per dry cubic meter of exhaust at standard conditions (0.10 grains/dscf) corrected to eight percent oxygen.

(b) Emissions of particulate matter from recovery systems constructed after January 24, 1972, shall not exceed 0.14 grams per dry cubic meter of exhaust at standard conditions (0.06 grains/dscf) corrected to eight percent oxygen.

(c) The emission of particulates from emissions units other than acid plants or recovery systems shall not exceed the following maximums:

(i) 0.46 grams per dry cubic meter at standard conditions (0.2 grains/dscf) corrected to seven percent oxygen, for units which combust wood to produce steam and which commenced construction prior to January 1, 1983.

(ii) 0.12 grams per dry cubic meter at standard conditions (0.05 grains/dscf) corrected to seven percent oxygen, for units which combust fuel other than wood to produce steam, and which commenced construction after January 1, 1983.

(iii) 0.23 grams per dry cubic meter at standard conditions (0.1 grains/dscf) corrected to seven percent oxygen in the case of combustion units, for units not classified under subsections (i) or (ii) of this section.

(3) Each sulfite mill shall take reasonable precautions to prevent fugitive emissions from becoming airborne and if located in a nonattainment area shall be required to use reasonably available control technology (RACT) to control fugitive emissions of nonattainment contaminants.

(4) Masking. No sulfite mill shall cause or permit the installation or use of any device, or the use of any means which, without resulting in a reduction in the total amount of air contaminant emitted, conceals an emission of an air contaminant which would otherwise violate any provisions of this chapter.

(5) Fallout. No sulfite mill shall cause or permit the emission of particulate matter to be deposited beyond the property under direct control of the owner or operator of the sulfite mill in sufficient quantity to interfere unreasonably with the use and enjoyment of the property upon which the material was deposited.

(6) Other contaminants. No sulfite mill shall cause or permit the emission of an air contaminant or water droplets, including an air contaminant whose emission is not otherwise prohibited by this chapter, in such quantities or of such characteristics or duration as is, or is likely to be, injurious to human health, plant or animal life, or property, or which unreasonably interferes with enjoyment of life or property.

(7) Opacity. No person shall cause or allow the emission of a plume from a recovery system or acid plant which has an average opacity greater than thirty-five percent, for more than six consecutive minutes in any sixty minute period, except as described in WAC 173-410-040(9).

No person shall cause or allow the emissions of a plume, from any emissions unit other than a recovery system or an acid plant, which has an average opacity greater than twenty percent for more than six consecutive minutes in any sixty-minute period, except that these provisions do not apply when the emissions occur due to soot blowing/grate cleaning and the operator can demonstrate that the emissions will not exceed twenty percent opacity for more than fifteen minutes in any eight consecutive hours. The intent of this provision is to permit soot blowing and grate cleaning necessary to the operation of the boiler facility. As such, this practice, except for testing and trouble shooting, is to be scheduled for the same approximate times each day and the department be advised of the schedule. There shall be no more than one violation for any sixty-minute period.

(8) The provisions of WAC 173-410-040(7) shall not apply when the presence of uncombined water is the only reason for the opacity of the plume to exceed the applicable maximum.

(9) Each mill may petition for, and the department may establish by regulatory order, other opacity limits for a specific recovery system or acid plant providing:

(a) Compliance with all other applicable emission limits can be demonstrated; and

(b) Best practicable operation and maintenance procedures, as approved by the department, are continuously employed.

(10) Any person electing to apply for exceptions per the provisions of WAC 173-410-040 (9) shall submit a program acceptable to the department. The program shall include the following information: The amount and concentration of suspended particulate material emitted during best practicable operating procedures, opacity recorded at such emission level, the type of equipment and procedures which will be used to demonstrate compliance and the time required for installation of the equipment.

(11) The opacity provisions of this chapter shall apply until an application is received by the department petitioning for a revised limit as allowed by WAC 173-410-040(9).

After a petition is received, enforcement of the opacity provisions will be stayed until the application is rejected or a new limit is established.

(12) Odors. No sulfite pulping mill shall cause or permit the emission of odors in such quantities of or such characteristics or duration as is, or is likely to be, injurious to human health, plant or animal life, or property, or which unreasonably interfere with enjoyment of life and property.

(13) Operation and maintenance. At all times, including periods of abnormal operations and upset conditions, owners and operators shall, to the extent practicable, maintain and operate any affected facility, including associated air pollution control equipment, in a manner consistent with good air pollution control practice. Determination of whether acceptable operating and maintenance procedures are being used will be based on information available to the department which may include, but is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source.

(14) No recovery system shall emit total reduced sulfur (TRS) gases in excess of 17.5 ppm for a daily average.

(15) More restrictive limits. Notwithstanding the specific emission limits set forth in this chapter, the department may, after notice and hearing, establish more restrictive emission limits if the department has reason to believe that the emission from the source is a cause of public nuisance or a cause of violation of ambient air quality standards. The source shall, within ninety days from notification of such occurrence, achieve operation that will prevent further recurrence of the nuisance or violation.

(16) Source testing. In order to demonstrate compliance with this chapter, the department may require that a test be made of the source using procedures contained in "Source Test Manual - Procedures for Compliance

Testing," state of Washington, department of ecology, on file at the department. The operator of a source may be required to provide the necessary platform and sampling ports for the department personnel to perform a test of the source. The department shall be allowed to obtain a sample from any source. The operator of the source shall be given an opportunity to observe the sampling and to obtain a sample at the same time. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-410-040, filed 4/15/83. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-061 (Order DE 80-16), § 173-410-040, filed 8/20/80.]

**WAC 173-410-062 Monitoring requirements.** (1)

Each mill shall conduct routine monitoring of emissions in accordance with a program that has been approved by the department. Results of monitoring shall be reported within thirty days of the end of each calendar month and shall include data as follows:

(a) For the recovery system and acid plant:

(i) The average daily emissions of sulfur dioxide expressed as grams SO<sub>2</sub> per kilogram of air dried, unbleached pulp produced and the kilograms of SO<sub>2</sub> per day.

(ii) Daily average concentration of sulfur dioxide.

(iii) The date, time and concentration for each sulfur dioxide emission violation and the total number of hours that exceed the standard.

(iv) The results of particulate tests conducted during the month.

(b) For the blow system, the grams of sulfur dioxide per minute, on a fifteen minute average, per kilogram of air dried, unbleached pulp discharged from the digester.

(c) The average daily production of air dried, unbleached pulp.

(2) Each mill shall furnish, upon request of the department, such other pertinent data as the department may require to evaluate the mill's emission control program.

(3) All measurements shall be made in accordance with techniques approved by the department.

(4) Each mill shall be required to establish a program approved by the department for continuous opacity monitoring to demonstrate compliance with WAC 173-410-040(7) and to report the results to the department in a format and on a schedule set by regulatory order. If equipment for continuous monitoring of opacity is not available, continuous monitoring of operating parameters may be required as an alternate until continuous opacity monitoring equipment is available. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-061 (Order DE 80-16), § 173-410-062, filed 8/20/80.]

**WAC 173-410-067 Report of startup, shutdown, breakdown or upset conditions.** If a startup, shutdown, breakdown or upset condition occurs which could result in an emission violation or a violation of an ambient air quality standard, the owner or operator of the source shall take the following actions as applicable:

(1) For a planned condition, such as a startup or shutdown, the condition shall be reported to the department, or its delegated authority, in advance of its occurrence.

(2) For an unplanned condition, such as a breakdown or upset, the condition shall be reported to the department, or its delegated authority as soon as possible.

Upon request of the department or its delegated authority, the owner or operator of the source shall submit a full written report including the known causes, the corrective actions taken, and the preventive measures to be taken to minimize or eliminate the chance of recurrence.

Compliance with the requirements of WAC 173-410-067, does not relieve the owner or operator of the source from the responsibility to maintain continuous compliance with all the requirements of chapter 173-410 WAC nor from the resulting liabilities for failure to comply. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-410-067, filed 4/15/83. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-061 (Order DE 80-16), § 173-410-067, filed 8/20/80. Statutory Authority: RCW 43.21A.080, 70.94.011, 70.94.152, and 70.94.331. 80-04-050 (Order DE 80-8), § 173-410-067, filed 3/21/80.]

**WAC 173-410-071 Emission inventory.** The owner or operator of any sulfite pulping mill shall submit an inventory of emissions from the source each year upon a form and according to instructions received from the department of ecology. The inventory may include stack and fugitive emissions of particulates, sulfur dioxide, carbon monoxide, volatile organic compounds, TRS, and other contaminants, and shall be submitted when required no later than one hundred five days after the end of the calendar year. The inventory shall include total emissions for the year in tons per year and an estimate of the percentage of the total emitted each quarter. An estimate shall be made of the one hour and twenty-four hour emissions while operating at capacity. The report shall include the average sulfur content of any fossil fuel which will result in emissions of more than twenty-five tons per year of sulfur dioxide. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-410-071, filed 4/15/83. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-061 (Order DE 80-16), § 173-410-071, filed 8/20/80. Statutory Authority: RCW 43.21A.080, 70.94.011, 70.94.152, and 70.94.331. 80-04-050 (Order DE 80-8), § 173-410-071, filed 3/21/80.]

**WAC 173-410-086 New source review.** Construction shall not commence on any new source until a notice of construction has been approved by the department pursuant to WAC 173-403-050. The owner or operator of any source shall notify the department prior to replacement of air pollution control equipment or process equipment other than replacement for routine maintenance and repair. The department may determine that a notice of construction is required. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036

(Order DE 83-13), § 173-410-086, filed 4/15/83. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-061 (Order DE 80-16), § 173-410-086, filed 8/20/80. Statutory Authority: RCW 43.21A.080, 70.94.011, 70.94.152, and 70.94.331. 80-04-050 (Order DE 80-8), § 173-410-086, filed 3/21/80.]

## Chapter 173-415 WAC PRIMARY ALUMINUM PLANTS

### WAC

173-415-010	Statement of purpose.
173-415-020	Definitions.
173-415-030	Emission standards.
173-415-040	Standards of performance.
173-415-050	New source review.
173-415-060	Monitoring and reporting.
173-415-070	Report of startup, shutdown, breakdown or upset conditions.
173-415-080	Emission inventory.

### DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

173-415-090	Operating permit. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-028 (Order DE 80-17), § 173-415-090, filed 8/14/80.] Repealed by 83-09-036 (Order DE 83-13), filed 4/15/83. Statutory Authority: Chapters 43.21A and 70.94 RCW.
-------------	--

**WAC 173-415-010 Statement of purpose.** These rules are enacted under the provisions of the 1969 amendments to the Washington Clean Air Act (RCW 70.94.395) to:

(1) Assume state jurisdiction over emissions from primary aluminum reduction plants in order to provide for the systematic reduction and control of air pollution in the primary aluminum reduction industry; and

(2) Establish standards deemed to be technically feasible and reasonably attainable and revise such standards as new information and better technology are developed and become available. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-028 (Order DE 80-17), § 173-415-010, filed 8/14/80. Formerly WAC 18-52-010.]

**WAC 173-415-020 Definitions.** (1) "Air contaminant" means dust, fumes, mist, smoke, other particulate matter, vapor, gas, odorous substance, or any combination thereof which are airborne. "Air pollutant" means the same as "air contaminant."

(2) "Ambient air" means the surrounding outside air.

(3) "Ambient air quality standard" means an established concentration, exposure time and frequency of occurrence of a contaminant or multiple contaminants in the ambient air which shall not be exceeded.

(4) "Commenced construction" means that an owner or operator has all the necessary preconstruction approvals or permits and either has:

(a) Begun, or caused to begin, a continuous program of actual on-site construction of the source, to be completed within a reasonable time; or

(b) Entered into binding agreements or contractual obligations which cannot be cancelled or modified without substantial loss to the owner or operator, to undertake a program of actual construction of the source to be completed within a reasonable time.

(5) "Department" means the state of Washington department of ecology.

(6) "Emission" means a release of air contaminants into the ambient air.

(7) "Emission standard" means a regulation or regulatory order (or portion thereof) setting forth an allowable rate of emissions, level of opacity, or prescribing equipment or operating conditions that result in control of air pollution emission.

(8) "Emissions unit" means any equipment, device, process, or activity that produces and emits to the outside air, or that may produce and emit to the outside air, any contaminant regulated by state or federal law.

(9) "Fluorides" means compounds of the element fluorine.

(10) "Forage" means grasses, pasture and other vegetation that is normally consumed or is intended to be consumed by livestock.

(11) "Fugitive emissions" means emissions that do not pass and which could not reasonably pass through a stack, chimney, vent or other functionally equivalent opening.

(12) "Materials handling" means the handling, transporting, loading, unloading, storage, and transfer of materials with no significant alteration of the chemical or physical properties of the material.

(13) "New source" means a source which commences construction after June 17, 1970. Addition to, enlargement, modification, replacement, or any alteration of any process or source which may increase emissions or ambient air concentrations of any contaminant for which federal or state ambient or emissions standards have been established shall be construed as construction or installation or establishment of a new source. In addition every major modification (as defined in WAC 173-403-030) shall be construed as construction or installation or establishment of a new source.

(14) "New source performance standard (NSPS)" means the federal regulations set forth in 40 CFR Part 60, as promulgated prior to January 1, 1983.

(15) "Notice of construction" means a document which makes application for permission to construct a new source or to accomplish the modification of an existing source.

(16) "Opacity" means the degree to which an object seen through a plume is obscured, stated as a percentage.

(17) "Particulate matter" or "particulates" means small discrete masses of liquid or solid, exclusive of uncombined water.

(18) "Person" means an individual, firm, public or private corporation, association, partnership, political subdivision, municipality or government agency.

(19) "Primary aluminum plant" means a plant which produces aluminum metal from aluminum oxide (alumina). For the purposes of this regulation "primary aluminum plant" is equivalent to "source."

(20) "Potline primary emission control system" means the equipment and procedures designed to collect and remove contaminants from the exhaust gases which are captured at the pot.

(21) "Reasonably available control technology (RACT)" means the technology that will result in the lowest emission limit that a primary aluminum plant is capable of meeting by the application of control technology that is reasonably available considering technological and economic feasibility. RACT is determined on a case-by-case basis for an individual plant taking into account the impact of the source upon air quality, the availability of additional controls, the emission reduction to be achieved by additional controls, the impact of additional controls on air quality and the capital and operating costs of the additional controls. RACT requirements for any primary aluminum plant may be adopted as an order or regulation after public involvement per WAC 173-403-110.

(22) "Source" means all of the emissions unit(s) including quantifiable fugitive emissions, which are located on one or more contiguous or adjacent properties, and are under the control of the same person (or persons under common control), whose activities are ancillary to the production of a single product or functionally related group of products.

(23) "Standard conditions" means a temperature of 20°C (68°F) and a pressure of 760 mm (29.92 inches) of mercury except when otherwise specified. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-415-020, filed 4/15/83. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-028 (Order DE 80-17), § 173-415-020, filed 8/14/80. Formerly WAC 18-52-021.]

**WAC 173-415-030 Emission standards.** (1) All primary aluminum plants are required to meet the emission standards of this chapter, as modified by chapter 173-403 WAC if applicable. Further, all primary aluminum plants are required to use reasonably available control technology which may be determined for some primary aluminum plants to be more stringent than the emission limitations of this chapter. In cases where current controls are determined to be less than reasonably available control technology (RACT), the department shall, on a case-by-case basis, define RACT for each plant and issue a regulatory order to the primary aluminum plant for installation of RACT. The order will contain a schedule for installation, with intermediate benchmark dates and a final completion date and shall constitute a compliance schedule.

(2) Fluoride.

(a) The emission of gaseous fluorides and particulate fluorides for all emissions units within a primary aluminum plant shall be restricted so that the ambient air and forage standards for fluorides established by chapter 18-

48 WAC are not exceeded outside the property controlled by the aluminum plant owner or operator.

(b) By January 1, 1984, the potline primary emission control system for each potline shall be designed so that the control of fluoride emissions will be equivalent to a total fluoride collection efficiency of eighty percent for vertical stud soderberg and side worked prebake pots, eighty-five percent for horizontal stud soderberg pots, and ninety-five percent for center worked prebake pots and a primary emission control system with a design removal efficiency of at least ninety-five percent. A potline near the end of its useful life and scheduled for replacement or shutdown in a reasonable time period may not be required to retrofit provided ambient fluoride standards are being met.

(3) Particulate. The total emission of particulate matter to the atmosphere from the reduction process (potlines) shall be reduced to the lowest level consistent with RACT for primary aluminum plants, but in no case shall the emission of solid particulate exceed 7.5 grams per kilogram (fifteen pounds per ton) of aluminum produced on a daily basis. Compliance shall be determined by measurement methods contained in the "Source Test Manual - Procedures for Compliance Testing" on file with the department of ecology.

(4) Visible emissions. Visible emissions from any emissions unit in a primary aluminum plant shall not exceed an average twenty percent opacity for more than six consecutive minutes in any sixty minute period. This provision shall not apply when the presence of uncombined water is the only reason for the opacity of the plume to exceed twenty percent.

(5) Fallout. No primary aluminum plant shall cause or permit the emission of particulate matter to be deposited beyond the property under direct control of the owner or operator of the plant in such quantity or of such character or duration as is or is likely to be injurious to human health, plant or animal life, or property or will interfere unreasonably with the use and enjoyment of the property upon which the material is deposited.

(6) Other contaminants. No primary aluminum plant shall cause or permit the emission of any air contaminant or water droplets, including any air contaminant whose emission is not otherwise regulated by this chapter, as is or is likely to be injurious to human health, plant or animal life, or property or which unreasonably interferes with enjoyment of life or property.

(7) Fugitive emissions. Each primary aluminum plant shall use reasonably available control technology to prevent fugitive emissions.

(8) Sulfur dioxide.

(a) Total emissions of sulfur dioxide from all emissions units shall not exceed thirty grams of sulfur dioxide per kilogram of aluminum produced on a monthly average (sixty pounds per ton). Those primary aluminum plants which were in excess of the above sulfur dioxide limit on January 1, 1978, will be allowed to emit at the January 1, 1978, level of emissions provided that the owners or operators demonstrate to the department by July 1, 1981, by use of modeling and ambient

measurements, that the emissions will not cause the ambient standard to be exceeded.

(b) In no case shall any plant cause or permit the emission of a gas containing sulfur dioxide in excess of one thousand parts per million corrected to dry standard conditions. A lower limit may be established by an order defining RACT for a specific emissions unit or process.

(9) Odors. Any owner or operator of a primary aluminum plant who shall cause or allow the generation of any odor from any emissions unit which may unreasonably interfere with any person's use and enjoyment of his property must use recognized good practice and procedure to reduce these odors to a reasonable minimum.

(10) Operation and maintenance. At all times, including periods of abnormal operation and upset, owners and operators shall, to the extent practicable, maintain an affected facility, and operate and maintain air pollution control equipment associated with such facility in a manner consistent with good air pollution control practice. A plant may elect to establish a program, subject to the approval of the department, for monitoring each potroom in order to demonstrate good operation and maintenance.

(11) Source testing. In order to demonstrate compliance with this chapter, the department may require that a test be made of the plant using procedures contained in "Source Test Manual - Procedures for Compliance Testing," state of Washington, department of ecology, on file at the department. The operator of the plant may be required to provide the necessary platform and sampling ports for the department personnel to perform a test of the emissions unit. The department shall be allowed to obtain a sample from any emissions unit. The operator of the plant shall be given an opportunity to observe the sampling and to obtain a sample at the same time. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-415-030, filed 4/15/83. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-028 (Order DE 80-17), § 173-415-030, filed 8/14/80. Formerly WAC 18-52-031.]

**WAC 173-415-040 Standards of performance.** For primary aluminum plants which commenced construction after September 24, 1976, Title 40, the Code of Federal Regulations, Part 60, subparts A and S and appendix A, B, C and D (standards of performance for new stationary sources) as promulgated prior to July 1, 1982, is by this reference adopted and incorporated herein with the exception of sections 60.5 (determination of construction or modification) and 60.6 (review of plans). For the purpose of state administration of the federal regulations adopted by reference hereby, the term "administrator" as used therein shall refer to the department of ecology. [Statutory Authority: Chapters 70.94 and 43.21A RCW. 82-16-020 (Order DE 82-21), § 173-415-040, filed 7/27/82. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-028 (Order DE 80-17), § 173-415-040, filed 8/14/80. Formerly WAC 18-52-051.]

**WAC 173-415-050 New source review.** Construction shall not commence on any new source until a notice of construction has been approved by the department pursuant to WAC 173-403-050. This owner or operator of any source shall notify the department prior to replacement of air pollution control equipment or process equipment other than replacement for routine maintenance and repair. The department may determine that a notice of construction is required. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-415-050, filed 4/15/83. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-028 (Order DE 80-17), § 173-415-050, filed 8/14/80. Formerly 18-52-056.]

**WAC 173-415-060 Monitoring and reporting.** Each primary aluminum plant shall conduct routine monitoring of emissions, ambient air, and forage in accordance with a program that has been approved by the department. Results of monitoring shall be reported within thirty days of the end of each calendar month and shall include data as follows:

(a) Ambient air: Twenty-four hour concentrations of gaseous fluoride in the ambient air expressed in micrograms of hydrogen fluoride per cubic meter of ambient air.

(b) Forage: Concentrations of fluoride in forage expressed in parts per million of fluoride on a dried weight basis.

(c) Particulate emission: Results of all emission sampling conducted during the month for particulates, expressed in grains per standard dry cubic foot, in pounds per day, and in pounds per ton of aluminum produced. The method of calculating pounds per ton shall be as specified in the approved monitoring programs. Particulate data shall be reported as total particulates and percentage of fluoride ion contained therein.

Compliance with WAC 173-415-030(3) shall be determined by measurements of emissions from the potline primary control system plus measurements of emissions from the roof monitor.

(d) Fluoride emissions: Results of all sampling conducted during the month for fluoride emissions. All results shall be expressed as hydrogen fluoride in parts per million on a volume basis and pounds per day of hydrogen fluoride.

(e) Other emission and ambient air data as specified in the approved monitoring program.

(2) Each primary aluminum plant shall furnish, upon request of the department, such other data as the department may require to evaluate the plant's emissions or emission control program.

(3) Change in raw materials or fuel: Any change or series of changes in raw material or fuel which results in a cumulative increase in emissions of sulfur dioxide of five hundred tons per year or more over that stated in the 1979 inventory required by WAC 173-415-080 shall require the submittal of sufficient information to the department to determine the effect of the increase upon

ambient concentrations of sulfur dioxide. The department may issue regulatory orders requiring controls to reduce the effect of such increases. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-028 (Order DE 80-17), § 173-415-060, filed 8/14/80. Formerly WAC 18-52-061 and 18-52-071.]

**WAC 173-415-070 Report of startup, shutdown, breakdown or upset conditions.** If a startup, shutdown, breakdown or upset condition occurs which could result in an emission violation or a violation of an ambient air quality standard, the owner or operator of the source shall take the following actions as applicable:

(1) For a planned condition, such as a startup or shutdown, the condition shall be reported to the department, or its delegated authority, in advance of its occurrence.

(2) For an unplanned condition, such as a breakdown or upset, the condition shall be reported to the department, or its delegated authority as soon as possible.

Upon request of the department or its delegated authority, the owner or operator of the source shall submit a full written report including the known causes, the corrective actions taken, and the preventive measures to be taken to minimize or eliminate the chance of recurrence.

Compliance with the requirements of WAC 173-415-070, does not relieve the owner or operator of the source from the responsibility to maintain continuous compliance with all the requirements of chapter 173-415 WAC nor from the resulting liabilities for failure to comply. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-415-070, filed 4/15/83. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-028 (Order DE 80-17), § 173-415-070, filed 8/14/80. Formerly WAC 18-52-077.]

**WAC 173-415-080 Emission inventory.** The owner or operator of any primary aluminum plant shall submit an inventory of emissions from the source each year upon a form and according to instructions received from the department of ecology. The inventory may include stack and fugitive emissions of particulates, sulfur dioxide, carbon monoxide, fluorides, volatile organic compounds, and other contaminants, and shall be submitted when required no later than one hundred five days after the end of the calendar year. The inventory shall include total emissions for the year in tons per year and an estimate of the percentage of the total emitted each quarter. An estimate shall be made of the one hour and twenty-four hour emissions while operating at capacity. The report shall include the average sulfur content of any fossil fuel or raw material used which will result in emissions of more than twenty-five tons per year of sulfur dioxide. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-036 (Order DE 83-13), § 173-415-080, filed 4/15/83. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-028 (Order DE 80-17), § 173-415-080, filed 8/14/80. Formerly WAC 18-52-086.]



**Chapter 173-422 WAC**  
**MOTOR VEHICLE EMISSION INSPECTION**

**WAC**

173-422-010	Purpose.
173-422-020	Definitions.
173-422-030	Vehicle emission inspection requirement.
173-422-040	Noncompliance areas.
173-422-050	Emission contributing areas.
173-422-060	Emission standards.
173-422-070	Test procedures.
173-422-080	Vehicle inspection data handling procedures.
173-422-090	Exhaust analyzer specifications.
173-422-100	Testing equipment maintenance and calibration.
173-422-110	Data system requirements.
173-422-120	Quality assurance.
173-422-130	Inspection fees.
173-422-140	Inspection forms and certificates.
173-422-145	Fraudulent certificates of compliance/acceptance.
173-422-150	Inspection personnel requirements.
173-422-160	Fleet testing requirements.
173-422-170	Exemptions.
173-422-175	Fraudulent exemptions.
173-422-180	Air quality standards.

**WAC 173-422-010 Purpose.** This chapter implements the Washington Clean Air Act, chapter 70.94 RCW, as supplemented by the motor vehicle emission inspection provisions codified as chapter 70.120 RCW.

Motor vehicles are the primary emitters of carbon monoxide and emit significant quantities of hydrocarbons and oxides of nitrogen. Emission controls required by the federal government are designed to reduce motor vehicle related air pollution. However, the effectiveness of these controls is substantially reduced through deterioration, maladjustment and tampering. Motor vehicle emission inspection serves to identify high polluting vehicles and to reduce emissions, when such can be accomplished at reasonable cost. These rules establish the emission standards, testing procedures, and associated activities necessary to implement a program of air pollution prevention and control involving motor vehicle emission inspections. [Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1), 83-23-115 (Order DE 83-31), § 173-422-010, filed 11/23/83, effective 1/2/84. Statutory Authority: RCW 70.120.120, 80-03-070 (Order DE 79-35), § 173-422-010, filed 2/28/80.]

**WAC 173-422-020 Definitions.** Unless a different meaning is clearly indicated by context, the following definitions will apply:

(1) "Accuracy" means the degree of correctness by which the true value of a measured sample is determined.

(2) "Calibration gases" mean a blend of hydrocarbon (propane), carbon monoxide (CO), and carbon dioxide using nitrogen as carrier gas. The concentrations are to be traceable to within two percent of NBS standards.

(3) "Certificate of acceptance" means an official form, issued by someone authorized by the department, which certifies that all of the following conditions have been met: The recipient's vehicle initially failed to comply with applicable emission standards, the recipient has

provided original receipts proving that more than fifty dollars were spent after the first test and before the final test on repairs and/or parts solely to meet emission standards, the vehicle on final reinspection again failed to meet such standards, and the repair information section of the test report has been completed.

(4) "Certificate of compliance" means an official form, issued by someone authorized by the department, which certifies that the following conditions have been met: The recipient's vehicle on inspection complied with applicable emission standards and inspection fees have been paid.

(5) "Dealer" means a motor vehicle dealer, as defined in RCW 46.70.011, that is licensed pursuant to chapter 46.70 RCW.

(6) "Department" means the department of ecology.

(7) "Drift" means the change in the reading of the analyzer to a given sample over a period of time with no adjustment to the analyzer having been made between the initial and final measurements.

(8) "Emission contributing area" means a land area within whose boundaries are registered motor vehicles that contribute significantly to the violation of motor vehicle related air quality standards in a noncompliance area. (The inspection program implemented by this chapter applies only to vehicles registered in emission contributing areas.)

(9) "Farm vehicle" means any vehicle other than a farm tractor or farm implement which is designed and/or used primarily in agricultural pursuits on farms for the purpose of transporting machinery, equipment, implements, farm products, supplies, and/or farm labor thereon and is only incidentally operated on or moved along public highways for the purpose of going from one farm to another.

(10) "Fleet" means a group of twenty-five or more motor vehicles owned or leased concurrently by one person.

(11) "Gaseous fuel" means liquefied petroleum gases and natural gases in liquefied or gaseous forms.

(12) "Gross vehicle weight (GVW)" means the manufacturer stated gross vehicle weight rating.

(13) "HC and CO emissions" means the concentration of hydrocarbons (measured as n-hexane) and carbon monoxide in the engine exhaust.

(14) "Motor vehicle" means any self-propelled vehicle required to be licensed pursuant to chapter 46.16 RCW.

(15) "Motorcycle" means every motor vehicle having a saddle for the use of the rider and designed to travel on not more than three wheels in contact with the ground, but excluding a farm tractor.

(16) "NBS" means National Bureau of Standards.

(17) "Noncompliance area" means a land area within whose boundaries any air quality standard for any air contaminant from the emissions of motor vehicles will probably be exceeded after December 31, 1982.

(18) "PPM" means parts per million by volume.

(19) "Repeatability" means the ability of an analyzer to report the same value for successive measurements of the same sample.

(20) "Response" means how quickly there is a change in reading following a change in concentration at the sample probe inlet.

(21) "Sensitivity" means the smallest change in the value of a measured sample that can be detected by the analyzer.

(22) "Zero calibration gases" means air or nitrogen in which total impurities do not exceed 0.01 percent. [Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1). 83-23-115 (Order DE 83-31), § 173-422-020, filed 11/23/83, effective 1/2/84. Statutory Authority: RCW 70.120.120. 80-03-070 (Order DE 79-35), § 173-422-020, filed 2/28/80.]

**WAC 173-422-030 Vehicle emission inspection requirement.** All motor vehicles, not specifically exempted by WAC 173-422-170, which are registered or reregistered within the boundaries of an emission contributing area, as specified in WAC 173-422-050, are subject to the vehicle emission inspection requirements of this chapter. Neither the department of licensing nor its agents may issue or renew a motor vehicle license for any vehicle registered in an emission contributing area, as that area is established under RCW 70.120.040, unless the application for issuance or renewal is: (1) Accompanied by a valid certificate of compliance issued pursuant to RCW 70.120.060, 70.120.080, or 70.120.090 or a valid certificate of acceptance issued pursuant to RCW 70.120.070; or (2) exempted from this requirement pursuant to RCW 46.16.015(2). The certificates must have a date of validation which is within ninety days of the date of application for the vehicle license or license renewal. Certificates for fleet vehicles may have a date of validation which is within twelve months of the assigned license renewal date. [Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1). 83-23-115 (Order DE 83-31), § 173-422-030, filed 11/23/83, effective 1/2/84. Statutory Authority: RCW 70.120.120. 80-03-070 (Order DE 79-35), § 173-422-030, filed 2/28/80.]

**WAC 173-422-040 Noncompliance areas.** The following areas are designated noncompliance areas for the air contaminants specified (these areas are set forth on maps on file with the department):

- (1) Carbon monoxide
  - (a) Parts of the city of Seattle.
  - (b) Parts of the city of Bellevue.
  - (c) Parts of the city of Spokane.
- (2) Ozone

The Central Puget Sound Basin. [Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1). 83-23-115 (Order DE 83-31), § 173-422-040, filed 11/23/83, effective 1/2/84. Statutory Authority: RCW 70.120.120. 82-02-027 (Order DE 81-32), § 173-422-040, filed 12/31/81; 80-03-070 (Order DE 79-35), § 173-422-040, filed 2/28/80.]

**WAC 173-422-050 Emission contributing areas.** Emission contributing areas within which the motor vehicle emission inspection program will apply are designated by the following United States Postal Service ZIP codes as of the effective date of this regulation.

(1) Puget Sound Region

98004	98037
98005	98039
98006	98040
98007	98041
98008	98043
98009	98046
98011	98052
98012	98053
98020	98055
98021	98056
98027	98057
98028	98062
98033	98063
98034	98072
98036	98073
	98083
	98101 thru 98199,
	inclusive except 98110

(2) Spokane Region. The designations below shall apply only if local programs for reducing motor vehicle related air contaminants by means other than inspection and maintenance are not demonstrated to the satisfaction of the United States Environmental Protection Agency to bring the area hereby designated into compliance with applicable air quality standards.

99201	99206
99202	99207
99203	99208
99204	99216
99205	99218

[Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1). 83-23-115 (Order DE 83-31), § 173-422-050, filed 11/23/83, effective 1/2/84. Statutory Authority: RCW 70.120.120. 82-02-027 (Order DE 81-32), § 173-422-050, filed 12/31/81; 80-03-070 (Order DE 79-35), § 173-422-050, filed 2/28/80.]

**WAC 173-422-060 Emission standards.** Motor vehicles subject to this chapter shall meet the following emission standards prior to receiving a certificate of compliance.

Model Year	STANDARDS		HC(ppm)
	CO(%)	HC(ppm)	
4 or less* Year	More Than Cyl.	4 Cyl.	
71-74	6.0	5.0	1000
75-78	3.0	3.0	800

Model Year	CO(%) 4 or less* Cyl.	CO(%) More Than 4 Cyl.	HC(ppm)
79 and later	3.0	3.0	600

When 1979 and later model vehicles were manufactured with a catalytic converter the standards are:

2.0	1.5	300
-----	-----	-----

\*Includes all rotary engines

[Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1), 83-23-115 (Order DE 83-31), § 173-422-060, filed 11/23/83, effective 1/2/84. Statutory Authority: RCW 70.120.120, 82-02-027 (Order DE 81-32), § 173-422-060, filed 12/31/81; 80-03-070 (Order DE 79-35), § 173-422-060, filed 2/28/80.]

**WAC 173-422-070 Test procedures.** All persons certified by, or under contract to, the department to conduct motor vehicle emission inspections shall use the following test procedures. Variations to the procedures specified may be used if approved by the department after receipt of evidence that such changes will not interfere with the validity of the test.

(1) An idle mode test shall be used to measure vehicle exhaust emissions for carbon monoxide, hydrocarbons, and carbon dioxide.

(2) The engine shall be at normal operating temperature during the emission test with all accessories off.

(3) Any vehicle causing an unsafe condition, such as the continuous leaking of any fluid onto the floor, may be rejected from the inspection site.

(4) Vehicles shall be approximately level during the test.

(5) Vehicles with more than one exhaust pipe shall be tested by sampling each tail pipe and averaging the results, unless the exhaust pipes originate from a common point in the exhaust system.

(6) The following steps shall be taken to prevent excessive dilution. The exhaust sample probe must be inserted at least ten inches into the tail pipe. If this is not possible, an extension boot shall be used. The exhaust emission test results shall not be recorded if the carbon dioxide concentration does not meet or exceed five percent.

(7) If the engine stalls during the test, the engine shall be restarted and one additional attempt will be made to complete the test.

(8) If a vehicle is capable of being operated with either gasoline or gaseous fuels, the vehicle shall be tested using the fuel it is operating on when it enters the testing facility.

(9) If a multiple range analyzer is used, the exhaust analyzer range shall be selected so that the standard for the vehicles being tested is between twenty-five percent and seventy-five percent of full scale, if possible.

(10) Before testing a 1981 and later model Ford Motor Company vehicle with a gross vehicle weight of 8500

pounds or less, the engine shall be turned off and then restarted.

(11) For all vehicles, the engine shall be accelerated to one-third to one-half throttle (about 2500 rpm), with the transmission in neutral or park, and held there for fifteen seconds.

(12) With the engine idling, insert the probe into the tailpipe for at least thirty seconds. The exhaust emissions averaged over the last five seconds shall then be recorded. A shorter testing time may be used if the emission stabilization procedure in WAC 173-422-110 (2)(d) is used. When readings from multiple exhaust pipes are averaged, steps 10, 11, and 12 shall be repeated for all exhaust pipes. [Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1), 83-23-115 (Order DE 83-31), § 173-422-070, filed 11/23/83, effective 1/2/84. Statutory Authority: RCW 70.120.120, 82-02-027 (Order DE 81-32), § 173-422-070, filed 12/31/81; 80-03-070 (Order DE 79-35), § 173-422-070, filed 2/28/80.]

**WAC 173-422-080 Vehicle inspection data handling procedures.** All persons under contract to the state to conduct motor vehicle emission inspections shall use the following data handling procedures.

(1) The comparison of the test results with the state's emission standards shall be automated.

(2) The emission test results, the comparison with the state's emission standards, and certificates of compliance shall be automatically printed.

(3) The required vehicle identification data shall be entered and validated before the emission test is started.

(4) Vehicle identification data flagged as incorrect by the established validation checks shall be corrected before the emission test is started.

(5) The emission test results shall be automatically printed.

(6) All required data shall be automatically printed on the vehicle inspection reports and stored on bulk storage devices.

(7) In the case of data handling equipment problems, the vehicle emission test reports and certificates of compliance may be manually completed, but all the data is required to be included on the bulk storage devices submitted to the department. [Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1), 83-23-115 (Order DE 83-31), § 173-422-080, filed 11/23/83, effective 1/2/84. Statutory Authority: RCW 70.120.120, 82-02-027 (Order DE 81-32), § 173-422-080, filed 12/31/81; 80-03-070 (Order DE 79-35), § 173-422-080, filed 2/28/80.]

**WAC 173-422-090 Exhaust analyzer specifications.** Only exhaust analyzers meeting the following specifications at the time of certification testing may be used for certification testing. The department will maintain a list of analyzers that have been certified by the manufacturers as meeting the specifications at the time of manufacture. The department does not require the use of these analyzers or guarantee the performance of these analyzers. Any person authorized by the department to

certify vehicles is solely responsible for insuring that the testing equipment is operating within the following specifications at the time of certification testing.

(1) Accuracy: The readings or the printed test results of the exhaust analyzers compared to the true value of a measured sample shall have the following accuracy tolerances.

HC – Measured as n – hexane	
0 to 1000 ppm	±30 ppm
1000 to 2000 ppm	±100 ppm
CO	
0 to 5%	±0.2 %
5 to 10%	±0.5 %
CO <sub>2</sub>	
4 to 6%	±1%

(2) Calibration: The analyzer shall have the capability of being calibrated electronically and by gas.

(3) Drift: The drift of the zero reading or any calibration reading of each analyzer shall not exceed 20 ppm HC, 0.1% CO or 0.5% CO<sub>2</sub> in one hour.

(4) Flow restriction indicator: The analyzer shall be operated within manufacturer's specifications for sample flow. The sampling system shall be equipped with a visual and/or audible warning that sample flow is not within operating requirements.

(5) Interference effects: Sampling the following concentrations of noninterest gases shall not cause the HC reading to change ±10 ppm: 15% CO<sub>2</sub> in N<sub>2</sub>, 10% CO in N<sub>2</sub>, 3000 ppm NO in N<sub>2</sub>, 10% O<sub>2</sub> in N<sub>2</sub>, and 3% H<sub>2</sub>O vapor in air.

Sampling the following concentrations of noninterest gases shall not cause the CO reading to change ±0.05%: 15% CO<sub>2</sub> in N<sub>2</sub>, 1600 ppm HC in N<sub>2</sub>, 3000 ppm NO in N<sub>2</sub>, 10% O<sub>2</sub> in N<sub>2</sub>, and 3% H<sub>2</sub>O vapor in air.

Sampling the following concentrations of noninterest gases shall not cause the CO<sub>2</sub> reading to change ±0.5%: 1600 ppm HC in N<sub>2</sub>, 10% CO in N<sub>2</sub>, 3000 ppm NO in N<sub>2</sub>, 10% O<sub>2</sub> in N<sub>2</sub>, and 3% H<sub>2</sub>O vapor in air.

(6) Repeatability: The repeatability of the exhaust analyzers used shall be within 10 ppm HC, 0.05% CO and 0.2% CO<sub>2</sub> during five successive measurements of the same sample.

(7) Response: The response of the exhaust analyzers shall be at least ninety-five percent of the final value within fifteen seconds.

(8) Sensitivity: The sensitivity of each analyzer shall be equal to or less than 10 ppm HC, 0.05% CO and 0.2% CO<sub>2</sub>.

(9) Range of measurement: The analyzer shall have a range equal to or greater than 0–2000 ppm HC (n-Hexane), 0 to 10% CO, and 0 to 6% CO<sub>2</sub>. [Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1). 83-23-115 (Order DE 83-31), § 173-422-090, filed 11/23/83, effective 1/2/84. Statutory Authority: RCW 70.120.120. 82-02-027 (Order DE 81-32), § 173-422-090, filed 12/31/81; 80-03-070 (Order DE 79-35), § 173-422-090, filed 2/28/80.]

**WAC 173-422-100 Testing equipment maintenance and calibration.** (1) Unless alternative procedures have

been approved or required by the department all equipment used in the inspection shall be calibrated and maintained according to the manufacturer's specifications and recommendations. Complete logs as approved by the department shall be kept for maintenance, repair, and calibration.

(2) The following procedures shall be followed by all testing facilities unless equivalent procedures have been approved by the department. Exhaust analyzers and all electronic components that could affect the gas concentration results shall be warmed up for at least thirty minutes prior to performing any test on equipment, calibration, span, or zero checks:

(a) Each test. Before each test can start, the exhaust analyzer readings must be less than 20 ppm HC, 0.1% CO and 0.5% CO<sub>2</sub>. If during a test the sampling system flow restriction indicator becomes activated, the test shall be stopped and restarted after the necessary repairs to the analyzer have been completed.

(b) Hourly check. The exhaust analyzer shall not be used to test vehicles unless within an hour prior to the test it was spanned with a calibration gas. The following procedure shall be used:

(i) Adjust the exhaust analyzer to zero using ambient air or zero calibration gas.

(ii) Adjust the exhaust analyzer using the electronic span.

(iii) Check the calibration of the exhaust analyzer using a calibration gas.

(iv) Adjust and repair as necessary to insure the accuracy specified in WAC 173-422-090.

(c) Weekly check. The exhaust analyzer shall not be used to test vehicles unless within one week prior to the test it was spanned with a calibration gas. The following procedure shall be used:

(i) Adjust the exhaust analyzer to zero using ambient air or zero calibration gas.

(ii) Adjust the exhaust analyzer using the electronic span.

(iii) Check the calibration of the exhaust analyzer using a calibration gas with a CO concentration of 0.6 to 2.4%, a HC concentration of 110 to 440 ppm measured as n-hexane, and a CO<sub>2</sub> concentration of 4.0 to 6.0%.

(iv) Adjust and repair as necessary to insure the accuracy specified in WAC 173-422-090.

(d) Monthly check. The exhaust analyzer shall not be used to test vehicles unless a multipoint calibration has been performed within the last thirty days. The following procedure shall be used:

(i) Adjust the exhaust analyzer to zero using ambient air or zero calibration gas.

(ii) Adjust the exhaust analyzer using the electronic span.

(iii) Check the calibration of the exhaust analyzer using calibration gases of approximately twenty, forty, sixty, and eighty percent for each range. (CO<sub>2</sub> must be present at concentrations of at least 2.0%.)

Adjust and repair as necessary to insure the accuracy specified in WAC 173-422-090 at each calibration point.

(e) Repair check. A multipoint calibration as specified in WAC 173-422-100(d) shall be performed before the analyzer is used for certification testing following the replacement of an optical or electronic component that can cause a variation in the analyzer reading.

The manufacturer's recommended procedures to determine any change in the correction factor from the propane calibration gas to n-hexane readings shall be followed.

(f) Leak check. The exhaust analyzer shall not be used to test vehicles unless within one week prior to the testing, CO readings have been taken while introducing calibration gas through the calibration port and through the probe. Discrepancies of over 3% in the readings shall require repair of leaks. No analyzer adjustments shall be permitted during this check. Other leak check procedures may be used if it can be shown to the department's satisfaction that the method identifies leaks as well as the method in this subsection. [Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1), 83-23-115 (Order DE 83-31), § 173-422-100, filed 11/23/83, effective 1/2/84. Statutory Authority: RCW 70.120.120, 82-02-027 (Order DE 81-32), § 173-422-100, filed 12/31/81; 80-03-070 (Order DE 79-35), § 173-422-100, filed 2/28/80.]

**WAC 173-422-110 Data system requirements.** The data system shall consist of the following units:

(1) Vehicle identification terminal. The vehicle identification terminal shall have a standard typewriter formatted keyboard with a visual display to verify data entered. The data entered shall be transferred to the programmable processor on command.

(2) Programmable processor. The programmable processor shall perform the following functions:

(a) Accept and validate vehicle and test data required in WAC 173-422-140 from the vehicle identification terminal, exhaust analyzer, or other sources. Indicate on the vehicle identification terminal any data entered that does not meet the validation criteria.

(b) Convert analog emission measurements to digital information for each analyzer range.

(c) Verify that there is no excessive dilution of the exhaust sample by determining the carbon dioxide concentration and provide carbon dioxide output signal to printer and bulk storage device.

(d) Compare test results to the state's emissions standards. Test results shall be determined by averaging five consecutive readings taken at one second intervals, at fifteen seconds after the probe has been inserted into the tailpipe. The results shall be considered stable and recorded if the five readings do not vary more than ten percent of their average or 30 ppm HC, or 0.2% CO, or 1% CO<sub>2</sub> from their average, whichever is greater. If stability has not occurred before thirty seconds of testing, the thirty second reading along with four other consecutive readings shall be averaged and recorded as the result.

(e) Outputs vehicle and test data and established standards for report printout.

(f) Outputs vehicle and test data for storage on bulk storage devices.

(3) Report printer. The report printer shall print the vehicle inspection report and the certificate of compliance. The forms used shall be provided or approved by the department.

(4) Bulk storage devices. All data from the vehicle inspection report and the certificate of compliance shall be written on the bulk storage devices at the same time the printed report(s) are produced.

The data handling system shall be so designed to prevent any data changes on the bulk storage devices that would eliminate or alter the original entry.

Inspection shall be redone if errors result in an incorrect vehicle inspection report.

To insure that the bulk storage devices are compatible with the state's data processing equipment, all bulk storage devices and data handling methods used by the contractor shall be expressly approved by the department. [Statutory Authority: RCW 70.120.120, 82-02-027 (Order DE 81-32), § 173-422-110, filed 12/31/81; 80-03-070 (Order DE 79-35), § 173-422-110, filed 2/28/80.]

**WAC 173-422-120 Quality assurance.** The department, or its designee, will monitor the operation of each authorized emission testing facility with unannounced, unscheduled inspections to check the calibration and maintenance of the exhaust analyzers, test procedures, and records.

Vehicle inspection reports and fiscal reports submitted by inspection station operators will be checked for completeness and accuracy. The department or its designee shall have the right to audit contractor's and subcontractor's records.

The department (or its designee) may conduct unidentified surveillance.

The department (or its designee) may require that the use of an exhaust analyzer be suspended due to a malfunction or incorrect calibration of the analyzer. [Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1), 83-23-115 (Order DE 83-31), § 173-422-120, filed 11/23/83, effective 1/2/84. Statutory Authority: RCW 70.120.120, 80-03-070 (Order DE 79-35), § 173-422-120, filed 2/28/80.]

**WAC 173-422-130 Inspection fees.** A fee of ten dollars shall be collected for the first emission test on each vehicle applicable to each vehicle license year. If the vehicle fails, one retest will be provided free of charge at any inspection station operated by the contractor who collected the fee, provided that the retest is requested within sixty days of the initial test and other requirements specified in WAC 173-422-140 are met. Any additional retests applicable to the same vehicle license year will require the payment of the same fee charged for the initial test.

Inspection station operators shall forward to the department within ten working days after the end of each month, the amount of fees due to the state for inspections conducted during the month.

The department or its designee shall have the right to audit any inspection station operator's or contractor's records and procedures to substantiate that the operator or contractor is properly collecting and accounting for such fees. [Statutory Authority: RCW 70.120.120. 82-02-027 (Order DE 81-32), § 173-422-130, filed 12/31/81; 80-03-070 (Order DE 79-35), § 173-422-130, filed 2/28/80.]

**WAC 173-422-140 Inspection forms and certificates.** All inspection stations shall use inspection forms and certificates provided or approved by the department. Additional diagnostic information may be provided to the vehicle operator. Other materials may be given the vehicle operator only if approved by the department.

(1) Vehicle inspection report: The driver of each vehicle tested shall be given a vehicle inspection report on a form to be provided or approved by the department. The inspection station operator shall provide the following information.

- (a) Station number (lane number).
- (b) Date and time of test(s).
- (c) Who conducted the test(s) (name or identification number).
- (d) Vehicle identification number (VIN).
- (e) Odometer reading in thousands of miles.
- (f) Vehicle license number.
- (g) Vehicle model year.
- (h) Make of the vehicle.
- (i) Number of cylinders.
- (j) Whether or not the vehicle was manufactured with a catalytic converter.
- (k) Gross vehicle weight class.
- (l) Emission test results.
- (m) Applicable standards.
- (n) Whether the vehicle has passed or failed the appropriate emission standards.
- (o) Carbon dioxide reading.
- (p) When and who issued a certificate of compliance or acceptance (name or identification number).
- (q) First test or retest.
- (r) All other information required on the form.

(2) Certificate of compliance: The driver of a vehicle meeting the appropriate emission standards shall be issued a certificate of compliance. A vehicle failing the initial test shall be allowed one free retest within sixty days of the initial test.

(3) Certificate of acceptance: If a vehicle has failed to pass the emission test applicable to any vehicle license year, the vehicle owner may request a certificate of acceptance. To receive the certificate of acceptance the vehicle owner must provide original receipts totalling at least fifty dollars, dated on or between the date of the first test and the final retest, for costs of repairs and/or parts solely devoted to meeting the emission standards. Guidelines for obtaining a certificate of acceptance are on file with the department and printed on the emission test report.

(4) Form storage: Copies of each certificate of compliance/acceptance, and all vehicle inspection reports

shall be kept on file by the contractor and be available for the department's review for one year after they are issued. This requirement includes forms that are voided for any reason.

(5) Reporting: The inspection station operator shall forward to the department within ten working days after the end of each month (a) an approved storage device containing all data collected from each inspection device conducted that month, and (b) a copy of all certificates of acceptance issued that month along with the related vehicle inspection reports and repair and/or parts receipts.

Before the storage device is forwarded to the department, a backup bulk storage device shall be in the possession of the contractor. The backup bulk storage device shall be retained for one year and be available to the department upon request. [Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1). 83-23-115 (Order DE 83-31), § 173-422-140, filed 11/23/83, effective 1/2/84. Statutory Authority: RCW 70.120.120. 82-02-027 (Order DE 81-32), § 173-422-140, filed 12/31/81; 80-03-070 (Order DE 79-35), § 173-422-140, filed 2/28/80.]

**WAC 173-422-145 Fraudulent certificates of compliance/acceptance.** (1)(a) Obtaining or attempting to obtain a certificate of compliance by (i) providing false information or (ii) any fraudulent means; or

(b) Obtaining or attempting to obtain a certificate of acceptance (i) through the use of receipts or other documentation containing false information, or (ii) without having expended more than fifty dollars after the first test and before the final test for repairs or parts solely devoted to meeting the emission standards, or (iii) any fraudulent means shall be construed as a violation of these rules implementing chapter 70.94 RCW as supplemented by chapter 70.120 RCW.

(2) Any person who commits such violation or who aids or abets another in committing the same shall be subject to a civil penalty not to exceed two hundred fifty dollars for each violation.

(3) For the purposes of this section the term "expended" refers to the net actual cost to the vehicle owner in the purchase of repairs or parts derived after the amount of any rebate, discount or cash-return has been subtracted.

(4) Any civil penalty imposed by the department hereunder shall be appealable to the pollution control hearing board as provided for in chapter 43.21B RCW. [Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1). 83-23-115 (Order DE 83-31), § 173-422-145, filed 11/23/83, effective 1/2/84.]

**WAC 173-422-150 Inspection personnel requirements.** (1) Training. All inspection personnel must successfully complete a training course approved by the department.

(2) Inspection personnel identification. Whenever inspection personnel are in contact with the public they shall wear identification tags visible to the motorist. [Statutory Authority: RCW 70.120.120. 80-03-070 (Order DE 79-35), § 173-422-150, filed 2/28/80.]

**WAC 173-422-160 Fleet testing requirements.** Self-inspection of vehicles by a fleet operator may be authorized by the department. The department may also authorize emission inspection of fleet vehicles by an automotive service or testing facility engaged by the fleet for such activity. Authorizations to conduct emission tests and issue certificates of compliance under this section are limited to vehicles within the fleet or fleets requesting such authorization. Any person or facility conducting fleet tests under authorization of this section must meet all requirements of this section.

(1) The exhaust analyzers used for certification testing shall meet the specifications in WAC 173-422-090 except for those that pertain to CO<sub>2</sub>. (CO<sub>2</sub> does not need to be measured.)

In order to utilize existing equipment as much as possible, the department may allow testing facilities to use analyzers that do not meet all the specifications of WAC 173-422-090 if the analyzers were purchased prior to December 31, 1981.

To qualify for this exception, the test facility must request a waiver for each analyzer, demonstrate to the satisfaction of the department that the analyzer and procedures being used will provide satisfactory emission tests, and obtain approval from the department prior to using the analyzer for certification testing. Any analyzer model that has been approved by the State of California Bureau of Automotive Repair will qualify for this exception.

(2) All persons engaged in testing of fleet vehicles must comply with all provisions of this chapter except WAC 173-422-080, 173-422-100 (2)(d), 173-422-110, 173-422-130, 173-422-140, and 173-422-150. The check specified in WAC 173-422-100 (2)(b)(i) and (ii) shall be performed within one hour prior to the test. The complete check specified in WAC 173-422-100 (2)(c) shall have been performed within one week prior to the test. The check specified in WAC 173-422-100 (2)(c), in addition to being required weekly, shall be performed after each relocation of the analyzer.

(3) All persons conducting tests for the purpose of issuing certificates for fleets shall demonstrate to the satisfaction of the department the knowledge and capability to calibrate and operate emission testing equipment, and perform an emission test according to WAC 173-422-070.

(4) The department will provide test forms upon request. Legibly completed forms with appropriate signature(s) will constitute certificates of compliance for licensing purposes. Any person conducting testing under this section shall forward to the department within ten working days after the end of each month, a copy of each certificate of compliance issued during that month. Copies of each certificate of compliance shall be retained by the person issuing the certificate for at least two years from date of issuance.

Forms must be purchased from the department in advance of issuance through payment of one dollar fifty cents to the department for each certificate requested. Refunds may be given for unused certificates.

Test forms provided under this section are official documents. Persons receiving the forms from the department are accountable for each form provided.

Voided forms must be handled the same as certificates of compliance. One copy shall be sent to the department within ten days after the end of the month in which the form was voided and one copy shall be retained by the person accountable for the forms for at least two years after date of voiding. Refunds will not be made for voided forms.

(5) All persons authorized to conduct fleet inspections under this section shall be subject to performance audits and compliance inspections by the department, during normal business hours.

(6) Fleet vehicles may be inspected any time between their scheduled license renewals.

(7) Certificates of acceptance may not be issued under this section. [Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1). 83-23-115 (Order DE 83-31), § 173-422-160, filed 11/23/83, effective 1/2/84. Statutory Authority: RCW 70.120.120, 82-02-027 (Order DE 81-32), § 173-422-160, filed 12/31/81; 80-03-070 (Order DE 79-35), § 173-422-160, filed 2/28/80.]

**WAC 173-422-170 Exemptions.** The following motor vehicles are exempt from the inspection requirement:

(1) Vehicles proportionally registered pursuant to chapter 46.85 RCW.

(2) Vehicles whose model year when subtracted from the calendar year equals or exceeds fourteen.

(3) New motor vehicles whose equitable or legal title has never been transferred to a person who in good faith purchases the vehicle for purposes other than resale; this does not exempt motor vehicles that are or have been leased.

(4) Motor vehicles that use propulsion units powered exclusively by electricity.

(5) Motor-driven cycles as defined by RCW 46.04.332.

(6) Motor vehicles powered by diesel engines or two-cycle engines.

(7) Farm vehicles.

(8) Vehicles exempted from licensing pursuant to RCW 46.16.010.

(9) Mopeds as defined by RCW 46.04.304.

(10)(a) Vehicles garaged and operated out of the emission contributing area and not returning prior to six months following the registration renewal date, may be exempted provided the registered owner/authorized agent provides a signed statement which includes:

(i) The registered owner's name and address.

(ii) The vehicle license number.

(iii) A statement that the vehicle is now garaged and operated outside the emission contributing area and will not be returning to the emission contributing area prior to six months following the registration renewal date.

(b) Vehicles garaged and operated out of the emission contributing area and returning to the emission contributing area within six months after the registration renewal date may postpone the emission testing

requirements provided the registered owner/agent provides a signed exemption statement which includes:

- (i) The registered owner's name and address.
- (ii) The vehicle license number.
- (iii) A statement that the vehicle will not be returning to the emission contributing area prior to the registration renewal date.
- (iv) A statement that within thirty days of returning to the emission contributing area the vehicle will be tested and a valid certificate of compliance or a certificate of acceptance will be obtained and forwarded to the department.
- (v) The date of departure from the emission contributing area.
- (vi) The anticipated date of return to the emission contributing area.

(11) Vehicles registered with the state but not for highway use.

(12) Used vehicles which are offered for sale by a motor vehicle dealer, as defined in RCW 46.70.011, that is licensed pursuant to chapter 46.70 RCW.

(13) Motor vehicles fueled exclusively by propane, compressed natural gas, or liquid petroleum gas. [Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1). 83-23-115 (Order DE 83-31), § 173-422-170, filed 11/23/83, effective 1/2/84. Statutory Authority: RCW 70.120.120, 82-02-027 (Order DE 81-32), § 173-422-170, filed 12/31/81; 80-03-070 (Order DE 79-35), § 173-422-170, filed 2/28/80.]

**WAC 173-422-175 Fraudulent exemptions.** (1) Obtaining or attempting to obtain an exemption from emission inspection requirements by false statements, or failure to comply with the exemption procedures established to implement WAC 173-422-170, shall be construed as a violation of these rules implementing chapter 70.94 RCW as supplemented by chapter 70.120 RCW.

(2) Any person who commits such violation or who aids or abets another in committing the same shall be subject to a civil penalty not to exceed two hundred fifty dollars for each violation.

(3) Any civil penalty imposed by the department hereunder shall be appealable to the pollution control board as provided for in chapter 43.21B RCW. [Statutory Authority: RCW 70.120.120, 43.21A.080, 70.94.331 and 70.94.141(1). 83-23-115 (Order DE 83-31), § 173-422-175, filed 11/23/83, effective 1/2/84.]

**WAC 173-422-180 Air quality standards.** The air quality standards set forth in chapter 173-415 WAC are the air quality standards applicable to the establishment of noncompliance areas pursuant to this chapter. [Statutory Authority: RCW 70.120.120, 80-03-070 (Order DE 79-35), § 173-422-180, filed 2/28/80.]

## Chapter 173-425 WAC OPEN BURNING

WAC  
173-425-010 Purpose.  
173-425-020 Applicability.

173-425-030	Definitions.
173-425-035	Episodes.
173-425-045	Prohibited materials.
173-425-055	Exceptions.
173-425-065	Residential open burning.
173-425-075	Commercial open burning.
173-425-085	Agricultural open burning.
173-425-095	No burn area designation.
173-425-100	Delegation of agricultural open burning program.
173-425-115	Limited outdoor burning.
173-425-120	Department of natural resources—Smoke management plan.
173-425-130	Notice of violation.
173-425-140	Remedies.

**WAC 173-425-010 Purpose.** This rule, promulgated under chapter 70.94 RCW, the Washington State Clean Air Act, authorizes the department of ecology to implement the provisions of that act. This rule establishes controls for open burning in the state in order to:

(1) Minimize the impact of emissions from open burning;

(2) Establish rules and procedures by which open burning may be conducted;

(3) Encourage the development and specify the use of alternate methods of disposal of combustible waste materials. [Order DE 77-19, § 173-425-010, filed 10/24/77. Formerly WAC 18-12-010.]

**WAC 173-425-020 Applicability.** This chapter applies to open burning in all of the state, except to:

(1) Burning of field and turf grasses grown for seed (governed by chapter 173-430 WAC).

(2) Open burning within the boundaries of any activated air pollution control authority, where that authority is enforcing its own controls for open burning. These controls shall not be less stringent than the requirements in this chapter.

(3) Open burning for activities subject to the permit issuing authority of the department of natural resources, as given in RCW 70.94.660. [Order DE 77-19, § 173-425-020, filed 10/24/77. Formerly WAC 18-12-020.]

**WAC 173-425-030 Definitions.** (1) Agricultural open burning: Open burning conducted as part of any agricultural operation; but not including yard and gardening activities connected with a residence.

(2) Commercial open burning: Open burning conducted as part of any commercial or business operation, including land clearing when the land is cleared to change the use of the cleared land. Commercial open burning does not include agricultural open burning.

(3) Department: The department of ecology.

(4) Director: The director of the department of ecology, or his authorized representative.

(5) Episode: A period when a forecast, alert, warning, or emergency air pollution stage is declared, as given in RCW 70.94.415.

(6) Land clearing: Removing structures, trees, shrubbery, or other natural vegetation from a plot of land.

(7) No burn area: An area designated by the department as an area exceeding or threatening to exceed a state ambient air quality standard.



(8) Open burning: The combustion of material in an open fire or in an outdoor container, without providing for the control of combustion or the control of the emissions from the combustion.

(9) Person: An individual, firm, public or private corporation, association, partnership, political subdivision, municipality, government agency.

(10) Small fire: A fire not more than four feet in diameter or more than three feet high.

(11) Silvicultural operation: The growing of trees for commercial or recreational use, including preparing the land, planting, growing, and harvesting of trees.

(12) Wood waste residue: Residue of a natural character such as trees, stumps, shrubbery, or other natural vegetation arising from land clearing projects (RCW 70.94.750(2)). [Order DE 77-19, § 173-425-030, filed 10/24/77. Formerly WAC 18-12-030.]

**WAC 173-425-035 Episodes.** (1) No open fire shall be ignited during any stage of an episode.

(2) Any person responsible for an open fire already ignited when any stage of an episode is declared shall extinguish that fire when informed that an episode has been declared. Open fires conducted under the auspices of the department of natural resources for the purpose of burning forest slash pursuant to RCW 70.94.660 through 70.94.700 are to be extinguished by withholding new fuel and allowing the fire to burn down. [Order DE 77-19, § 173-425-035, filed 10/24/77. Formerly WAC 18-12-035.]

**WAC 173-425-045 Prohibited materials.** Except as provided in WAC 173-425-055, the following materials shall not be burned in any open fire:

- (1) Garbage;
- (2) Dead animals;
- (3) Asphaltic products;
- (4) Waste petroleum products;
- (5) Paints;
- (6) Rubber products;
- (7) Plastics;

(8) Any substance, other than natural vegetation, which normally emits dense smoke or obnoxious odors. [Order DE 77-19, § 173-425-045, filed 10/24/77. Formerly WAC 18-12-045.]

**WAC 173-425-055 Exceptions.** Exceptions to this chapter shall be made only as follows:

(1) When ordered by a duly authorized health officer and when authorized by the department, diseased animals and other infested material may be burned, as required, to keep the infestation from spreading.

(2) When ordered by a fire protection agency and when authorized by the department, fires to dispose of materials presenting a danger to life, property, or public welfare may be burned, if no approved practical alternate method of disposal is available.

(3) When approved by the department, fires authorized by a fire protection agency as necessary for training may be burned.

(4) When approved by the department, fires set as part of a defined research project may be burned.

(5) The following fires may be burned, if they do not contain prohibited materials, as provided in WAC 173-425-045:

(a) Fires set for recreational, religious ceremony, food preparation, or social purposes;

(b) Small fires set for hand-warming purposes.

(6) At any solid waste disposal site, compliance with any schedule given in any comprehensive solid waste management plan approved by the department shall be considered compliance with this chapter. For any solid waste disposal site not subject to an approved plan, the department may authorize up to six months for a corrective program. If more time is needed, and no comprehensive solid waste management plan has been adopted covering a solid waste disposal site, a compliance schedule for meeting the requirements of this chapter will be adopted by the department for the site. [Order DE 77-19, § 173-425-055, filed 10/24/77. Formerly WAC 18-12-055.]

**WAC 173-425-065 Residential open burning.** (1) No open fire shall be allowed on the premises of any residence:

(a) Within a no burn area designated in WAC 173-425-095;

(b) During any stage of an episode (see WAC 173-425-035);

(c) If the fire contains prohibited materials, as given in WAC 173-425-045;

(d) If the fire contains any material other than wood, paper, and natural vegetation; or

(e) If the fire is larger than a small fire.

The premises of a residence include the real property immediately adjacent to the residence which is owned by the same person who owns the residence, and which is not devoted to agricultural use, other than yard and gardening activities connected with the residence.

(2) Small fires on the premises of a residence may be allowed to dispose of wood, paper, and natural vegetation, if:

(a) None of the provisions of WAC 173-425-065(1) are violated;

(b) Such fires do not violate any regulations of a local order to prevent or abate nuisances or any local county or city ordinance or resolution pertaining to a nuisance; and

(c) Reasonable precautions are taken to prevent particulate emissions when paper is being burned. [Order DE 77-19, § 173-425-065, filed 10/24/77. Formerly WAC 18-12-065.]

**WAC 173-425-075 Commercial open burning.** (1) No permit shall be issued for commercial open burning, and commercial open burning shall not be conducted:

(a) Within a no burn area designated in WAC 173-425-095;

(b) During any stage of an episode (see WAC 173-425-035);

(c) If the burning contains prohibited materials, as provided in WAC 173-425-045; or

(d) Where a practical alternate method of disposal listed in WAC 173-425-115(2), is reasonably available.

(2) No commercial open burning shall be conducted without authorization from the department. Open burning shall be authorized only if:

(a) The applicant shows that no approved practical alternate method of disposal is reasonably available; and

(b) The applicant shows that burning, as requested, is reasonably necessary to successfully carry out the enterprise the applicant is engaged in; and

(c) The burning will not violate any regulations of a local fire protection agency authorized to issue burning permits, to prevent or abate nuisances, or any local county or city ordinance or resolution pertaining to a nuisance.

(3) Considering population concentration and local conditions affecting air quality, the department shall condition permits issued under this chapter. Permits shall be conditioned to minimize air pollution as much as practical but are not limited to restricting the permissible hours of burning, restricting the size of fires, imposing requirements for good combustion practice, restricting burning to specified wind conditions. [Order DE 77-19, § 173-425-075, filed 10/24/77. Formerly WAC 173-425-075.]

**WAC 173-425-085 Agricultural open burning.** (1) No permit shall be issued for agricultural open burning, and agricultural open burning shall not be conducted:

(a) Within a no burn area designated in WAC 173-425-095;

(b) During any stage of an episode (see WAC 173-425-035);

(c) If the burning contains prohibited materials, described in WAC 173-425-045; or

(d) If the burning contains any material other than natural vegetation and wood wastes generated on the property, which is the burning site, or transported to the burning site by wind or water.

(2) Except as provided in WAC 173-425-085(3), agricultural open burning shall not be conducted without a permit from the department. Permits shall be issued only if:

(a) None of WAC 173-425-085(1) would be violated by the burning;

(b) The applicant shows that burning, as requested, is reasonably necessary to successfully carry out the enterprise the applicant is engaged in;

(c) The burning will not violate any regulations of a local fire protection agency authorized to issue burning permits to prevent or abate nuisances, or any local county or city ordinance or resolution pertaining to a nuisance; and,

(d) The burning is necessary to control disease or insect infestation, and other measures are not available; or

(e) The burning is necessary to develop physiological conditions conducive to increased crop yield, and other measures are not available.

In making a determination under WAC 173-425-085 (2)(d) or (e), the department will consult the county extension agent.

(3) Agricultural open burning may be conducted without a permit if:

(a) None of WAC 173-425-085(1) would be violated by the burning;

(b) The burning will not violate any regulations of a local fire protection agency authorized to issue burning permits to prevent or abate nuisances, or any local or city ordinance or resolution pertaining to a nuisance; and

(c) The fire covers one acre or less and the burning is done to destroy obnoxious weeds or crop residue along fence rows, ditches, or in cultivated fields.

(4) Considering population concentration and local conditions affecting air quality, the department shall condition permits issued under this chapter. Permits shall be conditioned to minimize air pollution as much as practical. Conditions may include but are not limited to restricting the permissible hours of burning, restricting the size of fires, imposing requirements for good combustion practice, restricting burning to specified wind conditions. [Order DE 77-19, § 173-425-085, filed 10/24/77. Formerly WAC 18-12-085.]

**WAC 173-425-095 No burn area designation.** (1) The department shall designate as no burn areas those geographic areas where ambient air quality standards for suspended particulates, set forth in WAC 18-40-030, are being exceeded or are threatened to be exceeded. These designations shall be based on monitoring data gathered at primary air mass stations.

(2) The department shall not designate "no burn" areas within the boundaries of any activated air pollution control authority, unless data exist to support that designation and the authority, after being notified, refuses to make such a designation.

(3) The designation of any area as a "no burn" area by the department shall be made by rule-making procedure and only after public hearing.

(4) Open burning shall not be conducted in any designated "no burn" area. [Order DE 77-19, § 173-425-095, filed 10/24/77. Formerly WAC 18-12-095.]

**WAC 173-425-100 Delegation of agricultural open burning program.** (1) When the department finds that any county, which is outside the jurisdictional boundaries of an activated air pollution control authority, is capable of administering the permit program of WAC 173-425-085 and desires to do so, the department may delegate the administration of the program to the county.

(2) This delegation may be withdrawn if the department finds that the county is not effectively administering the permit program. Before withdrawing delegation, the department shall give the county a chance to correct permit program deficiencies. [Order DE 77-19, § 173-425-100, filed 10/24/77. Formerly WAC 18-12-100.]

**WAC 173-425-115 Limited outdoor burning.** (1) To further the policies of this chapter and policies expressed

in RCW 70.94.745, the department has determined, that alternate technology and methods exist for disposing of wood waste residue resulting from highway right of way land clearing projects or commercial land clearing projects which generate five hundred or more tons of wood waste residue (two thousand or more cubic yards). Further, these methods and technology are considered less harmful to the environment than open burning. These alternates are also reasonably economical when the cost of disposal is nine hundred dollars or less per acre.

(2) These alternate methods and technology are:

(a) Chipping, with chips disposed of commercially or by on-site dispersal, haul to landfill, burning in an approved way, or other approved methods, as may be available.

(b) Hauling for disposal elsewhere, such as landfill, commercial use, or other approved methods, as may be available.

(c) On-site disposal in landfill.

(d) On or off-site disposal by a waste combustion method capable of complying with the emission standards set forth in WAC 173-425-115(3).

(3) As a result of the determination made in WAC 173-425-115(1) for disposing of wood waste residue that results from highway right of way land clearing projects which generate five hundred or more tons of wood waste residue (two thousand or more cubic yards) or from commercial land clearing projects which generate five hundred or more tons of wood waste residue (two thousand or more cubic yards):

(a) No person shall cause or permit the emission, for more than three minutes in any one hour, of an air contaminant from any disposal method covered by WAC 173-425-115 which, at the emission point or within a reasonable distance from the emission point, exceeds twenty percent opacity, except as follows:

(i) The emission may exceed twenty percent opacity for the first fifteen minutes after a startup, for not more than two startups every twenty-four hours.

(ii) When the person responsible for the source can show that the emission over twenty percent opacity will not exceed fifteen minutes in any eight consecutive hours after startup.

(b) No person shall cause or permit the emission of particulate matter from any source, which then becomes deposited beyond the property directly controlled by the owner or operator of the source in sufficient quantity to interfere unreasonably with using and enjoying the property where the material was deposited. (WAC 173-400-040(2)).

(c) No person shall cause or permit the emission of any air contaminant or water vapor from any source, including any air contaminant whose emission is not otherwise prohibited by this regulation, if the air contaminant or water vapor harms the health, safety, or welfare of any person or damages property or business. (WAC 173-400-040(5)).

(4) Using alternates listed in WAC 173-425-115(2) is reasonably economical for the projects described in WAC 173-425-115(3) when the alternates can be provided without delay in the project which will create an

economic or other hardship, and without costing more than nine hundred dollars per acre.

If the requirement to use an alternate will cause a delay of sixty days or more in completing a project, then the alternate will not be required. Any delay shorter than sixty days will be evaluated on a case-by-case basis.

If the cost of disposing of the wood waste residue is greater than nine hundred dollars per acre, then the alternate will not be required. The cost of clearing and grubbing will not be considered as part of the cost of disposal, unless certain additional costs are required to use the alternate, such as the cost of building a road which would not otherwise be required.

(5) Using an alternate must comply with all other applicable statutes, regulations, ordinances, and/or resolutions of state or local government entities. These include noise regulations, solid waste regulations, and those requirements of local air pollution control authorities which are more stringent than those of the department.

(6) The requirements for owner or operator of the source to comply with WAC 173-425-115 (3)(a) may be waived. Open burning may then be authorized by the department or air pollution control authority, as appropriate, if the owner or operator of the source shows, to the department or air pollution control authority, that:

(a) A delay will result from using the alternates, causing an economic or other hardship;

(b) Other legal requirements may be violated;

(c) A bid cannot be obtained for disposal using an alternate described in WAC 173-425-115, at a cost of nine hundred dollars per acre or less; or

(d) The wood waste residue to be disposed of from the land clearing project is less than five hundred tons (two thousand cubic yards).

(7) The department or air pollution control authority may charge a fee to cover administrative costs of processing the waiver request.

(8) When an alternate is to be used at any site for six or more months, the requirements of WAC 173-400-110 (notice of construction) shall be met.

(9) In this chapter, land clearing projects located close to one another and burned near the same time, which appear to be a single project, shall be presumed to be one project.

(10) In this chapter, normal clearing and grubbing do not include any activity or action related to using alternate methods and technology listed in WAC 173-425-115(2).

(11) In this chapter, one cubic yard of wood waste residue equals five hundred pounds. [Order DE 77-19, § 173-425-115, filed 10/24/77. Formerly WAC 18-12-115.]

**WAC 173-425-120 Department of natural resources—Smoke management plan.** The department of natural resources has the responsibility for issuing and regulating burning permits for open fire in areas protected by the department of natural resources, when such fires are for:

(1) Abating a forest fire hazard;

- (2) Preventing a fire hazard;
- (3) Instructing public officials in methods of forest fire fighting;
- (4) Any silvicultural operation to improve the forest lands of the state.

Fires set for these purposes must be conducted according to the provisions of the smoke management plan administered by the department of natural resources in agreement with the department of ecology and other involved agencies. [Order DE 77-19, § 173-425-120, filed 10/24/77. Formerly WAC 18-12-120.]

**WAC 173-425-130 Notice of violation.** The department may issue a notice of violation to the person responsible for the fire when:

- (1) Conditions of a permit issued under this chapter are violated;
- (2) Any open fire is ignited or, if ignited, is not extinguished, when the person responsible for the fire is aware that any air pollution episode stage has been declared;
- (3) An open fire is ignited where, under this chapter, such fires are prohibited or where a permit is required and no such permit has been obtained;
- (4) Prohibited materials are burned in an open fire.

Procedures for notices of violation shall follow RCW 70.94.332. [Order DE 77-19, § 173-425-130, filed 10/24/77. Formerly WAC 18-12-130.]

**WAC 173-425-140 Remedies.** Any violation of this chapter may be subject to any penalty or other remedy given in chapter 70.94 RCW. [Order DE 77-19, § 173-425-140, filed 10/24/77. Formerly WAC 18-12-140.]

### Chapter 173-430 WAC

#### BURNING OF FIELD AND FORAGE AND TURF GRASSES GROWN FOR SEED

##### WAC

173-430-010	Purpose.
173-430-020	Definitions.
173-430-030	Permits, conditions, and restrictions.
173-430-040	Mobile field burners.
173-430-050	Other approvals.
173-430-060	Study of alternatives.
173-430-070	Fees.
173-430-080	Certification of alternatives.

**WAC 173-430-010 Purpose.** (1) These rules are enacted under the provisions of the Washington State Clean Air Act, chapter 70.94 RCW, as amended, to assume state jurisdiction over and to control emissions from the burning of field and forage, and turf grasses grown for seed.

(2) Authority to enforce all provisions of this regulation, including establishing permit conditions and issuing permits, is delegated to and shall be carried out by all activated air pollution control authorities. In those areas not under the jurisdiction of any activated air pollution control authority, the department of ecology shall enforce these regulations, including establishing permit conditions and issuing permits.

(3) The purpose of this chapter is to:

(a) Minimize adverse effects on air quality from the open burning of field and forage, and turf grasses grown for seed;

(b) Provide for implementation of a research program to explore and identify economical and practical alternative agricultural practices to the open burning of field and forage, and turf grasses grown for seed;

(c) Provide for interim regulation of such burning until practical alternatives are found. [Order DE 77-20, § 173-430-010, filed 11/9/77. Formerly WAC 18-16-010.]

**WAC 173-430-020 Definitions.** (1) Department: The department of ecology.

(2) Director: The director of the department of ecology.

(3) Emissions: A release of air contaminants into the outdoor atmosphere.

(4) Field and forage grasses: Canarygrass, brome-grass, oatgrass, timothy, wheatgrass, and orchardgrass, planted to produce seed.

(5) Open burning: The combustion of material in the open or in a container, with no provisions for control of the combustion or control over the combustion products.

(6) Particulate: A small discrete mass of solid or liquid matter, not including uncombined water.

(7) Standard conditions: 60°F. and 29.92 inches of mercury.

(8) Straw: All material, other than seed, removed by swathing, combining, or cutting.

(9) Turf grasses: All blue grasses, fescues, bentgrass, and perennial ryegrass, planted to produce seed. [Order DE 77-20, § 173-430-020, filed 11/9/77. Formerly WAC 18-16-020.]

**WAC 173-430-030 Permits, conditions, and restrictions.** (1) No open burning of field or forage grasses, or turf grasses shall be undertaken unless a permit has been obtained from the department or from an activated air pollution control authority, as appropriate. The issuance of permits shall be governed by consideration of air quality conditions in the area affected by the proposed burning, the time of year, meteorological conditions, the size and duration of the proposed burning activity, the applicant's need to carry out such burning, and the public's interest in the environment. Permits will be conditioned to minimize air pollution effects as far as practical. Until approved alternatives become available, the department or the authority may limit the number of acres, on a pro rata basis, among those affected for which permits to burn will be issued in order to control emissions from this source.

(2) The department or activated air pollution control authority may deny permits or establish permit conditions based on the considerations cited in WAC 173-430-030(1).

Permit conditions may include requirements for straw removal and limits on acreage to be burned. Burning of acreage not previously under permit may be banned or subject to more restrictive conditions. Burning of field

and forage grasses may be restricted, and other measures may be required to minimize air pollution effects.

Permits issued before 1978 will establish a permit history for the applicant. This permit history will apply to an applicant and not to specific parcels of land, except land transferred to a spouse, son, or daughter, will retain a permit history as established by the original applicant.

Permit history will be established only for the maximum amount of acreage included in any permit issued before 1978.

Denying permits or establishing more restrictive permit conditions may become necessary. This denial or restriction may first be applied to applicants without a permit history and to amounts of acreage not included in an applicant's permit history.

Applicants who received permits before 1978 may be given priority for burning the amount of acreage cited in the permit history, if any program is implemented to limit acreage burned or to impose more stringent permit conditions.

(3) Open burning of field and forage grasses shall be prohibited. However, a permit may be issued to burn field and forage grasses for disease, pest, or weed control, if such need is certified by a county agent or other agricultural authority; or if such grasses were planted as part of a soil erosion control plan approved by a conservation district.

(4) Permit restrictions or conditions for burning turf grasses may be established for the reasons cited in WAC 173-430-030(3).

(5) Open burning of all grasses scheduled for tear-out shall be prohibited unless a permit specifically allows such burning.

(6) Practical alternative production methods and disease controls which would reduce or eliminate open burning shall be used when reasonably available. These methods and controls shall be used regardless of specific provisions of the compliance program described in this section. [Order DE 77-20, § 173-430-030, filed 11/9/77. Formerly WAC 18-16-030.]

**WAC 173-430-040 Mobile field burners.** Mobile field burners, and other methods of incineration not classified as open burning, shall not be prohibited by the restrictions in WAC 173-430-030: *Provided*, That emissions do not exceed the following standards:

(1) Visible emissions shall not exceed an opacity of 20 percent for more than three minutes in any one hour;

(2) Particulate emissions shall not exceed 0.1 grains per standard cubic foot of exhaust gas, corrected to seven percent oxygen at standard conditions, dry. [Order DE 77-20, § 173-430-040, filed 11/9/77. Formerly WAC 18-16-040.]

**WAC 173-430-050 Other approvals.** Nothing in this chapter shall relieve any applicant for a permit hereunder from obtaining permits, licenses, or approvals required by any other laws, regulations, or ordinances. [Order DE 77-20, § 173-430-050, filed 11/9/77. Formerly WAC 18-16-050.]

**WAC 173-430-060 Study of alternatives.** The department shall conduct, cause to be conducted, or approve of a study or studies to explore and identify economical and practical alternative practices to open burning of field and forage, and turf grasses grown for seed. To conduct any such study, the department may contract with public or private entities. Any approved study shall provide for the identification of such alternatives as soon as possible. The department shall annually review the progress of such studies. The department shall, by January 1, 1981, review provisions of this regulation and available alternatives to open burning and determine if continuing open burning of field and forage, and turf grasses is justified. [Order DE 77-20, § 173-430-060, filed 11/9/77. Formerly WAC 18-16-060.]

**WAC 173-430-070 Fees.** (1) To support the study or studies described in WAC 173-430-060, the department or activated air pollution control authority, as appropriate, shall collect a fee of fifty cents per acre of crop to be burned before any permit is issued under WAC 173-430-030. This fee shall be submitted with individual permit applications.

(2) When a permit is granted to burn fewer acres than requested in the permit application, the department or authority, as appropriate, shall refund to the permit applicant that part of the permit fee which applies to the acreage not permitted to burn.

(3) Permits issued under this chapter grant approval to burn the number of acres specified in the permit. If, after receiving a permit, a grower burns fewer acres than allowed under the permit, no part of the permit fee will be refunded.

(4) After granting any permit and making any refund required under WAC 173-430-070(2), any authority shall transfer the permit fee to the department.

(5) The department shall deposit all permit fees in a special grass seed burning research account in the general fund.

(6) The department shall allocate moneys annually from this account to support approved studies provided for in WAC 173-430-060, up to the amount appropriated to the department for such purpose.

(7) When the department concludes that enough reasonably available alternative practices to the open burning of field and forage, and turf grasses grown for seed have been developed, and at such time as all costs of any studies have been paid, the grass seed burning research account shall be dissolved. Any money remaining in the account shall revert to the general fund. [Order DE 77-20, § 173-430-070, filed 11/9/77. Formerly WAC 18-16-070.]

**WAC 173-430-080 Certification of alternatives.** When enough information on alternative practices to open burning becomes available, the department shall conduct public hearings to receive testimony from interested parties. If the department then concludes that any procedure, program, technique, or device is a practical alternative to the open burning of field and forage, or

turf grasses grown for seed, the department shall, by order, approve such alternative. After approval, any alternative that is reasonably available shall be used; and open burning of field and forage, and turf grasses grown for seed shall not be allowed. [Order DE 77-20, § 173-430-080, filed 11/9/77. Formerly WAC 18-16-080.]

### Chapter 173-435 WAC EMERGENCY EPISODE PLAN

#### WAC

173-435-010	Purpose.
173-435-020	Definitions.
173-435-030	Episode stage criteria.
173-435-040	Source emission reduction plans.
173-435-050	Action procedures.
173-435-060	Enforcement.
173-435-070	Sampling sites, equipment, and methods.

**WAC 173-435-010 Purpose.** These rules implement chapter 70.94 RCW, the Washington State Clean Air Act, as amended by chapter 194, Laws of 1971 ex. sess.

Air pollution episodes occur under meteorological conditions that reduce the effective volume of air into which air contaminants are introduced. When these conditions occur, there is a possible danger that normal operations at air contaminant sources will be detrimental to public health and safety. The avoidance of high contaminant concentrations during an episode requires a plan which will provide for rapid short-term emission reduction. This chapter sets up such an episode avoidance plan. [Order DE 77-21, § 173-435-010, filed 10/31/77. Formerly WAC 18-08-010.]

**WAC 173-435-020 Definitions.** (1) Air quality control region: An area designated as an air quality control region by the federal environmental protection agency.

(2) Air contaminant: Dust, fumes, mist, smoke, other particulate matter, vapor, gas, odorous substance, or any combinations thereof.

(3) Department: The department of ecology.

(4) Director: The director of the department of ecology.

(5) Emission: A release of air contaminants into the outdoor atmosphere.

(6) Episode stage: A prescribed level of air contaminants or meteorological conditions where certain control actions are required to prevent ambient pollutant concentrations from reaching levels which could cause significant harm to the health of persons.

(7) Emergency action center: The headquarters for all department actions during an episode stage.

(8) Hour: A 60 minute period, beginning and ending on a clock hour.

(9) 8 hours: Any consecutive 8 hours, starting at any clock hour.

(10) Major source: Any source which is estimated to emit at an annual rate of 25 tons per year or more of SO<sub>2</sub>, particulates, or carbon monoxide.

(11) ppm: Parts per million (parts of contaminant per million parts of gas or air by volume).

(12) Particulates: Small discrete masses of solid or liquid matter, but not including uncombined water. (For air pollution usage, sizes generally range from submicron to over 2000 microns.)

(13) Person: An individual, firm, public or private corporation, association, partnership, political subdivision, municipality, governmental agency, or other entity.

(14) Source emission reduction plan (SERP): A plan developed for an individual air pollution source and approved by the director, which sets forth the actions to be taken at that source upon the declaration of various stages of an episode.

(15) 24 hours: Any consecutive 24 hours, starting at any clock hour. [Order DE 77-21, § 173-435-020, filed 10/31/77. Formerly WAC 18-08-020.]

**WAC 173-435-030 Episode stage criteria.** The declaration of episode stages shall be in accordance with the following criteria:

(1) **Stage: "First or forecast"** – the forecast stage indicates the presence of meteorological conditions conducive to the accumulation of air contaminants. A forecast stage may be declared when an air stagnation advisory is issued by the national weather service or there is equivalent indication of stagnant atmospheric conditions and conditions are forecast to persist for 24 hours. Declaration of this stage will activate increased air quality surveillance.

(2) **Stage: "Second or alert"** – the alert stage is that concentration of pollutants at which control actions are to begin. An alert will be declared when any one of the following levels is reached:

(a) SO<sub>2</sub> – 800 µg/m<sup>3</sup> (0.3 ppm), 24-hour average.

(b) Particulate – 375 µg/m<sup>3</sup>, 24-hour average.

(c) SO<sub>2</sub> and particulate combined – product of SO<sub>2</sub> – µg/m<sup>3</sup>, 24-hour average, and particulate µg/m<sup>3</sup>, 24-hour average equal to 65 x 10<sup>3</sup>.

(d) CO – 17 mg/m<sup>3</sup> (15 ppm), 8-hour average.

(e) Oxidant (O<sub>3</sub>) – 400 µg/m<sup>3</sup> (0.2 ppm) – 1-hour average.

(f) NO<sub>2</sub> – 1130 µg/m<sup>3</sup> (0.6 ppm) 1-hour average, 282 µg/m<sup>3</sup> (0.15 ppm) 24-hour average; and meteorological conditions are such that the pollutant concentrations can be expected to remain at or above the alert levels for 12 or more hours or can be expected to recur within 24 hours unless control actions are taken.

(3) **Stage: "Third or warning"** – the warning stage indicates that air quality is continuing to degrade and that additional control actions are necessary. A warning will be declared when any one of the following levels is reached:

(a) SO<sub>2</sub> – 1,600 µg/m<sup>3</sup> (0.6 ppm), 24-hour average.

(b) Particulate – 625 µg/m<sup>3</sup>, 24-hour average.

(c) SO<sub>2</sub> and particulate combined – product of SO<sub>2</sub> µg/m<sup>3</sup>, 24-hour average and particulate µg/m<sup>3</sup>, 24-hour average equal to 261 x 10<sup>3</sup>.

(d) CO – 34 mg/m<sup>3</sup> (30 ppm), 8-hour average.

(e) Oxidant (O<sub>3</sub>) – 800 µg/m<sup>3</sup> (0.4 ppm), 1-hour average.

(f)  $\text{NO}_2$  - 2,260  $\mu\text{g}/\text{m}^3$  (1.2 ppm), 1-hour average; 565  $\mu\text{g}/\text{m}^3$  (0.3 ppm), 24-hour average; and meteorological conditions are such that pollutant concentrations can be expected to remain at or above the warning levels for 12 or more hours or can be expected to recur within 24 hours unless control actions are taken.

(4) **Stage:** "Fourth or emergency" - the emergency stage indicates that air quality is continuing to degrade toward a level of significant harm to the health of persons and that the most stringent control actions are necessary. An emergency will be declared when any one of the following levels is reached at any monitoring site:

(a)  $\text{SO}_2$  - 2,100  $\mu\text{g}/\text{m}^3$  (0.8 ppm), 24-hour average.

(b) Particulate - 875  $\mu\text{g}/\text{m}^3$ , 24-hour average.

(c)  $\text{SO}_2$  and particulate combined - product of  $\text{SO}_2$   $\mu\text{g}/\text{m}^3$ , 24-hour average and particulate  $\mu\text{g}/\text{m}^3$ , 24-hour average equal to  $393 \times 10^3$ .

(d) CO - 46  $\text{mg}/\text{m}^3$  (40 ppm), 8-hour average.

(e) Oxidant ( $\text{O}_3$ ) - 1,200  $\mu\text{g}/\text{m}^3$ , (0.6 ppm), 1-hour average.

(f)  $\text{NO}_2$  - 3,000  $\mu\text{g}/\text{m}^3$  (1.6 ppm), 1-hour average; 750  $\mu\text{g}/\text{m}^3$  (0.4 ppm), 24-hour average; and meteorological conditions are such that this condition can be expected to remain at or above emergency levels for 12 or more hours, or can be expected to recur within 24 hours.

(5) **Stage:** "Termination" - once declared, any stage reached by applying these criteria will remain in effect until the criteria for that level are no longer met. At that time, the next lower stage will be declared. When conditions improve to where the criteria are no longer met for any episode stage, the episode will be terminated. [Order DE 77-21, § 173-435-030, filed 10/31/77. Formerly WAC 18-08-030.]

#### WAC 173-435-040 Source emission reduction plans.

(1) Any person responsible for the operation of a major source, when requested in writing by the director or his authorized representative, shall prepare, in consultation with the department, a source emission reduction plan (SERP). This SERP shall be consistent with good industrial practice and safe operating procedures for reducing the emissions of air contaminants into the outdoor atmosphere during periods of air pollution alert, warning, and emergency.

(2) SERPs shall be in writing and shall show the source of air contamination, describe the manner in which the reduction of air contaminant emissions will be achieved during periods of air pollution alert, warning, and emergency, and give the amount of reduction for each stage.

(3) During periods of air pollution alert, warning, or emergency, SERPs shall be made available, on the premises of sources required under this section to have them, to any person authorized to enforce the provisions of this episode avoidance plan.

(4) SERPs shall be submitted to the director within 30 days after receipt of a request thereof.

(5) SERPs shall be reviewed and approved by the director. If, in the opinion of the director, and SERP does not, in whole or in part, provide for satisfactory emission reduction during an episode, the director may disapprove

such SERP, give the reason for disapproval, and require the resubmittal of same within a specified time period.

If within the time period specified, the person responsible fails to submit a SERP satisfactory to the director, the director may revise the SERP to cause it to meet episode avoidance objectives. This revised plan will then be the SERP for the source to which it applies.

(6) SERPs may be amended after submission to the director of a revised SERP. This revised SERP will be processed in the same manner as the originally submitted SERP.

(7) An emission reduction plan for the purpose of reducing motor vehicle emissions during episode stages, will be developed or approved by the department. These plans may include actions to be taken by other governmental units, citizens, and businesses. [Order DE 77-21, § 173-435-040, filed 10/31/77. Formerly WAC 18-08-040.]

**WAC 173-435-050 Action procedures.** (1) Whenever applicable criteria are met, the director, or his duly authorized representative, may declare and terminate the forecast, alert, and warning stages of an episode. This declaration shall constitute an order for action in accordance with applicable SERPs.

(2) No open fires shall be ignited during any stage of an episode. Any person responsible for an open fire already ignited shall extinguish that fire when informed that an episode has been declared. Open fires conducted under the auspices of the department of natural resources for the purpose of burning forest slash pursuant to RCW 70.94.660 through 70.94.700 are to be extinguished by withholding new fuel and allowing the fire to burn down.

(3) Whenever applicable criteria are met, the governor may declare and terminate the emergency stage of an episode. This declaration shall constitute an order for action in accordance with applicable SERPs.

(4) Adverse air quality need not be region-wide for any episode stage to be declared. Action procedures may be taken for any area affected or likely to be affected by episode conditions. The declaration of any episode stage shall specify the area to which it applies.

(5) The broadest publicity practicable shall be given to the declaration of any episode stage. Such declaration shall, as soon as possible, be directly communicated to all persons responsible for the carrying out of SERPs within the affected area.

(6) Regardless of whether any episode stages have previously been declared, whenever the governor finds that emissions are causing imminent danger to public health or safety, the governor may declare an air pollution emergency and order the persons responsible for the operation of sources causing the danger, to reduce or discontinue emissions consistent with good operating practice, safe operating procedures, and SERPs, if any.

(7) Whenever an episode stage is declared on the basis of contaminant levels of carbon monoxide, oxidant, or nitrogen dioxide, the director, or his duly authorized representative, shall take such action as may be required to reduce emissions from motor vehicles. These actions

may include, but are not limited to, the rerouting or detouring of traffic. Actions to be taken by cities and businesses will be established and implemented according to plans developed by them and approved by the department. These plans must meet criteria for emission reduction established by the department. [Order DE 77-21, § 173-435-050, filed 10/31/77. Formerly WAC 18-08-050.]

**WAC 173-435-060 Enforcement.** (1) Whenever any episode stage has been declared, the department shall establish an emergency action center, which shall be the headquarters for all department actions during the episode.

(2) The department shall develop an operations manual, which shall set forth a plan for the receipt, processing, and dissemination of information and data during an episode.

(3) Enforcement with respect to any episode shall be directed from the emergency action center by the director and/or his authorized representatives in consultation with the governor's office.

(4) Authorized personnel of the department, the department of social and health services, and the state police shall have the authority to enforce orders of the director or the governor, issued under this chapter, as directed from the emergency action center. In addition, authorized personnel of any local air pollution control agency or local police force shall have the authority to enforce such orders against sources within the area over which that agency or police force has jurisdiction, as directed from the emergency action center.

(5) To determine compliance with any SERP, those persons authorized to enforce orders, hereunder, shall have the authority to enter upon any private or public property, excepting nonmultiple unit private dwellings, housing two families or less. No person shall refuse entry or access to enforcement personnel who request entry and present appropriate credentials.

(6) Whenever it appears that action being taken in compliance with SERPs will not avert imminent danger to public health and safety, the governor may order the following additional measures:

(a) Stopping and prohibiting motor vehicle travel and traffic;

(b) Closing down or restricting the use of any business, commercial, industrial or other establishment or activity which contributes to the emission of contaminants to the air.

(7) Any declaration or order issued in accordance with WAC 173-435-050 shall be effective immediately and shall not be stayed, pending completion of review.

(8) Whenever any order has been issued hereunder, the attorney general, upon the request of the governor or the director, or the authorized representative of either, shall petition the superior court of the county in which a source is located for a temporary restraining order for the immediate reduction or discontinuance of emissions from that source. [Order DE 77-21, § 173-435-060, filed 10/31/77. Formerly WAC 18-08-060.]

**WAC 173-435-070 Sampling sites, equipment, and methods.** (1) Data from all stations shall be considered when determining episode conditions. The department shall specify particulate monitoring stations to be operated continuously during any episode stage for episode management purposes. Stations from which episode declarations are based must be located in such a manner that the area represented by that station and the sources contributing to the episode condition can reasonably be determined and corrective actions taken.

(2) Sampling and analysis will be done by federal reference or federal equivalent methods; except the department may approve other sampling and analysis methods for particulate if reasonable site specific equivalency with the federal reference method has been demonstrated. This equivalency must be reestablished biennially. [Order DE 77-21, § 173-435-070, filed 10/31/77.]

#### Chapter 173-475 WAC

### AMBIENT AIR QUALITY STANDARDS FOR CARBON MONOXIDE, OZONE, AND NITROGEN DIOXIDE

#### WAC

173-475-010	Purpose.
173-475-020	Definitions.
173-475-030	Air quality standards.
173-475-040	Measurement methods.
173-475-050	Reporting of data.

**WAC 173-475-010 Purpose.** These rules implement chapter 70.94 RCW, the Washington State Clean Air Act, and chapter 163, Laws of 1979 ex. sess. The purpose of this chapter is to set statewide air quality standards for carbon monoxide, ozone, and nitrogen dioxide. [Statutory Authority: RCW 43.21A.080, 70.94.331, 70.120.030, and 70.120.120. 80-03-071 (Order DE 79-36), § 173-475-010, filed 2/29/80.]

**WAC 173-475-020 Definitions.** (1) "Air quality standard" means an established concentration, exposure time, or frequency of occurrence of a contaminant or multiple contaminants in the ambient air which shall not be exceeded.

(2) "Ambient air" means the surrounding outside air.

(3) "Department" means the state department of ecology.

(4) "National air monitoring stations (NAMS)" means fixed monitoring stations operated by the state and local air pollution control agencies to meet national monitoring objectives. The stations are a subset of the SLAMS network and are sited with emphasis on urban and multi-source areas.

(5) "State and local air monitoring stations (SLAMS)" means stations designed to meet any of four basic monitoring objectives:

(a) To determine highest concentrations expected to occur;

(b) To determine representative concentrations in areas of high population density;



(c) To determine the impact on ambient air pollution levels of significant sources or source categories; and

(d) To determine general background concentration levels.

(6) "Special purpose monitoring stations (SPMS)" means monitoring stations operated by state and local air pollution control agencies to supplement the SLAMS network in order to increase the overall effectiveness of the state's monitoring efforts. [Statutory Authority: RCW 43.21A.080, 70.94.331, 70.120.030, and 70.120.120. 80-03-071 (Order DE 79-36), § 173-475-020, filed 2/29/80. Formerly chapters 18-32 and 18-46 WAC (part).]

**WAC 173-475-030 Air quality standards.** (1) Carbon monoxide in the ambient air as measured at a SPMS designated by the department for the purpose of determining compliance with air quality standards, or at any NAMS or SLAMS, shall not exceed the following values:

(a) Nine parts per million (ten milligrams per cubic meter) eight-hour average concentration not to be exceeded more than once per year at any location where people would be exposed to such concentrations for eight consecutive hours or more. Compliance shall be based on data that begins and ends on a clock hour. There shall be no overlapping of hours in any violation period. A maximum of three violations can occur in any one day.

(b) Thirty-five parts per million (forty milligrams per cubic meter) one-hour average concentration not to be exceeded more than once per year at any location where people would be exposed to such concentrations for one hour or more. Compliance shall be determined from data that begins on a clock hour.

(2) Ozone in the ambient air as measured at a SPMS designated by the department for the purpose of determining compliance with this air quality standard, or at any NAMS or SLAMS, shall not exceed 0.12 parts per million (two hundred and thirty-five milligrams per cubic meter) hourly concentration on more than 1.0 days per calendar year as determined under the following conditions:

(a) Three calendar years of data shall be used in determining compliance with this standard. If three years of data are not available, a minimum of one calendar year must be used;

(b) All hourly measurements must start on the clock hour; and

(c) All daily maximum hourly averages not available for a year shall be accounted for by use of the following equation:

$$e = v + v/n (N-n-z)$$

$e$  = the estimated number of potential times the allowed concentrations are exceeded for the year.

$N$  = the number of required monitoring days in the year.

$n$  = the number of days that valid data was available.

$v$  = the number of days that readings have exceeded compliance level.

$z$  = the number of days that readings are assumed to be less than the level of the standard. If a day should be included is based on whether the daily maximum one-hour reading on both the preceding day and the following day do not exceed 0.09 ppm ozone.

(3) Nitrogen dioxide. The annual arithmetic mean of nitrogen dioxide readings in the ambient air measured at a SPMS designated by the department for the purpose of determining compliance with this air quality standard, or at any NAMS or SLAMS, shall not exceed 0.05 parts per million (one hundred micrograms per cubic meter). [Statutory Authority: RCW 43.21A.080, 70.94.331, 70.120.030, and 70.120.120. 80-03-071 (Order DE 79-36), § 173-475-030, filed 2/29/80. Formerly WAC 18-32-020 and 18-46-030.]

**WAC 173-475-040 Measurement methods.** Measurements for determining compliance with WAC 173-475-030 shall be made by equipment and procedures approved by and on file with the department. All methods and procedures shall be available to the public upon request. [Statutory Authority: RCW 43.21A.080, 70.94.331, 70.120.030, and 70.120.120. 80-03-071 (Order DE 79-36), § 173-475-040, filed 2/29/80. Formerly WAC 18-32-040 and 18-46-040.]

**WAC 173-475-050 Reporting of data.** Local and regional air pollution control agencies shall notify the department of all occurrences which exceed the applicable standards for carbon monoxide, ozone, or nitrogen dioxide. Notification shall be made quarterly and shall include:

(a) Location of monitoring sites by address and UTM coordinates;

(b) Date and time of each violation;

(c) Concentrations recorded; and

(d) Method of sampling used. [Statutory Authority: RCW 43.21A.080, 70.94.331, 70.120.030, and 70.120.120. 80-03-071 (Order DE 79-36), § 173-475-050, filed 2/29/80. Formerly WAC 18-32-050 and 18-46-050.]

#### Chapter 173-490 WAC

#### EMISSION STANDARDS AND CONTROLS FOR SOURCES EMITTING VOLATILE ORGANIC COMPOUNDS (VOC)

##### WAC

173-490-010	Purpose.
173-490-020	Definitions.
173-490-025	General applicability.
173-490-030	Registration and reporting.
173-490-040	Requirements.
173-490-070	Schedule of control dates.
173-490-071	Alternative schedule of control dates.
173-490-080	Exceptions.
173-490-090	New source review.
173-490-120	Compliance schedules.
173-490-130	Regulatory actions.
173-490-135	Criminal penalties.
173-490-140	Appeals.
173-490-150	Variance.
173-490-200	Petroleum refinery equipment leaks.

173-490-201	Petroleum liquid storage in external floating roof tanks.
173-490-202	Leaks from gasoline transport tanks and vapor collection systems.
173-490-203	Perchloroethylene dry cleaning systems.
173-490-204	Graphic arts systems.
173-490-205	Surface coating of miscellaneous metal parts and products.
173-490-207	Surface coating of flatwood paneling.
173-490-208	Aerospace assembly and component coating operations.

#### DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

173-490-206	Synthesized pharmaceutical products. [Statutory Authority: RCW 70.94.331 and 70.94.395, 80-11-062 (Order DE 80-18), § 173-490-206, filed 8/20/80.] Repealed by 82-16-021 (Order DE 82-22), filed 7/27/82. Statutory Authority: Chapters 70.94 and 43.21A RCW.
-------------	---

**WAC 173-490-010 Purpose.** The purpose of this chapter is to establish control requirements for sources emitting volatile organic compounds. [Statutory Authority: RCW 70.94.331 and 70.94.395, 80-11-062 (Order DE 80-18), § 173-490-010, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331, 79-06-011 (Order DE 78-23), § 173-490-010, filed 5/8/79.]

**WAC 173-490-020 Definitions.** The specific definitions of terms contained in chapter 173-400 WAC are by this reference incorporated into this chapter, and all words and phrases there defined shall, when used in this chapter, carry the meanings set forth in chapter 173-400 WAC. Unless a different meaning is indicated by context, the following words and phrases, as used in this chapter, shall have the following meanings:

(1) "Bottom loading" means the filling of a tank through a submerged fill line.

(2) "Bulk gasoline plant" means a gasoline storage and transfer facility that receives more than ninety percent of its annual gasoline throughput by transport tank, and reloads gasoline into transport tanks.

(3) "Class II hardboard paneling finish" means finishes which meet the specifications of Voluntary Product Standard PS-59-73 as approved by the American National Standards Institute.

(4) "Closed refinery system" means a system that will process or dispose of those VOC collected from another system. The mass quantity of collected VOC emitted to the ambient air from the closed refinery system shall by comparison not exceed that required for a disposal system.

(5) "Condensate" means hydrocarbon liquid separated from natural gas which condenses due to changes in the temperature or pressure and remains liquid at standard conditions.

(6) "Condenser" means a device for cooling a gas stream to a temperature where specific volatile organic compounds become liquid and are removed.

(7) "Control system" means one or more control devices, including condensers, that are designed and operated to reduce the quantity of VOC emitted to the atmosphere.

(8) "Crude oil" means a naturally occurring mixture which consists of hydrocarbons and sulfur, nitrogen or oxygen derivatives of hydrocarbons which is a liquid at standard conditions.

(9) "Cutback asphalt" means an asphalt that has been blended with petroleum distillates to reduce the viscosity for ease of handling and lower application temperature. An inverted emulsified asphalt shall be considered a cutback asphalt when the continuous phase of the emulsion is a cutback asphalt.

(10) "Demonstrate" means a presentation of the necessary data and calculations to support the required conclusion. The material is recorded for each event and made a part of air quality records or reports required by the state.

(11) "Disposal system" means a process or device that reduces the mass quantity of the VOC that would have been emitted to the ambient air by at least ninety percent prior to their actual emission.

(12) "Dry cleaning facility" means a facility engaged in the cleaning of fabrics in an essentially nonaqueous solvent by means of one or more washes in solvent, extraction of excess solvent by spinning, and drying by tumbling in an airstream. The facility includes, but is not limited to, any washer, dryer, filter and purification systems, waste disposal systems, holding tanks, pumps and attendant piping and valves.

(13) "External floating roof" means a storage vessel cover in an open top tank consisting of a double deck or pontoon single deck which rests upon and is supported by the petroleum liquid being contained and is equipped with a closure seal or seals to close the space between the roof edge and tank wall.

(14) "Flexographic printing" means the application of words, designs and pictures to a substrate by means of a roll printing technique in which the pattern to be applied is raised above the printing roll and the image carrier is made of rubber or other elastomeric materials.

(15) "Gas service" means equipment that processes, transfers or contains a volatile organic compound or mixture of volatile organic compounds in the gaseous phase.

(16) "Gasoline" means a petroleum distillate having a true vapor pressure greater than 200 mm of Hg (4 psia) at 20°C, that is a liquid at standard conditions of 760 mm of Hg and 20°C, and is used as a fuel for internal combustion engines.

(17) "Gasoline dispensing facility" means any site dispensing gasoline into motor vehicle fuel tanks from stationary storage tanks.

(18) "Gasoline loading terminal" means a gasoline transfer facility that receives more than ten percent of its annual gasoline throughput solely or in combination by pipeline, ship or barge, and loads gasoline into transport tanks.

(19) "Hardboard" means a panel manufactured primarily from interfelted lignocellulosic fibers which are consolidated under heat and pressure in a hot press.

(20) "Hardboard plywood" means plywood whose surface layer is a veneer of hardwood.

(21) "Lease custody transfer" means the transfer of produced crude oil or condensate, after processing or treating in the producing operations, from storage tanks or automatic transfer facilities to pipelines or any other forms of transportation.

(22) "Liquid-mounted seal" means a primary seal mounted in continuous contact with the liquid between the tank wall and the floating roof around the circumference of the tank.

(23) "Liquid service" means equipment that processes, transfers or contains a volatile organic compound or mixture of volatile organic compounds in the liquid phase.

(24) "Natural finish hardwood plywood panels" means panels whose original grain pattern is enhanced by essentially transparent finishes frequently supplemented by fillers and toners.

(25) "Packaging rotogravure printing" means rotogravure printing upon paper, paper board, metal foil, plastic film, and other substrates, which are, in subsequent operations, formed into packaging products and labels for articles to be sold.

(26) "Petroleum liquids" means crude oil, condensate, and any finished or intermediate products manufactured or extracted in a petroleum refinery, excluding No. 2 through 6 fuel oils (ASTM D396-69), No. 2GT through 4 GT gas turbine fuel oils (ASTM D2880-71) or No. 2D and 4D diesel fuel oils (ASTM D975-68).

(27) "Petroleum refinery" means a facility engaged in producing gasoline, aromatics, kerosene, distillate fuel oils, residual fuel oils, lubricants, asphalt, or other products by distilling crude oils or redistilling, cracking, extracting or reforming unfinished petroleum derivatives. Not included are facilities re-refining used motor oils or waste chemicals, processing finished petroleum products, separating blended products, or air blowing asphalt.

(28) "Printed interior panels" means panels whose grain or natural surface is obscured by fillers and basecoats upon which a simulated grain or decorative pattern is printed.

(29) "Proper attachment fittings" means hardware for the attachment of gasoline transfer or vapor collection lines that meet or exceed industrial standards or specifications and the standards of other agencies or institutions responsible for safety and health.

(30) "Publication rotogravure printing" means rotogravure printing upon paper which is subsequently formed into books, magazines, catalogues, brochures, directories, newspaper supplements, and other types of printed materials.

(31) "Reactor" means a vessel that may be jacketed for temperature control in which to conduct chemical reactions.

(32) "Refinery unit" means a set of components that are a part of a basic process operation, such as distillation, hydrotreating, cracking or reforming of hydrocarbons.

(33) "Roll printing" means the application of words, designs, and pictures to a substrate usually by means of a series of hard rubber or steel rolls each with only partial coverage.

(34) "Rotogravure printing" means the application of words, designs, and pictures to a substrate by means of a roll printing technique which involves an intaglio or recessed image areas in the form of cells.

(35) "Separation operation" means a process that separates a mixture of compounds and solvents into two or more components. Specific mechanisms include extraction, centrifugation, filtration, and crystallization.

(36) "Submerged fill line" means a pipe, tube, fitting or other hardware for loading liquids into a tank with either a discharge opening flush with the tank bottom; or with a discharge opening entirely below the lowest normal operating drawoff level or that level determined by a liquid depth two and one half times the fill line diameter when measured in the main portion of the tank, but not in sumps or similar protrusions.

(37) "Submerged loading" means the filling of a tank with a submerged fill line.

(38) "Suitable closure or cover" means a door, hatch, cover, lid, pipe cap, pipe blind, valve or similar device that prevents the accidental spilling or emitting of VOC. Pressure relief valves, aspirator vents or other devices specifically required for safety and fire protection are not included.

(39) "Thin particleboard" means a manufactured board one-quarter inch or less in thickness made of individual wood particles which have been coated with a binder and former into flat sheets by pressure.

(40) "Tileboard" means panelling that has a colored waterproof surface coating.

(41) "Transport tank" means a container having a usable liquid volume greater than one thousand liters (260 gallons) used for shipping gasoline on land, including but not limited to, tank trucks, tank trailers, railroad tank cars, and metallic or nonmetallic tanks or cells conveyed on any vehicle.

(42) "True vapor pressure" means the equilibrium partial pressure of a petroleum liquid as determined with methods described in American Petroleum Institute Bulletin 2517, 1980.

(43) "Valves not externally regulated" means valves that have no external controls, such as in-line check valves.

(44) "Vapor collection system" means a closed system to conduct vapors displaced from a tank being filled into the tank being emptied, a vapor holding tank, or a vapor control system.

(45) "Vapor control system" means a system designed and operated to reduce or limit the emission of VOC, or to recover the VOC to prevent their emission into the ambient air.

(46) "Vapor-mounted seal" means a primary seal mounted so there is an annular vapor space underneath the seal. The annular vapor space is bounded by the bottom of the primary seal, the tank wall, the liquid surface, and the floating roof.

(47) "Volatile organic compound" means a hydrocarbon or derivative of hydrocarbon that has a vapor pressure greater than 0.1 mm of Hg (millimeters of mercury) at a temperature of 20°C. Excluded compounds are methane, ethane, trichlorofluoromethane

(CFC-11), dichlorodifluoromethane (CFC-12), chlorodifluoromethane (CFC-22), trifluoromethane (FC-23), trichlorotrifluoroethane (CFC-113), dichlorotetrafluoroethane (CFC-114), chloropentafluoroethane (CFC-115), methylene chloride and 1, 1, 1-trichloroethane (methyl chloroform).

(48) "Waxy, heavy pour crude oil" means a crude oil with a pour point of 50°F or higher as determined by the American Society for Testing and Materials Standard D97-66, "Test for Pour Point of Petroleum Oils." [Statutory Authority: Chapters 70.94 and 43.21A RCW. 82-16-021 (Order DE 82-22), § 173-490-020, filed 7/27/82. Statutory Authority: RCW 70.94.331, 70.94.510, and 70.94.785. 81-03-003 (Order DE 80-54), § 173-490-020, filed 1/8/81. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-062 (Order DE 80-18), § 173-490-020, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-011 (Order DE 78-23), § 173-490-020, filed 5/8/79.]

**WAC 173-490-025 General applicability.** (1) This chapter shall apply to the specified emission sources of volatile organic compounds located in or operating within designated ozone nonattainment areas of the state of Washington.

(2) Sources of volatile organic compound emissions may be exempted, by the director, from any or all requirements to control or reduce the emission of volatile organic compounds if the source will be permanently shutdown by January 1, 1983 and the owner or operator of the source complies with a phase-out schedule approved by the director. The phase-out schedule shall contain specific actions and dates necessary to the orderly termination of the source's activities. The operation of the emission source after January 1, 1983 shall be permitted only when done in full compliance with all other applicable requirements of this chapter.

(3) This chapter does not apply to those sources under the jurisdiction of the energy facility site evaluation council (EFSEC).

(4) A source of volatile organic compound emissions not belonging to any of the categories listed in WAC 173-490-030 nor specifically identified in any section, but which is located on the same or adjacent property and owned or operated by the same person as a regulated emission source, shall not be required to comply with the regulations of this chapter.

(5) Sources of volatile organic compound emissions may be exempted, by the director, from any or all requirements to control or reduce the emissions of volatile organic compounds when the source is a development operation and the equipment is used exclusively for research, laboratory analysis or determination of product quality and commercial acceptance, provided emissions of volatile organic compounds from such operations do not exceed 300 kg (660 lbs) per month. [Statutory Authority: Chapters 70.94 and 43.21A RCW. 82-16-021 (Order DE 82-22), § 173-490-025, filed 7/27/82. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-062 (Order DE 80-18), § 173-490-025, filed

8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-011 (Order DE 78-23), § 173-490-025, filed 5/8/79.]

**WAC 173-490-030 Registration and reporting.** (1)

The owner or operator of a stationary emission source of volatile organic compounds in the following source categories and located in a designated ozone nonattainment area shall register the source with the department unless registration is required by an air pollution control authority with jurisdiction over the source or the source is under the jurisdiction of the energy facility site evaluation council (EFSEC).

- (a) Petroleum refineries.
- (b) Petroleum liquid storage tanks.
- (c) Gasoline loading terminals.
- (d) Bulk gasoline plants.
- (e) Gasoline dispensing facilities.
- (f) Surface coaters.
- (g) Open top vapor degreasers.
- (h) ConveyORIZED degreasers.
- (i) Gasoline transport tanks.
- (j) Vapor collection systems.
- (k) Perchloroethylene dry cleaning systems.
- (l) Graphic arts systems.
- (m) Surface coaters of miscellaneous metal parts and products.
- (n) Synthesized pharmaceutical manufacturing facilities.
- (o) Flatwood panel manufacturers and surface finishing facilities.

(2) The owner or operator of a registered stationary emission source of volatile organic compounds shall furnish, upon request of the director, such data as the director may require to calculate the emissions of the source and evaluate the emission control program. The data shall be supplied in a form and according to instructions received from the director or local air pollution control authority. When required, the data shall be submitted not later than sixty days following the request.

(3) A new emission source of volatile organic compounds that must comply with any requirements in WAC 173-490-040, 173-490-200, 173-490-201, 173-490-202, 173-490-203, 173-490-204, 173-490-205, 173-490-206 and 173-490-207, shall register with the department or authority prior to operation of the new source, and shall submit sufficient information to demonstrate that the new source is capable of complying with the requirements in this chapter. An opportunity shall be provided for an inspection of the new source prior to its operation. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-062 (Order DE 80-18), § 173-490-030, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-011 (Order DE 78-23), § 173-490-030, filed 5/8/79.]

**WAC 173-490-040 Requirements.** Sources shall demonstrate compliance with this chapter using the sampling procedures on file with and approved by the director.

- (1) Petroleum refineries.

(a) This chapter shall apply to all petroleum refineries with a crude oil or feed stock capacity greater than one million five hundred thousand liters (9,000 bbl) per day.

(b) A petroleum refinery with a crude oil or feed stock capacity of eight million three hundred twenty-eight thousand liters (50,000 bbl) per day or less and which is owned or controlled by a refiner with a total combined crude oil or feed stock capacity of twenty-three million liters (137,500 bbl) per day or less shall be classified as a small refinery.

(c) Vacuum producing system.

(i) Noncondensable VOC from vacuum producing systems shall be piped to an appropriate firebox, incinerator or to a closed refinery system.

(ii) Hot wells associated with contact condensers shall be tightly covered and the collected VOC introduced into a closed refinery system.

(d) Wastewater separator.

(i) Wastewater separators with demonstrated VOC emissions less than twenty-five tons annually shall be exempt from the requirements of WAC 173-490-040 (1)(d)(ii) and (iii).

(ii) Wastewater separator forebays shall incorporate a floating pontoon or fixed solid cover with all openings sealed totally enclosing the compartmented liquid contents, or a floating pontoon or a double deck-type cover equipped with closure seals between the cover edge and compartment wall.

(iii) Accesses for gauging and sampling shall be designed to minimize VOC emissions during actual use. All access points shall be closed with suitable covers when not in use.

(e) Process unit turnaround.

(i) The VOC contained in a process unit to be depressurized for turnaround shall be introduced to a closed refinery system, combusted by a flare, or vented to a disposal system.

(ii) The pressure in a process unit following depressurization for turnaround shall be less than five psig before venting to the ambient air.

(iii) Venting or depressurization to the ambient air of a process unit for turnaround at a pressure greater than five psig shall be allowed if the owner demonstrates the actual emission of VOC to the ambient air is less than permitted by WAC 173-490-040 (1)(e)(ii).

(f) Maintenance and operation of emission control equipment. Equipment for the reduction, collection or disposal of VOC shall be maintained and operated in a manner commensurate with the level of maintenance and housekeeping of the overall plant.

(2) Petroleum liquid storage tanks.

(a) All fixed-roof tanks except as noted in subparagraph (d) of this subsection storing volatile organic petroleum liquids with a true vapor pressure as stored greater than 78 mm of Hg (1.5 psi), but less than 570 mm of Hg (11.1 psi) at actual monthly average storage temperatures and having a capacity greater than one hundred fifty thousand liters (40,000 gallons) shall comply with one of the following:

(i) Meet the equipment specifications and maintenance requirements of the federal standards of performance for new stationary sources - Storage Vessels for Petroleum Liquids (40 CFR 60, subpart K).

(ii) Be retrofitted with a floating roof or internal floating cover using a metallic seal or a nonmetallic resilient seal at least meeting the equipment specifications of the federal standards referred to in WAC 173-490-040 (2)(a)(i) or its equivalent.

(iii) Be fitted with a floating roof or internal floating cover meeting the manufacturer's equipment specifications in effect when it was installed.

(b) All seals used in WAC 173-490-040 (2)(a)(ii) and (iii) are to be maintained in good operating condition and the seal fabric shall contain no visible holes, tears or other openings.

(c) All openings not related to safety are to be sealed with suitable closures.

(d) Tanks used for the storage of gasoline in bulk gasoline plants and equipped with vapor balance systems as required in WAC 173-490-040 (4)(b) shall be exempt from the requirements of WAC 173-490-040(2).

(3) Gasoline loading terminals.

(a) This chapter shall apply to all gasoline loading terminals with an average annual daily gasoline throughput greater than seventy-five thousand liters (20,000 gallons).

(b) Loading facilities. Facilities for the purpose of loading gasoline into any transport tank shall be equipped with a vapor recovery system (VRS) as described in WAC 173-490-040 (3)(c) and comply with the following conditions:

(i) The loading facility shall employ submerged loading or bottom loading for all transport tanks.

(ii) The VRS shall be connected to the transport tank being loaded and operating during the entire loading of every transport tank loaded at the facility.

(iii) The loading of all transport tanks shall be performed such that ninety percent by weight of the gasoline vapors displaced during filling are prevented from being released to the ambient air. Emissions from pressure relief valves shall not be included in the controlled emissions when the back pressure in the VRS collection lines is lower than the relief pressure setting of the transport tank's relief valves.

(iv) All loading lines and vapor lines shall be equipped to close automatically upon disconnect. The point of closure shall be on the tank side of any hose or intermediate connecting line.

(c) Vapor recovery system (VRS). The VRS shall be designed and built according to accepted industrial practices and meet the following conditions:

(i) The VRS shall prevent at least ninety percent by weight of the gasoline vapors displaced during loading of each transport tank from entering the ambient air and in no case shall the gasoline vapors emitted to the ambient air exceed eighty milligrams per liter of gasoline loaded.

(ii) The VRS shall be equipped with a signal device to alert personnel when the system is not operating or unintentionally shuts down.

(iii) The back pressure in the VRS collection lines shall not exceed the transport tank's pressure relief settings.

(d) Alternative loading facility. The loading of transport tanks by other means and using other vapor control systems shall require the facility owner to demonstrate that the emission of gasoline vapors to the ambient air is less than eighty milligrams per liter of gasoline loaded.

(4) Bulk gasoline plants.

(a) This chapter shall apply to all bulk gasoline plants with an annual average daily gasoline throughput greater than fifteen thousand liters (4,000 gallons).

(b) Storage tanks. All storage tanks with a capacity greater than two thousand one hundred liters (550 gallons) and used for the storage of gasoline shall comply with the following conditions:

(i) Each storage tank shall be equipped with a submerged fill line.

(ii) Each storage tank shall be equipped for vapor balancing of gasoline vapors with transport tanks during gasoline transfer operations.

(iii) The vapor line fittings on the storage tank side of break points with the transport tank vapor connection pipe or hose shall be equipped to close automatically upon planned or unintentional disconnect.

(iv) The pressure relief valves on storage tanks shall be set at the highest possible pressure consistent with local and state codes for fire and safety.

(c) Transport tanks. All transport tanks, except those meeting the conditions in WAC 173-490-040 (4)(d), transferring gasoline with storage tanks in a bulk gasoline plant shall comply with the following conditions:

(i) The transport tank shall be equipped with the proper attachment fittings to make vapor tight connections for vapor balancing with storage tanks.

(ii) The vapor line fittings on the transport tank side of break points with the storage tank connection pipe or hose shall be equipped to close automatically upon planned or unintentional disconnect.

(iii) The pressure relief valves on transport tanks shall be set at the highest possible pressure consistent with local and state codes for fire and safety.

(d) Transport tanks used for gasoline and meeting all of the following conditions shall be exempt from the requirement to be equipped with any attachment fitting for vapor balance lines:

(i) The transport tank is used exclusively for the delivery of gasoline into storage tanks of a facility exempt from the vapor balance requirements of WAC 173-490-040(5); and

(ii) The transport tank has a total capacity less than fifteen thousand liters (4,000 gallons) and is of a compartmented design and construction requiring the installation of four or more separate vapor balance fittings.

(e) Gasoline transfer operations. No owner or operator of a bulk gasoline plant or transport tank shall allow the transfer of gasoline between a transport tank and a storage tank except under the following conditions:

(i) All tanks shall be submerged filled or bottom loaded.

(ii) The loading of all tanks, except those exempted under WAC 173-490-040 (4)(d) shall be performed such that ninety percent by weight of the gasoline vapors displaced during filling are prevented from being released into the ambient air. Emissions from pressure relief valves shall not be included in the controlled emissions.

(f) Equipment or system failures. Failures or leaks in the vapor balance system shall be limited by the following conditions:

(i) During the months of June, July, August and September, failures of the vapor balance system to comply with this chapter shall require the discontinuation of gasoline transfer operations for the failed part of the system. Other transfer points that can continue to operate in compliance may be used.

(ii) The loading or unloading of the transport tank connected to the failed part of the vapor balance system may be completed.

(iii) Breakdowns and upset conditions during all months of the year shall comply with the additional provisions of WAC 173-400-120(4).

(g) The owner or operator of a bulk gasoline plant or transport tank shall take all reasonable necessary measures to prevent the spilling, discarding in sewers, storing in open containers or handling of gasoline in a manner on the plant site that will result in evaporation to the ambient air.

(5) Gasoline dispensing facilities (Stage I).

(a) This chapter shall apply to all gasoline dispensing facilities with a total annual gasoline output greater than seven hundred fifty-seven thousand liters (200,000 gallons) or sixty-three thousand one hundred liters (16,670 gallons) per month and total gasoline storage capacity greater than thirty-eight thousand liters (10,000 gallons).

(b) All gasoline storage tanks of the facilities defined in WAC 173-490-040 (5)(a) shall be equipped with submerged fill lines and fittings for vapor balancing gasoline vapors with the delivery transport tank. Storage tanks required to comply are:

(i) All tanks with a capacity greater than seven thousand five hundred liters (2,000 gallons) installed before January 1, 1979, except as provided for in WAC 173-490-040 (5)(c).

(ii) All tanks with a capacity greater than one thousand liters (260 gallons) installed on or after January 1, 1979.

(c) Gasoline storage tanks with offset fill lines shall be exempt from the requirement of WAC 173-490-040 (5)(b) if installed prior to January 1, 1979.

(d) The vapor balance system (for the purpose of measuring compliance with the emission control efficiency) shall consist of the transport tank, gasoline vapor transfer lines, storage tank and all tank vents. The vapor balance system shall prevent at least ninety percent of the displaced gasoline vapors from entering the ambient air. A vapor balance system that is designed, built and operated according to accepted industrial practices will satisfy this requirement.

(e) The owner or operator of a gasoline dispensing facility shall not permit the loading of gasoline into a storage tank equipped with vapor balance fittings unless the vapor balance system is attached to the transport tank and operated satisfactorily.

(6) Surface coaters.

The operation of a coater and dryer, that may serve one or more process lines, shall comply with the following emission limits if the uncontrolled emissions of VOC from the coater, flashoff areas, and dryer would be greater than 18 kg (40 pounds) in any given twenty-four hour period. The emission limits and uncontrolled emission quantity shall include the additional quantity of emissions from the dryer during the twelve hour period after application of the coating.

Process Can Coating	Limitation Grams/Liter of Coating (Excluding Water)	lb/Gal. of Coating (Excluding Water)
Sheet basecoat and overvarnish; two-piece can exterior	340	2.8
Two and three piece can interior body spray, two piece can exterior end	510	4.2
Side-seam spray	660	5.5
End sealing compound	440	3.7
Coil coating	310	2.6
Fabric coating	350	2.9
Vinyl coating	450	3.8
Paper coating	350	2.9
Auto and light duty truck coating		
Prime	230	1.9
Topcoat	340	2.8
Repair	580	4.8
Metal furniture coating	360	3.0
Magnet wire coating	200	1.7
Large appliance coating	340	2.8

(7) Open top vapor degreasers.

(a) All open top vapor degreasers shall comply with the following equipment specifications:

(i) Be equipped with a cover that may be readily opened and closed. When a degreaser is equipped with a lip exhaust, the cover shall be located below the lip exhaust. When a degreaser has a freeboard ratio equal to or greater than 0.75 and the opening is greater than one square meter (10 square feet) the cover shall be power operated.

(ii) Have one of the following:

(A) A freeboard ratio equal to or greater than 0.75.

(B) A freeboard chiller.

(C) A closed design such that the cover opens only when the part enters or exits the degreaser.

(iii) Be equipped with at least the following three safety switches:

(A) Condenser-flow switch and thermostat (shuts off sump heat if coolant is either not circulating or too warm).

(B) Spray safety switch (shuts off spray pump if the vapor level drops excessively).

(C) Vapor level control thermostat (shuts off sump heat when vapor level rises too high).

(iv) Post a permanent and conspicuous pictograph or instructions clearly explaining the following work practices:

(A) Do not degrease porous or absorbent materials such as cloth, leather, wood or rope.

(B) The cover of the degreaser should be closed at all times except when processing workloads.

(C) When the cover is open the lip of the degreaser should not be exposed to steady drafts greater than 15.3 meters per minute (50 feet per minute).

(D) Rack parts so as to facilitate solvent drainage from the parts.

(E) Workloads should not occupy more than one-half of the vapor-air interface area.

(F) When using a powered hoist, the vertical speed of parts in and out of the vapor zone should be less than 3.35 meters per minute (11 feet per minute).

(G) Degrease the workload in the vapor zone until condensation ceases.

(H) Spraying operations should be done within the vapor layer.

(I) Hold parts in the degreaser until visually dry.

(J) When equipped with a lip exhaust, the fan should be turned off when the cover is closed.

(K) The condenser water shall be turned on before the sump heater when starting up a cold vapor degreaser. The sump heater shall be turned off and the solvent vapor layer allowed to collapse before closing the condenser water when shutting down a hot vapor degreaser.

(L) Water shall not be visible in the solvent stream from the water separator.

(b) A routine inspection and maintenance program shall be implemented for the purpose of preventing and correcting solvent losses, as for example, from dripping drain taps, cracked gaskets, and malfunctioning equipment. Leaks must be repaired immediately.

(c) Sump drainage and transfer of hot or warm solvent shall be carried out using threaded or other leak-proof couplings.

(d) Still and sump bottoms shall be kept in closed containers.

(e) Waste solvent shall be stored in covered containers and returned to the supplier or a disposal firm handling solvents for final disposal.

(8) Conveyorized degreasers.

(a) The owner or operator of conveyorized cold cleaners and conveyorized vapor degreasers shall comply with the following operating requirements:

(i) Exhaust ventilation shall not exceed twenty cubic meters per minute of square meter (65 cfm per ft.<sup>2</sup>) of degreaser opening, unless necessary to meet OSHA requirements.

(ii) Post in the immediate work area a permanent and conspicuous pictograph or instructions clearly explaining the following work practices:

(A) Rack parts for best drainage.

(B) Maintain vertical speed of conveyed parts to less than 3.35 meters per minute (11 feet per minute).

(C) The condenser water shall be turned on before the sump heater when starting up a cold vapor degreaser. The sump heater shall be turned off and the solvent vapor layer allowed to collapse before closing the condenser water when shutting down a hot vapor degreaser.

(D) Water shall not be visible in the solvent stream from the water separator.

(iii) Vapor degreasers shall be equipped with at least the following three safety switches:

(A) Condenser flow switch and thermostat (shuts off sump heat if coolant is either not circulating or too warm).

(B) Spray safety switch (shuts off spray pump if the vapor level drops excessively).

(C) Vapor level control thermostat (shuts off sump heat when vapor level rises too high).

(b) A routine inspection and maintenance program shall be implemented for the purpose of preventing and correcting solvent losses, as for example, from dripping drain taps, cracked gaskets, and malfunctioning equipment. Leaks must be repaired immediately.

(c) Sump drainage and transfer of hot or warm solvent shall be carried out using threaded or other leak-proof couplings.

(d) Still and sump bottoms shall be kept in closed containers.

(e) Waste solvent shall be stored in covered containers and returned to the supplier or a disposal firm handling solvents for final disposal.

(f) All conveyORIZED cold cleaners and conveyORIZED vapor degreasers with air/vapor interfaces of 2.0 m<sup>2</sup> or greater shall have one of the following major control devices installed and operating after April 1, 1982:

(i) Carbon adsorption system, exhausting less than 25 ppm of solvent averaged over a complete adsorption cycle (based on exhaust ventilation of 15 m<sup>2</sup>/min per m<sup>2</sup> of air/vapor area, when downtime covers are open), or

(ii) Refrigerated chiller with control effectiveness equal to or better than WAC 173-490-040 (8)(f)(i), or

(iii) A system with control effectiveness equal to or better than WAC 173-490-040 (8)(f)(i).

(9) Cutback asphalt paving.

(a) After June 1, 1981 all paving applications of cutback asphalts are prohibited during the months of June, July, August and September, except as provided for in WAC 173-490-040 (9)(b).

(b) The following paving uses and applications of cutback asphalts are permitted during all months of the year.

(i) As a penetrating prime coat on aggregate bases prior to paving.

(ii) The manufacture of patching mixes used exclusively for pavement maintenance and needed to be stockpiled for times longer than one month.

(iii) All paving uses when the temperature during application is below 10°C (50°F). Any person using cutback asphalt for paving shall demonstrate that the ambient air temperature at 8 a.m. (PST) is below 50°F. The paving application of cutback asphalt when the ambient air temperature is 50°F or higher is in violation of this chapter.

(10) Cold cleaners.

(a) The owner or operator of all cold cleaners shall comply with the following equipment specifications:

(i) Be equipped with a cover that is readily opened and closed.

(ii) Be equipped with a drainrack that returns the drained solvent to the solvent bath.

(iii) Have a freeboard ratio of at least 0.5.

(iv) Have a visible fill line.

(b) An owner or operator of a cold cleaner shall be responsible for following the required operating parameters and work practices. The owner shall post and maintain in the work area of each cold cleaner a pictograph or instructions clearly explaining the following work practices:

(i) The solvent level shall not be above the fill line.

(ii) The spraying of parts to be cleaned shall be performed only within the confines of the cold cleaner.

(iii) The cover of the cold cleaner shall be closed when not in use or when parts are being soaked or cleaned by solvent agitation.

(iv) Solvent-cleaned parts shall be rotated to drain cavities or blind holes and then set to drain until dripping has stopped.

(v) Waste solvent shall be stored in covered containers and returned to the supplier or a disposal firm handling solvents for final disposal.

(c) The owner or operator shall maintain cold cleaners in good working condition and free of solvent leaks.

(d) If the solvent has a vapor pressure greater than 2.0 kPa (0.3 psi) measured at 38°C (100°F), or if the solvent is agitated or heated, then the cover must be designed so that it can be easily operated with one hand.

(e) If the solvent has a vapor pressure greater than 4.3 kPa (0.6 psi) measured at 38°C (100°F), then the drainage facility must be internal, so that parts are enclosed under the cover while draining. The drainage facility may be external for applications where an internal type cannot fit into the cleaning system.

(f) If the solvent has a vapor pressure greater than 4.3 kPa (0.6 psi) measured at 38°C (100°F), or if the solvent is heated above 50°C (120°F), then one of the following solvent vapor control systems must be used:

(i) The freeboard ratio must be equal to or greater than 0.70; or

(ii) Water must be kept over the solvent, which must be insoluble in and heavier than water; or

(iii) Other systems of equivalent control, such as a refrigerated chiller. [Statutory Authority: Chapters 70.94 and 43.21A RCW. 82-16-021 (Order DE 82-22), § 173-490-040, filed 7/27/82. Statutory Authority: RCW 70.94.331, 70.94.510, and 70.94.785. 81-03-003 (Order DE 80-54), § 173-490-040, filed 1/8/81. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-062



(Order DE 80-18), § 173-490-040, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-011 (Order DE 78-23), § 173-490-040, filed 5/8/79.]

**WAC 173-490-070 Schedule of control dates.**

Emission sources required to meet any condition in WAC 173-490-040 in this chapter shall comply in a reasonable time, but not later than the following schedule where the numbers are the time in months following conditional or full approval of chapter 173-490 WAC, by the U.S. Environmental Protection Agency.

(1) Petroleum refineries.

(a) A schedule of control dates may be developed for each refinery on a case-by-case basis by the local air pollution control authority in consultation with refinery representatives. The schedule shall be submitted to the department within ninety days from the date of approval of this regulation by the U.S. EPA. The schedule shall then be submitted to the U.S. EPA for approval as a SIP revision.

(b) Should a schedule of control dates not be submitted to the department within the specified time period then the following schedule shall apply:

Notice of Construction	3
Contract Let	10
Commence Construction	12
Complete Construction	22
Final Compliance	24

(2) Petroleum liquid storage tanks.

Notice of Construction	2
Contract Let	20
Commence Construction	26
Complete Construction	29
Final Compliance	30

(3) Gasoline loading terminals.

Notice of Construction	2
Contract Let	6
Commence Construction	8
Complete Construction	11
Final Compliance	12

(4) Bulk gasoline plants.

Notice of Construction	2
Contract Let	12
Commence Construction	14
Complete Construction	17
Final Compliance	18

(5) Gasoline dispensing facilities.

Facility Serviced Primarily By:

	Terminals	Plants
Notice of Construction	2	2
Contract Let	6	12
Commence Construction	8	14
Complete Construction	11	17
Final Compliance	12	18

(6) Surface coaters.

	Solventless	Other
Plans Submitted	2	2
Contract Let	6	6
Commence Construction	8	8
Complete Construction	23	11
Final Compliance	24	12

(7) Open top vapor degreasers and conveyORIZED degreasers.

Notice of Construction	2
Contract Let	4
Commence Construction	5
Complete Construction	7
Final Compliance	8

(8) Cold cleaners.

Final compliance	8
------------------	---

[Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-062 (Order DE 80-18), § 173-490-070, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-011 (Order DE 78-23), § 173-490-070, filed 5/8/79.]

**WAC 173-490-071 Alternative schedule of control dates.**

(1) The owner or operator of a source of volatile organic compound emissions subject to regulation under this chapter may submit to the director, and the director may approve, a proposed alternative schedule of control dates provided:

(a) The proposed alternative schedule is submitted prior to March 1, 1981;

(b) The owner or operator of the source provides sufficient information to justify the need for an alternative schedule;

(c) The alternative schedule contains increments of progress;

(d) Final compliance is achieved as expeditiously as practicable and before the photochemical oxidant attainment date.

(2) The owner or operator of a source of volatile organic compound emissions subject to an alternative schedule of control dates shall certify to the director within ten calendar days after the deadline for each increment of progress whether the required increment of progress has been met. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-062 (Order DE 80-18), § 173-490-071, filed 8/20/80.]

**WAC 173-490-080 Exceptions.** Exceptions to volatile organic compound emission standards and requirements.

(1) Other emission reduction methods may be employed if the source operator demonstrates to the department that they are at least as effective as the required methods.

(2) The operation of a natural gas-fired incinerator and associated capture system installed for the purpose of complying with this chapter shall be required only during the months of June, July, August and September, unless the operation of such devices is required for purposes of occupational health or safety, or for the control of toxic substances, malodors, or other regulated pollutants. [Statutory Authority: Chapters 70.94 and 43.21A. RCW. 82-16-021 (Order DE 82-22), § 173-490-080, filed 7/27/82. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-062 (Order DE 80-18), § 173-490-080, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-011 (Order DE 78-23), § 173-490-080, filed 5/8/79.]

**WAC 173-490-090 New source review.** Any new source of VOC emissions with a potential emission rate of one hundred tons per year is required to meet the new source review provisions of WAC 173-400-110. [Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-011 (Order DE 78-23), § 173-490-090, filed 5/8/79.]

**WAC 173-490-120 Compliance schedules.** (1) Whenever a source is found to be in violation of the provisions of this chapter, the department may issue a regulatory order which will include a schedule of compliance to bring the source into compliance with this chapter. Opportunity for a public hearing on each proposed compliance schedule shall be provided by prominent advertisement of a notice identifying the proposal and announcing its availability for public inspection in at least one location in the county in which the source is located. No public hearing on a proposed compliance schedule shall be held before thirty days after the publication of the above notice.

(2) A source shall be considered to be in compliance with this chapter if all the provisions of its individual compliance schedule included within a regulatory order issued hereunder are being met. [Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-011 (Order DE 78-23), § 173-490-120, filed 5/8/79.]

**WAC 173-490-130 Regulatory actions.** The department or authority may use the regulatory provisions of chapter 70.94 RCW to enforce the provisions of this chapter. [Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-011 (Order DE 78-23), § 173-490-130, filed 5/8/79.]

**WAC 173-490-135 Criminal penalties.** Persons in violation of this chapter may be subject to the provisions of RCW 70.94.430. [Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-011 (Order DE 78-23), § 173-490-135, filed 5/8/79.]

**WAC 173-490-140 Appeals.** Decisions and orders of the department may be appealed to the pollution control hearings board pursuant to chapter 43.21B RCW and chapter 371-08 WAC. [Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-011 (Order DE 78-23), § 173-490-140, filed 5/8/79.]

**WAC 173-490-150 Variance.** Any person who owns or is in control of a plant, building, structure, establishment, process, or equipment may apply to the department for a variance from provisions of this chapter governing the quality, nature, duration, or extent of discharges of air contaminants in accordance with the provisions of RCW 70.94.181.

(1) Sources in any area over which a local air pollution control agency has jurisdiction shall make application to the board of that agency rather than the department. The department or board may grant such variance, but only after public hearing or due notice.

(2) Variances granted by a local agency board for sources under their jurisdiction will be accepted as variances to this chapter.

(3) No variance or renewal shall be construed to set aside or delay any requirements of the Federal Clean Air Act except with the approval and written concurrence of the federal environmental protection agency. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-062 (Order DE 80-18), § 173-490-150, filed 8/20/80. Statutory Authority: RCW 43.21A.080 and 70.94.331. 79-06-011 (Order DE 78-23), § 173-490-150, filed 5/8/79.]

**WAC 173-490-200 Petroleum refinery equipment leaks.** (1) Specific applicability. This section shall apply to all petroleum refineries as qualified in WAC 173-490-025.

(2) Provisions for specific processes.

(a) The owner or operator of a petroleum refinery shall:

(i) Develop a monitoring program consistent with the provisions in WAC 173-490-200(3);

(ii) Conduct a monitoring program consistent with the provisions in WAC 173-490-200(5);

(iii) Record all leaking components which have a VOC concentration greater than 10,000 ppm when tested according to the provisions in WAC 173-490-200(4) and place an identification tag on each component consistent with the provisions of WAC 173-490-200 (5)(c);

(iv) Correct and retest the leaking component, as defined in WAC 173-490-200 (2)(a)(iii), as soon as practicable, but not later than fifteen days after the leak is recorded. If a leak continues after all reasonable corrective actions have been taken, then the component shall be repaired or replaced on the next scheduled turnaround.

(v) Identify all leaking components, as defined in WAC 173-490-200 (2)(a)(iii), that cannot be corrected until the refinery unit is shut down for turnaround.

(b) The owner or operator of a petroleum refinery shall not install or operate a valve at the end of a pipe or line containing VOC unless the pipe or line is sealed with a second suitable closure. Exceptions to this requirement are the ends of a pipe or line connected to pressure relief valves, aspirator vents or other devices specifically required to be open for safety protection. The sealing device may be removed only when a sample is being taken or during maintenance operations.

(3) Schedule of control dates.

(a) The owner or operator of a petroleum refinery shall meet the increments of progress contained in the following schedules or an approved alternative schedule of control dates as stipulated in WAC 173-490-071.

(b) Submit to the director a monitoring program by July 1, 1981. This program shall contain, at a minimum, a list of the refinery units and the quarter in which they will be monitored, a copy of the log book format, and the make and model of the monitoring equipment to be used. In no case shall a monitoring contract relieve the

owner or operator of a petroleum refinery of the responsibility for compliance with this chapter.

(c) The first quarter of monitoring shall be completed by December 15, 1981.

(4) Testing procedures. Testing and calibration procedures to determine compliance with this chapter shall be consistent with the procedures on file with and approved by the director.

(5) Monitoring.

(a) The owner or operator of a petroleum refinery shall conduct a monitoring program consistent with the following provisions:

(i) Monitor yearly by the methods referenced in WAC 173-490-200(4) all pump seals, pipeline valves in liquid service and process drains;

(ii) Monitor quarterly by the methods referenced in WAC 173-490-200(4) all compressor seals, pipeline valves in gaseous service and pressure relief valves in gaseous service;

(iii) Monitor weekly by visual methods all pump seals;

(iv) Monitor immediately any pump seal from which liquids are observed dripping;

(v) Monitor any relief valve within twenty-four hours after it has vented to the atmosphere; and

(vi) Monitor immediately after repair any component that was found leaking.

(b) Pressure relief devices that are connected to an operating flare header, vapor recovery device, inaccessible valves, storage tank valves, and valves that are not externally regulated are exempt from the monitoring requirements in WAC 173-490-200 (5)(a).

(c) The owner or operator of a petroleum refinery, upon the detection of a leaking component, as defined in WAC 173-490-200 (2)(a)(iii), shall affix a weather-proof and readily visible tag, bearing an identification number and the date the leak is located, to the leaking component. This tag shall remain in place until the leak is corrected.

(6) Recordkeeping.

(a) The owner or operator of a petroleum refinery shall maintain a leaking component's monitoring log as specified in WAC 173-490-200 (2)(a)(iii) that shall contain, at a minimum, the following data:

(i) The name of the process unit where the component is located.

(ii) The type of component (e.g., valve, seal).

(iii) The tag number of the component.

(iv) The date on which a leaking component is discovered.

(v) The date on which a leaking component is repaired.

(vi) The date and instrument reading of the recheck procedure after a leaking component is repaired.

(vii) A record of the calibration of the monitoring instrument.

(viii) Those leaks that cannot be repaired until turnaround.

(ix) The total number of components checked and the total number of components found leaking.

(b) Copies of the monitoring log shall be retained by the owner or operator for a minimum of two years after

the date on which the record was made or the report prepared.

(c) Copies of the monitoring log shall immediately be made available to the department, upon verbal or written request, at any reasonable time.

(7) Reporting. The owner or operator of a petroleum refinery shall notify the director in writing within forty-five days following each quarterly or annual inspection for component leaks when:

(a) The number of discovered leaks has increased by more than ten percent above the number recorded during the last inspection of the same components;

(b) The number of leaking components has increased for two consecutive quarterly or annual inspections;

(c) The number of leaks not corrected within fifteen days exceeds five percent of the leaks detected;

(d) The next scheduled process unit turnaround needed to repair an uncorrectable leak is more than twelve months away.

(8) Petition for alternative monitoring.

(a) After two complete liquid service inspections and five complete gaseous service inspections, the owner or operator of a petroleum refinery may petition the director for alternative monitoring procedures or a reduction in monitoring frequency.

(b) A petition for alternative monitoring procedures shall contain:

(i) The name and address of the company and the name and telephone number of the responsible person over whose signature the petition is submitted;

(ii) A detailed description of the problems encountered under WAC 173-490-200(5); and

(iii) A detailed description of the alternative monitoring procedures and how this alternative procedure will solve or reduce the problems encountered under WAC 173-490-200(5).

(c) A petition for a reduction in monitoring frequency shall contain:

(i) The information requested in WAC 173-490-200 (8)(b)(i);

(ii) A detailed description of the proposed component-monitoring schedule;

(iii) A demonstration by the owner or operator that the facility is currently operating with a low level of component leaks and is committed to a maintenance program that will assure a frequency and severity of component leaks as good as that attainable under WAC 173-490-200(2).

(d) An approved petition for a reduction in monitoring frequency shall begin with the next quarterly inspection and shall be valid for a period of twelve quarters (three years). At the time of the last inspection in the twelve quarters, a new submittal of the information required in WAC 173-490-200 (8)(c) shall be made if the reduced frequency of monitoring is to continue.

(e) The department may approve a part or all of a petition for alternative monitoring requested under WAC 173-490-200 (8)(b) or (c). Approval or disapproval will be in writing and within forty-five calendar days of receipt of the petition by the department. A failure to approve or disapprove a new petition or petition

for renewal within the stated time limit shall be taken as an approval. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-062 (Order DE 80-18), § 173-490-200, filed 8/20/80.]

**WAC 173-490-201 Petroleum liquid storage in external floating roof tanks.** (1) Specific applicability.

(a) This section shall apply to all petroleum liquid storage vessels equipped with external floating roofs, having capacities greater than 150,000 liters (40,000 gallons), and as qualified in WAC 173-490-025.

(b) This section does not apply to petroleum liquid storage vessels that:

- (i) Are used to store waxy, heavy pour crude oil;
- (ii) Have capacities less than 1,600,000 liters (420,000 gallons) and are used to store produced crude oil and condensate prior to lease custody transfer;
- (iii) Contain a petroleum liquid with a true vapor pressure of less than 10.5 kPa (1.5 psia);
- (iv) Contain a petroleum liquid with a true vapor pressure less than 27.6 kPa (4.0 psia); are of welded construction; and presently possess a metallic-type shoe seal, a liquid-mounted foam seal, a liquid-mounted liquid filled type seal, or other closure device of demonstrated equivalence approved by the director; or
- (v) Are of welded construction, equipped with a metallic-type shoe primary seal and have secondary seal from the top of the shoe seal to the tank wall (shoe-mounted secondary seal).

(2) Provisions for specific processes.

(a) No owner of a petroleum liquid storage vessel shall store a petroleum liquid in that vessel unless:

(i) The vessel has been fitted with:

(A) A continuous secondary seal extending from the floating roof to the tank wall (rim-mounted secondary seal); or

(B) A closure or other device which controls VOC emissions with an effectiveness equal to or greater than a seal required under WAC 173-490-201 (2)(a)(i)(A) and approved by the director.

(ii) All seal closure devices meet the following requirements:

(A) There are no visible holes, tears, or other openings in the seal or seal fabric;

(B) The seal is intact and uniformly in place around the circumference of the floating roof between the floating roof and the tank wall; and

(C) For vapor mounted primary seals, the accumulated area of gaps exceeding 0.32 cm (1/8 inch) in width between the secondary seal and the tank wall shall not exceed 21.2 cm<sup>2</sup> per meter of tank diameter (1.0 in.<sup>2</sup> per foot of tank diameter), as determined by the method in WAC 173-490-201(4).

(iii) All openings in the external floating roof, except for automatic bleeder vents, rim space vents, and leg sleeves, are:

(A) Equipped with covers, seals, or lids in the closed position except when the openings are in actual use; and

(B) Equipped with projections into the tank which remain below the liquid surface at all times.

(iv) Automatic bleeder vents are closed at all times except when the roof is floated off or landed on the roof leg supports;

(v) Rim vents are set to open when the roof is being floated off the leg supports or at the manufacturer's recommended setting; and

(vi) Emergency roof drains are provided with slotted membrane fabric covers or equivalent covers which cover at least ninety percent of the area of the opening.

(b) The owner or operator of a petroleum liquid storage vessel with an external floating roof subject to this chapter shall:

(i) Perform routine inspections annually in order to insure compliance with WAC 173-490-201 (2)(a) and the inspection shall include a visual inspection of the secondary seal gap;

(ii) Measure the secondary seal gap annually in accordance with WAC 173-490-201(4) when the floating roof is equipped with a vapor-mounted primary seal; and

(iii) Maintain records of the types of volatile petroleum liquids stored, the maximum true vapor pressure of the liquid as stored, and the results of the inspections performed in WAC 173-490-201 (2)(b)(i) and (ii).

(c) The owner or operator of a petroleum liquid storage vessel with an external floating roof exempted from this chapter by WAC 173-490-201 (1)(b)(iii), but containing a petroleum liquid with a true vapor pressure greater than 7.0 kPa (1.0 psi), shall maintain records of the average monthly storage temperature, the type of liquid, and the maximum true vapor pressure for all petroleum liquids with a true vapor pressure greater than 7.0 kPa.

(d) Copies of all records under WAC 173-490-201 (2)(b) and (c) shall be retained by the owner or operator for a minimum of two years after the date on which the record was made.

(e) Copies of all records required under WAC 173-490-201 shall immediately be made available to the director, upon verbal or written request, at any reasonable time.

(3) Schedule of control dates.

(a) The owner or operator of a petroleum liquid storage vessel shall meet the increments of progress contained in the following schedule or an approved alternative schedule of control dates as stipulated in WAC 173-490-071.

(i) Submit final plans for the emission control system before March 1, 1981;

(ii) Award contracts for the emission control system before May 1, 1981;

(iii) Initiate on-site construction or installation of the emission control equipment before July 1, 1981;

(iv) Complete on-site construction or installation of the emission control equipment before November 1, 1981; and

(v) Achieve final compliance with subsection (2) of this section before January 1, 1982.

(b) The owner or operator of a source of VOC emissions subject to a schedule of control dates shall certify

to the director within ten calendar days after the deadline for each increment of progress, whether the required increment of progress has been met.

(4) Testing and monitoring.

(a) The owner or operator of a storage vessel covered under WAC 173-490-201 shall demonstrate compliance by the methods of this subsection or an alternative method approved by the director.

(b) A person proposing to measure the seal fit of a storage vessel in order to comply with this section shall notify the director of the intent to measure not less than five working days before the measurement so the director may at his option observe the measurement.

(c) Compliance with WAC 173-490-201 (2)(a)(ii)(C) shall be determined by physically measuring the length and width of all gaps around the entire circumference of the secondary seal in each place where a 0.32 cm (1/8 in.) uniform diameter probe passes freely (without forcing or binding against the seal) between the seal and the tank wall and summing the area of the individual gaps. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-062 (Order DE 80-18), § 173-490-201, filed 8/20/80.]

**WAC 173-490-202 Leaks from gasoline transport tanks and vapor collection systems.** (1) Specific applicability.

This section shall apply to all gasoline transport tanks equipped for gasoline vapor collection and all vapor collection systems at gasoline loading terminals, bulk gasoline plants and gasoline dispensing facilities as qualified in WAC 173-490-025 and 173-490-040.

(2) Provisions for specific processes.

(a) The owner or operator of a gasoline loading or unloading facility shall only allow the transfer of gasoline between the facility and a transport tank when a current leak test certification for the transport tank is on file with the facility or a valid inspection sticker is displayed on the vehicle.

(b) The owner or operator of a transport tank shall not make any connection to the tank for the purpose of loading or unloading gasoline, except in the case of an emergency, unless the gasoline transport tank:

(i) Is tested annually according to the test procedure referenced in WAC 173-490-202 (4)(c);

(ii) Sustains a pressure change of no more than 0.75 kilopascals (3 inches of water) in five minutes when pressurized to a gauge pressure of 4.5 kilopascals (18 inches of water) or evacuated to a gauge pressure of 1.5 kilopascals (6 inches of water) during the testing required in WAC 173-490-202 (2)(b)(i);

(iii) Is repaired by the owner or operator and retested within fifteen days of testing if it does not meet the criteria of WAC 173-490-202 (2)(b)(ii);

(c) The owner or operator of a transport tank shall:

(i) Have on file with each gasoline loading or unloading facility at which gasoline is transferred a current leak test certification for the transport tank; or

(ii) Display a sticker near the department of transportation certification plate required by 49 CFR 178.340-10b which:

(A) Shows the date that the gasoline tank truck last passed the test required in WAC 173-490-202 (2)(b)(i) and (ii);

(B) Shows the identification number of the gasoline tank truck tank; and

(C) Expires not more than one year from the date of the leak tight test.

(d) The owner or operator of a vapor collection system shall:

(i) Operate the vapor collection system and the gasoline loading equipment during all loadings and unloadings of transport tanks equipped for emission control such that:

(A) A gauge reading of tank pressure will not exceed 4.5 kilopascals (18 inches of water) or vacuum 1.5 kilopascals (6 inches of water);

(B) The concentration of gasoline vapors is below the lower explosive limit (LEL, measured as propane) at all points a distance of 2.5 cm (1 inch) from potential leak sources when measured by the method in WAC 173-490-202(4); and

(C) There are no visible liquid leaks.

(ii) Repair and retest a vapor collection system that exceeds the limits of WAC 173-490-202 (2)(d)(i) within fifteen days.

(e) The department may, at any time, monitor a gasoline transport tank and vapor collection system during loading or unloading operations by the procedure in WAC 173-490-202 (4)(d) to confirm continuing compliance with WAC 173-490-202 (2)(b) or (d).

(3) Schedule of control dates.

(a) The owner or operator of a gasoline transport tank shall meet the increments of progress contained in the following schedule or an approved alternative schedule of control dates as stipulated in WAC 173-490-071;

(i) Submit plans to the department for operating and maintenance procedures to implement WAC 173-490-202 (2) and (4) before March 1, 1981;

(ii) Issue purchase orders or contracts for all needed test equipment before May 1, 1981;

(iii) Commence certification of vapor collection systems before January 1, 1982; and

(iv) Complete initial certification of all vapor collection systems before July 1, 1982.

(b) The owner or operator of a vapor collection system subject to this schedule of control dates shall certify to the department within ten calendar days after the deadline for each increment of progress, whether the required increment of progress has been met.

(4) Testing and monitoring.

(a) The owner or operator of a gasoline transport tank or vapor collection system shall, at his own expense, demonstrate compliance with WAC 173-490-202 (2)(a) and (b), respectively. All tests shall be made by, or under the direction of, a person qualified to perform the tests and approved by the department.

(b) The owner or operator of a gasoline transport tank shall notify the department in writing of the date and location of a certification test at least ten calendar days before the anticipated test date.

(c) Testing procedures to determine compliance with WAC 173-490-202 shall be consistent with the procedures on file with and approved by the department.

(d) Monitoring to confirm the continuing existence of leak tight conditions shall be consistent with the procedures on file with and approved by the department.

(5) Recordkeeping.

(a) The owner or operator of a gasoline transport tank or vapor collection system shall maintain records of all certification tests and repairs for at least two years after the test or repair is completed.

(b) The records of certification tests required by WAC 173-490-202 (5)(a) shall, as a minimum, contain:

(i) The transport tank identification number;

(ii) The initial test pressure and the time of the reading;

(iii) The final test pressure and the time of the reading;

(iv) The initial test vacuum and the time of the reading;

(v) The final test vacuum and the time of the reading;

(vi) At the top of each report page the company name, date and location of the tests on that page; and

(vii) Name and title of the person conducting the test.

(c) The owner or operator of a gasoline transport tank shall annually certify that the transport tank passed the required tests.

(d) Copies of all records required under WAC 173-490-202 shall immediately be made available to the department, upon written request, at any reasonable time. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-062 (Order DE 80-18), § 173-490-202, filed 8/20/80.]

**WAC 173-490-203 Perchloroethylene dry cleaning systems.** (1) Specific applicability. This section shall apply to all dry cleaning systems using perchloroethylene cleaning solvent and as qualified in WAC 173-490-203 (1)(a) and (b) and 173-490-025.

(a) The following dry cleaning systems are exempt from the requirements of WAC 173-490-203 (2)(a)(i) and (ii):

(i) Coin-operated systems;

(ii) Systems located in a facility with inadequate space to accommodate an adsorber;

(iii) Systems with an average monthly loss less than twenty-five gallons (2 tons per year); and

(iv) Systems with insufficient steam capacity to desorb adsorbers.

(b) An exemption for the conditions stated in WAC 173-490-203 (2)(a)(i) and (ii) may be granted by the director when sufficient evidence is submitted by the owner or operator of the dry cleaning system to justify the exemption.

(2) Provisions for specific processes.

(a) The owner or operator of a perchloroethylene dry cleaning facility subject to this chapter shall:

(i) Vent the entire dryer exhaust through a properly functioning carbon absorption system or equally effective control device;

(ii) Emit no more than 100 ppmv when determined in accordance with WAC 173-490-203 (4)(c)(i), of volatile organic compounds from the dryer control device before dilution;

(iii) Immediately repair all components found to be leaking liquid volatile organic compounds;

(iv) Cook or treat all diatomaceous earth filters so that the residue contains 25 kg or less of volatile organic compounds per 100 kg of wet waste material;

(v) Reduce the volatile organic compounds from all solvent stills to 60 kg or less per 100 kg of wet waste material;

(vi) Drain all filtration cartridges, in the filter housing or other enclosed container, for at least twenty-four hours before discarding the cartridges; and

(vii) When possible, dry all drained cartridges without emitting volatile organic compounds to the atmosphere.

(3) Schedule of control dates.

(a) The owner or operator of a perchloroethylene dry cleaning facility subject to WAC 173-490-203 (2)(a)(i) and (ii) shall meet the applicable increments of progress in the following schedule or a schedule approved under WAC 173-490-071.

(i) Award contracts, issue purchase orders, or otherwise order the emission control system and process equipment, before July 1, 1981;

(ii) Complete installation of the emission control and process equipment before July 1, 1982;

(iii) Achieve final compliance, determined in accordance with WAC 173-490-203(4) before July 1, 1982;

(iv) In the event that equipment cannot be delivered prior to May 1, 1982, and the owner or operator placed the order prior to July 1, 1981, the final compliance date shall be sixty days following delivery of the equipment.

(b) The owner or operator of a perchloroethylene dry cleaning facility subject to this chapter shall comply with the operational and maintenance provisions of WAC 173-490-203 (2)(a)(iii) through (vii) by July 1, 1981.

(4) Testing and monitoring.

(a) Compliance with WAC 173-490-203 (2)(a)(i), (vi), and (vii) shall be determined by means of visual inspection.

(b) Compliance with WAC 173-490-203 (2)(a)(iii) shall be determined by means of visual inspection of the following components:

(i) Hose connections, unions, couplings and valves;

(ii) Machine door gaskets and seatings;

(iii) Filter head gasket and seating;

(iv) Pumps;

(v) Base tanks and storage containers;

(vi) Water separators;

(vii) Filter sludge recovery;

(viii) Distillation unit;

(ix) Diverter valves;

(x) Saturated lint from lint basket; and

(xi) Cartridge filters.

(c) Compliance with WAC 173-490-203 (2)(a)(ii) shall be determined by:

(i) A test consistent with the procedures on file with and approved by the department; or

(ii) The proper installation, operation, and maintenance of equipment that has been demonstrated by the owner or operator to adequately meet the emission limits in WAC 173-490-203 (2)(a)(ii).

(d) Compliance with WAC 173-490-203 (2)(a)(iv) and (v) shall be determined by tests consistent with the procedures on file with and approved by the department. [Statutory Authority: Chapters 70.94 and 43.21A RCW. 82-16-021 (Order DE 82-22), § 173-490-203, filed 7/27/82. Statutory Authority: RCW 70.94.331, 70.94-.510, and 70.94.785. 81-03-003 (Order DE 80-54), § 173-490-203, filed 1/8/81. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-062 (Order DE 80-18), § 173-490-203, filed 8/20/80.]

**WAC 173-490-204 Graphic arts systems.** (1) Specific applicability.

(a) This section shall apply to all packaging rotogravure, publication rotogravure, specialty printing operations, and flexographic printing facilities that use more than 90 megagrams (100 tons) per year of volatile organic compounds as a component of ink, for the thinning of ink, cleaning of presses, press components and equipment; and are covered by WAC 173-490-025.

(b) Machines that have both coating units (apply a uniform layer of material across the entire width of a web) and printing units (forming words, designs, and pictures) shall be included under WAC 173-490-204 rather than WAC 173-490-040(6), Surface coaters.

(2) Provisions for specific processes.

(a) No owner or operator of a packaging rotogravure, publication rotogravure or flexographic printing subject to this regulation and employing solvent containing ink may operate, cause, allow or permit the operation of the facility unless:

(i) The volatile fraction of ink, as it is applied to the substrate, contains twenty-five percent by volume or less of organic solvent and seventy-five percent by volume or more of water;

(ii) The ink as it is applied to the substrate, less water, contains sixty percent by volume or more nonvolatile material; or

(iii) The owner or operator installs and operates:

(A) A carbon adsorption system which reduces the volatile organic emissions from the capture system by at least ninety percent by weight;

(B) An incineration system which oxidizes at least ninety percent of the nonmethane volatile organic compounds (VOC measured as total combustible carbon) to carbon dioxide and water; or

(C) An alternative volatile organic compound emission reduction system demonstrated to have at least a ninety percent reduction efficiency, measured across the control system, and has been approved by the department.

(b) A collection system shall be used with the emission controls of WAC 173-490-204 (2)(a)(iii). The design and operation of the collection system shall be consistent with good engineering practice, and shall provide an overall reduction in the emission of volatile organic compounds of at least:

(i) Seventy-five percent where a publication rotogravure process is used; or

(ii) Sixty-five percent where a packaging rotogravure process is used; or

(iii) Sixty percent where a flexographic process is used.

(3) Schedule of control dates.

(a) The owner or operator of a packaging rotogravure, publication rotogravure or flexographic printing facility subject to this chapter shall meet the applicable increments of progress in the following schedules or an approved alternative schedule of control dates as stipulated in WAC 173-490-071:

(i) For process equipment changes and add-on control devices, including incineration with heat recovery:

(A) Submit final plans for the emission control system or process equipment, or both, before April 1, 1981;

(B) Award contracts or purchase orders for the emission control system or process equipment, or both, before June 1, 1981;

(C) Initiate on-site construction or installation of the emission control or process equipment, or both, before December 1, 1981;

(D) Complete on-site construction or installation of the emission control or process equipment, or both, before December 1, 1982; and

(E) Achieve final compliance, determined in accordance with WAC 173-490-204(4), before January 1, 1983.

(ii) For incineration equipment without heat recovery or process modifications not requiring purchase orders:

(A) Submit final plans for the emission control system or process modifications, or both, before March 1, 1981;

(B) Award contracts for process modifications or for incineration equipment, or both, before May 1, 1981;

(C) Initiate on-site construction or installation of process modifications or emission control equipment, or both, before July 1, 1981;

(D) Complete on-site construction or installation of process modifications or incineration equipment, or both, before November 1, 1981; and

(E) Achieve final compliance, determined in accordance with WAC 173-490-204(4) before January 1, 1982.

(iii) For low solvent technology:

(A) Submit a plan for an extended schedule of control dates meeting the conditions in WAC 173-490-071;

(B) Achieve a final reduction in emissions greater than that which would have been attained from the controls specified in WAC 173-490-204(2);

(C) Commit to the installation of the controls in WAC 173-490-204(2) and achieving final compliance by January 1, 1987 should progress toward low solvent technology not meet expectations;

(D) Provide for a major reduction in emissions by January 1, 1983 as an increment of progress as required in WAC 173-490-071.

(b) The owner or operator of a volatile organic compound source subject to a compliance schedule of WAC 173-490-204 shall certify to the department within five days after the deadline for each increment of progress

whether the required increment of progress has been met.

(4) Testing and monitoring.

(a) Testing procedures to determine compliance with this chapter shall be on file with and approved by the department.

(b) When add-on control equipment is used, continuous monitors of the following parameters shall be installed, periodically calibrated, and operated at all times that the associated control equipment is operating:

(i) Exhaust gas temperature of all incinerators;

(ii) Temperature rise across a catalytic incinerator bed;

(iii) Breakthrough of VOC on a carbon adsorption unit; and

(iv) Any other continuous monitoring or recording device required by the department.

(c) The owner or operator of a facility shall be responsible for all expense of monitoring required by WAC 173-490-204 (4)(b). [Statutory Authority: Chapters 70.94 and 43.21A RCW. 82-16-021 (Order DE 82-22), § 173-490-204, filed 7/27/82. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-062 (Order DE 80-18), § 173-490-204, filed 8/20/80.]

**WAC 173-490-205 Surface coating of miscellaneous metal parts and products.** (1) Specific applicability. This section shall apply to surface coating of miscellaneous metal parts and products in the following industries having VOC emissions greater than one hundred six kilograms (two hundred thirty-five pounds) per day and as qualified in WAC 173-490-205 (1)(b), (c), and (d), and 173-490-025.

(a) Miscellaneous metal parts and products shall include:

(i) Large farm machinery (harvesting, fertilizing and planting machines, tractors, combines, etc.);

(ii) Small farm machinery (lawn and garden tractors, lawn mowers, rototillers, etc.);

(iii) Small appliances (fans, mixers, blenders, crock pots, dehumidifiers, vacuum cleaners, etc.);

(iv) Commercial machinery (office equipment, computers and auxiliary equipment, typewriters, calculators, vending machines, etc.);

(v) Industrial machinery (pumps, compressors, conveyor components, fans, blowers, transformers, etc.);

(vi) Fabricated metal products (metal covered doors, frames, etc.); and

(vii) Any other industrial category which coats metal parts or products under the Standard Industrial Classification Code of Major Group 33 (primary metal industries), Major Group 34 (fabricated metal products), Major Group 35 (nonelectric machinery), Major Group 36 (electrical machinery), Major Group 37 (transportation equipment), Major Group 38 (miscellaneous instruments), and Major Group 39 (miscellaneous manufacturing industries).

(b) This chapter is not applicable to the surface coating of the following metal parts and products:

(i) Automobiles and light-duty trucks;

(ii) Metal cans;

(iii) Flat metal sheets and strips in the form of rolls or coils;

(iv) Magnet wire for use in electrical machinery;

(v) Metal furniture;

(vi) Large appliances;

(vii) Airplanes;

(viii) Automobile refinishing;

(ix) Customized top coating of automobiles and trucks, if production is less than thirty-five vehicles per day; and

(x) Exterior of marine vessels.

(c) This chapter applies to the application area, flashoff area, air and forced air drier, and oven used in the surface coating of the metal parts and products in WAC 173-490-205 (1)(a). This chapter also applies to prime coat, top coat, and single coat operations.

(d) The application of coatings whose formulations are controlled by federal specifications and the use of which is required by federal agencies shall be exempt from the emission limits in WAC 173-490-205 (2)(a).

(e) A case-by-case determination of the emission controls best representing RACT may be substituted for the requirements of WAC 173-490-205(2). Such a determination shall be approved by the department.

(2) Provisions for specific processes.

(a) The owner or operator of a coating application system shall not emit a quantity of volatile organic compounds greater than those listed by specific coating, excluding water and as delivered to the application system:

(i) Clear coatings 0.52 kg/liter (4.3 lb/gallon)

(ii) Extreme performance coatings 0.42 kg/liter (3.5 lb/gallon)

(iii) Air dried coatings 0.42 kg/liter (3.5 lb/gallon)

(iv) All others 0.36 kg/liter (3.0 lb/gallon)

(v) Powder coatings 0.05 kg/liter (0.4 lb/gallon)

(b) When more than one emission limitation listed in WAC 173-490-205 (2)(a) applies to a specific coating, the least stringent will apply.

(c) All VOC emissions from solvent washings shall be considered in the emission limitations in WAC 173-490-205 (2)(a), unless the solvent is directed into containers that prevent evaporation into the atmosphere.

(d) The emission limits set forth in WAC 173-490-205 (2)(a) shall be achieved by:

(i) The application of low solvent coating technology; or

(ii) An incineration system that oxidizes at least ninety percent of the volatile organic compounds (VOC measured as total combustible carbon) to carbon dioxide and water; or

(iii) An equivalent means of VOC reduction certified by the owner or operator and approved by the department.

(e) A collection system shall be used together with the incinerator of WAC 173-490-205 (2)(d)(ii). The design and operation of the collection system shall be consistent with good engineering practice and provide for an overall VOC emission reduction necessary to comply with the emission limits of WAC 173-490-205 (2)(a). The



required VOC emission reduction shall be calculated on a unit volume of uncured solids basis.

(3) Schedule of control dates.

(a) The owner or operator of a source shall meet the following applicable increments of progress, unless a source has an approved alternative schedule of control dates as stipulated in WAC 173-490-071.

(i) Sources using low solvent content coatings shall:

(A) Submit final plans for the application of low solvent technology before April 1, 1981;

(B) Complete evaluation of product quality and commercial acceptance before October 1, 1981;

(C) Issue purchase orders or contracts for low solvent content coatings before December 1, 1981;

(D) Initiate process modifications before January 1, 1982; and

(E) Complete process modifications and begin use of low solvent content coatings before January 1, 1983.

(ii) Sources using process equipment changes or addition control devices, including incineration with heat recovery, shall:

(A) Submit final plans for the emission control system, or process equipment, or both, before April 1, 1981;

(B) Award contracts or purchase orders for the emission control systems, or process equipment, or both, before June 1, 1981;

(C) Initiate on-site construction or installation of the emission control system, or process equipment, or both, before December 1, 1981;

(D) Complete on-site construction or installation of the emission control system or process equipment, or both, before December 1, 1982; and

(E) Achieve final compliance, determined in accordance with WAC 173-490-205(4) before January 1, 1983.

(iii) Sources using incineration without heat recovery or process modifications not requiring purchase orders shall:

(A) Submit final plans for the emission control system or process modification, or both, before March 1, 1981;

(B) Award contracts or purchase orders for the emission control system or process modification, or both, before May 1, 1981;

(C) Initiate on-site construction or installation of the emission control system or process modification, or both, before July 1, 1981;

(D) Complete on-site construction or installation of the emission control system or process modification, or both, before November 1, 1981; and

(E) Achieve final compliance, determined in accordance with WAC 173-490-205(4), before January 1, 1982.

(4) Testing and monitoring.

(a) The department may require the owner or operator of a source to demonstrate at his own expense, compliance by the methods of WAC 173-490-205 (4)(c).

(b) The owner or operator of a source shall notify the department at least ten days before a proposed emission certification test so the director may at his option observe the test.

(c) Testing and calibration procedures to determine compliance with this chapter shall be consistent with the procedures on file with and approved by the department.

(d) The department may require monitoring of the following parameters:

(i) Exhaust gas temperature of all incinerators;

(ii) Temperature rise across a catalytic incinerator bed; and

(iii) Breakthrough of VOC on a carbon adsorption unit. [Statutory Authority: Chapters 70.94 and 43.21A RCW. 82-16-021 (Order DE 82-22), § 173-490-205, filed 7/27/82. Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-062 (Order DE 80-18), § 173-490-205, filed 8/20/80.]

**WAC 173-490-207 Surface coating of flatwood paneling.** (1) Specific applicability.

(a) This section shall apply to all flatwood panel manufacturers and surface finishing facilities as qualified in WAC 173-490-207 (1)(b) and (c) and 173-490-025.

(b) These chapters shall apply to all operations and equipment that is used to apply, convey and dry (including flashoff areas) a surface pattern or coating on the following products:

(i) Printed interior panels made of hardwood plywood and thin particle board;

(ii) Natural finish hardwood plywood panels; or

(iii) Hardboard paneling with Class II finishes.

(c) These chapters do not apply to the manufacture of exterior siding, tileboard, or particleboard used as a furniture component.

(2) Provisions for specific processes.

(a) The owner or operator of a facility shall not emit volatile organic compounds from a coating application system in excess of:

(i) 2.9 kg per 100 square meters of coated finished product (6.0 lb/1,000 square feet) from printed interior panels, regardless of the number of coats applied;

(ii) 5.8 kg per 100 square meters of coated finished product (12.0 lb/1,000 square feet) from natural finish hardwood plywood panels, regardless of the number of coats applied; and

(iii) 4.8 kg per 100 square meters of coated finished product (10.0 lb/1,000 square feet) from Class II finishes on hardboard panels, regardless of the number of coats applied.

(b) The emission limits in WAC 173-490-207 (2)(a) shall be achieved by:

(i) The application of low solvent content coating technology; or

(ii) An incineration system which oxidizes at least ninety percent of the nonmethane volatile organic compounds entering the incinerator (VOC measured as total combustible carbon) to carbon dioxide and water; or

(iii) An equivalent means of VOC removal. The equivalent means must be certified by the owner or operator and approved by the department.

(c) A capture system shall be used in conjunction with the emission control systems in WAC 173-490-207

(2)(b)(ii) and (iii). The design and operation of the capture system must be consistent with good engineering practice and shall be required to provide for an overall emission reduction sufficient to meet the emission limitation in WAC 173-490-207 (2)(a).

(3) Schedule of control dates.

(a) The owner or operator of a source shall meet the following applicable increments of progress, unless a source has an approved alternative schedule of control dates as stipulated in WAC 173-490-071.

(i) Sources using low solvent content coatings shall:

(A) Submit final plans for the application of low solvent technology before April 1, 1981;

(B) Complete evaluation of product quality and commercial acceptance before October 1, 1981;

(C) Issue purchase orders or contracts for low solvent content coatings before December 1, 1981;

(D) Initiate process modifications before January 1, 1982; and

(E) Complete process modifications and begin use of low solvent content coatings before January 1, 1983.

(ii) Sources utilizing process equipment changes or add-on control devices, including incineration with heat recovery, to comply with the emission limitations in WAC 173-490-207 (2)(a) shall:

(A) Submit final plans for the emission control system, or process equipment, or both, before April 1, 1981;

(B) Award contracts or purchase orders for the emission control systems, or process equipment, or both, before June 1, 1981;

(C) Initiate on-site construction or installation of the emission control system, or process equipment, or both, before December 1, 1981;

(D) Complete on-site construction or installation of the emission control system or process equipment, or both, before December 1, 1982; and

(E) Achieve final compliance, determined in accordance with WAC 173-490-207(4) before January 1, 1983.

(iii) Sources utilizing incineration without heat recovery or process modifications not requiring purchase orders to comply with the emission limitation in WAC 173-490-207 (2)(a) shall:

(A) Submit final plans for the emission control system or process modification, or both, before March 1, 1981;

(B) Award contracts or purchase orders for the emission control system or process modification, or both, before May 1, 1981;

(C) Initiate on-site construction or installation of the emission control system or process modification, or both, before July 1, 1981;

(D) Complete on-site construction or installation of the emission control system or process modification, or both, before November 1, 1981; and

(E) Achieve final compliance, determined in accordance with WAC 173-490-207(4), before January 1, 1982.

(4) Testing and monitoring.

(a) The department may require the owner or operator of a facility to demonstrate at his own expense compliance by the methods of WAC 173-490-207 (4)(c).

(b) The owner or operator of a facility shall notify the department at least ten days before a proposed emission certification test so the department may at his option observe the test.

(c) Testing and calibration procedures to determine compliance with this chapter shall be consistent with the procedure on file with and approved by the department.

(d) The department may require monitoring of the following parameters:

(i) Exhaust gas temperature of all incinerators;

(ii) Temperature rise across a catalytic incinerator bed; and

(iii) Breakthrough of VOC on a carbon adsorption unit. [Statutory Authority: RCW 70.94.331 and 70.94.395. 80-11-062 (Order DE 80-18), § 173-490-207, filed 8/20/80.]

**WAC 173-490-208 Aerospace assembly and component coating operations.** (1) Specific applicability. This section shall apply to all aerospace component coating facilities that emit an annual average of eighteen kilograms (forty pounds) or more of volatile organic compounds per operating day and as qualified in WAC 173-490-025.

(2) It shall be unlawful for any person to cause or allow:

(a) The application of any primer or topcoat to aerospace components which contains in excess of:

(i) 650 grams of VOC per liter of primer, less water, as applied.

(ii) 600 grams of VOC per liter of topcoat, less water, as applied.

(b) The application of any temporary protective coating to aerospace components that contains more than 250 grams of VOC per liter of material, less water, as applied.

(c) The use of volatile organic compounds of composite vapor pressure of 10.4 kPa (1.5 psia) or greater at a temperature of 21.1°C (70°F) for surface preparation or cleanup, excluding paint removal.

(d) The use of volatile organic compounds for the cleanup of spray equipment used in aerospace component coating operations unless 85 percent of the volatile organic compounds by weight, are collected and disposed such that they are not emitted to the atmosphere.

(e) The use of a stripper which contains more than 400 grams of VOC per liter or has a composite vapor pressure of volatile organic compounds more than 1.3 kPa (0.19 psia) at 21.1°C (70°F).

(3) The emission limits of paragraph (2) shall be achieved by:

(a) The application of reasonably available low solvent coating technology;

(b) A vapor collection and disposal system; or

(c) An equivalent method of VOC reduction certified by the owner or operator and approved by the director.

(4) The provisions of WAC 173-490-208 (2)(a) and (2)(b) shall not apply to the following materials:

(a) Coatings for masking in chemical etching operations,

(b) Adhesive bonding primer,

- (c) Flight test coatings,
  - (d) Space vehicle coatings, or
  - (e) Fuel tank coatings.
- (5) Upon the submission of an alternative coating evaluation, the director may determine that a reasonably available low solvent coating does exist for a given application and may exempt the coating from requirements of WAC 173-490-208. All alternative coating evaluations shall contain, as a minimum:
- (a) Types of products to be coated,
  - (b) Types of coatings evaluated,
  - (c) Results of performance tests,
  - (d) Status of research into development of low VOC coatings for the application,
  - (e) Feasibility of installing control equipment,
  - (f) Mitigating measures that could be implemented to reduce VOC emissions.
- (6) Any facility subject to this section shall submit a report to the department by January 1, 1983. This report shall include, as a minimum, a discussion of the advances in coating technology that have occurred since January 1, 1980, and a forecast of future technology improvements.
- (7) Schedule of control dates.
- (a) The owner or operator of a source shall meet the following applicable increments of progress.
    - (i) Submit final plans for the emission control system, process equipment or low solvent coatings substitution before September 1, 1982.
    - (ii) Award contracts or purchase orders for the emission control system, process equipment or low solvent coatings before January 1, 1983.
    - (iii) Initiate construction or process modifications before March 1, 1983.
    - (iv) Achieve final compliance before July 1, 1983. [Statutory Authority: Chapters 70.94 and 43.21A RCW. 82-16-021 (Order DE 82-22), § 173-490-208, filed 7/27/82.]

### Chapter 173-495 WAC WEATHER MODIFICATION

WAC	
173-495-010	Purpose.
173-495-020	Definitions.
173-495-030	Requirement for licenses and permits.
173-495-040	Exempt activities—Requirements of those exempted.
173-495-045	Qualifications for license—Regular.
173-495-050	Qualifications for license—Restricted license.
173-495-060	Procedures for issuing license.
173-495-065	Period of license.
173-495-070	Permits requirements.
173-495-080	Permittee's report of operations—Requirement.
173-495-100	Revocation, suspension, modification.
173-495-120	Proof of financial responsibility.

**WAC 173-495-010 Purpose.** The department of ecology, under the authority vested in it by chapter 43.37 RCW, is charged with responsibilities for the supervision and control of all weather modification activities within the state, and representation by the state in all interstate contacts relating to weather modification and

control. This regulation provides the basic framework for carrying out the state's responsibility for such a program through the establishment of license and permit requirements and procedures, report requirements, and fee requirements. The provisions of this chapter shall apply to all weather modification activities in all parts of the state except as specifically exempted in this chapter on in chapter 43.37 RCW. [Order DE 77-29, § 173-495-010, filed 12/29/77. Formerly chapter 508-20 WAC.]

**WAC 173-495-020 Definitions.** As used in these regulations unless the context requires otherwise:

- (1) "Department" means the department of ecology.
- (2) "Operation" means the performance of weather modification and control activities pursuant to a single contract entered into for the purpose of producing or attempting to produce a certain modifying effect within one geographical area over one continuing time interval not exceeding one year; or in the case of the performance of weather modification and control activities, individually or jointly, by a person or persons to be benefited and not undertaken pursuant to a contract, operation means the performance of weather modification and control activities entered into for the purpose of producing, or attempting to produce, a certain modifying effect within one geographical area and one continuing time interval not exceeding one year.
- (3) "Research and development" means theoretical analysis, exploration and experimentation, and the extension of investigative findings of theories of a scientific or technical nature into practical application for experimental and demonstration purposes, including the experimental production and testing of models, devices, equipment, materials, and processing.
- (4) "Weather modification and control" means changing or controlling, or attempting to change or control by artificial methods the natural development of any or all atmospheric cloud forms or precipitation forms which occur in the troposphere. [Order DE 77-29, § 173-495-020, filed 12/29/77. Formerly chapter 508-20 WAC.]

**WAC 173-495-030 Requirement for licenses and permits.** No person shall engage in weather modification activities except under and in accordance with a license and a permit issued by the department, unless specifically exempt from this requirement in WAC 173-495-050. [Order DE 77-29, § 173-495-030, filed 12/29/77. Formerly chapter 508-20 WAC.]

**WAC 173-495-040 Exempt activities—Requirements of those exempted.** The following weather modification and control activity shall be exempt from the license requirement of RCW 43.37.100, the permit requirements of RCW 43.37.100, and the liability requirements of RCW 43.37.190:

- (1) All research and experiments related to weather modification control conducted within laboratories.
- (2) Those weather modification operations designed to alleviate sudden, unexpected, hazardous conditions which require expeditious localized action for:

- (a) Protection against fire
- (b) prevention of frost
- (c) dispersal of fog
- (3) Field research and development by institutions of higher learning.

(4) Any person proposing to conduct weather modification and control activities as described in subsection (2) above shall make every reasonable effort prior thereto to notify the department of ecology, headquarters offices in Olympia, Washington, of the type of activity to be carried out, the person carrying out the activity and the materials and technique of application to be used.

(5) Any person proposing to conduct weather modification and control activities as described in subsection (3) above shall provide a written description of the proposed program, notice of actual operations ten days prior to commencement, and quarterly reports of operations and status to the headquarters office department of ecology, Olympia, Washington [Order DE 77-29, § 173-495-040, filed 12/29/77. Formerly chapter 508-20 WAC.]

**WAC 173-495-045 Qualifications for license--**

**Regular.** All applicants for a weather modification license shall be certified professional members of the American Meteorological Society or possess the academic achievements and professional experience necessary to receive such certification. In cases where the applicant is an organization, the individual or individuals who will be in control and in charge of the weather modification and control activities shall be required to meet the above standard. [Order DE 77-29, § 173-495-045, filed 12/29/77. Formerly chapter 508-20 WAC.]

**WAC 173-495-050 Qualifications for license--**

**Restricted license.** (1) A restricted license may be issued to an applicant for such license when:

(a) The applicant's proposed weather modification activities are limited solely to those designed to disperse fog over airports; and

(b) The applicant will be fully advised of the pertinent weather information by the meteorologist on duty during the carrying out of the airport fog dispersal.

(2) Applicants for restricted licenses are not required to meet the qualifications otherwise imposed by WAC 173-495-040. [Order DE 77-29, § 173-495-050, filed 12/29/77. Formerly chapter 508-20 WAC.]

**WAC 173-495-060 Procedures for issuing license.**

(1) Any person or organization desiring to obtain a license or restricted license shall make an application to the department of ecology on the form prescribed, listing name, business address, etc.

(2) The department may require additional information of the applicant to determine competency in the field of meteorology. Such additional information shall be requested of the applicant by certified mail, and shall be submitted in writing.

(3) Prior to the issuance of any license, the applicant shall pay a fee of \$100 to the state of Washington.

(4) The application shall be deemed received by the department of ecology when received at the Headquarters Offices, Department of Ecology, Olympia, Washington, 98504. [Order DE 77-29, § 173-495-060, filed 12/29/77. Formerly chapter 508-20 WAC.]

**WAC 173-495-065 Period of license.** (1) Licenses issued pursuant to chapter 43.37 RCW and these regulations shall be effective for a period of one year, to terminate at the end of the calendar year of issuance.

(2) No later than thirty days prior to the end of the calendar year, the licensee may request a renewal of the license. The department shall review said license upon the payment of a renewal fee of \$100 to the state of Washington.

(3) In the determination of whether or not to grant such renewal request, the department shall consider, and the applicant shall provide, information as to whether the facts and circumstances relied on in the issuance of the original permit have changed or altered. If the department determines that the licensee no longer meets the requirements of competency in the field of meteorology, the department may refuse to renew said license. [Order DE 77-29, § 173-495-065, filed 12/29/77. Formerly chapter 508-20 WAC.]

**WAC 173-495-070 Permits requirements.** (1) Each

weather modification operation not specifically exempted by statute or these regulations shall require a permit. A separate permit shall be issued for each operation.

(2) A license holder desiring to conduct a weather modification operation shall submit an application for a permit to the department of ecology.

(3) The permit applicant must hold a valid weather modification license from the state of Washington.

(4) The applicant shall publish notice of intention at least once a week for three consecutive weeks in a legal newspaper having general circulation and published within any county in which the operation is to be conducted and in which the affected area is located, or, if the operation is to be conducted in more than one county or if the affected area is located in more than one county or is located in a county other than the one in which the operation is to be conducted, then in a legal newspaper having a general circulation and published within each of such counties. In case there is no legal newspaper published within the appropriate county, publication shall be made in a legal newspaper having a general circulation within the county.

(5) Proof of publication of the notice of intention, made in the manner provided herein, shall be filed by the licensee with the department within fifteen days from the date of last publication of the notice.

(6) The notice of intention shall contain at least the following:

- (a) The name and address of the licensee;
- (b) the nature and object of the intended operation and the person or organization on whose behalf it is to be conducted;

(c) the area in which and the appropriate time during which the operation will be conducted;

(d) the area which is intended to be affected by the operation;

(e) the materials and methods to be used in conducting the operation.

(7) The applicant shall furnish proof of financial responsibility, as described in WAC 173-495-120 of this chapter.

(8) The applicant shall pay a permit fee of one and one-half percent of the estimated cost of the operation. The estimated cost will be computed by the department from evidence available to it.

(9) Prior to issuance of a permit the department shall make a determination in writing that the weather modification and control activities proposed to be conducted under authority of the permit have been determined to be for the general welfare and public good.

(10) The department shall hold an open public hearing at its headquarters office in Olympia prior to any such permit issuance. [Order DE 77-29, § 173-495-070, filed 12/29/77. Formerly chapter 508-20 WAC.]

**WAC 173-495-080 Permittee's report of operations--Requirement.** The permittee shall be required to maintain reports on all operations on a daily basis, and submit twice a month (1st day and 15th day) to the department of ecology. The semi-monthly reports shall include the following information:

(1) Number of days under contract.

(2) Number of days of operation and number of hours of each day, for all stations operated.

(3) The consumption rate and name of seeding agent used.

(4) A brief summary statement evaluating the past fifteen day period in regard to the seeding potential and experience.

(5) Location of operations.

(6) Name and mailing address of each individual, other than the licensee, participating or assisting in the operation.

(7) A brief statement of projected plans for the coming fifteen day period.

(8) In the event operations are unexpectedly terminated, a special report covering that fraction of the half-month period of operation is required. All reports must be post-marked not later than one day after due date.

(9) All such records are public records which shall be open to public inspection. [Order DE 77-29, § 173-495-080, filed 12/29/77. Formerly chapter 508-20 WAC.]

**WAC 173-495-100 Revocation, suspension, modification.** (1) All permits authorized by RCW 43.37.110 shall contain the following provisions: "The department may, if it appears that continuing operation under this permit will cause immediate injury to persons or property, terminate or otherwise modify the terms of this permit in order to alleviate an emergency situation by giving notice to the permittee by telegram or other writing."

(2) All permits authorized by RCW 43.37.110 may be revoked, suspended, or modified when the department has reason to believe that good cause exists and that the revocation, suspension, or modification is required for the general welfare and public good. Any such revocation, suspension, or modification shall not be undertaken prior to written notice by certified mail to the permittee. Opportunity for comment by the permittee shall be allowed. Any final departmental decision shall be in writing.

(3) In the event the applicant desires to appeal any permit revocation, modification, or suspension action by the department such appeal must be filed with the pollution control hearings board in Olympia within thirty days of the department's action. An appeal does not constitute a stay. [Order DE 77-29, § 173-495-100, filed 12/29/77. Formerly chapter 508-20 WAC.]

**WAC 173-495-120 Proof of financial responsibility.**

A permit applicant shall furnish proof of financial responsibility to the department of ecology by one of the following:

(1) Copy of insurance policy or binder for the operator.

(2) A current balance sheet showing sufficient assets to demonstrate financial responsibility.

(3) Bond for safe performance.

(4) Such other information as the applicant may provide the department, in writing, if one of the alternate methods (1) - (3), above, is not feasible or available, provided the applicant explains the infeasibility or unavailability. [Order DE 77-29, § 173-495-120, filed 12/29/77.]

**Chapter 173-500 WAC**

**WATER RESOURCES MANAGEMENT PROGRAM  
ESTABLISHED PURSUANT TO THE WATER  
RESOURCES ACT OF 1971**

**WAC**

173-500-010	Background.
173-500-020	Purpose.
173-500-030	Authority.
173-500-040	Water resource inventory areas.
173-500-050	Definitions.
173-500-060	General provisions.
173-500-990	Map—Water resources inventory areas sub-basins.

**WAC 173-500-010 Background.** (1) The Water Resources Act of 1971 (chapter 90.54 RCW) set forth fundamentals of water resource policy to insure that the waters of the state will be protected and fully utilized for the greatest benefit to the people of the state of Washington and, in relation thereto, to provide direction to the department of ecology and other state agencies and officials in carrying out water and related resource programs.

(2) The department was directed, through the adoption of appropriate rules, to develop and implement a comprehensive state water program which would provide a process for making decisions on future water resource allocations and uses.

(3) The act provides that the department of ecology may develop a water program in regional segments so that immediate attention may be given to waters of a give physio-economic region of the state or to specific critical problems of water allocation and use.

(4) The act further directed the department of ecology to modify existing regulations and adopt new regulations to insure that existing regulatory programs are in accord with the water resource policies of the act. [Order DE 75-23, § 173-500-010, filed 1/6/76.]

**WAC 173-500-020 Purpose.** The purpose of this chapter is to set forth a program which will provide guidelines to facilitate the further development of the water resources to the extent of their availability for further appropriation and implement the legislative intent as contained in RCW 90.54.040(1). The program shall, where appropriate:

(1) Identify and foster development of water resource projects;

(2) Declare preferences or priorities of use by categories;

(3) Set forth streams closed to future appropriation;

(4) Establish flows on perennial streams of the state in amounts necessary to provide for preservation of wildlife, fish, scenic, aesthetic, and other environmental values, and navigational values;

(5) Allocate quantities for beneficial uses;

(6) Reserve water for future beneficial use;

(7) Withdraw waters from additional appropriation when sufficient information or data are lacking for the making of sound decisions;

(8) Establish criteria for limit beyond which further appropriation will not be made;

(9) Designate areas within the state to be used for management purposes; and

(10) Be guided by the declaration of fundamentals contained in RCW 90.54.020. [Order DE 75-23, § 173-500-020, filed 1/6/76.]

**WAC 173-500-030 Authority.** This regulation is promulgated by the department of ecology under the authority of chapter 90.54 WAC. [Order DE 75-23, § 173-500-030, filed 1/6/76.]

**WAC 173-500-040 Water resource inventory areas.** For the purposes of this chapter, the state is divided into 62 areas known as water resource inventory areas (WRIAs). The names and numbers of these areas are as follows and are shown on the attached map:

WATER RESOURCES INVENTORY AREAS

WRIA Number, Name

01. Nooksack
02. San Juan
03. Lower Skagit-Samish
04. Upper Skagit
05. Stillaguamish
06. Island

WRIA Number, Name

07. Snohomish
08. Cedar-Sammamish
09. Duwamish-Green
10. Puyallup-White
11. Nisqually
12. Chambers-Clover
13. Deschutes
14. Kennedy-Goldsborough
15. Kitsap
16. Skokomish-Dosewallips
17. Quilcene-Snow
18. Elwah-Dungeness
19. Lyre-Hoko
20. Soleduck-Hoh
21. Queets-Quinault
22. Lower Chehalis
23. Upper Chehalis
24. Willapa
25. Grays-Elokoman
26. Cowlitz
27. Lewis
28. Salmon-Washougal
29. Wind-White Salmon
30. Klickitat
31. Rock-Glade
32. Walla Walla
33. Lower Snake
34. Palouse
35. Middle Snake
36. Esquatzel Coulee
37. Lower Yakima
38. Naches
39. Upper Yakima
40. Alkali-Squilchuck
41. Lower Crab
42. Grand Coulee
43. Upper Crab-Wilson
44. Moses Coulee
45. Wenatchee
46. Entiat
47. Chelan
48. Methow
49. Okanogan
50. Foster
51. Nespelem
52. Sanpoil
53. Lower Lake Roosevelt
54. Lower Spokane
55. Little Spokane
56. Hangman
57. Middle Spokane
58. Middle Lake Roosevelt
59. Colville
60. Kettle
61. Upper Lake Roosevelt
62. Pend Oreille

[Order DE 75-23, § 173-500-040, filed 1/6/76.]

**WAC 173-500-050 Definitions.** For purposes of this chapter and subsequent regulations formulated for planning and management within individual water resource inventory areas, the following definitions shall be used:

(1) "ALLOCATION" means the designating of specific amounts of the water resource for specific beneficial uses.

(2) "APPROPRIATION" means the process of legally acquiring the right to specific amounts of the public water resource for application to beneficial uses.

(3) "BASE FLOW" means a level of streamflow established in accordance with provisions of chapter 90.54 RCW required in perennial streams to preserve wildlife, fish, scenic, aesthetic, and other environmental and navigational values.

(4) "BENEFICIAL USES" are uses of water for domestic, stock watering, industrial, commercial, agricultural, irrigation, hydroelectric power production, mining, fish and wildlife maintenance and enhancement, recreational, and thermal power production purposes, and preservation of environmental and aesthetic values, and all other uses compatible with the enjoyment of the public waters of the state.

(5) "CONSUMPTIVE USE" means use of water whereby there is a diminishment of the water source.

(6) "DEPARTMENT" means the Washington state department of ecology.

(7) "HYDROGRAPH" is a graph showing the variations of streamflow (or stream discharge) with respect to time during a year as determined at a specific cross-sectional location on the stream.

(8) "LOW FLOW" means those flow level limitations appearing as provisions on permits and certificates issued by the department, or its predecessors, prior to the effective dates of chapters 173-501 through 173-599 WAC.

(9) "NONCONSUMPTIVE USE" is a type of water use where either there is no diversion from a source body, or where there is no diminishment of the source.

(10) "PERENNIAL STREAM" means a stream the natural flow of which is normally continuous at any given location.

(11) "STREAM MANAGEMENT UNIT" means stream segments, reaches, or tributaries, each containing a control station, that are identified on stream reach maps in adopted water resource management program documents as units for defining base flow levels.

(12) "WATER RIGHT" means a right to make beneficial use of public waters of the state. [Order DE 75-23, § 173-500-050, filed 1/6/76.]

**WAC 173-500-060 General provisions.** (1) The provisions of this chapter shall apply to chapters 173-501 through 173-599 WAC unless the language of said chapters is clearly to the contrary.

(2) As sufficient data are obtained for each WRIA and/or grouping thereof in the state to enable the department to formulate a water resource planning and management program for such area, the department shall by regulation establish policies for the beneficial use of public waters pursuant to RCW 90.54.040.

(3) Water rights established prior to the effective date of rules adopted under chapters 173-500 and 173-501 through 173-599 WAC shall not be affected by such rules.

(4) **LOW FLOW LIMITATIONS TO PREVAIL** (1) Notwithstanding the establishment of base flows established hereunder, existing low flow limitations shall remain in effect.

(5) **BASE FLOW PROVISIONS FOR WATER RIGHTS.**

(a) Surface water and/or ground water appropriation permits, issued subsequent to the effective dates of chapters 173-501 through 173-599 WAC, that will allow either direct diversion from or have a measurable effect on streams where base flow limitations of this chapter, and any such permits or certificates shall be appropriately conditioned to assure maintenance of said base flows.

(b) The base flow provisions for any water right located in a stream management unit shall specifically describe the base flow levels for the control station in that unit and shall refer generally to other downstream base flow requirements that may also become controlling and critical to the use of water under such right.


(6) **BASE FLOW CHANGES.** If it becomes necessary to change a control station location or to add new control stations to improve management capability, the department shall develop streamflow relationships, by accepted engineering procedures, between previously established control station locations and the new location for use in regulating water rights that are subject to base flow limitations.

(7) **MINIMUM WATER FLOWS AND LEVELS.** The provisions of this chapter shall in no manner be interpreted to preclude utilization of chapter 90.22 RCW.

(8) **PRIORITIES OR ALLOCATION BY USE CATEGORIES - LIMITATIONS.** Nothing in chapters 173-501 through 173-599 WAC relating to priorities or allocations by use shall be construed to apply to water rights or the historic water use patterns that predate the individual management regulations. [Order DE 75-23, § 173-500-060, filed 1/6/76.]

WAC 173-500-990 Map--Water resources inventory areas sub-basins.

WAC Map WATER RESOURCES INVENTORY AREAS SUB-BASINS.



[Order DE 75-23, Map (codified as WAC 173-500-990), filed 1/6/76.]

**Chapter 173-507 WAC**

**INSTREAM RESOURCES PROTECTION PROGRAM--SNOHOMISH RIVER BASIN, WATER RESOURCE INVENTORY AREA (WRIA) 7**

- WAC
- 173-507-010 General provision.
- 173-507-020 Establishment of instream flows.
- 173-507-030 Surface water source limitations to further consumptive appropriations.
- 173-507-040 Ground water.
- 173-507-050 Exemptions.
- 173-507-060 Future rights.
- 173-507-070 Enforcement.
- 173-507-080 Regulation review.

**WAC 173-507-010 General provision.** These rules apply to surface waters within the Snohomish River basin, WRIA-7 (see WAC 173-500-040). Chapter 173-500 WAC, the general rules of the department of ecology for the implementation of the comprehensive

water resources program, applies to this chapter 173-507 WAC. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-003 (Order DE 79-8), § 173-507-010, filed 9/6/79.]

**WAC 173-507-020 Establishment of instream flows.** (1) Instream flows are established for stream management units with monitoring to take place at certain control stations as follows:

**STREAM MANAGEMENT UNIT INFORMATION**

Control Station No. Stream Management Unit Name	Control Station by River Mile and Section, Township and Range	Affected Stream Reach Including Tributaries
12.1330.00 So. Fk. Skykomish River	51.6 28-27-10E	From confluence with N. Fk. Skykomish River to headwaters.
12.1381.50 Sultan River	5.1 17-28-8E	From mouth to headwaters.



Snohomish River Basin

173-507-020

Control Station No. Stream Management Unit Name	Control Station by River Mile and Section, Township and Range	Affected Stream Reach Including Tributaries
12.1411.00 Skykomish River	25.0 12-27-6E	From mouth to headwaters, ex- cluding So. Fk. Skykomish River and Sultan River.
12.1430.00 No. Fk. Snoqualmie	2.2 26-24-8E	From mouth to headwaters.
12.1445.00 Snoqualmie River	40.0 19-24-8E	From Snoqualmie Falls to head- waters, excluding No. Fork Snoqualmie River.
12.1485.00 Tolt River	8.7 31-26-8E	From mouth to headwaters.
12.1490.00 Snoqualmie River	23.0 9-25-7E	From confluence with Harris Creek to Snoqualmie Falls, excluding Tolt River.
12. Snoqualmie River	2.5 26-27-6E	From mouth to confluence with Harris Creek, including Harris Creek.
12.1554.00 Pilchuck River	1.9 18-28-6E	From mouth to headwaters.
12.1508.00 Snohomish River	20.4 16-27-6E	From influence of mean annual high tide at low base flow levels to confluence with Skykomish River and Snoqualmie River, excluding Pilchuck River.

(2) Instream flows established for the stream management units in WAC 173-507-020(1) are as follows:

**INSTREAM FLOWS IN THE SNOHOMISH RIVER BASIN**  
(in Cubic Feet per Second)

Month	Day	12.1330.00 So.Fk. Skykomish	12.1411.00 Skykomish	12.1430.00 No.Fk* Snoqualmie	No.Fk** Snoqualmie
Jan.	1	900	2200	260	200
	15	900	2200	260	200
Feb.	1	900	2200	260	200
	15	900	2200	260	200
Mar.	1	900	2200	260	200
	15	900	2200	300	200
Apr.	1	1100	2650	300	200
	15	1250	3250	300	200
May	1	1250	4000	300	200
	15	1250	4900	300	200
June	1	1250	4900	300	200
	15	1250	4900	300	200
July	1	1250	3250	300	200
	15	950	2170	195	140
Aug.	1	650	1450	130	100
	15	450	1000	130	100
Sept.	1	450	1000	130	100
	15	450	1000	130	100
Oct.	1	550	1300	130	130
	15	700	1700	165	165

Month	Day	12.1330.00 So.Fk. Skykomish	12.1411.00 Skykomish	12.1430.00 No.Fk* Snoqualmie	No.Fk** Snoqualmie
Nov.	1	900	2200	210	200
	15	900	2200	260	200
Dec.	1	900	2200	260	200
	15	900	2200	260	200

\*Normal year flows must be maintained at all times unless a critical condition is declared by the director. The director, or his designee, may authorize, in consultation with the state departments of fisheries and game, a reduction in instream flows during a critical condition period. At no time are diversions subject to this regulation permitted for any reason when flows fall below the following critical year flows, except where a declaration of overriding considerations of public interest is made by the director.

\*\*Critical year flows represent flows below which the department believes substantial damage to instream values will occur.

Month	Day	12.1381.50 Sultan	12.1445.00 Snoqualmie (above Falls)	12.1485.50 Tolt River*	Tolt River**
Jan.	1		1550	280	190
	15		1550	280	190
Feb.	1		1550	280	190
	15		1550	280	190
Mar.	1		1550	280	190
	15		1550	280	190
Apr.	1		1550	280	190
	15		1550	280	190
May	1		1550	280	190
	15		1550	280	190
June	1		1550	280	190
	15		1550	280	165
July	1		1550	280	140
	15		1100	240	120
Aug.	1		770	170	120
	15		600	120	120
Sept.	1		600	120	120
	15		600	120	120
Oct.	1		820	190	185
	15		1100	280	190
Nov.	1		1550	280	190
	15		1550	280	190
Dec.	1		1550	280	190
	15		1550	280	190

\*Normal year flows must be maintained at all times unless a critical condition is declared by the director. The director, or his designee, may authorize, in consultation with the state departments of fisheries and game, a reduction in instream flows during a critical condition period. At no time are diversions subject to this regulation permitted for any reason when flows fall below the following critical year flows, except where a declaration of overriding considerations of public interest is made by the director.

\*\*Critical year flows represent flows below which the department believes substantial damage to instream values will occur.

Month	Day	12.1490.00 Snoqualmie	12. Snoqualmie (Carnation)	12.1554.00 Pilchuck R.	12.1508.00 Snohomish R.
Jan.	1	2500	2800	300	6000
	15	2500	2800	300	6000
Feb.	1	2500	2800	300	6000
	15	2500	2800	300	6000

Month	Day	12.1490.00	12.1554.00	12.1508.00
		Snoqualmie	Snoqualmie	Pilchuck R. Snohomish
(Carnation) (mouth)				
Mar.	1	2500	2800	300
	15	2500	2800	300
Apr.	1	2500	2800	300
	15	2500	2800	300
May	1	2500	2800	300
	15	2500	2800	300
June	1	2500	2800	300
	15	2500	2800	300
July	1	1850	2180	220
	15	1300	1550	160
Aug.	1	950	1080	120
	15	700	800	85
Sept.	1	700	800	85
	15	700	800	85
Oct.	1	1050	1200	130
	15	1650	1850	200
Nov.	1	2500	2800	300
	15	2500	2800	300
Dec.	1	2500	2800	300
	15	2500	2800	300

(3) Instream flow hydrographs, as represented in the document entitled "Snohomish River instream resource protection program," shall be used for definition of instream flows on those days not specifically identified in WAC 173-507-020(2).

(4) All consumptive water rights hereafter established shall be expressly subject to the instream flows established in WAC 173-507-020(1) through (3).

(5) At such time as the departments of fisheries and/or game and the department of ecology agree that additional stream management units should be defined, other than those specified in WAC 173-507-020(1), the department of ecology shall identify additional control stations and management units on streams and tributaries within the basin and shall set instream flows where possible for those stations as provided in chapters 90.22 and 90.54 RCW. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-003 (Order DE 79-8), § 173-507-020, filed 9/6/79.]

**WAC 173-507-030 Surface water source limitations to further consumptive appropriations.** (1) The department, having determined further consumptive appropriations would harmfully impact instream values, adopts instream flows as follows confirming surface water source limitations previously established administratively under authority of chapter 90.03 RCW and RCW 75.20.050.

**LOW FLOW LIMITATIONS**

Stream	Limitation	Point of Measurement
Evans Creek, Tributary to Lake Beecher	No diversion when flow drops below 2.0 cfs.	800 ft. So. and 800 ft. east of center of Sec. 7, T. 27 N., R. 6 E.W.M.
Foye Creek Tributary to Riley Slough	No diversion when flow drops below 4.0 cfs.	750 ft. So. and 325 ft. east of N1/4 cor. of Sec. 18, T. 27 N., R. 6 E.W.M.

Stream	Limitation	Point of Measurement
French Creek, Tributary to Snohomish River	No diversion when flow drops below 0.75 cfs.	125 ft. No. and 1300 ft. west of E1/4 of Sec. 20, T. 28 N., R. 6 E.W.M.
Langlois Creek Tributary to Tolt River	No diversion when flow drops below 3.0 cfs.	1040 ft. No. and 1250 ft. east of SW1/4 cor. of Sec. 22, T. 25 N., R. 7 E.W.M.
Tate Creek, Tributary to No. Fk. Snoqualmie River	No diversion when flow drops below 2.0 cfs.	900 ft. east and 870 ft. No. of W1/4 cor. of Sec. 26, T. 24 N., R. 8 E.W.M.
Tulalip Creek, Tributary to Tulalip Bay	No diversion when flow drops below 2.5 cfs.	1125 ft. west and 125 ft. No. of S1/4 cor. of Sec. 22, T. 30 N., R. 4 E.W.M.
Unnamed Stream (Coon Creek), Tributary to Pilchuck River	No diversion when flow drops below 1.0 cfs.	480 ft. No. and 240 ft. west of center of Sec. 19, T. 30 N., R. 7 E.W.M.
Unnamed Stream (Coon Creek), Tributary to Pilchuck River	One-half of low flow must be bypassed.	800 ft. east and 1100 ft. So. of W1/4 cor. of Sec. 19, R. 30 N., R. 7 E.W.M.
Unnamed Stream, Tributary to Cherry Creek	No diversion when flow drops below 1.0 cfs.	1000 ft. So. and 400 ft. west of NE cor. of Sec. 16, T. 26 N., R. 7 E.W.M.
Unnamed Stream, Tributary to McCoy Creek	No diversion when flow drops below 0.5 cfs.	600 ft. west and 100 ft. No. of SE cor. of Sec. 5, T. 27 N., R. 8 E.W.M.
Unnamed Stream, Tributary to Snoqualmie River	No diversion when flow drops below 30.0 cfs.	350 ft. west and 900 ft. No. of SE cor. of Sec. 5, T. 27 N., R. 8 E.W.M.
Unnamed Stream (Solberg Creek), Tributary to Snoqualmie River	No diversion when flow drops below 2.0 cfs.	600 ft. west and 1050 ft. No. of E cor. of Sec. 12, T. 25 N., R. 6 E.W.M.
Unnamed Stream, Tributary to Snoqualmie River	One-half of low flow must be bypassed.	500 ft. So. and 1120 ft. east of center Sec. 28, T. 25 N., R. 7 E.W.M.
Unnamed Stream, Tributary to Snoqualmie River	No diversion when flow falls below 1.0 cfs.	600 ft. No. of E1/4 cor. of Sec. 28, T. 25 N., R. 7 E.W.M.
Wood Creek, Tributary to Snohomish River	No diversion when flow drops below 0.75 cfs.	335 ft. No. and 130 ft. east of S1/4 cor. of Sec. 8, T. 28 N., R. 5 E.W.M.
Woods Creek Tributary to Skykomish River	No diversion when flow drops below 11.0 cfs.	Immediately below confl. of West Fork in SE1/4NW1/4 Sec. 33, T. 28 N., R. 7 E.W.M.
Woods Creek, Tributary to Skykomish River	No diversion when flow drops below 6.0 cfs.	Immediately above said confl. of West Fork.
Woods Creek, Tributary to Skykomish River	No diversion when flow drops below 2.5 cfs.	Immediately above confl. of Roesigner Cr. in NE1/4NW1/4 of Sec. 3, T. 28 N., R. 7 E.W.M.
Woods Creek, Tributary to Skykomish River	No diversion when flow drops below 0.5 cfs.	Roesigner Creek, immediately above said confl. with Woods Creek.
Woods Creek, Tributary to Skykomish River	No diversion when flow drops below 5.0 cfs.	West Fork, immediately above said confl. with Woods Creek.

Stream	Limitation	Point of Measurement
Woods Creek, Tributary to Skykomish River	No diversion when flow drops below 2.5 cfs.	West Fork when it crosses the No. line of Sec. 5, T. 28 N., R. 7 E.W.M.
Unnamed Lake (Morris Lake), Tributary to Horseshoe Lake	No diversion when flow drops below 1.0 cfs.	Lake outlet at NE1/4NE1/4 of Sec. 9, T. 25 N., R. 7 E.W.M.

NOTE: Affected stream reaches extend from mouth to headwaters and include all tributaries in the contributing drainage area unless specifically excluded.

(2) The department, having determined there are no waters available for further appropriation through the establishment of rights to use water consumptively, closes the following streams to futher [further] consumptive appropriation for the periods indicated. These closures confirm surface water source limitations previously established administratively under authority of chapter 90.03 RCW and RCW 75.20.050.

**SURFACE WATER CLOSURES**

Stream	Date of Closure	Period of Closure
Griffin Creek, Tributary to Snoqualmie River	9/22/53	All year
Harris Creek, Tributary to Snoqualmie River	1/20/44	All year
Little Pilchuck Creek, Tributary to Pilchuck River	5/6/52	All year
May Creek, Tributary to Wallace River	10/13/53	All year
Patterson Creek, Tributary to Snoqualmie River	2/19/52	All year
Quilceda Creek, Tributary to Ebey Slough	6/10/46	All year
Raging River, Tributary to Snoqualmie River	9/20/51	All year
Unnamed Stream (Bodell Creek), Tributary to Pilchuck River	9/6/51	All year

[Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-003 (Order DE 79-8), § 173-507-030, filed 9/6/79.]

**WAC 173-507-040 Ground water.** In future permitting actions relating to ground water withdrawals, the natural interrelationship of surface and ground waters shall be fully considered in water allocation decisions to assure compliance with the meaning and intent of this regulation. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-003 (Order DE 79-8), § 173-507-040, filed 9/6/79.]

**WAC 173-507-050 Exemptions.** (1) Nothing in this chapter shall affect existing water rights, riparian, appropriative, or otherwise, existing on the effective date of this chapter, nor shall it affect existing rights relating to the operation of any navigation, hydroelectric or water storage reservoir or related facilities.

(2) Domestic inhouse use for a single residence and stock watering, except that related to feed lots, shall be exempt. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-003 (Order DE 79-8), § 173-507-050, filed 9/6/79.]

**WAC 173-507-060 Future rights.** No right to divert or store public surface waters of the Snohomish WRIA 7 shall hereafter be granted which shall conflict with the instream flows and closures established in this chapter. Future rights for nonconsumptive uses, subject to the conditions herein established, may be granted. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-003 (Order DE 79-8), § 173-507-060, filed 9/6/79.]

**WAC 173-507-070 Enforcement.** In enforcement of this chapter, the department of ecology may impose such sanctions as appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190 and civil penalties under RCW 43.83B.335. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-003 (Order DE 79-8), § 173-507-070, filed 9/6/79.]

**WAC 173-507-080 Regulation review.** The rules in this chapter shall be reviewed by the department at least once in every five year period. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-003 (Order DE 79-8), § 173-507-080, filed 9/6/79.]

**Chapter 173-508 WAC**

**INSTREAM RESOURCES PROTECTION PROGRAM--CEDAR-SAMMAMISH BASIN, WATER RESOURCE INVENTORY AREA (WRIA) 8**

WAC	
173-508-010	Authority.
173-508-020	Purpose.
173-508-030	Closures and instream flows.
173-508-040	Table 1. Cedar-Sammamish basin - WRIA 8.
173-508-050	Ground water.
173-508-060	Instream flows for the Cedar River.
173-508-070	Future rights.
173-508-080	Exemptions.
173-508-090	Enforcement.
173-508-100	Regulation review.

**WAC 173-508-010 Authority.** This chapter is promulgated pursuant to chapter 90.54 RCW (Water Resources Act of 1971), chapter 90.22 RCW (minimum water flows and levels), and in accordance with chapter 173-500 WAC (water resource management program). [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-002 (Order DE 79-9), § 173-508-010, filed 9/6/79. Formerly chapter 173-30 WAC.]

**WAC 173-508-020 Purpose.** The purpose of this chapter is to retain perennial rivers, streams, and lakes in Lake Washington drainages with instream flows and levels necessary to provide for preservation of wildlife, fish, scenic, aesthetic and other environmental values, navigational values, and to preserve water quality. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-002 (Order DE 79-9), § 173-508-020, filed 9/6/79.]

**WAC 173-508-030 Closures and instream flows.** (1) The department of ecology has determined that additional diversions of water from the Lake Washington drainage system would deplete instream flows and lake levels required to support the uses described in WAC 173-508-020. Therefore, lakes and streams contributing to the Lake Washington drainage above the Hiram M. Chittenden Locks, excluding the Cedar River drainage, shall be closed to further consumptive appropriations. Regulation to protect instream flows in the Cedar River and its tributaries shall be undertaken pursuant to WAC 173-508-060.

(2) WAC 173-508-040—Table 1, includes specific named and unnamed surface water sources in water resource inventory area 8 with restrictions indicated. All tributaries in the Lake Washington drainage not specifically included in Table 1 are closed. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-002 (Order DE 79-9), § 173-508-030, filed 9/6/79.]

**WAC 173-508-040 Table 1. Cedar-Sammamish basin - WRIA 8.**

Stream or Lake	Tributary to	Restriction
(Little) Bear Creek	Sammamish River	Closure
Cedar River (including tributaries)	Lake Washington	Instream Flow Levels
Coal Creek	Lake Washington	Closure
Cottage Lake Creek and tributaries, Bear Creek, Evans Creek	Sammamish River	Closure
Haller Lake	Thornton Creek	Closure
Issaquah Creek	Sammamish Lake	Closure
N. Fork Issaquah		Closure
E. Fork Issaquah		Closure
Unnamed Stream		Closure
Fifteen Mile Creek		Closure
Holder Creek		Closure
Carey Creek		Closure
Lake Washington	Puget Sound	Closure
Sammamish River	Lake Washington	Closure
Lake Sammamish	Sammamish River	Closure
Tibbetts Creek	Sammamish Lake	Closure
Pine Lake and Unnamed Stream (Pine Lake Creek)	Sammamish Lake	Closure
Laughing Jacobs Creek	Sammamish Lake	Closure
Larson Lake (including tributaries)	Lake Washington	Closure
Lyon Creek	Lake Washington	Closure
Martha Lake	Swamp Creek	Closure
May Creek	Lake Washington	Closure
McAleer Creek		Closure
Lake Ballinger (McAleer Lake)	Lake Washington	Closure
Mercer Slough	Lake Washington	Closure
Kelsey Creek		Closure
Kinsley Creek		Closure
Mercer Slough Creek		Closure
North Creek	Sammamish River	Closure
Silver Lake		Closure
Pipers Creek	Puget Sound	Closure
Rock Creek	Cedar River	Closure
Swamp Creek	Sammamish River	Closure
Unnamed Springs	Sammamish Lake	Closure
Unnamed Stream (11-26-3E)	Puget Sound	Closure

Stream or Lake	Tributary to	Restriction
Unnamed Stream (12-24-5E)	Sammamish Lake	Closure
Unnamed Stream (Jones Creek)	Cedar River	Closure
Unnamed Stream (Juanita Creek)	Lake Washington	Closure
Unnamed Stream (Northrup Creek)	Lake Washington	Closure
Unnamed Stream (Wildcat Creek)	Sammamish River	Closure
Thornton Creek	Lake Washington	Closure

[Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-002 (Order DE 79-9), § 173-508-040, filed 9/6/79.]

**WAC 173-508-050 Ground water.** In future permitting actions relating to ground water withdrawals, the natural interrelationship of surface and ground waters shall be fully considered in water allocation decisions to assure compliance with the intent of this chapter. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-002 (Order DE 79-9), § 173-508-050, filed 9/6/79.]

**WAC 173-508-060 Instream flows for the Cedar River.** (1) The instream flows established in this section apply to waters of the Cedar River and affect the entire watershed drained by the Cedar River including all tributaries thereto.

(2) Instream flows established in this section shall be measured at the existing U.S. Geological Survey gaging station No. 12.1190.00 on the Cedar River at Renton, Washington.

(3) Except as provided herein (critical year flows), water flows in the Cedar River and tributaries thereto shall, to the extent depletion under existing rights and natural flow conditions permit, be maintained throughout each year at levels which, during the time periods designated, do not fall below the following measurements:

**(a) Normal Year Flow**

January 1 to June 20:	370 cfs
June 20 to July 15:	Linear decrease from 370 cfs on June 20 to 130 cfs on July 15
July 15 to September 10:	130 cfs
September 10 to September 20:	Linear increase from 130 cfs on September 10 to 200 cfs on September 20
September 20 to October 1:	200 cfs
October 1 to October 10:	Linear increase from 200 cfs on October 1 to 370 cfs on October 10
October 10 to January 1:	370 cfs

Normal year flows must be maintained at all times unless a critical condition is declared by the director. If natural Cedar River flows fall below the 1 in 10 year Cedar River flow frequency, the director, or his designee, may authorize flows below the normal year flows, but not lower than the critical year flow except where a declaration of overriding considerations of public interest is made by the director. All requests to deplete below the established instream flow level will be considered on a case-by-case basis.

**(b) Critical Year Flow**

January 1 to June 15:	250 cfs
-----------------------	---------

June 15 to July 1:	Linear decrease from 250 cfs on June 15 to 110 cfs on July 1	173-509-030	Establishment of instream flows.
July 1 to October 1:	110 cfs	173-509-040	Surface water source limitations to further consumptive appropriations.
October 1 to November 1:	Linear increase from 110 cfs on October 1 to 250 cfs on November 1	173-509-050	Ground water.
		173-509-060	Future rights.
		173-509-070	Exemptions.
		173-509-080	Enforcement.
November 1 to January 1:	250 cfs	173-509-090	Regulation review.
		173-509-100	Implementation.

Critical year flows represent flows below which the department believes substantial damage to instream values will occur. Critical year flows are expected to be met unless natural Cedar River flows fall below the one in fifty year Cedar River flow frequency. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-002 (Order DE 79-9), § 173-508-060, filed 9/6/79.]

**WAC 173-508-070 Future rights.** No water rights to divert or store public surface waters of the Cedar-Sammamish basin WRIA 8 shall hereafter be granted which shall conflict with the instream flows and closures established in this chapter. Future rights for nonconsumptive uses may be granted the provisions of this chapter. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-002 (Order DE 79-9), § 173-508-070, filed 9/6/79.]

**WAC 173-508-080 Exemptions.** (1) Nothing in this chapter shall affect any existing water rights, riparian, appropriative, or otherwise, existing on the effective date of this chapter; nor shall it affect existing rights relating to the operation of any navigation, hydroelectric or water storage reservoir or related facilities.

(2) Domestic inhouse use for a single residence and stock watering, except that related to feedlots, shall be exempt from this chapter. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-002 (Order DE 79-9), § 173-508-080, filed 9/6/79.]

**WAC 173-508-090 Enforcement.** In enforcement of this chapter, the department of ecology may impose such sanctions as appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190 and civil penalties under RCW 43.83B.335. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-002 (Order DE 79-9), § 173-508-090, filed 9/6/79.]

**WAC 173-508-100 Regulation review.** The rules in this chapter shall be reviewed by the department at least once in every five year period. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 79-10-002 (Order DE 79-9), § 173-508-100, filed 9/6/79.]

### Chapter 173-509 WAC

#### INSTREAM RESOURCES PROTECTION PROGRAM--GREEN-DUWAMISH RIVER BASIN, WATER RESOURCE INVENTORY AREA (WRIA) 9

WAC	
173-509-010	Purpose.
173-509-015	Background.
173-509-020	General provision.

173-509-030	Establishment of instream flows.
173-509-040	Surface water source limitations to further consumptive appropriations.
173-509-050	Ground water.
173-509-060	Future rights.
173-509-070	Exemptions.
173-509-080	Enforcement.
173-509-090	Regulation review.
173-509-100	Implementation.

**WAC 173-509-010 Purpose.** The purpose of this chapter is to retain perennial rivers, streams, and lakes in the Green-Duwamish drainage basin with instream flows and levels necessary for preservation and protection of wildlife, fish, scenic, aesthetic and other environmental values, recreational and navigational values, and to preserve water quality. Nothing in this chapter shall preclude the future issuance of regulations and/or signing of intergovernmental agreements which attempt to optimize the total public use of the basin water resources, providing they are consistent with the intent of this chapter. The instream flow rules presented here are for preservation of the existing resources so that when future planning or development occurs on this river these resources will be available. [Statutory Authority: RCW 90.22.020, 90.54.020 and 90.54.040. 80-07-005 (Order DE 79-32), § 173-509-010, filed 6/6/80.]

**WAC 173-509-015 Background.** The Green-Duwamish River basin has been modified significantly since settlement of the area. Urbanization in the lower basin has influenced water quality and diversions for municipal and industrial water supply have altered the stream flow of the Green-Duwamish River. Ground water has been developed for consumptive use within the basin. The White River originally had a confluence with the Green River near Auburn but since 1906 it has been diverted into the Puyallup River. A dam on the Black River near Tukwila prevents water from the Green River from flowing into Lake Washington during periods of high flow. In 1913 the city of Tacoma commenced diversions for municipal and industrial uses. Since 1962 the Green-Duwamish River has been influenced by the operation of the Howard A. Hanson Dam, a Corps of Engineers flood control project with authorization to provide instream flow maintenance of at least 110 cfs for fisheries conservation purposes. The operation has also considered drinking water quality requirements of the city of Tacoma.

The Green-Duwamish River basin is a natural rearing and spawning area primarily for steelhead trout and chinook, coho and chum salmon. Fish hatcheries are located on tributary streams and these contribute to total numbers of fish produced by the river system. The river itself and the shoreline also offer easily accessible recreational opportunities. [Statutory Authority: RCW 90.22.020, 90.54.020 and 90.54.040. 80-07-005 (Order DE 79-32), § 173-509-015, filed 6/6/80.]

**WAC 173-509-020 General provision.** These rules apply to all waters within the Green-Duwamish River basin, WRIA 9 (see WAC 173-500-040). This chapter is promulgated pursuant to chapter 90.54 RCW (Water

Resources Act of 1971), chapter 90.22 RCW (minimum water flows and levels), and in accordance with chapter 173-500 WAC (water resources management program). The provisions of this chapter apply, as a matter of state law, to future water right authorizations issued pursuant to the state's water rights codes. [Statutory Authority: RCW 90.22.020, 90.54.020 and 90.54.040. 80-07-005 (Order DE 79-32), § 173-509-020, filed 6/6/80.]

**WAC 173-509-030 Establishment of instream flows.** (1) Instream flows are established for stream management units with monitoring to take place at certain control stations as follows:

**STREAM MANAGEMENT UNIT INFORMATION**

Control Station No. Stream Management Unit Name	Control Station by River Mile and Section, Township and Range	Affected Stream Reach Including Tributaries
12.1130.00 Green River near Auburn, WA	32.0 17-21-5	From influence of mean annual high tide at low instream flow levels (approximately River Mile 11.0) to USGS Gage #12.1067.000
12.1067.00 Gage Green River near Palmer, WA	60.4 13-21-7	From USGS #12.1067.000 to headwaters.

The Palmer gage will be used to condition future water rights upstream from that gage. The Auburn gage will be used to condition future water right appropriations downstream from the Palmer gage. If it becomes necessary to change a control station location to improve measurement accuracy or management capability, the department shall do so under provisions in WAC 173-500-060(6).

(2) Instream flows established for the stream management units in WAC 173-509-030(1) are as follows:

**INSTREAM FLOWS FOR FUTURE WATER RIGHTS IN THE GREEN-DUWAMISH RIVER BASIN (in Cubic Feet per Second)**

Month	Day	12.1130.00 Normal Year Green River Near Auburn	12.1067.00 Normal Year Green River Near Palmer	12.1067.00 Critical Year Green River Near Palmer
Jan.	1	650	300	300
	15	650	300	300
Feb.	1	650	300	300
	15	650	300	300
Mar.	1	650	300	300
	15	650	300	300
Apr.	1	650	300	300
	15	650	300	300
May	1	650	300	300
	15	650	300	300
June	1	650	300	300
	15	650	300	210
July	1	550	300	150
	15	300	150	150
Aug.	1	300	150	150
	15	300	150	150
Sept.	1	300	150	150
	15	300	150	150
Oct.	1	300	190	150

Month	Day	12.1130.00 Normal Year Green River Near Auburn	12.1067.00 Normal Year Green River Near Palmer	12.1067.00 Critical Year Green River Near Palmer
	15	350	240	150
Nov.	1	550	300	190
	15	550	300	240
Dec.	1	650	300	300
	15	650	300	300

(a) Future water right holders subject to regulation by the Palmer gage will not be allowed to continue diversions when flows fall below the normal year instream flows at the Palmer gage unless a critical condition is declared by the director. The director, or his designee, may authorize, in consultation with the state departments of fisheries and game, a reduction in instream flows during a critical condition period. At no time will diversions subject to regulation by the Palmer gage be continued when flows fall below the critical year instream flows at Palmer. At no time will diversions subject to regulation by the Auburn gage be continued when flows fall below the normal year instream flows at Auburn. When a declaration of overriding considerations of public interest is made by the director, these requirements may be modified or waived. A declaration of overriding consideration because of drought conditions shall not be made when natural flows equal or exceed the one-in-fifty year low flow condition. The director shall consult with the directors of the state departments of game and fisheries before making a declaration of overriding consideration. Any declaration of critical conditions or overriding considerations of public interest made by the director shall be communicated to all basin resource agencies, water purveyors, and local general purpose governments, and include the reason for such declaration and its expected duration.

(b) The director will consider declaring a critical period when:

(1) In the spring the basin runoff volume forecast of May 1 is not adequate to meet the sum of any rights which the city of Tacoma may have established through historical usage prior to the adoption of this regulation plus the normal year instream flows plus the volume required to replenish the conservation storage.

(2) In the summer and fall the sum of the reservoir inflows extrapolated from current observations plus the volume of water in storage at Howard A. Hanson Dam is not adequate to meet the sum of any rights which the city of Tacoma may have established through historical usage prior to the adoption of this regulation plus the normal year instream flows. Within five days the director will inform the major affected water right holders of the extent of the allowed deviation from the normal year instream flows. Once a deviation from normal year instream flows is allowed, the water resources shall be evaluated at least every 7 days to see if additional deviation is warranted. Before allowing deviation from the normal year instream flows, water conservation practices and use of other sources shall be considered.


(c) In addition to other necessary provisions, any diversion of the natural flow, including diversion to storage under future water rights shall cease (or be regulated to

the extent necessary) when the flow at the applicable control station falls below (or is less than) the instream flows established by this regulation and made a condition of said future water right. Said future water rights are subject to the rights and authority of the Corps of Engineers to utilize for storage and conservation flows, the natural inflow to the Howard A. Hanson reservoir and to all other prior water right holders' authorized use of natural flows, including any rights that the city of Tacoma may have established through historical usage. The use of stored waters is not to be impaired, limited, or diminished by this regulation.

The department recognizes that from time to time the Corps of Engineers may establish a minimum reservoir level which is necessary to provide conservation flows with a high measure of assurance. When the reservoir falls below this level it may be necessary for the Corps of Engineers to replenish conservation storage. When this occurs, water rights subject to the provisions of this chapter may be temporarily regulated or diminished and the actual stream discharge diminished.

(3) Instream flows, as represented in Figure 1, shall be used for definition of instream flows on those days not specifically identified in WAC 173-509-030(2).

FIGURE 1 - PROPOSED INSTREAM FLOWS FOR FUTURE WATER RIGHTS IN THE GREEN-DUWAMISH RIVER BASIN



(4) All consumptive water rights hereafter established shall be expressly subject to the instream flows established in WAC 173-509-030(1) through (3). However, nothing in this section shall prohibit the release or diversion of stored water or the use of any water course as a means for its conveyance in accordance with RCW 90.03.030. [Statutory Authority: RCW 90.22.020, 90.54.020 and 90.54.040, 80-07-005 (Order DE 79-32), § 173-509-030, filed 6/6/80.]

**WAC 173-509-040 Surface water source limitations to further consumptive appropriations.** (1) The department, having determined there are no waters available for further appropriation through the establishment of rights to use water consumptively, closes the following streams to further consumptive appropriation for the periods indicated. These closures confirm surface water source limitations previously established administratively under authority of chapter 90.03 RCW and RCW 75.20.050.

SURFACE WATER CLOSURES

Stream	Date of Administrative Closure	Period of Administrative Closure
All tributaries of Green River SE1/4SE1/4 sec. 14, T.32 N., R.4E.	8/19/53	All year
Deep Creek (including Hyde Lk.), tributary to Deep Lake NW1/4SE1/4 sec. 18, T.21N., R.7E.	4/17/53	All year
Unnamed stream (Des Moines Creek, Tributary to Puget Sound) SW1/4SW1/4 sec. 8, T.22N., R.4E.	8/22/52	All year
Unnamed stream (Garrison Creek), Tributary to Black River (indirect) NW1/4NW1/4NW1/4 sec. 6, T.22N., R.5E.	10/18/51	All year
Unnamed stream (Miller Creek) (Maybrook Creek), Tributary to Puget Sound NE1/4NE1/4 sec. 36, T.23N., R.3E.	1/7/46	All year
Unnamed stream (Springbrook Creek), Tributary to Black River NE1/4SE1/4SW1/4 sec. 13, T.23N., R.4E.	11/14/45	All year

(2) The department, having determined that maximum lake levels have been established by court decree for certain lakes in WRIA 9, adopts the following lake levels. These maximum lake levels confirm lake levels previously established by order of the superior court for King County.

MAXIMUM LAKE LEVELS

Lakes	Lake Level Established	Date of Order
Angle Lake	349.27 ft. at MSL	4/21/75
Star Lake	324.46 ft. at MSL	9/20/50
Lake Sawyer (Tributary to Covington Creek)	518.94 ft. at MSL	8/5/52

[Statutory Authority: RCW 90.22.020, 90.54.020 and 90.54.040. 80-07-005 (Order DE 79-32), § 173-509-040, filed 6/6/80.]

**WAC 173-509-050 Ground water.** Future ground-water withdrawal permits will not be affected by this chapter unless such withdrawal would clearly have an adverse impact upon the surface water system contrary to the intent and objectives of this chapter. [Statutory Authority: RCW 90.22.020, 90.54.020 and 90.54.040. 80-07-005 (Order DE 79-32), § 173-509-050, filed 6/6/80.]

**WAC 173-509-060 Future rights.** No right to divert or store public waters of the Green-Duwamish River basin, WRIA 9, shall be granted which shall conflict with the purposes of this chapter: *Provided however*, Withdrawals of water which would conflict with said purposes may be authorized in those situations where it

is clear that overriding considerations of the public interest will be served. [Statutory Authority: RCW 90.22.020, 90.54.020 and 90.54.040. 80-07-005 (Order DE 79-32), § 173-509-060, filed 6/6/80.]

**WAC 173-509-070 Exemptions.** (1) Nothing in this chapter shall affect water rights, riparian, appropriative, or otherwise, existing on the effective date of this chapter, nor shall it affect existing rights relating to the operation of any navigation, hydroelectric or water storage reservoir or related facilities, including but not limited to: (a) Howard Hanson Dam storage and operation as authorized in the Flood Control Act of May 17, 1950; (b) any existing right the city of Tacoma may have.

(2) Domestic inhouse use for a single residence and stock watering, except that related to feed lots, shall be exempt from the provisions of this chapter.

(3) Storage projects may be approved if they are not in conflict with the purposes of this chapter. [Statutory Authority: RCW 90.22.020, 90.54.020 and 90.54.040. 80-07-005 (Order DE 79-32), § 173-509-070, filed 6/6/80.]

**WAC 173-509-080 Enforcement.** In the enforcement of this chapter, the department of ecology may impose such sanctions as appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190 and civil penalties under RCW 43.83B.335. [Statutory Authority: RCW 90.22.020, 90.54.020 and 90.54.040. 80-07-005 (Order DE 79-32), § 173-509-080, filed 6/6/80.]

**WAC 173-509-090 Regulation review.** The rules in this chapter shall be reviewed by the department of ecology at least once in every five year period. The director shall initiate a review of the rules by appointing a committee of major affected water right holders, basin resource management interests, and governmental agencies. [Statutory Authority: RCW 90.22.020, 90.54.020 and 90.54.040. 80-07-005 (Order DE 79-32), § 173-509-090, filed 6/6/80.]

**WAC 173-509-100 Implementation.** In the event the COE is authorized to change the operation of Howard Hanson Dam in order to meet the stream flows established in this chapter and so advises the director, these regulations shall be reviewed by the department within 180 days of the COE authorization to determine, what, if any, amendments are required to maintain the integrity and purpose of this chapter. [Statutory Authority: RCW 90.22.020, 90.54.020 and 90.54.040. 80-07-005 (Order DE 79-32), § 173-509-100, filed 6/6/80.]

**Chapter 173-510 WAC**

**INSTREAM RESOURCES PROTECTION PROGRAM--PUYALLUP RIVER BASIN, WATER RESOURCE INVENTORY AREA (WRIA) 10**

WAC  
173-510-010 General provision.



173-510-020	Purpose.
173-510-030	Establishment of instream flows.
173-510-040	Surface water source limitations to further consumptive appropriations.
173-510-050	Ground water.
173-510-060	Lakes.
173-510-070	Exemptions.
173-510-080	Future rights.
173-510-090	Enforcement.
173-510-100	Regulation review.

Instream Flows in the Puyallup River Basin

		(in cubic feet per second)		
Month	Day	12-0965.00 Puyallup River (At Alderton)	12-1015.00 Puyallup River	12-0957.00 Carbon River
Jan	1	700	1400	600
	15	700	1400	550
Feb	1	750	1400	550
	15	800	1500	550
Mar	1	800	1600	550
	15	850	1700	550
Apr	1	900	1800	600
	15	950	1900	700
May	1	950	2000	900
	15	1000	2000	900
Jun	1	1050	2000	600
	15	1050	2000	500
Jul	1	1050	2000	450
	15	1050	1750	400
Aug	1	900	1500	350
	15	800	1300	350
Sep	1	600	1150	350
	15	500	1000	350
Oct	1	500	1000	350
	15	500	1000	550
Nov	1	600	1000	550
	15	700	1100	600
Dec	1	700	1200	700
	15	700	1300	700

**WAC 173-510-010 General provision.** These rules apply to waters within the Puyallup River basin, WRIA 10, as defined in WAC 173-500-040. This chapter is promulgated pursuant to chapter 90.54 RCW (Water Resources Act of 1971), chapter 90.22 RCW (minimum water flows and levels), and in accordance with chapter 173-500 WAC (water resources management program). [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-04-047 (Order DE 79-31), § 173-510-010, filed 3/21/80.]

**WAC 173-510-020 Purpose.** The purpose of this chapter is to retain perennial rivers, streams, and lakes in the Puyallup River basin with instream flows and levels necessary to provide protection for wildlife, fish, scenic-aesthetic, environmental values, recreation, navigation, and to preserve high water quality standards. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-04-047 (Order DE 79-31), § 173-510-020, filed 3/21/80.]

**WAC 173-510-030 Establishment of instream flows.** (1) Stream management units and associated control stations are established as follows:

Stream Management Unit Information

Control Station No. Stream Management Unit Name	Control Station by River Mile and Section, Township, and Range	Affected Stream Reach(es)
12-0965.00 Upper Puyallup River	12.2 25-20-4E	Confluence with Puyallup River to the headwaters including all tributaries
12-0957.00 Carbon River	0.1 13-19-4E	From the confluence with the White River to the headwaters including all tributaries, excluding the Carbon River.
12-1015.00 Lower Puyallup River	6.6 20-20N-R4E	From the influence of mean annual high tide at low base flow levels to the confluence with the White River including all tributaries and excluding the White River.

(2) Instream flows are established for the stream management units in WAC 173-510-030(1) as follows:

(3) Instream flow hydrographs, as represented in the document entitled "Puyallup River basin instream resource protection program," shall be used for definition of instream flows on those days not specifically identified in WAC 173-510-030(2).

(4) All consumptive water rights hereafter established shall be expressly, subject to instream flows established in WAC 173-510-030(1) through (3).

(5) At such time as the department of fisheries and/or department of game and the department of ecology shall agree that additional stream management units should be identified other than those specified in WAC 173-510-030(1), the department of ecology shall identify additional control stations and management units on streams and tributaries within the basin and shall further protect instream flows where possible for those stations as provided in chapters 90.22 and 90.54 RCW. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-04-047 (Order DE 79-31), § 173-510-030, filed 3/21/80.]

**WAC 173-510-040 Surface water source limitations to further consumptive appropriations.** (1) The department of ecology, having determined unlimited consumptive appropriations would harmfully impact instream values, adopts instream flows as follows confirming surface water source limitations previously established administratively under the authority of chapter 90.03 RCW and RCW 75.20.050.

Low Flow Limitations

Stream Number Stream Name Section, Township, Range of Stream Mouth or Lake Outlet	Limitation	Stream Number Stream or Lake Name Section, Township, Range of Stream Mouth or Lake Outlet	Period of Closure
10.0594 Unnamed stream, tributary to Puyallup River NE1/4SE1/4, Sec. 8, T.18N, R.5E	No diversion when flow falls to 0.10 cfs.	10.0031 -0397 White River and all tributaries SW1/4SE1/4, Sec 23, T.20N, R.4E	All year
10.0415 Unnamed stream, (Taylor Creek) tributary of Carbon River NW1/4SW1/4, Sec. 33, T.19N., R.5E	No diversion when flow falls to 1.0 cfs.	Kapowsin Lake SE1/4NE1/4, Sec. 5, T.17N., R.5E	All year
10.0402 Unnamed stream, (Van Ogle Creek) tributary to Puyallup River NW1/4SE1/4, Sec. 30, T.20N, R.5E	No diversion when discharge into the Puyallup River drops to 1.0 cfs.	10.0603 -0607 Ohop Creek and all tributaries source of Kapowsin Lake SE1/4NW1/4, Sec. 18, T.17N., R.3E	All year
Unnamed stream, (Canyon Creek) tributary to Puyallup River SE1/4NE1/4, Sec. 24, T. 20N, R.3E	No diversion when flow falls to 1.0 cfs.	10.0022 Clear Creek and all tributaries, tributary to Puyallup River NW1/4SW1/4, Sec. 11, T.20N., R.3E	All year
		10.0410 Canyon Falls Creek and all tributaries, tributary to Puyallup River Sec. 7, T.19N., R.5E	All year

(2) The following stream and lake closures are adopted confirming surface water source limitations previously established administratively under the authority of chapter 90.03 RCW and RCW 75.20.050.

Existing Surface Water Closures

Stream Number Stream Name Section, Township, Range	Date of Closure	Period of Closure	Stream Number Stream or Lake Name Section, Township, Range of Stream Mouth or Lake Outlet	Period of Closure
10.0414 Voight Creek, tributary to Carbon River NW1/4SW1/4, Sec. 33, T.19N., R.5E	2/26/75	All year	10.0596 Fiske Creek and all tributaries, tributary to Puyallup River SW1/4SW1/4, Sec. 17, T.18N., R.5E	All year
10.0589 Unnamed stream (Lawrence Creek), tributary to Puyallup River NW1/4NE1/4, Sec. 25, T.19N, R.4E	2/26/75	All year	10.0006 Hylebos Creek and all tributaries, tributary to Commencement Bay NW1/4NE1/4, Sec. 27, T.21N., R.3E	All year
Unnamed springs, tributary to Puyallup River SE1/4,NE1/4, Sec. 35, T.20N, R.4E	12/14/64	All year	10.0620 Le Dout Creek and all tributaries, tributary to Puyallup River NW1/4NW1/4, Sec. 28, T.17N., R.6E	All year
10. 0006 Hylebos Creek Hylebos Creek, drains into Commencement Bay and Puget Sound NW1/4NE1/4,Sec. 27, T.21N, R.3E	4/26/76	All year	10.0622 Niesson Creek and all tributaries, tributary to Puyallup River NE1/4SE1/4, Sec. 33, T.17N., R.6E	All year
10.0406 Fennel Creek, tributary to Puyallup River SE1/4SE1/4, Sec. 6, T.19N, R.5E	2/26/75	All year	10.0017 Wapato Creek and all tributaries, tributary to Commencement Bay NW1/4SW1/4, Sec. 27, T.21N., R.3E	All year
North Lake Sec. 15, T.21N, R.4E	8/19/47	All year	10.0035 Unnamed Stream (Strawberry Creek), (Salmon Creek) and all tributaries, tributary to White River NE1/4SE1/4, Sec. 13, T.20N., R.4E	All year

(3) The department, having determined that further consumptive appropriations would harmfully impact in-stream values, closes the following streams and lakes in WRIA 10 to further consumptive appropriations.

New Surface Water Closures

Stream Number Stream or Lake Name Section, Township, Range of Stream Mouth or Lake Outlet	Period of Closure
10.0429 South Prairie Creek and all tributaries, tributary to Carbon River SW1/4SE1/4, Sec. 27, T.19N, R.5E	All year
10.0027 Clarks Creek and all tributaries, tributary to Puyallup River NE1/4NE1/4,Sec. 19, T.20N, R.4E	All year
10.0600 Kapowsin Creek and all tributaries, tributary to Puyallup River SW1/4SW1/4, Sec. 20, T.18N, R.5E	All year

[Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-04-047 (Order DE 79-31), § 173-510-040, filed 3/21/80.]

**WAC 173-510-050 Ground water.** In future permitting actions relating to ground water withdrawals, particularly from shallow aquifers, a determination shall be made as to whether the proposed withdrawal will have a direct, and measurable, impact on stream flows in streams for which closures and instream flows have been adopted (WAC 173-510-040). If the determination affirms such interrelationship, the provisions of WAC 173-510-040 shall apply. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-04-047 (Order DE 79-31), § 173-510-050, filed 3/21/80.]

**WAC 173-510-060 Lakes.** In future permitting actions relating to withdrawal of lake waters, lakes and ponds shall be retained substantially in their natural condition. Withdrawals of water which would conflict therewith shall be authorized only in those situations

where it is clear that overriding considerations of the public interest will be served. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-04-047 (Order DE 79-31), § 173-510-060, filed 3/21/80.]

**WAC 173-510-070 Exemptions.** (1) Nothing in this chapter shall affect water rights, riparian, appropriative, or otherwise existing on the effective date of this chapter, nor shall it affect existing rights relating to the operation of any navigation, hydroelectric, or water storage reservoir or related facilities.

(2) Domestic in-house use for a single residence and stock watering shall be exempt except that use related to feedlots. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-04-047 (Order DE 79-31), § 173-510-070, filed 3/21/80.]

**WAC 173-510-080 Future rights.** No rights to divert or store public surface waters of the Puyallup WRIA 10 shall hereafter be granted which shall conflict with the purpose of this chapter as stated in WAC 173-510-02 [WAC 173-510-020]. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-04-047 (Order DE 79-31), § 173-510-080, filed 3/21/80.]

**WAC 173-510-090 Enforcement.** In enforcement of this chapter, the department of ecology may impose such sanctions as appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190 and civil penalties under RCW 43.83B.335. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-04-047 (Order DE 79-31), § 173-510-090, filed 3/21/80.]

**WAC 173-510-100 Regulation review.** The rules in this chapter shall be reviewed by the department of ecology at least once in every five years. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-04-047 (Order DE 79-31), § 173-510-100, filed 3/21/80.]

**WAC 173-511-030 Establishment of instream flows.** (1) Stream management units and associated control stations are established as follows:

Stream Management Unit Information

Control Station No. Stream Management Unit Name	Control Station Location, River Mile and Section, Township and Range	Affected Stream Reach
New gage Nisqually River	4.3 9, 18N, 1E	From influence of mean annual high tide at low base flow levels to the outlet of the Centralia City Light Power Plant.
12-0895-00 Nisqually River	21.8 28, 17N, 2E	From outlet of the Centralia City Light Power Plant at river mile 12.6 to

**Chapter 173-511 WAC**

**INSTREAM RESOURCES PROTECTION PROGRAM--NISQUALLY RIVER BASIN, WATER RESOURCE INVENTORY AREA (WRIA) 11**

<b>WAC</b>	
173-511-010	General provision.
173-511-020	Purpose.
173-511-030	Establishment of instream flows.
173-511-040	Surface water source limitations to further consumptive appropriations.
173-511-050	Ground water.
173-511-060	Lakes.
173-511-070	Exemptions.
173-511-080	Future rights.
173-511-090	Enforcement.
173-511-100	Regulation review.

**WAC 173-511-010 General provision.** These rules apply to waters within the Nisqually River basin, WRIA 11, as defined in WAC 173-500-040. This chapter is promulgated pursuant to chapter 90.54 RCW (Water Resources Act of 1971), chapter 90.22 RCW (minimum water flows and levels), and in accordance with chapter 173-500 WAC (water resources management program). [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-04-028 (Order DE 80-42), § 173-511-010, filed 2/2/81.]

**WAC 173-511-020 Purpose.** The purpose of this chapter is to retain perennial rivers, streams, and lakes in the Nisqually River basin with instream flows and levels necessary to provide protection for wildlife, fish, scenic, aesthetic, environmental values, recreation, navigation, and to preserve water quality. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-04-028 (Order DE 80-42), § 173-511-020, filed 2/2/81.]

Control Station No. Stream Management Unit Name	Control Station Location, River Mile and Section, Township and Range	Affected Stream Reach
12-0884-00 Nisqually River	32.6 21, 16N, 3E	Centralia City Light Power Canal diver- sion at river mile 26.2, including all tributaries.  From the Centralia City Light Power canal diversion at river mile 26.2 to gage 12-0865-00 near the La Grande Power Plant, in- cluding all tribu- taries except the Mashel River.
12-0825-00 Nisqually River	57.8 29, 15N, 6E	From gage 12-0865-00 near the La Grande Power Plant to the headwaters including all tributaries.
12-0870.00 Mashel River	3.25 11, 16N, 4E	From mouth upstream to the headwaters including all tributaries.

(2) Instream flows established for the stream management unit described in WAC 173-511-030(1) are as follows:

INSTREAM FLOWS IN THE NISQUALLY RIVER BASIN  
(in Cubic Feet per Second)

Month	Day	Lower Reach of the Nisqually River USGS Gage 12-* RM 4.3	Bypass Reach of the Nisqually River USGS Gage 12-0895-00 RM 21.8	Mid Reach of the Nisqually River USGS Gage 12-0884-00 RM 32.6
January	1	900	600	900
	15	900	600	900
February	1	900	600	900
	15	900	600	900
March	1	900	600	900
	15	900	600	900
April	1	900	600	900
	15	900	600	900
May	1	900	600	900
	15	900	600	900
June	1	900	500(closed)	800(closed)
	15	850	450(closed)	800(closed)
July	1	800	400(closed)	800(closed)
	15	800	400(closed)	800(closed)
August	1	800	370(closed)	800(closed)
	15	800	370(closed)	650(closed)
September	1	600	370(closed)	600(closed)
	15	600	370(closed)	600(closed)
October	1	700	550(closed)	700(closed)

**Instream Resources Protection Program**

173-511-040

Month	Day	Lower Reach of the Nisqually River USGS Gage 12-* RM 4.3	Bypass Reach of the Nisqually River USGS Gage 12-0895-00 RM 21.8	Mid Reach of the Nisqually River USGS Gage 12-0884-00 RM 32.6
November	15	700	550(closed)	700(closed)
	1	700	600	700
	15	700	600	700
December	1	800	600	800
	15	900	600	900

\*New gage to be established.

Month	Day	Upper Reach of the Nisqually River USGS Gage 12-0825-00 RM 57.8	Mashel River USGS Gage 12-0870-00 RM 3.25
January	1	450	100
	15	450	100
February	1	450	100
	15	450	100
March	1	450	100
	15	450	100
April	1	450	100
	15	450	100
May	1	450	100
	15	450	80
June	1	600	80(closed)
	15	650	70(closed)
July	1	550	50(closed)
	15	500	40(closed)
August	1	450	30(closed)
	15	400	30(closed)
September	1	350	20(closed)
	15	300	20(closed)
October	1	300	20(closed)
	15	300	20(closed)
November	1	350	40
	15	400	70
December	1	450	100
	15	450	100

(3) Instream flow hydrographs, as represented in the document entitled "Nisqually River basin instream resource protection program," shall be used for identification of instream flows on those days not specifically identified in WAC 173-511-030(2). [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-04-028 (Order DE 80-42), § 173-511-030, filed 2/2/81.]

**WAC 173-511-040 Surface water source limitations to further consumptive appropriations.** (1) The department has determined that (a) certain streams exhibit low summer flows or have a potential for going dry thereby inhibiting anadromous fish passage during critical life stages, and (b) historic flow regimes and current uses of certain other streams indicate that no water is available for additional appropriation. Based upon these determinations the following streams and lakes are closed to further appropriation for the periods indicated:

## New Surface Water Closures

Stream or Lake Section, Township, and Range of Mouth or Outlet	Tributary to	Period of Closure
Mashel River NE1/4SW1/4 Sec. 29, T16N, R4E and all tributaries	Nisqually River	June 1 – Oct. 31
Red Salmon Creek (Mounts Creek) NE1/4NW1/4 Sec. 33, T19N, R1E and all tributaries	Nisqually River	April 1 – Oct. 31
Clear Creek NE1/4SE1/4 Sec. 21, T18N, R1E and all tributaries	Nisqually River	April 1 – Oct. 31
Tanwax Creek NW1/4NE1/4 Sec. 20, T16N, R3E and all tributaries	Nisqually River	April 1 – Oct. 31
McAllister Creek (except Medicine Creek) NW1/4N1/4 Sec. 6, T18N, R1E and all tributaries	Puget Sound	all year
Lake Saint Clair SE1/4NW1/4 Sec. 6, T17N, R1E		all year
Toboton Creek (above Hopson Road) SW1/4SW1/4 Sec. 19, T16N, R3E and all tributaries	Nisqually River	April 1 – Nov. 30
Lackamas Creek SE1/4SE1/4 Sec. 13, T16N, R2E and all tributaries	Nisqually River	April 1 – Nov. 30
Murray Creek NW1/4NW1/4 Sec. 16, T17N, R2E	Nisqually River	April 1 – Nov. 30
Bypass Reach, Nisqually River NE1/4SE1/4 Sec. 11, T17N, R1E	Puget Sound	June 1 – Oct. 31
Mid Reach, Nisqually River SE1/4NW1/4 Sec. 1, T16N, R2E	Puget Sound	June 1 – Oct. 31

(2) The following stream and lake low flows and closures are adopted confirming surface water source limitations previously established administratively under the authority of chapter 90.03 RCW and RCW 75.20.050.

Existing Surface Water Source Limitations  
Current Administrative Status of Streams and Lakes  
Nisqually Basin, WRIA 11

Stream	Tributary to	Action	Dates
Eaton Creek SE1/4NW1/4 Sec. 6, T17N, R1E	Lake St. Clair	Closure	12/1/53

**Instream Resources Protection Program**

173-511-070

Stream	Tributary to	Action	Dates
Harts Lake and outlet streams SW1/4SE1/4 Sec. 1, T16N, R2E	Nisqually River	Low Flow (0.5 cfs bypass)	10/7/44
Horn Creek SW1/4NE1/4 Sec. 1, T16N, R2E	Nisqually River	Closure	7/22/74
Muck Creek and all tributaries SW1/4SW1/4 Sec. 36, T18N, R1E	Nisqually River	Closure	5/26/48
Ohop Creek and all tributaries SW1/4NE1/4 Sec. 25, T16N, R3E	Nisqually River	Closure	2/15/52
Ohop Lake NE1/4SE1/4 Sec. 10, T16N, R1E	Ohop Creek	Lake Level (523 ft)	3/25/66
Thompson Creek and all tributaries SE1/4NE1/4 Sec. 11, T17N, R1E	Nisqually River	Low Flow (1.0 cfs bypass)	11/19/51
Unnamed Stream and all tributaries SW1/4NW1/4 Sec. 11, T15N, R4E	Alder Lake (Nisqually River)	Closure	4/28/64
Unnamed Stream and all tributaries SW1/4SE1/4 Sec. 17, T17N, R2E	Centralia Canal (Nisqually River)	Low Flow (0.75 cfs bypass)	11/19/51
Unnamed Stream and all tributaries SE1/4SE1/4 Sec. 27, T17N, R2E	Nisqually River	Low Flow (0.50 cfs bypass)	12/6/50
Yelm Creek and all tributaries SW1/4SW1/4 Sec. 12, T.17N, R1E	Nisqually River	Closure	8/7/51

[Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-04-028 (Order DE 80-42), § 173-511-040, filed 2/2/81.]

**WAC 173-511-050 Ground water.** Future ground water withdrawal proposals will not be affected by this chapter unless it is verified that such withdrawal would clearly have an adverse impact upon the surface water system contrary to the intent and objectives of this chapter. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-04-028 (Order DE 80-42), § 173-511-050, filed 2/2/81.]

**WAC 173-511-060 Lakes.** In future permitting actions relating to withdrawal of lake waters, lakes and ponds shall be retained substantially in their natural condition. Withdrawals of water which would conflict

therewith shall be authorized only in situations where it is clear that overriding considerations of the public interest will be served. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-04-028 (Order DE 80-42), § 173-511-060, filed 2/2/81.]

**WAC 173-511-070 Exemptions.** (1) Nothing in this chapter shall affect existing water rights, riparian, appropriative, or otherwise existing on the effective date of this chapter, nor shall it affect existing rights relating to the operation of any navigation, hydroelectric or water storage reservoir or related facilities.

(2) If, upon detailed analysis, appropriate and environmentally sound proposed storage facilities are found to be compatible with this chapter, such facilities may be approved.

(3) Domestic use for a single residence shall be exempt from the provisions of this chapter; provided that, if the cumulative effects of numerous single domestic diversions and/or withdrawals would seriously affect the quantity of water available for instream uses, then only domestic in-house use shall be exempt if no alternative source is available.

(4) Stock-watering use, except that related to feedlots, shall be exempt from the provisions established in this chapter.

(5) Future rights for nonconsumptive uses may be granted. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-04-028 (Order DE 80-42), § 173-511-070, filed 2/2/81.]

**WAC 173-511-080 Future rights.** No rights to divert or store public surface waters of the Nisqually River basin, WRIA 11, shall hereafter be granted, except as provided in WAC 173-511-070, which shall conflict with the purpose of this chapter as stated in WAC 173-511-020. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-04-028 (Order DE 80-42), § 173-511-080, filed 2/2/81.]

**WAC 173-511-090 Enforcement.** In enforcement of this chapter, the department of ecology may impose such sanctions as appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190 and civil penalties under RCW 43.83B.335. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-04-028 (Order DE 80-42), § 173-511-090, filed 2/2/81.]

**WAC 173-511-100 Regulation review.** The rules in this chapter shall be reviewed by the department of ecology at least once in every four years. In addition, the department may review this regulation whenever requested by private, public, state, and federal agencies. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-04-028 (Order DE 80-42), § 173-511-100, filed 2/2/81.]

**Chapter 173-512 WAC**

**INSTREAM RESOURCES PROTECTION PROGRAM--CHAMBERS-CLOVER CREEKS BASIN WATER RESOURCE INVENTORY AREA (WRIA) 12**

- WAC 173-512-010 Authority.
- 173-512-020 Purpose.
- 173-512-030 Surface water closures.
- 173-512-040 Ground water.
- 173-512-050 Future rights.
- 173-512-060 Exemptions.
- 173-512-070 Enforcement.
- 173-512-080 Regulation review.

**WAC 173-512-010 Authority.** This chapter is promulgated pursuant to chapter 90.54 RCW (Water Resources Act of 1971), chapter 90.22 RCW (minimum water flow and levels), and in accordance with chapter 173-500 WAC (water resources management program). [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-01-012 (Order 79-23), § 173-512-010, filed 12/12/79.]

**WAC 173-512-020 Purpose.** The purpose of this chapter is to retain perennial rivers, streams, and lakes in the Chambers-Clover creeks drainage basin with instream flows and levels necessary to provide for preservation and protection of wildlife, fish, scenic, aesthetic and other environmental values, recreational and navigational values, and to preserve water quality. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-01-012 (Order 79-23), § 173-512-020, filed 12/12/79.]

**WAC 173-512-030 Surface water closures.** The department of ecology, having determined that further consumptive appropriations would harmfully impact instream values closes the following streams and lakes in Water Resource Inventory Area 12 to further consumptive appropriations:

**SURFACE WATER CLOSURES**

<u>Stream or Lake</u>	<u>Tributary to</u>
Chambers Creek and all tributaries, including among others: Leach Creek Flett Creek Steilacoom Lake Ponce De Leon Creek	Puget Sound  Chambers Creek Chambers Creek Chambers Creek Steilacoom Lake
Clover Creek and all tributaries, including among others: North Fork Clover Creek Spanaway Creek Morey Creek Spanaway Lake Tule Lake	  Clover Creek Clover Creek Clover Creek Spanaway Creek Spanaway Creek
Unnamed Stream (Crystal Springs Creek) including tributaries Sequalitchew Creek and all tributaries, including among others: Sequalitchew Lake American Lake Murray Creek (and tributaries)	  Puget Sound Puget Sound  Sequalitchew Creek Sequalitchew Lake  American Lake

[Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-01-012 (Order 79-23), § 173-512-030, filed 12/12/79.]

**WAC 173-512-040 Ground water.** In future permitting actions relating to ground water withdrawals,



the natural interrelationship of surface and ground waters shall be fully considered in water allocation decisions to assure compliance with the intent of this chapter. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-01-012 (Order 79-23), § 173-512-040, filed 12/12/79.]

**WAC 173-512-050 Future rights.** No water rights for consumptive uses of waters from the streams and lakes listed in WAC 173-512-030 shall hereafter be granted. Future rights for nonconsumptive uses may be granted subject to the provisions of this chapter. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-01-012 (Order 79-23), § 173-512-050, filed 12/12/79.]

**WAC 173-512-060 Exemptions.** (1) Nothing in this chapter shall affect any existing water rights, riparian, appropriative, or otherwise, existing on the effective date of this chapter; nor shall it affect existing rights relating to the operation of any navigation, hydroelectric or water storage reservoir or related facilities.

(2) Stock watering use, except that related to feed lots, shall be exempt from the surface water closures established in this chapter. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-01-012 (Order 79-23), § 173-512-060, filed 12/12/79.]

**WAC 173-512-070 Enforcement.** In enforcement of this chapter, the department of ecology may impose such sanctions as appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190 and civil penalties under RCW 43.83B.335. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-01-012 (Order 79-23), § 173-512-070, filed 12/12/79.]

**WAC 173-512-080 Regulation review.** The rules in this chapter shall be reviewed by the department of ecology at least once in every five year period. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-01-012 (Order 79-23), § 173-512-080, filed 12/12/79.]

**Chapter 173-513 WAC**

**INSTREAM RESOURCES PROTECTION PROGRAM--DESCHUTES RIVER BASIN, WATER RESOURCE INVENTORY AREA (WRIA) 13**

<b>WAC</b>	
173-513-010	General provision.
173-513-020	Purpose.
173-513-030	Establishment of instream flows.
173-513-040	Surface water source limitations to further consumptive appropriations.
173-513-050	Ground water.
173-513-060	Lakes.
173-513-070	Exemptions.
173-513-080	Future rights.
173-513-090	Enforcement.
173-513-100	Regulation review.

**WAC 173-513-010 General provision.** These rules apply to waters within the Deschutes River basin, WRIA 13, as defined in WAC 173-500-040. This

chapter is promulgated pursuant to chapter 90.54 RCW (Water Resources Act of 1971), chapter 90.22 RCW (minimum water flows and levels), and in accordance with chapter 173-500 WAC (water resources management program). [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-08-019 (Order DE 80-11), § 173-513-010, filed 6/24/80.]

**WAC 173-513-020 Purpose.** The purpose of this chapter is to retain perennial rivers, streams, and lakes in the Deschutes River basin with instream flows and levels necessary to provide protection for wildlife, fish, scenic, aesthetic, environmental values, recreation, navigation, and water quality. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-08-019 (Order DE 80-11), § 173-513-020, filed 6/24/80.]

**WAC 173-513-030 Establishment of instream flows.** (1) Stream management units and associated control stations are established as follows:

Stream Management Unit Information		
Control Station No. Stream Management Unit Name	Control Station Location, River Mile and Section, Township and Range	Affected Stream Reach
12.0800-00 Deschutes River	3.4 Sec. 35-18N-2W	From the confluence of the Deschutes River with Capitol Lake upstream to the Deschutes Falls at river mile 41.

(2) Instream flows established for the stream management unit described in WAC 173-513-030(1) are as follows:

**INSTREAM FLOWS IN THE DESCHUTES RIVER BASIN**  
(in Cubic Feet per Second)

Month	Day	USGS Gage 12-0800-00 Deschutes River
Jan.	1	400
	15	400
Feb.	1	400
	15	400
Mar.	1	400
	15	400
Apr.	1	350
	15	(Closed)
May	1	(Closed)
	15	(Closed)
June	1	(Closed)
	15	(Closed)
July	1	(Closed)
	15	(Closed)
Aug.	1	(Closed)
	15	(Closed)
Sept.	1	(Closed)
	15	(Closed)
Oct.	1	(Closed)
	15	(Closed)
Nov.	1	150
	15	200
Dec.	1	300
	15	400

(3) Instream flow hydrograph, as represented in the document entitled "Deschutes River basin instream resource protection program," shall be used for identification of instream flows on those days not specifically

identified in WAC 173-513-030(2). [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-08-019 (Order DE 80-11), § 173-513-030, filed 6/24/80.]

**WAC 173-513-040 Surface water source limitations to further consumptive appropriations.** (1) The department of ecology, having determined that further consumptive appropriations would harmfully impact instream values, closes the following streams and lakes to further consumptive appropriation for the periods indicated.

New Surface Water Closures

<u>Stream or Lake Section, Township and Range of Mouth or Outlet</u>	<u>Tributary to</u>	<u>Period of Closure</u>
Deschutes River below Deschutes Falls (river mile 41) NW1/4SW1/4 Sec. 26, T. 18N., R. 2W.	Puget Sound (Budd Inlet)	Apr. 15 to Nov. 1
Deschutes River above Deschutes Falls (river mile 41) and all tributaries of Deschutes River E1/2NE1/4 Sec. 10, T. 15N., R. 3E. (Deschutes Falls)		All year
McLane Creek and all tributaries SW1/4NW1/4 Sec. 33, T. 18N., R. 2W.	Puget Sound (Eld Inlet)	All year
Woodland Creek and all tributaries SW1/4NW1/4 Sec. 19, T. 19N., R. 1W.	Puget Sound (Henderson Inlet)	All year
Long Lake SE1/4NE1/4 Sec. 22, T. 18N., R. 1W.	Woodland Creek	All year
Patterson Lake SE1/4SW1/4 Sec. 35, T. 18N., R. 1W.	Woodland Creek	All year
Hicks Lake NE1/4SW1/4 Sec. 27, T. 18N., R. 1W.	Woodland Creek	All year

(2) The following stream and lake low flows and closures are adopted confirming surface water source limitations previously established administratively under the authority of chapter 90.03 RCW and RCW 75.20.050.

Existing Low Flow Limitations and Closures

<u>Stream Section, Township and Range of Mouth</u>	<u>Tributary to</u>	<u>Action</u>
Percival Creek SW1/4NE1/4 Sec. 22, T. 18N., R. 2W.	Capital Lake	Closure
Unnamed Stream NW1/4NW1/4 Sec. 33, T. 19N., R. 2W.	Puget Sound (Eld Inlet)	Low Flow (1.5 cfs)
Unnamed Stream NW1/4NW1/4 Sec. 25, T. 19N., R. 2W.	Gull Harbor	Low Flow (1.0 cfs)
Woodward Creek SW1/4NW1/4 Sec. 19, T. 19N., R. 1W.	Woodward Bay	Closure

[Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-08-019 (Order DE 80-11), § 173-513-040, filed 6/24/80.]

**WAC 173-513-050 Ground water.** Future ground water withdrawal proposals will not be affected by this chapter unless it is verified that such withdrawal would clearly have an adverse impact upon the surface water system contrary to the intent and objectives of this chapter. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-08-019 (Order DE 80-11), § 173-513-050, filed 6/24/80.]

**WAC 173-513-060 Lakes.** In future permitting actions relating to withdrawal of lake waters, lakes and ponds shall be retained substantially in their natural condition. Withdrawals of water which would conflict therewith shall be authorized only in those situations where it is clear that overriding considerations of the public interest will be served. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-08-019 (Order DE 80-11), § 173-513-060, filed 6/24/80.]

**WAC 173-513-070 Exemptions.** (1) Nothing in this chapter shall affect water rights, riparian, appropriative, or otherwise existing on the effective date of this chapter, nor shall it affect existing rights relating to the operation of any navigation, hydroelectric, or water storage reservoir or related facilities.

(2) Domestic use for a single residence and stock watering, except that use related to feedlots, shall be exempt from the provisions of this chapter if no alternative source is available. If the cumulative effects of numerous single domestic diversions would seriously affect the quantity of water available for instream uses, then only domestic in-house use shall be exempt. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-08-019 (Order DE 80-11), § 173-513-070, filed 6/24/80.]

**WAC 173-513-080 Future rights.** No rights to divert or store public surface waters of the Deschutes River basin, WRIA 13, shall hereafter be granted which shall conflict with the purpose of this chapter as stated in WAC 173-513-020. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-08-019 (Order DE 80-11), § 173-513-080, filed 6/24/80.]

**WAC 173-513-090 Enforcement.** In enforcement of this chapter, the department of ecology may impose such sanctions as appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190 and civil penalties under RCW 43.83B.335. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-08-019 (Order DE 80-11), § 173-513-090, filed 6/24/80.]

**WAC 173-513-100 Regulation review.** The rules in this chapter shall be reviewed by the department of ecology at least once in every five years. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 80-08-019 (Order DE 80-11), § 173-513-100, filed 6/24/80.]

Chapter 173-515 WAC

INSTREAM RESOURCES PROTECTION PROGRAM--KITSAP WATER RESOURCE INVENTORY AREA (WRIA) 15

Stream Number**	#7	#44	#60
Stream Name	Union River	Tahuya River	Rendsland Cr.
Gage Number	12-0635.00	12-0680.00	
River Mile	2	2.5	near mouth
Sec., Twp., Rge.	20,23N.,1W.	12,22N.,3W.	19,22N.,3W.

WAC

- 173-515-010 General provision.
- 173-515-020 Purpose.
- 173-515-030 Establishment of instream flows.
- 173-515-040 Surface water closures.
- 173-515-050 Groundwater.
- 173-515-060 Lakes.
- 173-515-070 Exemptions.
- 173-515-080 Future rights.
- 173-515-090 Enforcement.
- 173-515-100 Regulation review.

**WAC 173-515-010 General provision.** These rules apply to waters within the Kitsap water resource inventory area (WRIA) 15 as defined in WAC 173-500-040. This chapter is promulgated pursuant to chapter 90.54 RCW (Water Resources Act of 1971), chapter 90.22 RCW (minimum water flows and levels), and in accordance with chapter 173-500 WAC (water resources management program). [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-16-003 (Order DE 80-45), § 173-515-010, filed 7/24/81.]

**WAC 173-515-020 Purpose.** The purpose of this chapter is to retain perennial rivers, streams, and lakes in the Kitsap water resource inventory area (WRIA) 15 with instream flows and levels necessary to provide for preservation and protection of wildlife, fish, scenic, aesthetic and other environmental values, recreational and navigational values, and to preserve water quality. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-16-003 (Order DE 80-45), § 173-515-020, filed 7/24/81.]

**WAC 173-515-030 Establishment of instream flows.** (1) The following instream flows are established for each stream listed, from the point of influence of mean high tide at low flow to the stream's headwaters including tributaries except where indicated otherwise. Monitoring will take place at the control locations indicated.

INSTREAM FLOWS IN THE KITSAP WATER RESOURCE INVENTORY AREA (WRIA)15

\*WAC 173-515-040(2) closes certain streams to additional consumptive appropriations during specific time periods. These closures are indicated by asterisks in the following table. Such closures supersede the indicated instream flow. The Union River closure extends upstream to McKenna Falls (RM 6.7).

\*\*Stream numbers correlate with Plate I, instream resources protection program, Kitsap water resource inventory area (WRIA) 15.

Month	Day	cfs	cfs	cfs
Jan.	1	65*	90	18
	15	65*	90	18
Feb.	1	65*	90	18
	15	65*	90	18
Mar.	1	59*	90	18
	15	53*	90	18
Apr.	1	48*	72	18
	15	44*	58	16
May	1	40*	47	13.5
	15	36*	38	12
June	1	33*	31	10*
	15	29*	25*	9*
July	1	27*	18*	8*
	15	24*	12*	7*
Aug.	1	22*	8.5*	6*
	15	20*	5.5*	5*
Sept.	1	20*	5.5*	5*
	15	20*	5.5*	5*
Oct.	1	20*	7*	5*
	15	20*	13*	7*
Nov.	1	27*	25	9.5
	15	35*	48	13
Dec.	1	47*	90	18
	15	65*	90	18

Stream Number**	#70	#96	#113
Stream Name	Dewatto River	Anderson Cr.	Stavis Cr.
Gage Number	12-0685.00		12-0695.00
River Mile	1.5	0.1	0.75
Sec., Twp., Rge.	23,23N.,3W.	17,24N.,2W.	25,25N.,2W.

Month	Day	cfs	cfs	cfs
Jan.	1	75	10.5	15
	15	75	10.5	15
Feb.	1	75	10.5	15
	15	75	10.5	15
Mar.	1	75	10.5	15
	15	75	10.5	15
Apr.	1	60	10.5	14
	15	49	10	13
May	1	39	9	12
	15	32	8.5	11
June	1	25	8	10
	15	22*	7.5	9.5
July	1	20*	7	9
	15	17.5*	6.5	8
Aug.	1	15.5*	6	7.5
	15	13.5*	6	7
Sept.	1	13.5*	6	7
	15	13.5*	6	7

Stream Number\*\* #70 #96 #113  
 Stream Name Dewatto River Anderson Cr. Stavis Cr.  
 Gage Number 12-0685.00  
 River Mile 1.5 0.1 0.75  
 Sec., Twp., Rge. 23,23N.,3W. 17,24N.,2W. 25,25N.,2W.

Month	Day	cfs	cfs	cfs
Oct.	1	13.5*	6.5	7
	15	17*	7	8.5
Nov.	1	21	8	10.5
	15	39	8.5	12.5
Dec.	1	75	9.5	15
	15	75	10.5	15

Stream Number\*\* #121 #124 #192  
 Stream Name Big Beef Cr. Anderson Cr. Grover's Cr.  
 Gage Number 12-0695.50  
 River Mile 0.25 near mouth near mouth  
 Sec., Twp., Rge. 22,25N.,1W. 13,25N.,1W. 4,26N.,2E.

Month	Day	cfs	cfs	cfs
Jan.	1	40	8	5.5
	15	40	8	5.5
Feb.	1	40	8	5.5
	15	40	8	5.5
Mar.	1	40	8	5.5
	15	40	8	5.5
Apr.	1	31	8	5.5
	15	24	6	4.5
May	1	18	4.5	4
	15	14*	3.5	3.5
June	1	11*	3*	3*
	15	8.5*	2*	2.5*
July	1	6.5*	1.5*	2.5*
	15	5*	1.5*	2*
Aug.	1	4*	1*	2*
	15	4*	1*	2*
Sept.	1	4*	1*	2*
	15	4.5*	1*	2.5*
Oct.	1	5.5*	1.5*	3*
	15	6*	1.5*	3.5*
Nov.	1	7*	2.5*	4
	15	12	4.5	4.5
Dec.	1	22	8	5.5
	15	40	8	5.5

Stream Number\*\* #223 #248 #259  
 Stream Name Steel Creek Strawberry/Kochs/Cooks Dickerson Cr.  
 Gage Number  
 River Mile near mouth near mouth Confluence with Chico Cr.  
 Sec., Twp., Rge. 14,25N.,1E. 20,25N.,1E. 8,24N.,1E.

Month	Day	cfs	cfs	cfs
Jan.	1	6	7	3*
	15	6	7	3*
Feb.	1	6	7	3*
	15	6	7	3*
Mar.	1	6	7	3*
	15	6	7	3*
Apr.	1	6	7	2.5*
	15	5	5.5	2.5*
May	1	4.5	4.5	2*
	15	4	3.5	2*
June	1	3.5*	2.5*	1.5*
	15	3*	2*	1.5*
July	1	3*	1.5*	1.5*
	15	2.5*	1.5*	1.5*
Aug.	1	2.5*	1*	1*
	15	2.5*	1*	1*
Sept.	1	2.5*	1*	1*
	15	3*	1*	1*
Oct.	1	3.5*	1*	1*
	15	4*	1.5*	1.5*
Nov.	1	4.5	2.5	1.5*
	15	5	4	1.5*
Dec.	1	6	7	3*
	15	6	7	3*

Stream Number\*\* #259 #268 #294  
 Stream Name Chico Cr. Gorst Cr. Curley Cr.  
 Gage Number  
 River Mile near mouth 0.1 0.1  
 Sec., Twp., Rge. 5,24N.,1E. 32,24N.,1E. 4,23N.,2E.

Month	Day	cfs	cfs	cfs
Jan.	1	15*	25	40
	15	15*	25	40
Feb.	1	15*	25	40
	15	15*	25	40
Mar.	1	15*	25	40
	15	15*	21	40
Apr.	1	15*	18	31
	15	13.5*	15	25
May	1	12*	13	20
	15	11*	11	16
June	1	10*	10.5	12.5
	15	9*	10	10*
July	1	8.5*	9	8*
	15	8*	8.5	6.5*
Aug.	1	7.5*	8	5*
	15	7*	7.5	5*

Instream Protection Program--(WRIA) 15

173-515-030

Stream Number**	#259	#268	#294
Stream Name	Chico Cr.	Gorst Cr.	Curley Cr.
Gage Number			
River Mile	near mouth	0.1	0.1
Sec., Twp., Rge.	5,24N.,1E.	32,24N.,1E.	4,23N.,2E.

Stream Number**	#369	#415	#425
Stream Name	Lackey Cr.	Rocky Cr.	Coulter Cr.a/
Gage Number			
River Mile	near mouth	0.1	0.1
Sec., Twp., Rge.	31,21N.,1E.	27,22N.,1W	9,22N.,1W.

Month Day	cfs	cfs	cfs
Sept. 1	7*	7.5	5*
15	7*	7.5	5*
Oct. 1	7*	8	5*
15	8*	8.5	8*
Nov. 1	9*	9	14
15	11.5*	15	23
Dec. 1	15*	25	40
15	15*	25	40

Month Day	cfs	cfs	cfs
Jan. 1	5	18	18
15	5	18	18
Feb. 1	5	18	18
15	5	18	18
Mar. 1	5	18	18
15	4.5	18	18
Apr. 1	4	14.5	18
15	3.5	11.5	17
May 1	3	9	16.5
15	2.5	7.5	15.5
June 1	2.5*	6*	15
15	2*	5.5*	14.5
July 1	2*	5*	13.5
15	2*	4.5*	13
Aug. 1	1.5*	4.5*	13
15	1.5*	4*	13
Sept. 1	1.5*	4*	13
15	1.5*	4*	13
Oct. 1	2*	4*	13
15	2*	5*	14
Nov. 1	2*	6	15
15	2.5*	7	16.5
Dec. 1	3	18	18
15	4	18	18

Stream Number**	#313	#321	#354
Stream Name	Olalla Cr.	Crescent Cr.	Purdy Cr.
Gage Number			12-0728.00
River Mile	near mouth	near mouth	0.1
Sec., Twp., Rge.	4,22N.,2E	32,22N.,2E.	24,22N.,1E.

Month Day	cfs	cfs	cfs
Jan. 1	13	9	7
15	13	9	7
Feb. 1	13	9	7
15	13	9	7
Mar. 1	13	9	7
15	13	9	6
Apr. 1	13	9	5.5
15	11	7.5	5
May 1	9.5	7	4.5
15	8.5	6	4
June 1	7.5*	5*	3.5*
15	6.5*	4.5*	3*
July 1	5.5*	4*	3*
15	5*	3.5*	2.5*
Aug. 1	5*	3.5*	2.5*
15	5*	3.5*	2.5*
Sept. 1	5*	3.5*	2.5*
15	6*	4*	3*
Oct. 1	7*	5*	3*
15	8*	5.5*	3.5*
Nov. 1	9	6.5	4.5
15	11	7.5	5.5
Dec. 1	13	9	7
15	13	9	7

a/ Relating to the waters of Coulter Creek, the department is cognizant of a settlement agreement resulting from Cause No. 14262, in the superior court of the state of Washington for Mason County, "Peter E. Overton, et al., v. Washington Department of Fisheries, et al."

Although the department of ecology was not a party in this litigation, the department will, to the extent possible, give full consideration to the intent of the settlement agreement in any future water right actions involving said parties: *Provided*, That, said actions must be consistent with the requirements of chapters 90.03 and 90.44 RCW, and satisfy the general intent of chapter 173-515 WAC.

(2) Instream flow hydrographs, as represented in the document entitled "instream resources protection program," shall be used for definition of instream flows on those days not specifically identified in WAC 173-515-030(1).

(3) All consumptive water rights hereafter established shall be expressly subject to instream flows and closures established in WAC 173-515-030(1) and 173-515-040 (1) through (3). Closures override the instream flows where both are shown except as provided in WAC 173-515-070. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-16-003 (Order DE 80-45), § 173-515-030, filed 7/24/81.]

**WAC 173-515-040 Surface water closures.** (1) The department, having determined there are no waters available for further appropriation, closes the following streams to further consumptive appropriation. These closures confirm surface water source limitations previously established administratively under authority of chapter 90.03 RCW and RCW 75.20.050.

Surface Water Closures

\*\*Stream numbers correlate with Plate I, instream resources protection program, Kitsap water resource inventory area (WRIA) 15.

Stream Number** Stream or Lake Name Sec., Twp., Rge. at Mouth	Tributary to	Date of Original Closure
Stansberry Lake and tributaries Sec. 19, T.22N., R.1E.	Carr Inlet	5-17-66
Mission Lake and tributaries Outlet: NE1/4NW1/4 Sec. 32, T.24N.,R.1W.	Mission Creek	7-19-78
#12 Mission Creek and tributaries NW1/4NE1/4 Sec. 1, T.22N., R.2W.	Hood Canal	12-5-51
#57 Unnamed Stream and tributaries Sec. 20, T.21N., R.4W.	Hood Canal	11-3-48
#117 Seabeck Creek and tributaries SE1/4SW1/4 Sec. 20, T.25N., R.1W.	Seabeck Bay	8-27-54
#158 Unnamed Stream (Gamble Creek, Christianson Creek) and tributaries SW1/4SW1/4 Sec. 20, T.27N., R.2E.	Port Gamble	8-15-75
#207 Unnamed Stream (Dogfish Creek, Harding Creek) and tributaries NE1/4NE1/4 Sec. 15, T.26N., R.1E.	Liberty Bay	8-21-75
#245 Barker Creek and tributaries SW1/4SW1/4 Sec. 22, T.25N., R.1E.	Dyes Inlet	2-21-61
#246 Clear Creek and tributaries SE1/4SW1/4 Sec. 16, T.25N., R.1E.	Dyes Inlet	7-27-53
#259 Chico Creek and tributaries above confluence of Dickerson Creek, (excluding Wildcat Lake). Sec. 5, T.24N., R.1E.	Chico Bay	11-3-52
#259 Kitsap Creek and tributaries Sec. 5, T.24N., R.1E.	Chico Creek	7-2-42
#259 Unnamed Stream and tributaries SE1/4SW1/4 Sec. 17, T.24N., R.1E.	Kitsap Lake	12-8-52
#279 Blackjack Creek and tributaries NE1/4SE1/4 Sec. 25, T.24N., R.1E.	Sinclair Inlet	4-5-60
#285 Unnamed Stream (Sullivan Creek) and tributaries NE1/4SW1/4 Sec. 19, T.24N., R.2E	Sinclair Inlet	5-9-75
#294 Salmonberry Creek and tributaries NW1/4SE1/4 Sec. 18, T.23N., R.2E.	Long Lake	1-7-48
#356 Burley Creek and tributaries, SW1/4NW1/4 Sec. 12, T.22N., R.1E.	Burley Lagoon	5-10-51

Stream Number** Stream or Lake Name Sec., Twp., Rge. at Mouth	Tributary to	Date of Original Closure
#367 Minter Creek and tributaries SW1/4NE1/4 Sec. 29, T.22N., R.1E.	Henderson Bay	12-28-73
#402 Unnamed Stream (Dutcher Creek) and tributaries NE1/4NE1/4 Sec. 15, T.21N., R.1W.	Dutcher Cove	3-10-54
#510 Judd Creek and tributaries NE1/4NE1/4 Sec. 18, T.22N., R.3E.	Quartermaster Harbor	5-10-51

(2) The department has determined that (a) certain streams exhibit low summer flows and have a potential for drying up or inhibiting anadromous fish passage during critical life stages, and (b) historic flow regimes and current uses of certain other streams indicate that no water is available for additional appropriation. Based upon these determinations and in accordance with the general intent of RCW 75.20.050, the following streams are closed to further appropriation for the periods indicated:

New Surface Water Closures

\*\*Stream numbers correlate with Plate I, instream resources protection program, Kitsap water resource inventory area (WRIA) 15.

Stream Number** Stream Name Sec., Twp., Rge. at Mouth	Tributary to	Period of Closure
#7 Union River and tributaries from the mouth to McKenna Falls (R.M. 6.7) SE1/4SW1/4 Sec. 29, T.23N., R.1W.	Hood Canal	All year
#44 Tahuya River and tributaries SE1/4SE1/4 Sec. 22, T.22N., R.3W.	Hood Canal	June 15-Oct. 15
#60 Rendsland Creek and tributaries NW1/4NW1/4 Sec. 19, T.22N., R.3W.	Hood Canal	June 1-Oct. 31
#70 Dewatto River and tributaries NW1/4SE1/4 Sec. 27, T.22N., R.3W.	Hood Canal	June 15-Oct. 31
#121 Big Beef Creek and tributaries SW1/4SE1/4 Sec. 15, T.25N., R.1W.	Hood Canal	May 15-Oct. 31
#124 Anderson Creek and tributaries NW1/4NW1/4 Sec. 13, T.26N., R.1W.	Hood Canal	June 1-Oct. 31
#192 Grover's Creek and tributaries NW1/4SW1/4 Sec. 4, T.26N., R.2E.	Puget Sound	June 1-Oct. 15
#223 Unnamed Stream (Steel Creek) and tributaries SE1/4SE1/4 Sec. 14, T.25N., R.1E.	Port Orchard	June 1-Oct. 15
#248 Unnamed Stream and tributaries (Strawberry/Cook's/Koch's Creek) SE1/4NE1/4 Sec. 20, T.25N., R.1E.	Dyes Inlet	June 1-Oct. 31
#259 Dickerson Creek and tributaries SW1/4NW1/4 Sec. 7, T.24N., R.1E.	Chico Creek	All year

Stream Number** Stream Name Sec., Twp., Rge. at Mouth	Tributary to	Period of Closure	Stream Number** Stream Name Sec., Twp., Rge. at Mouth	Tributary to
#259 Chico Creek and tributaries below confluence of Dickerson Creek SW1/4SW1/4 Sec. 5, T.25N., R.1E.	Chico Bay	All year	#52 Hoddy Creek and tributaries Sec. 20, T.21N., R.3W.	Hood Canal
#294 Curley Creek and tributaries NE1/4NE1/4 Sec. 18, T.23N., R.2E.	Yukon Harbor	June 15-Oct. 15	#54 Fay Creek and tributaries Sec. 21, T.20N., R.3W.	Hood Canal
#313 Olalla Creek and tributaries SE1/4NE1/4 Sec. 4, T.22N., R.2E.	Colvos Passage	June 1-Oct. 15	#55 Brown Creek and tributaries Sec. 21, T.20N., R.3W.	Hood Canal
#321 Crescent Creek and tributaries SE1/4SW1/4 Sec. 32, T. 22N., R.2E.	Gig Harbor	June 1-Oct. 15	#56 Unnamed Stream (West Creek) and tributaries Sec. 20, T.22N., R.3W.	Hood Canal
#354 Purdy Creek and tributaries NE1/4NW1/4 Sec. 12, T.22N., R.1E.	Henderson Bay	June 1-Oct. 31	#101 Harding Creek and tributaries NW1/4SW1/4 Sec. 9, T.24N., R.2W.	Hood Canal
#369 Lackey Creek and tributaries SE1/4SW1/4 Sec. 31, T.21N., R.1E.	Carr Inlet	June 1-Nov. 15	#164 Unnamed Stream (Little Boston Creek) and tributaries SW1/4SW1/4 Sec. 5, T.27N., R.2E.	Port Gamble
#415 Rocky Creek and tributaries SE1/4SE1/4 Sec. 27, T.22N., R.1E.	Case Inlet	June 1-Oct. 31	#181 Unnamed Stream and tributaries SE1/4SW1/4 Sec. 26, T.27N., R.2E.	Apple Tree Cove

(3) In the Kitsap basin numerous small streams with estimated mean annual flow of 5 cfs or less have been identified as having high instream values for anadromous fish, aesthetics, water quality, and/or recreation. In accordance with the general intent of RCW 75.20-.050 the department has determined that the total natural flow of these streams is required for protection and preservation of instream resources, and that no water is available for additional consumptive appropriation. The natural flow, in effect, constitutes the minimum flow for protection of the instream resources. The following streams possess such characteristics and are therefore closed year-round to further consumptive appropriation.

New Surface Water Closures

\*\*Stream numbers correlate with Plate I, instream resources protection program, Kitsap water resource inventory area (WRIA) 15.

Stream Number** Stream Name Sec., Twp., Rge. at Mouth	Tributary to	Stream Number** Stream Name Sec., Twp., Rge. at Mouth	Tributary to
#13 Little Mission Creek and tributaries SE1/4NW1/4 Sec. 1, T.22N., R.2W.	Hood Canal	#213 Scandia Creek and tributaries SW1/4NE1/4 Sec. 27, T.26N., R.1E.	Liberty Bay
#18 Stimson Creek and tributaries NW1/4NW1/4 Sec. 11, T.22N., R.2W.	Hood Canal	#241 Mosher Creek and tributaries SW1/4NE1/4 Sec. 34, T.25N., R.1E.	Dyes Inlet
#31 Unnamed Stream (Little Shoefly Creek) and tributaries SW1/4NW1/4 Sec. 17, T.22N., R.2W.	Hood Canal	#272 Anderson Creek and tributaries SE1/4NE1/4 Sec. 33, T.24N., R.1E.	Sinclair Inlet
#34 Shoefly Creek and tributaries SE1/4SW1/4 Sec. 18, T.22N., R.2W.	Hood Canal	#275 Ross Creek and tributaries SE1/4SE1/4 Sec. 27, T.24N., R.1E.	Sinclair Inlet
#46 Caldervin Creek and tributaries NE1/4NE1/4 Sec. 28, T.21N., R.3W.	Hood Canal	#289 Beaver Creek and tributaries NW1/4SE1/4 Sec. 16, T.24N., R.2E.	Rich Passage
#50 Hall Creek and tributaries Sec. 20, T.21N., R.3W.	Hood Canal	#322 North Creek and tributaries NE1/4SE1/4 Sec. 6, T.21N., R.2E.	Gig Harbor
		#342 Unnamed Stream and tributaries NW1/4SE1/4 Sec. 10, T.21N., R.1E.	Henderson Bay
		#343 Unnamed Stream (Meyer Creek) and tributaries SW1/4SW1/4 Sec. 2, T.21N., R.1E.	Hood Canal
		#407 Unnamed Stream and tributaries SE1/4NW1/4 Sec. 2, T.21N., R.1W.	Vaughn Bay

Stream Number**	Stream Name	Sec., Twp., Rge. at Mouth	Tributary to
#434	Unnamed stream and tributaries	SE1/4SE1/4 Sec. 15, T.25N., R.2E.	Murden Cove
#461	Unnamed Stream and tributaries	SE1/4NE1/4 Sec. 20, T.25N., R.2E.	Fletcher Bay
#514	Unnamed Stream (Fisher Creek) and tributaries	SW1/4NW1/4 Sec. 19, T.22N., R.3E.	Quartermaster Harbor
#530	Jod Creek and tributaries	NW1/4NW1/4 Sec. 14, T.22N., R.2E.	Colvos Passage
#540	Needle Creek and tributaries	NE1/4SE1/4 Sec. 13, T.23N., R.3E.	Colvos Passage

(4) Closures listed in WAC 173-515-040 (2) and (3) will supersede low flow surface water source limitations previously imposed by administrative authority pursuant to chapter 75.20 RCW.

(5) Lakes perennially tributary to closed streams are closed to further consumptive appropriation. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-16-003 (Order DE 80-45), § 173-515-040, filed 7/24/81.]

**WAC 173-515-050 Groundwater.** Future groundwater withdrawal proposals will not be affected by this chapter unless it is determined that such withdrawal would clearly have an adverse impact upon the surface water system contrary to the intent and objectives of this chapter. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-16-003 (Order DE 80-45), § 173-515-050, filed 7/24/81.]

**WAC 173-515-060 Lakes.** In future permitting actions relating to withdrawal of lake waters, lakes and ponds shall be retained substantially in their natural condition. Withdrawals of water which would conflict therewith shall be authorized only in those situations where it is clear that overriding considerations of the public interest will be served. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-16-003 (Order DE 80-45), § 173-515-060, filed 7/24/81.]

**WAC 173-515-070 Exemptions.** (1) Nothing in this chapter shall affect existing water rights, riparian, appropriative, or otherwise, existing on the effective date of this chapter, nor shall it affect existing rights relating to the operation of any navigation, hydroelectric or water storage reservoir or related facilities.

(2) If, upon detailed analysis, appropriate and environmentally sound proposed storage facilities are found to be compatible with this chapter, such facilities may be approved but will be subject to the establishment of appropriate protection flows for drought or low runoff periods.

(3) Domestic use for a single residence shall be exempt from the provisions of this chapter. If the cumulative effects of numerous single domestic diversions would

seriously affect the quantity of water available for in-stream uses, then domestic in-house use shall be exempt if no alternative source is available.

(4) Stockwatering use, except that related to feedlots, shall be exempt from the provisions established in this chapter.

(5) Future rights for nonconsumptive uses may be granted. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-16-003 (Order DE 80-45), § 173-515-070, filed 7/24/81.]

**WAC 173-515-080 Future rights.** No right to divert or store public surface waters of the Kitsap water resource inventory area (WRIA) 15 shall hereafter be granted which shall conflict with the purpose of this chapter. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-16-003 (Order DE 80-45), § 173-515-080, filed 7/24/81.]

**WAC 173-515-090 Enforcement.** In enforcement of this chapter, the department of ecology may impose such sanctions as appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190 and civil penalties under RCW 43.83B.335. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-16-003 (Order DE 80-45), § 173-515-090, filed 7/24/81.]

**WAC 173-515-100 Regulation review.** The rules in this chapter shall be reviewed by the department of ecology at least once in every five year period. [Statutory Authority: Chapters 90.22 and 90.54 RCW. 81-16-003 (Order DE 80-45), § 173-515-100, filed 7/24/81.]

## Chapter 173-522 WAC

### WATER RESOURCES PROGRAM IN THE CHEHALIS RIVER BASIN, WRIA-22 AND 23

#### WAC

173-522-010	General provision.
173-522-020	Establishment of base flows.
173-522-030	Future allocation of surface water for beneficial uses.
173-522-040	Priority of future rights during times of water shortage.
173-522-050	Streams closed to further consumptive appropriations.
173-522-060	Effect on prior rights.

**WAC 173-522-010 General provision.** These rules, including any subsequent additions and amendments, apply to waters within and contributing to the Chehalis River basin, WRIA-22 and 23 (see WAC 173-500-040). Chapter 173-500 WAC, the general rules of the department of ecology for the implementation of the comprehensive water resources program, applies to this chapter 173-522 WAC. [Order 75-31, § 173-522-010, filed 3/10/76.]

**WAC 173-522-020 Establishment of base flows.** (1) Base flows are established for stream management units with monitoring to take place at certain control stations as follows:



Water Resources, Chehalis River Basin

173-522-020

STREAM MANAGEMENT UNIT INFORMATION

Control Station No. Stream Management Unit Name	Control Station by River Mile and Section, Township and Range	Affected Stream Reach Including Tributaries	Control Station No. Stream Management Unit Name	Control Station by River Mile and Section, Township and Range	Affected Stream Reach Including Tributaries
12.0200.00 Chehalis River Conf. w/Elk Creek	101.8 14-13-5W	From confluence with Elk Creek to headwaters except Elk Cr.	12.0350.00 Satsop River	2.3 36-18-7W	From mouth to confluence with Dry Run Cr. on East Fk. Satsop R.
12.0205.00 Elk Creek	2.5 18-13-5W	From confluence with Chehalis River to headwaters.	12.0350.02 Chehalis R. below confl. w/Satsop R.	20.0 7-17-6W	From confluence with Porter Ck. to just below confluence with Satsop River.
12.0216.30 So. Fork Chehalis R.	0.3 24-13-4W	From mouth to headwaters.	12.0374.00 Wynoochee River	5.9 27-18-8W	From mouth to headwaters.
12.0235.00 Chehalis River	77.6 2-13-3W	From confluence with Newaukum River to confluence with Elk Cr., excluding Elk Creek, and Newaukum Rivers.	12.0380.00 Wishkah River	16.2 22-19-9W	From influence of mean annual high tide at low base flow levels to headwaters. Excluding E. Fk. Wishkah River.
12.0240.00 S. Fork Newaukum R.	22.8 28-13-1E	From confluence with Lost Creek to headwaters, excluding Lost Creek.	12.0382.90 E. Fk., Wishkah R.	0.9 36-19-9W	From mouth to headwaters.
12.0245.00 N. Fork Newaukum River	6.6 35-14-1W	From mouth to headwaters.	12.0385.00 W. Fk. Hoquiam River	9.4 14-18-10W	From mouth to headwaters.
12.0250.00 Newaukum River	4.1 9-13-2W	From mouth to confluence with Lost Cr. on S. Fork Newaukum River, excluding N. Fork Newaukum River.	12.0385.80 Middle Fk. Hoquiam R.	1.6 4-18-10W	From mouth to headwaters.
12.0253.00 Salzer Creek	3.8 22-14-2W	From mouth to headwaters.	12.0386.60 East Fork Hoquiam	7.1 8-18-9W	From mouth to headwaters.
12.0264.00 Skookumchuck River	6.4 12-15-2W	From mouth to headwaters.	12.0390.00 Humptulips River	24.8 17-20-10W	From influence of mean annual high tide at low base flow levels to headwaters.
12.0275.00 Chehalis River at Grand Mound	59.9 22-15-3W	From confluence with Newaukum River to confluence with Prairie Creek.	12.0174.00 Elk River	3.0 3-16-11W	From influence of mean annual high tide at low base flow levels to headwaters.
12.0292.00 Black River	4.1 33-16-4W	From mouth to headwaters.	12.0175.00 Johns River	6.0 21-16-10W	From influence of mean annual high tide at low base flow levels to headwaters.
12.0305.00 Cedar Creek	1.1 14-16-5W	From mouth to headwaters.	12.0180.00 Newskah Creek	3.5 32-17-9W	From influence of mean annual high tide at low base flow levels to headwaters.
12.0309.00 Porter Creek	1.3 22-17-5W	From mouth to headwaters.	12.0185.00 Charley Creek	2.0 21-17-9W	From influence of mean annual high tide at low base flow levels to headwaters.
12.0310.00 Chehalis River at Porter	33.3 28-17-5W	From confluence with Prairie Creek near Grand Mound to confluence with Porter Creek including Prairie Creek.			
12.0325.00 Cloquallum Creek	1.9 36-18-6W	From mouth to headwaters.			
12.0342.00 East Fk. Satsop R.	15.9 15-19-6W	From confluence with Dry Run Cr. to headwaters excluding Dry Run Cr.			
12.0343.00 Decker Creek	0.3 31-19-6W	From mouth to headwaters.			
12.0345.00 Middle Fk. Satsop R.	0.4 36-19-7W	From mouth to headwaters.			

(2) Base flows established for the stream management units in WAC 173-522-020(1) are as follows:

BASE FLOWS IN THE CHEHALIS RIVER BASIN  
(In Cubic Feet per Second)

Month	Day	12.0200.00 Chehalis R. nr. Elk Cr.	12.0205.00 Elk Cr.	12.0216.30 So. Fk. Chehalis R.	12.0235.00 Chehalis R.
Jan.	1	260	100	200	700
	15	260	100	200	700
Feb.	1	260	100	200	700
	15	260	100	200	700
Mar.	1	260	100	200	700
	15	260	100	200	700

Month	Day	12.0200.00 Chehalis R. nr. Elk Cr.	12.0205.00 Elk Cr.	12.0216.30 So. Fk. Chehalis R.	12.0235.00 Chehalis R.
Apr.	1	260	100	200	700
	15	260	100	200	700
May	1	195	76	145	525
	15	146	57	105	400
June	1	108	43	75	300
	15	82	32	55	230
July	1	62	25	40	175
	15	46	19	29	130
Aug.	1	37	16	21	98
	15	31	14	15	75
Sep.	1	31	14	15	75
	15	31	14	15	75
Oct.	1	39	15	21	92
	15	49	17	28	115
Nov.	1	88	31	56	215
	15	150	56	105	390
Dec.	1	260	100	200	700
	15	260	100	200	700

Month	Day	12.0240.00 Newaukum R. S. Fork	12.0245.00 Newaukum R. N. Fork	12.0250.00 Newaukum R.	12.0253.00 Salzer Cr.
Jan.	1	125	62	250	11
	15	125	62	250	11
Feb.	1	125	62	250	11
	15	125	62	250	11
Mar.	1	125	62	250	11
	15	125	62	250	11
Apr.	1	125	62	250	11
	15	125	62	250	11
May	1	110	47	210	5.8
	15	88	36	160	2.8
June	1	70	27	118	1.4
	15	56	21	90	.73
July	1	45	16	68	.38
	15	36	12	52	.20
Aug.	1	29	9	38	.10
	15	27	7	35	.05
Sep.	1	27	7	35	.05
	15	27	7	35	.05
Oct.	1	33	8.4	43	.14
	15	40	10	54	.40
Nov.	1	58	19	91	1.35
	15	85	34	150	3.9
Dec.	1	125	62	250	11
	15	125	62	250	11

Month	Day	12.0264.00 Skookumchuck River	12.0275.00 Chehalis R. at Grand M.	12.0292.00 Black R.	12.0305.00 Cedar Cr.
Jan.	1	160	1300	200	90
	15	160	1300	200	90
Feb.	1	160	1300	200	90
	15	160	1300	200	90
Mar.	1	160	1300	200	90
	15	160	1300	200	90
Apr.	1	160	1300	200	90
	15	160	1300	200	90
May	1	160	1000	170	70
	15	130	780	145	54
June	1	103	600	120	40
	15	83	460	104	31
July	1	67	355	88	24
	15	54	275	75	19
Aug.	1	43	210	70	14
	15	35	165	66	11

Month	Day	12.0264.00 Skookumchuck River	12.0275.00 Chehalis R. at Grand M.	12.0292.00 Black R.	12.0305.00 Cedar Cr.
Sep.	1	35	165	66	11
	15	35	165	66	11
Oct.	1	35	200	68	13.8
	15	35	250	70	17
Nov.	1	59	440	100	30
	15	96	760	140	52
Dec.	1	160	1300	200	90
	15	160	1300	200	90

Month	Day	12.0309.00 Porter Cr.	12.0310.00 Chehalis R. at Porter	12.0325.00 Cloquallum Creek	12.0342.00 Satsop R. E. Fork
Jan.	1	90	2500	150	280
	15	90	2500	150	280
Feb.	1	90	2500	150	280
	15	90	2500	150	280
Mar.	1	90	2500	150	280
	15	90	2500	150	280
Apr.	1	90	2500	150	280
	15	90	2500	150	280
May	1	56	1900	118	240
	15	35	1420	92	210
June	1	29	1060	70	175
	15	24	800	55	152
July	1	21	610	43	130
	15	17	460	34	112
Aug.	1	14.2	340	29	104
	15	12	260	24	95
Sep.	1	12	260	24	86
	15	12	260	24	80
Oct.	1	13.3	320	27	80
	15	15	400	30	80
Nov.	1	28	760	52	125
	15	50	1380	88	185
Dec.	1	90	2500	150	280
	15	90	2500	150	280

Month	Day	12.0343.00 Decker Cr.	12.0345.00 Satsop R. M. Fork	12.0350.00 Satsop R. nr.	12.0350.02 Chehalis R. Satsop
Jan.	1	130	260	1100	3800
	15	130	260	1100	3800
Feb.	1	130	260	1100	3800
	15	130	260	1100	3800
Mar.	1	130	260	1100	3800
	15	130	260	1100	3800
Apr.	1	130	260	1100	3800
	15	130	260	1100	3800
May	1	115	203	910	2910
	15	103	160	750	2300
June	1	91	125	600	1750
	15	81	98	500	1360
July	1	72	78	425	1085
	15	64	61	360	860
Aug.	1	56	48	300	680
	15	50	38	260	550
Sep.	1	50	38	260	550
	15	50	38	260	550
Oct.	1	54	41	280	640
	15	58	45	300	750
Nov.	1	77	83	475	1305
	15	100	145	720	2220
Dec.	1	130	260	1100	3800
	15	130	260	1100	3800

Water Resources, Chehalis River Basin

173-522-040

Month	Day	12-0374.00 Wynoochee River	12-0380.00 Wishkah R.	12-0382.90 Wishkah R. E. Fk.	12-0385.00 Hoquiam R. W. Fk.
Jan.	1	560	135	33	32
	15	560	135	33	32
Feb.	1	560	135	33	32
	15	560	135	33	32
Mar.	1	560	135	33	32
	15	560	135	33	32
Apr.	1	560	135	33	32
	15	560	135	33	32
May	1	560	135	33	32
	15	560	113	27	26
June	1	450	95	21	20
	15	360	80	17	16
July	1	290	68	14	12.8
	15	230	57	11.3	10
Aug.	1	185	47	9	8
	15	150	47	9	8
Sep.	1	150	47	9	8
	15	150	47	9	8
Oct.	1	150	53	10.4	9.4
	15	230	60	12	11
Nov.	1	360	91	20	19
	15	560	135	33	32
Dec.	1	560	135	33	32
	15	560	135	33	32

Month	Day	12-0175.00 Johns River	12-0180.00 Newskah Creek	12-0185.00 Charley Creek
July	1	24	5.2	4.2
	15	21	4.1	3.3
Aug.	1	17	3.2	2.5
	15	17	2.5	2
Sep.	1	17	2.5	2
	15	17	2.5	2
Oct.	1	17	3.2	2.6
	15	24	4	3.5
Nov.	1	35	8.4	7.1
	15	49	17	14
Dec.	1	70	17	14
	15	70	17	14

Month	Day	12-0385.80 Hoquiam R. M. Fk.	12-0386.60 Hoquiam R. E. Fk.	12-0390.00 Humptulips River	12-0174.00 Elk River
Jan.	1	27	44	600	50
	15	27	44	600	50
Feb.	1	27	44	600	50
	15	27	44	600	50
Mar.	1	27	44	600	50
	15	27	44	600	50
Apr.	1	27	44	600	50
	15	27	44	600	50
May	1	27	44	600	43
	15	21	38	500	37
June	1	16	33	400	31
	15	12.2	29	325	26
July	1	9.5	25	265	22
	15	7.4	22	215	19
Aug.	1	5.6	19	170	16
	15	5.6	19	170	16
Sep.	1	5.6	19	170	16
	15	5.6	19	170	16
Oct.	1	6.7	19	205	20
	15	8.0	25	250	25
Nov.	1	15	34	390	32
	15	27	44	600	40
Dec.	1	27	44	600	50
	15	27	44	600	50

Month	Day	12-0175.00 Johns River	12-0180.00 Newskah Creek	12-0185.00 Charley Creek
Jan.	1	70	17	14
	15	70	17	14
Feb.	1	70	17	14
	15	70	17	14
Mar.	1	70	17	14
	15	70	17	14
Apr.	1	70	17	14
	15	50	17	14
May	1	50	13.4	11
	15	42	10.7	8.6
June	1	35	8.3	6.7
	15	29	6.5	5.4

(3) Base flow hydrographs, Appendix 1, pages 19-23 in the document entitled "water resources management program in the Chehalis River basin" dated November, 1975 shall be used for definition of base flows on those days not specifically identified in WAC 173-522-020(2).

(4) All rights hereafter established shall be expressly subject to the base flows established in WAC 173-522-020 (1) through (3).

(5) At such time as the departments of fisheries and/or game provide specific information substantiating the need for flows higher than the flows set forth in WAC 173-522-020(2), the department of ecology agrees to proceed with setting minimum flows as provided under chapter 90.22 RCW within one year from the time of said request, unless agreement to another time frame is reached between parties. [Order 75-31, § 173-522-020, filed 3/10/76.]

**WAC 173-522-030 Future allocation of surface water for beneficial uses.** The department has determined that there are public waters available, subject to base flow, for allocation to beneficial uses from all streams within the Chehalis basin; except for those streams and times declared closed in WAC 173-522-050. The department shall maintain a current tabulation of the amount of water that is available for appropriation at each stream management unit specified under WAC 173-522-020(1). [Order 75-31, § 173-522-030, filed 3/10/76.]

**WAC 173-522-040 Priority of future rights during times of water shortage.** (1) Rights established in the future pertaining to waters available for allocation in WAC 173-522-030 shall be subject to a priority of use. Rights for domestic use, including irrigation of lawn and noncommercial garden not to exceed one-half acre, and livestock use excluding feedlot operation, shall be superior to all other consumptive and nonconsumptive uses.

(2) As between rights established in the future within a priority of use, the date of priority shall control with an earlier-dated right being superior to those rights with later dates.

(3) Additional water use priorities may be promulgated, when required, in the future. [Order 75-31, § 173-522-040, filed 3/10/76.]

**WAC 173-522-050 Streams closed to further consumptive appropriations.** The department, having determined there are no waters available for further appropriation through the establishment of rights to use water consumptively, closes the following streams to further consumptive appropriation. An exception is made for domestic and normal stockwatering where there is no alternative source of water supply.

**Surface Water Closures**

STREAM	DATE OF CLOSURE	PERIOD OF CLOSURE
Beaver Creek, tributary to S. Fk., Newaukum River	12-5-52	1 May-31 Oct.
Beaver Creek, tributary to Black River	10-28-52	" "
Bunker Creek	1-17-50	" "
Dempsey Creek	11-15-74	" "
Dillenbaugh Creek	8-21-72	" "
Hanaford Creek	5-7-52	" "
Hope Creek & Garrard Creek	8-28-73	" "
Kearney Creek	10-27-52	" "
Lincoln Creek	11-5-48	" "
Middle Fork, Newaukum R.	4-7-50	" "
Mill Creek	3-21-52	" "
Mox Chehalis	4-25-57	" "
Salmon Creek	12-18-56	" "
Rock Creek	4-11-73	" "
Scatter Creek	7-20-50	" "
Stearns Creek	4-28-53	" "
Wildcat Creek	10-28-52	" "
Williams Creek	5-6-52	" "
Wynoochee River	3-9-62	" "
Black River	Date of Adoption	1 July-30 Sept.
Skookumchuck River	" "	" "
S. Fk. Chehalis River	" "	" "
Salzer Creek	" "	1 June-30 Sept.

**NOTE:** Affected reach is from mouth to headwaters and includes all tributaries in the contributing drainage area unless specifically excluded.

[Order 75-31, § 173-522-050, filed 3/10/76.]

**WAC 173-522-060 Effect on prior rights.** Nothing in this chapter shall be construed to lessen, enlarge, or modify the existing rights acquired by appropriation or otherwise. [Order 75-31, § 173-522-060, filed 3/10/76.]

**Chapter 173-530 WAC**

**WATER RESOURCES PROGRAM IN THE KLICKITAT RIVER BASIN, WRIA-30**

- WAC
- 173-530-910 Authority.
- 173-530-920 Purpose.
- 173-530-930 Definitions.
- 173-530-940 Declaration of withdrawal.
- 173-530-950 Existing rights not affected.
- 173-530-960 Exemptions.

**WAC 173-530-910 Authority.** This chapter is adopted pursuant to the Water Resources Act of 1971, under the specific authority set forth in RCW

90.54.050(2). [Order DE 76-7, § 173-530-910, filed 4/14/76.]

**WAC 173-530-920 Purpose.** The department of ecology has the responsibility for management of the Little Klickitat River basin water resources in a manner which is consistent with the intent of the Water Resources Act of 1971, with particular reference to the general declaration of fundamentals of RCW 90.54.020.

This regulation has resulted from recent conflicts of interest between various parties over the use of the remaining waters of the Little Klickitat River and its tributaries. Sufficient information and data are lacking at this time to make sound decisions concerning the proper utilization of the unappropriated waters of this stream system. Therefore, the department, by regulation, is temporarily withdrawing the public waters of the Little Klickitat River basin from further appropriation in order that such information and data may be developed. [Order DE 76-7, § 173-530-920, filed 4/14/76.]

**WAC 173-530-930 Definitions.** As used in this chapter:

(1) "Beneficial use" means the use of water for domestic, stock watering, industrial, commercial, agricultural, irrigation, hydroelectric power production, mining, fish and wildlife maintenance and enhancement, recreational, thermal power production purposes, preservation of environmental and aesthetic values, and all other uses compatible with the enjoyment of the public waters of the state (RCW 90.54.020).

(2) "Department" means the state of Washington department of ecology.

(3) "Domestic supply" means the noncommercial use of water for (a) normal needs within a residence, for example cooking, drinking, washing, bathing and other sanitary purposes, and (b) normal needs for maintenance of exterior amenities and grounds of not more than one-half acre in size, associated with a residence, for example lawn and garden watering or automobile and boat washing.

(4) "Nonconsumptive" is a type of water use where either there is no diversion from a source body, or where there is no diminishment of the source.

(5) "Water right" means a right to make beneficial use of public waters of the state.

(6) "Withdrawal" means administratively withholding public waters from additional appropriation for beneficial use (see chapters 90.03 and 90.44 RCW). [Order DE 76-7, § 173-530-930, filed 4/14/76.]

**WAC 173-530-940 Declaration of withdrawal.** The department declares that, after the effective date hereof, the public waters of the Little Klickitat River basin are withdrawn from further appropriation until November 1, 1983 or until a state water resources management program has been adopted for the Little Klickitat River basin as provided in chapter 173-500 WAC, whichever occurs first. After the effective date of the regulation for the withdrawal, the department will continue to accept applications for water rights in the basin, as provided in

RCW 90.03.250 and 90.44.060; however, no actions of approval or disapproval of these applications shall be made by the department during the time the withdrawal is in effect except as provided for in WAC 173-530-960. [Statutory Authority: RCW 90.54.050. 81-20-041 (Order DE 81-30), 173-530-940, filed 10/1/81; 78-11-039 (Order DE 78-18), § 173-530-940, filed 10/19/78; Order DE 76-7, § 173-530-940, filed 4/14/76.]

**WAC 173-530-950 Existing rights not affected.** (1) The withdrawal declared in WAC 173-530-940 shall neither affect any existing water rights, riparian, appropriative or otherwise; nor existing rights relating to hydroelectric or water storage reservoir or related facility; nor exploratory work, construction or operation of a thermal power plant by an electric utility in accordance with chapter 80.50 RCW.

(2) The watering of ranging stock on riparian grazing lands within the said watershed shall not be deemed in conflict with WAC 173-530-940. [Order DE 76-7, § 173-530-950, filed 4/14/76.]

**WAC 173-530-960 Exemptions.** (1) Applications for permits to appropriate public waters for domestic supply and/or stock-watering purposes, excluding feed lot operations, within the Little Klickitat River basin filed prior to or after the effective date of this chapter may be processed to permit and certificate status if such proposed uses do not appear to be in conflict with existing rights nor the meaning and general intent of this regulation.

(2) In multiple-purpose applications, filed prior to or after the effective date of this chapter, which include domestic supply and/or stock-watering purposes excluding feed lot operations, the applicant may request a determination of approval or disapproval of the domestic supply and stock-water portion of his application only; thereafter a permit and certificate for such domestic supply and/or stock-watering uses may be issued by the department in these cases under the same conditions as cited in (1) above.

(3) The department may issue permits and certificates under applications for nonconsumptive uses if such issuance is compatible with the meaning and intent of this regulation.

(4) Applications to appropriate public ground waters may be approved and permits and certificates issued, if departmental investigation indicates that ground waters from the source aquifers do not contribute significantly to the surface water drainages of the Little Klickitat River basin. [Order DE 76-7, § 173-530-960, filed 4/14/76.]

## Chapter 173-531A WAC

### WATER RESOURCE PROGRAM FOR THE JOHN DAY-MCNARY POOLS REACH OF THE COLUMBIA RIVER, WRIA 31 AND PARTS OF WRIS 32, 33, 36, AND 37

#### WAC

173-531A-010	Purpose.
173-531A-020	Definitions.
173-531A-030	Existing water rights protected.
173-531A-040	Reservation for future irrigation use.
173-531A-050	Reservation for municipal use.
173-531A-060	Permit conditions.
173-531A-070	Department to review regulation.

**WAC 173-531A-010 Purpose.** This chapter is adopted in accordance with the water resources management regulation, chapter 173-500 WAC, which was promulgated under the authority of the Water Resources Act of 1971, chapter 90.54 RCW. This chapter applies to the surface waters of the John Day and McNary Pools of the Columbia River and the Lower Snake River. [Statutory Authority: Chapter 90.54 RCW. 80-08-022 (Order DE 80-19), § 173-531A-010, filed 6/24/80. Formerly WAC 173-531-010.]

**WAC 173-531A-020 Definitions.** For the purposes of this chapter, the following definitions shall be used.

(1) "Department" means the Washington state department of ecology.

(2) "Reservation" means the designation of specific amounts of the water resources for specific future beneficial uses.

(3) "John Day/McNary Pools Reach," means that part of the Columbia River from John Day Dam upstream to the upper limits of McNary Pool including the upper limits of the pool in the Snake River, the Yakima River, and the Walla Walla River. This reach extends from river mile 216 to river mile 352 of the Columbia River, and includes the lower 10 miles of the Snake River, the lower 6 miles of the Yakima River, and the lower 9 miles of the Walla Walla River. [Statutory Authority: Chapter 90.54 RCW. 80-08-022 (Order DE 80-19), § 173-531A-020, filed 6/24/80. Formerly WAC 173-531-020.]

**WAC 173-531A-030 Existing water rights protected.** Nothing in the chapter shall be construed to lessen, enlarge, or modify existing rights acquired by appropriation or by other means, including federal reserved rights. [Statutory Authority: Chapter 90.54 RCW. 80-08-022 (Order DE 80-19), § 173-531A-030, filed 6/24/80. Formerly WAC 173-531-030.]

**WAC 173-531A-040 Reservation for future irrigation use.** (1) One million three hundred twenty thousand acre-feet per year are hereby reserved from the John Day/McNary Pools reach to provide a water supply for the 330,000 acres of irrigation projected to be developed by the year 2020. The 330,000 acres includes lands under existing water right permits, pending applications and land for which appropriation applications have not yet been filed.

(2) The priority dates of existing permits and applications already on file covered by the reservation are the dates of filing with the department. The priority dates of permits issued under applications filed in the future under the reservation shall be the effective date of this regulation (see RCW 90.03.345).

(3) Waters represented by canceled or relinquished applications and permits will still be considered reserved and may be subsequently filed on by interested appropriators. [Statutory Authority: Chapter 90.54 RCW. 80-08-022 (Order DE 80-19), § 173-531A-040, filed 6/24/80. Formerly WAC 173-531-040.]

**WAC 173-531A-050 Reservation for municipal use.**

(1) Twenty-six thousand acre-feet of water per year is reserved from the John Day/McNary Pools reach to provide for future municipal supply to the year 2020.

(2) The reservation for municipal use does not guarantee any existing or future supply entity a specific quantity of water. Municipal water supply utilities must petition the department for reservation of water, for their particular needs, according to procedures of chapter 173-590 WAC.

(3) The priority dates of water right filings under the municipal reservation shall be the effective date of this regulation. [Statutory Authority: Chapter 90.54 RCW. 80-08-022 (Order DE 80-19), § 173-531A-050, filed 6/24/80. Formerly WAC 173-531-050.]

**WAC 173-531A-060 Permit conditions.** All permits issued for waters reserved under WAC 173-531A-040 or 173-531A-050 after the effective date of this chapter shall be subject to the provisions of chapter 173-563 WAC - instream resources protection program for the main stem of the Columbia River. [Statutory Authority: Chapter 90.54 RCW. 80-08-022 (Order DE 80-19), § 173-531A-060, filed 6/24/80. Formerly WAC 173-531-060.]

**WAC 173-531A-070 Department to review regulation.** (1) The department, in accordance with applicable statutory provisions, shall review the reservations for future irrigation use and future municipal use at least every five years after adoption of this management regulation.

(2) In reviewing the reservations, the department will evaluate the account of water rights established under the reservations as provided in WAC 173-531A-040(3) and 173-531A-050(2). The department will also evaluate and update the accounts of ground water development and use on lands relating to the reserved waters and reduce the reserved amounts of surface water. [Statutory Authority: Chapter 90.54 RCW. 80-08-022 (Order DE 80-19), § 173-531A-070, filed 6/24/80.]

**Chapter 173-532 WAC**

**WATER RESOURCES PROGRAM FOR THE WALLA WALLA RIVER BASIN, WR1A-32**

**WAC**

173-532-010	Purpose.
173-532-020	Definitions.
173-532-030	Base flows.
173-532-040	Streams closed to further consumptive appropriations.
173-532-050	Protection of surface water rights from new appropriators of ground water.
173-532-060	Designation of ground water areas for specific uses.
173-532-070	Closure of ground water aquifer to further appropriation.
173-532-080	Evaluation of ground water applications.

**WAC 173-532-010 Purpose.** This regulation is adopted in accordance with the water resources management regulation, chapter 173-500 WAC, which was promulgated under the authority of the Water Resources Act of 1971, chapter 90.54 RCW. This chapter, including any amendments, applies to all waters that lie within or contribute to the Walla Walla River drainage basin. This chapter sets forth the department's policies to manage the basin's water resources. [Order DE 77-30, § 173-532-010, filed 12/14/77.]

**WAC 173-532-020 Definitions.** For purposes of this chapter, the following definitions shall be used.

(1) "Allocation" means the designating of specific amounts of the water resource for specific beneficial uses.

(2) "Base flow" means a level of stream flow established in accordance with provisions of chapter 90.54 RCW required in perennial streams to preserve wildlife, fish, scenic, aesthetic, and other environmental and navigational values.

(3) "Consumptive use" means use of water whereby there is discernible diminishment of the water source.

(4) "Department" means the Washington state department of ecology.

(5) "Director" means the director of the department of ecology.

(6) "Domestic use" means use of water associated with human health and welfare requirements, including water used for drinking, bathing, sanitary purposes, cooking, laundering, irrigation of not over one-half acre of lawn and garden per dwelling, and other incidental household uses.

(7) "In-house domestic use" means use of water for drinking, cleaning, sanitation, and other uses in a residence, excluding irrigation of lawn and garden.

(8) "Municipal water supply system" means a set of facilities including source, treatment, storage, transmission and distribution facilities whereby water is furnished for commercial and/or industrial uses, and public water supplies with 10 or more connections.

(9) "Nonconsumptive use" means a type of water use where either there is no diversion from a source body, or where there is no discernible diminishment of the source.

(10) "Perennial stream" means a stream with a natural flow which is normally continuous at any given location.

(11) "Public water supply" means any water supply intended or used for human consumption and community uses.

(12) "Water right" means a right to make beneficial use of public waters of the state.

(13) "Zone of direct hydraulic continuity" means that zone of inter action between the surface water stream and the adjacent ground water whereby a pumping well can effectively reduce the flow in the stream to the detriment of surface water users, as determined by the department. [Order DE 77-30, § 173-532-020, filed 12/14/77.]

**WAC 173-532-030 Base flows.** The establishment of base flows for surface streams will be deferred until such time as storage project or projects become a reality. At present, all surface streams are totally appropriated during the irrigation season and water is not available for protection of instream values. With the advent of future storage projects, the department may establish base flows which can be included as project benefits and maintained by storage releases. [Order DE 77-30, § 173-532-030, filed 12/14/77.]

**WAC 173-532-040 Streams closed to further consumptive appropriations.** The department has determined that no waters are available for consumptive appropriation through the establishment of water rights for the following streams for the periods indicated:

TABLE II-1  
SURFACE WATER CLOSURES\*

STREAM NAME	AFFECTED REACH	EFFECTIVE DATE OF CLOSURE	PERIOD OF CLOSURE
Blue Creek	Mouth to Headwaters	Date of Adoption	June 1 - Oct. 31
Mill Creek	Mouth to State Line	2-6-1957	May 1 - Oct. 1
Walla Walla River	Mouth to State Line	Date of Adoption	May 1 - Nov. 30
Dry Creek	Mouth to Headwaters	Date of Adoption	April 15 - Nov. 15 or whenever Walla Walla at USGS Gage 14.0185 drops below 91.0 cfs.
Touchet River	Mouth to Headwaters	Date of Adoption	June 1 - Oct. 31
Copei Creek	Mouth to Headwaters	Date of Adoption	April 1 - Nov. 10
Doan Creek	Mouth to Headwaters	Date of Adoption	June 1 - Oct. 1
Mud Creek	Mouth to Headwaters	Date of Adoption	May 1 - Oct. 31 or whenever Walla Walla below confluence with Mud Creek falls below 50 cfs.

STREAM NAME	AFFECTED REACH	EFFECTIVE DATE OF CLOSURE	PERIOD OF CLOSURE
Pine Creek	Mouth to Headwaters	Date of Adoption	May 1 - Oct. 31 or whenever Walla Walla River at confluence with Pine Creek or below Touchet River drops below 50 cfs.
Stone Creek	Mouth to Headwaters	Date of Adoption	May 1 - Oct. 31

\*Exception for single-domestic and stock water where no other practical source is available.

[Order DE 77-30, § 173-532-040, filed 12/14/77.]

**WAC 173-532-050 Protection of surface water rights from new appropriators of ground water.** New appropriators of ground water will be required to locate wells outside of the zone of direct hydraulic continuity between the surface water stream and the ground water aquifer. The actual limits of the zone of direct hydraulic continuity at a specific location will be determined by the department after an individual ground water application is received. The department will use accepted engineering methods for its determination. [Order DE 77-30, § 173-532-050, filed 12/14/77.]

**WAC 173-532-060 Designation of ground water areas for specific uses.** A portion of the ground water resource in the Walla Walla-College Place vicinity is designated for the anticipated growth of the community. Within the following area, ground water in the basalt aquifer is limited to appropriation for municipal water supply systems only, and ground water in the shallow gravel aquifer is limited to uses other than municipal water supply systems:

All the area contained within the following listed sections: Sections 35 and 36, T8N, R35E; sections 1, 2, 11, 12, 13, 14, 15, 23, 24, 25, 26, 27, 28, 34, 35, and 36, T7N, R35E; sections 1, 2, 3, 10, 11, 12, and all of 13, 14, and 15 lying within Washington state, T6N, R35E; sections 31, 32, 33, 34, 35, and 36, T8N, R36E; all the area within T7N, R36E; all the area within T6N, R36E lying within the state of Washington; section 31, T8N, R37E; sections 6, 7, 18, 19, 30, and 31, T7N, R37E; and sections 6, 7, and all of section 18 lying within Washington state, T6N, R37E.

The provisional designation of water in the basalt aquifer for municipal water supply systems shall be effective for a period from February 1, 1978 to October 1, 1984. After October 1, 1984, all designated waters not appropriated or reserved under chapter 173-590 WAC reservation of water for future public water supply, shall be open for appropriations by other users as determined by the department.

The designation of water in the gravel aquifer for users other than municipal water supply systems shall remain indefinitely until changed by the department. [Statutory Authority: RCW 90.54.050. 83-02-039 (Order DE 82-46), § 173-532-060, filed 12/30/82; Order DE 77-30, § 173-532-060, filed 12/14/77.]

**WAC 173-532-070 Closure of ground water aquifer to further appropriation.** When the department determines that annual ground water withdrawals from the basalt aquifer have reached 125,000 acre-feet, which is approximately 95 percent of the average annual recharge to that aquifer, the aquifer will be closed to further appropriation. [Order DE 77-30, § 173-532-070, filed 12/14/77.]

**WAC 173-532-080 Evaluation of ground water applications.** Each new application for ground water appropriation will be evaluated to minimize interference with existing wells and with adjacent surface water streams. The department will issue permits for ground water withdrawal in those cases where senior surface water and ground water rights will not be adversely affected as determined by the department. [Order DE 77-30, § 173-532-080, filed 12/14/77.]

**Chapter 173-545 WAC  
INSTREAM RESOURCES PROTECTION  
PROGRAM--WENATCHEE RIVER BASIN, WATER  
RESOURCE INVENTORY AREA (WRIA) 45**

- WAC
- 173-545-010 General provision.
  - 173-545-020 Purpose.
  - 173-545-030 Establishment of instream flows.
  - 173-545-040 Stream closure.
  - 173-545-050 Policy statement for future permitting actions.
  - 173-545-060 Lakes.
  - 173-545-070 Exemptions.
  - 173-545-080 Future rights.
  - 173-545-090 Enforcement.
  - 173-545-100 Regulation review.

**WAC 173-545-010 General provision.** These rules apply to waters within the Wenatchee River basin, WRIA 45, as defined in WAC 173-500-040. This chapter is promulgated pursuant to chapter 90.54 RCW (Water Resources Act of 1971), chapter 90.22 RCW (minimum water flows and levels), chapter 75.20 RCW (state fisheries code) and in accordance with chapter 173-500 WAC (water resources management program). [Statutory Authority: Chapters 90.54, 90.22 and 75.20 RCW. 83-13-016 (Order DE 83-8), § 173-545-010, filed 6/3/83.]

**WAC 173-545-020 Purpose.** The purpose of this chapter is to retain perennial rivers, streams, and lakes in the Wenatchee River basin with instream flows and levels necessary to provide protection for wildlife, fish, scenic, aesthetic, and environmental values, recreation, navigation, and water quality. [Statutory Authority:

Chapters 90.54, 90.22 and 75.20 RCW. 83-13-016 (Order DE 83-8), § 173-545-020, filed 6/3/83.]

**WAC 173-545-030 Establishment of instream flows.** (1) Stream management units and associated control stations are established as follows:

Stream Management Unit Information

Control Station No. Stream Management Unit Name	Control Station by River Mile and Section, Township, and Range	Affected Stream Reach(es) including Tributaries
12-4570.00 Wenatchee River at Plain	46.2 Sec. 12, T. 26N., R. 17E. W.M	From Plain Road Bridge, R.M. 46.2, to headwaters
12-4585.00 Icicle Cr. near Leavenworth	1.5 Sec. 24, T. 24N., R. 17E. W.M	Headwaters of Icicle Creek to its mouth
12-4590.00 Wenatchee River at Peshastin	21.5 Sec. 8, T. 24N., R. 18E. W.M	From confluence of Derby Creek to Plain Road Bridge, R.M. 46.2 excluding Derby Creek and Icicle Creek
12-4625.00 Wenatchee River at Monitor	7.0 Sec. 11, T. 23N., R. 19E. W.M	From mouth to confluence of Derby Creek, including Derby Creek and excluding Mission Creek
12-4620.00 Mission Creek near Cashmere	1.5 Sec. 8, T. 23N., R. 19E. W.M	From mouth to headwaters

(2) Instream flows are established for the stream management units in WAC-173-545-030(1) as follows:

Instream Flows in the Wenatchee River basin  
(instantaneous cubic feet per second)

Month	Day	12-4570.00	12-4580.00	12-4590.00
		Wenatchee R. at Plain	Icicle Cr. near Leavenworth	Wenatchee R. at Peshastin
Jan	1	550	120	700
	15	550	120	700
Feb	1	550	120	700
	15	550	120	700
Mar	1	550	150	750
	15	700	170	940
Apr	1	910	200	1300
	15	1150	300	1750
May	1	1500	450	2200
	15	2000	660	2800
Jun	1	2500	1000	3500
	15	2000	660	2600
Jul	1	1500	450	1900
	15	1200	300	1400
Aug	1	880	200	1000
	15	700	170	840
Sep	1	660	130	820
	15	620	130	780
Oct	1	580	130	750
	15	520	130	700
Nov	1	550	150	750
	15	550	150	750
Dec	1	550	150	750
	15	550	150	750



Instream Flows in the Wenatchee River basin (cont'd)  
(instantaneous cubic feet per second)

Month	Day	12-4620.00 Mission Cr. near Cashmere	12-4625.00 Wenatchee R. at Monitor
Jan	1	6	820
	15	6	820
Feb	1	6	820
	15	6	800
Mar	1	6	800
	15	11	1040
Apr	1	22	1350
	15	40	1750
May	1	40	2200
	15	40	2800
Jun	1	28	3500
	15	20	2400
Jul	1	14	1700
	15	10	1200
Aug	1	7	800
	15	5	700
Sep	1	4	700
	15	4	700
Oct	1	4	700
	15	5	700
Nov	1	6	800
	15	6	800
Dec	1	6	800
	15	6	800

(3) Instream flow hydrographs, as represented in the document entitled "Wenatchee River basin instream resources protection program, figs. 7, 8, 9, pgs. 30 and 31," shall be used for identification of instream flows on those days not specifically identified in WAC 173-545-030(2).

(4) Future consumptive water right permits issued hereafter for diversion of surface water from the main stem Wenatchee River and perennial tributaries shall be expressly subject to instream flows established in WAC 173-545-030 (1) through (3) as measured at the appropriate gage, preferably the nearest one downstream, except for those exemptions described in WAC 173-545-070 (1) through (3).

(5) Projects that would reduce the flow in a portion of a stream's length (e.g.: hydroelectric diversion projects) will be considered consumptive with respect to the bypassed portion of the stream and will be subject to specific instream flow requirements as specified by the department for the bypassed reach notwithstanding WAC 173-545-030(1) through (3). The department may require detailed, project-specific instream flow studies to determine a specific instream flow for the bypassed reach.

(6) If department investigations determine that withdrawal of ground water from the source aquifers would not interfere significantly with stream flow during the period of stream closure or with maintenance of minimum flows, then applications to appropriate public

ground waters may be approved and permits or certificates issued. [Statutory Authority: Chapters 90.54, 90.22 and 75.20 RCW. 83-13-016 (Order DE 83-8), § 173-545-030, filed 6/3/83.]

**WAC 173-545-040 Stream closure.** The department has determined that additional diversions of water from Peshastin Creek during the period June 15 to October 15 would deplete instream flows required to protect instream values. Peshastin Creek is, therefore, closed to further consumptive appropriation from June 15 to October 15 each year. During the nonclosed period, minimum instream flows will be controlled and measured from the control station on the Wenatchee River at Monitor. [Statutory Authority: Chapters 90.54, 90.22 and 75.20 RCW. 83-13-016 (Order DE 83-8), § 173-545-040, filed 6/3/83.]

**WAC 173-545-050 Policy statement for future permitting actions.** Consistent with the provisions of chapter 90.54 RCW, it is the policy of the department to preserve an appropriate base flow in all streams and rivers as well as the water levels in all lakes in the Wenatchee River basin by encouraging the use of alternate sources of water which include (1) ground water, (2) storage water, or (3) purchase of other valid water rights. [Statutory Authority: Chapters 90.54, 90.22 and 75.20 RCW. 83-13-016 (Order DE 83-8), § 173-545-050, filed 6/3/83.]

**WAC 173-545-060 Lakes.** In future permitting actions relating to withdrawal of lake waters, lakes and ponds shall be retained substantially in their natural condition. Withdrawals of water which would conflict therewith shall be authorized only in those situations where it is clear that overriding considerations of the public interest will be served. [Statutory Authority: Chapters 90.54, 90.22 and 75.20 RCW. 83-13-016 (Order DE 83-8), § 173-545-060, filed 6/3/83.]

**WAC 173-545-070 Exemptions.** (1) Nothing in this chapter shall affect existing water rights, riparian, appropriative, or otherwise existing on the effective date of this chapter, nor shall it affect existing rights relating to the operation of any navigation, hydroelectric, or water storage reservoir or related facilities.

(2) Future requests for group domestic uses, including municipal supply, may be exempted from the minimum instream flow provisions of this chapter when it is determined by the department, in consultation with the departments of fisheries and game, that overriding considerations of the public interest will be served.

(3) Single domestic and stockwatering use, except that related to feedlots, shall be exempt from the provisions established in this chapter. If the cumulative impacts of numerous single domestic diversions would significantly affect the quantity of water available for instream uses, then only single domestic in-house use shall be exempt if no alternative source is available.

(4) Nonconsumptive uses which are compatible with the intent of the chapter may be approved. [Statutory

Authority: Chapters 90.54, 90.22 and 75.20 RCW. 83-13-016 (Order DE 83-8), § 173-545-070, filed 6/3/83.]

**WAC 173-545-080 Future rights.** No rights to divert or store public surface waters of the Wenatchee River basin, WRIA 45, shall hereafter be granted which shall conflict with the purpose of this chapter. [Statutory Authority: Chapters 90.54, 90.22 and 75.20 RCW. 83-13-016 (Order DE 83-8), § 173-545-080, filed 6/3/83.]

**WAC 173-545-090 Enforcement.** In enforcement of this chapter, the department of ecology may impose such sanctions as appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190 and civil penalties under RCW 43.83B.335. [Statutory Authority: Chapters 90.54, 90.22 and 75.20 RCW. 83-13-016 (Order DE 83-8), § 173-545-090, filed 6/3/83.]

**WAC 173-545-100 Regulation review.** Review of the rules in this chapter shall be initiated by the department of ecology within five years of the date of adoption. [Statutory Authority: Chapters 90.54, 90.22 and 75.20 RCW. 83-13-016 (Order DE 83-8), § 173-545-100, filed 6/3/83.]

### Chapter 173-548 WAC

#### WATER RESOURCES PROGRAM IN THE METHOW RIVER BASIN, WRIA-48

##### WAC

173-548-010	General provision.
173-548-020	Establishment of base flows.
173-548-030	Future allocations—Reservation of surface water for beneficial uses.
173-548-040	Priority of future water rights during times of water shortage.
173-548-050	Streams and lakes closed to further consumptive appropriations.
173-548-060	Ground water.
173-548-070	Effect on prior rights.

**WAC 173-548-010 General provision.** These rules, including any subsequent additions and amendments, apply to waters within and contributing to the Methow River basin, WRIA 48 (see WAC 173-500-040). Chapter 173-500 WAC, the general rules of the department of ecology for the implementation of the comprehensive water resources program, applies to this chapter 173-548 WAC. [Order DE 76-37, § 173-548-010, filed 12/28/76.]

**WAC 173-548-020 Establishment of base flows.** (1) Base flows are established for stream management units with monitoring to take place at certain control points as follows:

#### Stream Management Unit Information

Stream Management Unit Name, Control Station Name and Number	Control Station Location by River Mile, Section, Township, Range	Affected Stream Reach (includes tributaries)
<u>Lower Methow</u> Methow R. nr. Pateros (12.4499.50)	6.7 20-30-23E	Methow River confluence with Wells Pool to confluence with Twisp River.
<u>Middle Methow</u> Methow R. nr. Twisp (12.4495.00)	40.0 17-33-22E	Methow River from confluence with Twisp River to confluence with Chewack River.
<u>Upper Methow</u> Methow R. nr. Winthrop (12.4473.89)	50.2 2-34-21E	Methow River from confluence with Chewack River to confluence with Little Boulder Creek and including Little Boulder Creek.
<u>Methow Headwaters</u> Methow R. at Little Boulder Cr. (12.4473.83)	65.3 25-36-19E	Methow River from confluence with Little Boulder Creek to headwaters.
<u>Early Winters Creek</u> Early Winters Cr. near Mazama	27-36-19E	Early Winters Creek from confluence with Methow River to headwaters.
<u>Chewack River</u> Chewack R. nr. Boulder Creek (12.4475.00)	8.7 35-36-21E	Chewack River confluence with Methow River to headwaters.
<u>Twisp River</u> Twisp R. nr. Twisp (12.4489.98)	0.3 7-33-22E	Twisp River from confluence with Methow River to headwaters.

(2) Base flows established for the stream management units in WAC 173-548-020(1) are as follows:

#### Base Flows in the Methow River (All Figures in Cubic Feet Per Second)

[CODIFICATION NOTE: The graphic presentation of this table has been varied slightly in order that it would fall within the printing specification for the Washington Administrative Code. The following table was too wide to be accommodated in the width of the WAC column. The table as codified has been divided into two tables with Part 1 covering the Lower Methow, Middle Methow and Upper Methow and with Part 2 covering the Methow Headwaters, Early Winters Creek, Chewack River and Twisp River.]

PART 1

Month	Day	Lower Methow (12.4499.50)	Middle Methow (12.4495.00)	Upper Methow (12.4473.89)
Jan.	1	350	260	120
	15	350	260	120
Feb.	1	350	260	120
	15	350	260	120
Mar.	1	350	260	120
	15	350	260	120
Apr.	1	590	430	199
	15	860	650	300
May	1	1,300	1,000	480
	15	1,940	1,500	690
Jun.	1	2,220	1,500	790
	15	2,220	1,500	790
Jul.	1	2,150	1,500	694
	15	800	500	240
Aug.	1	480	325	153
	15	300	220	100
Sep.	1	300	220	100
	15	300	220	100
Oct.	1	360	260	122
	15	425	320	150
Nov.	1	425	320	150
	15	425	320	150
Dec.	1	390	290	135
	15	350	260	120

PART 2

Month	Day	Methow Headwaters (12.4473.83)	Early Winters Creek	Chewack River (12.4475.00)	Twisp River (12.4489.98)
Jan.	1	42	10	56	34
	15	42	10	56	34
Feb.	1	42	10	56	34
	15	42	10	56	34
Mar.	1	42	10	56	34
	15	42	10	56	34
Apr.	1	64	14	90	60
	15	90	23	140	100
May	1	130	32	215	170
	15	430	108	290	300
Jun.	1	1,160	290	320	440
	15	1,160	290	320	440
Jul.	1	500	125	292	390
	15	180	45	110	130
Aug.	1	75	20	70	58
	15	32	8	47	27
Sep.	1	32	8	47	27
	15	32	8	47	27
Oct.	1	45	11	56	35
	15	60	15	68	45
Nov.	1	60	15	68	45
	15	60	15	68	45
Dec.	1	51	12	62	39
	15	42	10	56	34

(3) Base flow hydrographs, as represented in Figure 1 in the document entitled "water resources management program, Methow River basin" dated 1976, shall be

used for definition of base flows on those days not specifically identified in WAC 173-548-020(2) and 173-548-030.

(4) All rights hereafter established shall be subject to the base flows established in WAC 173-548-020(1) through (3), except as provided under WAC 173-548-030 herein.

(5) Future appropriations of water which would conflict with base flows shall be authorized, by the director, only in those situations when it is clear that overriding considerations of the public interest will be served. [Order DE 76-37, § 173-548-020, filed 12/28/76.]

**WAC 173-548-030 Future allocations--Reservation of surface water for beneficial uses.** (1) The department determines that there are surface waters available for appropriation from the stream management units specified in the amount specified in cubic feet per second (cfs) during the time specified as follows:

(a) Maximum surface water available for future allocation from the indicated reach is as follows:

Month	Lower Methow	Middle Methow	Upper Methow	Methow Headwaters	Early Winters Creek	Chewack River	Twisp River
Oct.	95	50	44	15	29	09	14
Nov.	116	101	46	06	21	10	15
Dec.	112	99	44	17	26	10	15
Jan.	50	36	26	08	19	03	09
Feb.	51	37	29	09	19	04	10
Mar.	147	139	80	38	19	24	18
Apr.	565	590	273	336	35	118	148
May	2,922	2,927	784	412	403	809	703
Jun.	3,116	2,853	1,017	1,249	294	1,292	890
Jul.	965	877	583	608	189	308	298
Aug.	214	192	203	109	94	70	70
Sep.	62	55	76	33	47	23	26

All figures in cubic feet per second.

(b) The control station for each reach is defined in WAC 173-548-020.

(c) The appropriation limit is set forth to be an amount equal to the one in two year natural reach discharge on a monthly basis for all management reaches except Early Winters Creek. The appropriation limit for Early Winters Creek is set forth to be an amount equal to the estimated natural mean monthly streamflow for that stream.

(2) The amounts of water referred to in WAC 173-548-030(1) above are allocated for beneficial uses in the future as follows:

(a) Allocation of surface waters by use category (April through September):

Use Description	Apr.	May	Jun.	Jul.	Aug.	Sep.
<b>Lower Methow</b>						
Single Domestic and Stock Use	2.0	2.0	2.0	2.0	2.0	2.0
Base Flow	860	1,940	2,220	800	300	300
Public Water Supply, Irrigation, and Other Uses	Remaining waters up to the appropriation limit set forth in WAC 173-548-030 (1)(c)					

Use Description	Apr.	May	Jun.	Jul.	Aug.	Sep.
<u>Middle Methow</u>						
Single Domestic and Stock Use	2.0	2.0	2.0	2.0	2.0	2.0
Base Flow	650	1,500	1,500	500	220	220
Public Water Supply, Irrigation, and Other Uses	Remaining waters up to the appropriation limit set forth in WAC 173-548-030 (1)(c)					
<u>Upper Methow</u>						
Single Domestic and Stock Use	2.0	2.0	2.0	2.0	2.0	2.0
Base Flow	300	690	790	240	100	100
Public Water Supply, Irrigation, and Other Uses	Remaining waters up to the appropriation limit set forth in WAC 173-548-030 (1)(c)					
<u>Methow Headwaters</u>						
Single Domestic and Stock Use	2.0	2.0	2.0	2.0	2.0	2.0
Base Flow	90	430	1,160	180	32	32
Public Water Supply, Irrigation, and Other Uses	Remaining waters up to the appropriation limit set forth in WAC 173-548-030 (1)(c)					
<u>Early Winters Creek</u>						
Single Domestic and Stock Use	2.0	2.0	2.0	2.0	2.0	2.0
Base Flow	23	108	290	45	8.0	11.0
Public Water Supply, Irrigation, and Other Uses	Remaining waters up to the appropriation limit set forth in WAC 173-548-030 (1)(c)					
<u>Chewack River</u>						
Single Domestic and Stock Use	2.0	2.0	2.0	2.0	2.0	2.0
Base Flow	140	290	320	110	47	47
Public Water Supply, Irrigation, and Other Uses	Remaining waters up to the appropriation limit set forth in WAC 173-548-030 (1)(c)					
<u>Twisp River</u>						
Single Domestic and Stock Use	2.0	2.0	2.0	2.0	2.0	2.0
Base Flow	100	300	440	130	27	27
Public Water Supply, Irrigation, and Other Uses	Remaining waters up to the appropriation limit set forth in WAC 173-548-030 (1)(c)					

All figures in cubic feet per second

(b) Allocation of surface waters by use category (October through March):

Use Description	Oct.	Nov.	Dec.	Jan.	Feb.	Mar.
<u>Lower Methow</u>						
Single Domestic and Stock Use	2.0	2.0	2.0	2.0	2.0	2.0
Base Flow	425	425	350	350	350	350
Public Water Supply, Irrigation, and Other Uses	Remaining waters up to the appropriation limit set forth in WAC 173-548-030 (1)(c)					
<u>Middle Methow</u>						
Single Domestic and Stock Use	2.0	2.0	2.0	2.0	2.0	2.0
Base Flow	320	320	260	260	260	260
Public Water Supply, Irrigation, and Other Uses	Remaining waters up to the appropriation limit set forth in WAC 173-548-030 (1)(c)					
<u>Upper Methow</u>						
Single Domestic and Stock Use	2.0	2.0	2.0	2.0	2.0	2.0
Base Flow	150	150	120	120	120	120
Public Water Supply, Irrigation, and Other Uses	Remaining waters up to the appropriation limit set forth in WAC 173-548-030 (1)(c)					
<u>Methow Headwaters</u>						
Single Domestic and Stock Use	2.0	2.0	2.0	2.0	2.0	2.0
Base Flow	60	60	42	42	42	42
Public Water Supply, Irrigation, and Other Uses	Remaining waters up to the appropriation limit set forth in WAC 173-548-030 (1)(c)					
<u>Early Winters Creek</u>						
Single Domestic and Stock Use	2.0	2.0	2.0	2.0	2.0	2.0
Base Flow	15	15	10	10	10	10
Public Water Supply, Irrigation, and Other Uses	Remaining waters up to the appropriation limit set forth in WAC 173-548-030 (1)(c)					
<u>Chewack River</u>						
Single Domestic and Stock Use	2.0	2.0	2.0	2.0	2.0	2.0
Base Flow	68	68	56	56	56	56
Public Water Supply, Irrigation, and Other Uses	Remaining waters up to the appropriation limit set forth in WAC 173-548-030 (1)(c)					
<u>Twisp River</u>						
Single Domestic and Stock Use	2.0	2.0	2.0	2.0	2.0	2.0
Base Flow	45	45	34	34	34	34
Public Water Supply, Irrigation, and Other Uses	Remaining waters up to the appropriation limit set forth in WAC 173-548-030 (1)(c)					

All figures in cubic feet per second.

(c) Allocations presented in this section do not limit the utilization of waters stored for later release, provided

such storage does not infringe upon existing rights or base flow and is duly permitted under RCW 90.03.290 and 90.03.350.

(d) As the amount of water allocated for each category of use approaches the amount available for future allocation set forth in WAC 173-548-030(1), the department shall review the program to determine whether there is a need for program revision. [Order DE 76-37, § 173-548-030, filed 12/28/76.]

**WAC 173-548-040 Priority of future water rights during times of water shortage.** (1) As between rights established in the future pertaining to waters allocated in WAC 173-548-030 (2)(a) and (b), all rights subject to this program shall be regulated in descending order of use category priority regardless of the date of the priority of right.

(2) As between rights established in the future within a single use category allocation of WAC 173-548-030, the date of priority shall control with an earlier dated right being superior to those rights with later dates. [Order DE 76-37, § 173-548-040, filed 12/28/76.]

**WAC 173-548-050 Streams and lakes closed to further consumptive appropriations.** The department, having determined there are no waters available for further appropriation through the establishment of rights to use water consumptively, closes the following streams and lakes to further consumptive appropriation for the periods indicated, with exceptions as noted:

(a) STREAM CLOSURES

Stream Name (Includes Tributaries)	Affected Reach	Period Closure
Wolf Creek	Mouth to Headwaters	Closed all year**
Bear Creek (Davis Lake)	"	Closed all year
Thompson Creek	"	Closed all year**
Beaver Creek	"	Closed May 1 to Oct. 1**
Alder Creek	"	Closed all year
Benson Creek	"	Closed all year**
Texas Creek	"	Closed all year
Libby Creek	"	Closed May 1 to Oct. 1**
Cow Creek	"	Closed May 1 to Oct. 1
Gold Creek	"	Closed May 1 to Oct. 1*/**
McFarland Creek	"	Closed May 1 to Oct. 1
Squaw Creek	"	Closed May 1 to Oct. 1
Black Canyon Creek	"	Closed May 1 to Oct. 1
French Creek	"	Closed May 1 to Oct. 1*/**

\*Exception for single domestic and stock water.

\*\*Exception for water developed solely from added storage capacity within the basin.

(b) LAKE CLOSURES

All lakes not listed below are restricted to rights to divert water for single domestic and stock watering purposes only, as appropriate:

Name	Location
Alta Lake	3 mi. SW of Pateros
Black Lake	25 mi. N of Winthrop
Black Pine Lake	9 mi. SW of Twisp
Crater Lake	10 mi. W of Carlton
Davis Lake	Bear Creek Drainage
Eagle Lake	11 mi. SW of Carlton
French Creek	Sec.28, T.31N., R.23E.
Libby Lake	10 mi. W of Carlton
Louise Lake	20 mi. W of Winthrop
Middle Oval Lake	16 mi. W of Carlton
North Lake	20 mi. W of Winthrop
Patterson Lake	Sec.8, T.34N., R.21E.
Pearrygin Lake	Sec.36, T.35N., R.21E.
Slate Lake	14 mi. W of Winthrop
Sunrise Lake	16 mi. W of Methow
Upper Eagle Lake	12 mi. W of Carlton
West Oval Lake	16 mi. W of Carlton

The development of future impoundments creating new lakes is provided for under WAC 173-548-050(a). [Order DE 76-37, § 173-548-050, filed 12/28/76.]

**WAC 173-548-060 Ground water.** If it is determined that a future development of ground water measurably affects surface waters subject to the provisions of chapter 173-548 WAC, then rights to said ground water shall be subject to the same conditions as affected surface waters. [Order DE 76-37, § 173-548-060, filed 12/28/76.]

**WAC 173-548-070 Effect on prior rights.** Nothing in this chapter shall be construed to lessen, enlarge, or modify existing rights acquired by appropriation or otherwise, and legally vested prior to the effective date of this chapter. [Order DE 76-37, § 173-548-070, filed 12/28/76.]

**Chapter 173-549 WAC  
WATER RESOURCES PROGRAM IN THE  
OKANOGAN RIVER BASIN, WRIA-49**

WAC	General provision.
173-549-010	General provision.
173-549-020	Establishment of base flows.
173-549-030	Future allocations—Reservation of surface water for beneficial uses.
173-549-040	Priority of future water rights during times of water shortage.
173-549-050	Streams and lakes closed to further consumptive appropriations.
173-549-060	Ground water.
173-549-070	Effect on prior rights.

**WAC 173-549-010 General provision.** These rules, including any subsequent additions and amendments,

apply to waters within and contributing to the Okanogan River basin, WRIA 49 (see WAC 173-500-040). Chapter 173-500 WAC, the general rules of the department of ecology for the implementation of the comprehensive water resources program, applies to this chapter 173-549 WAC. [Order DE 76-25, § 173-549-010, filed 7/14/76.]

**WAC 173-549-020 Establishment of base flows. (1)** Base flows are established for stream management units with monitoring to take place at certain control points as follows:

**Stream Management Unit Information**

Stream Management Unit Name, Control Station Name and Number	Control Station Location by River Mile, Section, Township, Range	Affected Stream Reach
--	--	-----------------------

Lower Okanogan

Okanogan R. at Malott (12447200)	17.0, 9-32-25E	Okanogan River confluence with Wells Poole to confluence of Chewiliken Cr.
----------------------------------	----------------	--

Middle Okanogan

Okanogan R. nr. Tonasket (12445000)	50.8, 8-36-27E	Okanogan River confluence of Chewiliken Creek to confluence Similkameen River
-------------------------------------	----------------	---

Upper Okanogan

Okanogan R. Oroville (12439500)	77.3, 27-40-27E	Okanogan River confluence of Similkameen River to Osoyoos Lake
---------------------------------	-----------------	--

Similkameen

Similkameen R. at Nighthawk (12442500)	15.8, 7-40-26E	Similkameen River mouth to Canadian Border
--	----------------	--

(2) Base flows established for the stream management units in WAC 173-549-020(1) are as follows:

**Base Flows in the Okanogan River  
(All Figures in Cubic Feet Per Second)**

Month	Day	Lower Okanogan 12447200	Middle Okanogan 12445000	Upper Okanogan 12439500	Similkameen 12442500
Jan.	1	1,000	800	320	400
	15	1,000	800	320	400
Feb.	1	1,000	800	320	400
	15	1,000	800	320	400
Mar.	1	1,000	800	320	400
	15	1,000	800	320	400
Apr.	1	1,120	910	330	510
	15	1,250	1,070	340	640
May	1	1,400	1,200	350	800
	15	4,000	3,800	500	3,000
Jun.	1	4,000	3,800	500	3,000
	15	4,000	3,800	500	3,000

Month	Day	Lower Okanogan 12447200	Middle Okanogan 12445000	Upper Okanogan 12439500	Similkameen 12442500
Jul.	1	2,400	2,150	420	1,650
	15	1,400	1,200	350	900
Aug.	1	1,050	840	320	590
	15	800	600	300	400
Sept.	1	800	600	300	400
	15	800	600	300	400
Oct.	1	940	730	330	450
	15	1,100	900	370	500
Nov.	1	1,100	900	370	500
	15	1,100	900	320	500
Dec.	1	1,100	900	320	500
	15	1,050	850	320	450

(3) Base flow hydrographs, as represented in Figure II in the document entitled "water resources management program, Okanogan River basin" dated 1976, shall be used for definition of base flows on those days not specifically identified in WAC 173-549-020(2) and 173-549-030.

(4) All rights hereafter established shall be subject to the base flows established in WAC 173-549-020(1) through (3), except as provided under WAC 173-549-030 herein.

(5) Future appropriations of water which would conflict with base flows shall be authorized, by the director, only in those situations when it is clear that overriding considerations of the public interest will be served. [Order DE 76-25, § 173-549-020, filed 7/14/76.]

**WAC 173-549-030 Future allocations--Reservation of surface water for beneficial uses.** (1) The department determines that there are surface waters available for appropriation from the stream management units specified in the amount specified in cubic feet per second (cfs) during the time specified as follows:

(a) Maximum surface water available for future allocation from the indicated reach is as follows:

Month	Lower Okanogan	Middle Okanogan	Upper Okanogan	Similkameen
Oct.	280	530	150	230
Nov.	530	720	200	360
Dec.	430	650	190	290
Jan.	380	540	220	220
Feb.	700	870	420	240
Mar.	30	250	10*	220
Apr.	1,040	1,460	370	820
May	4,280	5,230	440	4,890
Jun.	6,100	6,860	310	6,120
Jul.	1,690	2,190	10*	1,930
Aug.	170	430	10*	460
Sept.	10*	160	10*	190

All figures in cubic feet per second.

\*Domestic and stock water only.

(b) The control station for each reach is defined in WAC 173-549-020.

(c) The allocation limit is set forth to be an amount equal to the one in two year natural reach discharge on a monthly basis with such conditions of use in Canada considered as deemed appropriate by the director.

(2) The amounts of water referred to in WAC 173-549-030(1) above are allocated for beneficial uses in the future as follows:

(a) Allocation of surface waters by use category (April through September):

Use Description	APR	MAY	JUN	JUL	AUG	SEP
<u>Lower Okanogan</u>						
Domestic and Stock Use	10	10	10	10	10	10
Instream Use under Base Flow	1250	4000	4000	1400	800	800
Agriculture	130	130	130	130	91	0
Other Consumptive Uses	Remaining waters up to the appropriation limit set forth in WAC 173-549-030 (1)(c)					
<u>Middle Okanogan</u>						
Domestic and Stock Use	10	10	10	10	10	10
Instream Use under Base Flow	1070	3800	3800	1200	600	600
Agriculture	130	130	130	130	130	130
Other Consumptive Uses	Remaining waters up to the appropriation limit set forth in WAC 173-549-030 (1)(c)					
<u>Upper Okanogan</u>						
Domestic and Stock Use	10	10	10	10	10	10
Instream Use under Base Flow	340	500	500	350	300	300
Agriculture	60	60	60	0	0	0
Other Consumptive Uses	Remaining waters up to the appropriation limit set forth in WAC 173-549-030 (1)(c)					
<u>Similkameen</u>						
Domestic and Stock Use	10	10	10	10	10	10
Instream Use under Base Flow	640	3000	3000	900	400	400
Agriculture	20	20	20	20	20	20
Other Consumptive Uses	Remaining waters up to the appropriation limit set forth in WAC 173-549-030 (1)(c)					

All figures in cubic feet per second

(b) Allocation of surface waters by use category (October through March).

Use Description	OCT	NOV	DEC	JAN	FEB	MAR
<u>Lower Okanogan</u>						
Domestic and Stock Use	10	10	10	10	10	10
Instream Use under Base Flow	1100	1100	1050	1000	1000	1000
Agriculture	30	30	30	30	30	30
Other Consumptive Uses	Remaining waters to the appropriation limit set forth in WAC 173-549-030 (1)(c)					
<u>Middle Okanogan</u>						
Domestic and Stock Use	10	10	10	10	10	10
Instream Use under Base Flow	900	900	850	800	800	800
Agriculture	30	30	30	30	30	30
Other Consumptive Uses	Remaining waters up to the appropriation limit set forth in WAC 173-549-030 (1)(c)					
<u>Upper Okanogan</u>						
Domestic and Stock Use	10	10	10	10	10	10
Instream Use under Base Flow	370	320	320	320	320	320
Agriculture	20	20	20	20	20	0
Other Consumptive Uses	Remaining waters up to the appropriation limit set forth in WAC 173-549-030 (1)(c)					
<u>Similkameen</u>						
Domestic and Stock Use	10	10	10	10	10	10
Instream Use under Base Flow	500	500	450	400	400	400
Agriculture	20	20	20	20	20	20
Other Consumptive Uses	Remaining waters up to the appropriation limit set forth in WAC 173-549-030 (1)(c)					

All figures in cubic feet per second

(c) Allocations presented in this section do not limit the utilization of waters stored for later release, provided such storage does not infringe upon existing rights or base flow and is duly permitted under RCW 90.03.290 and 90.03.350. [Order DE 76-25, § 173-549-030, filed 7/14/76.]

**WAC 173-549-040 Priority of future water rights during times of water shortage.** (1) As between rights established in the future pertaining to waters allocated in WAC 173-549-030 (2)(a) and (b) all rights subject to this program shall be regulated in descending order of use category priority regardless of the date of the priority of right.

(2) As between rights established in the future within a single use category allocation of WAC 173-549-030, the date of priority shall control with an earlier dated

right being superior to those rights with later dates. [Order DE 76-25, § 173-549-040, filed 7/14/76.]

**WAC 173-549-050 Streams and lakes closed to further consumptive appropriations.** The department, having determined there are no waters available for further appropriation through the establishment of rights to use water consumptively, closes the following streams and lakes to further consumptive appropriation for the periods indicated, with exceptions as noted:

(a) STREAM CLOSURES

Stream Name*	Affected Reach	Period of Closure
Johnson Creek	Mouth to headwaters	Closed all year
Chiliwist Creek	"	Closed May 1 to Oct. 1
Salmon Creek	"	Closed all year
Loup Loup Creek	"	Closed all year
Scotch Creek	"	Closed May 1 to Oct. 1
Tallant Creek	"	Closed May 1 to Oct. 1***
Pine Creek	"	Closed May 1 to Oct. 1
Aeneas Creek	"	Closed all year
Whitestone Lake and Creek	"	Closed all year
Antoine Creek	"	Closed all year
Bonaparte Creek	"	Closed May 1 to Oct. 1
Toats Coulee Creek	"	Closed all year
Sinlahekin Creek	"	Closed all year**
Nine Mile Creek	"	Closed all year
Whiskey Cache Creek	"	Closed all year
Siwash Creek	"	Closed all year
Chewiliken Creek	"	Closed May 1 to Oct. 1**
Tunk Creek	"	Closed May 1 to Oct. 1
Tonasket Creek	"	Closed May 1 to Oct. 1**

\*Including tributaries

\*\*Exception to closure made for domestic and stock water.

\*\*\*Except Tallant Creek south of the north line of sections 34 and 35, T. 33N, R. 25 E.W.M. The status of lower Tallant Creek is dependent upon further investigation and evaluation to assess its return flow characteristics.

(b) LAKE CLOSURES

All lakes not listed below are restricted to rights to divert water for domestic and stock watering purposes only as appropriate:

Name	Location		
	Sec.	Twp.	Range
Aeneas Lake	25	37N	26E
Blue Lake	21	37N	25E
Conconully (Salmon) Lake	4-5-6	34N	25E
Conconully Reservoir	18	35N	25E
Duck Lake	10	34N	26E
Fancher Lake	2	38N	28E
Forde	2	37N	25E
Leader Lake	16	33N	25E
Lemanski Lake	13	37N	25E
Osoyoos Lake	22	40N	27E

Name	Location		
	Sec.	Twp.	Range
Palmer Lake	13	39N	25E
Sinlahekin Impoundments	3	37N	25E
Spectacle Lake	2	38N	26E
Whitestone Lake	17	38N	27E
Zosel's Mill Pond	27	40N	27E

[Order DE 76-25, § 173-549-050, filed 7/14/76.]

**WAC 173-549-060 Ground water.** If it is determined that a future development of ground water affects surface waters subject to the provisions of chapter 173-549 WAC, then rights to said ground water shall be subject to the same conditions as affected surface waters. [Order DE 76-25, § 173-549-060, filed 7/14/76.]

**WAC 173-549-070 Effect on prior rights.** Nothing in this chapter shall be construed to lessen, enlarge or modify the existing rights acquired by appropriation or otherwise. Nothing in this chapter shall be construed to adversely affect Indian reserved rights. [Order DE 76-25, § 173-549-070, filed 7/14/76.]

Chapter 173-555 WAC

**WATER RESOURCES PROGRAM IN THE LITTLE SPOKANE RIVER BASIN, WRIA-55**

WAC

- 173-555-010 General provision.
- 173-555-020 Definition.
- 173-555-030 Establishment of base flows.
- 173-555-040 Future allocations—Reservation of surface water for beneficial uses.
- 173-555-050 Priority of future water rights during times of water shortage.
- 173-555-060 Streams and lakes closed to further consumptive appropriations.
- 173-555-070 Effect on prior rights.

**WAC 173-555-010 General provision.** These rules, including any subsequent additions and amendments, apply to waters within and contributing to the Little Spokane River basin, WRIA-55 (see WAC 173-500-040). Chapter 173-500 WAC, the general rules of the department of ecology for the implementation of the comprehensive water resources program, applies to this chapter 173-555 WAC. [Order DE 75-24, § 173-555-010, filed 1/6/76.]

**WAC 173-555-020 Definition.** "NONCOMMERCIAL AGRICULTURAL IRRIGATION" means beneficial use of water upon not more than three acres for the purpose of crops and livestock for domestic use. [Order DE 75-24, § 173-555-020, filed 1/6/76.]

**WAC 173-555-030 Establishment of base flows.** (1) Base flows are established for stream management units with monitoring to take place at certain control points as follows:



Stream Management Unit Information

Control Station Number, Stream Management Unit Name	Control Station Location by River Mile and Section, Township Range	Affected Stream Reach
No. 12-4270.00 Little Spokane River Elk	34.6 Sec. 8, T.29N., R.43 E.W.M.	From confluence with Dry Creek to the headwaters including tributaries except Dry Creek.
No. 12-4295.00 Little Spokane River Chattaroy	23.05 Sec. 34, T.28N., R.43 E.W.M.	From confluence with Deer Creek to confluence with Dry Creek including tributaries except Deer Creek.
No. 12-4310.00 Little Spokane River Dartford	10.8 Sec. 6, T.26N., R.43 E.W.M.	From confluence with Little Creek to confluence with Deer Creek including tributaries except Little Creek.
No. 12-4315.00 Little Spokane River Confluence	3.9 Sec. 3, T.26N., R.42 E.W.M.	From mouth to confluence with Little Creek including tributaries.

(2) Base flows established for the stream management units in WAC 173-555-030(1) are as follows:

Base Flows in the Little Spokane River Basin  
(in Cubic Feet Per Second)

Month	Day	12-4270.00 Elk	12-4295.00 Chattaroy	12-4310.00 Dartford	12-4315.00 Confluence
Jan.	1	40	86	150	400
	15	40	86	150	400
Feb.	1	40	86	150	400
	15	43	104	170	420
Mar.	1	46	122	190	435
	15	50	143	218	460
Apr.	1	54	165	250	490
	15	52	143	218	460
May	1	49	124	192	440
	15	47	104	170	420
Jun.	1	45	83	148	395
	15	43	69	130	385
Jul.	1	41.5	57	115	375
	15	39.5	57	115	375
Aug.	1	38	57	115	375
	15	38	57	115	375
Sept.	1	38	57	115	375
	15	38	63	123	380
Oct.	1	38	70	130	385
	15	39	77	140	390
Nov.	1	40	86	150	400
	15	40	86	150	400
Dec.	1	40	86	150	400
	15	40	86	150	400

(3) Base Flow hydrographs, Figure II-1 in the document entitled "water resources management program in

the Little Spokane River Basin" dated August, 1975 shall be used for definition of base flows on those days not specifically identified in WAC 173-555-030(2).

(4) All rights hereafter established shall be expressly subject to the base flows established in sections WAC 173-555-030(1) through (3). [Order DE 75-24, § 173-555-030, filed 1/6/76.]

**WAC 173-555-040 Future allocations—Reservation of surface water for beneficial uses.** (1) The department determines that these are surface waters available for appropriation from the stream management units specified in the amount specified in cubic feet per second (cfs) during the time specified as follows:

(a) Surface water available from the east branch of the Little Spokane River, confluence with Dry Creek to headwaters, based on measurement at control station number 12-4270.00 at Elk are:

Month	May	June	July	Aug.	Sept.	Oct.
Date	1 15	1 15	1 15	1 15	1 15	1 15
Amount	26 22	17 14	11 9	5 5	5 5	7 7

(b) Surface water available from the Little Spokane River from confluence with Little Creek at Dartford to Eloika Lake outlet, and to confluence with Dry Creek based on measurement at control station number 12-4310 at Dartford are:

Month	May	June	July	Aug.	Sept.	Oct.
Date	1 15	1 15	1 15	1 15	1 15	1 15
Amount	340 236	152 103	62 34	11 11	11 11	20 20

(c) Available surface waters for those days not specified in (a) and (b) shall be defined from Figures II-3 and II-4 in the document entitled "water resources management program in the Little Spokane River basin" dated August, 1975.

(2) The amounts of waters referred to in WAC 173-555-040(1) above are allocated for beneficial uses in the future as follows:

(a) Three cubic feet per second from the amount available in the east branch of the Little Spokane River referred to in WAC 173-555-040 (1)(a) above and five cubic feet per second from the amount available in the Little Spokane River, besides east branch, referred to in WAC 173-555-040 (1)(b) are allocated to future domestic, stockwatering and noncommercial agricultural irrigation purposes within the stream reaches specified therein throughout the year.

(b) The remainder of the amount referred to in WAC 173-555-040 (1)(a) and (b) besides the amount specified in WAC 173-555-040 (2)(a) are allocated to consumptive and nonconsumptive uses not specified in WAC 173-555-040 (2)(a). These are further described in the figures appended hereto. [Order DE 75-24, § 173-555-040, filed 1/6/76.]

**WAC 173-555-050 Priority of future water rights during times of water shortage.** (1) As between rights established in the future pertaining to waters allocated in WAC 173-555-040 (2)(a) and (b), all rights established in (a) shall be superior to those pertaining to (b) regardless of the date of the priority of right.

(2) As between rights established in the future within a single use category allocation of WAC 173-555-040, the date of priority shall control with an earlier dated right being superior to those rights with later dates. [Order DE 75-24, § 173-555-050, filed 1/6/76.]

**WAC 173-555-060 Streams and lakes closed to further consumptive appropriations.** The department, having determined there are no waters available for further appropriation through the establishment of rights to use water consumptively, closes the following streams to further consumptive appropriation except for domestic and normal stockwatering purposes excluding feedlot operation:

SURFACE WATER CLOSURES

Stream* Name	Affected Reach	Date of Closure	Period of Closure
Dry Creek	Mouth to headwaters	5-26-1952	1 June-31 Oct.
Otter Creek	Mouth to headwaters	2-23-1971	"
Bear Creek	Mouth to headwaters	4-13-1953	"
Deer Creek	Mouth to headwaters	2-29-1968	"
Dragoon Creek	Mouth to headwaters	7-02-1951	"
Deep Creek	Mouth to headwaters	6-14-1961	"
Deadman Creek <sup>1/</sup>	Mouth to headwaters	11-28-1961	"
Little Creek	Mouth to headwaters	4-13-1953	"
W. Branch Little Spokane River	Outlet of Eloika Lake to headwaters	Date of adoption	"
All natural lakes in the basin		"	"

\* Includes all tributaries in the contributing drainage area unless specifically excluded.

<sup>1/</sup> An unnamed tributary flowing through Sec. 20, T26N., R.44E. is exempted from closure.

[Order DE 75-24, § 173-555-060, filed 1/6/76.]

**WAC 173-555-070 Effect on prior rights.** Nothing in this chapter shall be construed to lessen, enlarge or modify the existing rights acquired by appropriation or otherwise. [Order DE 75-24, § 173-555-070, filed 1/6/76.]

**Chapter 173-559 WAC**

**WATER RESOURCES PROGRAM FOR THE COLVILLE RIVER BASIN, WRIA-59**

WAC

- 173-559-010 Purpose.
- 173-559-020 Definitions.
- 173-559-030 Establishment of base flows.
- 173-559-040 Allocation for future surface water appropriations.
- 173-559-050 Certain streams and lakes are closed to further consumptive appropriations.
- 173-559-060 Ground water.
- 173-559-070 Effects on prior rights.

**WAC 173-559-010 Purpose.** This regulation is adopted in accordance with the water resources management regulation, chapter 173-500 WAC, which was promulgated under the authority of the Water Resources Act of 1971, chapter 90.54 RCW. This chapter, including any amendments, applies to all waters that lie within or contribute to the Colville River drainage basin. This chapter sets forth the department's policies to manage the basin's water resources. [Order DE 77-6, § 173-559-010, filed 7/22/77.]

**WAC 173-559-020 Definitions.** For purposes of this chapter, the following definitions shall be used.

(1) "Allocation" means the designating of specific amounts of the water resource for specific beneficial uses.

(2) "Base flow" means a level of stream flow established in accordance with provisions of chapter 90.54 RCW required in perennial streams to preserve wildlife, fish, scenic, aesthetic, and other environmental and navigational values.

(3) "Consumptive use" means use of water, whereby there is diminishment of the water resources.

(4) "Department" means the Washington state department of ecology.

(5) "Director" means the director of the department of ecology.

(6) "Domestic use" means use of water associated with human health and welfare requirements, including water used for drinking, bathing, sanitary purposes, cooking, laundering, irrigation of not over one-half acre of lawn and garden per dwelling, and other incidental household uses.

(7) "Hydrograph" is a graph showing the variation of streamflow (or stream discharge) with respect to time during a year as determined at a specific cross-sectional location on the stream.

(8) "In-house domestic use" means use of water for drinking, cleaning, sanitation, and other uses in a residence, excluding irrigation of lawn and garden.

(9) "Nonconsumptive use" means a type of water use where either there is no diversion from a source body, or where there is no diminishment of the source.

(10) "Perennial stream" means a stream with a natural flow which is normally continuous at any given location.

(11) "Reservoir permit" means a water right permit which authorizes construction of an impoundment structure, storage of water and generally the use of water in the amount of one filling annually.

(12) "Secondary permit" means a water right permit which allows diversion of water for beneficial use from a storage reservoir. A secondary permit is necessary only for use in excess of one filling annually, or for diversion and use by a party other than the reservoir owner.

(13) "Stream management unit" means a stream segment, reach, or tributary, containing a control station, that is identified on a stream reach map in an adopted water resource management program document as a unit for defining base flow levels.

(14) "Water right" means a right to make beneficial use of public waters of the state. [Order DE 77-6, § 173-559-020, filed 7/22/77.]

**WAC 173-559-030 Establishment of base flows.** RCW 90.54.020 requires that perennial rivers and streams shall be retained with base flows necessary to provide for preservation of wildlife, fish, scenic, aesthetic, and other environmental values and navigational values. Under this provision, base flows for stream management units of a basin are established which describe discharge rates at stream measurement stations in each unit. The following subsections, WAC 173-559-030(1) through (4), establish these requirements for WRIA 59:

(1) In the Colville River basin, monitoring of base flows will take place at the following control points:

**Table 1  
Stream Management Units**

Stream Management Unit and Control Station Number	Control Station Location by River-Mile, and Section Township and Range	Stream Management Reach
Upper Colville River No. 12.4080.00	32.1 Sec. 31, T. 33 N., R. 40 E.W.M.	Colville River from confluence with Stensgar Creek to confluence of Sheep Creek and Deer Creek.
Lower Colville River No. 12.4090.00	5.0 Sec. 29, T. 36 N., R. 38 E.W.M.	Colville River from confluence with Lake Roosevelt to confluence with Stensgar Creek.

(2) In the Colville River basin, base flows for the stream management units in WAC 173-559-030(1) are set in Table 2 as follows:


**Table 2  
Base Flows in the Colville River basin  
(in Cubic Feet Per Second)**

Month	Day	Upper Colville (12.4080.00)	Lower Colville (12.4090.00)
Jan.	1	30	80
	15	30	80
Feb.	1	30	80
	15	38	100
Mar.	1	47	124
	15	59	157
Apr.	1	76	200
	15	76	200
May	1	49	200
	15	32	135
Jun.	1	20	90
	15	17	70
Jul.	1	15	55
	15	13	43
Aug.	1	11	33
	15	11	33
Sep.	1	14	40
	15	18	49
Oct.	1	22	60
	15	27	70
Nov.	1	35	84
	15	43	100
Dec.	1	43	100
	15	36	90

(3) Figure 1, base flow hydrographs for selected stations, shall be used to define base flows on those days not identified in WAC 173-559-030(2).

(4) All surface water rights, established by appropriation in the Upper Colville and Lower Colville stream management units after adoption of this regulation, shall be subject to the base flows set in WAC 173-559-030 (1) through (3). However, these base flows will not apply to in-house domestic use and stock watering use, if an alternate source is not available to satisfy these uses. If the cumulative impact of numerous single in-house domestic use diversions is determined to substantially affect a stream's base flow or existing rights, then new permits for this use may be denied.

Figure 1 BASE FLOW HYDROGRAPH FOR SELECTED STATIONS



[Order DE 77-6, § 173-559-030, filed 7/22/77.]

**WAC 173-559-040 Allocation for future surface water appropriations.** (1) The department determines that surface water is available for appropriation from the Upper Colville River stream management unit and the Lower Colville River stream management unit except as provided in WAC 173-559-050(2). Tables 3 and 4 show the available amounts in cubic feet per second during specified periods, as follows:

Month	Base Flow	Future Consumptive Uses
Sept.	17	0
Oct.	27	16
Nov.	43	21
Dec.	36	37

Table 3 Allocation of Public Surface Water from the Upper Colville River Stream Management Unit (Units in Cubic Feet Per Second)

Month	Base Flow	Future Consumptive Uses
Jan.	30	47
Feb.	41	68
Mar.	61	129
April	44	256
May	20	192
June	13	93
July		
1-15	12	18
16-31	12	0
Aug.	11	0

Table 4 Allocation of Public Surface Water from the Lower Colville River Management Unit (Units in Cubic Feet Per Second)

Month	Base Flow	Future Consumptive Uses
Jan.	80	47
Feb.	100	68
Mar.	157	129
April	200	256
May	135	256
June	70	94
July		
1-15	43	18
16-31	43	0

Month	Base Flow	Future Consumptive Uses
Aug.	33	0
Sept.	49	0
Oct.	70	17
Nov.	100	21
Dec.	90	37

(2) Total appropriations for nonconsumptive uses may exceed the allocation limits specified in Tables 3 and 4.

(3) Monthly allocations in Tables 3 and 4 do not apply to the use of stored water. Specific provision will be included in all reservoir permits regarding period of filling, use and release of water. [Order DE 77-6, § 173-559-040, filed 7/22/77.]

**WAC 173-559-050 Certain streams and lakes are closed to further consumptive appropriations.** (1) The department has determined that no water is available for further consumptive appropriation in streams tributary to the Colville River. Therefore, these tributary streams are closed to further consumptive appropriation except for reservoir storage from November 1 through May 31. Applications for single in-house domestic use, or stockwatering may be approved if no alternate source of water supply is available and the proposed use will not impair existing water rights.

(2) The Upper Colville River and Lower Colville River will be closed to further consumptive appropriation from July 16 through September 30, except for in-house domestic use and normal stockwatering if no alternate source of water supply is available.

(3) If the cumulative impact of numerous single in-house domestic use diversions is determined to substantially affect a closed stream's base flow, then new permits for this use may be denied. Base flow levels for closed streams are specified in the department's publication, "water resources management program, Colville River basin."

(4) Appropriation of water from streams tributary to the Colville River for out of stream storage and on-stream storage shall be subject to the base flows recommended in the department's publication, "water resources management program, Colville River basin."

(5)(a) Lakes included in table 5 are closed to further consumptive appropriation for specified periods of the year, except for in-house domestic and stockwatering uses. The department may deny applications for domestic use if the cumulative effect of such diversions would be detrimental to retaining a lake substantially in its natural condition.

Table 5 Lake Closures

Lake	Tributary to	Location	Period of Closure
Deer Lake	Sheep Creek	T. 30 N., R. 41 E. Secs. 1, 11,12,14	June 1-Oct. 31

Lake	Tributary to	Location	Period of Closure
Loon Lake	Sheep Creek	T. 30 N., R. 41, E. Secs. 33, 34., T.29 N., R. 41 E. Secs. 2, 3,4,10,11	June 1-Oct. 31
Waitts Lake	Waitts Creek	T. 31 N., R. 40 E. Secs. 17-20	June 1-Oct. 31
Jumpoff Joe Lake	Colville River	T. 31 N., R. 40 E. Sec. 19	June 1-Oct. 31
White Mud Lake		T. 35 N., R. 40 E. Sec. 19.	June 1-Oct. 31
Heritage and Thomas Lakes	Little Pend Oreille River	T. 36 N., R. 42 E. Secs. 8,9, 17,18	June 1-Oct. 31

(b) Appropriation of water from lakes not specified in table 5 will be permitted if prior water rights will not be adversely affected and if the appropriation will not conflict with the intent of RCW 90.54.020 (3)(a) which stipulates, in part, that "lakes and ponds shall be retained substantially in their natural condition." [Order DE 77-6, § 173-559-050, filed 7/22/77.]

**WAC 173-559-060 Ground water.** If it is determined that a future development of ground water affects surface waters subject to the provisions of WAC 173-559-030 through 173-559-050, then rights to said ground water shall be subject to the same conditions as affects the surface water. [Order DE 77-6, § 173-559-060, filed 7/22/77.]

**WAC 173-559-070 Effects on prior rights.** Nothing in this chapter shall be construed to lessen, enlarge, or modify existing rights acquired by appropriation or by other means. [Order DE 77-6, § 173-559-070, filed 7/22/77.]

Chapter 173-563 WAC

INSTREAM RESOURCES PROTECTION PROGRAM FOR THE MAIN STEM COLUMBIA RIVER IN WASHINGTON STATE

WAC	
173-563-010	Background and purpose.
173-563-020	Applicability.
173-563-030	Authority.
173-563-040	Establishment of instream flows for instream uses.
173-563-050	Critical flow adjustment to, and waivers of, minimum instantaneous and average weekly flows.
173-563-052	Establishment of instream flows for out-of-stream uses.
173-563-056	Application of minimum average weekly flows to out-of-stream uses.
173-563-060	Establishment of conservation and efficiency fundamentals.
173-563-070	Enforcement.
173-563-080	Overriding considerations.
173-563-090	Regulation review.
173-563-100	Implementation.
173-563-900	Critical flow adjustment—Minimum instantaneous and weekly average flows—Columbia River.

**WAC 173-563-010 Background and purpose.** The Columbia River is an international as well as an interstate river with its waters subject to laws of seven western states, the Province of British Columbia, Canada and the federal governments of the United States and Canada. The flows and levels of the river are in a state of continuous change through the operation of numerous federally owned or federally licensed dams located within the river. The waters of the Columbia River are operated to support extensive irrigation development, inland navigation, municipal and industrial uses, and hydroelectric power development. Among all these uses, the anadromous fisheries of the Columbia River, which are dependent on clean flowing water, require for their survival the establishment of minimum flows of water and special actions by all agencies sharing in the management of the Columbia River.

The provisions of this chapter apply, as a matter of state law, to water right permits issued pursuant to the state's water rights code. The provisions hereof shall provide the department of ecology the basic state policy relating to minimum flows and levels for the Columbia River, for submission to various federal, interstate and state agencies having jurisdiction over the river. Further, the department of ecology of the state of Washington recognizes that, under our federal constitutional system, regulatory powers over the river are shared powers between the United States and the state of Washington and that by various federal actions the state's powers may, and in some cases have been superseded through the mandates of the Supremacy Clause of the United States Constitution.

This chapter is adopted under state legislation, to promote the proper utilization of the water resources of the Columbia River and to protect and insure the viability of the instream resource values associated with the main stem of the Columbia River in the future through (1) the establishment of minimum flows on the main stem Columbia River in Washington state, and (2) the establishment of conservation and efficiency fundamentals relating to out-of-stream and instream uses and values. [Statutory Authority: RCW 90.54.040, 90.54.050, chapters 90.03 and 90.22 RCW. 80-08-021 (Order DE 80-2), § 173-563-010, filed 6/24/80.]

**WAC 173-563-020 Applicability.** (1) This chapter applies to public surface waters of the main stem Columbia River in Washington state and to any ground water the withdrawal of which is determined by the department of ecology to have a significant and direct impact on the surface waters of the main stem Columbia River.

The extent of the "main stem" Columbia River shall be the Columbia River from the upstream extent of tidal influence (Bonneville Dam-River Mile 146.1) upstream to the United States-Canada border (River Mile 745) and including those areas inundated by impounded waters at full pool elevations.

(2) Chapter 173-500 WAC, the general rules of the department of ecology for the implementation of the

comprehensive water resources program mandated by RCW 90.54.040, applies to this chapter.

(3) Nothing in this chapter shall affect existing water rights, riparian, appropriative, or otherwise, existing on the effective date of this chapter, including existing rights relating to the operation of any navigation, hydroelectric, or water storage reservoir, or related facilities. This exemption includes rights embodied in all water right permits and certificates existing on the effective date of this chapter.

(4) Water right permits and certificates for domestic/municipal water supplies issued subsequent to the effective date of this rule shall not be subject to the provisions of this chapter.

(5) Waters withdrawn by the United States pursuant to RCW 90.40.030 prior to the effective date of this rule relating to the second half of the Columbia basin project, and water right permits and certificates hereafter issued by the department of ecology pertaining to such withdrawn waters, are not subject to the provisions of this chapter.

(6) For the purposes of this chapter, average weekly flows shall be the average of the daily average flows reported in the Columbia River operational hydromet and management system (CROHMS) for a seven-day period beginning at 12:01 a.m. Monday and ending at midnight on Sunday. When the beginning of the seven-day period defined in this section does not correspond to the dates on which flows are established in WAC 173-563-040, the flow requirements for that week shall be the arithmetic average of the required flows listed in WAC 173-563-040 for each of the seven days, rounded to the nearest 1,000 cfs. [Statutory Authority: RCW 90.54.040, 90.54.050, chapters 90.03 and 90.22 RCW. 82-21-001 and 82-21-007 (Orders DE 82-35 and DE 82-35A), § 173-563-020, filed 10/7/82 and 10/8/82; 80-08-021 (Order DE 80-2), § 173-563-020, filed 6/24/80.]

**WAC 173-563-030 Authority.** These rules are adopted under the authority of chapters 90.54, 90.22, and 90.03 RCW, and in relation to chapter 173-500 WAC. [Statutory Authority: RCW 90.54.040, 90.54.050, chapters 90.03 and 90.22 RCW. 80-08-021 (Order DE 80-2), § 173-563-030, filed 6/24/80.]

**WAC 173-563-040 Establishment of instream flows for instream uses.** (1) In order to protect the quality of the natural environment and provide for preservation of wildlife, fish, scenic, aesthetic and other environmental values, and navigational values, minimum instantaneous flows and minimum average weekly flows are established for instream uses at the following project locations on the main stem Columbia River in Washington state:

CONTROL STATION	RIVER MILE	MANAGEMENT UNIT
The Dalles Dam	191.5	John Day Dam to Bonneville Dam (Lake Bonneville and Celilo Lake) (River Mile 146.1-215.6)

CONTROL STATION	RIVER MILE	MANAGEMENT UNIT	Flow Values							
			Chief Joseph*	Wells & Rocky Reach*	Rock Island & Wanapum*	Priest Rapids	McNary	John Day	The Dalles	
John Day Dam	215.6	John Day Dam to McNary Dam (Umatilla Lake) (River Mile 215.6-292.0)	80	110	110	110	200	200	200	
McNary Dam	292.0	McNary Dam to Priest Rapids Dam (Lake Wallula and the Hanford Reach) (River Mile 292.0-397.1)	1-15	60	80	80	80	120	120	120
			16-30	60	80	80	80	120	120	120
			1-15	60	80	80	80	120	120	120
			16-31	90	100	110	110	140	140	140
Priest Rapids Dam and upstream (Wanapum, Rock Island, Rocky Reach, Wells, Chief Joseph, and Grand Coulee Dam)	397.1+	Priest Rapids Dam upstream to Canadian Border (River Mile 397.1-745.0)	Aug	85	90	95	95	120	120	120
			Sep	40	40	40	40	60	85	90
			Oct 1-15	30	35	40	40	60	85	90
			16-31	30	35	40	70	60	85	90
			Nov	30	30	30	70	60	60	60
Dec	30	30	30	70	60	60	60			

(2) Minimum instantaneous flows at the locations listed in WAC 173-563-040(1) are established for instream uses as follows:

MINIMUM INSTANTANEOUS FLOWS - COLUMBIA RIVER PROJECTS (1,000 cubic feet/second)

	Chief* Joseph	Wells & Rocky Reach Rock Island & Wanapum*	Priest Rapids	McNary & John Day	The Dalles
Jan	10	10	50	20	20
Feb	10	10	50	20	20
Mar	10	10	50	50	50
Apr 1-15	20	20	50	50	70
16-25	20	30	50	70	70
26-30	20	50	50	70	70
May	20	50	50	70	70
June 1-15	20	50	50	70	70
16-30	10	20	50	50	50
Jul 1-15	10	20	50	50	50
16-31	10	50	50	50	50
Aug	10	50	50	50	50
Sep	10	20	36	50	50
Oct 1-15	10	20	36	50	50
16-31	10	20	50	50	50
Nov	10	10	50	50	50
Dec	10	10	50	20	20

\*As provided in WAC 173-563-050(1), the minimum instantaneous flows set forth in this subsection are subject to a reduction of up to twenty-five percent during low flow years, except that in no case shall the outflow from Priest Rapids Dam be less than 36,000 cfs. For the reach from Grand Coulee through Wanapum, minimum instantaneous flows shall be as shown above, or as necessary to maintain minimum flows (subject to low runoff adjustment) at Priest Rapids, whichever is higher.

(3) Minimum average weekly flows for instream uses are established at the locations listed in WAC 173-563-040(1) as follows:

MINIMUM AVERAGE WEEKLY FLOWS - COLUMBIA RIVER PROJECTS (1,000 cubic feet/second)

	Chief Joseph*	Wells & Rocky Reach*	Rock Island & Wanapum*	Priest Rapids	McNary	John Day	The Dalles
Jan	30	30	30	70	60	60	60
Feb	30	30	30	70	60	60	60
Mar	30	30	30	70	60	60	60
Apr 1-15	50	50	60	70	100	100	120
16-25	60	60	60	70	150	150	160
26-30	90	100	110	110	200	200	200
May	100	115	130	130	220	220	220

\*For the reach from Grand Coulee through Wanapum, minimum average weekly flows shall be as shown above, or as necessary to maintain minimum flows (subject to low runoff adjustment) at Priest Rapids, whichever is higher. As provided in WAC 173-563-050(1), the minimum average weekly flows set forth in this subsection are subject to a reduction of up to twenty-five percent during low flow years, except that in no case shall the outflow from Priest Rapids Dam be less than 36,000 cfs. [Statutory Authority: RCW 90.54.040, 90.54.050, chapters 90.03 and 90.22 RCW. 82-21-001 and 82-21-007 (Orders DE 82-35 and DE 82-35A), § 173-563-040, filed 10/7/82 and 10/8/82; 80-08-021 (Order DE 80-2), § 173-563-040, filed 6/24/80.]

**WAC 173-563-050 Critical flow adjustment to, and waivers of, minimum instantaneous and average weekly flows.** (1) The director of the department of ecology, when he deems it to be an overriding public interest requirement, may reduce the minimum instantaneous and/or average weekly flows for the Columbia River established in this chapter up to twenty-five percent during low flow years, except that in no case shall the outflow from Priest Rapids be less than 36,000 cfs. The amount of the reduction (from zero to twenty-five percent) shall be: (a) Based on the March 1 forecast for April through September runoff at The Dalles, Oregon, as published by the National Weather Service in Water Supply Outlook for the Western United States, and (b) determined from Figure 1 in WAC 173-563-900.

(2) Prior to implementing the critical flow adjustment to minimum flows in a low water year, the department of ecology shall conduct a public hearing to announce its intentions and to solicit public and agency comment on the proposed action.

(3) The department has determined that some damage to instream values may be incurred at flow values equivalent to eighty-eight million acre-feet or less. Therefore, the reduced flows shall be referred to as critical flows and shall be authorized by the director of the department of ecology under the critical flow adjustment only when the March 1 forecast of April through September flow at The Dalles is below eighty-eight million acre-feet (MAF). The critical flows shall, in no case, provide less than 39.4 MAF (seventy-five percent of 52.5 MAF for the April through September period).

(4) The director of the department of ecology may waive the state's minimum flow requirements delineated

in this chapter for a defined period of time for the purpose of studying the impacts of various flow levels on the river system and its operation when such studies are to be conducted in consultation with the Washington departments of fisheries and/or game and when said exemption is requested by the departments of fisheries and/or game. Such a request shall be made by letter to the director of the department of ecology. This waiver may include the Federal Energy Regulatory Commission studies to be conducted under Docket No. E-9569 and any operational change which does not allow the flows under this chapter to be met, but which, in the opinion of the director, still provides a commensurate level of protection for instream resources. [Statutory Authority: RCW 90.54.040, 90.54.050, chapters 90.03 and 90.22 RCW. 82-21-001 and 82-21-007 (Orders DE 82-35 and DE 82-35A), § 173-563-050, filed 10/7/82 and 10/8/82; 80-08-021 (Order DE 80-2), § 173-563-050, filed 6/24/80.]

**WAC 173-563-052 Establishment of instream flows for out-of-stream uses.** In order to protect the quality of the natural environment and provide for preservation of wildlife, fish, scenic, aesthetic and other environmental values, and navigational values, the minimum average weekly flows listed in WAC 173-563-040(3) are established for out-of-stream uses. [Statutory Authority: RCW 90.54.040, 90.54.050, chapters 90.03 and 90.22 RCW. 82-21-001 and 82-21-007 (Orders DE 82-35 and DE 82-35A), § 173-563-052, filed 10/7/82 and 10/8/82.]

**WAC 173-563-056 Application of minimum average weekly flows to out-of-stream uses.** (1) For the first 4,500 cfs of water rights issued subject to this program, the following conditions shall apply:

(a) When the March 1 forecast of April-September runoff at The Dalles, Oregon (as published by the National Weather Service in Water Supply Outlook for the Western United States) is equal to or greater than 88 million acre-feet (MAF), no regulation of out-of-stream diverters shall occur, regardless of the gaged flow of the Columbia River.

(b) When the flow forecast is less than 88 MAF but greater than 60 MAF, the department shall encourage voluntary water conservation through appropriate notification of water users in an attempt to foster efficient resource use.

(c) When the flow forecast is 60 MAF or less, the department shall regulate out-of-stream diverters on the basis of first-in-time is first-in-right whenever it is predicted that gaged flows will fall below the minimum average weekly flows as established by this chapter.

(2) For any water allocations issued in excess of the first 4,500 cfs defined in WAC 173-563-056(1), the following conditions shall apply:

(a) When the March 1 forecast of April-September runoff at The Dalles, Oregon (as published by the National Weather Service in Water Supply Outlook for the Western United States) is equal to or greater than 88

million acre-feet (MAF), no regulation of out-of-stream diverters shall occur, regardless of the gaged flow of the Columbia River.

(b) When the flow forecast is less than 88 MAF, the department shall regulate out-of-stream diverters on the basis of first-in-time is first-in-right whenever it is predicted that gaged flows will fall below the CRIRPP minimum average weekly flows as established by this chapter.

(3) The department shall utilize the Bonneville Power Administration (BPA) 30-day power operation plan in predicting specific periods of anticipated flow conditions. [Statutory Authority: RCW 90.54.040, 90.54.050, chapters 90.03 and 90.22 RCW. 82-21-001 and 82-21-007 (Orders DE 82-35 and DE 82-35A), § 173-563-056, filed 10/7/82 and 10/8/82.]

**WAC 173-563-060 Establishment of conservation and efficiency fundamentals.** (1) The department, having determined that public water is available from the main stem of the Columbia River in Washington and that continued issuance of water right permits and certificates therefrom is in the public interest, does acknowledge and is concerned that, cumulatively, the projected future diversions from the main stem Columbia River in Washington state may, under certain flow conditions, have a detrimental effect on instream values.

(2) Also, it is in the public interest that the state's water resources be conserved and that the burden of water shortages in low water years should be shared by the various users to the greatest extent practicable.

(3) Notwithstanding the constraints on prorata water-sharing under existing state water laws, the department shall, in projected low water years, utilize all reasonable measures of influence to achieve the goal of this section.

(4) During proof of appropriation of water under RCW 90.03.330 and before issuing a certificate of water right, the department shall assure that the quantities of water shown on the certificate accurately reflect the perfected usage consistent with up-to-date water conservation practices and water delivery system efficiencies.

(5) The department shall continue to seek effective methods to better achieve the goal of this section. [Statutory Authority: RCW 90.54.040, 90.54.050, chapters 90.03 and 90.22 RCW. 82-21-001 and 82-21-007 (Orders DE 82-35 and DE 82-35A), § 173-563-060, filed 10/7/82 and 10/8/82; 80-08-021 (Order DE 80-2), § 173-563-060, filed 6/24/80.]

**WAC 173-563-070 Enforcement.** In enforcement of this chapter, the department of ecology may impose such sanctions as appropriate under the authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190 and civil penalties under RCW 43.83B.335. [Statutory Authority: RCW 90.54.040, 90.54.050, chapters 90.03 and 90.22 RCW. 80-08-021 (Order DE 80-2), § 173-563-070, filed 6/24/80.]

**WAC 173-563-080 Overriding considerations.** Future authorizations for the use of water which would



conflict with the provisions of this chapter shall be authorized by the director only in those situations when it is clear that overriding considerations of the public interest will be served. Such decisions shall be made in consultation with the directors of the Washington state department of game, the Washington state department of agriculture, and the Washington state department of natural resources.

Consideration of the public interest by the director of the department of ecology shall include an evaluation of all uses of the river and its impact on the state of Washington. The uses to be considered include, but are not limited to, uses of water for domestic, stockwatering, industrial, commercial, agricultural, irrigation, hydroelectric power production, mining, fish and wildlife maintenance and enhancement, recreational, thermal power production, and preservation of environmental and aesthetic values and all other uses compatible with the enjoyment of the public waters of the state. [Statutory Authority: RCW 90.54.040, 90.54.050, chapters 90.03 and 90.22 RCW. 82-21-001 and 82-21-007 (Orders DE 82-35 and DE 82-35A), § 173-563-080, filed 10/7/82 and 10/8/82; 80-08-021 (Order DE 80-2), § 173-563-080, filed 6/24/80.]

**WAC 173-563-090 Regulation review.** This chapter shall be reviewed by the department of ecology at least once in every five year period. [Statutory Authority: RCW 90.54.040, 90.54.050, chapters 90.03 and 90.22 RCW. 80-08-021 (Order DE 80-2), § 173-563-090, filed 6/24/80.]

**WAC 173-563-100 Implementation.** (1) All water right permits and certificates subject to this chapter or issued subject to chapter 173-531A WAC shall be issued subject to the department's minimum flow requirements. (The minimum average weekly flows established in WAC 173-563-040 and 173-563-052 are equivalent to a flow of 52.5 MAF at The Dalles for the April through September period.)

(2) All water rights for instream uses subject to the minimum flows established in this chapter shall contain the following provision:

This permit/certificate is subject to the minimum flow provisions contained in chapter 173-563 WAC and is subject to regulation by the department of ecology to insure protection of instream resources.

(3) All water rights for out-of-stream uses subject to the flows established in this chapter shall contain the following provisions:


(a) This permit/certificate is subject to the minimum flow provisions contained in chapter 173-563 WAC and is subject to regulation by the department of ecology to insure protection of instream resources.

(b) Use of water under this authorization shall be contingent upon the water right holder's utilization of up to date water conservation practices and maintenance of efficient water delivery systems consistent with established regulation requirements and facility capabilities.

[Statutory Authority: RCW 90.54.040, 90.54.050, chapters 90.03 and 90.22 RCW. 82-21-001 and 82-21-007 (Orders DE 82-35 and DE 82-35A), § 173-563-100, filed 10/7/82 and 10/8/82; 80-08-021 (Order DE 80-2), § 173-563-100, filed 6/24/80.]

**WAC 173-563-900 Critical flow adjustment-- Minimum instantaneous and weekly average flows-- Columbia River.**

FIGURE 1  
CRITICAL FLOW ADJUSTMENT  
MINIMUM INSTANTANEOUS AND  
WEEKLY AVERAGE FLOWS  
COLUMBIA RIVER



[Statutory Authority: RCW 90.54.040, 90.54.050, chapters 90.03 and 90.22 RCW. 82-21-001 and 82-21-007 (Orders DE 82-35 and DE 82-35A), § 173-563-900, filed 10/7/82 and 10/8/82; 80-08-021 (Order DE 80-2), § 173-563-900, filed 6/24/80.]

**Chapter 173-590 WAC  
PROCEDURES RELATING TO THE RESERVATION  
OF WATER FOR FUTURE PUBLIC WATER  
SUPPLY**

WAC	
173-590-010	Background.
173-590-020	Purpose.
173-590-030	Authority.
173-590-040	General.
173-590-050	Definitions.
173-590-060	Reservation procedure--Petition for reservation.
173-590-070	Contents of petition.
173-590-080	Record of petition.
173-590-090	Notice.
173-590-100	Investigation.
173-590-110	Reservation.
173-590-120	Compatibility with existing water resources program.
173-590-130	Separate reservation by use.
173-590-140	Reservation subject to review and change.
173-590-150	Effective date of reservation.
173-590-160	Application for water rights.
173-590-170	Reservation without petition--Hearings.

173-590-180 Appeal.

**WAC 173-590-010 Background.** (1) The Water Resources Act of 1971 (chapter 90.54 RCW) sets forth fundamentals of water resource policy to insure that the waters of the state will be protected and fully utilized for the greatest benefit to the people of the state of Washington, and in relation thereto, the act provides direction to the department of ecology and other state agencies and officials in carrying out water and related resource programs.

(2) The act directs the department to develop and implement a water resources program which will provide a process for making decisions on future water resource allocation and use.

(3) The program may be developed in regional segments so that immediate attention may be given to waters of a given physioeconomic region of the state or to specific critical problems of water allocation and use.

(4) Preservation and protection of water in a potable condition for adequate and safe supplies to satisfy human domestic needs is one of the fundamentals of state water resource policy set forth in said act.

(5) The act further directs the department of ecology to modify existing regulations and adopt new regulations to insure that existing regulatory programs are in accord with the water resource policies of the act.

(6) Allocation of waters among potential uses and users shall be based generally on the securing of the maximum net benefits for the people of the state. Maximum net benefits shall constitute total benefits less cost including opportunity lost. [Order DE 75-32, § 173-590-010, filed 3/11/76 and 3/10/76.]

**WAC 173-590-020 Purpose.** The purpose of this chapter is to establish and set forth a procedure whereby any person within the state of Washington may petition the department to reserve water for future public water supply. [Order DE 75-32, § 173-590-020, filed 3/10/76.]

**WAC 173-590-030 Authority.** This regulation is adopted pursuant to the Water Resources Act of 1971, chapter 90.54 RCW. [Order DE 75-32, § 173-590-030, filed 3/10/76.]

**WAC 173-590-040 General.** (1) These rules shall apply to both surface and ground waters of the state.

(2) Because of changing future conditions, including institutional arrangements, reservations under this chapter will be for specific geographic areas rather than for particular water suppliers.

(3) Appropriation of reserved water shall be in accordance with the intent and procedures set forth in chapters 90.03 and 90.44 RCW and adopted water resources programs under chapters 173-500 through 173-562 WAC applicable to the geographic area specified in a water right application.

(4) Regulations reserving waters for public water supply shall, where appropriate, provide guidelines for an interim use of the reserved waters for other beneficial uses. [Order DE 75-32, § 173-590-040, filed 3/10/76.]

**WAC 173-590-050 Definitions.** For the purpose of this chapter and subsequent regulations, the following definitions shall be used:

(1) "Community water use" means use of water associated with needs of a community including street cleaning, parks, public buildings, public swimming pools, fire fighting, and attendant commercial, industrial and irrigational uses.

(2) "Director" means the director of the state of Washington department of ecology or his authorized representative.

(3) "Department" means the department of ecology unless specified otherwise.

(4) "Domestic water use" means use of water associated with human health and welfare requirements, including water used for drinking, bathing, sanitary purposes, cooking, laundering, irrigation of not over one-half acre of lawn or garden per dwelling, and other incidental household uses.

(5) "Commercial and/or industrial use" means use of water associated with commercial and/or industrial requirements such as service, processing, cooling and conveying.

(6) "Public water supply" means any water supply intended or used for human consumption and community uses for more than one single-family residence.

(7) "Public water supply system" means a set of facilities including source, treatment, storage, transmission and distribution facilities whereby water is furnished to any municipality, community, collection, or number of individuals for human consumption and community uses.

(8) "Coordinated water system plan" means a plan adopted by utilities covering one or more public water supply system(s), which identifies present and future needs of participating water systems and sets forth means for meeting those needs in the most efficient manner possible. In areas where more than one water system lie in close proximity, a coordinated water system plan may consist of either of the following:

(a) A compilation of current and compatible water system plans developed by each utility containing the elements of comprehensive plan as set forth in WAC 248-54-280, with the addition of future service area designations, assessment of the feasibility of shared source, transmission, and storage facilities, and other mutual or regional concerns.

(b) An area wide water system plan developed jointly or by a lead agency which adequately addresses all the items mentioned in (a) above.

(9) "Reservation" means an allocation of water for a future beneficial use with the priority established as of the date when the reservation becomes effective.

(10) "Appropriation" means the process of legally acquiring the right to specific amounts of the public water resource for application to beneficial uses pursuant to RCW 90.03.250 through 90.03.340 and 90.44.060.

(11) "Person" means any individual, municipal, public, or private corporation, or other entity however dominated, including a state agency or county who operates a public water supply system or who contemplates such an

operation. [Order DE 75-32, § 173-590-050, filed 3/10/76.]

**WAC 173-590-060 Reservation procedure--Petition for reservation.** Any person, hereafter desiring the department to reserve water for future public water supply may file a petition with the director requesting future establishment of a reservation, provided that the applicant shall have a coordinated water system plan approved by the secretary, department of social and health services unless exempted from this requirement by both the secretary and the director. [Order DE 75-32, § 173-590-060, filed 3/10/76.]

**WAC 173-590-070 Contents of petition.** Each petition to the director for the reservation of water shall include, but not be limited to, the following:

- (1) Name and post office address of the applicant.
- (2) Source of water supply.
- (3) Map showing the proposed general service area, source of supply, pipelines, distribution systems, wells and other appurtenant works.
- (4) Present and projected population in 10, 25, and 50 years.
- (5) The amount of the present and proposed use in the following categories, and the time during which water will be required each year if the requirements differ seasonally:
  - (a) Domestic water use;
  - (b) Community water uses including specific amounts for attendant commercial, industrial and irrigational uses;
  - (c) Other(s) as specified.
- (6) Copy of a coordinated water system plan, or comprehensive plan under WAC 248-54-280 if water systems are sufficiently separated so that no advantages will be realized by coordination. All review comments from the local A-95 clearinghouse on said plan shall be provided.
- (7) Information to justify the requested reservation quantity in the form of official state population estimates, regional plan or engineering reports.
- (8) A summary of ongoing and planned conservation programs. When applicable, this must summarize water usage for the previous five years including total water diverted or withdrawn, total water sold, and the quantities used by residential, wholesale and large industrial users. Status of metering of all services must be described. Rate structures should not encourage waste of the water resources and should be described.
- (9) Other data as may be required by the director. [Order DE 75-32, § 173-590-070, filed 3/10/76.]

**WAC 173-590-080 Record of petition.** The department shall maintain a file of all petitions for reservation of water under the provisions of this chapter. If a petition is returned to the petitioner for completion or correction, the date and the reasons for the return thereof shall be endorsed and shall be recorded in the reservation file. [Order DE 75-32, § 173-590-080, filed 3/10/76.]

**WAC 173-590-090 Notice.** Upon receipt of a proper petition, the director shall publish notice thereof in a newspaper or newspapers of general circulation in the county or counties in which the storage, diversion, and use is to be made, once a week for two consecutive weeks.

The director shall send notice thereof to the secretary, department of social and health services, and to the directors of the departments of fisheries and game for the purpose of soliciting their comments. [Order DE 75-32, § 173-590-090, filed 3/10/76.]

**WAC 173-590-100 Investigation.** When a petition is received, the director shall conduct an investigation of the surrounding impacts of the proposed reservation. [Order DE 75-32, § 173-590-100, filed 3/10/76.]

**WAC 173-590-110 Reservation.** Upon review of a petition for reservation, related data and the results from the departmental investigation, the director shall notify the petitioner of action pertaining to the petition, [to] withdraw affected waters under RCW 90.54.050(2), or to reserve water(s). If reservation is deemed appropriate, the director shall take action to adopt a regulation or amend an existing regulation established pursuant to chapter 173-500 WAC to reserve water for a future public water supply for the general geographic area described in the petition or for a general area the director determines appropriate. (RCW 90.54.050 mandates the department to conduct a public hearing, prior to adoption of a rule to withdraw or to reserve in each county in which waters relating to the rule are located.)

The amount of the reservation shall be determined by the director and may be more or less than the amount requested in the petition. The total reservation amount may be prorated to specific subareas of service in the proposed development area. Appropriate map may be appended to regulation. [Order DE 75-32, § 173-590-110, filed 3/10/76.]

**WAC 173-590-120 Compatibility with existing water resources program.** Reservation of waters pursuant to this chapter and other elements of a comprehensive water resources program developed pursuant to chapters 173-500 through 173-562 WAC and amendments thereof shall be compatible. [Order DE 75-32, § 173-590-120, filed 3/10/76.]

**WAC 173-590-130 Separate reservation by use.** In situations where a given area will require significant quantities of water for other than community and domestic water uses, the reservation may identify separate quantities for each use. [Order DE 75-32, § 173-590-130, filed 3/10/76.]

**WAC 173-590-140 Reservation subject to review and change.** From time to time, any reservation established under this chapter shall be reviewed and, when it appears appropriate to the department in implementing RCW 90.54.050, modified. No change shall be made

without consultation of interested parties. The water resource program and the coordinated water system plan shall be reviewed, and changed as necessary, at least once every ten years. [Order DE 75-32, § 173-590-140, filed 3/10/76.]

**WAC 173-590-150 Effective date of reservation.** The effective date of a reservation established under the provisions of this chapter shall be the date when a regulation pertaining to a specific reservation has been adopted: *Provided*, That the effective date for any additional amount of reservation pursuant to the provisions of WAC 173-590-140 shall be the date when such subsequent amendments become effective. [Order DE 75-32, § 173-590-150, filed 3/10/76.]

**WAC 173-590-160 Application for water rights.** With regard to any permit issued pursuant to RCW 90.03.290 and 90.44.060 which authorizes withdrawal and use of waters subject of a regulation provided for in WAC 173-590-110 hereof, the priority date of said permit shall be the effective date of said regulation. [Order DE 75-32, § 173-590-160, filed 3/10/76.]

**WAC 173-590-170 Reservation without petition--Hearings.** Whenever it appears necessary, the director may reserve and set aside waters for beneficial utilization in the future on his own motion as provided under RCW 90.54.050(1). In so doing, prior to the adoption of such rule, the director shall conduct a public hearing in each county in which waters relating to such rule are located. [Order DE 75-32, § 173-590-170, filed 3/10/76.]

**WAC 173-590-180 Appeal.** The procedures hereof relate solely to rule-making activity of the department and are designed to obtain information to assist the department in determining when waters should be reserved as provided in RCW 90.54.050. Actions conducted under this chapter do not relate to contested cases within the meaning of the Administrative Procedure Act, chapter 34.04 RCW.

Regulations establishing reservations adopted hereunder shall be subject to review as provided in RCW 34.04.070 and 34.04.080. [Order DE 75-32, § 173-590-180, filed 3/10/76.]

### Chapter 173-596 WAC

#### PROCEDURES AND POLICIES GOVERNING APPROPRIATIONS OF SIGNIFICANT AMOUNTS OF WATER FOR AGRICULTURAL IRRIGATION USE

WAC	
173-596-010	Background.
173-596-015	Purpose.
173-596-020	Definitions.
173-596-025	Conditions to be included in permits involving substantial withdrawals of public waters.
173-596-030	Regional water supply and multipurpose project considerations.
173-596-035	Processing of applications.

173-596-040	Water right of regional or statewide significance.
173-596-045	Conservation and management program.
173-596-050	Monitoring program.
173-596-055	Effect on existing rights and laws and public entities.
173-596-060	Environmental impact statement.
173-596-065	Review of regulatory orders.

**WAC 173-596-010 Background.** (1) It has been long established in our federal system, as a matter of national policy, that each state has the primary responsibility for the establishment and administration of water rights programs for waters within its boundaries. In exercising its responsibilities, the Washington state legislature, more than a half-century ago, declared that "(S)subject to existing rights all waters within the state belong to the public." RCW 90.03.010.

The dominant doctrine for allocation of water rights in the state of Washington has been the "appropriation" doctrine. The variation of that doctrine now in operation in the state is the "permit system" established in the "water code" of 1917. Chapter 90.03 RCW. This code provides that the sole method presently available under state law, for establishing rights to divert and make beneficial use of public surface waters of the state is through the operation of the permit system of RCW 90.03.250 through 90.03.340. Establishment of a right under the permit system is based upon a ruling by the department of ecology on an application filed with the department. It is the department's responsibility, in so ruling, to make a finding relating to the physical availability of water for a beneficial use as well as a finding relating to whether a new appropriation would impair existing rights. In addition, and most importantly, the department must make a determination as to the effect of the proposed appropriation on the public welfare and public interest. RCW 90.03.290.

This regulation relates to the latter determination. Public interest and welfare considerations were not precisely articulated in the 1917 water code; instead, their definition has been the responsibility of the "state hydraulic engineer" and successor officials operating under other titles. Over the years, the wisdom and discretion of these administrators has controlled in such matters.

In 1971 the legislature enacted the Water Resources Act of 1971. Chapter 90.54 RCW. The purpose of the act was:

...to set forth fundamentals of water resource policy for the state to insure that waters of the state are protected and fully utilized for the greatest benefit to the people of the state of Washington and, in relation thereto, to provide direction to the department of ecology and other state agencies and officials, in carrying out water and related resources programs. RCW 90.54.010

These fundamentals of state water allocation policy are set forth in RCW 90.54.020. By RCW 90.54.040(1), the department of ecology

...through the adoption of appropriate rules, is directed, as a matter of high priority to insure that the waters of the state are utilized for the best interests of the people to develop and implement in

accordance with the policies of this chapter a comprehensive state water resources program which will provide a process for making decisions on future water resource allocation and use.

Subsection (2) of RCW 90.54.040 directs the department as follows:

In relation to the management and regulatory programs relating to water resources vested in it, the department is further directed to modify existing regulations and adopt new regulations, when needed and possible, to insure that existing regulatory programs are in accord with the water resource policy of this chapter and the program established in subsection (1) of this section.

One year earlier in the Environmental Quality Reorganization Act of 1970, the legislature recognized and declared ". . . it to be the policy of this state, that it is a fundamental and inalienable right of the people of the state of Washington to live in a healthful and pleasant environment and to benefit from the proper development and use of its natural resources . . ." RCW 43.21A.010. See also RCW 43.21C.020(1), (2) and (3), 43.21C.030 and 43.21C.060.

From the foregoing it is clear that the public interest and welfare considerations involved in a ruling upon applications under RCW 90.03.290 have been amplified and more precisely described in chapter 90.54 RCW and other state statutes. Further, the department of ecology is under a mandate to adopt regulations which incorporate the policies of the Water Resources Act of 1971 into the "permit system" of chapter 90.03 RCW.

(2) The state's water resources, which are held in a form of public trust for all its citizens, are not unlimited in availability for beneficial uses. It has become increasingly apparent from recent examinations that the demands and needs for the water resources of the state, in many cases, already exceed the waters available to satisfy these demands and needs. Further, during the past several years proposals have been made to initiate developments and activities which would require very large amounts of public waters. These proposals have usually related to agricultural irrigation projects, covering vast areas of land, under the control and operation of a few persons or nongovernmental entities. Such proposals have a potential for significantly affecting not only the quantity and quality of waters of the state but a wide range of other natural resources. In addition these water-based proposals have the potential for very substantially modifying the economic and social structure of vast areas of the state. [Order DE 76-19, § 173-596-010, filed 6/8/76.]

**WAC 173-596-015 Purpose.** The purpose of this regulation is to integrate the policies of chapter 90.54 RCW, and other code provisions previously referred to, into the decision-making processes of the department of ecology in the implementation of the permit system of chapter 90.03 RCW as it pertains to proposed significant withdrawals of public surface waters. This regulation pertains primarily to the integration of the policy

fundamentals of RCW 90.54.020 into the public interest factors mandated for consideration by RCW 90.03.290. In relation thereto special attention is directed to RCW 90.54.020(2) which provides that:

(2) Allocation of waters among potential uses and users shall be based generally on the securing of the maximum net benefits for the people of the state. Maximum net benefits shall constitute total benefits less costs including opportunities lost.

This regulation deals directly with rulings upon applications for water right permits pertaining to proposals to irrigate vast tracts of the state for agricultural purposes with very large amounts of water removed from public surface waters of the state. Such proposals normally appear to have far greater environmental, social and economic implications than most water withdrawals approved by the state in the past and, therefore, should be ruled upon only after full and very careful consideration thereof to insure the public interest and welfare is protected and promoted. [Order DE 76-19, § 173-596-015, filed 6/8/76.]

**WAC 173-596-020 Definitions.** For the purpose of this chapter the following definitions shall apply.

(1) "Application" means an application for a permit provided for in RCW 90.03.250.

(2) "Department" means department of ecology of the state of Washington.

(3) "Family farm unit" means a geographical area consisting of not more than 2,000 acres of irrigated agricultural lands utilized for the benefit of a single family.

(4) "Permit" means a permit as provided for in RCW 90.03.290.

(5) "Person" means any individual, corporation, partnership, or other entity.

(6) "Public entity" means any governmental agency, public or municipal corporation and county with authority to administer and operate an agricultural irrigation water supply system and the capability to serve a substantial number of family farm units.

(7) "Public waters" means waters subject to the permit system of RCW 90.03.250 et seq.

(8) "Regional" means a geographical area, not limited to a specific areal extent, that, because of overall compatibility between numerous physical, social and economic characteristics including, but not limited to, soil types, irrigability, water availability, topography and accessibility, appears to lend itself to a single comprehensive development.

(9) "Significant withdrawal" means any proposed withdrawal by any person of public surface waters (and associated ground waters having direct hydraulic continuity therewith) for agricultural irrigation uses:

(a) In the amount of 40 cubic feet per second or greater, or

(b) On 2,000 acres or greater.

A proposed withdrawal shall be considered a "significant withdrawal" if it relates to a portion of a total project or operating unit which exceeds the amounts of subsections

(a) or (b) hereof. [Order DE 76-19, § 173-596-020, filed 6/8/76.]

**WAC 173-596-025 Conditions to be included in permits involving substantial withdrawals of public waters.** In order to secure maximum net benefits in the allocation of public waters for the people of the state and to otherwise carry our statutory policy and protect and promote the public interest and welfare applications for permits issued pursuant to RCW 90.03.290, which authorize a significant withdrawal of public waters, shall be processed as provided in WAC 173-596-030 through 173-596-045. [Order DE 76-19, § 173-596-025, filed 6/8/76.]

**WAC 173-596-030 Regional water supply and multipurpose project considerations.** (1) The following shall be favored generally in relation to significant withdrawals:

(a) Development of water supply projects which provide water to members of the public generally in regional areas of the state.

(b) Development of multipurpose water projects.

(c) Operation by public entities of such comprehensive water supply and multipurpose water projects.

(d) Family farming.

(2) In the processing of an application for a significant withdrawal, the department shall first determine whether: (a) Public waters are available for appropriation for a beneficial use, and (b) the proposed withdrawal of public waters would not impair existing rights. The department shall deny the application if either of these two determinations are not in the affirmative.

(3) If the department finds public waters are available and no such impairment would take place, the department shall then determine whether the proposed use of water will be upon lands which may be served in better fashion, taking into account public interest considerations, through a regional water supply system or multipurpose water project. This finding shall be determined after the completion of feasibility studies, environmental impact statements, or other appropriate information gathering methods. The department shall further determine whether there is presently a public entity in existence with the interest and capability to construct and operate such a project, or it appears such an entity will be established within the reasonably foreseeable future.

(4) If the department determines that a regional water project appears both desirable and feasible for development and that a public entity is or will be in existence which has the interest and capability to construct and operate such a project within the reasonably foreseeable future, the department shall take appropriate actions designed to bring about the development of the regional project and the creation of water rights under RCW 90.03.250 et seq. for the operating public entity. The department may, as one of such actions described above, reserve public waters as provided in RCW 90.54.050 to assure the availability of public waters for the project. These actions shall continue unless the department

thereafter concludes that the objectives of the actions cannot be reached within a reasonable time.

(5) Permits issued under RCW 90.03.250 et seq. to a public entity for a regional water project shall be conditioned to insure a substantial portion of the waters, normally more than 50 percent, authorized for withdrawal for irrigation use are used for family farm units and that no person owning or operating a family farm unit and receiving water from the substantial portion should be supplied further waters from such portion. The permit shall provide conditions taking into account state water allocation policy to insure equitable distribution of those waters available for lands other than those within family farm units. Such permits shall be further conditioned to require all users of water for agricultural irrigation purposes to carry out a conservation and management program as described in WAC 173-596-045, except as provided in WAC 173-596-055(5), the department shall not include a condition limiting the term of time of effectiveness of the permit to a specific period of years or to a specific termination date unless specifically requested by the applying public entity.

(6) If a permit is issued as provided in subsection (5), the department shall deny the application for a significant withdrawal, referred to in subsection (2), at the time of the issuance of a permit unless said application is included in the decision of the department as part of the permit granted to the public entity.

(7) If the public entity increases its service area in a manner that results in a substantial portion of water being required for other than family farms, any new applications will be processed in the same manner as provided in WAC 173-596-035. [Order DE 76-19, § 173-596-030, filed 6/8/76.]

**WAC 173-596-035 Processing of applications.** (1) If the department determines a regional water project, as provided in WAC 173-596-030, is not desirable or feasible, or an entity is not available to construct and operate such a project, the department shall further process the application for a significant withdrawal referred to in WAC 173-596-030(2).

(2) The department shall then conduct hearings to obtain comments from the public pertaining to the application. The hearings, which shall be announced by notices in newspapers, and such other means the department deems appropriate, shall be held in the county or counties where the proposed point or points of withdrawal of public waters are located. The hearings shall be conducted for the purpose of obtaining views not only as to whether the application should be approved but whether, if approved, the permit issued should contain the conditions provided for in WAC 173-596-040.

(3) The department shall include the conditions provided for in WAC 173-596-040 only if it is determined that, under the particular facts, the policies pertaining to the achievements of maximum net benefits and other existing state policies of chapters 90.54 and 90.03 RCW and otherwise, or pertinent water allocation policies as are in effect are clearly promoted by the inclusion thereof. A permit including the conditions provided for

in WAC 173-596-040 shall be characterized as "a water right permit of regional or statewide significance." [Order DE 76-19, § 173-596-035, filed 6/8/76.]

**WAC 173-596-040 Water right of regional or statewide significance.** A water right permit of regional or statewide significance shall provide that the initial period of authorization for withdrawal shall be for 50 years and the permit holder shall be entitled to a first right of extension thereto as provided hereinafter. A permit shall terminate, in whole or in part, at the end of its term if at any time prior to the end of the 45th year of any 50-year term the department:

(1) Finds:

(a) All or a portion of the public waters of the state authorized for withdrawal by the permit are required for a higher beneficial use or purpose to satisfy state policy at the conclusion of any term.

(b) The termination does not appear to create conditions detrimental to the public interest and welfare which exceed the public benefits to be derived from the termination, and provided that the department in its termination shall give full and just consideration to allow the water right holder to retain a portion of the right with an allocation of water sufficient to satisfy the needs of a family farm, consistent with the manner in which family farming is being carried out in the area in question at that point in time, and

(2) Notifies the holder of the permit by written regulatory order of the aforementioned findings and the decision to terminate the permit. If the department does not provide the aforementioned notice the authority to withdraw embodied in the permit shall, at the end of the 45th year of its term, automatically be extended an additional 50-year period from its original term for a new term of 50 years.

(3) Any order issued pursuant to WAC 173-596-045(2) shall be subject to full and complete review as provided in WAC 173-596-065. [Order DE 76-19, § 173-596-040, filed 6/8/76.]

**WAC 173-596-045 Conservation and management program.** (1) A water right pertaining to a significant withdrawal shall normally include a condition relating to a conservation and management program designed to promote public interest values on the lands to which the public waters are to be applied as well as on the lands adjacent thereto. This program shall include, among others and when reasonably achievable, elements which promote natural resources values, protect against soil losses to public waters and air and provide for adequate drainage and related facilities. The program shall be developed in consultation with appropriate federal, state, and local agencies having responsibilities for administration of natural resources protection and management programs. The program shall be designed to minimize the financial commitment of the permit holder and such commitment shall, whenever possible, be limited to a one-time expense. The program shall be designed, so far as practicable, to preclude a commitment of the permit

holder to perform special farm practices of a nature not associated with standard farm conservation practices.

(2) Generally, this program, in precisely described form, shall be included as a condition of the permit at the time of the ruling upon the application. However, in some circumstances, it is contemplated that a precisely described program will not be included as a condition of permit prior to its issuance. In such event a permit condition requiring a program to be developed in precisely described form by the permittee, after consultation with the aforementioned public entities, shall be included. The permit shall further require that the aforementioned program must be submitted by permittee to, as well as be approved by, the department within six months of the date of the issuance of the permit. Approval of a program, in the form approved by the department, shall be by written regulatory order. No public waters authorized for withdrawal by a permit shall be withdrawn prior to the approval being given to a program.

(3) Conservation and management programs, as related to fauna and flora, shall be designed primarily for nonfarmed areas and farmed areas which are not appropriate for intensive agricultural endeavors.

(4) Implementation by the permittee of a program embodied in a permit condition on a continuing basis shall be a requirement for continued withdrawal of public water and failure to so implement a program shall constitute grounds for the department to terminate a permit. [Order DE 76-19, § 173-596-045, filed 6/8/76.]

**WAC 173-596-050 Monitoring program.** The department shall carry out a monitoring program pertaining to the uses being made by permittee of public waters to insure against waste and other practices which may cause degradation of public resources and to otherwise prevent misuse of public waters and permits shall be conditioned to insure compliance herewith. [Order DE 76-19, § 173-596-050, filed 6/8/76.]

**WAC 173-596-055 Effect on existing rights and laws and public entities.** (1) Nothing in this chapter shall affect any existing rights to withdraw public waters.

(2) Nothing herein shall modify the regulation of existing rights based on the priority of the right.

(3) Rights embodied in permits issued for significant withdrawals shall be issued subject to existing rights.

(4) Nothing in this chapter modifies or otherwise affects any statutory provisions pertaining to permits and certificates including those pertaining to termination of permits or certificates or loss or forfeiture thereof.

(5) The provisions of this chapter should be considered as nonexclusive water allocation policy factors and should not be construed as restricting the department from consideration of other factors as they become relevant to rulings upon applications for permits and conditioning the same for significant withdrawals.

(6) Nothing herein shall be construed to authorize members of the public to enter private lands subject to the provisions of this act.

(7) Nothing herein shall relate to or modify any powers of eminent domain. [Order DE 76-19, § 173-596-055, filed 6/8/76.]

**WAC 173-596-060 Environmental impact statement.** Detailed statements, as provided for in RCW 43.21C.030, shall be prepared when appropriate prior to ruling upon any application for a significant withdrawal or withdrawal for a regional water supply project as provided in this chapter. [Order DE 76-19, § 173-596-060, filed 6/8/76.]

**WAC 173-596-065 Review of regulatory orders.** Written regulatory orders as provided herein shall be considered final orders of the department which are subject to review, as any other final order of the department of ecology, before the pollution control hearings board. See chapter 43.21B RCW. [Order DE 76-19, § 173-596-065, filed 6/8/76.]

### Chapter 173-801 WAC DEPARTMENT OF ECOLOGY "SEPA" GUIDELINES

#### WAC

173-801-010	Authority.
173-801-020	Adoption by reference.
173-801-030	Purpose.
173-801-040	Effect of SEPA.
173-801-045	Integration of SEPA procedures with other departmental operations.
173-801-050	Designation of responsible official.
173-801-060	Timing.
173-801-070	Summary of information which may be required of a private applicant.
173-801-080	Sensitive areas.
173-801-090	Individuals making SEPA-related determinations.
173-801-100	Threshold determination appeal procedures.
173-801-110	Statute of limitation.
173-801-120	Coordination on combined DOE-federal action.
173-801-130	Severability.

**WAC 173-801-010 Authority.** This chapter is promulgated pursuant to the directives of RCW 43.21C.120 and chapter 197-10 WAC. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-010, filed 4/4/78. Formerly WAC 173-800-010.]

**WAC 173-801-020 Adoption by reference.** The department of ecology hereby adopts by reference the following sections or subsections of chapter 197-10 of the Washington Administrative Code (the "SEPA guidelines" adopted by the state of Washington, council on environmental policy and amended by the department of ecology)

WAC 197-10-040:	Definitions.
WAC 197-10-060:	Scope of a proposal and its impacts.
WAC 197-10-160:	No presumption of significance for nonexempt actions.
WAC 197-10-170:	Categorical exemptions.
WAC 197-10-175:	Exemptions and nonexemptions applicable to specific state agencies.
WAC 197-10-180:	Exemptions for emergency actions.
WAC 197-10-190:	Use and effect of categorical exemptions.
WAC 197-10-200:	Lead agency—Responsibilities.

WAC 197-10-203:	Determination of lead agency—Procedures.
WAC 197-10-205:	Lead agency designation—Governmental proposals.
WAC 197-10-210:	Lead agency designation—Proposals involving both private and public construction.
WAC 197-10-215:	Lead agency designation—Private projects for which there is only one agency.
WAC 197-10-220:	Lead agency designation—Private projects, licenses from more than one agency when one is city/county.
WAC 197-10-225:	Lead agency designation—Private projects, license from more than one state agency.
WAC 197-10-230:	Lead agency designation—Specific proposals.
WAC 197-10-235:	Local agency transfer of lead agency status to a state agency.
WAC 197-10-240:	Agreements as to lead agency status.
WAC 197-10-245:	Agreements between agencies as to division of lead agency duties.
WAC 197-10-260:	Dispute as to lead agency determination—Resolution by CEP.
WAC 197-10-270:	Assumption of lead agency by another agency with jurisdiction.
WAC 197-10-300:	Threshold determination requirement.
WAC 197-10-305:	Recommended timing for threshold determination.
WAC 197-10-310:	Threshold determination procedures—Environmental checklist.
WAC 197-10-320:	Threshold determination procedures—Initial review of environmental checklist.
WAC 197-10-330:	Threshold determination procedures—Information in addition to checklist.
WAC 197-10-340:	Threshold determination procedures—Negative declarations.
WAC 197-10-345:	Assumption of lead agency status by another agency with jurisdiction—Prerequisites, effect and form of notice.
WAC 197-10-350:	Affirmative threshold determination.
WAC 197-10-355:	Form of declaration of significance/nonsignificance.
WAC 197-10-360:	Threshold determination criteria—Application of environmental checklist.
WAC 197-10-365:	Environmental checklist.
WAC 197-10-370:	Withdrawal of affirmative threshold determination.
WAC 197-10-375:	Withdrawal of negative threshold determination.
WAC 197-10-390:	Effect of threshold determination by lead agency.
WAC 197-10-400:	Duty to begin preparation of a draft EIS.
WAC 197-10-405:	Purpose and function of a draft EIS.
WAC 197-10-410:	Predraft consultation procedures.
WAC 197-10-420:	Preparation of EIS by persons outside the lead agency.
WAC 197-10-425:	Organization and style of a draft EIS.
WAC 197-10-440:	Contents of a draft EIS.
WAC 197-10-442:	Special considerations regarding contents of an EIS on a nonproject action.
WAC 197-10-444:	List of elements of the environment.
WAC 197-10-446:	Draft EIS—Optional additional elements.
WAC 197-10-450:	Public awareness of availability of draft EIS.
WAC 197-10-455:	Circulation of the draft EIS—Review period.
WAC 197-10-460:	Specific agencies to which draft EIS shall be sent.
WAC 197-10-465:	Agencies possessing environmental expertise.
WAC 197-10-470:	Cost to the public for reproduction of environmental documents.
WAC 197-10-480:	Public hearing on a proposal—When required.
WAC 197-10-485:	Notice of public hearing on environmental impact of the proposal.
WAC 197-10-490:	Public hearing on the proposal—Use of environmental documents.
WAC 197-10-495:	Preparation of amended or new draft EIS.
WAC 197-10-500:	Responsibilities of consulted agencies—Local agencies.
WAC 197-10-510:	Responsibilities of consulted agencies—State agencies with jurisdiction.



- WAC 197-10-520: Responsibilities of consulted agencies—State agencies with environmental expertise.
- WAC 197-10-530: Responsibilities of consulted agencies—When predraft consultation has occurred.
- WAC 197-10-535: Cost of performance of consulted agency responsibilities.
- WAC 197-10-540: Limitations on responses to consultation.
- WAC 197-10-545: Effect of no written comment.
- WAC 197-10-550: Preparation of the final EIS—Time period allowed.
- WAC 197-10-570: Preparation of final EIS—When no critical comments received on the draft EIS.
- WAC 197-10-580: Preparation of the final EIS—Contents—When critical comments received on draft EIS.
- WAC 197-10-600: Circulation of the final EIS.
- WAC 197-10-650: Effect of an adequate final EIS prepared pursuant to NEPA.
- WAC 197-10-652: Supplementation by a lead agency of an inadequate final NEPA EIS.
- WAC 197-10-660: Use of previously prepared EIS for a different proposed action.
- WAC 197-10-690: Use of a lead agency's EIS by other acting agencies for the same proposal.
- WAC 197-10-695: Draft and final supplements to a revised EIS.
- WAC 197-10-700: No action for seven days after publication of the final EIS.
- WAC 197-10-710: EIS combined with existing planning and review processes.
- WAC 197-10-831: Responsibilities of agencies—SEPA public information.
- WAC 197-10-840: Application of agency guidelines to ongoing actions.

[Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-020, filed 4/4/78.]

**WAC 173-801-030 Purpose.** (1) The purpose of this chapter is to implement the state-wide guidelines (chapter 197-10 WAC) established by the council on environmental policy as they apply to actions of the department of ecology.

(2) In order to carry out the policy set forth in this chapter, it is the continuing responsibility of the department of ecology to use all practicable means, consistent with other essential considerations of state policy, to improve and coordinate plans, functions, programs, and resources to the end that the state and its citizens may:

(a) Fulfill the responsibilities of each generation as trustee of the environment for succeeding generations;

(b) Assure for all people of Washington safe, healthful, productive, and aesthetically and culturally pleasing surroundings;

(c) Attain the widest range of beneficial uses of the environment without degradation, risk to health or safety, or other undesirable and unintended consequences;

(d) Preserve important historic, cultural, and natural aspects of our national heritage;

(e) Maintain, wherever possible, an environment which supports diversity and variety of individual choice;

(f) Achieve a balance between population and resource use which will permit high standards of living and a wide sharing of life's amenities; and

(g) Enhance the quality of renewable resources and approach the maximum attainable recycling of depletable resources.

(3) The department recognizes that each person has a fundamental and inalienable right to a healthful environment and that each person has a responsibility to contribute to the preservation and enhancement of the environment. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-030, filed 4/4/78. Formerly WAC 173-800-020.]

**WAC 173-801-040 Effect of SEPA.** The state environmental policy act provides additional standards for departmental decision-making for all activities which may have an impact on the environment. The processes of the state environmental policy act, including but not limited to detailed statement requirements, are aimed at making more informed decisions, and toward projects with greater public and environmental acceptability. The process should foster mutual communication, understanding and cooperation among applicants, governmental agencies and citizens. All reasonable alternatives and mitigative/compensatory measures should be explored. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-040, filed 4/4/78. Formerly WAC 173-800-030.]

**WAC 173-801-045 Integration of SEPA procedures with other departmental operations.** To the fullest extent possible, the department of ecology shall integrate the procedures required by these guidelines with existing planning and licensing procedures. These procedures should be initiated early, and undertaken in conjunction with other governmental operations to avoid lengthy time delays and unnecessary duplication. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-045, filed 4/4/78. Formerly WAC 173-800-035.]

**WAC 173-801-050 Designation of responsible official.** (1) Within the department of ecology, the ultimate responsible official is the director. Normally, the operational responsibility shall be delegated to levels no lower than a supervisor of a regional office branch or a division supervisor. When significant interdivisional involvements occur, consideration shall be given to establishing the next higher official common to involved supervisors as the responsible official. When the convergence or responsibility is higher than the assistant director level, the responsible official shall be designated by the deputy director.

(2) The identity of the responsible official should be established as soon as possible, ideally at the preapplication (or for department actions—preproject formulation) stage. The first department contact person should make a recommendation to his/her supervisor in order that a preliminary determination be made. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-050, filed 4/4/78. Formerly WAC 173-800-050.]

**WAC 173-801-060 Timing.** (1) The department shall integrate SEPA into its normal processes in such a

way that no undue delays are caused by SEPA compliance. The purposes of SEPA are best served by consideration of environmental factors early in the preplanning stages.

(2) At a minimum, the threshold determination and any required EIS shall be completed prior to undertaking any proposed major action.

(3) The environmental checklist should normally be completed when an application is found to be nonexempt. In order to conserve time and avoid misunderstandings, the first agency contact person should make the "action" and "exemption" determinations and assist the applicant in completing the checklist. If exempt status is questionable, a checklist should be completed and the supervisor consulted. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-060, filed 4/4/78. Formerly WAC 173-800-060.]

**WAC 173-801-070 Summary of information which may be required of a private applicant.** (1) There are three areas of these guidelines where the department may require information from a private applicant. These are:

- (a) Environmental checklist;
- (b) Threshold determination; and,
- (c) Draft and final EIS.

The responsible official may determine that any information supplied by a private applicant is insufficient and require further information, if in the judgment of the responsible official the information initially supplied was not reasonably adequate to fulfill the purpose for which it was required. An applicant may choose to voluntarily submit, at any time, information beyond that which may be required under these guidelines.

(2) Environmental checklist. A private applicant is required to complete an environmental checklist, either concurrently with or after filing the application. Explanations for each "yes" and "maybe" answer indicated thereon are required. The department may not require a complete assessment or "mini EIS" at this stage.

(3) Threshold determination. The responsible official shall make an initial review of a completed checklist without requiring more information from a private applicant. If, and only if, he determines as a result of its initial review that the information available is not reasonably sufficient to determine the environmental impacts of the proposal, he may require further information from the applicant, including explanation of "no" answers on the checklist. This information shall be limited to those elements on the environmental checklist for which, as determined by the responsible official, information accessible to him is not reasonably sufficient to evaluate the environmental impacts of the proposal. Field investigations or research by the applicant reasonably related to determining the environmental impacts of the proposal may be required.

- (4) Draft and final EIS.

(a) The department shall normally prepare its own draft and final impact statements. In so doing, it may require the applicant to provide information not in the

possession of the department. This may include a requirement that the applicant conduct specific investigations.

The applicant shall not be required to provide information reasonably available from other agencies with expertise. The applicant shall not be unduly burdened financially, however, in the interest of efficiency, the applicant is encouraged to provide as much information as he desires.

(b) The situation may arise in which the department, because of its commitments, is unable to prepare the draft and/or final EIS on a local agency transfer. In this case, the applicant shall be provided a letter outlining the situation and will be provided the option of the following impact statement preparation method:

(i) Applicant posts a mutually agreed upon bond with the department.

(ii) The department retains a mutually agreed upon and independent outside party to prepare the document.

(iii) The outside party prepares the document under the supervision of the department responsible official.

(iv) The outside party is paid from the posted bond. The applicant is provided an itemized accounting and the remaining balance of the bond.

(c) Private applicants shall be encouraged to cooperate in the impact statement preparation process. The results of a cooperative effort can be a better, more acceptable project, and a more expeditious handling of the application. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-070, filed 4/4/78. Formerly WAC 173-800-080.]

**WAC 173-801-080 Sensitive areas.** In its actions, the department shall respect "environmentally sensitive areas" and their modified exemption criteria which have been adopted and displayed by local governments pursuant to WAC 197-10-177. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-080, filed 4/4/78. Formerly WAC 173-800-140.]

**WAC 173-801-090 Individuals making SEPA-related determinations.** Within the department, the following officials are designated the responsibility of determinations under SEPA; "action" and "exemption" decisions may be made by the first departmental official contacted; all responsibilities transferred to the department from CEP shall be handled by the environmental review section; all other SEPA-related determinations are designated the responsibility of the responsible official. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-090, filed 4/4/78. Formerly WAC 173-800-280.]

**WAC 173-801-100 Threshold determination appeal procedures.** (1) In the event that the threshold determination results in a written appeal within fifteen calendar days from date of issuance, the following procedures shall be followed:

(a) The responsible official shall review his decision with particular emphasis on the areas of appeal. He may

request further information of the applicant. The decision of the responsible official shall be in writing with copies to the project file, the applicant, and the protestor.

(b) If deemed fit, the responsible official may bring the appeal to the deputy director. The resulting decision shall be final and circulated as in (a) above.

(2) The responsible official should attempt to act upon an appeal within one week of receipt. If more time is required, the applicant should be advised in writing of the anticipated schedule. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-100, filed 4/4/78. Formerly 173-800-380.]

**WAC 173-801-110 Statute of limitation.** The responsible official should examine the option of following the procedures of RCW 43.21C.080, 43.21C.085, and 43.21C.087 to qualify for the statute of limitations concerning SEPA compliance. This procedure is activated by the actual execution of the subject action (i.e., issuance of permit or approval). [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-110, filed 4/4/78. Formerly WAC 173-800-390.]

**WAC 173-801-120 Coordination on combined DOE-federal action.** When the department is considering an action which also involves federal actions, it shall attempt to coordinate the two governmental processes so that only one environmental impact statement need be prepared for that proposal. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-120, filed 4/4/78.]

**WAC 173-801-130 Severability.** If any provision of this chapter or its application to any person or circumstance is held invalid, the remainder of this chapter, or the application of the provision to other persons or circumstances, shall not be affected. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-130, filed 4/4/78. Formerly WAC 173-800-910.]

**Chapter 173-805 WAC**

**MODEL ORDINANCE FOR USE IN INTEGRATION OF SEPA GUIDELINES**

- WAC
- 173-805-010 Policies and authority.
- 173-805-020 Adoption by reference.
- 173-805-030 Additional definitions.
- 173-805-040 Time limits applicable to the SEPA process.
- 173-805-050 Environmentally sensitive areas.
- 173-805-060 Use of exemptions.
- 173-805-070 Lead agency determination and responsibilities.
- 173-805-080 Transfer of lead agency status to a state agency.
- 173-805-090 Environmental checklist.
- 173-805-100 Preparation of EIS.
- 173-805-105 Additional elements to be covered in an EIS.
- 173-805-110 Designation of official to perform consulted agency responsibilities for the city/county.
- 173-805-115 Designation of responsible official.
- 173-805-120 (Optional) SEPA public information center.
- 173-805-121 Responsibility of agencies--SEPA public information.
- 173-805-130 Fees.
- 173-805-135 Notice/statute of limitations.

173-805-140 Severability.

**DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER**

173-805-125 Regional SEPA public information center. [Order DE 76-13, § 173-805-125, filed 6/8/76.] Repealed by 78-04-091 (Order DE 78-6), filed 4/4/78. Statutory Authority: RCW 43.21C.130.

**WAC 173-805-010 Policies and authority.** The city/county of \_\_\_\_\_ hereby adopts by reference the policies of the State Environmental Policy Act as expressed in RCW 43.21C.010 and 43.21C.020. [Order DE 76-13, § 173-805-010, filed 6/8/76.]

**WAC 173-805-020 Adoption by reference.** The city/county hereby adopts by reference the following sections or subsections of chapter 197-10 of the Washington Administrative Code (the "SEPA guidelines" adopted by the state of Washington, council on environmental policy) and amended by the state of Washington, department of ecology

- WAC 197-10-040: Definitions.
- WAC 197-10-060: Scope of a proposal and its impacts.
- WAC 197-10-160: No presumption of significance for nonexempt actions.
- WAC 197-10-170: Categorical exemptions.
- WAC 197-10-175: Exemptions and nonexemptions applicable to specific state agencies.
- WAC 197-10-180: Exemptions for emergency actions.
- WAC 197-10-200: Lead agency--Responsibilities.
- WAC 197-10-203: Determination of lead agency--Procedures.
- WAC 197-10-205: Lead agency designation--Governmental proposals.
- WAC 197-10-210: Lead agency designation--Proposals involving both private and public construction.
- WAC 197-10-215: Lead agency designation--Private projects for which there is only one agency.
- WAC 197-10-220: Lead agency designation--Private projects, licenses from more than one agency when one is city/county.
- WAC 197-10-225: Lead agency designation--Private projects, license from more than one state agency.
- WAC 197-10-230: Lead agency designation--Specific proposals.
- WAC 197-10-235: Local agency transfer of lead agency status to a state agency.
- WAC 197-10-240: Agreements as to lead agency status.
- WAC 197-10-245: Agreements between agencies as to division of lead agency duties.
- WAC 197-10-260: Dispute as to lead agency determination--Resolution by CEP.
- WAC 197-10-270: Assumption of lead agency by another agency with jurisdiction.
- WAC 197-10-300: Threshold determination requirement.
- WAC 197-10-305: Recommended timing for threshold determination.
- WAC 197-10-310: Threshold determination procedures--Environmental checklist.
- WAC 197-10-320: Threshold determination procedures--Initial review of environmental checklist.
- WAC 197-10-330: Threshold determination procedures--Information in addition to checklist.
- WAC 197-10-340: Threshold determination procedures--Negative declarations.
- WAC 197-10-345: Assumption of lead agency status by another agency with jurisdiction--Prerequisites, effect and form of notice.
- WAC 197-10-350: Affirmative threshold determinations.
- WAC 197-10-355: Form of declaration of significance/nonsignificance.
- WAC 197-10-360: Threshold determination criteria--Application of environmental checklist.

- WAC 197-10-365: Environmental checklist.  
 WAC 197-10-370: Withdrawal of affirmative threshold determination.  
 WAC 197-10-375: Withdrawal of negative threshold determination.  
 WAC 197-10-390: Effect of threshold determination by lead agency.  
 WAC 197-10-400: Duty to begin preparation of a draft EIS.  
 WAC 197-10-410: Predraft consultation procedures.  
 WAC 197-10-425: Organization and style of a draft EIS.  
 WAC 197-10-440: Contents of a draft EIS.  
 WAC 197-10-442: Special considerations regarding contents of an EIS.  
 WAC 197-10-444: List of elements of the environment.  
 WAC 197-10-450: Public awareness of availability of draft EIS.  
 WAC 197-10-455: Circulation of the draft EIS—Review period.  
 WAC 197-10-460: Specific agencies to which draft EIS shall be sent.  
 WAC 197-10-465: Agencies possessing environmental expertise.  
 WAC 197-10-470: Costs to the public for reproduction of environmental documents.  
 WAC 197-10-480: Public hearing on a proposal—When required.  
 WAC 197-10-485: Notice of public hearing on environmental impact of the proposal.  
 WAC 197-10-490: Public hearing on the proposal—Use of environmental document.  
 WAC 197-10-495: Preparation of amended or new draft EIS.  
 WAC 197-10-500: Responsibilities of consulted agencies—Local agencies.  
 WAC 197-10-510: Responsibilities of consulted agencies—State agencies with jurisdiction.  
 WAC 197-10-520: Responsibilities of consulted agencies—State agencies with environmental expertise.  
 WAC 197-10-530: Responsibilities of consulted agencies—When predraft consultation has occurred.  
 WAC 197-10-535: Cost of performance of consulted agency responsibilities.  
 WAC 197-10-540: Limitations on responses to consultation.  
 WAC 197-10-545: Effect of no written comment.  
 WAC 197-10-550: Preparation of the final EIS—Time period allowed.  
 WAC 197-10-570: Preparation of final EIS—When no critical comments received on the draft EIS.  
 WAC 197-10-580: Preparation of the final EIS—Contents—When critical comments received on draft EIS.  
 WAC 197-10-600: Circulation of the final EIS.  
 WAC 197-10-650: Effect of an adequate final EIS prepared pursuant to NEPA.  
 WAC 197-10-652: Supplementation by a lead agency of an inadequate final NEPA EIS.  
 WAC 197-10-660: Use of previously prepared EIS for a different proposed action.  
 WAC 197-10-690: Use of a lead agency's EIS by other acting agencies for the same proposal.  
 WAC 197-10-695: Draft and final supplements to a revised EIS.  
 WAC 197-10-700: No action for seven days after publication of the final EIS.  
 WAC 197-10-710: EIS combined with existing planning and review processes.  
 WAC 197-10-831: Responsibilities of agencies—SEPA public information.  
 WAC 197-10-840: Application of agency guidelines to ongoing actions.

[Statutory Authority: RCW 43.21C.130. 78-04-091 (Order DE 78-6), § 173-805-020, filed 4/4/78; Order DE 76-13, § 173-805-020, filed 6/8/76.]

**WAC 173-805-030 Additional definitions.** In addition to those definitions contained within WAC 197-10-040, the following terms shall have the following meanings, unless the context indicates otherwise:

(1) "Department" means any division, subdivision or organizational unit of the city/county established by ordinance, rule, or order.

(2) "SEPA guidelines" means chapter 197-10 WAC adopted by the council on environmental policy and amended by the department of ecology. [Statutory Authority: RCW 43.21C.130. 78-04-091 (Order DE 78-6), § 173-805-030, filed 4/4/78; Order DE 76-13, § 173-805-030, filed 6/8/76.]

**WAC 173-805-040 Time limits applicable to the SEPA process.** The following time limits (expressed in calendar days) shall apply to the processing of all private projects and to those governmental proposals submitted to this city/county by other agencies:

(1) (Optional) categorical exemptions. Identification of categorically exempt actions shall occur within seven days of submission of an adequate application;

(2) Threshold determinations.

(a) For proposals for which the city/county is the lead agency, threshold determinations should normally be completed within fifteen days.

(b) Threshold determinations which can be made based upon review of the environmental checklist submitted by applicant should be completed within fifteen days of submission of an adequate application and the completed checklist.

(Use (a) or (b) above, but not both.)

(c) (Optional) threshold determinations requiring further information from the applicant or consultation with other agencies with jurisdiction should be completed within fifteen days of receiving the requested information from the applicant or the consulted agency; requests by the city/county for such further information should be made within fifteen days of the submission of an adequate application and completed checklist; when a request for further information is submitted to a consulted agency, the city/county shall wait a maximum of thirty days for the consulted agency to respond.

(d) (Optional) threshold determinations which require that further studies, including field investigations, be initiated by the city/county should be completed within thirty days of submission of an adequate application and the completed checklist.

(e) (Optional) threshold determinations on actions where the applicant recommends in writing that an EIS be prepared because of the significant impact asserted and described in the application shall be completed within fifteen days of submission of an adequate application and the completed checklist.

(f) The time limits set forth in this subsection shall not apply to withdrawals of affirmative and negative threshold determinations where such withdrawals are made in accordance with section ----- and -----.

(g) When a threshold determination is expected to require more than fifteen days to complete and a private applicant requests notification of the date when a threshold determination will be made, the lead agency shall transmit to the private applicant a written statement as to the expected date of decision. [Order DE 76-13, § 173-805-040, filed 6/8/76.]

**WAC 173-805-050 Environmentally sensitive areas.** ([Optional]) (1) The map(s) filed under Receiving No. \_\_\_\_\_ and adopted by reference hereto designate the location of environmentally sensitive areas within the city/county. For each sensitive area, exemptions within WAC 197-10-170 of the SEPA guidelines are identified on the maps as being inapplicable to that area. Other exemptions not so identified shall continue to apply within environmentally sensitive areas of the city/county.

(2) Environmentally sensitive areas shall be designated by \_\_\_\_\_ pursuant to the standards of WAC 197-10-177. Maps designating such areas, together with the exemptions from those listed in WAC 197-10-177(2) which are inapplicable in such area, shall be filed with \_\_\_\_\_ and shall have full force and effect of law as of the date of filing.

([Use (1) or (2) above, but not both.])

(3) Major actions which will be located wholly or partially within an environmentally sensitive area are to be treated no differently than other major actions under these guidelines. A threshold determination shall be made for all such actions, and an EIS shall not be automatically required for a proposal merely because it is proposed for location in an environmentally sensitive area.

(4) Certain exemptions do not apply on lands covered by water, and this remains true regardless of whether or not lands covered by water are mapped. [Order DE 76-13, § 173-805-050, filed 6/8/76.]

**WAC 173-805-060 Use of exemptions.** (1) The applicability of the exemptions shall be determined by each department within the city/county which received an application for a license, or in the case of governmental proposals, by that department initiating the proposal. A determination by any such department that a proposal is exempt shall be final and not subject to administrative review.

(2) If a proposal includes a series of actions, physically or functionally related to each other, some of which are exempt and some of which are not, the proposal is not exempt.

(3) If the proposal includes a series of exempt actions which are physically or functionally related to each other, but which together may have a significant environmental impact, the proposal is not exempt.

(4) If it is determined that a proposal is exempt, none of the procedural requirements of these guidelines apply to the proposal. No environmental checklist shall be required for an exempt proposal.

(5) A department which is determining whether or not a proposal is exempt shall ascertain the total scope of the proposal and the governmental licenses required. If a proposal includes a series of actions, physically or functionally related to each other, some of which are exempt and some of which are not, the proposal is not exempt. For any such proposal, the lead agency shall be determined, even if the license application which triggers the department's consideration is otherwise exempt. If the

lead agency is the city/county, then the responsible official shall be designated.

(6) If a proposal includes both exempt and nonexempt actions, exempt actions may be authorized with respect to the proposal prior to compliance with the procedural requirements of these guidelines subject to the following limitations:

(a) No major action (nonexempt action) shall be authorized;

(b) No action shall be authorized which will irrevocably commit the city/county to approve or authorize a major action;

(c) A department may withhold approval of an exempt action which would lead to modification of the physical environment, when such modifications would serve no purpose if later approval of a major action is not secured; and

(d) A department may withhold approval of exempt actions which would lead to substantial financial expenditures by a private applicant which would serve no purpose if later approval of a major action is not secured. [Order DE 76-13, § 173-805-060, filed 6/8/76.]

**WAC 173-805-070 Lead agency determination and responsibilities.** (1) Any department within the city/county receiving or initiating a proposal any portion of which involves a major action, shall determine the lead agency for that proposal pursuant to the criteria set forth in section WAC 197-10-205 through 197-10-270, using the procedures of WAC 197-10-203. This determination shall be made for each proposal involving a major action unless the lead agency has been previously determined, or the department is aware that another department or agency is in the process of determining the lead agency.

NOTE: A lead agency must be an agency with jurisdiction.

(2) In those instances in which the city/county is the lead agency, the responsible official of the city/county shall supervise compliance with the threshold determination, and if an EIS is necessary, shall supervise preparation of the draft and final EIS.

(3) In those instances in which the city/county is not the lead agency under the criteria of WAC 197-10-205 through 197-10-270, all departments of the city/county, subject to the limitations of WAC 197-10-390, 197-10-660, and 197-10-690 shall utilize and consider as appropriate either the declaration of nonsignificance or the final EIS of the lead agency in conjunction with the decisions of the city/county on the proposal. In such instances, no city/county department shall prepare or require preparation of a declaration of nonsignificance or EIS in addition to that prepared by the lead agency.

(4) In the event that the city/county or any department thereof receives a lead agency determination made by another agency which does not appear to be in accord with the criteria of WAC 197-10-205 through 197-10-245 it may object thereto. Any such objection must be made and resolved within fifteen days of receipt of the

determination, or the city/county must petition the department of ecology for a lead agency determination pursuant to WAC 197-10-260 within the fifteen day time period. Any such petition on behalf of the city/county shall be initiated by -----.

(5) Departments of the city/county are authorized to make agreements as to lead agency status pursuant to WAC 197-10-240 and 197-10-245: *Provided*, That any such agreement involving assumption of lead agency status by the city/county will first be approved by the responsible official for the city/county and that any department which will incur responsibilities as a result of any such agreement will approve the agreement.

(6) Any department making a lead agency determination for a private project shall require sufficient information from the applicant to ascertain which other agencies have jurisdiction over the proposal. [Statutory Authority: RCW 43.21C.130. 78-04-091 (Order DE 78-6), § 173-805-070, filed 4/4/78; Order DE 76-13, § 173-805-070, filed 6/8/76.]

**WAC 173-805-080 Transfer of lead agency status to a state agency.** ([Optional for cities or towns under 5,000 population and counties of fifth through ninth class.]) For any proposal for a private project where the city/county would be the lead agency and for which one or more state agencies have jurisdiction, the responsible official of the city/county may elect to transfer the lead duties to that state agency with jurisdiction appearing first on the priority listing in WAC 197-10-225. In such event, the state agency so determined shall be the lead agency and the city/county shall be an agency with jurisdiction. Transfer is accomplished by the responsible official of the city/county transmitting a notice of the transfer together with any relevant information available on the proposal to the appropriate state agency with jurisdiction. The responsible official of the city/county shall also give notice of the transfer to the private applicant and any other agencies with jurisdiction over the proposal. [Order DE 76-13, § 173-805-080, filed 6/8/76.]

**WAC 173-805-090 Environmental checklist.** (1) Except as provided in WAC 197-10-300(2), a completed environmental checklist, or a copy thereof, substantially in the form provided in WAC 197-10-365 shall be filed at the same time as an application for a permit, license, certificate, or other entitlement for use not specifically exempted herein. This checklist shall be the basis for a determination by the city/county as to lead agency status and if the city/county is determined to be the lead agency, then for the threshold determination.

(2) For all proposals for which the city/county is the lead agency, the responsible official of the city/county shall make the threshold determination pursuant to the criteria and procedures of WAC 197-10-300 through 197-10-365. [Order DE 76-13, § 173-805-090, filed 6/8/76.]

**WAC 173-805-100 Preparation of EIS.** (1) The draft and final EIS shall be prepared either by the responsible official or his designee, or by a private applicant or a consultant retained by the private applicant. In the event the responsible official determines that the applicant will be required to prepare an EIS, the applicant shall be so notified immediately after completion of the threshold determination.

(2) In the event that an EIS is to be prepared by a private applicant or a consultant retained by the private applicant, the responsible official shall assure that the EIS is prepared in a responsible manner and with appropriate methodology. The responsible official shall direct the areas of research and examination to be undertaken, as well as the organization of the resulting document.

(3) In the event that the responsible official or his designee is preparing an EIS, the responsible official may require a private applicant to provide data and information which is not in the possession of the city/county relevant to any or all areas to be covered by the EIS.

(4) No matter who participates in the preparation of an EIS, it must be approved by the responsible official prior to distribution.

(5) In all occasions of EIS preparation the applicant is encouraged to provide information to the responsible official. [Order DE 76-13, § 173-805-100, filed 6/8/76.]

**WAC 173-805-105 Additional elements to be covered in an EIS.** The following additional elements are part of the environment for the purpose of EIS content, but do not add to the criteria for threshold determinations or perform any other function or purpose under these rules:

- (1) Economy.
- (2) Cultural factors.
- (3) Sociological factors.

([This section is completely optional. If used, any of the listed elements may be selected, or you may add your own.]) [Order DE 76-13, § 173-805-105, filed 6/8/76.]

**WAC 173-805-110 Designation of official to perform consulted agency responsibilities for the city/county.** (1) The following (person) (department) (office) shall be responsible for the preparation of the written comments for the city/county in response to a consultation request prior to a threshold determination, participation in predraft consultation, or reviewing a draft EIS: -----.

(2) The official designated in paragraph (1) hereof shall be responsible for compliance by the city/county with WAC 197-10-500 through 197-10-540 wherever the city/county is a consulted agency, and is hereby authorized to develop operating procedures which will ensure that responses to consultation requests are prepared in a timely fashion and include data from all appropriate departments of the city/county. [Order DE 76-13, § 173-805-110, filed 6/8/76.]

**WAC 173-805-115 Designation of responsible official.** (1) For those proposals for which the city/county is the lead agency, the responsible official shall be

-----  
(2) The responsible official shall make the threshold determination, supervise preparation of any required EIS, and perform any other functions assigned to the "lead agency" or "responsible official" by those sections of the SEPA guidelines which were adopted by reference in WAC 173-805-020 hereof, for all proposals for which the city/county is the lead agency. [Order DE 76-13, § 173-805-115, filed 6/8/76.]

**WAC 173-805-120 (Optional) SEPA public information center.** (1) The following location constitutes the city's/county's SEPA public information center:

-----  
-----  
-----  
Telephone: (    ) -----

(2) All reasonable means will be used to make the existence and location of the city's/county's SEPA public information center known to both the public generally and the employees of the city/county.

(3) The SEPA public information center shall contain the documents and provide the services required by WAC 197-10-830. [Statutory Authority: RCW 43.21C.130. 78-04-091 (Order DE 78-6), § 173-805-120, filed 4/4/78; Order DE 76-13, § 173-805-120, filed 6/8/76.]

**WAC 173-805-121 Responsibility of agencies--SEPA public information.** All documents required by the SEPA guidelines (chapter 197-10 WAC) shall be retained by the city/county and made available in accordance with chapter 42.17 RCW. [Statutory Authority: RCW 43.21C.130. 78-04-091 (Order DE 78-6), § 173-805-121, filed 4/4/78.]

**WAC 173-805-130 Fees.** (This section is completely optional, and any or none of the following subsections may be used, or municipalities may wish to substitute their own provisions.)

The following fees shall be required for actions by the city/county in accordance with the provisions of this ordinance:

(1) Threshold determination - for every environmental assessment to be performed by the city/county when the city/county is lead agency a fee of (\$50.00) shall be required of the proponent of the proposal. This fee shall be collected prior to undertaking the threshold determination, and the time periods provided by this ordinance for making a threshold determination shall not begin to run until payment of the fee.

(2) Environmental impact statements -

(a) For all proposals requiring an EIS for which the city/county is the lead agency and for which the responsible official determines that the EIS shall be prepared by employees of the city/county, the city/county may charge and collect a reasonable fee from any applicant

to cover costs incurred by the city/county in the preparation of an EIS. If it is determined that an EIS is required, applicants shall be advised of projected costs of the statement prior to actual preparation and shall post bond or otherwise insure payment of such costs.

(b) The responsible official may determine that the city/county will contract directly with a consultant for preparation of environmental documents for activities initiated by some persons or entity other than the city/county and may bill such costs and expenses directly to the applicant. Such consultants shall be selected by mutual agreement of the city/county and applicant after a call for proposals. Applicants may be required to post bond or otherwise insure payment of such costs.

(c) In the event that a proposal is modified so that an EIS is no longer required, the responsible official shall refund any costs collected under (a) and (b) of this subsection which were collected for costs not incurred.

(3) No fee shall be collected by the city/county for performing its duties as a consulted agency.

(Note: The SEPA guidelines prohibit fees by consulted agencies.)

(4) (Optional - use this procedure only if the SEPA public information center is retained). The SEPA public information center of the city/county is hereby authorized to charge periodic fees for the service of mailing registers and register updates. Such fees shall be reasonably related to the costs of reproduction and mailing of registers and updates.

(5) The city/county may charge any person for copies of any document prepared pursuant to the requirements of this ordinance, and for mailing thereof, in a manner provided by chapter 42.17 RCW. [Statutory Authority: RCW 43.21C.130. 78-04-091 (Order DE 78-6), § 173-805-130, filed 4/4/78; Order DE 76-13, § 173-805-130, filed 6/8/76.]

**WAC 173-805-135 Notice/statute of limitations.** ([Optional]) (1) The city/county, applicant for, or proponent of an action may publish notice of action pursuant to RCW 43.21C.080 for any action.

(2) The form of the notice shall be as prescribed by the department of ecology and/or substantially in the form and manner set forth in RCW 43.21C.080. The notice shall be published by the city clerk or county auditor, applicant or proponent pursuant to RCW 43.21C.080. [Order DE 76-13, § 173-805-135, filed 6/8/76.]

**WAC 173-805-140 Severability.** If any provision of this ordinance or its application to any person or circumstance is held invalid, the remainder of this ordinance, or the application of the provision to other persons or circumstances, shall not be affected. [Order DE 76-13, § 173-805-140, filed 6/8/76.]