

Title 173 WAC

ECOLOGY, DEPARTMENT OF

Chapters

- 173-03 Public records.
- 173-04 Practice and procedure.
- 173-06 Delegation of powers.
- 173-09 Coordinated permit process.
- 173-15 Permits for oil or natural gas exploration activities conducted from state marine waters.
- 173-16 Shoreline Management Act guidelines for development of master programs.
- 173-18 Shoreline Management Act—Streams and rivers constituting shorelines of the state.
- 173-20 Shoreline Management Act—Lakes constituting shorelines of the state.
- 173-22 Adoption of designations of wetlands associated with shorelines of the state.
- 173-24 Tax exemptions and credits for pollution control facilities.
- 173-26 State master program approval/amendment procedures.
- 173-27 Shoreline management permit and enforcement procedures.
- 173-32 Allocation of financial aid to counties and cities to assist in comprehensive planning for solid waste management.
- 173-40 Pollution disclosure.
- 173-44 Fees—Radioactive waste management facilities.
- 173-50 Accreditation of environmental laboratories.
- 173-58 Sound level measurement procedures.
- 173-60 Maximum environmental noise levels.
- 173-62 Motor vehicle noise performance standards.
- 173-80 Limitations on use of Referendum 39 grant funds for water pollution abatement.
- 173-90 Standards and limitations on the use of clean water funds for pollution abatement.
- 173-98 Uses and limitations of the water pollution control revolving fund.
- 173-100 Ground water management areas and programs.
- 173-124 Quincy ground water management subarea and zones.
- 173-128A Odessa ground water management subarea.
- 173-130A Odessa ground water subarea management policy.
- 173-132 Duck Lake ground water management subarea.
- 173-134A Quincy ground water subarea management policy.
- 173-136 The establishment of a system of authorizing the withdrawal of artificially stored ground waters embodied in an approved declaration under RCW 90.44.130, which are commingled with public ground waters in ground water areas, subareas, and zones established under RCW 90.44.130.
- 173-145 Administration of the flood control assistance account program.
- 173-150 Protection of withdrawal facilities associated with ground water rights.
- 173-154 Protection of upper aquifer zones.
- 173-158 Flood plain management.
- 173-160 Minimum standards for construction and maintenance of wells.
- 173-162 Regulation and licensing of well contractors and operators.
- 173-166 Emergency drought relief.
- 173-170 Agricultural water supply facilities.
- 173-175 Dam safety.
- 173-180A Facility oil-handling operations and design standards.
- 173-180B Facility oil-handling operations manual standards.
- 173-180C Facility personnel oil-handling training and certification.
- 173-180D Facility oil spill prevention plan standards.
- 173-181 Facility contingency plan and response contractor standards.
- 173-183 Preassessment screening and oil spill compensation schedule regulations.
- 173-200 Water quality standards for ground waters of the state of Washington.
- 173-201A Water quality standards for surface waters of the state of Washington.
- 173-202 Washington forest practices rules and regulations to protect water quality.
- 173-204 Sediment management standards.
- 173-205 Whole effluent toxicity testing and limits.
- 173-208 Grant of authority sewerage systems.
- 173-216 State waste discharge permit program.
- 173-218 Underground injection control program.
- 173-220 National Pollutant Discharge Elimination System Permit Program.
- 173-221 Discharge standards and effluent limitations for domestic wastewater facilities.
- 173-221A Wastewater discharge standards and effluent limitations.
- 173-222 Wastewater discharge permit fees.
- 173-224 Wastewater discharge permit fees.
- 173-225 Federal Water Pollution Control Act—Establishment of implementation procedures of application for certification.
- 173-226 Waste discharge general permit program.
- 173-230 Certification of operators of wastewater treatment plants.
- 173-240 Submission of plans and reports for construction of wastewater facilities.

- 173-245 Submission of plans and reports for construction and operation of combined sewer overflow reduction facilities.
- 173-255 Limitations on use of Referendum 26 grant funds for water pollution abatement.
- 173-270 Puget Sound highway runoff program.
- 173-300 Certification of operators of solid waste incinerator and landfill facilities.
- 173-303 Dangerous waste regulations.
- 173-304 Minimum functional standards for solid waste handling.
- 173-305 Hazardous waste fee regulation.
- 173-306 Special incinerator ash management standards.
- 173-307 Plans.
- 173-309 Hazardous Waste Cleanup Act—Local toxics control account—Interim financial assistance program.
- 173-310 Litter receptacles.
- 173-311 Moderate risk waste grants.
- 173-312 Coordinated prevention grants.
- 173-313 Local solid waste enforcement grant regulation.
- 173-314 Waste tire carrier and storage site licenses.
- 173-315 Model Toxics Control Act—Local toxics control account—Interim financial assistance program.
- 173-318 Phase one—Waste reduction and recycling grants.
- 173-319 Comprehensive waste reduction/recycling grants program.
- 173-321 Public participation grants.
- 173-322 Remedial action grants.
- 173-325 Low-level radioactive waste disposal.
- 173-326 Commercial low-level radioactive waste disposal—Site use permits.
- 173-328 Mixed waste management fees.
- 173-330 Used automotive oil recycling sign requirements for automotive oil sellers.
- 173-331 Vehicle battery recycling.
- 173-340 Model Toxics Control Act—Cleanup.
- 173-342 Additional taxable hazardous substance list.
- 173-351 Criteria for municipal solid waste landfills.
- 173-360 Underground storage tank regulations.
- 173-400 General regulations for air pollution sources.
- 173-401 Operating permit regulation.
- 173-405 Kraft pulping mills.
- 173-406 Acid rain regulation.
- 173-410 Sulfite pulping mills.
- 173-415 Primary aluminum plants.
- 173-420 Conformity of transportation activities to air quality implementation plans.
- 173-421 Motor vehicle emission control systems.
- 173-422 Motor vehicle emission inspection.
- 173-425 Open burning.
- 173-430 Agricultural burning.
- 173-433 Solid fuel burning devices.
- 173-434 Solid waste incinerator facilities.
- 173-435 Emergency episode plan.
- 173-450 Establishing requirements for the receipt of financial aid.
- 173-460 Controls for new sources of toxic air pollutants.
- 173-470 Ambient air quality standards for particulate matter.
- 173-474 Ambient air quality standards for sulfur oxides.
- 173-475 Ambient air quality standards for carbon monoxide, ozone, and nitrogen dioxide.
- 173-480 Ambient air quality standards and emission limits for radionuclides.
- 173-481 Ambient air quality and environmental standards for fluorides.
- 173-490 Emission standards and controls for sources emitting volatile organic compounds (VOC).
- 173-491 Emission standards and controls for sources emitting gasoline vapors.
- 173-492 Motor fuel specifications for oxygenated gasoline.
- 173-495 Weather modification.
- 173-500 Water resources management program established pursuant to the Water Resources Act of 1971.
- 173-501 Instream resources protection program—Nooksack water resource inventory area (WRIA) 1.
- 173-507 Instream resources protection program—Snohomish River basin, water resource inventory area (WRIA) 7.
- 173-508 Instream resources protection program—Cedar-Sammamish basin, water resource inventory area (WRIA) 8.
- 173-509 Instream resources protection program—Green-Duwamish River basin, water resource inventory area (WRIA) 9.
- 173-510 Instream resources protection program—Puyallup River basin, water resource inventory area (WRIA) 10.
- 173-511 Instream resources protection program—Nisqually River basin, water resource inventory area (WRIA) 11.
- 173-512 Instream resources protection program—Chambers-Clover Creeks basin, water resource inventory area (WRIA) 12.
- 173-513 Instream resources protection program—Deschutes River basin, water resource inventory area (WRIA) 13.
- 173-514 Instream resources protection program—Kennedy-Goldsborough water resource inventory area (WRIA) 14.
- 173-515 Instream resources protection program—Kitsap water resource inventory area (WRIA) 15.
- 173-522 Water resources program in the Chehalis River basin; WRIA-22 and 23.
- 173-531A Water resource program for the John Day-McNary Pools Reach of the Columbia River, WRIA 31 and parts of WRIsAs 32, 33, 36, and 37.
- 173-532 Water resources program for the Walla River basin, WRIA-32.

- 173-545 Instream resources protection program—
Wenatchee River basin, water resource
inventory area (WRIA) 45. 173-08-030 Definitions. [Order DE 77-23, § 173-08-030, filed
12/1/77; Order 74-6, § 173-08-030, filed 5/1/74.] Re-
pealed by 95-24-040 (Order 95-13), filed 11/30/95,
effective 12/31/95. Statutory Authority: RCW 90.60.040.
- 173-548 Water resources program in the Methow
River basin, WRIA-48. 173-08-040 Master application form. [Order DE 77-23, § 173-08-040,
filed 12/1/77; Order 74-6, § 173-08-040, filed 5/1/74.]
Repealed by 95-24-040 (Order 95-13), filed 11/30/95,
effective 12/31/95. Statutory Authority: RCW 90.60.040.
- 173-549 Water resources program in the Okanogan
River basin, WRIA-49. 173-08-050 Scope of master application procedure. [Order DE 77-23,
§ 173-08-050, filed 12/1/77; Order 74-6, § 173-08-050,
filed 5/1/74.] Repealed by 95-24-040 (Order 95-13), filed
11/30/95, effective 12/31/95. Statutory Authority: RCW
90.60.040.
- 173-555 Water resources program in the Little Spo-
kane River basin, WRIA-55. 173-08-060 Certification. [Order 74-6, § 173-08-060, filed 5/1/74.]
Repealed by Order DE 77-23, filed 12/1/77.
- 173-559 Water resources program for the Colville
River basin, WRIA-59. 173-08-065 Modification of the proposed project. [Order DE 77-23,
§ 173-08-065, filed 12/1/77.] Repealed by 95-24-040
(Order 95-13), filed 11/30/95, effective 12/31/95. Statuto-
ry Authority: RCW 90.60.040.
- 173-563 Instream resources protection program for
the main stem Columbia River in Wash-
ington state. 173-08-070 Appeals to final decisions. [Order DE 77-23, § 173-08-
070, filed 12/1/77.] Repealed by 95-24-040 (Order 95-
13), filed 11/30/95, effective 12/31/95. Statutory Authori-
ty: RCW 90.60.040.
- 173-564 Water resources management program for
the main stem of the Snake River in
Washington state.
- 173-590 Procedures relating to the reservation of
water for future public water supply.
- 173-591 Reservation of future public water supply for
Thurston County.
- 173-592 Reservation of future public water supply for
Clark County.
- 173-802 SEPA procedures.
- 173-806 Model ordinance.

**DISPOSITION OF CHAPTERS FORMERLY
CODIFIED IN THIS TITLE**

Chapter 173-02

METHODS OF OPERATION AND ORGANIZATION

- 173-02-010 Purpose. [Order 71-9, § 173-02-010, filed 8/4/71.]
Repealed by 78-02-041 (Order DE 77-35), filed 1/17/78.
Statutory Authority: RCW 42.17.250 through 42.17.340.
- 173-02-020 General responsibilities. [Order 71-9, § 173-02-020, filed
8/4/71.] Repealed by 78-02-041 (Order DE 77-35), filed
1/17/78. Statutory Authority: RCW 42.17.250 through
42.17.340.
- 173-02-030 Organization. [Order 71-9, § 173-02-030, filed 8/4/71.]
Repealed by 78-02-041 (Order DE 77-35), filed 1/17/78.
Statutory Authority: RCW 42.17.250 through 42.17.340.
- 173-02-040 Functions. [Order 71-9, § 173-02-040, filed 8/4/71.]
Repealed by 78-02-041 (Order DE 77-35), filed 1/17/78.
Statutory Authority: RCW 42.17.250 through 42.17.340.
- 173-02-050 Ecological commission. [Order 71-9, § 173-02-050, filed
8/4/71.] Repealed by 78-02-041 (Order DE 77-35), filed
1/17/78. Statutory Authority: RCW 42.17.250 through
42.17.340.
- 173-02-060 Public information. [Order 71-9, § 173-02-060, filed
8/4/71.] Repealed by 78-02-041 (Order DE 77-35), filed
1/17/78. Statutory Authority: RCW 42.17.250 through
42.17.340.
- 173-02-070 Submissions and requests. [Order 71-9, § 173-02-070,
filed 8/4/71.] Repealed by 78-02-041 (Order DE 77-35),
filed 1/17/78. Statutory Authority: RCW 42.17.250
through 42.17.340.
- 173-10-010 Authority. [Order DE 75-26, § 173-10-010, filed 11/7/75.]
Repealed by 95-24-040 (Order 95-13), filed 11/30/95,
effective 12/31/95. Statutory Authority: RCW 90.60.040.
- 173-10-020 Purpose. [Order DE 75-26, § 173-10-020, filed 11/7/75.]
Repealed by 95-24-040 (Order 95-13), filed 11/30/95,
effective 12/31/95. Statutory Authority: RCW 90.60.040.
- 173-10-030 Definitions. [Order DE 75-26, § 173-10-030, filed
11/7/75.] Repealed by 95-24-040 (Order 95-13), filed
11/30/95, effective 12/31/95. Statutory Authority: RCW
90.60.040.
- 173-10-040 Single application form. [Order DE 75-26, § 173-10-040,
filed 11/7/75.] Repealed by 95-24-040 (Order 95-13),
filed 11/30/95, effective 12/31/95. Statutory Authority:
RCW 90.60.040.
- 173-10-050 Public notice. [Order DE 75-26, § 173-10-050, filed
11/7/75.] Repealed by 95-24-040 (Order 95-13), filed
11/30/95, effective 12/31/95. Statutory Authority: RCW
90.60.040.
- 173-10-060 Procedures superseded. [Order DE 75-26, § 173-10-060,
filed 11/7/75.] Repealed by 95-24-040 (Order 95-13),
filed 11/30/95, effective 12/31/95. Statutory Authority:
RCW 90.60.040.
- 173-10-070 Public hearing. [Order DE 75-26, § 173-10-070, filed
11/7/75.] Repealed by 95-24-040 (Order 95-13), filed
11/30/95, effective 12/31/95. Statutory Authority: RCW
90.60.040.
- 173-10-080 Public notice of public hearing. [Order DE 75-26, § 173-
10-080, filed 11/7/75.] Repealed by 95-24-040 (Order 95-
13), filed 11/30/95, effective 12/31/95. Statutory Authori-
ty: RCW 90.60.040.
- 173-10-090 Scope of single application procedure. [Order DE 75-26,
§ 173-10-090, filed 11/7/75.] Repealed by 95-24-040
(Order 95-13), filed 11/30/95, effective 12/31/95. Statuto-
ry Authority: RCW 90.60.040.
- 173-10-100 Final action on the single application. [Order DE 75-26,
§ 173-10-100, filed 11/7/75.] Repealed by 95-24-040
(Order 95-13), filed 11/30/95, effective 12/31/95. Statuto-
ry Authority: RCW 90.60.040.
- 173-10-110 Appeal. [Order DE 75-26, § 173-10-110, filed 11/7/75.]
Repealed by 95-24-040 (Order 95-13), filed 11/30/95,
effective 12/31/95. Statutory Authority: RCW 90.60.040.

Chapter 173-08

**ENVIRONMENTAL COORDINATION PROCEDURES ACT OF
1973—MASTER APPLICATION PROCEDURES**

- 173-08-010 Authority. [Order DE 77-23, § 173-08-010, filed 12/1/77;
Order 74-6, § 173-08-010, filed 5/1/74.] Repealed by 95-
24-040 (Order 95-13), filed 11/30/95, effective 12/31/95.
Statutory Authority: RCW 90.60.040.
- 173-08-020 Purpose. [Order DE 77-23, § 173-08-020, filed 12/1/77;
Order 74-6, § 173-08-020, filed 5/1/74.] Repealed by 95-
24-040 (Order 95-13), filed 11/30/95, effective 12/31/95.
Statutory Authority: RCW 90.60.040.
- 173-12-010 Purpose. [Order DE 70-11, § 173-12-010, filed 1/5/71.]
Repealed by 95-09-036 (Order 94-47), filed 4/13/95,
effective 5/14/95. Statutory Authority: Chapter 43.21 and
34.05 RCW.

Chapter 173-12

GENERAL PROCEDURE

- 173-12-020 Scope of directions—Requests for advice and guidance. [Order DE 70-11, § 173-12-020, filed 1/5/71.] Repealed by 95-09-036 (Order 94-47), filed 4/13/95, effective 5/14/95. Statutory Authority: Chapter 43.21 and 34.05 RCW.
- 173-12-030 Requests of the director for advice and guidance. [Order 71-10, § 173-12-030, filed 8/4/71; Order DE 70-11, § 173-12-030, filed 1/5/71.] Repealed by 95-09-036 (Order 94-47), filed 4/13/95, effective 5/14/95. Statutory Authority: Chapter 43.21 and 34.05 RCW.
- 173-12-040 Ecological commission submission of views. [Order DE 70-11, § 173-12-040, filed 1/5/71.] Repealed by 95-09-036 (Order 94-47), filed 4/13/95, effective 5/14/95. Statutory Authority: Chapter 43.21 and 34.05 RCW.
- 173-12-050 Adoption of regulations. [Order 71-10, § 173-12-050, filed 8/4/71; Order DE 70-11, § 173-12-050, filed 1/5/71.] Repealed by 95-09-036 (Order 94-47), filed 4/13/95, effective 5/14/95. Statutory Authority: Chapter 43.21 and 34.05 RCW.
- 173-12-060 Meetings. [Order DE 72-16, § 173-12-060, filed 6/30/72.] Repealed by 95-09-036 (Order 94-47), filed 4/13/95, effective 5/14/95. Statutory Authority: Chapter 43.21 and 34.05 RCW.
- Chapter 173-14**
PERMITS FOR DEVELOPMENTS ON SHORELINES OF THE STATE
- 173-14-010 Authority. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-010, filed 6/14/78; Order DE 75-22, § 173-14-010, filed 10/16/75; Order 71-18, § 173-14-010, filed 12/16/71.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-020 Purpose. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-020, filed 6/14/78; Order DE 75-22, § 173-14-020, filed 10/16/75; Order 71-18, § 173-14-020, filed 12/16/71.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-030 Definitions. [Statutory Authority: RCW 90.58.120 and 90.58.200. 88-19-004 (Order DE 88-23), § 173-14-030, filed 9/8/88. Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-14-030, filed 5/23/86. Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-030, filed 6/14/78; Order DE 76-17, § 173-14-030, filed 7/27/76; Order DE 75-22, § 173-14-030, filed 10/16/75; Order 71-18, § 173-14-030, filed 12/16/71.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-040 Developments exempt from substantial development permit requirement. [Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-14-040, filed 5/23/86. Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-14-040, filed 4/15/85. Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-040, filed 6/14/78; Order DE 76-17, § 173-14-040, filed 7/27/76; Order DE 75-28, § 173-14-040, filed 12/4/75; Order DE 75-22, § 173-14-040, filed 10/16/75; Order 71-18, § 173-14-040, filed 12/16/71.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-050 Application of the permit system to substantial development undertaken prior to the act. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-050, filed 6/14/78; Order 73-23, § 173-14-050, filed 10/23/73; Order 71-18, § 173-14-050, filed 12/16/71.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-055 Nonconforming development standards. [Statutory Authority: RCW 90.58.200. 87-16-101 (Order DE 87-09), § 173-14-055, filed 8/5/87. Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-14-055, filed 5/23/86.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-060 Time requirements of permit. [Statutory Authority: RCW 90.58.200. 87-16-101 (Order DE 87-09), § 173-14-060, filed 8/5/87; 80-04-027 (Order DE 80-9), § 173-14-060, filed 3/18/80; 78-07-011 (Order DE 78-7), § 173-14-060, filed 6/14/78; Order DE 75-22, § 173-14-060, filed 10/16/75; Order 71-18, § 173-14-060, filed 12/16/71.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-062 Applicability of permit system to federal agencies. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-062, filed 6/14/78; Order DE 75-22, § 173-14-062, filed 10/16/75.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-064 Revisions to permits. [Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-14-064, filed 5/23/86. Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-14-064, filed 4/15/85. Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-064, filed 6/14/78; Order DE 76-17, § 173-14-064, filed 7/27/76; Order DE 75-22, § 173-14-064, filed 10/16/75.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-070 Notice required. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-070, filed 6/14/78; Order DE 76-17, § 173-14-070, filed 7/27/76; Order DE 75-22, § 173-14-070, filed 10/16/75; Order 71-18, § 173-14-070, filed 12/16/71.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-080 Public hearings. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-080, filed 6/14/78; Order DE 75-22, § 173-14-080, filed 10/16/75; Order 71-18, § 173-14-080, filed 12/16/71.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-090 Filing with department and attorney general. [Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-14-090, filed 5/23/86. Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-14-090, filed 4/15/85. Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-090, filed 6/14/78; Order DE 76-17, § 173-14-090, filed 7/27/76; Order DE 75-22, § 173-14-090, filed 10/16/75; Order 71-18, § 173-14-090, filed 12/16/71.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-100 Review criteria for substantial development permits. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-100, filed 6/14/78; Order DE 75-22, § 173-14-100, filed 10/16/75; Order 71-18, § 173-14-100, filed 12/16/71.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-110 Application for substantial development, conditional use, or variance permit. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-110, filed 6/14/78; Order DE 76-17, § 173-14-110, filed 7/27/76; Order DE 75-22, § 173-14-110, filed 10/16/75; Order 71-18, § 173-14-110, filed 12/16/71.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-115 Letter of exemption. [Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-14-115, filed 4/15/85. Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-115, filed 6/14/78; Order DE 76-17, § 173-14-115, filed 7/27/76; Order DE 75-22, § 173-14-115, filed 10/16/75.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.

- 173-14-120 Permits for substantial development, conditional use, or variance. [Statutory Authority: RCW 90.58.200, 78-07-011 (Order DE 78-7), § 173-14-120, filed 6/14/78; Order DE 76-17, § 173-14-120, filed 7/27/76; Order DE 75-22, § 173-14-120, filed 10/16/75; Order 71-18, § 173-14-120, filed 12/16/71.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-130 Department review of conditional use and variance permits. [Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-14-130, filed 5/23/86. Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-14-130, filed 4/15/85. Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-130, filed 6/14/78; Order DE 76-17, § 173-14-130, filed 7/27/76; Order DE 75-22, § 173-14-130, filed 10/16/75.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-140 Review criteria for conditional use permits. [Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-14-140, filed 5/23/86. Statutory Authority: RCW 90.58.200 and 90.58.140(3). 81-04-027 (Order DE 80-52), § 173-14-140, filed 2/2/81. Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-140, filed 6/14/78; Order DE 75-22, § 173-14-140, filed 10/16/75.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-150 Review criteria for variance permits. [Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-14-150, filed 5/23/86. Statutory Authority: RCW 90.58.200 and 90.58.140(3). 81-04-027 (Order DE 80-52), § 173-14-150, filed 2/2/81. Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-150, filed 6/14/78; Order DE 76-17, § 173-14-150, filed 7/27/76; Order DE 75-22, § 173-14-150, filed 10/16/75.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-155 Minimum standards for conditional use and variance permits. [Statutory Authority: RCW 90.58.200 and 98.58.140(3). 81-04-027 (Order DE 80-52), § 173-14-155, filed 2/2/81.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-160 Department of ecology review. [Order DE 76-17, § 173-14-160, filed 7/27/76; Order DE 75-22, § 173-14-160, filed 10/16/75.] Repealed by 78-07-001 (Order DE 78-7), filed 6/14/78. Statutory Authority: RCW 90.58.200.
- 173-14-170 Requests for review. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-170, filed 6/14/78; Order DE 75-22, § 173-14-170, filed 10/16/75.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-174 Certification of requests for review. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-174, filed 6/14/78.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-14-180 Regulatory orders by local government or the department. [Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-14-180, filed 5/23/86. Statutory Authority: RCW 90.58.200 and 90.58.140(3). 81-04-027 (Order DE 80-52), § 173-14-180, filed 2/2/81. Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-180, filed 6/14/78; Order DE 76-17, § 173-14-180, filed 7/27/76; Order DE 75-22, § 173-14-180, filed 10/16/75.] Repealed by 87-16-101 (Order DE 87-09), filed 8/5/87. Statutory Authority: RCW 90.58.200.
- 173-14-190 Hearings on regulatory orders. [Statutory Authority: RCW 90.58.200. 78-07-011 (Order DE 78-7), § 173-14-190, filed 6/14/78; Order DE 75-22, § 173-14-190, filed 10/16/75.] Repealed by 81-04-027 (Order DE 80-52), filed 2/2/81. Statutory Authority: RCW 90.58.200 and 90.58.140(3).

Chapter 173-17
SHORELINE MANAGEMENT ACT ENFORCEMENT
REGULATIONS

- 173-17-010 Authority and purpose. [Statutory Authority: RCW 90.58.200. 87-16-101 (Order DE 87-09), § 173-17-010, filed 8/5/87.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-17-020 Definitions. [Statutory Authority: RCW 90.58.200. 87-16-101 (Order DE 87-09), § 173-17-020, filed 8/5/87.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-17-030 Policy. [Statutory Authority: RCW 90.58.200. 87-16-101 (Order DE 87-09), § 173-17-030, filed 8/5/87.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-17-040 Order to cease and desist. [Statutory Authority: RCW 90.58.200. 87-16-101 (Order DE 87-09), § 173-17-040, filed 8/5/87.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-17-050 Civil penalty. [Statutory Authority: RCW 90.58.200. 87-16-101 (Order DE 87-09), § 173-17-050, filed 8/5/87.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-17-060 Appeal of civil penalty. [Statutory Authority: RCW 90.58.200. 87-16-101 (Order DE 87-09), § 173-17-060, filed 8/5/87.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-17-070 Criminal penalty. [Statutory Authority: RCW 90.58.200. 87-16-101 (Order DE 87-09), § 173-17-070, filed 8/5/87.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-17-080 Oil or natural gas exploration—Penalty. [Statutory Authority: RCW 90.58.200. 87-16-101 (Order DE 87-09), § 173-17-080, filed 8/5/87.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.

Chapter 173-19
SHORELINE MANAGEMENT ACT OF 1971—STATE MASTER
PROGRAM

- 173-19-010 Purpose. [Order DE 74-23, § 173-19-010, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-020 Definitions. [Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-19-020, filed 5/23/86; Order DE 74-23, § 173-19-020, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-030 Master programs organized by county. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-030, filed 1/30/80; Order DE 74-23, § 173-19-030, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-040 Date of adoption or approval. [Order DE 74-23, § 173-19-040, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-044 Local government change of jurisdiction—Effect of annexation. [Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-19-044, filed 5/23/86. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 79-09-001 (Order DE 79-6), § 173-19-044, filed 8/2/79.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.

- 173-19-050 Incorporation by reference. [Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-19-050, filed 5/23/86; Order DE 74-23, § 173-19-050, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-060 Amendment of master programs. [Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-19-060, filed 5/23/86. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-060, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-060, filed 8/2/79; Order DE 74-23, § 173-19-060, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-061 Approval of master programs and amendments by local government. [Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-19-061, filed 5/23/86.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-062 Submission of master programs and amendments by local government. [Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-19-062, filed 5/23/86. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-062, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-064 Review and adoption of master programs and amendments by the department. [Statutory Authority: RCW 90.58.200. 87-16-101 (Order DE 87-09), § 173-19-064, filed 8/5/87. Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-19-064, filed 5/23/86. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-064, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-070 Appeal procedures for master programs. [Statutory Authority: RCW 90.58.200. 87-16-101 (Order DE 87-09), § 173-19-070, filed 8/5/87; Order DE 74-23, § 173-19-070, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-080 Applicability of master program to federal agencies. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-080, filed 1/30/80; Order DE 74-23, § 173-19-080, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-090 Adams County. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 79-09-001 (Order DE 79-6), § 173-19-090, filed 8/2/79; Order DE 77-16, § 173-19-090, filed 9/9/77; Order DE 74-23, § 173-19-090, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-100 Asotin County. [Statutory Authority: RCW 90.58.200. 94-16-085 (Order 94-05), § 173-19-100, filed 8/1/94, effective 9/1/94. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-100, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-100, filed 8/2/79; Order DE 75-21, § 173-19-100, filed 8/12/75; Order DE 74-23, § 173-19-100, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1001 Asotin, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1001, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1002 Clarkston, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1002, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-110 Benton County. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-110, filed 1/30/80; 79-11-053 (Order DE 79-28), § 173-19-110, filed 10/16/79; 79-09-001 (Order DE 79-6), § 173-19-110, filed 8/2/79; Order DE 76-15, § 173-19-110, filed 5/3/76; Order DE 75-21, § 173-19-110, filed 8/12/75; Order DE 74-23, § 173-19-110, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1101 Benton City, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1101, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1102 Kennewick, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1102, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1103 Prosser, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1103, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1104 Richland, city of. [Statutory Authority: RCW 90.58.200. 90-02-105 (Order 89-57), § 173-19-1104, filed 1/3/90, effective 2/3/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 84-02-073 (Order DE 83-37), § 173-19-1104, filed 1/4/84; 83-14-003 (Order DE 83-17), § 173-19-1104, filed 6/23/83. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1104, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1105 West Richland, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1105, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-120 Chelan County. [Statutory Authority: RCW 90.58.200. 94-10-081 (Order 94-04), § 173-19-120, filed 5/4/94, effective 6/4/94. Statutory Authority: RCW 90.58.120 and 90.58.200. 83-21-094 (Order DE 83-27), § 173-19-120, filed 10/19/83; 81-20-042 (Order DE 81-27), § 173-19-120, filed 10/1/81; 81-15-062 (Order DE 81-23), § 173-19-120, filed 7/20/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-08-054 (Order DE 80-25), § 173-19-120, filed 6/30/80; 80-02-123 (Order DE 79-34), § 173-19-120, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-120, filed 8/2/79; Order DE 75-21, § 173-19-120, filed 8/12/75; Order DE 74-23, § 173-19-120, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1201 Cashmere, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1201, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1202 Chelan, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1202, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1203 Entiat, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1203, filed 1/30/80.] Repealed by 96-

- 173-19-1204 20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200. Leavenworth, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1204, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1205 Wenatchee, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1205, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-130 Clallam County. [Statutory Authority: RCW 90.58.200. 92-13-081 (Order 92-13), § 173-19-130, filed 6/16/92, effective 7/17/92; 89-22-139 (Order 89-17), § 173-19-130, filed 11/1/89, effective 12/2/89. Statutory Authority: RCW 90.58.120 and 90.58.200. 88-07-009 (Order DE 87-51), § 173-19-130, filed 3/3/88; 86-12-069 (Order DE 86-07), § 173-19-130, filed 6/4/86; 86-04-040 (Order DE 85-13), § 173-19-130, filed 1/31/86; 84-08-030 (Order DE 83-41), § 173-19-130, filed 3/29/84; 83-02-066 (Order DE 82-48), § 173-19-130, filed 1/5/83. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-130, filed 1/30/80; 79-11-053 (Order DE 79-28), § 173-19-130, filed 10/16/79; 79-09-131 (Order DE 79-16), § 173-19-130, filed 9/5/79; 79-09-001 (Order DE 79-6), § 173-19-130, filed 8/2/79; Order DE 77-16, § 173-19-130, filed 9/9/77; Order DE 74-23, § 173-19-130, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1301 Port Angeles, city of. [Statutory Authority: Chapter 90.58 RCW. 95-12-057 (Order 94-28), § 173-19-1301, filed 6/2/95, effective 7/3/95. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1301, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-140 Clark County. [Statutory Authority: RCW 90.58.200. 93-01-108 (Order 92-45), § 173-19-140, filed 12/18/92, effective 1/18/93. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-140, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-140, filed 8/2/79; Order DE 76-15, § 173-19-140, filed 5/3/76; Order DE 74-23, § 173-19-140, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1401 Camas, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1401, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1402 LaCenter, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1402, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1403 Ridgefield, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1403, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1404 Vancouver, city of. [Statutory Authority: RCW 90.58.200. 93-01-109 (Order 92-46), § 173-19-1404, filed 12/18/92, effective 1/18/93. Statutory Authority: RCW 90.58.120 and 90.58.200. 86-16-003 (Order DE 86-19), § 173-19-1404, filed 7/24/86. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1404, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1405 Washougal, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1405, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-150 Columbia County. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-150, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-150, filed 8/2/79; Order DE 76-15, § 173-19-150, filed 5/3/76; Order 74-23, § 173-19-150, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1501 Dayton, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1501, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1502 Starbuck, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1502, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-160 Cowlitz County. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-11-105 (Order DE 82-10), § 173-19-160, filed 5/19/82; 82-05-017 (Order DE 81-53), § 173-19-160, filed 2/9/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-160, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-160, filed 8/2/79; Order DE 77-16, § 173-19-160, filed 9/9/77; Order DE 74-23, § 173-19-160, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1601 Castle Rock, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1601, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1602 Kalama, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1602, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1603 Kelso, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 80-04-026 (Order DE 80-10), § 173-19-1603, filed 3/18/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1603, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1604 Longview, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1604, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-1605 Woodland, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 80-04-026 (Order DE 80-10), § 173-19-1605, filed 3/18/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1605, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-170 Douglas County. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-170, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-170, filed 8/2/79; Order DE 75-21, § 173-19-170, filed 8/12/75; Order DE 74-23, § 173-19-170, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.

173-19-1701	Bridgeport, town of. [Statutory Authority: RCW 90.58.200. 92-03-132 (Order 91-50), § 173-19-1701, filed 1/21/92, effective 2/21/92. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1701, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.	173-19-2103	Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200. Soap Lake, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2103, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
173-19-1702	East Wenatchee, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1702, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.	173-19-2104	Wilson Creek, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2104, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
173-19-1703	Rock Island, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1703, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.	173-19-220	Grays Harbor County. [Statutory Authority: RCW 90.58.200. 91-18-081 (Order 91-31), § 173-19-220, filed 9/4/91, effective 10/5/91; 90-13-079 (Order 89-64), § 173-19-220, filed 6/19/90, effective 7/20/90; 90-11-072 (Order 90-04), § 173-19-220, filed 5/16/90, effective 6/16/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 88-19-008 (Order DE 88-52), § 173-19-220, filed 9/8/88; 88-08-089 (Order DE 88-02), § 173-19-220, filed 4/6/88; 87-18-023 (Order DE 87-25), § 173-19-220, filed 8/26/87; 86-12-071 (Order DE 86-11), § 173-19-220, filed 6/4/86; 80-07-007 (Order DE 80-26), § 173-19-220, filed 6/6/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-220, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-220, filed 8/2/79; Order DE 77-16, § 173-19-220, filed 9/9/77; Order DE 75-21, § 173-19-220, filed 8/12/75; Order DE 74-23, § 173-19-220, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
173-19-180	Ferry County. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-180, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-180, filed 8/2/79; Order DE 76-15, § 173-19-180, filed 5/3/76; Order DE 74-23, § 173-19-180, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.	173-19-2201	Aberdeen, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 88-19-008 (Order DE 88-52), § 173-19-2201, filed 9/8/88. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2201, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
173-19-1801	Republic, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1801, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.	173-19-2202	Cosmopolis, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 88-19-008 (Order DE 88-52), § 173-19-2202, filed 9/8/88. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2202, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
173-19-190	Franklin County. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-17-032 (Order DE 83-18), § 173-19-190, filed 8/11/83. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-190, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-190, filed 8/2/79; Order DE 76-15, § 173-19-190, filed 5/3/76; Order DE 74-23, § 173-19-190, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.	173-19-2203	Elma, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-02-003 (Order DE 82-40), § 173-19-2203, filed 12/23/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2203, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
173-19-1901	Pasco, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-1901, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.	173-19-2204	Hoquiam, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 88-19-008 (Order DE 88-52), § 173-19-2204, filed 9/8/88; 85-10-030 (Order 85-06), § 173-19-2204, filed 4/24/85; 80-10-017 (Order DE 80-30), § 173-19-2204, filed 7/31/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2204, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
173-19-200	Garfield County. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 79-09-001 (Order DE 79-6), § 173-19-200, filed 8/2/79; Order DE 74-23, § 173-19-200, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.	173-19-2205	Montesano, city of. [Statutory Authority: RCW 90.58.200. 93-17-063 (Order 93-12), § 173-19-2205, filed 8/17/93, effective 9/17/93. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2205, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
173-19-210	Grant County. [Statutory Authority: RCW 90.58.120 and 90.58.200. 88-22-088 (Order 88-31), § 173-19-210, filed 11/2/88; 81-13-055 (Order DE 81-14), § 173-19-210, filed 6/17/81; Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-210, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-210, filed 8/2/79; Order DE 76-15, § 173-19-210, filed 5/3/76; Order DE 74-23, § 173-19-210, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.	173-19-2206	Oakville, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2102, filed 1/30/80.]
173-19-2101	Krupp, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2101, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.		
173-19-2102	Moses Lake, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-17-046 (Order DE 82-29), § 173-19-2102, filed 8/16/82; 81-16-079 (Order DE 81-20), § 173-19-2102, filed 8/5/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2102, filed 1/30/80.]		

- 173-19-2207 79-34), § 173-19-2206, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200. Ocean Shores, city of. [Statutory Authority: RCW 90.58.200. 91-12-053 (Order 91-05), § 173-19-2207, filed 6/5/91, effective 7/6/91. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2207, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2208 Westport, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 88-19-008 (Order DE 88-52), § 173-19-2208, filed 9/8/88; 83-21-019 (Order DE 83-24), § 173-19-2208, filed 10/7/83. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2208, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-230 Island County. [Statutory Authority: RCW 90.58.200. 92-09-135 (Order 92-10), § 173-19-230, filed 4/21/92, effective 5/22/92; 91-03-145 (Order 90-43), § 173-19-230, filed 1/23/91, effective 2/23/91. Statutory Authority: RCW 90.58.120 and 90.58.200. 85-12-051 (Order 85-12), § 173-19-230, filed 6/5/85. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-230, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-230, filed 8/2/79; Order DE 77-16, § 173-19-230, filed 9/9/77; Order DE 74-23, § 173-19-230, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2301 Coupeville, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2301, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2302 Langley, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2302, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2303 Oak Harbor, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2303, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-240 Jefferson County. [Statutory Authority: RCW 90.58.200. 93-17-062 (Order 93-13), § 173-19-240, filed 8/17/93, effective 9/17/93. Statutory Authority: RCW 90.58.120 and 90.58.200. 89-08-012 and 90-07-027 (Order DE 88-56 and DE 88-56A), § 173-19-240, filed 3/24/89 and 3/14/90, effective 4/14/90. Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-19-240, filed 4/15/85. Statutory Authority: RCW 90.58.120 and 90.58.200. 83-14-086 (Order DE 83-20), § 173-19-240, filed 7/6/83; 82-17-047 (Order DE 82-30), § 173-19-240, filed 8/16/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-240, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-240, filed 8/2/79; Order DE 75-21, § 173-19-240, filed 8/12/75; Order DE 74-23, § 173-19-240, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2401 Port Townsend, city of. [Statutory Authority: RCW 90.58.200. 94-07-013 (Order 93-38), § 173-19-2401, filed 3/7/94, effective 4/7/94; 93-17-062 (Order 93-13), § 173-19-2401, filed 8/17/93, effective 9/17/93; 93-07-116 (Order 92-60), § 173-19-2401, filed 3/24/93, effective 4/24/93. Statutory Authority: RCW 90.58.120 and 90.58.200. 89-08-035 and 90-07-027 (Order DE 88-56 and DE 88-56A), § 173-19-2401, filed 3/31/89 and 3/14/90, effective 4/14/90. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2401, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-250 King County. [Statutory Authority: Chapter 90.58 RCW. 95-20-046 (Order 95-01), § 173-19-250, filed 9/29/95, effective 10/30/95. Statutory Authority: RCW 90.58.200. 91-03-149 (Order 90-52), § 173-19-250, filed 1/23/91, effective 2/23/91. Statutory Authority: RCW 90.58.120 and 90.58.200. 85-13-054 (Order 85-17), § 173-19-250, filed 6/18/85; 84-07-025 (Order DE 84-6), § 173-19-250, filed 3/15/84; 82-05-018 (Order DE 81-54), § 173-19-250, filed 2/9/82; 81-20-006 (Order DE 81-24), § 173-19-250, filed 9/24/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-250, filed 1/30/80; 79-09-131 (Order DE 79-16), § 173-19-250, filed 9/5/79; 79-09-001 (Order DE 79-6), § 173-19-250, filed 8/2/79; Order DE 77-28, § 173-19-250, filed 10/24/77; Order DE 77-16, § 173-19-250, filed 9/9/77; Order DE 76-15, § 173-19-250, filed 5/3/76; Order DE 75-21, § 173-19-250, filed 8/12/75; Order DE 74-23, § 173-19-250, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2501 Auburn, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 85-13-054 (Order 85-17), § 173-19-2501, filed 6/18/85. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2501, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2502 Beaux Arts Village, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2502, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2503 Bellevue, city of. [Statutory Authority: RCW 90.58.200. 92-13-080 (Order 92-14), § 173-19-2503, filed 6/16/92, effective 7/17/92. Statutory Authority: RCW 90.58.120 and 90.58.200. 89-20-016 (Order DE 89-21), § 173-19-2503, filed 9/27/89, effective 10/28/89; 83-07-080 (Order DE 83-3), § 173-19-2503, filed 3/23/83; 81-11-027 (Order DE 81-10), § 173-19-2503, filed 5/15/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2503, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2504 Black Diamond, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2504, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2505 Bothell, city of. [Statutory Authority: RCW 90.58.200. 90-06-067 (Order 89-59), § 173-19-2505, filed 3/6/90, effective 4/6/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 84-24-075 (Order 84-40), § 173-19-2505, filed 12/5/84; 83-07-019 (Order DE 83-9), § 173-19-2505, filed 3/11/83. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2505, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2506 Carnation, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2506, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2507 Des Moines, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 88-07-008 (Order 87-49), §

- 173-19-2507, filed 3/3/88. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2507, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2508 Duvall, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2508, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2509 Hunts Point, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2509, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2510 Issaquah, city of. [Statutory Authority: RCW 90.58.200. 90-20-108 (Order 90-28), § 173-19-2510, filed 10/2/90, effective 11/2/90. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2510, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2511 Kent, city of. [Statutory Authority: RCW 90.58.200. 92-13-082 (Order 92-16), § 173-19-2511, filed 6/16/92, effective 7/17/92. Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-19-2511, filed 4/15/85. Statutory Authority: RCW 90.58.120 and 90.58.200. 81-01-039 (Order DE 80-48), § 173-19-2511, filed 12/11/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2511, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2512 Kirkland, city of. [Statutory Authority: RCW 90.58.200. 90-02-106 (Order 89-54), § 173-19-2512, filed 1/3/90, effective 2/3/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 89-03-009 (Order DE 88-35), § 173-19-2512, filed 1/6/89; 86-12-070 (Order DE 86-09), § 173-19-2512, filed 6/4/86. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2512, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2513 Lake Forest Park, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2513, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2514 Medina, city of. [Statutory Authority: RCW 90.58.200. 91-01-131 (Order 90-45), § 173-19-2514, filed 12/19/90, effective 1/19/91. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2514, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2515 Mercer Island, city of. [Statutory Authority: RCW 90.58.200. 92-11-044 (Order 92-01), § 173-19-2515, filed 5/19/92, effective 6/19/92. Statutory Authority: RCW 90.58.120 and 90.58.200. 89-03-011 (Order DE 88-49), § 173-19-2515, filed 1/6/89; 87-19-085 (Order DE 87-23), § 173-19-2515, filed 9/16/87; 85-13-054 (Order 85-17), § 173-19-2515, filed 6/18/85; 81-11-028 (Order DE 81-11), § 173-19-2515, filed 5/15/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2515, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2516 Normandy Park, city of. [Statutory Authority: RCW 90.58.200. 92-01-096 (Order 91-42), § 173-19-2516, filed 12/17/91, effective 1/17/92. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2516, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2517 North Bend, city of. [Statutory Authority: RCW 90.58.200. 90-14-090 (Order 90-15), § 173-19-2517, filed 7/3/90, effective 8/3/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 87-24-068 (Order DE 87-43), § 173-19-2517, filed 12/1/87. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2517, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2518 Pacific, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2518, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2519 Redmond, city of. [Statutory Authority: Chapter 90.58 RCW. 95-17-039 (Order 95-07), § 173-19-2519, filed 8/10/95, effective 9/10/95. Statutory Authority: RCW 90.58.200. 90-02-101 (Order 89-58), § 173-19-2519, filed 1/3/90, effective 2/3/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 86-21-110 (Order DE 86-27), § 173-19-2519, filed 10/20/86; 82-01-048 (Order DE 81-42), § 173-19-2519, filed 12/16/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2519, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2520 Renton, city of. [Statutory Authority: Chapter 90.58 RCW. 94-23-013 (Order 94-27), § 173-19-2520, filed 11/4/94, effective 12/5/94. Statutory Authority: RCW 90.58.200. 90-17-127 (Order 90-08), § 173-19-2520, filed 8/22/90, effective 9/22/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 84-19-039 (Order DE 84-28), § 173-19-2520, filed 9/14/84. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2520, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2521 Seattle, city of. [Statutory Authority: Chapter 90.58 RCW. 95-16-024 (Order 95-08), § 173-19-2521, filed 7/21/95, effective 8/21/95; 94-22-017 (Order 94-24), § 173-19-2521, filed 10/21/94, effective 11/21/94. Statutory Authority: RCW 90.58.200. 93-12-011, § 173-19-2521, filed 5/20/93, effective 6/20/93; 93-04-106 (Order 92-48), § 173-19-2521, filed 2/3/93, effective 3/6/93; 92-19-090 (Order 92-15), § 173-19-2521, filed 9/16/92, effective 10/17/92; 90-20-111 (Order 90-35), § 173-19-2521, filed 10/2/90, effective 11/2/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 87-24-067 (Order DE 87-24), § 173-19-2521, filed 12/1/87; 87-05-015 (Order DE 86-41), § 173-19-2521, filed 2/11/87; 86-21-109 (Order DE 86-28), § 173-19-2521, filed 10/20/86; 85-20-094 (Order DE 85-21), § 173-19-2521, filed 10/1/85; 83-21-094 (Order DE 83-27), § 173-19-2521, filed 10/19/83; 83-15-014 (Order DE 83-19), § 173-19-2521, filed 7/12/83; 83-13-029 (Order DE 83-4), § 173-19-2521, filed 6/7/83; 83-07-081 (Order DE 83-4), § 173-19-2521, filed 3/23/83; 82-02-079 (Order DE 81-44), § 173-19-2521, filed 1/6/82; 81-20-043 (Order DE 81-28), § 173-19-2521, filed 10/1/81; 81-11-029 (Order DE 81-12), § 173-19-2521, filed 5/15/81; 81-06-051 (Order DE 81-2), § 173-19-2521, filed 2/27/81; 80-13-031 (Order DE 80-34), § 173-19-2521, filed 9/10/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2521, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2522 Skykomish, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123

- (Order DE 79-34), § 173-19-2522, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2523 Snoqualmie, city of. [Statutory Authority: RCW 90.58.200. 92-17-073 (Order 92-22), § 173-19-2523, filed 8/19/92, effective 9/19/92. Statutory Authority: RCW 90.58.120 and 90.58.200. 87-01-060 (Order 86-35), § 173-19-2523, filed 12/16/86. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2523, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2524 Tukwila, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-11-106 (Order DE 82-11), § 173-19-2524, filed 5/19/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2524, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2525 Yarrow Point, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2525, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-260 Kitsap County. [Statutory Authority: RCW 90.58.120 and 90.58.200. 85-10-014 (Order 85-03.5), § 173-19-260, filed 4/19/85; 84-08-042 (Order DE 84-5), § 173-19-260, filed 4/2/84; 83-08-002 (Order DE 83-11), § 173-19-260, filed 3/24/83; 82-01-087 (Order DE 81-35), § 173-19-260, filed 12/22/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-260, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-260, filed 8/2/79; Order DE 77-16, § 173-19-260, filed 9/9/77; Order DE 76-15, § 173-19-260, filed 5/3/76; Order DE 74-23, § 173-19-260, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2601 Bremerton, city of. [Statutory Authority: RCW 90.58.200. 92-04-081 (Order 91-51), § 173-19-2601, filed 2/5/92, effective 3/7/92. Statutory Authority: RCW 90.58.120 and 90.58.200. 88-22-089 (Order 88-32), § 173-19-2601, filed 11/2/88; 82-07-003 (Order DE 82-2), § 173-19-2601, filed 3/4/82; 82-03-042 (Order DE 81-45), § 173-19-2601, filed 1/19/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2601, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2602 Port Orchard, city of. [Statutory Authority: RCW 90.58.200. 94-10-082 (Order 94-08), § 173-19-2602, filed 5/4/94, effective 6/4/94; 92-13-084 (Order 92-02), § 173-19-2602, filed 6/16/92, effective 7/17/92. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2602, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2603 Poulsbo, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2603, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2604 Winslow, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 81-13-015 (Order DE 81-16), § 173-19-2604, filed 6/11/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2604, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-270 Kittitas County. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-270, filed 1/30/80; 79-11-053 (Order DE 79-28), § 173-19-270, filed 10/16/79; 79-09-001 (Order DE 79-6), § 173-19-270, filed 8/2/79; Order DE 77-16, § 173-19-270, filed 9/9/77; Order DE 76-15, § 173-19-270, filed 5/3/76; Order DE 74-23, § 173-19-270, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2701 Cle Elum, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2701, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2702 Ellensburg, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2702, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2703 South Cle Elum, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2703, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-280 Klickitat County. [Statutory Authority: RCW 90.58.200. 91-22-021 (Order 91-39), § 173-19-280, filed 10/29/91, effective 11/29/91; 90-14-091 (Order 90-14), § 173-19-280, filed 7/3/90, effective 8/3/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 84-06-043 (Order DE 83-40), § 173-19-280, filed 3/2/84. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-280, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-280, filed 8/2/79; Order DE 76-15, § 173-19-280, filed 5/3/76; Order DE 74-23, § 173-19-280, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2801 Bingen, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2801, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2802 Goldendale, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2802, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2803 White Salmon, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2803, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-290 Lewis County. [Statutory Authority: RCW 90.58.120 and 90.58.200. 80-15-023 (Order DE 80-40), § 173-19-290, filed 10/7/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-290, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-290, filed 8/2/79; Order DE 77-16, § 173-19-290, filed 9/9/77; Order DE 74-23, § 173-19-290, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2901 Centralia, city of. [Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-19-2901, filed 4/15/85. Statutory Authority: RCW 90.58.120 and 90.58.200. 82-17-048 (Order DE 82-31), § 173-19-2901, filed 8/16/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2901, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2902 Chehalis, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-02-078 (Order DE 81-46), § 173-19-

- 2902, filed 1/6/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2902, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2903 Morton, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2903, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2904 Pe Ell, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2904, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2905 Toledo, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2905, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2906 Vader, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2906, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-2907 Winlock, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-2907, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-300 Lincoln County. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-300, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-300, filed 8/2/79; Order DE 77-16, § 173-19-300, filed 9/9/77; Order DE 74-23, § 173-19-300, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3001 Odessa, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3001, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3002 Sprague, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3002, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-310 Mason County. [Statutory Authority: RCW 90.58.120 and 90.58.200. 88-07-010 (Order 88-01), § 173-19-310, filed 3/3/88; 84-22-055 (Order 84-29), § 173-19-310, filed 11/7/84; 82-14-017 (Order DE 82-18), § 173-19-310, filed 6/28/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-05-053 (Order DE 80-12), § 173-19-310, filed 4/16/80; 80-02-123 (Order DE 79-34), § 173-19-310, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-310, filed 8/2/79; Order DE 76-15, § 173-19-310, filed 5/3/76; Order DE 75-21, § 173-19-310, filed 8/12/75; Order DE 74-23, § 173-19-310, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3101 Shelton, city of. [Statutory Authority: Chapter 90.58 RCW. 95-10-051 (Order 94-29), § 173-19-3101, filed 5/2/95, effective 6/2/95. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3101, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-320 Okanogan County. [Statutory Authority: RCW 90.58.120 and 90.58.200. 87-20-051 (Order DE 87-33), § 173-19-320, filed 10/2/87. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-320, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-320, filed 8/2/79; Order DE 76-15, § 173-19-320, filed 5/3/76; Order DE 74-23, § 173-19-320, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3201 Brewster, town of. [Statutory Authority: RCW 90.58.200. 93-22-064 and 93-22-098 (Orders 93-17 and 93-17A), § 173-19-3201, filed 10/29/93 and 11/3/93, effective 11/29/93 and 12/4/93. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3201, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3202 Conconully, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3202, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3203 Okanogan, city of. [Statutory Authority: RCW 90.58.200. 91-03-147 (Order 90-50), § 173-19-3203, filed 1/23/91, effective 2/23/91. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3203, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3204 Omak, city of. [Statutory Authority: RCW 90.58.200. 91-22-023 (Order 91-41), § 173-19-3204, filed 10/29/91, effective 11/29/91. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3204, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3205 Oroville, town of. [Statutory Authority: RCW 90.58.200. 91-03-146 (Order 90-49), § 173-19-3205, filed 1/23/91, effective 2/23/91. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3205, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3206 Pateros, town of. [Statutory Authority: RCW 90.58.200. 92-01-097 (Order 91-49), § 173-19-3206, filed 12/17/91, effective 1/17/92. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3206, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3207 Riverside, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3207, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3208 Tonasket, town of. [Statutory Authority: RCW 90.58.200. 91-03-148 (Order 90-51), § 173-19-3208, filed 1/23/91, effective 2/23/91. Statutory Authority: RCW 90.58.120 and 90.58.200. 82-17-049 (Order DE 82-32), § 173-19-3208, filed 8/16/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3208, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3209 Twisp, town of. [Statutory Authority: RCW 90.58.200. 91-04-070 (Order 90-47), § 173-19-3209, filed 2/5/91, effective 3/8/91. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3209, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3210 Winthrop, town of. [Statutory Authority: RCW 90.58.200. 91-04-071 (Order 90-48), § 173-19-3210, filed 2/5/91, effective 3/8/91. Statutory Authority: RCW 90.58.120 and 90.58.200. 86-19-048 (Order DE 86-22), § 173-19-3210, filed 9/12/86; 85-08-016 (Order 85-08), § 173-19-3210, filed 3/28/85. Statutory Authority: RCW 90.58.120, 90.58.200 and chapter 90.58 RCW. 85-04-039

- (Order 84-46), § 173-19-3210, filed 2/1/85. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 81-24-074 (Order DE 81-36), § 173-19-3210, filed 12/2/81; 80-02-123 (Order DE 79-34), § 173-19-3210, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-330 Pacific County. [Statutory Authority: RCW 90.58.120 and 90.58.200. 86-18-052 (Order DE 86-15), § 173-19-330, filed 9/2/86; 84-20-041 (Order DE 84-32), § 173-19-330, filed 9/27/84; 82-07-045 (Order DE 81-55), § 173-19-330, filed 3/18/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-08-054 (Order DE 80-25), § 173-19-330, filed 6/30/80; 80-02-123 (Order DE 79-34), § 173-19-330, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-330, filed 8/2/79; Order DE 75-21, § 173-19-330, filed 8/12/75; Order DE 74-23, § 173-19-330, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3301 Ilwaco, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3301, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3302 Long Beach, town of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 88-02-064 (DE 87-47), § 173-19-3302, filed 1/6/88. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3302, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3303 Raymond, city of. [Statutory Authority: RCW 90.58.200. 94-13-046 (Order 94-09), § 173-19-3303, filed 6/7/94, effective 7/8/94. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3303, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3304 South Bend, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3304, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-340 Pend Oreille County. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-340, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-340, filed 8/2/79; Order DE 75-21, § 173-19-340, filed 8/12/75; Order DE 74-23, § 173-19-340, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3401 Cusick, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3401, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3402 Ione, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3402, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3403 Metaline, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3403, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3404 Metaline Falls, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3404, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3405 Newport, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3405, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-350 Pierce County. [Statutory Authority: RCW 90.58.200. 93-02-048 (Order 92-49), § 173-19-350, filed 1/5/93, effective 2/5/93; 91-12-052 (Order 91-04), § 173-19-350, filed 6/5/91, effective 7/6/91. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-350, filed 1/30/80; 79-11-019 (Order DE 79-19), § 173-19-350, filed 10/9/79; 79-09-131 (Order DE 79-16), § 173-19-350, filed 9/5/79; 79-09-129 (Order DE 79-27), § 173-19-350, filed 9/5/79; 79-09-001 (Order DE 79-6), § 173-19-350, filed 8/2/79; Order DE 77-16, § 173-19-350, filed 9/9/77; Order DE 76-15, § 173-19-350, filed 5/3/76; Order DE 75-21, § 173-19-350, filed 8/12/75; Order DE 74-23, § 173-19-350, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3501 Bonney Lake, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 88-10-059 (Order DE 88-07), § 173-19-3501, filed 5/4/88. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3501, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3502 Buckley, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3502, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3503 Dupont, city of. [Statutory Authority: RCW 90.58.200. 93-08-026 (Order 92-50), § 173-19-3503, filed 3/30/93, effective 4/30/93; 89-22-138 (Order 89-41), § 173-19-3503, filed 11/1/89, effective 12/2/89. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3503, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3504 Eatonville, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3504, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3505 Fife, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3505, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3506 Gig Harbor, city of. [Statutory Authority: RCW 90.58.200. 94-14-029 (Order 94-14), § 173-19-3506, filed 6/28/94, effective 7/29/94. Statutory Authority: RCW 90.58.120 and 90.58.200. 81-01-038 (Order DE 80-50), § 173-19-3506, filed 12/11/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3506, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3507 Orting, city of. [Statutory Authority: RCW 90.58.200. 95-08-042 (Order 94-26), § 173-19-3507, filed 3/31/95, effective 5/1/95. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3507, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3508 Puyallup, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 87-08-001 (Order DE 86-42), § 173-19-3508, filed 3/20/87; 83-12-017 (Order DE 83-15), § 173-19-3508, filed 5/24/83. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123

- (Order DE 79-34), § 173-19-3508, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3509 Roy, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3509, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3510 Ruston, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3510, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3511 South Prairie, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3511, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3512 Steilacoom, town of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 88-07-007 (Order 87-48), § 173-19-3512, filed 3/3/88. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3512, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3513 Sumner, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3513, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3514 Tacoma, city of. [Statutory Authority: RCW 90.58.200. 95-11-008 (Order 94-25), § 173-19-3514, filed 5/5/95, effective 6/5/95; 93-01-110 (Order 92-44), § 173-19-3514, filed 12/18/92, effective 1/18/93; 90-11-072 (Order 90-05), § 173-19-3514, filed 5/16/90, effective 6/16/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 87-19-111 (Order DE 87-34), § 173-19-3514, filed 9/18/87; 86-16-004 (Order DE 86-18), § 173-19-3514, filed 7/24/86; 85-10-013 (Order 85-03), § 173-19-3514, filed 4/19/85; 84-11-015 (Order DE 84-16), § 173-19-3514, filed 5/9/84; 84-06-043 (Order DE 83-40), § 173-19-3514, filed 3/2/84; 83-12-018 (Order DE 83-16), § 173-19-3514, filed 5/24/83; 82-10-002 (Order DE 82-06), § 173-19-3514, filed 4/23/82; 81-24-072 (Order DE 81-37), § 173-19-3514, filed 12/2/81; 81-08-005 (Order DE 81-4), § 173-19-3514, filed 3/19/81; 80-04-026 (Order DE 80-10), § 173-19-3514, filed 3/18/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3514, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3515 Wilkeson, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3515, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-360 San Juan County. [Statutory Authority: Chapter 90.58 RCW. 95-18-102, § 173-19-360, filed 9/6/95 effective 10/7/95; 95-07-125 (Order 94-41), § 173-19-360, filed 3/22/95, effective 4/22/95. Statutory Authority: RCW 90.58.200. 94-14-030 (Order 94-16), § 173-19-360, filed 6/28/94, effective 7/29/94; 93-01-138 (Order 92-40), § 173-19-360, filed 12/22/92, effective 1/22/93; 92-17-074 (Order 92-31), § 173-19-360, filed 8/19/92, effective 9/19/92; 91-12-054 (Order 91-18), § 173-19-360, filed 6/5/91, effective 7/6/91; 91-04-072 (Order 90-59), § 173-19-360, filed 2/5/91, effective 3/8/91; 90-11-072 and 90-13-089 (Order 90-03 and 90-03A), § 173-19-360, filed 5/16/90 and 6/20/90, effective 6/16/90 and 7/21/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 89-09-077 and 90-07-026 (Order DE 88-22 and DE 88-22A), § 173-19-360, filed 4/19/89 and 3/14/90, effective 4/14/90; 84-22-016 (Order DE 84-36), § 173-19-360, filed 10/31/84; 81-09-057 (Order DE 81-8), § 173-19-360, filed 4/17/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-360, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-360, filed 8/2/79; Order DE 77-16, § 173-19-360, filed 9/9/77; Order DE 74-23, § 173-19-360, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3601 Friday Harbor, town of. [Statutory Authority: RCW 90.58.200. 90-11-072 (Order 90-09), § 173-19-3601, filed 5/16/90, effective 6/16/90. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3601, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-370 Skagit County. [Statutory Authority: Chapter 90.58 RCW. 95-12-026 (Order 94-42), § 173-19-370, filed 5/31/95, effective 7/1/95. Statutory Authority: RCW 90.58.120 and 90.58.200. 87-22-100 (Order DE 87-39), § 173-19-370, filed 11/4/87; 84-08-003 (Order DE 84-10), § 173-19-370, filed 3/22/84; 83-07-082 (Order DE 83-5), § 173-19-370, filed 3/23/83; 82-18-027 (Order DE 82-33), § 173-19-370, filed 8/25/82; 81-24-075 (Order DE 81-38), § 173-19-370, filed 12/2/81; 81-20-004 (Order DE 81-25), § 173-19-370, filed 9/24/81; 81-01-040 (Order DE 80-51), § 173-19-370, filed 12/11/80; 80-13-030 (Order DE 80-35), § 173-19-370, filed 9/10/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-05-053 (Order DE 80-12), § 173-19-370, filed 4/16/80; 80-02-123 (Order DE 79-34), § 173-19-370, filed 1/30/80; 79-09-131 (Order DE 79-16), § 173-19-370, filed 9/5/79; 79-09-001 (Order DE 79-6), § 173-19-370, filed 8/2/79; Order DE 77-16, § 173-19-370, filed 9/9/77; Order DE 74-23, § 173-19-370, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3701 Anacortes, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 86-07-049 (Order 85-29), § 173-19-3701, filed 3/18/86. Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-19-3701, filed 4/15/85. Statutory Authority: RCW 90.58.120 and 90.58.200. 83-23-062 (Order DE 83-28), § 173-19-3701, filed 11/16/83; 83-02-004 (Order DE 82-43), § 173-19-3701, filed 12/23/82; 81-15-006 (Order DE 81-15), § 173-19-3701, filed 7/2/81; 80-18-024 (Order DE 80-41), § 173-19-3701, filed 11/26/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3701, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3702 Concrete, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3702, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3703 Hamilton, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3703, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3704 La Conner, town of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-14-089 (Order DE 82-24), § 173-19-3704, filed 7/7/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3704, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3705 Lyman, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3705, filed 1/30/80.] Repealed by 96-

- 20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3706 Mount Vernon, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3706, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3707 Burlington, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 81-16-077 (Order DE 81-22), § 173-19-3707, filed 8/5/81.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-380 Skamania County. [Statutory Authority: RCW 90.58.120 and 90.58.200. 86-12-072 (Order DE 86-13), § 173-19-380, filed 6/4/86. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-380, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-380, filed 8/2/79; Order DE 74-23, § 173-19-380, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3801 North Bonneville, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3801, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3802 Stevenson, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3802, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-390 Snohomish County. [Statutory Authority: RCW 90.58.200 and Shoreline Management Act of 1971. 94-03-095 (Order 93-28), § 173-19-390, filed 1/19/94, effective 2/19/94. Statutory Authority: RCW 90.58.120 and 90.58.200. 90-07-025 (Order DE 88-55A), § 173-19-390, filed 3/14/90, effective 4/14/90; 89-14-130 (Order 89-18), § 173-19-390, filed 7/5/89, effective 8/5/89; 89-07-026 (Order DE 88-55), § 173-19-390, filed 3/8/89; 87-05-015 (Order DE 86-41), § 173-19-390, filed 2/11/87; 86-19-049 (Order DE 86-23), § 173-19-390, filed 9/12/86; 84-02-074 (Order DE 83-43), § 173-19-390, filed 1/4/84; 83-18-005 (Order DE 83-23), § 173-19-390, filed 8/26/83; 82-14-018 (Order DE 82-19), § 173-19-390, filed 6/28/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-390, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-390, filed 8/2/79. Statutory Authority: RCW 90.58.020. 78-08-076 (Order DE 78-9), § 173-19-390, filed 7/26/78; Order DE 77-16, § 173-19-390, filed 9/9/77; Order DE 76-15, § 173-19-390, filed 5/3/76; Order DE 75-21, § 173-19-390, filed 8/12/75; Order DE 74-23, § 173-19-390, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3901 Arlington, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3901, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3902 Brier, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3902, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3903 Edmonds, city of. [Statutory Authority: RCW 90.58.200. 93-13-020 (Order 93-01), § 173-19-3903, filed 6/9/93, effective 7/10/93. Statutory Authority: RCW 90.58.120 and 90.58.200. 86-12-070 (Order DE 86-09), § 173-19-3903, filed 6/4/86. Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-19-3903, filed 4/15/85. Statutory Authority: RCW 90.58.120 and 90.58.200. 84-10-050 (Order DE 84-14), § 173-19-3903, filed 5/2/84; 80-06-050 (Order DE 80-13), § 173-19-3903, filed 5/14/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3903, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3904 Everett, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3904, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3905 Gold Bar, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3905, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3906 Granite Falls, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3906, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3907 Index, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3907, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3908 Lake Stevens, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 84-02-075 (Order DE 83-44), § 173-19-3908, filed 1/4/84. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3908, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3909 Marysville, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3909, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3910 Monroe, city of. [Statutory Authority: RCW 90.58.200. 90-23-048 (Order 90-34), § 173-19-3910, filed 11/16/90, effective 12/17/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 89-14-131 and 90-07-028 (Order 89-23 and 89-23A), § 173-19-3910, filed 7/5/89 and 3/14/90, effective 4/14/90; 82-06-013 (Order DE 81-56), § 173-19-3910, filed 2/22/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3910, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3911 Mountlake Terrace, city of. [Statutory Authority: RCW 90.58.200. 93-16-013 (Order 93-07), § 173-19-3911, filed 7/22/93, effective 8/22/93. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3911, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3912 Mukilteo, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3912, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3913 Snohomish, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 80-06-050 (Order DE 80-13), § 173-19-3913, filed 5/14/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3913, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3914 Stanwood, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3914, filed 1/30/80.] Repealed by 96-

- 173-19-3915 20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200. Sultan, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3915, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-3916 Woodway, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-3916, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-400 Spokane County. [Statutory Authority: RCW 90.58.120 and 90.58.200. 87-22-101 (Order DE 87-40), § 173-19-400, filed 11/4/87; 84-07-025 (Order DE 84-6), § 173-19-400, filed 3/15/84; 83-02-005 (Order DE 82-44), § 173-19-400, filed 12/23/82; 81-06-052 (Order DE 81-3), § 173-19-400, filed 2/27/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-400, filed 1/30/80; 79-11-053 (Order DE 79-28), § 173-19-400, filed 10/16/79; 79-09-001 (Order DE 79-6), § 173-19-400, filed 8/2/79; Order DE 77-16, § 173-19-400, filed 9/9/77; Order DE 75-21, § 173-19-400, filed 8/12/75; Order DE 74-23, § 173-19-400, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4001 Latah, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4001, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4002 Medical Lake, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4002, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4003 Millwood, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4003, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4004 Rockford, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4004, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4005 Spokane, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 83-07-083 (Order DE 83-6), § 173-19-4005, filed 3/23/83. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4005, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4006 Waverly, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4006, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-410 Stevens County. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-410, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-410, filed 8/2/79; Order DE 74-23, § 173-19-410, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4101 Chewelah, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4101, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4102 Northport, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4102, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-420 Thurston County. [Statutory Authority: Chapter 90.58 RCW. 95-16-048 (Order 94-39), § 173-19-420, filed 7/25/95, effective 8/25/95. Statutory Authority: RCW 90.58.200. 91-22-022 (Order 91-40), § 173-19-420, filed 10/29/91, effective 11/29/91; 90-11-072 (Order 89-63), § 173-19-420, filed 5/16/90, effective 6/16/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 87-20-026 (Order DE 87-28), § 173-19-420, filed 9/30/87; 84-19-038 (Order DE 84-30), § 173-19-420, filed 9/14/84; 82-07-004 (Order DE 82-3), § 173-19-420, filed 3/4/82; 81-20-005 (Order DE 81-26), § 173-19-420, filed 9/24/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-420, filed 1/30/80; 79-11-019 (Order DE 79-19), § 173-19-420, filed 10/9/79; 79-09-001 (Order DE 79-6), § 173-19-420, filed 8/2/79; Order DE 77-16, § 173-19-420, filed 9/9/77; Order DE 74-23, § 173-19-420, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4201 Bucoda, town of. [Statutory Authority: RCW 90.58.200. 90-11-072 (Order 90-07), § 173-19-4201, filed 5/16/90, effective 6/16/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 84-19-038 (Order DE 84-30), § 173-19-4201, filed 9/14/84. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4201, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4202 Lacey, city of. [Statutory Authority: RCW 90.58.200. 90-11-072 (Order 90-07), § 173-19-4202, filed 5/16/90, effective 6/16/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 84-19-038 (Order DE 84-30), § 173-19-4202, filed 9/14/84; 82-02-080 (Order DE 81-47), § 173-19-4202, filed 1/6/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4202, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4203 Olympia, city of. [Statutory Authority: RCW 90.58.200. 94-13-047 (Order 94-10), § 173-19-4203, filed 6/7/94, effective 7/8/94; 93-12-107, § 173-19-4203, filed 6/2/93, effective 7/3/93; 90-11-072 (Order 90-07), § 173-19-4203, filed 5/16/90, effective 6/16/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 87-20-026 (Order DE 87-28), § 173-19-4203, filed 9/30/87; 84-19-038 (Order DE 84-30), § 173-19-4203, filed 9/14/84; 84-10-051 (Order 84-17), § 173-19-4203, filed 5/2/84; 84-08-028 (Order DE 84-9), § 173-19-4203, filed 3/29/84. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4203, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4204 Tenino, town of. [Statutory Authority: RCW 90.58.200. 90-11-072 (Order 90-07), § 173-19-4204, filed 5/16/90, effective 6/16/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 84-19-038 (Order DE 84-30), § 173-19-4204, filed 9/14/84. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4204, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4205 Tumwater, city of. [Statutory Authority: Chapter 90.58 RCW. 95-16-048 (Order 94-39), § 173-19-4205, filed 7/25/95, effective 8/25/95. Statutory Authority: RCW 90.58.200. 94-10-080 (Order 94-01), § 173-19-4205, filed 5/4/94, effective 6/4/94; 93-22-063 and 93-22-099 (Orders 93-21 and 93-21A), § 173-19-4205, filed 10/29/93 and 11/3/93, effective 11/29/93 and 12/4/93; 92-09-134 (Order 92-03), § 173-19-4205, filed 4/21/92, effective 5/22/92;]

- 91-09-055 (Order 91-10), § 173-19-4205, filed 4/16/91, effective 5/17/91; 90-20-110 (Order 90-33), § 173-19-4205, filed 10/2/90, effective 11/2/90; 90-11-072 (Order 90-07), § 173-19-4205, filed 5/16/90, effective 6/16/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 87-20-026 (Order DE 87-28), § 173-19-4205, filed 9/30/87; 84-19-038 (Order DE 84-30), § 173-19-4205, filed 9/14/84. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4205, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4206 Yelm, town of. [Statutory Authority: RCW 90.58.200. 90-11-072 (Order 90-07), § 173-19-4206, filed 5/16/90, effective 6/16/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 84-19-038 (Order DE 84-30), § 173-19-4206, filed 9/14/84; 82-02-081 (Order DE 81-48), § 173-19-4206, filed 1/6/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4206, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-430 Wahkiakum County. [Statutory Authority: RCW 90.58.200. 92-16-095 (Order 92-17), § 173-19-430, filed 8/5/92, effective 9/5/92. Statutory Authority: RCW 90.58.120 and 90.58.200. 86-07-049 (Order 85-29), § 173-19-430, filed 3/18/86; 81-12-003 (Order DE 81-13), § 173-19-430, filed 5/21/81; 80-04-026 (Order DE 80-10), § 173-19-430, filed 3/18/80. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-430, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-430, filed 8/2/79; Order DE 75-21, § 173-19-430, filed 8/12/75; Order DE 74-23, § 173-19-430, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4301 Cathlamet, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4301, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-440 Walla Walla County. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-440, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-440, filed 8/2/79; Order DE 77-16, § 173-19-440, filed 9/9/77; Order DE 75-21, § 173-19-440, filed 8/12/75; Order 74-23, § 173-19-440, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4401 Waitsburg, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4401, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4402 Walla Walla, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 85-16-105 (Order DE 85-11), § 173-19-4402, filed 8/6/85; 81-16-078 (Order DE 81-21), § 173-19-4402, filed 8/5/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4402, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-450 Whatcom County. [Statutory Authority: RCW 90.58.200. 93-04-063 (Order 92-48), § 173-19-450, filed 1/28/93, effective 2/28/93; 90-20-107 (Order 90-26), § 173-19-450, filed 10/2/90, effective 11/2/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 87-13-018 (Order DE 87-07), § 173-19-450, filed 6/9/87; 85-04-040 (Order 84-46), § 173-19-450, filed 2/1/85; 84-06-043 (Order DE 83-40), § 173-19-450, filed 3/2/84; 83-02-006 (Order DE 82-45), § 173-19-450, filed 12/23/82; 82-07-005 (Order DE 82-4), § 173-19-450, filed 3/4/82; 82-02-077 (Order DE 81-49), § 173-19-450, filed 1/6/82; 82-01-088 (Order DE 81-31), § 173-19-450, filed 12/22/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-450, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-450, filed 8/2/79; Order DE 77-16, § 173-19-450, filed 9/9/77; Order DE 76-15, § 173-19-450, filed 5/3/76; Order DE 74-23, § 173-19-450, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4501 Bellingham, city of. [Statutory Authority: RCW 90.58.200. 89-23-127 (Order 89-55), § 173-19-4501, filed 11/22/89, effective 12/23/89. Statutory Authority: RCW 90.58.120 and 90.58.200. 84-08-029 (Order DE 84-11), § 173-19-4501, filed 3/29/84. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4501, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4502 Blaine, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 84-21-065 (Order DE 84-35), § 173-19-4502, filed 10/17/84; 84-16-006 (Order 84-20), § 173-19-4502, filed 7/19/84; 82-10-001 (Order DE 82-05), § 173-19-4502, filed 4/23/82. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-08-054 (Order DE 80-25), § 173-19-4502, filed 6/30/80; 80-02-123 (Order DE 79-34), § 173-19-4502, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4503 Everson, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4503, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4504 Ferndale, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 82-01-049 (Order DE 81-43), § 173-19-4504, filed 12/16/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4504, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4505 Lynden, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 81-24-076 (Order DE 81-39), § 173-19-4505, filed 12/2/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4505, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4506 Nooksack, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 85-20-095 (Order DE 85-21), § 173-19-4506, filed 10/1/85. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4506, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4507 Sumas, city of. [Statutory Authority: RCW 90.58.200. 90-07-063 (Order 89-65), § 173-19-4507, filed 3/20/90, effective 4/20/90. Statutory Authority: RCW 90.58.120 and 90.58.200. 89-03-010 (Order DE 88-48), § 173-19-4507, filed 1/6/89. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4507, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-460 Whitman County. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-460, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-460, filed 8/2/79; Order DE 75-21, § 173-19-460, filed 8/12/75; Order DE 74-23, § 173-19-460, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4601 Albion, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE

- 79-34), § 173-19-4601, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4602 Colfax, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4602, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4603 Malden, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4603, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4604 Palouse, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4604, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4605 Pullman, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4605, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4606 Rosalia, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4606, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4607 Tekoa, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4607, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-470 Yakima County. [Statutory Authority: RCW 90.58.120 and 90.58.200. 81-20-044 (Order DE 81-29), § 173-19-470, filed 10/1/81; 81-06-050 (Order DE 81-1), § 173-19-470, filed 2/27/81. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-470, filed 1/30/80; 79-09-001 (Order DE 79-6), § 173-19-470, filed 8/2/79; Order DE 75-21, § 173-19-470 filed 8/12/75; Order DE 74-23, § 173-19-470, filed 12/30/74.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4701 Grandview, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4701, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4702 Granger, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4702, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4703 Naches, town of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4703, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4704 Selah, city of. [Statutory Authority: RCW 90.58.120 and 90.58.200. 84-08-003 (Order DE 84-10), § 173-19-4704, filed 3/22/84. Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4704, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4705 Union Gap, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4705, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4706 Yakima, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4706, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.
- 173-19-4707 Zillah, city of. [Statutory Authority: RCW 90.58.030 (3)(c), 90.58.120 and 90.58.200. 80-02-123 (Order DE 79-34), § 173-19-4707, filed 1/30/80.] Repealed by 96-20-075 (Order 95-17), filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.140(3) and [90.58].200.

Chapter 173-28

ESTABLISHING LAKE WASHINGTON AS A REGION PURSUANT TO SHORELINE MANAGEMENT ACT OF 1971

- 173-28-010 Authority. [Order 73-8, § 173-28-010, filed 6/19/73.] Repealed by 96-20-074, filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.200.
- 173-28-020 Findings. [Order 73-8, § 173-28-020, filed 6/19/73.] Repealed by 96-20-074, filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.200.
- 173-28-030 Conclusion. [Order 73-8, § 173-28-030, filed 6/19/73.] Repealed by 96-20-074, filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.200.
- 173-28-040 Composition of Lake Washington region. [Order 73-8, § 173-28-040, filed 6/19/73.] Repealed by 96-20-074, filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.200.
- 173-28-050 Geographical extent of region. [Order 73-8, § 173-28-050, filed 6/19/73.] Repealed by 96-20-074, filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.200.
- 173-28-060 Duties of the local governmental units comprising the region. [Order 73-8, § 173-28-060, filed 6/19/73.] Repealed by 96-20-074, filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.200.
- 173-28-070 Review of master programs by the department of ecology. [Order 73-8, § 173-28-070, filed 6/19/73.] Repealed by 96-20-074, filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.200.
- 173-28-080 Fund availability. [Order 73-8, § 173-28-080, filed 6/19/73.] Repealed by 96-20-074, filed 9/30/96, effective 10/31/96. Statutory Authority: RCW 90.58.200.

Chapter 173-30

MINIMUM WATER FLOWS—CEDAR RIVER

- 173-30-010 Background and authority. [Order 71-7, § 173-30-010, filed 8/17/71.] Repealed by 79-10-002 (Order DE 79-9), filed 9/6/79. Statutory Authority: Chapters 90.22 and 90.54 RCW. Later promulgation, see chapter 173-508 WAC.
- 173-30-020 Applicability. [Order 71-7, § 173-30-020, filed 8/17/71.] Repealed by 79-10-002 (Order DE 79-9), filed 9/6/79. Statutory Authority: Chapters 90.22 and 90.54 RCW. Later promulgation, see chapter 173-508 WAC.
- 173-30-030 Measurement. [Order 71-7, § 173-30-030, filed 8/17/71.] Repealed by 79-10-002 (Order DE 79-9), filed 9/6/79. Statutory Authority: Chapters 90.22 and 90.54 RCW. Later promulgation, see chapter 173-508 WAC.
- 173-30-040 Declaration of minimum flows. [Order 71-7, § 173-30-040, filed 8/17/71.] Repealed by 79-10-002 (Order DE 79-9), filed 9/6/79. Statutory Authority: Chapters 90.22 and 90.54 RCW. Later promulgation, see chapter 173-508 WAC.
- 173-30-050 Future rights. [Order 71-7, § 173-30-050, filed 8/17/71.] Repealed by 79-10-002 (Order DE 79-9), filed 9/6/79. Statutory Authority: Chapters 90.22 and 90.54 RCW. Later promulgation, see chapter 173-508 WAC.
- 173-30-060 Enforcement. [Order 71-7, § 173-30-060, filed 8/17/71.] Repealed by 79-10-002 (Order DE 79-9), filed 9/6/79. Statutory Authority: Chapters 90.22 and 90.54 RCW. Later promulgation, see chapter 173-508 WAC.
- 173-30-070 Public information. [Order 71-7, § 173-30-070, filed 8/17/71.] Repealed by 79-10-002 (Order DE 79-9), filed 9/6/79. Statutory Authority: Chapters 90.22 and 90.54 RCW. Later promulgation, see chapter 173-508 WAC.

Chapter 173-34

EXEMPTIONS FROM THE DETAILED STATEMENT
REQUIREMENTS OF THE STATE ENVIRONMENTAL POLICY
ACT

- 173-34-010 Purpose. [Order 73-15, § 173-34-010, filed 8/14/73.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.
- 173-34-020 Definitions. [Order 73-15, § 173-34-020, filed 8/14/73.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.
- 173-34-030 Exemptions. [Order 73-15, § 173-34-030, filed 8/14/73.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.
- 173-34-040 Exemptions—Nonexempt actions. [Order 73-15, § 173-34-040, filed 8/14/73.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.
- 173-34-050 Exemptions—Limitation of exemptions. [Order 73-15, § 173-34-050, filed 8/14/73.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.

Chapter 173-70

WATERCRAFT NOISE PERFORMANCE STANDARDS

- 173-70-010 Introduction. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-010, filed 3/22/79, effective 5/1/79.] Repealed by 94-12-001 (Order 92-41), filed 5/18/94, effective 6/18/94. Statutory Authority: Chapter 70.107 RCW.
- 173-70-020 Definitions. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-020, filed 3/22/79, effective 5/1/79.] Repealed by 94-12-001 (Order 92-41), filed 5/18/94, effective 6/18/94. Statutory Authority: Chapter 70.107 RCW.
- 173-70-030 Identification of receiving property environments. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-030, filed 3/22/79, effective 5/1/79.] Repealed by 94-12-001 (Order 92-41), filed 5/18/94, effective 6/18/94. Statutory Authority: Chapter 70.107 RCW.
- 173-70-040 Standards. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-040, filed 3/22/79, effective 5/1/79.] Repealed by 94-12-001 (Order 92-41), filed 5/18/94, effective 6/18/94. Statutory Authority: Chapter 70.107 RCW.
- 173-70-050 Exemptions. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-050, filed 3/22/79, effective 5/1/79.] Repealed by 94-12-001 (Order 92-41), filed 5/18/94, effective 6/18/94. Statutory Authority: Chapter 70.107 RCW.
- 173-70-060 Nuisance regulations not prohibited. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-060, filed 3/22/79, effective 5/1/79.] Repealed by 94-12-001 (Order 92-41), filed 5/18/94, effective 6/18/94. Statutory Authority: Chapter 70.107 RCW.
- 173-70-070 Future standards. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-070, filed 3/22/79, effective 5/1/79.] Repealed by 94-12-001 (Order 92-41), filed 5/18/94, effective 6/18/94. Statutory Authority: Chapter 70.107 RCW.
- 173-70-080 Implementation schedules. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-080, filed 3/22/79, effective 5/1/79.] Repealed by 94-12-001 (Order 92-41), filed 5/18/94, effective 6/18/94. Statutory Authority: Chapter 70.107 RCW.
- 173-70-090 Enforcement. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-090, filed 3/22/79, effective 5/1/79.] Repealed by 94-12-001 (Order 92-41), filed 5/18/94, effective 6/18/94. Statutory Authority: Chapter 70.107 RCW.
- 173-70-100 Appeals. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-100, filed 3/22/79, effective 5/1/79.] Repealed by 94-12-001 (Order 92-41), filed 5/18/94, effective 6/18/94. Statutory Authority: Chapter 70.107 RCW.
- 173-70-110 Cooperation with local government. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), §

173-70-120

173-70-110, filed 3/22/79, effective 5/1/79.] Repealed by 94-12-001 (Order 92-41), filed 5/18/94, effective 6/18/94. Statutory Authority: Chapter 70.107 RCW.

Effective date. [Statutory Authority: Chapter 70.107 RCW. 79-04-034 (Order DE 78-20), § 173-70-120, filed 3/22/79, effective 5/1/79.] Repealed by 94-12-001 (Order 92-41), filed 5/18/94, effective 6/18/94. Statutory Authority: Chapter 70.107 RCW.

Chapter 173-95

USES AND LIMITATIONS OF CENTENNIAL CLEAN WATER
FUNDS

- 173-95-010 Purpose and scope. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-010, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.
- 173-95-020 Definitions. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-020, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.
- 173-95-030 Provision of guidelines. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-030, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.
- 173-95-040 Limitations on the use of funds. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-040, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.
- 173-95-050 Compliance with applicable laws, regulations and other requirements. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-050, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.
- 173-95-060 Indemnification. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-060, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.
- 173-95-070 Appropriation of funds by the legislature. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-070, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.
- 173-95-080 General provisions. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-080, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.
- 173-95-090 Funding processes. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-090, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.
- 173-95-100 Marine water facilities funding category. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-100, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.
- 173-95-110 Ground water activities and facilities funding category. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-110, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.
- 173-95-120 Freshwater lakes and rivers activities and facilities funding category. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-120, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.
- 173-95-130 Nonpoint activities and facilities funding category. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-130, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.
- 173-95-140 Discretionary activities and facilities funding category. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-140, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.
- 173-95-150 Financial hardship eligibility and remedies. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-150, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.
- 173-95-160 Applicability of centennial clean water regulation and funds. [Statutory Authority: Chapter 70.146 RCW. 88-14-125 (Order 88-70), § 173-95-160, filed 7/6/88.] Repealed by 94-04-030, filed 1/26/94, effective 2/26/94.

Chapter 173-108
WITHDRAWAL OF THE WATERS
OF THE LITTLE SPOKANE RIVER WATERSHED
FROM ADDITIONAL APPROPRIATIONS

- 173-108-010 Authority. [Order 73-19, § 173-108-010, filed 9/21/73.] Repealed by Order DE 75-24, filed 1/6/76. Later promulgation, see chapters 173-500 and 173-555 WAC.
- 173-108-020 Purpose. [Order 73-19, § 173-108-020, filed 9/21/73.] Repealed by Order DE 75-24, filed 1/6/76. Later promulgation, see chapters 173-500 and 173-555 WAC.
- 173-108-030 Definitions. [Order 73-19, § 173-108-030, filed 9/21/73.] Repealed by Order DE 75-24, filed 1/6/76. Later promulgation, see chapters 173-500 and 173-555 WAC.
- 173-108-040 Declaration of withdrawal. [Order 73-19, § 173-108-040, filed 9/21/73.] Repealed by Order DE 75-24, filed 1/6/76.
- 173-108-050 Existing rights not affected. [Order 73-19, § 173-108-050, filed 9/21/73.] Repealed by Order DE 75-24, filed 1/6/76.
- 173-108-060 Existing rights not affected—Exemptions. [Order 73-19, § 173-108-060, filed 9/21/73.] Repealed by Order DE 75-24, filed 1/6/76.

Chapter 173-128
ODESSA GROUND WATER MANAGEMENT SUBAREA

- 173-128-010 Background. [Order 72-25, § 173-128-010, filed 1/15/73.] Repealed by 82-14-041 (Order DE 82-23), filed 6/30/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-128A-020.
- 173-128-020 Purpose. [Order 72-25, § 173-128-020, filed 1/15/73.] Repealed by 82-14-041 (Order DE 82-23), filed 6/30/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-128A-030.
- 173-128-030 Authority. [Order 72-25, § 173-128-030, filed 1/15/73.] Repealed by 82-14-041 (Order DE 82-23), filed 6/30/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-128A-010.
- 173-128-040 Subarea definition. [Order 72-25, § 173-128-040, filed 1/15/73.] Repealed by 82-14-041 (Order DE 82-23), filed 6/30/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-128A-040.
- 173-128-050 Subarea map. [Order 72-25, § 173-128-050, filed 1/15/73.] Repealed by 82-14-041 (Order DE 82-23), filed 6/30/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-128A-050.

Chapter 173-130
ODESSA GROUND WATER SUBAREA MANAGEMENT POLICY

- 173-130-010 Background. [Order DE 73-32, § 173-130-010, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-020.
- 173-130-020 Authority. [Order DE 73-32, § 173-130-020, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-010.
- 173-130-030 Definitions. [Order DE 73-32, § 173-130-030, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-030.
- 173-130-040 Purpose. [Order DE 73-32, § 173-130-040, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-040.
- 173-130-050 Depth zone designation. [Order DE 73-32, § 173-130-050, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).

- 173-130-060 Rate of decline in water level to be controlled. [Order DE 73-32, § 173-130-060, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-060.
- 173-130-070 Maximum lowering of the water table. [Order DE 73-32, § 173-130-070, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-070.
- 173-130-080 Regulation of withdrawal of ground water. [Order DE 75-33, § 173-130-080, filed 1/23/76; Order DE 73-32, § 173-130-080, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-080.
- 173-130-090 Notice of regulation. [Order DE 73-32, § 173-130-090, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-090.
- 173-130-100 No increase in ground water withdrawals during regulation. [Order DE 73-32, § 173-130-100, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).
- 173-130-110 Supplemental wells regulated. [Order DE 73-32, § 173-130-110, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).
- 173-130-120 Annual volume of water determined. [Order DE 73-32, § 173-130-120, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).
- 173-130-130 New ground water withdrawals. [Order DE 73-32, § 173-130-130, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).
- 173-130-140 New applications for withdrawal of ground waters. [Order DE 73-32, § 173-130-140, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-100.
- 173-130-150 Time sequence for processing new applications to appropriate ground water. [Order DE 75-33, § 173-130-150, filed 1/23/76; Order DE 73-32, § 173-130-150, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).
- 173-130-155 Reworking wells. [Order DE 75-33, § 173-130-155, filed 1/23/76.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-180.
- 173-130-160 Bore hole logs required. [Order DE 75-33, § 173-130-160, filed 1/23/76; Order DE 73-32, § 173-130-160, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-190.
- 173-130-170 Distance of wells from East Low Canal. [Order DE 73-32, § 173-130-170, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-110.
- 173-130-180 Supplemental surface water. [Order DE 73-32, § 173-130-180, filed 1/25/74.] Repealed by 82-16-103 (Order 82-

- 27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).
- 173-130-190 Ground water supervisors. [Order DE 73-32, § 173-130-190, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2).
- 173-130-195 Irrigation season. [Order DE 75-33, § 173-130-195, filed 1/23/76.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-130.
- 173-130-200 Review of regulations. [Order DE 75-33, § 173-130-200, filed 1/23/76; Order DE 73-32, § 173-130-200, filed 1/25/74.] Repealed by 82-16-103 (Order 82-27), filed 8/4/82. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). Later promulgation, see WAC 173-130A-220.

Chapter 173-134

**THE ESTABLISHMENT OF REGULATIONS
FOR THE ADMINISTRATION OF
THE QUINCY GROUND WATER SUBAREA ESTABLISHED
PURSUANT TO RCW 90.44.130**

- 173-134-010 Administration of withdrawal of ground waters in the Quincy subarea. [Statutory Authority: Chapters 43.21, 43.21A, 43.27A, 90.03 and 90.44 RCW. 79-08-080 (Order DE 79-4), § 173-134-010, filed 7/26/79; Order 74-35, § 173-134-010, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-010.
- 173-134-020 Definitions. [Order 74-35, § 173-134-020, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-040.
- 173-134-030 Quincy ground water subarea—Background statement. [Order 74-35, § 173-134-030, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-020.
- 173-134-040 Quincy ground water subarea—Managed and regulated by department of ecology. [Order 74-35, § 173-134-040, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-050.
- 173-134-050 Quincy ground water subarea—Withdrawals of waters of deep management unit—Controlled by prior appropriation provisions. [Statutory Authority: Chapters 43.21, 43.21A, 43.27A, 90.03 and 90.44 RCW. 79-08-080 (Order DE 79-4), § 173-134-050, filed 7/26/79; Order 74-35, § 173-134-050, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-060.
- 173-134-055 Quincy ground water subarea—Public ground water permit amendments. [Statutory Authority: Chapters 43.21, 43.21A, 43.27A, 90.03 and 90.44 RCW. 79-08-080 (Order DE 79-4), § 173-134-055, filed 7/26/79.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-070.
- 173-134-060 Regulation of water of the shallow management unit—Permit requirements. [Statutory Authority: Chapters 43.21, 43.21A, 43.27A, 90.03 and 90.44 RCW. 79-08-080 (Order DE 79-4), § 173-134-060, filed 7/26/79; Order DE 75-4, § 173-134-060, filed 2/21/75; Order 74-35, § 173-134-060, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-080.
- 173-134-070 Responsibility for water management—Designation of critical management areas. [Order 74-35, § 173-134-070, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-090.
- 173-134-080 Establishment of a technical committee of scientific and engineering experts—Purpose. [Order 74-35, § 173-134-080, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-100.
- 173-134-085 Holder request for protection of interest—Department denial—Subject to review before the pollution control hearings board. [Order 74-35, § 173-134-085, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-110.
- 173-134-090 Permits not required—Conditions of exemptions. [Order 74-35, § 173-134-090, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-120.
- 173-134-100 Permits issued or extended—Conditions under which agreements may be entered into. [Order 74-35, § 173-134-100, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-130.
- 173-134-110 Notification requirements. [Order 74-35, § 173-134-110, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see chapter 173-134A WAC.
- 173-134-120 Existing laws and rights recognized—Specific jurisdiction. [Order 74-35, § 173-134-120, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see chapter 173-134A WAC.
- 173-134-130 Modification of rules when action appears justified. [Order 74-35, § 173-134-130, filed 1/9/75.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see chapter 173-134A WAC.
- 173-134-140 Artificially stored ground water permit applications—Lands not covered by declarations. [Statutory Authority: Chapters 43.21, 43.21A, 43.27A, 90.03 and 90.44 RCW. 79-08-080 (Order DE 79-4), § 173-134-140, filed 7/26/79.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see chapter 173-134A WAC.
- 173-134-150 Area described at department Order No. DE 75-54—Public ground water permits. [Statutory Authority: Chapters 43.21, 43.21A, 43.27A, 90.03 and 90.44 RCW. 79-08-080 (Order DE 79-4), § 173-134-150, filed 7/26/79.] Repealed by 80-02-025 (Order DE 79-33), filed 1/9/80. Statutory Authority: RCW 43.21A.080 and 43.27A.090(11).
- 173-134-160 Authorized and unused public ground water in deep management unit—Reservation. [Statutory Authority: Chapters 43.21, 43.21A, 43.27A, 90.03 and 90.44 RCW. 79-08-080 (Order DE 79-4), § 173-134-160, filed 7/26/79.] Repealed by 83-12-060 (Order DE 83-10), filed 6/1/83. Statutory Authority: RCW 43.21A.060, 43.21A.080,

43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. Later promulgation, see WAC 173-134A-160.

Chapter 173-142
DELEGATION OF PERMIT PROGRAM
UNDER STATE FLOOD CONTROL ZONE ACT

- 173-142-010 Authority. [Order DE 74-11, § 173-142-010, filed 6/17/74.] Repealed by 90-21-089, filed 10/19/90, effective 11/19/90. Statutory Authority: RCW 86.16.061.
- 173-142-020 Purpose. [Order DE 74-11, § 173-142-020, filed 6/17/74.] Repealed by 90-21-089, filed 10/19/90, effective 11/19/90. Statutory Authority: RCW 86.16.061.
- 173-142-030 Definitions. [Statutory Authority: RCW 86.16.027. 82-24-026 (Order DE 82-38), § 173-142-030, filed 11/23/82; Order DE 74-11, § 173-142-030, filed 6/17/74.] Repealed by 90-21-089, filed 10/19/90, effective 11/19/90. Statutory Authority: RCW 86.16.061.
- 173-142-040 Scope of delegation. [Statutory Authority: RCW 86.16.027. 82-24-026 (Order DE 82-38), § 173-142-040, filed 11/23/82; Order DE 74-11, § 173-142-040, filed 6/17/74.] Repealed by 90-21-089, filed 10/19/90, effective 11/19/90. Statutory Authority: RCW 86.16.061.
- 173-142-050 Conformity with department rules. [Statutory Authority: RCW 86.16.027. 82-24-026 (Order DE 82-38), § 173-142-050, filed 11/23/82; Order DE 74-11, § 173-142-050, filed 6/17/74.] Repealed by 90-21-089, filed 10/19/90, effective 11/19/90. Statutory Authority: RCW 86.16.061.
- 173-142-060 Subdelegation. [Order DE 74-11, § 173-142-060, filed 6/17/74.] Repealed by 82-24-026 (Order DE 82-38), filed 11/23/82. Statutory Authority: RCW 86.16.027.
- 173-142-070 Requests for delegation. [Statutory Authority: RCW 86.16.027. 82-24-026 (Order DE 82-38), § 173-142-070, filed 11/23/82; Order DE 74-11, § 173-142-070, filed 6/17/74.] Repealed by 90-21-089, filed 10/19/90, effective 11/19/90. Statutory Authority: RCW 86.16.061.
- 173-142-080 Procedure for delegation. [Statutory Authority: RCW 86.16.027. 82-24-026 (Order DE 82-38), § 173-142-080, filed 11/23/82; Order DE 74-11, § 173-142-080, filed 6/17/74.] Repealed by 90-21-089, filed 10/19/90, effective 11/19/90. Statutory Authority: RCW 86.16.061.
- 173-142-090 Withdrawal of delegation. [Order DE 74-11, § 173-142-090, filed 6/17/74.] Repealed by 90-21-089, filed 10/19/90, effective 11/19/90. Statutory Authority: RCW 86.16.061.
- 173-142-100 Permits under delegated programs. [Order DE 74-11, § 173-142-100, filed 6/17/74.] Repealed by 90-21-089, filed 10/19/90, effective 11/19/90. Statutory Authority: RCW 86.16.061.
- 173-142-110 Appeals. [Order DE 74-11, § 173-142-110, filed 6/17/74.] Repealed by 90-21-089, filed 10/19/90, effective 11/19/90. Statutory Authority: RCW 86.16.061.

Chapter 173-164
WATER RATE CHARGES

- 173-164-010 Purpose. [Statutory Authority: 1977 ex. sess. c 1. 78-08-026 (Order DE 77-33), § 173-164-010, filed 7/13/78.] Repealed by 93-14-116 (Order 92-54), filed 7/2/93, effective 8/2/93.
- 173-164-020 Authority. [Statutory Authority: 1977 ex. sess. c 1. 78-08-026 (Order DE 77-33), § 173-164-020, filed 7/13/78.] Repealed by 93-14-116 (Order 92-54), filed 7/2/93, effective 8/2/93.
- 173-164-030 Definitions. [Statutory Authority: 1977 ex. sess. c 1. 78-08-026 (Order DE 77-33), § 173-164-030, filed 7/13/78.] Repealed by 93-14-116 (Order 92-54), filed 7/2/93, effective 8/2/93.
- 173-164-040 Rates of charge. [Statutory Authority: 1977 ex. sess. c 1. 78-08-026 (Order DE 77-33), § 173-164-040, filed 7/13/78.] Repealed by 93-14-116 (Order 92-54), filed 7/2/93, effective 8/2/93.
- 173-164-050 Determination of rate. [Statutory Authority: Chapters 43.83B and 43.27A RCW. 88-13-037 (Order 88-11), § 173-164-050, filed 6/9/88. Statutory Authority: RCW 43.83B.345. 81-07-037 (Order DE 81-5), § 173-164-050, filed 3/13/81; 80-09-052 (Order DE 80-28), § 173-164-050, filed 7/14/80. Statutory Authority: 1977 ex. sess. c

1. 78-08-026 (Order DE 77-33), § 173-164-050, filed 7/13/78.] Repealed by 93-14-116 (Order 92-54), filed 7/2/93, effective 8/2/93.
- 173-164-060 Payment schedule. [Statutory Authority: 1977 ex. sess. c 1. 78-08-026 (Order DE 77-33), § 173-164-060, filed 7/13/78.] Repealed by 93-14-116 (Order 92-54), filed 7/2/93, effective 8/2/93.
- 173-164-070 Measurement of water. [Statutory Authority: 1977 ex. sess. c 1. 78-08-026 (Order DE 77-33), § 173-164-070, filed 7/13/78.] Repealed by 93-14-116 (Order 92-54), filed 7/2/93, effective 8/2/93.
- 173-164-080 Regulation review. [Statutory Authority: Chapters 43.83B and 43.27A RCW. 88-13-037 (Order 88-11), § 173-164-080, filed 6/9/88.] Repealed by 93-14-116 (Order 92-54), filed 7/2/93, effective 8/2/93.

Chapter 173-201
WATER QUALITY STANDARDS FOR SURFACE WATERS OF
THE STATE OF WASHINGTON

- 173-201-010 Introduction. [Statutory Authority: RCW 90.48.035 and 90.48.260. 88-02-058 (Order 87-6), § 173-201-010, filed 1/6/88. Statutory Authority: RCW 90.48.035. 82-12-078 (Order DE 82-12), § 173-201-010, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-010, filed 1/17/78; Order 73-4, § 173-201-010, filed 7/6/73.] Repealed by 92-24-037 (Order 92-29), filed 11/25/92, effective 12/26/92. Statutory Authority: Chapter 90.48 RCW.
- 173-201-020 Water use and quality criteria. [Statutory Authority: RCW 90.48.035. 78-02-043 (Order DE 77-32), § 173-201-020, filed 1/17/78; Order 73-4, § 173-201-020, filed 7/6/73.] Repealed by 82-12-078 (Order DE 82-12), filed 6/2/82. Statutory Authority: RCW 90.48.035.
- 173-201-025 Definitions. [Statutory Authority: RCW 90.48.035 and 90.48.260. 88-02-058 (Order 87-6), § 173-201-025, filed 1/6/88. Statutory Authority: RCW 90.48.035. 82-12-078 (Order DE 82-12), § 173-201-025, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-025, filed 1/17/78.] Repealed by 92-24-037 (Order 92-29), filed 11/25/92, effective 12/26/92. Statutory Authority: Chapter 90.48 RCW.
- 173-201-030 Water use and quality criteria—General water use and criteria classes. [Order 73-4, § 173-201-030, filed 7/6/73.] Repealed by 78-02-043 (Order DE 77-32), filed 1/17/78. Statutory Authority: RCW 90.48.035.
- 173-201-035 General considerations. [Statutory Authority: RCW 90.48.035 and 90.48.260. 88-02-058 (Order 87-6), § 173-201-035, filed 1/6/88. Statutory Authority: RCW 90.48.035. 82-12-078 (Order DE 82-12), § 173-201-035, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-035, filed 1/17/78.] Repealed by 92-24-037 (Order 92-29), filed 11/25/92, effective 12/26/92. Statutory Authority: Chapter 90.48 RCW.
- 173-201-040 Water use and quality criteria—General considerations. [Order 73-4, § 173-201-040, filed 7/6/73.] Repealed by 78-02-043 (Order DE 77-32), filed 1/17/78. Statutory Authority: RCW 90.48.035.
- 173-201-045 General water use and criteria classes. [Statutory Authority: RCW 90.48.035 and 90.48.260. 88-02-058 (Order 87-6), § 173-201-045, filed 1/6/88. Statutory Authority: RCW 90.48.035. 82-12-078 (Order DE 82-12), § 173-201-045, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-045, filed 1/17/78.] Repealed by 92-24-037 (Order 92-29), filed 11/25/92, effective 12/26/92. Statutory Authority: Chapter 90.48 RCW.
- 173-201-047 Toxic substances. [Statutory Authority: RCW 90.48.035 and 90.48.260. 88-02-058 (Order 87-6), § 173-201-047, filed 1/6/88.] Repealed by 92-24-037 (Order 92-29), filed 11/25/92, effective 12/26/92. Statutory Authority: Chapter 90.48 RCW.
- 173-201-050 Characteristic uses to be protected. [Statutory Authority: RCW 90.48.035. 78-02-043 (Order DE 77-32), § 173-201-050, filed 1/17/78; Order 73-4, § 173-201-050, filed 7/6/73.] Repealed by 82-12-078 (Order DE 82-12), filed 6/2/82. Statutory Authority: RCW 90.48.035.

- 173-201-060 Water course classification. [Order 73-4, § 173-201-060, filed 7/6/73.] Repealed by 78-02-043 (Order DE 77-32), filed 1/17/78. Statutory Authority: RCW 90.48.035.
- 173-201-070 General classifications. [Statutory Authority: RCW 90.48.035 and 90.48.260. 88-02-058 (Order 87-6), § 173-201-070, filed 1/6/88. Statutory Authority: RCW 90.48.035. 82-12-078 (Order DE 82-12), § 173-201-070, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-070, filed 1/17/78; Order 73-4, § 173-201-070, filed 7/6/73.] Repealed by 92-24-037 (Order 92-29), filed 11/25/92, effective 12/26/92. Statutory Authority: Chapter 90.48 RCW.
- 173-201-080 Specific classifications—Freshwater. [Statutory Authority: RCW 90.48.035 and 90.48.260. 88-02-058 (Order 87-6), § 173-201-080, filed 1/6/88. Statutory Authority: RCW 90.48.035. 82-12-078 (Order DE 82-12), § 173-201-080, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-080, filed 1/17/78; Order DE 73-22, § 173-201-080, filed 11/16/73; Order 73-4, § 173-201-080, filed 7/6/73.] Repealed by 92-24-037 (Order 92-29), filed 11/25/92, effective 12/26/92. Statutory Authority: Chapter 90.48 RCW.
- 173-201-085 Specific classifications—Marine water. [Statutory Authority: RCW 90.48.035. 82-12-078 (Order DE 82-12), § 173-201-085, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-085, filed 1/17/78.] Repealed by 92-24-037 (Order 92-29), filed 11/25/92, effective 12/26/92. Statutory Authority: Chapter 90.48 RCW.
- 173-201-090 Achievement considerations. [Statutory Authority: RCW 90.48.035 and 90.48.260. 88-02-058 (Order 87-6), § 173-201-090, filed 1/6/88. Statutory Authority: RCW 90.48.035. 82-12-078 (Order DE 82-12), § 173-201-090, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-090, filed 1/17/78; Order 73-4, § 173-201-090, filed 7/6/73.] Repealed by 92-24-037 (Order 92-29), filed 11/25/92, effective 12/26/92. Statutory Authority: Chapter 90.48 RCW.
- 173-201-100 Implementation. [Statutory Authority: RCW 90.48.035 and 90.48.260. 88-02-058 (Order 87-6), § 173-201-100, filed 1/6/88. Statutory Authority: RCW 90.48.035. 78-02-043 (Order DE 77-32), § 173-201-100, filed 1/17/78; Order 73-4, § 173-201-100, filed 7/6/73.] Repealed by 92-24-037 (Order 92-29), filed 11/25/92, effective 12/26/92. Statutory Authority: Chapter 90.48 RCW.
- 173-201-110 Surveillance. [Statutory Authority: RCW 90.48.035. 78-02-043 (Order DE 77-32), § 173-201-110, filed 1/17/78; Order 73-4, § 173-201-110, filed 7/6/73.] Repealed by 92-24-037 (Order 92-29), filed 11/25/92, effective 12/26/92. Statutory Authority: Chapter 90.48 RCW.
- 173-201-120 Enforcement. [Statutory Authority: RCW 90.48.035. 82-12-078 (Order DE 82-12), § 173-201-120, filed 6/2/82; 78-02-043 (Order DE 77-32), § 173-201-120, filed 1/17/78; Order 73-4, § 173-201-120, filed 7/6/73.] Repealed by 92-24-037 (Order 92-29), filed 11/25/92, effective 12/26/92. Statutory Authority: Chapter 90.48 RCW.
- 173-201-130 Definitions. [Order 73-4, § 173-201-130, filed 7/6/73.] Repealed by 78-02-043 (Order DE 77-32), filed 1/17/78. Statutory Authority: RCW 90.48.035.
- 173-201-140 Miscellaneous. [Statutory Authority: RCW 90.48.035. 78-02-043 (Order DE 77-32), § 173-201-140, filed 1/17/78; Order 73-4, § 173-201-140, filed 7/6/73.] Repealed by 82-12-078 (Order DE 82-12), filed 6/2/82. Statutory Authority: RCW 90.48.035.
- Chapter 173-223**
INTERIM WASTEWATER DISCHARGE PERMIT FEES
- 173-223-015 Purpose and authority. [Statutory Authority: Chapter 43.21A RCW. 89-05-026 (Order 88-53), § 173-223-015, filed 2/13/89; 88-12-035 (Order 88-8), § 173-223-015, filed 5/26/88, effective 7/1/88.] Repealed by 89-12-027 (Order 89-8), filed 5/31/89. Statutory Authority: Chapter 43.21A RCW.
- 173-223-020 Applicability. [Statutory Authority: Chapter 43.21A RCW. 88-12-035 (Order 88-8), § 173-223-020, filed 5/26/88, effective 7/1/88.] Repealed by 89-12-027 (Order 89-8), filed 5/31/89. Statutory Authority: Chapter 43.21A RCW.
- 173-223-030 Definitions. [Statutory Authority: Chapter 43.21A RCW. 89-05-026 (Order 88-53), § 173-223-030, filed 2/13/89; 88-12-035 (Order 88-8), § 173-223-030, filed 5/26/88, effective 7/1/88.] Repealed by 89-12-027 (Order 89-8), filed 5/31/89. Statutory Authority: Chapter 43.21A RCW.
- 173-223-040 Permit fee schedule. [Statutory Authority: Chapter 43.21A RCW. 89-05-026 (Order 88-53), § 173-223-040, filed 2/13/89; 88-12-035 (Order 88-8), § 173-223-040, filed 5/26/88, effective 7/1/88.] Repealed by 89-12-027 (Order 89-8), filed 5/31/89. Statutory Authority: Chapter 43.21A RCW.
- 173-223-050 Permit fee payments. [Statutory Authority: Chapter 43.21A RCW. 89-05-026 (Order 88-53), § 173-223-050, filed 2/13/89; 88-12-035 (Order 88-8), § 173-223-050, filed 5/26/88, effective 7/1/88.] Repealed by 89-12-027 (Order 89-8), filed 5/31/89. Statutory Authority: Chapter 43.21A RCW.
- 173-223-060 Permits issued by other governmental agencies. [Statutory Authority: Chapter 43.21A RCW. 88-12-035 (Order 88-8), § 173-223-060, filed 5/26/88, effective 7/1/88.] Repealed by 89-12-027 (Order 89-8), filed 5/31/89. Statutory Authority: Chapter 43.21A RCW.
- 173-223-070 Credits. [Statutory Authority: Chapter 43.21A RCW. 89-05-026 (Order 88-53), § 173-223-070, filed 2/13/89; 88-12-035 (Order 88-8), § 173-223-070, filed 5/26/88, effective 7/1/88.] Repealed by 89-12-027 (Order 89-8), filed 5/31/89. Statutory Authority: Chapter 43.21A RCW.
- 173-223-080 Transfer of ownership or control. [Statutory Authority: Chapter 43.21A RCW. 88-12-035 (Order 88-8), § 173-223-080, filed 5/26/88, effective 7/1/88.] Repealed by 89-12-027 (Order 89-8), filed 5/31/89. Statutory Authority: Chapter 43.21A RCW.
- 173-223-090 Administrative appeals to the director. [Statutory Authority: Chapter 43.21A RCW. 89-05-026 (Order 88-53), § 173-223-090, filed 2/13/89; 88-12-035 (Order 88-8), § 173-223-090, filed 5/26/88, effective 7/1/88.] Repealed by 89-12-027 (Order 89-8), filed 5/31/89. Statutory Authority: Chapter 43.21A RCW.
- 173-223-100 Deposits. [Statutory Authority: Chapter 43.21A RCW. 88-12-035 (Order 88-8), § 173-223-100, filed 5/26/88, effective 7/1/88.] Repealed by 89-12-027 (Order 89-8), filed 5/31/89. Statutory Authority: Chapter 43.21A RCW.
- 173-223-110 Past due payments. [Statutory Authority: Chapter 43.21A RCW. 88-12-035 (Order 88-8), § 173-223-110, filed 5/26/88, effective 7/1/88.] Repealed by 89-12-027 (Order 89-8), filed 5/31/89. Statutory Authority: Chapter 43.21A RCW.
- Chapter 173-250**
CONSTRUCTION GRANTS PROGRAM—PRIORITY RATING SYSTEM AND PROJECT PRIORITY LIST
- 173-250-010 Purpose and scope. [Statutory Authority: RCW 43.21A.080. 78-09-067 (Order DE 78-11), § 173-250-010, filed 8/24/78.] Repealed by 93-14-116 (Order 92-54), filed 7/2/93, effective 8/2/93.
- 173-250-020 Definitions. [Statutory Authority: RCW 43.21A.080. 78-09-067 (Order DE 78-11), § 173-250-020, filed 8/24/78.] Repealed by 93-14-116 (Order 92-54), filed 7/2/93, effective 8/2/93.
- 173-250-030 Development and approval of the system. [Statutory Authority: RCW 43.21A.080. 78-09-067 (Order DE 78-11), § 173-250-030, filed 8/24/78.] Repealed by 93-14-116 (Order 92-54), filed 7/2/93, effective 8/2/93.
- 173-250-040 Development and approval of the state project priority list. [Statutory Authority: RCW 43.21A.080. 78-09-067 (Order DE 78-11), § 173-250-040, filed 8/24/78.] Repealed by 93-14-116 (Order 92-54), filed 7/2/93, effective 8/2/93.

Chapter 173-301

REGULATIONS RELATING TO MINIMUM FUNCTIONAL STANDARDS FOR SOLID WASTE HANDLING

- 173-301-100 Authority and purpose. [Order DE 72-21, § 173-301-100, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-101 Other agencies. [Order DE 72-21, § 173-301-101, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-105 Effects on pollution, public health and safety. [Order DE 72-21, § 173-301-105, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-110 Definitions. [Statutory Authority: RCW 70.95.060 and chapter 70.95 RCW. 83-09-017 (Order DE 83-2), § 173-301-110, filed 4/13/83; Order DE 72-21, § 173-301-110, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-120 Solid waste storage. [Order DE 72-21, § 173-301-120, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-121 Solid waste storage—Garbage. [Order DE 72-21, § 173-301-121, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-122 Solid waste storage—Light material. [Order DE 72-21, § 173-301-122, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-123 Solid waste storage—Hazardous wastes. [Order DE 72-21, § 173-301-123, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-124 Solid waste storage—Agricultural wastes. [Order DE 72-21, § 173-301-124, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-125 Solid waste storage—Problem wastes. [Order DE 72-21, § 173-301-125, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-126 Solid waste storage—Storage areas and containers. [Order DE 72-21, § 173-301-126, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-140 Collection and transportation. [Order DE 72-21, § 173-301-140, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-141 Collection and transportation—Prevention of nuisances. [Order DE 72-21, § 173-301-141, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-142 Collection and transportation—Vehicle construction. [Order DE 72-21, § 173-301-142, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-143 Collection and transportation—Vehicle spillage. [Order DE 72-21, § 173-301-143, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-150 Transfer station. [Order DE 72-21, § 173-301-150, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-151 Transfer station—Application and plans. [Order DE 72-21, § 173-301-151, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-152 Transfer station—Architecture and landscaping. [Order DE 72-21, § 173-301-152, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-153 Transfer station—Pollution control and cleanliness. [Order DE 72-21, § 173-301-153, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-154 Transfer station—Roads. [Order DE 72-21, § 173-301-154, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-155 Transfer station—Identification. [Order DE 72-21, § 173-301-155, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-156 Transfer station—Fire protection. [Order DE 72-21, § 173-301-156, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-157 Transfer station—Communications. [Order DE 72-21, § 173-301-157, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-158 Transfer station—Employee facilities. [Order DE 72-21, § 173-301-158, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-159 Transfer station—Attendant. [Order DE 72-21, § 173-301-159, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-160 Transfer station—Safety. [Order DE 72-21, § 173-301-160, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-161 Transfer station—Vector control. [Order DE 72-21, § 173-301-161, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-162 Transfer station—Records. [Order DE 72-21, § 173-301-162, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-163 Transfer station—Confined tipping. [Order DE 72-21, § 173-301-163, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-164 Transfer station—Scavenging. [Order DE 72-21, § 173-301-164, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-180 Solid waste disposal site. [Statutory Authority: RCW 70.95.060 and chapter 70.95 RCW. 83-09-017 (Order DE 83-2), § 173-301-180, filed 4/13/83; Order DE 72-21, § 173-301-180, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-181 Solid waste disposal site—Application and plans. [Statutory Authority: RCW 70.95.060 and chapter 70.95 RCW. 83-09-017 (Order DE 83-2), § 173-301-181, filed 4/13/83; Order DE 72-21, § 173-301-181, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-182 Solid waste disposal site—Disposal site design, architecture and landscaping. [Order DE 72-21, § 173-301-182, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-183 Solid waste disposal site—Pollution control. [Order DE 72-21, § 173-301-183, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-184 Solid waste disposal site—Roads. [Order DE 72-21, § 173-301-184, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-185 Solid waste disposal site—Gate. [Order DE 72-21, § 173-301-185, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-186 Solid waste disposal site—Employee facilities. [Order DE 72-21, § 173-301-186, filed 10/26/72.] Repealed by 86-

- 03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-187 Solid waste disposal site—Disposal site identification. [Order DE 72-21, § 173-301-187, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-188 Solid waste disposal site—Fire protection. [Order DE 72-21, § 173-301-188, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-189 Solid waste disposal site—Communication. [Order DE 72-21, § 173-301-189, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-190 Solid waste disposal site—Confined unloading. [Order DE 72-21, § 173-301-190, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-191 Solid waste disposal site—Reclamation. [Order DE 72-21, § 173-301-191, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-192 Solid waste disposal site—Scavenging. [Order DE 72-21, § 173-301-192, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-193 Solid waste disposal site—Attendant. [Order DE 72-21, § 173-301-193, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-194 Solid waste disposal site—Safety. [Order DE 72-21, § 173-301-194, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-195 Solid waste disposal site—Vector control. [Order DE 72-21, § 173-301-195, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-196 Solid waste disposal site—Light material control. [Order DE 72-21, § 173-301-196, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-197 Solid waste disposal site—Records. [Order DE 72-21, § 173-301-197, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-300 Sanitary landfill, leachate control. [Order DE 72-21, § 173-301-300, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-301 Sanitary landfill, leachate control—Pollution prevention. [Order DE 72-21, § 173-301-301, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-302 Sanitary landfill, leachate control—Gas venting. [Order DE 72-21, § 173-301-302, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-303 Sanitary landfill, leachate control—Single layer compaction. [Order DE 72-21, § 173-301-303, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-304 Sanitary landfill, leachate control—Daily cover. [Order DE 72-21, § 173-301-304, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-305 Sanitary landfill, leachate control—Final cover. [Order DE 72-21, § 173-301-305, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-306 Sanitary landfill, leachate control—Final surface. [Order DE 72-21, § 173-301-306, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-307 Sanitary landfill, leachate control—Equipment. [Order DE 72-21, § 173-301-307, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-308 Sanitary landfill, leachate control—Completion inspection. [Order DE 72-21, § 173-301-308, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-309 Sanitary landfill, leachate control—Recurrent inspection and maintenance. [Order DE 72-21, § 173-301-309, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-310 Sanitary landfill, leachate control—Recording with county auditor. [Order DE 72-21, § 173-301-310, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-320 Sludge management. [Statutory Authority: RCW 70.95.060 and chapter 70.95 RCW. 83-09-017 (Order DE 83-2), § 173-301-320, filed 4/13/83.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-350 Incinerator, applicability of air pollution standards. [Order DE 72-21, § 173-301-350, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-351 Incinerator, applicability of air pollution standards—Incoming storage. [Order DE 72-21, § 173-301-351, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-352 Incinerator, applicability of air pollution standards—Preuse inspection and performance tests. [Order DE 72-21, § 173-301-352, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-353 Incinerator, applicability of air pollution standards—Residue disposal. [Order DE 72-21, § 173-301-353, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-354 Incinerator, applicability of air pollution standards—Emergency disposal. [Order DE 72-21, § 173-301-354, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-355 Incinerator, applicability of air pollution standards—Drains. [Order DE 72-21, § 173-301-355, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-356 Incinerator, applicability of air pollution standards—Disposal of process water. [Order DE 72-21, § 173-301-356, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-357 Incinerator, applicability of air pollution standards—Recording pyrometer. [Order DE 72-21, § 173-301-357, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-358 Incinerator, applicability of air pollution standards—Safety. [Order DE 72-21, § 173-301-358, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-359 Incinerator, applicability of air pollution standards—Cleaning. [Order DE 72-21, § 173-301-359, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-400 Compost plant, odorous materials. [Order DE 72-21, § 173-301-400, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-401 Compost plant, odorous materials—Safety. [Order DE 72-21, § 173-301-401, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-402 Compost plant, odorous materials—Byproducts. [Order DE 72-21, § 173-301-402, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-450 Reclamation site. [Order DE 72-21, § 173-301-450, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.

- 173-301-451 Reclamation site—Application and plans. [Order DE 72-21, § 173-301-451, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-452 Reclamation site—Architecture and landscaping. [Order DE 72-21, § 173-301-452, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-453 Reclamation site—Pollution control and cleanliness. [Order DE 72-21, § 173-301-453, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-454 Reclamation site—Storage. [Order DE 72-21, § 173-301-454, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-455 Reclamation site—Safety. [Order DE 72-21, § 173-301-455, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-456 Reclamation site—Employee facilities. [Order DE 72-21, § 173-301-456, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-457 Reclamation site—Records. [Order DE 72-21, § 173-301-457, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-500 Other methods of solid waste handling, processing and disposal. [Order DE 72-21, § 173-301-500, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-610 Nonconforming sites and facilities. [Order DE 72-21, § 173-301-610, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-611 Abandoned disposal sites. [Order DE 72-21, § 173-301-611, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-625 Enforcement. [Order DE 72-21, § 173-301-625, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- 173-301-626 Inspection. [Order DE 72-21, § 173-301-626, filed 10/26/72.] Repealed by 86-03-034 (Order 85-87), filed 1/10/86. Statutory Authority: Chapter 43.21A RCW.
- Chapter 173-302**
HAZARDOUS WASTE REGULATION
- 173-302-010 Purpose. [Order DE 77-34, § 173-302-010, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-010.
- 173-302-020 Applicability. [Order DE 77-34, § 173-302-020, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-020.
- 173-302-030 Abbreviations. [Order DE 77-34, § 173-302-030, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-030.
- 173-302-040 Definitions. [Order DE 77-34, § 173-302-040, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-040.
- 173-302-050 Conference. [Order DE 77-34, § 173-302-050, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260.
- 173-302-060 Imminent hazard. [Order DE 77-34, § 173-302-060, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-050.
- 173-302-070 Designation of EHW. [Order DE 77-34, § 173-302-070, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-080 Categorization. [Order DE 77-34, § 173-302-080, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-101.
- 173-302-090 Criteria for dangerous wastes (DW). [Order DE 77-34, § 173-302-090, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-100 Criteria for extremely hazardous waste (EHW). [Order DE 77-34, § 173-302-100, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-110 Hazardous due to toxicity to man and wildlife. [Order DE 77-34, § 173-302-110, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-120 Hazardous due to quantity. [Order DE 77-34, § 173-302-120, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-102.
- 173-302-130 Hazardous due to persistence and potential hazard. [Order DE 77-34, § 173-302-130, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-140 Containers. [Order DE 77-34, § 173-302-140, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-160.
- 173-302-150 Division, dilution, and accumulation. [Order DE 77-34, § 173-302-150, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-150.
- 173-302-160 Appeal of designation. [Order DE 77-34, § 173-302-160, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-165 Disposal prohibited. [Statutory Authority: RCW 70.105.020 and 70.105.030. 78-08-021 (Order DE 78-14), § 173-302-165, filed 7/12/78.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-170 Requirements for generators. [Order DE 77-34, § 173-302-170, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-180 Manifest procedures. [Order DE 77-34, § 173-302-180, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-180.
- 173-302-190 Manifest form. [Order DE 77-34, § 173-302-190, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-180.
- 173-302-200 Waste transporter requirements. [Order DE 77-34, § 173-302-200, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter

- 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-240.
- 173-302-210 Transporter applicability. [Order DE 77-34, § 173-302-210, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-240.
- 173-302-220 Waste acceptance. [Order DE 77-34, § 173-302-220, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-250 and 173-303-370.
- 173-302-230 Transportation. [Order DE 77-34, § 173-302-230, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-250.
- 173-302-240 Operator requirements. [Order DE 77-34, § 173-302-240, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260.
- 173-302-250 Yearly operating plan. [Order DE 77-34, § 173-302-250, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260.
- 173-302-260 Hazardous waste acceptance. [Order DE 77-34, § 173-302-260, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-370.
- 173-302-270 EHW handling at the disposal site. [Order DE 77-34, § 173-302-270, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260.
- 173-302-280 Environmental requirements. [Order DE 77-34, § 173-302-280, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-290 Security requirements. [Order DE 77-34, § 173-302-290, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-310.
- 173-302-300 Safety requirements. [Order DE 77-34, § 173-302-300, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260.
- 173-302-310 Emergency requirements. [Order DE 77-34, § 173-302-310, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-350 through 173-303-360.
- 173-302-320 Personnel requirements. [Order DE 77-34, § 173-302-320, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-330.
- 173-302-330 Department surveillance. [Order DE 77-34, § 173-302-330, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-340 Financial requirements. [Order DE 77-34, § 173-302-340, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see WAC 173-303-620.
- 173-302-350 Treater requirements. [Order DE 77-34, § 173-302-350, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-360 Treater applicability. [Order DE 77-34, § 173-302-360, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-370 EHW acceptance. [Order DE 77-34, § 173-302-370, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-380 Treatment criteria. [Order DE 77-34, § 173-302-380, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.
- 173-302-390 Compliance. [Statutory Authority: RCW 70.105.020 and 70.105.030. 78-08-021 (Order DE 78-14), § 173-302-390, filed 7/12/78; Order DE 77-34, § 173-302-390, filed 12/29/77.] Repealed by 82-05-023 (Order DE 81-33), filed 2/10/82. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. Later promulgation, see chapter 173-303 WAC.

Chapter 173-320**BEVERAGE CONTAINERS—DETACHABLE PULL TABS**

- 173-320-010 Authority. [Statutory Authority: Chapter 113, Laws of 1982 (chapter 70.132 RCW). 83-12-062 (Order DE 82-39), § 173-320-010, filed 6/1/83.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.
- 173-320-020 Declaration of purpose. [Statutory Authority: Chapter 113, Laws of 1982 (chapter 70.132 RCW). 83-12-062 (Order DE 82-39), § 173-320-020, filed 6/1/83.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.
- 173-320-030 Applicability. [Statutory Authority: Chapter 113, Laws of 1982 (chapter 70.132 RCW). 83-12-062 (Order DE 82-39), § 173-320-030, filed 6/1/83.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.
- 173-320-040 Definitions. [Statutory Authority: Chapter 113, Laws of 1982 (chapter 70.132 RCW). 83-12-062 (Order DE 82-39), § 173-320-040, filed 6/1/83.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.
- 173-320-050 Prohibition. [Statutory Authority: Chapter 113, Laws of 1982 (chapter 70.132 RCW). 83-12-062 (Order DE 82-39), § 173-320-050, filed 6/1/83.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.
- 173-320-060 Return requirement. [Statutory Authority: Chapter 113, Laws of 1982 (chapter 70.132 RCW). 83-12-062 (Order DE 82-39), § 173-320-060, filed 6/1/83.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.
- 173-320-070 Complaints. [Statutory Authority: Chapter 113, Laws of 1982 (chapter 70.132 RCW). 83-12-062 (Order DE 82-39), § 173-320-070, filed 6/1/83.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.
- 173-320-080 Enforcement. [Statutory Authority: Chapter 113, Laws of 1982 (chapter 70.132 RCW). 83-12-062 (Order DE 82-39), § 173-320-080, filed 6/1/83.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.

Chapter 173-335**VEHICLE TIRE RECYCLING AND REMOVAL GRANT REGULATION**

- 173-335-010 Purpose and authority. [Statutory Authority: RCW 70.95.260. 88-17-002 (Order 88-25), § 173-335-010, filed 8/4/88.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.
- 173-335-020 Definitions. [Statutory Authority: RCW 70.95.260. 88-17-002 (Order 88-25), § 173-335-020, filed 8/4/88.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.
- 173-335-030 Relation to other legislation and administrative rules. [Statutory Authority: RCW 70.95.260. 88-17-002 (Order 88-25), § 173-335-030, filed 8/4/88.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.
- 173-335-040 General. [Statutory Authority: RCW 70.95.260. 88-17-002 (Order 88-25), § 173-335-040, filed 8/4/88.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.

173-335-050 Administration. [Statutory Authority: RCW 70.95.260, 88-17-002 (Order 88-25), § 173-335-050, filed 8/4/88.] Repealed by 94-07-078 (Order 94-02), filed 3/16/94, effective 4/16/94.

Chapter 173-336

INITIAL INVESTIGATION REGULATION

173-336-010 Purpose and authority. [Statutory Authority: RCW 70.105B.030(2), 88-15-038 (Order 88-20), § 173-336-010, filed 7/15/88.] Repealed by 90-08-120 (Order 90-12), filed 4/4/90, effective 5/5/90. Statutory Authority: Chapter 70.105D RCW.

173-336-020 Definitions. [Statutory Authority: RCW 70.105B.030(2), 88-15-038 (Order 88-20), § 173-336-020, filed 7/15/88.] Repealed by 90-08-120 (Order 90-12), filed 4/4/90, effective 5/5/90. Statutory Authority: Chapter 70.105D RCW.

173-336-030 General. [Statutory Authority: RCW 70.105B.030(2), 88-15-038 (Order 88-20), § 173-336-030, filed 7/15/88.] Repealed by 90-08-120 (Order 90-12), filed 4/4/90, effective 5/5/90. Statutory Authority: Chapter 70.105D RCW.

Chapter 173-338

HAZARD RANKING SYSTEM REGULATION

173-338-010 Purpose. [Statutory Authority: RCW 70.105B.030(2), 88-15-037 (Order 88-5), § 173-338-010, filed 7/15/88.] Repealed by 90-08-120 (Order 90-12), filed 4/4/90, effective 5/5/90. Statutory Authority: Chapter 70.105D RCW.

173-338-020 Definitions. [Statutory Authority: RCW 70.105B.030(2), 88-15-037 (Order 88-5), § 173-338-020, filed 7/15/88.] Repealed by 90-08-120 (Order 90-12), filed 4/4/90, effective 5/5/90. Statutory Authority: Chapter 70.105D RCW.

173-338-030 Evaluation criteria. [Statutory Authority: RCW 70.105B.030(2), 88-15-037 (Order 88-5), § 173-338-030, filed 7/15/88.] Repealed by 90-08-120 (Order 90-12), filed 4/4/90, effective 5/5/90. Statutory Authority: Chapter 70.105D RCW.

173-338-040 Scoring procedure. [Statutory Authority: RCW 70.105B.030(2), 88-15-037 (Order 88-5), § 173-338-040, filed 7/15/88.] Repealed by 90-08-120 (Order 90-12), filed 4/4/90, effective 5/5/90. Statutory Authority: Chapter 70.105D RCW.

173-338-050 Rescoring. [Statutory Authority: RCW 70.105B.030(2), 88-15-037 (Order 88-5), § 173-338-050, filed 7/15/88.] Repealed by 90-08-120 (Order 90-12), filed 4/4/90, effective 5/5/90. Statutory Authority: Chapter 70.105D RCW.

Chapter 173-402

CIVIL SANCTIONS UNDER WASHINGTON CLEAN AIR ACT

173-402-010 Prior regulations. [Statutory Authority: RCW 70.94.040, 70.94.141 and 70.94.331, 80-08-024 (Order DE 80-23), § 173-402-010, filed 6/24/80.] Repealed by 94-14-067, filed 7/1/94, effective 8/1/94.

173-402-020 Subsequent regulations. [Statutory Authority: RCW 70.94.040, 70.94.141 and 70.94.331, 80-08-024 (Order DE 80-23), § 173-402-020, filed 6/24/80.] Repealed by 94-14-067, filed 7/1/94, effective 8/1/94.

Chapter 173-403

IMPLEMENTATION OF REGULATIONS FOR AIR CONTAMINANT SOURCES

173-403-010 Policy and purpose. [Statutory Authority: Chapters 43.21A and 70.94 RCW, 83-09-013 (Order DE 83-12), § 173-403-010, filed 4/11/83. Formerly WAC 18-60-010.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.

173-403-020 Applicability. [Statutory Authority: Chapters 43.21A and 70.94 RCW, 83-09-013 (Order DE 83-12), § 173-403-020, filed 4/11/83.] Repealed by 91-05-064 (Order 90-

06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.

173-403-030 Definitions. [Statutory Authority: Chapters 70.94 and 43.21A RCW, 89-02-055 (Order 88-39), § 173-403-030, filed 1/3/89. Statutory Authority: Chapter 70.94 RCW, 87-19-074 (Order 87-13), § 173-403-030, filed 9/16/87. Statutory Authority: RCW 70.94.331, 86-23-014 (Order 86-30), § 173-403-030, filed 11/10/86; 85-06-047 (Order 84-49), § 173-403-030, filed 3/6/85. Statutory Authority: Chapters 43.21A and 70.94 RCW, 83-18-010 (Order DE 83-22), § 173-403-030, filed 8/26/83; 83-09-013 (Order DE 83-12), § 173-403-030, filed 4/11/83. Formerly WAC 18-60-020.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.

173-403-050 New source review (NSR). [Statutory Authority: Chapters 70.94 and 43.21A RCW, 89-02-055 (Order 88-39), § 173-403-050, filed 1/3/89. Statutory Authority: RCW 70.94.331, 85-06-047 (Order 84-49), § 173-403-050, filed 3/6/85. Statutory Authority: RCW 70.94.331, 70.94.141 and 43.21A.060, 84-21-098 (Order 84-27), § 173-403-050, filed 10/19/84. Statutory Authority: Chapters 43.21A and 70.94 RCW, 83-18-010 (Order DE 83-22), § 173-403-050, filed 8/26/83; 83-09-013 (Order DE 83-12), § 173-403-050, filed 4/11/83.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.

173-403-060 Bubble rules. [Statutory Authority: Chapters 43.21A and 70.94 RCW, 83-18-010 (Order DE 83-22), § 173-403-060, filed 8/26/83.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.

173-403-070 Issuance of emission reduction credits. [Statutory Authority: RCW 70.94.331, 85-06-047 (Order 84-49), § 173-403-070, filed 3/6/85. Statutory Authority: RCW 70.94.331, 70.94.141 and 43.21A.060, 84-21-098 (Order 84-27), § 173-403-070, filed 10/19/84. Statutory Authority: Chapters 43.21A and 70.94 RCW, 83-18-010 (Order DE 83-22), § 173-403-070, filed 8/26/83.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.

173-403-075 Use of emission reduction credits. [Statutory Authority: Chapters 43.21A and 70.94 RCW, 83-18-010 (Order DE 83-22), § 173-403-075, filed 8/26/83.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.

173-403-080 Prevention of significant deterioration (PSD). [Statutory Authority: Chapters 70.94 and 43.21A RCW, 89-02-055 (Order 88-39), § 173-403-080, filed 1/3/89. Statutory Authority: RCW 70.94.331, 85-06-047 (Order 84-49), § 173-403-080, filed 3/6/85. Statutory Authority: RCW 70.94.331, 70.94.141 and 43.21A.060, 84-21-098 (Order 84-27), § 173-403-080, filed 10/19/84. Statutory Authority: Chapters 43.21A and 70.94 RCW, 83-18-010 (Order DE 83-22), § 173-403-080, filed 8/26/83.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.

173-403-090 Retrofit requirements for visibility protection. [Statutory Authority: Chapters 43.21A and 70.94 RCW, 83-18-010 (Order DE 83-22), § 173-403-090, filed 8/26/83.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.

173-403-100 Compliance schedules. [Statutory Authority: Chapters 43.21A and 70.94 RCW, 83-09-013 (Order DE 83-12), § 173-403-100, filed 4/11/83.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.

173-403-110 Public involvement. [Statutory Authority: RCW 70.94.331, 86-23-014 (Order 86-30), § 173-403-110, filed 11/10/86. Statutory Authority: Chapters 43.21A and 70.94 RCW, 83-18-010 (Order DE 83-22), § 173-403-110, filed 8/26/83. 83-09-013 (Order DE 83-12), § 173-403-110, filed 4/11/83.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.

- 173-403-120 Variance. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-120, filed 4/11/83.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.
- 173-403-130 Requirements for nonattainment areas. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-130, filed 4/11/83.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.
- 173-403-140 Use of dispersion techniques. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-140, filed 4/11/83.] Repealed by 86-23-014 (Order 86-30), filed 11/10/86. Statutory Authority: RCW 70.94.331.
- 173-403-141 Creditable stack height and dispersion techniques. [Statutory Authority: RCW 70.94.331. 86-23-014 (Order 86-30), § 173-403-141, filed 11/10/86.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.
- 173-403-145 Adjustment for atmospheric conditions. [Statutory Authority: RCW 70.94.331. 86-23-014 (Order 86-30), § 173-403-145, filed 11/10/86.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.
- 173-403-150 Maintenance of pay. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-150, filed 4/11/83.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.
- 173-403-160 Requirements for boards and director. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-160, filed 4/11/83.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.
- 173-403-170 Regulatory actions. [Statutory Authority: RCW 70.94.331, 70.94.141 and 43.21A.060. 84-21-098 (Order 84-27), § 173-403-170, filed 10/19/84. Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-170, filed 4/11/83.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.
- 173-403-180 Criminal penalties. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-180, filed 4/11/83.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.
- 173-403-190 Appeals. [Statutory Authority: Chapters 43.21A and 70.94 RCW. 83-09-013 (Order DE 83-12), § 173-403-190, filed 4/11/83.] Repealed by 91-05-064 (Order 90-06), filed 2/19/91, effective 3/22/91. Statutory Authority: Chapter 70.94 RCW.

Chapter 173-440
SENSITIVE AREAS

(Formerly chapter 18-06 WAC)

- 173-440-010 Purpose. [Statutory Authority: RCW 70.94.331. 90-19-062 (Order 90-10), § 173-440-010, filed 9/17/90, effective 10/18/90. Statutory Authority: Chapter 70.94 RCW. 87-19-076 (Order 87-15), § 173-440-010, filed 9/16/87.] Repealed by 94-14-067, filed 7/1/94, effective 8/1/94.
- 173-440-020 Applicability. [Statutory Authority: Chapter 70.94 RCW. 87-19-076 (Order 87-15), § 173-440-020, filed 9/16/87.] Repealed by 94-14-067, filed 7/1/94, effective 8/1/94.
- 173-440-030 Definitions. [Statutory Authority: RCW 70.94.331. 90-19-062 (Order 90-10), § 173-440-030, filed 9/17/90, effective 10/18/90. Statutory Authority: Chapter 70.94 RCW. 87-19-076 (Order 87-15), § 173-440-030, filed 9/16/87.] Repealed by 94-14-067, filed 7/1/94, effective 8/1/94.
- 173-440-040 Sensitive areas designated. [Statutory Authority: Chapter 70.94 RCW. 87-19-076 (Order 87-15), § 173-440-040, filed 9/16/87.] Repealed by 94-14-067, filed 7/1/94, effective 8/1/94.
- 173-440-100 Standards. [Statutory Authority: RCW 70.94.331. 90-19-062 (Order 90-10), § 173-440-100, filed 9/17/90, effective

- 10/18/90. Statutory Authority: Chapter 70.94 RCW. 87-19-076 (Order 87-15), § 173-440-100, filed 9/16/87.] Repealed by 94-14-067, filed 7/1/94, effective 8/1/94.
- 173-440-900 Appendix A—Map. [Statutory Authority: Chapter 70.94 RCW. 87-19-076 (Order 87-15), § 173-440-900, filed 9/16/87.] Repealed by 94-14-067, filed 7/1/94, effective 8/1/94.

Chapter 173-530
WATER RESOURCES PROGRAM
IN THE KLIKKITAT RIVER BASIN, WRIA-30

- 173-530-910 Authority. [Order DE 76-7, § 173-530-910, filed 4/14/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-530-920 Purpose. [Order DE 76-7, § 173-530-920, filed 4/14/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-530-930 Definitions. [Order DE 76-7, § 173-530-930, filed 4/14/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-530-940 Declaration of withdrawal. [Statutory Authority: RCW 90.54.050. 81-20-041 (Order DE 81-30), § 173-530-940, filed 10/11/81; 78-11-039 (Order DE 78-18), § 173-530-940, filed 10/19/78; Order DE 76-7, § 173-530-940, filed 4/14/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-530-950 Existing rights not affected. [Order DE 76-7, § 173-530-950, filed 4/14/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-530-960 Exemptions. [Order DE 76-7, § 173-530-960, filed 4/14/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.

Chapter 173-531
WATER RESOURCE PROGRAM FOR THE JOHN DAY-
MCNARY POOLS REACH OF THE COLUMBIA RIVER,
WRIA 31 AND PARTS OF WRIS 32, 33, 36, AND 37

- 173-531-010 Purpose. [Statutory Authority: RCW 90.54.040 and 90.54.050. 78-09-015 (Order DE 77-31), § 173-531-010, filed 8/8/78.] Repealed by 80-08-020 (Order DE 80-1), filed 6/24/80. Statutory Authority: RCW 90.54.040 and 90.54.050. Later promulgation, see WAC 173-531A-010.
- 173-531-020 Definitions. [Statutory Authority: RCW 90.54.040 and 90.54.050. 78-09-015 (Order DE 77-31), § 173-531-020, filed 8/8/78.] Repealed by 80-08-020 (Order DE 80-1), filed 6/24/80. Statutory Authority: RCW 90.54.040 and 90.54.050. Later promulgation, see WAC 173-531A-020.
- 173-531-030 Existing water rights protected. [Statutory Authority: RCW 90.54.040 and 90.54.050. 78-09-015 (Order DE 77-31), § 173-531-030, filed 8/8/78.] Repealed by 80-08-020 (Order DE 80-1), filed 6/24/80. Statutory Authority: RCW 90.54.040 and 90.54.050. Later promulgation, see WAC 173-531A-030.
- 173-531-040 Reservation for future irrigation use. [Statutory Authority: RCW 90.54.040 and 90.54.050. 78-09-015 (Order DE 77-31), § 173-531-040, filed 8/8/78.] Repealed by 80-08-020 (Order DE 80-1), filed 6/24/80. Statutory Authority: RCW 90.54.040 and 90.54.050. Later promulgation, see WAC 173-531A-040.
- 173-531-050 Reservation for municipal use. [Statutory Authority: RCW 90.54.040 and 90.54.050. 78-09-015 (Order DE 77-31), § 173-531-050, filed 8/8/78.] Repealed by 80-08-020 (Order DE 80-1), filed 6/24/80. Statutory Authority: RCW 90.54.040 and 90.54.050. Later promulgation, see WAC 173-531A-050.
- 173-531-060 Department to develop an instream resource protection program. [Statutory Authority: RCW 90.54.040 and 90.54.050. 78-09-015 (Order DE 77-31), § 173-531-060, filed 8/8/78.] Repealed by 80-08-020 (Order DE 80-1),

- 173-531-070 filed 6/24/80. Statutory Authority: RCW 90.54.040 and 90.54.050. Later promulgation, see WAC 173-531A-060. Department to review regulation. [Statutory Authority: RCW 90.54.040 and 90.54.050. 78-09-015 (Order DE 77-31), § 173-531-070, filed 8/8/78.] Repealed by 80-08-020 (Order DE 80-1), filed 6/24/80. Statutory Authority: RCW 90.54.040 and 90.54.050. Later promulgation, see WAC 173-531A-070.
- Chapter 173-596**
- PROCEDURES AND POLICIES GOVERNING APPROPRIATIONS OF SIGNIFICANT AMOUNTS OF WATER FOR AGRICULTURAL IRRIGATION USE**
- 173-596-010 Background. [Order DE 76-19, § 173-596-010, filed 6/8/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-596-015 Purpose. [Order DE 76-19, § 173-596-015, filed 6/8/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-596-020 Definitions. [Order DE 76-19, § 173-596-020, filed 6/8/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-596-025 Conditions to be included in permits involving substantial withdrawals of public waters. [Order DE 76-19, § 173-596-025, filed 6/8/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-596-030 Regional water supply and multipurpose project considerations. [Order DE 76-19, § 173-596-030, filed 6/8/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-596-035 Processing of applications. [Order DE 76-19, § 173-596-035, filed 6/8/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-596-040 Water right of regional or statewide significance. [Order DE 76-19, § 173-596-040, filed 6/8/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-596-045 Conservation and management program. [Order DE 76-19, § 173-596-045, filed 6/8/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-596-050 Monitoring program. [Order DE 76-19, § 173-596-050, filed 6/8/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-596-055 Effect on existing rights and laws and public entities. [Order DE 76-19, § 173-596-055, filed 6/8/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-596-060 Environmental impact statement. [Order DE 76-19, § 173-596-060, filed 6/8/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- 173-596-065 Review of regulatory orders. [Order DE 76-19, § 173-596-065, filed 6/8/76.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.27A, 90.22 and 90.54 RCW.
- Chapter 173-800**
- INTEGRATION OF POLICIES AND PROCEDURES OF SEPA INTO THE PROGRAMS OF THE DEPARTMENT OF ECOLOGY**
- 173-800-010 Authority. [Order DE 76-12, § 173-800-010, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-010.
- 173-800-015 Impact of guidelines on the department. [Order DE 76-12, § 173-800-015, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-020 Purpose. [Order DE 76-12, § 173-800-020, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-030.
- 173-800-030 Effect of SEPA. [Order DE 76-12, § 173-800-030, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-040.
- 173-800-035 Integration of SEPA procedures with other departmental operations. [Order DE 76-12, § 173-800-035, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-045.
- 173-800-040 Definitions. [Order DE 76-12, § 173-800-040, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-050 Designation of responsible official. [Order DE 76-12, § 173-800-050, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-060 Timing. [Order DE 76-12, § 173-800-060, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-060.
- 173-800-070 Scope of a proposal and its impacts for the purposes of lead agency determination, threshold determination, and EIS preparation. [Order DE 76-12, § 173-800-070, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-080 Summary of information which may be required of a private applicant. [Order DE 76-12, § 173-800-080, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-070.
- 173-800-090 No presumption of significance for nonexempt actions. [Order DE 76-12, § 173-800-090, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-100 Categorical exemptions. [Order DE 76-12, § 173-800-100, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-105 Exemptions applicable to other agencies. [Order DE 76-12, § 173-800-105, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-110 Exemptions and nonexemptions specifically applicable to the department. [Order DE 76-12, § 173-800-110, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-120 Exemption for emergency actions. [Order DE 76-12, § 173-100-120 (codified as WAC 173-800-120), filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-140 Sensitive areas. [Order DE 76-12, § 173-800-140, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-080.
- 173-800-145 Use and effect of categorical exemptions. [Order DE 76-12, § 173-800-145, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-150 Lead agency—Responsibilities. [Order DE 76-12, § 173-800-150, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-160 Determination of lead agency—Procedures. [Order DE 76-12, § 173-800-160, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-170 Lead agency designation—Governmental proposals. [Order DE 76-12, § 173-800-170, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-180 Lead agency designation—Proposals involving both private and public construction activity. [Order DE 76-12, § 173-800-180, filed 5/14/76.] Repealed by 78-04-090

- (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-190 Lead agency designation—Private projects for which there is only one agency with jurisdiction. [Order DE 76-12, § 173-800-190, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-200 Lead agency designation—Private projects requiring licenses from more than one agency, when one of the agencies is a county/city. [Order DE 76-12, § 173-800-200, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-210 Lead agency designation—Private projects requiring licenses from more than one state agency. [Order DE 76-12, § 173-800-210, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-220 Lead agency designation—Specific proposals. [Order DE 76-12, § 173-800-220, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-230 Local agency transfer of lead agency status to a state agency. [Order DE 76-12, § 173-800-230, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-240 Agreements as to lead agency status. [Order DE 76-12, § 173-800-240, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-250 Agreements between agencies as to division of lead agency duties. [Order DE 76-12, § 173-800-250, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-260 Dispute as to lead agency determination—Resolution by CEP. [Order DE 76-12, § 173-800-260, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-270 Assumption of lead agency status by another agency with jurisdiction. [Order DE 76-12, § 173-800-270, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-280 Individuals making SEPA-related determinations. [Order DE 76-12, § 173-800-280, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-090.
- 173-800-300 Environmental checklist. [Order DE 76-12, § 173-800-300, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-310 Environmental checklist procedures. [Order DE 76-12, § 173-800-310, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-320 Threshold determination procedures—Initial review of environmental checklist. [Order DE 76-12, § 173-800-320, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-330 Threshold determination procedures—Information in addition to checklist. [Order DE 76-12, § 173-800-330, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-340 Threshold determination procedures—Negative declarations. [Order DE 76-12, § 173-800-340, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-345 Assumption of lead agency status by another agency with jurisdiction over a proposal—Prerequisites, effect and form of notice. [Order DE 76-12, § 173-800-345, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-350 Affirmative threshold determination. [Order DE 76-12, § 173-800-350, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-355 Form of declaration of significance/nonsignificance. [Order DE 76-12, § 173-800-355, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-360 Threshold determination criteria—Application of environmental checklist. [Order DE 76-12, § 173-800-360, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-370 Withdrawal of affirmative threshold determination. [Order DE 76-12, § 173-800-370, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-375 Withdrawal of negative threshold determination. [Order DE 76-12, § 173-800-375, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-380 Threshold determination appeal procedures. [Order DE 76-12, § 173-800-380, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-100.
- 173-800-390 Statute of limitation. [Order DE 76-12, § 173-800-390, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-110.
- 173-800-400 Duty to begin preparation of a draft EIS. [Order DE 76-12, § 173-800-400, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-405 Purpose and function of a draft EIS. [Order DE 76-12, § 173-800-405, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-410 Predraft consultation procedures. [Order DE 76-12, § 173-800-410, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-420 Preparation of EIS by persons outside the lead agency. [Order DE 76-12, § 173-800-420, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-425 Organization and style of a draft EIS. [Order DE 76-12, § 173-800-425, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-440 Contents of a draft EIS. [Order DE 76-12, § 173-800-440, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-442 Special considerations regarding contents of an EIS on a nonproject action. [Order DE 76-12, § 173-800-442, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-444 List of elements of the environment. [Order DE 76-12, § 173-800-444, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-450 Public awareness of availability of draft EIS. [Order DE 76-12, § 173-800-450, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-460 Specific agencies to which draft EIS shall be sent. [Order DE 76-12, § 173-800-460, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-465 Agencies possessing environmental expertise. [Order DE 76-12, § 173-800-465, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-470 Cost to the public for reproduction of environmental documents. [Order DE 76-12, § 173-800-470, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-480 Public hearing on a proposal—When required. [Order DE 76-12, § 173-800-480, filed 5/14/76.] Repealed by 78-04-

- 090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-485 Public hearing on environmental impact of the proposal. [Order DE 76-12, § 173-800-485, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-490 Public hearing on the proposal—Use of environmental documents. [Order DE 76-12, § 173-800-490, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-495 Preparation of amended or new draft EIS. [Order DE 76-12, § 173-800-495, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-500 Responsibilities of consulted agencies—Local agencies. [Order DE 76-12, § 173-800-500, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-510 Responsibilities of consulted agencies—State agencies with jurisdiction. [Order DE 76-12, § 173-800-510, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-520 Responsibilities of consulted agencies—State agencies with environmental expertise. [Order DE 76-12, § 173-800-520, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-530 Responsibilities of consulted agencies—When predraft consultation has occurred. [Order DE 76-12, § 173-800-530, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-535 Cost of performance of consulted agency responsibilities. [Order DE 76-12, § 173-800-535, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-540 Limitations on responses to consultation. [Order DE 76-12, § 173-800-540, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-545 Effect of no written comment. [Order DE 76-12, § 173-800-545, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-550 Consulted agency coordination. [Order DE 76-12, § 173-800-550, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-570 Preparation of the final EIS—Contents—When no critical comments received on the draft EIS. [Order DE 76-12, § 173-800-570, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-580 Preparation of the final EIS—Contents—When critical comments received on the draft EIS. [Order DE 76-12, § 173-800-580, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-600 Circulation of the final EIS. [Order DE 76-12, § 173-800-600, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-650 Effect of an adequate final EIS prepared pursuant to NEPA. [Order DE 76-12, § 173-800-650, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-652 Supplementation by a lead agency of an inadequate final NEPA EIS. [Order DE 76-12, § 173-800-652, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-660 Use of previously prepared EIS for a different proposed action. [Order DE 76-12, § 173-800-660, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-690 Use of lead agency's EIS by other acting agencies for the same proposal. [Order DE 76-12, § 173-800-690, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-695 Draft and final supplements to a revised EIS. [Order DE 76-12, § 173-800-695, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-710 EIS combined with existing planning and review processes. [Order DE 76-12, § 173-800-710, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-810 Responsibility of agencies—Amendments to this chapter. [Order DE 76-12, § 173-800-810, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-830 Responsibility of agencies—SEPA public information center. [Order DE 76-12, § 173-800-830, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-840 Application of these guidelines to on-going actions. [Order DE 76-12, § 173-800-840, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120.
- 173-800-910 Severability. [Order DE 76-12, § 173-800-910, filed 5/14/76.] Repealed by 78-04-090 (Order DE 78-5), filed 4/4/78. Statutory Authority: RCW 43.21C.120. Later promulgation, see WAC 173-801-130.

Chapter 173-801

DEPARTMENT OF ECOLOGY "SEPA" GUIDELINES

- 173-801-010 Authority. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-010, filed 4/4/78. Formerly WAC 173-800-010.] Repealed by 84-13-037 (Order DE 84-21), filed 6/15/84. Statutory Authority: RCW 43.21C.120 and 43.21C.135. Later promulgation, see chapter 173-802 WAC.
- 173-801-020 Adoption by reference. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-020, filed 4/4/78.] Repealed by 84-13-037 (Order DE 84-21), filed 6/15/84. Statutory Authority: RCW 43.21C.120 and 43.21C.135.
- 173-801-030 Purpose. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-030, filed 4/4/78. Formerly WAC 173-800-020.] Repealed by 84-13-037 (Order DE 84-21), filed 6/15/84. Statutory Authority: RCW 43.21C.120 and 43.21C.135.
- 173-801-040 Effect of SEPA. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-040, filed 4/4/78. Formerly WAC 173-800-030.] Repealed by 84-13-037 (Order DE 84-21), filed 6/15/84. Statutory Authority: RCW 43.21C.120 and 43.21C.135.
- 173-801-045 Integration of SEPA procedures with other departmental operations. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-045, filed 4/4/78. Formerly WAC 173-800-035.] Repealed by 84-13-037 (Order DE 84-21), filed 6/15/84. Statutory Authority: RCW 43.21C.120 and 43.21C.135.
- 173-801-050 Designation of responsible official. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-050, filed 4/4/78. Formerly WAC 173-800-050.] Repealed by 84-13-037 (Order DE 84-21), filed 6/15/84. Statutory Authority: RCW 43.21C.120 and 43.21C.135.
- 173-801-060 Timing. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-060, filed 4/4/78. Formerly WAC 173-800-060.] Repealed by 84-13-037 (Order DE 84-21), filed 6/15/84. Statutory Authority: RCW 43.21C.120 and 43.21C.135.
- 173-801-070 Summary of information which may be required of a private applicant. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-070, filed 4/4/78. Formerly WAC 173-800-080.] Repealed by 84-13-037 (Order DE 84-21), filed 6/15/84. Statutory Authority: RCW 43.21C.120 and 43.21C.135.
- 173-801-080 Sensitive areas. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-080, filed 4/4/78. Formerly WAC 173-800-140.] Repealed by 84-13-037

- (Order DE 84-21), filed 6/15/84. Statutory Authority: RCW 43.21C.120 and 43.21C.135.
- 173-801-090 Individuals making SEPA-related determinations. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-090, filed 4/4/78. Formerly WAC 173-800-280.] Repealed by 84-13-037 (Order DE 84-21), filed 6/15/84. Statutory Authority: RCW 43.21C.120 and 43.21C.135.
- 173-801-100 Threshold determination appeal procedures. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-100, filed 4/4/78. Formerly 173-800-380.] Repealed by 84-13-037 (Order DE 84-21), filed 6/15/84. Statutory Authority: RCW 43.21C.120 and 43.21C.135.
- 173-801-110 Statute of limitation. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-110, filed 4/4/78. Formerly WAC 173-800-390.] Repealed by 84-13-037 (Order DE 84-21), filed 6/15/84. Statutory Authority: RCW 43.21C.120 and 43.21C.135.
- 173-801-120 Coordination on combined DOE-federal action. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-120, filed 4/4/78.] Repealed by 84-13-037 (Order DE 84-21), filed 6/15/84. Statutory Authority: RCW 43.21C.120 and 43.21C.135.
- 173-801-130 Severability. [Statutory Authority: RCW 43.21C.120. 78-04-090 (Order DE 78-5), § 173-801-130, filed 4/4/78. Formerly WAC 173-800-910.] Repealed by 84-13-037 (Order DE 84-21), filed 6/15/84. Statutory Authority: RCW 43.21C.120 and 43.21C.135.

Chapter 173-805

MODEL ORDINANCE FOR USE IN INTEGRATION OF SEPA GUIDELINES

- 173-805-010 Policies and authority. [Order DE 76-13, § 173-805-010, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-010.
- 173-805-020 Adoption by reference. [Statutory Authority: RCW 43.21C.130. 78-04-091 (Order DE 78-6), § 173-805-020, filed 4/4/78; Order DE 76-13, § 173-805-020, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-020, 173-806-065, 173-806-110, 173-806-128, 173-806-150, 173-806-155, 173-806-175, 173-806-180, 173-806-185 and 173-806-230.
- 173-805-030 Additional definitions. [Statutory Authority: RCW 43.21C.130. 78-04-091 (Order DE 78-6), § 173-805-030, filed 4/4/78; Order DE 76-13, § 173-805-030, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-030.
- 173-805-040 Time limits applicable to the SEPA process. [Order DE 76-13, § 173-805-040, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-055.
- 173-805-050 Environmentally sensitive areas. [Order DE 76-13, § 173-805-050, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-190.
- 173-805-060 Use of exemptions. [Order DE 76-13, § 173-805-060, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-080.
- 173-805-070 Lead agency determination and responsibilities. [Statutory Authority: RCW 43.21C.130. 78-04-091 (Order DE 78-6), § 173-805-070, filed 4/4/78; Order DE 76-13, § 173-805-070, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-050.
- 173-805-080 Transfer of lead agency status to a state agency. [Order DE 76-13, § 173-805-080, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-053.
- 173-805-090 Environmental checklist. [Order DE 76-13, § 173-805-090, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-

- 25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-090.
- 173-805-100 Preparation of EIS. [Order DE 76-13, § 173-805-100, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-120.
- 173-805-105 Additional elements to be covered in an EIS. [Order DE 76-13, § 173-805-105, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-125.
- 173-805-110 Designation of official to perform consulted agency responsibilities for the city/county. [Order DE 76-13, § 173-805-110, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-140.
- 173-805-115 Designation of responsible official. [Order DE 76-13, § 173-805-115, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-040.
- 173-805-120 (Optional) SEPA public information center. [Statutory Authority: RCW 43.21C.130. 78-04-091 (Order DE 78-6), § 173-805-120, filed 4/4/78; Order DE 76-13, § 173-805-120, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130.
- 173-805-121 Responsibility of agencies—SEPA public information. [Statutory Authority: RCW 43.21C.130. 78-04-091 (Order DE 78-6), § 173-805-121, filed 4/4/78.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130.
- 173-805-125 Regional SEPA public information center. [Order DE 76-13, § 173-805-125, filed 6/8/76.] Repealed by 78-04-091 (Order DE 78-6), filed 4/4/78. Statutory Authority: RCW 43.21C.130.
- 173-805-130 Fees. [Statutory Authority: RCW 43.21C.130. 78-04-091 (Order DE 78-6), § 173-805-130, filed 4/4/78; Order DE 76-13, § 173-805-130, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-200.
- 173-805-135 Notice/statute of limitations. [Order DE 76-13, § 173-805-135, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-173.
- 173-805-140 Severability. [Order DE 76-13, § 173-805-140, filed 6/8/76.] Repealed by 84-13-036 (Order DE 84-25), filed 6/15/84. Statutory Authority: RCW 43.21C.130. Later promulgation, see WAC 173-806-220.

Chapter 173-03 WAC PUBLIC RECORDS

WAC

- 173-03-010 Purpose.
- 173-03-020 Definitions.
- 173-03-030 Description of organization.
- 173-03-040 Public records available.
- 173-03-050 Records index.
- 173-03-060 Requests for public records.
- 173-03-070 Fees.
- 173-03-080 Statement of reason for denial of public records request.
- 173-03-090 Reviews of denial of public records request.
- 173-03-100 Protection of public records.

WAC 173-03-010 Purpose. The purpose of this chapter is to implement the requirements of RCW 42.17.250 - 42.17.340 relating to public records.

[Statutory Authority: RCW 43.17.060 and 42.17.260. 90-21-119 (Order 90-37), § 173-03-010, filed 10/23/90, effective 11/23/90. Statutory

Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-010, filed 1/17/78.]

WAC 173-03-020 Definitions. (1) The terms "person," "public record," and "writing" shall have the meanings as stated in RCW 42.17.020.

(2) "Department" means the department of ecology.

(3) "Director" means the director of the department.

(4) "Public records officer" means the employee designated as such by the department.

(5) "Designee" means the employee of the department designated by the director or the public records officer to serve as the public records coordinator at the headquarters offices or at each of the satellite and regional offices in the absence of the officer.

[Statutory Authority: RCW 43.17.060 and 42.17.260. 90-21-119 (Order 90-37), § 173-03-020, filed 10/23/90, effective 11/23/90. Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-020, filed 1/17/78.]

WAC 173-03-030 Description of organization. (1) **Headquarters office.**

(a) Through September 1993, the headquarters office will continue to be located in Abbott Raphael Hall on the campus of St. Martin's College, Lacey, Washington. After September 1993, the headquarters office will be located at 300 Desmond Drive East, Lacey, Washington. The mailing address for the headquarters office and all satellite program offices, except for the environmental investigations and lab services program is:

Department of Ecology
P.O. Box 47600
Olympia, Washington 98504-7600

(b) The offices of the director, deputy director, and assistant directors all are located in the headquarters office.

(c) The titles and responsibilities of the seven assistant directors are as follows:

(i) Assistant director for the office of water and shorelands — water quality, water resources, shorelands and coastal zone management, and water quality financial assistance programs.

(ii) Assistant director for the office of central programs and enforcement — central programs, air program, and environmental investigations and lab services program.

(iii) Assistant director for the office of waste management — solid and hazardous waste program, toxics cleanup program, nuclear and mixed waste program, and waste reduction, recycling and litter control program.

(iv) Assistant director for the office of quality control, information management and comprehensive planning.

(v) Assistant director for the office of legislative and intergovernmental affairs.

(vi) Assistant director for the office of financial, personnel, and support services.

(vii) Assistant director for the office of public information and education.

(2) After September 1993, the satellite program offices will be located in the headquarters office. Until September 1993, the satellite program offices are located as follows:

(a) Air program:
College Street Building
4550 3rd Avenue S.E.
Lacey, Washington

(b) Budget, accounting, and support services program:
Sawyer Hall
St. Martin's College Campus
Lacey, Washington

(c) Central programs:
Abbott Raphael Hall
St. Martin's College Campus
Lacey, Washington
2404 Chandler Ct., Suite 260 S.W.
Olympia, Washington
(Industrial Section)
Tanglewilde Building
7240 Martin Way
Olympia, Washington
(Sediments/Environmental Review Section)

(d) Environmental investigations and lab services program:
Airdustrial Building 8
7171 Cleanwater Lane #8
Tumwater, Washington

Mailing address:
P.O. Box 47710
Olympia, WA 98504-7710

(e) Toxics Cleanup Program
Woodland Square
4415 Woodview Drive S.E.
Lacey, Washington

(f) Nuclear and mixed waste program:
99 South Sound Center
Lacey, Washington
7601 W. Clearwater, Suite 102
Kennewick, WA 99336
(Kennewick Hanford Project)

(g) Shorelands and coastal zone management program:
Baran Hall
St. Martin's College Campus
Lacey, Washington

(h) Solid and hazardous waste program:
Rowesix Building 4
4224 6th Avenue S.E.
Lacey, Washington

(i) Waste reduction, recycling, and litter control program:
Eikenberry Building
4407 Woodview Drive S.E.
Lacey, Washington

(j) Water quality financial assistance program:
Moduline Building
4500 3rd Avenue
Lacey, Washington

(k) Water quality program:
Prudential Building
715 Woodview Drive S.E.
Lacey, Washington

(l) Water resources program:
Baran Hall
St. Martin's College Campus
Lacey, Washington

(3) Regional offices and their geographical jurisdictions are as follows:

(a) Northwest regional office (Whatcom, Skagit, Snohomish, San Juan, Island, King, and Kitsap counties):

3190 - 160th Avenue S.E.
Bellevue, WA 98008-5452

(b) Southwest regional office (Pierce, Thurston, Mason, Clallam, Jefferson, Grays Harbor, Pacific, Lewis, Cowlitz, Wahkiakum, Clark, and Skamania counties):

7272 Cleanwater Lane
Tumwater, Washington
Mailing address:
P.O. Box 47775
Olympia, Washington 98504-7775

(c) Central regional office (Okanogan, Chelan, Douglas, Kittitas, Yakima, Benton, and Klickitat counties):

106 South 6th Avenue
Yakima, WA 98902-3387

3601 W. Washington
Yakima, Washington 98903-1164
(Water Resources Program)

(d) Eastern regional office (Ferry, Stevens, Pend Oreille, Grant, Lincoln, Spokane, Adams, Whitman, Franklin, Walla [Walla], Columbia, Garfield, and Asotin counties):

N. 4601 Monroe, Suite 100
Spokane, Washington 99205-1295

[Statutory Authority: RCW 42.17.250 - 42.17.340 and 1992 c 139, 92-20-116 (Order 92-37), § 173-03-030, filed 10/7/92, effective 11/7/92. Statutory Authority: RCW 43.17.060 and 42.17.260, 90-21-119 (Order 90-37), § 173-03-030, filed 10/23/90, effective 11/23/90. Statutory Authority: RCW 42.17.250 - 42.17.340, 78-02-041 (Order DE 77-35), § 173-03-030, filed 1/17/78.]

WAC 173-03-040 Public records available. (1) All public records of the department are available for public inspection and copying pursuant to these rules subject to subsections (2), (3), (4), and (5) of this section.

(2) Availability of public records is subject to the exemptions and prohibitions against disclosure contained in RCW 42.17.310, 42.17.130, 42.17.255, 42.17.260, and 90.52.020. In addition, individuals may seek, and ecology may grant, confidentiality of documents from disclosure under RCW 43.21A.160 and 70.105.170.

(3) When a public record includes information the disclosure of which would lead to an unreasonable invasion of personal privacy, and the department becomes aware of this fact, the department shall delete such information before making the record available.

(4) Public records requested may not be readily available for immediate inspection. If the requested records are not readily available, the department shall notify the requester when and where such records will be available.

(5) Public records of the department are kept by the department or state archives until scheduled for destruction by the records retention schedule pursuant to chapter 40.14 RCW. Public records which are subject to a request for disclosure when scheduled for destruction shall be retained by the department and shall not be erased or destroyed until the request is resolved.

[Statutory Authority: RCW 42.17.250 - 42.17.340 and 1992 c 139, 92-20-116 (Order 92-37), § 173-03-040, filed 10/7/92, effective 11/7/92. Statutory Authority: RCW 42.17.250 - 42.17.340, 78-02-041 (Order DE 77-35), § 173-03-040, filed 1/17/78.]

WAC 173-03-050 Records index. The records retention schedule established by the division of state archives of the office of the secretary of state serves as an index for the identification and location of the following records:

(1) All records issued before July 1, 1990, for which the department has maintained an index;

(2) Final orders entered after June 30, 1990, that are issued in adjudicative proceedings as defined in RCW 34.05.010(1) and that contain an analysis or decision of substantial importance to the department in carrying out its duties;

(3) Declaratory orders entered after June 30, 1990, that are issued pursuant to RCW 34.05.240 and that contain an analysis or decision of substantial importance to the department in carrying out its duties; and

(4) Interpretive statements as defined in RCW 34.05.010(8) that were entered after June 30, 1990.

The records retention schedule indexes records according to the originating program or section, and then the record series title. Each title is further identified by a statement of function or purpose, and the retention period. The records retention schedule is available to the public for inspection and copying. With the assistance of the public records officer or designee, any person can obtain access to public records of the department using the records retention schedule.

A separate index of policy statements as defined in RCW 34.05.010(4) entered after June 30, 1990, shall be maintained by the department's policy manual coordinator or designees.

[Statutory Authority: RCW 43.17.060 and 42.17.260, 90-21-119 (Order 90-37), § 173-03-050, filed 10/23/90, effective 11/23/90. Statutory Authority: RCW 42.17.250 - 42.17.340, 78-02-041 (Order DE 77-35), § 173-03-050, filed 1/17/78.]

WAC 173-03-060 Requests for public records. (1) All requests for inspection or copying made in person at a department office shall be made on a form substantially as follows:

REQUEST FOR PUBLIC RECORDS

Date of Request Time of Request

Name

Address

.....

Description of Records:

.....

.....

.....

I understand that if a list of individuals is provided me by the Department of Ecology, it will neither be used to promote the election of an official or promote or oppose a ballot proposition as prohibited by RCW 42.17.130 nor for commercial purposes or give or provide access to material to others for commercial purposes as prohibited by RCW 42.17.260(6).

I understand that I will be charged the amount necessary to reimburse the department's cost for copying.

.....
Signature

Number of pages to be copied

Number of copies per page

Charge per copy \$

Special copy work charge \$

Staff time charge \$

Total charge \$

(2) All requests made in person may be made at a department office between the hours of 8:00 a.m. to 12:00 noon and 1:00 p.m. to 4:30 p.m., Monday through Friday, excluding legal holidays.

(3) A request for inspection or copying of public records may be made by mail in a letter containing the following information:

(a) The name and address of the person making the request and the organization the person represents;

(b) The time of day and calendar date on which the person wishes to inspect the public records;

(c) A description of the public records requested;

(d) A statement whether access to copying equipment is desired;

(e) A phone number where the person can be reached in case the public records officer or designate needs to contact the person for further description of the material or any other reason.

(f) A statement that the record will not be used for commercial purposes.

(4) All requests by mail must be received by the department at least five business days before the requested date of inspection to allow the public records officer or designee to make certain the requested records are available and not exempt and, if necessary, to contact the person requesting inspection. All requests will be handled in a timely manner. However, large requests or requests for public records

maintained off-site may require more than five business days. Within five business days of receiving a public record request, the department will respond by either:

(a) Providing the record;

(b) Acknowledging that the department has received the request and providing a reasonable estimate of the time the department will require to respond to the request; or

(c) Denying the public record request.

Additional time required to respond to a request may be based upon the need to clarify the intent of the request, to locate and assemble the information requested, to notify third persons or agencies affected by the request, or to determine whether any of the information requested is exempt and that a denial should be made as to all or part of the request. In acknowledging receipt of a public record request that is unclear, the department may ask the requestor to clarify what information the requestor is seeking. If the requestor fails to clarify the request, the agency need not respond to it.

(5) The department may in its discretion fill requests made by telephone or facsimile copy (fax).

[Statutory Authority: RCW 42.17.250 - 42.17.340 and 1992 c 139. 92-20-116 (Order 92-37), § 173-03-060, filed 10/7/92, effective 11/7/92. Statutory Authority: RCW 43.17.060 and 42.17.260. 90-21-119 (Order 90-37), § 173-03-060, filed 10/23/90, effective 11/23/90. Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-060, filed 1/17/78.]

WAC 173-03-070 Fees. No fee shall be charged for the inspection of public records. The department will charge an amount necessary to reimburse its costs for providing copies of records. This amount shall be determined from time to time by the department, and shall represent the costs of providing copies of public records and for use of the department's copy equipment, including staff time spent copying records, preparing records for copying, and restoring files. This charge is the amount necessary to reimburse the department for its actual costs incident to such copying and shall be payable at the time copies are furnished. The charge for special copy work of nonstandard public records shall reflect the total cost, including the staff time necessary to safeguard the integrity of these records.

[Statutory Authority: RCW 42.17.250 - 42.17.340 and 1992 c 139. 92-20-116 (Order 92-37), § 173-03-070, filed 10/7/92, effective 11/7/92. Statutory Authority: RCW 43.17.060 and 42.17.260. 90-21-119 (Order 90-37), § 173-03-070, filed 10/23/90, effective 11/23/90. Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-070, filed 1/17/78.]

WAC 173-03-080 Statement of reason for denial of public records request. When the department refuses, in whole or part, a written request for inspection of any public record, it shall include a statement of the specific exemption authorizing the refusal and a brief explanation of how the exemption applies to the record withheld.

[Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-080, filed 1/17/78.]

WAC 173-03-090 Reviews of denial of public records request. (1) Any person who objects to the refusal of a written request for a public record may petition for prompt review of such decision by tendering a written request for review. The written request shall specifically

refer to the written statement by the public records officer or designee which constituted or accompanied the refusal.

(2) Immediately after receiving a written request for review of a decision denying a public record, the public records officer or other staff member denying the request shall refer it to the director or his delegate. The director or his delegate shall immediately consider the matter and either affirm or reverse such refusal. The final decision shall be sent to the objecting person within two business days following receipt of the petition for review.

[Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-090, filed 1/17/78.]

WAC 173-03-100 Protection of public records. In order to adequately protect the public records of the department, the following guidelines shall be adhered to by any person inspecting such public records:

(1) No public records shall be removed from the department's premises.

(2) Inspection of any public record shall be conducted in the presence of a designated department employee.

(3) No public records may be marked or defaced in any manner during inspection.

(4) Public records which are maintained in a file or jacket, or in chronological or other filing order, or those records, the loss or destruction of which would constitute excessive interference with the department's essential functions, may not be dismantled except for purposes of copying and then only by the public records officer or designee.

(5) Access to file cabinets, shelves, vaults, or other storage areas is restricted to department personnel, unless other arrangements are made with the public records officer or designee.

[Statutory Authority: RCW 42.17.250 - 42.17.340 and 1992 c 139. 92-20-116 (Order 92-37), § 173-03-100, filed 10/7/92, effective 11/7/92. Statutory Authority: RCW 43.17.060 and 42.17.260. 90-21-119 (Order 90-37), § 173-03-100, filed 10/23/90, effective 11/23/90. Statutory Authority: RCW 42.17.250 - 42.17.340. 78-02-041 (Order DE 77-35), § 173-03-100, filed 1/17/78.]

Chapter 173-04 WAC PRACTICE AND PROCEDURE

WAC

173-04-010 Hearings boards.
173-04-020 Uniform procedural rules.

WAC 173-04-010 Hearings boards. Appeals from decisions and orders of the department of ecology are under the jurisdiction of the pollution control hearings board. Practice and procedure before the pollution control hearings board is governed by the provisions of chapter 371-08 WAC. Declaratory proceedings under the Shoreline Management Act of 1971 (section 18(4), chapter 286, Laws of 1971 ex. sess.) are under the jurisdiction of the shorelines hearings board.

[Order DE 71-14, § 173-04-010, filed 9/3/71.]

WAC 173-04-020 Uniform procedural rules. In those contested cases, declaratory proceedings, and requests

(1997 Ed.)

for rule making in which the department of ecology has authority to conduct hearings, practice and procedure shall be in accordance with those uniform rules promulgated by the code reviser and codified as chapter 1-08 WAC as now written or as hereafter amended.

[Order DE 71-14, § 173-04-020, filed 9/3/71.]

Chapter 173-06 WAC DELEGATION OF POWERS

WAC

173-06-050 Regulations.
173-06-100 Introduction.
173-06-110 Definitions.
173-06-120 Delegation.
173-06-130 Director's powers.

DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

173-06-010 Introduction. [Order DE 71-13, § 173-06-010, filed 9/8/71.] Repealed by 95-07-058 (Order 94-45), filed 3/9/95, effective 4/9/95. Statutory Authority: RCW 43.21A.090.

173-06-020 Definitions. [Order DE 71-13, § 173-06-020, filed 9/8/71.] Repealed by 95-07-058 (Order 94-45), filed 3/9/95, effective 4/9/95. Statutory Authority: RCW 43.21A.090.

173-06-030 Delegation. [Statutory Authority: Chapter 43.21A RCW. 89-11-021 and 90-07-014 (Order 89-6 and 89-6A), § 173-06-030, filed 5/11/89 and 3/13/90, effective 4/13/90. Statutory Authority: RCW 43.21A.090. 85-24-019 (Order 85-25), § 173-06-030, filed 11/26/85; Order DE 75-7, § 173-06-030, filed 5/16/75; Order DE 71-13, § 173-06-030, filed 9/8/71.] Repealed by 95-07-058 (Order 94-45), filed 3/9/95, effective 4/9/95. Statutory Authority: RCW 43.21A.090.

173-06-040 Director's powers. [Order DE 71-13, § 173-06-040, filed 9/8/71.] Repealed by 95-07-058 (Order 94-45), filed 3/9/95, effective 4/9/95. Statutory Authority: RCW 43.21A.090.

173-06-060 NPDES delegation. [Statutory Authority: RCW 43.21A.090. 79-08-034 (Order DE 79-10), § 173-06-060, filed 7/16/79; Order DE 77-12, § 173-06-060, filed 8/2/77.] Repealed by 80-17-044 (Order DE 80-47), filed 11/19/80. Statutory Authority: RCW 43.21A.090.

173-06-065 NPDES delegation. [Statutory Authority: RCW 43.21A.090. 81-24-033 (Order DE 81-41), § 173-06-065, filed 11/25/81; 81-09-056 (Order DE 81-7), § 173-06-065, filed 4/17/81.] Repealed by 84-20-042 (Order DE 84-39), filed 9/27/84. Statutory Authority: RCW 43.21A.060, 43.21A.080 and 43.21A.090.

WAC 173-06-050 Regulations. Nothing in this chapter shall be construed as a delegation of authority to adopt, amend or repeal any rule or regulation. The power to adopt, amend or repeal rules or regulations rests with the director, or in his absence, the deputy director.

[Order DE 71-13, § 173-06-050, filed 9/8/71.]

WAC 173-06-100 Introduction. Under the provisions of RCW 43.21A.090, the director of ecology may delegate the performance of his or her powers, duties, and functions, other than those relating to the adoption, amendment or rescission of rules and regulations, to employees of the department whenever that appears desirable to fulfill the purposes of the laws implemented by the department.

[Statutory Authority: RCW 43.21A.090. 95-07-058 (Order 94-45), § 173-06-100, filed 3/9/95, effective 4/9/95.]

WAC 173-06-110 Definitions. As used in this chapter:

- (1) "Department" shall mean the department of ecology;
- (2) "Director" shall mean the person bearing such title created pursuant to RCW 43.21A.050. "Deputy director" shall mean the person bearing such title created pursuant to RCW 43.21A.100.

[Statutory Authority: RCW 43.21A.090. 95-07-058 (Order 94-45), § 173-06-110, filed 3/9/95, effective 4/9/95.]

WAC 173-06-120 Delegation. (1) The authority delegated hereby includes the authority to:

(a) Act on behalf of the department in the administration of programs and all other duties assigned the department; and

(b) Approve or deny engineering reports, plans and specifications, or amendments thereto, required to be submitted to the department.

Delegated powers include, but are not limited to, the authority to issue orders, directives or decisions reviewable before appropriate administrative or judicial bodies. The delegation established by this rule shall be effective when the person to whom delegation is made has been issued a letter from the director authorizing him or her to act for the department with respect to the specifics set forth in such letter.

(2) Whenever an individual is delegated the authority to approve or deny engineering reports, plans and specifications, or amendments thereto, such approval or denial must be based on engineering services provided by a registered professional engineer in accordance with current state law.

(3) Any person who has been properly designated to serve in a temporary or acting capacity for an employee who has been delegated authority under this rule shall have the same delegated authority as the individual permanently holding the position.

(4) In the absence of a person who has been delegated authority by the director, managers senior to that person may perform the delegated functions in accordance with their letters of authorization.

(5) In addition to the delegation provided for in the preceding subsections, the director may, under special circumstances, delegate in writing specific signature authority to any department employee.

(6) The authority delegated in this rule is limited to the power to act for the department in carrying out functions within the power of the department, and shall not be construed to authorize acts which are contrary to law or beyond the authority of the department.

[Statutory Authority: RCW 43.21A.090. 95-07-058 (Order 94-45), § 173-06-120, filed 3/9/95, effective 4/9/95.]

WAC 173-06-130 Director's powers. The director may perform all powers, duties and functions within the authority of the department. The delegations authorized by this chapter shall not preclude the director from exercising any of the powers, duties and functions delegated. In the director's absence, the deputy director may act as director.

[Title 173 WAC—page 38]

[Statutory Authority: RCW 43.21A.090. 95-07-058 (Order 94-45), § 173-06-130, filed 3/9/95, effective 4/9/95.]

Chapter 173-09 WAC COORDINATED PERMIT PROCESS

WAC

173-09-010	Authority and purpose.
173-09-020	Definitions.
173-09-030	Designation of a coordinating permit agency.
173-09-040	Brief adjudicative proceedings—Expedited appeal of coordinated permit process timelines.

WAC 173-09-010 Authority and purpose. (1) This chapter is promulgated under the authority of chapter 90.60 RCW (Environmental permit assistance).

(2) The purpose of this chapter is to establish rules to implement the state coordinated permit process.

(3) The purpose of the coordinated permit process is to:

(a) Assist individuals, businesses, and public agencies in complying with environmental quality laws in an expedited fashion, without reducing protection of public health and safety and the environment;

(b) Promote effective dialogue and facilitate the transfer and clarification of technical information, while preventing duplication and minimizing potential conflict between applicable regulatory procedures;

(c) Ensure, where possible, that applicable permit requirements, criteria, and hearings and comment periods are identified, integrated, coordinated, and run concurrently, rather than consecutively;

(d) Promote active coordination of all applicable regulatory and land-use permitting procedures; and

(e) Provide consolidated, effective, and easier opportunities for members of the public to receive information and present their views about proposed projects.

(4) The coordinated permit process is optional for project proponents and intended to provide predictability, administrative consolidation, and, where possible, consolidation of appeal processes. The process is not intended to replace individual laws, nor diminish the substantive decision-making role of individual jurisdictions. The process is also not intended to limit nor abridge the authority of individual permit agencies to make all decisions on all nonprocedural matters regarding their respective component permits, including but not limited to, the determination of permit application completeness, permit approval or approval with conditions, or permit denial.

(5) This chapter implements the requirements of RCW 90.60.140 and establishes an expedited appeals process pursuant to the state Administrative Procedure Act and the provisions of RCW 34.05.425, 34.05.458, and 34.05.482 through 34.05.494 regarding brief adjudicative proceedings.

[Statutory Authority: RCW 90.60.140. 96-15-104, § 173-09-010, filed 7/22/96, effective 8/22/96. Statutory Authority: RCW 90.60.040. 95-24-040 (Order 95-13), § 173-09-010, filed 11/30/95, effective 12/31/95.]

WAC 173-09-020 Definitions. The following definitions shall apply throughout this chapter, unless the context clearly requires otherwise:

(1) "Applicant" means any person or entity, including an agency, applying for a permit from a permit agency. For the

purposes of this chapter, "applicant," "project applicant," and "project proponent" are synonymous terms.

(2) "Center" means the permit assistance center established in the department by RCW 90.60.030.

(3) "Coordinating permit agency" means the permit agency that is the lead agency for purposes of chapter 43.21C RCW (State Environmental Policy Act (SEPA)), or has the greatest overall jurisdiction over a project as determined under WAC 173-09-030 (coordinated permit process rule).

(4) "Department" means the department of ecology.

(5) "Lead agency" means the agency with the main responsibility for complying with SEPA's procedural requirements as set forth in WAC 197-11-758 (SEPA rules).

(6) "Participating permit agency" means a permit agency, other than the coordinating permit agency, that is responsible for the issuance of a permit for a project.

(7) "Permit" means any license, certificate, registration, permit, or other form of authorization required by a permit agency to engage in a particular activity.

(8) "Permit agency" means:

(a) The department of ecology, an air pollution control authority, the department of natural resources, the department of fish and wildlife, and the department of health; and

(b) Any other state or federal agency or county, city, or town that participates at the request of the permit applicant and upon the agency's agreement to be subject to this chapter.

(9) "Permit assistance center" or "center" means the center established in the department of ecology by RCW 90.60.030 (Permit assistance center—Duties).

(10) "Petitioner" means an applicant, person, or party filing an appeal pursuant to RCW 90.60.140.

(11) "Presiding officer" means the director of the department or any employee of the department designated in writing by the director as presiding officer.

(12) "Project" means a proposed activity, the conduct of which requires permits from one or more permit agencies.

(13) "Service" means posting in the United States mail, properly addressed, postage prepaid; telefacsimile transmission; or personal service. Service by mail is complete upon deposit in the United States mail. Service by telefacsimile transmission is effective only where copies are simultaneously mailed or sent by commercial service delivery company.

(14) "Time limits" mean project-specific permit decision dates set and agreed to by the applicant, the coordinating permit agency, each permit agency, and each participating permit agency, pursuant to RCW 90.60.070.

(15) "Timely action" means an action taken within the time limits, as defined by subsection (14) of this section.

[Statutory Authority: RCW 90.60.140, 96-15-104, § 173-09-020, filed 7/22/96, effective 8/22/96. Statutory Authority: RCW 90.60.040, 95-24-040 (Order 95-13), § 173-09-020, filed 11/30/95, effective 12/31/95.]

WAC 173-09-030 Designation of a coordinating permit agency. (1) Applicant information requirements. Upon request by an applicant, the permit assistance center shall designate a coordinating permit agency. The applicant shall provide the permit assistance center with the following:

(a) Description of the proposed project, including the location and legal description (i.e., parcel number, and section, township, and range);

(b) Preliminary list of the permits that the proposed project may require;

(c) Identity of the participating permit agencies;

(d) Identity of any public agency that has been or may be designated the lead agency for the proposed project pursuant to chapter 43.21C RCW (SEPA); and

(e) Any additional or more detailed information requested by the center necessary to make the designation. Such information may include, but is not limited to:

(i) Site plan for the proposed project showing where activities are proposed relative to known sensitive areas, habitats, and critical areas; and

(ii) Proposed timing of construction and operation of the project.

(2) Designation criteria and guidance.

(a) If a permit agency is the lead agency under the criteria in WAC 197-11-926 through 197-11-940 (SEPA rules), that permit agency shall be the coordinating permit agency.

(b) If a permit agency has assumed lead agency status under WAC 197-11-942 (SEPA rules), that permit agency shall be the coordinating permit agency.

(c) If two or more permit agencies have agreed to share lead agency status under WAC 197-11-944 (SEPA rules), one of the permit agencies shall, upon agreement with the other permit agency(ies) with whom lead agency status is shared, be the coordinating permit agency.

(d) If none of the permit agencies are lead agency for purposes of chapter 43.21C RCW (SEPA), then the coordinating permit agency shall be the permit agency with the greatest overall jurisdiction over the proposed project. In identifying the permit agency with the greatest overall jurisdiction the center shall consider the following factors:

(i) The types of facilities or activities that make up the proposed project;

(ii) The types of public health and safety and environmental concerns that should be considered in issuing permits for the proposed project;

(iii) The environmental media that may be affected by the proposed project, the extent of those potential effects, and the environmental protection measures that may be taken to prevent the occurrence of, or to mitigate, those potential effects;

(iv) The regulatory activity that is of greatest importance in preventing or mitigating the effects that the proposed project may have on public health and safety or the environment;

(v) The statutory and regulatory requirements that apply to the proposed project and the complexity of those requirements;

(vi) The extent to which a permit agency will assume a major coordination role due to other processes;

(vii) The extent to which the lead agency determination criteria identified in WAC 197-11-946(2) (SEPA rules) are applicable; and

(viii) The extent to which a permit agency has permit coordination expertise.

(e) In designating the coordinating permit agency, the permit assistance center may convene a scoping meeting of

the likely coordinating permit agency and participating permit agencies in order to designate the coordinating permit agency.

[Statutory Authority: RCW 90.60.040, 95-24-040 (Order 95-13), § 173-09-030, filed 11/30/95, effective 12/31/95.]

WAC 173-09-040 Brief adjudicative proceedings—Expedited appeal of coordinated permit process timelines.

(1) *When will the department use brief adjudicative proceedings?* The department herein adopts by rule the provisions of RCW 34.05.425, 34.05.458, and 34.05.482 through 34.05.494, except where otherwise prohibited by law, for the following: Failure by a permit agency to take timely action on the issuance or denial of a permit in accordance with the time limits established pursuant to RCW 90.60.070. The department will use brief adjudicative proceedings for this matter where:

(a) Their use will not violate any provision of law;

(b) Protection of the public interest does not require the department to give notice and an opportunity to participate to persons other than the parties;

(c) The matter is entirely within one or more categories for which the department has, by rule, adopted the provisions of RCW 34.05.425, 34.05.458, and 34.05.482 through 34.05.494; and

(d) The issue and interests involved in the controversy do not warrant use of the procedures of RCW 34.05.413 through 34.05.479.

(2) *Who will preside over brief adjudicative proceedings held by the department?* The director of the department, or any employee of the department designated in writing by the director, may serve as presiding officer over matters which the department has by rule adopted the provisions of RCW 34.05.425, 34.05.458, and 34.05.482 through 34.05.494.

(3) *How are brief adjudicative proceedings conducted at the department?*

(a) What may be appealed? The following may be appealed: Failure by a permit agency to take timely action on the issuance or denial of a permit in accordance with the time limits established pursuant to RCW 90.60.070.

(b) How is an appeal initiated? Requests for appeal shall:

(i) Be in writing;

(ii) Be plainly labeled "request for expedited appeal of coordinated permit process timelines";

(iii) Specify the factual basis for the appeal and the issue to be adjudicated in the proceeding;

(iv) Identify the subject project or site;

(v) Provide the name, mailing address, telephone number, and fax number (if available) of the petitioner and, if known, the applicant (if different from the petitioner);

(vi) Include a statement, followed by the petitioner's signature, that the petitioner has read the request for appeal and believes the contents to be true; and

(vii) Be simultaneously served upon the following parties:

(A) The Washington State Department of Ecology; Permit Assistance Center; PO Box 47600; Olympia, WA 98504-7600;

(B) The coordinating permit agency for the subject project;

(C) The permit agencies and participating permit agencies party to the coordinated permit process timeline agreement established for the subject project or site pursuant to RCW 90.60.070; and

(D) The applicant, if different from the petitioner, for the subject project.

(c) Who may initiate an appeal? A request for appeal may be initiated by a petitioner pursuant to RCW 90.60.140.

(d) When may an appeal be initiated? A request for appeal may be initiated between the period of time when a permit agency or participating permit agency fails to act on the issuance or denial of a permit, as set forth in a coordinated permit process timeline agreement established pursuant to RCW 90.60.070, and when that permit agency or participating permit agency does act.

(e) What happens after the department receives a request for appeal? After the department receives a request for appeal, the presiding officer:

(i) Shall, within seven days following the date of service of the petitioner's request for appeal, serve upon the petitioner and parties identified in (b)(vii) of this subsection a written statement that:

(A) Acknowledges receipt of the petitioner's request for appeal;

(B) Requests submittal of the petitioner's and parties' written views on the matter; and

(C) States that submittal of written views must be made to the presiding officer within fourteen days following the date of service of such request for written views;

(ii) May, within seven days following the date for submittal of written views, either:

(A) Request that the petitioner and the parties submit additional written information within ten days following the date of service of such request for additional written information; or

(B) Require the parties to present their views on the matter in person at a hearing to be held not more than twenty days following the date of service of such requirement for a hearing, unless the date for such a hearing is extended by mutual agreement of the parties; and

(iii) Shall, within ten days following the later of either the date for submittal of written views per (e)(i) of this subsection, or the date for submittal of additional written information per (e)(ii)(A) of this subsection, or the date for a hearing per (e)(ii)(B) of this subsection, serve upon the petitioner and the parties:

(A) A decision on the matter and a brief written statement explaining the reason for that decision; and

(B) A statement that the decision may be appealed to the pollution control hearings board pursuant to RCW 43.21B.110 (1)(f), 43.21B.230, and 43.21B.310(1).

(4) *What happens after a brief adjudicative proceeding decision?* The center shall adopt the findings of the presiding officer, and if necessary implement the provisions of RCW 90.60.140.

(5) *Is there an official record of the proceeding?* The department record of brief adjudicative proceedings shall, at a minimum, consist of:

(a) The petitioner's request for appeal;

(b) All documents and written material submitted by the petitioner and parties at the request of the presiding officer;

(c) Any recording or written transcript made pursuant to a hearing requested and held by the presiding officer;

(d) All other documentation considered by the presiding officer in deciding the case; and

(e) All decisions issued in the case.

(6) *Is there a right to appeal a brief adjudicative proceeding decision?* A decision of the presiding officer may be appealed to the pollution control hearings board within thirty days pursuant to RCW 43.21B.110 (1)(f), 43.21B.230, and 43.21B.310(1).

(7) *Do the state's model rules of procedure apply to brief adjudicative proceedings held by the department?* For purposes of this chapter, the model rules of procedure contained in chapter 10-08 WAC are adopted by reference except where they are not consistent with the rules of this chapter.

[Statutory Authority: RCW 90.60.140, 96-15-104, § 173-09-040, filed 7/22/96, effective 8/22/96.]

Chapter 173-15 WAC

PERMITS FOR OIL OR NATURAL GAS EXPLORATION ACTIVITIES CONDUCTED FROM STATE MARINE WATERS

WAC

173-15-010	Authority and purpose.
173-15-020	Definitions.
173-15-030	Exploration activity permit system.

DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

173-15-040	Penalties. [Statutory Authority: RCW 90.58.550, 90.58.560 and 1983 c 138. 84-01-028 (Order DE 83-35), § 173-15-040, filed 12/12/83.] Repealed by 87-16-101 (Order DE 87-09), filed 8/5/87. Statutory Authority: RCW 90.58.200.
------------	--

WAC 173-15-010 Authority and purpose. These rules are promulgated pursuant to RCW 90.58.550(6) for the purpose of establishing the basic requirements for the exploration activity permit system.

[Statutory Authority: RCW 90.58.550, 90.58.560 and 1983 c 138. 84-01-028 (Order DE 83-35), § 173-15-010, filed 12/12/83.]

WAC 173-15-020 Definitions. The following definitions shall apply:

(1) "Department" means the department of ecology.

(2) "Exploration activity" means reconnaissance or survey work related to gather information about geologic features and formations underlying or adjacent to marine waters. Such activities include sonic, ultrasonic, seismic, sparker, side-scan sonar, infrared, heat sensor, chemical analysis (sniffer), or other remote sensing techniques which do not disturb the surface of the aquatic lands, as well as drilling, core sampling, or other exploratory techniques which penetrate the beds underlying or adjacent to marine waters.

(3) "Marine waters" includes the waters of Puget Sound north to the Canadian border, the waters of the Strait of Juan de Fuca, the waters between the western boundary of the

state and the ordinary high water mark, and related bays and estuaries. RCW 90.58.550 (1)(b).

(4) "Normal public use of the marine waters of the state" means those activities generally enjoyed by members of the public including, but not limited to, recreation, fishing (commercial and sports), navigation and commerce.

(5) "Vessel" includes ships, boats, barges, or any other floating craft. RCW 90.58.550 (1)(c).

(6) "Director" means the director of the department of ecology.

(7) "Person" means any individual, public or private corporation, agency, or other entity whatsoever, except for state or federal agencies.

[Statutory Authority: RCW 90.58.550, 90.58.560 and 1983 c 138. 84-01-028 (Order DE 83-35), § 173-15-020, filed 12/12/83.]

WAC 173-15-030 Exploration activity permit system. The permit system established by RCW 90.58.550 shall be as follows:

(1) Applicability.

(a) A person desiring to perform oil or natural gas exploration activities by vessel located on or within marine waters of the state shall first obtain a permit from the department.

(b) An exploration activity permit obtained under (a) of this subsection shall be the sole permit required to be obtained for exploration activity under chapter 90.58 RCW.

(c) Except as provided in (b) of this subsection, nothing herein shall modify any powers of local governments set forth in chapter 90.58 RCW.

(2) Exploration activity permit application.

(a) Applications for an exploration activity permit shall be supplied by the department.

(b) Applications shall be filed with the Shorelands Division, Department of Ecology, Headquarters Office, Olympia, WA 98504.

(c) No application shall be processed until it is deemed complete by the department.

(d) Each application for an exploration activity permit shall be accompanied by a completed environmental checklist as provided in Title 197 WAC.

(3) Processing of complete application.

(a) A complete application will be forwarded to state natural resource management agencies and local governments and Indian tribes affected by the proposed exploration activity.

(b) Comments will be requested regarding the proposed exploration activity and its compatibility with the criteria established under RCW 90.58.550(2). Normally, reviewing agencies will be allowed fifteen days, from receipt of the application as provided by the department, in which to submit comments to the department.

(4) Public notice.

(a) Upon receipt of a completed application, the department shall instruct the applicant to publish notice thereof.

(b) Notices of the proposed exploration activity shall be published in the newspaper of the largest general circulation within each of the counties in which the activity is proposed.

(c) Any person wishing to express views on the proposed exploration activity will be given fifteen days to comment to the department.

(d) All notices of applications for exploration activity permits shall contain, as a minimum, the information called for in the following form:

Notice of Application for
Exploration Activity Permit

Notice is hereby given that (company name or institution) has filed an application for an exploration activity permit for oil and/or natural gas survey and reconnaissance work in (list major bodies of water) .

The exploration activity consists of (describe survey gear, vessel, and other equipment in sufficient detail to inform public of the nature of the operation) .

The exploration activity is proposed to commence on (date) and end (date) .

Any person desiring to express views or to be notified of the action taken on this application should notify the department of ecology in writing of his/her interest within fifteen days of the final date of publication of this notice which is (date) . Written comments should be mailed or delivered to the Washington Department of Ecology, Shorelands Division, Mail Stop PV-11, Olympia, WA 98504, (360) 459-6272. Comment period deadline is (date) .

(e) An affidavit that the notice has been properly published pursuant to this section shall be provided to the department by the applicant.

(5) Public hearing. A public hearing on the proposed exploration activity permit will be held by the department if it determines, upon consideration of such factors as location, timing, duration, method of operation, and public comments, that a hearing would assist it in implementing the intent of RCW 90.58.550(2).

(6) Department exploration activity permit decision.

(a) The department will approve an exploration activity permit application if it determines that the proposed activity meets the criteria set forth in RCW 90.58.550(2). Exploration activities may not:

(i) Interfere materially with the normal public uses of the marine waters of the state;

(ii) Interfere with activities authorized by a permit issued under RCW 90.58.140(2);

(iii) Injure the marine biota or other fish and wildlife, beds, or tidelands of the waters;

(iv) Violate water quality standards established by the department;

(v) Create a public nuisance; or

(vi) Conflict with a shoreline master program approved by the department under RCW 90.58.090 or 90.58.190.

(b) The department, as lead agency, will comply with the provisions of the State Environmental Policy Act as governed by the procedures established under chapter 43.21 RCW and its implementing rules.

(c) No application for an exploration activity permit shall be approved by the department under this section which relates to surface drilling for oil or gas in the waters of Puget Sound north to the Canadian boundary or the Strait of Juan de Fuca seaward of the ordinary high water mark. RCW 90.58.160.

(7) Exploration activity permit terms and conditions.

(a) The department shall place terms and conditions in the exploration activity permit as necessary to assure that the permitted activity meets the requirements of RCW 90.58.550(2).

(b) Such terms and conditions may include but are not limited to:

(i) Geographic limits on the area of operation;

(ii) Timing of the operation;

(iii) Limitations on hours of operation;

(iv) Placement of on-board observers;

(v) Use of lead boats;

(vi) Insurance or bond; and/or

(vii) Fishermen (or other users group) notification procedures.

(8) Modifications of exploration activity permits. When a permittee seeks to modify an exploration activity permit, detailed maps/charts and text describing the nature of the modification shall be submitted to the department. Modifications to the permit may be made by the department when the department determines that such changes are of a minor nature.

(9) Request for review. All requests for review of any final permit decision under RCW 90.58.550(2) and these rules are governed by the procedures established in chapter 43.21B RCW and its implementing rules.

[Statutory Authority: RCW 90.58.550, 90.58.560 and 1983 c 138. 84-01-028 (Order DE 83-35), § 173-15-030, filed 12/12/83.]

Chapter 173-16 WAC

SHORELINE MANAGEMENT ACT GUIDELINES FOR DEVELOPMENT OF MASTER PROGRAMS

WAC

173-16-010	Purpose.
173-16-020	Applicability.
173-16-030	Definitions.
173-16-040	The master program.
173-16-050	Natural systems.
173-16-060	The use activities.
173-16-064	Ocean management.
173-16-070	Variations and conditional uses.
173-16-200	Appendix.

WAC 173-16-010 Purpose. This regulation is adopted pursuant to chapter 90.58 RCW, in order to: (1) Serve as standards for implementation of the policy of chapter 90.58 RCW for regulations of uses of the shorelines; and (2) Provide criteria to local governments and the department of ecology in developing master programs.

[Order DE 72-12, § 173-16-010, filed 6/20/72 and 7/20/72.]

WAC 173-16-020 Applicability. The provisions of this chapter shall apply state-wide to all shorelines and shorelines of state-wide significance as defined in chapter 90.58 RCW and WAC 173-16-030.

[Order DE 72-12, § 173-16-020, filed 6/20/72 and 7/20/72.]

WAC 173-16-030 Definitions. As used herein, the following words and phrases shall have the following meanings:

(1) "Act" means Shoreline Management Act of 1971, chapter 90.58 RCW.

(2) "Department" means state of Washington, department of ecology.

(3) "Development" means a use, consisting of the construction or exterior alteration of structures; dredging; drilling; dumping; filling; removal of any sand, gravel or minerals; bulkheading; driving of piling; placing of obstructions; or any project of a permanent or temporary nature which interferes with the normal public use of the surface of the waters overlying lands subject to the act at any state of water level.

(4) "Director" means the director of the department of ecology.

(5) "Extreme low tide" means the lowest line on the land reached by a receding tide.

(6) "Guidelines" means those standards adopted to implement the policy of this chapter for regulation of use of the shorelines of the state prior to adoption of master programs. Such standards shall also provide criteria to local governments and the department in developing master programs.

(7) "Hearings board" means the shorelines hearings board established by the act.

(8) "Local government" means any county, incorporated city, or town which contains within its boundaries any lands or waters subject to the Shoreline Act of 1971.

(9) "Master program" means the comprehensive use plan for a described area, and the use regulations, together with maps, diagrams, charts or other descriptive material and text, a statement of desired goals and standards developed in accordance with the policies enunciated in section 2 of the act.

(10) "Ordinary high-water mark" means the mark on all lakes, streams, and tidal waters, which will be found by examining the beds and banks and ascertaining where the presence and action of waters are so common and usual, and so long continued in all ordinary years, as to mark upon the soil a character distinct from that of the abutting upland, in respect to vegetation, as that condition exists on June 1, 1971, as it may naturally change thereafter, or as it may change thereafter in accordance with permits issued by a local government or the department: *Provided*, That in any area where the ordinary high-water mark cannot be found, the ordinary high-water mark adjoining saltwater shall be the line of mean higher high tide and the ordinary high-water mark adjoining freshwater shall be the line of mean high water.

(11) "Permit" means that required by the act for substantial development on shorelines, to be issued by the local government entity having administrative jurisdiction and subject to review by the department of ecology and the attorney general.

(12) "Shorelines" means all of the water areas of the state, including reservoirs, and their associated wetlands, together with the lands underlying them, except:

(a) Shorelines of state-wide significance;

(b) Shorelines on segments of streams upstream of a point where the mean annual flow is 20 cubic feet per second or less, and the wetlands associated with such upstream segments; and

(c) Shorelines on lakes less than 20 acres in size and wetlands associated with such small lakes.

(13) "Shorelines of state-wide significance" means the following shorelines of the state:

(a) The area between the ordinary high-water mark and the western boundary of the state from Cape Disappointment on the south to Cape Flattery on the north, including harbors, bays, estuaries, and inlets;

(b) Those areas of Puget Sound and adjacent saltwaters and the Strait of Juan de Fuca between the ordinary high-water mark and the line of extreme low tide as follows:

(i) Nisqually Delta - from DeWolf Bight to Tatsolo Point;

(ii) Birch Bay - from Point Whitehorn to Birch Point;

(iii) Hood Canal - from Tala Point to Foulweather Bluff;

(iv) Skagit Bay and adjacent area - from Brown Point to Yokeko Point; and

(v) Padilla Bay - from March Point to William Point.

(c) Those areas of Puget Sound and the Strait of Juan de Fuca and adjacent saltwaters north to the Canadian line and lying seaward from the line of extreme low tide;

(d) Those lakes, whether natural, artificial or a combination thereof, with a surface acreage of 1,000 acres, or more, measured at the ordinary high-water mark;

(e) Those natural rivers or segments thereof, as follows:

(i) Any west of the crest of the Cascade Range downstream of a point where the mean annual flow is measured at 1,000 cubic feet per second, or more;

(ii) Any east of the crest of the Cascade Range downstream of a point where the annual flow is measured at 200 cubic feet per second, or more, or those portions of rivers east of the crest of the Cascade Range downstream from the first 300 square miles of drainage area, whichever is longer;

(f) Those wetlands associated with (a), (b), (d), and (e) of this subsection.

(14) "Shorelines of the state" means the total of all "shorelines" and "shorelines of state-wide significance" within the state.

(15) "State master program" means the cumulative total of all master programs approved or adopted by the department of ecology.

(16) "Substantial development" means any development of which the total cost, or fair market value, exceeds \$1,000, or any development which materially interferes with normal public use of the water or shorelines of the state; except that the following shall not be considered substantial developments:

(a) Normal maintenance or repair of existing structures or developments, including damage by fire, accident, or elements;

(b) Construction of the normal protective bulkhead, common to single-family residences;

(c) Emergency construction necessary to protect property from damage by the elements;

(d) Construction of a barn or similar agricultural structure on wetlands;

(e) Construction or modification of navigational aids, such as channel markers and anchor buoys;

(f) Construction on wetlands by an owner, lessee, or contract purchaser, of a single-family residence, for his own use or for the use of his family, which residence does not exceed a height of 35 feet above average grade level and

which meets all requirements of the state agency or local government having jurisdiction thereof.

(17) "Wetlands" or "wetland areas" means those lands extending landward for 200 feet in all directions, as measured on a horizontal plane from the ordinary high-water mark and all marshes, bogs, swamps, floodways, river deltas, and flood plains associated with the streams, lakes and tidal waters which are subject to the provisions of the act.

[Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-16-030, filed 4/15/85; Order DE 72-12, § 173-16-030, filed 6/20/72 and 7/20/72.]

WAC 173-16-040 The master program. The master program is to be developed by local government to provide an objective guide for regulating the use of shorelines. The master program should clearly state local policies for the development of shorelands and indicate how these policies relate to the goals of the local citizens and to specific regulations of uses affecting the physical development of land and water resources throughout the local governments' jurisdiction.

The master program developed by each local government will reflect the unique shoreline conditions and the development requirements which exist and are projected in that area. As part of the process of master program development, local governments can identify problems and seek solutions which best satisfy their needs.

A master program, by its definition, is general, comprehensive and long-range in order to be applicable to the whole area for a reasonable length of time under changing conditions.

"General" means that the policies, proposals and guidelines are not directed towards any specific sites.

"Comprehensive" means that the program is directed towards all land and water uses, their impact on the environment and logical estimates of future growth. It also means that the program shall recognize plans and programs of the other government units, adjacent jurisdictions and private developers.

"Long-range" means that the program is to be directed at least 20-to-30 years into the future, look beyond immediate issues, and follow creative objectives rather than a simple projection of current trends and conditions.

Finally, chapter 90.58 RCW requires that the master program shall constitute use regulations for the various shorelines of the state. Specific guidelines are outlined in RCW 90.58.100(1) for preparing the master programs to accomplish this purpose. It is the intention of these guidelines, especially those related to citizen involvement, and the inventory to aid in carrying out this section of the act.

To facilitate an effective implementation of chapter 90.58 RCW throughout the state, the procedures on the following pages shall be observed while developing master programs for the shorelines. Exceptions to some of the specific provisions of these guidelines may occur where unique circumstances justify such departure. Any departure from these guidelines must, however, be compatible with the intent of the Shoreline Management Act as enunciated in RCW 90.58.020. Further, in all cases, local governments must meet the master program requirements specified in the Shoreline Management Act of 1971.

The following provisions set forth guidelines as to citizen involvement. (1) Citizen involvement. While public involvement and notification is required of the master program at the time of adoption by the act, the general public must be involved in the initial planning stage during formulation of the master plan.

The act requires that prior to approval or adoption of a master program, or a portion thereof, by the department, at least one public hearing shall be held in each county affected by the program for the purpose of obtaining the views and comments of the public.

The act charges the state and local government with not only the responsibility of making reasonable efforts to inform the people of the state about the shoreline management program, but also actively encourages participation by all persons, private groups, and entities, which have an interest in shoreline management.

To meet these responsibilities, the local government agencies responsible for the development of the master program should establish a method for obtaining and utilizing citizen involvement. The extent of citizen involvement in the formulation of the master program will be considered by the department in the review of the program. A failure by the local government to encourage and utilize citizen involvement, or to justify not having done so, may be noted as a failure to comply with the act.

Though the department recognizes various forms of citizen involvement as viable approaches for involving the public in the master program, the local government will be encouraged to utilize the method as suggested in these guidelines. If a local government does not followed these guidelines, it should provide an explanation of the method used. The department will be available to explain and help organize the suggested approach to citizen involvement upon request.

The suggested approach to citizen involvement to be utilized by the local government agency responsible for the development of the master program includes the following:

(a) Appoint a citizen advisory committee whose function will be to guide the formulation of the master program through a series of public evening meetings and at least one public hearing. The committee members should represent both commercial interests as well as environmentalists. However, the advisory committee itself is not to be a substitute for general citizen involvement and input. The aim of the committee will be to utilize citizen input in:

(i) Studying existing public policies related to shorelines.

(ii) Defining the needs to satisfy local demands for shorelines.

(iii) Studying the type and condition of local shorelines relative to needs.

(iv) Developing goals and policies for the master program with the local government fulfilling the specifications of the master program, including designation of the environments.

(v) Identifying use conflicts.

(vi) Proposing alternatives for the use of shorelines.

(vii) Examining the effects of the master program on the environment.

(b) The citizen advisory committee should hold at least three public meetings during development of the master

program and designation of the environments according to the following guidelines:

(i) Public notice (as stated in subsection 1 below) must be provided seven days prior to the evening meeting.

(ii) All meetings must be open to the public for free discussion.

(iii) Meetings should be held in the evening at a location accessible to the general public.

(iv) Record of all meetings should be filed with the local government and made available to the public.

(v) Local government should provide resource persons to assist in the preparation, organization and diffusion of information.

(vi) The final evening meeting should be held at least seven days prior to the public hearing.

(c) A newsletter should be published by the advisory committee in cooperation with the local government.

(i) The information sheet should be available to the public at posted locations.

(ii) It should be available after the first evening public meeting and prior to the second.

(iii) The date, time, and location of future meetings and hearings should be stated.

(iv) A phone number should be provided to obtain further information.

(v) Public notice should be made of the availability of the newsletter as stated in subsection (d) below.

(d) Publicity of the master program should utilize:

(i) Public notice postings as per subsection (i) below.

(ii) Newsletter.

(iii) Radio, T.V. and local news media.

(iv) A local paper of general circulation.

(v) Announcements to community groups.

(e) At least one public hearing should be held by the local government after the three public meetings have been held to discuss the proposed master plan.

(i) Public notice (as stated in subsection (i) below) must be made a minimum of once in each of three weeks immediately preceding the hearing in one or more newspapers of general circulation in the area in which the hearing is to be held.

(ii) The master program should be available for public inspection at the local government office and available upon request at least seven days prior to the public hearing.

(f) Prior to adoption of the master program, all reasonable attempts should have been made to obtain a general concurrence of the public and the advisory committee. The method of obtaining or measuring concurrence must be established by the local government and must provide a clear indication of how citizen input is utilized.

(g) If the level of concurrence on the master program is not considered adequate by the advisory committee at the conclusion of the public hearing, the local government should hold subsequent public meetings and public hearings until such time as adequate concurrence as per subsection (f) above is reached.

(h) Attached to the master program upon its submission to the department of ecology shall be a record of public meetings and citizen involvement. A discussion of the use of citizen involvement and measurement on concurrence should be included.

(i) Public notice shall include:

(i) Reference to the authority under which the rule is proposed.

(ii) A statement of either the terms or substance of the proposed rule or a description of the subjects and issues involved.

(iii) The time, place and manner in which interested persons may present their views thereon (as stated in RCW 30.04.025 [34.04.025]).

(2) Policy statements. Each local government shall submit policy statements, developed through the citizen involvement process, regarding shoreline development as part of its master program. Because goal statements are often too general to be useful to very specific decision problems, the policy statements are to provide a bridge for formulating and relating use regulations to the goals also developed through the citizen involvement process. In summary, the policy statements must reflect the intent of the act, the goals of the local citizens, and specifically relate the shoreline management goals to the master program use regulations.

Clearly stated policies are essential to the viability of the master programs. The policy statements will not only support the environmental designations explained below, but, also being more specific than goal statements, will provide an indication of needed environmental designations and use regulations.

The following methodology for developing policy statements is recommended:

(a) Obtain a broad citizen input in developing policy by involving interested citizens and all private and public entities having interest or responsibilities relating to shorelines. Form a citizen advisory committee and conduct public meetings as outlined in WAC 173-16-040(1) to encourage citizens to become involved in developing a master program.

(b) Analyze existing policies to identify those policies that may be incorporated into the master program and those which conflict with the intent of the act. Further, identify constraints to local planning and policy implementation which are a result of previous government actions, existing land-use patterns, actions of adjacent jurisdictions or other factors not subject to local control or influence.

(c) Formulate goals for the use of shoreline areas and develop policies to guide shoreland activities to achieve these goals.

The policies should be consistent with RCW 90.58.020 and provide guidance and support to local government actions regarding shoreline management. Additionally, the policies should express the desires of local citizens and be based on principles of resource management which reflect the state-wide public interest in all shorelines of state-wide significance.

(3) Master program elements. Consistent with the general nature of master programs, the following land and water use elements are to be dealt with, when appropriate, in the local master programs. By dealing with shoreline uses, systematically as belonging to these generic classes of activities, the policies and goals in the master programs can be clearly applied to different shoreline uses. In the absence of this kind of specificity in the master programs, the application of policy and use regulations could be inconsistent and arbitrary.

The plan elements are:

(a) Economic development element for the location and design of industries, transportation facilities, port facilities, tourist facilities, commercial and other developments that are particularly dependent on shoreland locations.

(b) Public access element for assessing the need for providing public access to shoreline areas.

(c) Circulation element for assessing the location and extent of existing and proposed major thoroughfares, transportation routes, terminals and other public facilities and correlating those facilities with the shoreline use elements.

(d) Recreational element for the preservation and expansion of recreational opportunities through programs of acquisition, development and various means of less-than-fee acquisition.

(d) Shoreline use element for considering:

(i) The pattern of distribution and location requirements of land uses on shorelines and adjacent areas, including, but not limited to, housing, commerce, industry, transportation, public buildings and utilities, agriculture, education and natural resources.

(ii) The pattern of distribution and location requirements of water uses including, but not limited to, aquaculture, recreation and transportation.

(f) Conservation element for the preservation of the natural shoreline resources, considering such characteristics as scenic vistas, parkways, estuarine areas for fish and wildlife protection, beaches and other valuable natural or aesthetic features.

(g) Historical/cultural element for protection and restoration of buildings, sites and areas having historic cultural, educational or scientific values.

(h) In addition to the above-described elements, local governments are encouraged to include in their master programs, an element concerned with the restoration of areas to a natural useful condition which are blighted by abandoned and dilapidated structures. Local governments are also encouraged to include in their master programs any other elements, which, because of present uses or future needs, are deemed appropriate and necessary to effectuate the Shoreline Management Act.

(4) Environments. In order to plan and effectively manage shoreline resources, a system of categorizing shoreline areas is required for use by local governments in the preparation of master programs. The system is designed to provide a uniform basis for applying policies and use regulations within distinctively different shoreline areas. To accomplish this, the environmental designation to be given any specific area is to be based on the existing development pattern, the biophysical capabilities and limitations of the shoreline being considered for development and the goals and aspirations of local citizenry.

The recommended system classifies shorelines into four distinct environments (natural, conservancy, rural and urban) which provide the framework for implementing shoreline policies and regulatory measures.

This system is designed to encourage uses in each environment which enhance the character of that environment. At the same time, local government may place reasonable standards and restrictions on development so that such development does not disrupt or destroy the character of the environment.

The basic intent of this system is to utilize performance standards which regulate use activities in accordance with goals and objectives defined locally rather than to exclude any use from any one environment. Thus, the particular uses or type of developments placed in each environment must be designed and located so that there are no effects detrimental to achieving the objectives of the environment designations and local development criteria.

This approach provides an "umbrella" environment class over local planning and zoning on the shorelines. Since every area is endowed with different resources, has different intensity of development and attaches different social values to these physical and economic characteristics, the environment designations should not be regarded as a substitute for local planning and land-use regulations.

(a) The basic concept for using the system is for local governments to designate their shorelines into environment categories that reflect the natural character of the shoreline areas and the goals for use of characteristically different shorelines. The determination as to which designation should be given any specific area should be made in the following manner:

(i) The resources of the shoreline areas should be analyzed for their opportunities and limitations for different uses. Completion of the comprehensive inventory of resources is a requisite to identifying resource attributes which determine these opportunities and limitations.

(ii) Each of the plan elements should be analyzed for their effect on the various resources throughout shoreline areas. Since shorelines are only a part of the system of resources within local jurisdiction, it is particularly important that planning for shorelines be considered an integral part of area-wide planning. Further, plans, policies and regulations for lands adjacent to the shorelines of the state should be reviewed in accordance with RCW 90.58.340.

(iii) Public desires should be considered through the citizen involvement process to determine which environment designations reflect local values and aspirations for the development of different shoreline areas.

(b) The management objectives and features which characterize each of the environments are given below to provide a basis for environment designation within local jurisdictions.

(i) Natural environment. The natural environment is intended to preserve and restore those natural resource systems existing relatively free of human influence. Local policies to achieve this objective should aim to regulate all potential developments degrading or changing the natural characteristics which make these areas unique and valuable.

The main emphasis of regulation in these areas should be on natural systems and resources which require severe restrictions of intensities and types of uses to maintain them in a natural state. Therefore, activities which may degrade the actual or potential value of this environment should be strictly regulated. Any activity which would bring about a change in the existing situation would be desirable only if such a change would contribute to the preservation of the existing character.

The primary determinant for designating an area as a natural environment is the actual presence of some unique natural or cultural features considered valuable in their natural or original condition which are relatively intolerant

of intensive human use. Such features should be defined, identified and quantified in the shoreline inventory. The relative value of the resources is to be based on local citizen opinion and the needs and desires of other people in the rest of the state.

(ii) Conservancy environment. The objective in designating a conservancy environment is to protect, conserve and manage existing natural resources and valuable historic and cultural areas in order to ensure a continuous flow of recreational benefits to the public and to achieve sustained resource utilization.

The conservancy environment is for those areas which are intended to maintain their existing character. The preferred uses are those which are nonconsumptive of the physical and biological resources of the area. Nonconsumptive uses are those uses which can utilize resources on a sustained yield basis while minimally reducing opportunities for other future uses of the resources in the area. Activities and uses of a nonpermanent nature which do not substantially degrade the existing character of an area are appropriate uses for a conservancy environment. Examples of uses that might be predominant in a conservancy environment include diffuse outdoor recreation activities, timber harvesting on a sustained yield basis, passive agricultural uses such as pasture and range lands, and other related uses and activities.

The designation of conservancy environments should seek to satisfy the needs of the community as to the present and future location of recreational areas proximate to concentrations of population, either existing or projected. For example, a conservancy environment designation can be used to complement city, county or state plans to legally acquire public access to the water.

The conservancy environment would also be the most suitable designation for those areas which present too severe biophysical limitations to be designated as rural or urban environments. Such limitations would include areas of steep slopes presenting erosion and slide hazards, areas prone to flooding, and areas which cannot provide adequate water supply or sewage disposal.

(iii) Rural environment. The rural environment is intended to protect agricultural land from urban expansion, restrict intensive development along undeveloped shorelines, function as a buffer between urban areas, and maintain open spaces and opportunities for recreational uses compatible with agricultural activities.

The rural environment is intended for those areas characterized by intensive agricultural and recreational uses and those areas having a high capability to support active agricultural practices and intensive recreational development. Hence, those areas that are already used for agricultural purposes, or which have agricultural potential should be maintained for present and future agricultural needs. Designation of rural environments should also seek to alleviate pressures of urban expansion on prime farming areas.

New developments in a rural environment are to reflect the character of the surrounding area by limiting residential density, providing permanent open space and by maintaining adequate building setbacks from water to prevent shoreline resources from being destroyed for other rural types of uses.

Public recreation facilities for public use which can be located and designed to minimize conflicts with agricultural

activities are recommended for the rural environment. Linear water access which will prevent overcrowding in any one area, trail systems for safe nonmotorized traffic along scenic corridors and provisions for recreational viewing of water areas illustrate some of the ways to ensure maximum enjoyment of recreational opportunities along shorelines without conflicting with agricultural uses. In a similar fashion, agricultural activities should be conducted in a manner which will enhance the opportunities for shoreline recreation. Farm management practices which prevent erosion and subsequent siltation of water bodies and minimize the flow of waste material into water courses are to be encouraged by the master program for rural environments.

(iv) Urban environment. The objective of the urban environment is to ensure optimum utilization of shorelines within urbanized areas by providing for intensive public use and by managing development so that it enhances and maintains shorelines for a multiplicity of urban uses.

The urban environment is an area of high-intensity land-use including residential, commercial, and industrial development. The environment does not necessarily include all shorelines within an incorporated city, but is particularly suitable to those areas presently subjected to extremely intensive use pressure, as well as areas planned to accommodate urban expansion. Shorelines planned for future urban expansion should present few biophysical limitations for urban activities and not have a high priority for designation as an alternative environment.

Because shorelines suitable for urban uses are a limited resource, emphasis should be given to development within already developed areas and particularly to water-dependent industrial and commercial uses requiring frontage on navigable waters.

In the master program, priority is also to be given to planning for public visual and physical access to water in the urban environment. Identifying needs and planning for the acquisition of urban land for permanent public access to the water in the urban environment should be accomplished in the master program. To enhance waterfront and ensure maximum public use, industrial and commercial facilities should be designed to permit pedestrian waterfront activities. Where practicable, various access points ought to be linked to nonmotorized transportation routes, such as bicycle and hiking paths.

(5) Shorelines of state-wide significance. The act designated certain shorelines as shorelines of state-wide significance. Shorelines thus designated are important to the entire state. Because these shorelines are major resources from which all people in the state derive benefit, the guidelines and master programs must give preference to uses which favor public and long-range goals.

Accordingly, the act established that local master programs shall give preference to uses which meet the principles outlined below in order of preference. Guidelines for ensuring that these principles are incorporated into the master programs and adhered to in implementing the act follow each principle.

(a) Recognize and protect the state-wide interest over local interest. Development guidelines:

(i) Solicit comments and opinions from groups and individuals representing state-wide interests by circulating proposed master programs for review and comment by state

agencies, adjacent jurisdictions' citizen advisory committees, and state-wide interest groups. (See Appendix, Reference No. 32.)

(ii) Recognize and take into account state agencies' policies, programs and recommendations in developing use regulations. Reference to many of these agencies' policies are provided in the appendix. This information can also be obtained by contacting agencies listed in the *Shoreline Inventory Supplement Number One*.

(iii) Solicit comments, opinions and advice from individuals with expertise in ecology, oceanography, geology, limnology, aquaculture and other scientific fields pertinent to shoreline management. Names of organizations and individuals which can provide expert advice can be obtained from the department's resource specialist listing.

(b) Preserve the natural character of the shoreline. Development guidelines:

(i) Designate environments and use regulations to minimize man-made intrusions on shorelines.

(ii) Where intensive development already occurs, upgrade and redevelop those areas to reduce their adverse impact on the environment and to accommodate future growth rather than allowing high intensity uses to extend into low intensity use or underdeveloped areas.

(iii) Ensure that where commercial timber-cutting is allowed as provided in RCW 90.58.150, reforestation will be possible and accomplished as soon as practicable.

(c) Result in long-term over short-term benefit. Development guidelines:

(i) Prepare master programs on the basis of preserving the shorelines for future generations. For example, actions that would convert resources into irreversible uses or detrimentally alter natural conditions characteristic of shorelines of state-wide significance, should be severely limited.

(ii) Evaluate the short-term-economic gain or convenience of developments in relationship to long-term and potentially costly impairments to the natural environment.

(iii) Actively promote aesthetic considerations when contemplating new development, redevelopment of existing facilities or for the general enhancement of shoreline areas.

(d) Protect the resources and ecology of shorelines. Development guidelines:

(i) Leave undeveloped those areas which contain a unique or fragile natural resource.

(ii) Prevent erosion and sedimentation that would alter the natural function of the water system. In areas where erosion and sediment control practices will not be effective, excavations or other activities which increase erosion are to be severely limited.

(iii) Restrict or prohibit public access onto areas which cannot be maintained in a natural condition under human uses.

(e) Increase public access to publicly owned areas of the shorelines. Development guidelines:

(i) In master programs, give priority to developing paths and trails to shoreline areas, linear access along the shorelines, and to developing upland parking.

(ii) Locate development inland from the ordinary high-water mark so that access is enhanced.

(f) Increase recreational opportunities for the public on the shorelines. Development guidelines:

(i) Plan for and encourage development of facilities for recreational use of the shorelines.

(ii) Reserve areas for lodging and related facilities on uplands well away from the shorelines with provisions for nonmotorized access to the shorelines.

[Order DE 72-12, § 173-16-040, filed 6/20/72 and 7/20/72.]

WAC 173-16-050 Natural systems. This section contains brief and general descriptions of the natural geographic systems around which the shoreline management program is designed. The intent of this section is to define those natural systems to which the Shoreline Management Act applies, to highlight some of the features of those systems which are susceptible to damage from human activity, and to provide a basis for the guidelines pertaining to human-use activities contained in WAC 173-16-060.

It is intended that this section will provide criteria to local governments in the development of their master programs, as required in RCW 90.58.030(a).

(1) Marine beaches. Beaches are relatively level land areas which are contiguous with the sea and are directly affected by the sea even to the point of origination. The most common types of beaches in Washington marine waters are:

(a) Sandy beaches. Waves, wind, tide and geological material are the principal factors involved in the formation of beaches. The beach material can usually be traced to one of four possible sources: The cliffs behind the beach; from the land via rivers; offshore wind; and finally from longshore drifting of material. Longshore-drifting material must have been derived initially from the first three sources. Most beach material in Puget Sound is eroded from the adjacent bluffs composed of glacial till.

The effect of wave action on the movement and deposition of beach material varies depending upon the size of the material. Hence, in most cases, beaches composed of different sized material are usually characterized by different slopes and profiles. The entire process of beach formation is a dynamic process resulting from the effect of wave action on material transport and deposition. Initially, wave action will establish currents which transport and deposit material in various patterns. However, once a particular beach form and profile is established it begins to modify the effects of waves thus altering the initial patterns of material transport and deposition. Hence, in building beach structures such as groins, bulkheads or jetties, it is particularly important to recognize that subsequent changes in wave and current patterns will result in a series of changes in beach formation over time. (See WAC 173-16-060 (6), (11), (12) and (13).)

In the process of beach formation, sand particles are transported up the beach by breaking waves that wash onto the beach in a diagonal direction and retreat in a vertical direction. At the same time, longshore currents are created in the submerged intertidal area by the force of diagonally approaching waves. Beach material suspended by the force of the breaking waves is transported in one direction or another by the longshore current. Longshore drifting of material often results in the net transportation of beach material in one direction causing the loss of material in some areas and gains in others.

The profile of a beach at any time will be determined by the wave conditions during the preceding period. Severe storms will erode or scour much material away from the beaches due to the force of retreating waves. During calm weather, however, the waves will constructively move material back onto the beach. This destructive and constructive action, called cut and fill, is evidenced by the presence of beach ridges or berms. New ridges are built up in front of those that survive storm conditions as sand is supplied to the beach in succeeding phases of calmer weather. In time, the more stable landward ridges are colonized by successional stages of vegetation. The vegetation stabilizes the ridges, protects them from erosion and promotes the development of soil.

(b) Rocky beaches. Rocky beaches, composed of cobbles, boulders and/or exposed bedrock are usually steeper and more stable than sandy shores. Coarse material is very permeable which allows attacking waves to sink into the beach causing the backwash to be reduced correspondingly. On sandy shores a strong backwash distributes sand more evenly, thus creating a flatter slope.

On rocky shores a zonal pattern in the distribution of plants and animals is more evident than on muddy or sandy shores. The upper beach zone is frequently very dry, limiting inhabitants to species which can tolerate a dry environment. The intertidal zone is a narrow area between mean low tide and mean high tide that experiences uninterrupted covering and uncovering by tidal action. One of the major characteristics of this zone is the occurrence of tidal pools which harbor separate communities which can be considered subzones within the intertidal zone. The subtidal zone is characterized by less stressful tidal influences but is subject to the forces of waves and currents which affect the distribution and kinds of organisms in this zone.

(c) Muddy shores. Muddy shores occur where the energy of coastal currents and wave action is minimal, allowing fine particles of silt to settle to the bottom. The result is an accumulation of mud on the shores of protected bays and mouths of coastal streams and rivers. Most muddy beaches occur in estuarine areas. However, some muddy shore areas may be found in coastal inlets and embayments where salinity is about the same as the adjacent sea.

Few plants have adapted to living on muddy shores. Their growth is restricted by turbidity which reduces light penetration into the water and thereby inhibits photosynthesis. In addition, the lack of solid structures to which algae may attach itself and siltation which smothers plants effectively prevents much plant colonization of muddy shores. While the lack of oxygen in mud makes life for fauna in muddy shores difficult, the abundance of food as organic detritus provides nutrition for a large number of detritus feeders.

(2) Spits and bars. Spits and bars are natural formations composed of sand and gravel and shaped by wind and water currents and littoral drifting. Generally a spit is formed from a headland beach (tall cliff with a curved beach at the foot) and extends out into the water (hooks are simply hookshaped spits). While spits usually have one end free in open water, bars generally are attached to land at both ends. These natural forms enclose an area which is protected from wave action, allowing life forms such as shellfish, to reproduce

and live protected from the violence of the open coast. (See WAC 173-16-060(16).)

(3) Dunes. Dunes are mounds or hills of sand which have been heaped up by wind action. Typically, dunes exhibit four distinct features:

(a) Primary dunes. The first system of dunes shoreward of the water, having little or no vegetation, which are intolerant of unnatural disturbances.

(b) Secondary dunes. The second system of dunes shoreward from the water, with some vegetative cover.

(c) Back dunes. The system of dunes behind the secondary dunes, generally having vegetation and some top soil, and being more tolerant of development than the primary and secondary systems.

(d) Troughs. The valleys between the dune systems.

Dunes are a natural levee and a final protection line against the sea. The destructive leveling of, or interference with the primary dune system (such as cutting through the dunes for access) can endanger upland areas by subjecting them to flooding from heavy wave action during severe storms and destroy a distinct and disappearing natural feature. Removal of sand from the beach and shore in dune areas starves dunes of their natural supply of sand and may cause their destruction from lack of sand. (See WAC 173-16-060(16).) Appropriate vegetation can and should be encouraged throughout the entire system for stabilization. (See WAC 173-16-060(21).)

(4) Islands. An island, broadly defined, is a land mass surrounded by water. Islands are particularly important to the state of Washington since two entire counties are made up of islands and parts of several other counties are islands. A fairly small island, such as those in our Puget Sound and north coast area, is an intriguing ecosystem, in that no problem or area of study can be isolated. Every living and nonliving thing is an integral part of the functioning system. Each island, along with the mystique afforded it by man, is a world of its own, with a biological chain, fragile and delicately balanced. Obviously it does not take as much to upset this balance as it would the mainland system. Because of this, projects should be planned with a more critical eye toward preserving the very qualities which make island environments viable systems as well as aesthetically captivating to humans.

(5) Estuaries. An estuary is that portion of a coastal stream influenced by the tide of the marine waters into which it flows and within which the sea water is measurably diluted with freshwater derived from land drainage.

Estuaries are zones of ecological transition between fresh and saltwater. The coastal brackish water areas are rich in aquatic life, some species of which are important food organisms for anadromous fish species which use these areas for feeding, rearing and migration. An estuarine area left untouched by man is rare since historically they have been the sites for major cities and port developments. Because of their importance in the food production chain and their natural beauty, the limited estuarial areas require careful attention in the planning function. Close scrutiny should be given to all plans for development in estuaries which reduce the area of the estuary and interfere with water flow. (See WAC 173-16-060(14).) Special attention should be given to plans for upstream projects which could deplete the freshwater supply of the estuary.

(6) Marshes, bogs, swamps. Marshes, bogs and swamps are areas which have a water table very close to the surface of the ground. They are areas which were formerly shallow water areas that gradually filled through nature's processes of sedimentation (often accelerated by man's activities) and the decay of shallow water vegetation.

Although considered abysmal wastelands by many, these wet areas are extremely important to the food chain. Many species of both animal and plant life depend on this wet environment for existence. Birds and waterfowl choose these locations for nesting places. Wet areas are important as ground water recharge areas and have tremendous flood control value.

The high-water table and poor foundation support provided by the organic soils in these areas usually prevent development on them. The extraction of peat from bogs is possible when it is accomplished in such a manner that the surrounding vegetation and wildlife is left undisturbed and the access roads and shorelines are returned to a natural state upon completion of the operation.

The potential of marshes, bogs and swamps to provide permanent open space in urbanizing regions is high because of the costs involved in making these areas suitable for use. Unlimited public access into them, however, may cause damage to the fragile plant and animal life residing there.

(7) Lakes. A lake can be defined broadly as a body of standing water located inland. Lakes originate in several ways. Many lakes are created each year by man, either by digging a lake basin or by damming a natural valley. Natural lakes can be formed in several ways: By glaciers gouging basins and melting and depositing materials in such a way as to form natural dams; by landslides which close off open ends of valleys; extinct craters which fill with water; changes in the earth's crust, as can happen during earthquakes, forming basins which fill with water; or by changes in a river or stream course which isolate parts of the old course forming lakes, called oxbow lakes.

A lake, like its inhabitants, has a life span. This lifetime may be thousands of years for a large lake or just a few years for a pond. This process of a lake aging is known generally as eutrophication. It is a natural process which is usually accelerated by man's activities. Human sewage, industrial waste, and the drainage from agricultural lands increases the nutrients in a lake which in turn increases the growth of algae and other plants. As plants die, the chemical process of decomposition depletes the water's supply of oxygen necessary for fish and other animal life. These life forms then disappear from the lake, and the lake becomes a marsh or swamp.

Shallow lakes are extremely susceptible to increases in the rate of eutrophication resulting from discharges of waste and nutrient-laden runoff waters. Temperature stratification does not normally occur in shallow lakes. Efficient bottom-to-surface circulation of water in these shallow lakes moves nutrients to the surface photosynthetic zone encouraging increased biotic productivity. Large quantities of organic matter are produced under these conditions. Upon decomposition, heavy demands are made on the dissolved oxygen content of shallow lakes. Eventually, the oxygen level drops and some fish and other life forms die.

The entire ecosystem of a lake can be altered by man. By removing the surrounding forest for lumber or to provide

a building site or farm land, erosion into the lake is accelerated. Fertilizers, whether agricultural or those used by homeowners, can enter the lake either from runoff or leaching along with other chemicals that interfere with the intricate balance of living organisms. The construction of bulkheads to control erosion and filling behind them to enlarge individual properties can rob small fish and amphibians of their habitats. The indiscriminate construction of piers, docks and boathouses, can deprive all of the waterfront owners and the general public of a serene natural view and reduce the lake's surface. (See WAC 173-16-060 (5), (8), (11), (12), (13).)

(8) Rivers, streams and creeks. Generally, rivers, streams and creeks can be defined as surface-water runoff flowing in a natural or modified channel. Runoff results either from excessive precipitation which cannot infiltrate the soil, or from ground water where the water table intersects the surface of the ground. Drawn by gravity to progressively lower levels and eventually to the sea, the surface runoff organizes into a system of channels which drain a particular geographic area.

The drainage system serves as a transportation network for nature's leveling process, selectively eroding materials from the higher altitudes and transporting the materials to lower elevations where they are deposited. A portion of these materials eventually reaches the sea where they may form beaches, dunes or spits.

Typically, a river exhibits several distinct stages as it flows from the headwaters to the mouth. In the upper reaches where the gradient is steepest, the hydraulic action of the flowing water results in a net erosion of the stream bed and a V-shaped cross section, with the stream occupying all or most of the valley floor.

Proceeding downstream, the gradient decreases and the valley walls become gentler in slope. A point is eventually reached where erosion and deposition equalize and the action of the stream changes from vertical cutting to lateral meandering. As the lateral movement continues, a flood plain is formed, over which the river meanders and upon which materials are deposited during floods. Finally, when the river enters a body of standing water, the remaining sediment load is deposited.

Extensive human use is made of rivers, including transportation, recreation, waste and sewage dumping and for drinking water. Rivers are dammed for the production of electric power, diked for flood control and withdrawn for the irrigation of crops. Many of these activities directly affect the natural hydraulic functioning of the streams and rivers as well as the biology of the water courses. (See WAC 173-16-060(17).)

(9) Flood plains. A flood plain is a shoreland area which has been or is subject to flooding. It is a natural corridor for water which has accumulated from snow melt or from heavy rainfall in a short period. Flood plains are usually flat areas with rich soil because they have been formed by deposits from flood waters. As such they are attractive places for man to build and farm until the next flood passes across the plain. In certain areas, these plains can be "flood proofed" by diking or building levees along the adjacent river or stream, but always with provisions for tremendous amounts of water that will sooner or later be generated by weather conditions. Streamway modifications

can be placed in such a way to cause channelization. Channelization tends to destroy the vital and fragile flood-plain-shoreline habitats and increase the velocity of waters in times of extreme flow. (See WAC 173-16-060(17).)

This may cause considerable damage downstream even in areas already given some flood protection. In unprotected flood plains, land-use regulations must be applied to provide an adequate open corridor within which the effects of bank erosion, channel shifts and increased runoff may be contained. Obviously, structures which must be built on a flood plain should be of a design to allow the passage of water and, wherever possible, permanent vegetation should be preserved to prevent erosion, retard runoff, and contribute to the natural beauty of the flood plain.

(10) Puget Sound. Puget Sound is a complex of interconnected inlets, bays and channels with tidal sea water entering from the west and freshwater streams entering at many points throughout the system. Most of what is known as Puget Sound was formed by glacial action that terminated near Tenino in Thurston County. The entire system, of which Puget Sound is actually a small portion, also includes the Strait of Georgia and the Strait of Juan de Fuca. The large complex may be divided into nine oceanographic areas which are interrelated: Strait of Juan de Fuca, Admiralty Inlet, Puget Sound Basin, Southern Puget Sound, Hood Canal, Possession Sound, Bellingham Bay, San Juan Archipelago, and Georgia Strait (from *Puget Sound and Adjacent Waters, Appendix XV, Plan Formulation.*)

The economic development of the central Puget Sound Basin has been stimulated by the fact that the sound is one of the few areas in the world which provides several deepwater inland harbors. The use of Puget Sound waters by deep-draft vessels is on the increase due to its proximity to the developing Asian countries. This increased trade will attract more industry and more people which will put more use pressure on the Sound in the forms of recreation (sport fishing, boating and other water-related sports) and the requirements for increased food supply.

Puget Sound waters are rich in nutrients and support a wide variety of marine fish and shellfish species. An estimated 2,820 miles of stream are utilized by anadromous fish for spawning and rearing throughout the area. Some of these fish are chinook, coho, sockeye, pink and chum salmon, steelhead, searun cutthroat and Dolly Vardon trout. All these fish spend a portion of their lives in the saltwaters of Puget Sound and the Pacific Ocean before returning to streams of origin to spawn. The juveniles of these fish spend varying amounts of time in the shore waters of the area before moving to sea to grow to maturity. Aquaculture or sea farming is now in the process of becoming reality in the Puget Sound complex. The mass production of seaweed, clams, geoducks, scallops, shrimp, oysters, small salmon, lobsters and other possibilities looms as an important new industry. Shoreline management is particularly crucial to the success of sea farming. Aquaculture on any scale can be compatible and coexist with maritime shipping and shoreland industrial activities only be careful planning and regulation.

The shoreline resources of Puget Sound include few beach areas which are not covered at high tide. Bluffs ranging from 10 to 500 feet in height rim nearly the entire extent of the Sound making access to beach and intertidal areas difficult. Because of the glacial-till composition of

these bluffs, they are susceptible to fluvial and marine erosion and present constant slide hazards. Although Puget Sound is protected from the direct influence of Pacific Ocean weather, storm conditions can create very turbulent and sometimes destructive wave action. Without recognizing the tremendous energy contained in storm waves, development of shoreline resources can be hazardous and deleterious to the resource characteristics which make Puget Sound beaches attractive. (WAC 173-16-060 (11), (12), (13).)

(11) Pacific Ocean. From Cape Flattery on the north to Cape Disappointment on the south, there are approximately 160 miles of beaches, rocky headlands, inlets and estuaries on Washington's Pacific Coast. The shoreline south of Cape Flattery to the Quinault River is generally characterized as being rugged and rocky, with high bluffs. The remaining shoreline south of the Quinault River is predominantly flat sandy beaches with low banks and dunes.

During the winter, Pacific currents set toward the north, while during summer months they set to the south. Associated with the summer currents is a general offshore movement of surface water, resulting in upwelling of water from lower depths. This upwelled water is cold, high in salinity, low in oxygen content and rich in nutrients. It is this latter characteristic which causes upwelled water to be extremely significant in biological terms, since it often triggers "blooms" of marine plant life.

Directions of wave action and littoral drift of sediments shift seasonally with Pacific Ocean storms. Although very little data are available on the net direction of littoral transport, the University of Washington has offshore data which indicate a northerly offshore flow. RCW 43.51.650 declares:

"The beaches bounding the Pacific Ocean from the Straits of Juan de Fuca to Cape Disappointment at the mouth of the Columbia River constitute some of the last unspoiled seashore remaining in the United States. They provide the public with almost unlimited opportunities for recreational activities, like swimming, surfing and hiking; for outdoor sports, like hunting, fishing, clamming, and boating; for the observation of nature as it existed for hundreds of years before the arrival of white men and for relaxation away from the pressures and tensions of modern life. In past years, these recreational activities have been enjoyed by countless Washington citizens, as well as by tourists from other states and countries. The number of people wishing to participate in such recreational activities grows annually. This increasing public pressure makes it necessary that the state dedicate the use of the ocean beaches to public recreation and to provide certain recreational and sanitary facilities. Nonrecreational use of the beach must be strictly limited. Even recreational uses must be regulated in order that Washington's unrivaled seashore may be saved for our children in much the same form as we know it today." (See Appendix Reference Nos. 30 and 31.)

[Order DE 72-12, § 173-16-050, filed 6/20/72 and 7/20/72.]

WAC 173-16-060 The use activities. This section contains guidelines for the local regulation of use activities proposed for shorelines. Each topic, representing a specific use or group of uses, is broadly defined and followed by several guidelines. These guidelines represent the criteria

upon which judgments for proposed shoreline developments will be based until master programs are completed. In addition, these guidelines are intended to provide the basis for the development of that portion of the master program concerned with the regulation of such uses.

In addition to application of the guidelines in this section, the local government should identify the type or types of natural systems (as described in WAC 173-16-050) within which a use is proposed and should impose regulations on those developments and uses which would tend to affect adversely the natural characteristics needed to preserve the integrity of the system. Examples would include but would not be limited to proposed uses that would threaten the character of fragile dune areas, reduce water tables in marshes, impede water flow in estuaries, or threaten the stability of spits and bars.

These guidelines have been prepared in recognition of the flexibility needed to carry out effective local planning of shorelines. Therefore, the interpretation and application of the guidelines may vary relative to different local conditions. Exceptions to specific provisions of these guidelines may occur where local circumstances justify such departure. Any departure from these guidelines must, however, be compatible with the intent of the act as enunciated in RCW 90.58.020.

It should be noted that there are several guidelines for certain activities which are not explicitly defined in the shoreline act as developments for which substantial development permits are not required (for example, the suggestion that a buffer of permanent vegetation be maintained along water bodies in agriculture areas.) While such activities generally cannot be regulated through the permit system, it is intended that they be dealt with in the comprehensive master program in a manner consistent with policy and intent of the Shoreline Act. To effectively provide for the management of the shorelines of the state, master programs should plan for and foster all reasonable and appropriate uses as provided in RCW 90.58.020.

Finally, most of the guidelines are intentionally written in general terms to allow some latitude for local government to expand and elaborate on them as local conditions warrant. The guidelines are adopted state regulations, however, and must be complied with both in permit application review and in master program development.

(1) Agricultural practices. Agricultural practices are those methods used in vegetation and soil management, such as tilling of soil, control of weeds, control of plant diseases and insect pests, soil maintenance and fertilization. Many of these practices require the use of agricultural chemicals, most of which are water soluble and may wash into contiguous land or water areas causing significant alteration and damage to plant and animal habitats, especially those in the fragile shoreline areas. Also, large quantities of mineral and organic sediments enter water bodies through surface erosion when proper land management techniques are not utilized.

Guidelines:

(a) Local governments should encourage the maintenance of a buffer of permanent vegetation between tilled areas and associated water bodies which will retard surface runoff and reduce siltation.

(b) Master programs should establish criteria for the location of confined animal feeding operations, retention and

storage ponds for feed lot wastes, and stock piles of manure solids in shorelines of the state so that water areas will not be polluted. Control guidelines prepared by the U.S. Environmental Protection Agency should be followed. (Also see Reference Nos. 3, 4, 5, 6, 7 and 8.)

(c) Local governments should encourage the use of erosion control measures, such as crop rotation, mulching, strip cropping and contour cultivation in conformance with guidelines and standards established by the Soil Conservation Service, U.S. Department of Agriculture.

(2) Aquaculture. Aquaculture is the culture or farming of food fish, shellfish, or other aquatic plants and animals. This activity is of state-wide and national interest. Properly managed, it can result in long term over short term benefit and can protect the resources and ecology of the shoreline. Aquaculture is dependent on the use of the water area and, when consistent with control of pollution and prevention of damage to the environment, is a preferred use of the water area.

Potential locations for aquaculture are relatively restricted due to specific requirements for water quality, temperature, flows, oxygen content, adjacent land uses, wind protection, commercial navigation, and, in marine waters, salinity. The technology associated with present-day aquaculture is still in its formative stages and experimental. Local shoreline master plans should therefore recognize the necessity for some latitude in the development of this emerging economic water use as well as its potential impact on existing uses and natural systems.

(a) Guidelines:

(i) Aquacultural activities and structures should be located in areas where the navigational access of upland owners, recreational boaters and commercial traffic is not significantly restricted.

(ii) Recognition should be given to the possible detrimental impact aquacultural development might have on the visual access of upland owners and on the general aesthetic quality of the shoreline area.

(iii) As aquaculture technology expands with increasing knowledge and experience, emphasis should be placed on structures which do not significantly interfere with navigation or impair the aesthetic quality of Washington shorelines.

(iv) Certain aquacultural activities are of state-wide interest and should be managed in a consistent manner state-wide. Local master program development and administration should therefore seek to support state aquaculture management programs as expressed in state laws, regulations, and established management plans. State management programs should seek to determine and accommodate local environmental concerns. To facilitate state-local coordination, the department will encourage state agencies to develop specific resource management plans and to include participation of local shoreline agencies.

(v) Shellfish resources and conditions suitable for aquaculture only occur in limited areas. The utility and productivity of these sites is threatened by activities and developments which reduce water quality such as waste discharges, nonpoint runoff and disruption of bottom sediments. Proposed developments and activities should be evaluated for impact on productive aquaculture areas. Identified impacts should be mitigated through permit conditions and performance standards.

(vi) Aquaculture is a preferred, water-dependent use. Water surface, column, and bedland areas suitable for aquaculture are limited to certain sites. These sites are subject to pressures from competing uses and degradation of water quality. The shoreline program is intended to provide a comprehensive land and water use plan which will reduce these conflicts and provide for appropriate uses. Therefore, a special effort should be made through the shoreline management program to identify and resolve resource use conflicts and resource management issues in regard to use of identified sites.

(b) Implementation of WAC 173-16-060 (2)(a)(vi):

(i) Within one month of the effective date of this regulation, the department of ecology shall notify each local jurisdiction in which major subtidal clam or geoduck beds have been identified by the department of fisheries that a program update will be required. The department of ecology shall provide maps showing the general location of each jurisdiction's major subtidal clam and geoduck beds. The department shall also provide information on subtidal clam and geoduck harvesting techniques, environmental impacts, mitigation measures, and guidance on format and issue coverage for submittal of proposed amendments.

(ii) Each local jurisdiction with identified major beds shall evaluate the application of its shoreline master program to commercial use of the identified beds. Where necessary, amendments to the master program shall be prepared to better address management and use of the beds. For example, such amendments may be necessary to address newly identified concerns, to coordinate with state-wide interests, or to bring policies into conformance with current scientific knowledge.

(iii) Within four months of notification under WAC 173-16-060 (2)(b)(i), each affected jurisdiction shall submit a progress report to the department. This report shall outline the procedure which will be used to comply with WAC 173-16-060 (2)(b)(ii) and an assessment of the need for coastal zone management financial assistance.

(iv) Within thirteen months of notification by the department under WAC 173-16-060 (2)(b)(i), each affected local government shall submit to the department for approval all portions of the shoreline management master program affecting use of the identified sites for shellfish management. Submittals shall include relevant existing master program elements proposed to be retained as well as program additions. Explanation shall be submitted to the department for any use designations or management standards which would prohibit or prevent use of identified sites.

(v) The department, in considering local program submittals, will consider the advice of the state departments of fisheries and natural resources, other interested local, state, and federal agencies, and interest groups pertaining to the scientific basis, sufficiency, and practicality of proposed standards and use regulations.

(vi) The department may postpone notification under (i) above for those subtidal clam and geoduck beds which the department of social and health services believes are not certifiable. Should a bed become certifiable at some future date, the department shall make the notification required in (i) above.

(vii) If a local shoreline jurisdiction does not or is unable to comply with the requirements of this subsection,

the department may undertake the required master program evaluation and preparation and adoption of necessary amendments.

(3) Forest management practices. Forest management practices are those methods used for the protection, production and harvesting of timber. Trees along a body of water provide shade which insulate the waters from detrimental temperature change and dissolved oxygen release. A stable water temperature and dissolved oxygen level provide a healthy environment for fish and other more delicate forms of aquatic life. Poor logging practices on shorelines alter this balance as well as result in slash and debris accumulation and may increase the suspended sediment load and the turbidity of the water. Guidelines:

(a) Seeding, mulching, matting and replanting should be accomplished where necessary to provide stability on areas of steep slope which have been logged. Replanted vegetation should be of a similar type and concentration as existing in the general vicinity of the logged area.

(b) Special attention should be directed in logging and thinning operations to prevent the accumulation of slash and other debris in contiguous waterways.

(c) Shoreline areas having scenic qualities, such as those providing a diversity of views, unique landscape contrasts, or landscape panoramas should be maintained as scenic views in timber harvesting areas. Timber harvesting practices, including road construction and debris removal, should be closely regulated so that the quality of the view and viewpoints in shoreline areas of the state are not degraded.

(d) Proper road and bridge design, location and construction and maintenance practices should be used to prevent development of roads and structures which would adversely affect shoreline resources.

(e) Timber harvesting practices in shorelines of the state should be conducted to maintain the state board of health standards for public water supplies. (See Reference No. 34.)

(f) Logging should be avoided on shorelines with slopes of such grade that large sediment runoff will be precipitated, unless adequate restoration and erosion control can be expeditiously accomplished.

(g) Local governments should ensure that timber harvesting on shorelines of state-wide significance does not exceed the limitations established in RCW 90.58.150 except as provided in cases where selective logging is rendered ecologically detrimental or is inadequate for preparation of land for other uses.

(h) Logging within shoreline areas should be conducted to ensure the maintenance of buffer strips of ground vegetation, brush, alder and conifers to prevent temperature increases adverse to fish populations and erosion of stream banks.

(4) Commercial development. Commercial developments are those uses which are involved in wholesale and retail trade or business activities. Commercial developments range from small businesses within residences, to high-rise office buildings. Commercial developments are intensive users of space because of extensive floor areas and because of facilities, such as parking, necessary to service them. Guidelines:

(a) Although many commercial developments benefit by a shoreline location, priority should be given to those commercial developments which are particularly dependent

on their location and/or use of the shorelines of the state and other development that will provide an opportunity for substantial numbers of the people to enjoy the shorelines of the state.

(b) New commercial developments on shorelines should be encouraged to locate in those areas where current commercial uses exist.

(c) An assessment should be made of the effect a commercial structure will have on a scenic view significant to a given area or enjoyed by a significant number of people.

(d) Parking facilities should be placed inland away from the immediate water's edge and recreational beaches.

(5) Marinas. Marinas are facilities which provide boat launching, storage, supplies and services for small pleasure craft. There are two basic types of marinas: The open-type construction (floating breakwater and/or open-pile work) and solid-type construction (bulkhead and/or landfill). Depending upon the type of construction, marinas affect fish and shellfish habitats. Guidelines:

(a) In locating marinas, special plans should be made to protect the fish and shellfish resources that may be harmed by construction and operation of the facility.

(b) Marinas should be designed in a manner that will reduce damage to fish and shellfish resources and be aesthetically compatible with adjacent areas.

(c) Master programs should identify locations that are near high-use or potentially high-use areas for proposed marina sites. Local as well as regional "need" data should be considered as input in location selection.

(d) Special attention should be given to the design and development of operational procedures for fuel handling and storage in order to minimize accidental spillage and provide satisfactory means for handling those spills that do occur.

(e) Shallow-water embayments with poor flushing action should not be considered for overnight and long-term moorage facilities.

(f) The Washington state department of fisheries has prepared guidelines concerning the construction of marinas. These guidelines should be consulted in planning for marinas. (See Reference No. 16.)

(g) State and local health agencies have standards and guidelines for the development of marinas which shall be consulted by local agencies. (See Reference No. 18.)

(6) Mining. Mining is the removal of naturally occurring materials from the earth for economic use. The removal of sand and gravel from shoreline areas of Washington usually results in erosion of land and silting of water. These operations can create silt and kill bottom-living animals. The removal of sand from marine beaches can deplete a limited resource which may not be restored through natural processes. Guidelines:

(a) When rock, sand, gravel and minerals are removed from shoreline areas, adequate protection against sediment and silt production should be provided.

(b) Excavations for the production of sand, gravel and minerals should be done in conformance with the Washington State Surface Mining Act. (See Reference No. 20.)

(c) Local governments should strictly control or prohibit the removal of sand and gravel from marine beaches.

(d) When removal of sand and gravel from marine beaches is permitted by existing legislation, it should be taken from the least sensitive biophysical areas of the beach.

(7) Outdoor advertising, signs and billboards. Signs are publicly displayed boards whose purpose is to provide information, direction, or advertising. Signs may be pleasing or distracting, depending upon their design and location. A sign, in order to be effective, must attract attention; however, a message can be clear and distinct without being offensive. There are areas where signs are not desirable, but generally it is the design that is undesirable, not the sign itself.

(a) Off-premise outdoor advertising signs should be limited to areas of high-intensity land use, such as commercial and industrial areas.

(b) Master programs should establish size, height, density, and lighting limitations for signs.

(c) Vistas and viewpoints should not be degraded and visual access to the water from such vistas should not be impaired by the placement of signs.

(d) Outdoor advertising signs (where permitted under local regulations) should be located on the upland side of public transportation routes which parallel and are adjacent to rivers and water bodies (unless it can be demonstrated that views will not be substantially obstructed).

(e) When feasible, signs should be constructed against existing buildings to minimize visual obstructions of the shoreline and water bodies.

(8) Residential development. The following guidelines should be recognized in the development of any subdivision on the shorelines of the state. To the extent possible, planned unit developments (sometimes called cluster developments) should be encouraged within the shoreline area. Within planned unit developments, substantial portions of land are reserved as open space or recreational areas for the joint use of the occupants of the development. This land may be provided by allowing houses to be placed on lots smaller than the legal minimum size for normal subdivisions, as long as the total number of dwellings in the planned unit development does not exceed the total allowable in a regular subdivision. Guidelines:

(a) Subdivisions should be designed at a level of density of site coverage and of occupancy compatible with the physical capabilities of the shoreline and water.

(b) Subdivisions should be designed so as to adequately protect the water and shoreline aesthetic characteristics.

(c) Subdividers should be encouraged to provide public pedestrian access to the shorelines within the subdivision.

(d) Residential development over water should not be permitted.

(e) Floating homes are to be located at moorage slips approved in accordance with the guidelines dealing with marinas, piers, and docks. In planning for floating homes, local governments should ensure that waste disposal practices meet local and state health regulations, that the homes are not located over highly productive fish food areas, and that the homes are located to be compatible with the intent of the designated environments.

(f) Residential developers should be required to indicate how they plan to preserve shore vegetation and control erosion during construction.

(g) Sewage disposal facilities, as well as water supply facilities, must be provided in accordance with appropriate state and local health regulations. Storm drainage facilities should be separate, not combined with sewage disposal systems.

(h) Adequate water supplies should be available so that the ground water quality will not be endangered by over-pumping.

(9) Utilities. Utilities are services which produce and carry electric power, gas, sewage, communications and oil. At this time the most feasible methods of transmission are the lineal ones of pipes and wires. The installation of this apparatus necessarily disturbs the landscape but can usually be planned to have minimal visual and physical effect on the environment. Guidelines:

(a) Upon completion of installation/maintenance projects on shorelines, banks should be restored to preproject configuration, replanted with native species and provided maintenance care until the newly planted vegetation is established.

(b) Whenever these facilities must be placed in a shoreline area, the location should be chosen so as not to obstruct or destroy scenic views. Whenever feasible, these facilities should be placed underground, or designed to do minimal damage to the aesthetic qualities of the shoreline area.

(c) To the extent feasible, local government should attempt to incorporate major transmission line right of ways on shorelines into their program for public access to and along water bodies.

(d) Utilities should be located to meet the needs of future populations in areas planned to accommodate this growth.

The Washington state thermal power plant siting law (chapter 80.50 RCW) regulates the location of electrical generating and distribution facilities. Under this law, the state preempts the certification and regulation of thermal power plant sites and thermal power plants. (See Reference No. 28.)

(10) Ports and water-related industries. Ports are centers for water-borne traffic and as such have become gravitational points for industrial/manufacturing firms. Heavy industry may not specifically require a waterfront location, but is attracted to port areas because of the variety of transportation available. Guidelines:

(a) Water-dependent industries which require frontage on navigable water should be given priority over other industrial uses.

(b) Port facilities should be designed to permit viewing of harbor areas from view points, waterfront restaurants and similar public facilities which would not interfere with port operations or endanger public health and safety.

(c) Sewage treatment, water reclamation, desalinization and power plants should be located where they do not interfere with and are compatible with recreational, residential or other public uses of the water and shorelands. Waste treatment ponds for water-related industry should occupy as little shoreline as possible.

(d) The cooperative use of docking, parking, cargo handling and storage facilities should be strongly encouraged in waterfront industrial areas.

(e) Land transportation and utility corridors serving ports and water-related industry should follow the guidelines provided under the sections dealing with utilities and road and railroad design and construction. Where feasible, transportation and utility corridors should be located upland to reduce pressures for the use of waterfront sites.

(f) Master program planning should be based on a recognition of the regional nature of port services. Prior to allocating shorelands for port uses, local governments should consider state-wide needs and coordinate planning with other jurisdictions to avoid wasteful duplication of port services within port-service regions.

(g) Since industrial docks and piers are often longer and greater in bulk than recreational or residential piers, careful planning must be undertaken to reduce the adverse impact of such facilities on other water-dependent uses and shoreline resources. Because heavy industrial activities are associated with industrial piers and docks, the location of these facilities must be considered a major factor determining the environmental compatibility of such facilities.

(11) Bulkheads. Bulkheads or seawalls are structures erected parallel to and near the high-water mark for the purpose of protecting adjacent uplands from the action of waves or currents. Bulkheads are constructed of steel, timber or concrete piling, and may be either of solid or open-piling construction. For ocean-exposed locations, bulkheads do not provide a long-lived permanent solution, because eventually a more substantial wall is required as the beach continues to recede and layer waves reach the structure.

While bulkheads and seawalls may protect the uplands, they do not protect the adjacent beaches, and in many cases are actually detrimental to the beaches by speeding up the erosion of the sand in front of the structures.

The following guidelines apply to the construction of bulkheads and seawalls designed to protect the immediate upland area. Proposals for landfill must comply with the guidelines for that specific activity. Guidelines:

(a) Bulkheads and seawalls should be located and constructed in such a manner which will not result in adverse effects on nearby beaches and will minimize alterations of the natural shoreline.

(b) Bulkheads and seawalls should be constructed in such a way as to minimize damage to fish and shellfish habitats. Open-piling construction is preferable in lieu of the solid type.

(c) Consider the effect of a proposed bulkhead on public access to publicly owned shorelines.

(d) Bulkheads and seawalls should be designed to blend in with the surroundings and not to detract from the aesthetic qualities of the shoreline.

(e) The construction of bulkheads should be permitted only where they provide protection to upland areas or facilities, not for the indirect purpose of creating land by filling behind the bulkhead. Landfill operations should satisfy the guidelines under WAC 173-16-060(14).

(12) Breakwaters. Breakwaters are another protective structure usually built offshore to protect beaches, bluffs, dunes or harbor areas from wave action. However, because offshore breakwaters are costly to build, they are seldom constructed to protect the natural features alone, but are generally constructed for navigational purposes also. Breakwaters can be either rigid in construction or floating. The rigid breakwaters, which are usually constructed of riprap or rock, have both beneficial and detrimental effects on the shore. All breakwaters eliminate wave action and thus protect the shore immediately behind them. They also obstruct the free flow of sand along the coast and starve the

downstream beaches. Floating breakwaters do not have the negative effect on sand movement, but cannot withstand extensive wave action and thus are impractical with present construction methods in many areas. Guidelines:

(a) Floating breakwaters are preferred to solid landfill types in order to maintain sand movement and fish habitat.

(b) Solid breakwaters should be constructed only where design modifications can eliminate potentially detrimental effects on the movement of sand and circulation of water.

(c) The restriction of the public use of the water surface as a result of breakwater construction must be recognized in the master program and must be considered in granting shoreline permits for their construction.

(13) Jetties and groins. Jetties and groins are structures designed to modify or control sand movement. A jetty is generally employed at inlets for the purpose of navigation improvements. When sand being transported along the coast by waves and currents arrives at an inlet, it flows inward on the flood tide to form an inner bar, and outward on ebb tide to form an outer bar. Both formations are harmful to navigation through the inlet.

A jetty is usually constructed of steel, concrete or rock. The type depends on foundation conditions and wave, climate and economic considerations. To be of maximum aid in maintaining the navigation channel, the jetty must be high enough to completely obstruct the sand stream. The adverse effect of a jetty is that sand is impounded at the updrift jetty and the supply of sand to the shore downdrift from the inlet is reduced, thus causing erosion.

Groins are barrier-type structures extending from the backshore seaward across the beach. The basic purpose of a groin is to interrupt the sand movement along a shore.

Groins can be constructed in many ways using timber, steel, concrete or rock, but can be classified into basic physical categories as high or low, long or short, and permeable or impermeable.

Trapping of sand by a groin is done at the expense of the adjacent downdrift shore, unless the groin system is filled with sand to its entrapment capacity. Guidelines:

(a) Master programs must consider sand movement and the effect of proposed jetties or groins on that sand movement. Provisions can be made to compensate for the adverse effects of the structures either by artificially transporting sand to the downdrift side of an inlet with jetties, or by artificially feeding the beaches in case of groins.

(b) Special attention should be given to the effect these structures will have on wildlife propagation and movement, and to the design of these structures which will not detract from the aesthetic quality of the shoreline.

(14) Landfill is the creation of dry upland area by the filling or depositing of sand, soil or gravel into a wetland area. Landfills also occur to replace shoreland areas removed by wave action or the normal erosive processes of nature. However, most landfills destroy the natural character of land, create unnatural heavy erosion and silting problems and diminish the existing water surface. Guidelines:

(a) Shoreline fills or cuts should be designed and located so that significant damage to existing ecological values or natural resources, or alteration of local currents will not occur, creating a hazard to adjacent life, property, and natural resources systems.

(b) All perimeters of fills should be provided with vegetation, retaining walls, or other mechanisms for erosion prevention.

(c) Fill materials should be of such quality that it will not cause problems of water quality. Shoreline areas are not to be considered for sanitary landfills or the disposal of solid waste.

(d) Priority should be given to landfills for water-dependent uses and for public uses. In evaluating fill projects and in designating areas appropriate for fill, such factors as total water surface reduction, navigation restriction, impediment to water flow and circulation, reduction of water quality and destruction of habitat should be considered.

(15) Solid waste disposal. Generally, all solid waste is a possible source of much nuisance. Rapid, safe and nuisance-free storage, collection, transportation and disposal are of vital concern to all persons and communities. If the disposal of solid waste material is not carefully planned and regulated, it can become not only a nuisance but a severe threat to the health and safety of human beings, livestock, wildlife and other biota. Guidelines:

(a) Local master programs and use regulations must be consistent with approved county or multicounty comprehensive solid waste management plans and regulations of jurisdictional health agencies.

(b) Local governments must regulate sanitary landfills and solid waste handling in accordance with regulations for solid waste handling when adopted by the department of ecology. New regulations restricting sanitary landfills within any water course and within flood plains of any water course have been proposed for adoption by the department.

(16) Dredging. Dredging is the removal of earth from the bottom of a stream, river, lake, bay or other water body for the purposes of deepening a navigational channel or to obtain use of the bottom materials for landfill. A significant portion of all dredged materials are deposited either in the water or immediately adjacent to it, often resulting in problems of water quality. Guidelines:

(a) Local governments should control dredging to minimize damage to existing ecological values and natural resources of both the area to be dredged and the area for deposit of dredged materials.

(b) Local master programs must include long-range plans for the deposit and use of spoils on land. Spoil deposit sites in water areas should also be identified by local government in cooperation with the state departments of natural resources, game and fisheries. Depositing of dredge material in water areas should be allowed only for habitat improvement, to correct problems of material distribution affecting adversely fish and shellfish resources, or where the alternatives of depositing material on land is more detrimental to shoreline resources than depositing it in water areas.

(c) Dredging of bottom materials for the single purpose of obtaining fill material should be discouraged.

(17) Shoreline protection. Flood protection and streamway modifications are those activities occurring within the streamway and wetland areas which are designed to reduce overbank flow of high waters and stabilize eroding streambanks. Reduction of flood damage, bank stabilization to reduce sedimentation, and protection of property from erosion are normally achieved through watershed and flood plain management and by structural works. Such measures

are often complementary to one another and several measures together may be necessary to achieve the desired end. Guidelines:

(a) Riprapping and other bank stabilization measures should be located, designed and constructed so as to avoid the need for channelization and to protect the natural character of the streamway.

(b) Where flood protection measures such as dikes are planned, they should be placed landward of the streamway, including associated swamps and marshes and other wetlands directly interrelated and interdependent with the stream proper.

(c) Flood protection measures which result in channelization should be avoided.

(18) Road and railroad design and construction. A road is a linear passageway, usually for motor vehicles, and a railroad is a surface linear passageway with tracks for train traffic. Their construction can limit access to shorelines, impair the visual qualities of water-oriented vistas, expose soils to erosion and retard the runoff of flood waters. Guidelines:

(a) Whenever feasible, major highways, freeways and railways should be located away from shorelands, except in port and heavy industrial areas, so that shoreland roads may be reserved for slow-moving recreational traffic.

(b) Roads located in wetland areas should be designed and maintained to prevent erosion and to permit a natural movement of ground water.

(c) All debris, overburden, and other waste materials from construction should be disposed of in such a way as to prevent their entry by erosion from drainage, high water, or other means into any water body.

(d) Road locations should be planned to fit the topography so that minimum alterations of natural conditions will be necessary.

(e) Scenic corridors with public roadways should have provision for safe pedestrian and other nonmotorized travel. Also, provision should be made for sufficient view points, rest areas and picnic areas in public shorelines.

(f) Extensive loops or spurs of old highways with high aesthetic quality should be kept in service as pleasure bypass routes, especially where main highways, paralleling the old highway, must carry large traffic volumes at high speeds.

(g) Since land-use and transportation facilities are so highly interrelated, the plans for each should be coordinated. The designation of potential high-use areas in master programs should be done after the environmental impact of the transportation facilities needed to serve those areas have been assessed.

(19) Piers. A pier or dock is a structure built over or floating upon the water, used as a landing place for marine transport or for recreational purposes. While floating docks generally create less of a visual impact than those on piling, they constitute an impediment to boat traffic and shoreline trolling. Floating docks can also alter beach sand patterns in areas where tides and littoral drift are significant. On lakes, a proliferation of piers along the shore can have the effect of substantially reducing the usable water surface. Guidelines:

(a) The use of floating docks should be encouraged in those areas where scenic values are high and where conflicts with recreational boaters and fishermen will not be created.

(b) Open-pile piers should be encouraged where shore trolling is important, where there is significant littoral drift and where scenic values will not be impaired.

(c) Priority should be given to the use of community piers and docks in all new major waterfront subdivisions. In general, encouragement should be given to the cooperative use of piers and docks.

(d) Master programs should address the problem of the proliferation of single-purpose private piers and should establish criteria for their location, spacing, and length. The master programs should also delimit geographical areas where pile piers will have priority over floating docks.

(e) In providing for boat docking facilities in the master program, local governments should consider the capacity of the shoreline sites to absorb the impact of waste discharges from boats including gas and oil spillage.

(20) Archeological areas and historic sites. Archeological areas, ancient villages, military forts, old settlers homes, ghost towns, and trails were often located on shorelines because of the proximity of food resources and because water provided an important means of transportation. These sites are nonrenewable resources and many are in danger of being lost through present day changes in land use and urbanization. Because of their rarity and the educational link they provide to our past, these locations should be preserved. Guidelines:

(a) In preparing shoreline master programs, local governments should consult with professional archeologists to identify areas containing potentially valuable archeological data, and to establish procedures for salvaging the data.

(b) Where possible, sites should be permanently preserved for scientific study and public observation. In areas known to contain archeological data, local governments should attach a special condition to a shoreline permit providing for a site inspection and evaluation by an archeologist to ensure that possible archeological data are properly salvaged. Such a condition might also require approval by local government before work can resume on the project following such an examination.

(c) Shoreline permits, in general, should contain special provisions which require developers to notify local governments if any possible archeological data are uncovered during excavations.

(d) The National Historic Preservation Act of 1966 and chapter 43.51 RCW provide for the protection, rehabilitation, restoration and reconstruction of districts, sites, buildings, structures and objects significant in American and Washington history, architecture, archeology or culture. The state legislation names the director of the Washington state parks and recreation commission as the person responsible for this program.

(21) Recreation. Recreation is the refreshment of body and mind through forms of play, amusement or relaxation. Water-related recreation accounts for a very high proportion of all recreational activity in the Pacific Northwest. The recreational experience may be either an active one involving boating, swimming, fishing or hunting or the experience may be passive such as enjoying the natural beauty of a vista of a lake, river or saltwater area. Guidelines:

(a) Priority will be given to developments, other than single-family residences which are exempt from the permit

requirements of the act, which provide recreational uses and other improvements facilitating public access to shorelines.

(b) Access to recreational locations such as fishing streams and hunting areas should be a combination of areas and linear access (parking areas and easements, for example) to prevent concentrations of use pressure at a few points.

(c) Master programs should encourage the linkage of shoreline parks and public access points through the use of linear access. Many types of connections can be used such as hiking paths, bicycle trails and/or scenic drives.

(d) Attention should be directed toward the effect the development of a recreational site will have on the environmental quality and natural resources of an area.

(e) Master programs should develop standards for the preservation and enhancement of scenic views and vistas.

(f) To avoid wasteful use of the limited supply of recreational shoreland, parking areas should be located inland away from the immediate edge of the water and recreational beaches. Access should be provided by walkways or other methods. Automobile traffic on beaches, dunes and fragile shoreland resources should be discouraged.

(g) Recreational developments should be of such variety as to satisfy the diversity of demands from groups in nearby population centers.

(h) The supply of recreation facilities should be directly proportional to the proximity of population and compatible with the environment designations.

(i) Facilities for intensive recreational activities should be provided where sewage disposal and vector control can be accomplished to meet public health standards without adversely altering the natural features attractive for recreational uses. (See Reference No. 35.)

(j) In locating proposed recreational facilities such as playing fields and golf courses and other open areas which use large quantities of fertilizers and pesticides in their turf maintenance programs, provisions must be made to prevent these chemicals from entering water. If this type of facility is approved on a shoreline location, provision should be made for protection of water areas from drainage and surface runoff.

(k) State and local health agencies have broad regulations which apply to recreation facilities, recreation watercraft and ocean beaches which should be consulted by local governments in preparing use regulations and issuing permits. (See Reference Nos. 30, 31, 35, 36, 37.)

[Statutory Authority: RCW 90.58.060 and 90.58.190. 80-15-072 (Order DE-80-37), § 173-16-060, filed 10/17/80; Order DE 72-12, § 173-16-060, filed 6/20/72 and 7/20/72.]

WAC 173-16-064 Ocean management. (1) Purpose and intent. This section implements the Ocean Resources Management Act, (RCW 43.143.005 through 43.143.030) enacted in 1989 by the Washington state legislature. The law requires the department of ecology to develop guidelines and policies for the management of ocean uses and to serve as the basis for evaluation and modification of local shoreline management master programs of coastal local governments in Jefferson, Clallam, Grays Harbor, and Pacific counties. The guidelines are intended to clarify state shoreline management policy regarding use of coastal resources, address evolving interest in ocean development

and prepare state and local agencies for new ocean developments and activities.

(2) Geographical application. The guidelines apply to Washington's coastal waters from Cape Disappointment at the mouth of the Columbia River north one hundred sixty miles to Cape Flattery at the entrance to the Strait of Juan De Fuca including the offshore ocean area, the near shore area under state ownership, shorelines of the state, and their adjacent uplands. Their broadest application would include an area seaward two hundred miles (RCW 43.143.020) and landward to include those uplands immediately adjacent to land under permit jurisdiction for which consistent planning is required under RCW 90.58.340. The guidelines address uses occurring in Washington's coastal waters, but not impacts generated from activities offshore of Oregon, Alaska, California, or British Columbia or impacts from Washington's offshore on the Strait of Juan de Fuca or other inland marine waters.

(3) Ocean uses defined. Ocean uses are activities or developments involving renewable and/or nonrenewable resources that occur on Washington's coastal waters and includes their associated off shore, near shore, inland marine, shoreland, and upland facilities and the supply, service, and distribution activities, such as crew ships, circulating to and between the activities and developments. Ocean uses involving nonrenewable resources include such activities as extraction of oil, gas and minerals, energy production, disposal of waste products, and salvage. Ocean uses which generally involve sustainable use of renewable resources include commercial, recreational, and tribal fishing, aquaculture, recreation, shellfish harvesting, and pleasure craft activity.

(4) Relationship to existing management programs. These guidelines augment existing requirements of the Shoreline Management Act, chapter 90.58 RCW, and those chapters in Title 173 of the Washington Administrative Code that implement the act. They are not intended to modify current resource allocation procedures or regulations administered by other agencies, such as the Washington department of fisheries management of commercial, recreational, and tribal fisheries. They are not intended to regulate recreational uses or currently existing commercial uses involving fishing or other renewable marine or ocean resources. Every effort will be made to take into account tribal interests and programs in the guidelines and master program amendment processes. After inclusion in the state coastal zone management program, these guidelines and resultant master programs will be used for federal consistency purposes in evaluating federal permits and activities in Washington's coastal waters. Participation in the development of these guidelines and subsequent amendments to master programs will not preclude state and local government from opposing the introduction of new uses, such as oil and gas development.

These and other statutes, documents, and regulations referred to or cited in these rules may be reviewed at the department of ecology, headquarters in Lacey, Washington, for which the mailing address is Mailstop PV-11, Olympia, WA 98504.

(5) Regional approach. The guidelines are intended to foster a regional perspective and consistent approach for the management of ocean uses. While local governments may have need to vary their programs to accommodate local

circumstances, local government should attempt and the department will review local programs for compliance with these guidelines and chapter 173-16 WAC: Shoreline Management Act guidelines for development of master programs. It is recognized that further amendments to the master programs may be required to address new information on critical and sensitive habitats and environmental impacts of ocean uses or to address future activities, such as oil development. In addition to the criteria in RCW 43.143.030, these guidelines apply to ocean uses until local master program amendments are adopted. The amended master program shall be the basis for review of an action that is either located exclusively in, or its environmental impacts confined to, one county. Where a proposal clearly involves more than one local jurisdiction, the guidelines shall be applied and remain in effect in addition to the provisions of the local master programs.

(6) Permit criteria: Local government and the department may permit ocean or coastal uses and activities as a substantial development, variance or conditional use only if the criteria of RCW 43.143.030(2) listed below are met or exceeded:

(a) There is a demonstrated significant local, state, or national need for the proposed use or activity;

(b) There is no reasonable alternative to meet the public need for the proposed use or activity;

(c) There will be no likely long-term significant adverse impacts to coastal or marine resources or uses;

(d) All reasonable steps are taken to avoid and minimize adverse environmental impacts, with special protection provided for the marine life and resources of the Columbia River, Willapa Bay and Grays Harbor estuaries, and Olympic national park;

(e) All reasonable steps are taken to avoid and minimize adverse social and economic impacts, including impacts on aquaculture, recreation, tourism, navigation, air quality, and recreational, commercial, and tribal fishing;

(f) Compensation is provided to mitigate adverse impacts to coastal resources or uses;

(g) Plans and sufficient performance bonding are provided to ensure that the site will be rehabilitated after the use or activity is completed; and

(h) The use or activity complies with all applicable local, state, and federal laws and regulations.

(7) General ocean uses guidelines. The following guidelines apply to all ocean uses, their service, distribution, and supply activities and their associated facilities that require shoreline permits.

(a) Ocean uses and activities that will not adversely impact renewable resources shall be given priority over those that will. Correspondingly, ocean uses that will have less adverse impacts on renewable resources shall be given priority over uses that will have greater adverse impacts.

(b) Ocean uses that will have less adverse social and economic impacts on coastal uses and communities should be given priority over uses and activities that will have more such impacts.

(c) When the adverse impacts are generally equal, the ocean use that has less probable occurrence of a disaster should be given priority.

(d) The alternatives considered to meet a public need for a proposed use should be commensurate with the need for

the proposed use. For example, if there is a demonstrated national need for a proposed use, then national alternatives should be considered.

(e) Chapter 197-11 WAC (SEPA rules) provides guidance in the application of the permit criteria and guidelines of this section. The range of impacts to be considered should be consistent with WAC 197-11-060 (4)(e) and 197-11-792 (2)(c). The determination of significant adverse impacts should be consistent with WAC 197-11-330(3) and 197-11-794. The sequence of actions described in WAC 197-11-768 should be used as an order of preference in evaluating steps to avoid and minimize adverse impacts.

(f) Impacts on commercial resources, such as the crab fishery, on noncommercial resources, such as environmentally critical and sensitive habitats, and on coastal uses, such as loss of equipment or loss of a fishing season, should be considered in determining compensation to mitigate adverse environmental, social and economic impacts to coastal resources and uses.

(g) Allocation of compensation to mitigate adverse impacts to coastal resources or uses should be based on the magnitude and/or degree of impact on the resource, jurisdiction and use.

(h) Rehabilitation plans and bonds prepared for ocean uses should address the effects of planned and unanticipated closures, completion of the activity, reasonably anticipated disasters, inflation, new technology, and new information about the environmental impacts to ensure that state of the art technology and methods are used.

(i) Local governments should evaluate their master programs and select the environment(s) for coastal waters that best meets the intent of chapter 173-16 WAC, these guidelines and chapter 90.58 RCW.

(j) Ocean uses and their associated coastal or upland facilities should be located, designed and operated to prevent, avoid, and minimize adverse impacts on migration routes and habitat areas of species listed as endangered or threatened, environmentally critical and sensitive habitats such as breeding, spawning, nursery, foraging areas and wetlands, and areas of high productivity for marine biota such as upwelling and estuaries.

(k) Ocean uses should be located to avoid adverse impacts on proposed or existing environmental and scientific preserves and sanctuaries, parks, and designated recreation areas.

(l) Ocean uses and their associated facilities should be located and designed to avoid and minimize adverse impacts on historic or culturally significant sites in compliance with chapter 27.34 RCW. Permits in general should contain special provisions that require permittees to comply with chapter 27.53 RCW if any archeological sites or archeological objects such as artifacts and shipwrecks are discovered.

(m) Ocean uses and their distribution, service, and supply vessels and aircraft should be located, designed, and operated in a manner that minimizes adverse impacts on fishing grounds, aquatic lands, or other renewable resource ocean use areas during the established, traditional, and recognized times they are used or when the resource could be adversely impacted.

(n) Ocean use service, supply, and distribution vessels and aircraft should be routed to avoid environmentally

critical and sensitive habitats such as sea stacks and wetlands, preserves, sanctuaries, bird colonies, and migration routes, during critical times those areas or species could be affected.

(o) In locating and designing associated onshore facilities, special attention should be given to the environment, the characteristics of the use, and the impact of a probable disaster, in order to assure adjacent uses, habitats, and communities adequate protection from explosions, spills, and other disasters.

(p) Ocean uses and their associated facilities should be located and designed to minimize impacts on existing water dependent businesses and existing land transportation routes to the maximum extent feasible.

(q) Onshore facilities associated with ocean uses should be located in communities where there is adequate sewer, water, power, and streets. Within those communities, if space is available at existing marine terminals, the onshore facilities should be located there.

(r) Attention should be given to the scheduling and method of constructing ocean use facilities and the location of temporary construction facilities to minimize impacts on tourism, recreation, commercial fishing, local communities, and the environment.

(s) Special attention should be given to the effect that ocean use facilities will have on recreational activities and experiences such as public access, aesthetics, and views.

(t) Detrimental effects on air and water quality, tourism, recreation, fishing, aquaculture, navigation, transportation, public infrastructure, public services, and community culture should be considered in avoiding and minimizing adverse social and economic impacts.

(u) Special attention should be given to designs and methods that prevent, avoid, and minimize adverse impacts such as noise, light, temperature changes, turbidity, water pollution and contaminated sediments on the marine, estuarine or upland environment. Such attention should be given particularly during critical migration periods and life stages of marine species and critical oceanographic processes.

(v) Preproject environmental baseline inventories and assessments and monitoring of ocean uses should be required when little is known about the effects on marine and estuarine ecosystems, renewable resource uses and coastal communities or the technology involved is likely to change.

(w) Oil and gas, mining, disposal, and energy producing ocean uses should be designed, constructed, and operated in a manner that minimizes environmental impacts on the coastal waters environment, particularly the seabed communities, and minimizes impacts on recreation and existing renewable resource uses such as fishing.

(x) To the extent feasible, the location of oil and gas, and mining facilities should be chosen to avoid and minimize impacts on shipping lanes or routes traditionally used by commercial and recreational fishermen to reach fishing areas.

(y) Discontinuance or shutdown of oil and gas, mining or energy producing ocean uses should be done in a manner that minimizes impacts to renewable resource ocean uses such as fishing, and restores the seabed to a condition similar to its original state to the maximum extent feasible.

(8) Oil and gas uses and activities. Oil and gas uses and activities involve the extraction of oil and gas resources from beneath the ocean.

(a) Whenever feasible oil and gas facilities should be located and designed to permit joint use in order to minimize adverse impacts to coastal resources and uses and the environment.

(b) Special attention should be given to the availability and adequacy of general disaster response capabilities in reviewing ocean locations for oil and gas facilities.

(c) Because environmental damage is a very probable impact of oil and gas uses, the adequacy of plans, equipment, staffing, procedures, and demonstrated financial and performance capabilities for preventing, responding to, and mitigating the effects of accidents and disasters such as oil spills should be major considerations in the review of permits for their location and operation. If a permit is issued, it should ensure that adequate prevention, response, and mitigation can be provided before the use is initiated and throughout the life of the use.

(d) Special attention should be given to the response times for public safety services such as police, fire, emergency medical, and hazardous materials spill response services in providing and reviewing onshore locations for oil and gas facilities.

(e) Oil and gas facilities including pipelines should be located, designed, constructed, and maintained in conformance with applicable requirements but should at a minimum ensure adequate protection from geological hazards such as liquefaction, hazardous slopes, earthquakes, physical oceanographic processes, and natural disasters.

(f) Upland disposal of oil and gas construction and operation materials and waste products such as cuttings and drilling muds should be allowed only in sites that meet applicable requirements.

(9) Ocean mining. Ocean mining includes such uses as the mining of metal, mineral, sand, and gravel resources from the sea floor.

(a) Seafloor mining should be located and operated to avoid detrimental effects on ground fishing or other renewable resource uses.

(b) Seafloor mining should be located and operated to avoid detrimental effects on beach erosion or accretion processes.

(c) Special attention should be given to habitat recovery rates in the review of permits for seafloor mining.

(10) Energy production. Energy production uses involve the production of energy in a usable form directly in or on the ocean rather than extracting a raw material that is transported elsewhere to produce energy in a readily usable form. Examples of these ocean uses are facilities that use wave action or differences in water temperature to generate electricity.

(a) Energy-producing uses should be located, constructed, and operated in a manner that has no detrimental effects on beach accretion or erosion and wave processes.

(b) An assessment should be made of the effect of energy producing uses on upwelling, and other oceanographic and ecosystem processes.

(c) Associated energy distribution facilities and lines should be located in existing utility rights-of-way and corridors whenever feasible, rather than creating new corri-

dors that would be detrimental to the aesthetic qualities of the shoreline area.

(11) Ocean disposal. Ocean disposal uses involve the deliberate deposition or release of material at sea, such as solid wastes, industrial waste, radioactive waste, incineration, incinerator residue, dredged materials, vessels, aircraft, ordnance, platforms, or other man-made structures.

(a) Storage, loading, transporting, and disposal of materials shall be done in conformance with local, state, and federal requirements for protection of the environment.

(b) Ocean disposal shall be allowed only in sites that have been approved by the Washington department of ecology, the Washington department of natural resources, the United States Environmental Protection Agency, and the United States Army Corps of Engineers as appropriate.

(c) Ocean disposal sites should be located and designed to prevent, avoid, and minimize adverse impacts on environmentally critical and sensitive habitats, coastal resources and uses, or loss of opportunities for mineral resource development. Ocean disposal sites for which the primary purpose is habitat enhancement may be located in a wider variety of habitats, but the general intent of the guidelines should still be met.

(12) Transportation. Ocean transportation includes such uses as: Shipping, transferring between vessels, and offshore storage of oil and gas; transport of other goods and commodities; and offshore ports and airports. The following guidelines address transportation activities that originate or conclude in Washington's coastal waters or are transporting a nonrenewable resource extracted from the outer continental shelf off Washington.

(a) An assessment should be made of the impact transportation uses will have on renewable resource activities such as fishing and on environmentally critical and sensitive habitat areas, environmental and scientific preserves and sanctuaries.

(b) When feasible, hazardous materials such as oil, gas, explosives and chemicals, should not be transported through highly productive commercial, tribal, or recreational fishing areas. If no such feasible route exists, the routes used should pose the least environmental risk.

(c) Transportation uses should be located or routed to avoid habitat areas of endangered or threatened species, environmentally critical and sensitive habitats, migration routes of marine species and birds, marine sanctuaries and environmental or scientific preserves to the maximum extent feasible.

(13) Ocean research. Ocean research activities involve scientific investigation for the purpose of furthering knowledge and understanding. Investigation activities involving necessary and functionally related precursor activities to an ocean use or development may be considered exploration or part of the use or development. Since ocean research often involves activities and equipment, such as drilling and vessels, that also occur in exploration and ocean uses or developments, a case by case determination of the applicable regulations may be necessary.

(a) Ocean research should be encouraged to coordinate with other ocean uses occurring in the same area to minimize potential conflicts.

(b) Ocean research meeting the definition of "exploration activity" of WAC 173-15-020 shall comply with the

requirements of chapter 173-15 WAC: Permits for oil or natural gas exploration activities conducted from state marine waters.

(c) Ocean research should be located and operated in a manner that minimizes intrusion into or disturbance of the coastal waters environment consistent with the purposes of the research and the intent of the general ocean use guidelines.

(d) Ocean research should be completed or discontinued in a manner that restores the environment to its original condition to the maximum extent feasible, consistent with the purposes of the research.

(e) Public dissemination of ocean research findings should be encouraged.

(14) Ocean salvage. Ocean salvage uses share characteristics of other ocean uses and involve relatively small sites occurring intermittently. Historic shipwreck salvage which combines aspects of recreation, exploration, research, and mining is an example of such a use.

(a) Nonemergency marine salvage and historic shipwreck salvage activities should be conducted in a manner that minimizes adverse impacts to the coastal waters environment and renewable resource uses such as fishing.

(b) Nonemergency marine salvage and historic shipwreck salvage activities should not be conducted in areas of cultural or historic significance unless part of a scientific effort sanctioned by appropriate governmental agencies.

[Statutory Authority: RCW 90.58.195, 91-10-033 (Order 91-08), § 173-16-064, filed 4/24/91, effective 5/25/91.]

WAC 173-16-070 Variances and conditional uses.

The act states that each local master program shall contain provisions covering conditional uses and variances. Any permit for a variance or a conditional use granted by local government under an approved master program must be submitted to the department for approval, approval with conditions, or disapproval. The criteria contained in WAC 173-14-140 and 173-14-150 for shoreline conditional use and variance permits shall constitute the minimum criteria for review of these permits by local government and the department. More restrictive criteria may be applied where it exists in approved and adopted local master programs.

These provisions should be utilized in a manner which, while protecting the environment, will assure that a person will be able to utilize his property in a fair and equitable manner.

[Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200, 85-09-043 (Order DE 85-05), § 173-16-070, filed 4/15/85; Order DE 72-12, § 173-16-070, filed 6/20/72 and 7/20/72.]

WAC 173-16-200 Appendix.

Agricultural practices

1. Chapter 15.57 RCW, Washington Pesticide Act. Formulation, distribution and sale of agricultural pesticides.
2. Chapter 17.21 RCW, Washington Pesticide Application Act. Application equipment, licensing, records, handling of and enforcement.

3. Agricultural Extension Service, Washington State University, Pullman, June 1964, *Cattle Manure Handling and Disposal*.
 4. Cooperative Extension Service, College of Agriculture, Washington State University, Pullman, October, 1965, *Guideline for Sanitary Handling of Animal Manure*.
 5. Cooperative Extension Service, College of Agriculture, Washington State University, Pullman, June 1969, *Guidelines for Handling Animal Wastes as Related to Water and Air Pollution Control*.
 6. Cooperative Extension Service, College of Agriculture, Washington State University, Pullman, June 1971, *The Stockman's Role in Water Pollution Control*.
 7. Eric B. Wilson, University of Idaho, A Pacific Northwest Cooperative Extension Publication, PNW Bulletin 53, January 1963, *Your Feedlot - Build It — Mechanize It*.
 8. Cooperative Extension Service, College of Agriculture, Washington State University, Pullman, June 1971, *Livestock Waste Management Guidelines*.
- Forest management practices
9. Chapter 76.04 RCW, Forest protection, fire and burning control, permits and enforcement.
 10. Anonymous, Pacific Northwest Cooperative Extension Publication, March 1971, *Building Woodland Roads*, distributed by Washington State University Cooperative Extension Service, College of Agriculture.
 11. State of Washington departments of fisheries, game and natural resources, *Agreement*, related to management of projects affecting land and fisheries resources.
 12. Pacific Northwest Pollution Control Council, Task Force Report, August 1971, *Log Storage and Rafting in Public Waters*.
- Aquaculture
13. Chapter 75.16 RCW, Food fish and shellfish conservation and propagation.
 14. Chapter 248-58 WAC, State board of health, shellfish.
- Archeological areas and historic sites
15. RCW 43.51.750 - 43.51.820, Preservation of sites and funding requirements.
- Bulkheads and breakwaters
16. Washington state department of fisheries, criteria governing the design of bulkheads, landfills and marinas.
- Landfill
17. *Wilbour v. Gallagher* 77 Wn.2d 306, 462 P.2d 232 (1969). See Bulkheads, this page.
- Marinas
- See Bulkheads, this page.
18. Chapter 248-148 WAC, Marinas (to be adopted).
- Mining
19. RCW 43.51.685, Accreted lands, sale of sand and lease and removal permits.
 20. Chapter 78.44 RCW, Surface Mining Act. Reclamation requirements, site inspection and permits.
- Outdoor advertising
21. Chapter 47.42 RCW, Highway Advertising Control Act. Sign locations, scenic areas and permits.
- Residential development
22. *Bach v. Sarich*. 74 Wn.2d 575, 445 P.2d 648 (1968).
 23. Washington state department of social and health services, health services division, "standards for individual sewage waste disposal system."
 24. U.S. Department of Agriculture, Soil Conservation Service, June 1967, *Know the Soil You Build On*, Bulletin No. 320.
 25. U.S. Department of Agriculture, Soil Conservation Service, (September 1968) *Soil Conservation*, "Soil and Water Conservation in Suburbia" reprints available.
 26. WAC 248-50-100 State board of health regulation, disposal of human excreta.
 27. Chapter 248-96 WAC, State board of health regulation, individual sewage disposal (to be adopted).
- Utilities
28. Chapter 80.50 RCW, Thermal power plants - site locations.
 29. Ports and water related industries, Washington department of natural resources, proposed harbor area guidelines.
- Pacific Ocean beaches
30. RCW 79.16.160 Declared a public highway.
 31. RCW 79.16.172 Declared a public recreation area.
- Environmental impacts
32. Chapter 43.21C RCW, Washington State Environmental Policy Act of 1971 requires all branches of government to include in every recommendation or report on proposals for legislation and other major actions significantly affecting the environment, a detailed statement by the responsible official on the environmental impact of the proposed action.
- Public health, state board of health
33. WAC 248-50-140 Stagnant water
 34. Chapter 248-54 WAC, Public water supplies
 35. Chapter 248-72 WAC, Camps and parks

36. Chapter 248-92 WAC, Public sewage disposal
37. Chapter 248-98 WAC, Swimming pools, bathing beaches and wading pools

[Order DE 72-12, § 173-16-200, filed 6/20/72 and 7/20/72.]

Chapter 173-18 WAC

SHORELINE MANAGEMENT ACT—STREAMS AND RIVERS CONSTITUTING SHORELINES OF THE STATE

WAC

173-18-010	Purpose.
173-18-020	Applicability.
173-18-030	Definitions.
173-18-040	Streams and rivers.
173-18-044	Review of designations.
173-18-046	Conflicts between designations and criteria.
173-18-050	Adams County.
173-18-060	Asotin County.
173-18-070	Benton County.
173-18-080	Chelan County.
173-18-090	Clallam County.
173-18-100	Clark County.
173-18-110	Columbia County.
173-18-120	Cowlitz County.
173-18-130	Douglas County.
173-18-140	Ferry County.
173-18-150	Franklin County.
173-18-160	Garfield County.
173-18-170	Grant County.
173-18-180	Grays Harbor County.
173-18-190	Island County.
173-18-200	Jefferson County.
173-18-210	King County.
173-18-220	Kitsap County.
173-18-230	Kittitas County.
173-18-240	Klickitat County.
173-18-250	Lewis County.
173-18-260	Lincoln County.
173-18-270	Mason County.
173-18-280	Okanogan County.
173-18-290	Pacific County.
173-18-300	Pend Oreille County.
173-18-310	Pierce County.
173-18-320	San Juan County.
173-18-330	Skagit County.
173-18-340	Skamania County.
173-18-350	Snohomish County.
173-18-360	Spokane County.
173-18-370	Stevens County.
173-18-380	Thurston County.
173-18-390	Wahkiakum County.
173-18-400	Walla Walla County.
173-18-410	Whatcom County.
173-18-420	Whitman County.
173-18-430	Yakima County.

WAC 173-18-010 Purpose. The department of ecology, pursuant to RCW 90.58.300, is designated the state agency responsible for the program of regulation of the shorelines of the state. This chapter delimits the streams and rivers and portions thereof which constitute shorelines of the state pursuant to RCW 90.58.030 (2)(d) and (e).

[Order DE 72-13, § 173-18-010, filed 6/30/72.]

WAC 173-18-020 Applicability. The provisions of this chapter shall apply state wide.

[Order DE 72-13, § 173-18-020, filed 6/30/72.]

WAC 173-18-030 Definitions. The definitions and concepts set forth in RCW 90.58.030 shall apply as used herein.

[Order DE 72-13, § 173-18-030, filed 6/30/72.]

WAC 173-18-040 Streams and rivers. The following provisions of this chapter delimit, by county, the streams and rivers which constitute shorelines of the state as follows:

(1) Streams which constitute shorelines.

(a) Western Washington. The following provisions describe the streams in Western Washington from the point at which the stream reaches a mean annual flow of twenty cubic feet per second down to the mouth of said stream or river: *Provided*, That the stream falls at said point, within the jurisdiction of chapter 90.58 RCW.

(b) Eastern Washington. The following provisions describe the streams in Eastern Washington from the point at which the stream reaches a mean annual flow of twenty cubic feet per second down to the mouth of said stream or river: *Provided*, That the stream falls at said point, within the jurisdiction of chapter 90.58 RCW.

(2) Rivers which constitute shorelines of state-wide significance.

(a) Western Washington. The following provisions describe the point on those rivers in Western Washington where the mean annual flow reaches one thousand cubic feet per second and lists said river in all counties below said point through which said river passes with a mean annual flow in excess of one thousand cubic feet per second: *Provided*, That the river falls at said point within the jurisdiction of chapter 90.58 RCW.

(b) Eastern Washington. The following provisions describe either of the following points on those rivers in Eastern Washington, whichever is farther upstream;

(i) The point at which the mean annual flow exceeds two hundred cubic feet per second, or

(ii) The lowest extremity of the first three hundred square miles of drainage area east of the crest of the Cascade Range; provided that either of said points which is utilized is within the jurisdiction of chapter 90.58 RCW.

(iii) The following provisions additionally list said river in all counties below said point through which said river passes.

(3) Streams or rivers outside the jurisdiction of chapter 90.58 RCW. In those cases where the above described points on streams or rivers fall in geographical areas outside of the jurisdiction of chapter 90.58 RCW. The following provisions list said streams or rivers in all counties downstream from the boundaries of said geographical areas. In such listing, if the body of water is a shoreline of state-wide significance below said geographical area, such will be indicated in the description and by asterisk.

(4) Other data.

(a) Wherever a river of state-wide significance falls within a county, it is followed by an asterisk.

(b) The following provisions set forth the name of the quadrangle maps where the stream or river is shown. The quadrangle in which the shoreline delimitation begins and the first quadrangle downstream from the county line is

underlined. The quadrangle in which the shoreline of statewide significance begins is followed by an asterisk. The size, in minutes, of all quadrangle maps is designated.

(c) Where quadrangle maps are unavailable, photomaps have been used as indicated.

[Order 73-14, § 173-18-040, filed 8/27/73; Order DE 72-13, § 173-18-040, filed 6/30/72.]

WAC 173-18-044 Review of designations. The department shall review all the designations made herein at least once in every five-year period following the effective date of chapter 90.58 RCW or as frequently before then as is deemed advisable by the department, and prepare the necessary revisions to ensure that the designations conform to the policies of chapter 90.58 RCW and of chapter 173-18 WAC in the manner and form prescribed for adopting and amending rules and regulations in chapter 34.04 RCW (the Administrative Procedure Act).

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-052 (Order DE 80-20), § 173-18-044, filed 6/30/80.]

WAC 173-18-046 Conflicts between designations and criteria. In the event that any of the designations set forth in this chapter conflict with the criteria set forth in RCW 90.58.030(2) or in WAC 173-18-040 the criteria shall control. The designation of the stream or river shall be governed by the criteria.

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-052 (Order DE 80-20), § 173-18-046, filed 6/30/80.]

WAC 173-18-050 Adams County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Cow Creek*	<u>Karakul Hills</u> * 7 1/2 Marengo 7 1/2 Benge 15 Ritzville S.E. 7 1/2	From mouth of Lugenbeal Creek (Sec.15,T19N,R37E) downstream thru Hallin and Cow lakes, thru Finnel Lake to mouth on Palouse River (Sec.27,T15N,R37E). This stream has a 300 square mile drainage area ending at mouth of Lugenbeal Creek.
(2) Palouse River*	<u>La Crosse</u> 15 Benge 15 Starbuck 15	From Whitman County line (Sec.24,T16N,R38E) along county line downstream to Franklin County line (Sec.5, T15N,R37E), right shore only. This stream has over 300 sq. miles of drainage area.
(3) Rock Creek*	<u>Revera</u> 7 1/2	From Whitman County line (Sec.12,T18N,R38E) downstream back to Whitman County line (Sec.24 & 25, same township). This stream has over 300 square miles of drainage area.

[Order 73-14, § 173-18-050, filed 8/27/73; Order DE 72-13, § 173-18-050, filed 6/30/72.]

WAC 173-18-060 Asotin County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Asotin Creek (S. Fork)	<u>Harlow Ridge</u> 7 1/2 <u>Potter Hill</u> 7 1/2	From the confluence of the South Fork Asotin Creek and the Alder Gulch Stream (Sec.34,T9N,R44E) downstream to mouth at Asotin Creek (Sec.10, same township).
(2) Asotin Creek*	<u>Potter Hill</u> 7 1/2 <u>Rock Pile</u> Creek 7 1/2 Asotin 7 1/2	From the confluence of North and South Forks of Asotin Creek (Sec.10,T9N,R44E) downstream to mouth on Snake River near Asotin (Sec.16, T10N,R46E). This stream has a 300 square mile drainage area ending at mouth of George Creek (Sec.24,T10N,R45E).
(3) Asotin Creek (N. Fork)	<u>Harlow Ridge</u> 7 1/2 <u>Potter Hill</u> 7 1/2	From the Umatilla National Forest boundary (Sec.19, T9N,R44E) downstream to mouth at Asotin Creek (Sec.10, same township).
(4) George Creek	<u>Asotin</u> 7 1/2	From the confluence of George Creek and Pintler Creek (Sec.36,T10N,R45E) downstream to mouth at Asotin Creek (Sec.24, same township).
(5) Grand Ronde River*	<u>Mountain View</u> 7 1/2 <u>Fields Spring</u> 7 1/2 <u>Black Butte</u> 7 1/2 Flora 7 1/2	From the Washington-Oregon boundary (Sec.14, T6N,R43E) downstream to mouth at Snake River and Washington - Idaho boundary line (Sec.13,T7N,R46E). This stream has over 300 square miles of drainage area.
(6) Joseph Creek	<u>Black Butte</u> 7 1/2	From the Oregon-Washington state line (Sec.18,T6N,R46E) downstream to its mouth at Grande Ronde River (Sec.26, T7N,R46E).
(7) Snake River*	<u>Jim Creek</u> <u>Butte</u> 7 1/2 Limekiln Rapids 7 1/2 Captain John Rapids 7 1/2 Lewiston Orchards S. 7 1/2 Asotin 7 1/2 Clarkston 7 1/2 Silcott 7 1/2	From Washington - Oregon boundary (Sec.16,T6N,R47E) downstream to Garfield County line (Sec.6,T11N,R45E), left bank only. This stream has both over 300 square miles of drainage area and over 200 cfs MAF at Washington - Oregon boundary.

[Order DE 76-14, § 173-18-060, filed 5/3/76; Order 73-14, § 173-18-060, filed 8/27/73; Order DE 72-13, § 173-18-060, filed 6/30/72.]

WAC 173-18-070 Benton County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Columbia River (Cont.)*	<u>Priest Rapids</u> 15 Richland 15 Eltopia 15	From the Yakima County line (Sec.7,T13N,R24E) downstream right bank only, to Hanford works boundary (Sec.9, same township), plus the right bank within Richland city limits (T10N,R28E; T9N,R28E; T9N,R29E). This stream has over 200 cfs MAF at Yakima County line.

- | | | | | | | | |
|--|-----------------------|---|--|-----|-------------------------|---|--|
| (2) | Glade Creek* | <u>Blalock Island*</u>
7 1/2 | From mouth of East Fork Glade Creek (Sec.6,T5N,R25E) downstream to mouth on Columbia River (Sec.28, same township). This stream has a 300 square mile drainage area ending at East Branch Glade Creek. | (6) | Little Wenatchee River* | <u>Wenatchee Lake*</u> 15 | From confluence with Soda Creek (Sec.10, T27N,R15E) downstream to mouth on Wenatchee Lake (Sec.23,T27N,R16E). Exclude federal lands. The 200 cfs point begins at confluence with Soda Creek. |
| (3) | Yakima River (Cont.)* | <u>Prosser</u> 7 1/2
<u>Whitstran</u> 7 1/2
Corral Canyon 15
Richland 15
<u>Badger Mtn.</u> 7 1/2
<u>Eltopia</u> 7 1/2 | From Benton-Yakima County line (Sec.7,T8N,R24E) downstream to mouth on Columbia River (Sec.19, T9N,R29E). The flow exceeds 200 cfs MAF at Benton-Yakima County line. | (7) | Mad River | <u>Tyee Mtn.</u> 7 1/2
<u>Ardenvoir</u> 7 1/2
<u>Chumstick Mtn.</u> 7 1/2 | From the Wenatchee National Forest boundary (Sec.13,T26N,R19E) downstream to mouth at Entiat River (Sec.19, T26N,R20E). Exclude federal lands. |
| [Order 73-14, § 173-18-070, filed 8/27/73; Order DE 72-13, § 173-18-070, filed 6/30/72.] | | | | (8) | Mission Creek | <u>Monitor</u> 7 1/2
<u>Cashmere</u> 7 1/2 | From the confluence of Mission Creek and Bear Gulch (Sec.31,T23N,R19E) downstream to mouth at Wenatchee River (Sec.4,T23N,R19E). |

WAC 173-18-080 Chelan County. Streams

- | <u>Stream Name</u> | <u>Quadrangle Name and Size</u> | <u>Legal Description</u> |
|--------------------|---------------------------------|--|
| (1) | Chelan River* | <u>Wenatchee (AMS)*</u>
1:250,000
<u>Manson</u> 7 1/2
<u>Winesap</u> 7 1/2
<u>Cooper Ridge</u> 7 1/2
<u>Chelan</u> 7 1/2
<u>Chelan Falls</u> 7 1/2 |
| (2) | Chiwawa River* | <u>Holden</u> 15
<u>Wenatchee Lake</u> 15
<u>Plain*</u> 7 1/2 |
| (3) | Columbia River (Cont.)* | <u>Wells Dam</u> 7 1/2
<u>Wenatchee</u> 7 1/2
<u>Rock Island</u> 7 1/2
<u>Malaga</u> 7 1/2
<u>Rock Island Dam</u> 7 1/2 |
| (4) | Entiat River* | <u>Brief*</u> 7 1/2
<u>Tyee MTN</u> 7 1/2
<u>Baldy MTN</u> 7 1/2
<u>Ardenvoir</u> 7 1/2
<u>Entiat</u> 7 1/2 |
| (5) | Icicle Creek* | <u>Chiwaukum Mts.</u> 15
<u>Leavenworth</u> 15 |
| (9) | Napeequa River | <u>Wenatchee Lake</u> 15 |
| (10) | Nason Creek* | <u>Labyrinth Mtn.*</u> 7 1/2
<u>Wenatchee Lake</u> 15
<u>Plain</u> 7 1/2 |
| (11) | Peshastin Creek | <u>Liberty</u> 15
<u>Leavenworth</u> 15 |
| (12) | Stehekin River* | <u>McGregor Mtn.</u> 7 1/2
<u>Stehekin</u> 7 1/2 |
| (13) | Wenatchee River* | <u>Plain*</u> 7 1/2
<u>Leavenworth</u> 15
<u>Monitor</u> 7 1/2
<u>Wenatchee</u> 7 1/2
<u>Cashmere</u> 7 1/2 |
| (14) | White River* | <u>Wenatchee Lake*</u> 15 |
| (15) | Railroad Creek | <u>Holden</u> 15
<u>Lucerne</u> 15 |

(16) Twenty-five Mile Creek	<u>Stormy Mtn.</u> 7 1/2	From south section line (Sec.36,T29N,R20E) downstream to mouth at Lake Chelan (Sec.19,T29N,R21E).	(6) Bogachiel River (Cont.)*	<u>Reade Hill</u> 7 1/2 <u>Forks</u> 7 1/2 <u>Quillayute</u> <u>Prairie</u> 7 1/2	From the Jefferson County line (Sec.35,T28N,R13W) downstream to mouth at Quillayute River (Sec.20,T28N,R14W). The flow exceeds 1,000 cfs MAF at Jefferson County line.
(17) Phelps Creek	<u>Holden</u> 15	From NE1/4 of SW1/4 (Sec.10,T30N,R16E) downstream to mouth Chiwawa River (Sec.27, same township). Exclude federal lands.	(7) Calawah River*	<u>Forks</u> * 15	From confluence of North and South Forks of Calawah River (Sec.35,T29N,R13W) downstream to mouth at Bogachiel River (Sec.13,T28N,R14W). The 1,000 cfs MAF point begins at confluence of North and South Forks.
(18) White-pine Creek	<u>Wenatchee Lake</u> 15	From south section line (Sec.11,T26N,R15E) downstream to mouth at Nason Creek (Sec.1, same township). Exclude federal lands.	(8) Calawah River (S. Fork)	<u>Forks</u> 15	From the Olympic National Forest boundary (Sec.1, T28N,R13W) downstream to mouth at Calawah River (Sec.35, T29N,R13W).
(19) Chiwaukum Creek	<u>Chiwaukum Mts.</u> 15 <u>Leavenworth</u> 15	From confluence with South Fork Chiwaukum (Sec.34,T26N,R16E) downstream to mouth at Wenatchee River (Sec.9,T25N,R17E). Exclude federal lands.	(9) Calawah River (N. Fork)	<u>Pysht</u> 15 <u>Lake Pleasant</u> 15 <u>Forks</u> 15	From the North section line (Sec.15,T29N,R11W) to mouth at Calawah River (Sec.35,T29N,R13W). Exclude federal lands.
(20) Chiwaukum Creek (S. Fork)	<u>Chiwaukum Mts.</u> 15	From confluence with Painter Creek (Sec.3, T25N,R16E) downstream to mouth at Chiwaukum Creek (Sec.34,T26N,R16E). Exclude federal lands.	(10) Clallam River	<u>Lake Pleasant</u> 15 <u>Pysht</u> 15 <u>Clallam Bay</u> 15	From the confluence of Clallam River and unnamed creek (Sec.12, T31N,R13W) downstream to mouth at Clallam Bay (Sec.20,T32N,R12W).
(21) Eight-mile Creek	<u>Chiwaukum Mts.</u> 15	From the west section line (Sec.25,T24N,R16E) downstream to Icicle Cr. (Sec.19, T24N,R17E). Exclude federal lands.	(11) Colby Creek	<u>La Push</u> 15	From the intersection of private road and Colby Creek (Sec.8,T28N,R14W) downstream to mouth at Dickey River (Sec.6, T28N,R14W).
(22) Ingalls Creek	<u>Mount Stuart</u> 15 <u>Liberty</u> 15	From west section line (Sec.31,T23N,R17E) downstream to mouth at Peshastin Creek (Sec.25,T23N,R17E). Exclude federal lands.	(12) Coal Creek	<u>La Push</u> 15	From the confluence of Coal Creek and unnamed creek (Sec.1,T28N,R15W) downstream to mouth at Dickey River (Sec.12, same township).

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-052 (Order DE 80-20), § 173-18-080, filed 6/30/80; Order DE 76-14, § 173-18-080, filed 5/3/76; Order 73-14, § 173-18-080, filed 8/27/73; Order DE 72-13, § 173-18-080, filed 6/30/72.]

WAC 173-18-090 Clallam County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Big River	<u>Lake Pleasant</u> 15	From the confluence of Big River and unnamed creek (Sec.16,T31N,R14W) downstream to mouth on Lake Ozette (Sec.10,T30N,R15W).
(2) Bear Creek	<u>Forks</u> 15	From the confluence of Bear Creek and unnamed creek (Sec.24,T28N,R13W) downstream to mouth at Bogachiel River (Sec.35,T28N,R13W).
(3) Bear Creek	<u>Pysht</u> 15	From the Olympic National Forest boundary (Sec.25,T30N,R12W) downstream to mouth at Soleduck River (Sec.27, same township).
(4) Beaver Creek	<u>Lake Pleasant</u> 15	From the Olympic National Forest boundary (Sec.20,T30N,R12W) downstream to mouth at Soleduck River (Sec.30,T30N,R12W).
(5) Bockman Creek	<u>Lake Pleasant</u> 15	From the Olympic National Forest boundary (Sec.1,T29N,R13W) downstream to mouth at Soleduck River (same section).
(6) Dickey River	<u>La Push</u> 15	From the confluence of East and West Forks of Dickey River (Sec.30,T29N,R14W) downstream to Olympic National Park boundary (Sec.22,T28N,R15W).
(7) Dickey River (W. Fork)	<u>La Push</u> 15 <u>Ozette Lake</u> 15	From the outlet of Lake Dickey (Sec.16,T30N,R14W) downstream to mouth at Dickey River (Sec.30,T29N,R14W).
(8) Dickey River (E. Fork)	<u>Lake Pleasant</u> 15 <u>Ozette Lake</u> 15	From the confluence of the East Fork Dickey River and unnamed creek (Sec.19,T30N,R13W) downstream to mouth at Dickey River (Sec.30,T29N,R14W).
(9) Dickey River (M. Fork)	<u>Lake Pleasant</u> 15	From the confluence of the Middle Fork Dickey River and unnamed creek (Sec.14, T30N,R14W) downstream to mouth at West Fork Dickey River (Sec.21, same township).

(18) Deep Creek	<u>Pysht</u> 15	From the Olympic National Forest boundary (Sec.36,T31N,R11W) downstream to mouth at Strait of Juan de Fuca (Sec.20,T31N,R10W).	(30) McDonald Creek	<u>Carlsborg</u> 7 1/2 <u>Dungeness</u> 7 1/2	From the confluence of McDonald Creek and unnamed creek (Sec.6,T29N,R4W) downstream to mouth at Strait of Juan de Fuca (Sec.5,T30N,R4W).
(19) Dungeness River	<u>Tyler Peak</u> 15 <u>Carlsborg</u> 7 1/2 <u>Dungeness</u> 7 1/2	From the Olympic National Forest boundary (Sec.24,T29N,R4W) downstream to mouth at Dungeness Bay (Sec.25,T31N,R4W).	(31) Murphy Creek	<u>La Push</u> 15	From the confluence of Murphy Creek and unnamed creek (Sec.33,T28N,R14W) downstream to mouth at Bogachiel River (Sec.29, same township).
(20) East Twin River	<u>Lake Crescent</u> 15	From the confluence of East Twin River and unnamed creek at Olympic National Forest boundary (Sec.36,T31N,R10W) downstream to mouth at Strait of Juan de Fuca (Sec.23, same township).	(32) Pilchuck Creek	<u>Ozette Lake</u> 15	From a point (SW1/4 of NE1/4 Sec.33,T32N,R15W) downstream to mouth at Sooes River (Sec.28, same township).
(21) Elk Creek	<u>Forks</u> 15	From a point approximately 1000' west of the Olympic National Forest boundary (Sec.12,T28N,R13W) downstream to mouth at Calawah River (Sec.3, same township).	(33) Morse Park	<u>Morse Creek</u> 7 1/2	From Olympic National Park boundary (Sec.8,T29N,R5W) downstream to mouth at Port Angeles Harbor (Sec.5,T30N,R5W).
(22) Elwha River*	<u>Joyce*</u> 15	From the center of (Sec.28,T30N,R7W) downstream to mouth at Freshwater Bay (Sec.27,T31N,R7W). The 1,000 cfs MAF point begins at center of (Sec.28,T30N,R7W).	(34) Ponds Creek	<u>Lake Pleasant</u> 15	From the confluence of Ponds Creek and unnamed creek on the south section line (Sec.34,T31N,R14W) downstream to mouth at Dickey Lake (Sec.9,T30N,R14W).
(23) Herman Creek	<u>Lake Pleasant</u> 15	From the confluence of North Branch Herman Creek and Herman Creek (Sec.28,T31N,R13W) downstream to mouth at Hoko River (Sec.30, same township).	(35) Pysht River	<u>Pysht</u> 15	From the Olympic National Forest boundary (Sec.34,T31N,R12W) downstream to mouth at Strait of Juan de Fuca near Pysht (Sec.9,T31N,R11W).
(24) Hoko River	<u>Lake Pleasant</u> 15 <u>Clallam Bay</u> 15	From the confluence of Hoko River and unnamed creek (Sec.16,T30N,R13W) downstream to mouth at Strait of Juan de Fuca (Sec.10,T32N,R13W).	(36) Pysht River (S. Fk.)	<u>Pysht</u> 15	From the confluence of the South Fork Pysht River and Middle Creek (Sec.28,T31N,R11W) downstream to mouth at Pysht River (Sec.13,T31N,R12W).
(25) Indian Creek	<u>Joyce</u> 15	From the confluence of Indian Creek and unnamed creek (Sec.23,T30N,R8W) downstream to mouth at Lake Aldwell (Sec.28,T30N,R7W).	(37) Quil-layute River*	<u>La Push*</u> 15	From confluence of Soleduck and Bogachiel rivers (Sec.20,T28N,R14W) downstream to Olympic National Park boundary (Sec.24,T28N,R15W). The 1,000 cfs MAF point begins at confluence of Soleduck River and Bogachiel River.
(26) Little Hoko River	<u>Lake Pleasant</u> 15 <u>Clallam Bay</u> 15	From the confluence of Little Hoko River and Lamb Creek (Sec.3,T31N,R13W) downstream to mouth at Hoko River (Sec.22,T32N,R13W).	(38) Salt Creek	<u>Joyce</u> 15	From the confluence of Salt Creek and unnamed creek (SE1/4, SE1/4 of Sec.34,T31N,R8W) downstream to mouth at Crescent Bay on Strait of Juan de Fuca (Sec.21, same township).
(27) Little River (S. Br.)	<u>Joyce</u> 15	From the Olympic National Forest boundary (Sec.25,T30N,R7W) downstream to mouth at Elwha River (Sec. 28, same township). Excluding federal lands.	(39) Sekiu River (S. Fk.)	<u>Lake Pleasant</u> 15	From the confluence of the South Fork Sekiu River and unnamed creek (Sec.26,T32N,R14W) downstream to mouth at Sekiu River (Sec.15, same township).
(28) Lyre River	<u>Lake Crescent</u> 15	From the Olympic National Forest boundary (Sec.10,T30N,R9W) downstream to mouth at Strait of Juan de Fuca (Sec.22,T31N,R9W).	(40) Sekiu River (N. Fk.)	<u>Cape Flattery</u> 15	From the confluence of North Fork Sekiu River and unnamed creek (Sec.7,T32N,R14W) downstream to mouth at Sekiu River (Sec. 15, same township).
(29) Maxfield Creek	<u>Forks</u> 15	From the confluence of Maxfield Creek and South Fork Maxfield Creek (Sec.27,T28N,R14W) downstream to mouth at Bogachiel River (Sec.28, same township).	(41) Sekiu River	<u>Clallam Bay</u> 15	From confluence of North and South Forks of Sekiu River (Sec.15,T32N,R14W) downstream to mouth on Strait of Juan de Fuca (Sec.8,T32N,R13W).

(42) Shuwah Creek	<u>Lake Pleasant</u> 15	From the confluence of Shuwah Creek and unnamed creek (NW1/4 SW1/4 of Sec.15, T29N,R13W) downstream to mouth at Soleduck River (Sec.22, same township).	(3) Burnt Bridge Creek	<u>Orchards</u> 7 1/2 <u>Vancouver</u> 7 1/2	From I-205 overcrossing (Sec.16,T2N,R2E) and Burnt Bridge Creek downstream to Vancouver Lake (Sec.9,T2N, R1E).
(43) Skunk Creek	<u>Lake Pleasant</u> 15	From the confluence of Skunk Creek and unnamed creek (Sec.29,T30N,R13W) downstream to mouth at the Dickey River (Sec.31,T39N,R13W).	(4) Canyon Creek	<u>Lookout Mt.</u> 15 <u>Yacolt</u> 15	From the National Forest boundary line (Sec.12,T5N,R4E) downstream to mouth at Lewis River (Sec.31,T6N,R4E) excluding the portion which flows thru Gifford Pinchot National Forest.
(44) Snag Creek	<u>Ozette Lake</u> 15	From the confluence of Snag Creek and unnamed creek (Sec.6,T31N,R14W) downstream to mouth at Sooes River (Sec.30, T32N,R14W).	(5) Cedar Creek	<u>Yacolt</u> 15	From the confluence of Cedar Creek and Cold Creek (Sec.8,T3N,R4E) downstream to mouth at Rock Creek (Sec.31, T4N,R4E).
(45) Soleduck River*	<u>Pysht</u> 15 <u>Lake Pleasant*</u> 15 <u>Forks</u> 15 <u>La Push</u> 15	From the Olympic National Forest boundary (Sec.35, T30N,R10W) downstream to mouth at Quillayute River (Sec.20,T28N,R14W). The 1,000 cfs MAF point begins at mouth of Bockman Creek (Sec.1, T29N,R13W). Excludes federal lands.	(6) Cedar Creek	<u>Amboy</u> 7 1/2 <u>Yacolt</u> 7 1/2 <u>Ariel</u> 7 1/2	From the confluence of Cedar Creek and unnamed creek (Sec.24,T5N,R3E) downstream to mouth at Lewis River (Sec.12,T5N,R1E).
(46) Sooes River	<u>Ozette Lake</u> 15 <u>Cape Flattery</u> 15	From the confluence of Snag Creek and Sooes River (Sec.30,T32N,R14W) downstream to Indian Reservation boundary (Sec.16,T32N,R15W).	(7) Chelatchie Creek	<u>Amboy</u> 7 1/2	From an approximate point along the south section line (SE1/4 of NW1/4 of Sec.14, T5N,R3E) downstream to mouth at Cedar Creek (Sec.16, same township).
(47) Thunder Creek	<u>Lake Pleasant</u> 15	From the confluence of Thunder Creek and unnamed creek (Sec.11,T29N,R14W) downstream to mouth at East Fork Dickey River (Sec.23, same township).	(8) Columbia River (Cont.)*	<u>Bridal Veil</u> 15 <u>Washougal</u> 7 1/2 <u>Camas</u> 7 1/2 <u>Mount Tabor</u> 7 1/2 <u>Portland</u> 7 1/2 <u>Vancouver</u> 7 1/2 <u>Sauvie Island</u> 7 1/2 <u>St. Helens</u> 7 1/2	From the Skamania County line on Columbia River (Sec.19,T1N,R5E) downstream along the Washington-Oregon boundary to Cowlitz County line at Lewis River (Sec.10,T4N,R1W). The flow exceeds 1,000 cfs MAF at Skamania-Clark County line.
(48) Umbrella Creek	<u>Ozette Lake</u> 15	From the confluence of Umbrella Creek and unnamed creek (Sec.23,T31N,R15W) downstream to mouth at Umbrella Point on Lake Ozette (Sec.4, T30N,R15W).	(9) Lewis River*	<u>Mt. St. Helens</u> 15 <u>Cougar</u> 15 <u>Yacolt</u> 15 <u>Amboy</u> 7 1/2 <u>Ariel</u> 7 1/2 <u>Woodland</u> 7 1/2 <u>Ridgefield</u> 7 1/2 <u>St. Helens</u> 7 1/2	From the Skamania County line (Sec.36,T7N,R4E) left bank only downstream to mouth at Columbia River (Sec.2,T4N,R1W). The flow exceeds 1,000 cfs MAF at Skamania-Clark County line.
(49) West Twin River	<u>Lake Crescent</u> 15	From the Olympic National Forest boundary (Sec.34, T31N,R10W) downstream to mouth at Strait of Juan de Fuca (Sec.23,T31N,R10W).	(10) Copper Creek	<u>Lookout Mtn.</u> 15 <u>Yacolt</u> 15	From the Gifford Pinchot National Forest boundary (Sec.25,T4N,R4E) downstream to mouth at Lewis River East Fork (Sec.24, same township).

[Statutory Authority: RCW 90.58.200, 90-06-068 (Order 89-60), § 173-18-090, filed 3/6/90, effective 4/6/90; Order DE 76-14, § 173-18-090, filed 5/3/76; Order 73-14, § 173-18-090, filed 8/27/73; Order DE 72-13, § 173-18-090, filed 6/30/72.]

WAC 173-18-100 Clark County. Streams

Stream Name	Quadrangle Name and Size	Legal Description			
(1) Big Tree Creek	<u>Yacolt</u> 15 <u>Yacolt</u> 7 1/2	From the confluence of Big Tree Creek and Big Creek (Sec.6,T4N,R4E) downstream to mouth at East Fork Lewis River (Sec.13,T4N,R3E).	(12) Fly Creek	<u>Yacolt</u> 15	From the confluence of Fly Creek and unnamed creek (Sec.1, T4N,R4E) downstream to mouth at Canyon Creek (Sec.4, T5N, R4E).
(2) Boulder Creek	<u>Camas</u> 15	From the confluence of Boulder Creek and unnamed creek (Sec.9,T2N,R4E) downstream to confluence of Boulder Creek and East Fork Little Washougal River (Sec.8, same township).	(13) Gee Creek	<u>Ridgefield</u> 7 1/2	From the confluence of Gee Creek and unnamed creek (Sec.19,T4N,R1E) downstream to mouth at Lewis River (Sec.11, T4N,R1W).
			(14) Glenwood Creek	<u>Orchards</u> 7 1/2	From the intersection of Glenwood Creek and NE 119th St. (Sec.29, T3N,R2E) downstream to Salmon Creek (Sec.20, same township).

(15) Hagan Creek	<u>Camas 15</u> <u>Bridal Veil 15</u>	From the confluence of Hagan Creek and unnamed creek (Sec.36,T3N,R4E) downstream to Skamania County line (Sec.1, T2N,R4E).	(27) Rock Creek	<u>Yacolt 15</u>	From an approximate point on the north section line (SE1/4 of NW1/4 of Sec.33,T4N,R3E) downstream to mouth on Salmon Creek (Sec.4,T3N,R3E).
(16) King Creek	<u>Yacolt 15</u>	From the confluence of King Creek and unnamed creek (Sec.26,T4N,R4E) downstream to mouth at Lewis River East Fork (Sec.21, same township).	(28) Rock Creek	<u>Battle Ground 7 1/2</u>	From the confluence of Rock Creek and unnamed creek (Sec.2,T4N,R2E) downstream to mouth on East Fork Lewis River (Sec.14, same township).
(17) Lackamas Creek	<u>Camas 15</u> <u>Lackamas 7 1/2</u>	From the Military Reservation boundary (Sec.9, T2N,R3E) downstream through Lackamas Lake to Washougal River near Camas (Sec.12,T1N, R3E).	(29) Rock Creek	<u>Yacolt 7 1/2</u>	From the confluence of Rock Creek and unnamed creek (Sec.9,T3N,R4E) downstream to mouth at East Fork Lewis River (Sec.19,T4N,R4E).
(18) Lewis River (E. Fk.)*	<u>Lookout Mt. 15</u> <u>Yacolt 15</u> <u>Battle Ground 7 1/2</u> <u>Ridgefield* 7 1/2</u> <u>Yacolt 7 1/2</u>	From the Gifford Pinchot National Forest boundary (Sec.24,T4N,R4E) downstream to mouth at Lewis River (Sec.32,T5N,R1E). The 1,000 cfs MAF begins at the mouth of Mason Creek. (Sec.14, T4N,R1E.)	(30) Salmon Creek	<u>Yacolt 7 1/2</u> <u>LaCenter 15</u> <u>Orchards 7 1/2</u> <u>Vancouver 7 1/2</u>	From the confluence of Salmon Creek and unnamed creek (NW1/4 of Sec.10, T3N,R3E) downstream to mouth at Lake River (Sec.19,T3N,R1E).
(19) Little Washougal River	<u>Camas 15</u>	From the confluence of Boulder Creek and East Fork Little Washougal River (Sec.8,T2N,R4E) downstream to mouth on Washougal River (Sec.32, same township).	(31) Siouyon Creek (Cont.)	<u>Lookout Mtn. 15</u> <u>Yacolt 15</u>	From the Skamania County line (Sec.36,T6N,R4E) downstream to mouth in Yale Lake (Sec.26, same township).
(20) Little Washougal River (E. Fk.)	<u>Camas 15</u>	From the confluence of East Fork Little Washougal River and Jones Creek (Sec.9,T2N,R4E) downstream to mouth at confluence with Boulder Creek (Sec.8,T2N,R4E).	(32) Unnamed Creek (Tributary to Chelatchie Creek)	<u>Amboy 7 1/2</u>	From intersection of Eaton Road and unnamed creek (Sec.15,T5N,R3E) downstream to mouth at Chelatchie Creek (Sec.16, same township).
(21) Lockwood Creek	<u>Ridgefield 7 1/2</u>	From the confluence of Lockwood Creek and unnamed creek (Sec.1,T4N,R1E) downstream to mouth at East Fork Lewis River (Sec.11, same township).	(33) Washougal River (Cont.)*	<u>Bridal Veil 15</u> <u>Washougal* 7 1/2</u> <u>Camas 7 1/2</u>	From the Skamania County line (Sec.36,T2N,R4E) downstream to mouth at Columbia River near Camas (Sec.11,T1N,R3E). The 1,000 cfs MAF begins at mouth of Little Washougal River (Sec.32, T2N,R4E).
(22) Mason Creek	<u>Battle Ground 7 1/2</u>	From the confluence of Mason Creek and unnamed creek (Sec.8,T4N,R2E) downstream to mouth at East Fork Lewis River (Sec.14,T4N,R1E).	(34) Yacolt Creek	<u>Yacolt 7 1/2</u>	From an approximate point (near SE corner of the NE1/4 of NW1/4 Sec.11,T4N,R3E) downstream to mouth at Big Tree Creek (Sec.13,T4N,R3E).

[Order DE 76-14, § 173-18-100, filed 5/3/76; Order 73-14, § 173-18-100, filed 8/27/73; Order DE 72-13, § 173-18-100, filed 6/30/72.]

WAC 173-18-110 Columbia County. Streams

	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1)	Pataha Creek (Cont.)	<u>Hay 15</u>	From the Garfield County line (Sec.12,T12N,R39E) downstream to mouth at Tucannon River (Sec.24,T12N, R38E).
(2)	Tucannon River*	<u>Pomeroy 30</u> <u>Hopkins Ridge 7 1/2</u> <u>Zumwalt 7 1/2</u> <u>Turner 7 1/2</u> <u>Tucannon 7 1/2</u> <u>Hay* 15</u> <u>Starbuck 15</u>	From the Umatilla National Forest boundary line (Sec. 35,T10N,R41E) downstream to mouth at Snake River (Sec.3,T12N,R37E). This stream has over 300 square miles of drainage area ending at Pataha Creek (Sec.24,T12N,R38E).
(3)	Touchet River (S. Fk.)	<u>Pomeroy 30</u> <u>Robinette Mtn. 7 1/2</u> <u>Dayton 7 1/2</u>	From a point of (SE1/4 of NE1/4 of Sec.5,T8N,R39E) downstream to mouth at Touchet River near Dayton (Sec.32,T10N,R39E).

- | | | | | | |
|--|---|---|-------------------------------|-----------------------|---|
| (4) Touchet River (N. Fk.) | <u>Pomeroy</u> 30
Eckler Mtn. 7 1/2
Cahill Mtn. 7 1/2
Dayton 7 1/2 | From the confluence of the North Fork Touchet River and unnamed creek (Sec.28, T8N,R40E) downstream to Touchet River near Dayton (Sec.32,T10N,R39E) (Note: called North Fork on Quad.) Excluding all federal lands. | (9) Castle Creek | <u>Elk Rock</u> 15 | From the confluence of Castle Creek and the South Fork Castle Creek (Sec.14,T9N,R4E) downstream to mouth at North Fork Toutle River (Sec.10, same township). |
| (5) Touchet River | <u>Pomeroy</u> 30
Walla Walla 30
Dayton 7 1/2
Huntsville 7 1/2 | From the confluence of North and South Forks of Touchet River (Sec.32, T10N,R39E) downstream to Walla Walla County line (Sec.7, T9N,R38E). | (10) Chehalis River (S. Fk.) | <u>Ryderwood</u> 15 | From the confluence of South Fork Chehalis River and unnamed creek (Sec.11, T10N,R4W) downstream to the Lewis County line (Sec.2, same township). |
| (6) Robinson Creek | <u>Dayton</u> 7 1/2 | From north line (Sec.23, T9N,R39E) downstream to mouth at North Fork Touchet River (Sec.11, same township). | (11) Coal Creek | <u>Clatskanie</u> 15 | From the confluence of Coal Creek and unnamed creek (Sec.28,T9N,R3W) downstream to mouth at Coal Creek Slough (Sec.14,T8N,R3W). |
| [Order DE 76-14, § 173-18-110, filed 5/3/76; Order 73-14, § 173-18-110, filed 8/27/73; Order DE 72-13, § 173-18-110, filed 6/30/72.] | | | (12) Cold-water Creek (Cont.) | <u>Spirit Lake</u> 15 | From the Gifford Pinchot National Forest boundary (also Skamania County line) (Sec.36,T10N,R4E) downstream to mouth at North Fork Toutle River (Sec.2,T9N,R4E). |

WAC 173-18-120 Cowlitz County. Streams

- | Stream Name | Quadrangle Name and Size | Legal Description | | | |
|---------------------|---|--|------------------------------|--|---|
| (1) Abernathy Creek | <u>Ryderwood</u> 15
<u>Clatskanie</u> 15 | From the confluence of Abernathy Creek and Ordway Creek (Sec.5,T9N,R4W) downstream to mouth at Columbia River (Sec.10,T8N,R4W). | (13) Columbia River (Cont.)* | <u>St. Helens</u> 7 1/2
<u>Deer Island</u> 7 1/2
<u>Kalama</u> 7 1/2
<u>Rainier</u> 7 1/2
<u>Clatskanie</u> 15 | From the Lewis River at the Clark County line (Sec.10,T4N,R1W) downstream along the Washington-Oregon line to Wahkiakum County line (Sec.20, T8N,R4W). The flow exceeds 1,000 cfs MAF at Cowlitz-Clark County line. |
| (2) Alder Creek | <u>Toutle</u> 15 | From the confluence of Alder Creek and unnamed creek (Sec.26,T10N,R2E) downstream to mouth at North Fork Toutle River (Sec.15, same township). | (14) Cougar Creek | <u>Cougar</u> 15 | From the Gifford Pinchot National Forest boundary (Sec.23,T7N,R4E) downstream to mouth at Yale Lake (Sec.27,T7N, R4E). |
| (3) Arkansas Creek | <u>Ryderwood</u> 15 | From the confluence of Arkansas Creek and unnamed creek (NE1/4 Sec.26,T10N,R3W) downstream to mouth at Cowlitz River near Castle Rock (Sec.15, T9N,R2W). | (15) Coweeman River | <u>Cougar</u> 15
<u>Pigeon Springs</u> 15
<u>Mt. Brynion</u> 7 1/2
<u>Kelso</u> 7 1/2
<u>Rainier</u> 7 1/2 | From the Gifford Pinchot National Forest boundary (Sec.19,T8N,R3E) downstream to mouth at Cowlitz River (Sec.11,T7N,R2W). |
| (4) Baird Creek | <u>Pigeon Springs</u> 15 | From an approximate point (SW1/4 of SW1/4 of SW1/4 of Sec.9,T8N,R2E) downstream to mouth at Coweeman River (Sec.19, same township). | (16) Cowlitz River (Cont.)* | <u>Castle Rock</u> 15
<u>Kelso</u> 7 1/2
<u>Rainier</u> 7 1/2 | From Cowlitz-Lewis County line (Sec.4,T10N,R2W) downstream to mouth on Columbia River (Sec.10,T7N,R2W). The flow exceeds 1,000 cfs MAF at Cowlitz-Lewis County line (Sec.3,T10N,R2W). |
| (5) Bear Creek | <u>Cougar</u> 15 | From the confluence of Bear Creek and unnamed creek (Sec.9,T8N,R3E) downstream to South Fork Toutle River (Sec.29, T9N,R3E). | (17) Deer Creek | <u>Elk Rock</u> 15 | From the confluence of Deer Creek and unnamed creek (Sec.31,T10N,R3E) downstream to mouth at North Fork Toutle River (Sec.36,T10N,R2E). |
| (6) Bear Creek | <u>Elk Rock</u> 15
<u>Toutle</u> 15 | From the intersection of Bear Creek and light duty road (Sec.33,T10N,R3E) downstream to mouth at Hoffstadt Creek (Sec.23,T10N,R2E). | (18) Delameter Creek | <u>Castle Rock</u> 15
<u>Kelso</u> 7 1/2 | From the confluence of Delameter Creek and unnamed creek (Sec.24,T9N, R3W) downstream to mouth at Arkansas Creek (Sec.16,T9N, R2W). |
| (7) Cameron Creek | <u>Clatskanie</u> 15 | From the confluence of Cameron Creek and unnamed creek (Sec.28,T9N,R4W) downstream to mouth at Abernathy Creek (Sec.10,T8N,R4W). | (19) Devils Creek | <u>Toutle</u> 15 | From the Lewis County line (Sec.2,T10N,R2E) downstream to mouth at the Green River (same section). |
| (8) Campbell Creek | <u>Ryderwood</u> 15 | From an approximate point near the north section line (SW1/4 of NE1/4 of Sec.10, T10N,R3W) downstream to mouth at Stillwater Creek (Sec.3, same township). | (20) Elk Creek | <u>Cougar</u> 15 | From the confluence of Elk Creek and unnamed creek (Sec.12,T7N,R2E) downstream to mouth at Kalama River (Sec.24, same township). |

Shoreline Management Act—Streams and Rivers

173-18-120

- | | | | | | |
|-------------------------------|---|--|-------------------------------|---|--|
| (21) Elochoman River (E. Fk.) | <u>Ryderwood</u> 15 | From the confluence of East Fork Elochoman River and unnamed creek (Sec.8, T10N,R4W) downstream to Wahkiakum County line (same section). | (33) Langdon Creek | <u>Cougar</u> 15 | From confluence of Langdon Creek and unnamed creek (Sec.9, T7N,R3E) downstream to mouth at Kalama River (Sec.22,T7N, R3E). |
| (22) Germany Creek | <u>Ryderwood</u> 15
<u>Clatskanie</u> 15 | From the confluence of Germany Creek and unnamed creek (Sec.25,T10N,R4W) downstream to mouth at Columbia River (Sec.12,T8N,R4W). | (34) Lewis River (Cont.)* | <u>Mt. St. Helens*</u> 15
<u>Cougar</u> 15
Yacolt 15
St. Helens 15
Amboy 7 1/2
Ariel 7 1/2
Woodland 7 1/2 | From the Skamania County line (Sec.25,T7N,R4E) downstream through Yale Lake and Lake Merwin to mouth at the Columbia River (Sec.2,T4N,R1W) on right shore of Lewis River only. The flow exceeds 1,000 cfs MAF at Cowlitz-Skamania County line. |
| (23) Gobar Creek | <u>Pigeon Springs</u> 15 | From the confluence of Gobar Creek and unnamed creek (Sec.8,T7N,R2E) downstream to mouth at Kalama River (Sec.36, T7N,R1E). | (35) Little Kalama River | <u>LaCenter</u> 15
<u>Pigeon Springs</u> 15 | From the confluence of the Little Kalama River and unnamed creek (Sec.16,T6N, R1E) downstream to mouth at Kalama River (Sec.17, same township). |
| (24) Goble Creek | <u>Pigeon Springs</u> 15
Kalama 7 1/2
Mt. Brynion 7 1/2 | From the confluence of Goble Creek and unnamed creek (Sec.13,T7N,R1W) downstream to mouth of Coweeman River (Sec.34,T8N,R1W). | (36) Little Mill Creek | <u>Clatskanie</u> 15 | From the confluence of Little Mill Creek and unnamed creek (Sec.8,T8N, R4W) downstream to mouth at Mill Creek (Sec.9, same township). |
| (25) Goble Creek (N. Fk.) | <u>Pigeon Springs</u> 15
Kalama 7 1/2 | From the confluence of the North Fork Goble Creek and unnamed creek (Sec.31,T8N, R1E) downstream to mouth at Goble Creek (Sec.2,T7N,R1W). | (37) Mill Creek (Cont.) | <u>Clatskanie</u> 15 | From the Wahkiakum County line (Sec.32,T9N,R4W) downstream to mouth on the Columbia River (Sec.9,T8N, R4W). |
| (26) Green River (Cont.) | <u>Spirit Lake</u> 15
<u>Elk Rock</u> 15
Toutle 15 | From the Skamania-Cowlitz County line (Sec.1,T10N,R4E) downstream to mouth at North Fork Toutle River (Sec.8,T10N,R2E) excluding those reaches within Lewis County. | (38) Monahan Creek | <u>Ryderwood</u> 15
<u>Castle Rock</u> 15 | From the confluence of Monahan Creek and unnamed creek (Sec.2,T9N,R3W) downstream to mouth at Delameter Creek (Sec.18, T9N,R2W). |
| (27) Hemlock Creek | <u>Toutle</u> 15 | From the confluence of Hemlock Creek and unnamed creek (Sec.18,T9N,R1E) downstream to mouth at Silver Lake (Sec.1,T9N,R1W). | (39) Mulholland Creek | <u>Pigeon Springs</u> 15 | From the confluence of Mulholland Creek and unnamed creek (Sec.2,T8N,R1E) downstream to mouth at Coweeman River (Sec.17, same township). |
| (28) Hoffstadt | <u>Elk Rock</u> 15
Toutle 15 | From the confluence of Hoffstadt Creek and unnamed creek (Sec.24,T10N,R3E) downstream to mouth at North Fork Toutle River (Sec.23,T10N,R2E). | (40) Olequa Creek (Cont.) | <u>Castle Rock</u> 15 | From Lewis County line (Sec.32,T11N,R2W) downstream to mouth at Cowlitz River (Sec.9, T10N,R2W). |
| (29) Jackson Creek | <u>Elk Rock</u> 15 | From the approximate point near the north section line (SW1/4 of SW1/4 of Sec.8,T9N, R4E) downstream to mouth at North Fork Toutle River (Sec.12, T9N,R3E). | (41) Ostrander Creek | <u>Mt. Brynion</u> 7 1/2
<u>Kelso</u> 7 1/2 | From the confluence of Ostrander Creek and unnamed creek (Sec.27,T9N, R1W) downstream to mouth at Cowlitz River (Sec.11,T8N, R2W). |
| (30) Johnson Creek | <u>Toutle</u> 15 | From the confluence of Johnson Creek and unnamed creek (Sec.36,T10N,R1E) downstream to South Fork Toutle River (Sec.34, same township). | (42) Ostrander Creek (S. Fk.) | <u>Mt. Brynion</u> 7 1/2
<u>Kelso</u> 7 1/2 | From the confluence of South Fork Ostrander Creek and unnamed creek (Sec.18, T8N,R1W) downstream to mouth at Ostrander Creek (Sec.12,T8N, R2W). |
| (31) Kalama River* | <u>Cougar</u> 15
<u>Pigeon Springs*</u> 15
Kalama 7 1/2 | From the Gifford Pinchot National Forest boundary (Sec.5,T7N,R4E) downstream to mouth at Columbia River (Sec.1, T6N,R2W) excluding all federal lands. The 1,000 cfs MAF point begins at mouth of Little Kalama River (Sec.17,T6N,R1E). | (43) Rock Creek | <u>Cougar</u> 15
Amboy 7 1/2 | From the confluence of Rock Creek and unnamed creek (Sec.8,T6N,R3E) downstream to mouth at Lake Merwin (Sec.20, same township). |
| (32) Kalama River (N. Fk.) | <u>Cougar</u> 15 | From confluence of Kalama River N. Fk. and unnamed creek (Sec.34,T8N,R3E) downstream to mouth at Kalama River (Sec.14,T7N,R3E). | (44) Salmon Creek (Cont.) | <u>Castle Rock</u> 15 | From the Lewis County line (Sec.3,T10N,R1W) back to Lewis County line (same section) except those reaches within Lewis County. |

(45) Shultz Creek	<u>Elk Rock</u> 15	From the confluence of Shultz Creek and unnamed creek (N1/2 Sec.14,T10N,R4E) downstream to mouth at Green River (Sec.3, same township).	(57) Wolf Creek	<u>Cougar</u> 15	From the confluence of Wolf Creek and unnamed creek (Sec.28,T7N,R3E) downstream to mouth at Kalama River (Sec.21, same township).
(46) South Coldwater Creek	<u>Spirit Lake</u> 15 <u>Elk Rock</u> 15	From the Gifford Pinchot National Forest boundary (Sec.1,T9N,R4E) downstream to mouth at Coldwater Creek (Sec.2, same township).	(58) Wyant Creek	<u>Toutle</u> 15	From the confluence of Wyant Creek and unnamed creek (Sec.13,T10N,R1E) downstream to mouth at North Fork Toutle River (Sec.20, same township).
(47) Speelyai Creek	<u>Cougar</u> 15 Yacolt 15 Amboy 7 1/2	From the confluence of the Speelyai Creek and the West Fork of Speelyai Creek (Sec.5,T6N,R4E) downstream to mouth at Lake Merwin (Sec.23, T6N,R3E).	(59) Unnamed Tributary to Toutle River (S. Fk.)	<u>Cougar</u> 15	From north end of Goat Marsh (SW1/4, NW1/4 Sec.23, T8N,R4E) downstream to mouth at Toutle River S. Fk. excluding federal lands.
(48) Stillwater Creek	<u>Ryderwood</u> 15	From the confluence of Stillwater Creek and unnamed creek (Sec.6,T10N, R3W) downstream to the Lewis County line (Sec.3, same township).	(60) Fossil Creek	<u>Cougar</u> 15	From Gifford Pinchot National Forest boundary (Sec.31,T8N,R4E) downstream to mouth at Kalama River (Sec.6, T7N,R4E).
(49) Studebaker Creek	<u>Toutle</u> 15	From the confluence of Studebaker Creek and unnamed creek (Sec.33,T10N, R1E) downstream to mouth at Toutle River (S. Fork) (Sec.29, same township).	[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-052 (Order DE 80-20), § 173-18-120, filed 6/30/80; Order DE 76-14, § 173-18-120, filed 5/3/76; Order 73-14, § 173-18-120, filed 8/27/73; Order DE 72-13, § 173-18-120, filed 6/30/72.]		
(50) Toutle River*	<u>Toutle*</u> 15 <u>Castle Rock</u> 15	From confluence of North and South Forks of Toutle River (Sec.29,T10N,R1E) downstream to mouth on Cowlitz River (Sec.34,T10N,R2W). The 1,000 cfs MAF point begins at mouth of Green River (Sec.8,T10N, R2E) at North Fork Toutle River.	WAC 173-18-130 Douglas County. Streams		
(51) Toutle River (N. Fk.)	<u>Spirit Lake</u> 15 <u>Elk Rock</u> 15 <u>Toutle</u> 15	From the Gifford Pinchot National Forest boundary at the Skamania County line (Sec.13,T9N,R4E) downstream to mouth at Toutle River (Sec.29, T10N,R1E).	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(52) Toutle River (S. Fk.)	<u>Cougar</u> 15 <u>Pigeon Springs</u> 15 <u>Toutle</u> 15	From the Gifford Pinchot National Forest boundary (Sec.2,T8N,R4E) downstream to mouth at the Toutle River (Sec.29,T10N,R1E).	(1) Columbia River (Cont.)*	Chief Joseph Dam 7 1/2 Bridgeport 7 1/2 Brewster 7 1/2 Wells Dam 7 1/2 Azwell 7 1/2 Chelan Falls 7 1/2 Wenatchee 7 1/2 Rock Island 7 1/2 Malala 7 1/2 Rock Island Dam 7 1/2 Chelan 7 1/2 Winesap 7 1/2 Entiat 7 1/2 Orondo 7 1/2 Rocky Reach Dam 7 1/2 West Bar 7 1/2	Beginning (Sec.24,T29N, R25E) below Chief Joseph Dam downstream to (Sec.13,T20N,R22E) excluding any federal lands. The flow exceeds 200 cfs MAF at Chief Joseph Dam.
(53) Unnamed Tributary to Kalama River	<u>Cougar</u> 15	From an approximate point (SW1/4 of SE1/4 of NW1/4 of Sec.13,T7N,R3E) downstream to mouth at Kalama River (Sec.12, same township).	(2) Moses Coulee* (Rattlesnake Creek) (Douglas Creek)	<u>Palisades*</u> 7 1/2 <u>Appledale</u> 7 1/2 <u>Rock Island</u> Dam 7 1/2	From the confluence of Douglas Creek and Moses Coulee (Sec.36,T23N,R23E) downstream to mouth at Columbia River (Sec.33, T21N,R22E). This stream has over 300 sq. miles of drainage area ending at mouth of Douglas Creek.
(54) Unnamed Tributary to Speelyai Creek	<u>Cougar</u> 15	From an approximate point near the east section line (Sec.12,T6N,R3E) downstream to mouth at Speelyai Creek (Sec.7,T6N,R4E).	[Order 73-14, § 173-18-130, filed 8/27/73; Order DE 72-13, § 173-18-130, filed 6/30/72.]		
(55) Unnamed Tributary to Toutle River (S. Fk.)	<u>Cougar</u> 15	From confluence of unnamed tributary and unnamed creek (Sec.12,T8N,R3E) downstream to mouth at South Fork Toutle River (Sec.36, T9N,R3E).	WAC 173-18-140 Ferry County. Streams		
(56) Wild Horse Creek	<u>Pigeon Springs</u> 15	From the confluence of Wild Horse Creek and unnamed creek (Sec.23,T7N, R1E) downstream to mouth at Kalama River (Sec.36,T7N,R1E).	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
			(1) Boulder Creek	<u>Orient</u> 15 <u>Orient</u> 7 1/2	From the Colville National Forest boundary (Sec.36,T39N, R36E) downstream to mouth at Kettle River and Stevens County line (same section).
			(2) Columbia	<u>Marcus</u> 7 1/2	All of Columbia River

- | | | | |
|-------------------|---|--|--|
| River
(Cont.)* | (Franklin D. Roosevelt Lake) within Ferry County is under federal jurisdiction. | (Cont.)* | federal jurisdiction. The flow exceeds 200 cfs MAF at Whitman County line. |
| (3) Curlew Creek | <u>Curlew</u> 15
From the confluence of Curlew Creek and St. Peter Creek (Sec.11,T38N,R33E) downstream to Kettle River (Sec.14,T39N,R33E). | [Order 73-14, § 173-18-150, filed 8/27/73; Order DE 72-13, § 173-18-150, filed 6/30/72.] | |

WAC 173-18-160 Garfield County. Streams

- | | <u>Stream Name</u> | <u>Quadrangle Name and Size</u> | <u>Legal Description</u> |
|-------------------|---|--|--|
| (4) Kettle River* | <u>Bodie Mtn.</u> 15
<u>Curlew</u> 15
Togo Mtn. 15
Laurier 7 1/2
Orient 7 1/2 | From the United States - Canada border (Sec.3, T40N,R32E) downstream to said border (Sec.3, T40N,R34E) returning to the U.S. (Sec.2,T40N,R36E) right bank only downstream to (Sec.20,T38N,R37E) excluding all Colville National Forest lands. The flow exceeds 200 cfs MAF at United States - Canada boundary. | (1) <u>Pataha Creek</u>
<u>Pomeroy</u> 30
<u>Hay</u> 15
<u>Zumwalt</u> 7 1/2 |
| (5) Sanpoil River | <u>Republic</u> 15
Seventeen-Mile Mtn. 15
Keller 15
Wilbur 15 | From the confluence of Sanpoil River and O'Brien Creek (Sec.5,T36N,R33E) downstream to federal boundary (Sec.12,T35N,R32E). | (2) <u>Snake River</u>
<u>Clarkston</u> 15
<u>Colton</u> 7 1/2
<u>Bishop</u> 7 1/2
<u>Kirby</u> 7 1/2
<u>Alinota</u> 7 1/2
<u>Penawawa</u> 15
<u>Hay</u> 15 |

[Order 73-14, § 173-18-160, filed 8/27/73; Order DE 72-13, § 173-18-160, filed 6/30/72.]

WAC 173-18-170 Grant County. Streams

- | | <u>Stream Name</u> | <u>Quadrangle Name and Size</u> | <u>Legal Description</u> |
|-------------------|------------------------|---|--|
| (7) Sherman Creek | <u>Kettle Falls</u> 15 | From the Colville National Forest boundary (Sec.30,T36N,R37E) downstream to mouth at Columbia River (Sec.27,T36N,R37E). | (1) <u>Columbia River</u>
<u>Grand Coulee Dam</u> 15
<u>West Bar</u> 7 1/2
<u>Babcock Ridge</u> 7 1/2
<u>Cape Horn S.E.</u> 7 1/2
<u>Vantage</u> 7 1/2
<u>Beverly</u> 7 1/2
<u>Evergreen Ridge</u> 7 1/2
<u>Priest Rapids</u> 15 |

[Order DE 76-14, § 173-18-140, filed 5/3/76; Order 73-14, § 173-18-140, filed 8/27/73; Order DE 72-13, § 173-18-140, filed 6/30/72.]

WAC 173-18-150 Franklin County. Streams

- | | <u>Stream Name</u> | <u>Quadrangle Name and Size</u> | <u>Legal Description</u> |
|--------------------------------|---|---|--|
| (1) Columbia River
(Cont.)* | <u>Hanford</u> 15
<u>Richland</u> 15
<u>Kennewick</u> 7 1/2
<u>Pasco</u> 7 1/2 | From Hanford Works boundary (Sec.23,T12N,R28E) downstream left bank only to (Sec.13,T9N,R28E) questionable. The flow exceeds 200 cfs MAF at Hanford Works boundary. | (2) <u>Crab Creek</u> *
<u>Marlin</u> 7 1/2
<u>Wilson Creek</u> 15
<u>Wilson Creek N.W.</u> 7 1/2
<u>Stratford</u> 7 1/2
<u>Soap Lake</u> 7 1/2
<u>Grant Orchards</u> 7 1/2
<u>Gloyd</u> 7 1/2
<u>Moses Lake North</u> 7 1/2 |
| (2) Esquatzel Coulee* | <u>Mesa</u> * 15
<u>Eltopia</u> 15 | From mouth of Old Maid Coulee (Sec.11,T12N,R30E) downstream to a sump (Sec.12, T9N,R29E) (Esquatzel River gradually sinking into ground). This stream has over 300 sq. miles of drainage area ending at mouth of Old Maid Coulee. | (3) <u>Lind Coulee</u> *
<u>Basset Junction</u> * 7 1/2
<u>Sieler</u> 7 1/2
<u>Soda Lake</u> 7 1/2
<u>Corfu</u> 15 |
| (3) Palouse River
(Cont.)* | <u>Starbuck</u> 15 | From Adams County line (Sec.5,T14N,R37E) downstream right bank only to mouth on Snake River (Sec.19, T13N,R37E). This stream has over 300 sq. miles of drainage area and over 200 cfs MAF flow at Adams County line. | (4) <u>Lower Crab Creek</u>
<u>Corfu</u> 15
<u>Smyrna</u> 15
<u>Beverly S.E.</u> 7 1/2
<u>Beverly</u> 7 1/2 |
| (4) Snake River | | All of Snake River within Franklin County is under | From the Douglas County line on the Columbia River (Sec.18,T20N,R23E) downstream left bank only to Hanford Works boundary (Sec.10,T13N,R24E). The flow exceeds 200 cfs MAF at Douglas County line. |
| | | | From the Lincoln County line (Sec.13,T22N,R30E) downstream through Brook Lake to mouth at Parker Horn of Moses Lake (Sec.14, T19N,R28E). This stream has over 300 sq. miles drainage area. |
| | | | From south section line (Sec.18,T18N,R30E) downstream to mouth of Potholes Reservoir (Sec.1 and 12,T17N,R28E). This stream has over 300 sq. miles of drainage area ending at Lind Coulee in (Sec.18,T18N,R30E). |
| | | | From CNW Refuge Bdy. (Sec.36,T16N,R26E) downstream excluding all federal lands to mouth at Columbia River (Sec.3,T15N, R23E). |

- (5) Rocky Ford Creek Grant Orchards 7 1/2 Moses Lake N.W. 7 1/2 From the confluence of Rocky Ford Creek and several springs (Sec.16, T21N,R27E) downstream to mouth at Moses Lake (Sec.8, T20N,R27E).
- (6) Wilson Creek (Cont.)* Almira S.W. 7 1/2 Hartline S.E. 7 1/2 Wilson Creek 15 From Lincoln County line (Sec.1,T24N,R30E) downstream to mouth at Crab Creek (Sec.12,T22N,R29E). This stream has over 300 sq. miles of drainage area.
- (10) Cedar Creek Rochester 15 From the Thurston County line (Sec.2,T16N,R4W) downstream to mouth at Chehalis River (Sec.10,T16N,R5W).
- (11) Charley Creek Aberdeen 7 1/2 From a point between confluence of one unnamed creek and Charley Creek and confluence of another unnamed creek and Charley Creek (Sec.27,T17N,R9W) downstream to mouth at south channel of Grays Harbor (Sec.18, T17N,R9W).

[Order DE 76-14, § 173-18-170, filed 5/3/76; Order 73-14, § 173-18-170, filed 8/27/73; Order DE 72-13, § 173-18-170, filed 6/30/72.]

WAC 173-18-180 Grays Harbor County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Andrews Creek	<u>Grayland</u> 7 1/2	From the confluence of Andrews Creek and unnamed creek (SW1/4 NW1/4 of Sec.2, T15N,R11W) downstream to mouth at Beardslee Slough of South Bay (Sec.27,T16N, R11W).
(2) Big Creek	<u>Humtulpils</u> 15	From the confluence of the Big Creek and South Branch of the Big Creek (Sec.2, T19N,R10W) downstream to mouth at Humtulpils River (Sec.1,T19N,R11W).
(3) Bitter Creek	<u>Wynoochee Valley</u> 15	From a point on the north line of (Sec.11,T18N,R8W) intersecting with Bitter Creek downstream to mouth at Black Creek (same section).
(4) Black Creek	<u>Wynoochee Valley</u> 15	From the confluence of Black Creek and the unnamed creek (Sec.13,T18N,R8W) downstream to mouth at Wynoochee River (Sec.26, T18N,R8W).
(5) Black River (Cont.)	<u>Rochester</u> 15	From the Thurston County line (Sec.27,T16N,R4W) downstream to mouth at Chehalis River (Sec.5,T15N, R4W) excluding all federal lands.
(6) Boone Creek	<u>Moclips</u> 7 1/2	From an approximate point in the (NW1/4 of NW1/4 of SW1/4 Sec.4,T19N,R12W) downstream to mouth at Pacific Ocean, near Iron Springs (Sec.4,T19N,R12W).
(7) Canyon River (Cont.)	<u>Mt. Tebo</u> 15 <u>Wynoochee Valley</u> 15 <u>Grisdale</u> 15	Beginning at Mason Co. and Grays Harbor Co. line (Sec.13, T21N,R7W) downstream to mouth at Satsop West Fork River (Sec.22,T20N,R7W).
(8) Carter Creek	<u>Wynoochee Valley</u> 15	From an approximate point on the west line of (NE1/4 Sec.12,T19N,R8W) downstream to mouth at Wynoochee River (Sec.14,T19N,R8W).
(9) Cedar Creek	<u>Copalis Beach</u> 7 1/2	From the confluence of Cedar Creek and unnamed creek (Sec.23,T19N,R12W),
(12) Chehalis River (Cont.)*	<u>Rochester</u> 15 <u>Malone</u> 15 <u>Montesano</u> 15 <u>Aberdeen</u> 7 1/2	From the Thurston Co. line (Sec.10,T15N,R4W) downstream on the southerly shore only (north shore on Indian Reservation). Both shores beginning (Sec.25, T16N,R5W) downstream to mouth at Grays Harbor (Sec.9, T17N,R9W). The flow exceeds 1,000 cfs MAF at Thurston-Grays Harbor County line.
(13) Clo-quallum Creek	<u>Elma</u> 15 <u>Malone</u> 15	From the Mason Co. line (Sec.1,T18N,R6W) downstream to mouth at Chehalis River (Sec.2,T17N, R6W).
(14) Connor Creek	<u>Copalis Beach</u> 7 1/2	From the confluence of Cranberry Creek (Sec.10,T18N, R12W) downstream to mouth at Pacific Ocean (Sec.33,T19N, R12W).
(15) Copalis River	<u>Quinalt Lake</u> 15 <u>Macafee Hill</u> 15 <u>Carlisle</u> 7 1/2 <u>Moclips</u> 7 1/2 <u>Copalis Beach</u> 7 1/2	From the intersection of Copalis River and unimproved road (Sec.30, T21N,R10W) downstream to mouth at Pacific Ocean (Sec.21,T19N,R12W).
(16) Decker Creek (Cont.)	<u>Elma</u> 15	Beginning at a point where Decker Creek crosses Grays Harbor Co. and Mason Co. line (Sec.24,T20N,R7W) downstream to Grays Harbor Co. and Mason Co. line (Sec.25, of same Township).
(17) Deep Creek	<u>Humtulpils</u> 15 <u>Copalis</u> <u>Crossing</u> 7 1/2	From the confluence of Deep Creek and unnamed creek (Sec.30,T19N,R10W) downstream to mouth at Humtulpils River (Sec.22,T19N,R11W).
(18) Delezene Creek	<u>Malone</u> 15	From the confluence of the Delezene Creek and unnamed Creek (SE1/4 of NW1/4 Sec.27, T17N,R6W) downstream to the Chehalis River (Sec.12,T17N, R6W).
(19) Donkey Creek	<u>Quinalt Lake</u> 15	From the intersection of Olympic National Forest boundary and Donkey Creek (Sec.3, T21N,R9W) downstream to mouth at West Fork Humtulpils River (Sec.16,T21N,R9W).
(20) Elkhorn Creek	<u>Montesano</u> 15	From the confluence of Elk Horn Creek and unnamed creek (Sec.10,T15N,R8W)

		downstream to Pacific Co. line (same section).	Creek (Cont.)		mouth on Chehalis River (same section).
(21) Elk River (E. Br.)	<u>Western</u> 7 1/2	From the confluence of Elk River East Branch and unnamed creek (Sec.5,T15N,R10W) downstream to mouth at Elk River (same section).	(33) Joe Creek	<u>Carlisle</u> 7 1/2 <u>Moclips</u> 7 1/2	From the confluence of Joe Creek and unnamed creek (Sec.18,T20N,R11W) downstream to mouth at Pacific Beach (Sec.20,T20N,R12W).
(22) Elk River	<u>Western</u> 7 1/2 <u>Grayland</u> 7 1/2	From the confluence of Elk River and East Branch Elk River (Sec.5,T15N,R10W) to mouth on South Bay (Sec.26, T16N,R11W).	(34) Johns River (S. Fk.)	<u>Western</u> 7 1/2	From the confluence of South Fork Johns River and Hall Creek (Sec.22,T16N, R10W) downstream to mouth at North Fork Johns River (same section).
(23) Garrard Creek	<u>Malone</u> 15	From the confluence of the Garrard Creek and the Kellogg Creek (Sec.8,T15N, R5W) downstream to mouth at the Chehalis River (Sec.1,T15N, R5W).	(35) Johns River (N. Fk.)	<u>Hoquiam</u> 7 1/2	From the confluence of North Fork Johns River and unnamed creek (Sec.15, T16N,R10W) downstream to mouth at Johns River (Sec.22, T16N,R10W).
(24) Garrard Creek (S. Fk.) (Cont.)	<u>Malone</u> 15	From the Lewis County line SE corner (Sec.9,T15N, R5W) downstream to mouth at the Garrard Creek (Sec.10, T15N,R5W).	(36) Little River	<u>Grisdale</u> 15	From an approximate point in (SW1/4 of NE1/4 of SE1/4 Sec.22,T21N,R7W) downstream to mouth at West Fork Satsop River (Sec.27,T21N,R7W).
(25) Hoquiam River	<u>Humptulips</u> 15 <u>Hoquiam</u> 7 1/2	From confluence of West and Middle Forks of Hoquiam River (Sec.22,T18N,R10W) downstream to mouth in Grays Harbor in Hoquiam (Sec.12, T17N,R10W).	(37) Little Hoquiam River	<u>Hoquiam</u> 7 1/2	From the confluence of Little Hoquiam River and the North Fork Little Hoquiam River (Sec.3,T17N,R10W) downstream to mouth at Hoquiam River (Sec.2,T17N, R10W).
(26) Hoquiam River (E. Fk.)	<u>Humptulips</u> 15 <u>Hoquiam</u> 7 1/2	From the confluence of the East Fork Hoquiam River and unnamed creek (Sec.32, T20N,R9W) downstream to mouth at Hoquiam River (Sec.35,T18N,R10W).	(38) Little North River	<u>Montesano</u> 15	From an approximate point near the center of (NW1/4 of SW1/4 of NW1/4 (Sec.1, T16N,R8W) downstream to mouth at North River (Sec.8, T16N,R8W).
(27) Hoquiam River (M. Fk.)	<u>Humptulips</u> 15	From approximately the south line of the (NE1/4 of the SE1/4 Sec.30,T19N,R9W) downstream to mouth at Hoquiam River (Sec.22,T18N, R10W).	(39) Lower Salmon Creek	<u>Montesano</u> 15 <u>Aberdeen S.E.</u> 7 1/2	From the confluence of Lower Salmon Creek and unnamed creek (Sec.5, T15N,R8W) downstream to mouth at North River (Sec.7, T15N,R9W) except where it passes thru Pacific County in (Sec.14 and 15,T15N,R9W).
(28) Hoquiam River (W. Fk.)	<u>Humptulips</u> 15	From intersection of West Fork Hoquiam River and middle duty road (Sec.34,T19N, R10W) downstream to mouth at Hoquiam River (Sec.22,T18N, R10W).	(40) Moclips River	<u>Moclips</u> 7 1/2	From the Quinalt Indian Reservation boundary (Sec.9, T20N,R12W) downstream across said boundary and back, downstream to mouth at Pacific Ocean near the Town of Moclips (Sec.8,T20N,R12W).
(29) Hump-tulips River*	<u>Humptulips</u> * 15 <u>Carlisle</u> 7 1/2 <u>Copolis Crossing</u> 7 1/2	From the confluence of East and West Forks of Humptulips River (Sec.2, T20N,R10W) downstream to mouth at North Bay (Sec.21, T18N,R11W). The 1,000 cfs MAF point begins at confluence of East and West Forks.	(41) Mox Chehalis Creek	<u>Elma</u> 15 <u>Malone</u> 15	From the intersection of Mox Chehalis Creek and McCleary and Malone Road (Sec.24,T18N,R5W) down-stream to mouth at Chehalis River (Sec.18,T17N,R5W).
(30) Hump-tulips River (E. Fk.)	<u>Quinalt Lake</u> 15 <u>Humptulips</u> 15	From the Olympic National Forest boundary (Sec.12, T21N,R9W) downstream to confluence with West Fork Humptulips River (Sec.2,T20N, R10W).	(42) Newman Creek	<u>Elma</u> 15 <u>Malone</u> 15	From the intersection of Newman Creek and Newman Creek Road (Sec.29,T18N, R6W) downstream to mouth at Chehalis River (Sec.6,T17N, R6W).
(31) Hump-tulips River (W. Fk.)	<u>Quinalt Lake</u> 15 <u>Humptulips</u> 15	From the Olympic National Forest boundary (Sec.9, T21N,R9W) downstream to confluence with East Fork Humptulips River (Sec.2,T20N, R10W).	(43) Newskah Creek	<u>Aberdeen</u> 7 1/2	From a point approximately 200' west of confluence of Newskah Creek and unnamed creek (NW1/4 of SE1/4 Sec.4, T16N,R9W) downstream to mouth at South Channel of
(32) Inde-pendence (1997 Ed.)	<u>Rochester</u> 15	From Lewis Co. line (Sec. 10, T15N,R4W) downstream to			

		Grays Harbor (Sec.18,T16N, R9W).	Malone 15	Satsop River (Sec.23,T18N, R7W) downstream to mouth at Chehalis River (Sec.7,T17N, R6W). The flow is more than 1,000 cfs MAF at mouth of East Fork Satsop River (Sec.23, T18N,R7W).	
(44) North River* (Cont.)	<u>Montesano</u> 15 Aberdeen S.E. 7 1/2	From the Pacific Co. line (Sec.10,T15N,R7W) downstream to Pacific Co. line again (Sec.7,T15N,R9W). The 1,000 cfs MAF point begins at mouth of Lower Salmon Creek (Sec.7,T15N,R9W).	(56) Satsop River (E. Fk.)* (Cont.)	<u>Elma</u> * 15 Wynoochee Valley 15	From Mason Co. and Grays Harbor Co. line (Sec.6,T18N, R6W) downstream to mouth at Satsop River (Sec.23,T18N, R7W). The 1,000 cfs MAF point begins at mouth of Mid- dle Fork Satsop River, (Sec.3, T19W,R6W).
(45) Pioneer Creek	<u>Malone</u> 15	From the confluence of Pioneer Creek and unnamed creek (Sec.25,T16N,R7W) downstream to mouth at the North River (Sec.4,T15N,R7W).	(57) Satsop River (M. Fk.) (Cont.)	<u>Mt. Tebo</u> 15 Wynoochee Valley 15 <u>Elma</u> 15	From Mason Co. and Grays Harbor Co. line (Sec.1, T20N,R7W) downstream to Grays Harbor Co. and Mason Co. line (Sec.36,T19N,R7W).
(46) Porter Creek	<u>Rochester</u> 15 <u>Malone</u> 15	From the confluence of the North Fork Porter Creek and the South Fork Porter Creek (Sec.1,T17N,R5W) downstream to mouth at Chehalis River (Sec.28,T17N, R5W).	(58) Satsop River (W. Fk.)	<u>Gridale</u> 15 Wynoochee Valley 15	From the Olympic National Forest boundary (Sec.10, T21N,R7W) downstream to mouth at confluence of West Fork Satsop River and East Fork Satsop River (Sec.23, T18N,R7W).
(47) Porter Creek (N. Fk.)	<u>Rochester</u> 15	From an approximate point near the SW corner of (SE1/4 on NW1/4 of NW1/4 of Sec.3, T17N,R4W) downstream to mouth at Porter Creek (Sec.1, T17N,R5W).	(59) Schafer Creek	<u>Wynoochee Valley</u> 15	From an approximate point on the west line of (SE1/4 of SE1/4 Sec.1,T20N,R8W) down- stream to mouth at the Wynoochee River (Sec.25, T20N,R8W).
(48) Porter Creek (S. Fk.)	<u>Rochester</u> 15	From the confluence of Hell Creek and the S. Fork Porter Creek (Sec.7,T17N, R4W) downstream to mouth at Porter Creek (Sec.1,T17N, R5W).	(60) Stevens Creek	<u>Quinault Lake</u> 15	From the confluence of Stevens Creek and unnamed creek (Sec.12,T21N,R10W) downstream to mouth at Humptulips River (Sec.12, T20N,R11W).
(49) Porter Creek (W. Fk.)	<u>Rochester</u> 15	From the confluence of the West Fork Porter Creek and Bozy Creek (Sec.31,T18N, R4W) downstream to mouth at Porter Creek (Sec.11,T17N, R5W).	(61) Sylvia Creek	<u>Montesano</u> 15	From the confluence of Sylvia Creek and unnamed creek (Sec.1,T17N,R8W) down- stream to mouth at Wynoochee River (Sec.7,T17N,R7W).
(50) Rainie Creek (Rt. Fk.)	<u>Malone</u> 15	From an approximate point near the center of the (SW1/4 of the NE1/4 Sec.3, T15N,R6W) downstream to Pacific County line (Sec.9, T15N,R6W).	(62) Unnamed Tributary to Humptulips River	<u>Humptulips</u> 15	From the confluence of two unnamed creeks (Sec. 14, T20N,R10W) downstream to mouth at Humptulips River (Sec.9,T20N,R10W).
(51) Raney Creek	<u>Humptulips</u> 15	From confluence of Raney Creek and unnamed creek (SE1/4 NE1/4 Sec.22,T20N, R9W) downstream to mouth at West Fork Wishkah River (Sec.26,T20N,R9W).	(63) Vance Creek	<u>Malone</u> 15	From the intersection of Vance Creek and light duty road (Sec.3,T17N,R6W) down- stream to mouth at Chehalis River (Sec.6,T17N,R6W).
(52) Rock Creek	<u>Malone</u> 15	From the confluence of Rock Creek and unnamed creek (Sec.11,T16N,R6W) down- stream to mouth at Chehalis River (Sec.15,T16N,R5W).	(64) Vesta Creek (E. Fk.)	<u>Malone</u> 15 <u>Montesano</u> 15	From the confluence of the East Fork Vesta Creek and unnamed creek (Sec.13,T16N, R7W) downstream to mouth at Vesta Creek (Sec.14,T16N, R7W).
(53) Salmon Creek	<u>Montesano</u> 15	From the confluence of Salmon Creek and unnamed creek (Sec.13,T16N,R8W) downstream to mouth at North River (Sec.9,T16N,R8W).	(65) Vesta Creek	<u>Montesano</u> 15	From confluence of East and West Forks of Vesta Creek (Sec.14,T16N,R7W) down- stream to mouth on North River (Sec.32,T16N,R7W).
(54) Sand Creek	<u>Malone</u> 15	From an approximate point near the center of (SE1/4 of NE1/4 Sec.5,T17N,R5W) down- stream to mouth at Mox Chehalis Creek (same section).	(66) Vesta Creek (W. Fk.)	<u>Montesano</u> 15	From the confluence of Vesta Creek West Fork and unnamed creek from the east (Sec.3,T16N,R7W) downstream
(55) Satsop River*	<u>Wynoochee Valley</u> * <u>Elma</u> 15	From the confluence of East and West Forks of			

- to mouth at Vesta Creek (Sec.14,T16N,R7W).
- (67) Wedekind Creek Wynoochee Valley 15 From the confluence of Wedekind Creek and unnamed creek (Sec.19,T18N,R8W) downstream to mouth at Wynoochee River (Sec.28, T18N,R8W).
- (68) Wildcat Creek Elma 15 From the confluence of East and West Forks of Wildcat Creek (Sec.16,T18N,R5W) downstream to mouth at Cloquallum Creek (Sec.30, T18N,R5W).
- (69) Wildcat Creek (W. Fk.) Elma 15 From the confluence of West Fork Wildcat Creek and unnamed creek (Sec.16, T18N,R5W) downstream to confluence with East Fork Wildcat Creek (same section).
- (70) Wildcat Creek (E. Fk.) Elma 15 From the confluence of East Fork Wildcat Creek and unnamed creek (Sec.15, T18N,R5W) downstream to confluence of East Fork Wildcat Creek and West Fork Wildcat Creek (Sec.16,T18N,R5W).
- (71) Williams Creek Malone 15 From the confluence of Williams Creek and unnamed creek (SE1/4 Sec.20,T16N, R5W) downstream to Rock Creek (Sec.16,T16N,R5W).
- (72) Wishkah River (W. Fk.) Humtuplups 15 From the confluence of West Fork Wishkah River and unnamed creek (Sec.15, T20N,R9W) downstream to mouth at Wishkah River (Sec.22,T19N,R9W).
- (73) Wishkah River (E. Fk.) Wynoochee Valley 15 Humtuplups 15 From the confluence of the East Fork Wishkah River and unnamed creek (Sec.28, T20N,R8W) downstream to mouth at Wishkah River (Sec.2, T18N,R9W).
- (74) Wishkah River Grisdale 15 Wynoochee Valley 15 Humtuplups 15 Aberdeen 7 1/2 From the confluence of Wishkah River and unnamed creek inside the state game reserve (Sec.20,T21N, R8W) downstream to mouth at the Chehalis River at Aberdeen (Sec.9,T17N,R9W).
- (75) Workman Creek Malone 15 From the confluence of Workman Creek and unnamed creek (NW1/4 SE1/4 Sec.20, T17N,R6W) downstream to mouth at Chehalis River (Sec.9, T17N,R6W).
- (76) Wynoochee River* Grisdale 15 Wynoochee Valley* 15 Montesano 7 1/2 From the Olympic National Forest boundary (Sec.1, T21N,R8W) downstream to mouth at Chehalis River (Sec.18,T17N,R7W). The 1,000 cfs MAF point begins at mouth of Carter Creek (Sec.14, T19N,R8W).
- (77) Johns River Western 7 1/2 Hoquiam 7 1/2 From confluence of North Fork and South Fork Johns River (Sec.22,T16N, R10W) downstream to its

- mouth at Grays Harbor (Sec.36, T17N,R11W).
- (78) Quinault River* (Cont.) Kloochman Rock 15 Quinault Lk. From Jefferson/Grays Harbor County line (Sec.1, T23W,R9W) downstream to mouth at Quinault Lake (Sec.16,T23W,R9W). Exclude federal lands. The flow is over 1,000 cfs MAF at Jefferson/ Grays Harbor County line.

[Order DE 76-14, § 173-18-180, filed 5/3/76; Order 73-14, § 173-18-180, filed 8/27/73; Order DE 72-13, § 173-18-180, filed 6/30/72.]

WAC 173-18-190 Island County. Streams

Island County has no 20 cfs streams but has shorelines. Island County has no 1,000 cfs MAF rivers of state-wide significance.

[Order 73-14, § 173-18-190, filed 8/27/73; Order DE 72-13, § 173-18-190, filed 6/30/72.]

WAC 173-18-200 Jefferson County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Big Quilcene River	<u>Mt. Walker</u> 7 1/2 <u>Quilcene</u> 7 1/2	From the Olympic National Forest boundary (Sec.27, T27N,R2W) downstream to mouth at Quilcene Bay (Sec.19, T27N,R1W).
(2) Bogachiel River*	<u>Indian Pass</u> * 7 1/2 <u>Anderson Creek</u> 7 1/2 <u>Reade Hill</u> 7 1/2	From the Olympic National Forest boundary (Sec.4,T27N, R12W) downstream to the Clallam County line (Sec.2, T27N,R13W). The flow exceeds 1,000 cfs MAF at Olympic National Park boundary.
(3) Cedar Creek	<u>Destruction Island</u> 15	From the confluence of Cedar Creek and the South Fork of Cedar Creek (Sec.34,T26N, R13W) downstream to the Olympic National Park boundary (Sec.33,T26N,R13W).
(4) Chimacum Creek	<u>Port Townsend</u> S. 7 1/2	From the confluence of Chimacum Creek and unnamed creek in Chimacum Valley (Sec.11,T29N,R1W) downstream to mouth at Bay of Port Townsend (Sec.35,T30N,R1W) near Irontdale.
(5) Christmas Creek	<u>Salmon River</u> 15	From an approximate point near the center of (NE1/4 of Sec.2,T25N,R12W) downstream to mouth at Clearwater River (Sec.22,T25N,R12W).
(6) Clearwater River*	<u>Kloochmon Rock</u> 15 <u>Salmon River</u> * 15 <u>Destruction Island</u> 15	From the confluence of Clearwater River and unnamed creek (Sec.25, T26N,R10W) downstream (excluding federal lands) to Quinault Indian Reservation (Sec.29, T24N,R12W). The 1,000 cfs MAF point begins at mouth of Miller Creek (Sec.27, T25N, R12W).
(7) Dosewallips River	<u>Brinnon</u> 7 1/2	From the Olympic National Forest boundary between (Sec.25,T26N,R3W) and (Sec.30, T26N,R2W) downstream to

		mouth at Dabob Bay near Brinnon (Sec.2,T25N,R2W).	(20) Minter Creek	<u>Forks 15</u>	From the intersection of the north line of (Sec.30,T27N,R13W) and Minter Creek, downstream to Goodman Creek (Sec.24,T27N,R14W).
(8) Duckabush River	<u>Brinnon 7 1/2</u>	From the Olympic National Forest boundary between (Sec.17 & 18,T25N,R2W) downstream to mouth at Hood Canal (Sec.21,T25N,R2W).	(21) Mosquito Creek	<u>Forks 15</u>	From the intersection of north line of (Sec.5,T26N,R13W) and Mosquito Creek, downstream to Olympic National Park boundary (Sec.36,T27N,R14W).
(9) Fulton Creek	<u>Brinnon 7 1/2</u> <u>Holly 7 1/2</u>	From the confluence of Fulton Creek and the South Fork of Fulton Creek (Sec.30,T25N,R2W) downstream to mouth at Hood Canal (Sec.31,T25N,R2W).	(22) Nolan Creek	<u>Destruction Island 15</u> <u>Forks 15</u>	From an approximate point on the north line of (NE1/4 of SW 1/4 of Sec.21,T26N,R12W) downstream to mouth at Hoh River (Sec.23,T26N,R13W).
(10) Goodman Creek	<u>Forks 15</u> <u>LaPush 15</u>	From the confluence of Goodman Creek and unnamed creek (Sec.23,T27N,R13W) downstream to Olympic National Park boundary (Sec.23,T27N,R14W).	(23) Owl Creek	<u>Spruce Mt. 15</u>	From an approximate point near the center of the north line of (SW1/4 of NE1/4 of Sec.8,T26N,R10W) downstream to mouth at Hoh River (Sec.35,T27N,R11W).
(11) Hoh River*	<u>Spruce Mt.* 15</u> <u>Forks 15</u> <u>Destruction Island 15</u>	From the Olympic National Park boundary (Sec.29,T27N,R10W) downstream to Hoh Indian Reservation boundary (Sec.20,T26N,R13W). The 1,000 cfs MAF point starts at the Olympic National Park boundary.	(24) Salmon River	<u>Salmon River 15</u>	From the Olympic National Forest boundary (Sec.36,T24N,R11W) downstream back to said boundary (Sec.35) coming out of Indian Reservation (Sec.36,T24N,R12W) returning to Indian Reservation and coming out again (Sec.35,T24N,R12W) downstream to Olympic National Forest boundary (same section).
(12) Hoh River (S. Fk.)	<u>Mt. Tom 15</u>	From the Olympic National Park boundary (Sec.2,T26N,R10W) downstream to the Olympic National Forest boundary (Sec.29,T27N,R10W).	(25) Shale Creek	<u>Salmon River 15</u> <u>Destruction Island 15</u>	From an approximate point near the NE corner of the (SE1/4 of SW1/4 of Sec.26,T25N,R12W) downstream to mouth at Clearwater River (Sec.28,T25N,R12W).
(13) Hurst Creek	<u>Destruction Island 15</u>	From an approximate point near the north line of (SE1/4 of NW1/4 of NE1/4 of Sec.17,T24N,R12W) downstream to mouth at the Clearwater River (Sec.19,T24N,R12W).	(26) Snahapish River	<u>Salmon River 15</u>	From the intersection of Snahapish River and unimproved road (Sec.21,T26N,R11W) downstream to mouth at Clearwater River (Sec.19,T25N,R11W).
(14) Kalaloch Creek	<u>Destruction Island 15</u>	From the confluence of Kalaloch Creek and West Fork Kalaloch Creek (Sec.17,T25N,R13W) downstream to the Olympic National Park boundary (Sec.3,T24N,R13W).	(27) Snow Creek	<u>Uncas 7 1/2</u>	From the confluence of Snow Creek and unnamed creek from Crocker Lake (Sec.2,T28N,R2W) downstream to mouth at Port Discovery (Sec.24,T29N,R2W).
(15) Little Quilcene River	<u>Mt. Walker 7 1/2</u> <u>Quilcene 7 1/2</u>	From the Olympic National Forest boundary (Sec.33,T28N,R2W) downstream to mouth at Quilcene Bay (Sec.18,T27N,R1W).	(28) Solleks River	<u>Kloochman Rock 15</u> <u>Salmon River 15</u>	From the confluence of Solleks River and unnamed creek (Sec.2,T25N,R10W) downstream to mouth at Clearwater River (Sec.10,T25N,R11W).
(16) Maple Creek	<u>Spruce Mt. 15</u>	From the confluence of Maple Creek and Dry Creek (Sec.3,T26N,R11W) downstream to Hoh River (Sec.35,T27N,R11W).	(29) Stequaleho Creek	<u>Salmon River 15</u>	From the confluence of the Stequaleho Creek and unnamed creek (Sec.19,T25N,R10W) downstream to mouth at Clearwater River (Sec.16,T25N,R11W).
(17) Matheny Creek	<u>Salmon River 15</u>	From the Olympic National Forest boundary (Sec.24,T24N,R11W) downstream to the Olympic National Park boundary (Sec.22,T24N,R11W).	(30) Winfield Creek	<u>Spruce Mt. 15</u>	From the confluence of Winfield Creek and unnamed creek (Sec.1,T26N,R12W) downstream to mouth at the Hoh River (Sec.27,T27N,R12W).
(18) Miller Creek	<u>Destruction Island 15</u> <u>Salmon River 15</u>	From the confluence of Miller Creek and unnamed creek (Sec.17,T25N,R12W) downstream to mouth at Clearwater River (Sec.27,T25N,R12W).	(31) Quinault River*	<u>Mt. Christie* 15</u> <u>Kloochman Rock 15</u>	From east section line (Sec.33,T24N,R8W) downstream to Jefferson/Grays Harbor County line (Sec.1,T23N,R9W). Exclude federal land. The flow
(19) Miller Creek (E. Fk.)	<u>Salmon River 15</u>	From the confluence of the East Fork Miller Creek and unnamed creek (Sec.15,T25N,R12W) downstream to mouth at Miller Creek (Sec.27,T25N,R12W).			

is over 1000 cfs MAF at east section line (Sec.33,T24N,R8W).

[Statutory Authority: RCW 90.58.200, 90-06-068 (Order 89-60), § 173-18-200, filed 3/6/90, effective 4/6/90; Order DE 76-14, § 173-18-200, filed 5/3/76; Order 73-14, § 173-18-200, filed 8/27/73; Order DE 72-13, § 173-18-200, filed 6/30/72.]

WAC 173-18-210 King County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Bear Creek	<u>Eagle Gorge</u> 7 1/2	From an approximate point (NE corner of SE1/4 of SW1/4 of NW1/4 of Sec.28,T21N, R8E) downstream to mouth at Green River (Sec.20, same township).
(2) Bear Creek	<u>Everett</u> 15 <u>Bothell</u> 7 1/2	From the intersection of Bear Creek and the east section line (Sec.9,T26N,R5E) downstream to mouth at Sammamish River (same section).
(3) Bear	<u>Redmond</u> 7 1/2	From the confluence with Seidel Creek (Sec.20,T26N,R6E) downstream to mouth (Sec.6,T25N, R6E).
(4) Beckler River (Cont.)	<u>Skykomish</u> 7 1/2	From the Snohomish County line (Sec.5,T26N,R12E) downstream to Skykomish River (South Fork) (Sec.25, T26N, R11E).
(5) Big Soos Creek	<u>Auburn</u> 7 1/2	From the confluence of the Big Soos Creek and the Little Soos Creek (Sec.35,T22N,R5E) downstream to mouth at Green River (Sec.16,T21N,R5E).
(6) Black River	<u>Renton</u> 7 1/2 <u>Des Moines</u> 7 1/2	From confluence of Spring Brook Creek and Black River (Sec.13,T23N,R4E) downstream to mouth of Duwamish River (Sec.14, same township).
(7) Boise Creek	<u>Enumclaw</u> 15 <u>Enumclaw</u> 7 1/2 <u>Buckley</u> 7 1/2	From an approximate point (NW corner of the SE1/4 of NE 1/4 of Sec.28, T20N, R7E) downstream to mouth at White River (Sec.34, T20N,R6E).
(8) Boxley Creek	<u>Bandera</u> 15	From an approximate point (NW1/4 of SW1/4 of Sec.25, T23N, R8E) downstream to mouth at South Fork Snoqualmie River (Sec.24, same township).
(9) Calligan Creek	<u>Mount Si</u> 15	From an approximate point (SE1/4 of NE1/4 of Sec.3, T24N, R9E) downstream through Calligan Lake to mouth at Snoqualmie River (North Fork) (Sec.31,T25N,R9E).
(10) Carroll Creek	<u>Scenic</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.35,T26N,R12E) downstream to mouth at Tye River (Sec.26, same township).
(11) Cedar River	<u>North Bend</u> 7 1/2 <u>Hobart</u> 7 1/2 <u>Maple Valley</u> 7 1/2 <u>Renton</u> 7 1/2 <u>Mercer Island</u> 7 1/2 <u>Cumberland</u> 7 1/2	From east section line (Sec.9,T21N,R10E) downstream to mouth at Lake Washington in Renton (Sec.7,T23N,R5E), excluding all federal lands.
(12) Champion Creek	<u>Greenwater</u> 15	From the confluence of Champion Creek and unnamed creek (Sec.28,T20N,R10E) downstream to mouth at Green River (Sec.20, same township).
(13) Charley Creek	<u>Eagle Gorge</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.3, T20N, R8E) downstream to mouth at Howard Hansen Reservoir (Sec.34,T21N,R8E).
(14) Cherry Creek	<u>Monroe</u> 15 <u>Monroe</u> 7 1/2 <u>Carnation</u> 7 1/2	From the confluence of Cherry Creek and Hannen Creek (Sec.2,T26N,R7E) downstream to mouth at Snoqualmie River (Sec.6, same township).
(15) Coal Creek	<u>Cumberland</u> 7 1/2	From the confluence of Coal Creek and unnamed creek (Sec.27,T21N,R7E) downstream to mouth at Fish Lake (Sec.31, same township).
(16) Covington Creek	<u>Black Diamond</u> 7 1/2 <u>Auburn</u> 7 1/2	From the confluence of waters from Lake Sawyer (Sec.4,T21N,R6E) downstream to mouth at Big Soos Creek (Sec.11,T21N,R5E).
(17) Evans Creek	<u>Redmond</u> 7 1/2	From the confluence of Evans Creek and unnamed creek (Sec.8,T25N,R6E) downstream to mouth at Sammamish River (Sec.11,T25N,R5E).
(18) Foss River	<u>Skykomish</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.32,T26N,R12E) downstream (excluding portion of federal lands) to mouth at Skykomish River (Sec.31, same township).
(19) Friday Creek	<u>Lester</u> 15	From the confluence of Friday Creek and unnamed creek (Sec.18,T20N,R11E) downstream to mouth at the Green River (same section).
(20) Gale Creek	<u>Bandera</u> 15	From the confluence of Gale Creek and unnamed creek (Sec.36,T21N,R8E) downstream to mouth at Howard Hanson Reservoir (same section).
(21) Granite Creek	<u>Bandera</u> 15	From an approximate point (SE1/4 of SE1/4 of SW1/4 of Sec.11,T23N,R9E) downstream to mouth at the Middle Fork Snoqualmie River (Sec.10, same township).
(22) Green River*	<u>Lester</u> 15 <u>Greenwater</u> 15 <u>Bandera</u> 15 <u>Eagle Gorge*</u> 7 1/2 <u>Cumberland</u> 7 1/2 <u>Black Diamond</u> 7 1/2 <u>Auburn</u> 7 1/2 <u>Renton</u> 7 1/2 <u>Des Moines</u> 7 1/2 <u>Seattle South</u> 7 1/2	From confluence of Green River and Tacoma Creek (Sec.35,T20N,R11E) downstream thru Duwamish River to mouth on Elliott Bay (Sec.18,T24N,R4E) (thru Howard Hanson Reservoir also). The 1,000 cfs MAF point begins at the toe of Howard A. Hanson Dam (Sec.28,T21N,R8E).
(23) Green River (N. Fk.)	<u>Bandera</u> 15 <u>Eagle Gorge</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.18,T21N,R9E) downstream to mouth at Howard Hanson Reservoir (Sec.22,T21N,R8E).
(24) Green-	<u>Lester</u> 15	From the Snoqualmie

	water River	Greenwater 15	National Forest boundary (Sec.31,T19N,R11E) downstream to White River (along the northerly shore only) (Sec.4,T19N,R9E). Exclude federal lands.			within Snoqualmie National Forest, to mouth at Skykomish River (Sec.28, same township).
(25)	Griffin Creek	<u>Lake Joy</u> 7 1/2 <u>Snoqualmie</u> 7 1/2 <u>Fall City</u> 7 1/2	From the confluence of Griffin Creek and East Fork Griffin Creek (Sec.19, T25N,R8E) downstream to mouth at the Snoqualmie River (Sec.28,T25N,R7E).	(37)	Money Creek	<u>Grotto</u> 7 1/2 From the Snoqualmie National Forest boundary (Sec.28,T26N,R11E) downstream back to the Snoqualmie National Forest boundary (same section).
(26)	Hancock Creek	<u>Mount Si</u> 15	From an approximate point (NE1/4 of NW1/4 of Sec.15, T24N,R9E) downstream to mouth at Lake Hancock thence downstream to North Fork Snoqualmie River (Sec.7, same township).	(38)	Newaukum Creek	<u>Enumclaw</u> 15 <u>Enumclaw</u> 7 1/2 <u>Buckley</u> 7 1/2 <u>Black Diamond</u> 7 1/2 From the confluence of Newaukum Creek and unnamed creek (Sec.7,T20N,R7E) downstream to mouth at the Green River (Sec.29,T21N,R6E).
(27)	Harris Creek	<u>Carnation</u> 7 1/2	From the intersection of Harris Creek and Swan Mill Road (Sec.34,T26N,R7E) downstream to mouth at Snoqualmie River (Sec.5,T25N,R7E).	(39)	North Creek (Cont.)	<u>Everett</u> 15 <u>Bothell</u> 7 1/2 From King County and Snohomish County line (Sec.5,T26N,R5E) downstream to mouth at Sammamish River (Sec.8, same township).
(28)	Index Creek	<u>Index</u> 15 <u>Baring</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.10,T26N,R10E) downstream to mouth at South Fork Skykomish River (Sec.2, same township).	(40)	North Fork Creek	<u>Lake Joy</u> 7 1/2 From the beginning of creek at swamp (Sec.18, T26N,R8E) downstream to mouth at North Fork Tolt River (Sec.29, same township).
(29)	Issaquah Creek	<u>Hobart</u> 7 1/2 <u>Maple Valley</u> 7 1/2 <u>Issaquah</u> 7 1/2	From the confluence of Holder Creek and Carey Creek (Sec.25,T23N,R6E) downstream to mouth at Sammamish Lake (Sec.17, T24N,R6E).	(41)	Patterson Creek	<u>Fall City</u> 7 1/2 From the confluence of Patterson Creek and Canyon Creek (Sec.8,T24N,R7E) downstream to mouth at the Snoqualmie River (Sec.4, same township).
(30)	Jenkins Creek	<u>Black Diamond</u> 7 1/2 <u>Auburn</u> 7 1/2	From the intersection of Jenkins Creek and light-duty county road (Sec.36,T22N,R5E) downstream to mouth at Big Soos Creek (Sec.2,T21N,R5E).	(42)	Philippa Creek	<u>Mount Si</u> 15 From an approximate point (SE1/4 of Sec.22,T25N,R9E) downstream to mouth at Snoqualmie River (Sec.15, same township).
(31)	Kimball Creek	<u>Snoqualmie</u> 7 1/2	From the confluence of Coal Creek and Kimball Creek (Sec.31,T24N,R8E) downstream to mouth at Snoqualmie River (Sec.30, same township).	(43)	Pratt River	<u>Snoqualmie Pass</u> 15 <u>Bandera</u> 15 <u>Mount Si</u> 15 From east section line (Sec.27,T23N,R10E) downstream to mouth on Middle Fk. Snoqualmie R. (Sec.31,T24N,R10E) excluding federal lands.
(32)	Maloney Creek	<u>Skykomish</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.35,T26N,R11E) downstream to mouth at South Fork Skykomish River (Sec.26, same township).	(44)	Raging River	<u>North Bend</u> 7 1/2 <u>Hobart</u> 7 1/2 <u>Fall City</u> 7 1/2 From the confluence of Raging River and unnamed stream (SE1/4 of NW1/4 Sec.25, T23N,R7E) downstream to mouth at Snoqualmie River (Sec.14,T24N,R7E) near Fall City.
(33)	Martin Creek	<u>Scenic</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.13,T26N,R12E) downstream to federal boundary (Sec.25, same township).	(45)	Rock Creek	<u>Greenwater</u> 15 From the Snoqualmie National Forest boundary (Sec.34,T20N,R10E) downstream to mouth at Green River (Sec.21, same township).
(34)	May Creek	<u>Mercer Island</u> 7 1/2	From the intersection of May Creek and light-duty road (SE1/4, SE1/4 Sec.32,T24N,R5E) downstream to mouth at Lake Washington (same section).	(46)	Rock Creek	<u>Hobart</u> 7 1/2 From the confluence of Rock Creek and waters from the diversion ditch (Sec.16,T22N,R7E) downstream to mouth at the Cedar River (Sec.17, same township).
(35)	Mercer Slough	<u>Mercer Island</u> 7 1/2	From the east section line (Sec.5,T24N,R5E) downstream through Mercer Slough to mouth at East Channel (Sec.8, same township).	(47)	Rock Creek	<u>Maple Valley</u> 7 1/2 From the intersection of county road, railroad and Rock Creek (Sec.22,T22N,R6E) downstream to Cedar River (Sec.23, same township).
(36)	Miller River	<u>Grotto</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.33,T26N,R11E) downstream, excluding those reaches	(48)	Sammamish River	<u>Redmond</u> 7 1/2 <u>Kirkland</u> 7 1/2 <u>Bothell</u> 7 1/2 <u>Edmonds East</u> 7 1/2 From Sammamish Lake (Sec.13,T25N,R5E) downstream to mouth at Lake Washington (Sec.11, T26N,R4E).

(49) Sawmill Creek	<u>Lester</u> 15	From the Snoqualmie National Forest boundary (Sec.30,T20N,R11E) downstream, excluding all federal lands to mouth at Green River (Sec.24,T20N,R10E).	Creek	National Forest boundary (Sec.13,T25N,R9E) downstream to mouth at the North Fork Snoqualmie River (Sec.15, same township).
(50) Scatter Creek	<u>Enumclaw</u> 15	From the confluence of Scatter Creek and unnamed creek (Sec.2,T19N,R7E) downstream to mouth at the White River (Sec.11, same township).	(60) Swamp Creek (Cont.)	From Snohomish County line (Sec.2,T26N,R4E) downstream to mouth at Sammamish River (Sec.12, same township).
(51) Skykomish River* (S. Fk.)	<u>Skykomish*</u> 7 1/2 <u>Grotto</u> 7 1/2 <u>Baring</u> 7 1/2	From confluence of Tye River and Foss River (Sec.31,T26N,R12E) downstream to Snohomish County line (Sec.3,T26N,R10E) excluding all federal lands. The 1,000 cfs MAF point begins at mouth of Beckler Creek (Sec.25,T26N,R11E).	(61) Taylor Creek	<u>Eagle Gorge</u> 7 1/2 <u>North Bend</u> 7 1/2 From confluence of Middle Fork and South Fork Taylor Creek (Sec.32,T22N,R8E) downstream to mouth at Cedar River (Sec.13,T22N,R7E).
(52) Smay Creek	<u>Greenwater</u> 15	From the Snoqualmie National Forest boundary (Sec.7, T20N,R10E) downstream to mouth at Green River (Sec.13, T20N,R9E).	(62) Ten Creek	<u>Snoqualmie</u> 7 1/2 From the intersection of light-duty road and Ten Creek (Sec.11,T24N,R8E) downstream to mouth at Tokul Creek (Sec.9, same township).
(53) Snoqualmie River*	<u>Snoqualmie*</u> 7 1/2 <u>Fall City</u> 7 1/2 <u>Carnation</u> 7 1/2 <u>Redmond</u> 7 1/2 <u>Monroe</u> 7 1/2	From the confluence of Middle Fork and South Fork of Snoqualmie River (Sec.33,T24N,R8E) downstream to Snohomish County line (Sec.6, T26N,R7E). The 1,000 cfs MAF point begins at confluence of Middle Fork and South Fork Snoqualmie River.	(63) Tokul Creek	<u>Lake Joy</u> 7 1/2 <u>Snoqualmie</u> 7 1/2 From the confluence of Tokul Creek and Beaver Creek (Sec.21,T25N,R8E) downstream to mouth at Snoqualmie River (Sec.24,T24N,R7E).
(54) Snoqualmie River (M. Fk.)*	<u>Mount Si*</u> 15 <u>Bandera</u> 15 <u>North Bend</u> 7 1/2 <u>Snoqualmie</u> 7 1/2	From Snoqualmie National Forest boundary (Sec.26, T24N,R10E) downstream to confluence with South Fork of Snoqualmie River Sec.33, T24N,R8E), excluding all federal lands. The 1,000 cfs MAF point begins at Snoqualmie National Forest boundary.	(64) Tolt River	<u>Lake Joy</u> 7 1/2 From the confluence of North Fork Tolt River and South Fork Tolt River (Sec.31,T26N, R8E) downstream to mouth at Snoqualmie River (Sec.21,T25N, R7E).
(55) Snoqualmie River (N. Fk.)	<u>Mount Si</u> 15 <u>Snoqualmie</u> 7 1/2 <u>North Bend</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.12,T25N,R9E) downstream to mouth at Snoqualmie River (Main Fork) (Sec.34,T24N,R8E).	(65) Tolt River (N. Fk.)	<u>Mount Si</u> 15 <u>Lake Joy</u> 7 1/2 From confluence with Titicaed Creek (Sec.12, T26N,R9E) downstream to mouth at Tolt River (Sec.31, T26N,R8E).
(56) Snoqualmie River (S. Fk.)	<u>Bandera</u> 15 <u>North Bend</u> 7 1/2 <u>Snoqualmie</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.33,T23N,R11E) downstream to confluence with Snoqualmie River (Main Fork) (Sec.33,T24N,R8E) excluding all federal lands.	(66) Tolt River (S. Fk.)	<u>Mount Si</u> 15 <u>Lake Joy</u> 7 1/2 From the Snoqualmie National Forest boundary (Sec.31,T26N,R10E) downstream to mouth at Tolt River (Sec.31, T26N,R8E).
(57) Spring Brook Creek	<u>Renton</u> 7 1/2	From the intersection of Spring Brook Creek and medium-duty road (SW1/4 of NE1/4 of Sec.24,T23N,R4E) downstream to mouth at Black River (Sec.13, same township).	(67) Tye River	<u>Scenic</u> 7 1/2 <u>Skykomish</u> 7 1/2 From the Snoqualmie National Forest boundary (Sec.26,T26N,R12E) downstream to mouth at Skykomish River (Sec.31, same township) excluding all federal lands.
(58) Sunday Creek	<u>Lester</u> 15	From the Snoqualmie National Forest boundary (Sec.3, T20N,R11E) downstream to mouth at the Green River (Sec.18,T20N,R11E). Exclude federal lands.	(68) Unnamed Tributary to Index Creek	<u>Index</u> 15 From the Snoqualmie National Forest boundary (Sec.10,T26N,R10E) downstream to mouth at Index Creek (same section).
(59) Sunday	<u>Mount Si</u> 15	From the Snoqualmie	(69) Unnamed Tributary to Snoqualmie River (N. Fk.)	<u>Mount Si</u> 15 From the confluence of unnamed tributary to Snoqualmie River (North Fork) and another unnamed creek (Sec.29,T24N,R9E) downstream to mouth at North Fork Snoqualmie River (Sec.19, same township).
			(70) Unnamed Tributary to Tolt River (S. Fk.)	<u>Mount Si</u> 15 From the confluence of unnamed tributary to Tolt River South Fork and another unnamed stream (Sec.35,T26N,R8E) downstream to South Fork Tolt River (same section).
			(71) White River*	<u>Greenwater*</u> 15 <u>Enumclaw</u> 15 From confluence of White River and Greenwater River

	Enumclaw 7 1/2 Buckley 7 1/2 Sumner 7 1/2 Auburn 7 1/2	(Sec.4,T19N,R9E) downstream following King-Pierce County line to Pierce County line (Sec.36, T21N,R4E) excluding Indian Reservation lands. The 1,000 cfs MAF point begins at mouth of Greenwater River.	(5) Curley Creek	<u>Bremerton East</u> 7 1/2	Dyes Inlet (Sec.5, same town- ship). From an approximate point (NE1/4 of NE1/4 of Sec.8,T23N, R2E) downstream to mouth at Yukon Harbor (Sec.33,T24N, R2E).
(72)	Issaquah Creek (E. Fk.)	<u>Issaquah</u> 7 1/2 From railroad bridge (SE1/4 Sec.27,T24N,R6E) downstream to mouth at Issaquah Creek (Sec.28, same township).	(6) Tahuya River	<u>Wildcat Lake</u> 7 1/2	From the confluence of the Tahuya River and unnamed creek (Sec.25,T24N,R2W) down- stream to Mason County line (Sec.1,T23N,R2W).
(73)	Cedar River (N. Fk.)	<u>Snoqualmie Pass</u> 15 From confluence of Cedar River North Fk. and unnamed creek (Sec.7,T21N, R11E) downstream to mouth at Cedar River (Sec.10,T21N,R10E) excluding federal lands.	(7) Union River	<u>Wildcat Lake</u> 7 1/2 <u>Belfair</u> 7 1/2	From the confluence of Union River and East Fork Un- ion River (Sec.10,T23N,R1W) downstream to Mason Co. line (Sec.9,T23N,R1W).
(74)	Cedar River (S. Fk.)	<u>Snoqualmie Pass</u> 15 From Snoqualmie National Forest boundary, east line of (Sec.23,T21N,R10E) down- stream to mouth at Cedar River (Sec.10,T21N, R10E) excluding federal lands.	[Order 73-14, § 173-18-220, filed 8/27/73; Order DE 72-13, § 173-18-220, filed 6/30/72.]		
(75)	Rex River	<u>Bandera</u> 15 From Snoqualmie National Forest south boundary (Sec.11, T21N,R9E). downstream to mouth at Chester Morse Lake (Sec.19,T22N,R9E).	WAC 173-18-230 Kittitas County. Streams		
(76)	Taylor Creek (M. Fk.)	<u>Eagle Gorge</u> 7 1/2 From confluence of unnamed tributary (NE1/4 of NE1/4 Sec.34,T22N, R8E) downstream to mouth at Taylor Creek (Sec.32,T22N, R8E).	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(77)	Taylor Creek (N. Fk.)	<u>Eagle Gorge</u> 7 1/2 From the bridge crossing in (NW1/4,NW1/4 Sec.29, T22N,R8E) downstream to mouth at Taylor Creek (Sec.29, T22N,R8E).	(1) Big Creek	<u>Easton</u> 15	From the Wenatchee National Forest boundary (Sec.35,T20N, R13E) downstream (excluding federal lands) to mouth at Yakima River (Sec.21,T20N, R14E).
			(2) Cabin Creek	<u>Lester</u> 15 <u>Easton</u> 15	From Wenatchee National Forest boundary (Sec.19,T20N, R13E) downstream to mouth on Yakima River (Sec.9,T20N, R13E).
			(3) Cle Elum River*	<u>Kachess Lake*</u> 15 <u>Easton</u> 15 <u>Cle Elum</u> 15	From the Wenatchee National Forest boundary crossing Cle Elum Lake (Sec.33, 34 & 35,T21N,R14E) down- stream to mouth at Yakima River (Sec.32,T20N,R15E). The stream flow exceeds 200 cfs MAF at Wenatchee National Forest boundary.

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-052 (Order DE 80-20), § 173-18-210, filed 6/30/80; Order DE 77-15, § 173-18-210, filed 9/1/77; Order DE 76-14, § 173-18-210, filed 5/3/76; Order 73-14, § 173-18-210, filed 8/27/73; Order DE 72-13, § 173-18-210, filed 6/30/72.]

WAC 173-18-220 Kitsap County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>			
(1) Big Beef Creek	<u>Wildcat Lake</u> 7 1/2 <u>Seabeck</u> 7 1/2	From the confluence of Big Beef Creek and unnamed creek (Sec.34,T25N,R1W) down- stream to mouth at Big Beef Harbor (Sec.15, same township).	(5) Columbia River (Cont.)*	<u>Rock Island Dam*</u> 7 1/2 <u>West Bar</u> 7 1/2 <u>Babcock Ridge</u> 7 1/2 <u>Cape Horn</u> S.E. 7 1/2 <u>Evergreen</u> 7 1/2 <u>Vantage</u> 7 1/2 <u>Beverly</u> 7 1/2 <u>Priest Rapids</u> 7 1/2	From the Chelan Co. line on the Columbia River (Sec.5,T20N,R22E) downstream along the Douglas and Kittitas Co. line to Yakima Co. (Sec.32,T15N,R23E). The stream flow exceeds 200 cfs MAF at Chelan Co. line.
(2) Black Jack Creek	<u>Bremerton West</u> 7 1/2	From the confluence of Black Jack Creek and unnamed creek (Sec.11,T23N, R1E) downstream to mouth at Sinclair Inlet (Sec.25,T24N,R1E).	(6) Kachess River*	<u>Kachess Lake*</u> 15	From the Wenatchee National Forest (Sec.3,T20N, R13E) downstream through Lake Easton State Park and to mouth at Yakima River (same section). The flow exceeds 200 cfs MAF at Wenatchee National Forest boundary.
(3) Burley Creek	<u>Burley</u> 7 1/2	From the confluence of Burley Creek and unnamed creek (Sec.12,T22N,R1E) downstream to mouth at Burley Lagoon (same section).	(7) Little Creek	<u>Easton</u> 15	From the Wenatchee National Forest boundary (Sec.33,T20N,R14E) (excluding all federal lands) downstream to mouth at Yakima River (Sec.22, T20N,R14E).
(4) Chico Creek	<u>Bremerton West</u> 7 1/2	From the confluence of Chico Creek and Dickerson Creek (Sec.8,T24N,R1E) down- stream to mouth in Chico Bay on			

(8) Log Creek	<u>Lester 15</u>	From confluence of Log Creek and unnamed creek (NW1/4, SW1/4 Sec.31,T20N,R13E) downstream to mouth on Cabin Creek (Sec.19,T20N,R13E).	Ellensburg South 7 1/2 Wymer 7 1/2 Pamona 7 1/2 Kittitas 7 1/2	flow exceeds 200 cfs MAF at Wenatchee National Forest boundary.
(9) Manastash Creek	<u>Yakima (AMS) Ellensburg 15 Ellensburg S. 7 1/2</u>	From confluence of North and South Forks Manastash Creek (Sec.17,T17N,R17E) downstream to mouth on Yakima River (Sec.4,T17N,R18E).	(19) Little Naches River* <u>Lester 15 Easton 15* Cliffdell 7 1/2</u>	From confluence of North Fork & Middle Fork of Little Naches River (Sec.31,T19N,R12E) downstream left bank to mouth of Naches River (Sec.4,T17N,R14E). Exclude federal lands. The 200 cfs MAF point begins at confluence with Crow Creek (Sec.30,T18N,R14E).
(10) Manastash Creek (South Fork)	<u>Cle Elum 15 Ellensburg 15 Manastash Lake 7 1/2</u>	From the Wenatchee National Forest boundary (Sec.31,T18N,R16E) downstream to mouth at Manastash Creek (Sec.17, T17N, R17E).		
(11) Swauk Creek	<u>Thorp 15</u>	From the Wenatchee National Forest boundary (Sec.10,T20N,R17E) downstream (excluding all federal lands) to mouth at Yakima River (Sec.20, T19N,R17E).		
(12) Taneum Creek	<u>Cle Elum 15 Thorp 7 1/2</u>	From Wenatchee National Forest boundary (Sec.30, T19N, R16E) downstream (excluding all federal lands) to mouth on Yakima River (Sec.33,T19N, R17E).		
(13) Teanaway River*	<u>Mt. Stuart* 15 Cle Elum 15</u>	From the confluence of the Middle Fork and the West Fork Teanaway River (Sec.6,T20N, R16E) downstream to Yakima River (Sec.3,T19N,R16E). The 200 cfs MAF point begins at confluence of West Fork & North Fork Teanaway River (Sec.6,T20N,R16E).	(2) Buck Creek <u>Willard 15</u>	From the confluence of Buck Creek and unnamed creek (Sec.16,T4N,R10E) downstream to Skamania County line (Sec.35, same township).
(14) Teanaway River (M. Fk.)	<u>Mt. Stuart 15</u>	From the Wenatchee National Forest boundary (Sec.15,T21N,R15E) downstream to mouth at Teanaway River (Sec.6,T20N,R16E).	(3) Columbia River (Cont.)* (4) Dead Canyon Creek <u>Klickitat 15</u>	All Columbia River within Klickitat County is under federal jurisdiction. Stream flow exceeds 200 cfs MAF. From the confluence of Dead Canyon Creek and unnamed creek (Sec.2,T5N, R13E) downstream to mouth at Klickitat River (Sec.12, same township).
(15) Teanaway River (N. Fk.)	<u>Mt. Stuart 15</u>	From the Wenatchee National Forest boundary (Sec.4,T21N,R16E) downstream (excluding all federal lands) to the Teanaway River (Sec.6, T20N,R16E).	(5) Gilmer Creek <u>Husum 15 Willard 15</u>	From the confluence of Gilmer Creek and Hangman Creek (Sec.1,T4N,R10E) downstream to mouth at White Salmon River (Sec.2,T4N,R10E).
(16) Teanaway River (W. Fk.)	<u>Kachess Lake 15 Mt. Stuart 15</u>	From the Wenatchee National Forest boundary (Sec.30,T21N,R15E) downstream (excluding all federal lands) to the Teanaway River (Sec.6, T20N,R16E).	(6) Klickitat River* <u>Mt. Adams 30 Klickitat* 15 The Dalles 15 White Salmon 15</u>	From Yakima Indian Reservation (Sec.24, T6N,R13E) downstream to mouth on Columbia River (Sec.34,T3N,R12E). The stream flow exceeds 200 cfs MAF at Yakima Co. line.
(17) Wilson Creek*	<u>Ellensburg So.* 7 1/2 Kittitas 7 1/2</u>	From mouth at Naneum Creek (Sec.30,T17N,R19E) downstream to mouth on Yakima River (Sec.31,T17N,R19E). This stream has over 300 sq. miles of drainage area ending at mouth of Cherry Creek (Sec.31,T17N, R19E).	(7) Little Klickitat River (E. Prong) <u>Satus Pass 15 Goldendale 15 Klickitat 15</u>	From the confluence of Little Klickitat River, E. Prong and Dry Creek (Sec.10, T5N,R17E) downstream to mouth at Klickitat River (Sec.9,T4N,R14E).
(18) Yakima River*	<u>Snoqualmie Pass* 15 Kachess 15 Easton 15 Cle Elum 15 Thorp 7 1/2 Ellensburg North 7 1/2</u>	From the Wenatchee National Forest boundary (Sec.15,T21N,R12E) downstream (excluding all federal lands) to the Yakima Co. line (Sec.33, T15N,R19E). The stream	(8) Major Creek <u>Husum 15 White Salmon 15</u> (9) Mill <u>Goldendale 15</u>	From the confluence of Major Creek, East Fork and West Fork (Sec.12,T3N,R11E) downstream to mouth at Columbia River (Sec.31,T3N,R12E). From the confluence of

[Order DE 77-15, § 173-18-230, filed 9/1/77; Order DE 76-14, § 173-18-230, filed 5/3/76; Order 73-14, § 173-18-230, filed 8/27/73; Order DE 72-13, § 173-18-230, filed 6/30/72.]

WAC 173-18-240 Klickitat County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Bowman Creek	<u>Klickitat 15</u>	From the confluence of Bowman Creek and unnamed creek (Sec.35,T5N,R14E) downstream to mouth at Little Klickitat River (Sec.10,T4N, R14E).
(2) Buck Creek	<u>Willard 15</u>	From the confluence of Buck Creek and unnamed creek (Sec.16,T4N,R10E) downstream to Skamania County line (Sec.35, same township).
(3) Columbia River (Cont.)*		All Columbia River within Klickitat County is under federal jurisdiction. Stream flow exceeds 200 cfs MAF.
(4) Dead Canyon Creek	<u>Klickitat 15</u>	From the confluence of Dead Canyon Creek and unnamed creek (Sec.2,T5N, R13E) downstream to mouth at Klickitat River (Sec.12, same township).
(5) Gilmer Creek	<u>Husum 15 Willard 15</u>	From the confluence of Gilmer Creek and Hangman Creek (Sec.1,T4N,R10E) downstream to mouth at White Salmon River (Sec.2,T4N,R10E).
(6) Klickitat River*	<u>Mt. Adams 30 Klickitat* 15 The Dalles 15 White Salmon 15</u>	From Yakima Indian Reservation (Sec.24, T6N,R13E) downstream to mouth on Columbia River (Sec.34,T3N,R12E). The stream flow exceeds 200 cfs MAF at Yakima Co. line.
(7) Little Klickitat River (E. Prong)	<u>Satus Pass 15 Goldendale 15 Klickitat 15</u>	From the confluence of Little Klickitat River, E. Prong and Dry Creek (Sec.10, T5N,R17E) downstream to mouth at Klickitat River (Sec.9,T4N,R14E).
(8) Major Creek	<u>Husum 15 White Salmon 15</u>	From the confluence of Major Creek, East Fork and West Fork (Sec.12,T3N,R11E) downstream to mouth at Columbia River (Sec.31,T3N,R12E).
(9) Mill	<u>Goldendale 15</u>	From the confluence of

	Creek	Klickitat 15	Mill Creek and unnamed creek (Sec.13,T4N,R14E) downstream to mouth at Little Klickitat River (Sec.14, same township).	Creek	Mineral 15 Randle 15	National Forest boundary (Sec.13,T14N,R6E) downstream to mouth at Big Creek (Sec.2, T14N,R6E).	
(10)	Rattlesnake Creek	Husum 15	From the confluence of Rattlesnake Creek and unnamed creek (Sec.29,T5N, R12E) downstream to mouth at White Salmon River (Sec.30, T4N,R11E).	(6)	Cedar Creek	Toutle 15	From confluence of Cedar Creek and unnamed Creek (Sec.11,T11N,R1E) downstream to Salmon Creek (Sec.36,T11N, R1W).
(11)	Rock Creek	Satus Pass 15 Goodnoe Hills 7 1/2 The Dalles AMS (1:250,000)	From the confluence of Rock Creek and Luna Gulch (Sec.23,T4N,R18E) downstream to mouth at Columbia River (Sec.32,T3N,R19E).	(7)	Chehalis River*	Skamokawa 15 Pe Ell 15 Adna* 15 Centralia 15 Rochester 15	From confluence of East Fork, West Fork and Chehalis River at (Sec.10,T11N,R5W) downstream to Lewis Co. and Thurston Co. line (Sec.26,T15N, R3W). The 1,000 cfs MAF point begins at mouth of South Fork Chehalis River (Sec.13, T13N,R4W).
(12)	Snyder Canyon Creek	Klickitat 15	From an approximate point (NW1/4 of NE1/4 Sec.16,T4N, R13E) downstream to mouth at Klickitat River (Sec.23,T4N, R13E).	(8)	Chehalis River (E. Fk.)	Skamokawa 15	From confluence of Chehalis River East Fork and unnamed creek (Sec.27,T11N,R5W) downstream to mouth at confluence of West Fork Chehalis River and Chehalis River (Sec.10,T11N, R5W).
(13)	Swale Creek	Wishram 15 The Dalles 15 Klickitat 15	From the north section line (Sec.30,T3N,R15E) downstream to the mouth at Klickitat River (Sec.18,T4N, R14E).	(9)	Chehalis River (W. Fk.)	Skamokawa 15	From confluence of Chehalis River West Fork and unnamed creek (Sec.20,T11N,R5W) downstream to mouth at confluence of East Fork and Chehalis River (Sec.10,T11N,R5W).
(14)	Trout Lake Creek*	Steamboat Mt. 30 Willard* 15	From the Skamania County line (Sec.6,T6N,R10E) downstream through Trout Lake to mouth at White Salmon River (Sec.24, same township). The flow at the Skamania County-Gifford Pinchot National Forest boundary exceeds 200 cfs MAF.	(10)	Chehalis River (S. Fk.) (Cont.)	Ryderwood 15 Adna 15	Beginning where the Chehalis River South Fork crosses the Lewis Co. and Cowlitz Co. line (Sec.2,T10N,R4W) downstream to mouth at Chehalis River (Sec.13,T13N,R4W).
(15)	White Salmon River*	Steamboat Mt. 30 Willard* 15 Husum 15	Beginning at National Forest boundary (Sec.3, T6N, R10E) downstream to mouth at Columbia River (Sec.23,T3N,R10E) excluding that part of west bank within Skamania County. The flow at Gifford Pinchot National Forest boundary exceeds 200 cfs MAF.	(11)	Cinnabar Creek	Onalaska 15	Beginning at (NW1/4 of SW1/4 Sec.13,T13N,R2E) downstream to mouth at Tilton River (Sec.26, T13N,R2E).
				(12)	Cispus River*	Steamboat Mt. 30 Spirit Lake 15 Greenhorn Buttes 7 1/2 Tower Rock* 7 1/2	Beginning in the Gifford Pinchot National Forest (Sec.18,T11N,R8E) downstream to the mouth at Cowlitz River (Sec.31,T12N, R6E). The 1,000 cfs MAF point is at Gifford Pinchot National Forest boundary. Exclude federal lands.

[Order DE 76-14, § 173-18-240, filed 5/3/76; Order 73-14, § 173-18-240, filed 8/27/73; Order DE 72-13, § 173-18-240, filed 6/30/72.]

WAC 173-18-250 Lewis County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Big Creek	Randle 15 Mineral 15	From confluence of Big Creek and Tealey Creek (Sec.4,T14N, R7E) downstream to mouth at Nisqually River (Sec.34,T15N, R6E).
(2) Brim Creek	Ryderwood 15 Castle Rock 15	From confluence of Brim Creek and North Fork at (Sec.24,T11N, R3W) downstream to mouth at Stillwater Creek (Sec.25,T11N, R3W).
(3) Bunker Creek	Adna 15	Beginning in the (SE1/4 of NE1/4 Sec.17,T14N,R4W) downstream to mouth at Chehalis River (Sec.6,T13N, R3W).
(4) Butter Creek	Mt. Rainier 30 Packwood 15	Beginning at Gifford Pinchot National Forest boundary at (Sec.3,T13N,R9E) downstream to mouth at Cowlitz River (Sec.10 of same township).
(5) Catt	Mt. Rainier 30	Beginning at Snoqualmie
(13) Coal Creek	Mt. Rainier 30 Packwood 15	Beginning at Gifford Pinchot National Forest boundary at east section line (Sec.1,T13N, R9E) downstream to mouth at Cowlitz River (same section).
(14) Connelly Creek	Morton 15	Beginning at confluence with Heller Creek (Sec.23,T13N,R4E) downstream to mouth at Tilton River (Sec.35, of same township).
(15) Cowlitz River*	Mt. Rainier 30 Randle 15 Mineral 15 Spirit Lake 15 Packwood* 15 Greenhorn Butte 7 1/2 Elk Rock 15 Morton 15 Onalaska 15	Starting at the Gifford Pinchot National Forest boundary (Sec.1,T13N,R9E) downstream to Cowlitz Co. line (Sec.33,T11N, R2W). The 1,000 cfs MAF point is at Gifford Pinchot N.F. boundary.

	Toutle 15 Castle Rock 15		River (Cont.)	Elk Rock 15	T11N,R4E) Lewis-Skamania County line downstream to Lew- is-Skamania County line (Sec.31, same township) downstream to Lewis-Cowlitz County line (Sec.31,T11N,R4E).
(16) Crim Creek	<u>Pe Ell</u> 15	From confluence of Crim Creek and unnamed creek (Sec.19, T12N,R5W) downstream to mouth at Chehalis River (Sec.10, same township).	(29) Halfway Creek	<u>Adna</u> 15	From confluence of Halfway Creek and unnamed creek (Sec.9, T12N,R4W) downstream to mouth at Stillman Creek (Sec.14, same township).
(17) Davis Creek	<u>Mt. Rainier</u> 30	Beginning at Gifford Pinchot National Forest boundary north section line (Sec.16,T12N,R8E) downstream to mouth at Cowlitz River (Sec.17, of same town- ship).	(30) Hall Creek	<u>Mt. Rainier</u> 30 <u>Packwood</u> 15	From the North Sec. line (Sec.27,T13N,R9E) downstream to mouth at Cowlitz River (Sec.33, same township) (exclude all federal land).
(18) Deep Creek	<u>Adna</u> 15	From confluence of Deep Creek and Tapp Creek (Sec.24,T14N, R4W) downstream to mouth at Bunker Creek (Sec.6,T13N, R3W).	(31) Hanaford Creek	<u>Onalaska</u> 15 <u>Tenino SW 7 1/2</u> <u>Centralia</u> 15 <u>Bucoda 7 1/2</u>	Beginning at (NE1/4 of NW1/4 Sec.5,T14N,R1E) downstream to mouth at Skookumchuck River (Sec.33,T15N,R2W).
(19) De- schutes River	<u>Morton</u> 15 <u>Ohop Valley</u> 15	From confluence of West Fork and Deschutes River (Sec.1, T14N,R3E) downstream to Lewis Co. and Thurston Co. line (Sec.24,T15N,R3E).	(32) Hanlan Creek	<u>Ryderwood</u> 15	From confluence of Hanlan Creek and unnamed creek (Sec.34,T11N,R4W) downstream to mouth at Chehalis River (Sec.35, of same township).
(20) Devils Creek	<u>Elk Rock</u> 15 <u>Toutle</u> 15	Starting at (NW1/4 of NW1/4 Sec.31,T11N,R3E) downstream to Lewis Co. and Cowlitz Co. line at SW corner (Sec.36,T11N, R2E).	(33) Inde- pendence Creek	<u>Rochester</u> 15	From confluence of Independence Creek and unnamed creek (Sec.29,T15N, R4W) downstream to Grays Harbor Co. line (Sec.15,T15N, R4W).
(21) Dillen- baugh Creek	<u>Centralia</u> 15	From confluence of Dillenbaugh Creek and Berwick Creek (Sec.9,T13N,R2W) downstream to mouth at Chehalis River (Sec.31,T14N,R2W).	(34) Johnson Creek	<u>Mt. Rainier</u> 30 <u>Packwood</u> 15	Beginning where Johnson Creek crosses Gifford Pinchot National Forest boundary (Sec.32,T13N,R9E) downstream to mouth at Cowlitz River (same section).
(22) East Creek	<u>Mineral</u> 15 <u>Kapowsin</u> 15	Beginning at approximately the 1/4 corner on west section line (Sec.6,T14N,R5E) the Snoqualmie National Forest boundary, downstream to mouth at Alder Reservoir (Sec.29, T15N,R5E).	(35) Jones Creek	<u>Pe Ell</u> 15	From confluence of Jones Creek and Katula Creek (Sec.23, T13N,R5W) downstream to mouth at Chehalis River (same section).
(23) Eight Creek (Cont.)	<u>Pe Ell</u> 15	Beginning at a point on Pacific Co. and Lewis Co. line (Sec.7,T13N,R5W) down- stream to mouth at Elk Creek (Sec.8,T13N,R5W).	(36) Kearney Creek	<u>Onalaska</u> 15	From confluence of Kearney Creek and Door Creek (Sec.18, T13N,R2E) downstream to mouth at Newaukum River South Fork (Sec.13,T13N,R1E).
(24) Elk Creek (Cont.)	<u>Pe Ell</u> 15	Beginning at a point on Lewis Co. and Pacific Co. line SW corner (Sec.6,T13N, R5W) downstream to mouth at Chehalis River (Sec.3 of same township).	(37) King Creek	<u>Centralia</u> 15 <u>Castle Rock</u> 15	From confluence of King Creek and unnamed creek (Sec.29,T12N,R2W) downstream to mouth at Olequa Creek (Sec.28, same township).
(25) Elk Creek	<u>Elk Rock</u> 15	From confluence of Elk Creek and unnamed creek (Sec.27, T11N,R4E) downstream to mouth at Green River (Sec.32, T11N,R4E).	(38) Kiona Creek	<u>Mineral</u> 15 <u>Randle</u> 15	Beginning at Gifford Pinchot National Forest boundary (Sec.4,T12N,R6E) downstream to mouth at Cowlitz River (Sec.20, T12N,R7E).
(26) Gallup Creek	<u>Mineral</u> 15	From confluence of Gallup Creek and unnamed creek (Sec.1, T13N,R5E) downstream to mouth at Mineral Creek (Sec.25, T14N,R5E).	(39) Klic- kitat Creek	<u>Onalaska</u> 15	From confluence of Klickitat Creek and unnamed creek (Sec.14,T12N,R2E) downstream to mouth at Mayfield Lake (Sec.10, same township).
(27) Garrard Creek (South Fork)	<u>Malone</u> 15	From confluence of Garrard Creek South Fork and unnamed creek (Sec.16, T15N,R5W) downstream to Grays Harbor Co. line (Sec.9, same township).	(40) Lacamas Creek	<u>Centralia</u> 15 <u>Castle Rock</u> 15	From confluence of Lacamas Creek and Baker Creek (Sec.15, T12N,R1W) downstream to mouth at Cowlitz River (Sec.27, T11N,R2W).
(28) Green	<u>Spirit Lake</u> 15	From south line (Sec.33,	(41) Lake	<u>Adna</u> 15	Beginning at (SE1/4 of NW1/4

	Creek		Sec.21,T12N,R3W) downstream to mouth at Chehalis River South Fork (Sec.30,T13N,R3W).			mouth at Newaukum River (Sec.18,T13N,R1W).	
(42)	Lake Creek	<u>Mineral</u> 15	Beginning at outlet on Anderson Lake (Sec.15,T14N,R6E) downstream to mouth at Catt Creek (Sec.2,T14N,R6E).	(55)	Newaukum River (S. Fk.)	<u>Onalaska</u> 15	Beginning at the (NE1/4 of SE1/4 Sec.27,T14N,R2E) downstream to mouth at Newaukum River (Sec.19,T13N,R1W) downstream through Newaukum River to mouth at Chehalis River (Sec.31,T14N,R2W).
(43)	Lake Creek	<u>Mt. Rainier</u> 30 <u>Packwood</u> 15	Beginning at Gifford Pinchot National Forest boundary at west section line (Sec.12, T13N,R9E) downstream to mouth at Cowlitz River (Sec.11, same township).	(56)	Nisqually River*	<u>Randle</u> 15 <u>Kapowsin*</u> 15 Mount Wow 7 1/2 <u>Mineral</u> 15	Beginning at the Snoqualmie National Forest boundary left (south) bank only (Sec.33,T15N,R7E) downstream through Alder Reservoir to Lewis Co., Pierce Co., and Thurston Co. lines in the Reservoir (Sec.29,T15N,R5E). The 1,000 cfs MAF point begins at mouth of Mineral Creek (Sec.26, T15N,R5E).
(44)	Landers Creek	<u>Spirit Lake</u> 15	From an approximate point in center of (SE1/4 Sec.7, T11N,R5E) downstream to mouth on Davisson Lake (Sec.7,T11N,R5E).	(57)	Olequa Creek	<u>Centralia</u> 15 <u>Castle Rock</u> 15	From confluence of Olequa Creek and unnamed creek closest to GN, NP, UP Railroad track (Sec.21,T12N,R2W) downstream to Lewis Co. and Cowlitz Co. line (Sec.32,T11N,R2W).
(45)	Lincoln Creek	<u>Adna</u> 15 <u>Rochester</u> 15	From confluence of North Fork, South Fork of Lincoln Creek and Lincoln Creek (Sec.5, T14N,R4W) downstream to mouth at Chehalis River (Sec.35, T15N,R3W).	(58)	Quartz Creek	<u>Spirit Lake</u> 15	From the National Forest boundary (Sec.10,T11N,R6E) downstream to mouth on Cispus River (same section).
(46)	Lincoln Creek (N. Fork)	<u>Adna</u> 15	Beginning at the (NW1/4 of NE1/4 Sec.6,T14N,R4W) downstream to mouth Lincoln Creek (Sec.5, same township).	(59)	Rainy Creek	<u>Mineral</u> 15 <u>Spirit Lake</u> 15	From confluence of Rainy Creek and unnamed creek (Sec.8, T12N,R6E) downstream to mouth at Davisson Lake (Sec.27, T12N,R5E).
(47)	Lincoln Creek (S. Fork)	<u>Adna</u> 15	From confluence of Lincoln Creek South Fork and Wildcat Creek (Sec.7,T14N,R4W) downstream to mouth at Lincoln Creek (Sec.5, same township).	(60)	Rock Creek	<u>Pe Ell</u> 15	Beginning at a point approximately at the 1/4 corner (Sec.1,T12N,R6W) on Pacific Co. and Lewis Co. line downstream to mouth at Chehalis River (Sec.33,T13N,R5W).
(48)	Lost Creek	<u>Adna</u> 15	From confluence of Lost Creek and unnamed creek north section line (Sec.10,T12N,R4W) downstream to mouth at Stillman Creek (Sec.2 of same township).	(61)	Roger Creek	<u>Skamokawa</u> 15 <u>Pe Ell</u> 15	From confluence of Little Roger Creek, Big Roger Creek and Roger Creek (Sec.27,T12N,R5W) downstream to mouth at Chehalis River (Sec.22,T12N,R5W).
(49)	Lucas Creek	<u>Onalaska</u> 15 <u>Centralia</u> 15	From confluence of Lucas Creek and unnamed creek (Sec.5,T13N,R1E) downstream to mouth at Newaukum River North Fork (Sec.2,T13N,R1W).	(62)	Roundtop Creek	<u>Mineral</u> 15	From confluence of Roundtop Creek and unnamed creek (Sec.20,T14N,R5E) downstream to mouth at Mineral Creek (Sec.3, same township).
(50)	Mill Creek	<u>Onalaska</u> 15	Beginning at the (NW1/4 of SW1/4 Sec.28,T13N,R2E) downstream to mouth at Cowlitz River (Sec.23,T12N,R1E).	(63)	Salmon Creek	<u>Toutle</u> 15 <u>Castle Rock</u> 15	From confluence of Salmon Creek and Rapid Creek (Sec.17, T11N,R2E) downstream to Lewis Co. and Cowlitz Co. line, excluding Salmon Creek on Cowlitz Co. side (Sec.34,T11N,R1W) downstream to mouth at Cowlitz River (Sec.19,T11N,R1W).
(51)	Mineral Creek	<u>Mineral</u> 15	From confluence of Mineral Creek and unnamed creek (Sec.9, T13N,R6E) downstream to mouth at Nisqually River (Sec.26, T15N,R5E).	(64)	Salzer Creek	<u>Centralia</u> 15	From the confluence of Salzer Creek and unnamed creek (Sec.23,T14N,R2W) downstream to Chehalis River (Sec.18,T14N,R2W).
(52)	Mineral Creek (N. Fk.)	<u>Mineral</u> 15	Beginning at the (NW1/4 of SW1/4 Sec.35,T14N,R6E) downstream to mouth at Mineral Creek (Sec.10,T14N,R5E).	(65)	Shelton Creek	<u>Morton</u> 15 <u>Elk Rock</u> 15	From confluence of Shelton Creek and unnamed creek (Sec.27,T12N,R4E) downstream
(53)	Newaukum River (M. Fk.)	<u>Centralia</u> 15	From confluence of Newaukum River Middle Fork and unnamed creek (NE of other unnamed creek) (Sec.22,T13N,R1W) downstream to mouth at North Fork Newaukum River (Sec.20 of same township).				
(54)	Newaukum River (N. Fk.)	<u>Onalaska</u> 15	From confluence of Newaukum River North Fork and unnamed creek (Sec.13, T14N,R1E) downstream to				

		to mouth at Davisson Lake (Sec.27, same township).	(78) Tilton River (E. Fk.)	<u>Mineral</u> 15	From confluence of Tilton River East Fork and unnamed creek (NW1/4 Sec.19, T13N,R6E) downstream to mouth at Tilton River South Fork, on downstream to Tilton River (Sec.25,T13N,R4E).
(66) Siler Creek	<u>Mt. Rainier</u> 30 <u>Randle</u> 15	From confluence of Siler Creek and unnamed creek (Sec.27,T12N,R7E) downstream to mouth at Cowlitz River (Sec.20, same township) exclude federal land.	(79) Tilton River (N. Fk.)	<u>Morton</u> 15	From north section line Forest boundary (Sec.3, T13N,R3E) downstream to mouth at Tilton River (Sec.30, T13N,R4E). Exclude federal lands.
(67) Silver Creek	<u>Randle</u> 15	From confluence of Silver Creek and Lynx Creek (Sec.22,T13N,R7E) downstream to Cowlitz River (Sec.15,T12N, R7E). Exclude federal lands.	(80) Tilton River (S. Fk.)	<u>Mineral</u> 15	Beginning in (NE1/4 of NE1/4 Sec.32,T13N,R5E) downstream to confluence point with East Fork Tilton River, on downstream to mouth at Tilton River (Sec.25,T13N,R4E).
(68) Skate Creek	<u>Mt. Rainier</u> 30 <u>Packwood</u> 15	From the Gifford Pinchot National Forest boundary at SE corner (Sec.8,T13N,R9E) downstream to mouth at Cowlitz River (Sec.21, same township).	(81) Tilton River (W. Fk.)	<u>Mineral</u> 15	From confluence of Trout Creek and Tilton River (W. Fk.) (Sec.2,T13N,R4E) downstream to mouth at Tilton River (Sec.19, T13N,R5E).
(69) Skookumchuck River	<u>Morton</u> 15 <u>Onalaska</u> 15 Lake Lawrence 7 1/2 Tenino SW 7 1/2 Centralia 15	From confluence of Bigwater Creek and Skookumchuck River (Sec.7,T14N,R3E) downstream excluding federal lands to Lewis Co. and Thurston Co. thence downstream (Sec.28, T15N,R2W) to mouth (Sec.7, T14N,R2W).	(82) Unnamed Trib. to Newaukum River (S. Fk.)	<u>Onalaska</u> 15	From confluence of unnamed creek and unnamed creek (Sec.27,T14N,R2E) downstream to mouth at Newaukum River South Fork (same section).
(70) Smith Creek	<u>Mt. Rainier</u> 30 <u>Packwood</u> 15	From the Gifford Pinchot National Forest boundary (Sec.5, T12N, R9E) downstream to Cowlitz River (Sec.32,T13N, R9E).	(83) Unnamed Trib. to Stillman Creek	<u>Ryderwood</u> 15	From confluence of unnamed creek and unnamed creek (Sec.9,T11N,R4W) downstream to mouth at Stillman Creek (Sec.34,T12N,R4W).
(71) South Hanaford Creek	<u>Centralia</u> 15 Tenino S.W. 7 1/2	Beginning at the (NE1/4 of NE1/4 Sec.12,T14N,R2W) downstream to mouth at Hanaford Creek (Sec.26,T15N, R2W).	(84) Willame Creek	<u>Mt. Rainier</u> 30 <u>Packwood</u> 15	From Gifford Pinchot National Forest boundary (Sec.31,T13N,R9E) downstream to Cowlitz River (Sec.6,T12N, R9E).
(72) Stearns Creek	<u>Centralia</u> 15 <u>Adna</u> 15	From confluence of Stearns Creek and unnamed creek (Sec.32,T13N,R2W) downstream to mouth at Chehalis River (Sec.2,T13N,R3W).	(85) Winston Creek	<u>Elk Rock</u> 15 <u>Onalaska</u> 15 Toutle 15	From confluence of Winston Creek and Thurston Creek (Sec.11,T11N,R3E) downstream to mouth at Mayfield Lake (Sec.20,T12N,R2E).
(73) Stillman Creek	<u>Ryderwood</u> 15 <u>Adna</u> 15	From confluence of Stillman Creek and unnamed creek (Sec.14,T11N,R4W) downstream to mouth at Chehalis River South Fork (Sec.2,T12N, R4W).	(86) Winston Creek (S. Fk.)	<u>Elk Rock</u> 15	From confluence of Winston Creek South Fork and unnamed creek (Sec.9,T11N, R3E) downstream to mouth at Winston Creek (Sec.36,T12N, R2E).
(74) Stillwater Creek (Cont.)	<u>Ryderwood</u> 15 <u>Castle Rock</u> 15	From Lewis Co. and Cowlitz Co. line south section line (Sec.34,T11N,R3W) downstream to mouth at Olequa Creek (Sec.32,T11N,R2W).	(87) Little Nisqually River	<u>Morton</u> 15	From confluence of Hiawatha Creek and Little Nisqually River (Sec.9, T14N,R4E) downstream to Lewis-Thurston County line (Sec.28, T15N,R4E). Exclude federal lands.
(75) Stowe Creek	<u>Pe Ell</u> 15	From confluence of Stowe Creek and Sand Creek (Sec.35, T13N,R5W) downstream to mouth at Chehalis River (Sec.34, same township).			
(76) Thrash Creek	<u>Skamokawa</u> 15	Beginning at (SE1/4 of NE1/4 Sec.31,T12N,R5W) downstream to mouth at Chehalis River (Sec.33, same township).			
(77) Tilton River	<u>Mineral</u> 15 <u>Onalaska</u> 15 <u>Morton</u> 15	Beginning at the closest point on Tilton River to center of (Sec.5, T13N,R5E) downstream to mouth at Mayfield Lake (Sec.26,T13N, R2E).			

[Order DE 76-14, § 173-18-250, filed 5/3/76; Order 73-14, § 173-18-250, filed 8/27/73; Order DE 72-13, § 173-18-250, filed 6/30/72.]

WAC 173-18-260 Lincoln County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Columbia River		All of Columbia River within Lincoln County (Franklin D.

(Cont.)*		Roosevelt Lake) is under federal jurisdiction. The stream flow is over 200 cfs MAF.	quallum Creek		of a road and Cloquallum Creek (Sec.14,T19N,R5W) downstream to Grays Harbor County line (Sec.36,T19N,R6W).
(2) Crab Creek*	<u>Sprague Lake NE 7 1/2</u> <u>Sprague Lake 7 1/2</u> <u>Sprague Lake SW 7 1/2</u> Harrington SE 7 1/2 <u>Lamona WA 7 1/2</u> U.S.G.S. Blue Line Advance Sylvan Lake 7 1/2 Odessa 7 1/2 Irby 7 1/2 Marlin SW 7 1/2 Marlin 7 1/2	From the confluence of Rock Creek and Crab Creek (Sec.18, T22N,R38E) downstream through Sylvan Lake to Grant County line (Sec.18,T22N, R31E). This stream has over 300 sq. miles of drainage area down to mouth (right bank only) at unnamed tributary (Sec.34,T22N,R37E).	(5) Coulter Creek	<u>Belfair 7 1/2</u>	From the confluence of Coulter Creek and unnamed creek (Sec.9,T22N,R1W) downstream to mouth of North Bay (same section).
(3) Negro Creek	<u>Sprague 15</u>	From the confluence of Negro Creek and unnamed creek in the town of Sprague (Sec.23,T21N,R38E) downstream to mouth at Sprague Lake (Sec.21, same township).	(6) Cranberry Creek	<u>Potlatch 15</u>	Beginning at NE point of Cranberry Lake (Sec.28, T21N,R3W) downstream to mouth at Oakland Bay (Sec.35 of same township).
(4) Spokane River*	<u>Wellpinit* 15</u> <u>Turtle Lake 15</u> <u>Lincoln 15</u>	From the Spokane County line (Sec.24,T27N,R39E) starting on left bank of Long Lake (SE corner of same section) thence downstream along left bank of Long Lake to Spokane River, thence downstream on left bank to (Sec.27,T27N,R38E).This stream has both over 200 cfs MAF flow and over 300 sq. miles of drainage area at Spokane County line.	(7) Decker Creek	<u>Elma 15</u>	Beginning at (NW1/4 of SE1/4 Sec.18,T20N,R6W) downstream to (Sec.19,T20N,R6W) and Grays Harbor County, Mason County line returning to Mason County line at (Sec.30, T20N,R6W) on downstream to mouth at Satsop River East Fork (Sec.31,T19N,R6W).
(5) Wilson Creek*	<u>Almira* 7 1/2</u> <u>Almira SW 7 1/2</u>	From mouth of Corbett Draw (Sec.16,T25N,R31E) downstream to Grant County line (Sec.6,T24N,R31E). This stream has over 300 sq. miles of drainage area ending at mouth of Corbett Draw.	(8) Deer Creek	<u>Mason Lake 7 1/2</u> <u>Potlatch 15</u>	From confluence of Deer Creek and unnamed creek (SW1/4 of SE1/4 Sec.19,T21N, R2W) downstream to mouth on Oakland Bay (Sec.36,T21N, R3W).
			(9) Dewatto River	<u>Holly 7 1/2</u> <u>Lake Wooten 7 1/2</u> <u>Potlatch 15</u>	From a point approximately 1000' north of section line in (SE1/4 of Sec.6,T23N,R2W) downstream to mouth at Dewatto Bay on Hood Canal (Sec.28, T23N,R3W).
			(10) Dry Bed Creek	<u>Mt. Tebo 15</u> <u>Elma 15</u>	Beginning where Dry Bed Creek crosses the Beevine Loop Road at (Sec.27,T21N,R6W) downstream to mouth at Decker Creek (Sec.5,T19N,R6W).
			(11) Dry Creek	<u>Mt. Tebo 15</u>	Beginning where Dry Creek crosses unimproved road at center of (Sec.35,T21N,R6W) downstream to mouth at Dry Bed Creek (Sec.3,T20N,R6W).
			(12) Dry Run Creek	<u>Elma 15</u>	Beginning at (NE1/4 of NW1/4) at South Bend Creek (Sec.27,T19N,R6W) downstream to mouth at Satsop River East Fork (Sec.28 of same township).

[Order 73-14, § 173-18-260, filed 8/27/73; Order DE 72-13, § 173-18-260, filed 6/30/72.]

WAC 173-18-270 Mason County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>			
(1) Baker Creek	<u>Mt. Tebo 15</u>	Beginning at Olympic National Forest boundary, at center of (Sec.10,T21N,R6W) downstream to mouth at Satsop River Middle Fork (Sec.16, same township). Exclude federal land.	(13) Golsborough Creek (S. Fork)	<u>Elma 15</u> <u>Shelton 15</u>	From confluence of Golsborough Creek South Fork and unnamed creek (Sec.25,T20N,R5W) downstream to mouth at Oakland Bay (Sec.20,T20N,R3W).
(2) Bingham Creek	<u>Mt. Tebo 15</u> <u>Elma 15</u>	Beginning at (SW1/4 of NE1/4 Sec.31,T21N,R5W) downstream to mouth at East Fork Satsop River (Sec.11,T19N, R6W).	(14) Gosnell Creek	<u>Shelton 15</u> <u>Olympia 15</u> <u>Squaxin Island 7 1/2</u>	From confluence of Gosnell Creek and unnamed creek (Sec.10,T19N,R4W) downstream through Isabella Lake to mouth at Hammersley Inlet of Puget Sound (Sec.25, T20N,R3W).
(3) Canyon River	<u>Mt. Tebo 15</u> <u>Gridale 15</u>	Beginning at Olympic National Forest boundary at north section line (Sec.18,T21N, R6W) downstream to Mason County, Grays Harbor County line (same section).	(15) Hamma Hamma River	<u>The Brothers 15</u>	Beginning where the Hamma Hamma River crosses the Olympic National Forest boundary (Sec.7,T24N,R3W) downstream to mouth at Hood Canal of Puget Sound (Sec.27 of same township).
(4) Clo-	<u>Elma 15</u>	From a point near intersection			

(16) Jefferson Creek	<u>The Brothers 15</u>	Beginning where Jefferson Creek crosses the Olympic National Forest boundary at NW corner (Sec.18,T24N,R3W) downstream to mouth at Hamma Hamma River (Sec.8 of same township) (excluding federal Lands).	mish River (N. Fork)	R. N. Fork and Frigid Cr. (Sec.30,T22N,R4W) downstream to confluence with South Fork Skokomish R. (Sec.18,T21N,R4W).
(17) Johns Creek	<u>Potlatch 15</u> <u>Shelton 15</u>	Beginning where Johns Creek crosses light-duty road (Sec.30, T21N,R3W) downstream to mouth at Oakland Bay (Sec.3, T20N,R3W).	(28) Skokomish River (S. Fork)	From the Olympic National Forest boundary (Sec.15,T22N,R5W) downstream to confluence with North Fork Skokomish River (Sec.18,T21N,R4W). Exclude federal lands.
(18) Kennedy Creek (Cont.)	<u>Shelton 15</u>	From the Thurston County line (Sec.31,T19N,R3W) downstream to mouth at Oyster Bay (Sec.32,T19N,R3W).	(29) Skookum Creek	From confluence of Skookum Creek and unnamed creek (Sec.27,T19N,R4W) downstream to mouth at Skookum Inlet in Puget Sound (Sec.17,T19N, R3W).
(19) Lilliwaup Creek	<u>Potlatch 15</u>	Beginning in the Lilliwaup Swamp (Sec.11,T23N,R4W) downstream to mouth at Lilliwaup Bay in Hood Canal at (Sec.30,T23N,R3W).	(30) Tahuya River (Cont.)	From the Kitsap Co. line (Sec.36,T24N,R2W) downstream to mouth at Hood Canal near Tahuya (Sec.27,T22N,R3W).
(20) McTaggart Creek	<u>Potlatch 15</u>	From confluence of McTaggart Creek and Frigid Creek at (Sec.30,T22N,R4W) downstream to Skokomish River North Fork (same section).	(31) Union River (Cont.)	From the Kitsap Co. line (Sec.10,T23N,R1W) downstream to mouth of Lynch Cove near Belfair (Sec.31,T23N, R1W).
(21) Mission Creek	<u>Lake Wotten 7 1/2</u> <u>Belfair 7 1/2</u>	From confluence of Mission Creek and unnamed creek (Sec.24,T23N,R2W) downstream to mouth at Hood Canal (Sec.1, T22N,R2W).	(32) Unnamed Creek	Beginning where logging railroad crosses unnamed creek (Sec.4,T20N,R5W) downstream to mouth at Nahwatzel Lake (Sec.5, same township).
(22) Rendsland Creek	<u>Potlatch 15</u>	Beginning where Rendsland Creek crosses the north section line of (NW1/4 of SE1/4 Sec.17,T22N,R3W) downstream to mouth at Hood Canal (Sec.19 same township).	(33) Vance Creek	From the Olympic National Forest boundary NW corner of (Sec.4,T21N,R5W) downstream to mouth on Skokomish River (Sec.18,T21N,R4W).
(23) Satsop River (E. Fork)	<u>Elma 15</u>	From the confluence of Satsop River East Fork, Phillips Creek and Stillwater Creek (Sec.22,T20N,R5W) downstream to Mason Co., Grays Harbor Co. line (Sec.31,T19N, R6W).	(34) Goldsborough Creek (N. Fork)	From confluence of Winter Creek and Goldsborough Cr. N. Fk. (Sec.9,T20N,R4W) downstream to mouth at Goldsborough Cr. S. Fk. (Sec.19 same township).
(24) Satsop River (M. Fork)	<u>Mt. Tebo 15</u> <u>Elma 15</u>	From the Olympic National Forest boundary (Sec.16, T21N,R6W) downstream to Mason Co., Grays Harbor Co. line (Sec.6,T20N,R6W) reentering Mason Co. at (Sec.31,T19N, R6W) to mouth at Satsop River East Fork.	(35) Sherwood Creek	From its start in Mason Lake (Sec.34,T22N,R2W) downstream to mouth at North Bay on Case Inlet (Sec.20,T22N, R1W).

[Order 73-14, § 173-18-270, filed 8/27/73; Order DE 72-13, § 173-18-270, filed 6/30/72.]

WAC 173-18-280 Okanogan County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Beaver Creek	<u>Blue Buck Mt. 7 1/2</u> <u>Twisp East 7 1/2</u>	From the confluence of Beaver Creek and unnamed creek (NE1/4 of NE1/4 Sec.26,T34N, R22E) downstream to mouth at Methow River (Sec.27,T33N, R22E).
(2) Bonaparte Creek	<u>Tonasket 15</u>	From the confluence of Bonaparte Creek and Bannan Creek (Sec.32,T37N, R28E) downstream to mouth on Okanogan River near Tonasket (Sec.16,T37N,R27E).
(3) Chewack*	<u>Doe Mt.* 15</u>	From the Okanogan National

	River	Winthrop 7 1/2	Forest boundary (Sec.2,T35N,R21E) downstream to mouth at Methow River (Sec.2,T34N,R21E). The flow exceeds 200 cfs MAF at Okanogan N.F. boundary.	River (Creek)	Sinlahekin Creek (Sec.10, T37N,R25E) downstream to mouth at Palmer Lake (Sec.13, T39N,R25E).	
(4)	Columbia River (Cont.)*	<u>Grand Coulee Dam 15</u> Bridgeport 15 Brewster 15 Wells Dam 7 1/2 Azwell 7 1/2	From the intersection of the Okanogan County line and the Colville Indian Reservation boundary (Sec.18, T30N,R25E) downstream right bank only to Chelan County line (Sec.31,T29N,R24E). The flow exceeds 200 cfs MAF at the Colville Indian Reservation boundary.	(13) Toats Coulee Creek	<u>Horseshoe Basin 15</u> Loomis 15 From the confluence of From and Middle Fork Toats Coulee Creek (Sec.35, T39N,R24E) downstream to mouth at Sinlahekin Creek (Sec.35,T39N,R25E).	
(5)	Early Winters Creek	<u>Mazama 15</u>	From the Okanogan National Forest boundary line (Sec.23, T29N,R19E) downstream to mouth at Methow River (Sec.27, same township).	(14) Toroda Creek	<u>Bodie Mt. 15</u> From the confluence of Beaver Creek and Toroda Creek (Sec.22,T39N,R31E) downstream to the Ferry County line (Sec.25, T40N,R31E) excluding federal lands.	
(6)	Gold Creek	<u>Concrete AMS</u> Methow 7 1/2	From the confluence of Gold Creek and South Fork Gold Creek (Sec.17,T31N,R22E) downstream to mouth at Methow River (Sec.16, same township).	(15) Twisp River*	<u>Concrete AMS</u> Winthrop* 7 1/2 Twisp West 7 1/2 Twisp East 7 1/2 From the Okanogan National Forest boundary (Sec.10,T33N,R21E) downstream to mouth at Methow River (Sec.8,T33N,R22E). The flow exceeds 200 cfs MAF at Okanogan N.F. boundary.	
(7)	Methow River*	<u>Mazama 15*</u> Brewster 15 Doe Mtn. 15 Thompson Ridge 5 7 1/2 Winthrop 7 1/2 Blue Buck Mtn. 7 1/2 Twisp East 7 1/2 Methow 7 1/2 Cooper Mtn. 7 1/2	From the Okanogan National Forest boundary (Sec.6,T36N,R19E) downstream to mouth at the Columbia River (Sec.36, T30N,R23E) excluding all federal lands. The stream flow is 200 cfs MAF at confluence of Methow River and Lost River (Sec.5, T37N,R19E).	(16) Wolf Creek	<u>Concrete AMS</u> Thompson Ridge 7 1/2 Winthrop 7 1/2 From the Okanogan National Forest boundary (Sec.6,T34N,R21E) downstream to mouth at Methow River (Sec.32,T35N,R21E).	
(8)	Myers Creek	<u>Mt. Bonaparte 15</u>	From the confluence of Myers Creek and Mary Ann Creek (Sec.28,T40N,R30E) downstream to the Canadian Border (Sec.3, same township).	[Statutory Authority: RCW 90.58.120 and 90.58.200. 88-03-070 (Order DE 87-45), § 173-18-280, filed 1/20/88. Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.300. 87-20-050 (Order DE 87-35), § 173-18-280, filed 10/2/87; Order DE 77-15, § 173-18-280, filed 9/1/77; Order DE 76-14, § 173-18-280, filed 5/3/76; Order 73-14, § 173-18-280, filed 8/27/73; Order DE 72-13, § 173-18-280, filed 6/30/72.]		
(9)	Okanogan River*	<u>Oroville* 15</u> Tonasket 15 Omak Lake 15 Okanogan 15 Bridgeport 15 Conconully 15	From the United States-Canadian Border crossing Osoyoos Lake (Sec.4&5, T40N,R27E) downstream on both shores to Colville Indian Reservation (Sec.6,T34N,R27E) the west shore only to mouth at Columbia River (Sec.18,T30N,R25E), excluding all federal lands. This stream has over 200 cfs MAF and over 300 sq. miles of drainage area at United States-Canadian Border.	WAC 173-18-290 Pacific County. Streams		
(10)	Sanpoil River (W. Fk.)	<u>Aeneas Valley 15</u> Aeneas 15	From the confluence of West Fork Sanpoil River and Frosty Creek (Sec.12,T35N,R30E) to the Okanogan National Forest boundary (Sec.22,T35N,R31E).	Stream Name	Quadrangle Name and Size	Legal Description
(11)	Similkameen River*	<u>Loomis* 15</u> Oroville 15	From the Canadian Border (Sec.4,T40N,R25E) downstream to mouth at Okanogan River (Sec.9,T39N,R27E) excluding all federal lands. This stream has over 200 cfs MAF and over 300 sq. miles of drainage at Canadian Border.	(1) Alder Creek	<u>Grays River 15</u> Upper Naselle River 7 1/2	From the confluence of Alder Creek and unnamed creek (NW 1/4 Sec.35,T12N,R8W) downstream to the mouth at Naselle River (Sec.16,T11N,R8W).
(12)	Sinlahekin	<u>Conconully 15</u> Loomis 15	From the confluence on the Sarsapkin Creek and	(2) Bear River	<u>Knappton 7 1/2</u> Chinook 7 1/2	From confluence of Bear Branch and unnamed creek (S1/2 of Sec.36,T10N,R10W) downstream to mouth in Shoalwater Bay (Sec.7, same township).
				(3) Blaney Creek	<u>Skamokawa 15</u>	From the confluence of Blaney Creek and unnamed creek (Sec.32,T11N,R6W) downstream to mouth at Grays River (Sec.31, same township).
				(4) Bone River	<u>South Bend 7 1/2</u> Bay Center 7 1/2	Beginning at a point (SW 1/4 of NW 1/4 Sec.36,T14N,R10W) downstream to mouth at Willapa Bay (Sec.4,T13N,R10W).
				(5) Butte Creek	<u>Raymond 15</u>	From the confluence of Butte Creek and unnamed creek (Sec.32,T15N,R8W) downstream to mouth at Smith Creek (Sec.31, same township).
				(6) Canon River	<u>South Bend 15</u> North Nemah 7 1/2 Nemah 7 1/2	From confluence of Canon River and unnamed creek (Sec.5,T12N,R9W) downstream to mouth at Middle Fork of Palix River (Sec.24,T13N,R10W).

(7) Canyon Creek	<u>South Bend 15</u> <u>North Nemah 7 1/2</u>	From the confluence of Canyon Creek and unnamed creek (Sec.29,T13N,R9W) downstream to mouth at Canon River (Sec.32, same township).	Creek		T14N,R8W) downstream to mouth at Ward Creek (Sec.14, same township).
(8) Cedar River	<u>Western 7 1/2</u> <u>Bay Center 7 1/2</u>	From confluence of North Fork Cedar River and Cedar River (Sec.25,T15N,R11W) downstream to mouth at Willapa Bay (Sec.6,T14N,R10W).	(20) Fairchild Creek (North Fork)	<u>Raymond 15</u>	From confluence of Fairchild Creek N.Fk. and unnamed creek (Sec.8,T14N,R7W) downstream to mouth at Fairchild Creek (Sec.24,T14N,R8W).
(9) Cedar River (N. Fork)	<u>Grayland 7 1/2</u> <u>Western 7 1/2</u>	From confluence of North Fork Cedar River and unnamed creek (NW1/4,NE1/4 Sec.26, T15N,R11W) downstream to mouth at Cedar River (Sec.25, same township).	(21) Ellsworth Creek	<u>Long Island 7 1/2</u>	From confluence of Ellsworth Cr. and unnamed creek (SE1/4 of SW1/4 Sec.35,T11N,R10W) downstream to mouth on Naselle River (Sec.22 same township).
(10) Chinook River	<u>Chinook 7 1/2</u>	From a point approximately 1000' south of northern section line (Sec.8,T9N,R10W) downstream to mouth in Baker Bay of Columbia River (Sec.31,T10N, R10W).	(22) Fall River	<u>Pe Ell 15</u> <u>Raymond 15</u> <u>Montesano 15</u>	From confluence of Fall River and unnamed creek (Sec.2, T14N,R6W) downstream to mouth at (Sec.24,T15N,R7W).
(11) Clearwater Creek	<u>South Bend 15</u> <u>South Bend 7 1/2</u> <u>Aberdeen S.E. 7 1/2</u>	Beginning at a point where Clearwater Creek crosses the unimproved dirt road near north section line (Sec.35,T15N,R9W) downstream to mouth at Smith Creek (Sec.26, same township).	(23) Falls Creek	<u>Pe Ell 15</u> <u>Raymond 15</u>	From confluence of Falls Creek and unnamed creek (Sec.24, T12N,R7W) downstream to mouth at Willapa River (Sec.11, same township).
(12) Columbia River (Cont.)*	<u>Grays River 15</u> <u>Roseburg 7 1/2</u> <u>Knappton 7 1/2</u> <u>Astoria 7 1/2</u> <u>Warrenton 7 1/2</u> <u>Chinook 7 1/2</u> <u>Cape Disappointment 7 1/2</u>	From the Wahkiakum County line on the Columbia River (Sec.1,T9N,R9W) downstream along the Washington-Oregon boundary to mouth on Pacific Ocean (Sec.18,T9N,R11W). This stream exceeds 1,000 cfs MAF at Wahkaikum Co. line.	(24) Fern Creek	<u>Pe Ell 15</u> <u>Raymond 15</u>	Beginning at a point (NW1/4 of SW1/4 Sec.6,T12N, R6W) downstream to mouth at Willapa River (Sec.3,T12N, R7W).
(13) Dell Creek	<u>Knappton 7 1/2</u>	From the confluence of Dell Creek and unnamed creek (Sec.7, T10N,R9W) downstream to mouth on Naselle River (Sec.8, same township).	(25) Finn Creek	<u>Oman Ranch 7 1/2</u>	From confluence of Finn Creek and unnamed creek (NE1/4 Sec.29,T12N,R9W) downstream to mouth on North Nemah River (Sec.30, same township).
(14) Eight Creek	<u>Pe Ell 15</u>	From confluence of Eight Creek and unnamed creek (Sec.11,T13N,R6W) downstream to Lewis County line (Sec.12, same township).	(26) Fork Creek	<u>Raymond 15</u>	Beginning at a point (SW1/4 of SE1/4 Sec.15,T12N, R7W) downstream to mouth at Willapa River (Sec.6,T12N, R7W).
(15) Elk Creek	<u>Pe Ell 15</u>	From confluence of Elk Creek and unnamed creek (Sec.29, T14N,R6W) downstream to Lewis County line (Sec.1,T13N, R6W).	(27) Grays River (East Fork)	<u>Skamokawa 15</u>	From confluence of Grays River East Fork and unnamed creek (Sec.14,T11N,R6W) downstream to mouth at Grays River (Sec.17, same township).
(16) Elk Creek	<u>Raymond 15</u>	From confluence of Elk Creek and unnamed creek (Sec.17, T14N,R8W) downstream to mouth at Willapa River (Sec.19, same township).	(28) Grays River (S.Frk.) (Cont.)	<u>Skamokawa 15</u>	From Wahkiakum Co. line (Sec.32,T11N,R6W) downstream to mouth on Grays River East Fork (Sec.31, same township).
(17) Elkhorn Creek (Cont.)	<u>Montesano 15</u> <u>Aberdeen SE 7 1/2</u>	From Grays Harbor County line (Sec.15,T15N,R8W) downstream to mouth at Smith Creek (Sec.26,T15N,R9W).	(29) Hull Creek	<u>Grays River 15</u>	From confluence of Hull Creek and unnamed tributary (Sec.30, T11N,R7W) downstream to Wahkiakum County line (Sec.32, same township).
(18) Ellis Creek	<u>Grays River 15</u> <u>Raymond 15</u>	Beginning at a point (SW1/4 of NE1/4 Sec.28,T12N, R7W) downstream to mouth at Fork Creek (Sec.16, same township).	(30) Half Moon Creek	<u>Raymond 15</u>	Beginning at a point (SW1/4 of SE1/4 Sec.26, T13N,R7W) downstream to mouth at Willapa River (Sec.4, T12N,R7W).
(19) Fairchild	<u>Raymond 15</u>	From mouth of North Fork Fairchild Creek (Sec.24,	(31) Johnson Creek	<u>Skamokawa 15</u>	From the confluence of Johnson Creek and unnamed creek (Sec.6,T11N,R6W) downstream to mouth at Grays River (Sec.7, same township).
			(32) Little Elk Creek	<u>Pe Ell 15</u>	Beginning at a point (SE1/4 of Sec.5,T13N,R6W) downstream to mouth at Elk Creek (Sec.33,T14N,R6W).
			(33) Lower	<u>Aberdeen S.E. 7 1/2</u>	From Grays Harbor County

	Salmon Creek (Cont.)		line (Sec.14,T15N,R9W) downstream back to said county line (Sec.15 same township).	Fork)	Nemah 7 1/2	on Palix River (Sec.22,T13N, R10W).
(34)	Middle Nemah River	<u>Oman Ranch</u> 7 1/2 Long Island 7 1/2 Nemah 7 1/2	From confluence of Middle Nemah River and unnamed creek (SW1/4,NE1/4 Sec.9,T11N, R9W) downstream to mouth at South Nemah River (Sec.27, T12N,R10W).	(45) Palix River (South Fork)	<u>South Bend</u> 15 Nemah 7 1/2	Beginning at a point (NE1/4 of NW1/4 Sec.35,T13N, R10W) downstream to mouth on Palix River (Sec.22, same township).
(35)	Mill Creek	<u>Raymond</u> 15	From confluence of Mill Creek and unnamed creek (Sec.11,T13N,R7W) downstream to mouth at Willapa River (Sec.2,T13N,R8W).	(46) Rainie Creek (Cont.)	<u>Malone</u> 15	From Grays Harbor County line (Sec.16,T15N,R6W) downstream to mouth on North River (Sec.20, same township).
(36)	Mitchell Creek	<u>Skamokawa</u> 15	From the confluence of Mitchell Creek and unnamed creek (Sec.8,T11N,R6W) downstream to mouth at Grays River East Fork (Sec.17, same township).	(47) Redfield Creek	<u>Malone</u> 15	From confluence of Redfield Creek and Wheeler Creek (Sec.22,T15N,R6W) downstream to mouth at confluence of Redfield Creek and North River (Sec.21, same township).
(37)	Naselle River	<u>Grays River</u> 15 Up. Naselle River 7 1/2 Roseburg 7 1/2 Knappton 7 1/2 Oman Ranch 7 1/2 Long Island 7 1/2	From a point on east section line (Sec.36, T12N,R8W) downstream thru Chetlo Harbor and Stanley Channel to Willapa Bay (Sec.31, T12N,R10W) excluding those reaches within Wahkiakum County.	(48) Rock Creek	<u>Pe Ell</u> 15	From confluence of Rock Creek and unnamed right bank tributary (Sec.2,T12N,R6W) downstream to Lewis County line (Sec.1, same township).
(38)	Naselle River (South Fork)	<u>Knappton</u> 7 1/2	From confluence of Naselle River S. Fork and Bean Creek (Sec.33, T10N,R9W) downstream to mouth at Naselle River (Sec.9, same township).	(49) Rue Creek	<u>Raymond</u> 15	From confluence of Rue Creek with the Middle and West Forks of Rue Creek (Sec.15,T13N, R8W) downstream to mouth at So. Fork Willapa River (Sec.8, same township).
(39)	Nia-wiakum River	<u>South Bend</u> 15 Bay Center 7 1/2 Nemah 7 1/2	Beginning at a point near the section center (Sec.14,T13N,R10W) downstream to mouth at Palix River (Sec.9, same township).	(50) Salmon Creek	<u>Grays River</u> 15 Up. Naselle River 7 1/2 Roseburg 7 1/2 Knappton 7 1/2	From the confluence of Salmon Creek and unnamed creek (Sec.26,T11N,R8W) downstream to mouth at Naselle River (Sec.10,T10N, R9W) excluding those reaches within Wahkiakum County.
(40)	North River*	<u>Malone</u> 15 <u>Montesano</u> 15 Aberdeen S.E.* 7 1/2 Western 7 1/2 Bay Center 7 1/2	From confluence of Redfield Creek and Wheeler Creek (Sec.22,T15N,R6W) downstream to mouth on Willapa Bay (Sec.35, T15N,R10W) excluding those reaches within Grays Harbor County. The 1,000 cfs MAF point begins at mouth of Lower Salmon Creek (Sec.7,T15N, R9W).	(51) Smith Creek	<u>Montesano</u> 15 <u>Raymond</u> 15 Aberdeen S.E. 7 1/2 Bay Center 7 1/2	From the east section (Sec.18,T15N,R7W) downstream to mouth at North River (Sec.35,T15N, R10W).
(41)	North Fork Naselle River	<u>Raymond</u> 15 Upper Naselle Riv. 7 1/2	From confluence of North Naselle River and unnamed creek (Sec.19,T12N,R8W) downstream to mouth at Naselle River (Sec.17,T11N,R8W).	(52) Smith Creek	<u>Oman Ranch</u> 7 1/2	From confluence of Smith Creek and unnamed creek (SE1/4,SE1/4 Sec.26, T11N, R10W) downstream to mouth on Naselle River (Sec.24, same township).
(42)	North Nemah River	<u>Grays River</u> 15 North Nemah 7 1/2 Up. Naselle River 7 1/2 Nemah 7 1/2 Oman Ranch 7 1/2	From the confluence of North Nemah River and unnamed creek (Sec.11,T11N,R9W) downstream to mouth at Willapa Bay (Sec.22,T12N, R10W).	(53) S. Nemah River	<u>Long Island</u> 7 1/2 Nemah 7 1/2	From confluence of South Nemah River and unnamed creek (NW1/4 Sec.2,T11N, R10W) downstream to mouth in Willapa Bay (Sec.22,T12N,R10W).
(43)	Palix River	<u>Nemah</u> 7 1/2 Bay Center 7 1/2	From confluence of South and North Forks of Palix River (Sec.22,T13N,R10W) downstream to mouth on Willapa Bay (Sec.5, same township).	(54) Swem Creek	<u>Pe Ell</u> 15	Beginning at a point (SW1/4 of NE1/4 Sec.26,T14N, R6W) downstream to mouth at Elk Creek (Sec.34, same township).
(44)	Palix River (North)	<u>South Bend</u> 15 South Bend 7 1/2 North Nemah 7 1/2	Beginning at a point (SE1/4 of NW1/4 Sec.7,T13N, R9W) downstream to mouth	(55) Trap Creek	<u>Raymond</u> 15	From confluence of Trap Creek and unnamed creek (Sec.9, T12N,R8W) downstream to Willapa River (Sec.1, same township).
				(56) Unnamed Tributary to Canon River	<u>South Bend</u> 15 North Nemah 7 1/2	From a point (NW1/4 of NW1/4 Sec.33,T13N,R9W) downstream to mouth at Canon River (Sec.32, same township).
				(57) Unnamed Tributary	<u>Skamokawa</u> 15	From confluence of the unnamed tributary and

to Grays River

unnamed creek (Sec.32, T12N,R6W) downstream to mouth at Grays River (Sec.5, T11N,R6W).

[Order DE 77-15, § 173-18-290, filed 9/1/77; Order DE 76-14, § 173-18-290, filed 5/3/76; Order 73-14, § 173-18-290, filed 8/27/73; Order DE 72-13, § 173-18-290, filed 6/30/72.]

- (58) Unnamed Tributary to Hull Creek Grays River 15 From a point (SE1/4 of SW1/4 Sec.30,T11N,R7W) downstream to mouth on Hull Creek (Sec.32, same township).
- (59) Unnamed Tributary to Palix River (N. Fork) South Bend 15 North Nemah 7 1/2 From confluence of the unnamed tributary and other unnamed tributary (Sec.8,T13N,R9W) downstream to mouth at Palix River North Fork (Sec.18, same township).
- (60) Unnamed Tributary to Smith Creek Montesano 15 From confluence of unnamed tributary and another unnamed tributary (Sec.25,T15N,R8W) downstream to mouth at Smith Creek (Sec.26, same township).
- (61) Wallacut River Cape Disappointment 7 1/2 From the confluence of Wallacut River and unnamed creek (SW1/4 Sec.26,T10N,R11W) downstream to mouth at Baker Bay (Sec.34, same township).
- (62) Ward Creek Raymond 15 From a point (NW1/4 of SE1/4 Sec.2,T14N,R8W) downstream to mouth at Willapa River (Sec.27, same township).
- (63) W.F. Grays River Grays River 15 From confluence of West Fork Grays River and unnamed creek (Sec.16,T11N,R7W) downstream to Wahkiakum County line (Sec.33, same township).
- (64) Whitcomb Creek Raymond 15 From a point (SW1/4 of NE1/4 Sec.35,T14N,R8W) downstream to mouth at Ward Creek (Sec.27, same township).
- (65) Willapa River* Pe Ell 15 Raymond* 15 South Bend 7 1/2 From confluence of Willapa River and unnamed creek (Sec.8,T12N,R6W) downstream to mouth at Willapa Bay (Sec.18, T14N,R9W). The streamflow is 1,000 cfs MAF at mouth of South Frk. Willapa River (Sec.24,T14N,R9W).
- (66) Willapa River (S. Fork) South Bend 15 North Nemah 7 1/2 From an approximate point (NW1/4 Sec.2,T12N,R9W) downstream to mouth at Willapa River (Sec.24,T14N,R9W).
- (67) Williams Creek South Bend 15 Nemah 7 1/2 North Nemah 7 1/2 From an approximate point (SW1/4 of Sec.15, T12N,R9W) downstream to mouth at North Nemah River (Sec.14,T12N,R10W).
- (68) Wilson Creek Raymond 15 From the east section line (Sec.27,T14N,R7W) downstream to mouth at Ward Creek (Sec.22,T14N,R8W).
- (69) Wilson Creek (North Fork) Raymond 15 From confluence of Wilson Creek North Fork and unnamed creek (Sec.20,T14N,R7W) downstream to mouth at Wilson Creek (Sec.30, same township).

WAC 173-18-300 Pend Oreille County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Calispell Creek	<u>Newport 30</u> <u>Cusick 7 1/2</u>	From the confluence of North and South Forks of Calispell Creek (Sec.34,T32N,R43E) downstream thru Calispell Lake to mouth on Pend Oreille River (Sec.19,T33N,R44E).
(2) Calispell Creek (N.Frk.)	<u>Newport 30</u> <u>Sacheen Lake 7 1/2</u> <u>Cusick 7 1/2</u>	From the north section line (Sec.28,T32N,R43E) downstream thru Power Lake to mouth on Calispell Creek (Sec.34, same township).
(3) Le Clerc Creek	<u>Metaline 30</u> <u>Ruby 7 1/2</u>	From the confluence of West Branch of Le Clerc Creek and the East Branch of Le Clerc Creek (Sec.17,T35N,R44E) downstream to mouth at Pend Oreille River (Sec.20, same township).
(4) Le Clerc Creek (W.Branch)	<u>Metaline 30</u> <u>Ruby 7 1/2</u>	From the Kaniksu National Forest boundary (Sec.6,T35N,R44E) downstream to mouth at Le Clerc Creek (Sec.17, same township).
(5) Le Clerc Creek (E.Branch)	<u>Metaline 30</u> <u>Ruby 7 1/2</u>	From the Kaniksu National Forest boundary (Sec.5,T35N,R44E) downstream to mouth at Le Clerc Creek (Sec.17, same township).
(6) Pend Oreille River*	<u>Newport 30</u> <u>Newport,Wash.—Idaho* 7 1/2</u> <u>Diamond Lake 7 1/2</u> <u>Skookum Creek 7 1/2</u> <u>Cusick 7 1/2</u> <u>Metaline 7 1/2</u> <u>Metaline Falls 7 1/2</u> <u>Jared 7 1/2</u> <u>Ruby 7 1/2</u> <u>Scotchman Lake 7 1/2</u> <u>Ione 7 1/2</u>	From the Washington-Idaho border (Sec.7,T31N,R46E) downstream (excluding all federal lands) to United States-Canadian border (Sec.3,T40N,R43E). The flow exceeds 200 cfs MAF at Washington-Idaho border and has 300 square miles of drainage area.
(7) Little Spokane River	<u>Newport 7 1/2</u> <u>Diamond Lake 7 1/2</u> <u>Camden 7 1/2</u>	From an approximate point (NE1/4 of SW1/4 of NW1/4 of NW1/4 of Sec.34,T31N,R45E) downstream thru Chain Lake and to the Spokane County line (Sec.34,T30N,R44E).
(8) Little Spokane River (W.Branch)	<u>Newport 30</u>	Flowing from Sacheen Lake (Sec.35,T31N,R43E) downstream thru Trout Lake, downstream thru Horse-shoe Lake, downstream to Spokane County line.
(9) Skookum Creek	<u>Newport 30</u> <u>Skookum Creek 7 1/2</u>	From the confluence of Skookum Creek and N. Fork Skookum Creek (Sec.34,T33N,R44E) downstream to mouth at Pend Oreille River (Sec.4,T32N,R44E).
(10) Sullivan	<u>Metaline* 30</u>	From the Colville National

Creek*		Forest boundary (Sec.22,T39N, R43E) downstream to mouth at Pend Oreille River (Sec.23, same township). The flow exceeds 200 cfs MAF at Colville National Forest boundary.	water River	Greenwater 15	National Forest boundary (Sec.31,T19N,R11E) downstream on the left shore only to the mouth at White River (Sec.4, T19N,R9E). Exclude federal lands.
(11) Tacoma Creek	<u>Newport 30</u> Jared 7 1/2	From an approximate point (NW1/4 of NW1/4 of Sec.27, T34N,R43E) downstream (excluding all federal lands) to mouth at Pend Oreille River (Sec.30,T34N,R44E).	(11) Little Mashel River	<u>Kapowsin 15</u> Eatonville 7 1/2	From the confluence of the Little Mashel River and unnamed creek (Sec. 30, T16N,R5E) downstream to Mashel River (Sec.22, T16N, R4E).
[Order 73-14, § 173-18-300, filed 8/27/73; Order DE 72-13, § 173-18-300, filed 6/30/72.]					

WAC 173-18-310 Pierce County. Streams

Stream Name	Quadrangle Name and Size	Legal Description			
(1) Beaver Creek	<u>Kapowsin 15</u>	From an approximate point near the center of (Sec. 35, T16N,R5E) downstream to the mouth at Mashel River (Sec.21, T16N,R5E).	(13) Mashel River	<u>Kapowsin 15</u> Eatonville 7 1/2	From the confluence of Mashel River and unnamed creek (Sec.18,T16N,R6E) downstream to mouth at Nisqually River (Sec.29, T16N,R4E).
(2) Busy Wild Creek	<u>Kapowsin 15</u>	From the confluence of Busy Wild Creek and unnamed creek (Sec.10, T15N, R6E) downstream to mouth at Mashel River (Sec.25,T16N, R5E).	(14) Milky Creek	<u>Enumclaw 15</u>	From an approximate point near the NW corner of the (NE1/4 of SE1/4 of NW1/4 of Sec.34, T19N,R8E) downstream to the mouth at the Clearwater River (same section).
(3) Carbon River	<u>Mowich Lake 7 1/2</u> <u>Enumclaw 15</u> Golden Lakes 7 1/2 Wilkeson 7 1/2 Orting 7 1/2 Sumner 7 1/2	From the Mount Rainier National Park boundary (Sec.35,T18N,R7E) downstream to mouth at the Puyallup River. (Sec.13, T19N,R4E).	(15) Minter Creek	<u>Burley 7 1/2</u> Fox Island 7 1/2	From the confluence of Minter Creek and Huge Creek (Sec.20,T22N,R1E) downstream to mouth at Carr Inlet (Sec.29, same township).
(4) Chambers Creek	<u>Steilacoom 7 1/2</u>	From outflow of Steilacoom Lake (Sec.34, T20N, R2E) downstream to mouth at Chambers Bay and Puget Sound (Sec.29,T20N,R2E).	(16) Mowick River	<u>Golden Lakes 7 1/2</u> <u>Kapowsin 15</u>	From the Mount Rainier National Park boundary (Sec.33, T17N,R7E) downstream to mouth at Puyallup River (Sec.3, T16N,R6E).
(5) Clarks Creek	<u>Puyallup 7 1/2</u>	Beginning in the (NE1/4 of the SE1/4 Sec.32,T20N, R4E), downstream to mouth at Puyallup River (Sec.15, same township).	(17) Muck Creek	<u>Fort Lewis 7 1/2</u>	From Fort Lewis Military Reservation boundary (Sec. 27, T18N,R2E) downstream through Muck Lake to same boundary (Sec.34, same township).
(6) Clearwater River	<u>Enumclaw 15</u>	From the Snoqualmie National Forest boundary (Sec.34,T19N,R8E) downstream to mouth at the White River (Sec.7,T19N,R8E).	(18) Niesson Creek	<u>Kapowsin 15</u>	From an approximate point near the NW corner of the (NE1/4 of NE1/4 of Sec.4,T16N, R6E) downstream to the Puyallup River (Sec.33,T17N, R6E).
(7) Clover Creek	<u>Tacoma South 15</u> <u>Spanaway 7 1/2</u> Tacoma South 7 1/2 Steilacoom 7 1/2 Frederickson 7 1/2	From the intersection of Clover Creek and railroad (Sec.25,T19N,R3E) downstream to Steilacoom Lake (Sec.3,T19N,R2E). Delete federal lands.	(19) Nisqually River*	<u>Randle 15</u> <u>Mount Wow 7 1/2</u> Mineral 15 Kapowsin* 15 Eatonville 7 1/2 Bald Hill 7 1/2 Harts Lake 7 1/2 McKenna 7 1/2 Nisqually 7 1/2	From Snoqualmie National Forest boundary (Sec.33, T15N,R7E) downstream along the north and east shores only, excluding all federal lands to the Fort Lewis Military Reservation (Sec.16, T17N,R2E), from Military Reservation (Sec.5, T18N,R1E) to mouth on Nisqually Reach (Sec.28, T19N,R1E). *Note: The 1,000 cfs MAF point starts at mouth of Mineral Creek (Sec.26, T15N,R5E).
(8) Evans Creek	<u>Kapowsin 15</u>	From the east line of (Sec.11,T17N,R6E) downstream to mouth at Carbon River (Sec.35,T18N,R6E).	(20) Ohop Creek	<u>Kapowsin 15</u> Orting 7 1/2	From the confluence of Ohop Creek and unnamed creek (Sec.21,T17N,R5E) downstream through Lake Kapowsin to mouth
(9) Gale Creek	<u>Enumclaw 15</u> Wilkeson 7 1/2	From an approximate point near the center of the (NE1/4 of SW1/4 of NE1/4 of NW1/4 of Sec.13,T18N,R6E) downstream to mouth at Wilkeson Creek (Sec.34,T19N, R6E).			
(10) Green-	<u>Lester 15</u>	From the Snoqualmie			

		at Puyallup River (Sec.20,T18N, R5E).	River		T 16N,R6E) downstream to mouth at Mashel River (Sec.19, same township).
(21) Ohop Creek	<u>Tanwax Lake</u> 7 1/2 <u>Eatonville</u> 7 1/2	From the confluence of Twenty Five Mile Creek and Ohop Creek (Sec.26, T17N,R4E) downstream through Ohop Lake to Kapowsin Creek, thence downstream to mouth at Nisqually River (Sec.25, T16N,R3E).	(32) Voight Creek	<u>Kapowsin</u> 15 <u>Wilkeson</u> 7 1/2 <u>Orting</u> 7 1/2	From the intersection of the west line of (Sec.3, T17N,R6E) and Voight Creek, downstream to mouth at Carbon River (Sec.33,T19N,R5E).
*NOTE: (Exclude area from La Grande Dam downstream to power house due to use of aqueduct.)					
(22) Puyallup River*	<u>Mt. Rainier</u> 30 <u>Kapowsin</u> 15 <u>Orting</u> 7 1/2 <u>Sumner*</u> 7 1/2 <u>Puyallup</u> 7 1/2 <u>Tacoma South</u> 7 1/2 <u>Tacoma North</u> 7 1/2	From the confluence of North and South Forks Puyallup River (Sec.20,T16N,R7E) downstream (excluding all federal lands) to Commencement Bay at Tacoma (Sec.33,T21N,R3E). The 1,000 cfs MAF point begins at mouth of Carbon River (Sec.13,T19N, R4E).	(33) White River*	<u>Greenwater*</u> 15 <u>Enumclaw</u> 15 <u>Enumclaw</u> 7 1/2 <u>Auburn</u> 7 1/2 <u>Sumner</u> 7 1/2 <u>Puyallup</u> 7 1/2 <u>Buckley</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.36,T19N,R9E) downstream to the King-Pierce County line along County line on southerly shore only to the Muckleshoot Indian Reservation (Sec.2,T20N, R5E) returning from the reservation (Sec.1, T20N, R4E) downstream to mouth at Puyallup River (Sec.26, same township). The 1,000 cfs MAF point begins at mouth of Greenwater River (Sec.4, T19N, R9E).
(23) Rocky Creek	<u>Vaughn</u> 7 1/2	From the confluence of Rocky Creek and the unnamed creek (Sec.27,T22N,R1W) downstream to mouth at Rocky Bay (same section).	(34) White River (West Fork)	<u>Greenwater</u> 15	From the Snoqualmie National Forest boundary (Sec.33,T19N,R9E) downstream to mouth at the White River (Sec.23, same township).
(24) Rushingwater Creek	<u>Golden Lakes</u> 7 1/2 <u>Kapowsin</u> 15	From the Snoqualmie National Forest boundary (Sec.1,T16N,R6E) downstream to mouth at Mowich River (Sec.2, same township).	(35) Wilkeson Creek	<u>Wilkeson</u> 7 1/2 <u>Buckley</u> 7 1/2	From confluence of Wilkeson Creek and Gale Creek (Sec.34,T19N,R6E) downstream to mouth at South Prairie Creek (Sec.17, same township).
(25) Sequa-litchew Creek	<u>Anderson Island</u> 15 <u>Fort Lewis</u> 7 1/2 <u>Nisqually</u> 7 1/2	From the Fort Lewis Military Reservation (Sec.25,T19N,R1E) downstream to mouth at Nisqually Reach (Sec.22, same township).	(36) North Puyallup River	<u>Mount Wow</u> 7 1/2	From Mount Rainer National Park boundary (Sec.21,T16N,R7E) downstream to mouth at Puyallup River (Sec.20,T16N,R7E).
(26) South Creek	<u>Ohop Valley</u> 15 <u>Harts Lake</u> 7 1/2 <u>Spanaway</u> 7 1/2 <u>Tanwax Lake</u> 7 1/2	From the confluence of South Creek and unnamed creek (Sec.8,T17N,R4E) downstream to Fort Lewis Military Reservation boundary (Sec.34,T18N,R3E).	(37) South Puyallup River	<u>Mount Wow</u> 7 1/2	From Mount Rainer National Park boundary (Sec.33,T16N,R7E) downstream to mouth at Puyallup River (Sec.20,T16N,R7E).
(27) South Prairie Creek	<u>Enumclaw</u> 15 <u>Wilkeson</u> 7 1/2 <u>Buckley</u> 7 1/2 <u>Sumner</u> 7 1/2 <u>Orting</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.32,T19N,R7E) downstream to mouth at Carbon River (Sec.27,T19N, R5E).	[Order DE 76-14, § 173-18-310, filed 5/3/76; Order 73-14, § 173-18-310, filed 8/27/73; Order DE 72-13, § 173-18-310, filed 6/30/72.]		
(28) Spanaway Creek	<u>Tacoma South</u> 15 <u>Tacoma South</u> 7 1/2 <u>Spanaway</u> 7 1/2	From the confluence of waters from Spanaway Lake (Sec.20,T19N,R3E) downstream to mouth at Clover Creek (Sec.8, same township).	WAC 173-18-320 San Juan County. Streams. San Juan County has no 20 cfs streams but has shorelines. No rivers of state-wide significance.		
(29) Tanwax Creek	<u>Tanwax Lake</u> 7 1/2 <u>Harts Lake</u> 7 1/2 <u>Bald Hill</u> 7 1/2	From the confluence of Tanwax Creek and unnamed creek (Sec.31,T17N,R4E) downstream to mouth at the Nisqually River (Sec.20,T16N,R3E).	[Order 73-14, § 173-18-320, filed 8/27/73; Order DE 72-13, § 173-18-320, filed 6/30/72.]		
(30) Twenty Five Mile Creek	<u>Kapowsin</u> 15 <u>Tanwax Lake</u> 7 1/2	From an approximate point near the west line of the (NE1/4 of NW1/4 of SE1/4 of Sec.25, T17N,R4E) downstream to mouth at Ohop Creek (Sec.26, same township).	WAC 173-18-330 Skagit County. Streams		
(31) Unnamed Tributary to Mashel	<u>Kapowsin</u> 15	From an approximate point near the SW corner of (NE1/4 of Sec.29,	<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
			(1) Alder Creek	<u>Hamilton</u> 15	From confluence of Alder Creek and unnamed creek (Sec.6, T35N,R7E) downstream to mouth at Skagit River (Sec.18, same township).

(2) Baker River*	<u>Lake Shannon</u> * 15	Beginning at Mt. Baker National Forest boundary in Lake Shannon (Sec.1,T36N,R8E) down through Lake Shannon and Baker Dam to mouth at Skagit River (Sec.11,T35N,R8E). The 1,000 cfs MAF begins at Mt. Baker National Forest boundary.	Hamilton 15	(Sec.1,T34N,R8E) downstream to mouth at Skagit River (Sec.13, T35N,R7E).	
(3) Bear Creek	<u>Clear Lake</u> 15	From confluence of Bear Creek and unnamed creek (Sec.18,T33N,R6E) downstream to mouth at Pilchuck Creek (Sec.17, same township).	(15) Friday Creek (Cont.)	<u>Samish Lake</u> 15 Alger 7 1/2 Lake Whatcom 7 1/2	From Whatcom County line (Sec.1,T36N,R3E) downstream to mouth at Samish River (Sec.5,T35N,R4E).
(4) Bear Creek	<u>Hamilton</u> 15	From confluence of Bear Creek and unnamed creek (Sec.10,T36N,R8E) downstream to mouth at Lake Shannon (Sec.14, same township).	(16) Gilligan Creek	<u>Clear Lake</u> 15	From confluence of Gilligan Creek and unnamed creek (Sec.11,T34N,R5E) downstream to mouth at Skagit River (Sec.35,T35N,R5E).
(5) Big Creek	<u>Prairie Mt.</u> 7 1/2	Beginning at Mt. Baker National Forest boundary (Sec.18,T33N,R11E) downstream to mouth at Suiattle River (Sec.13, same township).	(17) Grandy Creek	<u>Hamilton</u> 15	From outlet of Grandy Lake (Sec.31,T36N,R8E) downstream to mouth at Skagit River (Sec.15,T35N,R7E).
(6) Boulder Creek	<u>Snowking Mt.</u> 7 1/2 <u>Marblemount</u> 15	From an approximate point (NW1/4 of NW1/4 of SW1/4 Sec.26,T35N,R11E) downstream to mouth at Cascade River (Sec.15, same township).	(18) Hansen Creek	<u>Wickersham</u> 15	From an approximate point (SW1/4 of SW1/4 Sec.17, T35N,R5E) downstream to mouth at Skagit River (Sec.20, same township).
(7) Carpenter Creek	<u>Mt. Vernon</u> 15 <u>Conway</u> 7 1/2	From confluence of Carpenter Creek and unnamed creek (Sec.17,T33N,R4E) downstream to mouth at Tom Moore Slough (Sec.30, same township).	(19) Howard Creek (Cont.)	<u>Hamilton</u> 15	From Whatcom County line (Sec.2,T36N,R6E) downstream to mouth at Nooksack River South Fork (Sec.13, same township).
(8) Cascade River*	<u>Marblemount</u> * 15	From Mt. Baker National Forest boundary (Sec.12,T35N,R11E) downstream to mouth at Skagit River (Sec.18, same township). The 1,000 cfs MAF point begins at mouth of Boulder Creek (Sec.15,T35N,R11E).	(20) Illabot Creek	<u>Illabot Peaks</u> 7 1/2 <u>Rockport</u> 7 1/2	From Mt. Baker National Forest boundary (Sec.1,T34N,R10E) downstream to mouth at Skagit River (Sec.29,T35N,R10E).
(9) Cavanaugh Creek	<u>Wickersham</u> 15	From an approximate point (NW1/4 of NE1/4 of SE1/4 Sec.5,T36N,R6E) downstream to mouth at Nooksack River (Sec.2,T36N,R5E).	(21) Irene Creek	<u>Marblemount</u> 15	From Mt. Baker National Forest boundary (Sec.13,T35N,R11E) downstream to mouth at Cascade River (Sec.12, same township).
(10) Corkindale Creek	<u>Marblemount</u> 15	From confluence of Corkindale Creek and unnamed creek near west section line (Sec.14,T35N,R10E) downstream to mouth at Skagit River (Sec.22, same township).	(22) Jackman Creek	<u>Lake Shannon</u> 15	From Mt. Baker National Forest boundary (Sec.3,T35N,R9E) downstream to mouth at Skagit River (Sec.13,T35N,R8E).
(11) Cumberland Creek	<u>Oso</u> 15 <u>Hamilton</u> 15	From confluence of Cumberland Creek and unnamed creek (Sec.25,T35N,R6E) downstream to mouth at Skagit River (Sec.14, same township).	(23) Joe Leary Creek	<u>Samish Lake</u> 15 <u>Bow</u> 7 1/2	From confluence of Joe Leary Creek and unnamed Creek (Sec.20,T35N,R3E) downstream to mouth at Padilla Bay (Sec.18, same township).
(12) Day Creek	<u>Oso</u> 15 <u>Clear Lake</u> 7 1/2	Beginning at outlet of Day Lake (Sec.25,T34N,R6E) downstream to mouth at Skagit River (Sec.20,T35N,R6E).	(24) Jones Creek	<u>Wickersham</u> 15	From an approximate point (SE1/4 of SE1/4 of NE1/4 Sec.32,T36N,R6E) downstream to mouth at Skagit River (Sec.17, T35N,R6E).
(13) Deer Creek	<u>Oso</u> 15	From the Mt. Baker National Forest boundary (Sec.1, T33N,R7E) downstream to Snohomish County line (Sec.32, same township).	(25) Jordan Creek	<u>Illabot Peaks</u> 7 1/2	Beginning at Mt. Baker National Forest boundary (Sec.33,T35N,R11E) downstream to mouth at Cascade River (Sec.18, same township).
(14) Finney Creek	<u>Finney Peak</u> 7 1/2 <u>Lake Shannon</u> 15	From the Mt. Baker National Forest boundary	(26) Lake Creek	<u>Clear Lake</u> 15 <u>Mt. Vernon</u> 7 1/2	From confluence of Lake Creek and unnamed creek (Sec.17,T33N,R5E) downstream through Big Lake and Nookachamps Creek to the mouth at Nookachamps Creek in Skagit River (Sec.4,T34N,R4E).
			(27) Lake Creek	<u>Clear Lake</u> 15	From outlet of Lake Cavanaugh (Sec.22,T33N,R6E) downstream to mouth at Pilchuck Creek (Sec.17, same township).
			(28) Little Deer	<u>Oso</u> 15	From Mt. Baker National Forest boundary (Sec.35,

	Creek		T34N,R7E) downstream to mouth at Deer Creek (same section).		Clear Lake 15 Illabot Peaks 7 1/2 Rockport 7 1/2 Finney Peak 7 1/2 Mount Vernon 7 1/2 Utsalady 7 1/2 Conway 7 1/2	into the North Fork and the South Fork, on down to mouth at Skagit Bay (Sec.7,T33N,R2E) and (Sec.36,T33N,R3E). The 1,000 cfs MAF point begins at Mt. Baker N.F. boundary.
(29)	Mill Creek	<u>Hamilton</u> 15	From an approximate point (SW 1/4 of SW 1/4 of SW 1/4 Sec.23,T35N,R7E) downstream to mouth at Skagit River (Sec.22, same township).			
(30)	Nookachamps Creek (E.Fk.)	<u>Clear Lake</u> 15 <u>Mt. Vernon</u> 7 1/2	From confluence of Nookachamps Creek East Fork and unnamed creek (Sec.28,T34N,R5E) downstream to mouth at Nookachamps Creek (Sec.10,T34N,R4E).	(42)	<u>Stillaguamish</u> River (N. Fork)	From Mt. Baker National Forest boundary (Sec.27, T33N,R9E) downstream to Skagit County and Snohomish County line (Sec.34, same township).
(31)	Nooksack River (S. Fk.)	<u>Hamilton</u> 15 <u>Wickersham</u> 15	Beginning at Mt. Baker National Forest boundary (Sec.10,T36N,R7E) downstream to Skagit County line (Sec.2, T36N,R5E).	(43)	<u>Suiattle</u> River* (Cont.)	From Skagit-Snohomish County line (Sec.32,T33N, R11E) downstream to mouth at Sauk River (Sec.20,T33N,R10E). This river has over 1,000 cfs MAF at Skagit-Snohomish County line.
(32)	O'Toole Creek	<u>Oso</u> 15	Beginning at Mt. Baker National Forest boundary (Sec.28,T35N,R7E) downstream to mouth at Skagit River (Sec.21, same township).	(44)	<u>Tenas</u> Creek	From Mt. Baker National Forest boundary (Sec.19,T33N, R11E) downstream to mouth at Suiattle River (Sec.30, same township).
(33)	Pilchuck Creek	<u>Clear Lake</u> 15	From confluence of Pilchuck Creek and unnamed creek (Sec.10,T33N,R6E) downstream to Skagit County and Snohomish County line (Sec.33, T33N,R5E).	(45)	<u>Thunder</u> Creek	Beginning at Mt. Baker National Forest boundary (Sec.17,T36N,R9E) downstream to mouth at Lake Shannon (Sec.24,T36N,R8E).
(34)	Presentin Creek	<u>Oso</u> 15 <u>Hamilton</u> 15	Beginning at Mt. Baker National Forest boundary (Sec.36,T35N,R7E) downstream to mouth at Skagit River (Sec.13, same township).	(46)	<u>Thunder</u> Creek (S. Fk.)	From an approximate point (NW 1/4 of SE 1/4 of NE 1/4 Sec.20,T36N,R9E) downstream to mouth at Thunder Creek (Sec.18, same township).
(35)	Rocky Creek	<u>Clear Lake</u> 15	From confluence of Rocky Creek and unnamed creek (Sec.17,T34N,R6E) downstream to mouth at Day Creek (Sec.10, same township).	(47)	<u>Unnamed</u> Tributary to Bear Creek	From confluence of unnamed tributary to Bear Creek and unnamed creek (Sec.10,T36N,R8E) downstream to mouth at Bear Creek (same section).
(36)	Rocky Creek	<u>Lake Shannon</u> 15	From Whatcom County line (Sec.1,T36N,R8E) downstream to Skagit County line (same section).	(48)	<u>Walker</u> Creek	From an approximate point (SW 1/4 of SW 1/4 of NE 1/4 Sec.5,T33N,R5E) downstream to mouth at Nookachamps Creek East Fork (Sec.30,T34N, R5E).
(37)	Rocky Creek	<u>Marblemount</u> 15	Beginning at Mt. Baker National Forest boundary (Sec.22,T35N,R10E) downstream to mouth at Skagit River (same section).	(49)	<u>White</u> Creek	From confluence of White Creek and unnamed creek (Sec.20,T34N,R10E) downstream to mouth at Sauk River (Sec.31, same township).
(38)	Samish River (Cont.)	<u>Wickersham</u> 15	From Whatcom County line (Sec.6,T36N,R5E) downstream to mouth at Samish Bay (Sec.5,T35N,R3E).	(50)	<u>Youngs</u> Slough	From confluence of Youngs Slough and unnamed tributary (Sec.14,T35N,R5E) downstream to mouth at Skagit River (Sec.27, same township).
(39)	Sauk River (Cont.)*	<u>Darrington</u> * 7 1/2 <u>Rockport</u> 7 1/2	From Snohomish County line (Sec.32,T33N,R10E) downstream to mouth at Skagit River (Sec.35,T35N,R9E). The flow exceeds 1,000 cfs MAF at Snohomish County line.	(51)	<u>Bacon</u> Creek	From west section line (Sec.8,T36N,R11E) downstream to mouth at Skagit River (Sec.20, T36N,R11E). Exclude federal lands.
(40)	Silver Creek	<u>Samish Lake</u> 15 <u>Alger</u> 7 1/2	Beginning where heavy duty highway crosses Silver Creek (Sec.7,T36N,R4E) downstream to mouth at Friday Creek (Sec.18, same township).	(52)	<u>Diobsud</u> Creek	From west section line (Sec.30,T36N,R11E) downstream to mouth at Skagit River (Sec.32, T36N,R11E). Exclude federal lands.
(41)	Skagit River*	<u>Marblemount</u> * 15 <u>Lake Shannon</u> 15 <u>Hamilton</u> 15 <u>Wickersham</u> 15	Beginning at Mt. Baker National Forest boundary (Sec.1,T36N,R11E) downstream splitting			

[Order DE 76-14, § 173-18-330, filed 5/3/76; Order 73-14, § 173-18-330, filed 8/27/73; Order DE 72-13, § 173-18-330, filed 6/30/72.]

WAC 173-18-340 Skamania County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Bear Creek	<u>Wind River</u> 15	From the Gifford Pinchot National Forest boundary (Sec.5, T3N,R8E) downstream to mouth at Wind River (Sec.8, same township).
(2) Buck Creek (Cont.)	<u>Willard</u> 7 1/2	From Klickitat County line (Sec.2,T3N,R10E) downstream to mouth at White Salmon River (same section).
(3) Canyon Creek	<u>Bridal Veil</u> 15	Beginning in (NW1/4 of SE1/4 Sec.4,T1N,R5E) downstream to Washougal River (Sec.6, same township).
(4) Columbia River (Cont.)*	<u>Hood River</u> 15 <u>Bonneville Dam</u> 15 <u>Bridal Veil</u> 15	From Klickitat County line (Sec.23,T3N,R10E) downstream along Washington shoreline to Clark County line (Sec.19,T1N,R5E) excluding any federal lands. The flow exceeds 200 cfs MAF at Klickitat County line.
(5) Deer Creek	<u>Bridal Veil</u> 15	From an approximate point (NE1/4 of Sec.17,T3N,R6E) downstream to mouth at Prospector Creek (Sec.18, same township).
(6) Dougan Creek	<u>Bridal Veil</u> 15	From the confluence of Dougan Creek and unnamed creek (Sec.2,T2N,R5E) downstream to Washougal River (Sec.11, same township).
(7) Duncan Creek	<u>Bridal Veil</u> 15	Beginning in (NW1/4 of SE1/4 of NE1/4 of Sec.17,T2N,R6E) downstream to Columbia River (Sec.34, same township).
(8) Forest Creek	<u>Wind River</u> 15 <u>Bonneville Dam</u> 15	From the Gifford Pinchot National Forest boundary (Sec.17,T3N,R7E) downstream to mouth at Rock Creek (same section).
(9) Greenleaf Creek	<u>Bonneville Dam</u> 15	From an approximate point (NW1/4 of Sec.16, T2N,R7E) downstream through Greenleaf Slough to mouth at Hamilton Creek (Sec.20, same township).
(10) Hagen Creek (Cont.)	<u>Bridal Veil</u> 15	From the Clark County line (Sec.6,T2N,R5E) downstream to mouth at the West Fork Washougal River (same section).
(11) Hamilton Creek	<u>Bridal Veil</u> 15	From the confluence of Hamilton Creek and unnamed creek (Sec.36,T3N,R6E) downstream to Columbia River (Sec.30,T2N,R7E).
(12) Lava Creek	<u>Willard</u> 15	From Gifford Pinchot National Forest boundary (Sec.33,T4N,R9E) downstream to mouth on Little White Salmon River (Sec.1,T3N,R9E).
(13) Lewis River*	<u>Burnt Peak</u> * 7 1/2 <u>Mt. St. Helens</u> 15	From Gifford Pinchot National Forest boundary (Sec.24,T7N,R6E) downstream through Swift Reservoir to Cowlitz County line (Sec. 31, T7N,R5E) except those reaches within the National Forest. The 1,000 cfs MAF point is at Gifford Pinchot N.F. boundary.
(14) Little White Salmon River*	<u>Willard</u> * 15 <u>Hood River</u> 15	Beginning in (NE1/4 of NE1/4 of NE1/4 Sec.2,T4N,R9E) downstream to Drano Lake (Sec.26,T3N,R9E), excluding all federal lands. The 200 cfs MAF begins at confluence with Lava Creek (Sec.1,T3N,R9E).
(15) Little Wind River	<u>Wind River</u> 15 <u>Bonneville Dam</u> 15	From the Gifford Pinchot National Forest boundary (Sec.14,T3N,R8E) downstream to mouth at Wind River (Sec.22, same township).
(16) Lookout Creek	<u>Lookout Mt.</u> 15	From an approximate point (NW1/4 of Sec.6,T3N,R6E) downstream to mouth at Washougal River (Sec.1,T3N,R5E).
(17) Muddy River	<u>Mt. St. Helens</u> 15	From the west section line (Sec.16,T8N,R6E) downstream to mouth at Lewis River (Sec.24,T7N,R6E). Exclude federal lands.
(18) North Fork Toutle River	<u>Spirit Lake</u> 15	From Spirit Lake (Sec. 15,T9N,R5E) downstream to Skamania County line (Sec.18, same township), excluding all federal lands.
(19) North Siouxon Creek	<u>Mt. St. Helens</u> 15 <u>Lookout Mt.</u> 15	From the Gifford Pinchot National Forest boundary (Sec.16,T6N,R5E) downstream to the Clark County line (Sec.30, same township).
(20) Ole Creek	<u>Mt. St. Helens</u> 15	From the confluence of Ole Creek and an unnamed creek (Sec.31,T7N,R5E) downstream to Lewis River (same section).
(21) Panther Creek	<u>Wind River</u> 15	Beginning in (NW1/4 of SE1/4 of SE1/4 of Sec.25,T4N, R71/2E) downstream to mouth at Wind River (Sec.8,T3N,R8E).
(22) Prospector Creek	<u>Bridal Veil</u> 15	From the confluence of Prospector Creek and Deer Creek (Sec.18,T3N,R6E) downstream to mouth at Washougal River (Sec.13,T3N,R5E).
(23) Range Creek	<u>Mt. St. Helens</u> 15	From south section line of (Sec.12,T6N,R5E) downstream to Swift Reservoir (Sec.6,T6N,R6E).
(24) Rock Creek	<u>Lookout Mt.</u> 15 <u>Wind River</u> 15 <u>Bonneville Dam</u> 15	From west section line (Sec.2,T3N,R6E) downstream to Columbia River (Sec.1,T2N,R7E).
(25) Siouxon Creek	<u>Lookout Mt.</u> 15	From the Gifford Pinchot National Forest boundary (Sec.31,T6N,R5E) downstream to Clark County line (same section) excluding federal lands.

- (26) Spring Creek Bonneville Dam 15 From the Gifford Pinchot National Forest boundary (Sec.22,T3N,R7E) downstream to mouth at Rock Creek (Sec.27, same township).
- (27) Stebbins Creek Bridal Veil 15 From the confluence of Stebbins Creek and unnamed creek (Sec.28,T3N,R6E) downstream to mouth at Washougal River (Sec.6,T2N,R6E).
- (28) Swift Creek Mt. St. Helens 15 From the Gifford Pinchot National Forest boundary (Sec.4, T7N,R5E) downstream to mouth at Swift Reservoir (Sec.16, same township) except those reaches within the National Forest.
- (29) Trout Creek Wind River 15 Beginning in (SE1/4 of SE1/4 of NE1/4 of Sec.27,T4N, R7E) downstream to mouth at Wind River (Sec.26, same township).
- (30) Unnamed Tributary to Swift Creek Mt. St. Helens 15 From the Gifford Pinchot National Forest boundary (Sec.10,T7N,R5E) downstream to mouth at Swift Creek (Sec.9, same township).
- (31) Washougal River Lookout Mt. 15 From Gifford Pinchot National Forest boundary (Sec.1,T3N,R5E) downstream to mouth at Clark County line (Sec.31,T2N,R5E).
- (32) Washougal River (W. Fork) Bridal Veil 15 From an approximate point (NW1/4 of SW1/4 of Sec.29,T3N,R5E) downstream to mouth at Washougal River (Sec.32,T2N, R5E).
- (33) West Fork Swift Creek Mt. St. Helens 15 Beginning in (SE1/4 of NW1/4 of SW1/4 of Sec.4,T7N,R5E) downstream to Swift Creek (Sec.16, same township).
- (34) White Salmon River (Cont.)* Willard 15
Hood River 15 From Klickitat County line (Sec.2,T3N,R10E) downstream right bank only to mouth on Columbia River (Sec.23, same township). The flow exceeds 200 cfs MAF at Skamania-Klickitat County line.
- (35) Wildboy Creek Bridal Veil 15 From the confluence of Wildboy Creek and Texas Creek (Sec.17,T2N,R5E) downstream to West Fork Washougal River (Sec.20, same township).
- (36) Wind River* Wind River* 15
Bonneville Dam 15 Beginning at the north section line of (Sec.9, T4N,R7E) downstream to mouth at Columbia River (Sec.27,T3N, R8E). The 200 cfs MAF point begins at Gifford Pinchot N.F. boundary (Sec.1,T3N,R71/2E).
- (37) Woodward Creek Bridal Veil 15 From the confluence of Woodward Creek and unnamed creek (Sec.27,T2N,R6E) downstream to mouth at Columbia River (Sec.36, same township).

- (38) Unnamed Tributary to Swift Reservoir Mt. St. Helens 15 From the east section line (Sec.2,T6N,R6E) downstream to mouth at Swift Reservoir (Sec.35,T7N, R6E).
- (39) Green River Spirit Lake 15 From the Gifford Pinchot National Forest boundary (Sec.18,T10N,R6E) downstream to the Cowlitz-Skamania County line (Sec.6, same township). Exclude federal lands.
- (40) Drift Creek Mt. St. Helens 15 From south section line (Sec.8,T6N,R6E) downstream to Swift Reservoir (Sec.5, same township). Exclude federal lands.
- (41) Cold-water Creek Spirit Lake 15 From east section line (Sec.29,T10N,R5E) downstream to Cowlitz-Skamania County line (Sec.31, same township). Exclude federal lands.
- (42) Miners Creek Spirit Lake 15 From confluence of Miners Creek and unnamed creek (SE1/4 Sec.8,T10N,R5E) downstream to Lewis-Skamania County line same section.
- (43) Smith Creek Mt. St. Helens 15 From east section line of (Sec.30,T9N,R6E) downstream to mouth at Muddy River. (Sec.15,T8N,R6E) Exclude federal lands.
- (44) Cold Creek Wind River 15 From NW1/4 of NE 1/4 (Sec.16,T4N,R7E) downstream to mouth at Wind River (Sec.9, same township).
- (45) Moss Creek Willard 15 From the west section line of (Sec.27,T4N,R9E) downstream to confluence with Little White Salmon River (Sec.26, same township). Exclude federal lands.

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-052 (Order DE 80-20), § 173-18-340, filed 6/30/80; Order DE 76-14, § 173-18-340, filed 5/3/76; Order 73-14, § 173-18-340, filed 8/27/73; Order DE 72-13, § 173-18-340, filed 6/30/72.]

WAC 173-18-350 Snohomish County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Anderson Creek	<u>Index</u> 15	From the Snoqualmie National Forest boundary (Sec.24,T27N,R9E) downstream to mouth at Skykomish River (same section).
(2) Ashton Creek	<u>Fortson</u> , 7 1/2	From confluence of Ashton Creek and unnamed creek (Sec.20,T32N,R9E) downstream to mouth at Squire Creek (Sec.8, same township).
(3) Barclay Creek	<u>Baring</u> 7 1/2	From the Snoqualmie National Forest boundary (Sec.25,T27N,R10E) downstream to mouth at Skykomish River South Fork (Sec.34, same township), excluding the part within Snoqualmie National Forest.

- | | | | | | |
|----------------------------|---|---|-----------------------------|---|--|
| (4) Boulder River | <u>Granite Falls</u> 15
Oso 15 | From the Mt. Baker National Forest boundary (Sec.19,T32N,R8E) downstream to mouth at Stillaguamish River (Sec.9,T32N,R8E), excluding the part within Mt. Baker National Forest. | (17) McCoy Creek | <u>Monroe</u> 15
Sultan 7 1/2 | From confluence of McCoy Creek and unnamed creek (Sec.17,T27N,R8E) downstream to mouth at Skykomish River (Sec.7, same township). |
| (5) Brooks Creek | <u>Oso</u> 15 | Beginning where Brooks Creek is crossed by unimproved dirt road (Sec.9,T32N,R7E) downstream to mouth at Stillaguamish River North Fork (same section). | (18) Montague Creek | <u>Oso</u> 15 | From confluence of Montague Creek and unnamed creek (Sec.14,T32N,R7E) downstream to mouth at Stillaguamish River North Fork (Sec.10, same township). |
| (6) Canyon Creek | <u>Granite Falls</u> 15 | From the Mt. Baker National Forest boundary (Sec.25,T31N,R7E) downstream to mouth at Stillaguamish River South Fork (Sec.12,T30N,R6E). | (19) Mud Lake Outlet | <u>Granite Falls</u> 15 | From an approximate point (SE1/4 of SE1/4, Sec.33,T31N,R7E) downstream to mouth at Canyon Creek (Sec.3,T30N,R7E). |
| (7) Dan Creek | <u>Darrington</u> 7 1/2 | From Mt. Baker National Forest boundary (Sec.8,T32N,R10E) downstream to mouth at Sauk River (same section). | (20) North Creek | <u>Everett</u> 15
Bothell 7 1/2 | From confluence of North Creek and unnamed creek (Sec.19,T27N,R5E) downstream to King County line (Sec.32, same township). |
| (8) Deer Creek (Cont.) | <u>Oso</u> 15 | From the Skagit County line (Sec.5,T32N,R7E) downstream to mouth at Stillaguamish River North Fork (Sec.17,T32N,R7E). | (21) Olney Creek | <u>Index</u> 15 | From Snoqualmie National Forest boundary (Sec.6,T28N,R9E) downstream to mouth at Wallace River (Sec.36,T28N,R8E). |
| (9) Dubuque Creek | <u>Everett</u> 15
Snohomish 7 1/2 | From confluence of Dubuque Creek and Panther Creek (Sec.22,T29N,R6E) downstream to mouth at Pilchuck River (Sec.21, same township). | (22) Pilchuck Creek (Cont.) | <u>Clear Lake</u> 15
Arlington West 7 1/2 | From Skagit County line (Sec.4,T32N,R5E) downstream to mouth at Stillaguamish River (Sec.6,T31N,R5E). |
| (10) Elk Creek | <u>Index</u> 15 | Beginning at Snoqualmie National Forest boundary (Sec.3,T28N,R10E) downstream, to mouth at Sultan River (Sec.30,T29N,R10E), excluding Snoqualmie National Forest land. | (23) Pilchuck River | <u>Index</u> 15
Lake Stevens 7 1/2
Snohomish 7 1/2
Monroe 15
Granite Falls 15 | From the Snoqualmie National Forest boundary (Sec.23,T29N,R8E) downstream to mouth at Snohomish River (Sec.19,T28N,R6E). |
| (11) Elwell Creek | <u>Sultan</u> 7 1/2 | From confluence of Elwell Creek and Youngs Creek (Sec.24,T27N,R7E) downstream to mouth at Skykomish River (Sec.12, same township). | (24) Portage Creek | <u>Arlington West</u> 7 1/2 | From confluence of Portage Creek and unnamed creek (Sec.7,T31N,R5E) downstream to mouth at South Slough of the Stillaguamish River (Sec.12,T31N,R4E). |
| (12) French Creek | <u>Everett</u> 15
Snohomish 7 1/2 | From confluence of French Creek and unnamed creek (Sec.27,T28N,R6E) downstream to mouth at Snohomish River (Sec.30, same township). | (25) Proctor Creek | <u>Index</u> 15 | From the Snoqualmie National Forest boundary (Sec.15,T27N,R9E) downstream to mouth at Skykomish River (Sec.10, same township). |
| (13) French Creek | <u>Oso</u> 15 | From Mt. Baker National Forest boundary (Sec.16,T32N,R8E) downstream to mouth at Stillaguamish River (Sec.10, same township) excluding Mt. Baker National Forest land. | (26) Quilceda Creek | <u>Marysville</u> 7 1/2 | From confluence of Quilceda Cr. and Middle Fork (Sec.9,T30N,R5E) downstream to mouth at Ebbey Slough of Possession Sound (Sec.31,T30N,R5E) excluding federal lands. |
| (14) Jim Creek | <u>Granite Falls</u> 15
Arlington East 7 1/2 | From U.S. Naval Reservation boundary (Sec.31,T32N,R7E) downstream to mouth at Stillaguamish River South Fork (Sec.7,T31N,R6E). | (27) Rollins Creek | <u>Oso</u> 15 | From confluence of Rollins Creek and unnamed creek (Sec.1,T32N,R7E) downstream to mouth at Stillaguamish River North Fork (Sec.12, same township). |
| (15) Little Pilchuck Creek | <u>Lake Stevens</u> 7 1/2
Snohomish 7 1/2 | From confluence of Little Pilchuck Creek and unnamed creek (Sec.22,T30N,R6E) downstream to mouth (Sec.21,T29N,R6E) at Pilchuck River. | (28) Sauk River* | <u>Silverton*</u> 15
Darrington 7 1/2 | From Mt. Baker National Forest boundary (Sec.36,T32N,R9E) downstream to Snohomish County and Skagit County line (Sec.5,T32N,R10E). The 1,000 cfs MAF point is at Mt. Baker N. F. boundary. |
| (16) May Creek | <u>Index</u> 15 | From the Snoqualmie National Forest boundary (Sec.3,T27N,R9E) downstream to mouth at Wallace River (Sec.36,T28N,R8E). | | | |

- (29) Skykomish River* Index* 15
Sultan 7 1/2
Monroe 7 1/2
- From confluence of North Fork and South Fork of Skykomish River (Sec.19,T27N,R10E) downstream to mouth at Snohomish River (Sec.16,T27N,R6E) excluding all federal land. The 1,000 cfs MAF point begins at confluence of North and South Fork Skykomish River.
- (30) Skykomish River (N.Fk.)* Index* 15
- Beginning at SW1/4 (Sec.20,T28N,R11E) downstream to mouth at Skykomish River (Sec.19,T27N,R10E) excluding those shores within federal lands. The 1,000 cfs MAF point begins at east section line (Sec.16,T27N,R10E).
- (31) Skykomish River (South Fork) (Cont.)* Baring 7 1/2
Index 15
- From King County line (Sec.34,T27N,R10E) downstream to mouth at Skykomish River (Sec.19, same township) excluding all federal land. The flow exceeds 1,000 cfs MAF at King County line.
- (32) Snohomish River* Everett 15
Maltby* 7 1/2
Snohomish 7 1/2
Everett 7 1/2
Marysville 7 1/2
- From confluence of Skykomish River and Snoqualmie River (Sec.16,T27N,R6E) downstream to mouth at Possession Sound (Sec.7,T29N,R5E). The flow exceeds 1,000 cfs MAF at confluence of Skykomish River and Snoqualmie River.
- (33) Snoqualmie River* (Cont.) Monroe 15
Maltby 7 1/2
Monroe 7 1/2
- From the King County line (Sec.31,T27N,R7E) downstream to mouth at Snohomish River (Sec.16,T27N,R6E). The flow exceeds 1,000 cfs MAF at King County line.
- (34) Squire Creek Silverton 15
Fortson 7 1/2
- From the Mt. Baker National Forest boundary (Sec.27,T32N,R9E) downstream to mouth at Stillaguamish River N. Fork (Sec.8, same township).
- (35) Stevens Creek Lake Stevens 7 1/2
Snohomish 7 1/2
- From confluence of Stevens Creek and Catherine Creek (Sec.8,T29N,R6E) downstream to mouth at Little Pilchuck Creek (Sec.16, same township).
- (36) Stillaguamish River* Arlington
East* 7 1/2
Arlington
West 7 1/2
Stanwood 7 1/2
- From confluence of South Fork and North Fork of Stillaguamish River (Sec.2,T31N,R5E) downstream to mouth at Port Susan in Puget Sound (Sec.12,T31N,R3E). The flow exceeds 1,000 cfs MAF at confluence of N. Fork and South Fork Stillaguamish River.
- (37) Stillaguamish River (N.F.) (Cont.)* Fortson 7 1/2
Oso* 15
Clear Lake 15
Arlington
East 7 1/2
Arlington
West 7 1/2
- From Snohomish County line (Sec.3,T32N,R9E) downstream to mouth at Stillaguamish River South Fork (Sec.2,T31N,R5E). The 1,000 cfs MAF point begins at mouth of Boulder Creek (Sec.9,T32N,R8E).
- (38) Stillaguamish River (South Fork)* Silverton 15
Granite Falls* 15
Lake Stevens 7 1/2
Arlington 7 1/2
- From Mt. Baker National Forest boundary (Sec.19,T30N,R10E) downstream to mouth at Stillaguamish River North Fork (Sec.2,T31N,R5E). The 1,000 cfs MAF point begins at mouth of Cranberry Creek (Sec.12,T30N,R7E). Exclude federal lands.
- (39) Stony Creek Silverton 15
- From an approximate point (NE1/4 of NW1/4 Sec.18,T29N,R10E) downstream to mouth at Williamson Creek (Sec.12,T29N,R9E) excluding all federal land.
- (40) Sultan River Monte Cristo 7 1/2
Sultan 7 1/2
Monroe 15
Index 15
- Beginning at Snoqualmie National Forest boundary (Sec.22,T29N,R10E) downstream to mouth at Skykomish River (Sec.6,T27N,R8E) excluding all federal lands.
- (41) Sultan River (N. Fork of South Fork) Index 15
- From confluence of Sultan River North Fork of South Fork and unnamed creek (Sec.7,T28N,R10E) downstream to mouth at Sultan River (Sec.28,T29N,R9E) excluding all federal land.
- (42) Swamp Creek Edmonds 15
Edmonds E. 7 1/2
Bothell 7 1/2
- From confluence of Swamp Creek and unnamed creek (Sec.26,T27N,R4E) downstream to King County line (Sec.35, same township).
- (43) Unnamed Tributary to French Creek Everett 15
Snohomish 7 1/2
- From confluence of unnamed tributary to French Creek and unnamed creek (NW1/4 of Sec.34,T28N,R6E) downstream to mouth at French Creek (Sec.20, same township).
- (44) Wallace River Index 15
Sultan 7 1/2
- From the Snoqualmie National Forest boundary (Sec.25,T28N,R9E) downstream to mouth at Skykomish River (Sec.4,T27N,R8E).
- (45) Wallace River (N.Fk.) Index 15
- From confluence of North Fork Wallace River and unnamed creek (Sec.28,T28N,R9E) downstream to mouth at Wallace River (Sec.33, same township).
- (46) William-son Creek Silverton 15
Index 15
- Beginning at Snoqualmie National Forest boundary (Sec.6,T29N,R10E) downstream to mouth at Sultan River (Sec.24,T29N,R9E) excluding all federal lands.
- (47) Woods Creek Monroe 15
Monroe 7 1/2
- From confluence of Woods Creek and unnamed creek (Sec.26,T29N,R7E) downstream to mouth at Skykomish River (Sec.12,T27N,R6E).
- (48) Woods Creek (W. Fk.) Monroe 15
Monroe 7 1/2
- From confluence of Carpenter Creek and Woods Creek West Fork (Sec.5,T28N,R7E) downstream to mouth at Woods Creek (Sec.33, same township).

- | | | | | | |
|----------------------|---|---|------------------------|---|---|
| (49) Worthy Creek | <u>Granite Falls</u> 15 | From confluence of Worthy Creek and unnamed creek (Sec.26,T30N,R7E) downstream to mouth at Pilchuck River (Sec.2,T29N,R7E). | (6) Pine Creek (Cont.) | <u>Spangle</u> 15 | From Whitman County line (Sec.34,T21N,R43E) downstream back to Whitman County line (Sec.31, same township). |
| (50) Youngs Creek | <u>Monroe</u> 15
<u>Sultan</u> 7 1/2 | From an approximate point (NE1/4 of SE1/4 Sec.34,T27N, R8E) downstream to mouth at Elwell Creek (Sec.24,T27N, R7E). | (7) Rock Creek | <u>Fairfield</u> 15
<u>Spangle</u> 15
<u>Spokane</u> SE 7 1/2 | From the confluence of Rock Creek and Rose Creek (Sec. 34,T23N,R45E) downstream to mouth at Latah Creek (Sec.11, T23N,R43E). |
| (51) Suiattle River* | <u>Huckleberry</u>
<u>Mtn.*</u> 7 1/2
<u>Prairie Mtn.</u> 7 1/2 | From the east section (Sec.20,T32N,R12E) downstream to Skagit-Snohomish County line (Sec.5,T32N,R11E). Exclude federal lands. The flow is 1000 cfs MAF at east section line (Sec.20,T32N,R12E). | (8) Spokane River* | <u>Green Acres*</u> 15
<u>Spokane</u> NE 7 1/2
<u>Spokane</u> NW 7 1/2
<u>Airway</u>
<u>Heights</u> 7 1/2
<u>Clayton</u> 15
<u>Wellpinit</u> 15 | From the Washington-Idaho border (Sec.6,T25N,R46E) downstream to the Spokane-Stevens County line, along said county line to the Lincoln County line (Sec.19,T27N,R40E) excluding all federal lands. The flow is 200 cfs MAF and has 300 square miles of drainage area at Washington-Idaho border. |
| (52) Beckler River | <u>Evergreen Mtn.</u> 7 1/2 | From the west section line (Sec.8,T27N,R12E) downstream to Snohomish-King County line (Sec.32,T27N,R12E). Exclude federal lands. | | | |
| (53) Rapid River | <u>Captain Point</u> 7 1/2
<u>Evergreen Mtn.</u> 7 1/2 | From east section line (Sec.13,T27N,R12E) downstream to Beckler River (Sec.29,T27N, R12E). Exclude federal lands. | | | |

[Order DE 76-14, § 173-18-350, filed 5/3/76; Order 73-14, § 173-18-350, filed 8/27/73; Order DE 72-13, § 173-18-350, filed 6/30/72.]

WAC 173-18-360 Spokane County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Deadman Creek	<u>Deer Park</u> 15	From the confluence of Deadman Creek and two unnamed creeks (Sec.1,T26N,R43E) downstream to mouth at Spokane River (Sec.33,T27N,R43E).
(2) Dragoon Creek	<u>Deer Park</u> 15	From the confluence of Dragoon Creek and West Branch of the Dragoon Creek (Sec.22, T28N,R42E) downstream to mouth at the Little Spokane River (Sec.4,T27N,R43E).
(3) Hangman Creek (Cont.)* or Latah Creek	<u>Fairfield</u> 15 <u>Spangle*</u> 15 <u>Spokane</u> SE 7 1/2 <u>Spokane</u> SW 7 1/2 <u>Spokane</u> NW 7 1/2	From the Whitman-Spokane County line (Sec.32,T21N, R45E) downstream to mouth on Spokane River (Sec.14, T25N,R42E). This stream has 300 square miles of drainage area ending at unnamed tributary (Sec.13,T23N,R43E) upstream from Rock Creek.
(4) Little Spokane River (Cont.)*	<u>Camden</u> 7 1/2 <u>Elk</u> 7 1/2 <u>Deer Park*</u> 15 <u>Clayton</u> 15	From the Pend Oreille County line (Sec.3,T29N, R44E) downstream (excluding all federal lands) to mouth at the Spokane River and Stevens County line (Sec.32, T27N,R42E). This stream has a 300 square mile drainage area ending at mouth of Deer Creek (Sec.34,T28N,R43E).
(5) Little Spokane River (West Branch)	<u>Newport</u> 30 <u>Fan Lake</u> 7 1/2 <u>Elk</u> 7 1/2 <u>Deer Park</u> 15	From the Pend Oreille County line (Sec.5, T29N,R43E) downstream through Eloika Lake to mouth at Little Spokane River (Sec.26, same township).

[Order DE 76-14, § 173-18-360, filed 5/3/76; Order 73-14, § 173-18-360, filed 8/27/73; Order DE 72-13, § 173-18-360, filed 6/30/72.]

WAC 173-18-370 Stevens County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Big Sheep Creek*	<u>Colville</u> 30 <u>Belshazzor</u> <u>Mt.</u> 7 1/2 <u>Northport*</u> 7 1/2	From the Colville National Forest boundary (Sec.13, T40N,R38E) downstream to mouth at the Columbia River near Sand Point (Sec.30,T40N, R40E). The 200 cfs MAF point begins at mouth of Little Sheep Creek (Sec.14,T40N,R39E).
(2) Chamokane Creek	<u>Clayton</u> 15 <u>Wellpinit</u> 15	From the confluence of Chamokane Creek and unnamed stream (Sec.23,T29N, R40E) downstream left shore only (right shore in Spokane Indian Reservation) to mouth on Spokane River (Sec.15,T27N, R39E).
(3) Chewelah Creek	<u>Chewelah Mt.</u> 15 <u>Chewelah</u> 7 1/2	From the confluence of the North Fork and the South Fork Chewelah Cr. (Sec.11, T32N,R40E) downstream to mouth on Colville River (Sec.23, same township).
(4) Colville River*	<u>Forest Center</u> 7 1/2 <u>Waits Lake</u> 7 1/2 <u>Valley</u> 7 1/2 <u>Chewelah*</u> 7 1/2 <u>Addy</u> 7 1/2 <u>Addy Mt.</u> 7 1/2 <u>Arden</u> 7 1/2 <u>Colville</u> 7 1/2 <u>Marcus</u> 30	From the confluence of Deer Cr. and Sheep Creek (Sec.9,T30N,R40E) downstream (excluding all federal lands) to mouth at Columbia River (Sec.36, T36N,R37E). This river has over 300 sq. miles of drainage area ending at mouth of Chewelah Creek (Sec.23,T32N, R40E).

- | | | | | | |
|--|--|--|------------------------------------|---|--|
| (5) Columbia River* | Boundary* 7 1/2
Northport 7 1/2
Onion Creek 7 1/2
China Bend 7 1/2
Bossburg 7 1/2
Marcus 7 1/2
Kettle Falls 7 1/2
Bangs
Mountain 7 1/2
Inchelium 15
Hunters 15
Wilmont Creek 15 | From the United States-Canadian boundary (Sec.2,T40N,R41E) downstream to Spokane Indian Reservation boundary (Sec.23, T29N,R35E). This river has over 200 cfs MAF at U.S.-Canadian border. | (13) Deep Creek (North Fork) | Deep Lake 7 1/2
Aladdin 7 1/2 | From the confluence of McKinnon Creek and North Fork Deep Creek in (Sec. 11,T39N,R41E) downstream through Deep Lake to confluence with South Fork Deep Creek and Deep Creek in (Sec.5,T38N, R41E). |
| (6) Kettle River* | Marcus 30
Orient 7 1/2
Laurier* 7 1/2 | From the United States-Canadian border (Sec.2,T40N,R36E) downstream along Ferry-Stevens Co. line. Left bank only to (Sec.20,T38N, R37E), excluding federal lands. This stream has both 200 cfs MAF and 300 sq. miles of drainage area at U.S.-Canadian border. | (14) Deep Creek | Aladdin 7 1/2
Spirit 7 1/2 | From the confluence of the South Fork and North Fork of Deep Creek in (Sec.5,T38N, R41E) downstream to mouth at Columbia River (Sec.34,T40N, R40E). |
| [Order DE 76-14, § 173-18-370, filed 5/3/76; Order 73-14, § 173-18-370, filed 8/27/73; Order DE 72-13, § 173-18-370, filed 6/30/72.] | | | | | |
| WAC 173-18-380 Thurston County. Streams | | | | | |
| (7) Little Pend Oreille River | Lake Gillette 7 1/2
Park Rapids 7 1/2
Cliff Ridge 7 1/2
Addy Mt. 7 1/2
Arden 7 1/2 | That part of the Little Pend Oreille River outside the Little Pend Oreille National Wildlife Refuge (Sec.11,T35N,R41E) and that part outside Refuge (Sec.15 & 16,T35N,R41E), and that part outside refuge from (Sec.10, T34N,R40E) to Colville River (Sec.10,T34N,R39E). | (1) Beaver Creek | Quadrangle Name and Size
Tenino 15
Maytown 7 1/2
Rochester 15 | Legal Description
From the confluence of Beaver Creek and unnamed creek (Sec.11,T16N,R2W) downstream to mouth at Black River (Sec.2,T16N,R3W). |
| (8) Little Sheep Cr. | Colville 30
Northport 7 1/2 | From the confluence of Boundary Creek and Little Sheep Creek (Sec. 10, T40N, R39E) downstream to mouth at Big Sheep Creek (Sec.14, same township). | (2) Black River | Tenino 15
Maytown 7 1/2
Rochester 15 | From the confluence of Dempsey Creek and the Black River (Sec.13,T17N,R3W) downstream to Grays Harbor County line (Sec.26,T16N,R4W). |
| (9) Mill Creek | White Mud
Lake 7 1/2
Colville 7 1/2 | From the Colville National Forest boundary (Sec.15,T36N,R40E) downstream (excluding all federal lands) to mouth at Colville River (Sec.31, T36N,R39E). | (3) Black Lake Drainage Ditch | Tumwater 7 1/2 | From outlet of Black Lake (Sec.32,T18N,R2W) downstream to confluence with Percival Creek (Sec.21, T18N,R2W). |
| (10) Onion Creek | Colville 30
Onion Creek 7 1/2 | From the confluence of Onion Creek and unnamed creek (Sec.12,T38N,R39E) downstream to mouth at Columbia River (Sec.23,T39N,R39E). Excluding Coulee Dam National Recreation area. | (4) Cedar Creek | Rochester 15 | From the confluence of Cedar Cr. and Sherman Creek (Sec.2, T16N,R4W) downstream to Grays Harbor County line (same section). |
| (11) Spokane River (Cont.)* | Clayton 15
Wellpinit 15
Turtle Lake 15
Lincoln 15 | From the Spokane County line on the Spokane River (Sec.32,T27N,R42E) downstream through Long Lake to Spokane Indian Reservation boundary (Sec.15,T27N,R39E), right shore only. This river has 300 sq. miles of drainage area and over 200 cfs MAF at Spokane Co. line. | (5) Chehalis River (Cont.)* | Rochester 15 | From Lewis County line (Sec. 23,T15N,R3W) downstream to Grays Harbor County line (Sec.11,T15N,R4W), excluding all federal lands. The flow exceeds 1,000 cfs MAF at Lewis County line. |
| (12) Deep Creek (South Fork) | Spirit 7 1/2
Aladdin 7 1/2 | From the confluence of Rocky Creek and South Fork of Deep Creek in (Sec.8,T37N,R41E) downstream to confluence North Fork Deep Creek and Deep Creek in (Sec.5, T38N,R41E). | (6) Deschutes River (Cont.) | Ohop Valley 15
Bald Hill 7 1/2
Lake Lawrence 7 1/2
Vail 7 1/2
Weir Prairie 7 1/2
East Olympia 7 1/2
Tumwater 7 1/2
Maytown 7 1/2 | From Lewis County line (Sec.24,T15N,R3E) downstream to mouth at Capitol Lake (Sec.26, T18N,R2W), excluding all federal lands. |
| | | | (7) Kennedy Creek | Shelton 15 | From the confluence of Kennedy Creek and unnamed creek (Sec.14,T18N,R4W) downstream to the Mason County line (Sec.6,T18N,R3W). |
| | | | (8) Little Nisqually River (Cont.) | Ohop Valley 15
Eatonville 7 1/2 | From the Lewis-Thurston County line (Sec.21,T15N,R4E) downstream to Alder Lake (Sec.16, same township). |

- (9) McAllister Creek Anderson Island 15
Nisqually 7 1/2 From the McAllister Springs (Sec.19,T18N,R1E) downstream to mouth at Nisqually Head (Sec.31,T19N,R1E).
- (10) McLane Creek Tumwater 7 1/2 From an approximate point (SW1/4 of NE1/4 of Sec.25, T18N,R3W) downstream to mouth at Eld Inlet (Sec.19,T18N,R2W).
- (11) Mima Creek Rochester 15 From an approximate point (NE1/4 of NW1/4 of Sec.16, T16N,R3W) downstream to mouth at Black River (Sec.20, same township).
- (12) Mitchell Creek Ohop Valley 15
Bald Hill 7 1/2 From the confluence of Mitchell Creek and unnamed creek (Sec.18,T15N,R3E) downstream to mouth at Deschutes River (Sec.7, same township).
- (13) Nisqually River (Cont.)* Kapowsin 15
Ohop Valley 15
Yelm 7 1/2
Anderson Island 15 From the Pierce County line in Alder Reservoir (Sec.20,T15N,R5E) downstream along left shore only, (exclude area from LaGrande Dam downstream to powerhouse due to use of aqueduct; also exclude all federal lands) to the Nisqually Indian Reservation boundary (Sec.11, T17N,R1E). The flow exceeds 1,000 cfs MAF at Pierce County line in Alder Reservoir.
- (14) Percival Creek Tumwater 7 1/2 From the confluence of Percival Creek and stream from Black Lake (Sec.21,T18N,R2W) downstream to mouth at Capitol Lake (Sec.22, same township).
- (15) Scatter Creek Tenino 15
Bucoda 7 1/2
Tenino S.W. 7 1/2
Rochester 15 From confluence of Scatter Creek and unnamed creek (Sec.20, T16N,R1W) downstream to mouth at Chehalis River (Sec.7, T15N,R3W).
- (16) Sherman Creek Rochester 15 From the confluence of Sherman Creek and Monroe Creek (Sec.25, T17N,R4W) downstream to mouth on Cedar Cr. (Sec.2,T16N,R4W).
- (17) Skookumchuck River (Cont.) Yelm 15
Tenino 15 From the Lewis County line (Sec.20,T15N,R2E) downstream back to the Lewis County line (Sec.21,T15N,R2W).
- (18) Thompson Creek Yelm 15
Weir Prairie 7 1/2 From the intersection of Highway SR 510 and Thompson Creek (Sec.11,T17N,R1E) downstream to mouth at Nisqually River (same section).
- (19) Waddell Creek Rochester 15 From an approximate point (SE1/4 of NW1/4 of Sec.8,T17N,R3W) downstream to mouth at Black River (Sec.2,T16N,R3W).
- (20) Woodland Creek Lacey 7 1/2 From an approximate point (NE1/4 of NE1/4 of SE1/4 of Sec.9,T18N,R1W) downstream to mouth at Henderson Inlet near South Bay (Sec.32,T19N,R1W).

- (21) Yelm Creek Yelm 15
McKenna 7 1/2
Weir Prairie 7 1/2 From the confluence of Yelm Creek and Yelm ditch (Sec.29,T17N,R2E) downstream to mouth at Nisqually River (Sec.12,T17N,R1E).

[Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-18-380, filed 4/15/85; Order DE 76-14, § 173-18-380, filed 5/3/76; Order 73-14, § 173-18-380, filed 8/27/73; Order DE 72-13, § 173-18-380, filed 6/30/72.]

WAC 173-18-390 Wahkiakum County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Alger Creek	<u>Skamokawa 15</u>	From the intersection of State Sign Route 4 and Alger Creek (Sec.15,T9N,R6W) downstream to mouth at Brooks Slough (same section).
(2) Beaver Creek	<u>Cathlamet 15</u>	From the confluence of Beaver Cr. and unnamed creek (Sec.33,T9N,R5W) downstream to mouth at Elochoman River (Sec.32, same township).
(3) Columbia River (Cont.)*	<u>Clatskanie 15</u> <u>Cathlamet 15</u> <u>Skamokawa 15</u> <u>Grays River 15</u>	From the Cowlitz Co. line on Columbia River (Sec.20, T8N,R4W) downstream along the Wash.-Oregon boundary to the Pacific Co. line to Grays Bay (Sec.7,T9N,R9W). The flow exceeds 1,000 cfs MAF at Cowlitz County line.
(4) Crooked Creek	<u>Grays River 15</u>	From the confluence of Crooked Creek and the So. Fork Crooked Cr. (Sec.36,T10N,R8W) downstream to Grays Bay (Sec.4, T9N,R8W).
(5) Deep River	<u>Grays River 15</u>	From the confluence of Deep River and Hendrickson Canyon Stream (Sec.9,T10N,R8W) downstream to mouth at Grays Bay (Sec.31,T9N,R8W).
(6) Elochoman River	<u>Skamokawa 15</u> <u>Cathlamet 15</u>	From the confluence of the West Fork Elochoman and the North Fork Elochoman River (Sec.26,T10N,R5W) downstream to mouth at Elochoman Slough (Sec.36,T9N,R6W).
(7) Elochoman River (East Fk.) (Cont.)	<u>Ryderwood 15</u>	From the Cowlitz Co. line (Sec.7,T10N,R4W) downstream to Elochoman River (Sec.13,T10N,R5W).
(8) Elochoman River (North Fk.)	<u>Skamokawa 15</u> <u>Ryderwood 15</u>	From the confluence of North Fk. Elochoman R. and unnamed creek (Sec. 12,T10N,R5W) downstream to mouth at Elochoman River (Sec.26,T10N,R5W).
(9) Elochoman River (West Fk.)	<u>Skamokawa 15</u>	From the confluence of West Fork Elochoman R. and unnamed creek (Sec. 21,T10N,R5W) downstream to mouth at Elochoman River (Sec.26, same township).

- (10) Falk Creek Skamokawa 15 From an approximate point (NW1/4 of NE1/4 of SW1/4 of Sec.33,T10N,R6W) downstream to mouth at Skamokawa Creek (Sec.5,T9N,R6W).
- (11) Fossil Creek Grays River 15 From the confluence of Fossil Cr. and an unnamed cr. (Sec.10,T10N,R7W) downstream to mouth at Grays River (Sec.9, same township).
- (12) Grays River (Cont.) Grays River 15 From the Pacific Co. line (Sec.2,T10N,R7W) downstream to mouth at Grays Bay (Sec.32,T10N,R8W).
- (13) Grays River (S.Fork) Skamokawa 15 From an approximate point (SW1/4 of NE1/4 of Sec.1, T10N,R6W) downstream to Pacific County line (Sec.5, same township).
- (14) Grays River (W.Fk.) (Cont.) Grays River 15 From the Pacific County line (NW1/4 of NW1/4 Sec.4, T10N,R7W) downstream to mouth at Grays River (Sec.9, same township).
- (15) Hull Creek (Cont.) Grays River 15 From Pacific County line (Sec.5,T10N,R7W) downstream to mouth at Grays R. (Sec.13,T10N,R8W).
- (16) Jim Crow Creek Grays River 15 From the confluence of Jim Crow Creek and unnamed creek (Sec.4,T9N,R7W) downstream to mouth at Columbia River (Sec.16, same township).
- (17) McDonald Creek Skamokawa 15 From the confluence of McDonald Creek and unnamed creek (Sec.22,T10N,R6W) downstream to mouth at Skamokawa Creek (Sec.29, same township).
- (18) Mill Creek Cathlamet 15 Clatskanie 15 From the NW Section corner (Sec.25,T9N,R5W) downstream to the Cowlitz County line (Sec.31,T9N,R4W).
- (19) Naselle River Grays River 15 From the Pacific County line (Sec.6,T10N,R8W) downstream back to Pacific Co. line (same section).
- (20) Nelson Creek Cathlamet 15 From the intersection of Nelson Cr. and Risk Rd. (Sec.25, T9N,R6W) downstream to mouth at Elochoman River (Sec.26, same township).
- (21) Otter Creek Ryderwood 15 From the confluence of Otter Cr. and unnamed creek near the north section line (Sec.7,T10N, R4W) downstream to the East Fk. Elochoman R. (same section).
- (22) Salmon Creek (Cont.) Grays River 15 From the Pacific County line (Sec.5,T10N,R8W) downstream to Pacific County line (Sec.7, same township).
- (23) Skamokawa Creek Skamokawa 15 From the confluence of McDonald Creek and Standard Creek (Sec.28,T10N, R6W) downstream to mouth at Columbia River (Sec.17,T9N, R6W).

- (24) Skamokawa Creek (Left Fk.) Skamokawa 15 From the confluence of the Left Fork Skamokawa Cr. and unnamed creek (Sec.19,T10N,R6W) downstream to mouth at Skamokawa Creek (Sec.29, same township).
- (25) Skamokawa Creek (West Fk.) Skamokawa 15 From the confluence of West Fork Skamokawa Creek and Kelly Creek (Sec.31, T10N,R6W) downstream to Skamokawa Creek (Sec.8,T9N, R6W).
- (26) West Valley Creek Skamokawa 15 From an approximate point (NE1/4 of Sec.1,T9N,R7W) downstream to mouth at the West Fork Skamokawa Cr. (Sec.6,T9N,R6W).
- (27) Wilson Creek Skamokawa 15 From the confluence of Wilson Cr. and unnamed creek (SW1/4 of NE1/4 of Sec.5, T9N,R5W) downstream to mouth at Skamokawa Creek (Sec.5,T9N, R6W).

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-052 (Order DE 80-20), § 173-18-390, filed 6/30/80; Order DE 76-14, § 173-18-390, filed 5/3/76; Order 73-14, § 173-18-390, filed 8/27/73; Order DE 72-13, § 173-18-390, filed 6/30/72.]

WAC 173-18-400 Walla Walla County. Streams

<u>Stream Name</u>	<u>Quadrangle Name and Size</u>	<u>Legal Description</u>
(1) Columbia River (Cont.)*		Columbia River within Walla Walla County is under federal jurisdiction. This river has over 200 cfs MAF at Franklin County line.
(2) Dry Cr.	<u>Walla Walla</u> 30 Lowden 7 1/2 College Place 7 1/2 Hadley 7 1/2 Valley Grove 7 1/2 Dixie 7 1/2	From an approximate point near the center of quarter section (SE1/4 of Sec.36, T8N,R36E) downstream to mouth at Walla Walla River (Sec.29,T7N,R34E).
(3) Mill Cr.	<u>Walla Walla</u> 30 Kooskooskie 7 1/2 Buroker 7 1/2 Walla Walla 7 1/2 College Place 7 1/2	From the Wash.-Ore. state boundary (Sec.18,T6N, R38E) downstream to mouth at Walla Walla River (Sec.31,T7N,R35E) exclude left bank (Sec. 32, same township).
(4) Snake R. (Cont.)*		Snake River within Walla Walla County is under federal jurisdiction. This stream has over 300 sq. miles drainage area and over 200 cfs MAF at Columbia County line.
(5) Touchet River (Cont.)*	<u>Walla Walla</u> 30 Eureka 7 1/2 Rulo 7 1/2 Welland 7 1/2 Touchet 7 1/2 Huntsville 7 1/2 Waitsburg 7 1/2 Prescott 7 1/2 Harsha 7 1/2	From the Columbia County line (Sec.12,T9N,R37E) downstream to mouth on Walla Walla River (Sec.4, T6N,R33E). This river has over 300 sq. miles of drainage area ending at mouth of left bank unnamed tributary (Sec. 11,T9N, R37E).

- (6) Walla Walla River* Walla Walla 30
College Place 7 1/2
Lowden 7 1/2
Touchet 7 1/2
Zangar
Junction 7 1/2
Wallula 7 1/2
- From the Washington-Oregon boundary (Sec.13,T6N,R35E) downstream to mouth at Lake Wallula (Sec.26,T7N,R31E). This river has 300 sq. miles of drainage area at Washington-Oregon boundary.
- (12) Fishtrap Creek Lynden 15
Lynden 7 1/2
Bertrand 7 1/2
- From the British Columbia-Washington state border (Sec.34,T41N,R3E) downstream to mouth at Nooksack River (Sec.35,T40N,R2E).

[Order DE 76-14, § 173-18-400, filed 5/3/76; Order 73-14, § 173-18-400, filed 8/27/73; Order DE 72-13, § 173-18-400, filed 6/30/72.]

WAC 173-18-410 Whatcom County. Streams

- | Stream Name | Quadrangle Name and Size | Legal Description |
|-------------------------------------|---|---|
| (1) Anderson Creek | <u>Lyden 15</u>
Lawrence 7 1/2 | From confluence of Anderson Creek and unnamed creek (Sec.7, T38N,R4E) downstream to mouth at Nooksack River (Sec.17,T39N,R4E). |
| (2) Austin Creek | <u>Samish Lake 15</u>
Lake Whatcom 7 1/2 | From confluence of Austin Creek and Beaver Creek (Sec.7, T37N,R4E) downstream to mouth at Lake Whatcom (Sec.5, same township). |
| (3) Bertrand Creek | <u>Blaine 15</u>
Bertrand Creek 7 1/2 | Beginning at U.S., Canada border (Sec.35,T41N,R2E) downstream to mouth at Nooksack R. (Sec.34,T40N,R2E). |
| (4) Boulder Creek | <u>Van Zandt 15</u> | From confluence of Boulder Creek and unnamed creek (Sec.22,T40N,R6E) downstream to mouth at Nooksack River (Sec.28, same township). |
| (5) Breckenridge Creek | <u>Lynden 15</u>
Sumas 7 1/2 | From approximate point (SE1/4 of NW1/4 Sec.26,T40N, R4E) downstream to mouth Sumas River (Sec.29, same township). |
| (6) California Creek | <u>Blaine 15</u>
Blaine 7 1/2 | From confluence of California Creek and unnamed creek (Sec.27,T40N, R1E) downstream to mouth at Drayton Harbor (Sec.18, same township). |
| (7) Canyon Creek | <u>Mt. Baker 15</u> | From Mt. Baker National Forest boundary (Sec.25,T40N, R6E) downstream to mouth at Nooksack River North Fork (Sec.35, same township). |
| (8) Canyon Creek | <u>Van Zandt 15</u> | From confluence of Canyon Creek and unnamed creek (Sec.32,T39N,R6E) downstream through Canyon Lake to mouth at Nooksack River M. Fork (Sec.34,T39N,R5E). |
| (9) Clearwater Creek | <u>Mt. Baker 15</u>
<u>Van Zandt 15</u> | Beginning at Mt. Baker National Forest boundary (Sec.11,T38N,R6E) downstream to mouth at Nooksack River M. Fk. (Sec.21, same township). |
| (10) Coal Creek | <u>Van Zandt 15</u> | From an approximate point (SW1/4 of SE1/4 Sec.4,T39N, R5E) downstream to mouth at Nooksack River (Sec.10, same township). |
| (11) Dakota Creek | <u>Blaine 15</u>
Blaine 7 1/2 | From confluence of Dakota Creek and North Fork Dakota Creek (Sec.14,T40N,R1E) downstream to mouth at Drayton Harbor (Sec.7, same township). |
| (13) Friday Creek | <u>Samish Lake 15</u>
Lake Whatcom 7 1/2 | From the outflow of Samish Lake on southern tip (Sec.36, T37N,R3E) downstream to Skagit County line (same section). |
| (14) Galbraith Creek | <u>Wickersham 15</u>
<u>Van Zandt 15</u> | From confluence of Galbraith Creek and unnamed creek (Sec.33,T38N, R6E) downstream to mouth at Nooksack River (Sec.27, same township). |
| (15) Hayden Creek | <u>Hamilton 15</u>
<u>Wickersham 15</u> | From confluence of Hayden Creek and unnamed creek (Sec.26,T37N,R6E) downstream to mouth at Skookum Creek (Sec.22 same township). |
| (16) Howard Creek | <u>Hamilton 15</u> | From confluence of Howard Creek and unnamed creek (Sec.35,T37N,R6E) downstream to Skagit County line (Sec.36, same township). |
| (17) Hutchinson Creek | <u>Wickersham 15</u> | From confluence of Hutchinson Creek and unnamed creek (Sec.1,T37N, R5E) downstream to mouth at Nooksack River South Fork (Sec.9, same township). |
| (18) Johnson Creek (in flood plain) | <u>Lynden 15</u>
Sumas 7 1/2
Van Zandt 15 | From confluence of Johnson Creek and unnamed creek near north section line (Sec.8, T40N,R4E) downstream to mouth at Sumas River (Sec.35,T41N,R4E). |
| (19) Kendall Creek | <u>Van Zandt 15</u> | Beginning where medium duty highway crosses Kendall Creek (Sec.27,T40N,R5E) downstream to mouth at Nooksack River (Sec.3,T39N,R5E). |
| (20) Maple Creek | <u>Van Zandt 15</u> | Beginning where unimproved dirt road crosses Maple Creek (Sec.18,T40N,R6E) downstream to mouth at Nooksack River (Sec.31, same township). |
| (21) Nooksack River* | <u>Mt. Baker* 15</u>
Lawrence 7 1/2
Sumas 7 1/2
Lynden 7 1/2
Bertrand 7 1/2
Ferndale 7 1/2
Van Zandt 15 | Beginning at east section line (Sec.5,T39N,R7E) south bank only, both sides starting at east section line (Sec.1,T39N,R6E), downstream to mouth at Bellingham Bay (Sec.19,T38N, R2E). Exclude federal lands. The 1,000 cfs MAF point begins at confluence with Glacier Creek. |
| (22) Nooksack River (M.Fk.) | <u>Mt. Baker 15</u>
<u>Van Zandt 15</u> | From Mt. Baker National Forest boundary (Sec.25, T38N, R6E) downstream to mouth at Nooksack River (Sec.27,T39N, R5E). |
| (23) Nooksack River (N.Fk.) | <u>Mt. Baker 15</u> | From Mt. Baker National Forest boundary (Sec.5, T39N,R7E) downstream to where the medium-duty road crosses Nooksack River (Sec.2,T39N, R6E). |

(24) Nooksack River (S.Fk.) (Cont.)*	<u>Wickersham</u> * 15 <u>Van Zandt</u> 15	From Skagit County line (Sec.35,T37N,R5E) downstream to mouth at Nooksack River (Sec.6,T38N,R5E). The 1,000 cfs MAF point begins at mouth of Hutchinson Creek (Sec.9,T37N,R5E).	(37) Terrell Creek	<u>Blaine</u> 7 1/2 Birch Point 7 1/2	Beginning at (NE1/4 of SE1/4 of NE1/4 Sec.2,T39N,R1W) downstream to mouth at Birch Bay (Sec.30,T40N,R1E).
(25) Orsino Creek	<u>Wickersham</u> 15	From an approximate point (SE1/4 of NW1/4 Sec.9,T37N,R6E) downstream to mouth at Skookum Creek (Sec.16, same township).	(38) Unnamed tributary flowing to Canada	<u>Mt. Baker</u> 15 <u>Van Zandt</u> 15	From an approximate point (between NW1/4 and NE1/2 Sec.2,T40N,R6E) to downstream to British Columbia-Washington state boundary (Sec.34,T41N,R6E).
(26) Porter Creek	<u>Van Zandt</u> 15	From confluence of Porter Creek and unnamed creek (Sec.12,T38N,R5E) downstream to mouth at Nooksack River M. Fork (Sec.11, same township).	(39) Warm Creek	<u>Mt. Baker</u> 15	From Mt. Baker National Forest boundary (Sec.24,T38N,R6E) downstream to mouth at Nooksack River M. Fk. (Sec.25, same township).
(27) Racehorse Creek	<u>Van Zandt</u> 15	Beginning at north section line (SW1/4 of NE1/4 of Sec.21,T39N,R6E) downstream to mouth at Nooksack River (Sec.10,T39N,R5E).	(40) West Cornell Creek	<u>Mt. Baker</u> 15	From confluence of unnamed creek and West Cornell Creek (Sec.13,T39N,R6E) downstream to mouth at Nooksack River North Fork (Sec.1, same township).
(28) Rocky Creek	<u>Mt. Baker</u> 15	From Mt. Baker National Forest boundary (Sec.35,T39N,R6E) downstream to mouth at Clearwater Creek (Sec.2,T38N,R6E).	(41) Whatcom Creek	<u>Bellingham N.</u> 7 1/2	From the outlet of Lake Whatcom (Sec.28,T38N,R3E) downstream to mouth at Bellingham Bay (Sec.30, same township).
(29) Saar Creek	<u>Van Zandt</u> 15	From an approximate point (NW1/4 of SE1/4 Sec.7,T40N,R5E) downstream to British Columbia-Washington state boundary (Sec.32,T41N,R5E).	(42) Glacier Creek	<u>Mt. Baker</u> 15	From confluence of Glacier Creek and Davis Creek (Sec.8,T39N,R7E) downstream to mouth at North Fork Nooksack River (Sec.6, same township).
(30) Samish River (in flood plain)	<u>Wickersham</u> 15	From confluence of Samish River and unnamed creek (Sec.31,T37N,R5E) downstream to Skagit County line (same section).	(43) Padden Creek	<u>Bellingham S.</u> 7 1/2	From confluence of unnamed creek and Padden Creek (NW1/4 Sec.7,T37N,R3E) downstream to mouth on Bellingham Bay (Sec.1,T37N,R2E).
(31) Sisters Creek	<u>Hamilton</u> 15 <u>Mt. Baker</u> 15	From Mt. Baker National Forest boundary (Sec.25,T38N,R6E) downstream to mouth at Nooksack River M. Fork (Sec.26, same township).	(44) Anderson Creek	<u>Wickersham</u> 15 <u>Lake Whatcom</u> 7 1/2	From outlet on Mirror Lk. (Sec.30,T37N,R5E) downstream to mouth on Lake Whatcom (Sec.27,T37N,R4E).
(32) Skookum Creek	<u>Wickersham</u> 15	From confluence of Hayden Creek and Fish Creek (Sec.22,T37N,R6E) downstream to mouth at Nooksack River South Fork (Sec.27,T37N,R5E).	(45) Chuckanut Creek	<u>Bellingham S.</u> 7 1/2	From confluence of unnamed creek and Chuckanut Creek (NW1/4 of SW1/4 Sec.17,T37N,R3E) downstream to mouth at Chuckanut Bay (Sec.13,T37N,R2E).
(33) Smith Creek (in flood plain)	<u>Lynden</u> 15 <u>Lawrence</u> 7 1/2	From confluence of Smith Creek and unnamed creek (Sec.26,T39N,R4E) downstream to mouth at Nooksack River (Sec.21, same township).	(46) Smith Creek	<u>Lake Whatcom</u> 7 1/2	From confluence of unnamed creek and Smith Creek (SE1/4 of SW1/4,Sec.33,T38N,R4E) downstream to mouth on Lake Whatcom (Sec.5,T37N,R4E).

[Order DE 76-14, § 173-18-410, filed 5/3/76; Order 73-14, § 173-18-410, filed 8/27/73; Order DE 72-13, § 173-18-410, filed 6/30/72.]

WAC 173-18-420 Whitman County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Hangman Creek (Latah Creek)	<u>Tekoa</u> 7 1/2 <u>Oakdale</u> 7 1/2 <u>Fairfield</u> 15	From the Washington-Idaho boundary (Sec.29,T20N,R46E) downstream to Whitman-Spokane County line (Sec.4,T29N,R45E).
(2) Palouse River (S. Fork)	<u>Pullman</u> 7 1/2 <u>Albion</u> 7 1/2 <u>Colfax South</u> 7 1/2 <u>Colfax North</u> 7 1/2	From the confluence of the South Fork of the Palouse River and unnamed creek (Sec.16,T14N,R45E) downstream to mouth at Palouse River (Sec.11,T16N,R43E) in Colfax.

- | | | | | | |
|------------------------|---|---|-----------------------------|---|--|
| (3) Palouse River* | <u>Palouse</u> 7 1/2
Elberton 7 1/2
Colfax 7 1/2
Diamond 7 1/2
Endicott 15
La Crosse 15
Benge 15
Starbuck 15 | From the Washington-Idaho boundary (Sec.5,T16N, R46E) downstream to Adams County line (Sec.24,T16N, R38E) along Adams and Franklin County lines to mouth at Snake River (Sec.19,T13N,R37E). The flow is 200 cfs MAF at Washington-Idaho boundary. | (2) Ahtanum Creek (N.Fk.) | <u>Foundation Ridge</u> 7 1/2
Pine Mtn. 7 1/2
Tampico 7 1/2 | From confluence of Ahtanum Creek North Fork and Ahtanum Creek Middle Fork (Sec.24,T12N,R14E) downstream to mouth at Ahtanum Creek South Fork (Sec.17,T12N,R16E). |
| (4) Pine Creek* | <u>Rosalia</u> 7 1/2
Spangle 15
Malden* 7 1/2
Pine City 7 1/2 | From the confluence of Pine Creek and unnamed creek (NW1/4 of Sec.16, T20N,R44E) downstream to mouth at Rock Creek (Sec.15, T20N,R41E), excluding that stretch within Spokane County. This stream has over 300 sq. miles of drainage area ending at mouth of Cache Creek (Sec.23, T20N,R42E). | (3) Ahtanum Creek (S.Fk.) | <u>Pine Mtn.</u> 7 1/2
Tampico 7 1/2 | From confluence of unnamed creek and Ahtanum Creek South Fork (Sec.24,T12N,R15E) downstream to mouth at Ahtanum Creek (left bank only). |
| (5) Rock Creek* | <u>Pine City</u> 7 1/2
Rock Lake 7 1/2
Ewan 7 1/2
Texas Lake 7 1/2
Revere 7 1/2
La Crosse 15 | From the confluence of Rock Creek and Pine Creek (Sec.15,T20N,R41E) downstream through Rock Lake to mouth at Palouse River (Sec.5,T16N, R39E) excluding those reaches in Adams County. Over 300 sq. miles drainage area at confluence of Rock Creek and Pine Creek. | (4) Columbia River* | <u>Priest Rapids</u> 15 | From the Yakima Firing Center boundary (Sec.3,T13N, R23E) downstream along the Grant-Yakima County line to Benton County line (Sec.12, T13N,R23E). The flow exceeds 200 cfs MAF at Yakima Firing Center boundary. |
| (6) Snake River* | <u>Clarkston*</u> 15
Colton 7 1/2
Bishop 7 1/2
Kirby 7 1/2
Almota 7 1/2
Penawawa 15
Hay 15
Starbuck 15 | From the Washington-Idaho boundary (Sec.16,T36N, R46E) downstream along the Whitman-Asotin County line and Garfield-Whitman County line and Columbia-Whitman County line to the Franklin County line (Sec.30,T13N,R37E). All of river under federal jurisdiction. This stream has over 200 cfs MAF flow at Washington-Idaho border. | (5) Cowiche Creek (S. Fork) | <u>Tieton</u> 7 1/2
Naches 7 1/2
Wiley City 7 1/2
Yakima 7 1/2
Selah West 7 1/2 | From an approximate point (NW1/4 of NE1/4 Sec.33,T14N,R16E) downstream through Cowiche Creek to mouth at Naches River (Sec.9,T13N, R18E). |
| (7) Union Flat Creek* | <u>Ewartsville</u> 7 1/2
Colfax South 7 1/2
Wilcox 7 1/2
Endicott 15
La Crosse* 15 | From the confluence of Wilbur Creek and Union Flat Creek (Sec.6,T14N, R44E) downstream to mouth at Palouse River (Sec.35,T16N, R38E). This stream has over 300 sq. miles of drainage area ending at mouth of left bank unnamed tributary (Sec.31,T16N, R39E). | (6) Bumping River* | <u>Bumping Lake*</u> 15
Old Scab Mtn. 7 1/2
Cliffdell 7 1/2 | From U.S.G.S. gaging station (Sec.23,T16N,R12E) downstream to mouth at Naches and Little Naches rivers (Sec.4, T17N,R14E). Exclude federal lands. The flow is over 200 cfs MAF at U.S.G.S. gaging station. |
| (8) Naches River* | <u>Cliffdell</u> 7 1/2
Manastash Lake 7 1/2
Nile 7 1/2
Milk Canyon 7 1/2
Tieton 7 1/2
Naches 7 1/2
Selah 7 1/2 | From the confluence of Little Naches River and Middle Fork Little Naches River (Sec.36, T19N,R12E) downstream to mouth at Naches River (Sec.4, T17N,R14E). Exclude federal lands. The 200 cfs MAF point begins at confluence with Crow Creek (Sec.30,T18N,R14E). | (7) Little Naches River* | <u>Lester</u> 15
Easton* 15
Cliffdell 7 1/2 | From confluence of North Fork and Middle Fork Little Naches River (Sec.36, T19N,R12E) downstream to mouth at Naches River (Sec.4, T17N,R14E). Exclude federal lands. The flow is 200 cfs MAF at confluence of Little Naches River and Bumping River. |
| (9) Rattlesnake Creek* | <u>Meeks Table</u> 7 1/2
Nile 7 1/2 | From Snoqualmie National Forest boundary (Sec.6, T15N,R15E) downstream to mouth at Naches River (Sec.3, same township). The flow at Snoqualmie N.F. boundary is 200 cfs MAF. | (8) Tieton River* | <u>Weddle Canyon</u> 7 1/2
Tieton* 7 1/2 | From west section line (Sec.29,T14N,R15E) downstream to mouth at Naches River (Sec.35,T15N,R16E). Exclude federal lands. The flow is 200 cfs MAF at west section line (Sec.29,T14N,R15E). |

[Order DE 76-14, § 173-18-420, filed 5/3/76; Order 73-14, § 173-18-420, filed 8/27/73; Order DE 72-13, § 173-18-420, filed 6/30/72.]

WAC 173-18-430 Yakima County. Streams

Stream Name	Quadrangle Name and Size	Legal Description
(1) Ahtanum Creek	Tampico 7 1/2 Wiley City 7 1/2 Yakima West 7 1/2 Yakima East 7 1/2	From confluence of North and South Forks of Ahtanum Creek (Sec.17,T12N,R16E) downstream to mouth at Yakima River (Sec.17,T12N,R19E) excluding those reaches within Yakima Indian Reservation.
(10) Tieton River*	<u>Weddle Canyon</u> 7 1/2 Tieton* 7 1/2	From west section line (Sec.29,T14N,R15E) downstream to mouth at Naches River (Sec.35,T15N,R16E). Exclude federal lands. The flow is 200 cfs MAF at west section line (Sec.29,T14N,R15E).

(11) Tieton River (S. Fk.)	<u>White Pass</u> 15 Rimrock Lake 7 1/2	From the south section line (Sec.23,T12N,R12E) downstream to mouth at Rimrock Lake (Sec.7,T13N,R14E). Exclude federal lands.	173-20-260	Lakes coming under purview of chapter 90.58 RCW—Garfield County lakes.
			173-20-270	Lakes coming under purview of chapter 90.58 RCW—Garfield County lakes of state-wide significance.
			173-20-280	Lakes coming under purview of chapter 90.58 RCW—Grant County lakes.
(12) Yakima River (Cont.)*	<u>Pomona</u> * 7 1/2 Selah 7 1/2 Yakima East 7 1/2 Wapato 7 1/2 Toppenish 7 1/2 Granger N.W. 7 1/2 Granger 7 1/2 Sunnyside 7 1/2 Mabton West 7 1/2 Mabton East 7 1/2 Prosser 7 1/2	From the Kittitas County line (Sec.33,T15N,R19E) downstream, excluding all federal lands and Yakima Indian Reservation, to Benton County line (Sec.7,T8N,R24E). The flow exceeds 200 cfs MAF at Kittitas County line.	173-20-290	Lakes coming under purview of chapter 90.58 RCW—Grant County lakes of state-wide significance.
			173-20-300	Lakes coming under purview of chapter 90.58 RCW—Grays Harbor County lakes.
			173-20-310	Lakes coming under purview of chapter 90.58 RCW—Grays Harbor County lakes of state-wide significance.
			173-20-320	Lakes coming under purview of chapter 90.58 RCW—Island County lakes.
			173-20-330	Lakes coming under purview of chapter 90.58 RCW—Island County lakes of state-wide significance.
			173-20-340	Lakes coming under purview of chapter 90.58 RCW—Jefferson County lakes.
			173-20-350	Lakes coming under purview of chapter 90.58 RCW—Jefferson County lakes of state-wide significance.
			173-20-360	Lakes coming under purview of chapter 90.58 RCW—King County lakes.
			173-20-370	Lakes coming under purview of chapter 90.58 RCW—King County lakes of state-wide significance.
			173-20-380	Lakes coming under purview of chapter 90.58 RCW—Kitsap County lakes.
			173-20-390	Lakes coming under purview of chapter 90.58 RCW—Kitsap County lakes of state-wide significance.
			173-20-400	Lakes coming under purview of chapter 90.58 RCW—Kittitas County lakes.
			173-20-410	Lakes coming under purview of chapter 90.58 RCW—Kittitas County lakes of state-wide significance.
			173-20-420	Lakes coming under purview of chapter 90.58 RCW—Klickitat County lakes.
			173-20-430	Lakes coming under purview of chapter 90.58 RCW—Klickitat County lakes of state-wide significance.
			173-20-440	Lakes coming under purview of chapter 90.58 RCW—Lewis County lakes.
			173-20-450	Lakes coming under purview of chapter 90.58 RCW—Lewis County lakes of state-wide significance.
			173-20-460	Lakes coming under purview of chapter 90.58 RCW—Lincoln County lakes.
			173-20-470	Lakes coming under purview of chapter 90.58 RCW—Lincoln County lakes of state-wide significance.
			173-20-480	Lakes coming under purview of chapter 90.58 RCW—Mason County lakes.
			173-20-490	Lakes coming under purview of chapter 90.58 RCW—Mason County lakes of state-wide significance.
			173-20-500	Lakes coming under purview of chapter 90.58 RCW—Okanogan County lakes.
			173-20-510	Lakes coming under purview of chapter 90.58 RCW—Okanogan County lakes of state-wide significance.
			173-20-520	Lakes coming under purview of chapter 90.58 RCW—Pacific County lakes.
			173-20-530	Lakes coming under purview of chapter 90.58 RCW—Pacific County lakes of state-wide significance.
			173-20-540	Lakes coming under purview of chapter 90.58 RCW—Pend Oreille County lakes.
			173-20-550	Lakes coming under purview of chapter 90.58 RCW—Pend Oreille County lakes of state-wide significance.
			173-20-560	Lakes coming under purview of chapter 90.58 RCW—Pierce County lakes.
			173-20-570	Lakes coming under purview of chapter 90.58 RCW—Pierce County lakes of state-wide significance.
			173-20-580	Lakes coming under purview of chapter 90.58 RCW—San Juan County lakes.
			173-20-590	Lakes coming under purview of chapter 90.58 RCW—San Juan County lakes of state-wide significance.
			173-20-600	Lakes coming under purview of chapter 90.58 RCW—Skagit County lakes.
			173-20-610	Lakes coming under purview of chapter 90.58 RCW—Skagit County lakes of state-wide significance.
			173-20-620	Lakes coming under purview of chapter 90.58 RCW—Skamania County lakes.

[Order DE 76-14, § 173-18-430, filed 5/3/76; Order 73-14, § 173-18-430, filed 8/27/73; Order DE 72-13, § 173-18-430, filed 6/30/72.]

Chapter 173-20 WAC

SHORELINE MANAGEMENT ACT—LAKES CONSTITUTING SHORELINES OF THE STATE

WAC

173-20-010	Purpose.		173-20-390	Lakes coming under purview of chapter 90.58 RCW—Kitsap County lakes of state-wide significance.
173-20-020	Applicability.		173-20-400	Lakes coming under purview of chapter 90.58 RCW—Kittitas County lakes.
173-20-030	Definitions.		173-20-410	Lakes coming under purview of chapter 90.58 RCW—Kittitas County lakes of state-wide significance.
173-20-040	Lakes coming under purview of chapter 90.58 RCW.		173-20-420	Lakes coming under purview of chapter 90.58 RCW—Klickitat County lakes.
173-20-044	Review of designations.		173-20-430	Lakes coming under purview of chapter 90.58 RCW—Klickitat County lakes of state-wide significance.
173-20-046	Conflicts between designations and criteria.		173-20-440	Lakes coming under purview of chapter 90.58 RCW—Lewis County lakes.
173-20-050	Lakes coming under purview of chapter 90.58 RCW—Adams County lakes.		173-20-450	Lakes coming under purview of chapter 90.58 RCW—Lewis County lakes of state-wide significance.
173-20-060	Lakes coming under purview of chapter 90.58 RCW—Adams County lakes of state-wide significance.		173-20-460	Lakes coming under purview of chapter 90.58 RCW—Lincoln County lakes.
173-20-070	Lakes coming under purview of chapter 90.58 RCW—Asotin County lakes.		173-20-470	Lakes coming under purview of chapter 90.58 RCW—Lincoln County lakes of state-wide significance.
173-20-080	Lakes coming under purview of chapter 90.58 RCW—Asotin County lakes of state-wide significance.		173-20-480	Lakes coming under purview of chapter 90.58 RCW—Mason County lakes.
173-20-090	Lakes coming under purview of chapter 90.58 RCW—Benton County lakes.		173-20-490	Lakes coming under purview of chapter 90.58 RCW—Mason County lakes of state-wide significance.
173-20-100	Lakes coming under purview of chapter 90.58 RCW—Chelan County lakes.		173-20-500	Lakes coming under purview of chapter 90.58 RCW—Okanogan County lakes.
173-20-110	Lakes coming under purview of chapter 90.58 RCW—Chelan County lakes of state-wide significance.		173-20-510	Lakes coming under purview of chapter 90.58 RCW—Okanogan County lakes of state-wide significance.
173-20-120	Lakes coming under purview of chapter 90.58 RCW—Clallam County lakes.		173-20-520	Lakes coming under purview of chapter 90.58 RCW—Pacific County lakes.
173-20-130	Lakes coming under purview of chapter 90.58 RCW—Clallam County lakes of state-wide significance.		173-20-530	Lakes coming under purview of chapter 90.58 RCW—Pacific County lakes of state-wide significance.
173-20-140	Lakes coming under purview of chapter 90.58 RCW—Clark County lakes.		173-20-540	Lakes coming under purview of chapter 90.58 RCW—Pend Oreille County lakes.
173-20-150	Lakes coming under purview of chapter 90.58 RCW—Clark County lakes of state-wide significance.		173-20-550	Lakes coming under purview of chapter 90.58 RCW—Pend Oreille County lakes of state-wide significance.
173-20-160	Lakes coming under purview of chapter 90.58 RCW—Columbia County lakes.		173-20-560	Lakes coming under purview of chapter 90.58 RCW—Pierce County lakes.
173-20-170	Lakes coming under purview of chapter 90.58 RCW—Columbia County lakes of state-wide significance.		173-20-570	Lakes coming under purview of chapter 90.58 RCW—Pierce County lakes of state-wide significance.
173-20-180	Lakes coming under purview of chapter 90.58 RCW—Cowlitz County lakes.		173-20-580	Lakes coming under purview of chapter 90.58 RCW—San Juan County lakes.
173-20-190	Lakes coming under purview of chapter 90.58 RCW—Cowlitz County lakes of state-wide significance.		173-20-590	Lakes coming under purview of chapter 90.58 RCW—San Juan County lakes of state-wide significance.
173-20-200	Lakes coming under purview of chapter 90.58 RCW—Douglas County lakes.		173-20-600	Lakes coming under purview of chapter 90.58 RCW—Skagit County lakes.
173-20-210	Lakes coming under purview of chapter 90.58 RCW—Douglas County lakes of state-wide significance.		173-20-610	Lakes coming under purview of chapter 90.58 RCW—Skagit County lakes of state-wide significance.
173-20-220	Lakes coming under purview of chapter 90.58 RCW—Ferry County lakes.		173-20-620	Lakes coming under purview of chapter 90.58 RCW—Skamania County lakes.
173-20-230	Lakes coming under purview of chapter 90.58 RCW—Ferry County lakes of state-wide significance.			
173-20-240	Lakes coming under purview of chapter 90.58 RCW—Franklin County lakes.			
173-20-250	Lakes coming under purview of chapter 90.58 RCW—Franklin County lakes of state-wide significance.			

- 173-20-630 Lakes coming under purview of chapter 90.58 RCW—Skamania County lakes of state-wide significance.
- 173-20-640 Lakes coming under purview of chapter 90.58 RCW—Snohomish County lakes.
- 173-20-650 Lakes coming under purview of chapter 90.58 RCW—Snohomish County lakes of state-wide significance.
- 173-20-660 Lakes coming under purview of chapter 90.58 RCW—Spokane County lakes.
- 173-20-670 Lakes coming under purview of chapter 90.58 RCW—Spokane County lakes of state-wide significance.
- 173-20-680 Lakes coming under purview of chapter 90.58 RCW—Stevens County lakes.
- 173-20-690 Lakes coming under purview of chapter 90.58 RCW—Stevens County lakes of state-wide significance.
- 173-20-700 Lakes coming under purview of chapter 90.58 RCW—Thurston County lakes.
- 173-20-710 Lakes coming under purview of chapter 90.58 RCW—Thurston County lakes of state-wide significance.
- 173-20-720 Lakes coming under purview of chapter 90.58 RCW—Wahkiakum County lakes.
- 173-20-730 Lakes coming under purview of chapter 90.58 RCW—Wahkiakum County lakes of state-wide significance.
- 173-20-740 Lakes coming under purview of chapter 90.58 RCW—Walla Walla County lakes.
- 173-20-750 Lakes coming under purview of chapter 90.58 RCW—Walla Walla County lakes of state-wide significance.
- 173-20-760 Lakes coming under purview of chapter 90.58 RCW—Whatcom County lakes.
- 173-20-770 Lakes coming under purview of chapter 90.58 RCW—Whatcom County lakes of state-wide significance.
- 173-20-780 Lakes coming under purview of chapter 90.58 RCW—Whitman County lakes.
- 173-20-790 Lakes coming under purview of chapter 90.58 RCW—Whitman County lakes of state-wide significance.
- 173-20-800 Lakes coming under purview of chapter 90.58 RCW—Yakima County lakes.
- 173-20-810 Lakes coming under purview of chapter 90.58 RCW—Yakima County lakes of state-wide significance.
- 173-20-820 Private lands within the confines of federal lands.

WAC 173-20-010 Purpose. The department of ecology, pursuant to RCW 90.58.300 is designated the state agency responsible for the program of regulation of the shorelines of the state. This chapter delimits the lakes which are classified as shorelines of the state.

[Order DE 72-14, § 173-20-010, filed 6/30/72.]

WAC 173-20-020 Applicability. The provisions of this chapter shall apply state-wide.

[Order DE 72-14, § 173-20-020, filed 6/30/72.]

WAC 173-20-030 Definitions. As used herein, the following words and phrases shall have the following meanings:

- (1) "Lakes" means all the surface water areas of the state, including reservoirs; except
 - (a) Lakes less than twenty acres in size;
 - (b) Streams or rivers (as described in WAC 173-18-030);
 - (c) Shorelines of state-wide significance.
- (2) "Lakes of state-wide significance" means those lakes, whether natural, artificial or a combination thereof, with a surface acreage of one thousand acres or more measured at the ordinary high-water mark.

[Order DE 72-14, § 173-20-030, filed 6/30/72.]

WAC 173-20-040 Lakes coming under purview of chapter 90.58 RCW. Volumes I and II of the book *Lakes of Washington* by Ernest E. Wolcott and updated information from the United States Geological Survey were used as reference material for this listing.

This listing includes only those lakes coming under purview of chapter 90.58 RCW.

Use designations are taken directly from Lakes of Washington as follows:

R - Recreation-wildlife, general public use, beautification, fishing, etc.

D - Domestic-private use, farm pond, fire protection, stock, garden, etc.

PS - Public supply, municipal use, civic, industrial use, etc.

P - Power hydroelectric.

I - Irrigation.

Acreage given includes only water surface acres and not contiguous wetlands.

[Order DE 73-13, § 173-20-040, filed 8/27/73; Order DE 72-14, § 173-20-040, filed 6/30/72.]

WAC 173-20-044 Review of designations. The department shall review all the designations made herein at least once in every five year period following the effective date of chapter 90.58 RCW or as frequently before then as is deemed advisable by the department, and prepare the necessary revisions to ensure that the designations conform to the policies of chapter 90.58 RCW and of chapter 173-20 WAC in the manner and form prescribed for adoption and amending rules and regulations in chapter 34.04 RCW (the Administrative Procedure Act).

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-053 (Order DE 80-21), § 173-20-044, filed 6/30/80.]

WAC 173-20-046 Conflicts between designations and criteria. In the event that any of the designations set forth in this chapter conflict with the criteria set forth in RCW 90.58.030(2) or in WAC 173-20-030 the criteria shall control. The designation of the lake shall be governed by the criteria.

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-053 (Order DE 80-21), § 173-20-046, filed 6/30/80.]

WAC 173-20-050 Lakes coming under purview of chapter 90.58 RCW—Adams County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T15N-R29E	4-SW1/4	Rodeo Lk.	60.0	R
(2) T15N-R29E	32-B	Linda Lk.	99.2	R
(3) T16N-R28E	3-A/B	Black Lks.-Upper	24.8	R
(4) T16N-R29E	16-N	Thread Lk.	29.4	R
(5) T16N-R29E	29-N	Unnamed Lk.	21.7	R
(6) T16N-R29E	31-G	Owl Lk.	20.6	R
(7) T17N-R38E	9-NE1/4	Twelve Mile Lk.	44.8	R
(8) T17N-R38E	9/16	Twelve Mile Slough	211.2	R
(9) T19N-R36E	36	Finnel Lk.	30.9	R
(10) T19N-R37E	15-SW1/4	Hallin Lk.	33.3	R
(11) T19N-R37E	21-N1/2	Cow Lk.	226.0	R
(12) T19N-R38E	3-W1/2	Green Lk.	79.7	R
(13) T19N-R38E	10-M/Na	Unnamed Lk.	26.1	R
(14) T20N-R37E	1-W1/2	Fourth of July Lk.	74.4 Adams Co. 35.9 Lincoln Co.	R
			110.3 Total	R

Shoreline Management Act—Lakes

173-20-050

Location	Section	Name	Area (Acres)	Use
(15) T20N-R38E	12	Pines Lk.(Alkali Lk)	120.8	R
(16) T20N-R38E	29	Palm Lk.	88.3	R

[Order DE 76-16, § 173-20-050, filed 5/3/76; Order DE 72-14, § 173-20-050, filed 6/30/72.]

WAC 173-20-060 Lakes coming under purview of chapter 90.58 RCW—Adams County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T20N-R37E	12	Sprague Lk.	1202.9 Adams Co. 637.7 Lincoln Co.	R
			1840.6 Total	R

[Order DE 72-14, § 173-20-060, filed 6/30/72.]

WAC 173-20-070 Lakes coming under purview of chapter 90.58 RCW—Asotin County lakes. None.

[Order DE 72-14, § 173-20-070, filed 6/30/72.]

WAC 173-20-080 Lakes coming under purview of chapter 90.58 RCW—Asotin County lakes of state-wide significance. None.

[Order DE 72-14, § 173-20-080, filed 6/30/72.]

WAC 173-20-090 Lakes coming under purview of chapter 90.58 RCW—Benton County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T6N-R31E	5-SW1/4	Mound Pond	34.8	R
(2) T6N-R31E	7-NE1/4	Yellepit Pond	36.3	R

[Order DE 72-14, § 173-20-090, filed 6/30/72.]

WAC 173-20-100 Lakes coming under purview of chapter 90.58 RCW—Chelan County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T21N-R20E	21-B/C	Black Lk. (Spring Hill Reservoir)	28.1	R,I
(2) T21N-R20E	29-D	Upper Wheeler Res.	36.2	R,I
(3) T22N-R21E	29-K/Q	Three Lakes Res. (Cortez Lake)	32.9	R,I
(4) T22N-R21E	33-D	Meadow Lk.	35.7	R,I
(5) T23N-R16E	10-W1/2	Colchuck Lk.	87.8	R
(6) T24N-R14E	3-SE1/4	Klonaqua Lks.-Lower	66.0	R,I
(7) T24N-R14E	3-N/P	Klonaqua Lks.-Upper	67.0	R,I
(8) T24N-R16E	33-N	Eight Mile Lk. (Res.)	71.6	R
(9) T26N-R16E	19-A/H	Loch Eileen Lk.	24.8	R
(10) T26N-R16E	29-L	Chiwaukum Lk.	66.6	R
(11) T27N-R17E	22-D	Fish Lk.	513.3	R
(12) T28N-R21E	22-G	Grass Lk.(Dry Lk.)	76.8	R
(13) T28N-R21E	23-K	Wapato Lk.	185.6	R,I
(14) T28N-R21E	26-B	Alkali Lk.(Roses Lk)	179.2	R
(15) T29N-R21E	36-P	Antilon Lk. (Res.)	96.0	R,I
(16) T24N-R16E	9	Victoria Lk.	26.6	R

[Order DE 76-16, § 173-20-100, filed 5/3/76; Order DE 72-14, § 173-20-100, filed 6/30/72.]

WAC 173-20-110 Lakes coming under purview of chapter 90.58 RCW—Chelan County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T16N-R23E	16/17	Wanapum Dam Res.	440.0 Chelan Co. 1184.0 Douglas Co. 6748.0 Grant Co. 6308.0 Kittitas Co.	
			14680.0 Total	
(2) T21N-R22E	5-H/J	Rock Island Pool	1735.0 Chelan Co. 1735.0 Douglas Co.	
			3470.0 Total	R,P
(3) T24N-R20E	35	Entiat Lk.	4930.0 Chelan Co. 4930.0 Douglas Co.	
			9860.0 Total	R,P
(4) T27N-R17E	28-L	Wenatchee Lk.	2445.0	R
(5) T27N-R22E	13-J	Chelan Lk.	33104.0	R,I,P
(6) T28N-R24E	6/7	Wells Res.	97.0 Chelan Co. 4850.0 Douglas Co. 4753.0 Okanogan Co.	
			9700.0 Total	P,R

[Order DE 72-14, § 173-20-110, filed 6/30/72.]

WAC 173-20-120 Lakes coming under purview of chapter 90.58 RCW—Clallam County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T29N-R14W	20 A/B	Wentworth Lk.	53.8	R
(2) T30N-R7W	15-G	Aldwell Lk.	320.8	P,R
(3) T30N-R8W	22-Q	Sutherland Lk.	360.8	R
(4) T30N-R12W	9-J/K	Beaver Lk.	36.3	R
(5) T30N-R13W	35-E	Pleasant Lk.	486.0	R
(6) T30N-R14W	16-L	Dickey Lk.	527.0	R
(7) T31N-R15W	12-W1/2	Elk Lk.	59.0	R
(8) T31N-R15W	18-E/M	Seafield Lk.	22.0	R

[Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-20-120, filed 4/15/85; Order DE 76-16, § 173-20-120, filed 5/3/76; Order DE 72-14, § 173-20-120, filed 6/30/72.]

WAC 173-20-130 Lakes coming under purview of chapter 90.58 RCW—Clallam County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
T31N-R15W	31-A	Ozette Lk.	7787.0	R

[Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-20-130, filed 4/15/85; Order DE 76-16, § 173-20-130, filed 5/3/76; Order DE 72-14, § 173-20-130, filed 6/30/72.]

WAC 173-20-140 Lakes coming under purview of chapter 90.58 RCW—Clark County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T1N-R3E	2-F/L	Lacamas Lk. (Res.)	315.0	PS,R
(2) T1N-R3E	2-F/L	Round Lk.	32.4	PS,R
(3) T2N-R1E	9-G/H	Unnamed	23.0	R
(4) T4N-R1E	6	Mud Lk.	92.0	R
(5) T4N-R3E	30-E	Battleground Lk.	28.0	R

[Order DE 76-16, § 173-20-140, filed 5/3/76; Order DE 73-13, § 173-20-140, filed 8/27/73; Order DE 72-14, § 173-20-140, filed 6/30/72.]

WAC 173-20-150 Lakes coming under purview of chapter 90.58 RCW—Clark County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T6N-R2E	33-J	Merwin Lk. (Res.)	2400.3 Clark Co. 1689.3 Cowlitz Co.	
			4089.6 Total	P,R

(2) T6N-R4E	32-NE1/4	Yale Res.	2022.4 Clark Co. 1779.2 Cowlitz Co.	
			3801.6 Total	P,R

[Order DE 73-13, § 173-20-150, filed 8/27/73; Order DE 72-14, § 173-20-150, filed 6/30/72.]

WAC 173-20-160 Lakes coming under purview of chapter 90.58 RCW—Columbia County lakes. None.

[Order DE 72-14, § 173-20-160, filed 6/30/72.]

WAC 173-20-170 Lakes coming under purview of chapter 90.58 RCW—Columbia County lakes of state-wide significance. None.

[Order DE 72-14, § 173-20-170, filed 6/30/72.]

WAC 173-20-180 Lakes coming under purview of chapter 90.58 RCW—Cowlitz County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T5N-R1E	19-M	Horseshoe Lk.	78.9	R
(2) T7N-R4E	16	Merrill Lk.	344.0	R
(3) T8N-R2W	33-SW1/4	Sacajawea Lk.	47.7	R
(4) T10N-R4E	25-E/F	Fawn Lk.	23.6	R

[Order DE 72-14, § 173-20-180, filed 6/30/72.]

WAC 173-20-190 Lakes coming under purview of chapter 90.58 RCW—Cowlitz County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T6N-R2E	33-J	Merwin Lk. (Res.)	1689.3 Cowlitz Co. 2400.3 Clark Co.	
			4089.6 Total	P,R
(2) T6N-R4E	32-NE1/4	Yale Res.	1779.2 Cowlitz Co. 2022.4 Clark Co.	
			3801.6 Total	P,R
(3) T10N-R1W	36-R	Silver Lk.	2996.0	R

[Order DE 72-14, § 173-20-190, filed 6/30/72.]

WAC 173-20-200 Lakes coming under purview of chapter 90.58 RCW—Douglas County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T25N-R25E	12-J/K	Jameson Lk.	331.7	R
(2) T25N-R25E	12-K/Q	Jameson Pothole	20.6	R
(3) T25N-R27E	31-N/N	Intermittent	22.8	R
(4) T26N-R26E	20	Grimes Lk.	124.0	R
(5) T26N-R27E	33-B/C	Haynes Lk.	50.4	R
(6) T26N-R27E	34-D	Stallard Lk.	64.0	R
(7) T28N-R24E	35-NE1/4	Cornell Lk.	37.2	R
(8) T29N-R27E	17-J/R	Unnamed Lk.	24.2	R
(9) T29N-R27E	20-A/B	Boot Lk.	36.6	R
(10) T29N-R28E	22-E/F	Elbow Lk.	25.4	R
(11) T29N-R29E	2-G/H	Unnamed Lk.	21.8	R
(12) T29N-R29E	22-H/J	Unnamed Lk.	42.2	R
(13) T29N-R29E	22-N	Wilson Lk.	34.5	R
(14) T29N-R30E	7-SW1/4	Smith Lk.	34.1	R
(15) T30N-R29E	36-A/B	Unnamed Lk.	24.0	R
(16) T30N-R30E	7-J/K	Black Lk.	36.2	R

[Order DE 77-17, § 173-20-200, filed 9/1/77; Order DE 76-16, § 173-20-200, filed 5/3/76; Order DE 72-14, § 173-20-200, filed 6/30/72.]

WAC 173-20-210 Lakes coming under purview of chapter 90.58 RCW—Douglas County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T16N-R23E	16/17	Wanapum Dam Res.	1184.0 Douglas Co. 440.0 Chelan Co. 6748.0 Grant Co. 6308.0 Kittitas Co.	
			14680.0 Total	
(2) T21N-R22E	5-H/J	Rock Island Pool	1735.0 Douglas Co. 1735.0 Chelan Co.	
			3470.0 Total	R,P
(3) T24N-R20E	35	Entiat Lk.	4930.0 Douglas Co. 4930.0 Chelan Co.	
			9860.0 Total	R,P
(4) T28N-R24E	6 & 7	Wells Reservoir	4850.0 Douglas Co. 4753.0 Okanogan Co. 97.0 Chelan Co.	
			9700.0 Total	P,R
(5) T29N-R25E	24-S1/2	Rufus Wood Lk.	3900.0 Douglas Co.	P,R
(6) T28N-R29E	22&29	Banks Lk.	24,600.0 Grant Co. 300.0 Douglas Co.	
			24,900.0 Total	

[Order DE 76-16, § 173-20-210, filed 5/3/76; Order DE 73-13, § 173-20-210, filed 8/27/73; Order DE 72-14, § 173-20-210, filed 6/30/72.]

WAC 173-20-220 Lakes coming under purview of chapter 90.58 RCW—Ferry County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T37N-R32E	27-SW1/4	Mud Lk.	23.0	R
(2) T37N-R33E	32-N1/2	San Poil Lk.	27.7	R,PS
(3) T38N-R33E	28-D	Curlew Lk.	869.6	R,I

[Order DE 72-14, § 173-20-220, filed 6/30/72.]

WAC 173-20-230 Lakes coming under purview of chapter 90.58 RCW—Ferry County lakes of state-wide significance. None.

[Order DE 72-14, § 173-20-230, filed 6/30/72.]

WAC 173-20-240 Lakes coming under purview of chapter 90.58 RCW—Franklin County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T12N-R30E	17-J/R	Clark Pond	49.3	R
(2) T12N-R30E	20-SE1/4	Unnamed Lk.	26.2	R
(3) T13N-R29E	5-W1/2	Unnamed Lk.	29.7	R
(4) T13N-R29E	15-N1/2	Unnamed Lks.	50.0	R
(5) T13N-R30E	24-L/M	Bailie Pond	22.7	R
(6) T13N-R30E	34	Mesa Lk.	50.0	R
(7) T13N-R30E	5-E1/2	Unnamed Lk.	63.0	R
(8) T13N-R33E	5-N	Sulphur Lk.	22.0	R
(9) T13N-R34E	4-SE1/4	Kahlotus Lk.	321.0	R
(10) T14N-R28E	24-NW1/4	Unnamed Lk.	20.0	R
(11) T14N-R28E	26-NW1/4	Unnamed Lk.	25.0	R
(12) T14N-R29E	11-N1/2	Unnamed Lk.	71.9	R
(13) T14N-R29E	11-Q/R	Unnamed Lk.	29.5	R
(14) T14N-R29E	12	Scootney Lk.	217.0	R
(15) T14N-R29E	14-E1/2	Unnamed Lk.	50.0	R
(16) T14N-R29E	23-B	Unnamed Lk.	24.0	R
(17) T14N-R29E	25-D	Unnamed Lk.	49.6	R
(18) T14N-R29E	26	Unnamed Lk.	130.0	R
(19) T14N-R29E	36-S1/2	Unnamed Lk.	20.0	R
(20) T14N-R30E	14-B	Unnamed Lk.	25.8	R
(21) T14N-R30E	27-J	Scootney Reservoir	685.0	R,I
(22) T14N-R30E	27-R	Unnamed Lk.	23.0	R
(23) T14N-R30E	33-SW1/4	Unnamed Lks.	30.0	R
(24) T14N-R34E	36-N	Washtucna Lk.	43.4	R

[Order DE 73-13, § 173-20-240, filed 8/27/73; Order DE 72-14, § 173-20-240, filed 6/30/72.]

WAC 173-20-250 Lakes coming under purview of chapter 90.58 RCW—Franklin County lakes of state-wide significance. None.

[Order DE 72-14, § 173-20-250, filed 6/30/72.]

WAC 173-20-260 Lakes coming under purview of chapter 90.58 RCW—Garfield County lakes. None.

[Order DE 73-13, § 173-20-260, filed 8/27/73; Order DE 72-14, § 173-20-260, filed 6/30/72.]

WAC 173-20-270 Lakes coming under purview of chapter 90.58 RCW—Garfield County lakes of state-wide significance. None.

[Order DE 72-14, § 173-20-270, filed 6/30/72.]

WAC 173-20-280 Lakes coming under purview of chapter 90.58 RCW—Grant County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T17N-R26E	8	Frenchman Hills Lk.	800.0	R
(2) T17N-R26E	5-SW1/4	Sand Lk.	28.4	R
(3) T18N-R26E	25	Winchester Wasteway Extension	400.0	R
(4) T17N-R28E	27-NE1/4	Goose Lk.	112.0	R
(5) T17N-R28E	34-J	Lower Goose Lk.	50.0	R
(6) T17N-R29E	10-B	Warden Lk.	186.0	R
(7) T17N-R29E	15-SW1/4	South Warden Lk.	24.0	R
(8) T17N-R29E	17-P/Q	Susan Lk.	20.0	R
(9) T17N-R29E	18-P	Soda Lk.	155.0	R,I
(10) T17N-R29E	22-SW1/4	Virgin Lk.	20.0	R
(11) T17N-R29E	27-D/E	North Windmill Lk.	22.3	R
(12) T17N-R29E	28-L/P	Heart Lk.	25.8	R
(13) T17N-R29E	28-Q	Windmill Lk.	33.8	R
(14) T17N-R29E	32-B	Long Lk.	74.8	R,I
(15) T17N-R29E	33-N1/2	Canal Lk.	76.1	R
(16) T18N-R26E	15-SE1/4	Beda Lk.	34.0	R
(17) T18N-R25E	30-E1/2	Unnamed Lk.	60.0	R
(18) T19N-R23E	9	Ancient Lk.	250.0	R
(19) T19N-R23E	10-R	Stan Coffin Lk.	40.9	R
(20) T19N-R23E	13	Flat Lk.	98.2	R
(21) T19N-R23E	15-NE1/4	Quincy Lk.	42.6	R
(22) T19N-R23E	15-L	Burke Lk.	73.3	R
(23) T19N-R23E	16	Dusty Lk.	30.0	R
(24) T19N-R23E	22-C	Evergreen Res.	235.0	R,I
(25) T19N-R25E	25-SE1/4	Winchester Wasteway Reservoir	660.0	R,I
(26) T20N-R23E	30-SW1/4	Crater Lk.	25.0	R
(27) T20N-R23E	9-A/H	Babcock Ridge Lk.	20.0	R,I
(28) T20N-R28E	10-L	Unnamed Lk.	79.4	R
(29) T18N-R23E	10-E	Unnamed Lk.	79.4	R
(30) T21N-R27E	21-NE1/4	Hilltop Lk.	30.8	R
(31) T21N-R27E	6	Ephrata Lk.	25.0	R
(32) T21N-R27E	12	South Willow Lk.	39.4	R
(33) T21N-R27E	12-N1/2	Willow Lk.	23.3	R
(34) T21N-R27E	16-W1/2	Unnamed Lk.	27.0	R
(35) T21N-R28E	32-SE1/4	Unnamed Lk.	80.9	R
(36) T21N-R29E	7-SE1/4	Broken Rock Lakes		
		(1) Northernmost	20.0	R
		(2) Southernmost	40.0	R
(36) T21N-R30E	20-F	Black Rock Lk.	66.7	R
(37) T22N-R27E	19	Soap Lk.	840.0	R
(38) T22N-R28E	2-N	Brook Lk.	427.6	R
(39) T22N-R28E	8-J	Round Lk.	110.6	R
(40) T22N-R29E	23-Q/R	Unnamed Lk.	28.7	R
(41) T23N-R26E	1-NE1/4	Alkali Lk.(Part of Lenore)	308.1	R
(42) T23N-R26E	35	Little Soap Lk.	99.2	R
(43) T24N-R27E	15-SW1/4	Park Lk.	341.5	R
(44) T24N-R27E	29-N	Blue Lk.	536.1	R
(45) T24N-R28E	6	Dry Falls Lk.	98.9	R
(46) T24N-R28E	8-M	Deep Lk.	104.3	R
(47) T25N-R28E	35-E1/2	Table Lk.	20.0	R
(48) T25N-R28E	33-SW1/4	Lena Lk. (Coulee)	24.8	R
(49) T27N-R29E	26-SE1/4	Higginbotham Res.	62.0	R,D
(50) T28N-R30E	25-G/H	Long Lk.	24.8	R
(51) T16N-R24E	29-SE1/4	Lenice Lk.	80.9	R
(52) T16N-R24E	29-SW1/4	Merry Lk.	21.8	R

(53) T16N-R24E	30-S1/2	Nunnally Lk.	37.1	R
(54) T17N-R28E	16-E1/2	Corral Lk.	80.0	R

[Order DE 73-13, § 173-20-280, filed 8/27/73; Order DE 72-14, § 173-20-280, filed 6/30/72.]

WAC 173-20-290 Lakes coming under purview of chapter 90.58 RCW—Grant County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T13N-R23E	2/3	Priest Rapids Dam Reservoir	4540.0 Grant Co. 2080.0 Kittitas Co. 1080.0 Yakima Co.	
			7700.0 Total	P,R
(2) T16N-R23E	16/17	Wanapum Dam Res.	6748.0 Grant Co. 6308.0 Kittitas Co. 1184.0 Douglas Co. 440.0 Chelan Co.	
			14680.0 Total	-
(3) T17N-R28E	11	Potholes Res.	28200.0	R,I
(4) T18N-R28E	5-F	Moses Lk.	6815.2	R,I
(5) T23N-R26E	35-B/G	Lenore Lk.	1670.0	R
(6) T23N-R28E	36-NW1/4	Long Lk. Res.	1010.0	R,I
(7) T25N-R28E	32/33	Banks Lk.	24600.0	R
			300.0 Douglas Co.	
			24900.0 Total	

[Order DE 73-13, § 173-20-290, filed 8/27/73; Order DE 72-14, § 173-20-290, filed 6/30/72.]

WAC 173-20-300 Lakes coming under purview of chapter 90.58 RCW—Grays Harbor County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T17N-R5W	17-S1/2	Unnamed	23.0	R
(2) T17N-R9W	1-SE1/4	Aberdeen Lk.(Res.)	64.0	PS,R
(3) T17N-R10W	13	Unnamed	76.0	PS
(4) T17N-R12W	14	Duck Lk.	197.0	R
(5) T18N-R7W	31-R	Sylvia Lk. (Res.)	31.0	R
(6) T19N-R10W	30-H	Failor Lk. (Res.)	60.0	R
(7) T21N-R10W	22-J/R	Unnamed	20.0	R

[Order DE 72-14, § 173-20-300, filed 6/30/72.]

WAC 173-20-310 Lakes coming under purview of chapter 90.58 RCW—Grays Harbor County lakes of state-wide significance. None.

[Order DE 72-14, § 173-20-310, filed 6/30/72.]

WAC 173-20-320 Lakes coming under purview of chapter 90.58 RCW—Island County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T29N-R2E	24-N1/2	Unnamed Lk.	26.8	R
(2) T29N-R3E	6-D	Goss Lk.	55.1	R
(3) T29N-R3E	7-A	Lone Lk.	92.1	R
(4) T29N-R3E	26	Deer Lk.	82.1	R
(5) T31N-R1E	6-S1/2	Unnamed Lk.	25.0	R
(6) T31N-R1E	22	Crockett Lake	500.0	R
(7) T32N-R3E	30-N	Kristoferson Lk.	25.0	D,R
(8) T33N-R2E	18-N1/2	Unnamed Lk.	50.0	R
(9) T34N-R1E	35-NW1/4	Cranberry Lk.	128.1	R

[Order DE 76-16, § 173-20-320, filed 5/3/76; Order 73-13, § 173-20-320, filed 9/12/73 and Order DE 73-13, filed 8/27/73; Order DE 72-14, § 173-20-320, filed 6/30/72.]

WAC 173-20-330 Lakes coming under purview of chapter 90.58 RCW—Island County lakes of state-wide significance. None.

[Order DE 72-14, § 173-20-330, filed 6/30/72.]

WAC 173-20-340 Lakes coming under purview of chapter 90.58 RCW—Jefferson County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T27N-R1W	1-A/H	Wahl Lk.	22.0	R
(2) T28N-R1W	6-K/L	Peterson Lk.	22.7	R
(3) T28N-R1W	18-N1/2	Tarboo Lk.	21.6	R
(4) T28N-R1W	26-K	Sandy Shore Lk.	36.2	R
(5) T28N-R2W	12-NW1/4	Crocker Lk.	65.3	R
(6) T28N-R2W	26-J	Leland Lk.	99.3	R
(7) T28N-R2W	33-A/B	Lords Lk. (Res.)	56.0	PS,R
(8) T29N-R1W	9-E1/2	Anderson Lk.	58.7	R
(9) T29N-R1W	28-L/P	Gibbs Lk.	36.8	R
(10) T30N-R1W	11-D/E	Kah Tai Lagoon	62.0	R
(11) T30N-R1W	16-H/J	Unnamed Lk.	21.6	R

[Order DE 72-14, § 173-20-340, filed 6/30/72.]

WAC 173-20-350 Lakes coming under purview of chapter 90.58 RCW—Jefferson County lakes of state-wide significance. None.

[Order DE 72-14, § 173-20-350, filed 6/30/72.]

WAC 173-20-360 Lakes coming under purview of chapter 90.58 RCW—King County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T20N-R6E	2-A	Bass Lk.	24.0	R
(2) T20N-R7E	28-N/P	White River Mill Pond	23.0	PS
(3) T21N-R4E	9-N1/2	Steel Lk.	46.4	R
(4) T21N-R4E	10-NW1/4	Dolloff Lk.	21.1	R
(5) T21N-R4E	15-SW1/4	North Lk.	55.2	R
(6) T21N-R4E	22-K/L	Geneva Lk.	28.8	R
(7) T21N-R4E	27-A	Killarney Lk.	31.3	R
(8) T21N-R4E	27-N/P	Fivemile Lk.	38.4	R
(9) T21N-R5E	23-E1/2	Moneysmith Lk.	22.4	R
(10) T21N-R6E	4-J	Sawyer Lk.	279.0	R
(11) T21N-R6E	7-E1/4	Morton Lk.	66.4	R
(12) T21N-R6E	12-A/H	Twelve Lk.	43.2	R
(13) T21N-R6E	14-Q	Jones Lk.	22.5	R
(14) T21N-R7E	29-K/Q	Deep Lk.	39.0	R
(15) T21N-R8E	13-P/Q	Eagle Lk.	53.2	R
(16) T21N-R8E	27	Howard Hanson Res.	—	PS,R
(17) T21N-R10E	7-W1/2	Findley Lks. (1)	22.3	R
(18) T22N-R4E	3-NW1/4	Angle Lk.	102.3	R
(19) T22N-R4E	34-NW1/4	Star Lk.	34.4	R
(20) T22N-R5E	1-A/B	Shady Lk.	21.1	R
(21) T22N-R5E	5-H/J	Panther Lk.	33.0	R
(22) T22N-R5E	11-R	Youngs Lk. (Res.)	700.0	PS
(23) T22N-R5E	27	Meridian Lk.	149.6	R
(24) T22N-R6E	7-SE1/4	Shadow Lk.	49.6	R
(25) T22N-R6E	22-M/N	Wilderness Lk.	66.6	R
(26) T22N-R6E	28-E	Pipe Lk.	52.1	R
(27) T22N-R6E	29	Lucerne Lk.	—	R
(28) T22N-R7E	9-W1/2	Walsh Lk.	105.0	PS
(29) T22N-R7E	32	Retreat Lk.	52.7	R
(30) T22N-R8E	11-C	Masonry Pool (Res.)	280.0	PS,P
(31) T22N-R10E	5-A/B	Mason Lk.	32.6	R
(32) T23N-R4E	19-M	Burien Lk.	43.7	R
(33) T23N-R5E	36-NE1/4	Desire Lk.	71.6	R
(34) T23N-R6E	18-K/Q	Kathleen Lk.	38.5	R
(35) T23N-R6E	31-E1/2	Spring Lk.	67.9	R
(36) T23N-R8E	34-SW1/4	Rattlesnake Lk.	112.0	R
(37) T23N-R10E	2-P/Q	Derrick Lk.	36.9	R
(38) T23N-R10E	10-SE1/4	Caroline Lk.	59.6	R
(39) T23N-R10E	11-S1/2	Wildcat Lk.-Upper	53.7	R
(40) T23N-R10E	19-P	Thompson Lk.	42.7	R
(41) T23N-R10E	23-N1/2	Kaletan Lk.	42.8	R
(42) T23N-R10E	32-H/J	Kulla Kulla Lk.	60.1	R
(43) T23N-R10E	35-C/D	Tusohatchie Lk.	—	R
		Lower	31.8	R
(44) T23N-R11E	19	Snow Lk.	159.5	R
(45) T23N-R12E	11-N1/2	Iceberg Lk.	21.1	R
(46) T24N-R5E	2-SE1/4	Phantom Lk.	63.2	R
(47) T24N-R6E	9-N1/2	Pine Lk.	88.3	R

[Title 173 WAC—page 114]

(48) T24N-R6E	11-B	Beaver Lk. No. 2	61.9	R
(49) T24N-R7E	10-E1/2	Intermittent Lk.	49.0	R
(50) T24N-R7E	27-J/R	Alice Lk.	32.6	R
(51) T24N-R8E	2-D/E	Boyle Lk.	24.0	R
(52) T24N-R8E	11-M	Klaus Lk.	62.0	R
(53) T24N-R8E	29-SW1/4	Snoqualmie Mill Pond	66.0	PS,R
(54) T24N-R9E	8-R	Hancock Lk.	236.2	R
(55) T24N-R9E	22-SW1/4	S.M.C. Lk.	40.7	R
(56) T24N-R9E	22-B/G	Moolock Lk.	45.4	R
(57) T24N-R10E	2-E	Marten Lk.	40.4	R
(58) T25N-R4E	5-M/N	Green Lk.	255.3	R
(59) T25N-R4E	17-K	Portage Bay	148.0	R
(60) T25N-R4E	19-C	Union Lk.	598.0	R
(61) T25N-R7E	13-B/G	Loop Lk.	35.7	R
(62) T25N-R7E	19-N1/2	Ames Lk.	79.9	R
(63) T25N-R7E	22-E1/2	Langlois Lk.	40.0	R
(64) T25N-R8E	13-P	Black Lk.	25.7	R
(65) T25N-R8E	35-M	Bridges Lk.	34.0	R
(66) T25N-R9E	24-E/M	Lock Katrine (Lk.)	51.2	R
(67) T25N-R9E	25-L/M	Lock Katrine (Lk.)	—	R
		Upper	24.4	R
(68) T25N-R9E	32-Q	Calligan Lk.	361.0	R
(69) T25N-R9E	35-N1/2	Phillippa Lk.	121.4	R
(70) T26N-R6E	7-P	Cottage Lk.	63.1	R
(71) T26N-R7E	3-M	Margaret Lk.(Res.)	43.8	R
(72) T26N-R7E	35-NE1/4	Joy Lk.	105.1	R
(73) T26N-R8E	25-F/G	Lynch Lk.	22.9	R
(74) T26N-R9E	32-E/M	Tolt Res.	850.0	PS

[Order DE 76-16, § 173-20-360, filed 5/3/76; Order DE 73-13, § 173-20-360, filed 8/27/73; Order DE 72-14, § 173-20-360, filed 6/30/72.]

WAC 173-20-370 Lakes coming under purview of chapter 90.58 RCW—King County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T19N-R7E	17-NE1/4	Mud Mtn. Res.	600.0 King Co. 600.0 Pierce Co.	—
			1200.0 Total	PS,R
(2) T22N-R8E	12-NE1/4	Chester Morse Lk. Res.	1682.0	PS,P
(3) T25N-R4E	16-Q	Washington Lk.	22138.0	R
(4) T25N-R5E	13-K	Sammamish Lk.	4897.3	R

[Order DE 72-14, § 173-20-370, filed 6/30/72.]

WAC 173-20-380 Lakes coming under purview of chapter 90.58 RCW—Kitsap County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T22N-R1W	2-E1/2	Wye Lk.	37.9	R
(2) T22N-R1W	2-E1/2	Carney Lake	18.7 Kitsap Co. 20.5 Pierce Co.	—
			39.2 Total	R
(3) T24N-R1E	8-N	Kitsap Lk.	238.4	R
(4) T24N-R1W	2-H	Wildcat Lk.	111.6	R
(5) T24N-R1W	26-M	Union River Res.	93.0	PS
(6) T24N-R1W	31-L	Panther Lk.	74.1 Kitsap Co. 30.0 Mason Co.	—
			104.1 Total	R
(7) T24N-R1W	32-C	Mission Lk.	87.7	R
(8) T24N-R1W	35-Q/R	Twin Lks. (Res.)	21.7	PS
(9) T24N-R1W	35-Q/R	Tiger Lk.	—	—
(10) T22N-R1E	10-K/L	Horseshoe Lk.	40.3	R
(11) T23N-R2E	8-E	Long Lk.	314.0	R
(12) T25N-R1E	3-S1/2	Island Lk.	42.7	R
(13) T27N-R2E	21-M	Miller Lk.	25.7	R
(14) T24N-R1W	5	William Symington	—	—
(15) T24N-R1W	17	Tahuya Lk.	—	R
(16) T24N-R2W	23&26	Three Fingers Pond & Holland Ponds	30.8	R
(17) T28N-R2E	21	Buck Lk.	22.0	R
(18) T24N-R2W	—	Morgan Marsh	95.0	R

[Statutory Authority: RCW 90.58.120 and 90.58.200. 81-13-013 (Order DE 81-17), § 173-20-380, filed 6/11/81; Order DE 76-16, § 173-20-380,

filed 5/3/76; Order DE 73-13, § 173-20-380, filed 8/27/73; Order DE 72-14, § 173-20-380, filed 6/30/72.]

WAC 173-20-390 Lakes coming under purview of chapter 90.58 RCW—Kitsap County lakes of state-wide significance. None.

[Order DE 72-14, § 173-20-390, filed 6/30/72.]

WAC 173-20-400 Lakes coming under purview of chapter 90.58 RCW—Kittitas County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T17N-R15E	3-A	Manastash Lk.	23.5	R
(2) T20N-R13E	11-F	Easton Lk.	237.6	R,I
(3) T21N-R11E	3-L	Lost Lk.	144.8	R
(4) T21N-R12E	15-NW1/4	Unnamed Lks.	60.0	R
(5) T22N-R13E	2	Cooper Lk.	119.7	R
(6) T23N-R14E	3-NE1/4	Tucuala Lk.	63.0	R

[Order DE 72-14, § 173-20-400, filed 6/30/72.]

WAC 173-20-410 Lakes coming under purview of chapter 90.58 RCW—Kittitas County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T15N-R23E	32	Priest Rapids Dam Res.	2080.0 Kittitas Co. 4540.0 Grant Co. 1080.0 Yakima Co.	P,R
(2) T16N-R23E	17	Wanapum Dam Res.	7700.0 Total 6308.0 Kittitas Co. 6748.0 Grant Co. 1184.0 Douglas Co. 440.0 Chelan Co.	P,R
(3) T20N-R14E	10-A	Cle Elum Lk. (Res.)	4810.0	R,I
(4) T21N-R11E	12-H	Keechelus Lk.	2560.0	R,I
(5) T21N-R13E	34-N/P	Kachess Lk.	4540.0	R,I

[Order DE 72-14, § 173-20-410, filed 6/30/72.]

WAC 173-20-420 Lakes coming under purview of chapter 90.58 RCW—Klickitat County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T2N-R13E	25-E/M	Spearfish Lk.	21.8	R
(2) T5N-R15E	13-E/M	Carp Lk.	21.6	R
(3) T6N-R10E	15-E	Trout Lake	110.0	R

[Order DE 73-13, § 173-20-420, filed 8/27/73; Order DE 72-14, § 173-20-420, filed 6/30/72.]

WAC 173-20-430 Lakes coming under purview of chapter 90.58 RCW—Klickitat County lakes of state-wide significance. None.

[Order DE 72-14, § 173-20-430, filed 6/30/72.]

WAC 173-20-440 Lakes coming under purview of chapter 90.58 RCW—Lewis County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T13N-R1E	30-K/Q	Carlisle Lk.	220.3	R
(2) T14N-R5E	9-B	Mineral Lk.	277.3	R

[Order DE 72-14, § 173-20-440, filed 6/30/72.]

WAC 173-20-450 Lakes coming under purview of chapter 90.58 RCW—Lewis County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T12N-R2E	29-C	Mayfield Res.	2200.0	P,R
(2) T12N-R3E	10-N	Mossyrock Res.	10200.0	P,R
(3) T15N-R4E	9-F	Alder Res.	124.0 Lewis Co. 1689.6 Pierce Co. 1117.6 Thurston Co.	
			2931.2 Total	P,R

[Order DE 76-16, § 173-20-450, filed 5/3/76; Order DE 72-14, § 173-20-450, filed 6/30/72.]

WAC 173-20-460 Lakes coming under purview of chapter 90.58 RCW—Lincoln County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T21N-R33E	3-Q/R	Reisenauer Res.	22.0	RIFS
(2) T21N-R33E	12-SE1/4	Sylvan Lk.	550.0	R
(3) T21N-R38E	36-F	Fourth of July Lk.	35.9 Lincoln Co. 74.9 Adams Co.	
			110.3 Total	R
(4) T21N-R39E	10-H/J	Unnamed Lk.	28.9	R
(5) T21N-R39E	12-N	Fishtrap Lk. (Res.)	172.8 Lincoln Co. 22.8 Spokane Co.	
			195.6 Total	R
(6) T21N-R39E	22-L	Intermittent Lk.	93.0	R
(7) T21N-R39E	25-Q	Downs Lk.	28.8 Lincoln Co.	
			394.6 Spokane Co.	

			423.4 Total	R
(8) T21N-R39E	26-P	Unnamed Lk.	99.0	R
(9) T21N-R39E	34-N1/2	Intermittent Lk.	60.0	R
(10) T22N-R31E	28-B	Peterson Lk.	20.5	R
(11) T22N-R32E	6-NE1/4	Sullivan Lk.	72.4	R
(12) T22N-R32E	6-SW1/4	Wooley Lk.	23.7	R
(13) T22N-R32E	12-SW1/4	Pacific Lk.	129.7	R
(14) T22N-R32E	26-SW1/4	Tule Lk. (Bobs)	126.7	R
(15) T22N-R33E	4-N1/2	Neves Lk.	25.1	R
(16) T22N-R39E	22-SE1/4	Ames Lk.	29.1	R
(17) T22N-R39E	32-N/P	Unnamed Lk.	24.8	R
(18) T23N-R32E	7-W1/2	Unnamed Lk.	42.2	R
(19) T23N-R32E	27-SW1/4	Goetz Lk.	36.2	R
(20) T23N-R33E	13-SE1/4	Coffee Pot Lk.	316.8	R
(21) T23N-R33E	23-E1/2	Deer Springs Lk.	60.3	R
(22) T23N-R33E	34-S1/2	Browns Lk.	42.2	R
(23) T23N-R33E	34-S1/2	Tavares Lk.		
(24) T23N-R34E	3-D	Twin Lks. - Lower	44.9	R
(25) T23N-R34E	25-NE1/4	Unnamed Lk.	25.3	R
(26) T23N-R35E	19-Na	Cormana Lk.	48.3	R
(27) T24N-R32E	12-NW1/4	Drapers Lk.	34.2	R
(28) T24N-R33E	31-N1/2	Unnamed Lk.	48.3	R
(29) T24N-R34E	1-SW1/4	Florence Lk.	33.8	R
(30) T24N-R34E	15-W1/2	Wills Lk.	22.0	R,D
(31) T24N-R34E	16-NW1/4	Phillips Lk.	31.2	R
(32) T24N-R34E	16-S1/2	Unnamed Lk.	40.8	R
(33) T24N-R34E	22-NW1/4	Meadow Lk.	44.4	R,D
(34) T24N-R34E	35-NW1/4	Twin Lks. - Upper	39.2	R
(35) T24N-R35E	3-A/B	Whittaker Lk.	26.1	R
(36) T24N-R35E	4-SW1/4	Unnamed Lk.	20.0	R
(37) T24N-R35E	19	Wall Lk.	32.2	R
(38) T25N-R33E	8-L/M	"H" Lake	26.0	R
(39) T25N-R33E	17-SW1/4	Wagner Lk.	92.7	R
(40) T25N-R33E	34-L	Bergeau Lk.	31.0	R
(41) T25N-R34E	27-SW1/4	Unnamed Lk.	54.3	R
(42) T25N-R34E	32	Swanson Lk.	63.3	R
(43) T25N-R34E	33-NW1/4	Swanson Lk.	38.6	R
(44) T25N-R35E	10-S1/2	Unnamed Lk.	28.8	R
(45) T25N-R39E	9-SE1/4	Unnamed Lk.	42.2	
(46) T25N-R39E	10-S1/2	Unnamed Lk.	67.0	R
(47) T26N-R34E	27-SE1/4	Greenwood Lk.	20.0	D,R
(48) T26N-R38E	33-SE1/4	Unnamed Lk.	24.0	R
(49) T27N-R39E	20-B	Little Falls Res.	125.0 Lincoln Co. 125.0 Stevens Co.	

250.0 Total P,R

[Order DE 72-14, § 173-20-460, filed 6/30/72.]

WAC 173-20-470 Lakes coming under purview of chapter 90.58 RCW—Lincoln County lakes of state-wide significance.

Location	Section	Name	Area(Acres)	Use
(1) T20N-R37E	12	Sprague Lk.	637.7 Lincoln Co. 1202.9 Adams Co.	
			1840.6 Total	
(2) T27N-R39E	13-M	Long Lk. (Res.)	100.0 Lincoln Co. 2510.0 Spokane Co. 2410.0 Stevens Co.	
			5020.0 Total	P,R

[Order DE 72-14, § 173-20-470, filed 6/30/72.]

WAC 173-20-480 Lakes coming under purview of chapter 90.58 RCW—Mason County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T19-3W	4	Fawn Lk.		
(2) T19-R5W	1-E1/2	Lost Lk.	121.6	R
(3) T19-R5W	8-A/B	Lystair Lk.	30.4	R
(4) T19-R5W	17	Simpson Lk.	29.4	R
(5) T19-R5W	28-W1/2	Stump Lk.	23.2	R
(6) T20N-R2W	5	Phillips Lk.	111.4	R
(7) T20N-R2W	18	Timber Lk.		
(8) T20N-R2W	30-H/J	Forbes Lk.	38.4	R
(9) T20N-R3W	6-SW1/4	Island Lk.	109.0	R
(10) T20N-R3W	31-K	Isabella Lk.	208.0	R
(11) T20N-R4W	12-E1/2	Intermittent Lks.	75.0	R
(12) T20N-R5W	1-E	Hanks Lake	27.0	R
(13) T20N-R5W	8-N1/2	Nahwatzel Lk.	268.8	R
(14) T21N-R2W	3-P	Benson Lk.	81.8	R
(15) T21N-R2W	32-N	Spencer Lk.	220.4	R
(16) T21N-R3W	28-B	Cranberry Lk.	170.6	R
(17) T21N-R3W	27	Lk. Limerick		
(18) T21N-R3W	31-D/E	Intermittent Lk.	20.0	R
(19) T21N-R5W	21-W1/2	Bingham Lk.	24.0	R
(20) T22N-R1W	7-H	Devereaux Lk.	100.4	R
(21) T22N-R1W	19	Unnamed Lk.		
(22) T22N-R2W	23-R	Prickett Lk.	68.1	R
(23) T22N-R2W	34-F	Mason Lk.	996.0	R
(24) T22N-R3W	14-C/D	Maggie Lk.	22.3	R
(25) T22N-R4W	16-F	Cushman Res. No. 2	70.4	P,R
(26) T23N-R1W	5	Tiger Lk.	109.1	R
(27) T23N-R2W	19-S1/2	Wooten Lk.	69.8	R
(29) T23N-R2W	20-NE1/4	Bennettson Lk.	25.4	R
(30) T23N-R2W	30-H	Haven Lk.	70.5	R
(31) T23N-R3W	35-K/Q	Tee Lk.	38.4	R
(32) T23N-R4W	11-P	Lilliwaup Swamp	225.0	R
(33) T23N-R4W	12-G/H	Melbourne Lk.	34.1	R
(34) T23N-R4W	22-NE1/4	Price Lk.	61.8	R
(35) T24N-R1W	31	Panther Lk.	30.0 Mason Co. 74.1 Kitsap Co.	
			104.1 Total	R

[Order DE 72-14, § 173-20-480, filed 6/30/72.]

WAC 173-20-490 Lakes coming under purview of chapter 90.58 RCW—Mason County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T22N-R4W	5-L	Cushman Lk. (Res.)	4003.0	P,R

[Order DE 72-14, § 173-20-490, filed 6/30/72.]

WAC 173-20-500 Lakes coming under purview of chapter 90.58 RCW—Okanogan County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T29N-R23E	10/15	Alta Lk.	187.4	R
(2) T31N-R24E	22-B	Rat Lk.	62.7	R,PS
(3) T33N-R25E	16-G	Leader Lk. (Res.)	159.0	R
(4) T34N-R21E	8-E	Patterson Lk. (Res.)	142.9	R,I
(5) T34N-R21E	15-A/H	Twin Lks. (Little)	23.8	R
(6) T34N-R21E	15-G/K	Twin Lks. (Big)	77.4	R
(7) T34N-R21E	27-NW1/4	Moccasin Lk.	33.1	R
(8) T34N-R22E	20-D/E	Davis Lk.	39.3	R
(9) T34N-R25E	13-E1/2	Green Lk.	44.8	R
(10) T34N-R26E	7-C	Brown Lk.	61.4	R
(11) T34N-R26E	10-R	Duck Lk.	29.1	R,I
(12) T34N-R29E	5-D	Crawfish Lk.	80.4	R
(13) T35N-R21E	36	Pearrygin Lk. (Res.)	192.0	R,I
(14) T35N-R25E	4-K/Q	Roberts Lk.	29.8	R
(15) T35N-R25E	6-K	Salmon Lk.	313.0	R,I
(16) T35N-R25E	18-NW1/4	Conconully Res.	450.0	R,I
(17) T35N-R26E	3-P/Q	Booher Lk.	24.8	R
(18) T35N-R26E	5-S1/2	Medicine Lk.	37.9	R
(19) T35N-R26E	7-Q/R	Peninsula Lk.	23.4	R
(20) T35N-R26E	8-N	Horseshoe Lk.	28.7	R
(21) T35N-R26E	22-NE1/4	Alkali Lk.	46.1	R
(22) T35N-R26E	28-B	Evans Lk.	26.9	R
(23) T36N-R25E	22-D	Fish Lk.	102.3	R
(24) T36N-R27E	30-NW1/4	Unnamed Lk.	22.7	R
(25) T36N-R28E	21-A/B	Talkire Lk.	26.9	R
(26) T36N-R30E	19-E/F	Round Lk.	20.3	R
(27) T36N-R30E	19-G/K	"L" Lk.	21.4	R
(28) T37N-R25E	2-E	Forde Lk.	23.9	R
(29) T37N-R25E	13-H/J	Lemanasky Lk.	20.1	R
(30) T37N-R25E	21-H	Blue Lake (Res.)	186.0	R
(31) T37N-R26E	25-NW1/4	Aeneas Lk.	60.7	R
(32) T38N-R25E	35-E/F	Lower Sinlahekin Impoundment	57.7	R
(33) T38N-R26E	2-Q	Spectacle Lk.	314.8	R,I
(34) T38N-R27E	17-P	Whitestone Lk. (Res.)	169.6	R,I
(35) T38N-R28E	2-A/B	Fanchers Dam Res.	20.0	R,D
(36) T38N-R30E	17-NE1/4	Bonapart Lk.	158.7	R
(37) T38N-R30E	27-F/L	Walker Lk.	43.5	R
(38) T38N-R30E	29-C/F	Meadow Lk.	23.7	R
(39) T39N-R25E	4-R	Chopaka Lk.	148.8	R
(40) T39N-R26E	24-E	Wannacut Lk.	411.6	R
(41) T39N-R27E	6-W1/2	Blue Lk.	110.6	R
(42) T39N-R27E	22-SW1/4	Horseshoe Lk.	59.9	R
(43) T39N-R27E	27-G/K	Unnamed Lk.	26.1	R
(44) T39N-R29E	15-NW1/4	Muskrat Lk.	89.6	R
(45) T40N-R25E	17-J/R	Unnamed Lk.	23.4	R
(46) T40N-R27E	27-P	Zosels Mill Pond	100.0	R
(47) T40N-R29E	6-S1/2	Sidley Lk.	108.8	R
(48) T40N-R29E	8-D	Molson Lk.	20.3	R
(49) T40N-R29E	26-B/G	Fields Lk.	21.7	R
(50) T39N-R30E	28-E/M	Lost Lk.	46.8	R

[Order DE 76-16, § 173-20-500, filed 5/3/76; Order 72-14, § 173-20-500, filed 6/30/72.]

WAC 173-20-510 Lakes coming under purview of chapter 90.58 RCW—Okanogan County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T28N-R24E	6/7	Wells Dam Res.	4753.0 Okanogan Co. 4850.0 Douglas Co. 97.0 Chelan Co.	
			9700.0 Total	P,R
(3) T39N-R25E	13-H	Palmer Lk.	2063.0	R,I

(4) T40N-R27E	22-M	Osoyoos Lk.	2036.0 Okanogan Co. 3693.9 British Col.
			5729.0 Total R

[Order DE 76-16, § 173-20-510, filed 5/3/76; Order DE 72-14, § 173-20-510, filed 6/30/72.]

WAC 173-20-520 Lakes coming under purview of chapter 90.58 RCW—Pacific County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T10N-R11W	4-SW1/4	Breaker Lk.	20.3	R
(2) T10N-R11W	33-A	Black Lk.	30.0	PS
(3) T11N-R11W	9-K	Loomis Lk.	150.7	R
(4) T11N-R11W	21-E1/2	Island Lk.	55.8	R
(5) T12N-R11W	9-K/Q	Skating Lk.	66.0	R
(6) T12N-R11W	16-JR	Espy Lk.	20.0	R

[Order DE 72-14, § 173-20-520, filed 6/30/72.]

WAC 173-20-530 Lakes coming under purview of chapter 90.58 RCW—Pacific County lakes of state-wide significance. None.

[Order DE 72-14, § 173-20-530, filed 6/30/72.]

WAC 173-20-540 Lakes coming under purview of chapter 90.58 RCW—Pend Oreille County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T30N-R43E	5-K/L	Lost Lk.	22.1	R
(2) T30N-R43E	8-N	Horseshoe Lk.	128.0	R
(3) T30N-R43E	9-A	Trout Lk.	94.8	R
(4) T30N-R43E	32-L	Fan Lk.	72.9	R
(5) T30N-R44E	3-SE1/4	Diamond Lk.	754.5	R
(6) T30N-R44E	35-N1/2	Chain Lk.	77.6	R
(7) T30N-R46E	30-M/N	Trask Pond	50.3	R
(8) T31N-R43E	35-B	Sacheen Lk.	282.2	R
(9) T31N-R44E	10-SE1/4	Kent Meadows Lk.	134.3	R
(10) T31N-R45E	23-S1/2	Unnamed Lk.	37.9	R
(11) T32N-R43E	27-P	Power Lk.	54.8	R,P
(12) T32N-R44E	31-G	Davis Lk.	145.9	R
(13) T32N-R45E	23-Q	Marshall Lk.	188.7	R,D
(14) T32N-R46E	31	Shearer Lk.	48.7	R
(15) T33N-R43E	12-13/14	Unnamed Slough	64.8	R
(16) T34N-R44E	36-NE1/4	North Skookum Lk.	38.5	R
(17) T33N-R44E	2-A	Kings Lk.	53.2	R
(18) T34N-R43E	3-C/F	Parker Lk.	22.1	R
(19) T36N-R42E	3-L/M	Leo Lk.	39.3	R
(20) T36N-R43E	12-NW1/4	Scotchman Lk.	34.1	R
(21) T36N-R43E	23-NE1/4	Yocum Lk.	41.7	R
(22) T37N-R42E	35-N	Nile Lk.	22.8	R
(23) T37N-R42E	36-K/Q	Browns Lk.	20.2	R
(24) T37N-R43E	6-E1/2	Ione Mill Pond	37.2	R,PS
(25) T39N-R43E	25-A	Sullivan Res.	62.8	R,PS
(26) T40N-R43E	34-Q	Ledbetter Lk.	22.7	R
(27) T32N-R45E	4	Bead Lk.	719.8	R

[Order DE 76-16, § 173-20-540, filed 5/3/76; Order DE 72-14, § 173-20-540, filed 6/30/72.]

WAC 173-20-550 Lakes coming under purview of chapter 90.58 RCW—Pend Oreille County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T32N-R43E	12-F	Calispell Lk.	1031.0	R
(2) T39N-R44E	31	Sullivan Lk.	1400.0	R,P
(3) T40N-R43E	10-NE1/4	Boundary Res.	1600.0	R,P

[Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-20-550, filed 4/15/85; Order DE 76-16, § 173-20-550, filed 5/3/76; Order DE 72-14, § 173-20-550, filed 6/30/72.]

WAC 173-20-560 Lakes coming under purview of chapter 90.58 RCW—Pierce County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T20N-R1W	1-M	Bay Lk.	129.6	R
(2) T22N-R1W	14-A	Carney Lk.	20.5 Pierce Co. 18.7 Kitsap Co.	R

			39.2 Total	R
(3) T16N-R3E	1-J/K	Cranberry Lk.	25.6	R
(4) T16N-R3E	7-A/B	Harts Lk.	108.8	R
(5) T16N-R3E	9-P/Q	Tule Lk.	30.8	R
(6) T16N-R3E	12-E1/2	Silver Lk.	138.0	R
(7) T16N-R3E	14-SW1/4	Kreger Lk.	42.4	R
(8) T16N-R4E	6-A	Rapjohn Lk.	55.8	R
(9) T16N-R4E	10-J	Ohop Lk.	235.6	R
(10) T16N-R4E	33-Q	La Grande Res.	55.0	P
(11) T17N-R4E	14-A/H	Whitman Lk.	29.6	R
(12) T17N-R4E	23-E	Tanwax Lk.	172.8	R
(13) T17N-R4E	26-W1/2	Clear Lk.	155.1	R
(14) T17N-R4E	27-K/L	Twenty Seven Lk.	21.0	R
(15) T17N-R4E	33-C	Mud Lk.	20.6	R
(16) T17N-R5E	5-SW1/4	Kapowsin Lk.	512.0	R
(17) T18N-R2E	34-B/C	Muck Lk.	25.7	R
(18) T18N-R5E	30-M/N	Morgan Lk.	23.0	R
(19) T19N-R1E	4-N1/2	Florence Lk.	66.5	R
(20) T19N-R1E	9-NE1/4	Josephine Lk.	72.5	R
(21) T19N-R2E	4-E/M	Louise Lk.	39.1	R
(22) T19N-R2E	10-E1/2	Gravelly Lk.	147.8	R
(23) T19N-R3E	20-SE1/4	Spanaway Lk.	262.4	R
(24) T19N-R6E	4-E1/2	Wickersham Basin	60.0	P,R
(25) T20N-R2E	24-B/G	Unnamed Lk.	29.0	R
(26) T20N-R2E	33	Waughop Lk.		
(27) T20N-R2E	33-P/Q	Mud Lake	21.7	R
(28) T20N-R2E	34-G	Steilacoom Lk.	313.2	R
(29) T20N-R3E	29-C/F	Wapato Lk.	28.2	R
(30) T20N-R4E	4-K/Q	Surprise Lk.	29.9	R
(31) T20N-R5E	26-N1/2	Printz Basin	30.0	P,R
(32) T22N-R2E	20-A	Crescent Lk.	46.8	R
(33) T22N-R1E	19	Stansberry Lk.		
(34) T22N-R1E	30-31	Manmade Lk.		
(35) T19N-R7E	17-NE1/4	Mud Mt. Res.	600.00	R

[Order DE 72-14, § 173-20-560, filed 6/30/72.]

WAC 173-20-570 Lakes coming under purview of chapter 90.58 RCW—Pierce County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T15N-R4E	9-F	Alder Lk. (Res.)	1689.6 Pierce Co. 1117.6 Thurston Co. 124.0 Lewis Co.	
			2931.2 Total	P,R
(2) T19N-R2E	20	American Lk.	1125.1	R
(3) T20N-R5E	8-E	Tapps Lk. (Res.)	2296.0	P,R

[Order DE 72-14, § 173-20-570, filed 6/30/72.]

WAC 173-20-580 Lakes coming under purview of chapter 90.58 RCW—San Juan County lakes.

Location	Section	Name	Area (Acres)	Use	
(1) T35N-R1W	4-G	Spencer Lk.	64.0	R	
(2) T35N-R2W	23-A	Hummel Lk.	36.1	R	
(3) T35N-R3W	17-Q/R	Zylstra Lk.			
(4) T35N-R3W	18-M	Trout Lk. (Res.)	54.0	PS	
(5) T35N-R3W	19-G	Woods Res.			
			(Proposed)	29.0	D,R
(6) T36N-R1W	33-N1/2	Horseshoe Lk.	84.0	R	
(7) T36N-R2W	12-L	Martins Lk.	21.5	R	
(8) T36N-R3W	30-E/M	Briggs Pond	29.1	PS	
(9) T36N-R3W	33-Q	Sportsmans Lk.	66.0	R,D	
(10) T37N-R1W	32-P	Cascade Lk.	171.6	R,P	
(11) T37N-R1W	34-M	Mountain Lk.	198.0	PS,R	

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-053 (Order DE 80-21), § 173-20-580, filed 6/30/80; Order DE 72-14, § 173-20-580, filed 6/30/72.]

WAC 173-20-590 Lakes coming under purview of chapter 90.58 RCW—San Juan County lakes of state-wide significance. None.

[Order DE 72-14, § 173-20-590, filed 6/30/72.]

WAC 173-20-600 Lakes coming under purview of chapter 90.58 RCW—Skagit County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T33N-R4E	13-M/N	Devils Lk.	30.9	R
(2) T33N-R4E	15-M/N	Sixteen Lk.	41.6	R
(3) T33N-R5E	30-D	McMurray Lk.	160.6	R
(4) T33N-R6E	22-Q	Cavanaugh Lk.	844.0	R
(5) T34N-R1E	11-NE1/4	Erie Lk.	111.0	R
(6) T34N-R1E	13-H	Campbell Lk.	410.3	R
(7) T34N-R1E	23-K	Pass Lk.	98.6	R
(8) T34N-R2E	6-SW1/4	Whistle Lk.	29.7	PS
(9) T34N-R3E	36-J	Britt Slough	21.0	R
(10) T34N-R4E	1-E1/2	Clear Lk.	222.9	R
(11) T34N-R4E	2-N1/2	Unnamed Lk.	74.0	R
(12) T34N-R4E	10-SW1/4	Barney Lk.	152.0	R
(13) T34N-R4E	15-E1/2	Unnamed Lk.	28.0	R
(14) T34N-R4E	36-C	Big Lk.	545.2	R
(15) T34N-R5E	7-W1/2	Beaver Lk.	73.4	R
(16) T34N-R6E	25-F	Day Lk.	136.5	R
(17) T35N-R1E	23-K/Q	Cranberry Lk.	26.8	R
(18) T35N-R1E	36-SW1/4	Heart Lk.	60.8	R
(19) T35N-R5E	13-N1/2	Minkler Lk.	36.7	R
(20) T35N-R5E	32-E1/2	Judy Res.	108.0	PS
(21) T35N-R10E	31-A	Barnaby Slough	20.0	R
(22) T35N-R10E	32-L/M	Mill Slough	20.0	R
(23) T35N-R11E	36-SE1/4	Granite Lk. No. 3	38.4	R
(24) T36N-R8E	32	Grandy Lk.	56.0	R
(25) T34N-R2E	12-M	Old Channel Lk.	23.2	R

[Statutory Authority: RCW 90.58.120 and 90.58.200. 80-08-053 (Order DE 80-21), § 173-20-600, filed 6/30/80; Order DE 72-14, § 173-20-600, filed 6/30/72.]

WAC 173-20-610 Lakes coming under purview of chapter 90.58 RCW—Skagit County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T35N-R8E	2-M	Shannon Lk. (Res.)	2148.0	P,R

[Order DE 72-14, § 173-20-610, filed 6/30/72.]

WAC 173-20-620 Lakes coming under purview of chapter 90.58 RCW—Skamania County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T1N-R6E	4-N1/2	Franz Lk.	99.0	R
(2) T2N-R6E	34-H/J	Unnamed Lk.	20.0	R
(3) T2N-R7E	1-NW1/4	Stevenson Lk.	84.0	PS,R
(4) T2N-R7E	11-E/F	Ashes Lk.	51.2	PS,R
(5) T2N-R7E	14-D/E	Wauna Lk.	55.2	R
(6) T2N-R7E	20-M	Greenleaf Slough (Lk)	47.8	R
(7) T2N-R7E	30-NW1/4	Unnamed Lk.	20.0	R
(8) T3N-R9E	26-S1/2	Drano Lk.	220.0	R
(9) T3N-R10E	10-B/C	Northwestern Lk.	97.0	R,P
(10) T10N-R5E	14-N	Venus Lk.	21.0	R
(11) T10N-R5E	19-E/F	Elk Lk.	30.5	R
(12) T10N-R5E	19-M/P	Hanaford Lk.	23.6	R

[Order DE 73-13, § 173-20-620, filed 8/27/73; Order DE 72-14, § 173-20-620, filed 6/30/72.]

WAC 173-20-630 Lakes coming under purview of chapter 90.58 RCW—Skamania County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T2N-R7E	21-E1/2	Bonneville Pool (Res.)	10100.0 Skamania Co. 10100.0 Oregon	
			20200.0 Total	P,R
(2) T7N-R5E	28-F/L	Swift Res.	4588.8	P,R
(3) T9N-R5E	15-A	Spirit Lk.	1262.0	R

[Order DE 73-13, § 173-20-630, filed 8/27/73; Order DE 72-14, § 173-20-630, filed 6/30/72.]

WAC 173-20-640 Lakes coming under purview of chapter 90.58 RCW—Snohomish County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T27N-R4E	1-SW1/4	Martha Lk.	59.3	R
(2) T27N-R4E	32-SW1/4	Ballinger Lk.	103.2	R
(3) T27N-R5E	36-SE1/4	Crystal Lk. (Res.)	39.1	R
(4) T27N-R7E	22-A/B	Fontal Lk.	37.2	R
(5) T27N-R7E	23-SW1/4	Hannan Lk.	48.4	R
(6) T27N-R8E	21-B/C	Tomtit Lk.	27.9	R
(7) T27N-R8E	21-E/M	Dagger Lk.	27.7	R
(8) T27N-R11E	21-NE1/4	Sunset Lk.	38.4	R
(9) T28N-R4E	34-S1/2	Serene Lk.	42.3	R
(10) T28N-R4E	35-A/B	Stickney Lk.	25.7	R
(11) T28N-R5E	24-E1/4	Hanson Slough	35.0	R
(12) T28N-R5E	30-H	Silver Lk.	102.3	R
(13) T28N-R6E	1-SE1/4	Storm Lk.	78.1	R
(14) T28N-R6E	2-A	Flowing Lk.	134.8	R
(15) T28N-R6E	2-C/D	Panther Lk.	46.7	R
(16) T28N-R6E	7-NW1/4	Blackmans Lk.	60.1	R
(17) T28N-R6E	24-A	Chain Lk.	22.8	R
(18) T28N-R7E	12-J	Woods Lk.	20.5	R
(19) T28N-R7E	16-A	Cochran Lk.	33.6	R
(20) T28N-R8E	6-G	Chaplain Lk. (Res.)	443.7	PS
(21) T28N-R8E	22-G/H	Kellogg Lk.	20.2	R
(22) T28N-R9E	20-NE1/4	Wallace Lk.	55.3	R
(23) T28N-R10E	5-G/H	Boulder Lk.	21.7	R
(24) T28N-R11E	1-W1/2	Blanca Lk.	179.0	R
(25) T29N-R7E	15-NE1/4	Purdy Creek Ponds	20.0	R
(26) T29N-R7E	27-N/P	Hughes Lk.	20.2	R
(27) T29N-R7E	28-E	Roesiger Lk.	352.2	R
(28) T29N-R8E	21-D	Echo Lk.	24.6	R
(29) T29N-R9E	9-M/N	East Boardman Lk.	24.7	R
(30) T29N-R9E	36-J/R	Greider Lks. Upper	58.4	R
(31) T29N-R10E	4	Copper Lk.	60.8	R
(32) T30N-R6E	31-C/D	Cassidy Lk.	124.6	R
(33) T30N-R6E	36-E1/2	Bosworth Lk.	95.4	R
(34) T31N-R4E	18-SE1/4	Martha Lk.	58.4	R
(35) T31N-R4E	20-L/P	Howard Lk.	27.1	R
(36) T31N-R4E	23-L	Ki Lk.	97.4	R
(37) T31N-R4E	33-G	Goodwin Lk.	546.8	R
(38) T31N-R4E	33-P	Shoecraft Lk.	136.8	R
(39) T31N-R4E	34-H	Crabapple Lk.	36.3	R
(40) T31N-R4E	35-A/H	Loma Lk.	21.1	R
(41) T32N-R4E	26-K/L	Sunday Lk.	38.7	R
(42) T32N-R5E	26-SE1/4	Armstrong Lk.	30.7	R
(43) T32N-R5E	27-F/G	Bryant Lk.	20.2	R
(44) T32N-R6E	26-C	Little Lk.	23.4	R
(45) T32N-R7E	19-H/J	Riley Lk.	30.0	R
(46) T32N-R10E	28	Evangeline Lk.	25.0	R

[Order DE 76-16, § 173-20-640, filed 5/3/76; Order DE 72-14, § 173-20-640, filed 6/30/72.]

WAC 173-20-650 Lakes coming under purview of chapter 90.58 RCW—Snohomish County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T29N-R6E	8-L	Stevens Lk.	1021.1	R

[Order DE 72-14, § 173-20-650, filed 6/30/72.]

WAC 173-20-660 Lakes coming under purview of chapter 90.58 RCW—Spokane County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T21N-R39E	12-N	Fishtrap Lk. (Res.)	22.8 Spokane 172.8 Lincoln	
(2) T21N-R39E	25-Q	Downs Lk.	195.6 Total 394.6 Spokane Co. 28.8 Lincoln Co.	R
(3) T21N-R40E	7-B/C	Unnamed Lk.	423.4 Total	R
(4) T21N-R40E	13-C	Williams Lk.	21.0	R
(5) T21N-R40E	32-NE1/4	Feustal Lk.	318.6	R
(6) T21N-R41E	4-M	Badger Lk.	36.6	R
(7) T21N-R42E	20F	Bonnie Lk.	243.8 Spokane Co. 81.8 Whitman Co.	R
(8) T22N-R40E	25-N1/2	Alkali Lk.	366.1 Total	R
(9) T22N-R40E	30-B	Hog Lk.	96.0	R
(10) T22N-R40E	33-S1/2	Mason Lk.	53.0	R
(11) T22N-R40E	36-J	Amber Lk.	52.1	R
(12) T22N-R41E	27-J	Unnamed Lk.	116.8	R
(13) T22N-R41E	36-H	Chapman Lk.	26.0	R
(14) T22N-R42E	11-K	Philleo Lk.	145.6	R
(15) T23N-R42E	5-A/H	Fish Lk.	70.8	R
(16) T23N-R42E	14-NW1/4	Unnamed Lk.	47.1	R
(17) T24N-R40E	13-W1/4	West Medical Lk.	20.0	R
(18) T24N-R40E	21-J/R	Unnamed Lk.	234.8	R
(19) T24N-R40E	27-NW1/4	Lonelyville Lk.	38.0	R
(20) T24N-R41E	17-G/H	Silver Lk.	22.8	R
(21) T24N-R41E	18-W1/2	Medical Lk.	559.1	R
(22) T24N-R41E	19-K/Q	Otter Lk.	148.9	R
(23) T24N-R41E	19-H	Ring Lake	26.1	R
(24) T24N-R41E	22-N/P	Granite Lk.	22.9	R
(25) T24N-R41E	22-P	Willow Lk.	105.8	R
(26) T24N-R41E	26-B	Meadow Lk.	79.7	R
(27) T24N-R41E	30-SW1/4	Clear Lk.	31.9	R,I
(28) T24N-R42E	28-B	Queen Lucas Lk.	374.8	R
(29) T25N-R43E	18-J	Upper Falls Res.	36.8	R
(30) T25N-R44E	24-F/G	Shelley Lk.	146.0	P,R
(31) T25N-R45E	22-H	Liberty Lk.	35.6	R
(32) T26N-R40E	10-SW1/4	Horseshoe Lk.	711.4	R
(33) T26N-R40E	10-G/K	Woods Lk.	67.9	R
(34) T26N-R42E	6-R	Nine Mile Res.	32.0	R
(35) T27N-R41E	7-K/L	Knight Lk.	440.0	P,R
(36) T28N-R43E	15-G/K	Bear Lk.	34.0	R
(37) T29N-R42E	34-K/Q	Dragoon Lk.	33.8	R
(38) T29N-R43E	15-L	Eloika Lk.	22.4	R,I
(39) T29N-R44E	19-J	Reflection Lk.	659.2	R
			51.8	R

[Order DE 76-16, § 173-20-660, filed 5/3/76; Order DE 72-14, § 173-20-660, filed 6/30/72.]

WAC 173-20-670 Lakes coming under purview of chapter 90.58 RCW—Spokane County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T26N-R45E	11-G	Newman Lk.	1190.2	R
(2) T27N-R39E	13-M	Long Lk. (Res.)	2510.0 Spokane Co. 100.0 Lincoln Co. 2410.0 Stevens Co.	
			5020.0 Total	P,R

[Order DE 72-14, § 173-20-670, filed 6/30/72.]

WAC 173-20-680 Lakes coming under purview of chapter 90.58 RCW—Stevens County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T27N-R39E	20-B	Little Falls Res.	125.0	P,R
(2) T30N-R37E	4-Q/R	Hunter Res.	20.0	DJR
(3) T30N-R37E	32-F/L	Newbill Lk.	21.7	R,D
(4) T31N-R40E	17-R	Waits Lk.(Res.)	455.4	R,P,I
(5) T31N-R40E	36-R	Jumpoff Lk.	105.1	R
(6) T31N-R41E	21-R	Beitey Res.	24.2	D,R
(7) T31N-R41E	24-A/H	Nelson Lk.	20.4	R
(8) T32N-R37E	34-P/Q	Clark Lk.	23.8	R
(9) T32N-R39E	36-NW1/4	Rainbow Lk. (Fourmile Lk.)	27.8	R

(1997 Ed.)

(10) T32N-R41E	15-L	Horseshoe Lk.	23.5	R
(11) T32N-R41E	29	Bailey Lk.		
(12) T34N-R41E	20-K/Q	Pond No. 1	24.0	R
(13) T35N-R40E	19-F/L	White Mud Lk.	59.4	R
(14) T35N-R40E	30-SE1/4	Hatch Lk.	34.3	R
(15) T35N-R40E	36-K	Starvation Lk.	28.4	R
(16) T35N-R41E	3-W1/2	Black Lk.	69.6	R
(17) T35N-R41E	4-B	Spruce Lk. (Twin Lks.)	26.8	R
(18) T36N-R38E	15-D/E	Mission Lk.	21.9	R
(19) T36N-R42E	8-Q	Heritage Lk.	71.1	R
(20) T36N-R42E	17-W1/2	Thomas Lk.	162.6	R
(21) T36N-R42E	19-A	Gillette Lk.	48.0	R
(22) T36N-R42E	19-H/I	Sherry Lk.	26.1	R
(23) T37N-R39E	16-F	Peterson Swamp	37.8	R
(24) T38N-R37E	13-J/K	Dilly Lk.	35.4	R
(25) T38N-R37E	13-L/M	Perkins Lk.	25.6	R
(26) T38N-R37E	24-D	Ryan Lk.	25.4	R
(27) T38N-R38E	36-C/F	Williams Lk.	37.7	R
(28) T39N-R37E	8-G	Pierre Lk.	105.6	R
(29) T39N-R41E	34-C	Deep Lk.	198.1	R
(30) T40N-R41E	26-L	Cedar Lk.	51.2	R

[Order DE 77-17, § 173-20-680, filed 9/1/77; Order DE 72-14, § 173-20-680, filed 6/30/72.]

WAC 173-20-690 Lakes coming under purview of chapter 90.58 RCW—Stevens County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T27N-R39E	13-M	Long Lk. (Res.)	2410.0 Stevens Co. 2510.0 Spokane Co. 100.0 Lincoln Co.	
			5020.0 Total	P,R
(2) T30N-R41E	NE1/4	Deer Lk.	1162.8	R
(3) T30N-R41E	33-L	Loon Lk.	1118.5	R,I

[Order DE 72-14, § 173-20-690, filed 6/30/72.]

WAC 173-20-700 Lakes coming under purview of chapter 90.58 RCW—Thurston County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T16N-R1W	13-E	McIntosh Lk.	115.8	R
(2) T16N-R2W	3-NE1/4	Deep Lk.	66.1	R
(3) T17N-R1W	28-K	Bushman Lk. (Tempo)	40.0	R
(4) T17N-R1W	33-E	Offutt Lk.	192.0	R
(5) T17N-R2W	1-L/P	Munn Lk.	29.8	R
(6) T17N-R2W	33-A/H	Scott Lake	66.8	R
(7) T17N-R2W	35-H/J	Pitman Lk.	27.0	R
(8) T18N-R1W	22-H	Long Lk.	311.0	R
(9) T18N-R1W	27-L	Hicks Lk.	171.3	R
(10) T18N-R1W	29-B/G	Chambers Lk. (Little Chambers Lk.)	49.1	R
(11) T18N-R1W	29-C	Chambers Lk. (Russel Lk.)	72.5	R
(12) T18N-R1W	33-H/I	Southwick Lk.	37.1	R
(13) T18N-R1W	35-P	Patterson Lk.	257.0	R
(14) T18N-R2W	15-J	Capitol Lk.	306.0	R
(15) T18N-R2W	16-W1/2	Grass Lk.	120.0	R
(16) T18N-R2W	20-H/J	Ken Lk.	24.6	R
(17) T18N-R2W	22-G	Percival Lk.	22.4	R
(18) T18N-R2W	32-C	Black Lk.	576.1	R
(19) T18N-R2W	36-B/C	Ward Lake	66.8	R
(20) T18N-R2W	36-J	Hewitt Lk.	26.6	R
(21) T18N-R4W	13-A	Summit Lk.	522.6	R
(22) T16N-R2E	29-B	Lawrence Lk.	339.2	R
(23) T16N-R3E	31-S1/2	Clear Lk.	172.8	R
(24) T16N-R3E	32-B/C	Elbow Lk.	36.0	R
(25) T16N-R3E	32-R	Bald Hill Lk.	44.8	R
(26) T18N-R1E	31-32	St. Clair Lk.	244.7	R
(27) T17N-R1W	11	Sunwood Lk.	23.0	D
(28) T15N-R1E	17	Skookumchuck Res.	550.0	D

[Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-20-700, filed 4/15/85; Order DE 73-13, § 173-20-700, filed 8/27/73; Order DE 72-14, § 173-20-700, filed 6/30/72.]

WAC 173-20-710 Lakes coming under purview of chapter 90.58 RCW—Thurston County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T15N-R4E	24	Alder Lk. (Res.)	1117.6	P,R

[Order DE 72-14, § 173-20-710, filed 6/30/72.]

WAC 173-20-720 Lakes coming under purview of chapter 90.58 RCW—Wahkiakum County lakes. None.

[Order DE 72-14, § 173-20-720, filed 6/30/72.]

WAC 173-20-730 Lakes coming under purview of chapter 90.58 RCW—Wahkiakum County lakes of state-wide significance. None.

[Order DE 72-14, § 173-20-730, filed 6/30/72.]

WAC 173-20-740 Lakes coming under purview of chapter 90.58 RCW—Walla Walla County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T7N-R32E	30-SW1/4	Johnson Pond	24.0	R
(2) T7N-R36E	23-SE1/4 24-W1/2 25-NW1/4	Mill Creek Res.	52.0	PS,R
(3) T8N-R31E	20-NW1/4	"J" Line Pond	30.0	R
(4) T8N-R31E	21-NW1/4	Casey Pond	60.0	R
(5) T8N-R31E	29-H/J	Curlew Pond	35.0	R

[Order DE 72-14, § 173-20-740, filed 6/30/72.]

WAC 173-20-750 Lakes coming under purview of chapter 90.58 RCW—Walla Walla County lakes of state-wide significance. None.

[Order DE 72-14, § 173-20-750, filed 6/30/72.]

WAC 173-20-760 Lakes coming under purview of chapter 90.58 RCW—Whatcom County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T37N-R3E	8-N	Padden Lk. (Res.)	152.0	PS,R
(2) T37N-R3E	36-R	Samish Lk.	814.0	R
(3) T37N-R4E	8-F/L	Louise Lk.	22.4	R
(4) T37N-R4E	32-SW1/4	Cain Lk.	72.2	R
(5) T38N-R3E	11-N/P	Toad Lk.	29.7	R
(6) T38N-R4E	7-E/F	Squaticum Lk.	33.0	R
(7) T39N-R1E	16	Terrell Lk. (Res.)	438.0	R
(8) T39N-R2E	21-S1/2	Barrett Lk.	40.0	R
(9) T39N-R2E	32-A/B	Tennant Lk.	43.0	R
(10) T39N-R3E	6-NW1/4	Wiser Lk.	123.0	R
(11) T39N-R3E	13-L/P	Fazon Lk.	32.0	R
(12) T39N-R6E	30-R	Canyon Lk.	45.0	R
(13) T40N-R6E	7-R	Silver Lk.	172.8	R
(14) T41N-R4E	31-W1/2	Judson Lk.	112.0	R
(15) T41N-R1E	34-N1/2	Beaver Lk.	21.0	R

[Order DE 76-16, § 173-20-760, filed 5/3/76; Order DE 72-14, § 173-20-760, filed 6/30/72.]

WAC 173-20-770 Lakes coming under purview of chapter 90.58 RCW—Whatcom County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T38N-R3E	28-A	Whatcom Lk. (Res.)	5003.0	PS,R
(2) T37N-R9E	31	Baker Lk. (Res.)	3616.0	PS,R

[Order DE 76-16, § 173-20-770, filed 5/3/76; Order DE 72-14, § 173-20-770, filed 6/30/72.]

WAC 173-20-780 Lakes coming under purview of chapter 90.58 RCW—Whitman County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T18N-R39E	26-A/B	Texas Lk.	23.8	R
(2) T18N-R40E	17-A/B	Intermittant Lk.	24.8	R
(3) T19N-R40E	1-SE1/4	Miller Lk. (Alkali)	25.2	R
(4) T19N-R40E	13-SE1/4	Lavista Lk.	20.7	R
(5) T19N-R40E	23-NW1/4	Unnamed Lk.	32.4	R
(6) T19N-R40E	34-H/J	Stevens Lk.	27.0	R
(7) T20N-R39E	6-E1/2	Snyder Slough	42.0	R
(8) T20N-R39E	8-SE1/4	Sheep Lk.	56.7	R
(9) T20N-R39E	15-S1/2	Folsom Lk.	85.5	R
(10) T20N-R39E	16-NE1/4	Crooked Knee Lk.	83.8	R
(11) T20N-R39E	16-F/L	Unnamed Lk.	20.7	R
(12) T20N-R40E	36-SE1/4	Tule Lk.	21.6	R
(13) T20N-R41E	12-NE1/4	Bonnie Lk.	81.8	R
			Whitman Co. 284.3 Spokane Co.	
			366.1 Total	R
(14) T18N-R40E	3-B/C	Duck Lk.	23.4	R

[Order DE 76-16, § 173-20-780, filed 5/3/76; Order DE 72-14, § 173-20-780, filed 6/30/72.]

WAC 173-20-790 Lakes coming under purview of chapter 90.58 RCW—Whitman County lakes of state-wide significance.

Location	Section	Name	Area (Acres)	Use
(1) T19N-R40E	13-N	Rock Lk.	2147.1	R

[Order DE 72-14, § 173-20-790, filed 6/30/72.]

WAC 173-20-800 Lakes coming under purview of chapter 90.58 RCW—Yakima County lakes.

Location	Section	Name	Area (Acres)	Use
(1) T8N-R23E	12-E	Byron Ponds (Res.)	50.0	R
(2) T9N-R22E	22-M	Horseshoe Pond	59.0	R
(3) T9N-R22E	25-F	Morgan Pond	24.6	R
(4) T9N-R22E	26-B	Giffin Lk.	104.8	R
(5) T9N-R23E	7-S1/2	Oleys Lk.	35.4	R
(6) T13N-R19E	7-M	Freeway Lk.	23.2	R
(7) T14N-R19E	31-L/P	Unnamed Lk.	22.3	R
(8) T15N-R17E	2-N	Wenas Lk. (Res.)	61.4	R,I
(9) T13N-R18E	11-S1/2, S1/2	Unnamed Lake	21.4	R
(10) T13N-R18E	11 S1/2 SE1/4	Unnamed Lake	21.3	R

[Order DE 76-16, § 173-20-800, filed 5/3/76; Order DE 72-14, § 173-20-800, filed 6/30/72.]

WAC 173-20-810 Lakes coming under purview of chapter 90.58 RCW—Yakima County lakes of state-wide significance.

Location	Section	Name	Area (Areas)	Use
(1) T13N-R23E	2/3	Priest Rapids Dam (Res.)	1080.0 Yakima Co. 4540.0 Grant Co. 2080.0 Kittitas Co.	
			7700.0 Total	P,R

[Order DE 72-14, § 173-20-810, filed 6/30/72.]

WAC 173-20-820 Private lands within the confines of federal lands. In addition to the delimitations contained herein, lakes or portions thereof which are located on nonfederal lands within the exterior boundaries of federal lands, which lakes fall within the definitions of lakes and lakes of state-wide significance, as stated in WAC 173-20-030, shall be likewise subject to the jurisdiction of chapter 90.58 RCW.

[Order DE 72-14, § 173-20-820, filed 6/30/72.]

Chapter 173-22 WAC

ADOPTION OF DESIGNATIONS OF WETLANDS ASSOCIATED WITH SHORELINES OF THE STATE

WAC

173-22-010	Purpose.
173-22-015	Relationship to National Coastal Zone Management Act of 1972.
173-22-020	Applicability.
173-22-030	Definitions.
173-22-040	Wetland area designation criteria.
173-22-050	Review of designations.
173-22-052	Alterations of shorelines affecting designations.
173-22-055	Conflicts between designations and criteria.
173-22-060	Shoreline designation maps.
173-22-0602	Adams County.
173-22-0604	Asotin County.
173-22-0606	Benton County.
173-22-0608	Chelan County.
173-22-0610	Clallam County.
173-22-0612	Clark County.
173-22-0614	Columbia County.
173-22-0616	Cowlitz County.
173-22-0618	Douglas County.
173-22-0620	Ferry County.
173-22-0622	Franklin County.
173-22-0624	Garfield County.
173-22-0626	Grant County.
173-22-0628	Grays Harbor County.
173-22-0630	Island County.
173-22-0632	Jefferson County.
173-22-0634	King County.
173-22-0636	Kitsap County.
173-22-0638	Kittitas County.
173-22-0640	Klickitat County.
173-22-0642	Lewis County.
173-22-0644	Lincoln County.
173-22-0646	Mason County.
173-22-0648	Okanogan County.
173-22-0650	Pacific County.
173-22-0652	Pend Oreille County.
173-22-0654	Pierce County.
173-22-0656	San Juan County.
173-22-0658	Skagit County.
173-22-0660	Skamania County.
173-22-0662	Snohomish County.
173-22-0664	Spokane County.
173-22-0666	Stevens County.
173-22-0668	Thurston County.
173-22-0670	Wahkiakum County.
173-22-0672	Walla Walla County.
173-22-0674	Whatcom County.
173-22-0676	Whitman County.
173-22-0678	Yakima County.
173-22-070	Lands within federal boundaries.

Reviser's note: Order 73-24, filed 8/28/73 amends maps of wetlands associated with shorelines of the state of Washington and is to be used in conjunction with Administrative Order 73-11, filed 7/20/73. Sections within this chapter will show this date where applicable. The maps are listed by county and are entitled "Shoreline Management Act of 1971, chapter 90.58 RCW amendment to the wetland designations of the state of Washington—chapter 173-22 WAC—Department of ecology—September 1973."

Order DE 77-18, filed 9/20/77 amends chapter 173-22 WAC, regarding designations of associated wetlands which constitute shorelines of the state and are subject to the Shoreline Management Act of 1971 as defined by RCW 90.58.030 (c), (d), (e), (f) and (g).

Order DE 78-15, filed 8/15/78 designating associated wetlands in San Juan County, consists of maps omitted from publication in the Washington Administrative Code under the authority of RCW 34.04.050(3) as being unduly cumbersome to publish. Copies of the maps may be obtained from the Department of Ecology, St. Martin's College, Lacey, Washington 98504.

WAC 173-22-010 Purpose. Pursuant to RCW 90.58.030 (2)(f), the department of ecology herein designates the wetland areas associated with the streams, lakes and tidal waters which are subject to the provisions of chapter 90.58 RCW.

[Order DE 72-15, § 173-22-010, filed 6/30/72.]

WAC 173-22-015 Relationship to National Coastal Zone Management Act of 1972. Insofar as state law allows, the following designations are in conformance with the National Coastal Zone Management Act of 1972.

[Order DE 73-11, § 173-22-015, filed 7/20/73.]

WAC 173-22-020 Applicability. The provisions of this chapter shall apply state wide.

[Order DE 72-15, § 173-22-020, filed 6/30/72.]

WAC 173-22-030 Definitions. As used herein, the following words have the following meanings:

(1) "Associated wetlands" is synonymous with "wetlands" or "wetland areas";

(2) "Flood plain" is synonymous with one hundred-year floodplain and means that land area susceptible to being inundated by stream derived waters with a one percent chance of being equaled or exceeded in any given year. The limit of this area shall be based upon flood ordinance regulation maps or a reasonable method which meets the objectives of the act;

(3) "Floodway" means those portions of the area of a river valley lying streamward from the outer limits of a watercourse upon which flood waters are carried during periods of flooding that occur with reasonable regularity, although not necessarily annually, said floodway being identified, under normal condition, by changes in surface soil conditions or changes in types or quality of vegetative ground cover condition. The floodway shall not include those lands that can reasonably be expected to be protected from flood waters by flood control devices maintained by or maintained under license from the federal government, the state, or a political subdivision of the state. The limit of the floodway is that which has been established in flood regulation ordinance maps or by a reasonable method which meets the objectives of the act;

(4) "Lake" means a body of standing water in a depression of land or expanded part of a river, including reservoirs, of twenty acres or greater in total area. A lake is bounded by the ordinary high water mark or, where a stream enters a lake, the extension of the elevation of the lake's ordinary high water mark within the stream;

(5) "Marshes, bogs, and swamps" are lands transitional between terrestrial and aquatic systems where saturation with water is the dominant factor determining plant and animal communities and soil development. For the purposes of this definition, these areas must have one or more of the following attributes:

(a) At least periodically, the land supports predominant hydrophytes; and/or

(b) The substrate is predominantly undrained hydric soil. Hydrophytes include those plants capable of growing in water or on a substrate that is at least periodically deficient

in oxygen as a result of excessive water content. Hydric soils include those soils which are wet long enough to periodically produce anaerobic conditions, thereby influencing the growth of plants;

(6) "Ordinary high water mark" on all lakes, streams, and tidal water is that mark that will be found by examining the bed and banks and ascertaining where the presence and action of waters are so common and usual, and so long continued in all ordinary years, as to mark upon the soil a character distinct from that of the abutting upland, in respect to vegetation as that condition exists on June 1, 1971, as it may naturally change thereafter, or as it may change thereafter in accordance with permits issued by a local government or the department. The following criteria clarify this mark on tidal waters, lakes, and streams:

(a) Tidal waters.

(i) In high energy environments where the action of waves or currents is sufficient to prevent vegetation establishment below mean higher high tide, the ordinary high water mark is coincident with the line of vegetation. Where there is no vegetative cover for less than one hundred feet parallel to the shoreline, the ordinary high water mark is the average tidal elevation of the adjacent lines of vegetation. Where the ordinary high water mark cannot be found, it is the elevation of mean higher high tide;

(ii) In low energy environments where the action of waves and currents is not sufficient to prevent vegetation establishment below mean higher high tide, the ordinary high water mark is coincident with the landward limit of salt tolerant vegetation. "Salt tolerant vegetation" means vegetation which is tolerant of interstitial soil salinities greater than or equal to 0.5 parts per thousand;

(b) Lakes. Where the ordinary high water mark cannot be found, it shall be the line of mean high water;

(c) Streams. Where the ordinary high water mark cannot be found, it shall be the line of mean high water. For braided streams, the ordinary high water mark is found on the banks forming the outer limits of the depression within which the braiding occurs;

(7) "River delta" means those lands formed as an aggradational feature by stratified clay, silt, sand and gravel deposited at the mouths of streams where they enter a quieter body of water. The upstream extent of a river delta is that limit where it no longer forms distributary channels;

(8) A "stream" is a naturally occurring body of periodic or continuously flowing water where:

(a) The mean annual flow is greater than twenty cubic feet per second; and

(b) The water is contained within a channel. A channel is an open conduit either naturally or artificially created. This definition does not include artificially created irrigation, return flow, or stockwatering channels;

(9) "Tidal water" includes marine and estuarine waters bounded by the ordinary high water mark. Where a stream enters the tidal water, the tidal water is bounded by the extension of the elevation of the marine ordinary high water mark within the stream;

(10) "Wetlands" or "wetland areas" means those lands extending landward for two hundred feet in all directions as measured on a horizontal plane from the ordinary high-water mark; floodways and contiguous flood plain areas landward two hundred feet from such floodways; and all marshes,

bogs, swamps, and river deltas associated with the streams, lakes and tidal waters which are subject to the provisions of chapter 90.58 RCW: *Provided*, That any county or city may determine that portion of a one hundred-year flood plain to be included in its master program as long as such portion includes, as a minimum, the floodway and the adjacent land extending landward two hundred feet therefrom; and

(11) The definitions set forth in chapter 90.58 RCW shall also apply as used herein.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-030, filed 5/23/86. Statutory Authority: RCW 90.58.030 (2)(f), 90.58.120, and 90.58.200. 80-08-086 (Order DE 80-22), § 173-22-030, filed 7/2/80; Order DE 73-11, § 173-22-030, filed 7/20/73; Order DE 72-15, § 173-22-030, filed 6/30/72.]

WAC 173-22-040 Wetland area designation criteria.

The following criteria contain the standards for the department's designation of wetland areas associated with shorelines of the state which are subject to the jurisdiction of chapter 90.58 RCW:

(1) Tidal waters. The wetland area shall include:

(a) Those lands which extend landward two hundred feet as measured on a horizontal plane from the ordinary high water mark; and

(b) Those marshes, bogs, and swamps which are in proximity to and either influence or are influenced by the tidal water. This influence includes but is not limited to one or more of the following: Periodic tidal inundation; hydraulic continuity; formation by tidally influenced geohydraulic processes; or a surface connection through a culvert or tide gate;

(2) Lakes. The wetland area shall include:

(a) Those lands which extend landward two hundred feet as measured on a horizontal plane from the ordinary high water mark; and

(b) Those marshes, bogs, and swamps which are in proximity to and either influence or are influenced by the lake. This influence includes but is not limited to one or more of the following: Periodic inundation or hydraulic continuity;

(3) Streams. The wetland area shall include the greater of:

(a) Those lands which extend landward two hundred feet as measured on a horizontal plane from the ordinary high water mark;

(b) Those floodplains which extend landward two hundred feet as measured on a horizontal plane from the floodway: *Provided*, That local government may, at its discretion, include all or a larger portion of the one hundred-year floodplain within the associated wetlands. Designation of this wetland area shall be in accordance with chapter 173-19 WAC, the state master program. If the applicable master program does not designate the wetland area for a stream, it shall be designated under the rules which applied at the time of adoption by the department;

(c) Those marshes, bogs, and swamps which are in proximity to and either influence or are influenced by the stream. This influence includes but is not limited to one or more of the following: Periodic inundation; location within a floodplain; or hydraulic continuity; and

(d) Those lands within a river delta floodplain except for those lands that can reasonably be expected to be pro-

tected from flood waters by flood control devices maintained by or maintained under license from the federal government, the state, or a political subdivision of the state.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-040, filed 5/23/86. Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-09-043 (Order DE 85-05), § 173-22-040, filed 4/15/85. Statutory Authority: RCW 90.58.030 (2)(f), 90.58.120, and 90.58.200. 80-08-086 (Order DE 80-22), § 173-22-040, filed 7/2/80; Order DE 76-30, § 173-22-040, filed 7/27/76; Order DE 73-11, § 173-22-040, filed 7/20/73; Order DE 72-15, § 173-22-040, filed 6/30/72.]

WAC 173-22-050 Review of designations. The department shall review all the designations made herein at least once in every five-year period following the effective date of chapter 90.58 RCW or as frequently as is deemed advisable by the department, and prepare the necessary revisions to ensure that the designations conform to the policies of chapter 90.58 RCW and of chapter 173-22 WAC in the manner and form prescribed for adopting and amending rules and regulations in chapter 34.04 RCW (the Administrative Procedure Act).

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-050, filed 5/23/86. Statutory Authority: RCW 90.58.030 (2)(f), 90.58.120, and 90.58.200. 80-08-086 (Order DE 80-22), § 173-22-050, filed 7/2/80; Order DE 73-11, § 173-22-050, filed 7/20/73; Order DE 72-15, § 173-22-050, filed 6/30/72.]

WAC 173-22-052 Alterations of shorelines affecting designations. Alterations of the existing conditions of shorelines and wetlands of the state which affect the boundary or volume of those water bodies, whether through authorized development or natural causes, shall warrant a review of the designation of those shorelines and their associated wetlands.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-052, filed 5/23/86.]

WAC 173-22-055 Conflicts between designations and criteria. In the event that any of the wetland designations shown on the maps adopted in WAC 173-22-060 conflict with the criteria set forth in this chapter the criteria shall control. The boundary of the designated wetland areas shall be governed by the criteria set forth in WAC 173-22-040.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-055, filed 5/23/86. Statutory Authority: RCW 90.58.030 (2)(f), 90.58.120, and 90.58.200. 80-08-086 (Order DE 80-22), § 173-22-055, filed 7/2/80; Order DE 73-11, § 173-22-055, filed 7/20/73.]

WAC 173-22-060 Shoreline designation maps. Shoreline designation maps are those maps which have been prepared and adopted by the department in a manner consistent with chapter 34.04 RCW (the Administrative Procedure Act) that designate the location of shorelines of the state and their associated wetland areas. Wetland designations are applied under the criteria contained in WAC 173-22-040. Due to the bulk of the maps designating the wetland areas, they are not included in the text of this chapter, but rather are incorporated herein as an appendix hereto, having full legal force and effect as if published herein. Copies of the appendix are available to the public at all reasonable times for inspection in the headquarters of the

department of ecology in Olympia, the Washington state code reviser's office, the appropriate county auditor and city clerk. Copies of portions thereof, or of the complete set, will be available from the department at the expense of the party requesting the same. Volumes I, II, and III entitled *Shorelines under the Shoreline Management Act of 1971* (chapter 90.58 RCW, chapter 286, Laws of 1971 1st ex. sess.) were adopted by reference on June 30, 1972.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-060, filed 5/23/86. Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.200. 85-14-001 (Order 85-15), § 173-22-060, filed 6/20/85; 85-09-043 (Order DE 85-05), § 173-22-060, filed 4/15/85. Statutory Authority: RCW 90.58.120, 90.58.200 and 90.58.030 (2)(f). 81-13-034 (Order DE 81-18), § 173-22-060, filed 6/15/81; Order DE 72-15, § 173-22-060, filed 6/30/72.]

WAC 173-22-0602 Adams County. Adams County designation maps approved June 30, 1972. Revision approved September 20, 1977.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0602, filed 5/23/86.]

WAC 173-22-0604 Asotin County. Asotin County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0604, filed 5/23/86.]

WAC 173-22-0606 Benton County. Benton County designation maps approved June 30, 1972. Revision approved September 20, 1977.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0606, filed 5/23/86.]

WAC 173-22-0608 Chelan County. Chelan County designation maps approved June 30, 1972. Revision approved August 28, 1973.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0608, filed 5/23/86.]

WAC 173-22-0610 Clallam County. Clallam County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977. Revision approved April 15, 1985.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0610, filed 5/23/86.]

WAC 173-22-0612 Clark County. Clark County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0612, filed 5/23/86.]

WAC 173-22-0614 Columbia County. Columbia County designation maps approved June 30, 1972.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0614, filed 5/23/86.]

WAC 173-22-0616 Cowlitz County. Cowlitz County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977. Revision approved July 2, 1980.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0616, filed 5/23/86.]

WAC 173-22-0618 Douglas County. Douglas County designation maps approved June 30, 1972. Revision approved August 28, 1973.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0618, filed 5/23/86.]

WAC 173-22-0620 Ferry County. Ferry County designation maps approved June 30, 1972. Revision approved September 20, 1977.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0620, filed 5/23/86.]

WAC 173-22-0622 Franklin County. Franklin County designation maps approved June 30, 1972. Revision approved August 28, 1973.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0622, filed 5/23/86.]

WAC 173-22-0624 Garfield County. Garfield County designation maps approved June 30, 1972.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0624, filed 5/23/86.]

WAC 173-22-0626 Grant County. Grant County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977. Revision approved June 15, 1981.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0626, filed 5/23/86.]

WAC 173-22-0628 Grays Harbor County. Grays Harbor County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved July 2, 1980. Revision approved April 15, 1985.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0628, filed 5/23/86.]

WAC 173-22-0630 Island County. Island County designation maps approved June 30, 1972. Revision approved September 20, 1977. Revision approved July 2, 1980.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0630, filed 5/23/86.]

WAC 173-22-0632 Jefferson County. Jefferson County designation maps approved June 30, 1972. Revision approved September 20, 1977. Revision approved July 2, 1980.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0632, filed 5/23/86.]

WAC 173-22-0634 King County. King County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977. Revision approved July 2, 1980. Revision approved June 15, 1981. Revision approved April 15, 1985.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0634, filed 5/23/86.]

WAC 173-22-0636 Kitsap County. Kitsap County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977. Revision approved July 2, 1980. Revision approved June 15, 1981.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0636, filed 5/23/86.]

WAC 173-22-0638 Kittitas County. Kittitas County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0638, filed 5/23/86.]

WAC 173-22-0640 Klickitat County. Klickitat County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977. Revision approved July 2, 1980.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0640, filed 5/23/86.]

WAC 173-22-0642 Lewis County. Lewis County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977. Revision approved July 2, 1980.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0642, filed 5/23/86.]

WAC 173-22-0644 Lincoln County. Lincoln County designation maps approved June 30, 1972. Revision approved September 20, 1977.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0644, filed 5/23/86.]

WAC 173-22-0646 Mason County. Mason County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0646, filed 5/23/86.]

WAC 173-22-0648 Okanogan County. Okanogan County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977. Revision approved September 29, 1987. Revision approved January 5, 1988.

[Statutory Authority: RCW 90.58.120 and 90.58.200. 88-03-070 (Order DE 87-45), § 173-22-0648, filed 1/20/88. Statutory Authority: RCW 90.58.030, 90.58.120 and 90.58.300. 87-20-050 (Order DE 87-35), § 173-22-0648, filed 10/2/87. Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0648, filed 5/23/86.]

WAC 173-22-0650 Pacific County. Pacific County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0650, filed 5/23/86.]

WAC 173-22-0652 Pend Oreille County. Pend Oreille County designation maps approved June 30, 1972. Revision approved April 15, 1985.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0652, filed 5/23/86.]

WAC 173-22-0654 Pierce County. Pierce County designation maps approved June 30, 1972. Revision approved September 20, 1977.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0654, filed 5/23/86.]

WAC 173-22-0656 San Juan County. San Juan County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977. Revision approved August 15, 1978. Revision approved July 2, 1980. Revision approved June 20, 1985.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0656, filed 5/23/86.]

WAC 173-22-0658 Skagit County. Skagit County designation maps approved June 30, 1972. Revision approved September 20, 1977. Revision approved July 2, 1980.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0658, filed 5/23/86.]

WAC 173-22-0660 Skamania County. Skamania County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977. Revision approved July 2, 1980.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0660, filed 5/23/86.]

WAC 173-22-0662 Snohomish County. Snohomish County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved July 2, 1980.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0662, filed 5/23/86.]

WAC 173-22-0664 Spokane County. Spokane County designation maps approved June 30, 1972.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0664, filed 5/23/86.]

WAC 173-22-0666 Stevens County. Stevens County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0666, filed 5/23/86.]

WAC 173-22-0668 Thurston County. Thurston County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977. Revision approved July 2, 1980. Revision approved April 15, 1985.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0668, filed 5/23/86.]

WAC 173-22-0670 Wahkiakum County. Wahkiakum County designation maps approved June 30, 1972.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0670, filed 5/23/86.]

WAC 173-22-0672 Walla Walla County. Walla Walla County designation maps approved June 30, 1972. Revision approved September 20, 1977.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0672, filed 5/23/86.]

WAC 173-22-0674 Whatcom County. Whatcom County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977. Revision approved July 2, 1980.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0674, filed 5/23/86.]

WAC 173-22-0676 Whitman County. Whitman County designation maps approved June 30, 1972.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0676, filed 5/23/86.]

WAC 173-22-0678 Yakima County. Yakima County designation maps approved June 30, 1972. Revision approved August 28, 1973. Revision approved September 20, 1977. Revision approved July 2, 1980.

[Statutory Authority: Chapter 90.58 RCW. 86-12-011 (Order 86-06), § 173-22-0678, filed 5/23/86.]

WAC 173-22-070 Lands within federal boundaries. In addition to those designations contained in the appendix, those nonfederal lands lying within the exterior boundaries of federal lands and those federal lands leased by the federal government to other persons, which lands fall within the definition of wetlands contained herein, shall also be subject to the jurisdiction of chapter 90.58 RCW.

[Order DE 73-11, § 173-22-070, filed 7/20/73; Order DE 72-15, § 173-22-070, filed 6/30/72.]

Chapter 173-24 WAC

TAX EXEMPTIONS AND CREDITS FOR POLLUTION CONTROL FACILITIES

WAC

173-24-010	Introduction and purpose.
173-24-020	Authority.
173-24-030	Definitions.
173-24-040	Applications submitted to the department of revenue.
173-24-050	Applications reviewed by the department.

173-24-060	Action by the department within thirty days—Request for further information.
173-24-070	Identification and classification of facilities.
173-24-080	Approval of a facility.
173-24-090	Installation for the purpose of pollution control.
173-24-100	Operation for the purpose of pollution control.
173-24-110	Meeting the intent and purposes of chapters 70.94 and 90.48 RCW.
173-24-120	Treatment prior to connection to utilities.
173-24-125	Revision of prior findings.
173-24-130	Administrative appeal of department decision.
173-24-140	Delegation.
173-24-150	Delegation of state responsibilities under federal program.

WAC 173-24-010 Introduction and purpose.

Chapter 82.34 RCW provides for tax credits and exemptions for pollution control facilities approved by the appropriate control agency. The purpose of this regulation is to establish a procedure for reviewing applications for tax benefits received from the department of revenue for review by the department of ecology, including the establishment of criteria for identifying the individual facilities within each application and, for each facility, approving the facility, approving the facility as a "dual purpose pollution control facility," or denying the facility.

[Statutory Authority: RCW 43.21A.080 and 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-010, filed 3/14/78; Order DE 70-7, § 173-24-010, filed 8/4/71.]

WAC 173-24-020 Authority. This regulation is adopted pursuant to the authority granted the director of the department of ecology by RCW 43.21A.080 and 43.21A.090.

[Order DE 70-7, § 173-24-020, filed 8/4/71.]

WAC 173-24-030 Definitions. Unless a different meaning is plainly required by the context, the following words as hereinafter used in this chapter shall have the following meanings:

(1) "Commercial or industrial operation" shall mean the industrial, manufacturing, waste disposal, utility or other commercial establishment operated by an applicant for a certificate under chapter 82.34 RCW.

(2) "Department" shall mean the Washington state department of ecology.

(3) "Dual purpose pollution control facility" or "dual purpose facility" shall mean a facility in which the portion for the purpose of pollution control is so integrated into the total facility with portions for other purposes that separation into identifiable component parts is not possible.

(4) "Facility" shall mean any treatment works, control devices, disposal systems, machinery, equipment, structures or property for which a certificate is applied for under chapter 82.34 RCW or any physically or conceptually identifiable part or accessories thereof.

(5) "Necessary to the manufacture of products" shall mean that without which manufacture of products at the present or proposed level could not be undertaken.

If the manufacture of products could be undertaken at present levels without a facility, even though such manufacture would be uneconomical or impractical, such facility is not necessary to the manufacture of products. However, if a commercial or industrial operation is recovering or pro-

ducing chemicals or heat for use in the manufacturing process at the time it submits an application, then any facilities necessary for such production or for recovery of chemicals at present percentage rates will be considered necessary to the manufacture of products.

(6) "Pollution" shall mean "air contaminant" and "air pollution" as defined in RCW 70.94.030, and "pollution" as defined in RCW 90.48.020.

(7) "Products" as used in the phrase, "manufacture of products," shall include the item or items which an industrial operation is designed primarily to manufacture or produce.

(8) "Regional or local air pollution control authority" shall mean any local or regional entity or control program considered as an "authority" for the purpose of chapter 70.94 RCW.

(9) "Single purpose facility" shall mean a facility other than a dual purpose facility.

[Statutory Authority: RCW 43.21A.080 and 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-030, filed 3/14/78; Order DE 70-7, § 173-24-030, filed 8/4/71.]

WAC 173-24-040 Applications submitted to the department of revenue. Applications filed pursuant to RCW 82.34.020 shall be submitted to the department of revenue pursuant to that department's requirements. The department of revenue will supply an identifying application number and forward the application to the department or regional or local air pollution control authority, as appropriate, for review pursuant to RCW 82.34.030.

[Order DE 70-7, § 173-24-040, filed 8/4/71.]

WAC 173-24-050 Applications reviewed by the department. The department will review applications for approval of facilities which may be designated "water pollution control facilities" as defined in RCW 82.34.010 (1)(b). The department will also review any application relating to a facility which is not within the jurisdiction of an activated regional or local air pollution control authority, or which is within any area over which the department has assumed jurisdiction pursuant to RCW 70.94.390. The department will also review any application for approval of a facility relating to any air contaminant source subject to rules and regulations adopted by the department or its predecessor agencies pursuant to RCW 70.94.395.

The department will, when necessary, advise the department of revenue of the proper agency or agencies to which an application is to be submitted for review.

[Order DE 70-7, § 173-24-050, filed 8/4/71.]

WAC 173-24-060 Action by the department within thirty days—Request for further information. The department shall within thirty days of receipt of an application from the department of revenue make the identification and classification described in WAC 173-24-070 and approval or denial described in WAC 173-24-080, or it shall request further information from the applicant. A copy of any request from the department to the applicant for further information shall be transmitted to the department of revenue. The failure of the applicant to supply any additional information requested by the department, without reason-

able grounds for such failure, may result in disapproval of all or part of the application.

The department shall notify the department of revenue in writing of its decisions on any application submitted to it, and a copy of such notification shall be sent to the applicant by certified mail.

[Statutory Authority: RCW 43.21A.080 and 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-060, filed 3/14/78; Order DE 70-7, § 173-24-060, filed 8/4/71.]

WAC 173-24-070 Identification and classification of facilities. The department will review each application to determine whether the facility is a single, integrated facility, or can be separated, either physically or conceptually, into identifiable component parts. Each component part shall be considered as a separate facility for the purpose of the department's review of the application. The department will identify all such facilities within each application.

For each facility identified, the department shall classify it as a "dual purpose facility" or a "single purpose facility."

[Statutory Authority: RCW 43.21A.080 and 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-070, filed 3/14/78; Order DE 70-7, § 173-24-070, filed 8/4/71.]

WAC 173-24-080 Approval of a facility. The department shall approve any facility when:

- (1) It was installed or intended to be installed for the primary purpose of pollution control, and;
- (2) When it is operated or intended to be operated primarily for the purpose of pollution control, and;
- (3) When it is suitable, reasonably adequate, and meets the intent and purposes of chapter 70.94 or 90.48 RCW;

If the facility does not meet these criteria, it shall be denied.

[Statutory Authority: RCW 43.21A.080 and 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-080, filed 3/14/78; Order DE 70-7, § 173-24-080, filed 8/4/71.]

WAC 173-24-090 Installation for the purpose of pollution control. A facility will be considered to be installed or intended to be installed for the primary purpose of pollution control when:

- (1) It was installed or intended to be installed in response to a requirement of the department or a regional or local air pollution control authority contained in a permit, order, or regulation which applies to the particular industry or commercial establishment [in] [is] question, and such facility meets or exceeds the requirements of such permit, order, or regulation and

- (2) It was installed pursuant to a requirement developed under chapter 90.48 or 70.94 RCW and not under some other statute administered by the department such as, for example, chapter 70.95 or 70.105 RCW.

[Statutory Authority: Chapter 82.34 RCW, RCW 43.21A.080, and 43.21A.090. 80-15-020 (Order DE 80-33), § 173-24-090, filed 10/7/80; Order DE 70-7, § 173-24-090, filed 8/4/71.]

Reviser's note: RCW 34.05.395 requires the use of underlining and deletion marks to indicate amendments to existing rules, and deems ineffectual changes not filed by the agency in this manner. The bracketed material in the above section does not appear to conform to the statutory requirement.

WAC 173-24-100 Operation for the purpose of pollution control. A facility is operated or intended to be operated primarily for the purpose of pollution control when:

- (1) The emissions or effluents from the commercial or industrial operation do or will contain measurably less pollution with the facility installed than they would without the facility installed, and;
- (2) For a facility other than a dual purpose facility it is not necessary to the manufacture of products.

[Statutory Authority: RCW 43.21A.080 and 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-100, filed 3/14/78; Order DE 70-7, § 173-24-100, filed 8/4/71.]

WAC 173-24-110 Meeting the intent and purposes of chapters 70.94 and 90.48 RCW. A facility is suitable, reasonably adequate, and meets the intent and purposes of chapters 70.94 and 90.48 RCW, when:

- (1) Normal operation of the particular commercial or industrial operation with the facility installed will not be in violation of any provision of chapter 70.94 or 90.48 RCW and;
- (2) Such operation will meet the requirements of any applicable permits, orders, regulations or standards of the department or a regional or local air pollution control authority.

[Statutory Authority: RCW 43.21A.080 and 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-110, filed 3/14/78; Order DE 70-7, § 173-24-110, filed 8/4/71.]

WAC 173-24-120 Treatment prior to connection to utilities. Any facility designed for the primary purpose of reducing, controlling, disposing of, or treating industrial or commercial wastes prior to the ultimate conveyance thereof to the waste collecting facilities of public or privately owned utilities shall be approved if it satisfies the requirements set forth in this chapter; however, any facility installed or constructed for the primary purpose of connecting any commercial establishment with the waste collecting facilities of public or privately owned utilities shall not be eligible for approval.

[Order DE 70-7, § 173-24-120, filed 8/4/71.]

WAC 173-24-125 Revision of prior findings. On its own initiative or on complaint of the local or regional air pollution control agency in which an air pollution control facility is located, the department may revise the prior findings of the appropriate control agency whenever it appears that any of the conditions listed in RCW 82.34.100 (1) or (2) have been met or when the department determines that the prior determination had been made in error.

[Statutory Authority: Chapter 82.34 RCW, RCW 43.21A.080, and 43.21A.090. 80-15-020 (Order DE 80-33), § 173-24-125, filed 10/7/80.]

WAC 173-24-130 Administrative appeal of department decision. The approval or disapproval by the department pursuant to RCW 82.34.030 of any application, or any revision of prior findings by the department pursuant to RCW 82.34.100 shall constitute a decision of the department subject to review by the pollution control hearings board pursuant to chapter 43.21B RCW. Any aggrieved party may appeal any such decision pursuant to the rules and regula-

tions of the pollution control hearings board no later than thirty days after receipt of written notice thereof.

[Order DE 70-7, § 173-24-130, filed 8/4/71.]

WAC 173-24-140 Delegation. The powers, duties and functions vested in the department by chapter 82.34 RCW, will be performed by the deputy director of the department or his delegate.

[Statutory Authority: RCW 43.21A.080 and 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-140, filed 3/14/78; Order DE 70-7, § 173-24-140, filed 8/4/71.]

WAC 173-24-150 Delegation of state responsibilities under federal program. The functions of the "state certifying authority" for the federal tax credit program for pollution control facilities shall be performed by the deputy director of the department or his delegate.

[Statutory Authority: RCW 43.21A.080 and 43.21A.090 and chapter 82.34 RCW. 78-04-015 (Order DE 78-2), § 173-24-150, filed 3/14/78; Order DE 70-7, § 173-24-150, filed 8/4/71.]

Chapter 173-26 WAC

STATE MASTER PROGRAM APPROVAL/ AMENDMENT PROCEDURES

WAC

173-26-010 Authority and purpose.
173-26-020 Definitions.

PART I

STATE MASTER PROGRAM

173-26-030 Master programs required—State master program contents.
173-26-040 Master programs required—Unlisted local governments.
173-26-050 State master program register—Maintained by department.
173-26-060 State master program—Complete record maintained by department.
173-26-070 Adoption of shoreline master programs by rule—Department action.
173-26-080 Master programs required of local governments.

PART II

SHORELINE MASTER PROGRAM APPROVAL/AMENDMENT

173-26-090 Periodic review—Public involvement encouraged—Amendment of comprehensive plans, development regulations and master programs.
173-26-100 Local process for approving/amending shoreline master programs.
173-26-110 Submittal to department of proposed master programs/amendments.
173-26-120 State process for approving/amending shoreline master programs.
173-26-130 Appeal procedures for master programs.
173-26-140 Shoreline master program administrative interpretation.
173-26-150 Local government annexation—Shoreline environment predesignation in planning jurisdictions.
173-26-160 Local government annexation.

WAC 173-26-010 Authority and purpose. The provisions of this chapter implement the requirements of chapter 90.58 RCW, the Shoreline Management Act of 1971. RCW 90.58.200 authorizes the adoption of rules by the department as necessary and appropriate to carry out the provisions of the act. RCW 90.58.080 directs local governments to develop and administer local shoreline master

programs for regulation of uses on shorelines of the state. Such local programs should be integrated with other local government systems for administration and enforcement of land use regulations. RCW 36.70A.480 provides that the goals and policies contained in a local shoreline master program shall be considered an element of the local comprehensive plan required by the Growth Management Act. All other portions of the local shoreline master program, including the use regulations, are considered a part of the local development regulations required by the Growth Management Act.

This chapter is drafted to also reflect RCW 90.58.050 which provides that the Shoreline Management Act is intended to be a cooperative program between local government and the state. It is the intent of this chapter to provide minimum procedural requirements as necessary to comply with the statutory requirements while providing latitude for local government to establish procedural systems based on local needs and circumstances.

Pursuant to the Shoreline Management Act, the department must approve master programs prepared by local governments or adopt them by rule consistent with the act. In order to facilitate this process, Part I of this chapter establishes a recordkeeping system for the department and defines the contents of the state master program. Part II sets forth procedures for approving and adopting master programs and amendments thereto.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-010, filed 9/30/96, effective 10/31/96.]

WAC 173-26-020 Definitions. As used herein, the following words and phrases shall have the following meanings:

(1) "Adoption by rule" means an official action by the department to make a local government shoreline master program effective through rule consistent with the requirements of the Administrative Procedure Act, chapter 34.05 RCW, thereby incorporating the adopted shoreline master program or amendment into the state master program;

(2) "Amendment" means a revision, update, addition, deletion, and/or reenactment to an existing shoreline master program;

(3) "Approval" means an official action by a local government legislative body agreeing to submit a proposed shoreline master program or amendments to the department for review and official action pursuant to this chapter; or an official action by the department to make a local government shoreline master program effective, thereby incorporating the approved shoreline master program or amendment into the state master program;

(4) "Department" means the state department of ecology;

(5) "Development regulations" means the controls placed on development or land use activities by a county or city, including, but not limited to, zoning ordinances, critical areas ordinances, all portions of a shoreline master program other than goals and policies approved or adopted under chapter 90.58 RCW, official controls, planned unit development ordinances, subdivision ordinances, and binding site plan ordinances together with any amendments thereto;

(6) "Document of record" means the most current shoreline master program officially approved or adopted by rule by the department for a given local government jurisdiction, including any changes resulting from appeals filed pursuant to RCW 90.58.190;

(7) "Guidelines" means those standards adopted by the department to implement the policy of chapter 90.58 RCW for regulation of use of the shorelines of the state prior to adoption of master programs. Such standards shall also provide criteria for local governments and the department in developing and amending master programs;

(8) "Local government" means any county, incorporated city or town which contains within its boundaries shorelines of the state subject to chapter 90.58 RCW;

(9) "Shoreline master program" or "master program" means the comprehensive use plan for a described area, and the use regulations together with maps, diagrams, charts, or other descriptive material and text, a statement of desired goals, and standards developed in accordance with the policies enunciated in RCW 90.58.020;

As provided in RCW 36.70A.480, the goals and policies of a shoreline master program for a county or city approved under chapter 90.58 RCW shall be considered an element of the county or city's comprehensive plan. All other portions of the shoreline master program for a county or city adopted under chapter 90.58 RCW, including use regulations, shall be considered a part of the county or city's development regulations; and

(10) "State master program" means the cumulative total of all shoreline master programs and amendments thereto approved or adopted by rule by the department.

In addition, the definitions and concepts set forth in RCW 90.58.030, as amended, shall also apply as used herein.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-020, filed 9/30/96, effective 10/31/96.]

PART I STATE MASTER PROGRAM

WAC 173-26-030 Master programs required—State master program contents. (1) Chapter 90.58 RCW requires all local governments with shorelines of the state within their boundaries to develop and administer a shoreline master program. The state master program is the cumulative total of all shoreline master programs and amendments thereto approved or adopted by rule by the department, together with any changes pursuant to WAC 173-26-040. Local governments which are required to develop and administer shoreline master programs are listed in WAC 173-26-080.

(2) All shoreline master programs adopted by reference in chapter 173-19 WAC existing as of the effective date of this chapter, remain in full force and effect and continue to be considered part of the state master program, as defined herein.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-030, filed 9/30/96, effective 10/31/96.]

WAC 173-26-040 Master programs required—Unlisted local governments. The department shall periodically

update the list of local governments contained in WAC 173-26-080. When as a result of annexation, municipal incorporation, or change in shoreline jurisdiction, a city or town with shorelines of the state within its boundaries is not listed, such local government is required to develop and administer a shoreline master program pursuant to chapter 90.58 RCW and this chapter.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-040, filed 9/30/96, effective 10/31/96.]

WAC 173-26-050 State master program register—Maintained by department. The department shall prepare and maintain an official state master program register identifying original department adoption dates and the effective dates of subsequent amendments approved or adopted by the department for each local government shoreline master program. The master program register shall be available for public viewing and inspection during normal business hours at the headquarters of the department. Copies of the register shall be available from the department at the expense of the requesting party. The department shall keep the register current, incorporating master program adoption and amendment dates as they occur.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-050, filed 9/30/96, effective 10/31/96.]

WAC 173-26-060 State master program—Complete record maintained by department. The department shall maintain records for all master programs and subsequent amendments thereto. Master program records shall be organized consistent with the state master program register and shall be available for public viewing and inspection during normal business hours at the headquarters of the department.

The department shall maintain a record of each master program, the action taken by the department on any proposed master program or amendment, and any appeal of the department's action. Such records should be maintained in two groups of files as follows:

(1) Shoreline master program working files corresponding to each proposed master program or amendment containing, where applicable:

- (a) Initial submittal from local government;
- (b) Record of notice to the public, interested parties, agencies and tribes;
- (c) Staff reports, analysis and recommendations;
- (d) Pertinent correspondence between local government and the department;
- (e) The department's letter denying, approving as submitted or approving alternatives together with findings and conclusions and amended text and/or maps;
- (f) Documents related to any appeal of the department's action on the amendment;
- (g) Supplemental materials including:
 - (i) Interested party mailing list;
 - (ii) Comment letters and exhibits from federal, state, local, and tribal agencies;
 - (iii) Comment letters and exhibits from the general public;
 - (iv) Recorded tapes and/or a summary of hearing oral testimony;

(v) A concise explanatory statement, if adopted by rule.

(2) State master program files, containing the master program currently in effect, with all text and map amendments incorporated, constituting the official state master program approved document of record.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-060, filed 9/30/96, effective 10/31/96.]

WAC 173-26-070 Adoption of shoreline master programs by rule—Department action. (1) The department may adopt a shoreline master program by rule in the following circumstances:

(a) Pursuant to RCW 90.58.070(2), when a local government fails to approve a master program relating to shorelines of the state within its jurisdiction in accordance with the time schedule provided for in RCW 90.58.080, the department shall carry out the requirements of RCW 90.58.080 and adopt by rule a master program for shorelines of the state within the jurisdiction of the local government. The department has adopted by rule a master program for shorelines of the state within the jurisdiction of those local governments listed in subsection (2) of this section;

(b) Pursuant to RCW 90.58.090(4), when the department determines that those parts of a master program relating to shorelines of state-wide significance do not provide for optimum implementation of the policy of chapter 90.58 RCW to satisfy the state-wide interest, the department may develop and adopt by rule an alternative to the local government's master program proposal. The department has adopted by rule an alternative master program for shorelines of state-wide significance within the jurisdiction of those local governments listed in subsection (2) of this section.

(2) As set forth in subsection (1)(a) and (b) of this section, the department has adopted by rule a master program, alternative master program or portion thereof for the local governments listed below. This listing shall be updated periodically so as to remove reference to local governments who have complied with the requirements of chapter 90.58 RCW and this chapter, having prepared and submitted a shoreline master program that has been approved by the department.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-070, filed 9/30/96, effective 10/31/96.]

WAC 173-26-080 Master programs required of local governments. The following local governments, listed alphabetically by county, are required to develop and administer a shoreline master program:

Adams County.

Asotin County.

Asotin, city of.
Clarkston, city of.

Benton County.

Benton City, city of.
Kennewick, city of.
Prosser, city of.
Richland, city of.
West Richland, city of.

Chelan County.

Cashmere, city of.
Chelan, city of.
Entiat, town of.
Leavenworth, city of.
Wenatchee, city of.

Clallam County.

Forks, city of.
Port Angeles, city of.
Sequim, city of.

Clark County.

Camas, city of.
LaCenter, town of.
Ridgefield, town of.
Vancouver, city of.
Washougal, city of.
Woodland, city of.

Columbia County.

Dayton, city of.
Starbuck, town of.

Cowlitz County.

Castle Rock, city of.
Kalama, city of.
Kelso, city of.
Longview, city of.
Woodland, city of.

Douglas County.

Bridgeport, town of.
Coulee Dam, city of.
East Wenatchee, city of.
Rock Island, town of.

Ferry County.

Republic, town of.

Franklin County.

Pasco, city of.

Garfield County.

Grant County.

Coulee City, city of.
Coulee Dam, city of.
Electric City, city of.
Grand Coulee, city of.
Krupp, town of.
Moses Lake, city of.
Soap Lake, city of.
Wilson Creek, town of.

Grays Harbor County.

Aberdeen, city of.
Cosmopolis, city of.
Elma, city of.
Hoquiam, city of.
Montesano, city of.
Oakville, city of.
Ocean Shores, city of.
Westport, city of.

Island County.

Coupeville, town of.
Langley, city of.
Oak Harbor, city of.

Jefferson County.

Port Townsend, city of.

King County.

Auburn, city of.
 Beaux Arts Village, town of.
 Bellevue, city of.
 Black Diamond, city of.
 Bothell, city of.
 Burien, city of.
 Carnation, town of.
 Des Moines, city of.
 Duvall, city of.
 Federal Way, city of.
 Hunts Point, town of.
 Issaquah, city of.
 Kent, city of.
 Kirkland, city of.
 Lake Forest Park, city of.
 Medina, city of.
 Mercer Island, city of.
 Milton, city of.
 Newcastle, city of.
 Normandy Park, city of.
 North Bend, city of.
 Pacific, city of.
 Redmond, city of.
 Renton, city of.
 Sea-Tac, city of.
 Seattle, city of.
 Shoreline, city of.
 Skykomish, town of.
 Snoqualmie, city of.
 Tukwila, city of.
 Woodinville, city of.
 Yarrow Point, town of.

Kitsap County.

Bremerton, city of.
 Port Orchard, city of.
 Poulsbo, city of.
 Bainbridge Island, city of.

Kittitas County.

Cle Elum, city of.
 Ellensburg, city of.
 South Cle Elum, town of.

Klickitat County.

Bingen, town of.
 Goldendale, city of.
 White Salmon, town of.

Lewis County.

Centralia, city of.
 Chehalis, city of.
 Morton, city of.
 Pe Ell, town of.
 Toledo, city of.
 Vader, city of.
 Winlock, city of.

Lincoln County.

Odessa, town of.
 Sprague, city of.

Mason County.

Shelton, city of.

Okanogan County.

Brewster, town of.
 Conconully, town of.
 Coulee Dam, city of.
 Okanogan, city of.
 Omak, city of.
 Oroville, town of.
 Pateros, town of.
 Riverside, town of.
 Tonasket, town of.
 Twisp, town of.
 Winthrop, town of.

Pacific County.

Ilwaco, town of.
 Long Beach, town of.
 Raymond, city of.
 South Bend, city of.

Pend Oreille County.

Cusick, town of.
 Ione, town of.
 Metaline, town of.
 Metaline Falls, town of.
 Newport, city of.

Pierce County.

Bonney Lake, city of.
 Buckley, city of.
 Dupont, city of.
 Eatonville, town of.
 Fife, city of.
 Gig Harbor, city of.
 Lakewood, city of.
 Milton, city of.
 Orting, city of.
 Pacific, city of.
 Puyallup, city of.
 Roy, city of.
 Ruston, town of.
 South Prairie, town of.
 Steilacoom, town of.
 Sumner, city of.
 Tacoma, city of.
 University Place, city of.
 Wilkeson, town of.

San Juan County.

Friday Harbor, town of.

Skagit County.

Anacortes, city of.
 Burlington, city of.
 Concrete, town of.
 Hamilton, town of.
 La Conner, town of.
 Lyman, town of.
 Mount Vernon, city of.
 Sedro Woolley, city of.

Skamania County.

North Bonneville, city of.

Stevenson, town of.

Snohomish County.

Arlington, city of.

Bothell, city of.

Brier, city of.

Edmonds, city of.

Everett, city of.

Gold Bar, town of.

Granite Falls, town of.

Index, town of.

Lake Stevens, city of.

Marysville, city of.

Monroe, city of.

Mountlake Terrace, city of.

Mukilteo, city of.

Snohomish, city of.

Stanwood, city of.

Sultan, town of.

Woodway, town of.

Spokane County.

Latah, town of.

Medical Lake, town of.

Millwood, town of.

Rockford, town of.

Spokane, city of.

Waverly, town of.

Stevens County.

Chewelah, city of.

Northport, town of.

Thurston County.

Bucoda, town of.

Lacey, city of.

Olympia, city of.

Tenino, town of.

Tumwater, city of.

Yelm, town of.

Wahkiakum County.

Cathlamet, town of.

Walla Walla County.

Waitsburg, town of.

Walla Walla, city of.

Whatcom County.

Bellingham, city of.

Blaine, city of.

Everson, city of.

Ferndale, city of.

Lynden, city of.

Nooksack, city of.

Sumas, city of.

Whitman County.

Albion, town of.

Colfax, city of.

Malden, town of.

Palouse, city of.

Pullman, city of.

Rosalia, town of.

Tekoa, city of.

Yakima County.

Grandview, city of.

Granger, town of.

Naches, town of.

Selah, city of.

Union Gap, city of.

Yakima, city of.

Zillah, city of.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-080, filed 9/30/96, effective 10/31/96.]

PART II
**SHORELINE MASTER PROGRAM APPROVAL/
AMENDMENT**

DRAFT REVIEW:

WAC 173-26-090 Periodic review—Public involvement encouraged—Amendment of comprehensive plans, development regulations and master programs. Each local government should periodically review a shoreline master program under its jurisdiction and make amendments to the master program deemed necessary to reflect changing local circumstances, new information or improved data. Each local government shall also review any master program under its jurisdiction and make amendments to the master program necessary to comply with the requirements of RCW 90.58.080 and any applicable guidelines issued by the department. When the amendment is consistent with chapter 90.58 RCW and its applicable guidelines, it may be approved by local government and the department or adopted by rule when appropriate by the department.

In developing master programs and amendments thereto, the department and local governments, pursuant to RCW 90.58.130 shall make all reasonable efforts to inform, fully involve and encourage participation of all interested persons and private entities, and agencies of the federal, state or local government having interests and responsibilities relating to shorelines of the state and the local master program.

Counties and cities planning under chapter 36.70A RCW, shall establish and broadly disseminate to the public a public participation program identifying procedures whereby proposed amendments of the comprehensive plan and development regulations relating to shorelines of the state will be considered by the local governing body consistent with RCW 36.70A.130. Such procedures shall provide for early and continuous public participation through broad dissemination of informative materials, proposals and alternatives, opportunity for written comments, public meetings after effective notice, provision for open discussion, and consideration of and response to public comments.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-090, filed 9/30/96, effective 10/31/96.]

WAC 173-26-100 Local process for approving/amending shoreline master programs. Prior to submittal of a new or amended master program to the department, local government shall solicit public and agency comment during the drafting of proposed new or amended master programs. The degree of public and agency involvement sought by local government should be gauged according to

the level of complexity, anticipated controversy, and range of issues covered in the draft proposal. Recognizing that the department must approve all master programs before they become effective, early and continuous consultation with the department is encouraged during the drafting of new or amended master programs. For local governments planning under chapter 36.70A RCW, local citizen involvement strategies should be implemented that insure early and continuous public participation consistent with WAC 365-195-600.

At a minimum, local government shall:

(1) Conduct at least one public hearing to consider the draft proposal;

(2) Publish notice of the hearing in one or more newspapers of general circulation in the area in which the hearing is to be held. The notice shall include:

(a) Reference to the authority(s) under which the action(s) is proposed;

(b) A statement or summary of the proposed changes to the master program;

(c) The date, time, and location of the hearing, and the manner in which interested persons may present their views; and

(d) Reference to the availability of the draft proposal for public inspection at the local government office or upon request;

(3) Consult with and solicit the comments of any persons, groups, federal, state, regional, or local agency, and tribes, having interests or responsibilities relating to the subject shorelines or any special expertise with respect to any environmental impact. The consultation process should include adjacent local governments with jurisdiction over common shorelines of the state;

(4) Where amendments are proposed to a county or regional master program which has been adopted by cities or towns, the county shall coordinate with those jurisdictions and verify concurrence with or denial of the proposal. For concurring jurisdictions, the amendments should be packaged and processed together. The procedural requirements of this section may be consolidated for concurring jurisdictions;

(5) Solicit comments on the draft proposal from the department prior to local approval. For local governments planning under the Growth Management Act, the local government shall notify both the department and the department of community, trade, and economic development of its intent to adopt shoreline policies or regulations, at least sixty days prior to final local approval, pursuant to RCW 36.70A.106;

(6) Comply with chapter 43.21C RCW, the State Environmental Policy Act; and

(7) Approve the proposal.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-100, filed 9/30/96, effective 10/31/96.]

WAC 173-26-110 Submittal to department of proposed master programs/amendments. A master program or amendment proposed by local government shall be submitted to the department for its review and formal action. A complete submittal shall include two copies of the following, where applicable:

(1) Documentation (i.e., signed resolution or ordinance) that the proposal has been approved by the local government;

(2) If the proposal includes text amending a master program document of record, it shall be submitted in a form that can replace or be easily incorporated within the existing document. Amended text shall show strikeouts for deleted text and underlining for new text, clearly identifying the proposed changes. At the discretion of the department, strikeouts and underlined text may not be required provided the new or deleted portions of the master program are clearly identifiable;

(3) Amended environment designation map(s), showing both existing and proposed designations, together with corresponding boundaries described in text for each change of environment. Environment designation maps shall include a scale and north arrow and shall be of standard size using distinct reproducible noncolor patterns. All proposals for changes in environment designation and redesignation shall provide written justification for such based on existing development patterns, the biophysical capabilities and limitations of the shoreline being considered, and the goals and aspirations of the local citizenry as reflected in the locally adopted comprehensive land use plan;

(4) A summary of proposed amendments together with explanatory text indicating the scope and intent of the proposal, staff reports, records of the hearing, and/or other materials which document the necessity for the proposed changes to the master program;

(5) Evidence of compliance with chapter 43.21C RCW, the State Environmental Policy Act, specific to the proposal;

(6) Copies of all public, agency and tribal comments received, including a record of names and addresses of interested parties involved in the local government review process or, where no comments have been received, a comment to that effect.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-110, filed 9/30/96, effective 10/31/96.]

WAC 173-26-120 State process for approving/amending shoreline master programs. Review and approval of master programs and amendments by the department shall follow the procedures set forth below:

FORMAL REVIEW:

(1) The department shall review the submitted master program or amendment for compliance with WAC 173-26-100 and 173-26-110. The department shall notify the local government in writing when it determines that a complete submittal has been received. If the submittal is determined to be incomplete, the department will identify the deficiencies and so notify the local government in writing. The review process will not commence until the department determines the submittal is complete.

(2) The department shall provide reasonable notice and opportunity for written comment to all parties of record who expressed interest regarding the local government proposal and to all persons, groups, agencies, and tribes that have requested in writing notice of proposed master programs or amendments generally or for a specific subject matter. The comment period shall be at least thirty days, unless the

department determines that a lack of complexity or controversy surrounding the proposal supports a shorter period.

(3) For master program or amendment proposals involving local governments planning under chapter 36.70A RCW, the department shall provide notice to the department of community, trade, and economic development of its intent to commence formal review of the local government proposal.

(4) At the department's discretion, it may conduct a public hearing during the comment period in the jurisdiction proposing the master program or amendment.

(5) If the department conducts a hearing pursuant to subsection (4) of this section, it shall publish notice of the hearing in at least one newspaper of general circulation in the area affected by the master program. The public notice shall include:

(a) A description of the proposed master program or amendment;

(b) Reference to the authority under which the action is proposed;

(c) The dates, times, and locations of the public hearing, and the manner in which interested persons may obtain copies of the proposal and present their views.

For master program or amendment proposals involving adoption by rule, the notice of the hearing shall be published at least once in each of the three weeks immediately preceding the hearing in one or more newspapers of general circulation in the county in which the hearing is to be held.

(6) Within fifteen days after the close of the department's public comment period, the department shall request of the local government submitting the proposal a review of the issues if any, identified by the public, interested parties, groups, agencies, and tribes, and a written response as to how the proposal addresses the identified issues consistent with the policy of RCW 90.58.020 and the applicable guidelines. Local government shall submit its response to the department within forty-five days of the date of the department's letter requesting a response. If no response is received by the department within the forty-five-day period, the department may proceed with action on the proposal according to subsection (7) of this section. Within the forty-five-day period, the local government may request in writing additional time to prepare a response.

APPROVAL:

(7) Within thirty days after receipt of the local government written response pursuant to subsection (6) of this section, the department shall make written findings and conclusions regarding the consistency of the proposal with the policy of RCW 90.58.020 and the applicable guidelines, provide a response to the issues identified in subsection (6) of this section and either approve the proposal as submitted, recommend specific changes necessary to make the proposal consistent with chapter 90.58 RCW policy and its applicable guidelines, or deny the proposal in those instances where no alteration of the proposal appears likely to be consistent with the policy of RCW 90.58.020 and the applicable guidelines. The written findings and conclusions shall be provided to the local government, all interested parties, tribes, and agencies of record on the proposal.

In reaching its determination of consistency with the policy of RCW 90.58.020 and the applicable guidelines, the

department shall approve those parts of a master program relating to shorelines unless it determines that the submitted parts are not consistent with the policy of RCW 90.58.020 and the applicable guidelines. The department shall approve those parts of a master program relating to shorelines of state-wide significance only after determining the program provides for optimum implementation of the state-wide interest as set forth in the policy of RCW 90.58.020 and the applicable guidelines.

(a) In cases where the proposal is approved as submitted, the effective date of the approved master program or amendment shall be the date of the department's letter to local government approving the submitted master program or amendments.

(b) If the department recommends changes to the proposal, within thirty days after the department mails the written findings and conclusions to the local government pursuant to this subsection (7), the local government may:

(i) Agree to the proposed changes. Receipt by the department of the written notice of agreement from the local government shall constitute final action by the department approving the revised submittal. Written notice of the local government acceptance shall be provided by the department to all parties of record. In such cases, the effective date of the approved master program or amendment is the date the department receives from local government the written notice of agreement; or

(ii) Submit an alternative proposal. If, in the opinion of the department, the alternative is consistent with the purpose and intent of the changes originally proposed by the department in this subsection (7) and with the policy of RCW 90.58.020 and the applicable guidelines, it shall approve the alternative changes and provide written notice to all parties of record. In such cases, the effective date of the approved master program or amendments is the date of the department's letter to local government approving the alternative proposal.

If the department determines the alternative proposal is not consistent with the purpose and intent of the changes proposed by the department, the department may either deny the alternative proposal or at the request of local government start anew with the review and approval process beginning at WAC 173-26-120.

(8) A master program or amendment thereto takes effect when and in such form as it is approved or adopted by rule by the department except when appealed to the shorelines board as provided for in RCW 90.58.190(4) for local governments not planning under chapter 36.70A RCW. The department's approved document of record, filed at the department, constitutes the official master program.

(9) For local governments planning under chapter 36.70A RCW, after final action by the department on a local government's shoreline master program or amendment the local government shall (pursuant to RCW 90.58.090) promptly publish a notice that the department has taken final action on the master program or amendment. For purposes of this section, the date of publication for the master program adoption or amendment shall be the date on which the local government publishes the notice that the department has taken final action on the master program or amendment.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-120, filed 9/30/96, effective 10/31/96.]

WAC 173-26-130 Appeal procedures for master programs. (1) For local governments planning under chapter 36.70A RCW, the growth management hearings board with jurisdiction shall hear and make determinations regarding the department's decision to approve, adopt by rule, or deny a proposed master program or amendment. All petitions for review shall be filed within sixty days after publication of notice by the local government of the department's final action pursuant to WAC 173-26-120(9).

(2) For local governments not planning under chapter 36.70A RCW, all petitions for review shall be filed with the state shorelines hearings board within thirty days of the written decision by the department approving or denying the master program or amendment.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-130, filed 9/30/96, effective 10/31/96.]

WAC 173-26-140 Shoreline master program administrative interpretation. As required by RCW 36.70B.110(11), each local government planning under chapter 36.70A RCW shall adopt procedures for administrative interpretation of its development regulations, which include shoreline master programs. When developing and adopting procedures for administrative interpretation of its shoreline master program, local government shall include provisions requiring consultation with the department to insure that any formal written interpretations are consistent with the purpose and intent of chapter 90.58 RCW and the applicable guidelines.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-140, filed 9/30/96, effective 10/31/96.]

WAC 173-26-150 Local government annexation—Shoreline environment predesignation in planning jurisdictions. Cities and towns planning under the Growth Management Act, chapter 36.70A RCW, may within adopted urban growth areas predesignate environments on shorelines located outside of existing city boundaries. Shoreline environment predesignations shall be consistent with the policy of chapters 36.70A and 90.58 RCW and their applicable guidelines and rules.

Such predesignation shall be conducted under a city's or town's authority to plan for growth within adopted urban growth areas.

Environment predesignations shall be approved by the department according to the procedures set forth in this chapter for amendment of a shoreline master program. No additional procedures are required by the department at the time of annexation. The shoreline environment designation for a predesignated shoreline area shall take effect concurrent with annexation.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-150, filed 9/30/96, effective 10/31/96.]

WAC 173-26-160 Local government annexation. Except as provided in WAC 173-26-150, in the event of annexation of a shoreline of the state, the local government assuming jurisdiction shall notify the department of such annexation and develop or amend a master program to include the annexed area. Such master program development or amendment shall be consistent with the policy of

RCW 90.58.020 and the applicable guidelines and shall be submitted to the department for approval no later than one year from the effective date of annexation.

Until a new or amended master program is adopted by the department, any decision on an application for a shoreline permit in the annexed shoreline area shall be based upon compliance with the master program in effect for the area prior to annexation.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-26-160, filed 9/30/96, effective 10/31/96.]

Chapter 173-27 WAC SHORELINE MANAGEMENT PERMIT AND ENFORCEMENT PROCEDURES

WAC

PART I

PERMITS FOR DEVELOPMENT ON SHORELINES OF THE STATE

173-27-010	Authority.
173-27-020	Purpose.
173-27-030	Definitions.
173-27-040	Developments exempt from substantial development permit requirement.
173-27-050	Letter of exemption.
173-27-060	Applicability of chapter 90.58 RCW to federal lands and agencies.
173-27-070	Application of the permit system to substantial development undertaken prior to the effective date of the act.
173-27-080	Nonconforming use and development standards.
173-27-090	Time requirements of permit.
173-27-100	Revisions to permits.
173-27-110	Notice required.
173-27-120	Special procedures for limited utility extensions and bulkheads.
173-27-130	Filing with department.
173-27-140	Review criteria for all development.
173-27-150	Review criteria for substantial development permits.
173-27-160	Review criteria for conditional use permits.
173-27-170	Review criteria for variance permits.
173-27-180	Application requirements for substantial development, conditional use, or variance permit.
173-27-190	Permits for substantial development, conditional use, or variance.
173-27-200	Department review of conditional use and variance permits.
173-27-210	Minimum standards for conditional use and variance permits.
173-27-220	Requests for review.

PART II

SHORELINE MANAGEMENT ACT ENFORCEMENT

173-27-240	Authority and purpose.
173-27-250	Definitions.
173-27-260	Policy.
173-27-270	Order to cease and desist.
173-27-280	Civil penalty.
173-27-290	Appeal of civil penalty.
173-27-300	Criminal penalty.
173-27-310	Oil or natural gas exploration—Penalty.
173-27-990	Appendix A.

PART I

PERMITS FOR DEVELOPMENT ON SHORELINES OF THE STATE

WAC 173-27-010 Authority. The provisions of this part implement the requirements of chapter 90.58 RCW, the

Shoreline Management Act. Specifically, RCW 90.58.200 authorizes the adoption of rules as necessary to implement the provisions of the act and RCW 90.58.140(3) requires that the department adopt rules for administration and enforcement of the permit system established by the act.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-010, filed 9/30/96, effective 10/31/96.]

WAC 173-27-020 Purpose. RCW 90.58.140(3) requires local governments to establish a program, consistent with rules adopted by the department of ecology, for the administration and enforcement of the permit system for shoreline management. The local program should be integrated with other local government systems for administration and enforcement of land use regulations. It is the intent of these regulations to provide minimum procedural requirements as necessary to comply with statutory requirements while providing latitude for local government to establish procedural systems based on local needs and circumstances. It is also the intent of these regulations to provide for integration of the shoreline permit into a consolidated environmental review and permit process.

This regulation is drafted to also reflect RCW 90.58.050 which provides that the Shoreline Management Act is intended to establish a cooperative program between local government and the state. According to this provision, local government shall have the primary responsibility for initiating the planning required by the act and administering the regulatory program of shoreline management consistent with the policy and provisions of the act, whereas the department shall act primarily in a supportive and review capacity with an emphasis on providing assistance to local government and on insuring compliance with the policies and provisions of the Shoreline Management Act.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-020, filed 9/30/96, effective 10/31/96.]

WAC 173-27-030 Definitions. The following definitions shall apply:

(1) "Act" means chapter 90.58 RCW, the Shoreline Management Act of 1971, as amended;

(2) "Applicable master program" means the master program approved or adopted by the department pursuant to RCW 90.58.090(6) or 90.58.190(4) prior to acceptance of a complete application by local government;

(3) "Average grade level" means the average of the natural or existing topography of the portion of the lot, parcel, or tract of real property which will be directly under the proposed building or structure: In the case of structures to be built over water, average grade level shall be the elevation of the ordinary high water mark. Calculation of the average grade level shall be made by averaging the ground elevations at the midpoint of all exterior walls of the proposed building or structure;

(4) "Conditional use" means a use, development, or substantial development which is classified as a conditional use or is not classified within the applicable master program;

(5) "Department" means the department of ecology;

(6) "Development" means a use consisting of the construction or exterior alteration of structures; dredging; drilling; dumping; filling; removal of any sand, gravel, or

minerals; bulkheading; driving of piling; placing of obstructions; or any project of a permanent or temporary nature which interferes with the normal public use of the surface of the waters overlying lands subject to the act at any stage of water level;

(7) "Exempt" developments are those set forth in WAC 173-27-040 and RCW 90.58.030 (3)(e), 90.58.140(9), 90.58.147, 90.58.355, and 90.58.515 which are not required to obtain a substantial development permit but which must otherwise comply with applicable provisions of the act and the local master program;

(8) "Fair market value" of a development is the open market bid price for conducting the work, using the equipment and facilities, and purchase of the goods, services and materials necessary to accomplish the development. This would normally equate to the cost of hiring a contractor to undertake the development from start to finish, including the cost of labor, materials, equipment and facility usage, transportation and contractor overhead and profit. The fair market value of the development shall include the fair market value of any donated, contributed or found labor, equipment or materials;

(9) "Height" is measured from average grade level to the highest point of a structure: *Provided*, That television antennas, chimneys, and similar appurtenances shall not be used in calculating height, except where such appurtenances obstruct the view of the shoreline of a substantial number of residences on areas adjoining such shorelines, or the applicable master program specifically requires that such appurtenances be included: *Provided further*, That temporary construction equipment is excluded in this calculation;

(10) "Local government" means any county, incorporated city, or town which contains within its boundaries any lands or waters subject to chapter 90.58 RCW;

(11) "Natural or existing topography" means the topography of the lot, parcel, or tract of real property immediately prior to any site preparation or grading, including excavation or filling;

(12) "Party of record" includes all persons, agencies or organizations who have submitted written comments in response to a notice of application; made oral comments in a formal public hearing conducted on the application; or notified local government of their desire to receive a copy of the final decision on a permit and who have provided an address for delivery of such notice by mail;

(13) "Permit" means any substantial development, variance, conditional use permit, or revision authorized under chapter 90.58 RCW;

(14) "Public interest" means the interest shared by the citizens of the state or community at large in the affairs of government, or some interest by which their rights or liabilities are affected including, but not limited to, an effect on public property or on health, safety, or general welfare resulting from a use or development;

(15) "Structure" means a permanent or temporary edifice or building, or any piece of work artificially built or composed of parts joined together in some definite manner, whether installed on, above, or below the surface of the ground or water, except for vessels;

(16) "Transmit" means to send from one person or place to another by mail or hand delivery. The date of transmittal for mailed items is the date that the document is certified for

mailing or, for hand-delivered items, is the date of receipt at the destination;

(17) "Variance" is a means to grant relief from the specific bulk, dimensional or performance standards set forth in the applicable master program and not a means to vary a use of a shoreline;

(18) "Vessel" includes ships, boats, barges, or any other floating craft which are designed and used for navigation and do not interfere with the normal public use of the water;

(19) The definitions and concepts set forth in RCW 90.58.030, and chapters 173-25 and 173-26 WAC also apply as used in this chapter.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-030, filed 9/30/96, effective 10/31/96.]

WAC 173-27-040 Developments exempt from substantial development permit requirement. (1) Application and interpretation of exemptions.

(a) Exemptions shall be construed narrowly. Only those developments that meet the precise terms of one or more of the listed exemptions may be granted exemption from the substantial development permit process.

(b) An exemption from the substantial development permit process is not an exemption from compliance with the act or the local master program, nor from any other regulatory requirements. To be authorized, all uses and developments must be consistent with the policies and provisions of the applicable master program and the Shoreline Management Act. A development or use that is listed as a conditional use pursuant to the local master program or is an unlisted use, must obtain a conditional use permit even though the development or use does not require a substantial development permit. When a development or use is proposed that does not comply with the bulk, dimensional and performance standards of the master program, such development or use can only be authorized by approval of a variance.

(c) The burden of proof that a development or use is exempt from the permit process is on the applicant.

(d) If any part of a proposed development is not eligible for exemption, then a substantial development permit is required for the entire proposed development project.

(e) Local government may attach conditions to the approval of exempted developments and/or uses as necessary to assure consistency of the project with the act and the local master program.

(2) The following developments shall not require substantial development permits:

(a) Any development of which the total cost or fair market value, whichever is higher, does not exceed two thousand five hundred dollars, if such development does not materially interfere with the normal public use of the water or shorelines of the state. For purposes of determining whether or not a permit is required, the total cost or fair market value shall be based on the value of development that is occurring on shorelines of the state as defined in RCW 90.58.030 (2)(c). The total cost or fair market value of the development shall include the fair market value of any donated, contributed or found labor, equipment or materials;

(b) Normal maintenance or repair of existing structures or developments, including damage by accident, fire or

elements. "Normal maintenance" includes those usual acts to prevent a decline, lapse, or cessation from a lawfully established condition. "Normal repair" means to restore a development to a state comparable to its original condition, including but not limited to its size, shape, configuration, location and external appearance, within a reasonable period after decay or partial destruction, except where repair causes substantial adverse effects to shoreline resource or environment. Replacement of a structure or development may be authorized as repair where such replacement is the common method of repair for the type of structure or development and the replacement structure or development is comparable to the original structure or development including but not limited to its size, shape, configuration, location and external appearance and the replacement does not cause substantial adverse effects to shoreline resources or environment;

(c) Construction of the normal protective bulkhead common to single-family residences. A "normal protective" bulkhead includes those structural and nonstructural developments installed at or near, and parallel to, the ordinary high water mark for the sole purpose of protecting an existing single-family residence and appurtenant structures from loss or damage by erosion. A normal protective bulkhead is not exempt if constructed for the purpose of creating dry land. When a vertical or near vertical wall is being constructed or reconstructed, not more than one cubic yard of fill per one foot of wall may be used as backfill. When an existing bulkhead is being repaired by construction of a vertical wall fronting the existing wall, it shall be constructed no further waterward of the existing bulkhead than is necessary for construction of new footings. When a bulkhead has deteriorated such that an ordinary high water mark has been established by the presence and action of water landward of the bulkhead then the replacement bulkhead must be located at or near the actual ordinary high water mark. Beach nourishment and bioengineered erosion control projects may be considered a normal protective bulkhead when any structural elements are consistent with the above requirements and when the project has been approved by the department of fish and wildlife.

(d) Emergency construction necessary to protect property from damage by the elements. An "emergency" is an unanticipated and imminent threat to public health, safety, or the environment which requires immediate action within a time too short to allow full compliance with this chapter. Emergency construction does not include development of new permanent protective structures where none previously existed. Where new protective structures are deemed by the administrator to be the appropriate means to address the emergency situation, upon abatement of the emergency situation the new structure shall be removed or any permit which would have been required, absent an emergency, pursuant to chapter 90.58 RCW, these regulations, or the local master program, obtained. All emergency construction shall be consistent with the policies of chapter 90.58 RCW and the local master program. As a general matter, flooding or other seasonal events that can be anticipated and may occur but that are not imminent are not an emergency;

(e) Construction and practices normal or necessary for farming, irrigation, and ranching activities, including agricultural service roads and utilities on shorelands, construction of a barn or similar agricultural structure, and the construc-

tion and maintenance of irrigation structures including but not limited to head gates, pumping facilities, and irrigation channels: *Provided*, That a feedlot of any size, all processing plants, other activities of a commercial nature, alteration of the contour of the shorelands by leveling or filling other than that which results from normal cultivation, shall not be considered normal or necessary farming or ranching activities. A feedlot shall be an enclosure or facility used or capable of being used for feeding livestock hay, grain, silage, or other livestock feed, but shall not include land for growing crops or vegetation for livestock feeding and/or grazing, nor shall it include normal livestock wintering operations;

(f) Construction or modification, by or under the authority of the Coast Guard or a designated port management authority, of navigational aids such as channel markers and anchor buoys;

(g) Construction on shorelands by an owner, lessee or contract purchaser of a single-family residence for their own use or for the use of their family, which residence does not exceed a height of thirty-five feet above average grade level and which meets all requirements of the state agency or local government having jurisdiction thereof. "Single-family residence" means a detached dwelling designed for and occupied by one family including those structures and developments within a contiguous ownership which are a normal appurtenance. An "appurtenance" is necessarily connected to the use and enjoyment of a single-family residence and is located landward of the ordinary high water mark and the perimeter of a wetland. On a state-wide basis, normal appurtenances include a garage; deck; driveway; utilities; fences; installation of a septic tank and drainfield and grading which does not exceed two hundred fifty cubic yards and which does not involve placement of fill in any wetland or waterward of the ordinary high water mark. Local circumstances may dictate additional interpretations of normal appurtenances which shall be set forth and regulated within the applicable master program. Construction authorized under this exemption shall be located landward of the ordinary high water mark;

(h) Construction of a dock, including a community dock, designed for pleasure craft only, for the private noncommercial use of the owners, lessee, or contract purchaser of a single-family and multiple-family residences. A dock is a landing and moorage facility for watercraft and does not include recreational decks, storage facilities or other appurtenances. This exception applies if either:

(i) In salt waters, the fair market value of the dock does not exceed two thousand five hundred dollars; or

(ii) In fresh waters the fair market value of the dock does not exceed ten thousand dollars, but if subsequent construction having a fair market value exceeding two thousand five hundred dollars occurs within five years of completion of the prior construction, the subsequent construction shall be considered a substantial development for the purpose of this chapter.

For purposes of this section salt water shall include the tidally influenced marine and estuarine water areas of the state including the Pacific Ocean, Strait of Juan de Fuca, Strait of Georgia and Puget Sound and all bays and inlets associated with any of the above;

(i) Operation, maintenance, or construction of canals, waterways, drains, reservoirs, or other facilities that now exist or are hereafter created or developed as a part of an irrigation system for the primary purpose of making use of system waters, including return flow and artificially stored ground water from the irrigation of lands;

(j) The marking of property lines or corners on state-owned lands, when such marking does not significantly interfere with normal public use of the surface of the water;

(k) Operation and maintenance of any system of dikes, ditches, drains, or other facilities existing on June 4, 1975, which were created, developed or utilized primarily as a part of an agricultural drainage or diking system;

(l) Any project with a certification from the governor pursuant to chapter 80.50 RCW;

(m) Site exploration and investigation activities that are prerequisite to preparation of an application for development authorization under this chapter, if:

(i) The activity does not interfere with the normal public use of the surface waters;

(ii) The activity will have no significant adverse impact on the environment including but not limited to fish, wildlife, fish or wildlife habitat, water quality, and aesthetic values;

(iii) The activity does not involve the installation of any structure, and upon completion of the activity the vegetation and land configuration of the site are restored to conditions existing before the activity;

(iv) A private entity seeking development authorization under this section first posts a performance bond or provides other evidence of financial responsibility to the local jurisdiction to ensure that the site is restored to preexisting conditions; and

(v) The activity is not subject to the permit requirements of RCW 90.58.550;

(n) The process of removing or controlling aquatic noxious weeds, as defined in RCW 17.26.020, through the use of an herbicide or other treatment methods applicable to weed control that are recommended by a final environmental impact statement published by the department of agriculture or the department of ecology jointly with other state agencies under chapter 43.21C RCW;

(o) Watershed restoration projects as defined herein. Local government shall review the projects for consistency with the shoreline master program in an expeditious manner and shall issue its decision along with any conditions within forty-five days of receiving all materials necessary to review the request for exemption from the applicant. No fee may be charged for accepting and processing requests for exemption for watershed restoration projects as used in this section.

(i) "Watershed restoration project" means a public or private project authorized by the sponsor of a watershed restoration plan that implements the plan or a part of the plan and consists of one or more of the following activities:

(A) A project that involves less than ten miles of streamreach, in which less than twenty-five cubic yards of sand, gravel, or soil is removed, imported, disturbed or discharged, and in which no existing vegetation is removed except as minimally necessary to facilitate additional plantings;

(B) A project for the restoration of an eroded or unstable stream bank that employs the principles of bioengi-

neering, including limited use of rock as a stabilization only at the toe of the bank, and with primary emphasis on using native vegetation to control the erosive forces of flowing water; or

(C) A project primarily designed to improve fish and wildlife habitat, remove or reduce impediments to migration of fish, or enhance the fishery resource available for use by all of the citizens of the state, provided that any structure, other than a bridge or culvert or instream habitat enhancement structure associated with the project, is less than two hundred square feet in floor area and is located above the ordinary high water mark of the stream.

(ii) "Watershed restoration plan" means a plan, developed or sponsored by the department of fish and wildlife, the department of ecology, the department of natural resources, the department of transportation, a federally recognized Indian tribe acting within and pursuant to its authority, a city, a county, or a conservation district that provides a general program and implementation measures or actions for the preservation, restoration, re-creation, or enhancement of the natural resources, character, and ecology of a stream, stream segment, drainage area, or watershed for which agency and public review has been conducted pursuant to chapter 43.21C RCW, the State Environmental Policy Act;

(p) A public or private project, the primary purpose of which is to improve fish or wildlife habitat or fish passage, when all of the following apply:

(i) The project has been approved in writing by the department of fish and wildlife as necessary for the improvement of the habitat or passage and appropriately designed and sited to accomplish the intended purpose;

(ii) The project has received hydraulic project approval by the department of fish and wildlife pursuant to chapter 75.20 RCW; and

(iii) The local government has determined that the project is consistent with the local shoreline master program. The local government shall make such determination in a timely manner and provide it by letter to the project proponent.

(3) Hazardous substance remedial actions. The procedural requirements of chapter 90.58 RCW shall not apply to a project for which a consent decree, order or agreed order has been issued pursuant to chapter 70.105D RCW or to the department of ecology when it conducts a remedial action under chapter 70.105D RCW. The department shall, in consultation with the appropriate local government, assure that such projects comply with the substantive requirements of chapter 90.58 RCW, chapter 173-26 WAC and the local master program.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-040, filed 9/30/96, effective 10/31/96.]

WAC 173-27-050 Letter of exemption. Some projects conducted on shorelines of the state also require review and approval by federal agencies. Ecology is designated as the coordinating agency for the state with regard to permits issued by the U.S. Army Corps of Engineers. The following is intended to facilitate ecology's coordination of local actions, with regard to exempt development, with federal permit review.

(1) The local government shall prepare a letter of exemption, addressed to the applicant and the department, whenever a development is determined by a local government to be exempt from the substantial development permit requirements and the development is subject to one or more of the following federal permit requirements:

(a) A U.S. Army Corps of Engineers section 10 permit under the Rivers and Harbors Act of 1899; (The provisions of section 10 of the Rivers and Harbors Act generally apply to any project occurring on or over navigable waters. Specific applicability information should be obtained from the Corps of Engineers.) or

(b) A section 404 permit under the Federal Water Pollution Control Act of 1972. (The provisions of section 404 of the Federal Water Pollution Control Act generally apply to any project which may involve discharge of dredge or fill material to any water or wetland area. Specific applicability information should be obtained from the Corps of Engineers.)

(2) The letter shall indicate the specific exemption provision from WAC 173-27-040 that is being applied to the development and provide a summary of the local government's analysis of the consistency of the project with the master program and the act.

(3) Local government may specify other developments not described within subsection (1) of this section as requiring a letter of exemption prior to commencement of the development.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-050, filed 9/30/96, effective 10/31/96.]

WAC 173-27-060 Applicability of chapter 90.58 RCW to federal lands and agencies. The policies and provisions of chapter 90.58 RCW including the permit system shall be applied in the following manner to federal agencies on lands meeting the criteria of the Shoreline Management Act for shorelines of the state.

(1) Within the coastal counties.

Direct federal agency actions and projects shall be consistent to the maximum extent practicable with the approved Washington state coastal zone management program subject to certain limitations set forth in the Federal Coastal Zone Management Act, 16 U.S.C. 1451 et seq. (CZMA) and regulations adopted pursuant thereto. Other applicable federal law governing the federal agency actions may determine whether the permit system of chapter 90.58 RCW is applicable.

The Shoreline Management Act is incorporated into the Washington state coastal zone management plan and, thereby, those direct federal actions occurring on lands subject to the act must be consistent to the maximum practicable extent with the act, regulations adopted pursuant to the act and with the local master program. Local government is in the best position to determine the appropriate procedure for review of federal development activities at the local level while the state must take action on federal consistency determinations submitted to it.

(a) When the department receives a consistency determination for a development proposed by the federal government on land subject to the act, it shall request that local

government review the proposal and respond in writing that the local government:

(i) Cannot make a determination of the consistency of the project with the master program without reviewing the project in the regular permit process; or

(ii) Has reviewed the project for consistency with the local master program without using the permit system. Local government may recommend that the project be approved, approved only under certain specified conditions or denied.

(iii) Defers review of the project to the state.

(b) Upon receipt of a response from local government that a permit is required to make a determination, the department shall inform the requesting agency of the local government finding and shall indicate that concurrence with the consistency determination cannot be granted until a permit is issued. If the local government chooses to review and make a recommendation without using the permit system it shall so notify the department and submit its recommendation to the department within thirty days unless a longer period of time is agreed to by the federal agency and the department. If no response is received from local government within thirty days they shall be deemed to have deferred review of the project.

(c) Nothing in this section shall be deemed to preclude independent review of the project by the state pursuant to any appropriate authority consistent with the approved coastal zone management plan.

(d) The coastal counties, as established in Washington's approved coastal zone management plan, consist of the following counties: Whatcom, Skagit, San Juan, Island, Snohomish, King, Pierce, Thurston, Mason, Kitsap, Jefferson, Clallam, Grays Harbor, Pacific and Wahkiakum.

(2) Outside of the coastal counties.

(a) Direct federal agency actions that are reasonably likely to affect any coastal use or resource shall be consistent with the approved coastal zone management plan to the maximum extent practicable subject to limitations set forth in the Federal Coastal Zone Management Act, 16 U.S.C. 1451 et seq.(CZMA) and regulations adopted pursuant thereto. Other applicable federal law governing the federal agency actions may determine whether the permit system of chapter 90.58 RCW is applicable.

(b) Except as provided in (a) of this subsection, federal agencies shall not be required to obtain permits for developments undertaken by the federal government on lands owned in fee by the federal government or on easements obtained by the federal government for a specified purpose where the proposed development is consistent with the specified purpose, unless under either circumstance the federal government grants or reserves to the state or local government substantial jurisdiction over activities on those lands.

(c) Except as provided in (a) of this subsection, the permit system shall apply to developments undertaken on lands not federally owned but under lease, license, or other similar federal property rights short of fee ownership, to the federal government.

(3) The policies and provisions of chapter 90.58 RCW, including the permit system, shall apply state-wide to all nonfederal developments and uses undertaken on federal lands and on lands subject to nonfederal ownership, lease or

easement, even though such lands may fall within the external boundaries of a federal ownership.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-060, filed 9/30/96, effective 10/31/96.]

WAC 173-27-070 Application of the permit system to substantial development undertaken prior to the effective date of the act. (1) Substantial development undertaken on the shorelines of the state prior to the effective date of the act shall not require a permit except under the following circumstances:

(a) When the activity was unlawful prior to the effective date of the act.

(b) When there has been an unreasonable period of dormancy in the project between its inception and the effective date of the act.

(c) When the development is not completed within two years after the effective date of the act.

(d) When substantial development occurred prior to the effective date of the act on a shoreline and continued on to a different lake, river or tributary after the effective date, a permit shall be required for the development undertaken after the effective date.

(e) Substantial development undertaken prior to the effective date of the act shall not continue without a permit into other phases that were not part of the plan being followed at the time construction commenced.

(2) When a change in the area subject to the jurisdiction of the act occurs as a result of a determination of jurisdiction by the department based on the provisions of RCW 90.58.030 (2)(d) or (e), the effective date of the act shall be the date the department provides written notice of the change to the local government(s) in which the affected area is located.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-070, filed 9/30/96, effective 10/31/96.]

WAC 173-27-080 Nonconforming use and development standards. When nonconforming use and development standards do not exist in the applicable master program, the following definitions and standards shall apply:

(1) "Nonconforming use or development" means a shoreline use or development which was lawfully constructed or established prior to the effective date of the act or the applicable master program, or amendments thereto, but which does not conform to present regulations or standards of the program.

(2) Structures that were legally established and are used for a conforming use but which are nonconforming with regard to setbacks, buffers or yards; area; bulk; height or density may be maintained and repaired and may be enlarged or expanded provided that said enlargement does not increase the extent of nonconformity by further encroaching upon or extending into areas where construction or use would not be allowed for new development or uses.

(3) Uses and developments that were legally established and are nonconforming with regard to the use regulations of the master program may continue as legal nonconforming uses. Such uses shall not be enlarged or expanded, except that nonconforming single-family residences that are located landward of the ordinary high water mark may be enlarged

or expanded in conformance with applicable bulk and dimensional standards by the addition of space to the main structure or by the addition of normal appurtenances as defined in WAC 173-27-040 (2)(g) upon approval of a conditional use permit.

(4) A use which is listed as a conditional use but which existed prior to adoption of the master program or any relevant amendment and for which a conditional use permit has not been obtained shall be considered a nonconforming use. A use which is listed as a conditional use but which existed prior to the applicability of the master program to the site and for which a conditional use permit has not been obtained shall be considered a nonconforming use.

(5) A structure for which a variance has been issued shall be considered a legal nonconforming structure and the requirements of this section shall apply as they apply to preexisting nonconformities.

(6) A structure which is being or has been used for a nonconforming use may be used for a different nonconforming use only upon the approval of a conditional use permit. A conditional use permit may be approved only upon a finding that:

(a) No reasonable alternative conforming use is practical; and

(b) The proposed use will be at least as consistent with the policies and provisions of the act and the master program and as compatible with the uses in the area as the preexisting use.

In addition such conditions may be attached to the permit as are deemed necessary to assure compliance with the above findings, the requirements of the master program and the Shoreline Management Act and to assure that the use will not become a nuisance or a hazard.

(7) A nonconforming structure which is moved any distance must be brought into conformance with the applicable master program and the act.

(8) If a nonconforming development is damaged to an extent not exceeding seventy-five percent of the replacement cost of the original development, it may be reconstructed to those configurations existing immediately prior to the time the development was damaged, provided that application is made for the permits necessary to restore the development within six months of the date the damage occurred, all permits are obtained and the restoration is completed within two years of permit issuance.

(9) If a nonconforming use is discontinued for twelve consecutive months or for twelve months during any two-year period, the nonconforming rights shall expire and any subsequent use shall be conforming. A use authorized pursuant to subsection (6) of this section shall be considered a conforming use for purposes of this section.

(10) An undeveloped lot, tract, parcel, site, or division of land located landward of the ordinary high water mark which was established in accordance with local and state subdivision requirements prior to the effective date of the act or the applicable master program but which does not conform to the present lot size standards may be developed if permitted by other land use regulations of the local government and so long as such development conforms to all other requirements of the applicable master program and the act.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-080, filed 9/30/96, effective 10/31/96.]

WAC 173-27-090 Time requirements of permit.

The following time requirements shall apply to all substantial development permits and to any development authorized pursuant to a variance or conditional use permit.

(1) Upon a finding of good cause, based on the requirements and circumstances of the project proposed and consistent with the policy and provisions of the master program and the act, local government may adopt appropriate time limits as a part of action on a substantial development permit and local government, with the approval of the department, may adopt appropriate time limits as a part of action on a conditional use or variance permit: "Good cause based on the requirements and circumstances of the project," shall mean that the time limits established are reasonably related to the time actually necessary to perform the development on the ground and complete the project that is being permitted, and/or are necessary for the protection of shoreline resources.

(2) Where neither local government nor the department include specific provisions establishing time limits on a permit as a part of action on the permit, the following time limits shall apply:

(a) Construction shall be commenced or, where no construction is involved, the use or activity shall be commenced within two years of the effective date of a shoreline permit. Provided, that local government may authorize a single extension for a period not to exceed one year based on reasonable factors, if a request for extension has been filed before the expiration date and notice of the proposed extension is given to parties of record and the department.

(b) Authorization to conduct development activities shall terminate five years after the effective date of a shoreline permit. Provided, that local government may authorize a single extension for a period not to exceed one year based on reasonable factors, if a request for extension has been filed before the expiration date and notice of the proposed extension is given to parties of record and the department.

(3) The effective date of a shoreline permit shall be the date of the last action required on the shoreline permit and all other government permits and approvals that authorize the development to proceed, including all administrative and legal actions on any such permit or approval. It is the responsibility of the applicant to inform the local government of the pendency of other permit applications filed with agencies other than the local government and of any related administrative and legal actions on any permit or approval. If no notice of the pendency of other permits or approvals is given to the local government prior to the date established by the shoreline permit or the provisions of this section, the expiration of a permit shall be based on the shoreline permit.

(4) When permit approval is based on conditions, such conditions shall be satisfied prior to occupancy or use of a structure or prior to commencement of a nonstructural activity: *Provided*, That an alternative compliance limit may be specified in the permit.

(5) Revisions to permits under WAC 173-27-100 may be authorized after original permit authorization has expired under subsection (2) of this section: *Provided*, That this procedure shall not be used to extend the original permit

time requirements or to authorize substantial development after the time limits of the original permit.

(6) Local government shall notify the department in writing of any change to the effective date of a permit, as authorized by this section, with an explanation of the basis for approval of the change. Any change to the time limits of a permit other than those authorized by this section shall require a new permit application.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-090, filed 9/30/96, effective 10/31/96.]

WAC 173-27-100 Revisions to permits. A permit revision is required whenever the applicant proposes substantive changes to the design, terms or conditions of a project from that which is approved in the permit. Changes are substantive if they materially alter the project in a manner that relates to its conformance to the terms and conditions of the permit, the master program and/or the policies and provisions of chapter 90.58 RCW. Changes which are not substantive in effect do not require approval of a revision.

When an applicant seeks to revise a permit, local government shall request from the applicant detailed plans and text describing the proposed changes.

(1) If local government determines that the proposed changes are within the scope and intent of the original permit, and are consistent with the applicable master program and the act, local government may approve a revision.

(2) "Within the scope and intent of the original permit" means all of the following:

(a) No additional over water construction is involved except that pier, dock, or float construction may be increased by five hundred square feet or ten percent from the provisions of the original permit, whichever is less;

(b) Ground area coverage and height may be increased a maximum of ten percent from the provisions of the original permit;

(c) The revised permit does not authorize development to exceed height, lot coverage, setback, or any other requirements of the applicable master program except as authorized under a variance granted as the original permit or a part thereof;

(d) Additional or revised landscaping is consistent with any conditions attached to the original permit and with the applicable master program;

(e) The use authorized pursuant to the original permit is not changed; and

(f) No adverse environmental impact will be caused by the project revision.

(3) Revisions to permits may be authorized after original permit authorization has expired under WAC 173-27-080(2). The purpose of such revisions shall be limited to authorization of changes which are consistent with this section and which would not require a permit for the development or change proposed under the terms of chapter 90.58 RCW, this regulation and the local master program. If the proposed change constitutes substantial development then a new permit is required. Provided, this subsection shall not be used to extend the time requirements or to authorize substantial development beyond the time limits of the original permit.

(4) If the sum of the revision and any previously approved revisions under former WAC 173-14-064 or this section violate the provisions in subsection (2) of this section, local government shall require that the applicant apply for a new permit.

(5) The revision approval, including the revised site plans and text consistent with the provisions of WAC 173-27-180 as necessary to clearly indicate the authorized changes, and the final ruling on consistency with this section shall be filed with the department. In addition, local government shall notify parties of record of their action.

(6) If the revision to the original permit involves a conditional use or variance, local government shall submit the revision to the department for the department's approval, approval with conditions, or denial, and shall indicate that the revision is being submitted under the requirements of this subsection. The department shall render and transmit to local government and the applicant its final decision within fifteen days of the date of the department's receipt of the submittal from local government. Local government shall notify parties of record of the department's final decision.

(7) The revised permit is effective immediately upon final decision by local government or, when appropriate under subsection (6) of this section, upon final action by the department.

(8) Appeals shall be in accordance with RCW 90.58.180 and shall be filed within twenty-one days from the date of receipt of the local government's action by the department or, when appropriate under subsection (6) of this section, the date the department's final decision is transmitted to local government and the applicant. Appeals shall be based only upon contentions of noncompliance with the provisions of subsection (2) of this section. Construction undertaken pursuant to that portion of a revised permit not authorized under the original permit is at the applicant's own risk until the expiration of the appeals deadline. If an appeal is successful in proving that a revision is not within the scope and intent of the original permit, the decision shall have no bearing on the original permit.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-100, filed 9/30/96, effective 10/31/96.]

WAC 173-27-110 Notice required. (1) Local government shall develop and adopt a system which provides for notification of the public, the department and other agencies with jurisdiction of applications for a shoreline management substantial development, conditional use, or variance permit. Notification pursuant to this section may be carried out as a part of an integrated local permit notification procedure.

(2) The system shall assure that notice of application shall be provided within fourteen days after the determination of completeness as provided in RCW 36.70B.070 and WAC 173-27-180, and include the following in whatever sequence or format the local government deems appropriate:

(a) The date of application, the date of the notice of completion for the application, and the date of the notice of application;

(b) A description of the proposed project action and a list of the project permits included in the application and, if

applicable, a list of any studies requested under RCW 36.70B.070, 36.70B.090 and WAC 173-27-180;

(c) The identification of other permits not included in the application to the extent known by the local government;

(d) The identification of existing environmental documents that evaluate the proposed project, and, if not otherwise stated on the document providing the notice of application, such as a city land use bulletin, the location where the application and any studies can be reviewed;

(e) A statement of the public comment period, which shall be not less than thirty days following the date of notice of application, and statements of the right of any person to comment on the application, receive notice of and participate in any hearings, request a copy of the decision once made, and any appeal rights. A local government may accept public comments at any time prior to the closing of the record of an open record predecision hearing, if any, or, if no open record predecision hearing is provided, prior to the decision on the project permit;

(f) The date, time, place, and type of hearing, if applicable and scheduled at the date of notice of the application;

(g) A statement of the preliminary determination, if one has been made at the time of notice, of those development regulations that will be used for project mitigation and of consistency; and

(h) Any other information determined appropriate by the local government.

(3) If an open record predecision hearing, as defined in RCW 36.70B.020, is required for the requested project permits, the notice of application shall be provided at least fifteen days prior to the open record hearing.

(4) The notification system shall assure that notice to the general public and property owners in the vicinity of such application is given by at least one of the following methods:

(a) Mailing of the notice to the latest recorded real property owners as shown by the records of the county assessor within at least three hundred feet of the boundary of the property upon which the development is proposed;

(b) Posting of the notice in a conspicuous manner on the property upon which the project is to be undertaken; or

(c) Any other manner deemed appropriate by local authorities to accomplish the objectives of reasonable notice to adjacent landowners and the public.

(5) The notification system shall provide for timely notification of individuals and organizations that request such notice in writing.

(6) The notification system shall provide notice to all agencies with jurisdiction per chapter 43.21C RCW and to all other agencies that request in writing any such notice.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-110, filed 9/30/96, effective 10/31/96.]

WAC 173-27-120 Special procedures for limited utility extensions and bulkheads. (1) An application for a substantial development permit for a limited utility extension or for the construction of a bulkhead or other measures to protect a single-family residence and its appurtenant structures from shoreline erosion shall be subject to all of the requirements of this chapter except that the following time periods and procedures shall be used:

(a) The public comment period shall be twenty days. The notice provided shall state the manner in which the public may obtain a copy of the local government decision on the application no later than two days following its issuance;

(b) The local government shall issue its decision to grant or deny the permit within twenty-one days of the last day of the comment period specified in subsection (2)(a) of this section; and

(c) If there is an appeal of the decision to grant or deny the permit to the local government legislative authority, the appeal shall be finally determined by the legislative authority within thirty days.

(2) For purposes of this section, a limited utility extension means the extension of a utility service that:

(a) Is categorically exempt under chapter 43.21C RCW for one or more of the following: Natural gas, electricity, telephone, water, or sewer;

(b) Will serve an existing use in compliance with this chapter; and

(c) Will not extend more than two thousand five hundred linear feet within the shorelines of the state.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-120, filed 9/30/96, effective 10/31/96.]

WAC 173-27-130 Filing with department. (1) All applications for a permit or a permit revision shall be submitted to the department upon a final decision by local government. Final decision by local government shall mean the order or ruling, whether it be an approval or denial, which is established after all local administrative appeals related to the permit have concluded or the opportunity to initiate such appeals have lapsed.

(2) When a substantial development permit and a conditional use or variance permit are required for a development, the submittal on the permits shall be made concurrently.

(3) A complete submittal shall consist of the following documents and information:

(a) A copy of the complete application pursuant to WAC 173-27-180;

(b) Findings and conclusions that establish the basis for the decision including but not limited to identification of shoreline environment designation, applicable master program policies and regulations and the consistency of the project with appropriate review criteria for the type of permit(s) as established in WAC 173-27-140 through 173-27-170;

(c) The final decision of the local government;

(d) The permit data sheet required by WAC 173-27-190; and

(e) Where applicable, local government shall also file the applicable documents required by chapter 43.21C RCW, the State Environmental Policy Act, or in lieu thereof, a statement summarizing the actions and dates of such actions taken under chapter 43.21C RCW.

(4) When the project has been modified in the course of the local review process, plans or text shall be provided to the department that clearly indicate the final approved plan.

(5) Submittal of substantial development permits, conditional use permits, variances, rescissions and revisions

is complete when all of the documents required pursuant to subsections (3) and (4) of this section have been received by the department. If the department determines that the submittal does not contain all of the documents and information required by this section, the department shall identify the deficiencies and so notify local government and the applicant in writing. The submittal and permit are void unless and until the material requested in writing is submitted to the department.

(6) "Date of filing" of a local government final decision involving approval or denial of a substantial development permit, or involving a denial of a variance or conditional use permit, is the date of actual receipt of a complete submittal by the department.

(7) "Date of filing" of a permit for a conditional use or variance approved by local government, and such permits which also involve concurrent submittal by local government of a substantial development permit, is the date of transmittal of the department's final decision on the variance or conditional use permit to local government and the applicant.

(8) The department shall provide a written notice to the local government and the applicant of the "date of filing."

(9) When a permit has been appealed pursuant to RCW 90.58.180, upon conclusion of all review proceedings, a copy of the final order shall be provided to the local government and the department. When the project has been modified in the course of the review proceeding, plans or text shall be provided to the local government, consistent with the provisions of WAC 173-27-180, that clearly indicate the final approved plan and the local government shall reissue the permit accordingly and submit a copy of the reissued permit and supporting documents consistent with subsection (3) of this section to the department for completion of the file on the permit. The purpose of this provision is to assure that the local and department files on the permit are complete and accurate and not to provide a new opportunity for appeal of the permit.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-130, filed 9/30/96, effective 10/31/96.]

WAC 173-27-140 Review criteria for all development. (1) No authorization to undertake use or development on shorelines of the state shall be granted by the local government unless upon review the use or development is determined to be consistent with the policy and provisions of the Shoreline Management Act and the master program.

(2) No permit shall be issued for any new or expanded building or structure of more than thirty-five feet above average grade level on shorelines of the state that will obstruct the view of a substantial number of residences on areas adjoining such shorelines except where a master program does not prohibit the same and then only when overriding considerations of the public interest will be served.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-140, filed 9/30/96, effective 10/31/96.]

WAC 173-27-150 Review criteria for substantial development permits. (1) A substantial development permit shall be granted only when the development proposed is consistent with:

- (a) The policies and procedures of the act;
- (b) The provisions of this regulation; and
- (c) The applicable master program adopted or approved for the area. Provided, that where no master program has been approved for an area, the development shall be reviewed for consistency with the provisions of chapter 173-26 WAC, and to the extent feasible, any draft or approved master program which can be reasonably ascertained as representing the policy of the local government.

(2) Local government may attach conditions to the approval of permits as necessary to assure consistency of the project with the act and the local master program.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-150, filed 9/30/96, effective 10/31/96.]

WAC 173-27-160 Review criteria for conditional use permits. The purpose of a conditional use permit is to provide a system within the master program which allows flexibility in the application of use regulations in a manner consistent with the policies of RCW 90.58.020. In authorizing a conditional use, special conditions may be attached to the permit by local government or the department to prevent undesirable effects of the proposed use and/or to assure consistency of the project with the act and the local master program.

(1) Uses which are classified or set forth in the applicable master program as conditional uses may be authorized provided that the applicant demonstrates all of the following:

- (a) That the proposed use is consistent with the policies of RCW 90.58.020 and the master program;
- (b) That the proposed use will not interfere with the normal public use of public shorelines;
- (c) That the proposed use of the site and design of the project is compatible with other authorized uses within the area and with uses planned for the area under the comprehensive plan and shoreline master program;
- (d) That the proposed use will cause no significant adverse effects to the shoreline environment in which it is to be located; and
- (e) That the public interest suffers no substantial detrimental effect.

(2) In the granting of all conditional use permits, consideration shall be given to the cumulative impact of additional requests for like actions in the area. For example, if conditional use permits were granted for other developments in the area where similar circumstances exist, the total of the conditional uses shall also remain consistent with the policies of RCW 90.58.020 and shall not produce substantial adverse effects to the shoreline environment.

(3) Other uses which are not classified or set forth in the applicable master program may be authorized as conditional uses provided the applicant can demonstrate consistency with the requirements of this section and the requirements for conditional uses contained in the master program.

(4) Uses which are specifically prohibited by the master program may not be authorized pursuant to either subsection (1) or (2) of this section.

(3) Other uses which are not classified or set forth in the applicable master program may be authorized as conditional uses provided the applicant can demonstrate consistency with the requirements of this section and the requirements for conditional uses contained in the master program.

(4) Uses which are specifically prohibited by the master program may not be authorized pursuant to either subsection (1) or (2) of this section.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-160, filed 9/30/96, effective 10/31/96.]

WAC 173-27-170 Review criteria for variance permits. The purpose of a variance permit is strictly limited to granting relief from specific bulk, dimensional or performance standards set forth in the applicable master program where there are extraordinary circumstances relating to the physical character or configuration of property such that the strict implementation of the master program will impose unnecessary hardships on the applicant or thwart the policies set forth in RCW 90.58.020.

(1) Variance permits should be granted in circumstances where denial of the permit would result in a thwarting of the policy enumerated in RCW 90.58.020. In all instances the applicant must demonstrate that extraordinary circumstances shall be shown and the public interest shall suffer no substantial detrimental effect.

(2) Variance permits for development and/or uses that will be located landward of the ordinary high water mark (OHWM), as defined in RCW 90.58.030 (2)(b), and/or landward of any wetland as defined in RCW 90.58.030 (2)(h), may be authorized provided the applicant can demonstrate all of the following:

(a) That the strict application of the bulk, dimensional or performance standards set forth in the applicable master program precludes, or significantly interferes with, reasonable use of the property;

(b) That the hardship described in (a) of this subsection is specifically related to the property, and is the result of unique conditions such as irregular lot shape, size, or natural features and the application of the master program, and not, for example, from deed restrictions or the applicant's own actions;

(c) That the design of the project is compatible with other authorized uses within the area and with uses planned for the area under the comprehensive plan and shoreline master program and will not cause adverse impacts to the shoreline environment;

(d) That the variance will not constitute a grant of special privilege not enjoyed by the other properties in the area;

(e) That the variance requested is the minimum necessary to afford relief; and

(f) That the public interest will suffer no substantial detrimental effect.

(3) Variance permits for development and/or uses that will be located waterward of the ordinary high water mark (OHWM), as defined in RCW 90.58.030 (2)(b), or within any wetland as defined in RCW 90.58.030 (2)(h), may be authorized provided the applicant can demonstrate all of the following:

(a) That the strict application of the bulk, dimensional or performance standards set forth in the applicable master program precludes all reasonable use of the property;

(b) That the proposal is consistent with the criteria established under subsection (2)(b) through (f) of this section; and

(c) That the public rights of navigation and use of the shorelines will not be adversely affected.

(4) In the granting of all variance permits, consideration shall be given to the cumulative impact of additional requests for like actions in the area. For example if variances were granted to other developments and/or uses in the area where similar circumstances exist the total of the

variances shall also remain consistent with the policies of RCW 90.58.020 and shall not cause substantial adverse effects to the shoreline environment.

(5) Variances from the use regulations of the master program are prohibited.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-170, filed 9/30/96, effective 10/31/96.]

WAC 173-27-180 Application requirements for substantial development, conditional use, or variance permit. A complete application for a substantial development, conditional use, or variance permit shall contain, as a minimum, the following information:

(1) The name, address and phone number of the applicant. The applicant should be the owner of the property or the primary proponent of the project and not the representative of the owner or primary proponent.

(2) The name, address and phone number of the applicant's representative if other than the applicant.

(3) The name, address and phone number of the property owner, if other than the applicant.

(4) Location of the property. This shall, at a minimum, include the property address and identification of the section, township and range to the nearest quarter, quarter section or latitude and longitude to the nearest minute. All applications for projects located in open water areas away from land shall provide a longitude and latitude location.

(5) Identification of the name of the shoreline (water body) that the site of the proposal is associated with. This should be the water body from which jurisdiction of the act over the project is derived.

(6) A general description of the proposed project that includes the proposed use or uses and the activities necessary to accomplish the project.

(7) A general description of the property as it now exists including its physical characteristics and improvements and structures.

(8) A general description of the vicinity of the proposed project including identification of the adjacent uses, structures and improvements, intensity of development and physical characteristics.

(9) A site development plan consisting of maps and elevation drawings, drawn to an appropriate scale to depict clearly all required information, photographs and text which shall include:

(a) The boundary of the parcel(s) of land upon which the development is proposed.

(b) The ordinary high water mark of all water bodies located adjacent to or within the boundary of the project. This may be an approximate location provided, that for any development where a determination of consistency with the applicable regulations requires a precise location of the ordinary high water mark the mark shall be located precisely and the biological and hydrological basis for the location as indicated on the plans shall be included in the development plan. Where the ordinary high water mark is neither adjacent to or within the boundary of the project, the plan shall indicate the distance and direction to the nearest ordinary high water mark of a shoreline.

(c) Existing and proposed land contours. The contours shall be at intervals sufficient to accurately determine the

existing character of the property and the extent of proposed change to the land that is necessary for the development. Areas within the boundary that will not be altered by the development may be indicated as such and contours approximated for that area.

(d) A delineation of all wetland areas that will be altered or used as a part of the development.

(e) A general indication of the character of vegetation found on the site.

(f) The dimensions and locations of all existing and proposed structures and improvements including but not limited to; buildings, paved or graveled areas, roads, utilities, septic tanks and drainfields, material stockpiles or surcharge, and stormwater management facilities.

(g) Where applicable, a landscaping plan for the project.

(h) Where applicable, plans for development of areas on or off the site as mitigation for impacts associated with the proposed project shall be included and contain information consistent with the requirements of this section.

(i) Quantity, source and composition of any fill material that is placed on the site whether temporary or permanent.

(j) Quantity, composition and destination of any excavated or dredged material.

(k) A vicinity map showing the relationship of the property and proposed development or use to roads, utilities, existing developments and uses on adjacent properties.

(l) Where applicable, a depiction of the impacts to views from existing residential uses and public areas.

(m) On all variance applications the plans shall clearly indicate where development could occur without approval of a variance, the physical features and circumstances on the property that provide a basis for the request, and the location of adjacent structures and uses.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-180, filed 9/30/96, effective 10/31/96.]

WAC 173-27-190 Permits for substantial development, conditional use, or variance. (1) Each permit for a substantial development, conditional use or variance, issued by local government shall contain a provision that construction pursuant to the permit shall not begin and is not authorized until twenty-one days from the date of filing as defined in RCW 90.58.140(6) and WAC 173-27-130, or until all review proceedings initiated within twenty-one days from the date of such filing have been terminated; except as provided in RCW 90.58.140 (5)(a) and (b).

(2) Permits for substantial development, conditional use, or variance may be in any form prescribed and used by local government including a combined permit application form. Such forms will be supplied by local government.

(3) A permit data sheet shall be submitted to the department with each shoreline permit. The permit data sheet form shall be as provided in Appendix A of this regulation.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-190, filed 9/30/96, effective 10/31/96.]

WAC 173-27-200 Department review of conditional use and variance permits. (1) After local government approval of a conditional use or variance permit, local government shall submit the permit to the department for the

department's approval, approval with conditions, or denial. The department shall render and transmit to local government and the applicant its final decision approving, approving with conditions, or disapproving the permit within thirty days of the date of submittal by local government pursuant to WAC 173-27-110.

(2) The department shall review the complete file submitted by local government on conditional use and variance permits and any other information submitted or available that is relevant to the application. The department shall base its determination to approve, approve with conditions or deny a conditional use permit or variance on consistency with the policy and provisions of the act and, except as provided in WAC 173-27-210, the criteria in WAC 173-27-160 and 173-27-170.

(3) Local government shall provide timely notification of the department's final decision to those interested persons having requested notification from local government pursuant to WAC 173-27-130.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-200, filed 9/30/96, effective 10/31/96.]

WAC 173-27-210 Minimum standards for conditional use and variance permits. Pursuant to RCW 90.58.100(5) and 90.58.140(3), the criteria contained in WAC 173-27-160 and 173-27-170 for shoreline conditional use and variance permits shall constitute the minimum criteria for review of these permits by local government and the department. Local government and the department may, in addition, apply the more restrictive criteria where they exist in approved and adopted master programs.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-210, filed 9/30/96, effective 10/31/96.]

WAC 173-27-220 Requests for review. All requests for review of any final permit decisions under chapter 90.58 RCW and chapter 173-27 WAC are governed by the procedures established in RCW 90.58.180 and chapter 461-08 WAC, the rules of practice and procedure of the shorelines hearings board.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-220, filed 9/30/96, effective 10/31/96.]

PART II SHORELINE MANAGEMENT ACT ENFORCEMENT

WAC 173-27-240 Authority and purpose. This part is adopted under RCW 90.58.200 and 90.58.210 to implement the enforcement responsibilities of the department and local government under the Shoreline Management Act. The act calls for a cooperative program between local government and the state. It provides for a variety of means of enforcement, including civil and criminal penalties, orders to cease and desist, orders to take corrective action, and permit rescission. The following should be used in addition to other mechanisms already in place at the local level and does not preclude other means of enforcement.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-240, filed 9/30/96, effective 10/31/96.]

WAC 173-27-250 Definitions. The definitions contained in WAC 173-27-030 shall apply in this part also except that the following shall apply when used in this part of the regulations:

(1) "Permit" means any form of permission required under the act prior to undertaking activity on shorelines of the state, including substantial development permits, variances, conditional use permits, permits for oil or natural gas exploration activities, permission which may be required for selective commercial timber harvesting, and shoreline exemptions; and

(2) "Exemption" means authorization from local government which establishes that an activity is exempt from substantial development permit requirements under WAC 173-27-040, but subject to regulations of the act and the local master program.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-250, filed 9/30/96, effective 10/31/96.]

WAC 173-27-260 Policy. These regulations should be used by local government in carrying out enforcement responsibilities under the act, unless local government adopts separate rules to implement the act's enforcement provision.

Enforcement action by the department or local government may be taken whenever a person has violated any provision of the act or any master program or other regulation promulgated under the act. The choice of enforcement action and the severity of any penalty should be based on the nature of the violation, the damage or risk to the public or to public resources, and/or the existence or degree of bad faith of the persons subject to the enforcement action.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-260, filed 9/30/96, effective 10/31/96.]

WAC 173-27-270 Order to cease and desist. Local government and/or the department shall have the authority to serve upon a person a cease and desist order if an activity being undertaken on shorelines of the state is in violation of chapter 90.58 RCW or the local master program.

(1) Content of order. The order shall set forth and contain:

(a) A description of the specific nature, extent, and time of violation and the damage or potential damage; and

(b) A notice that the violation or the potential violation cease and desist or, in appropriate cases, the specific corrective action to be taken within a given time. A civil penalty under WAC 173-27-280 may be issued with the order.

(2) Effective date. The cease and desist order issued under this section shall become effective immediately upon receipt by the person to whom the order is directed.

(3) Compliance. Failure to comply with the terms of a cease and desist order can result in enforcement actions including, but not limited to, the issuance of a civil penalty.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-270, filed 9/30/96, effective 10/31/96.]

WAC 173-27-280 Civil penalty. (1) A person who fails to conform to the terms of a substantial development

permit, conditional use permit or variance issued under RCW 90.58.140, who undertakes a development or use on shorelines of the state without first obtaining a permit, or who fails to comply with a cease and desist order issued under these regulations may be subject to a civil penalty by local government. The department may impose a penalty jointly with local government, or alone only upon an additional finding that a person:

(a) Has previously been subject to an enforcement action for the same or similar type of violation of the same statute or rule; or

(b) Has been given previous notice of the same or similar type of violation of the same statute or rule; or

(c) The violation has a probability of placing a person in danger of death or bodily harm; or

(d) Has a probability of causing more than minor environmental harm; or

(e) Has a probability of causing physical damage to the property of another in an amount exceeding one thousand dollars.

(2) In the alternative, a penalty may be issued to a person by the department alone, or jointly with local government for violations which do not meet the criteria of subsection (1)(a) through (e) of this section, after the following information has been provided in writing to a person through a technical assistance visit or a notice of correction:

(a) A description of the condition that is not in compliance and a specific citation to the applicable law or rule;

(b) A statement of what is required to achieve compliance;

(c) The date by which the agency requires compliance to be achieved;

(d) Notice of the means to contact any technical assistance services provided by the agency or others; and

(e) Notice of when, where, and to whom a request to extend the time to achieve compliance for good cause may be filed with the agency.

Furthermore, no penalty shall be issued by the department until the individual or business has been given a reasonable time to correct the violation and has not done so.

(3) Amount of penalty. The penalty shall not exceed one thousand dollars for each violation. Each day of violation shall constitute a separate violation.

(4) Aiding or abetting. Any person who, through an act of commission or omission procures, aids or abets in the violation shall be considered to have committed a violation for the purposes of the civil penalty.

(5) Notice of penalty. A civil penalty shall be imposed by a notice in writing, either by certified mail with return receipt requested or by personal service, to the person incurring the same from the department and/or the local government, or from both jointly. The notice shall describe the violation, approximate the date(s) of violation, and shall order the acts constituting the violation to cease and desist, or, in appropriate cases, require necessary corrective action within a specific time.

(6) Application for remission or mitigation. Any person incurring a penalty may apply in writing within thirty days of receipt of the penalty to the department or local government for remission or mitigation of such penalty. Upon receipt of the application, the department or local govern-

ment may remit or mitigate the penalty only upon a demonstration of extraordinary circumstances, such as the presence of information or factors not considered in setting the original penalty.

When a penalty is imposed jointly by the department and local government, it may be remitted or mitigated only upon such terms as both the department and the local government agree.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-280, filed 9/30/96, effective 10/31/96.]

WAC 173-27-290 Appeal of civil penalty. (1) Right of appeal. Persons incurring a penalty imposed by the department or imposed jointly by the department and local government may appeal the same to the shorelines hearings board. Appeals to the shorelines hearings board are adjudicatory proceedings subject to the provisions of chapter 34.05 RCW. Persons incurring a penalty imposed by local government may appeal the same to the local government legislative authority.

(2) Timing of appeal. Appeals shall be filed within thirty days of receipt of notice of penalty unless an application for remission or mitigation is made to the department or local government. If such application is made, appeals shall be filed within thirty days of receipt of local government's and/or the department's decision regarding the remission or mitigation.

(3) Penalties due.

(a) Penalties imposed under this section shall become due and payable thirty days after receipt of notice imposing the same unless application for remission or mitigation is made or an appeal is filed. Whenever an application for remission or mitigation is made, penalties shall become due and payable thirty days after receipt of local government's and/or the department's decision regarding the remission or mitigation. Whenever an appeal of a penalty is filed, the penalty shall become due and payable upon completion of all review proceedings and upon the issuance of a final decision confirming the penalty in whole or in part.

(b) If the amount of a penalty owed the department is not paid within thirty days after it becomes due and payable, the attorney general, upon request of the department, shall bring an action in the name of the state of Washington to recover such penalty. If the amount of a penalty owed local government is not paid within thirty days after it becomes due and payable, local government may take actions necessary to recover such penalty.

(4) Penalty recovered. Penalties recovered by the department shall be paid to the state treasurer. Penalties recovered by local government shall be paid to the local government treasury. Penalties recovered jointly by the department and local government shall be divided equally between the department and the local government unless otherwise stipulated in the order.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-290, filed 9/30/96, effective 10/31/96.]

WAC 173-27-300 Criminal penalty. The procedures for criminal penalties shall be governed by RCW 90.58.220.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-300, filed 9/30/96, effective 10/31/96.]

WAC 173-27-310 Oil or natural gas exploration—Penalty. Persons violating the provisions of RCW 90.58.550 or chapter 173-15 WAC shall be subject to a civil penalty issued by the department in an amount of up to five thousand dollars a day. The procedures for oil or natural gas exploration penalties shall be governed by RCW 90.58.560.

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-310, filed 9/30/96, effective 10/31/96.]

WAC 173-27-990 Appendix A.

Appendix A

Shoreline Management Act
Permit Data Sheet and Transmittal Letter

From: (local government) To: (appropriate Ecology office)

Date of Transmittal: Date of Receipt: (provided by Ecology)

Type of Permit: (Indicate all that apply)
Substantial Development; Conditional Use; Variance; Revision; Other

Local Government Decision: Approval; Conditional Approval; Denial

Applicant Information: Applicant's Representative: (If primary contact)
Name: Name:

Address: Address:

Phone(s): Phone(s):

Is the applicant the property owner? yes no

Location of the Property: (Section Township and Range to the nearest 1/4, 1/4 Section or latitude and longitude, and a street address where available)

Water Body Name:

Shoreline of Statewide Significance: Yes No

Environment Designation:

Description of the Project: (Summary of the intended use or project purpose)

Notice of Application Date: Final Decision Date:

By: (Local Government Primary Contact on this Application)

Phone No:

[Statutory Authority: RCW 90.58.140(3) and [90.58].200. 96-20-075 (Order 95-17), § 173-27-990, filed 9/30/96, effective 10/31/96.]

Chapter 173-32 WAC**ALLOCATION OF FINANCIAL AID TO COUNTIES AND CITIES TO ASSIST IN COMPREHENSIVE PLANNING FOR SOLID WASTE MANAGEMENT****WAC**

173-32-010	Reserved.
173-32-020	Reserved.
173-32-030	Reserved.
173-32-040	Reserved.

WAC 173-32-010 Reserved.

[Statutory Authority: RCW 43.21A.080 and chapter 70.105D RCW. 90-18-064 (Order 90-17), § 173-32-010, filed 9/4/90, effective 10/5/90; Order DE 71-2, § 173-32-010, filed 4/30/71.]

WAC 173-32-020 Reserved.

[Statutory Authority: RCW 43.21A.080 and chapter 70.105D RCW. 90-18-064 (Order 90-17), § 173-32-020, filed 9/4/90, effective 10/5/90; Order DE 71-2, § 173-32-020, filed 4/30/71.]

WAC 173-32-030 Reserved.

[Statutory Authority: RCW 43.21A.080 and chapter 70.105D RCW. 90-18-064 (Order 90-17), § 173-32-030, filed 9/4/90, effective 10/5/90; Order DE 71-2, § 173-32-030, filed 4/30/71.]

WAC 173-32-040 Reserved.

[Statutory Authority: RCW 43.21A.080 and chapter 70.105D RCW. 90-18-064 (Order 90-17), § 173-32-040, filed 9/4/90, effective 10/5/90; Order DE 71-2, § 173-32-040, filed 4/30/71.]

Chapter 173-40 WAC**POLLUTION DISCLOSURE****WAC**

173-40-010	Authority.
173-40-020	Purpose.
173-40-030	Definitions.
173-40-040	Critical materials registry.
173-40-050	Annual reports.

WAC 173-40-010 Authority. This regulation is adopted pursuant to chapter 90.52 RCW, the Pollution Disclosure Act of 1971, and chapter 43.21A RCW.

[Order 72-26, § 173-40-010, filed 11/27/72.]

WAC 173-40-020 Purpose. Chapter 90.52 RCW requires the director of the department of ecology to adopt a critical materials registry and establish an annual reporting procedure for those operations which discharge wastes, other than sanitary sewage, into waters of the state and/or into the air of the state.

[Order 72-26, § 173-40-020, filed 11/27/72.]

WAC 173-40-030 Definitions. As used herein "director" shall mean the director of the department of ecology. "Department" shall mean the department of ecology. Waters of the state shall include both surface and ground waters.

[Order 72-26, § 173-40-030, filed 11/27/72.]

[Title 173 WAC—page 150]

WAC 173-40-040 Critical materials registry. The director, having consulted with a committee of environmental specialists as required by law, hereby designates the following materials as critical materials to be set forth in a critical materials registry filed at the department:

Asbestos
 Arsenic, elemental and compounds of
 Barium, soluble salts of
 Beryllium, elemental and compounds of
 Boron, elemental and compounds of
 Cadmium, elemental and compounds of
 Chlorinated hydrocarbons, compounds
 Chlorine, elemental and compounds of
 Chromium, soluble salts and all chromates
 Copper, elemental and compounds of
 Cyanides, compounds including the organic nitriles
 Fluorine, elemental and compounds of
 Lead, elemental and compounds of
 Mercury, elemental and compounds of
 Nickel, soluble salts of
 Organo phosphorus; insecticide, algacide, and slimecide compounds
 Phenols and polychlorinated biphenyls, compounds
 Selenium, elemental and compounds of
 Silver, soluble salts of
 Zinc, soluble salts of

[Order 72-26, § 173-40-040, filed 11/27/72.]

WAC 173-40-050 Annual reports. Upon notification by the director of the department of ecology, commercial operations including industrial operations which discharge wastes, other than sanitary sewage, into waters of the state and/or into the air of the state, shall file annually, during the month of January, reports, on forms provided by the department. The information required shall pertain to those materials set forth in WAC 173-40-040 above, which are in excess of the corresponding materials occurring in the intake source used by the operation. The information shall also include volumes of process and cooling water to be discharged into the water, air or into any sewer system. The information given is to be an estimate of the amount(s) of such materials to be discharged in the calendar year in which the report is being filed. The reports shall be postmarked no later than January 31 and be sent to:

Director
 Department of Ecology
 Olympia, Washington 98504
 ATTN: POLLUTION DISCLOSURE

[Order 72-26, § 173-40-050, filed 11/27/72.]

Chapter 173-44 WAC**FEES—RADIOACTIVE WASTE MANAGEMENT FACILITIES****WAC**

173-44-010	Purpose and scope.
173-44-020	Authority.

173-44-030	Definitions.
173-44-040	Perpetual care and maintenance fee.
173-44-050	PCM fee—Method of payment.
173-44-060	PCM fee—Disposition.
173-44-070	Severability.

WAC 173-44-010 Purpose and scope. The proper perpetual care and maintenance of radioactive waste management facilities is required to protect the public health, safety, and welfare. This chapter establishes the fees charged by the Washington state department of ecology for financing the necessary perpetual care and maintenance of radioactive waste management facilities. Promulgation of this regulation is further intended to satisfy the state's financial responsibilities to the United States government pursuant to the perpetual care agreement executed July 29, 1965.

[Statutory Authority: 1983 1st ex.s. c 19 and Title 43 RCW. 83-18-020 (Order DE 83-25), § 173-44-010, filed 8/30/83. Formerly WAC 173-16-010.]

WAC 173-44-020 Authority. This chapter is promulgated by the state department of ecology pursuant to authority granted in RCW 43.21F.045 and chapter 19, Laws of 1983 1st ex. sess.

[Statutory Authority: 1983 1st ex.s. c 19 and Title 43 RCW. 83-18-020 (Order DE 83-25), § 173-44-020, filed 8/30/83. Formerly WAC 173-16-020.]

WAC 173-44-030 Definitions. (1) "Facility" means any site, location, structure, or property used or to be used for the storage, disposal, or burial of radioactive materials or waste, which lies within the one hundred acre tract described in the perpetual care agreement between the state of Washington and the United States government executed July 29, 1965.

(2) "Department" means the Washington state department of ecology.

(3) "Perpetual care and maintenance" means the activities necessary to stabilize and secure a closed facility during the perpetual care period, including but not limited to: Trench stabilization; upkeep of erosion control measures, fences, and warning signs; and sampling of monitor wells.

(4) "Sublessee" means a party to a sublease with the state of Washington for a portion of the one thousand acres of land, as described in the state's lease with the United States government executed September 10, 1964, lying within the Hanford Reservation.

[Statutory Authority: 1983 1st ex.s. c 19 and Title 43 RCW. 83-18-020 (Order DE 83-25), § 173-44-030, filed 8/30/83. Formerly WAC 173-16-030.]

WAC 173-44-040 Perpetual care and maintenance fee. (1) Any sublessee of the state who stores, disposes, or buries radioactive materials or waste at a facility shall pay a perpetual care and maintenance fee.

(2) The perpetual care and maintenance fee shall be one dollar seventy-five cents per cubic foot of radioactive material or waste buried or permanently stored at a facility.

[Statutory Authority: 1983 1st ex.s. c 19 and Title 43 RCW. 83-18-020 (Order DE 83-25), § 173-44-040, filed 8/30/83. Formerly WAC 173-16-040.]

WAC 173-44-050 PCM fee—Method of payment.

(1) The perpetual care and maintenance fee shall be due on a quarterly basis for the quarters ending January 15, April 15, July 15, and October 15. All perpetual care and maintenance fee payments shall be paid within forty-five days after the due date.

(2) Perpetual care and maintenance payments shall be by check, draft, or money order payable to the Washington state department of ecology.

[Statutory Authority: 1983 1st ex.s. c 19 and Title 43 RCW. 83-18-020 (Order DE 83-25), § 173-44-050, filed 8/30/83. Formerly WAC 173-16-050.]

WAC 173-44-060 PCM fee—Disposition. (1) Upon receipt of perpetual care and maintenance fee payments, the department shall transmit such payments to the state treasurer for deposit in the perpetual maintenance account authorized by chapter 19, Laws of 1983 1st ex. sess.

(2) Moneys in the perpetual maintenance account shall be invested by the state investment board in the same manner as other state moneys. Any interest accruing as a result of investment shall accrue to the perpetual maintenance account.

(3) The department shall maintain a segregated account of perpetual care and maintenance fee payments which are deposited in the perpetual maintenance account.

(4) The department, in consultation with the state radiation control agency, shall periodically evaluate the perpetual care and maintenance fee to determine whether it will provide adequate financing to assure perpetual care and maintenance of a closed facility. Any adjustments to the fees shall be made by rule adopted pursuant to chapter 34.04 RCW.

[Statutory Authority: 1983 1st ex.s. c 19 and Title 43 RCW. 83-18-020 (Order DE 83-25), § 173-44-060, filed 8/30/83. Formerly WAC 173-16-060.]

WAC 173-44-070 Severability. If any portion of this chapter or its application to any person or circumstance is held invalid, the remainder of this chapter, or the application of the provision to other persons or circumstances, shall not be affected.

[Statutory Authority: 1983 1st ex.s. c 19 and Title 43 RCW. 83-18-020 (Order DE 83-25), § 173-44-070, filed 8/30/83. Formerly WAC 173-16-070.]

**Chapter 173-50 WAC
ACCREDITATION OF ENVIRONMENTAL
LABORATORIES**

WAC

173-50-010	Purpose.
173-50-020	Scope.
173-50-030	Objectives.
173-50-040	Definitions.
173-50-050	Responsibilities.
173-50-060	Requirements for accreditation and registration.
173-50-070	Performance audit.
173-50-080	System audit.
173-50-090	Evaluation and issuance of certificate.
173-50-100	Interim accreditation.
173-50-110	Provisional accreditation.
173-50-120	Accreditation and registration categories.

173-50-130	Requirements for maintaining accreditation and registration status.
173-50-140	Denying accreditation and registration status.
173-50-150	Revoking accreditation and registration status.
173-50-160	Reciprocity.
173-50-170	Third-party accreditation.
173-50-180	Exemptions.
173-50-190	Fee structure.
173-50-200	Appeals.
173-50-210	Enforcement.
173-50-220	Assistance to laboratories.

WAC 173-50-010 Purpose. The purpose of this chapter is to establish a state program for accreditation of environmental laboratories which conduct tests for or prepare data for submittal to the department of ecology. The accreditation program implemented under this chapter is designed to satisfy the intent of RCW 43.21A.230.

[Statutory Authority: RCW 43.21A.230. 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-010, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-020 Scope. The environmental laboratory accreditation program applies to laboratories, within or outside the state, which conduct tests for or prepare analytical data for submittal to the department. Federal laboratories may participate in the accreditation program on a voluntary basis.

[Statutory Authority: RCW 43.21A.230. 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-020, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-030 Objectives. The primary objective of the accreditation program is to assure accredited laboratories have a demonstrated capability to accurately analyze environmental samples. A secondary objective is to assist environmental laboratories in improving their quality assurance/quality control procedures. Accreditation does not guarantee validity of analytical data submitted by the laboratory subsequent to accreditation.

[Statutory Authority: RCW 43.21A.230. 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-030, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-040 Definitions. Definitions set forth in this section shall apply throughout this chapter, unless context clearly indicates otherwise.

(1) "Accreditation" means the formal recognition by the department that an environmental laboratory is capable of producing accurate analytical data, signified by the issuance of a written certificate accompanied by a scope of accreditation indicating those parameters and methods for which the laboratory has been accredited. The term "accredit" as used in this chapter is intended to have the same meaning as the term "certify" as used in RCW 43.21A.230. Any laboratory accredited under this chapter shall be deemed to have been certified under RCW 43.21A.230. The department does not, by certifying or accrediting any laboratory pursuant to this chapter, vouch for or warrant the accuracy of any particular work done or report issued by the laboratory.

(2) "Analytical data" means the recorded qualitative and/or quantitative results of a chemical, physical, biological,

microbiological, radiochemical, or other scientific determination.

(3) "Department" means the state of Washington department of ecology.

(4) "Environmental laboratory" means any facility under the ownership and technical management of a single entity in a single geographical locale, where scientific examinations are performed on samples taken from the environment, the data from which is submitted to the department under the provisions of a department regulation, permit, or contractual agreement.

(5) "Mandatory analytical method" means a recognized written procedure for acquiring analytical data which is required by law or a regulatory agency of the federal or state government.

(6) "Matrix" means the substance from which a material to be analyzed is extracted, such as ground or surface water, wastewater, air, solid waste, nuclear waste, and hazardous waste.

(7) "Parameter" means a single determination or group of related determinations using a specific written method chosen by an applying laboratory.

(8) "Performance audit" means evaluation of the results of analyses of unknown samples whose true values are unknown to the laboratory conducting the analyses and which are provided by a source external to the environmental laboratory. Such samples may be referred to as performance evaluation samples.

(9) "Quality control" means those activities designed to assure analytical data produced by an environmental laboratory meet data quality objectives for accuracy. Those activities include routine application of statistically based procedures to evaluate and control the accuracy of analytical results.

(10) "Quality assurance (QA)" means those activities whose purpose is to assure that a quality control program is effective. A quality assurance program is a totally integrated program for assuring reliability of measurement data.

(11) "Quality assurance manual" means a written record of the policies, organization, objectives, and specific quality control and quality assurance activities established for use in an environmental laboratory to assure accuracy of analytical results. Volume and scope of quality assurance manuals vary with complexity of laboratory mission.

(12) "Recognized analytical method" means a documented analytical procedure for analysis of an environmental sample which was developed through collaborative studies by organizations or groups recognized by the department.

(13) "System audit" means an on-site inspection of laboratory capabilities by an agency external to the laboratory.

(14) "Registration" means participation of a laboratory in a program to prepare the laboratory for accreditation, signified by issuance of a written certificate accompanied by a scope of registration indicating those parameters for which the laboratory has achieved registration status.

(15) "Registered" means the status of continued participation in the preparatory program. Only laboratories owned and operated by municipalities, industries, and other activities which are dischargers as defined in chapter 173-220 or 173-216 WAC shall be eligible for participation in the preparatory program. Such laboratories are also eligible for

accreditation. The department does not, by registering any laboratory pursuant to these rules, vouch for or warrant the accuracy of any particular work done or report issued by the laboratory.

Note: Above referenced chapters are available through the Department of Ecology, P.O. Box 47600, Olympia, WA 98504-7600.

[Statutory Authority: RCW 43.21A.230, 93-20-011 (Order 92-53), § 173-50-040, filed 9/22/93, effective 10/23/93; 90-21-090 (Order 90-21), § 173-50-040, filed 10/19/90, effective 11/19/90; 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-040, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-050 Responsibilities. (1) The department shall require persons and organizations submitting analytical data to the department under the purview of department programs to use environmental laboratories which are accredited or registered under the provisions of this chapter.

(2) The department shall not require use of accredited or registered laboratories for determination of analytical parameters for which no suitable accreditation process can be reasonably devised as determined by the quality assurance section.

(3) The department shall develop a procedural manual describing specifics of the accreditation process. As a minimum, the procedural manual shall describe in detail the procedures to be followed for: Submitting an application; preparing a quality assurance manual; system (on-site) audits; performance audits; accreditation of out-of-state laboratories; determination and payment of fees; issuance, denial, suspension, and revocation of accreditation or registration; and methods for notifying laboratories and authorized department officials of accreditation actions. The procedural manual shall be made available to all interested persons.

(4) Managers of environmental laboratories desiring accreditation or registration shall submit an application along with appropriate fees to the department fiscal officer, submit results of performance evaluations, a quality assurance manual and other required documentation to the quality assurance section, and assist/accommodate department personnel during system audits as required.

[Statutory Authority: RCW 43.21A.230, 93-20-011 (Order 92-53), § 173-50-050, filed 9/22/93, effective 10/23/93; 90-21-090 (Order 90-21), § 173-50-050, filed 10/19/90, effective 11/19/90; 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-050, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-060 Requirements for accreditation and registration. (1) Managers of environmental laboratories desiring accreditation or registration shall submit to the department fiscal officer an application and pay required fees as predetermined by coordination with the quality assurance section. Concurrently, the laboratory manager shall submit a copy of their laboratory quality assurance manual to the quality assurance section and arrange with the quality assurance section for completion of a performance audit and system audit.

(2) Through the application, laboratory managers shall request accreditation or registration in applicable parameters and provide evidence that sufficient personnel, equipment, and facilities are available to successfully perform analytical

methods as specified in the application. The quality assurance manual submitted concurrently with the application shall be in detail and scope commensurate with the size and mission of the laboratory.

(3) Eligible laboratories shall achieve registration status by submitting a completed application, paying required fees, and submitting a quality assurance manual to the quality assurance section.

[Statutory Authority: RCW 43.21A.230, 90-21-090 (Order 90-21), § 173-50-060, filed 10/19/90, effective 11/19/90; 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-060, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-070 Performance audit. (1) The quality assurance section shall advise applying laboratories of specific requirements for performance audits which shall be completed for applicable parameters no more frequently than twice annually (see exception in subsection (4) of this section). Current performance audits conducted under the provisions of other recognized programs may be used to satisfy the accreditation program performance audit requirement. Sufficiency of such audits shall be determined by the quality assurance section.

(2) Submission of raw data along with the report of analysis of the performance evaluation sample may be required at the discretion of the quality assurance section.

(3) Performance audits for certain accreditation parameters may be waived at the discretion of the quality assurance section if performance evaluation samples are not available or for other valid reasons.

(4) Accredited laboratories and laboratories seeking accreditation which fail to accurately analyze a performance evaluation sample may be allowed a second performance audit. If necessitated by a second failure, a third performance audit may be allowed (as an exception to subsection (1) of this section) only after the laboratory has investigated cause for failure in the preceding audits and completed corrective actions.

(5) Registered laboratories shall submit results of performance evaluation sample analyses to the quality assurance section. Registration status shall not be denied or revoked solely for failure to accurately analyze performance evaluation samples. Registered laboratories shall investigate causes for errors in performance evaluation sample analysis results which have been identified as unacceptable or otherwise in error. The results of this investigation shall be reported to the quality assurance section within forty-five days of receipt of the performance evaluation report. The report to the quality assurance section shall identify probable causes for error and corrective actions taken to preclude recurrence.

(6) Applying laboratories shall be responsible for obtaining performance evaluation samples. No fee shall be charged to the department for analysis of performance evaluation samples.

[Statutory Authority: RCW 43.21A.230, 93-20-011 (Order 92-53), § 173-50-070, filed 9/22/93, effective 10/23/93; 90-21-090 (Order 90-21), § 173-50-070, filed 10/19/90, effective 11/19/90; 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-070, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-080 System audit. The laboratory shall undergo a system audit by the department to assess critical elements and areas of recommended practices.

(1) Critical elements for accreditation. Those elements of an environmental laboratory's operations which are critical to the consistent generation of reliable, accurate data are critical elements for accreditation. Those critical elements shall be the subject of intense scrutiny throughout the accreditation process and deficiencies in critical elements may be the basis for denial or revocation of accreditation status. Functional areas within which there are critical elements are:

(a) Analytical methods. The system audit shall seek to determine if documentation of mandatory or recognized analytical methods are present at the laboratory, readily available to analysts, and being routinely followed. If a locally-developed method is being followed, the audit may include an evaluation of the adequacy of that method.

(b) Equipment and supplies. The system audit shall seek to determine if sufficient equipment and supplies as required by analytical methods are available, being adequately maintained, and are in a condition to allow successful performance of applicable analytical procedures.

(c) Quality assurance. The laboratory quality assurance manual shall be reviewed for adequacy prior to the system audit. The system audit shall include a review of quality assurance plans and quality assurance/quality control records for programs/projects within which the laboratory is generating analytical data for submission to the department.

(d) Sample management. The system audit shall include a review of applicable procedures for receipt, preservation, transportation, and storage of samples. The laboratory shall be held responsible only for those elements of sample management over which it has direct control.

(e) Data management. The system audit shall include a review of applicable procedures for checking documentation of raw data, calculations, transcription and computer data entry, reports of analytical results, and other activities necessary to assure accurate management of laboratory data.

(2) Recommended practices. Those elements of laboratory operations which might affect efficiency, safety, and other administrative functions, but do not normally affect quality of analytical data, shall be brought to the attention of laboratory management under the heading of "recommended practices" and individually, shall not be the basis for denial or revocation of accreditation status. Functional areas within which recommended practices may be noted are:

(a) Personnel. The system audit shall seek to determine if managerial, supervisory, and analytical personnel have adequate training and experience to allow satisfactory completion of analytical procedures and compilation of reliable, accurate data. Minimum recommended education and experience criteria for laboratory personnel shall be specified in the program procedural manual.

(b) Facilities. The system audit shall seek to determine if laboratory facilities allow efficient generation of reliable, accurate data in a safe environment.

(c) Safety. When the system audit notes laboratory safety problems, those judged serious shall be referred to appropriate state or federal agencies.

(3) Registered laboratories shall be advised in a written system audit report prepared by the department of deficien-

cies in meeting critical element and recommended practice standards. The laboratory must respond in writing to the department within forty-five days of receipt of the system audit report concerning corrective actions taken as a result of the system audit report.

[Statutory Authority: RCW 43.21A.230, 93-20-011 (Order 92-53), § 173-50-080, filed 9/22/93, effective 10/23/93; 90-21-090 (Order 90-21), § 173-50-080, filed 10/19/90, effective 11/19/90; 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-080, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-090 Evaluation and issuance of certificate. (1) Accreditation. Following receipt of an application and completion of a performance audit and system audit, the quality assurance section shall submit a report to the affected laboratory concerning the results of the overall accreditation process. The report shall list findings, assess the importance of each finding, and make recommendations concerning actions necessary to ensure resolution of problems. After completing the accreditation review, the quality assurance section shall decide, based on information in the application and results of the system audit, performance audit, and review of the quality assurance manual, whether accreditation should be granted. If this decision is affirmative, a certificate shall be issued authorizing the affected laboratory to submit analytical data to the department as specified on an accompanying scope of accreditation. The certificate shall remain the property of the department and shall be surrendered to the department upon revocation of accreditation status. If accreditation is not justified, the department shall issue a report specifying areas of deficiency and steps necessary to upgrade the laboratory to accredited status. In such cases, the laboratory shall provide documentation that the specified deficiencies have been corrected. Based on such documentation the department shall decide whether to grant, renew, deny, or revoke accreditation.

(2) Registration. Registered laboratories shall be issued a certificate and accompanying scope of registration. The certificate shall remain the property of the department of ecology and shall be surrendered to the department upon revocation of the registration status.

[Statutory Authority: RCW 43.21A.230, 93-20-011 (Order 92-53), § 173-50-090, filed 9/22/93, effective 10/23/93; 90-21-090 (Order 90-21), § 173-50-090, filed 10/19/90, effective 11/19/90; 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-090, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-100 Interim accreditation. If for valid reasons based on a deficiency in the department and not the laboratory, the quality assurance section cannot conduct a complete assessment of laboratory capabilities in a timely manner, an interim accreditation may be granted. The accreditation shall be based on submission of an application and fees by the laboratory, successful completion of a performance audit where appropriate, and department approval of the laboratory's quality assurance manual.

[Statutory Authority: RCW 43.21A.230, 93-20-011 (Order 92-53), § 173-50-100, filed 9/22/93, effective 10/23/93; 90-21-090 (Order 90-21), § 173-50-100, filed 10/19/90, effective 11/19/90; 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-100, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-110 Provisional accreditation. Laboratories which have deficiencies requiring corrective action but can produce valid analytical data as determined by the quality assurance section may be given a provisional accreditation. When the laboratory has corrected such deficiencies, it may provide evidence of correction to the quality assurance section, or request reaudit, as appropriate. Upon determining deficiencies have been corrected, the quality assurance section shall take action to award full accreditation as in WAC 173-50-090. Provisional accreditation shall not be renewed for a subsequent accreditation period unless laboratory management can demonstrate that all reasonable measures to correct deficiencies noted during the initial capability assessment have been exhausted.

[Statutory Authority: RCW 43.21A.230. 90-21-090 (Order 90-21), § 173-50-110, filed 10/19/90, effective 11/19/90; 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-110, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-120 Accreditation and registration categories. Environmental laboratories shall be accredited or registered within the broad categories Chemistry I (general), Chemistry II (trace metals), Organics I (gas chromatography (GC), high pressure liquid chromatography (HPLC) methods), Organics II (gas chromatography/mass spectrometry (GC/MS) methods), Radioactivity, Microbiology, and Bioassay/Toxicity. Within those broad categories, laboratories shall specifically be accredited or registered to perform within the well-defined parameters identified in WAC 173-50-190 or as requested by the applying laboratory, using specific, recognized analytical methods chosen by the applying laboratory. Additional parameters may be designated in the program procedural manual without amendment of this chapter if required to allow more efficient execution of the accreditation program.

[Statutory Authority: RCW 43.21A.230. 93-20-011 (Order 92-53), § 173-50-120, filed 9/22/93, effective 10/23/93; 90-21-090 (Order 90-21), § 173-50-120, filed 10/19/90, effective 11/19/90; 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-120, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-130 Requirements for maintaining accreditation and registration status. (1) Accreditation shall be granted for a one-year period and shall expire one year after the effective date of accreditation. Exceptions to the one year accreditation may be made for documented cause. In such cases, accreditation may be granted for a period up to two years. Renewal shall require submission of an application and appropriate fees, an update of the laboratory's quality assurance manual, and successful completion of performance audit requirements. System audits shall be required for renewal of accreditation at periods not to exceed three years from the previous system audit. For documented cause, system audits can be extended up to four years from the previous audit.

(2) Registration shall be granted for a one-year period and shall expire one year after the effective date of registration. Renewal shall require submission of an application and appropriate fees, an update of the laboratory's quality assurance manual, and completion of a new performance audit. System audits shall be required for renewal of

registration at periods not to exceed three years from the previous system audit.

[Statutory Authority: RCW 43.21A.230. 93-20-011 (Order 92-53), § 173-50-130, filed 9/22/93, effective 10/23/93; 90-21-090 (Order 90-21), § 173-50-130, filed 10/19/90, effective 11/19/90; 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-130, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-140 Denying accreditation and registration status. (1) A laboratory may be denied accreditation for failing to comply with standards for critical elements of the system audit, for misrepresenting its capabilities or failing to disclose pertinent information in the application, for falsifying analytical data, or for failing to render appropriate fees. Additionally, a laboratory may be denied accreditation for a specific parameter for unsatisfactory analysis of that parameter in the performance audit. Laboratories denied accreditation may appeal under the provisions of WAC 173-50-200 or, following correction of deficiencies, may reapply for accreditation to include payment of appropriate fees as determined in WAC 173-50-190.

(2) A laboratory may be denied registration status only for failure to render appropriate fees, for failing to disclose pertinent information in the application, or for misrepresenting its capabilities.

[Statutory Authority: RCW 43.21A.230. 90-21-090 (Order 90-21), § 173-50-140, filed 10/19/90, effective 11/19/90; 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-140, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-150 Revoking accreditation and registration status. (1) Accreditation status may be suspended or revoked if the laboratory violates a state rule relative to the analytical procedures for which it is accredited, misrepresents itself to the department, fails to submit an application and associated fees for renewal, falsifies reports of analysis, or engages in unethical or fraudulent practices concerning the generation of analytical data. Additionally, an accredited laboratory may be reaudited for cause and, if found to be deficient in its ability to provide accurate analytical data, may have its accreditation suspended or revoked.

(2) Registration status may be revoked for failure to submit a renewal application, failure to pay appropriate fees, failure to submit required performance evaluation sample analysis results, failure to report on corrective actions taken if performance evaluation results are unacceptable or otherwise in error, failure to submit to a system audit, failure to report on corrective actions taken on deficiencies identified in a system audit, repeated failure to correct the deficiencies identified in the performance or system audits, or for misrepresenting the capabilities of the registered laboratory.

[Statutory Authority: RCW 43.21A.230. 90-21-090 (Order 90-21), § 173-50-150, filed 10/19/90, effective 11/19/90; 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-150, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-160 Reciprocity. The department may recognize accreditation (or certification, registration, licensure, approval) of an out-of-state laboratory by another state with which the department has established a reciprocity agreement. In such cases, the out-of-state laboratory shall

submit an application and associated fee to offset administrative costs of processing its application (see WAC 173-50-190(5)), and a copy of their accreditation documentation including scope of accreditation. After review of the application and accreditation to assure compliance with minimum accreditation requirements as stated in this chapter, the laboratory may be recognized as authorized to submit analytical data to the department.

[Statutory Authority: RCW 43.21A.230. 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-160, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-170 Third-party accreditation. The department may recognize accreditation (or certification, registration, licensure, approval) of a laboratory, including in-state laboratories, by a third party when the accreditation is determined to be equivalent to that described in this chapter. Laboratories applying for recognition of third-party accreditation shall submit an application and associated fee to offset administrative costs (see WAC 173-50-190(5)), and provide documented information demonstrating requirements for accreditation have been fulfilled as a result of accreditation carried out by a third party. After review of the application and accreditation to ensure compliance with minimum accreditation requirements as stated in this chapter, the laboratory may be recognized as authorized to submit analytical data to the department.

[Statutory Authority: RCW 43.21A.230. 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-170, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-180 Exemptions. (1) The application form shall provide for wastewater dischargers whose laboratories meet the exemption qualifications of RCW 43.21A.230 to request exemption from the accreditation program. Those laboratories shall be required to submit evidence that they are participating in a federal Environmental Protection Agency Administered Quality Assurance Program including as a minimum the following elements: Current QA program/project plans; performance evaluation audits; system audits; corrective action for audit deficiencies; quality control guidelines and records; and training in quality assurance for laboratory management personnel. The department shall grant exemption from accreditation requirements of this chapter upon receipt of confirmation from Region X of the federal Environmental Protection Agency of such participation by a laboratory.

(2) Exemption shall be granted only for those analytical parameters included in the federal Environmental Protection Agency Quality Assurance Program. The exemption status shall be reviewed annually based upon submittal by the laboratory of a new application and updated evidence of continued participation in a sufficient quality assurance program.

Note: The federal Environmental Protection Agency does not presently administer a complete quality assurance program for wastewater dischargers in the state of Washington, such as would provide an exemption under subsection (1) of this section. Thus, this exemption is not presently available. The Environmental Protection Agency considers annual analysis of performance evaluation samples to constitute only one element of participation in a quality assurance program. The complete Environmental Protection Agency Quality Assurance Program is described

in their Order 5360.1, "Policy and Program Requirements to Implement the Mandatory Quality Assurance Program," which is the basis for exemption requirements stated in subsection (1) of this section.

[Statutory Authority: RCW 43.21A.230. 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-180, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-190 Fee structure. (1) Fees in this chapter are established to cover costs of administering the accreditation program. The fee per parameter and maximum fee per category are identified in Table 1. Laboratory directors may request addition of parameters within given categories.

TABLE 1 - FEE SCHEDULE

CATEGORY	PARAMETER	MAX FEE PER	
		FEE/PARAMETER	CATEGORY
Chemistry I (General)	Calcium	\$55	\$1000
	Chloride		
	Fluoride		
	Magnesium		
	pH		
	Potassium		
	Sodium		
	Specific Conductance		
	Sulfate		
	Total Alkalinity		
	Total Dissolved Solids (TDS)		
	Total Hardness		
	Ammonia (NH3-N)		
	Kjeldahl Nitrogen		
	Nitrate (NO3-N)		
	Nitrate-Nitrite (NO3-NO2)		
	Nitrite (NO2-N)		
	Orthophosphate		
	Phosphorous (total)		
	Biochemical Oxygen Demand (BOD)/Carbonaceous BOD (CBOD)		
	Chemical Oxygen Demand (COD)		
	Total Organic Carbon (TOC)		
	Acidity		
	Anionic Surfactants (LAS)		
	Bromide		
	Color		
	Cyanide (total)		
	Dissolved Oxygen (DO)		
	Nonfilterable Residue/ Total Suspended Solids (TSS)		
	Total Solids		
	Volatile Solids		
	Oil/grease		
	Phenolics (total)		
	Salinity		
Silica			
Sulfide			
Sulfite			
Total Organic Halides			
Total Petroleum Hydrocarbons			
Total Residual Chlorine			
Turbidity			
Chemistry II (Trace Metals)	Aluminum	\$55	\$850
	Antimony		
	Arsenic		
	Barium		

	Beryllium		
	Cadmium		
	Chromium		
	Chromium (hexavalent)		
	Cobalt		Sediment
	Copper		
	Iron		
	Lead		
	Manganese		
	Mercury		
	Molybdenum		
	Nickel		
	Selenium		
	Silver		
	Strontium		
	Thallium		
	Tin		
	Titanium		
	Vanadium		
	Zinc		
Organics I (GC, HPLC methods)	Acrolein/Acrylonitrile	\$100	\$850
	Phenols		
	Purgeable (volatile)		
	Halocarbons		
	Purgeable (volatile)		
	Aromatics		
	Benzidines		
	Phthalate Esters		
	Nitrosamines		
	Organochlorine Pesticides		
	Polychlorinated Biphenyls (PCBs)		
	Nitroaromatics/Isophorone		
	Polycyclic Aromatic		
	Hydrocarbons		
	Haloethers		
	Chlorinated Hydrocarbons		
	Organophosphorus Pesticides		
	Chlorinated Herbicides		
	Gasoline		
	Diesel Fuel		
Organics II (GC/MS Methods)	Purgeable (volatile)	\$300	\$900
	Organics		
	Extractable Base/Neutral and Acid (Semivolatile)		
	Organics		
	Dioxin (2,3,7,8-Tetra- chlorodibenzo-p-dioxin)		
Radioactivity	Gross Alpha	\$125	\$1200
	Gross Beta		
	Cesium 134		
	Cesium 137		
	Cobalt 60		
	Radium 226		
	Radium 228		
	Tritium		
	Total Uranium		
	Iodine 131		
	Strontium 89		
	Strontium 90		
Microbiology	Coliform (fecal)	\$205	\$600
	Coliform (total)		
	Enterococci/Fecal		
	Streptococci		
	E. coli		
Bioassay/Toxicity	Fish	\$200	\$1250
	Rat		
	Amphipod		
	Bivalve Larvae		
	Chromosomal abnormality		
	Microtox		
	Daphnid		

	Echinoderm		
	Mysid		
	Algae		
	Antimony	\$100	\$500
	Arsenic		
	Cadmium		
	Copper		
	Lead		
	Mercury		
	Nickel		
	Silver		
	Zinc		
	Polycyclic Aromatic		
	Hydrocarbons		
	Extractable Base/Neutral and Acid (semivolatile)		
	Organics		

(2) Out-of-state laboratories shall coordinate directly with the quality assurance section to determine the anticipated cost of completing the accreditation process. Reimbursement of the cost of travel and per diem shall be added to the normal fee indicated in WAC 173-50-190(1).

(3) On-site inspections shall not be conducted nor shall interim or provisional or other accreditations be granted until appropriate fees have been received by the department.

(4) The fee to defray costs to the department recognition of third-party accreditation (WAC 173-50-170) shall be three hundred dollars. The fee for recognition of a laboratory under a reciprocity agreement (WAC 173-50-160) shall be three hundred dollars, or as specified in the reciprocity agreement, but not less than three hundred dollars.

(5) Apart from the fee process, applicant laboratories shall be required to acquire and analyze performance evaluation (PE) samples for parameters specified by the quality assurance section. The source of PE samples, if other than the federal Environmental Protection Agency, shall be approved by the quality assurance section. To the extent feasible as determined by the quality assurance section, performance evaluation samples already being analyzed by the applicant laboratories, shall be used to fulfill performance audit requirements of this chapter.

(6) In addition to fees as determined by the number of parameters and methods in WAC 173-50-190(1), laboratories seeking registration status are required to pay an annual fee of six hundred dollars.

(7) If a laboratory withdraws from the accreditation process after the application has been processed, but before accreditation or registration is granted, the fee will be nonrefundable up to an amount of two hundred dollars as reimbursement for costs of processing the application.

(8) Dollar amounts listed in subsections (1), (4), (6), and (7) of this section may be adjusted every two years based on inflation as indicated by the implicit price deflator for state and local government services as published by the economic and revenue forecast council. Dollar amounts listed in subsections (1), (4), (6), and (7) of this section may be decreased at any time the department determines they are higher than needed to meet program requirements. The department shall notify affected parties of any fee adjustment at least thirty days prior to making any fee adjustment.

[Statutory Authority: RCW 43.21A.230. 93-20-011 (Order 92-53), § 173-50-190, filed 9/22/93, effective 10/23/93; 90-21-090 (Order 90-21), § 173-50-190, filed 10/19/90, effective 11/19/90; 89-10-001 and 90-07-017 (Order

89-1 and 89-1A), § 173-50-190, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-200 Appeals. An environmental laboratory manager may appeal final accreditation and registration actions within thirty days of notification of final action in accordance with chapter 43.21B RCW.

[Statutory Authority: RCW 43.21A.230. 93-20-011 (Order 92-53), § 173-50-200, filed 9/22/93, effective 10/23/93; 90-21-090 (Order 90-21), § 173-50-200, filed 10/19/90, effective 11/19/90; 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-200, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-210 Enforcement. The department may enter any premises in which analytical data pertaining to accreditation and registration under the provisions of this chapter are generated or stored, for the purpose of conducting system audits or otherwise enforcing this chapter. Refusal to permit entry for such purposes shall result in denial, revocation, or suspension of accreditation or registration status.

[Statutory Authority: RCW 43.21A.230. 90-21-090 (Order 90-21), § 173-50-210, filed 10/19/90, effective 11/19/90; 89-10-001 and 90-07-017 (Order 89-1 and 89-1A), § 173-50-210, filed 4/20/89 and 3/13/90, effective 4/13/90.]

WAC 173-50-220 Assistance to laboratories. During those calendar years in which a system audit is not required, registered laboratories may request a visit by quality assurance section personnel for the purpose of providing assistance in correcting deficiencies and improving practices for those tests covered by the scope of registration. These visits will be for the purpose of technical assistance and will not result in preparation of a corrective action report by the registered laboratory.

[Statutory Authority: RCW 43.21A.230. 90-21-090 (Order 90-21), § 173-50-220, filed 10/19/90, effective 11/19/90.]

Chapter 173-58 WAC

SOUND LEVEL MEASUREMENT PROCEDURES

WAC

173-58-010	Introduction.
173-58-020	Definitions.
173-58-030	Instrumentation.
173-58-040	Ambient conditions.
173-58-050	Measurement equipment preparation and use.
173-58-060	Equipment variation allowances.
173-58-070	Environmental noise measurement procedure.
173-58-080	Close proximity exhaust system sound level measurement procedure.
173-58-090	Reserved.

WAC 173-58-010 Introduction. (1) Authority. Statutory authority for the guidance and direction contained in these procedures is authorized by chapter 70.107 RCW, the Noise Control Act of 1974.

(2) Purpose. The purpose of these rules is to establish standardized procedures for the measurement of sound levels of sources regulated by the department of ecology, including, but not limited to, environmental noise, motor racing vehicles, construction, float planes, railroads, and aircraft engine testing. Vessels, as defined in RCW 88.12.010 (21) and

regulated for noise under chapter 88.12 RCW (Regulation of recreational vessels), shall be exempt from chapter 173-58 WAC.

(3) Personnel. For the purposes of enforcement, the measurements shall be conducted only by persons qualified by training in the use of sound measuring equipment and proper site selection.

(4) These regulations will be amended as needed to include any new instrumentation, equipment, or procedures which the department shall deem necessary to accurately measure sound levels for enforcement purposes.

[Statutory Authority: Chapter 70.107 RCW. 94-12-001 (Order 92-41), § 173-58-010, filed 5/18/94, effective 6/18/94; 79-04-033 (Order DE 78-19), § 173-58-010, filed 3/22/79.]

WAC 173-58-020 Definitions. As used in this chapter, unless the context clearly indicates otherwise:

(1) "Background sound level" means the level of all sounds in a given environment, independent of the specific source being measured.

(2) "dBA" means the sound pressure level in decibels measured using the "A" weighting network on a sound level meter.

(3) "Department" means the department of ecology.

(4) "Director" means the director of the department of ecology.

(5) "EDNA" means the environmental designation for noise abatement, being an area or zone (environment) within which maximum permissible noise levels are established.

(6) "Impulse sound" means either a single pressure peak or a single burst of multiple pressure peaks which occur for a duration of less than one second as measured on a peak unweighted sound level meter.

(7) "Local government" means county or city government or any combination of the two.

(8) "Noise" means the intensity, duration and character of sounds, from any and all sources.

(9) "Operator" means any person who is in actual physical or electronic control of a motor vehicle, aircraft, off highway vehicle, or any other engine driven vehicle.

(10) "Person" means any individual, corporation, partnership, association, governmental body, state agency, or other entity whatsoever.

(11) "Property boundary" means the surveyed line at ground surface, which separates the real property owned, rented, or leased by one or more persons, from that owned, rented, or leased by one or more other persons, and its vertical extension.

(12) "Racing event" means any motor vehicle competition conducted under a permit issued by a governmental authority having jurisdiction or, if such permit is not required, then under the auspices of a recognized sanctioning body.

(13) "Receiving property" means real property within which the maximum permissible noise levels specified in WAC 173-60-040 shall not be exceeded from sources outside such property.

(14) "Shoreline" means the existing intersection of water with the ground surface or with any permanent, shore-connected facility.

(15) "Sound level meter" means a device or combination of devices which measures sound pressure levels and conforms to Type 1, Type 2, or Type 3 standards as specified in the American National Standards Institute Specification S1.4-1971. An impulse sound level meter shall be a peak or impulse, unweighted sound level meter which is capable of measuring impulse sound in conformance with the Type 1 or Type 2 specifications of ANSI S1.4-1971.

[Statutory Authority: Chapter 70.107 RCW. 94-12-001 (Order 92-41), § 173-58-020, filed 5/18/94, effective 6/18/94; 79-04-033 (Order DE 78-19), § 173-58-020, filed 3/22/79.]

WAC 173-58-030 Instrumentation. The following instrumentation and equipment shall be used for the measurement procedures established in this chapter:

(1) Sound level meter. The sound level meter shall meet the Type 1, Type 2, or Type 3 requirements of ANSI S1.4-1971. The meter weighting and response mode will be set as required in the specific procedure used. The sound level meter shall be returned to the manufacturer or a qualified laboratory at least once a year, to be calibrated to standards traceable to the National Bureau of Standards.

Type 1, Type 2, or Type 3 sound level meters shall be used for any initial inspection procedures, but only Type 1 or Type 2 sound level meters shall be used for the measurement of sound levels for enforcement purposes.

(2) Sound level calibrator. An acoustically coupled calibrator shall be used periodically to assure the accuracy of the sound level meter and microphone. The calibrator shall be returned to the manufacturer or a qualified laboratory at least once a year to be calibrated to standards traceable to the National Bureau of Standards.

(3) Tachometer. The tachometer shall be either one of two types: electric or vibrating reed. The electric tachometer shall be an inductive pickup type for easy attachment to any spark plug cable, contain its own internal power supply, and shall meet SAE J197 specifications for off road electric tachometers. The vibrating reed tachometer shall be designed for use on any internal combustion engine. Calibration accuracy for both types of tachometers shall be at least ± 3 percent of full scale reading. All tachometers shall be calibrated at least once a year in accordance with the manufacturer's calibration procedures.

(4) Windscreen. A windscreen of open cell foam, cloth, or other acoustically invisible material as shall be provided by the manufacturer, shall be placed over the microphone to protect it from moisture, exhaust gases and wind effects.

(5) Anemometer. An anemometer shall be used periodically during measurements to test the wind speed.

[Statutory Authority: Chapter 70.107 RCW. 79-04-033 (Order DE 78-19), § 173-58-030, filed 3/22/79.]

WAC 173-58-040 Ambient conditions. The following ambient conditions shall be observed during measurements and shall determine whether testing is to occur or not:

(1) Wind. Sound level measurements shall not be made when the wind speed is in excess of:

(a) 20 mph (32 km/hr) for the close proximity test, WAC 173-58-080;

(b) 12 mph (19 km/hr) for all other tests.

(2) Precipitation. Sound level measurements shall not be made when precipitation is falling in such a way as to affect the equipment or the measurement readings.

(3) Background sound level. Sound level measurements shall not be made when the difference between the background sound level and the level of the measured sound source is less than 10 dBA, unless, the measurement personnel are technically qualified to logarithmically subtract the background level from the measured source's sound level.

[Statutory Authority: Chapter 70.107 RCW. 79-04-033 (Order DE 78-19), § 173-58-040, filed 3/22/79.]

WAC 173-58-050 Measurement equipment preparation and use. (1) Battery check. A battery check shall be conducted on all instruments before field calibration and measurement.

(2) Calibration. Sound level meters shall be field calibrated (using procedures described in the manufacturer's instruction manual) at the beginning and end of each measurement period, and at intervals not exceeding two hours when the instrument is used for more than a two-hour period.

(3) Microphone orientation. The microphone shall be oriented with respect to the sound source as described in the manufacturer's instruction manual.

[Statutory Authority: Chapter 70.107 RCW. 79-04-033 (Order DE 78-19), § 173-58-050, filed 3/22/79.]

WAC 173-58-060 Equipment variation allowances. Due to unavoidable variations in measurement sites and test instruments, the following allowances shall be made for the respective sound level meters:

± 1 dBA	for Type 1 sound level meters
± 2 dBA	for Type 2 sound level meters

This tolerance value shall be applied, after all necessary calculations have been made, to the final reported sound level for the measured sound source.

[Statutory Authority: Chapter 70.107 RCW. 79-04-033 (Order DE 78-19), § 173-58-060, filed 3/22/79.]

WAC 173-58-070 Environmental noise measurement procedure. (Reserved.)

[Statutory Authority: Chapter 70.107 RCW. 79-04-033 (Order DE 78-19), § 173-58-070, filed 3/22/79.]

WAC 173-58-080 Close proximity exhaust system sound level measurement procedure. This section establishes specific procedures for the measurement of sound levels from exhaust systems at a distance of 20 inches (0.5 meter) from the exhaust outlet. The procedures of subsections (3), (4) and (5) of this section shall not be used for exhaust systems which utilize the introduction of water to the exhaust gas flow for the purpose of muffling the exhaust noise levels, or systems which exhaust the gas flow directly into water.

(1) For the purposes of this section "vehicle" means any motor driven contrivance used as a means of transportation or recreation off of public highways.

(2) Initial inspection. An initial inspection of the vehicle exhaust system shall be conducted to determine if the following defects or modifications exist:

- (a) The absence of a muffler;
- (b) The presence of a muffler cut-out, bypass, or similar device which is not standard or normal equipment for the exhaust system being inspected;
- (c) Defects in the exhaust system including, but not limited to, pinched outlets, and holes or rusted through areas of the muffler or pipes;
- (d) The presence of equipment which will produce excessive or unusual noise from the exhaust system.

If the above defects are observed and are a violation of the muffler integrity standards established for the type of vehicle which is being inspected, then a citation shall be issued in accordance with the enforcement section of the applicable regulation.

An evaluation of the vehicle sound level shall also be made by the enforcement officer, using the human ear as a sensing device.

If the exhaust noise is discernibly louder than the engine noise, or if any of the defects or modifications described above exist but are not violations of applicable regulations, the enforcement officer shall request the vehicle operator to submit the vehicle to any measurement procedures described in this chapter which are applicable to the type of vehicle being inspected. If the operator refuses to submit the vehicle to these measurement procedures, he shall be in violation of this chapter.

(3) Test site and instrumentation set up. The test site and instrumentation shall be set up as follows:

(a) The test site shall be a flat, open area free of large, sound-reflecting surfaces (other than the surface on which the vehicle is resting), such as signboards, buildings, large docks, hillsides, or other vehicles, located within a 16-foot (5-meter) radius of the vehicle being tested and the location of the microphone. The vehicle shall not be on a hoist, rack, or over a pit. Testing shall not occur within a shop or building. Nobody shall stand in the measurement area, except the observer and the vehicle operator.

(b) The microphone shall be at the same height as the center of the exhaust outlet if possible, but no closer to any surface than 8 inches (0.2 meter). The microphone shall be positioned with its longitudinal axis parallel to the ground, 20 ± 1 inches (0.5 meter) from the edge of the exhaust outlet, and 45 ± 10 degrees from the axis of the outlet. For exhaust outlets located inboard from the vehicle body, the microphone shall be located at the above specified angle and at least 8 inches (0.2 meter) from the nearest part of the vehicle.

For vehicles provided with exhaust outlets spaced more than 12 inches (0.3 meter) apart, measurements shall be made for each outlet as if it were the only one, and the highest level shall be recorded. If the exhaust outlets are less than twelve inches (0.3 meter) apart, a single measurement shall be made for any one of the outlets.

For vehicles with a vertical exhaust, the microphone shall be placed at a height of 48 ± 2 inches (1.2 meter). Its axis shall be vertical and oriented upwards. It shall be placed at a distance of 20 ± 1 inches (0.5 meter) from the side of the vehicle nearest the exhaust outlet.

For vehicles with the exhaust system outlet near the engine, the engine hood (if one exists) should be closed as much as possible to reduce engine noise.

If a measuring device is attached to the exhaust outlet and the microphone to maintain proper distance, insure that no vibrations from the vehicle shall be transmitted to the instrument.

(4) Vehicle operation. The vehicle shall be operated as follows:

(a) Controlled ignition vehicles. The engine shall be operated at a normal operating temperature with transmission in park or neutral. Sound level measurements shall be made at three-fourths (75 percent) of the RPM for rated horsepower ± 100 RPM of meter reading.

(b) Vehicles with motorcycle engines. The engine shall be operated at normal operating temperatures with the transmission in neutral. If no neutral is provided, the vehicle shall be operated either with the rear wheel or wheels 2-4 inches (5-10 centimeters) clear of the ground, or with the drive chain or belt removed. The sound level measurement shall be made with the engine speed stabilized at one of the following values:

(i) If the engine data is available, test the vehicle at one-half (50 percent) of the RPM for maximum rated horsepower ± 100 RPM.

(ii) If the engine data is not available, and if the vehicle has a tachometer showing the manufacturer's recommended maximum engine speed ("red line"), test the vehicle at 60 percent of the "red line" RPM ± 100 RPM.

(iii) If the engine data and red line RPM are not available, test the vehicle at:

(A) 3500 ± 100 RPM for engines with total cylinder displacement between 0-950 cc (0-58 in.³).

(B) 2800 RPM ± 100 RPM for engines with total cylinder displacement greater than 950 cc (58 in.³).

(c) Diesel engine vehicles. The engine shall be operated at normal operating temperatures with transmission in park or neutral. Sound level measurements shall be made at the vehicle's maximum governed no-load speed. If the engine is not provided with a governor, the vehicle shall be operated in the same manner as a vehicle with a controlled ignition.

(5) Measurement. The exhaust system sound level shall be measured as follows:

(a) The sound level meter shall be set for slow response and on the "A" weighting scale.

(b) The sound level meter shall be observed during the full cycle of engine acceleration-deceleration. The recorded sound level shall be the highest value obtained at the appropriate, constant engine speed as specified in subsection (4) of this section, and shall exclude peaks due to unrelated ambient noise, engine noise, or extraneous impulsive-type noise.

(c) At least two measurements shall be made, and the reported sound level shall be the average of the two highest readings which are within one dBA of each other.

[Statutory Authority: Chapter 70.107 RCW. 79-04-033 (Order DE 78-19), § 173-58-080, filed 3/22/79.]

WAC 173-58-090 Reserved.

[Statutory Authority: Chapter 70.107 RCW. 94-12-001 (Order 92-41), § 173-58-090, filed 5/18/94, effective 6/18/94; 79-04-033 (Order DE 78-19), § 173-58-090, filed 3/22/79.]

Chapter 173-60 WAC**MAXIMUM ENVIRONMENTAL NOISE LEVELS****WAC**

173-60-010	Authority and purpose.
173-60-020	Definitions.
173-60-030	Identification of environments.
173-60-040	Maximum permissible environmental noise levels.
173-60-050	Exemptions.
173-60-060	Nuisance regulations not prohibited.
173-60-070	Future regulations.
173-60-080	Variations and implementation schedules.
173-60-090	Enforcement policy.
173-60-100	Appeals.
173-60-110	Cooperation with local government.
173-60-120	Effective date.

WAC 173-60-010 Authority and purpose. These rules are adopted pursuant to chapter 70.107 RCW, the Noise Control Act of 1974, in order to establish maximum noise levels permissible in identified environments, and thereby to provide use standards relating to the reception of noise within such environments. Vessels, as defined in RCW 88.12.010(21) and regulated for noise under chapter 88.12 RCW (Regulation of recreational vessels), shall be exempt from chapter 173-60 WAC.

[Statutory Authority: Chapter 70.107 RCW. 94-12-001 (Order 92-41), § 173-60-010, filed 5/18/94, effective 6/18/94; Order 74-32, § 173-60-010, filed 4/22/75, effective 9/1/75.]

WAC 173-60-020 Definitions. (1) "Background sound level" means the level of all sounds in a given environment, independent of the specific source being measured.

(2) "dBA" means the sound pressure level in decibels measured using the "A" weighting network on a sound level meter. The sound pressure level, in decibels, of a sound is 20 times the logarithm to the base 10 of the ratio of the pressure of the sound to a reference pressure of 20 micropascals.

(3) "Department" means the department of ecology.

(4) "Director" means the director of the department of ecology.

(5) "Distribution facilities" means any facility used for distribution of commodities to final consumers, including facilities of utilities that convey water, waste water, natural gas, and electricity.

(6) "EDNA" means the environmental designation for noise abatement, being an area or zone (environment) within which maximum permissible noise levels are established.

(7) "Existing" means a process, event, or activity in an established area, producing sound subject to or exempt from this chapter, prior to the effective date of September 1, 1975.

(8) "Local government" means county or city government or any combination of the two.

(9) "Noise" means the intensity, duration and character of sounds, from any and all sources.

(10) "Person" means any individual, corporation, partnership, association, governmental body, state agency or other entity whatsoever.

(11) "Property boundary" means the surveyed line at ground surface, which separates the real property owned, rented, or leased by one or more persons, from that owned, rented, or leased by one or more other persons, and its vertical extension.

(12) "Racing event" means any motor vehicle competition conducted under a permit issued by a governmental authority having jurisdiction or, if such permit is not required, then under the auspices of a recognized sanctioning body.

(13) "Receiving property" means real property within which the maximum permissible noise levels specified herein shall not be exceeded from sources outside such property.

(14) "Sound level meter" means a device which measures sound pressure levels and conforms to Type 1 or Type 2 as specified in the American National Standards Institute Specification S1.4-1971.

[Statutory Authority: Chapter 70.107 RCW. 94-12-001 (Order 92-41), § 173-60-020, filed 5/18/94, effective 6/18/94; 83-15-046 (Order DE 82-42), § 173-60-020, filed 7/19/83; Order DE 77-1, § 173-60-020, filed 6/1/77; Order 74-32, § 173-60-020, filed 4/22/75, effective 9/1/75.]

WAC 173-60-030 Identification of environments.

(1) Except when included within specific prior designations as provided in subsections (2), (3), and (4) of this section, the EDNA of any property shall be based on the following typical uses, taking into consideration the present, future, and historical usage, as well as the usage of adjacent and other lands in the vicinity.

(a) Class A EDNA - Lands where human beings reside and sleep. Typically, Class A EDNA will be the following types of property used for human habitation:

(i) Residential

(ii) Multiple family living accommodations

(iii) Recreational and entertainment, (e.g., camps, parks, camping facilities, and resorts)

(iv) Community service, (e.g., orphanages, homes for the aged, hospitals, health and correctional facilities)

(b) Class B EDNA - Lands involving uses requiring protection against noise interference with speech. Typically, Class B EDNA will be the following types of property:

(i) Commercial living accommodations

(ii) Commercial dining establishments

(iii) Motor vehicle services

(iv) Retail services

(v) Banks and office buildings

(vi) Miscellaneous commercial services, property not used for human habitation

(vii) Recreation and entertainment, property not used for human habitation (e.g., theaters, stadiums, fairgrounds, and amusement parks)

(viii) Community services, property not used for human habitation (e.g., educational, religious, governmental, cultural and recreational facilities).

(c) Class C EDNA - Lands involving economic activities of such a nature that higher noise levels than experienced in other areas is normally to be anticipated. Persons working in these areas are normally covered by noise control regulations of the department of labor and industries. Uses

typical of Class A EDNA are generally not permitted within such areas. Typically, Class C EDNA will be the following types of property:

- (i) Storage, warehouse, and distribution facilities.
- (ii) Industrial property used for the production and fabrication of durable and nondurable man-made goods
- (iii) Agricultural and silvicultural property used for the production of crops, wood products, or livestock.

(d) Where there is neither a zoning ordinance in effect nor an adopted comprehensive plan, the legislative authority of local government may, by ordinance or resolution, designate specifically described EDNAs which conform to the above use criteria and, upon departmental approval, EDNAs so designated shall be as set forth in such local determination.

(e) Where no specific prior designation of EDNAs has been made, the appropriate EDNA for properties involved in any enforcement activity will be determined by the investigating official on the basis of the criteria of (a), (b), and (c) of this subsection.

(2) In areas covered by a local zoning ordinance, the legislative authority of the local government may, by ordinance or resolution designate EDNAs to conform with the zoning ordinance as follows:

- (a) Residential zones - Class A EDNA
- (b) Commercial zones - Class B EDNA
- (c) Industrial zones - Class C EDNA

Upon approval by the department, EDNAs so designated shall be as set forth in such local determination. EDNA designations shall be amended as necessary to conform to zone changes under the zoning ordinance.

(3) In areas not covered by a local zoning ordinance but within the coverage of an adopted comprehensive plan the legislative authority of the local government may, by ordinance or resolution designate EDNAs to conform with the comprehensive plan as follows:

- (a) Residential areas - Class A EDNA
- (b) Commercial areas - Class B EDNA
- (c) Industrial areas - Class C EDNA

Upon approval by the department EDNAs so designated shall be as set forth in such local determination. EDNA designations shall be amended as necessary to conform to changes in the comprehensive plan.

(4) The department recognizes that on certain lands, serenity, tranquillity, or quiet are an essential part of the quality of the environment and serve an important public need. Special designation of such lands with appropriate noise level standards by local government may be adopted subject to approval by the department. The director may make such special designation pursuant to the procedures of the Administrative Procedure Act, chapter 34.04 RCW.

[Order 74-32, § 173-60-030, filed 4/22/75, effective 9/1/75.]

WAC 173-60-040 Maximum permissible environmental noise levels. (1) No person shall cause or permit noise to intrude into the property of another person which noise exceeds the maximum permissible noise levels set forth below in this section.

(2)(a) The noise limitations established are as set forth in the following table after any applicable adjustments provided for herein are applied.

EDNA OF NOISE SOURCE	EDNA OF RECEIVING PROPERTY		
	Class A	Class B	Class C
CLASS A	55 dBA	57 dBA	60 dBA
CLASS B	57	60	65
CLASS C	60	65	70

(b) Between the hours of 10:00 p.m. and 7:00 a.m. the noise limitations of the foregoing table shall be reduced by 10 dBA for receiving property within Class A EDNAs.

(c) At any hour of the day or night the applicable noise limitations in (a) and (b) above may be exceeded for any receiving property by no more than:

- (i) 5 dBA for a total of 15 minutes in any one-hour period; or
- (ii) 10 dBA for a total of 5 minutes in any one-hour period; or
- (iii) 15 dBA for a total of 1.5 minutes in any one-hour period.

[Order 74-32, § 173-60-040, filed 4/22/75, effective 9/1/75.]

WAC 173-60-050 Exemptions. (1) The following shall be exempt from the provisions of WAC 173-60-040 between the hours of 7:00 a.m. and 10:00 p.m.:

(a) Sounds originating from residential property relating to temporary projects for the maintenance or repair of homes, grounds and appurtenances.

(b) Sounds created by the discharge of firearms on authorized shooting ranges.

(c) Sounds created by blasting.

(d) Sounds created by aircraft engine testing and maintenance not related to flight operations: *Provided*, That aircraft testing and maintenance shall be conducted at remote sites whenever possible.

(e) Sounds created by the installation or repair of essential utility services.

(2) The following shall be exempt from the provisions of WAC 173-60-040 (2)(b):

(a) Noise from electrical substations and existing stationary equipment used in the conveyance of water, waste water, and natural gas by a utility.

(b) Noise from existing industrial installations which exceed the standards contained in these regulations and which, over the previous three years, have consistently operated in excess of 15 hours per day as a consequence of process necessity and/or demonstrated routine normal operation. Changes in working hours, which would affect exemptions under this regulation, require approval of the department.

(3) The following shall be exempt from the provisions of WAC 173-60-040, except insofar as such provisions relate to the reception of noise within Class A EDNAs between the hours of 10:00 p.m. and 7:00 a.m.

(a) Sounds originating from temporary construction sites as a result of construction activity.

(b) Sounds originating from forest harvesting and silvicultural activity.

(4) The following shall be exempt from all provisions of WAC 173-60-040:

(a) Sounds created by motor vehicles when regulated by chapter 173-62 WAC.

(b) Sounds originating from aircraft in flight and sounds that originate at airports which are directly related to flight operations.

(c) Sounds created by surface carriers engaged in interstate commerce by railroad.

(d) Sounds created by warning devices not operating continuously for more than five minutes, or bells, chimes, and carillons.

(e) Sounds created by safety and protective devices where noise suppression would defeat the intent of the device or is not economically feasible.

(f) Sounds created by emergency equipment and work necessary in the interests of law enforcement or for health safety or welfare of the community.

(g) Sounds originating from motor vehicle racing events at existing authorized facilities.

(h) Sounds originating from officially sanctioned parades and other public events.

(i) Sounds emitted from petroleum refinery boilers during startup of said boilers: *Provided*, That the startup operation is performed during daytime hours whenever possible.

(j) Sounds created by the discharge of firearms in the course of hunting.

(k) Sounds caused by natural phenomena and unamplified human voices.

(l) Sounds created by motor vehicles, licensed or unlicensed, when operated off public highways EXCEPT when such sounds are received in Class A EDNAs.

(m) Sounds originating from existing natural gas transmission and distribution facilities. However, in circumstances where such sounds impact EDNA Class A environments and complaints are received, the director or his designee may take action to abate by application of EDNA Class C source limits to the facility under the requirements of WAC 173-60-050(5).

(6) Nothing in these exemptions is intended to preclude the department from requiring installation of the best available noise abatement technology consistent with economic feasibility. The establishment of any such requirement shall be subject to the provisions of the Administrative Procedure Act, chapter 34.04 RCW.

[Statutory Authority: Chapter 70.107 RCW. 94-12-001 (Order 92-41), § 173-60-050, filed 5/18/94, effective 6/18/94; 83-15-046 (Order DE 82-42), § 173-60-050, filed 7/19/83; Order DE 77-1, § 173-60-050, filed 6/2/77; Order 75-18, § 173-60-050, filed 8/1/75; Order 74-32, § 173-60-050, filed 4/22/75, effective 9/1/75.]

WAC 173-60-060 Nuisance regulations not prohibited. Nothing in this chapter or the exemptions provided herein, shall be construed as preventing local government from regulating noise from any source as a nuisance. Local resolutions, ordinances, rules or regulations regulating noise on such a basis shall not be deemed inconsistent with this chapter by the department.

[Order 74-32, § 173-60-060, filed 4/22/75, effective 9/1/75.]

WAC 173-60-070 Future regulations. It is the intention of the department to establish use standards and/or performance standards for the following sources of noise exempted or partially exempted from the requirements of this chapter within two years after adequate legislative funding is made available to conduct studies providing the necessary data.

(1) Sounds created by aircraft engine testing and maintenance not related to flight operations, through the adoption of a new chapter 173-64 WAC.

(2) Sounds created by construction equipment and emanating from construction sites, through the adoption of a new chapter 173-66 WAC.

(3) Sounds created by motor vehicle racing events, through the adoption of a new chapter 173-63 WAC.

(4) Sounds created by the operation of equipment or facilities of surface carriers engaged in commerce by railroad, to the extent consistent with federal law and regulations through the adoption of a new chapter 173-72 WAC.

[Statutory Authority: Chapter 70.107 RCW. 94-12-001 (Order 92-41), § 173-60-070, filed 5/18/94, effective 6/18/94; Order DE 77-1, § 173-60-070, filed 6/1/77; Order 74-32, § 173-60-070, filed 4/22/75, effective 9/1/75.]

WAC 173-60-080 Variances and implementation schedules. (1) Variances may be granted to any person from any particular requirement of this chapter, if findings are made that immediate compliance with such requirement cannot be achieved because of special circumstances rendering immediate compliance unreasonable in light of economic or physical factors, encroachment [encroachment] upon an existing noise source, or because of nonavailability of feasible technology or control methods. Any such variance or renewal thereof shall be granted only for the minimum time period found to be necessary under the facts and circumstances.

(2) An implementation schedule for achieving compliance with this chapter shall be incorporated into any variance issued.

(3) Variances shall be issued only upon application in writing and after providing such information as may be requested. No variance shall be issued for a period of more than 30 days except upon due notice to the public with opportunity to comment. Public hearings may be held, when substantial public interest is shown, at the discretion of the issuing agency.

(4) Sources of noise, subject to this chapter, upon which construction begins after the effective date hereof shall immediately comply with the requirements of this chapter, except in extraordinary circumstances where overriding considerations of public interest dictate the issuance of a variance.

[Order 74-32, § 173-60-080, filed 4/22/75, effective 9/1/75.]

WAC 173-60-090 Enforcement policy. Noise measurement for the purposes of enforcing the provisions of WAC 173-60-040 shall be measured in dBA with a sound level meter with the point of measurement being at any point within the receiving property. Such enforcement shall be undertaken only upon receipt of a complaint made by a person who resides, owns property, or is employed in the area affected by the noise complained of, EXCEPT for parks,

recreational areas, and wildlife sanctuaries. For enforcement purposes pursuant to RCW 70.107.050, each day, defined as the 24-hour period beginning at 12:01 a.m., in which violation of the noise control regulations (chapter 173-60 WAC) occurs, shall constitute a separate violation.

[Order DE 76-5, § 173-60-090, filed 2/5/76; Order 74-32, § 173-60-090, filed 4/22/75, effective 9/1/75.]

WAC 173-60-100 Appeals. Any person aggrieved by any decision of the department in relation to the enforcement of the maximum permissible noise levels provided for herein, the granting or denial of a variance or the approval or disapproval of a local resolution or ordinance for noise abatement and control may appeal to the pollution control hearings board pursuant to chapter 43.21B RCW under the procedures of chapter 371-08 WAC.

[Order 74-32, § 173-60-100, filed 4/22/75, effective 9/1/75.]

WAC 173-60-110 Cooperation with local government. (1) The department conceives the function of noise abatement and control to be primarily the role of local government and intends actively to encourage local government to adopt measures for noise abatement and control. Wherever such measures are made effective and are being actively enforced, the department does not intend to engage directly in enforcement activities.

(2) No ordinance or resolution of any local government which imposes noise control requirements differing from those adopted by the department shall be effective unless and until approved by the director. If approval is denied, the department, following submission of such local ordinance or resolution to the department, shall deliver its statement or order of denial, designating in detail the specific provision(s) found to be objectionable and the precise grounds upon which the denial is based, and shall submit to the local government, the department's suggested modification.

(3) The department shall encourage all local governments enforcing noise ordinances pursuant to this chapter to consider noise criteria and land use planning and zoning.

[Statutory Authority: Chapter 70.107 RCW. 87-06-056 (Order 86-40), § 173-60-110, filed 3/4/87; Order 74-32, § 173-60-110, filed 4/22/75, effective 9/1/75.]

WAC 173-60-120 Effective date. This chapter shall become effective on September 1, 1975. It is the intention of the department to periodically review the provisions hereof as new information becomes available for the purpose of making amendments as appropriate.

[Order 74-32, § 173-60-120, filed 4/22/75, effective 9/1/75.]

Chapter 173-62 WAC

MOTOR VEHICLE NOISE PERFORMANCE STANDARDS

WAC

173-62-010	Authority and purpose.
173-62-020	Definitions.
173-62-030	Standards.
173-62-040	Exemptions.
173-62-050	Implementation schedules.
173-62-060	Enforcement.

[Title 173 WAC—page 164]

173-62-070 Effective date.

WAC 173-62-010 Authority and purpose. (1) Under RCW 70.107.030(5) of the Noise Control Act of 1974 (chapter 183, Laws of 1974), the legislature directed the department of ecology, in exercising rule-making authority to give first priority to the adoption of motor vehicle noise performance standards. The purpose of this chapter is to carry out that legislative directive through the adoption of noise emission standards for new motor vehicles and noise emission standards for the operation of motor vehicles on public highways.

(2) Local needs. The standards established in this chapter provide several methods of evaluating motor vehicle noise levels. Nothing in these rules is meant to require enforcement agencies or local governments to adopt or use every standard in this chapter to determine a violation. Specific local needs shall dictate the standard(s) which may be adopted or used.

[Statutory Authority: Chapter 70.107 RCW. 80-14-041 (Order DE 80-29), § 173-62-010, filed 9/30/80; Order DE 74-33, § 173-62-010, filed 1/30/75, effective 7/1/75.]

WAC 173-62-020 Definitions. As used in this chapter:

(1) "dBA" means the sound level in decibels measured using the "A" weighting network on a sound level meter as specified in the American National Standard Specification for Sound Level Meters S1.4-1971. A decibel is a unit of sound, based on a logarithmic scale, of the ratio of the magnitude of a particular sound pressure to a standard reference pressure of 20 micropascals;

(2) "Department" means the department of ecology;

(3) "Director" means director of the department of ecology;

(4) "Gross vehicle weight rating (GVWR)" means the value specified by the manufacturer as the loaded weight of a single vehicle;

(5) "In-use" motor vehicle is any motor vehicle which is used on a public highway, except farm vehicles as defined under RCW 46.04.181;

(6) "Motor vehicle" means any vehicle which is self-propelled, used primarily for transporting persons or property upon public highways and required to be licensed under RCW 46.16.010 (aircraft, water craft and vehicles used exclusively on stationary rails or tracks are not motor vehicles as that term is used herein);

(7) "Motorcycle" means any motor vehicle having a saddle for the use of the rider and designed to travel on not more than three wheels in contact with the ground, except farm tractors;

(8) "Muffler" means a device consisting of a series of chambers or other mechanical designs for the purpose of receiving exhaust gas from an internal combustion engine and effective in reducing noise to comply with the standards of this chapter;

(9) "New motor vehicle" means a motor vehicle manufactured after December 31, 1975, whose equitable or legal title has never been transferred to a person who, in good faith, purchases the new motor vehicle for purposes other than resale;

(10) "Off-highway vehicle" means any self-propelled vehicle not used primarily for transporting persons or property upon public highways nor required to be licensed under RCW 46.16.010;

(11) "Person" means any individual, corporation, partnership, association, governmental body, state agency or other entity whatsoever;

(12) "Public highway" means the entire width between the boundary lines of every way publicly maintained by the department of highways or any county or city when any part thereof is generally open to the use of the public for purposes of vehicular travel as a matter of right;

(13) "Sound level" means a weighted sound pressure level measured by use of a sound level meter using the "A" weighting network and reported as dBA.

[Statutory Authority: Chapter 70.107 RCW. 80-14-041 (Order DE 80-29), § 173-62-020, filed 9/30/80; Order DE 75-17, § 173-62-020, filed 8/11/75; Order DE 74-33, § 173-62-020, filed 1/30/75, effective 7/1/75.]

WAC 173-62-030 Standards. (1) No person shall operate any motor vehicle or any combination of such vehicles upon any public highway under any conditions of grade, load, acceleration or deceleration in such a manner as to exceed the maximum permissible sound levels for the category of vehicle in Table I, as measured at a distance of 50 feet (15.2 meters) from the center of the lane of travel within the speed limits specified, under procedures established by the state commission on equipment in chapter 204-56 WAC, "procedures for measuring motor vehicle sound levels."

Table I

IN-USE MOTOR VEHICLE NOISE PERFORMANCE STANDARDS
Measured @ 50 feet (15.2 meters)

Vehicle Category (type)	Effective Date	Maximum Sound Level, dBA Speed Zones		
		45 mph (72 kph) or less	Over 45 mph (72 kph)	Stationary Test
Motorcycles	July 1, 1980	78	82	N/A
Automobiles, light trucks and all other motor vehicles 10,000 pounds (4536 kg) GVWR or less	July 1, 1980	72	78	N/A
		35 mph (56 kph) or less	Over 35 mph (56 kph)	
All motor vehicles over 10,000 pounds (4536 kg) GVWR	June 1, 1977	86	90	86
	1986 and after	Reserved	Reserved	Reserved

(2) Every motor vehicle operated upon the public highways shall at all times be equipped with an exhaust system and a muffler in good working order and constant operation to prevent excessive or unusual noise.

(3) No person shall operate a motor vehicle in such a manner as to cause or allow to be emitted squealing, screeching or other such noise from the tires in contact with the ground because of rapid acceleration or excessive speed around corners or other such reason, except that noise

resulting from emergency braking to avoid imminent danger shall be exempt from this provision.

(4) No person shall operate any motor vehicle upon any public highway if the vehicle exhaust system exceeds the maximum permissible sound levels of Table II for the category and year of vehicle, as measured at a distance of twenty inches (0.5 meter) from the exhaust outlet under procedures established by the state commission on equipment in chapter 204-56 WAC, "procedures for measuring motor vehicle sound levels."

(5) No person shall sell or offer for sale a NEW MOTOR VEHICLE except an off-highway vehicle, which produces a maximum noise exceeding the noise levels in Table III at a distance of 50 feet (15.2 meters) under acceleration test procedures established by the state commission on equipment in chapter 204-56 WAC, "procedures for measuring motor vehicle sound levels."

Table II

IN-USE MOTOR VEHICLE EXHAUST SYSTEM NOISE PERFORMANCE STANDARDS

Measured @ 20 inches (0.5 meter)

Vehicle Category (type)	Model Year	Maximum Sound Level, dBA
Motorcycles	before 1986	99
	1986 and after	(reserved)
Automobiles, light trucks and all other motor vehicles 10,000 pounds (4536 kg) GVWR or less	before 1986	95
	1986 and after	(reserved)

Table III

MAXIMUM SOUND LEVELS FOR NEW MOTOR VEHICLES

Measured @ 50 feet (15.2 meters)

Vehicle Category (type)	Date of Manufacture	Maximum Sound Level, dBA
Any motor vehicle over 10,000 pounds (4536 kg) GVWR excluding buses	before January 1, 1978	86
	after January 1, 1978	83
	after January 1, 1982	80
All buses over 10,000 pounds (4536 kg) GVWR	after January 1, 1980	85
	after January 1, 1983	83
	after January 1, 1986	80
Motorcycles	after January 1, 1976	83
	after January 1, 1986	80
Automobiles, light trucks and all other motor vehicles 10,000 pounds (4536 kg) GVWR or less	after January 1, 1976	80

[Statutory Authority: Chapter 70.107 RCW. 80-14-041 (Order DE 80-29), § 173-62-030, filed 9/30/80; Order DE 77-2, § 173-62-030, filed 6/1/77; Order DE 75-17, § 173-62-030, filed 8/11/75; Order DE 74-33, § 173-62-030, filed 1/30/75, effective 7/1/75.]

WAC 173-62-040 Exemptions. The provisions of this chapter shall not apply to noise caused by auxiliary equipment on motor vehicles used for highway maintenance, nor to noise caused in the performance of emergency work

for the immediate safety, health or welfare of the community or of individuals of the community, or to restore property to a safe condition following a public calamity.

[Order DE 75-17, § 173-62-040, filed 8/11/75; Order DE 74-33, § 173-62-040, filed 1/30/75, effective 7/1/75.]

WAC 173-62-050 Implementation schedules. (1) **Conditions of issuance.** The department may approve and issue to any person, an implementation schedule for meeting any particular requirement of this chapter, if it finds that immediate compliance with such requirement cannot be achieved because of conditions beyond the control of such person or because of special circumstances rendering immediate compliance unreasonable in light of economic or physical factors or because of the nonavailability of feasible technology or control methods.

(2) **Requesting procedure.** Implementation schedules shall be issued only upon application in writing to the department. Such application shall state in a concise manner the facts to show cause why such schedule should be approved. Any aggrieved person may appeal the department's decision on an application to the pollution control hearings board pursuant to chapter 43.21B RCW.

[Order DE 74-33, § 173-62-050, filed 1/30/75, effective 7/1/75.]

WAC 173-62-060 Enforcement. (1) Measurements shall be made with a sound level meter meeting Type 1, S1A, 2 or S2A requirements as specified in the American National Standards Specifications for Sound Level Meters S1.4-1971 as required under measurement procedures established in chapter 204-56 WAC, "procedures for measuring motor vehicle sound levels."

(2) Violation of any in-use motor vehicle noise standard set forth in this chapter shall be a traffic infraction, enforced by such authorities and in such manner as violations of chapter 46.37 RCW.

(3) Law enforcement personnel selected to measure vehicle sound levels shall have received training in the techniques of sound measurement and the operation of sound measuring instruments.

(4) Any enforcement officer who by use of the initial inspection procedures of chapter 204-56 WAC suspects that a motor vehicle may be in violation of the standards of this chapter may require the operator to have the vehicle presented for sound level measurement. Measurements of a motor vehicle may be performed at off-road sites to determine compliance with the in-use standards.

(5) Any operator who fails to comply with the directive to present the vehicle to a sound level measurement test shall be in violation of this chapter.

(6) Any seller, importer, or manufacturer who sells or offers for sale a motor vehicle which violates the standards in WAC 173-62-030 shall be subject to a civil penalty not to exceed one hundred dollars as established in RCW 70.107.050. Every motor vehicle sold or offered for sale shall constitute a separate violation.

[Statutory Authority: Chapter 70.107 RCW. 80-14-041 (Order DE 80-29), § 173-62-060, filed 9/30/80; Order DE 74-33, § 173-62-060, filed 1/30/75, effective 7/1/75.]

WAC 173-62-070 Effective date. This chapter shall become effective July 1, 1975.

[Order DE 74-33, § 173-62-070, filed 1/30/75, effective 7/1/75.]

Chapter 173-80 WAC

LIMITATIONS ON USE OF REFERENDUM 39 GRANT FUNDS FOR WATER POLLUTION ABATEMENT

WAC

173-80-010	Purpose and scope.
173-80-020	Definitions.
173-80-030	Limitations on the use of funds.
173-80-040	Provision of guidelines.
173-80-050	Wastewater treatment works grants—Priority rating and other provisions.
173-80-060	Lake restoration project grants—General eligibility requirements and priority rating.
173-80-070	Agricultural wastes project grants—General eligibility requirements and priority rating.
173-80-080	Limiting the use of existing Referendum 39 regulations and funds.

WAC 173-80-010 Purpose and scope. The purpose of this chapter is to set forth limitations on the allocation and uses of monies administered by the department of ecology for purposes of providing grants and loans for wastewater treatment facilities, agricultural pollution abatement facilities, and lake restoration projects pursuant to chapter 43.99F RCW (Referendum 39). To derive the most benefit for the state in protecting the health and safety of the people it is necessary to establish criteria for the use of funds made available by Referendum 39. This chapter will outline (1) limitations on the allocation and uses of the funds, (2) the criteria to be considered for determining who will receive funds, and (3) the process to be followed for distributing the funds.

[Statutory Authority: RCW 43.21A.080. 82-05-011 (Order DE 81-50), § 173-80-010, filed 2/5/82.]

WAC 173-80-020 Definitions. (1) "Department" means the Washington state department of ecology.

(2) "Wastewater treatment works construction program" (hereinafter referred to as the wastewater treatment program) means the state/local program of grants and loans under chapter 43.99F RCW (Referendum 39) to public entities for the purpose of planning, designing, constructing, or upgrading treatment works.

(3) "Agricultural wastes grants program" means the program of grants and loans administered by the department for the planning, design and construction of publicly owned or operated agricultural pollution control facilities.

(4) "Lake restoration grants program" means the program of state grants and loans administered by the department for the planning, design and implementation of lake restoration projects.

(5) "Director" means the director of the Washington state department of ecology or his or her authorized designee.

(6) "Management of wastes" means the control, collection, transport, treatment, and disposal of nonradioactive solid and nonradioactive liquid waste materials.

(7) "Renewable energy" means, but is not limited to, the production of steam, hot water for steam heat, electricity, cogeneration, gas, fuel through incineration of wastes, refuse-derived fuel processes, pyrolysis, hydrolysis or bio-conversion, and energy savings through material recovery from waste source separation and/or recycling.

(8) "Energy savings as a result of the management of the wastes" means but is not limited to the capital cost associated with an energy efficient treatment or transport process chosen over a process more commonly used in standard engineering practice which is more energy intensive.

(9) "Project priority list" means the annual list of rated and ranked projects for which state grant assistance is expected during the year for which the list is issued.

(10) "Priority rating system" means the process and criteria used by the department of ecology to rate and rank projects in the state that are considered eligible for assistance under chapter 43.99F RCW.

[Statutory Authority: RCW 43.21A.080. 82-05-011 (Order DE 81-50), § 173-80-020, filed 2/5/82.]

WAC 173-80-030 Limitations on the use of funds.

(1) The following water program projects shall be eligible for state grants, loans, or combination of grants and loans in an amount not to exceed seventy-five percent of the total eligible cost of the project as determined by the department and subject to the special provisions contained in this chapter.

(a) Wastewater treatment projects.

(b) Lake restoration projects.

(c) Agricultural pollution control projects.

(2) Loans may be authorized by the director, provided:

(a) The loan repayment period does not exceed five years.

(b) The cumulative total of all loans authorized during any biennium does not exceed ten percent of the cumulative total of funds appropriated by the legislature for that biennium, excluding any special appropriation authorized by WAC 173-80-050(6).

(c) The director considers and documents why it is in the best interest of the state's citizens to provide a loan.

(d) The director considers and documents how the loan will be repaid.

(3) The wastewater treatment program will establish an accounting procedure to identify the money which is spent on projects that are capable of producing renewable energy or energy savings as a result of the management of the wastes.

[Statutory Authority: RCW 43.21A.080. 82-05-011 (Order DE 81-50), § 173-80-030, filed 2/5/82.]

WAC 173-80-040 Provision of guidelines. The department will publish guidelines which establish procedures for awarding grants and eligibility criteria for each Referendum 39 grant program identified in WAC 173-80-030(1). These guidelines will describe the grant application, review, and award process and will be available prior to the first grant award.

[Statutory Authority: RCW 43.21A.080. 82-05-011 (Order DE 81-50), § 173-80-040, filed 2/5/82.]

WAC 173-80-050 Wastewater treatment works grants—Priority rating and other provisions. (1) In instances where applications for wastewater treatment works grant funds exceed the amount currently available to the department, the director will establish a project priority list using published priority rating criteria which consider, but are not limited to, the following:

(a) Water quality impacts caused by existing circumstances.

(b) Public health impacts caused by existing circumstances.

(c) The prior local effort expended toward correcting the existing or similar wastewater problems.

(d) The cost-benefit relationship of the proposed project.

(e) Problem prevention aspects of the proposed project.

(2) In instances where a priority list is required, the director will ensure that:

(a) A project priority list is developed on an annual basis.

(b) The priority list be readily available to the public for review and comment thirty days prior to its approval by the director.

(c) Comments received during any review period are considered and responded to before a final list is approved by the director.

(d) An approved list is available on or about forty-five days after the close of the application period.

(3) The department may use funds authorized by chapter 43.99F RCW as fifteen percent grants to wastewater treatment projects for public entities who have received a federal grant under Title II of Public Law 97-117 prior to October 1, 1982, or a written guarantee from the department, prior to the effective date of this chapter, that such a grant will be available when a federal grant is received. New phases of those continuing construction wastewater treatment projects begun prior to October 1, 1982, are also eligible for a fifteen percent grant. Funds are to be awarded under this authority only if funds provided by chapter 43.83A RCW (Referendum Bill No. 26) are not available.

(4) Prior to December 31, 1982, the department may award a grant for seventy-five percent of the eligible costs for completion of any wastewater treatment facility that began construction under the federal wastewater treatment program prior to October 1, 1981, and is not scheduled to receive a federal grant prior to federal fiscal year 1983.

(5) Wastewater treatment program projects, except those allowed by WAC 173-80-050(4), shall not receive grants exceeding fifty percent of the eligible costs of the project.

(6) The director may enter into a single lump sum design and construction contract with a grantee whose project exceeds a total cost of \$100 million and requires more than three years to design and construct, providing that all the following conditions are met:

(a) The project appears on the current project priority list within the range fundable with remaining, unobligated monies authorized by chapter 43.99F RCW.

(b) The contract contains provisions limiting the total amount of state funding to fifty percent of the eligible costs or an agreed upon figure (whichever is less), establishing cash flow agreements, and any other provisions the director deems necessary to protect the financial interests of the state.

(c) The legislature appropriates the necessary funds.

(d) The grantee agrees to a one-time grant, including limited increases at time of bid, and will not thereafter seek any further funds under the provisions of chapter 43.99F RCW.

[Statutory Authority: RCW 43.21A.080. 82-05-011 (Order DE 81-50), § 173-80-050, filed 2/5/82.]

WAC 173-80-060 Lake restoration project grants—General eligibility requirements and priority rating. (1) General eligibility requirements include:

(a) The lake must have a documented water quality problem which is resulting in impairment of beneficial uses;

(b) The proposed project must be sponsored by a public body as defined in chapter 43.99F RCW;

(c) The project sponsor must be able to provide at least ten percent of the total project cost unless a lower share is specifically authorized by the director; and

(d) Public access must be provided which is sufficient to allow the general public the same opportunity to enjoy the lake's recreational benefits as that enjoyed by residents living immediately adjacent to the lake.

(2) When applications for grant funds exceed the amount currently available to the department, the director will establish a lake restoration project priority list using rating criteria which consider, but are not limited to, the following:

(a) Water quality improvements to be achieved

(b) Increased or enhanced lake utilization

(c) Restoration potential

(d) Public health impacts to be corrected

(3) When a lake restoration project priority list is required, the director will ensure that the priority list is readily available to the public for review and comment thirty days prior to its approval by the director.

[Statutory Authority: RCW 43.21A.080. 82-05-011 (Order DE 81-50), § 173-80-060, filed 2/5/82.]

WAC 173-80-070 Agricultural wastes project grants—General eligibility requirements and priority rating. (1) General eligibility requirements include:

(a) The project sponsor must be a public body as defined in chapter 43.99F RCW;

(b) Eligible project elements must benefit the public and be utilized by more than one member of the sponsoring group or agency;

(c) The project must directly benefit the quality of the receiving water; and

(d) The project sponsor must provide at least ten percent of the grant eligible costs unless a lesser amount is authorized by the director.

(2) Project rating—When applications for grant funds exceed the amount currently available to the department, the director will establish an agricultural wastes project priority list using criteria which includes, but are not limited to:

(a) Water quality improvements to be achieved

(b) Improved efficiency in water quantity utilization

(c) Resource conservation potential

(d) Reduction in impairment of beneficial uses

(3) When an agricultural waste project priority list is required, the director will ensure that the priority list is

readily available to the public for review and comment thirty days prior to its approval by the director.

[Statutory Authority: RCW 43.21A.080. 82-05-011 (Order DE 81-50), § 173-80-070, filed 2/5/82.]

WAC 173-80-080 Limiting the use of existing Referendum 39 regulations and funds. This chapter is not applicable to the allocation and uses of moneys administered by the department of ecology pursuant to chapter 3, Laws of 1986.

[Statutory Authority: 1986 c 3 § 4. 86-19-041 (Order DE 86-26), § 173-80-080, filed 9/12/86.]

Chapter 173-90 WAC

STANDARDS AND LIMITATIONS ON THE USE OF CLEAN WATER FUNDS FOR POLLUTION ABATEMENT

WAC

173-90-010	Purpose and scope.
173-90-015	Definitions.
173-90-020	Provision of guidelines.
173-90-040	Ground water management area planning grants— Eligibility criteria, funding levels, development of priority rating and priority lists—Eligibility criteria.
173-90-050	Nonpoint source pollution control activity grants— Eligible criteria, funding levels and administration, and establishing highest priority.
173-90-060	Aquifer protection assistance grants—Eligibility criteria, funding levels, and establishing highest priority.
173-90-070	Water pollution control design grants—Eligibility criteria, funding levels, and establishing highest priority.

WAC 173-90-010 Purpose and scope. The purpose of this chapter is to set forth criteria and limitations on uses of moneys administered by the department of ecology pursuant to chapter 3, Laws of 1986 (ESSB No. 4519).

Chapter 3, Laws of 1986 appropriates from the general fund, state and local improvements revolving account, twenty million dollars to be obligated for the fiscal year ending June 30, 1987, for state financial assistance to public bodies for the following purposes:

(1) Planning assistance to any ground water area created pursuant to chapter 453, Laws of 1985.

(2) Nonpoint source pollution control activities.

(3) Assistance to aquifer protection areas created pursuant to chapter 425, Laws of 1985.

(4) Assistance for the design of water pollution control facilities.

(5) Acquisition of organic laboratory capability for joint use by the department of social and health services and the department to test and analyze waters, including public drinking water supplies.

This chapter applies only to the allocation of funds appropriated by chapter 3, Laws of 1986.

[Statutory Authority: 1986 c 3 § 4. 86-19-042 (Order DE 86-25), § 173-90-010, filed 9/12/86.]

WAC 173-90-015 Definitions. (1) "Department" means the Washington state department of ecology.

(2) "Eligible cost" means the cost of that portion of a water pollution control facility or activity that can be financed under this chapter.

(3) "Director" means the director of the Washington state department of ecology or the director's designee.

(4) "Water pollution control facility" or "facilities" means any facilities or systems owned or operated by a public body for the control, collection, storage, treatment, disposal, or recycling of wastewater, including but not limited to sanitary sewage, storm water, residential, commercial, industrial, and agricultural wastes, which are causing water quality degradation due to concentrations of conventional, nonconventional, or toxic pollutants. Water pollution control facilities include all equipment, utilities, structures, real property, and interests in and improvements on real property necessary for or incidental to such purpose. Water pollution control facilities also include such facilities, equipment, and collection systems as are necessary to protect federally designated sole source aquifers identified by the environmental protection agency pursuant to Public Law 93-523.

(5) "Water pollution control activities" means actions taken by a public body for the following purposes: (a) To prevent or mitigate pollution of underground water; (b) to control and/or prevent nonpoint sources of water pollution; (c) to prevent pollution and restore the water quality of fresh water lakes; and (d) to maintain or improve water quality through the use of water pollution control facilities or other means.

(6) "Public body" means the state of Washington or any agency, county, city or town, conservation district, other political subdivision, municipal corporation, quasi-municipal corporation, and those Indian tribes now or hereafter recognized as such by the federal government.

(7) "Water pollution" means such contamination, or other alteration of the physical, chemical, or biological properties of any waters of the state, including change in temperature, taste, color, turbidity, or odor of the waters, or such discharge of any liquid, gaseous, solid, radioactive, or other substance into any waters of the state as will or is likely to create a nuisance or render such waters harmful, detrimental, or injurious to the public health, safety, or welfare, or to domestic, commercial, industrial, agricultural, recreational, or other legitimate beneficial uses, or to livestock, wild animals, birds, or other aquatic life.

(8) "Nonpoint source water pollution" means pollution that enters any waters of the state from any dispersed water-based or land-use activities, including, but not limited to, atmospheric deposition, runoff from agricultural lands, urban areas, and forest lands, subsurface or underground sources, and discharges from boats or other marine vessels.

(9) "Project priority list" means the annual list of rated and ranked projects for which state financial assistance is expected during the year for which the list is issued.

(10) "Priority water bodies" means those water bodies scheduled to receive priority attention as identified in the department's 1986 *Water Quality Management Program Plan*.

(11) "Puget Sound basin" means the waters of Puget Sound, the Strait of Juan de Fuca, adjacent salt water north to the Canadian border, and the lands, wetlands, and tributary waters that drain into those marine waters.

[Statutory Authority: 1986 c 3 § 4. 86-19-042 (Order DE 86-25), § 173-90-015, filed 9/12/86.]

WAC 173-90-020 Provision of guidelines. The department will publish guidelines which establish procedures and describe the grant application review and award process for categorical funding areas described in WAC 173-90-040 through 173-90-070. The guidelines will be made available to the public prior to the first grant award.

[Statutory Authority: 1986 c 3 § 4. 86-19-042 (Order DE 86-25), § 173-90-020, filed 9/12/86.]

WAC 173-90-040 Ground water management area planning grants—Eligibility criteria, funding levels, development of priority rating and priority lists—Eligibility criteria. (1) To be eligible for a planning grant and/or loan, an applicant must be on the department's general schedule as a designated ground water management area for program planning purposes (WAC 173-100-070).

(2) Cost eligible items include:

(a) Development of a ground water management program identified in chapter 173-100 WAC Ground water management areas and programs. Program requirements shall include but not be limited to:

(i) A detailed characterization of the area's hydrogeology.

(ii) A discussion of land and water use activities potentially affecting the ground water of the area.

(iii) Identification of present and long-term resource management objectives and alternatives for the area, and implementation plans, as set forth in WAC 173-100-100.

(b) Public hearings held on the proposed programs pursuant to RCW 90.44.400 and WAC 173-100-120.

(c) Costs associated with the responsibilities of the lead agency and ground water advisory committee under WAC 173-100-080, 173-100-090, 173-100-120 and 173-100-140.

(3) Funding levels:

(a) Total state grant or loan awards for fiscal year 1987 shall not exceed one million five hundred thousand dollars for planning assistance for developing ground water management programs.

(b) The department funded share for planning assistance shall not exceed fifty percent of the estimated annual cost of developing the ground water management program, except assistance to conservation districts which shall not exceed seventy-five percent of such cost.

(c) Funds awarded to each designated ground water management area shall not exceed three hundred thousand dollars.

(4) Development of project priority ratings and priority lists.

(a) Project priority ratings—The department shall establish an ad hoc review committee to review and evaluate all requests for designation and rank eligible proposals on the general schedule as adopted under WAC 173-100-060. The committee shall consist of headquarters program and regional staff with project review authority. A core group of ad hoc committee members shall be formed and shall be responsible for the initial review of all requests for identification as a probable ground water management area. The entire committee shall review, evaluate, and rank eligible proposals

to be designated on the general schedule. Projects shall be rated on the following criteria:

- (i) The significance of the problem.
- (ii) The affected users.
- (iii) Aquifer sensitivity.
- (iv) Regional and local interest and commitment.
- (v) Probability of successful implementation.

(b) Project priority lists:

(i) The director shall utilize the general schedule as the annual project priority lists for awarding ground water management program planning grants and/or loans.

(ii) The priority lists shall be available to the public for review and comment prior to approval by the director.

(iii) Comments received during the review period shall be considered and responded to before a final list is approved by the director.

(iv) Approved lists shall be made available to the public.

[Statutory Authority: 1986 c 3 § 4. 86-19-042 (Order DE 86-25), § 173-90-040, filed 9/12/86.]

WAC 173-90-050 Nonpoint source pollution control activity grants—Eligible criteria, funding levels and administration, and establishing highest priority. (1) **Eligible criteria:**

(a) Grants and/or loans shall be made available to public bodies involved in the planning and development of nonpoint source pollution control activities. Funding shall focus on, but not be limited to, those sources of nonpoint pollution generated by agricultural activities, urban and stormwater runoff, on-site waste disposal, and impacts from forest practices.

(b) A jurisdiction shall be eligible for grants and/or loans if it meets the following criteria:

(i) It has the basic capability to develop and implement a long range water quality management plan.

(ii) It is able to document accomplishments and progress towards achieving water quality objectives identified in its program or plan.

(2) **Funding levels and administration:**

(a) **Funding levels:**

(i) Total state grant or loan funds for assisting in the development of nonpoint source pollution control activities shall not exceed five hundred thousand dollars. The grant and/or loan funds are intended to be awarded to solve pollution problems caused by urban and stormwater runoff, on-site waste disposal, forest practices and agricultural related pollution.

(ii) The department shall award a maximum of three hundred thousand dollars to fund nonpoint source pollution control activities state-wide. The remainder shall be awarded to projects in the Puget Sound basin that implement the Puget Sound water quality authority's management plan as it relates to nonpoint sources of pollution.

(iii) The department's funded share shall not exceed fifty percent of the eligible costs, except for conservation districts for which it shall not exceed seventy-five percent of the estimated cost.

(b) **Program administration:**

(i) The department—The department shall administer the funding of all nonpoint source water quality grants as identified under this section. The total level of funding

received shall depend on the funding needs of projects of highest priority.

(ii) Application for funding—The department shall accept applications for funding from public entities for eligible planning programs and projects. The department shall accept an application from the Washington state conservation commission for the purpose of administering special project water quality grants to conservation districts.

(3) **Establishing highest priority:**

Project priority ratings—The department shall establish an ad hoc review committee to determine the highest priority nonpoint programs and projects for funding. The committee shall consist of representatives of the department, the Washington state conservation commission and the Puget Sound water quality authority. Rating criteria shall include:

(a) How the plan or program corrects, prevents, or controls nonpoint pollution in priority water bodies.

(b) How the program or project implements best management practices to control nonpoint source pollution.

(c) Level of corrective action proposed for priority water bodies and the cleanup process.

(d) Level of preventative actions proposed.

(e) How plans and programs educate and train the public in using existing management techniques to control nonpoint pollution.

(4) **Establishment of final priorities:**

(a) The director shall determine final priorities after reviewing all project priority lists.

(b) After project priority lists have been established and approved, a grant shall be awarded to the Washington state conservation commission for distribution to conservation districts with eligible nonconstruction related projects.

(c) The project priority lists will be available to the public for review and comment prior to approval by the director.

(d) Comments received during any review period shall be considered and responded to before final list approval.

(e) Approved lists shall be made available to the public after the close of the application period.

[Statutory Authority: 1986 c 3 § 4. 86-19-042 (Order DE 86-25), § 173-90-050, filed 9/12/86.]

WAC 173-90-060 Aquifer protection assistance grants—Eligibility criteria, funding levels, and establishing highest priority. (1) **Eligible criteria:**

(a) Grants shall be made available to public bodies involved in aquifer protection activities. A jurisdiction shall be eligible for grants if it meets the following criteria:

(i) The jurisdiction is an established aquifer protection area pursuant to chapter 425, Laws of 1985 (SHB No. 1116); and

(ii) The jurisdiction has an adopted comprehensive plan to protect, preserve, and rehabilitate subterranean water. The plan may be prepared as a portion of a county sewerage and/or water general plan pursuant to RCW 36.94.030.

(2) **Funding levels:**

(a) Total funding assistance to any aquifer protection area shall not exceed four million dollars.

(b) Grants will be made for eligible planning, design and/or construction items that are performed under the grant

agreement on a cost-share basis, not to exceed fifty percent of the total eligible cost for the state-funded portion.

(3) **Establishing highest priority:** The department staff shall determine priority funding for aquifer protection activities. Highest priority will be given for funding aquifer protection in areas where water quality and quantity has been shown to be imminently threatened and the community has provided matching funds for implementing an existing aquifer protection plan.

(4) **New design and construction activities:** Eligible costs shall be limited to new activity begun after the emergency filing date of these regulations. In addition, written approval must be obtained from the department. Costs incurred prior to the date of written approval are not grant eligible.

[Statutory Authority: 1986 c 3 § 4. 86-19-042 (Order DE 86-25), § 173-90-060, filed 9/12/86.]

WAC 173-90-070 Water pollution control design grants—Eligibility criteria, funding levels, and establishing highest priority. (1) Eligibility criteria:

(a) Funds must be used solely for design of water pollution control facilities.

(b) Grant awards will be given to those public entities deemed of highest priority for designing facilities for eventual upgrading to secondary treatment from a lesser level of treatment or for designing new secondary treatment facilities.

(c) Funds will be awarded for the design of facilities on a first-come, first-served basis.

(2) Funding levels:

(a) Total design grant funds shall not exceed thirteen million five hundred thousand dollars.

(b) No single public body can receive more than eight million dollars from these grant funds for a design grant.

(c) Grants will be made for eligible design items not to exceed fifty percent of the total eligible cost for the state-funded portion.

(3) **Establish highest priority:** The department shall consider the following criteria in determining highest priority:

(a) Whether the department has issued an enforcement order or the applicant has a legally binding schedule for compliance with secondary treatment requirements.

(b) Whether the applicant has completed an approved facility plan or engineering report.

[Statutory Authority: 1986 c 3 § 4. 86-19-042 (Order DE 86-25), § 173-90-070, filed 9/12/86.]

Chapter 173-98 WAC

USES AND LIMITATIONS OF THE WATER POLLUTION CONTROL REVOLVING FUND

WAC

173-98-010	Purpose.
173-98-020	Definitions.
173-98-030	Uses of the money and policies for establishing terms of assistance.
173-98-040	Provisions of guidelines.
173-98-050	Limitations on the use of funds and establishment of categories.

173-98-060	Allowance provisions for planning and design for facilities.
173-98-070	Compliance with applicable laws, regulations, and other requirements.
173-98-080	Indemnification.
173-98-090	Project priority list and intended use plan process.
173-98-100	State environmental review process.
173-98-110	Repayments of loans.
173-98-120	General provisions.

WAC 173-98-010 Purpose. The purpose of this chapter is to set forth limitations on the allocation and uses of moneys administered by the department of ecology from a special fund within the state treasury known as the state water pollution control revolving fund (SRF), as authorized by chapter 90.50A RCW. This fund shall provide financial assistance to applicants throughout the state of Washington which need such assistance to meet high priority water quality management needs.

[Statutory Authority: Chapter 90.50A RCW. 89-18-019 (Order 89-34), § 173-98-010, filed 8/29/89, effective 9/29/89.]

WAC 173-98-020 Definitions. Unless the context clearly requires otherwise, the definitions in this section apply throughout this chapter.

(1) "Act" means the Federal Water Pollution Control Act (33 U.S.C. 4661 et seq.).

(2) "Allowance" means a specific portion of the financial assistance agreement for the purpose of defraying the costs of planning, design, or both.

(3) "Applicant" means public bodies requesting financial assistance for wastewater projects authorized in section 212 of the act. "Applicant" can also mean entities other than public bodies which request financial assistance authorized by sections 319 and 320 of the act. These entities must be financially stable and clearly have the capacity to repay their loans.

(4) "Construction" means the erection, installation, expansion, or improvement of a water pollution control facility or activity.

(5) "Cost-effective alternative" means that alternative with the lowest present worth or equivalent annual value that achieves the requirements of the project while recognizing the environmental and other nonmonetary considerations.

(6) "Department" means the department of ecology.

(7) "Design" means the plans and specifications for a water pollution control facility or activity.

(8) "Director" means the director of the Washington state department of ecology or his/her authorized designee.

(9) "EPA" means the environmental protection agency.

(10) "Facilities plans" means those necessary plans and studies for treatment works needed to comply with enforceable requirements of the act and state statutes. Facilities plans must include a systematic evaluation of alternatives that are feasible in light of the unique demographic, environmental or ecological, topographic, hydrologic and institutional characteristics of the area, and also demonstrate that the selected alternative is cost-effective.

(11) "Federal capitalization grant" means a federal grant awarded by the Environmental Protection Agency (EPA) to the state as seed money to help establish the state water pollution control revolving fund.

(12) "Financial assistance" means each of the four types of assistance specified in WAC 173-98-030 (1)(b) through (e) and other assistance authorized by Title VI of the act and chapter 90.50A RCW.

(13) "Financial assistance agreement" means a legal contract between a recipient and the state enforceable under state law, specifying the terms and schedules under which assistance is provided. "Financial assistance agreements" are referred to as "binding commitments" by EPA.

(14) "Fund" means the state water pollution control revolving fund.

(15) "Initiation of operation" means the actual date the facility initiates operation and is being used for its intended purpose. This date may occur prior to final inspection and will be determined by the department after consultation with the recipient. This date may be the same or earlier than the date of project completion.

(16) "Intended use plan (IUP)" means a plan identifying the intended uses by the department of the amount of funds available for financial assistance from the state water pollution control revolving fund (SRF) for that fiscal year as described in section 606(c) of the act. The projects on the IUP will be ranked by environmental and financial need.

(17) "Nonpoint source water pollution" means pollution that enters any waters of the state from any dispersed water-based or land-use activities, including, but not limited to, atmospheric deposition, surface water runoff from agricultural lands, urban areas, forest lands, subsurface or underground sources, and discharges from boats or other marine vessels.

(18) "Plans and specifications" means the construction contract documents and supporting engineering documents prepared in sufficient detail to allow contractors to bid on and construct water pollution control facilities. Plans and specifications and "design" may be used interchangeably.

(19) "Project" means the scope of work for which financial assistance is issued.

(20) "Project completion" means the date the project is certified as being complete after the final inspection.

(21) "Project priority list" means a list of projects required by section 216 of the act. The project priority list will be the intended use plan for funds issued in fiscal year 1990 and thereafter.

(22) "Public body" means the state of Washington or any agency, county, city or town, other political subdivision, municipal corporation or quasi-municipal corporation, and those Indian tribes now or hereafter recognized as such by the federal government.

(23) "Public health emergency" means a situation declared by the Washington state department of social and health services in which illness or exposure known to cause illness is occurring or is imminent.

(24) "Recipient" means an applicant for financial assistance which has signed a financial assistance agreement.

(25) "Severe public health hazard" means a situation declared by the department of social and health services and the department in which the potential for illness exists, but illness is not occurring or imminent. For the purposes of this chapter there must be contamination of drinking water or contamination must be present on the surface of the ground in such quantities and locations to create a potential for public contact. The problem must generally involve a serviceable area including, but not limited to, a subdivision,

town, city, or county. Also, the problem cannot be corrected through more efficient operation and maintenance of the wastewater disposal system(s).

(26) "State water pollution control revolving fund (SRF)" means the water pollution control revolving fund established by RCW 90.50A.020.

(27) "Water pollution" means such contamination, or other alteration of the physical, chemical, or biological properties of any waters of the state, including change in temperature, taste, color, turbidity, or odor of the waters, or such discharge of any liquid, gaseous, solid, radioactive, or other substance into any waters of the state as will or is likely to create a nuisance or render such waters harmful, detrimental, or injurious to the public health, safety, or welfare, or to domestic, commercial, industrial, agricultural, recreational, or other legitimate beneficial uses, or to livestock, wild animals, birds, fish, or other aquatic life.

(28) "Water pollution control activities" means actions for the following purposes:

(a) To control nonpoint sources of water pollution;

(b) To develop and implement a comprehensive conservation and management plan for estuaries; and

(c) To maintain, improve, or protect water quality through the use of water pollution control facilities, management programs, or other means.

(29) "Water pollution control facility" or "water pollution control facilities" means any facilities or systems for the control, collection, storage, treatment, disposal, or recycling of wastewater, including, but not limited to, sanitary sewage, storm water, combined sewer overflows, residential, commercial, industrial, and agricultural wastes, which are causing water quality degradation due to concentrations of conventional, nonconventional, or toxic pollutants. Water pollution control facilities include all equipment, utilities, structures, real property integral to the treatment process, and interests in and improvements on real property necessary for or incidental to such purpose. Water pollution control facilities also include such facilities, equipment, and collection systems as are necessary to protect federally designated sole source aquifers.

[Statutory Authority: Chapter 90.50A RCW. 89-18-019 (Order 89-34), § 173-98-020, filed 8/29/89, effective 9/29/89.]

WAC 173-98-030 Uses of the money and policies for establishing terms of assistance. (1) Uses of the money. The state water pollution control revolving fund (SRF) may be used for the following purposes:

(a) To accept and retain funds from capitalization grants provided by the federal government, state matching funds appropriated in accordance with chapter 90.50A RCW, payments of principal and interest, and any other funds earned or deposited;

(b) To make loans at or below market interest rates to applicants in order to finance the planning, design, and/or the construction of water pollution control facilities, make loans to applicants for the implementation of nonpoint source pollution control management programs (which includes planning and implementing elements of the nonpoint source pollution assessment and management program), and make loans to applicants for the development and implementation

of a comprehensive estuary conservation and management plan, subject to the requirements of the act;

(c) To buy or refinance, at or below market interest rates, the debt obligations incurred by applicants after March 7, 1985, for the construction of water pollution control facilities. (March 7, 1985, was the date that the amendments adding Title VI to the act were first considered by Congress. Any refinancing agreements must be for construction initiated after that date according to federal and state law);

(d) To guarantee or purchase insurance for local obligations where such action would improve credit market access or reduce interest rates;

(e) As a source of revenue or security for the payment of principal and interest on revenue or general obligation bonds issued by the state, if the proceeds of such bonds will be deposited in the fund; and

(f) To finance the reasonable costs incurred by the department in the administration of the account as authorized by the act and chapter 90.50A RCW.

(2) Policies for establishing terms of financial assistance. Loans may be made at or below market interest rates and may include zero percent interest loans. The specific terms established in the program guidelines will receive complete public review. These terms shall not be changed without full public review and opportunity for public comment, and any such changes shall not affect existing financial assistance agreements. Terms shall be established in the guidelines based on the needs to provide substantive financial assistance to projects, to consider unique individual economic circumstances such as financial hardship conditions, to award loans in a timely manner and to maintain a financially sound revolving loan fund in perpetuity. Loan repayments shall be in accordance with WAC 173-98-110.

[Statutory Authority: Chapter 90.50A RCW. 89-18-019 (Order 89-34), § 173-98-030, filed 8/29/89, effective 9/29/89.]

WAC 173-98-040 Provisions of guidelines. The department will publish guidelines which will describe in greater detail the financial assistance application, review and issuance processes, the terms of assistance, and other elements of this program.

[Statutory Authority: Chapter 90.50A RCW. 89-18-019 (Order 89-34), § 173-98-040, filed 8/29/89, effective 9/29/89.]

WAC 173-98-050 Limitations on the use of funds and establishment of categories. (1) The fund may be used to provide financial assistance to applicants for the construction of water pollution control facilities which are identified in the intended use plan/project priority list and activities eligible for assistance under sections 319 and 320 of the act.

(2) Unless the demand for funding is limited, financial assistance agreements (binding commitments) which are signed within one hundred twenty days of the award of the federal capitalization grant or issuance of the final intended use plan when federal capitalization grants are not awarded, are subject to the following funding category limitations:

(a) Not more than eighty percent of the fund will be available for the construction of facilities as established under section 212 of the act, subject to the requirements of the act. These projects will be under the water pollution control facilities category.

(b) Not more than ten percent of the fund will be available for the implementation of a program established under section 319 of the act for the management of nonpoint sources of pollution, subject to the requirements of that act. These projects will be under the nonpoint source category.

(c) Not more than ten percent of the fund will be available for the development and implementation of a comprehensive conservation and management plan under section 320 of the act relating to the National Estuary Program, subject to the requirements of that act. These projects will be under the comprehensive estuary conservation and management category (estuary category).

(d) Not more than fifty percent of the fund in each category will be available to any one applicant.

(3) After the one hundred twenty day limitation period established in subsection (2) of this section, the department may make financial assistance agreements with any applicant as necessary to utilize available funds. The director may exercise prerogative to ensure that the fund is equitably distributed state-wide, consider the intent of category limitations above, and is self-sustaining in perpetuity. Such projects must comply with all applicable requirements of the act.

(4) The fund cannot be used for activities primarily directed toward water resources or water pollution control activities or facilities or portions thereof that are primarily intended to control, transport, treat, dispose, or otherwise manage industrial wastewater or other water pollution control needs from industrial sites. Costs associated with industrial pretreatment are not eligible for funding. However, industrial or commercial wastewater flows attributable to a public body's water pollution control facility which are determined by the department to be "small" may be allowed. Small flows are commercial, institutional, or industrial flows that comprise less than five percent individually or thirty percent collectively of the total flow.

(5) The fund cannot be used to make direct loans to applicants to support the nonfederal share of eligible portions of projects receiving assistance under Title II of the act. The fund can be used to finance portions of such projects which were determined to be ineligible for federal assistance but which are eligible under this program.

(6) If state grants authorized by chapter 70.146 RCW are combined with SRF financial assistance, these combinations will generally be structured to approximately equal a fifty-five percent grant for the eligible project costs except for hardship cases and base grants that exceed fifty percent, as determined by the department according to the criteria of the grant program administered by the department. For recipients of a grant/loan combination, requirements will be consistent, insofar as possible, and will not result in duplication of effort, but will be no less stringent than is allowed by federal and state laws, regulations, and guidance.

To ensure that federal funds are obligated in a timely manner, equitably in the department's programs, and the fund is maintained in perpetuity, the director may exercise prerogative in establishing department grant percentages, loan interest rates, and terms of loans.

(7) Applicants must submit an approvable facilities plan for projects funded according to the water pollution control facilities category. Other planning level documents including, but not limited to, engineering reports (chapter 173-240

WAC), may be approvable for financial assistance issued under the nonpoint and estuary categories. Facilities plans must be approved before the financial assistance agreements can be signed for those agreements signed on or after January 1, 1991.

[Statutory Authority: Chapter 90.50A RCW. 89-18-019 (Order 89-34), § 173-98-050, filed 8/29/89, effective 9/29/89.]

WAC 173-98-060 Allowance provisions for planning and design for facilities. (1) An established allowance of financial assistance shall be provided for planning and design for water pollution control facilities. The allowance shall be based on total construction costs when the bids are received. If the project is in the design phase, the allowance shall be based on approvable facilities planning estimates, and the allowance will be adjusted when the bids are received. The allowance is determined in accordance with the tables provided in the program guidelines.

(2) The allowance is not intended to necessarily cover one hundred percent of all planning and design engineering costs incurred. Accordingly, the allowance tables are not recommended to be used to determine the cost for planning or design services provided by the consulting engineer. This actual cost must be negotiated between the applicant and its consulting engineer based upon the nature, scope, and complexity of the project.

(3) The allowance will be paid to the recipient according to the following schedule and conditions:

(a) A recipient may request payment of thirty percent of the estimated planning and design allowance immediately after the financial assistance agreement is signed.

(b) Half the remaining estimated planning and design allowance may be requested when the design of the project is at least fifty percent complete.

(c) Adjustment and final payment of the allowance will occur when the lowest, responsible, responsive bid(s) are accepted and approved by the department.

(d) If a project receives grant assistance administered by the department, the allowance will be adjusted so that only the nongrant share is provided. These combinations will generally be structured to approximately equal a fifty-five percent grant for eligible project costs.

[Statutory Authority: Chapter 90.50A RCW. 89-18-019 (Order 89-34), § 173-98-060, filed 8/29/89, effective 9/29/89.]

WAC 173-98-070 Compliance with applicable laws, regulations, and other requirements. (1) All recipients shall comply with all applicable federal, state, and local laws, orders, regulations, and permits. Applications must not be inconsistent with pertinent adopted water quality plans including, but not limited to, plans under sections 208, 303(e), 319, and 320 of the act. The Puget Sound water quality management plan constitutes the comprehensive conservation and management plan required in section 320 (b)(4) of the act. Plans must not be inconsistent with shoreline master programs, ground water management programs and storm water plans, combined sewer overflow (CSO) reduction plans and county or city comprehensive sewer plans. In accordance with the financial assistance agreement, the applicant shall provide assurances that the necessary permits required by authorities having jurisdiction

over the project have been secured, and make copies available to the department, if requested.

(2) Recipients shall fully comply with all federal, state, and local laws and regulations related to procurement, discrimination, labor, job safety, and drug-free environments. The recipient shall also comply with the state and federal minority-and-women-owned businesses regulations.

(3) If financial assistance is for water pollution control facilities, recipients shall submit a declaration of construction of water pollution control facilities to the department within thirty days of project, phase, or segment completion.

(4) Recipients must maintain accounting records in accordance with "generally accepted government accounting standards." These standards are defined as, but not limited to, those contained in the United States General Accounting Office (GAO) publication "Standards for Audit of Governmental Organizations, Programs, Activities, and Functions." For example, charges must be properly supported, related to eligible costs, and documented by appropriate records. These accounts must be maintained as separate accounts.

(5) Recipients must demonstrate their legal ability to provide a dedicated source of revenue and guarantee the repayment of their obligations to the fund from that dedicated source. Dedicated sources of revenue could be special assessments, general taxes, or general obligation bonds, revenue bonds, user charges, rates, fees, or other sources.

(6) Accounting irregularities may result in an immediate stoppage of payment until irregularities are resolved. The director may require immediate repayment of misused loan funds.

(7) According to RCW 90.50A.060, in the event of loan default, the state of Washington may withhold any amounts otherwise due to the recipient and direct that such moneys be applied to the indebtedness and deposited into the SRF.

(8) Appeals of financial assistance agreements decisions will be processed in accordance with the water quality financial assistance appeals procedure. Only written decisions by the department made during the effective financial assistance agreement period will be appealable. Appeals must be filed with the financial assistance program disputes decision coordinator within forty-five days from the date of the disputed decision.

(9) The department, or at the department's discretion another authorized auditor, will audit the financial assistance agreement and records.

(10) Recipients shall maintain comprehensive insurance coverage on the project for an amount equal to the funds disbursed.

[Statutory Authority: Chapter 90.50A RCW. 89-18-019 (Order 89-34), § 173-98-070, filed 8/29/89, effective 9/29/89.]

WAC 173-98-080 Indemnification. (1) The department shall in no way be held responsible for payment of salaries, consultant's fees, and other overhead costs related to a financial assistance agreement issued to an applicant.

(2) To the extent that the Constitution and laws of the state of Washington permit, the applicant shall indemnify and hold the department harmless from and against any liability for any or all injuries to persons or property arising out of a financial assistance agreement except for such

damage, claim, or liability resulting from the negligent act or omission of the department.

[Statutory Authority: Chapter 90.50A RCW. 89-18-019 (Order 89-34), § 173-98-080, filed 8/29/89, effective 9/29/89.]

WAC 173-98-090 Project priority list and intended use plan process. (1) The project priority list required by section 216 of the act will be the intended use plan (IUP) beginning in fiscal year 1990 and thereafter. Applicants must apply for SRF financial assistance in order for their projects to be included on the IUP. Projects must be on the IUP in order to receive SRF financial assistance.

(2) Projects in all three categories will be ranked according to environmental and financial need. Projects in each category which have the highest environmental and financial need will be given priority for assistance under the SRF program. Because funds must be used in a timely manner to ensure that all available federal funding is received by the state, readiness to proceed may also be used in establishing the priority of projects.

(3) Applications for financial assistance according to the water pollution control facilities category (WAC 173-98-050 (2)(a)) must address problems such as public health emergencies, severe public health hazards, the need to provide secondary treatment, the need to improve and protect water quality, reduction of combined sewer overflows, and other environmental needs.

(4) Applications for financial assistance in the nonpoint source category (WAC 173-98-050 (2)(b)) must address the remedies and prevention of water quality degradation associated with nonpoint source water pollution and must not be inconsistent with needs identified in the department's nonpoint source pollution assessment and management program.

(5) Applications for financial assistance in the comprehensive estuary conservation and management category (estuary category) (WAC 173-98-050 (2)(c)) must meet applicable environmental needs outlined above and must meet needs identified in the Puget Sound water quality management plan or the respective plans for other federally designated estuaries in the state of Washington.

(6) Financial need would normally focus on the need to maintain user charges and fees at affordable levels. Both the priority process and the terms of the financial assistance will be directed toward this objective. Unless the provisions of water pollution control facilities or activities has caused a financial hardship, refinancing of completed projects or segments would generally be low priority.

(7) Applicants must fully describe the environmental and the financial need for the project, and they must submit a completed financial capability assessment form and a schedule for signing the financial assistance agreement and completing their project. These documents will be used to prepare a draft intended use plan (IUP) for public review and comment. Public participation will be used in the preparation of the draft and final intended use plan.

(8) The department will prepare the draft IUP prior to the award of each federal capitalization grant from EPA. The plan will generally list projects in the order that projects may be offered financial assistance.

[Statutory Authority: Chapter 90.50A RCW. 89-18-019 (Order 89-34), § 173-98-090, filed 8/29/89, effective 9/29/89.]

WAC 173-98-100 State environmental review process. (1) All projects which receive financial assistance from the SRF program must meet the provisions of the State Environmental Policy Act (SEPA), chapter 43.21C RCW, and the SEPA rules, chapter 197-11 WAC. Additional provisions are currently needed to satisfy the state's responsibility to help ensure that recipients comply with the National Environmental Policy Act (NEPA) and other applicable environmental laws, regulations, and executive orders. The lead agency (WAC 197-11-050(2)) responsible for SEPA compliance for each project under the SRF program shall also comply with the following additional provisions. When a categorical exclusion, finding of no significant impact, or a record of decision has been issued by EPA for the same project scope of work, no additional environmental documentation is required. The applicants will need to adopt the federal environmental documentation to meet their responsibilities as required by SEPA rules WAC 197-11-600, 197-11-610, and 197-11-630. If federal environmental documentation has not been submitted for approval to EPA, applicants and designated lead agencies must:

(a) Consult with the department prior to determining that the project is categorically exempt from SEPA and obtain concurrence that the project meets the criteria for a categorical exemption (WAC 197-11-305) and give public notice of the categorical exemption by publishing a notice in a newspaper of area-wide circulation. This notice shall include the locations where the public may review the facilities plan and other environmental information.

(b) Consult with the department prior to issuing a threshold determination (WAC 197-11-330), and submit a copy of the environmental checklist (WAC 197-11-315) and a recommended threshold determination.

(c) Obtain written concurrence from the director with the recommended threshold determination as to whether a determination of nonsignificance (DNS) (WAC 197-11-340) or an environmental impact statement (EIS) is to be issued prior to issuing the actual document.

(d) Issue the threshold determination, determination of nonsignificance (DNS) or determination of significance (DS) (WAC 197-11-360) and submit copies to the department; two copies shall be sent to both the environmental review section of central programs and to the water quality financial assistance program (WQFAP) of the department. The director must concur in writing with the findings of the checklist and DNS if a DNS is issued.

(e) Give public notice of the threshold determination by publishing a notice in a newspaper of area-wide circulation. This notice shall include the locations where the public may review the threshold determination, facilities plan, and other environmental information.

(f) Distribute copies of the threshold determination and supporting documents to other affected local, state, and federal agencies, Indian tribes, and the public.

(g) When a DS is issued, the lead agency will develop the final scope of elements to be addressed in the environmental impact statement (EIS) and obtain written concurrence from the director. The department shall be consulted throughout the EIS process.

(h) Distribute copies of the draft and final EIS's to the department; two copies shall be sent to both the environmental review section of central programs and the WQFAP.

(i) Give public notice of the draft and final EIS's by publishing notices in a newspaper of area-wide circulation. Notices shall include the locations where the public may review the draft and final EIS's or obtain copies.

(j) Distribute copies of the draft and final EIS's to other affected local, state, and federal agencies, Indian tribes, and the public.

(k) The director must concur in writing with the finding of the final EIS.

(2) The lead agency shall issue a notice of action for the final EIS regarding the preferred alternative in accordance with RCW 43.21C.080, WAC 197-11-680, and 197-11-990.

(3) A cost-effectiveness analysis will be required for all SRF projects. Planning must include a comparison of the total cost of the project with other alternatives, including the no action alternative, i.e., capital, operation and maintenance, and replacement costs. The comparison of the total costs, e.g., total present worth or annual equivalent costs of projects for the planning period, must be included. Cost-effectiveness analyses must also include nonmonetary cost of the project, i.e., the environmental impact, resource utilization, implementability, etc. This analysis must be included in the planning document and must be summarized in the EIS or DNS. Financial assistance under the SRF program will be offered to the cost-effective solution to the water pollution control problem.

(4) All mitigation measures recommended or committed to in the environmental checklist or state EIS, or in the finding of no significance impact/environmental assessment or record of decision/federal EIS (for federally approved projects) will become financial assistance agreement conditions. Applicants must complete all mitigation measures required. Failure to abide by these conditions will result in withholding of payments and may result in immediate repayment of the loan.

(5) The applicant is responsible for compliance with the requirements of applicable environmental laws, regulations, and executive orders. Concurrence from the director will be based on best available information provided by the applicant. The department is not responsible for concurrence based on erroneous information.

[Statutory Authority: Chapter 90.50A RCW. 89-18-019 (Order 89-34), § 173-98-100, filed 8/29/89, effective 9/29/89.]

WAC 173-98-110 Repayments of loans. (1) General provisions.

When the scope of work identified in the financial assistance agreement for a loan has been fully performed and the initiation of operation date has been determined:

(a) The department and recipient will execute a final financial assistance agreement amendment which details the final loan amount. This amount will include the principal from disbursements made to recipients and accrued interest. Interest will accrue on each disbursement as it is paid to the recipient.

(b) The department will prepare a repayment schedule according to the financial assistance agreement which will fully amortize the final loan amount within twenty years of

project completion. The first repayment of principal and interest will be due no later than one year after the initiation of operation date. Equal payments will be due every six months after this first payment. Loan balances or additional principal payments may be repaid at any time without penalty.

(2) Where a project has been phased or segmented, the general provisions for repayment apply to the completion of individual phases or segments.

(3) When the project takes longer than five years to complete, repayment of the loan must begin within five years of the first disbursement on the project, unless the director determines that the fund is fiscally sound without this repayment schedule. Repayments for these loans must follow the general provisions as outlined in subsection (1)(b) of this section.

[Statutory Authority: Chapter 90.50A RCW. 89-18-019 (Order 89-34), § 173-98-110, filed 8/29/89, effective 9/29/89.]

WAC 173-98-120 General provisions. (1) Sale of facilities to private enterprises. Recipients may sell facilities to private enterprises; however, the financial assistance agreement must be terminated in accordance with the terms of the agreement and the assistance repaid to the SRF immediately upon sale.

(2) Refinancing. The refinancing of existing debt obligations shall be limited to water pollution control facilities where project construction began after March 7, 1985. Applicants requesting refinancing must meet all the requirements contained in the act. They must be on the IUP before assistance will be offered and must be eligible to receive such assistance.

(3) Self certification. The department may authorize a recipient to certify compliance with selected program requirements. The recipient must request such certification authority and document that it has the capability and resources, that it is in the best interest of the state, and that the request is consistent with state and federal laws and regulations. Concurrences required in the environmental review process cannot be delegated to recipients.

(4) Legislative reporting. The department shall report to the legislature no later than November 30 of each year on the use of the fund by the department. This report shall include a list of applicants, recipients, project descriptions, total loan amounts, financial arrangements and interest rates, repayment schedules, and source(s) of repayments.

(5) Construction engineering contracts. Consulting services shall not use a "cost-plus-percentage-of-cost" or "percentage-of-construction-cost" type contract.

[Statutory Authority: Chapter 90.50A RCW. 89-18-019 (Order 89-34), § 173-98-120, filed 8/29/89, effective 9/29/89.]

Chapter 173-100 WAC

GROUND WATER MANAGEMENT AREAS AND PROGRAMS

WAC

173-100-010	Purpose.
173-100-020	Authority.
173-100-030	Overview.
173-100-040	Definitions.

173-100-050	Probable ground water management areas.
173-100-060	General schedule.
173-100-070	Designation of ground water management areas for program planning purposes.
173-100-080	Lead agency responsibilities.
173-100-090	Ground water advisory committee.
173-100-100	Ground water management program content.
173-100-110	SEPA review.
173-100-120	Hearings and implementation.
173-100-130	Designation of ground water areas.
173-100-140	Intergovernmental agreements.
173-100-150	Appeals.
173-100-160	Regulation review.

WAC 173-100-010 Purpose. The purpose of this chapter is to establish guidelines, criteria, and procedures for the designation of ground water management areas, subareas or zones and to set forth a process for the development of ground water management programs for such areas, subareas, or zones, in order to protect ground water quality, to assure ground water quantity, and to provide for efficient management of water resources for meeting future needs while recognizing existing water rights. The intent of this chapter is to forge a partnership between a diversity of local, state, tribal and federal interests in cooperatively protecting the state's ground water resources.

[Statutory Authority: RCW 90.44.400. 86-02-004 (Order DE 85-24), § 173-100-010, filed 12/20/85.]

WAC 173-100-020 Authority. This chapter is promulgated by the department of ecology pursuant to RCW 90.44.400, 90.44.410, 90.44.420, 90.44.430 and 90.44.440.

[Statutory Authority: RCW 90.44.400. 86-02-004 (Order DE 85-24), § 173-100-020, filed 12/20/85.]

WAC 173-100-030 Overview. This regulation establishes a process for the identification and designation of ground water management areas and for the development of comprehensive ground water management programs. From a general schedule of probable ground water management areas, the department of ecology in cooperation with local government will designate specific ground water management areas, subareas, or depth zones within such areas and will appoint a lead agency to develop a ground water management program and an advisory committee to oversee the development of the program for each designated area. Following completion of the program and a public hearing to be held by the department of ecology, the program must be certified to be consistent with the intent of this chapter. The program will then be implemented through state regulations and local ordinances. The programs must thereafter be periodically reviewed.

[Statutory Authority: RCW 90.44.400. 86-02-004 (Order DE 85-24), § 173-100-030, filed 12/20/85.]

WAC 173-100-040 Definitions. For the purposes of this chapter the following definitions shall apply:

(1) "Aquifer" means a geologic formation, group of formations or part of a formation capable of yielding a significant amount of ground water to wells or springs.

(2) "Department" means the Washington state department of ecology.

(3) "Ground water" means all waters that exist beneath the land surface or beneath the bed of any stream, lake or reservoir, or other body of surface water, whatever may be the geological formation or structure in which such water stands or flows, percolates or otherwise moves.

(4) "Ground water advisory committee" means a committee appointed by the department to assist in the development of a ground water management program.

(5) "Ground water area or subarea" means a geographic area designated pursuant to RCW 90.44.130.

(6) "Ground water management area" means a specific geographic area or subarea designated pursuant to this chapter for which a ground water management program is required.

(7) "Ground water management program" means a comprehensive program designed to protect ground water quality, to assure ground water quantity and to provide for efficient management of water resources while recognizing existing ground water rights and meeting future needs consistent with local and state objectives, policies and authorities within a designated ground water management area or subarea and developed pursuant to this chapter.

(8) "Ground water management zone" means any depth or stratigraphic zone separately designated by the department in cooperation with local government for ground water management purposes within a ground water management area. Ground water management zones may consist of a specific geologic formation or formations or other reasonable bounds determined by the department consistent with the purposes of this chapter.

(9) "Ground water right" means an authorization to use ground water established pursuant to chapter 90.44 RCW, state common or statutory law existing prior to the enactment of chapter 90.44 RCW, or federal law.

(10) "Ground water user group" means an established association of holders of ground water rights located within a proposed or designated ground water management area.

(11) "Lead agency" means the agency appointed by the department to coordinate and undertake the activities necessary for the development of a ground water management program. Either the department or an agency of local government may be the lead agency.

(12) "Local government" means any county, city, town, or any other entity having its own incorporated government for local affairs including, but not limited to, a metropolitan municipal corporation, public utility district, water district, irrigation district, and/or sewer district.

(13) "Local government legislative authority" means the city or town council, board of county commissioners, special district commission, or that body assigned such duties by a city, county or district charter as enacting ordinances, passing resolutions, and appropriating funds for expenditure.

(14) "Probable ground water management area" means a specific geographic area identified by the department, in cooperation with other state agencies, local government and ground water user groups, as a candidate area for designation as a ground water management area pursuant to this chapter.

[Statutory Authority: RCW 90.44.400. 86-02-004 (Order DE 85-24), § 173-100-040, filed 12/20/85.]

WAC 173-100-050 Probable ground water management areas. The department in cooperation with local government and ground water user groups shall identify probable ground water management areas.

(1) Probable ground water management areas may be proposed for identification at any time by the department upon its own motion or at the request of other state agencies, local government or ground water user groups.

(2) Probable ground water management area boundaries shall be delineated so as to enclose one or more distinct bodies of public ground water as nearly as known facts permit. Probable ground water management subareas shall be delineated so as to enclose all or any part of a distinct body of public ground water. Boundaries shall be based on hydrogeologic properties such as limits to lateral extent of aquifers, major perennial rivers, and regional ground water divides or as deemed appropriate by the department to most effectively accomplish the purposes of this chapter.

(3) The criteria to guide identification of probable ground water management areas shall include, but not be limited to, the following:

(a) Geographic areas where ground water quality is threatened;

(b) Aquifers that are declining due to restricted recharge or over-utilization;

(c) Aquifers in which over-appropriation may have occurred and adjudication of water rights has not yet been completed;

(d) Aquifers reserved or being considered for water supply reservation under chapter 90.54 RCW for future beneficial uses;

(e) Aquifers identified as the primary source of supply for public water supply systems;

(f) Aquifers underlying a critical water supply service area where the coordinated water system plan established pursuant to chapter 70.116 RCW has identified a need for a ground water management program;

(g) Aquifers designated as sole source aquifers by the federal Environmental Protection Agency;

(h) Geographic areas where the ground water is susceptible to contamination or degradation resulting from land use activities;

(i) Aquifers threatened by seawater intrusion; or

(j) Aquifers from which major ground water withdrawals have been proposed or appear imminent.

(4) The state agency, local government or ground water user group requesting probable ground water management area identification shall provide sufficient information for the department to determine if the area should be so identified. The department and other affected state and local governments and user groups may cooperate in preparing the request for identification.

(a) The request for identification shall be presented in a concise, factual report form and shall consider the guidelines and criteria set forth in subsections (2) and (3) of this section as they relate to the proposed area. It shall also contain: (i) Supporting data as to the need for such identification; (ii) a general description of and rationale for the proposed ground water management area boundary; (iii) goals and objectives for the proposed ground water management area; (iv) an estimated cost of developing the ground water management program and potential funding sources;

(v) recommendations for agencies, organizations and groups to be represented on the ground water management area advisory committee; and (vi) a recommendation for the lead agency, taking into consideration the responsibilities contained in WAC 173-100-080.

(b) The recommendation for lead agency shall first be submitted to the county or counties with jurisdiction for written concurrence. Such written concurrence shall be included with the information required in (a) of this subsection. If such concurrence cannot be obtained, the department shall attempt to mediate an agreement between the parties.

(c) The agency or ground water user group initiating the request for identification shall hold at least one public meeting for the purpose of receiving comments from the public, affected local, state and tribal agencies and ground water user groups.

(d) Upon completion, the request for identification shall be submitted to the department and other affected state and local agencies and ground water user groups for their review and comment. Comments shall be submitted to the department.

(5) If the department is proposing an area for identification, the department shall prepare a report containing the information in subsection (4)(a) of this section, hold a public meeting, and submit the report to affected state and local agencies and ground water user groups for their review and comment.

(6) Based upon review of the request for identification together with any comments received and a finding that the proposed area meets the guidelines and criteria of subsections (2) and (3) of this section, the department shall identify the proposed area as a probable ground water management area, establish the general planning boundaries and appoint a lead agency. When a probable ground water management area is included within only one county and that county indicates its desire to assume lead agency status, the department shall appoint the county as lead agency. The department shall notify affected state and local agencies, ground water user groups, tribal governments and local news media of such identification.

[Statutory Authority: Chapters 43.27A and 90.44 RCW. 88-13-037 (Order 88-11), § 173-100-050, filed 6/9/88. Statutory Authority: RCW 90.44.400. 86-02-004 (Order DE 85-24), § 173-100-050, filed 12/20/85.]

WAC 173-100-060 General schedule. The department shall establish a general schedule for the designation of specific ground water management areas. The general schedule shall guide the department in the designation of specific ground water management areas and in the allocation of the department's available water resources funding and staffing.

(1) The general schedule for designation of ground water management areas shall identify the relative priority of each of the probable ground water management areas. The relative priority of the probable ground water management areas shall be based upon:

(a) The availability of local or state agency resources to develop and implement a ground water management program;

(b) The significance, severity or urgency of the problems or potential problems described in the request for iden-

tification submitted for each area, with the highest priority given to areas where the water quality is imminently threatened;

(2) The department shall revise the general schedule as needed to comply with the intent of this chapter. After each revision the general schedule shall be published in the news media and the Washington State Register. A public hearing will be held in June of each year to receive public comment on the general schedule.

[Statutory Authority: RCW 90.44.400. 86-02-004 (Order DE 85-24), § 173-100-060, filed 12/20/85.]

WAC 173-100-070 Designation of ground water management areas for program planning purposes. The department shall designate ground water management areas by order of the department in accordance with the general schedule. The department shall hold a public hearing within the county or counties containing the probable ground water management area prior to such designation. The order shall be issued to the lead agency as well as the agency or ground water user group originally requesting identification of the areas, with copies sent to other affected state agencies, local governments, tribal governments and those parties recommended for ground water advisory committee membership. Copies of the order shall be published by the department in newspapers of general circulation within the area. The order shall contain a general description of the planning boundary for the ground water management area and shall state that the department, in cooperation with the lead agency and local government, intends to appoint a ground water advisory committee to oversee the development of a ground water management program for the area.

[Statutory Authority: RCW 90.44.400. 86-02-004 (Order DE 85-24), § 173-100-070, filed 12/20/85.]

WAC 173-100-080 Lead agency responsibilities. The lead agency shall be responsible for coordinating and undertaking the activities necessary for development of the ground water management program. These activities shall include collecting data and conducting studies related to hydrogeology, water quality, water use, land use, and population projections; scheduling and coordinating advisory committee meetings; presenting draft materials to the committee for review; responding to comments from the committee; coordinating SEPA review; executing inter-local agreements or other contracts; and other duties as may be necessary. The lead agency shall also prepare a work plan, schedule, and budget for the development of the program that shows the responsibilities and roles of each of the advisory committee members as agreed upon by the committee. Data collection, data analysis and other elements of the program development may be delegated by the lead agency to other advisory committee members.

[Statutory Authority: RCW 90.44.400. 86-02-004 (Order DE 85-24), § 173-100-080, filed 12/20/85.]

WAC 173-100-090 Ground water advisory committee. (1) The ground water advisory committee shall be responsible for overseeing the development of the ground water management program; reviewing the work plan, schedule and budget for the development of the program;

assuring that the program is technically and functionally sound; verifying that the program is consistent with this chapter and with the respective authorities of the affected agencies; and formulating and implementing a public involvement plan.

(2) The membership of each ground water advisory committee shall represent a broad spectrum of the public in order to ensure that the ground water is protected and utilized for the greatest benefit to the people of the state. The committee shall include, but not be limited to, representation from the following groups:

- (a) Local government legislative authorities within the designated area;
- (b) Planning agencies having jurisdiction within the designated area;
- (c) Health agencies having jurisdiction within the designated area;
- (d) Ground water user groups within the designated area, including domestic well owners;
- (e) The department;
- (f) Department of social and health services;
- (g) Other local, state, and federal agencies as determined to be appropriate by the department;
- (h) Tribal governments, where a ground water management program may affect tribal waters;
- (i) Public and special interest groups such as agricultural, well drilling, forestry, environmental, business and/or industrial groups within the area, as determined to be appropriate by the department.

(3) The department shall appoint, by letter, members and alternates to the ground water advisory committee after seeking nominations from the groups listed above. Members and alternates shall serve until the ground water management program for the area is certified. The department may appoint replacement members or alternates upon request of the appointee or the ground water advisory committee.

(4) The lead agency shall hold the first meeting of the ground water advisory committee within sixty days of the appointment of the committee. Public notice shall be given for each meeting. The lead agency shall chair the first meeting, during which the advisory committee shall determine, by general agreement, rules for conducting business, including voting procedures, and the chairperson of the advisory committee.

[Statutory Authority: RCW 90.44.400. 86-02-004 (Order DE 85-24), § 173-100-090, filed 12/20/85.]

WAC 173-100-100 Ground water management program content. The program for each ground water management area will be tailored to the specific conditions of the area. The following guidelines on program content are intended to serve as a general framework for the program, to be adapted to the particular needs of each area. Each program shall include, as appropriate, the following:

- (1) An area characterization section comprised of:
 - (a) A delineation of the ground water area, subarea or depth zone boundaries and the rationale for those boundaries;
 - (b) A map showing the jurisdictional boundaries of all state, local, tribal, and federal governments within the ground water management area;

(c) Land and water use management authorities, policies, goals and responsibilities of state, local, tribal, and federal governments that may affect the area's ground water quality and quantity;

(d) A general description of the locale, including a brief description of the topography, geology, climate, population, land use, water use and water resources;

(e) A description of the area's hydrogeology, including the delineation of aquifers, aquitards, hydrogeologic cross-sections, porosity and horizontal and vertical permeability estimates, direction and quantity of ground water flow, water-table contour and potentiometric maps by aquifer, locations of wells, perennial streams and springs, the locations of aquifer recharge and discharge areas, and the distribution and quantity of natural and man-induced aquifer recharge and discharge;

(f) Characterization of the historical and existing ground water quality;

(g) Estimates of the historical and current rates of ground water use and purposes of such use within the area;

(h) Projections of ground water supply needs and rates of withdrawal based upon alternative population and land use projections;

(i) References including sources of data, methods and accuracy of measurements, quality control used in data collection and measurement programs, and documentation for and construction details of any computer models used.

(2) A problem definition section that discusses land and water use activities potentially affecting the ground water quality or quantity of the area. These activities may include but are not limited to:

- Commercial, municipal, and industrial discharges
- Underground or surface storage of harmful materials in containers susceptible to leakage
- Accidental spills
- Waste disposal, including liquid, solid, and hazardous waste
- Storm water disposal
- Mining activities
- Application and storage of roadway deicing chemicals
- Agricultural activities
- Artificial recharge of the aquifer by injection wells, seepage ponds, land spreading, or irrigation
- Aquifer over-utilization causing seawater intrusion, other contamination, water table declines or depletion of surface waters
- Improperly constructed or abandoned wells
- Confined animal feeding activities

The discussion should define the extent of the ground water problems caused or potentially caused by each activity, including effects which may extend across ground water management area boundaries, supported by as much documentation as possible. The section should analyze historical trends in water quality in terms of their likely causes, document declining water table levels and other water use conflicts, establish the relationship between water withdrawal distribution and rates and water level changes within each aquifer or zone, and predict the likelihood of future problems and conflicts if no action is taken. The discussion should also identify land and water use management policies that

affect ground water quality and quantity in the area. Areas where insufficient data exists to define the nature and extent of existing or potential ground water problems shall be documented.

(3) A section identifying water quantity and quality goals and objectives for the area which (a) recognize existing and future uses of the aquifer, (b) are in accordance with water quality standards of the department, the department of social and health services, and the federal environmental protection agency, and (c) recognize annual variations in aquifer recharge and other significant hydrogeologic factors;

(4) An alternatives section outlining various land and water use management strategies for reaching the program's goals and objectives that address each of the ground water problems discussed in the problem definition section. If necessary, alternative data collection and analysis programs shall be defined to enable better characterization of the ground water and potential quality and quantity problems. Each of the alternative strategies shall be evaluated in terms of feasibility, effectiveness, cost, time and difficulty to implement, and degree of consistency with local comprehensive plans and water management programs such as the coordinated water system plan, the water supply reservation program, and others. The alternative management strategies shall address water conservation, conflicts with existing water rights and minimum instream flow requirements, programs to resolve such conflicts, and long-term policies and construction practices necessary to protect existing water rights and subsequent facilities installed in accordance with the ground water management area program and/or other water right procedures.

(5) A recommendations section containing those management strategies chosen from the alternatives section that are recommended for implementation. The rationale for choosing these strategies as opposed to the other alternatives identified shall be given;

(6) An implementation section comprised of:

(a) A detailed work plan for implementing each aspect of the ground water management strategies as presented in the recommendations section. For each recommended management action, the parties responsible for initiating the action and a schedule for implementation shall be identified. Where possible, the implementation plan should include specifically worded statements such as model ordinances, recommended governmental policy statements, interagency agreements, proposed legislative changes, and proposed amendments to local comprehensive plans, coordinated water system plans, basin management programs, and others as appropriate;

(b) A monitoring system for evaluating the effectiveness of the program;

(c) A process for the periodic review and revision of the ground water management program.

[Statutory Authority: RCW 90.44.400. 86-02-004 (Order DE 85-24), § 173-100-100, filed 12/20/85.]

WAC 173-100-110 SEPA review. The proposed ground water management program shall be subject to review pursuant to the State Environmental Policy Act, chapter 43.21C RCW, as required under the applicable implementing regulations.

[Statutory Authority: RCW 90.44.400. 86-02-004 (Order DE 85-24), § 173-100-110, filed 12/20/85.]

WAC 173-100-120 Hearings and implementation.

(1) Upon completion of the ground water area management program, the department shall hold a public hearing within the designated ground water management area for the purpose of taking public testimony on the proposed program. Local governments are encouraged to hold joint hearings with the department to hear testimony on the proposed management program. Following the public hearing, the department and each affected local government shall prepare findings on the ground water management program within ninety days. This period may be extended by the department for an additional ninety days. The findings shall evaluate the program's technical soundness, economic feasibility, and consistency with the intent of this chapter and other federal, state and local laws. The findings shall identify any revisions necessary before the program can be certified and shall contain a statement of the agency's concurrence, indicating its intent to adopt implementing policies, ordinances and programs if required, or a statement of nonconcurrence with the program if such be the case.

(2) The lead agency will consolidate the findings and present them to the advisory committee. Statements of nonconcurrence shall be resolved by the committee and the program revised if necessary.

(3) The program shall then be submitted by the ground water advisory committee to the department which shall certify that the program is consistent with the intent of this chapter.

(4) Following such certification, state agencies and affected local governments shall adopt or amend regulations, ordinances, and/or programs for implementing those provisions of the ground water management program which are within their respective jurisdictional authorities.

(5) The department, the department of social and health services and affected local governments shall be guided by the adopted program when reviewing and considering approval of all studies, plans and facilities that may utilize or impact the implementation of the ground water management program.

[Statutory Authority: RCW 90.44.400. 86-02-004 (Order DE 85-24), § 173-100-120, filed 12/20/85.]

WAC 173-100-130 Designation of ground water areas. The procedures provided in RCW 90.44.130 may be utilized by the department to designate ground water areas, subareas, or zones for the purposes described therein either in conjunction with the procedures of this chapter or independently thereof.

[Statutory Authority: RCW 90.44.400. 86-02-004 (Order DE 85-24), § 173-100-130, filed 12/20/85.]

WAC 173-100-140 Intergovernmental agreements.

In order to fully implement this chapter, the department may negotiate and enter into cooperative agreements with Indian tribal governments, adjacent states and Canadian governmental agencies when a ground water management area is contiguous with or affects lands under their jurisdiction. Such cooperative agreements shall not affect the jurisdiction over

any civil or criminal matters that may be exercised by any party to such an agreement. Intergovernmental agreements shall further the purposes of this chapter, and shall serve to establish a framework for intergovernmental coordination, minimize duplication, and efficiently utilize program resources to protect ground water resources.

[Statutory Authority: RCW 90.44.400. 86-02-004 (Order DE 85-24), § 173-100-140, filed 12/20/85.]

WAC 173-100-150 Appeals. All final written decisions of the department pertaining to designation of ground water management areas, certification of ground water management programs, permits, regulatory orders, and related decisions pursuant to this chapter shall be subject to review by the pollution control hearings board under chapter 43.21B RCW.

[Statutory Authority: RCW 90.44.400. 86-02-004 (Order DE 85-24), § 173-100-150, filed 12/20/85.]

WAC 173-100-160 Regulation review. The department of ecology shall initiate a review of the rules established in this chapter whenever new information, changing conditions, or statutory modifications make it necessary to consider revisions.

[Statutory Authority: Chapters 43.27A and 90.44 RCW. 88-13-037 (Order 88-11), § 173-100-160, filed 6/9/88.]

Chapter 173-124 WAC

QUINCY GROUND WATER MANAGEMENT SUBAREA AND ZONES

WAC

173-124-010	Background.
173-124-020	Purpose.
173-124-030	Authority.
173-124-040	Subarea definition.
173-124-050	Subarea zone definition.
173-124-060	Subarea map.
173-124-070	Subarea, zone, and unit distinctions.
173-124-080	Regulation review.

DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

173-124-06001 Subarea, zone, and unit distinctions. [Statutory Authority: RCW 43.21A.080, 43.27A.090 and 90.44.130. 78-05-007 (Order DE 77-36), § 173-124-060, (codified as WAC 173-124-06001), filed 4/7/78.] Repealed by 88-13-037 (Order 88-11), filed 6/9/88. Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW.

WAC 173-124-010 Background. (1) On March 1, 1969, the department of water resources promulgated WAC 508-14-010 to curtail further ground water development in a defined area of the Columbia Basin, referred to as the "Quincy Basin," pending the outcome of detailed ground water investigations to determine if further appropriation of public ground waters in this area should be allowed.

(2) The extensive investigation program was to be completed no later than December 31, 1972, and thereafter procedures would be developed to insure proper allocation and management of the Quincy Basin ground water resource.

(3) Since the effective date of WAC 508-14-010, all applications to appropriate ground water in the defined Quincy Basin have been held in abeyance pending the outcome of the ground water investigations.

(4) As part of the investigation program a digital ground water model has been developed to analyze ground water conditions in most of the Columbia Basin including the Quincy Basin.

(5) Through use of this ground water model it has been possible to define with reasonable accuracy the extent of a practical ground water management unit in the Quincy Basin area.

[Order 72-24, § 173-124-010, filed 1/15/73.]

WAC 173-124-020 Purpose. The purpose of this regulation is to establish areal boundaries and depth zones for the Quincy ground water subarea as the initial step toward development of a proper ground water management program for this part of the Columbia Basin.

[Order 72-24, § 173-124-020, filed 1/15/73.]

WAC 173-124-030 Authority. This regulation is promulgated by the department of ecology under authority and procedures provided in chapters 43.21A, 90.03, and 90.44 RCW and after giving notice as provided in chapter 34.04 RCW.

[Order 72-24, § 173-124-030, filed 1/15/73.]

WAC 173-124-040 Subarea definition. "Quincy ground water subarea" shall mean those lands lying within the Columbia Basin described as follows:

Township (North)	Range (East)	Sections
17	23	1 thru 4, 11 and 12
17	24	1 thru 16
17	25	1 thru 18 and 24
17	26	1 thru 24
17	27	1 thru 24
17	28	1 thru 20
17	29	1 thru 12 and 14 thru 18
17	30	*1 thru 8, 12, and that part of 9, 10, 11, 13 and 14 lying to the right of the center line of the east low canal
17	31	*7 and that part of 5, 6, 8, 17 and 18 lying to the right of the center line of the east low canal
18	22	1, 12, and 13
18	23	1 thru 36
18	24	1 thru 36
18	25	1 thru 36
18	26	1 thru 36
18	27	1 thru 36
18	28	1 thru 36
18	29	1 thru 36
18	30	*3 thru 10, 15 thru 24, 26 thru 36 and that part of 2, 11, 13, 14 and 25 lying to the right of the center line of the east low canal
18	31	*That part of 17, 18, 19, 30, and 31 lying to the right of the center line of the east low canal
19	23	1 thru 5 and 8 thru 17, 20 thru 29 and 31 thru 36
19	24	1 thru 36
19	25	1 thru 36
19	26	1 thru 36

19	27	1 thru 36
19	28	1 thru 36
19	29	*5 thru 8, 17 thru 21, 28 thru 33, and that part of 4, 9, 15, 16, 22, 23, 27, 34, 35 and 36 lying to the right of the center line of the east low canal
19	30	*That part of 28 and 31 thru 35 lying to the right of the center line of the east low canal
20	23	1 thru 5 and 8 thru 17, 20 thru 29 and 32 thru 36
20	24	1 thru 36
20	25	1 thru 36
20	26	1 thru 36
20	27	1 thru 36
20	28	1 thru 36
20	29	*19, 20, 29 thru 32, and that part of 6, 7, 16, 17, 18, 21, 28, and 33 lying to the right of the center line of the east low canal
21	23	25 thru 28 and 32 thru 36
21	24	25 thru 36
21	25	24 thru 36
21	26	1 thru 4, 9 thru 16 and 19 thru 36
21	27	1 thru 36
21	28	*5 thru 9, 13 thru 36 and that part of 3, 4, 9, 10, 11 and 12 lying to the right of the center line of the east low canal
21	29	*That part of 7, 8, 17, 18, 19, 30, and 31 lying to the right of the center line of the east low canal
22	26	2, 10 thru 16, 21 thru 28 and 33 thru 36
22	27	1 thru 4 and 7 thru 36
22	28	*1 thru 11, 31 and that part of 18, 19, 29, 30, 32, and 33 lying to the right of the center line of the east low canal
23	27	34 thru 36
23	28	31 thru 36

*Right and left sides are determined by looking in the downstream direction or direction of flow.

[Order 72-24, § 173-124-040, filed 1/15/73.]


WAC 173-124-050 Subarea zone definition. (1) "Quincy unconsolidated zone" shall mean those rock units in the Quincy ground water subarea lying between ground surface and the top of the uppermost basalt flow.

(2) "Quincy basalt zone" shall mean those rock units in the Quincy ground water subarea consisting of basalt flows of tertiary age.

[Order 72-24, § 173-124-050, filed 1/15/73.]

WAC 173-124-060 Subarea map. "Quincy ground water subarea" shall include those lands that lie within the heavy outline shown on the following map:

QUINCY GROUND WATER SUBAREA



[Order 72-24, § 173-124-060, filed 1/15/73.]

WAC 173-124-070 Subarea, zone, and unit distinctions. The Quincy unconsolidated zone and the Quincy basalt zone, defined at WAC 173-124-050, are separate and distinct depth zones, as that term is used in chapter 90.44 RCW. The Quincy unconsolidated zone and the Quincy basalt zone are different than the Quincy shallow management unit and the Quincy deep management unit, which are defined at WAC 173-134-020.

The horizontal boundaries of the Quincy depth zones and the Quincy management units are identical to the exterior boundaries of the Quincy ground water subarea, and no Quincy depth zone or management unit extends beyond those boundaries, for comprehensive water management purposes. Neither does any depth zone of the Odessa ground water subarea, as defined at chapter 173-130 WAC, extend beyond the exterior boundaries of the Odessa ground water subarea, as those are defined and indicated at chapter 173-128 WAC. The bodies of ground water contained within the exterior boundaries of the Quincy ground water subarea are considered to be separate and distinct from the bodies of ground water contained within the exterior bound-

aries of the Odessa ground water subarea, which is significantly different than the Quincy ground water subarea in various respects.

This regulation is adopted to clarify the differences between the Quincy ground water subarea and the Odessa ground water subarea, and the differences among depth zones and management units. This regulation merely restates what the department of ecology consistently has understood to be the meaning and effect of this chapter and related chapters, notwithstanding any other understanding by the public or any other agency or board, federal or state.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW, 88-13-037 (Order 88-11), § 173-124-070, filed 6/9/88.]

WAC 173-124-080 Regulation review. The department of ecology shall initiate a review of the rules established in this chapter whenever new information, changing conditions, or statutory modifications make it necessary to consider revisions.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW, 88-13-037 (Order 88-11), § 173-124-080, filed 6/9/88.]

Chapter 173-128A WAC
ODESSA GROUND WATER MANAGEMENT
SUBAREA

WAC		14	31	
173-128A-010	Authority.	15	30	*1 thru 6, 8 thru 17, 19 thru 36, and that part of 7 and 18 lying to the left of the center line of the East Low Canal
173-128A-020	Background.	15	30	*1 thru 36
173-128A-030	Purpose.			*1, and that part of 2, 11, 12 lying to the left of the center line of the East Low Canal
173-128A-040	Subarea definition.	15	31	*1 thru 29, 32 thru 36, and that part of 30 and 31 lying to the left of the center line of the East Low Canal
173-128A-050	Subarea map.			1 thru 36
173-128A-060	Regulation review.			1 thru 36
WAC 173-128A-010 Authority.	This regulation is promulgated by the department of ecology under authority and procedures provided in chapters 34.04, 43.21A, 90.03, and 90.44 RCW.	15	32	
		15	33	
		16	30	*1 thru 4, 10 thru 14, 23 thru 25, 36, and that part of 5, 6, 8, 9, 15, 16, 21, 22, 26, 27, 28, 34, and 35 lying to the left of the center line of the East Low Canal
[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-14-041 (Order DE 82-23), § 173-128A-010, filed 6/30/82. Formerly WAC 173-128-030.]				
WAC 173-128A-020 Background.	(1) Since 1967, the segment of the Columbia basin ground water system centered around the community of Odessa has experienced a steady decline in ground water levels.	16	31	1 thru 36
		6	32	1 thru 36
		16	33	1 thru 36
		16	34	1 thru 22
		16	35	1 thru 18
		16	36	6 and 7
		17	30	*15, 16, 21 thru 28, 33 thru 36, and that part of 8 thru 11, 13, 14, 17, 20, 29, 31, and 32 lying to the left of the center line of the East Low Canal
	(2) Spurred by local concern and foreseeable management problems, the department of water resources (now department of ecology) closed an area of approximately 1,100 square miles to the drilling of large producing water wells and initiated a detailed investigation of ground water conditions in the Odessa basin.			
	(3) As a result of this investigation, a digital ground water model of the Odessa basin was developed and used in 1974 and 1975 to predict the effect of additional ground water withdrawals on existing water level declines.	17	31	*1 thru 4, 9 thru 16, 19 thru 36, and that part of 5, 6, 8, 17 and 18 lying to the left of the center line of the East Low Canal
	(4) In 1975, the department expanded its ground water monitoring program and discontinued use of the predictive model.	17	32	1 thru 36
		17	33	1 thru 36
	(5) The expanded monitoring program, with additional data on the actual effects of pumping, included wells south of the subarea which showed ground water declines similar in magnitude to those inside the subarea.	17	34	1 thru 36
		17	35	1 thru 36
		17	36	5 thru 8, 17 thru 20, 30 and 31
		18	30	*1, 12 and that part of 2, 11, 13, and 14 lying to the left of the center line of the East Low Canal
[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-14-041 (Order DE 82-23), § 173-128A-020, filed 6/30/82. Formerly WAC 173-128-010.]				
WAC 173-128A-030 Purpose.	The purpose of this regulation is to expand the boundaries of the Odessa ground water subarea as originally set forth in chapter 173-128 WAC.	18	31	*1 thru 16, 20 thru 29, 32 thru 36, and that part of 17, 18, 19, 30, and 31 lying to the left of the center line of the East Low Canal
		18	32	1 thru 36
		18	33	1 thru 36
		18	34	1 thru 36
		18	35	1 thru 36
		18	36	4 thru 9, 16 thru 21, and 28 thru 33
		19	29	*1 thru 3, 10 thru 14, 24, 25, and that part of 3, 4, 9, 10, 15, 16, 22, 23, 26, 27, 34, 35, and 36 lying to the left of the center line of the East Low Canal
[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-14-041 (Order DE 82-23), § 173-128A-030, filed 6/30/82. Formerly WAC 173-128-020.]				
WAC 173-128A-040 Subarea definition.	"Odessa ground water subarea" shall mean those lands lying within the Columbia Basin described as follows:			
Township (North)	Range (East)	Sections		
13	31	1 thru 12		
13	32	1 thru 12		


19	30	*1 thru 27, 29, 30, 36 and that part of 28 and 31 thru 35 lying to the left of the center line of the East Low Canal
19	31	1 thru 36
19	32	1 thru 36
19	33	1 thru 36
19	34	1 thru 36
19	35	1 thru 36
19	36	3 thru 10, 15 thru 22 and 27 thru 33
20	29	*1 thru 5, 8 thru 15, 22 thru 27, 34 thru 36 and that part of 6, 7, 16, 17, 18, 21, 28 and 33 lying to the left of the center line of the East Low Canal
20	30	1 thru 36
20	31	1 thru 36
20	32	1 thru 36
20	33	1 thru 36
20	34	1 thru 36
20	35	1 thru 36
20	36	4 thru 9, 16 thru 21, and 28 thru 33
21	28	*1, 2, and that part of 3, 4, 10, 11 and 12 lying to the left of the center line of the East Low Canal
21	29	*1 thru 6, 9 thru 16, 20 thru 29, 32 thru 36 and that part of 7, 8, 17, 18, 19, 30 and 31 lying to the left of the center line of the East Low Canal
21	30	1 thru 36
21	31	1 thru 36
21	32	1 thru 36
21	33	1 thru 36
21	34	1 thru 36
21	35	1 thru 36
21	36	5 thru 8, 16 thru 21, and 28 thru 33
22	28	*12 thru 17, 20 thru 28, 34 thru 36 and that part of 18, 19, 29, 30, 32 and 33 lying to the left of the center line of the East Low Canal
22	29	1 thru 36
22	30	1 thru 36
22	31	1 thru 36
22	32	1 thru 36
22	33	1 thru 36
22	34	1 thru 36
22	35	1 thru 36
22	36	30 and 31
23	29	13, 20 thru 29, and 32 thru 36
23	30	12 thru 36
23	31	7 thru 36
23	32	7 thru 36
23	33	7 thru 36
23	34	7 thru 9 and 13 thru 36
23	35	15 thru 23 and 25 thru 36

*Right and left sides are determined by looking in the downstream or flow direction.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-14-041 (Order DE 82-23), § 173-128A-040, filed 6/30/82. Formerly WAC 173-128-040.]

(1997 Ed.)

WAC 173-128A-050 Subarea map. "Odessa ground water subarea" shall include those lands that lie within the heavy outline shown on the following map:



[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-14-041 (Order DE 82-23), § 173-128A-050, filed 6/30/82. Formerly WAC 173-128-050.]

WAC 173-128A-060 Regulation review. The department of ecology shall initiate a review of the rules established in this chapter whenever new information, changing conditions, or statutory modifications make it necessary to consider revisions.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW. 88-13-037 (Order 88-11), § 173-128A-060, filed 6/9/88.]

**Chapter 173-130A WAC
ODESSA GROUND WATER SUBAREA
MANAGEMENT POLICY**

WAC

173-130A-010	Authority.
173-130A-020	Background.
173-130A-030	Definitions.
173-130A-040	Purpose.
173-130A-050	Exemptions.
173-130A-060	Rate of decline in water level to be controlled.
173-130A-070	Maximum lowering of the water table.
173-130A-080	Regulation of withdrawal of ground water.
173-130A-090	Notice of regulation.
173-130A-100	Applications for withdrawal of ground water.
173-130A-110	Distance of wells from East Low Canal.
173-130A-120	Ground water mound—Columbia Basin project interests.
173-130A-130	Irrigation season.

173-130A-140	Airlines.
173-130A-150	Water duty.
173-130A-160	Development schedule.
173-130A-170	Casing and sealing.
173-130A-180	Reworking wells.
173-130A-190	Bore hole information.
173-130A-200	Acreage expansion program.
173-130A-210	General implementation.
173-130A-215	Enforcement.
173-130A-217	Appeals.
173-130A-220	Regulation review.

WAC 173-130A-010 Authority. This regulation is promulgated by the department of ecology under authority and procedures provided in chapters 34.04, 43.21A, 90.03 and 90.44 RCW.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-010, filed 8/4/82. Formerly WAC 173-130-020.]

WAC 173-130A-020 Background. The Odessa ground water subarea was established and the boundaries set forth in chapter 173-128A WAC.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-020, filed 8/4/82. Formerly WAC 173-130-010.]

WAC 173-130A-030 Definitions. For the purposes of this chapter, the following definitions shall be used:

- (1) "Water table" shall mean the surface formed by mapping the altitude at which water stands in wells.
- (2) "Priority" shall mean the date of receipt by the department of ecology or its predecessor of an acceptable application to appropriate public ground water.
- (3) "Department" shall mean the department of ecology.
- (4) "Bore hole information" shall include data required to determine the extent and nature of subsurface geologic and hydrologic properties. Examples of bore hole information includes data contained on a completed department water well report form, all or a portion of a suite of geophysical logs such as resistivity, flow, caliper, and television video scanning.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-030, filed 8/4/82. Formerly WAC 173-130-030.]

WAC 173-130A-040 Purpose. The purpose of this regulation is to provide a procedure for managing ground water within the Odessa ground water subarea to insure the maintenance of a safe sustaining yield from the ground water body within a reasonable and feasible pumping lift.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-040, filed 8/4/82. Formerly WAC 173-130-040.]

WAC 173-130A-050 Exemptions. The following shall not be subject to this management regulation:

- (1) Wells from which the withdrawal is less than 5,000 gallons per day;
- (2) Wells drilled under prior authorization which were defined as "Zone C" wells in WAC 173-130-030(3), now repealed.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-050, filed 8/4/82.]

WAC 173-130A-060 Rate of decline in water level to be controlled. The rate of decline in the water level will be limited to a total amount of thirty feet in three consecutive years. In the case of a new well, the base time shall commence in the spring following the first season of irrigation use.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-060, filed 8/4/82. Formerly WAC 173-130-060.]

WAC 173-130A-070 Maximum lowering of the water table. These regulations will be used to prevent the spring static water table, as measured prior to commencement of pumping for irrigation, from lowering more than three hundred feet below the altitude of the static water level as it existed in the spring of 1967.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-070, filed 8/4/82. Formerly WAC 173-130-070.]

WAC 173-130A-080 Regulation of withdrawal of ground water. (1) Upon complaint from a water right holder that the water level in the associated well or wells is being drawn down at a rate in excess of thirty feet in three years as set forth in WAC 173-130A-060 as a primary result of pumping by subsequent appropriators, the department shall evaluate the complaint and take appropriate regulatory action, to the extent practicable, to protect the rights of the prior appropriator.

(2) Whenever the department has reason to believe that the provision of WAC 173-130A-070 is going to be violated, regulatory action to limit withdrawals in the affected area will be initiated according to the procedure outlined in WAC 173-130A-090. Such regulation shall conform to the priority of the pertinent, valid rights and shall prevail on an annual basis until the condition no longer exists, unless the aggregate withdrawal is decreased by mutual agreement of the affected water right holders pursuant to RCW 90.44.180.

(3) The department shall take regulatory action, to the extent necessary, to assure compliance with water right conditions.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-080, filed 8/4/82. Formerly WAC 173-130-080.]

WAC 173-130A-090 Notice of regulation. (1) Notice of regulation shall be provided to each water right holder within the area identified pursuant to WAC 173-130A-080(2) by certified mail on or before May 1 of each year when regulation of withdrawals is contemplated for the next calendar year. Said notice shall also provide for a public meeting within thirty days to be held in the affected area to discuss proposed regulatory action.

(2) Within sixty days following this public meeting, departmental orders will be sent to those water right holders to be regulated.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-090, filed 8/4/82. Formerly WAC 173-130-090.]

WAC 173-130A-100 Applications for withdrawal of ground water. All applications for permits to appropriate ground water from within the Odessa ground water subarea shall be analyzed in order of priority to determine the calculated effect that the requested rate and volume of withdrawal will have on existing ground water declines. No permit will be issued for withdrawals which calculations show will cause the conditions of WAC 173-130A-060 or 173-130A-070 to be exceeded at any location within the subarea.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-100, filed 8/4/82. Formerly WAC 173-130-140.]

WAC 173-130A-110 Distance of wells from East Low Canal. No well may be drilled closer than one-quarter mile to the centerline of the East Low Canal.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-110, filed 8/4/82. Formerly WAC 173-130-170.]

WAC 173-130A-120 Ground water mound—Columbia Basin project interests. Irrigation of Columbia Basin project lands lying westerly of the East Low Canal and canal leakage have caused development of a ground water mound lying generally under the canal. The retention of existing water levels under the canal is necessary to maintain the present water table gradient toward the Potholes Reservoir to allow the recapture and utilization of artificially stored ground water (see order of the department of ecology, under Docket No. 74-772, dated the 8th day of January, 1975). All applications for permit within the following described area will be evaluated on a case-by-case basis consistent with this chapter. Additionally, the potential effects of the proposed appropriation on existing rights including protection of the ground water mound will be determined. All new permits will be conditioned to assure retention of the existing water levels under the East Low Canal.

<u>Twp N</u>	<u>Rge E</u>	<u>Section</u>
17	30	15, 16, 23, 24 and all those portions of 9 through 11, 13 and 14 lying southerly of the East Low Canal.
	31	3, 4, 9 through 11, 14 through 16, 19 through 23, and those portions of 5, 6, 8, and 17 lying easterly of the East Low Canal.
18	30	1, 12, and all those portions of 2, 11, 13 and 14 lying easterly of East Low Canal.
	31	4 through 10, 15, 16, 21, 22, 27 through 29, 32 through 34, and all those portions of 17 through 20, 30 and 31 lying northerly

and easterly of the East Low Canal.

19	29	1 through 3, 10 through 14, 24 through 26, and all those portions of 4, 9, 15, 16, 22, 23, 27, and 34 through 36 lying easterly and northerly of the East Low Canal.
	30	19 through 23, 25 through 27, 29, 30, 36, and all those portions of 28, 31 through 35 lying northerly and easterly of the East Low Canal.
	31	30 and 31
20	29	27, 35, and all those portions of 21, 28, 33 and 34 lying easterly of the East Low Canal.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-120, filed 8/4/82.]

WAC 173-130A-130 Irrigation season. The irrigation season for withdrawal of ground water in the Odessa ground water subarea shall be from February 1 to November 30, each year. However, the department recognizes that conditions will vary from year to year, making application of water to the land necessary during December and/or January in some years. Permission to withdraw ground water during December and January may be granted by the department upon showing of a need by individual permit or certificate holders and if not inconsistent with the regulatory program of this chapter.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-130, filed 8/4/82. Formerly WAC 173-130-195.]

WAC 173-130A-140 Airlines. An airline and pressure gauge shall be installed and maintained in operating condition on all new or reworked wells and equipped with a standard tire valve, placed in an accessible location. The airline shall extend from land surface to the top of the pump bowls. The total length of the airline and any changes in length shall be reported to the department.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-140, filed 8/4/82.]

WAC 173-130A-150 Water duty. The duty of water issued in permits for agricultural irrigation shall be not more than 2.5 acre feet per acre per calendar year.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-150, filed 8/4/82.]

WAC 173-130A-160 Development schedule. All new permits issued will require beginning of construction of the authorized well(s) within two years after permit issuance. Beginning of construction means that the well drilling has been started and is being actively pursued toward comple-

tion. No extensions of time will be granted to this schedule. Violation of this requirement will result in cancellation of the related permits.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-160, filed 8/4/82.]

WAC 173-130A-170 Casing and sealing. In order to protect existing shallow domestic and stock water wells, and springs, casing and sealing requirements will be determined on a case-by-case basis and included as a provision on all new permits issued. New permits will also be conditioned to prohibit cascading water in wells in accordance with chapter 173-160 WAC (Minimum standards for construction and maintenance of water wells). Sealing of required casing shall consist of filling the annular space between casing and well bore with cement grout placed by pumping from the bottom of the casing to land surface. Alternative methods to provide the same protection afforded by casing and sealing may be submitted to the department for review and shall only be used if approved in writing by the department prior to well completion.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-170, filed 8/4/82.]

WAC 173-130A-180 Reworking wells. Any well which is reworked shall be constructed to comply with the casing and sealing provisions of WAC 173-130A-170. Reworking shall include, but not be limited to, reaming to enlarge well diameter or deepening.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-180, filed 8/4/82. Formerly WAC 173-130-155.]

WAC 173-130A-190 Bore hole information. It shall be the responsibility of the owner of all new or reworked wells drilled in the Odessa ground water subarea to provide the department of ecology with such logs as the department may reasonably require.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-190, filed 8/4/82. Formerly WAC 173-130-160.]

WAC 173-130A-200 Acreage expansion program.

(1) Water right certificate holders who wish to expand their authorized irrigated acreage while not increasing actual historic withdrawal rates in gallons per minute or acre feet per year, within the maximum limits of their water right, may submit a request in writing to the department at least four months prior to initiation of irrigation. Such request shall include documentation substantiating actual quantities applied to a beneficial use within authorized acreage for a minimum of the three previous consecutive irrigation seasons. This documentation shall consist of accurate flow meter readings, electrical consumption which has been converted to actual acre footage withdrawn, or any other data acceptable to the department.

(2) The acreage expansion, if authorized, will allow the certificate holder to apply the average of the quantity of

water beneficially used during the past three consecutive years to more land.

(3) Where the acreage expansion program is continuous from year to year, the initial documentation of beneficial use of water shall apply to each subsequent year.

(4) New wells will not be permitted to be drilled as part of this program. Every well authorized for use under this program must be equipped with an accurately operating flow meter before acreage expansion can be implemented.

(5) By December 31 of each year, the water user shall submit in writing to the department a statement of the total water used, in acre feet, under the acreage expansion program for the completed irrigation season.

(6) The acreage expansion program will be administered as a temporary change through an annual letter of authorization. No permanent amendment or change in any water right certificate shall be issued as part of this program.

The penalty for noncompliance with the provisions of this section shall include, but not be limited to, termination from the acreage expansion program for one calendar year.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-200, filed 8/4/82.]

WAC 173-130A-210 General implementation. The department recognizes the uncertainties associated with ground water occurrence and water well construction, both being dependent in large part on the geologic and hydrologic characteristics of the aquifer materials underlying a specific proposed well site. Therefore, the department shall endeavor to implement this chapter in a reasonable and practical manner consistent with its purpose.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and 90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-210, filed 8/4/82.]

WAC 173-130A-215 Enforcement. In enforcement of this chapter, the department of ecology may impose such sanctions as are appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190 and civil penalties under RCW 90.03.600.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW. 88-13-037 (Order 88-11), § 173-130A-215, filed 6/9/88.]

WAC 173-130A-217 Appeals. All final written decisions of the department of ecology pertaining to permits, regulatory orders, and related decisions made pursuant to this chapter shall be subject to review by the pollution control hearings board in accordance with chapter 43.21B RCW.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW. 88-13-037 (Order 88-11), § 173-130A-217, filed 6/9/88.]

WAC 173-130A-220 Regulation review. The department of ecology shall initiate a review of the rules established in this chapter whenever new information, changing conditions, or statutory modifications make it necessary to consider revisions.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW. 88-13-037 (Order 88-11), § 173-130A-220, filed 6/9/88. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130 and

90.54.040(2). 82-16-103 (Order DE 82-27), § 173-130A-220, filed 8/4/82. Formerly WAC 173-130-200.]

Chapter 173-132 WAC
DUCK LAKE GROUND WATER MANAGEMENT
SUBAREA

WAC

173-132-010	Background.
173-132-020	Purpose.
173-132-030	Authority.
173-132-040	Subarea definition.
173-132-050	Subarea map.
173-132-060	Regulation review.

WAC 173-132-010 Background. (1) Through well data collected since 1958 and refraction seismic surveys conducted in 1970 and 1971, the department of ecology has identified a semiclosed ground water basin in the area of Duck Lake in Okanogan County, Washington.

(2) The principal aquifer in this area consists of glacial and fluvial sands and gravels that lie unconformably over metamorphic and igneous bedrock.

(3) Natural recharge to the aquifer occurs primarily through ground water migration from Johnson Creek Valley which lies northwest of the Duck Lake basin.

(4) The aquifer is also artificially recharged through waters diverted to Duck Lake from Salmon and Johnson creeks by the Okanogan irrigation district and from waters incidental to irrigation of project lands.

(5) Since the basin retains substantial quantities of artificially stored ground water, in accordance with chapter 90.44 RCW it has been recommended that the Duck Lake aquifer be designated as a ground water subarea.

[Order DE 74-24, § 173-132-010, filed 10/18/74.]

WAC 173-132-020 Purpose. The purpose of this regulation is to establish areal boundaries for the Duck Lake ground water subarea as the initial step toward development of an appropriate ground water management program for this area.

[Order DE 74-24, § 173-132-020, filed 10/18/74.]

WAC 173-132-030 Authority. This regulation is promulgated by the department of ecology under authorities and procedures provided in chapters 43.21A, 90.03 and 90.44 RCW and after giving notice as provided in chapter 34.04 RCW.

[Order DE 74-24, § 173-132-030, filed 10/18/74.]


WAC 173-132-040 Subarea definition. "Duck Lake ground water subarea" shall mean those lands lying within Okanogan County described as follows:

Beginning at the west quarter corner of Sec. 23; thence northeast through the north quarter corner of Sec. 23 and the east quarter corner of Sec. 14 to the north quarter corner of Sec. 13; thence east to the northeast corner of Sec. 13; thence north to the east quarter corner of Sec. 12; thence northwest to the southeast corner of Sec. 2; thence northwest to

the center of the northwest quarter of Sec. 2; thence southwest through the west quarter corner of Sec. 2 to the south quarter corner of Sec. 3; thence west to the southwest corner of Sec. 3; thence south along the west line of Sec. 10 to the "bedrock" exposure which lies approximately 1,300 feet north from the southwest corner of Sec. 10; thence southeasterly along the "bedrock" to the south quarter corner of Sec. 10; thence south 1,320 feet; thence west 1,320 feet to the center of the northwest quarter of Sec. 15; thence south 3,960 feet to the south line of Sec. 15; thence east to the south quarter corner of Sec. 15; thence southeast to the point of beginning; ALL in T. 34 N., R. 26 E.W.M., Okanogan County.

[Order DE 77-3, § 173-132-040, filed 4/21/77; Order DE 74-24, § 173-132-040, filed 10/18/74.]

WAC 173-132-050 Subarea map. "Duck Lake ground water subarea" shall include those lands that lie within the heavy outline shown on the following map:



[Order DE 74-24, § 173-132-050, filed 10/18/74.]

WAC 173-132-060 Regulation review. The department of ecology shall initiate a review of the rules established in this chapter whenever new information, changing

conditions, or statutory modifications make it necessary to consider revisions.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW. 88-13-037 (Order 88-11), § 173-132-060, filed 6/9/88.]

Chapter 173-134A WAC
QUINCY GROUND WATER SUBAREA
MANAGEMENT POLICY

WAC

173-134A-010	Authority.
173-134A-020	Background.
173-134A-030	Purpose.
173-134A-040	Definitions.
173-134A-050	Management and regulation.
173-134A-060	Withdrawal of waters of deep management unit.
173-134A-070	Public ground water permit amendments.
173-134A-080	Regulation of waters of the shallow management unit—Permit requirements.
173-134A-085	Applicability.
173-134A-090	Responsibility for water management—Designation of critical management areas.
173-134A-100	Establishment of a technical committee.
173-134A-110	Request for protection of interest.
173-134A-120	Exemptions.
173-134A-130	Agreements.
173-134A-140	Existing laws and rights.
173-134A-150	Regulation review.
173-134A-160	Relinquishments—Public ground water.
173-134A-165	Enforcement.
173-134A-170	Appeals.

WAC 173-134A-010 Authority. This chapter is promulgated by the department of ecology under authority and procedures provided in chapters 34.04, 43.21A, 90.03, and 90.44 RCW.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-010, filed 6/1/83. Formerly chapter 173-134 WAC.]

WAC 173-134A-020 Background. The Quincy ground water subarea was duly established and the boundaries were set forth in chapter 173-124 WAC on January 15, 1973. Management rules for the Quincy subarea were then adopted on January 9, 1975, as chapter 173-134 WAC and amended on July 26, 1979.

The department has managed the ground waters within the Quincy subarea since that time in accordance with those rules.

The following information is provided as a background to assist in understanding this chapter.

By the end of the 1973 irrigation season (in October), there were approximately 3,493,142 acre-feet of imported waters stored underground in the Quincy ground water subarea. These imported waters are derived from the activities of the bureau and the Columbia Basin project. Most of the imported water is located in the shallow management unit where it comeslingles with naturally occurring public ground waters.

The general pattern of flow of ground water in the shallow management unit is toward Potholes Reservoir, a facility of the Columbia Basin project.

By order of the department of ecology, under Docket No. 74-772, dated the 8th day of January, 1975, declarations

of artificially stored waters of the United States Bureau of Reclamation were accepted for the Quincy subarea and zones. There are no other accepted declarations relating to the Quincy subarea and zones.

Based on the best information available to the department in 1983, all waters naturally supplied to the Quincy Basin ground water system have been allocated to permits or certificates under state law. Of the aggregate thus allocated, it appears that because of nonuse, small additional amounts of such water can be appropriated without overdraft.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-020, filed 6/1/83. Formerly WAC 173-134-030.]

WAC 173-134A-030 Purpose. The purpose of this chapter is to set forth rules of the department of ecology for the administration of all ground waters within the Quincy ground water subarea, including among others, commingled public ground waters and artificially stored ground waters. This chapter replaces chapter 173-134 WAC. The rules established herein set forth the regulatory and management program for these waters and all such waters shall be authorized for withdrawal and otherwise regulated in accordance with the provisions hereof. This state program is designated to protect both the public interest and private rights and interests in such waters and shall be implemented in a spirit of cooperation with affected persons and entities, public and private, including the holder of a declaration accepted by the department pursuant to RCW 90.44.130.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-030, filed 6/1/83. Formerly WAC 173-134-010.]

WAC 173-134A-040 Definitions. For purposes of this chapter, the following definitions shall apply:

(1) "Artificially stored ground waters" means waters beneath the land surface within an area, subarea, or zone which are the subject of the declaration by the bureau and accepted by the department of ecology.

(2) "Bureau" means the United States Department of the Interior, Bureau of Reclamation.

(3) "Critical management area" means a specified locality within the Quincy subarea where depletion of ground waters, including interference with surface waters, necessitates the implementation of special ground water restrictions to ensure protection to rights and interests in said waters as set forth in this chapter.

(4) "Deep management unit" means all ground waters underlying the shallow management unit.

(5) "Department" means the department of ecology.

(6) "Ground waters" means all waters that exist beneath the land surface or beneath the bed of any stream, lake, or reservoir, or other body of surface water within the boundaries of the Quincy ground water subarea.

(7) "Public ground waters" means all ground waters in the Quincy ground water subarea other than artificially stored ground water.

(8) "Quincy ground water subarea," and "Quincy subarea" mean the subarea established pursuant to RCW 90.44.130 and set forth in chapter 173-124 WAC.

(9) "Shallow management unit" means the ground water hydraulically continuous between land surface and a depth of 200 feet into the Quincy basalt zone and includes all of the Quincy unconsolidated zone.

It is noted that the definitions of (1) and (7) hereof are not intended to be identical with the definitions in RCW 90.44.035.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-040, filed 6/1/83. Formerly WAC 173-134-020.]

WAC 173-134A-050 Management and regulation.

All public and artificially stored ground water of the Quincy subarea shall be managed and regulated by the department of ecology in accordance with this chapter.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-050, filed 6/1/83. Formerly WAC 173-134-040.]

WAC 173-134A-060 Withdrawal of waters of deep management unit. All withdrawals of waters of the deep management unit will be controlled by the prior appropriation provisions of RCW 90.44.050 and 90.44.060 and related code sections. The total authorized withdrawals under state permits or certificates from the deep management unit shall not exceed 97,901 acre-feet per year, unless the department should determine otherwise through further studies.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-060, filed 6/1/83. Formerly WAC 173-134-050.]

WAC 173-134A-070 Public ground water permit amendments. The department may approve amendments to public ground water permits for lands located within the Quincy subarea, including changes in points of withdrawal, purpose, and places of use, only if it believes, after investigation, that the activities proposed in the amendment or amendments will not:

- (1) Impair existing rights;
- (2) Prove detrimental to the public interest;
- (3) Cause the tapping of a different body of ground water (as defined herein or as determined by the department);
- (4) Adversely affect the comprehensive scheme of water management adopted for the Quincy subarea.

In addition, with regard to holders of permits or certificates for the use of public ground waters in the Quincy subarea, said permits and certificates shall represent "a valid right to withdraw public ground waters," as that term is used in RCW 90.44.100, only to the extent of beneficial use actually made under the permit or certificate.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-070, filed 6/1/83. Formerly WAC 173-134-055.]

WAC 173-134A-080 Regulation of waters of the shallow management unit—Permit requirements. Waters of the shallow management unit shall be subject to the following:

(1) Applications for withdrawal of public ground waters shall be processed in accordance with the provisions of chapters 90.44 and 90.03 RCW.

The total quantity of withdrawals of public waters, whether authorized by permits and certificates issued under RCW 90.44.050, 90.44.060 or otherwise, shall not exceed 58,000 acre-feet per year. It appears there may be relatively small amounts of public waters (in the range of not more than 4,000 acre-feet annually) available for appropriation in the shallow management unit. Such small amounts are reserved for withdrawal for domestic and group domestic uses.

(2) No withdrawal of, or construction of any works for the withdrawal of artificially stored ground waters shall be commenced by any person without obtaining permission of the department of ecology. Permission shall be obtained through the issuance of a permit as provided in chapter 173-136 WAC. Application for a permit shall be on a form furnished by the department. In relation to ruling upon any such application, the following shall apply:

(a) Each permit shall be conditioned to ensure that no withdrawal will interfere with the furnishing of adequate supplies of water to the Potholes Reservoir facility of the bureau to satisfy existing and future project needs of the bureau.

(b) Each permit shall be conditioned to ensure that no interference with rights established under state law, previously or in the future, to withdraw public waters or artificially stored ground waters shall be allowed. Rights described herein shall include rights to the (1) maintenance of certain ground water levels to ensure availability and (2) protection of the use ability of certain withdrawal facilities.

(c) To the maximum extent possible, consistent with rights and interest in the ground waters of the Quincy subarea; wildlife, recreation, and other values associated with the general public interest in the ground water in the subarea shall be protected and permits issued hereunder shall be so conditioned.

(d) Permits shall be conditioned such that the well depth shall be no greater than 200 feet into the basalt (the shallow management unit). However, when the total production from the authorized well(s), completed within the shallow management unit does not produce the quantity of water authorized under the permit in gallons per minute, the permittee may apply to the department of ecology for an exemption to the well depth limitation imposed by these regulations. Such an exemption will be granted if reasonable efforts have been made to develop water in the shallow management unit and the proposed deepening will not adversely affect existing rights in the deep management unit. The depth of the well(s) in any event shall not penetrate the top of the Grand Ronde Basalt unit. When an exemption is granted, the department will advise the permittee of the depth to the top of the Grand Ronde Basalt unit at the specific well site(s). The authorized wells must be of adequate diameter and casing wall thickness to accommodate a pump of sufficient capacity to produce the permitted quantity in gallons per minute. Notwithstanding the definitions in WAC 173-134A-040, withdrawals of water subject to exemptions shall be considered as artificially stored ground water.

(e) Each permit shall be conditioned to provide that failure of the permittee to comply with the terms of an

executed agreement as described in WAC 173-134A-130 shall constitute grounds for the department to terminate a permit issued under this subsection.

(f) Applications for permits shall be processed in order of their priority, based on the date of receipt of an application by the department of ecology.

(g) Permits granted herein shall pertain to a specific point(s) of withdrawal, and purpose, and place of use. No assignment of such permits can be made without written approval of the department.

The department may approve amendments to permits granted herein regarding changes in point of withdrawal, purpose, and place of use, if it believes, after investigation, that the amendment will comply with WAC 173-134A-070 (1) through (4). Application for amendments provided herein shall be made on forms provided by the department.

Permits for the use of artificially stored ground waters may be amended as to places of use and purpose only to the extent that waters actually have been placed to beneficial use pursuant to the terms of said permits.

(h) No permit shall authorize the withdrawal of waters for agricultural irrigation use for more acres than authorized by federal reclamation law.

(i) Permits issued hereunder shall have no expressed termination date provided, however, the permit shall be modifiable and terminable by the department at any time for good cause in order to accomplish the water management and regulation program of this chapter. Modifications and terminations as provided herein shall be effectuated through the issuance of regulatory orders as described in WAC 173-134A-090.

All permits provided for in chapter 173-136 WAC shall contain development schedules requiring that water be put to beneficial use within a three-year period from the date of issuance. Any permit under which development has not been completed may be perfected to the extent of beneficial use, and cancellation proceedings will be initiated on the remaining undeveloped portion.

(j) By applying for and obtaining a permit hereunder, an applicant expressly waives all other claims of rights to withdraw ground waters of the Quincy subarea for irrigation uses, except as such rights are (1) embodied in a permit or certificate pertaining to public ground waters issued previously by the department of ecology or one of its predecessors or (2) based upon rights established prior to the enactment of chapter 90.44 RCW and are the subject of a claim filed with the department of ecology pursuant to RCW 90.14.041.

(k) There shall be no fee for filing an application for a permit authorized for withdrawal of artificially stored ground waters under this subsection. Said application shall include the names and signatures of all legal owners of the lands proposed for irrigation.

(l) Withdrawals of artificially stored waters authorized by permit under this section shall be limited to a maximum cumulative total of no more than 177,000 acre-feet for each calendar year.

Withdrawals from wells presently drilled into both the shallow and deep management units, covered by an application filed with the department or a license to withdraw water issued by the bureau between May 12, 1967, and February 14, 1974, and which are also subject of a permit issued

under this subsection (2), shall be considered as withdrawals from the shallow management unit.

(m) The duty of water for agricultural irrigation uses shall be not more than 3.5 acre-feet for each acre for each calendar year.

(n) No applications for permits submitted pursuant to WAC 173-134A-080(2) shall be approved for withdrawals of artificially stored ground waters from wells located on lands adjacent to bureau waterways and on lands underlain by ground water that hydraulically responds to changes in the water level of the Potholes Reservoir, which specifically are those lands described in amended department of ecology Order No. 75-54, second amendment, entered on February 3, 1986.

[Statutory Authority: RCW 43.21A.060. 86-04-057 (Order DE 86-01), § 173-134A-080, filed 2/4/86. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-080, filed 6/1/83. Formerly WAC 173-134-060.]

WAC 173-134A-085 Applicability. The total withdrawal limitations of WAC 173-134A-060 and 173-134A-080 shall apply only to that geographical area within the Quincy ground water subarea that was described in the declaration of ownership of artificially stored waters by the United States Bureau of Reclamation accepted by order of the department under Docket Number 74-772 dated January 8, 1975.

[Statutory Authority: RCW 43.21A.060. 86-04-057 (Order DE 86-01), § 173-134A-085, filed 2/4/86.]

WAC 173-134A-090 Responsibility for water management—Designation of critical management areas. (1) The department of ecology shall be responsible for the water management and regulation program applicable to the comingled waters provided in this chapter, including the authorization of withdrawals of artificially stored ground waters and regulation of the same. The department shall, in order to ensure compliance with the water regulation and administration programs of this chapter, issue regulatory orders. Such orders shall be issued pursuant to RCW 43.27A.190 through 43.27A.210 and shall be subject to review as provided in chapter 43.21B RCW, before the pollution control hearings board.

(2) In times of shortage of water available to satisfy all ground water withdrawals authorized under WAC 173-134A-080(2), the department shall reduce withdrawals, through issuance of regulatory orders, in order of the priority date of the permit, with the latest priority being regulated first. In relation thereto, the department may designate critical management areas within the Quincy subarea based upon any of the following:

(a) Where there is an inadequate supply of water to the Potholes Reservoir and the Potholes canal system;

(b) When there is a shortage of water to satisfy ground water withdrawals authorized under WAC 173-134A-080(2);

(c) Where existing wildlife, recreational, and other values associated with the general public interest are or will be detrimentally affected on a significant scale, or

(d) Where necessary to protect rights to withdraw public waters. Designation of critical management areas shall be made through issuance of regulatory orders which shall

define the areas and specify if the regulatory period is permanent or not. During this management period, the department shall determine the allowable limits of withdrawal of artificially stored ground water within the critical management area.

(3) As part of its enforcement program, the department shall terminate permits, through the issuance of regulatory orders, when permittees fail to comply with the terms of an executed agreement as provided in WAC 173-134A-130.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-090, filed 6/1/83. Formerly WAC 173-134-070.]

WAC 173-134A-100 Establishment of a technical committee. (1) For the purpose of advising the department in the implementation of this chapter, there is established a technical committee consisting of one permanent member and one alternate member each from the bureau and the department assisted by other technical advisors (e.g. irrigation districts, municipalities) as the permanent members consider necessary.

(2) The role of the committee shall relate generally to providing advice pertaining to ground and surface water conditions and management in the Quincy subarea.

(3) The committee shall meet as necessary when called by a permanent member of the committee. Telephone conference calls may constitute a committee meeting.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-100, filed 6/1/83. Formerly WAC 173-134-080.]

WAC 173-134A-110 Request for protection of interest. Whenever the bureau believes its interest in the ground waters of the Quincy subarea are not being adequately protected, it may request the department to issue regulatory orders or take other appropriate management and regulatory actions designed to protect such interest. If the department concludes the requested action is not warranted in the administration of this chapter, the department shall issue an order denying the request.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-110, filed 6/1/83. Formerly WAC 173-134-085.]

WAC 173-134A-120 Exemptions. (1) The permit program of WAC 173-134A-080(2) shall not relate to (a) agricultural drains or (b) withdrawals of artificially stored ground waters performed for the purpose of removing excess waters injurious to private or project lands, to bureau canals or wasteways or other similar facilities; provided that no activities pertaining to (b) above will be conducted without first notifying the department and requesting its comment within a reasonable time.

(2) The permit program of WAC 173-134A-080(2) shall not relate to withdrawals by public entities of artificially stored ground waters performed as a necessary incident of the operation of an essential public service activity, such as a solid waste disposal facility or the fighting of fires. The public entity shall not construct facilities for making such withdrawals or engage in such withdrawals without first notifying the department and requesting comments from the

department regarding the intended action. This subsection shall not relate to other than essential public services and shall not pertain to the supplying of water for general municipal uses pertaining to satisfaction of industrial and domestic needs.

(3) No permit shall be required under WAC 173-134A-080(2) for withdrawals of artificially stored ground waters of less than 5,000 gallons per day for stockwatering purposes, for watering of a lawn or of a noncommercial garden not exceeding one-half acre in area, for single or group domestic uses, or for an industrial purpose as prescribed in RCW 90.44.050 pertaining to the withdrawal of public ground waters.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-120, filed 6/1/83. Formerly WAC 173-134-090.]

WAC 173-134A-130 Agreements. (1) No use of water under a permit issued pursuant to WAC 173-134A-080(2) shall take place until the recipient of such permit shall enter into an agreement with the bureau, on a form and in a content, approved and previously agreed to by the bureau and the department, pertaining to withdrawal of artificially stored ground waters. The agreement shall relate to reasonable charges for withdrawal of artificially stored ground waters and other pertinent provisions necessary to comply with federal law and ensure payment of such charges. Use of water before the permittee enters into an agreement with the bureau shall cause the permit to be terminated by the department.

(2) The bureau shall not enter into an agreement, as provided in WAC 173-134A-130(1), until a copy of a permit issued by the department pursuant to WAC 173-134A-080(2) is received by the bureau. Thereafter, upon presentation of a request the bureau shall enter into an agreement with eligible persons having state permits as described in WAC 173-134A-130(1).

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-130, filed 6/1/83. Formerly WAC 173-134-100.]

WAC 173-134A-140 Existing laws and rights. (1) Nothing in this chapter, including any permit issued pursuant hereto, shall authorize the use of waters in a manner which injures the property of others.

(2) Nothing in this chapter purports or is intended to modify any rights of an irrigation district created under a water delivery and "repayment" contract between the United States and irrigation districts located within the Columbia Basin project.

(3) Nothing herein shall modify the rights of the United States to make use of the courts to protect its interests.

(4) Nothing in this chapter is intended to require the bureau to obtain a permit for recapture of ground water for project purposes by wasteways and drains, including Potholes Reservoir, which water is covered by an accepted declaration of right to withdraw artificially stored ground water pursuant to RCW 90.44.130.

(5) Nothing in this chapter purports to regulate the administration and operation of Columbia Basin project facilities.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-140, filed 6/1/83. Formerly chapter 173-134 WAC.]

WAC 173-134A-150 Regulation review. The department of ecology shall initiate a review of the rules established in this chapter whenever new information, changing conditions, or statutory modifications make it necessary to consider revisions.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW. 88-13-037 (Order 88-11), § 173-134A-150, filed 6/9/88. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-150, filed 6/1/83. Formerly chapter 173-134 WAC.]

WAC 173-134A-160 Relinquishments—Public ground water. To the extent the department identifies ground water rights that have reverted to the state pursuant to RCW 90.14.130, et seq.; it, in its discretion, may issue public ground water permits not exceeding those quantities. Public ground water made available due to relinquishment of water rights shall be subject to appropriation, reservation, or withdrawal in accordance with the applicable state water laws.

[Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-160, filed 6/1/83.]

WAC 173-134A-165 Enforcement. In enforcement of this chapter, the department of ecology may impose such sanctions as are appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190 and civil penalties under RCW 90.03.600.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW. 88-13-037 (Order 88-11), § 173-134A-165, filed 6/9/88.]

WAC 173-134A-170 Appeals. All final written decisions of the department of ecology pertaining to permits, regulatory orders, and related decisions, made pursuant to this chapter shall be subject to review by the pollution control hearings board in accordance with chapter 43.21B RCW.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW. 88-13-037 (Order 88-11), § 173-134A-170, filed 6/9/88. Statutory Authority: RCW 43.21A.060, 43.21A.080, 43.27A.090, 90.44.130, 90.54.040(2) and chapter 90.03 RCW. 83-12-060 (Order DE 83-10), § 173-134A-170, filed 6/1/83.]

Chapter 173-136 WAC

THE ESTABLISHMENT OF A SYSTEM OF AUTHORIZING THE WITHDRAWAL OF ARTIFICIALLY STORED GROUND WATERS EMBODIED IN AN APPROVED DECLARATION UNDER RCW 90.44.130, WHICH ARE COMMINGLED WITH PUBLIC GROUND WATERS IN GROUND WATER AREAS, SUBAREAS, AND ZONES ESTABLISHED UNDER RCW 90.44.130

WAC

173-136-010 Purpose of chapter.
173-136-020 Definitions—This chapter.

173-136-030 Permit to withdraw.
173-136-040 Criteria for ruling upon application for permits.
173-136-050 Public notice of application and public hearings—When required.
173-136-060 Permits—Priorities and conditions of right of withdrawal.
173-136-070 Permits do not establish or embody water rights.
173-136-080 Permits shall be transmitted to the holder of a declaration.
173-136-090 Failure to obtain permit—Unlawful.
173-136-095 Enforcement.
173-136-100 Appeals.
173-136-110 Regulation review.

WAC 173-136-010 Purpose of chapter. The purpose of this chapter is to establish a permit system as a part of a comprehensive state water management and regulatory control program pertaining to the withdrawal and use of ground waters consisting of commingled artificially stored ground waters and public waters located in areas, subareas, and zones designated pursuant to RCW 90.44.130. The permit system established in this chapter relates only to the withdrawal and use of artificially stored ground waters of such ground waters.

[Order 74-36, § 173-136-010, filed 1/9/75.]

WAC 173-136-020 Definitions—This chapter. Definitions. For purposes of this chapter the following definitions shall apply. (It is noted that the (2) and (6) hereof are not intended to be identical with definitions contained in RCW 90.44.035.)

(1) "Area, subarea, or zone" means a ground water area, subarea, or zone designated by the department of ecology pursuant to RCW 90.44.130(3), which contains commingled artificially stored and public ground waters.

(2) "Artificially stored ground waters" mean water beneath the land surface within an area, subarea, or zone(s) which are the subject of a declaration accepted by the department of ecology pursuant to RCW 90.44.130(6).

(3) "Department" means the department of ecology.

(4) "Ground waters" means all waters beneath the land surface of an area, subarea, or zone.

(5) "Person" means individual, public, or private corporation, municipality, county, partnership, association, federal, or state agency or body, or any other entity whatsoever.

(6) "Public ground waters" means all ground waters within an area, subarea, or zone other than artificially stored ground waters.

[Order 74-36, § 173-136-020, filed 1/9/75.]

WAC 173-136-030 Permit to withdraw. No person, unless expressly exempted by a specific management regulation of the department adopted for an area or subarea, may withdraw any artificially stored ground waters for beneficial use from any area, subarea, or zone without first obtaining a permit from the department of ecology as hereinafter provided. An application for a permit shall be submitted on a form provided by the department. The application shall contain the following information:

- (1) Name
- (2) Address
- (3) Point of withdrawal
- (4) Place of use

- (5) Purpose of use
- (6) Time of use
- (6a) Amounts of withdrawal, including both maximum rate and the total volume each calendar year
- (7) The area, subarea, and zone from which the waters are to be withdrawn.

[Order 74-36, § 173-136-030, filed 1/9/75.]

WAC 173-136-040 Criteria for ruling upon application for permits. (1) The criteria for ruling on an application for a permit are as follows. An application shall be approved if:

- (a) Artificially stored waters are available for withdrawal; and
- (b) The public interest will not be detrimentally affected; and
- (c) Rights to withdraw public water will not be impaired; and
- (d) The interests of the holder embodied [embodied] in a declaration accepted by the department pursuant to RCW 90.44.130(6) will not be impaired.

(e) The withdrawal and use proposed in the application can be performed consistent with the provision of the chapter of the Washington Administrative Code containing the water management and regulation regulations for the specific ground water area, subarea, or zone to which the application relates.

(2) Prior to issuance of a permit to withdraw artificially stored ground water, the department shall consult with the holder of a declaration accepted by the department pursuant to RCW 90.44.130.

[Order 74-36, § 173-136-040, filed 1/9/75.]

WAC 173-136-050 Public notice of application and public hearings—When required. (1) Public notices of applications filed with the department shall be required by the department only when it appears to the department that the public interest will be served. When a notice is required the applicant shall be responsible for its publication in a form, manner, and frequency as determined by the department unless otherwise specified.

(2) Public hearings on such applications shall be required by the department only when it appears to the department that the public interest will be served.

[Order 74-36, § 173-136-050, filed 1/9/75.]

WAC 173-136-060 Permits—Priorities and conditions of right of withdrawal. Every permit issued pursuant to this chapter shall be:

(1) Conditioned to insure the protection of public interest and values and of the rights of withdrawal and use established in public waters and artificially stored ground waters both prior and subsequent to the issuance of such a permit.

(2) Conditioned to comply with the provisions of the chapter of the Washington Administrative Code containing the water management and regulation regulations for the specific ground water area, subarea, or zone to which the application relates.

(3) Conditioned to provide for inspection, monitoring, entry, and reporting of data by or to the department and the holder of an accepted declaration as required by the department.

(4) Conditioned to provide that a permit shall be subject to termination or modification for failure to comply with any agreement, approved by the department, between the permittee and the holder of a declaration accepted by the department of ecology pursuant to RCW 90.44.130.

(5) Subject to termination or modification, through issuance of supplemental orders of the department, for good cause, including but not limited to:

- (a) Violation of a permit condition;
- (b) Obtaining a permit by misrepresentation or failure to fully disclose all relevant facts;
- (c) The receipt of new facts or information dictate the same.

[Order 74-36, § 173-136-060, filed 1/9/75.]

WAC 173-136-070 Permits do not establish or embody water rights. Permits issued pursuant to this chapter do not establish or embody water rights as provided in RCW 90.44.050 and 90.44.060.

[Order 74-36, § 173-136-070, filed 1/9/75.]

WAC 173-136-080 Permits shall be transmitted to the holder of a declaration. A copy of each permit issued by the department under this chapter shall be transmitted, at the time of issuance, to the holder of a declaration accepted by the department pursuant to RCW 90.44.130 pertaining to artificially stored ground water.

[Order 74-36, § 173-136-080, filed 1/9/75.]

WAC 173-136-090 Failure to obtain permit—Unlawful. Failure to comply with the provisions of this chapter, including failure to obtain a permit as required herein and violation of a condition of such a permit, shall constitute a basis for the imposition of civil and criminal sanctions contained in applicable state statutes.

[Order 74-36, § 173-136-090, filed 1/9/75.]

WAC 173-136-095 Enforcement. In enforcement of this chapter, the department of ecology may impose such sanctions as are appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190 and civil penalties under RCW 90.03.600.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW. 88-13-037 (Order 88-11), § 173-136-095, filed 6/9/88.]

WAC 173-136-100 Appeals. All final written decisions of the department of ecology pertaining to permits, regulatory orders, and related decisions made pursuant to this chapter shall be subject to review by the pollution control hearings board in accordance with chapter 43.21B RCW.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW. 88-13-037 (Order 88-11), § 173-136-100, filed 6/9/88; Order 74-36, § 173-136-100, filed 1/9/75.]

WAC 173-136-110 Regulation review. The department of ecology shall initiate a review of the rules established in this chapter whenever new information, changing conditions, or statutory modifications make it necessary to consider revisions.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW, 88-13-037 (Order 88-11), § 173-136-110, filed 6/9/88.]

Chapter 173-145 WAC

ADMINISTRATION OF THE FLOOD CONTROL ASSISTANCE ACCOUNT PROGRAM

WAC

173-145-010	Authority and purpose.
173-145-020	Definitions.
173-145-030	Eligibility criteria for FCAAP funds.
173-145-040	Comprehensive flood control management plan (CFCMP).
173-145-050	Flood plain management activities.
173-145-060	FCAAP project application process.
173-145-070	FCAAP project approval process.
173-145-080	Criteria for allocation of funds.
173-145-090	Flood control assistance account funding and matching requirements.
173-145-100	Emergency fund administration.
173-145-110	Multiyear projects.
173-145-120	Work standards for all FCAAP projects.
173-145-130	Project construction monitoring.
173-145-140	Written agreements.
173-145-155	Approval of changes to written agreements.

DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

173-145-150	Equipment rental. [Statutory Authority: Chapter 86.26 RCW, 85-14-002 (Order DE 85-10), § 173-145-150, filed 6/21/85.] Repealed by 87-04-022 (Order 86-36), filed 1/28/87. Statutory Authority: Chapter 86.26 RCW.
-------------	---

WAC 173-145-010 Authority and purpose. RCW 86.26.050 provides that counties and other municipal corporations responsible for flood control maintenance may apply to the department of ecology for financial assistance for the preparation of comprehensive flood control management plans and for flood control maintenance projects. The purpose of such plans is described in RCW 86.26.105. The department shall determine priorities and allocate available funds from the flood control assistance account program (FCAAP) among those counties applying for assistance, and shall adopt regulations establishing the criteria by which such allocations shall be made. Such criteria shall be based upon proposals which are likely to bring about public benefits commensurate with the amount of state funds allocated thereto. This chapter describes the manner in which ecology will implement the provisions of the act.

[Statutory Authority: Chapter 86.26 RCW, 87-04-022 (Order 86-36), § 173-145-010, filed 1/28/87; 85-14-002 (Order DE 85-10), § 173-145-010, filed 6/21/85.]

WAC 173-145-020 Definitions. For the purposes of this chapter, the following definitions shall be used:

- (1) "Applicant." An eligible municipal corporation seeking matching funds for flood control maintenance work.
- (2) "Appropriate local authority." A county, city, or town having planning and land use jurisdiction within a

given area which is covered by the comprehensive flood control management plan.

(3) "Certification." Certification is the written confirmation between ecology and the appropriate local authority and the county engineer which verifies the understanding as to what the comprehensive flood control management plan will contain, the timing and anticipated product, and a reporting schedule that will allow for ecology review and input during the plan development.

(4) "Comprehensive flood control management plan (CFCMP)." A document which determines the need for flood control work, considers alternatives to in-stream flood control work, identifies and considers potential impacts of in-stream flood control work on the state's in-stream resources, and identifies the river's meander belt or floodway, as described in WAC 173-145-040.

(5) "County engineer." The appointed public works director, county engineer, or the person designated to act for the county engineer.

(6) "Eligible municipal corporation." Counties, cities, towns, conservation districts, flood control zone districts, or any special districts subject to flood conditions.

(7) "Emergency fund." That portion of the biennial appropriation allocated to the flood control assistance account which is set aside for emergency projects.

(8) "Emergency project." Flood control work necessary for reasons declared by the appropriate local authority and as authorized and approved by ecology which must be done immediately to protect lives or property.

(9) "Flood compatible land uses." Those uses of the land within the river's meander belt or floodway which comply with the minimum state, federal, and local flood plain management regulation requirements.

(10) "Flood plain management activities." Activities described in WAC 173-145-050 performed by local governments through ordinances or other means to reduce the damaging effects of flooding.

(11) "Floodway." The channel of a river or other watercourse and the adjacent land areas that must be reserved in order to discharge the base (one hundred year frequency) flood without cumulatively increasing the water surface elevation more than a designated height.

(12) "Maintenance project." The work necessary to preserve or restore the natural condition or to restore man-made flood control facilities to their former condition using in-kind replacement materials or acceptable alternatives. This work is necessary due to anticipated or actual damage or destruction from flooding by action of erosion, stream flow, sheet runoff, or other damages by the sea or other bodies of water.

(13) "Meander belt." That portion of the flood plain, that can be identified by the evidence of present and previous meanders. This shall include the present stream channel. Where there is no identified floodway, that area which is floodprone and has similar topographic characteristics to present and historic stream channels shall be considered as a meander belt.

(14) "Public benefit." Benefit to the health, safety, or general welfare of the citizens of the state or community at large which results from a flood control project or plan, or some benefit by which their rights or liabilities are affected

such as an effect on public property or facilities owned or maintained by an eligible municipal corporation.

(15) "Special district." A district as defined in chapter 85.38 RCW which is either a diking district; a drainage district; a diking, drainage, and/or sewerage improvement district; an intercounty diking and drainage district; a consolidated diking district, drainage district, diking improvement district, and/or drainage improvement district; or a flood control district.

[Statutory Authority: Chapter 86.26 RCW. 87-04-022 (Order 86-36), § 173-145-020, filed 1/28/87; 85-14-002 (Order DE 85-10), § 173-145-020, filed 6/21/85.]

WAC 173-145-030 Eligibility criteria for FCAAP funds. Criteria to be used in determining eligibility for FCAAP funds are as follows:

(1) Eligible municipal corporation. The applicant must be an eligible municipal corporation as defined in WAC 173-145-020(6).

(2) Public benefit. The applicant must demonstrate that their comprehensive flood control management plans and flood control maintenance projects shall further the general public and state interest as differentiated from a private interest and that they shall bring about public benefits commensurate with FCAAP funds provided.

(3) Comprehensive flood control management plan. The requirements of WAC 173-145-040 must be complied with by the appropriate local authority with flood control jurisdiction over the area where the proposed project is located.

(4) Flood plain management activities. The appropriate local authority within whose jurisdiction projects are located shall be engaging in approved flood plain management activities as described in WAC 173-145-050.

(5) Budget report. Any eligible municipal corporation seeking FCAAP funds shall submit its annual budget for flood control purposes to the county engineer within thirty calendar days after its final adoption. The county engineer shall then forward the budget report for eligible municipal corporations and for the county to ecology. The information will provide the basis for preparation of a preliminary plan for the most beneficial and orderly allocation of FCAAP funds. Soil conservation districts shall be exempt from the provisions of this section.

[Statutory Authority: Chapter 86.26 RCW. 87-04-022 (Order 86-36), § 173-145-030, filed 1/28/87; 85-14-002 (Order DE 85-10), § 173-145-030, filed 6/21/85.]

WAC 173-145-040 Comprehensive flood control management plan (CFCMP). The county engineer of the county within which the maintenance project is located must certify that the CFCMP has been completed and adopted by the appropriate local authority or is being prepared. Comprehensive flood control management plans, and any revisions to the plans, must be approved by ecology, in consultation with the department of fisheries and game. The (CFCMP) must be completed and adopted within three years of the date that it is certified as being prepared. If, after the three-year period has elapsed, such a plan has not been completed and adopted, grants for flood control maintenance projects shall not be made to the county for projects by the appropriate local authority until the CFCMP is completed

and adopted by the appropriate local authority. During the three-year period, projects within a drainage area, designated as the CFCMP study area, may be funded as part of a phased project plan, provided preliminary studies for the CFCMP have been conducted to identify the one-hundred-year frequency flood plain problem areas, and factors contributing to flooding; and provided that the proposed projects have been prioritized to achieve the greatest efficiency in flood control for the overall CFCMP study area. These limitations on grants shall not preclude allocations for emergency purposes made pursuant to RCW 86.26.060. The appropriate local authority may require the applicant to fully or partially fund the preparation of the CFCMP. The plan must include:

- (1) Determination of the need for flood control work.
 - (a) Description of the watershed.
 - (b) Identification of types of watershed flood problems.
 - (c) Location and identification of specific problem areas.
 - (d) Description of flood damage history.
 - (e) Description of potential flood damages.
 - (f) Short-term and long-term goals and objectives for the planning area.
 - (g) Description of regulations which apply within the watershed, including but not limited to local shoreline management master programs, and zoning, subdivision, and flood hazard ordinances.

(h) Determination of instream flood control work being consistent with applicable policies and regulations.

(2) Alternative flood control work.

- (a) Description of potential measures of instream flood control work.

(b) Description of alternatives to instream flood control work.

(3) Identification and consideration of potential impacts of instream flood control work on the following instream uses and resources.

- (a) Fish resources.
- (b) Wildlife resources.
- (c) Scenic, aesthetic, and historic resources.
- (d) Navigation.
- (e) Water quality.
- (f) Hydrology.
- (g) Existing recreation.
- (h) Other.

(4) Area of coverage for the comprehensive plan shall include, as a minimum, the area of the one-hundred-year frequency flood plain within a reach of the watershed of sufficient length to ensure that a comprehensive evaluation can be made of the flood problems for a specific reach of the watershed. The plan may or may not include an entire watershed. Comprehensive plans shall also include flood hazard areas not subject to riverine flooding such as areas subject to coastal flooding, flash flooding, or flooding from inadequate drainage. Either the meander belt or floodway shall be identified on aerial photographs or maps which will be included with the plan.

(5) Conclusion and proposed solution(s). The CFCMP shall be finalized by the following action from the appropriate local authority:

- (a) Evaluation of problems and needs;
- (b) Evaluation of alternative solutions;

(c) Recommended corrective action(s) with proposed impact resolution measures for resource losses; and

(d) Corrective action priority.

(6) A certification from the state department of community development that the local emergency management organization is administering an acceptable comprehensive emergency operations plan.

[Statutory Authority: Chapter 86.26 RCW. 87-04-022 (Order 86-36), § 173-145-040, filed 1/28/87; 85-14-002 (Order DE 85-10), § 173-145-040, filed 6/21/85.]

WAC 173-145-050 Flood plain management activities. Local jurisdictions within which flood control maintenance projects are located, must be engaging in flood plain management activities. Pursuant to chapter 86.26 RCW the director of the department of ecology must approve the flood plain management activities of the county, city, or town having jurisdiction over the area where the project will be located. To be eligible for FCAAP funding the local jurisdiction shall be required to:

(1) Participate in the National Flood Insurance Program (NFIP) and meet all of the NFIP requirements.

(2) Restrict land uses within the meander belt or floodway of rivers to only flood compatible uses. Where applicable, adopted shoreline management master programs will be considered a minimum land use measure.

[Statutory Authority: Chapter 86.26 RCW. 87-04-022 (Order 86-36), § 173-145-050, filed 1/28/87; 85-14-002 (Order DE 85-10), § 173-145-050, filed 6/21/85.]

WAC 173-145-060 FCAAP project application process. The project application process for the eligible municipal corporations' applications shall include the following in the general sequence given.

(1) The applicant shall prepare the project application to comply with the provisions of chapter 86.26 RCW and this chapter. The application shall be made on a form furnished by ecology. A complete application shall include the following:

(a) A written description of the project containing the following as a minimum: Name of applicant, name of affected water body, project summary, location, amount of local match, and proposed local funding source;

(b) A detailed cost estimate identifying major project elements;

(c) A map to identify water body names, stream river mile, section-township-range;

(d) Construction plans; and

(e) A description of the project benefits which describe how the project will mitigate flood damages and describe development which exists on adjacent and nearby lands which are protected by the facility.

(2) The applicant shall review the preliminary project proposal with the county engineer, the Washington departments of fisheries or game and the department of natural resources and any affected Indian tribes.

(3) The applicant shall submit a prioritized list of project applications to the county engineer.

(4) The county engineer shall submit a prioritized list of all project applications within the county to ecology.

(5) The county engineer shall furnish evidence to ecology that the comprehensive flood control management plan described in WAC 173-145-040 is being prepared or is completed and adopted by the appropriate local authority or and the flood plain management activities described in WAC 173-145-050 are being implemented.

[Statutory Authority: Chapter 86.26 RCW. 87-04-022 (Order 86-36), § 173-145-060, filed 1/28/87; 85-14-002 (Order DE 85-10), § 173-145-060, filed 6/21/85.]

WAC 173-145-070 FCAAP project approval process. The project approval process for the eligible municipal corporations' applications shall include the following in the general sequence given.

(1) Ecology will review all projects for compliance with the requirements pursuant to this chapter and chapter 86.26 RCW.

(2) Ecology shall consult with the state departments of fisheries and game in the development of a project priority list. The state department of natural resources, affected Indian tribes, and other affected parties may review and comment on the proposed project plans prior to approval.

(3) Thirty days public notice shall be given that the project priority list will be the subject of a public hearing. Notice of this hearing shall appear in the State Register pursuant to chapter 34.08 RCW.

(4) The project priority list will be available at the flood plain management section of the department of ecology, at least fifteen days prior to the public hearing.

(5) The public comments will be reviewed and ecology shall approve the project priority list as proposed or as revised in accordance with public comments.

(6) Ecology shall prepare and finalize the written agreements with the counties.

(7) The counties shall prepare and finalize the written agreements with the involved eligible municipal corporations within the county.

(8) The construction plans and specifications shall be prepared by the applicant for approval by the county engineer prior to submission to ecology for review and approval of each project for compliance with all requirements.

(9) The applicant shall acquire the necessary federal, state, and local permits or authorizations along with any other permission required to complete the project.

[Statutory Authority: Chapter 86.26 RCW. 87-04-022 (Order 86-36), § 173-145-070, filed 1/28/87; 85-14-002 (Order DE 85-10), § 173-145-070, filed 6/21/85.]

WAC 173-145-080 Criteria for allocation of funds. The priority given to projects by ecology, the counties, and other eligible municipal corporations shall involve consideration of the following criteria:

(1) The relationship of public benefits to total project costs.

(2) The priority which has already been established by each county.

(3) Intensity of local flood control management problems, including but not limited to their inter-relationships with:

(a) Population affected;

- (b) Property and related development affected;
 - (c) Land management and zoning;
 - (d) Existing flood control management practices.
- (4) Where the CFCMP is completed and adopted, the following will be considered:
- (a) Consistency with the plan or plan recommendations;
 - (b) Priority of project as identified in the plan;
 - (c) Implementation of plan or plan recommendations;
 - (d) Potential impacts of instream uses and resources;
 - (5) Where a CFCMP is being developed or has not been initiated, the following will be considered:
 - (a) Evidence of multijurisdictional cooperation necessary for development of a comprehensive county or multicounty comprehensive flood control management plan (CFCMP);
 - (b) Availability of qualified personnel or resources for planning purposes;
 - (c) Availability of qualified personnel or resources for project construction purposes;
 - (d) Other planning efforts undertaken or proposed within the planning jurisdiction and their relationship to flood control management;
 - (e) Ability to make rapid progress toward development of a comprehensive flood control management plan;
 - (f) Existing and proposed participation of community groups, private industry, professional organizations, the general public, and others toward the development and implementation of the proposed comprehensive flood control management plan.

[Statutory Authority: Chapter 86.26 RCW. 87-04-022 (Order 86-36), § 173-145-080, filed 1/28/87; 85-14-002 (Order DE 85-10), § 173-145-080, filed 6/21/85.]

WAC 173-145-090 Flood control assistance account funding and matching requirements. The flood control assistance account is established at four million dollars at the beginning of each biennium. The following criteria shall be used for allocating FCAAP funds:

- (1) The amount of FCAAP funding for any project, except emergency projects described in WAC 173-145-100, shall not exceed fifty percent of the total project cost, including planning and design costs.
- (2) The amount of FCAAP funds to prepare a CFCMP shall not exceed seventy-five percent of the full planning costs.
- (3) The amount of FCAAP funds available for all non-emergency projects and CFCMP's in any county shall not exceed five hundred thousand dollars per biennium.
- (4) In addition to the limits in subsection (3) of this section, an agency formed under chapter 86.13 RCW shall be allowed up to one hundred thousand dollars in FCAAP funds per biennium.
- (5) In those areas where a designated CFCMP area extends into two or more jurisdictions, costs for a CFCMP may be shared by the involved local authorities.

[Statutory Authority: Chapter 86.26 RCW. 87-04-022 (Order 86-36), § 173-145-090, filed 1/28/87; 85-14-002 (Order DE 85-10), § 173-145-090, filed 6/21/85.]

WAC 173-145-100 Emergency fund administration. Funds shall be available for flood control projects in response to unusual, unforeseeable, and emergent flood condi-

tions and shall be allocated in amounts adequate for the preservation of life and property. The following criteria shall be the basis of allocating the emergency funds:

- (1) Appropriations from the FCAAP fund for emergency projects will require the declaration of an emergency by the appropriate local authority.
- (2) Application for emergency funds must be made on the same form used for nonemergency fund applications.
- (3) Payment of FCAAP funds for emergency projects will be based on project construction costs. Flood fighting costs may be included.
- (4) Payment for emergency work shall be allocated on a first-come first-serve basis and shall not be based on any priority system.
- (5) At the discretion of ecology, emergency funds may be made available for use on nonemergency projects.
- (6) The maximum amount of emergency funds initially available for any one county is one hundred fifty thousand dollars per biennium. If the total available emergency funds are not needed by other counties and the amount of emergency funds needed in a county exceeds one hundred fifty thousand dollars the county can request additional emergency funds.
- (7) The flood control assistance account contribution shall not exceed eighty percent of the eligible project cost of an emergency project.
- (8) Emergency funds will only be made available to projects which have been given approval for matching funds by the department of ecology prior to construction work being performed.

[Statutory Authority: Chapter 86.26 RCW. 87-04-022 (Order 86-36), § 173-145-100, filed 1/28/87; 85-14-002 (Order DE 85-10), § 173-145-100, filed 6/21/85.]

WAC 173-145-110 Multiyear projects. Approval for eligibility by ecology will only be required once for a project which continues more than one biennium, but funding for each subsequent biennium is subject to further FCAAP appropriation by the legislature.

[Statutory Authority: Chapter 86.26 RCW. 87-04-022 (Order 86-36), § 173-145-110, filed 1/28/87; 85-14-002 (Order DE 85-10), § 173-145-110, filed 6/21/85.]

WAC 173-145-120 Work standards for all FCAAP projects. All work which is funded from the flood control assistance account shall conform to the standards and specifications of the county engineer.

[Statutory Authority: Chapter 86.26 RCW. 87-04-022 (Order 86-36), § 173-145-120, filed 1/28/87; 85-14-002 (Order DE 85-10), § 173-145-120, filed 6/21/85.]

WAC 173-145-130 Project construction monitoring. The following are the responsibilities and criteria for project construction monitoring and final approval:

- (1) County engineer responsibilities. Associated with responsibility for project plan approval and supervision of the project work, the county engineer shall provide inspection to assure that all project work is conducted and completed according to the construction plans and specifications.
- (2) Ecology's responsibilities. The authorized representative of the department of ecology shall have the right to

enter at all reasonable times in or upon any property, public or private, for the purpose of monitoring and inspecting the project work as necessary to assure compliance with the terms of the appropriate written agreement. The authorized representative of the department of ecology is the contract officer and shall be identified in the written agreement. The county engineer will be informed prior to any inspection for purposes of construction monitoring and guidance by any representative of ecology other than the contract officer. Representatives of ecology may observe the construction process without prior notification of the county engineer.

(3) Final inspection and approval. Upon completion of the work, a final detailed inspection shall be made by the county engineer along with representatives from ecology and the applicant. Results of the final inspection shall be displayed in a written report prepared by ecology and, when appropriate, on "as built" construction plans. "As built" construction plans shall be submitted to ecology within thirty days after the final project inspection.

[Statutory Authority: Chapter 86.26 RCW. 87-04-022 (Order 86-36), § 173-145-130, filed 1/28/87; 85-14-002 (Order DE 85-10), § 173-145-130, filed 6/21/85.]

WAC 173-145-140 Written agreements. Written agreements will be prepared by ecology as a means to reimburse eligible municipal corporations for work done on approved eligible projects or for development of CFCMP's. Written agreements, billing, and payment shall comply with ecology's standard requirements for grants and contracts. Notification is required when written agreements will not be accepted or executed to allow ecology the opportunity to award prioritized, unfunded projects.

[Statutory Authority: Chapter 86.26 RCW. 87-04-022 (Order 86-36), § 173-145-140, filed 1/28/87; 85-14-002 (Order DE 85-10), § 173-145-140, filed 6/21/85.]

WAC 173-145-155 Approval of changes to written agreements. All flood control maintenance and comprehensive flood control management planning (CFCMP) projects subject to the provisions of this regulation shall be conducted in accordance with the plans, specifications, and conditions approved by ecology. Any contemplated changes during construction or planning process which are significant deviations from conditions of the approved agreement, shall first be submitted to ecology for approval. Any changes to the total cost of the project following execution of the written agreement must be submitted to ecology for approval prior to construction or plan completion.

[Statutory Authority: Chapter 86.26 RCW. 87-04-022 (Order 86-36), § 173-145-155, filed 1/28/87.]

Chapter 173-150 WAC

PROTECTION OF WITHDRAWAL FACILITIES ASSOCIATED WITH GROUND WATER RIGHTS

WAC

173-150-010	Purpose.
173-150-020	Authority.
173-150-030	Definitions.
173-150-040	Reasonable or feasible pumping lift.
173-150-050	Establishment of new rights—Interference considerations.

173-150-060	Impairment of water right.
173-150-070	Notification of impairment of right.
173-150-080	Procedures for correction of impairment.
173-150-090	Voluntary agreements.
173-150-100	Water quality.
173-150-110	Saltwater intrusion and ground water contamination.
173-150-120	Applicability.
173-150-125	Enforcement.
173-150-130	Appeals.
173-150-135	Regulation review.
173-150-140	Existing laws and regulations not affected.

WAC 173-150-010 Purpose. The purpose of this chapter is to establish and set forth the policies and procedures of the department of ecology in regard to the protection of the availability of ground water as it pertains to the water withdrawal facilities of holders of ground water rights.

[Statutory Authority: Chapter 90.44 RCW. 85-12-017 (Order 84-44), § 173-150-010, filed 5/29/85.]

WAC 173-150-020 Authority. This chapter is promulgated by the department of ecology pursuant to chapters 43.21A, 90.44, 90.54 and 18.104 RCW.

[Statutory Authority: Chapter 90.44 RCW. 85-12-017 (Order 84-44), § 173-150-020, filed 5/29/85.]

WAC 173-150-030 Definitions. For the purposes of this chapter the following definitions shall apply:

- (1) "Department" means the Washington state department of ecology.
- (2) "Ground water right" means an authorization to use ground water established pursuant to chapter 90.44 RCW, state common or statutory law existing prior to the enactment of chapter 90.44 RCW, or federal law.
- (3) "Withdrawal facilities" means and includes any well, infiltration trench or other excavation that is drilled, cored, bored, washed, driven, dug, jetted or otherwise constructed, together with the casing, screen, pump, pump column, motor and related equipment, which is used for the withdrawal of ground water.

(4) "Aquifer" means any geologic formation that will yield water to a well or other withdrawal works in sufficient quantity for beneficial use.

(5) "Ground water" means all waters that exist beneath the land surface or beneath the bed of any stream, lake or reservoir, or other body of surface water, whatever may be the geological formation or structure in which such water stands or flows, percolates or otherwise moves.

(6) "Contamination" means an impairment of the beneficial use of ground water arising from the modification of the quality thereof by the introduction of organisms, chemical, organic or radioactive material or of heated or cooled water.

(7) "Significant modification" means the deepening or reaming of a well, lowering the pump bowls by adding lengths of pump column, adding water quality treatment devices, or other similar modifications, where the total cost or value of such modifications exceeds (1) \$500.00 for domestic, stock or other water withdrawal facilities withdrawing less than 5,000 gallons per day, or (2) \$2500.00 for all other facilities.

(8) "Qualifying withdrawal facilities" means those withdrawal facilities which in the opinion of the department constitute a reasonable development of the aquifer. A

reasonable development must satisfy the following requirements:

(a) The withdrawal facilities must be constructed in accordance with chapter 18.104 RCW (Water Well Construction Act) and chapter 173-160 WAC (Minimum standards for construction and maintenance of water wells) and the water right permit provisions, if any, or the applicable state laws and the regulations of the department which were in effect at the time of construction of the facilities.

(b) The withdrawal facilities must have a depth of aquifer penetration which will allow the withdrawal of water from a reasonable or feasible pumping lift;

(c) The withdrawal facilities must be able to accommodate a reasonable variation in seasonal pumping water levels;

(d) The withdrawal facilities, including the pumping facilities, must be properly sized to the ability of the aquifer to produce water.

[Statutory Authority: Chapter 90.44 RCW. 85-12-017 (Order 84-44), § 173-150-030, filed 5/29/85.]

WAC 173-150-040 Reasonable or feasible pumping lift. For the purposes of this chapter, reasonable or feasible pumping lift shall be determined by the department taking into account the following factors, among others:

(1) The geohydraulic characteristics of the aquifer;

(2) The state of construction technology of water withdrawal facilities;

(3) Historic considerations in regards to the construction, maintenance and use of water withdrawal facilities within the vicinity;

(4) The ground water area or subarea management program for the vicinity, if one exists.

[Statutory Authority: Chapter 90.44 RCW. 85-12-017 (Order 84-44), § 173-150-040, filed 5/29/85.]

WAC 173-150-050 Establishment of new rights—Interference considerations. If the department determines that a proposed appropriation of ground water would cause a lowering of the water levels below a reasonable or feasible pumping lift in any withdrawal facilities of an existing ground water right holder or that approval of the proposed appropriation would impair any existing water rights or would otherwise be detrimental to the public welfare, the application shall be rejected. If, however, the application is to be rejected because of conflict with existing rights, and the applicant thereafter indicates that such existing rights will be acquired by the applicant by purchase, gift or condemnation under RCW 90.03.040, the department may issue an interim conditional ruling and defer final decision on the application for a reasonable period of time to be specified by the department in the interim ruling.

[Statutory Authority: Chapter 90.44 RCW. 85-12-017 (Order 84-44), § 173-150-050, filed 5/29/85.]

WAC 173-150-060 Impairment of water right. For the purposes of this chapter, a ground water right which pertains to qualifying withdrawal facilities, shall be deemed to be impaired whenever:

(1) There is an interruption or an interference in the availability of water to said facilities, or a contamination of

such water, caused by the withdrawal of ground water by a junior water right holder or holders; and

(2) Significant modification is required to be made to said facilities in order to allow the senior ground water right to be exercised.

[Statutory Authority: Chapter 90.44 RCW. 85-12-017 (Order 84-44), § 173-150-060, filed 5/29/85.]

WAC 173-150-070 Notification of impairment of right. Any senior ground water right holder who believes that his water right has been impaired may notify the department of such impairment and request the assistance of the department to protect the availability of water to his qualifying withdrawal facilities. Such notification and request for assistance must be in writing and must contain the following information:

(1) Name, address and signature of the senior water right holder;

(2) Description of the water right, including the water right number if one exists; the quantities of water permitted and the quantities of water historically withdrawn; the priority date of the water right; the location of the withdrawal facilities; a description of the withdrawal facilities including well depth, casing, pump size and depth and historic water levels, and any recent changes made to the withdrawal facilities or the use of such facilities, especially in relation to WAC 173-150-030(8); the name of the water well contractor and a copy of the water well report of the construction of the withdrawal facilities, if available;

(3) Description of the alleged impairment of the senior water right, the date of the beginning of impairment, the degree of impairment and any steps taken by the senior water right holder to alleviate the impairment;

(4) Location and description of the junior water withdrawal facilities together with the name of the user thereof, if known, which in the opinion of the senior water right holder are the cause of the impairment;

(5) Any other pertinent information which may reasonably be required by the department.

[Statutory Authority: Chapter 90.44 RCW. 85-12-017 (Order 84-44), § 173-150-070, filed 5/29/85.]

WAC 173-150-080 Procedures for correction of impairment. Upon notification to the department of the impairment of a ground water right as provided in WAC 173-150-070 or on the department's own motion, the department may, when appropriate, notify the water right holders of the alleged impairment and of its intention to make investigations concerning the matter. The department may conduct aquifer or pump tests and make investigations of the withdrawal works, geology, hydrology, water quality, historic water use or other factors which may influence the local aquifers, and may make a written report of its findings. If it is determined that ground water withdrawals by a junior water right holder or holders have caused the impairment, the department may, through regulatory orders, take one or more of the following actions:

(1) Bar or regulate the withdrawals of the junior appropriator(s) in a fashion which will preclude future impairment of the senior right;

(2) Bar or regulate the ground water withdrawals of the most junior water right holders in order of priority of right if the aggregate withdrawals exceed the maximum amount set by the department for the area, subarea or zone pursuant to the procedures of RCW 90.44.180;

(3) Require the well owner(s), including the senior water right holder, to rehabilitate or abandon the well(s) in accordance with chapter 173-160 WAC in the case of impairment caused by the failure of wells to meet the well construction standards or the requirements of water right permit or certificate provisions, if any;

(4) Rescind authorizations for additional junior withdrawal facilities and/or reduce the authorized withdrawal rates, as appropriate, where the department finds that an appropriation by a junior right holder is the cause of the impairment and where the said junior ground water right holder has not yet completed construction of the authorized withdrawal facilities. The department shall include a provision concerning the possibility of such rescissions as a condition on ground water permits with multiple points of withdrawal.

[Statutory Authority: Chapter 90.44 RCW. 85-12-017 (Order 84-44), § 173-150-080, filed 5/29/85.]

WAC 173-150-090 Voluntary agreements. (1) Notwithstanding the provisions of WAC 173-150-080, should the senior and junior water right holders reach a voluntary agreement which satisfies the concerns stated in the notification of impairment, the department, if it determines that the public interest is fully protected thereby, shall not regulate the withdrawals by the junior water right holder under this regulation.

(2) If such an agreement includes provisions for the delivery of water from another water withdrawal facility to the holder of the senior water right, said agreement shall not take effect until all requirements of RCW 90.44.100 are satisfied or, if a new right to withdraw water is required to be established, a permit is issued pursuant to RCW 90.44.050.

[Statutory Authority: Chapter 90.44 RCW. 85-12-017 (Order 84-44), § 173-150-090, filed 5/29/85.]

WAC 173-150-100 Water quality. As a general rule, an element of a ground water right is the right to use waters of quality appropriate to the beneficial use. In addition to the protection of the availability of ground water to the water withdrawal facilities of ground water right holders, it shall be the policy of the department to protect the quality of the ground waters of the state and in relation thereto to discourage any withdrawal facilities construction methods, water use or disposal practices which would contaminate or otherwise reduce the quality of the ground waters or impair the beneficial uses of ground waters of the state.

[Statutory Authority: Chapter 90.44 RCW. 85-12-017 (Order 84-44), § 173-150-100, filed 5/29/85.]

WAC 173-150-110 Saltwater intrusion and ground water contamination. In addition to the procedures outlined in WAC 173-150-080, the department may regulate or control saltwater intrusion conditions caused by withdrawals from a freshwater aquifer or ground water contamination

[Title 173 WAC—page 202]

caused by improper well construction techniques or other causes, through other means, including artificial recharge projects, the importation of additional water from other sources, or any other means deemed by the department to be reasonable, feasible and appropriate.

[Statutory Authority: Chapter 90.44 RCW. 85-12-017 (Order 84-44), § 173-150-110, filed 5/29/85.]

WAC 173-150-120 Applicability. The provisions of this chapter shall apply to all ground water rights and ground water users under state jurisdiction, except that WAC 173-150-080 shall apply only to permits issued or other ground water rights established subsequent to the effective date of this chapter, or to withdrawal facilities which are the subject of an application for change of water right filed pursuant to RCW 90.44.100 subsequent to the effective date of this chapter. Cases of impairment caused by facilities or ground water rights which are not subject to this chapter shall be subject to existing state laws and regulations.

[Statutory Authority: Chapter 90.44 RCW. 85-12-017 (Order 84-44), § 173-150-120, filed 5/29/85.]

WAC 173-150-125 Enforcement. In enforcement of this chapter, the department of ecology may impose such sanctions as are appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190 and civil penalties under RCW 90.03.600.

[Statutory Authority: Chapters 18.104, 43.21A, 43.27A, 90.44 and 90.54 RCW. 88-13-037 (Order 88-11), § 173-150-125, filed 6/9/88.]

WAC 173-150-130 Appeals. All final written decisions of the department of ecology pertaining to permits, regulatory orders, and related decisions made pursuant to this chapter shall be subject to review by the pollution control hearings board in accordance with chapter 43.21B RCW.

[Statutory Authority: Chapters 18.104, 43.21A, 43.27A, 90.44 and 90.54 RCW. 88-13-037 (Order 88-11), § 173-150-130, filed 6/9/88. Statutory Authority: Chapter 90.44 RCW. 85-12-017 (Order 84-44), § 173-150-130, filed 5/29/85.]

WAC 173-150-135 Regulation review. The department of ecology shall initiate a review of the rules established in this chapter whenever new information, changing conditions, or statutory modifications make it necessary to consider revisions.

[Statutory Authority: Chapters 18.104, 43.21A, 43.27A, 90.44 and 90.54 RCW. 88-13-037 (Order 88-11), § 173-150-135, filed 6/9/88.]

WAC 173-150-140 Existing laws and regulations not affected. Nothing in this chapter shall be construed to in any manner limit the authority of the department to administer and enforce the existing water resources laws of the state, including but not limited to chapters 18.104, 90.03, 90.36, 90.44, 90.48 and 90.54 RCW, and regulations promulgated thereunder.

[Statutory Authority: Chapter 90.44 RCW. 85-12-017 (Order 84-44), § 173-150-140, filed 5/29/85.]

Chapter 173-154 WAC

PROTECTION OF UPPER AQUIFER ZONES

WAC

173-154-010	Background.
173-154-020	Purpose.
173-154-030	Authority.
173-154-040	Definitions.
173-154-050	Protection of upper aquifer zones.
173-154-060	Inspections and tests.
173-154-070	Rehabilitation of withdrawal facilities.
173-154-080	Deepening of withdrawal facilities.
173-154-090	Applicability.
173-154-095	Enforcement.
173-154-100	Appeals.
173-154-105	Regulation review.
173-154-110	Existing laws and regulations not affected.

WAC 173-154-010 Background. In many parts of the state ground water aquifers exist at various depths below land surface. Such aquifers or groups of such aquifers may demonstrate a natural hydraulic separation to a significant degree over local or regional areas as evidenced, in part, by differing hydraulic heads and variable responses to pumping stress. The upper aquifer or upper aquifer zone often will not yield water in sufficient or sustainable quantities for uses which require a large volume of water. Therefore, they have often been traditionally used for domestic water supplies, stockwatering and other uses that require only minimal water supplies and for which it is not cost effective to tap deeper aquifers. Further, the uppermost aquifers also commonly contribute to spring and stream flows. In some cases, the withdrawal of water from the lower aquifers causes the depletion of the upper aquifers through cascading waters or simultaneous withdrawals from both upper and lower aquifers, and in such cases, poor quality waters from one zone can also contaminate a different aquifer zone.

[Statutory Authority: Chapters 90.44 and 90.54 RCW. 85-12-018 (Order 84-45), § 173-154-010, filed 5/29/85.]

WAC 173-154-020 Purpose. The purpose of this chapter is to establish and set forth the policies and procedures of the department of ecology in regard to the protection of the occurrence and availability of ground water within the upper aquifers or upper aquifer zones where there are multiple aquifer systems. Consistent therewith, the department shall manage the state's ground water resources in a manner that protects, to the extent practicable, the upper aquifers of multiple aquifer systems from depletions, excessive water level declines or reductions in water quality, and which recognizes that the highest and best use of the waters of limited capacity aquifers may be for domestic, stockwater and other similar uses and for the preservation of spring and stream flows.

[Statutory Authority: Chapters 90.44 and 90.54 RCW. 85-12-018 (Order 84-45), § 173-154-020, filed 5/29/85.]

WAC 173-154-030 Authority. This chapter is promulgated by the department of ecology pursuant to chapters 18.104, 43.21A, 90.44 and 90.54 RCW.

[Statutory Authority: Chapters 90.44 and 90.54 RCW. 85-12-018 (Order 84-45), § 173-154-030, filed 5/29/85.]

WAC 173-154-040 Definitions. For the purposes of this chapter the following definitions shall apply:

(1) "Department" means the Washington state department of ecology.

(2) "Ground water right" means an authorization to use ground water established pursuant to chapter 90.44 RCW, state common or statutory law existing prior to the enactment of chapter 90.44 RCW, or federal law.

(3) "Withdrawal facilities" means and includes any well, infiltration trench or other excavation that is drilled, cored, bored, washed, driven, dug, jetted or otherwise constructed, together with the casing, screen, pump, pump column, motor and related equipment which is used for the withdrawal of ground water.

(4) "Aquifer" means any geologic formation that will yield water to a well or other withdrawal facilities in sufficient quantity for beneficial use.

(5) "Ground water" means all waters that exist beneath the land surface or beneath the bed of any stream, lake or reservoir, or other body of surface water, whatever may be the geological formation or structure in which such water stands or flows, percolates or otherwise moves.

(6) "Multiple aquifer system" means any geologic formation(s) which contains distinct aquifers at different depths that exhibit a significant degree of local or regional hydraulic separation.

(7) "Upper aquifer zone" means all aquifers within a multiple aquifer system lying between the land surface and a depth or geologic formation, as determined by the department consistent with the purposes of this chapter, or as set forth in the ground water subarea management program for the area, if one exists.

(8) "Lower aquifer zone" means any aquifers occurring at a depth below the upper aquifer zone, as determined by the department, or as set forth in the ground water subarea management program for the area, if one exists.

(9) "Cascading waters" means any ground waters which fall or flow through a well or other withdrawal facilities, from one ground water aquifer to another.

(10) "Rehabilitation of withdrawal facilities" means the work necessary to reconstruct or modify existing withdrawal facilities in order to bring them into conformance with applicable laws, regulations, permit or certificate provisions and orders of the department.

[Statutory Authority: Chapters 90.44 and 90.54 RCW. 85-12-018 (Order 84-45), § 173-154-040, filed 5/29/85.]

WAC 173-154-050 Protection of upper aquifer zones. In any multiple aquifer system, where the department determines that the uppermost aquifers or upper aquifer zone will not sustain large volume ground water withdrawals without exceeding the safe sustaining yield or causing (1) adverse effects to existing water rights, (2) an unreasonable drop in the water table, (3) permanent damage to the aquifer through depletion of the aquifer or zone, (4) an impairment of the beneficial use of the ground waters arising from a modification of the water quality, or (5) depletions of spring or stream flows, the department shall require new or additional large volume withdrawals to be restricted to a lower aquifer zone. Permits for withdrawals of water from such lower aquifer zones may specify an approved manner of

construction of the withdrawal facilities, including but not limited to, a minimum and maximum well depth, specific casing and sealing requirements, and the construction of monitoring wells for the purpose of periodic measurements in areas where the aquifers cannot be readily monitored through the use of existing wells.

[Statutory Authority: Chapters 90.44 and 90.54 RCW. 85-12-018 (Order 84-45), § 173-154-050, filed 5/29/85.]

WAC 173-154-060 Inspections and tests. The department may require inspections and/or tests of withdrawal facilities prior to their use in order to ensure compliance with any construction requirements imposed by the department pursuant to this chapter. Such inspections and tests shall be performed at the expense of the holder of the permit, except that there shall be no charge for any portions of such tests or inspections which are performed by department employees. If it is the determination of the department that the facilities are not properly constructed or that the facilities may adversely affect the upper aquifers or upper aquifer zone, the department may (1) require further construction and/or testing of the facilities, or (2) require abandonment of the facilities in accordance with chapter 173-160 WAC, or (3) revoke the permit.

[Statutory Authority: Chapters 90.44 and 90.54 RCW. 85-12-018 (Order 84-45), § 173-154-060, filed 5/29/85.]

WAC 173-154-070 Rehabilitation of withdrawal facilities. The department may require the rehabilitation of existing withdrawal facilities if it finds that the facilities were not constructed or are presently not in accordance with the permit provisions, if any, or the applicable laws and regulations of the department which were in effect at the time of construction of the facilities, and that the withdrawal of waters from such facilities will adversely affect the upper aquifers or upper aquifer zone. The department shall allow a reasonable period for completion of such rehabilitation.

[Statutory Authority: Chapters 90.44 and 90.54 RCW. 85-12-018 (Order 84-45), § 173-154-070, filed 5/29/85.]

WAC 173-154-080 Deepening of withdrawal facilities. At any time that the holder of a valid ground water right proposes to deepen a withdrawal facility, the modification of the facility shall be made in such a manner as to preclude the occurrence of cascading waters. Such a facility shall not be deepened to tap a different body of public ground water, or a different aquifer zone where such zones have been determined by the department, without further appropriate authorization from the department.

[Statutory Authority: Chapters 90.44 and 90.54 RCW. 85-12-018 (Order 84-45), § 173-154-080, filed 5/29/85.]

WAC 173-154-090 Applicability. The provisions of this chapter shall apply to all ground water rights under state jurisdiction, except that WAC 173-154-050 and 173-154-060 shall apply only to permits issued or other ground water rights established subsequent to the effective date of this chapter and to withdrawal facilities which are the subject of an application for change of water right filed pursuant to

RCW 90.44.100 subsequent to the effective date of this chapter.

[Statutory Authority: Chapters 90.44 and 90.54 RCW. 85-12-018 (Order 84-45), § 173-154-090, filed 5/29/85.]

WAC 173-154-095 Enforcement. In enforcement of this chapter, the department of ecology may impose such sanctions as are appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190 and civil penalties under RCW 90.03.600.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW. 88-13-037 (Order 88-11), § 173-154-095, filed 6/9/88.]

WAC 173-154-100 Appeals. All final written decisions of the department of ecology pertaining to permits, regulatory orders, and related decisions made pursuant to this chapter shall be subject to review by the pollution control hearings board in accordance with chapter 43.21B RCW.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW. 88-13-037 (Order 88-11), § 173-154-100, filed 6/9/88. Statutory Authority: Chapters 90.44 and 90.54 RCW. 85-12-018 (Order 84-45), § 173-154-100, filed 5/29/85.]

WAC 173-154-105 Regulation review. The department of ecology shall initiate a review of the rules established in this chapter whenever new information, changing conditions, or statutory modifications make it necessary to consider revisions.

[Statutory Authority: Chapters 43.21A, 43.27A, 90.03 and 90.44 RCW. 88-13-037 (Order 88-11), § 173-154-105, filed 6/9/88.]

WAC 173-154-110 Existing laws and regulations not affected. Nothing in this chapter shall be construed to limit in any manner the authority of the department to administer and enforce the existing water resources laws of the state, including but not limited to chapters 18.104, 90.03, 90.36, 90.44, 90.48 and 90.54 RCW, and regulations promulgated thereunder.

[Statutory Authority: Chapters 90.44 and 90.54 RCW. 85-12-018 (Order 84-45), § 173-154-110, filed 5/29/85.]

Chapter 173-158 WAC FLOOD PLAIN MANAGEMENT

WAC

173-158-010	Authority.
173-158-020	Purpose.
173-158-030	Definitions.
173-158-040	Regulatory area.
173-158-045	Technical assistance.
173-158-050	Criteria for land management and use.
173-158-064	Additional state requirements.
173-158-070	Additional floodway requirements.
173-158-080	Wetlands management.
173-158-084	Submission of local ordinances.
173-158-086	Local option to exceed minimum requirements.
173-158-090	Penalties and enforcement.
173-158-120	Variances.

**DISPOSITION OF SECTIONS FORMERLY
CODIFIED IN THIS CHAPTER**

- 173-158-060 Additional state requirements. [Statutory Authority: RCW 86.16.061. 89-07-022 and 90-06-059 (Order 88-57 and 88-57A), § 173-158-060, filed 3/7/89 and 3/6/90, effective 4/6/90. Statutory Authority: Chapter 86.16 RCW. 88-10-058 (Order 88-6), § 173-158-060, filed 5/4/88.] Repealed by 90-21-089, filed 10/19/90, effective 11/19/90. Statutory Authority: RCW 86.16.061.
- 173-158-100 Local compliance schedule. [Statutory Authority: Chapter 86.16 RCW. 88-10-058 (Order 88-6), § 173-158-100, filed 5/4/88.] Repealed by 90-21-089, filed 10/19/90, effective 11/19/90. Statutory Authority: RCW 86.16.061.
- 173-158-110 State assumption of regulatory authority. [Statutory Authority: Chapter 86.16 RCW. 88-10-058 (Order 88-6), § 173-158-110, filed 5/4/88.] Repealed by 90-21-089, filed 10/19/90, effective 11/19/90. Statutory Authority: RCW 86.16.061.

WAC 173-158-010 Authority. This chapter is adopted pursuant to chapter 86.16 RCW as amended during the 1989 legislative session.

Note: Copies of all statutes, regulations, and other documents cited or referred to in this chapter may be viewed at the Department of Ecology, Mailstop PV-11, Olympia, Washington 98504.

[Statutory Authority: RCW 86.16.061. 90-21-089, § 173-158-010, filed 10/19/90, effective 11/19/90. Statutory Authority: Chapter 86.16 RCW. 88-10-058 (Order 88-6), § 173-158-010, filed 5/4/88.]

WAC 173-158-020 Purpose. Chapter 86.16 RCW establishes state-wide authority for flood plain management through the adoption and administration by local governments of regulatory programs which are compliant with the minimum standards of the National Flood Insurance Program (NFIP). Chapter 86.16 RCW also directs the department of ecology to establish minimum state requirements for flood plain management which equal the NFIP minimum standards; to provide technical assistance and information to local governments related to administration of their flood plain management ordinances and the NFIP; to provide assistance to local governments in identifying the location of the one hundred year (base) flood plain; and allows for the issuance of regulatory orders.

[Statutory Authority: RCW 86.16.061. 90-21-089, § 173-158-020, filed 10/19/90, effective 11/19/90. Statutory Authority: Chapter 86.16 RCW. 88-10-058 (Order 88-6), § 173-158-020, filed 5/4/88.]

WAC 173-158-030 Definitions. For the purposes of this chapter the following definitions shall apply:

(1) "Base flood" means the flood having a one percent chance of being equalled or exceeded in any given year. Also referred to as the "one hundred year flood."

(2) "Best available information" means in the absence of official flood insurance rate map data, communities can use data from other federal, state, or other sources provided this data has either been generated using technically defensible methods or is based on reasonable historical analysis and experience.

(3) "Designated floodway" means the regulatory floodway which has been delineated on the flood insurance rate map (FIRM) or the flood boundary/floodway map (FBFM) of a community's flood insurance study and is included in the community's flood damage prevention ordinance.

(4) "Flood or flooding" means a general and temporary condition of partial or complete inundation of normally dry land areas from:

- (a) The overflow of inland or tidal waters; and/or
- (b) The unusual and rapid accumulation of runoff of surface waters from any source.

(5) "Flood insurance rate map (FIRM)" means the official map on which the federal insurance administration has delineated both the areas of special flood hazard and the risk premium zones applicable to the community.

(6) "Floodway" means the channel of a river or other watercourse and the adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than one foot.

(7) "New construction" means structures for which the "start of construction" commenced on or after the effective date of the local ordinance.

(8) "Person" means an individual, partnership, corporation, association, organization, cooperative, public or municipal corporation, or any agency of the state or local governmental unit however designated.

(9) "Special flood hazard area" means an area subject to a base or one hundred year flood; areas of special flood hazard are shown on a flood hazard boundary map or flood insurance rate map as Zone A, AO, A1-30, AE, A99, AH, VO, V1-30, VE, or V.

(10) "Structure" means a walled and roofed building, including a gas or liquid storage tank that is principally above ground. Manufactured homes are considered structures.

(11) "Start of construction" includes substantial improvement, and means the date the building permit was issued, provided the actual start of construction, repair, reconstruction, placement, or other improvement was within one hundred eighty days of the permit date. The actual start means either the first placement of permanent construction of a structure on a site, such as the pouring of slab or footings, the installation of piles, the construction of columns, or any work beyond the stage of excavation; or the placement of a manufactured home on a foundation. Permanent construction does not include land preparation, such as clearing, grading, or filling; nor does it include the installation of streets and/or walkways; nor does it include excavation for a basement, footings, piers, or foundation or the erection of temporary forms; nor does it include the installation on the property of accessory buildings, such as garages or sheds not occupied as dwelling units or not part of the main structure.

(12) "Substantial improvement" means any repair, reconstruction, or improvement of a structure, the cost of which equals or exceeds fifty percent of the market value of the structure either:

- (a) Before the improvement or repair is started; or
- (b) If the structure has been damaged and is being restored, before the damage occurred. For the purposes of this definition "substantial improvement" is considered to occur when the first alteration of any wall, ceiling, floor, or other structural part of the building commences, whether or not that alteration affects the external dimensions of the structure.

The term does not, however, include either:

(i) Any project for improvement of a structure to comply with existing state or local health, sanitary, or safety code specifications which are solely necessary to assure safe living conditions; or

(ii) Any alteration of a structure listed on the National Register of Historic Places or a state inventory of historic places.

(13) "Variance" means a grant of relief from the requirements of this chapter which permits construction in a manner that would otherwise be prohibited by this chapter.

(14) "Wetlands" means lands transitional between terrestrial and aquatic systems where the water table is usually at or near the surface or the land is covered by shallow water. Wetlands have one or more of the following three attributes: (a) At least periodically, the land supports predominantly hydrophytes; (b) the substrate is predominantly undrained hydric soil; and (c) the substrate is nonsoils and is saturated with water or covered by shallow water at some time during the growing season of each year.

[Statutory Authority: RCW 86.16.061. 90-21-089, § 173-158-030, filed 10/19/90, effective 11/19/90; 89-07-022 and 90-06-059 (Order 88-57 and 88-57A), § 173-158-030, filed 3/7/89 and 3/6/90, effective 4/6/90. Statutory Authority: Chapter 86.16 RCW. 88-10-058 (Order 88-6), § 173-158-030, filed 5/4/88.]

WAC 173-158-040 Regulatory area. The minimum regulatory area for state and local flood plain management regulations shall be those areas subject to a base (one hundred year) flood and designated as special flood hazard areas on the most recent maps provided by the Federal Emergency Management Agency (FEMA) for the National Flood Insurance Program (NFIP). Best available information shall be used if these maps are not available or sufficient as determined by the Federal Emergency Management Agency.

[Statutory Authority: RCW 86.16.061. 90-21-089, § 173-158-040, filed 10/19/90, effective 11/19/90. Statutory Authority: Chapter 86.16 RCW. 88-10-058 (Order 88-6), § 173-158-040, filed 5/4/88.]

WAC 173-158-045 Technical assistance. The department of ecology shall provide technical assistance to local governments in the administration of their flood plain management ordinances. The department shall also assist counties, cities, and towns in identifying the location of the one hundred year flood plain, and petitioning the federal government to alter its designations of where the one hundred year flood plain is located if the federally recognized location of the one hundred year flood plain is found to be inaccurate.

[Statutory Authority: RCW 86.16.061. 90-21-089, § 173-158-045, filed 10/19/90, effective 11/19/90.]

WAC 173-158-050 Criteria for land management and use. The standards and definitions contained in 44 CFR, Parts 59 and 60 for the National Flood Insurance Program are adopted as the minimum state standards by reference.

[Statutory Authority: Chapter 86.16 RCW. 88-10-058 (Order 88-6), § 173-158-050, filed 5/4/88.]

WAC 173-158-064 Additional state requirements. State requirements may be established for specific flood

plains that exceed the minimum federal requirements of the NFIP, in accordance with RCW 86.16.031(8) and the following:

(1) A written request must be submitted to the department of ecology by the affected county, city, or town to initiate the process.

(2) The location of the one hundred year flood plain must be reexamined by the affected community and the department of ecology, and has been certified by the department as being accurate for the affected areas.

(3) The department of ecology shall negotiate with the affected community to determine the content of proposed additional requirements.

(4) The department of ecology shall notify the public of related public meetings and public hearings.

(5) The department of ecology must find that the proposed increased requirements are necessary due to local circumstances and general public safety.

(6) The area where the additional requirements apply is to be clearly identified.

(7) Additional state requirements shall be established as needed in accordance with the required state rule-making procedures.

[Statutory Authority: RCW 86.16.061. 90-21-089, § 173-158-064, filed 10/19/90, effective 11/19/90.]

WAC 173-158-070 Additional floodway requirements. The following additional state requirements are established in accordance with RCW 86.16.041.

(1) Special flood hazard areas with designated floodways. In addition to those NFIP requirements for designated floodways, communities with designated floodways shall restrict land uses within such areas to include the prohibition of construction or reconstruction of residential structures except for: (a) Repairs, reconstruction, or improvements to a structure which do not increase the ground floor area; and (b) repairs, reconstruction, or improvements to a structure the cost of which does not exceed fifty percent of the market value of the structure either (i) before the repair, reconstruction, or improvement is started, or (ii) if the structure has been damaged, and is being restored, before the damage occurred. Work done on structures to comply with existing health, sanitary, or safety codes or to structures identified as historic places shall not be included in the fifty percent determination in (b) of this subsection.

(2) Special flood hazard areas without designated floodways. When a regulatory floodway for a stream has not been designated, the community may require that applicants for new construction and substantial improvements reasonably utilize the best available information from a federal, state, or other source to consider the cumulative effect of existing, proposed, and anticipated future development and determine that the increase in the water surface elevation of the base flood will not be more than one foot at any point in the community. Building and development near streams without a designated floodway shall comply with the requirements of 44 CFR 60.3 (b)(3) and (4), and (c)(10) of the NFIP regulations.

[Statutory Authority: RCW 86.16.061. 90-21-089, § 173-158-070, filed 10/19/90, effective 11/19/90. Statutory Authority: Chapter 86.16 RCW. 88-10-058 (Order 88-6), § 173-158-070, filed 5/4/88.]

WAC 173-158-080 Wetlands management.

Wetlands are areas of great natural productivity and hydrological utility, providing natural flood control, flood desynchronization, and flow stabilization of rivers and streams. The unrestricted use and development of wetlands will destroy many of these beneficial qualities which directly affect human health and safety during flood events. The piecemeal alteration and destruction of wetlands through draining, dredging, filling and other means has an adverse cumulative impact on their ability to reduce flood damages.

Communities should, to the maximum extent possible, seek to avoid the short and long term adverse impacts associated with the destruction or modification of wetlands, especially those activities which limit or disrupt the ability of the wetland to ameliorate flooding impacts. Proposals for development within special flood hazard areas (base floodplains) should be reviewed for their possible impacts on wetlands located within the floodplain. Communities should ensure that development activities in or around wetlands do not negatively affect public safety, health, and welfare by disrupting the wetlands' ability to reduce flood and storm hazards.

Communities may request technical assistance from the department of ecology in identifying wetland areas. Existing wetland map information from the National Wetlands Inventory (NWI) can be used in conjunction with the community's FIRM to prepare an overlay zone indicating critical wetland areas deserving special attention. Local wetlands management strategies can also be developed which will preserve these valuable areas.

[Statutory Authority: Chapter 86.16 RCW. 88-10-058 (Order 88-6), § 173-158-080, filed 5/4/88.]

WAC 173-158-084 Submittal of local ordinances.

Communities shall submit to the department of ecology and to the federal Emergency Management Agency (FEMA) regional office newly adopted or amended flood damage prevention ordinances to incorporate the requirements of chapter 86.16 RCW and this chapter. Such ordinances or amendments shall take effect thirty days from filing with the department unless the department disapproves such ordinance or amendment, in writing, within that time period. The department may disapprove any ordinance or amendment which does not comply with the requirements of the NFIP, or WAC 173-158-040, 173-158-064, or 173-158-070. The department will provide guidance and assistance to communities in preparation and review of draft ordinances upon request by the community.

[Statutory Authority: RCW 86.16.061. 90-21-089, § 173-158-084, filed 10/19/90, effective 11/19/90.]

WAC 173-158-086 Local option to exceed minimum requirements. In accordance with RCW 86.16.045 a county, city, or town may adopt flood plain management ordinances or requirements that exceed the minimum federal requirements of the National Flood Insurance Program and the state requirements of this chapter without following the procedures provided in RCW 86.16.031(8) and WAC 173-158-064.

[Statutory Authority: RCW 86.16.061. 90-21-089, § 173-158-086, filed 10/19/90, effective 11/19/90.]

WAC 173-158-090 Penalties and enforcement. (1)

The attorney general or the attorney for the local government shall bring such injunctive, declaratory, or other actions as are necessary to ensure compliance with this chapter.

(2) Any person who fails to comply with this chapter shall also be subject to a civil penalty not to exceed one thousand dollars for each violation. Each violation or each day of noncompliance shall constitute a separate violation.

(3) The penalty provided for in this section shall be imposed by a notice in writing, either by certified mail with return receipt requested or by personal service, to the person incurring the same from the department or local government, describing the violation with reasonable particularity and ordering the act or acts constituting the violation or violations to cease and desist or, in appropriate cases, requiring necessary corrective action to be taken within a specific and reasonable time.

(4) Any penalty imposed pursuant to this section by the department shall be subject to review by the pollution control hearings board. Any penalty imposed pursuant to this section by local government shall be subject to review by the local government legislative authority. Any penalty jointly imposed by the department and local government shall be appealed to the pollution control hearings board.

[Statutory Authority: Chapter 86.16 RCW. 88-10-058 (Order 88-6), § 173-158-090, filed 5/4/88.]

WAC 173-158-120 Variances. The variance procedure contained in 44 CFR, Part 60.6 and the local flood damage prevention ordinance shall apply to this chapter unless an activity or use is expressly prohibited therein.

[Statutory Authority: RCW 86.16.061. 90-21-089, § 173-158-120, filed 10/19/90, effective 11/19/90. Statutory Authority: Chapter 86.16 RCW. 88-10-058 (Order 88-6), § 173-158-120, filed 5/4/88.]

Chapter 173-160 WAC

MINIMUM STANDARDS FOR CONSTRUCTION AND MAINTENANCE OF WELLS

WAC

PART ONE—GENERAL REQUIREMENTS

- 173-160-010 Purpose.
- 173-160-020 General.
- 173-160-030 Definitions.
- 173-160-040 Permit.
- 173-160-050 Records.
- 173-160-055 Well construction notification (start card).
- 173-160-065 Design and construction.
- 173-160-075 Design and construction—Sealing of casing—General.
- 173-160-085 Capping.
- 173-160-095 Relationship to other authorities.
- 173-160-105 Comparable construction standards.
- 173-160-115 Enforcement.
- 173-160-125 Appeals.
- 173-160-135 Regulation review.

PART TWO—WATER SUPPLY WELLS

- 173-160-205 Location of well site and access requirements.
- 173-160-215 Design and construction—Well completion—General.
- 173-160-225 Design and construction—Casing.
- 173-160-235 Recommended well diameters.

173-160-245	Design and construction—Sealing materials.	173-160-120	Design and construction—Sealing of consolidated formations. [Order 73-6, § 173-160-120, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-255	Design and construction—Sealing of consolidated formations.	173-160-130	Sealing of unconsolidated formations without significant clay beds. [Order 73-6, § 173-160-130, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-265	Sealing of unconsolidated formations without significant clay beds.	173-160-140	Sealing of unconsolidated formations with clay beds. [Order 73-6, § 173-160-140, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-275	Sealing of unconsolidated formations with clay beds.	173-160-150	Special sealing standards for artesian wells. [Order 73-6, § 173-160-150, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-285	Special sealing standards for artesian wells.	173-160-160	Artificial gravel-packed wells—General. [Order 73-6, § 173-160-160, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-295	Artificial gravel-packed wells—General.	173-160-170	Sealing of artificial gravel-packed wells. [Order 73-6, § 173-160-170, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-305	Sealing of artificial gravel-packed wells.	173-160-180	Sealing of dug wells. [Order 73-6, § 173-160-180, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-315	Sealing of dug wells.	173-160-190	Special standards for driven or jetted wells. [Order 73-6, § 173-160-190, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-325	Special standards for driven or jetted wells.	173-160-200	Upper terminal of well. [Statutory Authority: RCW 18.104.040(4). 79-02-010 (Order DE 78-22), § 173-160-200, filed 1/10/79; Order 73-6, § 173-160-200, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-335	Upper terminal of well.	173-160-210	Capping. [Order 73-6, § 173-160-210, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-345	Testing of well.	173-160-220	Testing of well. [Order 73-6, § 173-160-220, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-355	Testing of well—Access port or pressure gage.	173-160-230	Testing of well—Access port or pressure gage. [Order 73-6, § 173-160-230, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-365	Disinfection.	173-160-240	Disinfection. [Order 73-6, § 173-160-240, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-375	Quality of drilling water.	173-160-250	Quality of drilling water. [Order 73-6, § 173-160-250, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-385	Pump installation.	173-160-260	Pump installation. [Order 73-6, § 173-160-260, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-395	Explosives.	173-160-270	Explosives. [Order 73-6, § 173-160-270, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-405	Chemical conditioning.	173-160-280	Chemical conditioning. [Order 73-6, § 173-160-280, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-415	Abandonment of wells.	173-160-290	Abandonment or destruction of wells. [Statutory Authority: RCW 18.104.040(4). 79-02-010 (Order DE 78-22), § 173-160-290, filed 1/10/79; Order 73-6, § 173-160-290, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-420	Abandonment of uncased wells.	173-160-300	Abandonment or destruction of wells—Abandonment or destruction of drilled or jetted wells. [Order 73-6, § 173-160-300, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-425	Abandonment of wells—Abandonment of drilled or jetted wells.	173-160-310	Abandonment or destruction of wells—Abandonment or destruction of gravel-packed wells. [Order 73-6, § 173-160-310, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-160-435	Abandonment of wells—Abandonment of gravel-packed wells.		
173-160-445	Abandonment of wells—Abandonment of artesian wells.		
173-160-455	Abandonment of wells—Abandonment of dug wells.		
173-160-465	Abandonment of wells—Plugging of test wells.		
173-160-475	Artificial recharge of ground-water bodies.		
PART THREE—RESOURCE PROTECTION WELLS			
173-160-500	Design and construction—General.		
173-160-510	Design and construction—Surface protective measures.		
173-160-520	Design and construction—Casing.		
173-160-530	Design and construction—Cleaning.		
173-160-540	Design and construction—Well screen, filter pack, and development.		
173-160-550	Design and construction—Well seals.		
173-160-560	Abandonment of resource protection wells.		
DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER			
173-160-060	Location of well site and access requirements. [Order 73-6, § 173-160-060, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.		
173-160-070	Design and construction. [Order 73-6, § 173-160-070, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.		
173-160-080	Design and construction—Casing. [Order 73-6, § 173-160-080, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.		
173-160-090	Design and construction—Well completion—General. [Statutory Authority: RCW 18.104.040(4). 79-02-010 (Order DE 78-22), § 173-160-090, filed 1/10/79; Order 73-6, § 173-160-090, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.		
173-160-09001	Recommended well diameters. [Statutory Authority: RCW 18.104.040(4). 79-02-010 (Order DE 78-22), § 173-160-09001, filed 1/10/79.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.		
173-160-100	Design and construction—Sealing materials. [Statutory Authority: RCW 18.104.040(4). 79-02-010 (Order DE 78-22), § 173-160-100, filed 1/10/79; Order 73-6, § 173-160-100, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.		
173-160-110	Design and construction—Sealing of casing—General. [Order 73-6, § 173-160-110, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.		

- 173-160-320 Abandonment or destruction of wells—Abandonment or destruction of artesian wells. [Order 73-6, § 173-160-320, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
- 173-160-330 Abandonment or destruction of wells—Abandonment or destruction of dug wells. [Order 73-6, § 173-160-330, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
- 173-160-340 Abandonment or destruction of wells—Plugging of test wells. [Order 73-6, § 173-160-340, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
- 173-160-350 Artificial recharge of ground water bodies. [Order 73-6, § 173-160-350, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
- 173-160-360 Special exemptions. [Order 73-6, § 173-160-360, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
- 173-160-370 Relationship to other authorities. [Order 73-6, § 173-160-370, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
- 173-160-380 Comparable construction standards. [Order 73-6, § 173-160-380, filed 4/30/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.

PART ONE—GENERAL REQUIREMENTS

WAC 173-160-010 Purpose. (1) These regulations are adopted pursuant to chapter 18.104 RCW, in order to establish minimum standards for the construction of all wells in the state of Washington. These regulations establish minimum construction standards for two classes of wells; water supply wells and resource protection wells. Water supply wells include wells used to appropriate water for beneficial purposes, cased dewatering wells, and test wells. Resource protection wells include: Monitoring wells, observation wells, piezometers, geotechnical test borings, and spill response wells.

(2) Provisions of Part One shall apply to all wells. Provisions of Part Two shall apply to water supply wells. Provisions of Part Three shall apply to resource protection wells.

(3) The following are excluded from these regulations:

(a) Excavations that are not used to locate, divert, artificially recharge, or withdraw ground water.

(b) Post holes.

(c) Landfill gas extraction wells.

(d) An excavation for the purpose of obtaining or prospecting for oil, natural gas, minerals, products of mining, quarrying, inserting media to repressure oil or natural gas bearing formations, storing petroleum, natural gas, or other products, as provided in chapter 78.52 RCW.

(e) Injection wells, such as stormwater disposal or recharge wells regulated in chapter 173-218 WAC.

(f) Cathodic protection wells.

(g) Uncased wells used for dewatering purposes in construction work, and other uncased excavations, such as uncased geotechnical test borings. However, the provisions of WAC 173-160-055, 173-160-010(4), and 173-160-420 shall apply.

(h) Infiltration galleries, trenches, ponds, pits, and sumps.

(4) Pursuant to chapter 90.48 RCW, those excavations excluded in subsection (3)(a) through (h) of this section shall be constructed and abandoned to ensure protection of the ground water resource and to prevent the contamination of that resource.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-010, filed 4/6/88; Order 73-6, § 173-160-010, filed 4/30/73.]

WAC 173-160-020 General. The following minimum standards shall apply to all wells constructed in the state of Washington. It is the responsibility of the water well contractor and the property owner to take whatever measures are necessary to guard against waste and contamination of the ground water resources.

(1) It will be necessary in some cases to construct wells with additional requirements beyond the minimum standards. Additional requirements are necessary when the well is constructed in or adjacent to a source of contamination. Sources of contamination include, but are not limited to, the following: Septic systems, lagoons, landfills, hazardous waste sites, salt water intrusion areas, chemical storage areas, and pipelines.

(2) When strict compliance with these regulations is impractical, the well contractor or driller shall make application to the department for approval of comparable alternative specifications (a variance) prior to the work being done. The department shall authorize or deny a variance request within fourteen days of receipt of a written request. In an emergency, a public health emergency, or in exceptional instances, the department will allow verbal notification to the appropriate regional office, with a written request follow-up.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-020, filed 4/6/88; Order 73-6, § 173-160-020, filed 4/30/73.]

WAC 173-160-030 Definitions. As used in this chapter:

(1) "Abandoned well" is a well which has been filled or plugged so it is rendered unproductive. A properly abandoned well will not produce water nor serve as a channel for movement of water.

(2) "Access port" is a 1/2- to 2-inch tapped hole or tube equipped with a screw cap, which provides access to the inner casing, for measurement of the depth to water surface.

(3) "Annular space" is the space between the surface or outer casing and the inner casing, or the space between the wall of the drilled hole and the casing.

(4) "Aquifer" is a geologic formation, group of formations, or part of a formation capable of yielding a significant amount of ground water to wells or springs.

(5) "Artesian well" is a well tapping an aquifer bounded above and below by impermeable beds or beds of distinctly lower permeability than the aquifer itself. The water will rise in the well above the point of initial penetration (above the bottom of the confining or impermeable layer overlying the aquifer). This term includes both flowing and nonflowing wells.

(6) "Artificial gravel pack" is a mixture of gravel and/or sand placed in the annular space around the well screen. A gravel pack is used to reduce the movement of finer material into the well reduce the movement of finer material into the

well, increase the well yield and provide lateral support to the screen in unstable formations.

(7) "Artificial recharge" is the addition of water to an aquifer by activities of man, such as irrigation or induced infiltration from streams, or injection through wells.

(8) "Bentonite" is a mixture of swelling clay minerals, predominantly sodium montmorillonite.

(9) "Capped well" is a well that is not in use and has a watertight seal or cap installed on top of the casing.

(10) "Casing" is a pipe, generally of metal or plastic, which is installed in the bore hole to maintain the opening.

(11) "Curbing" is a liner or pipe made of concrete, precast tile or steel installed in dug wells to provide a space between the well bore and the liner for sealing.

(12) "Consolidated formation" means any geologic formation in which the earth materials have become firm and coherent through natural rock forming processes. Such rocks commonly found in Washington include basalt, granite, sandstone, shale, conglomerate, and limestone. An uncased drill hole will normally remain open in these formations.

(13) "Contamination" is an impairment of natural ground water quality by biological, chemical, physical, or radiological materials which lower the water quality to a degree which creates a potential hazard to the environment, public health, or interferes with a beneficial use.

(14) "Department" means the department of ecology.

(15) "Disinfection" is the use of chlorine, or other disinfecting agent or process approved by the department, in sufficient concentration and contact time adequate to inactivate coliform or other indicator organisms.

(16) "Domestic water supply" is any water supply serving one or more single family residences.

(17) "Drawdown" is the measured difference between the static water level and the water level induced by pumping.

(18) "Drilled well" is a well in which the hole is usually excavated by mechanical means such as rotary, cable tool, or auger rigs.

(19) "Driven well" is a well constructed by joining a "drive point" to a length of pipe, then driving the assembly into the ground.

(20) "Dug well" is a well generally excavated with hand tools or by mechanical methods. The side walls may be supported by material other than standard weight steel casing.

(21) "Filter pack" means clean, well rounded, smooth, uniform, sand or gravel, which is placed in the annulus of the well between the borehole wall and the well screen to prevent formation material from entering the well.

(22) "Formation" means an assemblage of earth materials grouped together into a unit that is convenient for description or mapping.

(23) "Geotechnical test boring" means any temporary cased borehole completed primarily for the purpose of obtaining geologic, or geotechnical data about subsurface soil or rock conditions, and/or for determining ground water levels.

(24) "Grout" is a fluid mixture of cement, bentonite, and water used to seal the annular space around or between well casings, or to fill and seal abandoned wells.

(25) "Impermeable" is a descriptive term for earth materials which have a texture or structure that does not permit

fluids to perceptibly move into or through its pores or interstices.

(26) "Licensee" is any person who is licensed as a well contractor pursuant to the provisions of this act and these rules.

(27) "Liner" means any casing, screen, or other device inserted into a larger casing, screen, or open hole as a means of sealing off undesirable material or maintaining the structural integrity of the well.

(28) "Landfill gas extraction well" is a well used to withdraw gas from an unsaturated zone.

(29) "Monitoring well" is a well designed to obtain a representative ground water sample and/or to measure the water level elevation over the screened interval.

(30) "Observation well" is a well designed to measure the depth to the water table. An observation well is screened across the water table and usually is installed in unconfined aquifers.

(31) "Operator" is any person employed by a well contractor or self-employed as a contractor-operator for the control and supervision of well construction or for the operation of well construction equipment.

(32) "Permeability" means the ease with which a porous material allows liquid or gaseous fluids to flow through it. For water, this is usually expressed in units of centimeters per second and termed hydraulic conductivity. Soils and synthetic liners with a permeability for water of 1×10^{-7} cm/sec or less may be considered impermeable.

(33) "Piezometer well" is a well designed to measure the hydraulic potential (water level elevation) at a specific point in the subsurface. A piezometer has a short screen that is positioned entirely beneath the water table.

(34) "Pressure grouting" is a method of forcing grout into specific portions of a well for sealing purposes.

(35) "PTFE" means polytetrafluoroethylene casing materials (such as teflon) and is not an endorsement for any specific PTFE product.

(36) "Public water supply" is any water supply intended or used for human consumption or other domestic uses, including source, treatment, storage, transmission and distribution facilities where water is furnished to any community, collection or number of individuals, available to the public for human consumption or domestic use, excluding water supplies serving one single family residence.

(37) "Puddling clay" is a mixture of at least fifty percent bentonite and fine sand material which seals out or retards the movement of water.

(38) "PVC" means polyvinyl chloride a type of thermoplastic casing.

(39) "Resource protection wells" mean monitoring wells, observation wells, piezometers and spill response wells, and cased geotechnical test borings.

(40) "Spill response well" is any well used to capture or recover any spilled or leaked fluid which has the potential to, or has contaminated the ground water.

(41) "Static water level" is the vertical distance from the surface of the ground to the water level in a well when the water level is not effected by pumping or free flow.

(42) "Temporary surface casing" is a length of casing (at least four inches larger in diameter than the permanent casing) which is temporarily installed during well construction to maintain the annular space.

(43) "Test well" is a well (either cased or uncased), constructed to determine the quantity of water available for beneficial uses identifying underlying rock formations (lithology), and to locate optimum zones to be screened or perforated.

If a test well is constructed with the intent to withdraw water for beneficial use, it must be constructed in accordance with the minimum standards for water supply wells, otherwise they shall be constructed in accordance with the minimum standards for resource protection wells.

(44) "Tremie tube" is a small diameter pipe used to place grout, filter pack material, or other well construction materials in a well.

(45) "Unconsolidated formation" means any naturally occurring, loosely cemented or poorly indurated earth material including such materials as uncompacted gravel, sand, silt and clay. Alluvium, soil, and overburden are terms frequently used to describe such formations.

(46) "Water supply well" means any well that is used to withdraw, dewater, or recharge ground water.

(47) "Well" means and includes any excavation that is drilled, cored, bored, washed, driven, dug, jetted, or otherwise constructed when the intended use of an excavation is for the location, diversion, artificial recharge, or withdrawal of ground water. Well includes water-supply well and resource protection well. Well does not mean excavations excluded in WAC 173-160-010(3).

(48) "Well contractor" means any person, firm, partnership, copartnership, corporation, association, or other entity engaged in the business of constructing wells.

(49) "Well driller" is synonymous with "operator."

(50) "Well rig" is any power driven, percussion, rotary, boring, digging, jetting or auguring machine used in the construction of a well.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-030, filed 4/6/88; Order 73-6, § 173-160-030, filed 4/30/73.]

WAC 173-160-040 Permit. As provided in RCW 90.44.050, no well shall be constructed if a withdrawal of more than five thousand gallons a day or irrigation of more than one-half acre of noncommercial lawn and garden is contemplated, unless an application to appropriate such waters has been made to the department and a permit has been granted.

As provided in WAC 173-548-050, no wells shall be constructed for any purposes in subbasins closed in the Methow water resources regulation, including those exempt from permitting under RCW 90.44.050, unless written approval has been obtained from the department prior to beginning well construction.

[Statutory Authority: Chapters 34.05, 90.54, 18.104, 90.03 and 90.44 RCW. 91-23-093 (Order 91-27), § 173-160-040, filed 11/19/91, effective 12/20/91. Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-040, filed 4/6/88; Order 73-6, § 173-160-040, filed 4/30/73.]

WAC 173-160-050 Records. (1) Every well contractor, within thirty days after completion of a well, is required to submit a complete record on the construction or alteration of the well to the department. This shall apply to all water supply and resource protection wells. The well record shall

be made on a form provided by the department, or a reasonable facsimile, as approved by the department.

(2) The water supply and test well record shall include the following information, where applicable, as a minimum: Location of well to at least 1/4, 1/4 section or smallest legal subdivision; intended use of well; the depth, diameter, and general specifications of each well; the depth, thickness and character of each bed, stratum or formation penetrated by each well; and the commercial specifications of all casing, also of each screen or perforated zone in the casing; the tested capacity of each well in gallons per minute; for each nonflowing well, the depth to the static water level, as measured below the land surface, and also the drawdown of the water level at the end of the well capacity test; for each flowing well, the shut-in pressure measured above the land surface, or in pounds per square inch at the land surface, and such additional factual information as reasonably may be required by the department.

(3) The well record shall be made on a form provided by the department, or a reasonable facsimile, as approved by the department. The resource protection well record shall include the following information as a minimum: Project name, if appropriate; location of well to at least 1/4, 1/4 section or smallest legal subdivision; land surface datum; well identification number; diameter; depth, and general specifications of each well; the depth thickness and character of each bed, stratum or formation penetrated by each well; and commercial specifications of all casing and screen; as-built diagram; and additional information as required by the department.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-050, filed 4/6/88; Order 73-6, § 173-160-050, filed 4/30/73.]

WAC 173-160-055 Well construction notification (start card). All well contractors shall notify the department of their intent to construct, reconstruct, or abandon a well at least seventy-two hours before starting work.

Notification shall be submitted on forms provided by the department and shall contain the well owners name, well location, proposed use, approximate start and completion dates, contractor's registration number, driller's name and license number, and drilling company's name. In an emergency, a public health emergency, or in exceptional instances, the department will allow verbal notification to the appropriate regional office, with a start card follow-up.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-055, filed 4/6/88.]

WAC 173-160-065 Design and construction. Every well shall be planned and constructed so that it is:

(1) Adapted to the geologic and ground water conditions existing at the well site to insure full utilization of every natural protection afforded thereby.

(2) Designed to facilitate such supplementary construction as may be required to provide a sufficient and safe water supply where obtainable and to conserve ground water.

(3) Capable of yielding, where obtainable, the quantity of water necessary to satisfy the requirements which the user has stated are needed and for which well water is intended to be used.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-065, filed 4/6/88.]

WAC 173-160-075 Design and construction—Sealing of casing—General. In constructing, developing, redeveloping or conditioning a well, care shall be taken to preserve the natural barriers to ground water movement between aquifers and to seal aquifers or strata penetrated during drilling operations which might impair water quality or result in cascading water. All sealing should be permanent and shall prevent movement of surface, or ground water into the annular space. Sealing shall prevent the upward movement of artesian waters within the annular space around the well casing, to prevent the contamination or wasting of ground water. Sealing shall prevent the movement of ground water either upward or downward from zones that were cased off because of poor quality. When cement grout is used in sealing, it shall be set in place seventy-two hours before additional drilling takes place, unless special additives are mixed with the grout that cause it to set in a shorter period of time. All grouting shall be performed by tremying the mixture from the bottom of the annular space to the surface in one continuous operation. The annular space to be grouted shall be a minimum four inches larger than the permanent casing.

When casing diameter is reduced, a minimum of eight feet of casing overlap is required and the bottom of the annular space between the casings shall be sealed with a watertight packer; the remainder of the annular space must be pressure grouted with bentonite or neat cement.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-075, filed 4/6/88.]

WAC 173-160-085 Capping. All wells which are not in use, or are temporarily out of service, shall be securely capped such that no contamination can enter the well. Capping shall be affixed by solid welds or equal seal to prevent unauthorized access to the well.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-085, filed 4/6/88.]

WAC 173-160-095 Relationship to other authorities. Nothing in these regulations shall be construed to waive any legal requirements of other state agencies or local governmental entities relating to well construction nor shall it preclude the adoption of more stringent minimum well construction standards by local government.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-095, filed 4/6/88.]

WAC 173-160-105 Comparable construction standards. Nothing in these regulations shall be construed to limit the department's authority to approve comparable alternative specifications for well construction as technology in the industry develops and/or new and comparable methods of construction become known to the department.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-105, filed 4/6/88.]

WAC 173-160-115 Enforcement. In enforcement of this chapter, the department of ecology may impose such

[Title 173 WAC—page 212]

sanctions as are appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190, civil penalties under RCW 90.03.600 and 18.104.155, and criminal penalties under RCW 18.104.160.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-115, filed 4/6/88.]

WAC 173-160-125 Appeals. All final written decisions of the department of ecology pertaining to permits, regulatory orders, and related decisions made pursuant to this chapter shall be subject to review by the pollution control hearings board in accordance with chapter 43.21B RCW.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-125, filed 4/6/88.]

WAC 173-160-135 Regulation review. The department of ecology shall initiate a review of the rules established in this chapter whenever new information, changing conditions, or statutory modifications make it necessary to consider revisions.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-135, filed 4/6/88.]

PART TWO—WATER SUPPLY WELLS

WAC 173-160-205 Location of well site and access requirements. The proposed water supply well should be located on high ground consistent with the general terrain. It shall be protected from a one hundred year flood and from any surface or subsurface drainage capable of impairing the quality of the ground water supply. The well shall be located away from possible sources of contamination. Well design shall consider porosity and permeability of the soil, adjacent land uses, local ground water conditions and end use of the well. When a well is located in an area of known or suspected contamination, the well casing shall be impervious to the contaminants and shall not interconnect aquifers.

When a well is constructed adjacent to a building, it shall be located where the centerline of the well extended vertically will clear any projection from the building by at least five feet.

After construction, the water well contractor or operator should strongly emphasize to the well owner, the importance of retaining good accessibility to the well to permit future inspection and maintenance.

(1) **Public water supply wells.** Before construction begins, site approval must be obtained from the department of social and health services, or the local health authority. The requirements of the state board of health regulation regarding public water supplies (chapter 248-54 WAC) shall apply. This regulation includes requirements for zones of protection, location of the well, accessibility features, and certain construction requirements.

(2) **Individual domestic, irrigation, industrial and other wells.** Wells shall not be located within certain minimum distances of potential sources of contamination. These minimum distances shall comply with local and state health regulations. Wells shall be located at least one hundred feet from a sewer line, sewage or manure lagoon,

pipeline, or known, or suspected source of contamination. Wells shall not be located within one thousand feet of solid waste landfills.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-205, filed 4/6/88.]

WAC 173-160-215 Design and construction—Well completion—General. The well may be completed with screens, perforated liners or pipe, or open bottom; these shall be of sufficient strength to withstand the forces to which they are subjected during and after construction. It is the well drillers or designers responsibility to advise the owner or his representative of the most appropriate method of completion. Wells shall be completed in a manner which prevents the production of inordinate amounts of sand or turbid water.

(1) **Standard open bottom completion.** Open bottom completion is appropriate only where the withdrawn waters are essentially free of sand, silt and turbidity.

(2) **Perforated pipe completion.** Perforated pipe completion is suitable only for a coarse-grained, permeable aquifer where the withdrawn waters are free of excessive sand, silt or turbidity.

Perforations above the static water level are not permitted. Wells may be completed with perforations as follows:

(a) In-place perforations with Star, Mills knife, or similar type perforators.

(b) Perforated pipe liners, either sawcut, torch-cut, mill-slotted, or punched. Such liners may be of steel, plastic or other suitable corrosion-resistant material, but if other than steel, a full evaluation of the structural stability of the liner must be made prior to its placement. They may be used in a natural development or gravel-packed type construction. *The use of perforated casing for working casing as the hole is being drilled is prohibited*, except in those cases where the contractor can, through personal experience in the particular area of drilling, attest to the sufficiency of the preperforated casing in all respects for the specific well being constructed.

(3) **Well screens.** Well screens (and well points) shall be constructed of one type of corrosion-resistant material. A neoprene, or grout seal shall be fitted to the top of the well screen assembly. The bottom of the well screen shall be plugged or capped.

(4) **Alignment.** A completed well must be so constructed that the drill hole and/or installed casing does not deviate from an alignment that would allow a twenty foot dummy section of pipe of no more than one diameter size smaller than the casing liner or drilled hole to be inserted to the bottom of the well without binding. Minimum specifications for casing sizes for various ranges in well yield or pumping rate are shown under WAC 173-160-235.

[Statutory Authority: Chapter 18.104 RCW. 89-15-017 and 90-07-016 (Orders 89-4 and 89-4A), § 173-160-215, filed 7/12/89 and 3/13/90, effective 8/12/89 and 4/13/90; 88-08-070 (Order 88-58), § 173-160-215, filed 4/6/88.]

WAC 173-160-225 Design and construction—Casing. Proper casing shall be installed in all water supply wells. The casing shall withstand the normal forces which act upon it during and after installation. It shall be resistant to the corrosive effects of enclosing rocks, earth and water.

Unless prior approval is obtained from the department, materials for well casings shall be as specified hereunder:

(1) Minimum specifications for steel casing and pipe for driven wells are contained in Table 1:

TABLE 1
Minimum Specifications for Steel Casing and Pipe

NOMINAL SIZE (inches)	OUTSIDE DIAMETER (inches)	WALL THICKNESS (inches)	WEIGHT PER FOOT (pounds)
1 1/4	1.660	0.140	2.27
1 1/2	1.900	0.145	2.72
2	2.375	0.154	3.65
2 1/2	2.875	0.203	5.79
3	3.500	0.216	7.58
3 1/2	4.000	0.226	9.11
4	4.500	0.237	10.79
5	5.563	0.258	14.62
6	6.625	0.250	17.02
8	8.625	0.250	22.36
10	10.750	0.250	28.04
12	12.750	0.250	33.38
14	14.000	0.312	45.61
16	16.000	0.344	62.85
18	18.000	0.375	70.59
20	20.000	0.375	78.60

Casing larger than twenty inches shall have a minimum wall thickness of 0.375 inches.

Casings shall be new or, in like-new condition, where the only previous contact was with water, and be structurally sound. When casing lengths are joined together, they shall be connected by watertight welded or screw coupled joints. Welded joints shall be at least as thick as the wall thickness of the well casing and be fully penetrating.

(2) **Plastic casing.** Plastic, fiberglass, PVC, SR, ABS, or other type of well casing shall be manufactured and installed to conform with ANSI/ASTM F 480-81, Standard Dimension Ratio (SDR) 21 or the most recent revision.

SDR 21 is the minimum requirement; higher pressure rated pipe may be used. All plastic casing shall be installed only in an oversized drill hole without driving.

Plastic casing for use in potable water supplies shall be manufactured to conform to be acceptable to National Sanitation Foundation (NSF) Standard 14-84, or the most recent revision.

(3) **Plastic casing joints shall be watertight.** Either "bell" type, threaded joints, or coupling hubs are approved. Hub couplings shall be of material meeting the specifications for plastic casings as stipulated in subsection (2) of this section. If joints are secured with solvent cement it shall be done in accordance with manufacturers directions. Table 2A is the manufacturer's recommendations for specifications of plastic casing.

TABLE 2A
Minimum Specifications for Plastic Casing

NOMINAL CASING DIAMETER (inches)	MINIMUM THICKNESS (inches)	SDR
2	0.133	21
2.5	0.137	21
3	0.167	21
3.5	0.190	21
4	0.214	21
4.5	0.236	21
5	0.265	21

6	0.316	21
8	0.410	21
10	0.511	21
12	0.606	21

(4) Liner pipe shall consist of steel, in new or like-new condition, being free of pits or breaks; or polyvinyl chloride (PVC), SR, ABS, type 1220, 1120, or SDR 21 (Class 200).

Liner pipe shall be of sufficient strength to withstand breakage or collapse when the well is pumped. When installed, liner pipe shall extend or telescope at least two feet into the lower end of the well casing. If more than one string of liner pipe is installed, each string shall extend or telescope at least eight feet into the adjacent larger diameter liner pipe. Liner pipe shall not be permanently fixed to a well casing below land surface except by placement of cement grout, packers, or similar sealing materials in the annular space between the liner and well casing.

(5) Poured concrete casing shall:

(a) Consist of clean, hard and durable aggregate with not less than five sacks of portland cement per cubic yard of concrete. The maximum diameter of aggregate particles shall not exceed 1 1/2 inches, but in any case shall not exceed 1/5 the minimum width of the casing thickness. The ratio of coarse aggregate to fine aggregate (passing No. 4 U.S. Standard Sieve) shall be approximately 1 1/2 to 1 by volume, but in any case, shall not exceed 2 to 1 nor be less than 1 to 2.

(b) Be at least six inches thick and free of voids. The walls shall be poured in one continuous operation.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-225, filed 4/6/88.]

WAC 173-160-235 Recommended well diameters.

TABLE 3
Well Diameters

Anticipated Well Yield, in gpm	Nominal Size of Pump Bowls, in inches	Optimum Size of Well Casing, in inches	Smallest Size of Well Casing, in inches
Less than 100	4	6 ID	5 ID
75 to 175	5	8 ID	6 ID
150 to 350	6	10 ID	8 ID
300 to 700	8	12 ID	10 ID
500 to 1000	10	14 OD	12 ID
800 to 1800	12	16 OD	14 OD
1200 to 3000	14	20 OD	16 OD
2000 to 3800	16	24 OD	20 OD
3000 to 6000	20	30 OD	24 OD

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-235, filed 4/6/88.]

WAC 173-160-245 Design and construction—Sealing materials. (1) Puddling clay shall consist of any stable, fine-grained (0.5 mm - 1 mm), impervious material and at least fifty percent bentonite, by volume, which is capable of providing a permanent water tight seal between the casing and formation throughout the required sealing depth.

(2) Cement grout (neat cement) shall consist of either portland cement or quick setting cement mixed with not more than six gallons of water per sack of cement. Up to

[Title 173 WAC—page 214]

five percent bentonite clay, by weight, may be added to improve flow qualities and compensate for shrinkage. When bentonite slurry is used to seal a well, it shall conform to the requirements of subsection (4) of this section.

(3) Pelletized, granulated, or chip bentonite may be used where bridging will not occur.

(4) Bentonites used to prepare puddling clay, or slurries for sealing shall be specifically designed for this purpose.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-245, filed 4/6/88.]

WAC 173-160-255 Design and construction—Sealing of consolidated formations. In drilled wells that penetrate an aquifer either within or overlain by a consolidated formation, sealing of the casing shall conform with one of the following procedures.

(1) An upper drill hole at least four inches greater in diameter than the nominal size of the permanent well casing shall extend from land surface to at least five feet into sound, unfractured, consolidated formation.

Unperforated permanent casing shall be installed to extend to this same depth and the lower part of the casing shall be sealed into the consolidated formation with cement grout. The remainder of the annular space to land surface shall be filled with cement grout, puddling clay, or bentonite. See Figure 1A.

If cement grout is placed by pumping to seal the entire annulus from the bottom up to land surface, the upper drill hole need only be a minimum of two inches larger than the outside diameter of the permanent casing.

(2) An upper drill hole at least four inches greater in diameter than the nominal size of the permanent casing shall extend from land surface to a depth of at least eighteen feet. An unperforated permanent casing shall be installed so that it extends at least five feet into sound, unfractured, consolidated formation.

Throughout the driving of the well casing to the consolidated formation, the annular space between the upper drill hole and the permanent casing shall be kept at least one-half full with granular bentonite, or bentonite slurry.

The annular space between the consolidated formation and the permanent casing shall be tightly sealed with cement grout. The remainder of the annular space to land surface shall then be filled with cement grout, puddling clay, or bentonite. See Figure 1B.

(3) If temporary surface casing is used in either of the procedures in subsection (1) or (2) of this section, this casing shall be of sufficient diameter to conform to the upper drill hole specifications. Withdrawal of the temporary casing shall take place simultaneously with proper sealing of the annular space to land surface.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-255, filed 4/6/88.]

WAC 173-160-265 Sealing of unconsolidated formations without significant clay beds. In drilled wells that penetrate an aquifer overlain by unconsolidated formations such as sand and gravel without significant (at least six feet thick) clay beds, an unperforated well casing shall extend to at least one foot below the water table. An upper drill hole having a diameter at least four inches greater than

the nominal size of the permanent casing shall be installed to at least eighteen feet below land surface.

The annular space between the upper drill hole and the well casing shall be kept at least one-half full with granular bentonite or bentonite slurry throughout the driving of the permanent casing into the aquifer. After the permanent casing is set in its final position, the remaining annular space shall be filled to land surface with cement grout, puddling clay, or bentonite. See Figure 2A.

If temporary surface casing is installed to the same depth as the permanent casing, a watertight packer shall be installed between the permanent casing and the drill hole at a position directly above the production aquifer. The remaining annular space shall be completely filled and sealed to land surface with cement grout, puddling clay, or bentonite as the temporary surface casing is withdrawn. See Figure 2B.

well, an unperforated well casing shall extend into the confining stratum overlying the artesian zone. The casing shall be sealed into the confining stratum to prevent surface and subsurface leakage from the artesian zone. If the well flows at land surface, it shall be equipped with a control valve so flow can be completely stopped. The well shall be completed with seals, packers or grout that eliminates leakage around the well casing. The driller shall not move the drilling rig from the well site until leakage is completely stopped unless authority for temporary removal is granted by the department, or when loss of life or property is imminent.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-285, filed 4/6/88.]

WAC 173-160-295 Artificial gravel-packed wells—
General. In gravel-packed wells, the gravel mixture shall be placed around the screen so that bridging or size separation does not occur. The gravel pack shall be clean, and chemically stable. All gravel and water used shall be disinfected in at least fifty parts per million (ppm) chlorine with a contact time of at least thirty minutes. Rinse water containing chlorine is a pollutant. Chlorine in the rinse water shall be allowed to dissipate and discharged in a safe manner consistent with the intent of the Water Pollution Control Act, chapter 90.48 RCW.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-295, filed 4/6/88.]

WAC 173-160-305 Sealing of artificial gravel-packed wells. (1) **Permanent surface casing not installed.** An upper drill hole having a diameter of at least four inches greater than the outside diameter of the production casing shall be drilled to extend from land surface into a clay or other formation of low permeability overlying the water-bearing zone. If the upper drill hole will not remain open throughout construction of the well, a temporary surface casing must be installed to this depth to maintain the annular space. The annular space to this depth shall be filled with cement grout, puddling clay, or bentonite. If the clay or other impermeable formation is at or near land surface, the upper drill hole and unperforated production casing shall extend to a minimum depth of eighteen feet below land surface, provided that the casing does not pass through the impermeable zone. A watertight packer shall be installed in the annular space between the gravel pack and cement grout seal. A gravel fill pipe may be installed for injecting gravel prior to sealing the top of the gravel pack. Special care shall be taken to insure the seal is watertight around the fill pipe. The fill pipe shall be capped with a watertight seal or plug. See Figure 3A.

(2) **Permanent surface casing installed.** When permanent surface casing is installed, the well bore shall have a diameter at least four inches greater than the surface casing for the introduction of sealing materials. A watertight seal shall be installed at the top of the gravel pack between the permanent surface and production casing. Sealing procedures and installation of gravel fill pipes are substantially the same as in subsection (1) of this section. If the upper drill hole will not remain open throughout construction of the well, a temporary casing must be used to maintain the oversized drill hole. The annular space to be sealed under




FIGURE 1. SEALING OF CONSOLIDATED FORMATIONS

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-265, filed 4/6/88.]

WAC 173-160-275 Sealing of unconsolidated formations with clay beds. In drilled wells that penetrate an aquifer overlain by clay or other unconsolidated deposits such as sand and gravel in which significant (at least six feet thick) interbeds of clay are present, the well casing may be terminated in such clay strata, provided that the casing be sealed in substantially the same manner as is required in the case of consolidated formations (see WAC 173-160-255 and Figure 2C at the end of this chapter).

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-275, filed 4/6/88.]

WAC 173-160-285 Special sealing standards for artesian wells. When artesian water is encountered in the

conditions of subsections (1) and (2) of this section shall be kept full with cement grout, puddling clay, or bentonite as the temporary casing is withdrawn. See Figure 3B.

(3) If a clay layer or other formation of low permeability is not encountered before reaching the top of the water-bearing zone, the upper drill hole and unperforated production casing shall extend to a minimum depth of eighteen feet below land surface. Sealing procedures, installation of gravel fill pipes and temporary casing are substantially the same as in subsections (1) and (2) of this section.




FIGURE 2. SEALING OF UNCONSOLIDATED FORMATIONS

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-305, filed 4/6/88.]

WAC 173-160-315 Sealing of dug wells. The surface curbing of all dug wells shall be constructed to effectively seal the annular space between the undisturbed native material of the upper well hole and the concrete tile, steel pipe or liner to a depth of at least eighteen feet or within three feet of the bottom in wells that are less than twenty-one feet in depth.

(1) In all dug wells, other than a buried slab type, concrete at least six inches thick shall be used as sealing material. If wooden cribbing is used as a retaining wall to provide for a concrete surface curbing, the cribbing shall be removed from the hole after the concrete has set.

(2) In buried slab type well construction, a steel casing shall extend at least six inches beyond the slab into the lower well hole; the buried slab shall be sealed with cement grout and the remaining annular space to land surface shall be filled with bentonite or puddled clay. See Figure 4.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-315, filed 4/6/88.]

WAC 173-160-325 Special standards for driven or jetted wells. In all driven point wells, the casing shall extend at least five feet below the anticipated pumping level. An upper hole at least four inches greater in diameter than the permanent casing shall extend a minimum of six feet below land surface. The annular space between the upper oversized drill hole and the permanent casing shall be kept

at least one-half full with bentonite slurry throughout all driving of the pipe. The remaining annular space to land surface shall be filled with cement grout, puddling clay, or bentonite. See Figure 5.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-325, filed 4/6/88.]

WAC 173-160-335 Upper terminal of well. The watertight casing or curbing of any well shall extend at least six inches above the ground surface. In the case of public water supplies where the site is not subject to flooding, the pumphouse floor must be at least one foot above land surface, with a minimum of six inches of casing projecting above the floor; where the site is subject to flooding, the pumphouse floor must be at least two feet above the estimated water level of a one hundred-year frequency flood. Any vent opening, observation ports or air-line equipment shall extend from the upper end of the well by watertight piping to a point at least one foot above the pumphouse floor or cover installed above ground surface. The terminals of these facilities shall be shielded or sealed to prevent entrance of foreign matter or pollutants. A pitless adaptor, or similar device is permitted on domestic wells if made with approved fittings or accepted welding procedures. The connection *must be above static* water level. The pump location must not be subject to flooding.




FIGURE 3. SEALING OF GRAVEL-PACKED WELLS

WAC 173-160-345 Testing of well. (1) Well authorized by appropriation permit. Before being put to use, each well shall be pump tested for yield and drawdown and reports submitted as required in chapter 90.44 RCW. The well shall be test pumped at rates equal to or greater than are expected from the well during its normal usage. For public water supply wells, the test pump shall be operated continuously for a minimum of four hours, or longer if required by the department of social and health services. The yield and drawdown shall be determined following at least two hours of stabilized water level observation. Periodic water level observation should be made during drawdown and subsequent recovery periods. Periods of observation shall be more frequent during the onset of drawdown and may decrease in frequency as drawdown or recovery proceeds toward stabilization. A bailer test is not an acceptable substitute for testing wells under permit.

(2) Wells not requiring appropriation permit. Testing of a well not requiring an appropriation permit shall be conducted for a period of at least one hour either by bailer, air lift, or with a pump.

(3) Test data must be reported to the department in the water well report.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-345, filed 4/6/88.]

WAC 173-160-355 Testing of well—Access port or pressure gage. All wells shall be equipped with an access port that allows for the measurement of the depth to water surface or a pressure gage that indicates the shut-in pressure of a flowing artesian well. See Figure 6. The access ports and pressure gages or other openings in the cover shall be sealed or capped to prevent entrance of surface water or foreign material into the well.




FIGURE 4. SEALING OF DUG WELLS




FIGURE 5. SEALING OF DRIVEN AND JETTED WELLS

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-335, filed 4/6/88.]




FIGURE 6. SUGGESTED METHODS FOR INSTALLING PRESSURE GAGES AND AIRLINES FOR MEASURING WATER LEVELS IN WELLS

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-355, filed 4/6/88.]

WAC 173-160-365 Disinfection. (1) All tools and drilling equipment shall be thoroughly disinfected with a chlorine compound prior to beginning well construction.

(2) Every new or reconditioned well, after completion of construction or repair, and before being placed in service, shall be cleared of all foreign materials.

(3) The well casing shall be swabbed and cleaned to remove oil, grease or joint dope.

(4) All pumping equipment, sand or gravel used in gravel-packed wells and the well casing shall be thoroughly sluiced with clean water and disinfected with a solution containing at least fifty ppm of chlorine for at least thirty minutes.

(5) Prior to use for drinking purposes, sufficient disinfectant (chlorine compound) shall be added to the standing water in the well to give a residual of fifty ppm free chlorine. The disinfectant should then be thoroughly mixed with the water in the well and shall remain in the well for a period of at least twenty-four hours, after which there shall remain a minimum of ten ppm free chlorine residual. The well shall then be flushed to remove all traces of chlorine. If testing indicates a presence of coliform bacteria, more

[Title 173 WAC—page 218]

stringent disinfection methods may be required by the department of social and health services or local health authority.

(6) Chlorine is a pollutant. Allow the chlorine in the rinse to dissipate before discharging the water to surface water. This water shall be discharged in a safe manner consistent with the intent of the Water Pollution Control Act, chapter 90.48 RCW.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-365, filed 4/6/88.]

WAC 173-160-375 Quality of drilling water. All water introduced into a well for drilling purposes shall be obtained from a potable water source or be thoroughly disinfected to assure noncontamination of the water-bearing zone.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-375, filed 4/6/88.]

WAC 173-160-385 Pump installation. All pumps and pumping equipment shall be installed in a manner consistent with the intent and purposes of these regulations.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-385, filed 4/6/88.]

WAC 173-160-395 Explosives. The use of explosives in the construction, development or reconditioning of any water well shall be accomplished under the direct supervision of an individual licensed under chapter 70.74 RCW.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-395, filed 4/6/88.]

WAC 173-160-405 Chemical conditioning. The use of detergents, chlorine, acids or other chemicals in wells for the purpose of increasing or restoring yield, may be used according to manufacturer's recommendations.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-405, filed 4/6/88.]

WAC 173-160-415 Abandonment of wells. General.

(1) Any well which is unusable, or whose use has been permanently discontinued, or which is in such disrepair that its continued use is impractical or is an environmental, safety or public health hazard shall be abandoned. The abandonment procedure (as prescribed by these regulations) must be recorded and reported as required by the department.

(2) Wells that were not constructed in accordance with these regulations, or wells which are abandoned to allow the placement of potential sources of contamination within one hundred feet of the well, shall be abandoned in one of two ways:

(a) The casing shall be perforated from the bottom to within five feet of the land surface and pressure grouted. Perforations shall be at least four equidistant cuts per row, and one row per foot. Each cut shall be at least one and one-half inches long.

(b) Withdraw the casing and fill the bore hole with grout, puddled clay, or bentonite as the casing is being withdrawn.

(3) Piping of sealing materials directly to the point of application or placement by means of a dump bailer or tremie tube is recommended. If cement grout, neat cement, or puddled clay is used as a sealing material below the static-water level in the well, it should be placed from the bottom up by methods that avoid segregation or dilution of the material. When used to place grout, the discharge end of the tremie tube shall be submerged in the grout to avoid breaking the seal while filling the annular space.

(4) If it can be verified that a water supply well was constructed in accordance with these regulations, and it is not being abandoned to allow siting of potential sources of contamination within one hundred feet of the well, it shall be abandoned in accordance with WAC 173-160-420 through 173-160-465, whichever applies.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-415, filed 4/6/88.]

WAC 173-160-420 Abandonment of uncased wells. Uncased wells shall be backfilled with concrete, grout, puddled clay, or high-solids bentonite.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-420, filed 4/6/88.]

WAC 173-160-425 Abandonment of wells—Abandonment of drilled or jetted wells. A cement grout or concrete plug shall be placed opposite all perforations or openings in the well casing. The remainder of the well shall be filled with cement grout, concrete, puddled clay, or bentonite.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-425, filed 4/6/88.]

WAC 173-160-435 Abandonment of wells—Abandonment of gravel-packed wells. All gravel-packed wells shall be pressure-grouted throughout the perforated section of the well casing. The remainder of the well shall be filled with cement grout, concrete, puddled clay, or bentonite.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-435, filed 4/6/88.]

WAC 173-160-445 Abandonment of wells—Abandonment of artesian wells. A cement grout or concrete plug shall be placed in the confining stratum overlying the artesian zone to prevent subsurface leakage from the artesian zone. The remainder of the well shall be filled with cement grout, concrete, or bentonite.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-445, filed 4/6/88.]

WAC 173-160-455 Abandonment of wells—Abandonment of dug wells. Clean chlorinated sand shall be installed to a point two feet above static water level. The remainder of the well to land surface shall be filled with clay, concrete, puddled clay, or bentonite.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-455, filed 4/6/88.]

WAC 173-160-465 Abandonment of wells—Plugging of test wells. In the abandonment of cased wells in

which the well casing is to be removed, the well shall be plugged as the casing is withdrawn. Test wells shall be abandoned in accordance with WAC 173-160-420.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-465, filed 4/6/88.]

WAC 173-160-475 Artificial recharge of ground-water bodies. Approval must be obtained from the department before starting any project related to the artificial recharge of ground-water bodies.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-475, filed 4/6/88.]

PART THREE—RESOURCE PROTECTION WELLS

WAC 173-160-500 Design and construction—General. (1) No resource protection well shall be used for domestic, industrial, commercial, or agricultural purposes, unless it meets the minimum construction standards for water supply wells.

(2) No resource protection well shall interconnect saturated formations or aquifers.

(3) Cuttings and development water shall be managed in a manner consistent with the intent and purposes of the Water Pollution Control Act, chapter 90.48 RCW, the Hazardous Waste Management Act, chapter 70.105 RCW, and implementing regulations (chapter 173-303 WAC).

(4) A well identification number shall be permanently attached or engraved on the inner and outer well casings.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-500, filed 4/6/88.]

WAC 173-160-510 Design and construction—Surface protective measures. (1) Every resource protection well shall be capped and protected using one of the following methods:

(a) If the well is cased with metal and completed above the ground surface, a lockable cap shall be attached to the top of the casing.

(b) If the well is not cased with metal and completed above the ground surface, a metal protective casing shall be installed around the well. The protective casing shall extend at least six inches above the top of the well casing and at least two feet into the ground. A lockable cap shall be attached to the top of the protective casing.

(c) If the well is completed below ground surface, a lockable "water-meter cover," or equivalent, shall be installed around the well. A protective cover, level with the ground surface, shall be installed with a waterproof seal to prevent the inflow of surface water. Drains shall be provided, when feasible, to keep water out of the well and below the well cap. The cover must be designed to withstand the maximum expected loadings.

(2) The well(s), completed above ground, shall be protected from damage by one of the following methods:

(a) Three metal posts at least three inches in diameter, and set in concrete, shall be installed in a triangular array around the casing and at least two feet from it. Each post shall extend at least three feet above and below the ground surface.

(b) A reinforced concrete pad may be installed to prevent freeze/thaw cracking of the surface seal. When a concrete pad is used, the well seal shall be part of the concrete pad.

(c) A protective cover shall be installed when the well is completed below the ground surface. The cover must be designed to withstand the maximum expected loadings.

(3) The protective measures may be waived, if the well is inspected at least weekly and is located in a secure area that is not susceptible to vandalism or to damage.

(4) If the well is to be protected by other surface protection methods, the owner shall obtain prior written approval from the department.

(5) If the well is damaged, the well protection measures and casing shall be restored as prescribed by this chapter. If the well is damaged beyond repair, it shall be properly plugged and abandoned in accordance with WAC 173-160-560.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-510, filed 4/6/88.]

WAC 173-160-520 Design and construction—

Casing. The casing shall be nonreactive with the subsurface environment. The casing shall not effect or interfere with the chemical, physical, radiological, or biological constituents of interest. All resource protection well casing shall conform to ASTM Standards, or at least 304 or 316 stainless steel, PTFE, or Schedule 40 PVC casing. Glued casing joints shall not be used in areas of known or potential contamination.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-520, filed 4/6/88.]

WAC 173-160-530 Design and construction—

Cleaning. (1) When drilling in known or potential areas of contamination, the drill rig derrick and all drilling equipment shall be steam cleaned before and after well construction.

(2) The casing and screen(s) shall be steam cleaned and rinsed before installation, and stored off the ground on secure clean racks.

(3) The filter pack shall be washed with clean water before installation and shall not interfere with the chemical, physical, radiological, or biological constituents of interest.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-530, filed 4/6/88.]

WAC 173-160-540 Design and construction—Well screen, filter pack, and development.

(See Figure 7 at the end of this section.) (1) Wells installed for water quality sampling shall include the following:

(a) Commercially fabricated screen. The well screen shall be constructed of material that is nonreactive to subsurface conditions.

(b) Filter pack. A filter pack is preferred, but not required in coarse or granular formations. When used, it shall be installed from the bottom of the screen to at least three feet above the top of the screen.

(2) Well development. The well shall be developed to assure continuity between the well, well screen, and formation materials.




FIGURE 7. GENERAL RESOURCE PROTECTION WELL—CROSS SECTION

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-540, filed 4/6/88.]

WAC 173-160-550 Design and construction—Well seals. (1) A layer of bentonite at least two feet thick shall be placed on top of the filter pack. Figure 7 illustrates the well construction.

(2) The annular space shall be grouted with bentonite; or a bentonite-cement sealant, which has a weight in the range of eleven to thirteen pounds per gallon as verified on site, with a mud balance. Monitoring wells designed to retain the outer casing shall be sealed into the first impermeable layer. The sealant shall be installed with a tremie tube from the bottom up. Use only potable water to hydrate the mixture.

(3) Other methods may be used to seal the annular space, if they provide equivalent protection, and a variance has been issued by the department.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-550, filed 4/6/88.]

WAC 173-160-560 Abandonment of resource protection wells. (1) If it can be verified that a resource protection well was constructed in accordance with these regulations, it shall be abandoned by filling the casing from the bottom to the surface with grout or bentonite. If the

construction cannot be verified, the well shall be abandoned in accordance with WAC 173-160-415(2).

(2) The abandonment procedure shall be recorded on a form provided by the department and shall include, as a minimum, the following information: Project name, if appropriate; date; location of well by 1/4, 1/4, section or smallest legal subdivision; well identification number; use of well; method of setting the plug; type and amount of sealant used; and such additional information as required by the department.

(3) The well abandonment must be recorded and reported to the department within thirty days of abandonment.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-160-560, filed 4/6/88.]

Chapter 173-162 WAC REGULATION AND LICENSING OF WELL CONTRACTORS AND OPERATORS

WAC

173-162-010	Purpose.
173-162-020	General.
173-162-030	Definitions.
173-162-040	Compliance—Requirement for licensing.
173-162-050	Exemptions.
173-162-060	License required—Qualifications for licensing.
173-162-070	Applications and fees.
173-162-080	Examinations—Time and place.
173-162-090	Examinations—Notification of examinations.
173-162-100	Examinations—Type of examinations.
173-162-120	Examinations—Notification of examination results.
173-162-130	Licenses—General.
173-162-140	Licenses—Unconditional license.
173-162-170	Retaking examination.
173-162-190	Well contractors—Responsibilities.
173-162-200	Enforcement.
173-162-210	Appeals.
173-162-220	Regulation review.

DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

173-162-110	Examinations—Conducting examinations. [Order DE 73-10, § 173-162-110, filed 6/29/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-162-150	Licenses—Conditional license. [Order DE 73-10, § 173-162-150, filed 6/29/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-162-160	Temporary authorization. [Order DE 73-10, § 173-162-160, filed 6/29/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.
173-162-180	Water well contractors—Identification numbers. [Order DE 73-10, § 173-162-180, filed 6/29/73.] Repealed by 88-08-070 (Order 88-58), filed 4/6/88. Statutory Authority: Chapter 18.104 RCW.

WAC 173-162-010 Purpose. These regulations are adopted pursuant to chapter 18.104 RCW in order to establish procedures for the examination, licensing and regulation of well contractors and operators.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-162-010, filed 4/6/88; Order DE 73-10, § 173-162-010, filed 6/29/73.]

WAC 173-162-020 General. These regulations are applicable to all well contractors and operators who are contracting for well construction or constructing wells in the state of Washington.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-162-020, filed 4/6/88; Order DE 73-10, § 173-162-020, filed 6/29/73.]

WAC 173-162-030 Definitions. As used in this chapter:

(1) "Constructing a well" or "construct a well" means and includes boring, digging, drilling, or excavating and installing casing, lining or well screens, whether in the installation of a new well or the alteration of an existing well.

(2) "Department" means department of ecology.

(3) "Director" means director of the department of ecology.

(4) "Drilled well" is a well which is usually excavated by mechanical means such as rotary, cable tool, or auger rigs.

(5) "Driven well" is a well constructed by joining a "drive point" to a length of pipe, then driving the assembly into the ground.

(6) "Dug well" is a well generally excavated with hand tools or by mechanical methods. The side walls may be supported by material other than standard weight steel casing.

(7) "Licensee" is any person licensed as a well contractor pursuant to the provisions of this act and these rules.

(8) "Liner" means any casing, screen, or other device inserted into a larger casing, screen, or bore hole as a means of sealing off undesirable material or maintaining the structural integrity of the well.

(9) "Landfill gas extraction well" is a well used to withdraw gas from an unsaturated zone.

(10) "Monitoring well" is a well designed to obtain a representative ground water sample and/or to measure the water level over the screened interval.

(11) "Observation well" is a well designed to measure the depth to the water table. An observation well is screened across the water table and usually is installed in unconfined aquifers.

(12) "Operator" is any person employed by a well contractor or self employed as a contractor operator for the control and supervision of well construction and for the operation of well construction equipment.

(13) "Piezometer well" is a well designed to measure the hydraulic potential (water level elevation) at a specific point in the subsurface. A piezometer has a short screen that is positioned entirely beneath the water table.

(14) "Resource protection wells" mean monitoring wells, observation wells, piezometers and spill response wells, and cased geotechnical test borings.

(15) "Spill response well" is any well used to capture or recover any spilled or leaked fluid which has the potential to, or has contaminated the ground water.

(16) "Supervision" or "supervising" means being present at the site of well construction and responsible for proper construction at any and all times well construction equipment is being operated.

(17) "Water supply well" means any well that is used to withdraw, dewater, or recharge ground water.

(18) "Well" means and includes any excavation that is drilled, cored, bored, washed, driven, dug, jetted, or otherwise constructed when the intended use of an excavation is for the location, diversion, artificial recharge or withdrawal of ground water. Well includes water-supply well and resource protection well. Well does not mean excavations excluded in WAC 173-160-010(3).

(19) "Well contractor" means any person, firm, partnership, copartnership, corporation, association, or other entity engaged in the business of constructing wells.

(20) "Well rig" is any power driven, percussion, rotary, boring, digging, jetting, or augering machine used in the construction of a well.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-162-030, filed 4/6/88; Order DE 73-10, § 173-162-030, filed 6/29/73.]

WAC 173-162-040 Compliance—Requirement for licensing. (1) A well construction operators license is required for all operators.

(2) A well construction operators license is required for all well contractors as follows:

(a) Every well contractor shall designate one official as "liaison representative" who shall have the full responsibility and authority to act as the contractor's agent in all its dealings with the department. The "liaison representative" shall be licensed.

(b) An owner-operator who enters contracts on his own behalf is a well contractor and must be licensed. He shall act as his own "liaison agent" in all dealings with the department.

(3) An architectural, engineering or other similar type professional consulting firm, general contractor or construction firm and highway or bridge construction firm need not have a licensed well construction operator in its employ; provided that all well construction associated with their various projects is conducted by a duly licensed well contractor.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-162-040, filed 4/6/88; Order DE 73-10, § 173-162-040, filed 6/29/73.]

WAC 173-162-050 Exemptions. A well construction operators license shall not be required of:

(1) Any individual who personally drills a well on land which is owned or leased by him or in which he has a beneficial interest as a contract purchaser and is used by the individual for farm or noncommercial domestic use only.

(2) Any individual who performs labor or services for a well contractor in connection with the drilling of a well at the direction and under on-site supervision and control of a licensed operator.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-162-050, filed 4/6/88; Order DE 73-10, § 173-162-050, filed 6/29/73.]

WAC 173-162-060 License required—Qualifications for licensing. A person shall be qualified to receive a license if he:

(1) Has made application to the department and has paid a twenty-five dollar application fee.

(2) Has passed a written examination, except that a person who can establish his illiteracy to the satisfaction of the department shall be entitled to an oral examination in lieu of a written examination.

(3) Has at least two years of field experience with a licensed well driller or one year of field experience and an equivalent of at least one school year of qualifying educational training. The qualifying educational training should include the following studies, in combination with field demonstration and experience for the minimum amount of hours shown:

(a) Ground water geology and hydrology - fifty-five hours;

(b) Well design and construction - fifty-five hours;

(c) Records and business basics - twenty-two hours;

(d) History of methods of drilling - twenty-two hours;

(e) Welding - one hundred ten hours; and

(f) Well drilling experience - four hundred fifty-nine hours.

These criteria must have official documentation by state or nationally approved institutions of higher learning.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-162-060, filed 4/6/88; Order DE 73-10, § 173-162-060, filed 6/29/73.]

WAC 173-162-070 Applications and fees. Applications for license or renewal of license shall be submitted on forms provided by the department.

(1) An application fee of twenty-five dollars made payable to the department must be submitted with each application for license.

(2) A renewal fee of ten dollars made payable to the department must be submitted with each application for renewal of license.

[Order DE 73-10, § 173-162-070, filed 6/29/73.]

WAC 173-162-080 Examinations—Time and place. Examinations shall be held at such times and places as may be determined by the department, but not later than thirty days after a completed application with appropriate fee has been received and accepted by the department; provided that in the case where an application is received after an examination has been scheduled and there is either insufficient time for the department to duly notify the applicant of the time and place of the examination or the applicant is unable to take the examination at the scheduled time, the thirty day period will start from the scheduled examination date; provided further, however, that if an examination is not taken within ninety days after the initial receipt of the application in the department, the application shall be voided and the application fee forfeited.

[Order DE 73-10, § 173-162-080, filed 6/29/73.]

WAC 173-162-090 Examinations—Notification of examinations. Upon receipt of a properly completed application, the department shall notify the applicant of the date, time and place of the next scheduled examination. All incomplete application forms will be returned for completion. The applicant should notify the department if the examination schedule cannot be met and the reasons therefor.

[Order DE 73-10, § 173-162-090, filed 6/29/73.]

WAC 173-162-100 Examinations—Type of examinations. The examinations shall be prepared, administered and evaluated by the department. They shall be broken down into sections including a basic general category and specialist categories including but not necessarily limited to cable tool, rotary, driven and dug well construction technology. The examination shall be prepared to test the knowledge and understanding of the following subjects:

- (1) Washington ground water laws as they relate to well construction;
- (2) Sanitary standards for water well drilling and construction of water wells;
- (3) Types of well construction;
- (4) Drilling tools and equipment;
- (5) Underground geology as it relates to well construction;
- (6) Rules and regulations of the department and the department of social and health services relating to well construction;
- (7) Preparation of well reports;
- (8) Township and range location system as it relates to location of wells; and
- (9) Basic ground water hydraulics as it relates to well construction.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-162-100, filed 4/6/88; Order DE 73-10, § 173-162-100, filed 6/29/73.]

WAC 173-162-120 Examinations—Notification of examination results. The department shall make a determination of the applicant's qualifications for a license within ten days after the examination and notify said applicant of the results within ten days after such determination.

[Order DE 73-10, § 173-162-120, filed 6/29/73.]

WAC 173-162-130 Licenses—General. It is the intent of the department in its implementation of the licensing phase of the Washington Water Well Construction Act to effect a smooth transition of this requirement into the well construction industry without causing undue hardship on individuals and/or businesses whose livelihood is dependent upon continuing work in this field.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-162-130, filed 4/6/88; Order DE 73-10, § 173-162-130, filed 6/29/73.]

WAC 173-162-140 Licenses—Unconditional license. An applicant who has passed the basic general examination and all specialist categories shall be granted a well construction operators license without any restrictions or conditions.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-162-140, filed 4/6/88; Order DE 73-10, § 173-162-140, filed 6/29/73.]

WAC 173-162-170 Retaking examination. Upon failing to qualify for a license, the applicant shall not be entitled to retake the examination or any parts thereof for a period of ninety days from the date of his original examination.

(1) An applicant who has failed to pass the basic general category or has passed the basic general category, but failed to pass any of the specialist categories, shall be considered as a new applicant in all respects.

(2) An applicant who has qualified for a license in one or more of the specialist categories will not be required to pay additional fees for retaking only a part of the examination.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-162-170, filed 4/6/88; Order DE 73-10, § 173-162-170, filed 6/29/73.]

WAC 173-162-190 Well contractors—Responsibilities. The well contractor shall be responsible for appointment of a "liaison representative." Any change of "liaison representative" must be immediately reported to the department in order to assure continuity of communication.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-162-190, filed 4/6/88; Order DE 73-10, § 173-162-190, filed 6/29/73.]

WAC 173-162-200 Enforcement. In enforcement of this chapter, the department of ecology may impose such sanctions as are appropriate under authorities vested in it, including but not limited to the issuance of regulatory orders under RCW 43.27A.190, civil penalties under RCW 90.03.600 and 18.104.155, and criminal penalties under RCW 18.104.160.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-162-200, filed 4/6/88.]

WAC 173-162-210 Appeals. All final written decisions of the department of ecology pertaining to permits, regulatory orders, and related decisions made pursuant to this chapter shall be subject to review by the pollution control hearings board in accordance with chapter 43.21B RCW.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-162-210, filed 4/6/88.]

WAC 173-162-220 Regulation review. The department of ecology shall initiate a review of the rules established in this chapter whenever new information, changing conditions, or statutory modifications make it necessary to consider revisions.

[Statutory Authority: Chapter 18.104 RCW. 88-08-070 (Order 88-58), § 173-162-220, filed 4/6/88.]

Chapter 173-166 WAC EMERGENCY DROUGHT RELIEF

WAC

173-166-010	Purpose.
173-166-020	Authority.
173-166-030	Definitions.
173-166-040	General eligibility rule.
173-166-050	Forecast of drought conditions.
173-166-060	Orders declaring drought conditions.
173-166-070	Emergency drought permits.
173-166-080	Temporary transfers of water rights.
173-166-090	Funding assistance—General criteria.
173-166-100	Funding assistance—Agricultural criteria.
173-166-110	Funding assistance—Fisheries criteria.
173-166-120	Requests for drought relief—Contacts—Applications.
173-166-130	Appeals.
173-166-140	Regulation review.

WAC 173-166-010 Purpose. The legislature in 1989 gave permanent drought relief authority to the department of

ecology and enabled ecology to issue orders declaring drought emergencies. Chapter 171, Laws of 1989 amends chapter 43.83B RCW (Water supply facilities).

(1) Chapter 171, Laws of 1989 authorizes the Washington state department of ecology (ecology) to assist in alleviating future drought conditions throughout the state, and sets forth the criteria and procedures for implementing the 1989 drought relief legislation.

(2) Ecology has authority under chapter 171, Laws of 1989 to:

(a) Issue emergency permits to withdraw public waters as an alternate source of water supply.

(b) Approve water right transfers between willing parties.

(c) Provide funding assistance for eligible drought projects and measures.

[Statutory Authority: RCW 43.83B.420. 91-03-081 (Order 90-53), § 173-166-010, filed 1/17/91, effective 2/17/91. Statutory Authority: 1977 c 339 § 75. 78-04-019 (Order 78-3), § 173-166-010, filed 3/10/78.]

WAC 173-166-020 Authority. This regulation is promulgated by the department of ecology under authorities and procedures provided in chapter 171, Laws of 1989 after notification as provided in chapter 34.05 RCW.

[Statutory Authority: RCW 43.83B.420. 91-03-081 (Order 90-53), § 173-166-020, filed 1/17/91, effective 2/17/91. Statutory Authority: 1977 c 339 § 75. 78-04-019 (Order 78-3), § 173-166-020, filed 3/10/78.]

WAC 173-166-030 Definitions. As used in this chapter:

(1) "Ecology" is the department of ecology.

(2) "Drought conditions" are water supply conditions where a geographical area or a significant part of a geographical area is receiving, or is projected to receive, less than seventy-five percent of normal water supply as the result of natural conditions and the deficiency causes, or is expected to cause, undue hardship to water users within that area.

(3) "Essential minimum" for the fisheries resource is:

(a) That amount of water or flow rate established as a regulation adopted by ecology pursuant to RCW 90.22.020 or 90.54.050;

(b) That amount of water or flow placed as a proviso on a water right permit or certificate; or

(c) That amount of water or flow established on an interim basis to assure the maintenance of fisheries requirements. Such a determination will be made by ecology, in consultation with, among others, the departments of fisheries and wildlife, any concerned federal agencies and affected Indian tribes.

(4) "Executive water emergency committee (EWEC)" is a committee, chaired by the governor's office, including members of state, local, and federal agencies which reviews water supply information provided by the water supply availability committee and determines potential effects of water shortages upon the state of Washington. Affected Indian tribes will be invited to participate.

(5) "Geographical area" is an area within the state of Washington which can be described either by natural or political boundaries and which can be specifically identified

in an order declaring a drought emergency. Examples of specific geographical areas include, but are not limited to:

(a) The state of Washington.

(b) Counties.

(c) Water resource inventory areas (WRIAs) as defined in chapter 173-500 WAC.

(d) Individual watersheds which constitute only a portion of a WRIA but whose boundaries can be topographically described.

(e) Ground water management areas and subareas as defined in chapter 173-100 WAC.

(f) Designated sole source aquifers.

(g) Combinations of the above areas.

(6) "Normal water supply" is:

(a) For the purpose of the determination of drought conditions, the average amount of water available to a geographical area on an annual basis, based upon evaluation of precipitation, streamflow, snowpack and other hydrological and meteorological factors.

(b) For the purpose of eligibility for drought assistance:

(i) That amount of water put to beneficial use during the irrigation season for the irrigation of one or more crops, using reasonably efficient practices, including reasonable conveyance losses, under a valid water right permit or certificate, or a supported registered water right claim; or

(ii) That amount or flow of water required for normal operations of fish hatchery or fish passage facilities. Such facilities, where required by law, must be operating under a valid water right permit or certificate, or under a supported registered water right claim; or

(iii) The median amount or flow of water that is historically required to provide normal instream habitat conditions for the existing fishery population.

(7) "Previously established activities" include:

(a) The irrigation of a specified number of acres, using reasonably efficient practices, under a valid water right permit or certificate, or a supported registered water right claim.

(b) Those fish-management activities presently employed to maintain the fisheries resource. The resource itself must neither be restored nor enhanced by drought relief actions available under the provisions of this chapter.

(c) The delivery of water by public and private entities through existing supply systems to present populations, areas, and/or facilities for purposes that are nonagricultural and nonfishery related.

(8) "Reasonably efficient practices" are those practices including, but not limited to, methods of conveyance, use, and disposal of water which are reasonable and appropriate under the circumstances to bring about water use efficiency as determined by an area-specific application of criteria identified by ecology, which may include, among others:

(a) Customary practices in the area;

(b) Reasonableness of any facilities at the time of installation;

(c) Cost of improvements and impacts of the costs of upgrading facilities on the continued use of water by an appropriator;

(d) Changes in water use practices and technology; and

(e) Impact of alternative water use practices on other water uses and the environment.

(9) "Supported registered water right claim" is a registered water right claim which includes sufficient evidence to satisfy ecology that a valid water right would be confirmed should the claim be adjudicated. Applications made for emergency drought permits, water transfers, or funding assistance under this chapter must incorporate, either by reference or inclusion, necessary information to enable ecology to make an informed determination with respect to the claim. Such information may include, but is not limited to:

(a) Documentation of continuous historical exercise of the claimed right;

(b) Historical maps depicting the historical means of irrigation and the areas covered by the claimed right;

(c) Legal documentation, including any previous court or administrative board decisions, which addresses the historical nature and extent of the claimed right;

(d) "Old-timer" testimony which addresses the historical nature and extent of the claimed right.

(10) "Water supply availability committee (WSAC)" is a committee, with a core membership consisting of ecology, the National Weather Service, the Soil Conservation Service, the U.S. Geological Survey, the U.S. Bureau of Reclamation, and other federal agencies involved in water supply forecasting, which reviews pertinent hydrological and meteorological information and assesses water supply conditions for the state of Washington.

[Statutory Authority: RCW 43.83B.420. 91-03-081 (Order 90-53), § 173-166-030, filed 1/17/91, effective 2/17/91. Statutory Authority: 1977 c 339 § 75. 78-04-019 (Order 78-3), § 173-166-030, filed 3/10/78.]

WAC 173-166-040 General eligibility rule. (1)

Applications for emergency drought permits, water transfers, or funding assistance made under this chapter will be processed only for previously established activities in a geographical area or part of a geographical area declared to be suffering from drought conditions. Where required by law, such activities must be conducted under a valid water right permit, certificate, or supported registered water right claim.

(2) Applications will be processed if the water user is receiving, or is projected to receive, less than seventy-five percent of normal water supply for the previously established activity and experiencing undue hardship as a result.

(3) All permits and approvals issued under this chapter will be subject to existing rights.

(4) Water obtained through the issuance of temporary permits, water right transfers, and/or funding assistance for projects or measures must be put to beneficial use in lieu of water which is unavailable because of drought conditions.

(5) All permits and approvals issued under this chapter will be of a temporary nature and will contain an expiration date.

[Statutory Authority: RCW 43.83B.420. 91-03-081 (Order 90-53), § 173-166-040, filed 1/17/91, effective 2/17/91. Statutory Authority: 1977 c 339 § 75. 78-04-019 (Order 78-3), § 173-166-040, filed 3/10/78.]

WAC 173-166-050 Forecast of drought conditions.

(1) Whenever it appears to the department of ecology that drought conditions as defined in WAC 173-166-030(2) either exist or are forecast to occur, ecology will consult with the state's water supply availability committee or its successor.

Other appropriate sources of water supply information, such as the Columbia River water management group and the U.S. Army Corps of Engineers, may be consulted by the WSAC as needed.

(2) Should the water supply availability committee determine that a geographical area or a part of a geographical area is receiving, or is likely to receive, seventy-five percent or less of its normal water supply, it will advise the executive water emergency committee and the Indian tribes within the area of that fact. The executive water emergency committee will then make a determination as to whether or not undue hardships will occur as a result of the shortage.

(3) Should the executive water emergency committee determine that an area will suffer undue hardship as a result of a reduced water supply, it will submit a recommendation to that effect to the governor for written approval. Affected Indian tribes will be notified at the time such a recommendation is submitted.

(4) Upon securing the written approval of the governor, ecology will then issue an order declaring a geographical area or a significant part of a geographical area to be suffering from drought conditions and publish that order in a newspaper of general circulation in the area affected by the order.

(5) The determination of drought conditions will be based upon the updated seasonal forecast as applied to the water supply conditions within the designated geographical area or part of a designated geographical area.

[Statutory Authority: RCW 43.83B.420. 91-03-081 (Order 90-53), § 173-166-050, filed 1/17/91, effective 2/17/91. Statutory Authority: 1977 c 339 § 75. 78-04-019 (Order 78-3), § 173-166-050, filed 3/10/78.]

WAC 173-166-060 Orders declaring drought conditions. (1)

If the department of ecology determines that a geographical area or part of a geographical area is suffering from drought conditions, it may, upon the advice of the water supply availability committee, with the concurrence of the executive water emergency committee, and the written approval of the governor, issue an order to that effect.

(2) The order declaring drought conditions for a geographical area or part of a geographical area must contain the following elements:

(a) A description of the geographical area or part of a geographical area which is being so designated.

(b) The facts leading to the issuance of the order.

(c) The statutory authority upon which the order is being issued.

(d) The commencement date and termination date of the order. The termination date may be no later than one calendar year from the date the order is issued.

(e) Brief descriptions of the actions which are possible under the order.

(f) Provisions for the termination of withdrawals if essential minimum flows are jeopardized.

(3) Ecology must publish the order declaring a geographical area or a part of a geographical area to be suffering from drought conditions in a newspaper of general circulation in the area affected by the order.

(4) Persons may file written protest as to the contents of the order with ecology. Ecology will have fifteen calendar days from the date of receipt of the protest in which to make

a determination as to its validity, using the procedure specified in WAC 173-166-050.

(5) A person who believes that an area should be declared to be suffering from drought conditions may petition ecology for such a declaration. Upon the receipt of such a petition, ecology will have fifteen calendar days from the date of receipt of the petition in which to make a determination as to its validity, using the procedure specified in WAC 173-166-050, and provide a decision to the applicant. The petition should contain the following information:

(a) A description of the geographical area or part of a geographical area which is being requested for designation.

(b) The nature of the relief sought in requesting such a designation.

(c) The facts upon which the petition is based.

(6) Orders declaring areas to be suffering from drought conditions may, with the written approval of the governor, be amended one or more times to change the termination date, provided that the termination date of the order, as amended, is no more than two calendar years from the date the order is first issued.

(7) Orders declaring areas to be suffering from drought conditions may be issued for different areas of the state and sequentially for the same area if drought conditions persist.

[Statutory Authority: RCW 43.83B.420, 91-03-081 (Order 90-53), § 173-166-060, filed 1/17/91, effective 2/17/91. Statutory Authority: 1977 c 339 § 75, 78-04-019 (Order 78-3), § 173-166-060, filed 3/10/78.]

WAC 173-166-070 Emergency drought permits.

Ecology may allow water users to obtain water from alternate sources during drought conditions. To accomplish this, ecology may issue emergency drought permits authorizing withdrawals of ground water and surface water, including dead storage in reservoirs. Permits will be processed under the following criteria:

(1) Applicants must be conducting a previously established activity within a geographical area or part of a geographical area declared to be suffering from drought conditions.

(2) An application will be processed if the water user is receiving, or is projected to receive, less than seventy-five percent of normal water supply, as the result of natural drought conditions, for the previously established activity and experiencing, or is expected to experience, undue hardship as a result.

(3) Ecology, plus all state and local agencies with authority to issue permits or other authorizations in connection with emergency actions authorized under the provisions of this chapter, will have fifteen calendar days from the date of receipt of the respective application(s) in which to provide a decision to the applicant. Agencies with authority to review applications for emergency drought permits, such as under RCW 75.20.050, and affected Indian tribes will have fifteen calendar days from the date ecology receives the application in which to provide ecology with an opinion as to any effects of the proposed withdrawal.

(4) Waters authorized to be withdrawn must be used in relation to a previously established activity as defined in this chapter. The permit must not cover irrigation of new lands, restoration or enhancement of the fisheries resource, or a

water supply in addition to the normal amount used in the past by individuals, private entities, or public bodies.

(5) Waters to be withdrawn must constitute an alternate (supplemental) water supply to the user's normal source of water.

(6) The withdrawal must not reduce flows or levels below essential minimums necessary to assure the maintenance of fisheries requirements and to protect federal and state interests including, but not limited to, power generation, navigation, water quality, and existing water rights.

(7) Emergency drought permits issued under this chapter will be temporary in nature and must expire no later than the expiration date of the order declaring the area in which the permitted activity is authorized to be suffering from drought conditions.

(8) Priority will be given to domestic and irrigation uses of water for any emergency withdrawals authorized under this chapter.

(9) Emergency drought permits issued under this chapter must contain provisions for termination should the withdrawal reduce flows or levels below essential minimums as defined in this chapter.

(10) To expedite the issuance of emergency drought permits, ecology is authorized to process the applications and issue the permits without compliance with requirements for:

(a) Notice of newspaper publication.

(b) The State Environmental Policy Act.

[Statutory Authority: RCW 43.83B.420, 91-03-081 (Order 90-53), § 173-166-070, filed 1/17/91, effective 2/17/91. Statutory Authority: Chapters 43.83B and 43.27A RCW, 88-13-037 (Order 88-11), § 173-166-070, filed 6/9/88.]

WAC 173-166-080 Temporary transfers of water rights.

(1) Ecology may approve emergency water right changes in order to effect a transfer of water between willing parties. Water right changes can include purpose of use, place of use, and point of diversion.

(2) Examples of possible water right transfers include, but are not limited to, the following situations:

(a) A water right holder may choose to reduce irrigated acreage and transfer the unused water to another water right holder whose normal water supply is decreased by drought conditions. The acreage irrigated with transferred water on the second parcel may not exceed the acreage reduction on the first parcel.

(b) A water right holder may transfer a water right from an out-of-stream use to an instream use.

(c) Municipalities or other public bodies may transfer water between one another.

(3) Requests for water right transfers will be processed under the following criteria:

(a) Applicants must be conducting a previously established activity within a geographical area or part of a geographical area declared to be suffering from drought conditions.

(b) An application for a water right transfer will be processed if the recipient water user is receiving, or is projected to receive, less than seventy-five percent of normal water supply, as the result of natural drought conditions, for the previously established activity and experiencing, or is expected to experience, undue hardship as a result.

(c) All approvals by ecology for water right transfers under this chapter will be temporary in nature and will be for the purpose of alleviating drought conditions. These approvals must terminate no later than the expiration date of the order which declares the area to be suffering from drought conditions.

(d) Water right transfers between willing parties may be approved when an emergency exists only if such a transfer will not affect existing rights whatsoever, or reduce flows or levels below essential minimums, or adversely affect federal and state interests including, but not limited to, power generation, navigation, and water quality.

(e) Water rights may be transferred within areas declared to be suffering from drought conditions. Water rights may also be transferred from outside an area declared to be suffering from drought conditions into an area declared to be suffering from drought conditions, provided such a transfer of water is physically possible and is consistent with the provisions of RCW 90.03.380, 90.03.390, and 90.44.100. Water rights will not be transferred from within an area declared to be suffering from drought conditions to outside that area.

(f) To expedite water transfers during drought conditions, ecology can approve temporary changes in water rights without compliance with requirements for:

- (i) Notice of newspaper publication.
- (ii) The State Environmental Policy Act.

(g) In those cases where temporary water transfers require court approval while general adjudication proceedings are ongoing, ecology will assist the court in coordination, maintaining communications, and providing technical assistance when requested.

(h) The temporary changing of a water right under this chapter will not be admissible as evidence in either supporting or contesting the validity of water claims in a general adjudication of water rights in the state of Washington.

(i) Ecology, plus all state and local agencies with authority to issue permits or other authorizations in connection with emergency actions authorized under the provisions of this chapter, will have fifteen calendar days from the date of receipt of the respective application(s) in which to provide a decision to the applicant. Agencies with authority to review applications for temporary water right transfers, such as under RCW 75.20.050, and affected Indian tribes will have fifteen calendar days from the date ecology receives the application in which to provide ecology with an opinion as to any effects of the proposed transfer.

[Statutory Authority: RCW 43.83B.420, 91-03-081 (Order 90-53), § 173-166-080, filed 1/17/91, effective 2/17/91.]

WAC 173-166-090 Funding assistance—General criteria. Ecology may provide funding assistance to public bodies for projects and measures designed to alleviate drought conditions relating to agricultural and fisheries survival. Funding is available from emergency agricultural water supply funds under RCW 43.83B.300. Funding assistance will be based upon the total funds available at the beginning of the current biennium. General criteria under which funds will be provided:

(1) Public bodies eligible to receive emergency funds are defined in RCW 43.83B.050 as ". . . the state of Wash-

ington, or any agency, political subdivision, taxing district, or municipal corporation thereof, an agency of the federal government, and those Indian tribes now or hereafter recognized as such by the federal government for participation in the federal land and water conservation program and which may constitutionally receive grants or loans from the state of Washington."

(2) The public body applying for emergency funds must be conducting the previously established activity for which they seek funding assistance within an area declared to be suffering from drought conditions as defined in WAC 173-166-030(2).

(3) The public body applying for emergency funds must be receiving, or be projected to receive, less than seventy-five percent of normal water supply, as the result of natural drought conditions, for the previously established activity for which they seek funding assistance and experiencing, or be expected to experience, undue hardship as a result.

(4) Funding assistance will be for planning, acquisition, construction, rehabilitation, and improvement of water supply facilities and for other appropriate measures to assure the survival of irrigated agriculture and the state's fisheries resource.

(5) Funding assistance will be available only for projects or measures undertaken in response to drought conditions which are beyond the normal scope of operations of the public body applying for emergency funds.

(6) No more than ten percent of total available funds will be allocated for nonagricultural drought relief purposes, including the preservation of the state's fisheries during a given biennium.

(7) Funding assistance may be in the form of a loan or a grant or a combination loan and grant.

(8) Loans, grants, or combination loans and grants may be used as matching funds in cases where federal, local, or other funds are also available.

(9) Emergency loans may be approved with a payback period not to exceed fifteen years, with the interest rate to be equal to the final discount rate established for one year U.S. Treasury Bills at the first auction following the beginning of the state fiscal year in which the loan is approved.

(10) Ecology, plus all state and local agencies that are affected by the proposed project or measure, in keeping with the emergency nature of these provisions, will process the respective application(s) and provide a decision(s) to the applicant in an expeditious manner.

(11) To expedite the implementation of drought relief projects and measures, ecology can approve funding assistance without compliance with requirements for:

- (a) Notice of publication.
- (b) The State Environmental Policy Act.

[Statutory Authority: RCW 43.83B.420, 91-03-081 (Order 90-53), § 173-166-090, filed 1/17/91, effective 2/17/91.]

WAC 173-166-100 Funding assistance—Agricultural criteria. (1) Funding assistance to alleviate drought conditions in irrigated agriculture will be provided under the following formula:

(a) No single entity will receive more than ten percent of the total funds available for drought relief.

(b) A loan may be made for up to ninety percent of total eligible project costs.

(c) A combination loan and grant may be made for up to one hundred percent of total eligible project costs.

(d) A grant or the grant portion of a combination loan and grant may be made for twenty percent of total eligible project costs if the public body being provided funds is within a geographical area declared to be suffering from drought conditions as defined in WAC 173-166-030(2).

(e) The grant or grant portion of a combination loan and grant may be made for up to forty percent of total eligible project costs if the public body being provided funds is receiving, or is forecast to receive, fifty percent or less of normal seasonal water supplies.

(f) A grant or the grant portion of a combination loan and grant may be amended to increase the grant up to forty percent of eligible project costs if drought conditions as defined in this chapter change after a grant has been signed for twenty percent of eligible project costs, provided:

(i) That the grantee qualifies for the higher grant as defined in (e) of this subsection; and

(ii) That the original grant agreement has not been terminated or closed out.

(g) The grant or grant portion of a combination loan and grant, once signed by all parties, may not be reduced despite any subsequent improvement in water supply conditions.

(2) Eligibility conditions for each proposed agricultural project or measure are:

(a) The proposed project or measure must be within an area declared to be suffering from drought conditions as defined in WAC 173-166-030(2).

(b) The public body applying for emergency funds must be receiving, or be projected to receive, less than seventy-five percent of normal water supply and experiencing, or be expected to experience, undue hardship as a result for the previously established activity for which they seek funding assistance.

(c) The proposed project or measure must be for a beneficial use involving a previously established activity or purpose.

(d) The proposed project or measure must assist in alleviating a water shortage.

(e) The public body receiving the loan must satisfy ecology as to its ability to repay the loan and complete the project or measure.

(f) Water derived from the project or measure must be put to beneficial use as a substitute for water not available because of a drought.

(g) Water derived from the project or measure must not be used to irrigate new lands.

(h) The proposed project or measure must not adversely affect existing rights, including both instream and out-of-stream rights.

(i) All required permits and approvals for the proposed project or measure must be obtained by the applicant prior to a loan or grant agreement being signed.

(3) Eligible projects that may be funded for drought relief of irrigated agriculture include, but are not limited to:

(a) Pumps and accessories.

(b) Discharge lines.

(c) Pipelines.

(d) Canals and laterals with control structures.

(e) Liners for leaky pipes and canals.

(f) Diversion structures.

(g) Reregulating reservoirs.

(h) Measuring devices.

(i) Wells with pumps and accessories.

(4) Eligible measures that may be funded include the means for implementing water conservation procedures, acquiring alternate water sources, or transferring water rights, provided that the proposed measure represents an additional cost to the applicant as the result of drought conditions, and not as a substitute for normal water supply costs.

(a) Types of eligible measures for implementing water conservation procedures include, but are not limited to:

(i) Irrigation scheduling programs and activities, including the necessary personnel to accomplish such activities.

(ii) Education programs.

(b) Types of eligible measures for acquiring alternate water sources or transferring water rights include, but are not limited to:

(i) Water leasing fees.

(ii) Repair costs.

(iii) Power costs.

(5) Priority will be given to those proposed agricultural projects and measures which:

(a) Need additional water supplies. Need will be measured by:

(i) The short-term and long-term effects that the water shortage would have on the applicant's crops in the absence of drought relief;

(ii) The capability and reliability of the proposed project or measure to provide an emergency water supply to the applicant;

(iii) The percent of water shortage expected for each applicant.

(b) Are the most effective in achieving long-term reductions (conservation) in water requirements and/or more efficient use of available supplies.

(c) Present no, or minimal, overall environmental impacts, including any detrimental effects to wetlands. Any such impacts should be identified to the best extent possible by the applicant at the time of application.

(6) Preference will be given to those public bodies implementing water conservation plans, water system efficiency improvements, and other drought contingency actions in addition to the funding assistance applied for under this chapter.

[Statutory Authority: RCW 43.83B.420, 91-03-081 (Order 90-53), § 173-166-100, filed 1/17/91, effective 2/17/91.]

WAC 173-166-110 Funding assistance—Fisheries criteria. (1) Ecology may provide funding assistance to alleviate drought conditions affecting the state's fisheries resource provided that no other capital budget funds are available for these purposes at the date of application, as verified by the office of financial management. Funding assistance will be based upon the following formula:

(a) A loan may be made for up to ninety percent of total eligible project costs.

(b) A combination loan and grant may be made for up to one hundred percent of total eligible project costs.

(c) A grant or the grant portion of a combination loan and grant may be made for twenty percent of total eligible project costs if the public body being provided funds is within a geographical area declared to be suffering from drought conditions as defined in WAC 173-166-030(2).

(d) The grant or the grant portion of a combination loan and grant may be made for up to forty percent of total eligible project costs if the public body being provided funds is receiving, or is forecast to receive, fifty percent or less of normal seasonal water supplies.

(e) A grant or the grant portion of a combination loan and grant may be amended to increase the grant up to forty percent of eligible project costs if drought conditions as defined in this chapter change after a grant has been signed for twenty percent of eligible project costs, provided:

(i) That the grantee qualifies for the higher grant as defined in (d) of this subsection; and

(ii) That the original grant agreement has not been terminated or closed out.

(f) The grant or grant portion of a combination loan and grant, once signed by all parties, may not be reduced despite any subsequent improvement in water supply conditions.

(g) No more than ten percent of total funds available at the beginning of the current biennium will be allocated for nonagricultural drought relief purposes, including the preservation of the state's fisheries, during that biennium.

(2) Eligibility conditions for each proposed fisheries project are:

(a) The project lies within a geographic area declared to be suffering from drought conditions.

(b) The proposed project must assist in alleviating the water shortage.

(c) Water from the proposed project must be put to beneficial use as a substitute for water not available because of the drought.

(d) Water derived from projects that are provided funding assistance must not be used to restore or enhance the fisheries resource.

(3) Eligible projects that may be funded for the protection of fish culture at hatcheries from drought conditions include, but are not limited to:

(a) Purchase and installation of water-reuse pumps.

(b) Modifying hatchery outlet structures.

(c) Modifying stream channels adjacent to a hatchery to assure passage to the holding pond.

(d) Provision and maintenance of oxygen levels in off-site holding ponds by purchase and installation of bottle gas (using air stones), or oxygen generation systems, or mechanical aeration.

(4) Eligible projects that may be funded to protect instream fish habitat from drought conditions include, but are not limited to:

(a) Augmentation of instream flows through transfers of diversionary surface and ground water rights.

(b) Augmentation of instream flows through temporary withdrawals of ground waters.

(c) Stream channel modification such as trenching, sandbagging, or berming to protect spawning gravels.

(5) Eligible projects that may be funded to optimize fish survival during drought conditions include, but are not limited to:

(a) Capture and relocation of stranded fish.

(b) Stream channel modification such as trenching, sandbagging, or berming to provide migratory channels for fish passage.

(6) The departments of fisheries and wildlife, plus any potentially affected Indian tribes, will be consulted to verify eligibility, needs, and nature of all proposed fisheries projects and measures.

(7) Preference will be given to those public bodies implementing water conservation plans, water system efficiency improvements, and other drought contingency actions in addition to the funding assistance applied for under this chapter.

[Statutory Authority: RCW 43.83B.420. 91-03-081 (Order 90-53), § 173-166-110, filed 1/17/91, effective 2/17/91.]

WAC 173-166-120 Requests for drought relief—Contacts—Applications. (1) Information regarding implementation of this chapter, and applications for emergency drought permits, water right transfers, and/or funding assistance can be obtained from the ecology headquarters office, water resources program, or from any of the four ecology regional offices. Ecology regional offices are located in Redmond, Spokane, Tumwater, and Yakima.

(2) Copies of statutes and regulations cited in this chapter may be obtained from the ecology headquarters office in Olympia.

(3) Ecology actions pertaining to the determination of which areas are suffering from drought conditions, the issuance of orders declaring areas to be suffering from drought conditions, plus any actions concerning protests of such declarations or petitions for consideration for such a designation will be conducted by the ecology headquarters office, water resources program.

(4) Ecology actions pertaining to emergency drought permits and water right transfers will be conducted by the appropriate ecology regional office.

(5) The ecology headquarters office, water resources program, will administer funding assistance and manage the drought relief program in accordance with the provisions of this chapter.

[Statutory Authority: RCW 43.83B.420. 91-03-081 (Order 90-53), § 173-166-120, filed 1/17/91, effective 2/17/91.]

WAC 173-166-130 Appeals. All final written decisions of the department of ecology made pursuant to this chapter shall be subject to review by the pollution control hearings board in accordance with the provisions of chapter 43.21B RCW.

[Statutory Authority: RCW 43.83B.420. 91-03-081 (Order 90-53), § 173-166-130, filed 1/17/91, effective 2/17/91.]

WAC 173-166-140 Regulation review. The department of ecology will initiate a review of the rules established in this chapter whenever new information, changing conditions, or statutory modifications make it necessary to consider revisions.

[Statutory Authority: RCW 43.83B.420. 91-03-081 (Order 90-53), § 173-166-140, filed 1/17/91, effective 2/17/91.]

Chapter 173-170 WAC

AGRICULTURAL WATER SUPPLY FACILITIES

WAC

173-170-010	Purpose and authority.
173-170-020	Definitions.
173-170-030	Application process—Planning phase.
173-170-040	Comprehensive water conservation plan—Contents—Funding.
173-170-050	Planning phase—Funding.
173-170-060	Application process—Implementation phase.
173-170-070	Criteria for approval of requests for financial assistance—Implementation phase.
173-170-080	Implementation phase—Funding.
173-170-090	Emergency projects—Applications—Designation—Funding.
173-170-100	Small parcels—Funding.
173-170-110	Fisheries and recreational facilities—Funding.
173-170-120	Supplemental guidelines.

WAC 173-170-010 Purpose and authority. The purpose of this chapter is to establish requirements for the grant and loan program covering rehabilitation, improvement, and construction of agricultural water supply facilities pursuant to Referendum 38, chapter 43.99E RCW. The department shall provide grants and loans to applicants for water supply facilities for agricultural use alone or in combination with fishery, recreational, or other beneficial uses of water. In this regard, an objective of providing state assistance to public bodies engaged in irrigation shall be to assist those entities in improving their efficiency of water use beyond current levels.

Note: All statutes, rules, or regulations cited in this chapter are available for review at Department of Ecology, Mailstop PV-11, Olympia, WA 98504-8711.

[Statutory Authority: RCW 43.17.060. 90-20-109, § 173-170-010, filed 10/2/90, effective 11/2/90.]

WAC 173-170-020 Definitions. (1) "Department" means the Washington state department of ecology.

(2) "Agreement" means a binding legal document containing all applicable terms and conditions pertaining to loans and/or grants entered into under Referendum 38 which is signed by the program manager for the department's water resources program and by the duly authorized official of the applicant.

(3) "Agricultural water supply facility" means a water supply and distribution system used for agricultural purposes and owned or operated by a public body, including but not limited to all equipment, utilities, structures, real property, and interests in and improvements on real property necessary for or incidental to the acquisition, construction, installation, or use of any such water supply or distribution system.

(4) "Applicant" means the public body making a request for financial assistance under Referendum 38.

(5) "Class A project" means a construction element associated with an agricultural water supply facility which:

(a) Results in improved water use efficiency and/or quantitative water savings as determined by the department; and

(b) Is one or more of the following: (i) Canal and lateral linings; (ii) piped conveyance and distribution system; (iii) consolidation and/or realignment of delivery systems; (iv) flow measuring devices, e.g., flow control devices; (v)

entire structures/regulating structures (which are new or replace obsolete ones) including: (A) Checks, (B) checkdrops, (C) siphons, (D) turnouts, (E) flumes, (F) reregulation reservoirs; (vi) multiple use water storage dams and reservoirs; (vii) automation with central control of regulating structures including on-off control of pumping plants in canals and laterals; (viii) new booster pumps for pressurized systems; (ix) project pumping plants;

(c) In the event there are technological advances that increase water use efficiency and/or result in significant water savings that are not described in (a) of this subsection, such project element(s) will be evaluated as a Class A project by the department.

(6) "Class B project" means a construction element associated with an agricultural water supply facility which:

(a) Does not contribute to quantitative water savings as determined by the department; and

(b) Is one or more of the following: (i) In-line water withdrawal pumping plant; (ii) well drilling, well pumps; (iii) diversion dams; (iv) replacement, rehabilitation, or improvement of in-line booster pump(s); (v) rehabilitation or improvement of storage dam(s) or part(s) thereof.

(7) "Emergency project" means a capital improvement construction element to repair, due to natural causes (except drought), water supply, diversion or conveyance facilities, which is necessary to prevent unsafe conditions or ensure the continued delivery or conveyance of water in the agricultural water supply system.

(8) "Financial assistance" means grants and loans as authorized by chapter 43.99E RCW, Referendum 38.

(9) "Fisheries facility" means a construction element associated with an agricultural water supply facility which:

(a) Is identified as an integral element of a project for the construction, rehabilitation, and/or improvement of an agricultural water supply facility; and

(b) Will provide recognized benefits to the anadromous and/or resident fish species of the state.

(10) "Implementation phase" means the acquisition, design, construction, and improvement of agricultural water supply facilities within an irrigation district or a specific area or drainage basin for storing, diverting, transporting, or distributing water to land for irrigation and for protecting and enhancing fisheries, recreational, or other beneficial uses that may be associated with such facilities.

(11) "Local clearinghouse" means the county or regional comprehensive planning agency designated to serve as a coordinating office for certain local areas. A list of clearinghouses is available from the department. The local clearinghouses review proposed projects for conformance to regional plans, ask for comments from other agencies, and relay these remarks back to the applicant. This process helps assure that policies and comprehensive plans of cities, counties, or regions will be followed.

(12) "Payment schedule" means the due dates for loan payments and any interest thereon, as included in the loan agreement.

(13) "Planning phase" means the preparation of a comprehensive water conservation plan which conforms with WAC 173-170-060, which covers the applicant's entire jurisdiction and service area.

(14) "Plans and specifications" means engineering information and calculations to support the project and

construction drawings with necessary engineering detail of the project and complete material specifications and standards to support the drawings and project. These will be prepared in sufficient detail and, upon approval by the department, become part of the bid documents which allow contractors to bid on and construct agricultural water supply facilities or attendant fisheries facilities or recreational facilities or a portion thereof.

(15) "Public body" means the state of Washington or any agency, political subdivision, taxing district, or municipal or public corporation thereof; an agency of the federal government; and those Indian tribes which may constitutionally receive grants or loans from the state of Washington.

(16) "Recreational facility" means a water and/or water-associated system which:

(a) Is identified as an integral element of an agricultural water supply facility; and

(b) Will provide recognized benefits for human use and recreation through fishing, boating, water skiing, swimming, rafting, picnicking, and/or camping.

(17) "Referendum 38" means the grant and loan financial assistance program and its procedures, which pertain to agricultural water supply facilities alone or in combination with fishery, recreational, or other beneficial uses of water, as authorized in chapter 43.99E RCW.

(18) "Request for financial assistance" means the formal application packet, as described in WAC 173-170-030 and 173-170-060, submitted to the department requesting grant and/or loan funds to accomplish an eligible project.

(19) "Small parcels" means those lands which:

(a) Have been platted or subdivided prior to the enactment of the 1985 amendment to RCW 58.17.310; and

(b) Are entitled to receive irrigation water for noncommercial use; and

(c) Lie wholly within an irrigation district established under state laws prior to July 28, 1985.

(20) "Water use efficiency elements" means those implementation projects or portions thereof which result in reduced operational and conveyance losses and improved delivery of requisite amounts of water to farms within the limits of the pertinent water right permit or certificate.

[Statutory Authority: RCW 43.17.060. 90-20-109, § 173-170-020, filed 10/2/90, effective 11/2/90.]

WAC 173-170-030 Application process—Planning phase. (1) Requests for financial assistance for the planning phase shall be submitted to the department between November 1 of any year and the last day of February of the following year.

(2) The applicant shall submit an application form with the following minimum information:

(a) Who shall prepare the comprehensive plan;

(b) A projected completion date for the comprehensive plan;

(c) A United States Geological Survey Quadrangle or comparable map of the area to be covered by the comprehensive plan.

(3) Requests for loan funding must be accompanied by a resolution executed by the applicant's governing body that they will follow the procedures for indebtedness in chapter 87.03 RCW and establish a reserve account into which funds

will be deposited in an amount adequate to provide coverage for principal and interest payments due under the loan agreement, whenever circumstances beyond the applicant's control preclude payments from standard sources.

(4) Within ninety days of receipt of the request for financial assistance, the department will notify the applicant of its preliminary findings regarding eligibility. In all cases the department shall make its final selection of funded projects and notify the applicants no later than May 31 following the application period.

[Statutory Authority: RCW 43.17.060. 90-20-109, § 173-170-030, filed 10/2/90, effective 11/2/90.]

WAC 173-170-040 Comprehensive water conservation plan—Contents—Funding. The comprehensive water conservation plan, which is the ultimate work product due at the end of the planning phase, will address and provide information on the following topics for the geographical area indicated in the request for financial assistance:

Applicant Organization

(1) Applicant's statutory authority; history of organization management; assessment authority; and operation procedures and management policies.

Land Base and Land Use

(2) Layout map showing:

(a) Boundaries of the applicant's jurisdiction and service area;

(b) Location of: (i) The lands which are assessed by the applicant, and (ii) those lands to which water is delivered in accordance with the water rights or water right claims or otherwise;

(c) Land use information including total acres irrigated over a representative historical period and cropping patterns for each year of a recent five-year period.

Water Supply, Use, and Rights

(3) Layout map showing location of: (a) Natural features (streams, rivers, lakes, ground water aquifers) including those in the watershed(s) where the water supply originates; and (b) all of the applicant's existing water supply facilities inside and out of its service area.

(4) Information on the applicant's and/or pertinent individual's water rights and/or water right claims for irrigation water supply, including ongoing or future water rights or water rights claims, conflicts, and litigation.

(5) Hydrologic water supply data including historical records of surface water availability (natural flows and storage), and ground water pumpages and other pertinent aquifer data on availability for withdrawal for water supply purposes.

(6) Quantities of surface water diverted and/or ground water withdrawn for water supply for each year of a recent five-year period. (Annual and monthly acre-feet and maximum and minimum monthly flows in cfs (surface) and gpm (ground water).)

(7) Identify and assess the hydrological water flow system within the applicant's service area as it pertains to the quantities of water: (a) Diverted or withdrawn, (b) conveyed and distributed, (c) delivered and applied on farm, (d) which recharge the ground water and are returned to the

agricultural water supply system, and (e) which comprise return flows for further irrigation downstream within the agricultural water supply system.

(8) Identify the quality of water supply and an assessment of the water quality impacts from use of the agricultural water supply system within the applicant's jurisdiction.

Present Facilities and Operations

(9) Identify and describe the present physical system utilized for the storage, diversion, pumping, conveyance, and distribution of the water supply.

(10) Assess and evaluate the existing water supply system including system efficiencies and energy use.

Water Needs and Adequacy of Water Supply

(11) Forecast future trends of land use.

(12) Estimate irrigation water requirements for the present and anticipated land use and cropping patterns.

(13) Relate the water needs to present water supply available.

Evaluation of Opportunities for Improvements in Water Supply and Distribution System Efficiencies

(14) Identify improvements in water supply and distribution system efficiencies (structural and nonstructural).

(15) Document a system improvements and rehabilitation plan, prepare preliminary designs and cost estimates, and estimate time frame for implementation. Identify location of improvements on layout map.

(16) Quantify the reasonable net water savings that would result from the efficiency improvements.

(17) Identify and describe opportunities for improving irrigation water management.

(18) Quantify any net energy savings that would result from efficiency improvements.

(19) Evaluate the socioeconomic impacts from the efficiency improvements and rehabilitation plan and changes or modifications of the systems operations and management policies. Discuss and quantify the benefits that accrue from the implementation of the improvements and rehabilitation plan.

(20) Assess and evaluate the impacts and benefits of transferring the net water savings to other water uses and resources.

(21) Identify associated wetlands and assess the impacts on them from implementation of the physical system's improvements and rehabilitation plan.

(22) Evaluate the impacts on water quality standards from implementation of the physical system's improvements and rehabilitation plan.

(23) Evaluate other environmental impacts from the efficiency improvements and rehabilitation plan. Develop a plan regarding compliance with the State Environmental Policy Act (SEPA) and the National Environmental Policy Act (NEPA) if applicable.

Financial

(24) Develop a financial program that addresses the implementation of the improvements and rehabilitation plan. The financial program should include, among other elements, a time schedule for completing the comprehensive water conservation plan, a summary of the applicant's current

indebtedness and repayment plans, present and future operation, maintenance and energy costs (with and without implementation of the proposed project), and a schedule of assessments to cover planned indebtedness to complete implementation of the comprehensive water conservation plan.

[Statutory Authority: RCW 43.17.060. 90-20-109, § 173-170-040, filed 10/2/90, effective 11/2/90.]

WAC 173-170-050 Planning phase—Funding. (1) Financial assistance will be available for the planning phase in the form of:

(a) Grants in the amount of fifty percent of the total eligible phase costs; and

(b) Concurrent loans in the amount of forty percent of the total eligible phase costs.

(2) Loans shall be for a maximum five-year period, repayable at an annual percentage rate which equals the rate for one year federal treasury bills at the first auction following July 1 of the year in which the loan agreement is entered into, discounted by four percent.

(3) Comprehensive water conservation plans must precede the implementation phase for projects approved after the effective date of these rules, with the following exceptions:

(a) Specific project work approved by the department prior to the effective date of these rules; or

(b) Project work that is currently in the implementation phase, when these rules become effective; or

(c) Specific project work that is approved by the department as part of a phased project begun prior to the effective date of these rules.

For these exceptions, work may proceed without an approved comprehensive water conservation plan, provided that the applicant undertakes and completes its plan covering such projects within two years from the effective date of these rules.

(4) Financial assistance for the planning phase, regardless of the form it takes, may not exceed two hundred thousand dollars per applicant. This ceiling shall not be subject to the review contained in WAC 173-170-080(5).

[Statutory Authority: RCW 43.17.060. 90-20-109, § 173-170-050, filed 10/2/90, effective 11/2/90.]

WAC 173-170-060 Application process—Implementation phase. (1) Requests for financial assistance for the implementation phase shall be submitted to the department between November 1 of any year and the last day of February of the following year.

(2) The applicant will submit two preapplication forms to the nearest local clearinghouse; one for the department and one for planning and community affairs. These forms are available from either the department or the clearinghouse.

(3) The applicant shall accompany the request for financial assistance with a copy of the completed comprehensive water conservation plan as approved by the department indicating which part(s) of the plan the proposed project fits under and the location of the proposed project on a United States Geological Survey Quadrangle map or any other comparable and readily available map.

(4) Within ninety days of receipt of the request for financial assistance, the department will notify the applicant of its preliminary findings regarding eligibility as to organization, type of project, purpose(s) of project, and conformance with the objectives of Referendum 38. In all cases the department shall make its final selection of funded projects and notify the applicant no later than May 31 of the year following the close of the current application period.

(5) Requests for loan funding must be accompanied by a resolution executed by the applicant's governing body that they will follow the procedures for indebtedness in chapter 87.03 RCW and establish a reserve account into which funds will be deposited in an amount adequate to provide coverage for principal and interest payments due under the loan agreement, whenever circumstances beyond the applicant's control preclude payments from standard sources.

[Statutory Authority: RCW 43.17.060. 90-20-109, § 173-170-060, filed 10/2/90, effective 11/2/90.]

WAC 173-170-070 Criteria for approval of requests for financial assistance—Implementation phase. (1)(a) The implementation phase project(s) must be included in a comprehensive water conservation plan approved by the department.

(b) For projects that received approval from the department prior to the effective date of these rules, work may proceed provided the applicant undertakes and completes a comprehensive water conservation plan within two years of the effective date of these rules.

(2) The agricultural water supply facilities must be designed to accomplish the purpose of the planned project. Accepted engineering design principles, criteria, and concepts will be used in the design of the facilities and approved by the department. Cost estimates for the proposed project must be prepared in detail. Plans and specifications must be approved by the department prior to advertising for construction bids.

(3) The State Environmental Policy Act (SEPA) requirements for any proposed actions must be met. The SEPA rules, chapter 197-11 WAC, will be followed to determine the environmental impacts of the proposed project. A copy of the environmental assessment and the final impact statement, if appropriate, must be submitted to the department. If no impact statement has been prepared, a copy of the declaration of nonsignificance in accordance with chapter 197-11 WAC must be submitted to the department.

(4) Documentation showing all lands and land rights required for satisfactory construction, operation, and maintenance of the project have been or can be acquired.

(5) The project will not be in conflict with any applicable federal, state, and local laws, orders, regulations, rules, licenses, and permits.

[Statutory Authority: RCW 43.17.060. 90-20-109, § 173-170-070, filed 10/2/90, effective 11/2/90.]

WAC 173-170-080 Implementation phase—Funding. (1) Implementation phase projects will be categorized by the department as Class A projects or Class B projects in accordance with the definitions for those terms under WAC 173-170-020 (5) and (6).

(2) For projects that received approval from the department prior to the effective date of these rules and where the applicant is working on the comprehensive water conservation plan, financial assistance will be available as follows:

(a) For Class A projects, grants in the amount of twenty-five percent of the total eligible project costs; and concurrent loans in the amount of sixty-five percent of the total eligible project costs.

(b) For Class B projects, grants in the amount of fifteen percent of the total eligible project costs; and concurrent loans in the amount of seventy-five percent of the total eligible project costs.

(3) Financial assistance for Class A projects subject to a completed comprehensive water conservation plan will be available in the form of:

(a) Grants in the amount of thirty percent of the total eligible project costs; and

(b) Concurrent loans in the amount of sixty percent of the total eligible project costs.

(4) Financial assistance for Class B projects subject to a completed comprehensive water conservation plan will be available in the form of:

(a) Grants in the amount of fifteen percent of the total eligible project costs; and

(b) Concurrent loans in the amount of seventy-five percent of the total eligible project costs.

(5) Financial assistance for implementation phase projects shall be limited to a total of one million five hundred thousand dollars per applicant regardless of the form such financial assistance takes, with the following possibility of increase. This cap shall be subject to review on July 1, 1994. In the event that demand on the Referendum 38 fund is significantly less than anticipated this cap may be adjusted upwards to provide more funding possibilities to applicants already at the upper limit.

(6) Loans shall be available on the following repayment and interest schedule:

(a) Loans for up to a maximum five-year period, repayable with interest at an annual percentage rate which equals the rate for one year federal treasury bills at the first auction following July 1 of the year in which the loan agreement is entered into, discounted by four percent.

(b) Loans for five years through a maximum ten-year period, repayable with interest at an annual percentage rate which equals the rate for one year federal treasury bills at the first auction following July 1 of the year in which the loan agreement is entered into, discounted by two percent.

(c) Loans for ten years through a maximum fifteen-year period, repayable with interest at an annual percentage rate which equals the rate for one year federal treasury bills at the first auction following July 1 of the year in which the loan agreement is entered into, discounted by one percent.

(d) Loans for fifteen years through a maximum twenty-five-year period, repayable with interest at an annual percentage rate which equals the rate for one year federal treasury bills at the first auction following July 1 of the year in which the loan agreement is entered into.

[Statutory Authority: RCW 43.17.060. 90-20-109, § 173-170-080, filed 10/2/90, effective 11/2/90.]

WAC 173-170-090 Emergency projects—Applications—Designation—Funding. (1) Applications for emergency projects may be accepted at any time throughout the year. The application shall indicate:

- (a) The nature of the occurrence that caused the need for repairs;
- (b) The location of needed repairs;
- (c) A project description of the repairs; and
- (d) A summary of how the repairs fit within the long-range improvements addressed in the comprehensive water conservation plan.

If the comprehensive water conservation plan has not been completed, a summary of how the repairs fit within proposed long-range improvements.

(2) Upon receipt of the application the department will designate the emergency project as a Class A or Class B project. A decision on whether to fund the emergency project will be made within fifteen days of receipt of the application. The department may agree to the applicant incurring costs prior to an agreement being signed and shall so indicate by letter to the applicant.

(3) Financial assistance for emergency projects shall take the following form:

(a) For Class A projects, grants in the amount of thirty percent of the total eligible project costs; and concurrent loans in the amount of sixty percent of the total eligible project costs; or

(b) For Class B projects, grants in the amount of fifteen percent of the total eligible project costs; and concurrent loans in the amount of seventy-five percent of the total eligible project costs.

[Statutory Authority: RCW 43.17.060. 90-20-109, § 173-170-090, filed 10/2/90, effective 11/2/90.]

WAC 173-170-100 Small parcels—Funding. (1) A small parcel element is that part of an implementation project that provides irrigation water for noncommercial use to small parcels, as defined in WAC 173-170-020(19).

(2) Financial assistance for the small parcel element shall be available in the form of:

(a) Grants in the amount of fifteen percent of the small parcel element's total eligible costs; and

(b) Loans in the amount of fifty percent when unaccompanied by a grant or thirty-five percent in combination with a grant of the small parcel element's total eligible costs.

(3) Financial assistance, whether grant, loan, or a combination grant and loan, may not exceed one hundred thousand dollars for any one applicant.

(4) Total funds available state-wide for small parcel elements is one million dollars. Any moneys unspent out of that fund on July 1, 1995, shall be transferred to the general implementation fund and shall no longer be available for small parcel elements.

[Statutory Authority: RCW 43.17.060. 90-20-109, § 173-170-100, filed 10/2/90, effective 11/2/90.]

WAC 173-170-110 Fisheries and recreational facilities—Funding. (1) A fisheries or recreational facility element is the part of an implementation project that provides public benefits through concomitant use of water

within an agricultural water supply facility. Specific elements are defined in WAC 173-170-020 (9) and (16).

(2) Financial assistance for the fisheries and/or recreational element shall be available as grants in the amount of seventy-five percent of the fisheries and/or recreational element's total eligible costs.

(3) Financial assistance for a fisheries and/or recreational element may not exceed five hundred twenty-five thousand dollars for any one applicant, which sum is not part of the cap on funding for the implementation phase, contained in WAC 173-170-080(5).

[Statutory Authority: RCW 43.17.060. 90-20-109, § 173-170-110, filed 10/2/90, effective 11/2/90.]

WAC 173-170-120 Supplemental guidelines. The department will publish guidelines which will describe in greater detail the financial assistance application, application review and funding issuance processes, the terms of financial assistance, and other elements of this program. These guidelines will also describe recommended methodologies for the completion of the comprehensive water conservation plan.

[Statutory Authority: RCW 43.17.060. 90-20-109, § 173-170-120, filed 10/2/90, effective 11/2/90.]

Chapter 173-175 WAC DAM SAFETY

WAC

PART ONE GENERAL

- 173-175-010 Purpose and authority.
- 173-175-020 Applicability.
- 173-175-030 Definitions.
- 173-175-040 Activities that require department review, approval, acceptance, authorization, or notification.
- 173-175-050 Provision of guidelines.
- 173-175-060 Change of ownership.
- 173-175-070 Effective date.

PART TWO CONSTRUCTION PERMIT PROCESS

- 173-175-100 Construction permit.
- 173-175-110 Sequence of permitting actions.
- 173-175-120 Application for construction permit.
- 173-175-130 Engineering design reports.
- 173-175-140 Plans and specifications.
- 173-175-150 Construction permit fee.
- 173-175-160 Review standards.
- 173-175-170 Construction inspection plan.
- 173-175-180 Issuance of construction permit.
- 173-175-190 Construction change orders.
- 173-175-200 Department role in construction inspection.
- 173-175-210 Operation and maintenance plan.
- 173-175-220 Emergency action plan.
- 173-175-230 Declaration of construction completion.
- 173-175-240 Authorization to commence or resume project operation.
- 173-175-250 Construction records summary.
- 173-175-260 Exceptions to construction permit process.
- 173-175-270 Department review response time.

PART THREE CONSTRUCTION PERMIT FEES

- 173-175-350 Authority for construction permit fees.
- 173-175-360 Construction permit fees for new project construction.
- 173-175-370 Construction permit fees for modifications of existing dams.

- 173-175-380 Maintenance.
- 173-175-390 Payment of construction permit fees.
- 173-175-400 Cost of expert opinion.

**PART FOUR
PROJECT OPERATION**

- 173-175-500 Operation and maintenance.
- 173-175-510 Inspection.
- 173-175-520 Emergency action.
- 173-175-530 Reporting of incidents.

**PART FIVE
COMPLIANCE AND ENFORCEMENT**

- 173-175-600 Right of entry.
- 173-175-610 Emergencies.
- 173-175-620 Enforcement.
- 173-175-630 Appeals.

**DISPOSITION OF SECTIONS FORMERLY
CODIFIED IN THIS CHAPTER**

- 173-175-700 Applicability to projects licensed or exempted by the Federal Energy Regulatory Commission (FERC). [Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061. 93-01-090 (Order 92-35), § 173-175-700, filed 12/16/92, effective 1/16/93.] Repealed by 95-22-030, filed 10/24/95, effective 11/24/95. Statutory Authority: 1995 c 8.
- 173-175-710 Coordination between the department and the Federal Energy Regulatory Commission (FERC). [Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061. 93-01-090 (Order 92-35), § 173-175-710, filed 12/16/92, effective 1/16/93.] Repealed by 95-22-030, filed 10/24/95, effective 11/24/95. Statutory Authority: 1995 c 8.
- 173-175-720 Construction or modification of FERC licensed projects and FERC exempted projects. [Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061. 93-01-090 (Order 92-35), § 173-175-720, filed 12/16/92, effective 1/16/93.] Repealed by 95-22-030, filed 10/24/95, effective 11/24/95. Statutory Authority: 1995 c 8.
- 173-175-730 Construction permit fee for FERC licensed projects and FERC exempted projects. [Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061. 93-01-090 (Order 92-35), § 173-175-730, filed 12/16/92, effective 1/16/93.] Repealed by 95-22-030, filed 10/24/95, effective 11/24/95. Statutory Authority: 1995 c 8.
- 173-175-740 Construction inspection of FERC licensed projects and FERC exempted projects. [Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061. 93-01-090 (Order 92-35), § 173-175-740, filed 12/16/92, effective 1/16/93.] Repealed by 95-22-030, filed 10/24/95, effective 11/24/95. Statutory Authority: 1995 c 8.
- 173-175-750 Construction records reporting for FERC licensed projects and FERC exempted projects. [Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061. 93-01-090 (Order 92-35), § 173-175-750, filed 12/16/92, effective 1/16/93.] Repealed by 95-22-030, filed 10/24/95, effective 11/24/95. Statutory Authority: 1995 c 8.
- 173-175-760 Exceptions to construction permit for FERC licensed projects and FERC exempted projects. [Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061. 93-01-090 (Order 92-35), § 173-175-760, filed 12/16/92, effective 1/16/93.] Repealed by 95-22-030, filed 10/24/95, effective 11/24/95. Statutory Authority: 1995 c 8.
- 173-175-770 Operation of FERC licensed projects and FERC exempted projects. [Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061. 93-01-090 (Order 92-35), § 173-175-770, filed 12/16/92, effective 1/16/93.] Repealed by 95-22-030, filed 10/24/95, effective 11/24/95. Statutory Authority: 1995 c 8.
- 173-175-780 Periodic inspection of FERC licensed projects and FERC exempted projects. [Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061. 93-01-090 (Order 92-35), § 173-175-780, filed 12/16/92, effective

- 1/16/93.] Repealed by 95-22-030, filed 10/24/95, effective 11/24/95. Statutory Authority: 1995 c 8.
- 173-175-790 Emergency action plans for FERC licensed projects and FERC exempted projects. [Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061. 93-01-090 (Order 92-35), § 173-175-790, filed 12/16/92, effective 1/16/93.] Repealed by 95-22-030, filed 10/24/95, effective 11/24/95. Statutory Authority: 1995 c 8.
- 173-175-800 Right of entry at FERC licensed projects and FERC exempted projects. [Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061. 93-01-090 (Order 92-35), § 173-175-800, filed 12/16/92, effective 1/16/93.] Repealed by 95-22-030, filed 10/24/95, effective 11/24/95. Statutory Authority: 1995 c 8.
- 173-175-810 Enforcement at FERC licensed projects and FERC exempted projects. [Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061. 93-01-090 (Order 92-35), § 173-175-810, filed 12/16/92, effective 1/16/93.] Repealed by 95-22-030, filed 10/24/95, effective 11/24/95. Statutory Authority: 1995 c 8.
- 173-175-820 Appeals for FERC licensed projects and FERC exempted projects. [Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061. 93-01-090 (Order 92-35), § 173-175-820, filed 12/16/92, effective 1/16/93.] Repealed by 95-22-030, filed 10/24/95, effective 11/24/95. Statutory Authority: 1995 c 8.

**PART ONE
GENERAL**

WAC 173-175-010 Purpose and authority. These regulations provide for the comprehensive regulation and supervision of dams in order to reasonably secure safety to life and property pursuant to chapters 43.21A, 43.27A, 86.16, 90.03, 90.28, and 90.54 RCW. The purposes of these regulations are to:

- (1) Designate the types of dams to which these regulations are applicable;
- (2) Provide for the design, construction, operation, maintenance, and supervision of dams in a manner consistent with accepted engineering practice;
- (3) Establish and administer a program for permitting of construction work for new dams and for modifications of existing dams;
- (4) Establish a fee schedule based on dam size that will reflect the actual cost to the department of engineering review of plans and specifications and for construction inspections;
- (5) Establish the requirements and owner responsibilities for developing and executing plans for operation and maintenance, owner inspection and emergency actions; and
- (6) Encourage owners to establish a program for the periodic inspection of their projects.

[Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-010, filed 6/1/92, effective 7/2/92.]

WAC 173-175-020 Applicability. (1) These regulations are applicable to dams which can impound a volume of ten acre-feet or more of water as measured at the dam crest elevation. The ten acre-feet threshold applies to dams which can impound water on either an intermittent or permanent basis. Only water that can be stored above natural ground level and which could be released by a failure of the dam is considered in assessing the storage volume.

The ten acre-feet threshold applies to any dam which can impound water of any quality, or which contains any

substance in combination with sufficient water to exist in a liquid or slurry state at the time of initial containment.

(2) For a dam whose dam height is six feet or less and which meets the conditions of subsection (1) of this section, the department may elect to exempt the dam from these regulations.

The decision by the department to exempt a dam will be made on a case-by-case basis for those dams whose failure is not judged to pose a risk to life and minimal property damage would be expected (downstream hazard class 3).

(3) These regulations do not apply to dams that are, or will be, owned, by an agency of the federal government which has oversight on operation and maintenance and has its own dam safety program for periodic inspection of completed projects. The department will continue to be the state repository for pertinent plans, reports, and other documents related to the safety of federally owned dams.

(4) These regulations do not apply to transportation facilities such as roads, highways, or rail lines which cross watercourses and exist solely for transportation purposes and which are regulated by other governmental agencies.

Those transportation facilities which cross watercourses and which have been, or will be, modified with the intention of impounding water on an intermittent or permanent basis and which meet the conditions of subsection (1) of this section shall be subject to these regulations.

(5) These regulations do not apply to dikes or levees constructed adjacent to or along a watercourse for protection from natural flooding or for purposes of floodplain management.

(6) These regulations do not apply to concrete or steel water storage tanks.

(7) These regulations do not apply to FERC licensed projects and to FERC exempted projects. The department will continue to maintain a repository for pertinent plans, reports, and other documents related to the safety of FERC licensed and FERC exempted projects.

[Statutory Authority: 1995 c 8, 95-22-030 (Order 94-15), § 173-175-020, filed 10/24/95, effective 11/24/95. Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061, 93-01-090 (Order 92-35), § 173-175-020, filed 12/16/92, effective 1/16/93; 92-12-055 (Order 91-17), § 173-175-020, filed 6/1/92, effective 7/2/92.]

WAC 173-175-030 Definitions. As used in this chapter:

"Acceptance" means acceptance by the department that the proposed plan(s) will satisfactorily address issues associated with proper operation, maintenance, inspection, or emergency action.

"Approval" means approval by the department that the proposed design, and plans and specifications conform to accepted engineering practice and department guidelines.

"Appurtenant works" means such structures as outlet works and associated gates and valves; water conveyance structures such as spillways, channels, fish ladders, tunnels, pipelines, or penstocks; powerhouse sections; and navigation locks, either in the dam or adjacent thereto.

"Authorization" means written acknowledgement from the department to proceed with proposed actions.

"Construction change order" means a revision to the department approved plans and specifications that is initiated during construction.

"Construction permit" means the permit which authorizes construction and that the project's plans and specifications and construction inspection plan have been reviewed and approved by the department.

"Construction permit process" means the sequence of activities specified in WAC 173-175-110 inclusive, beginning with the application for construction permit and ending with the submission of a report summarizing construction records.

"Crest length" means the total horizontal distance measured along the axis of the dam, at the elevation of the top of the dam, between abutments or ends of the dam. Where applicable, this includes the spillway, powerhouse sections, and navigation locks, where they form a continuous part of the impounding structure.

"Critical project element" means an element of a project whose failure could result in the uncontrolled release of the reservoir.

"Dam" means any artificial barrier and/or any controlling works, together with appurtenant works that can or does impound or divert water.

"Dam abutment" means that contact location at either end and beneath the flanks of a dam where the artificial barrier joins or faces against the natural earth or rock foundation material upon which the dam is constructed.

"Dam height" means the vertical distance from the natural bed of the stream or watercourse at the downstream toe of the impounding barrier to the maximum storage elevation. If the dam is not across a stream or watercourse, the height is measured from the lowest elevation of the outside limit of the impounding barrier to the maximum storage elevation.

"Department" means the department of ecology.

"Design step level" means an integer value between one and eight used to designate increasingly stringent design loadings and conditions for design of critical project elements.

"Downstream hazard classification" means a rating to describe the potential for loss of human life and/or property damage if the dam were to fail and release the reservoir onto downstream areas. Downstream hazard classifications of 3, 2 and 1C, 1B, 1A correspond to low, significant, and high downstream hazard classes respectively.

"Emergency condition" means a situation where life and property are at imminent risk and actions are needed within minutes or hours to initiate corrective actions and/or warn the public.

"Enlargement" means any modification of a project that will result in an increase in normal pool height and/or dam height.

"Exigency condition" means a situation where the dam is significantly underdesigned according to generally accepted engineering standards or is in a deteriorated condition and life and property are clearly at risk. Although present conditions do not pose an imminent threat, if adverse conditions were to occur, the situation could quickly become an emergency.

"FERC exempted project" means a project that is classified as exempt by the Federal Energy Regulatory Commission (FERC) under provisions of the Federal Power Act.

"FERC licensed project" means a project whose operation is licensed by the Federal Energy Regulatory Commission (FERC) under provisions of the Federal Power Act.

"Freeboard" means the vertical distance between the dam crest elevation and some reservoir level of interest.

"Hydrograph" means a graphical representation of discharge, stage, or other hydraulic property with respect to time for a particular location on a watercourse.

"Impounding barrier" means the structural element of the dam that has the primary purpose of impounding or diverting water. It may be constructed of natural and/or man-made materials.

"Incident" means the occurrence of any dam-related event where problems or conditions arise which may have posed a threat to the safety or integrity of the project or which may have posed a threat of loss of life or which resulted in loss of life.

"Inflow design flood (IDF)" means the reservoir inflow flood hydrograph used for sizing the spillways and for determining freeboard. It represents the largest flood that a given project is designed to safely accommodate.

"Maintenance" means those tasks generally accepted as routine in keeping the project and appurtenant works in a serviceable condition.

"Maximum storage elevation" means the maximum attainable water surface elevation of the reservoir pool that could occur during extreme operating conditions. This elevation normally corresponds to the crest elevation of the dam.

"Miscellaneous construction elements" means a variety of construction elements or activities such as, but not limited to: Reservoir linings; parapet walls or low berms for wave containment; minor reconstruction of isolated portions of the impounding barrier; internal drainage improvements; and erosion protection.

"Modification" means any structural alteration of a dam, its reservoir, spillway(s), outlet(s), or other appurtenant works that could significantly influence or affect the project safety.

"Normal pool height" means the vertical distance between the lowest point of the upstream toe of the impounding barrier and the normal storage elevation.

"Normal storage elevation" means the maximum elevation to which the reservoir may rise under normal operating conditions. Where the principal spillway is ungated, the normal storage elevation is usually established by the elevation of the spillway crest.

"100-year floodplain" means the area inundated during the passage of a flood with a peak discharge having a one percent chance of being equalled or exceeded in any given year at a specified location on a watercourse.

"Outlet" means a conduit and/or channel structure for the controlled release of the contents normally impounded by a dam and reservoir.

"Owner" means the person holding lawful title to the dam or any person who owns or proposes to construct a dam.

"Periodic inspection" means a detailed inspection of the dam and appurtenant works conducted on regular intervals and includes, as necessary, associated engineering analyses to confirm the continued safe operation of the project.

"Person" means any individual, firm, association, county, public or municipal or private corporation, agency, or other entity whatsoever.

"Plans and specifications" means the detailed engineering drawings and specifications used to describe the layout, materials, construction methods, etc., for assembling a project or project element. These do not include shop drawings or other drawings prepared by the construction contractor for temporary construction support systems.

"Population at risk" means the number of people who may be present in areas downstream of a dam and could be in danger in the event of a dam failure.

"Project" means a dam and its reservoir either proposed or existing.

"Project engineer" means a professional engineer licensed in Washington, having direct supervision, as defined in WAC 196-24-095, in managing the engineering aspects of the project as representative of the owner.

"Reservoir" means any basin that contains or will contain the water impounded by a dam.

"Reservoir routing" means the procedures used to determine the attenuating effect of reservoir storage on a flood as it passes through a reservoir.

"Rule curve" means the rules and procedures used to regulate reservoir levels and project operation for various reservoir inflows and for both normal and unusual seasonal conditions.

"Significant enlargement" means any modification of an existing dam that results in the dam height or normal pool height being increased by an amount greater than 5.0 feet, and which also represents a ten percent or greater increase in dam height or normal pool height over that which existed prior to the modification.

"Spillway" means a channel structure and/or conduit for the safe release of water or floodwater.

"Stop work order" means an administrative order issued to temporarily halt construction work until a problem can be resolved.

"Substantially complete" means that a plan, action, or project element requires only minor additions to be complete, and in its present state will perform the necessary functions for its intended use.

"Surficial inspection" means a visual inspection conducted to identify obvious defects or changed conditions.

[Statutory Authority: 1995 c 8, 95-22-030 (Order 94-15), § 173-175-030, filed 10/24/95, effective 11/24/95. Statutory Authority: RCW 43.21A.064, [43.21A].080 and 86.16.061, 93-01-090 (Order 92-35), § 173-175-030, filed 12/16/92, effective 1/16/93; 92-12-055 (Order 91-17), § 173-175-030, filed 6/1/92, effective 7/2/92.]

WAC 173-175-040 Activities that require department review, approval, acceptance, authorization, or notification. (1) Activities related to the safety of dams that require review and approval by the department as detailed in this chapter include:

- (a) Construction of a new dam;
- (b) Modification of an existing dam;
- (c) Removal or abandonment of an existing dam;
- (d) Construction change orders for project elements that could have an effect on public safety.

(2) Activities related to the safety of dams that require review and acceptance by the department as detailed in this chapter include:

(a) Adoption of an operation and maintenance (O&M) plan;

(b) Adoption of an emergency action plan (EAP);

(c) Changes to existing operation and maintenance procedures or to an emergency action plan that could have an effect on public safety.

(3) Activities related to the safety of dams that require authorization from the department before proposed actions can proceed include:

(a) Startup of construction: For a new dam; modifications to an existing dam; or removal or abandonment of an existing dam.

(b) Initial controlled filling of a reservoir following new dam construction and implementation of procedures for normal reservoir operation.

(c) Resumption of normal reservoir operation following dam modifications or emergency action.

(4) Activities related to the safety of dams that require a notification to the department as detailed in this chapter include:

(a) Change of dam ownership;

(b) Advance notice of the startup of dam construction;

(c) Declaration by the project engineer of project completion in accordance with the department approved plans and specifications and construction change orders;

(d) Advance notice of periodic inspection; and

(e) The occurrence of an incident at the dam.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-040, filed 6/1/92, effective 7/2/92.]

WAC 173-175-050 Provision of guidelines. The department will develop and maintain *Dam Safety Guidelines* to aid dam owners and project engineers in complying with the department requirements in developing, producing, or conducting:

(1) Engineering design reports;

(2) Plans and specifications;

(3) Construction inspection plans;

(4) Operation and maintenance plans;

(5) Periodic inspections; and

(6) Emergency action plans.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-050, filed 6/1/92, effective 7/2/92.]

WAC 173-175-060 Change of ownership. When a change of ownership of a dam occurs, the new owner shall notify the department within ninety days following the transaction and provide:

(1) The mailing address and telephone number where the owner can be contacted.

(2) The name(s) and telephone number(s) of the individual(s) who will be responsible for operation and maintenance of the dam.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-060, filed 6/1/92, effective 7/2/92.]

WAC 173-175-070 Effective date. The effective date of Parts One through Five of this chapter shall be July 1, 1992.

[Statutory Authority: 1995 c 8. 95-22-030 (Order 94-15), § 173-175-070, filed 10/24/95, effective 11/24/95. Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 93-01-090 (Order 92-35), § 173-175-070, filed 12/16/92, effective 1/16/93; 92-12-055 (Order 91-17), § 173-175-070, filed 6/1/92, effective 7/2/92.]

PART TWO CONSTRUCTION PERMIT PROCESS

WAC 173-175-100 Construction permit. (1) Any person intending to construct or modify any dam shall, before beginning said construction or modification, submit plans and specifications and a construction inspection plan for review and approval by the department.

(2) The approval of these documents will be indicated by the department's plan approval stamp on the cover sheet of the plans signed by the department's professional engineer who had primary responsibility for the engineering review.

(3) The return of the construction plans to the owner will be accompanied by a construction permit which authorizes construction and which must be prominently displayed at the construction site.

(4) A copy of the department approved plans and specifications shall be maintained at the construction site.

(5) Construction work shall not proceed until the plans, specifications, and construction inspection plan have been approved by the department.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-100, filed 6/1/92, effective 7/2/92.]

WAC 173-175-110 Sequence of permitting actions. The sequence of tasks to be completed by the owner or the project engineer, and the actions taken by the department in permitting dam construction are outlined below. A more complete description of the required tasks, reports, and plans are described in later sections, and additional guidance in meeting department requirements is contained in the department documents titled *Dam Safety Guidelines*. The following outline is listed to give an overview of the normal sequence of actions for construction of a new dam. Subsections (9), (10), and (11) of this section will not be required for modification of an existing dam where the department has previously accepted the project's operation and maintenance plan and emergency action plan.

(1) Submission of application for construction permit, including initial nonrefundable fee payment.

(2) Submission of engineering design report(s).

(3) Submission of plans and specifications.

(4) Payment of construction permit fee.

(5) Submission of construction inspection plan.

(6) Resolution of any outstanding engineering issues.

(7) Department approves plans and specifications and issues construction permit.

(8) Construction or modification of dam.

(9) Submission of operation and maintenance (O&M) plan.

(10) Submission of emergency action plan (EAP).

(11) Department accepts O&M plan and EAP.

(12) Declaration by project engineer that project was constructed or modified in accordance with approved plans and specifications and construction change orders.

(13) Department concurs with project engineer that project was constructed or modified in accordance with approved plans and specifications and construction change orders.

(14) Department authorizes filling of reservoir at new dam or resumption of normal operations at existing dam.

(15) Submission of a report summarizing the construction records.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-110, filed 6/1/92, effective 7/2/92.]

WAC 173-175-120 Application for construction permit. (1) The department shall supply an application form to be used to initiate the process for obtaining the construction permit.

(2) The application form shall be submitted to the department at the time that the first substantive engineering information becomes available about the proposed project.

(3) An initial, nonrefundable payment which may represent all or a portion of the construction permit fee, shall be included along with the application form. The amount of the initial construction permit fee payment is defined in WAC 173-175-390.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-120, filed 6/1/92, effective 7/2/92.]

WAC 173-175-130 Engineering design reports. (1) Engineering design reports summarizing the various engineering investigations and pertinent project information are an important element of the project design documents. All pertinent engineering design reports that have been prepared during project formulation shall be submitted for review. The engineering design report(s) must bear the seal and signature of the project engineer.

(2) The engineering design reports shall be sufficiently complete so as to support the development of plans and specifications without substantial change or additional information.

(3) The engineering design report(s) shall be comprehensive in description of the various engineering investigations.

(a) For new project construction, the engineering design report(s) shall include, as a minimum, the items listed in subsection (4) of this section:

(b) For modifications of existing dams, the engineering design report(s) shall include, as a minimum, those items listed in subsection (4) of this section which represent changed conditions from original construction or which address items that have not been previously addressed in prior reports that were submitted to the department.

(4) Contents of engineering design report(s):

(a) A description of the basic purposes of the project, normal operational characteristics and any unique or important design considerations associated with the site or project configuration.

(b) A description of the site geology, seismicity and geotechnical considerations including: A presentation of the findings from subsurface explorations based on test pits and/

or boring logs; field tests; laboratory testing and classification of samples; and an identification of the seismotectonic provinces that could generate earthquakes large enough to significantly affect the project site.

(c) A description of the climatic and hydrologic characteristics of the site and tributary watershed including the computation of the inflow design flood and, where applicable, a listing of the input and output data for the computer model used to determine the inflow design flood.

(d) A listing of all sources of inflow to the reservoir.

(e) The size classification of the proposed project as defined by Table 1.

TABLE 1. DAM SIZE CLASSIFICATION

SIZE CLASSIFICATION	DAM HEIGHT
Small Dam	Less than 15 feet
Intermediate Dam	15 feet or greater but less than 50 feet
Large Dam	50 feet or greater

(f) The reservoir operation classification of the proposed project as defined by Table 2.

TABLE 2. RESERVOIR OPERATION CLASSIFICATION

RESERVOIR OPERATION CLASSIFICATION	DETERMINING FACTOR
Permanent Pool or Seasonal Pool Operation	Steady state seepage or saturated flow conditions occur in impounding barrier and foundation at or near normal pool conditions.
Intermittent Operation	Duration of normal high pool condition is insufficient for steady state seepage or saturated flow conditions to develop in impounding barrier and foundation.

(g) An assessment of the consequences of dam failure on downstream areas, including:

(i) An estimation of the magnitude of the dam break flood hydrographs resulting from hypothetical dam failures occurring with the reservoir at normal storage elevation and maximum storage elevation;

(ii) A general description of the areas downstream of the dam that could be affected by floodwater from a dam failure;

(iii) If there is the potential for loss of life, an inundation map delineating the maximum areal extent of flooding that could be produced by a dam failure. Inundation mapping should extend to a point downstream where the inundation from the dam failure is within the 100-year floodplain for the affected watercourse;

(iv) The downstream hazard classification as defined by Table 3, which reflects the current conditions of development in downstream areas. The most serious potential consequences of failure of those listed in columns 3A, 3B, and 3C shall be used to establish the appropriate downstream hazard classification.

TABLE 3. DOWNSTREAM HAZARD CLASSIFICATION

DOWNSTREAM HAZARD POTENTIAL	DOWNSTREAM HAZARD CLASSIFICATION	COLUMN 3A POPULATION AT RISK	COLUMN 3B ECONOMIC LOSS GENERIC DESCRIPTIONS	COLUMN 3C ENVIRONMENTAL DAMAGES
Low	3	0	Minimal. No inhabited structures. Limited agriculture development.	No deleterious materials in reservoir contents
Significant	2	1 to 6	Appreciable. 1 or 2 inhabited structures. Notable agriculture or work sites. Secondary highway and/or rail lines.	Limited water quality degradation from reservoir contents and only short term consequences.
High	1C	7 to 30	Major. 3 to 10 inhabited structures. Low density suburban area with some industry and work sites. Primary highways and rail lines.	Severe water quality degradation potential from reservoir contents and long term effects on aquatic and human life.
High	1B	31-300	Extreme. 11 to 100 inhabited structures. Medium density suburban or urban area with associated industry, property and transportation features.	
High	1A	More than 300	Extreme. More than 100 inhabited structures. Highly developed, densely populated suburban or urban area with associated industry, property, transportation and community life line features.	

(h) Engineering calculations and data supporting the detailed design of project elements. This would include, as a minimum:

(i) The design step levels used in design of the various critical project elements, based on guidance contained in the department's *Dam Safety Guidelines*;

(ii) Stability analyses corroborating the design of the proposed embankment/barrier section under static and seismic loadings and rapid drawdown conditions;

(iii) Calculations for the design of any hydraulic structures, which are subject to high lateral earth pressures, relatively large seismic loads and/or uplift pressures;

(iv) Computations for sizing the principal and emergency spillway, including, where applicable, reservoir routing

computations defining the reservoir inflow and outflow design flood hydrographs.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-130, filed 6/1/92, effective 7/2/92.]

WAC 173-175-140 Plans and specifications. (1)

Two copies of the plans and specifications, bearing the seal and signature of the project engineer, shall be submitted to the department for engineering review. Upon approval, one copy will be retained by the department and the other copy will be returned to the owner or the project engineer.

(2) For large or complex projects, one copy of the preliminary or intermediate level plans, in addition to the final plans, shall be submitted to the department for review.

(3) To be approved, the plans and specifications must contain sufficient detail to describe the proposed construction work.

(a) The following items, as a minimum, shall be included as part of the construction plans:

- (i) Project location and vicinity maps;
- (ii) Site map of dam, reservoir area, and appurtenances;
- (iii) Sectional view along longitudinal axis of dam and foundation;
- (iv) Cross-sectional view of dam at location of maximum height;
- (v) Cross-sectional views and profiles of spillway(s), outlet facilities, and other appurtenances;
- (vi) Steel reinforcement placement and bar sizing for concrete construction must be shown in at least one section or profile; and

(vii) The plan for diversion and control of water during construction.

(b) The following items, as a minimum, shall be included as part of the construction specifications:

- (i) Type, class, or description of all materials to be used;
- (ii) The requirements for fill placement, moisture conditioning, and minimum level of compaction of all earthen zones;
- (iii) The requirements, procedures, and minimum standards for concrete construction and/or structural details.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-140, filed 6/1/92, effective 7/2/92.]

WAC 173-175-150 Construction permit fee. There is a fee for the review of plans and specifications and for construction inspections conducted by the department. The amount of the fee and owner requirements for fee payment are contained in WAC 173-175-350 through 173-175-400.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-150, filed 6/1/92, effective 7/2/92.]

WAC 173-175-160 Review standards. The department will review engineering design reports, plans, and specifications and the construction inspection plan to ascertain that the proposed project will be designed and constructed in a manner which will reasonably secure safety to life and property.

(1) The department's review is intended to address issues of safety directly related to the structural stability and integrity of the completed project. The review is not intended to extend to more general issues of safety not directly related to the structural stability and integrity of the project which are the purview of other governmental agencies such as the Washington department of labor and industries (L&I), which administers the Washington Industrial Safety and Health Act (WISHA).

(2) In addition to the above, the department will review documents submitted pursuant to this chapter to ascertain that they conform to accepted engineering and construction practice and are in conformance with guidance contained in the department's *Dam Safety Guidelines*.

(3) Those elements of a document(s) which are found not to be in conformance with the above will be identified to the owner or the project engineer and changes may be

required as appropriate to conform to accepted engineering practice.

(4) Where differences of opinion arise on the suitability of certain engineering or construction practices and cannot be readily resolved, the burden of proof will rest on the owner and the project engineer to demonstrate the suitability of the proposed plan or action.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-160, filed 6/1/92, effective 7/2/92.]

WAC 173-175-170 Construction inspection plan.

(1) A detailed plan shall be submitted to the department describing how adequate and competent construction inspection will be provided.

(2) The construction inspection plan shall be prepared by a professional engineer and shall bear his/her seal and signature.

(3) The construction inspection plan shall include, as a minimum:

(a) A listing of construction activities related to critical project elements and planned inspection effort including staffing levels, responsibilities, frequency, and duration of site visits;

(b) A description of the quality assurance testing program which describes the type of test, general frequency, acceptable results, handling of deficient materials, and the individual(s) responsible for overseeing the testing;

(c) Description of construction management organization, lines of communication, and responsibilities;

(d) Description of the change order process including who is responsible for coordinating the change order review process with the department;

(e) Description of the technical records handling and the content and frequency of construction progress reports.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-170, filed 6/1/92, effective 7/2/92.]

WAC 173-175-180 Issuance of construction permit.

(1) After the department has determined that the plans and specifications and construction inspection plan conform to accepted engineering practice, these documents will be approved and a construction permit will be issued which authorizes construction to commence.

Construction shall not commence until the construction permit has been issued by the department.

Preliminary work such as mobilization of equipment, stripping and grubbing and other site access and preparation work is allowed prior to receipt of the construction permit, provided no permanent features of the dam are initiated.

(2) Receipt of the construction permit does not relieve the owner of the responsibility to secure all other applicable permits and approvals before proceeding with construction work.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-180, filed 6/1/92, effective 7/2/92.]

WAC 173-175-190 Construction change orders. (1)

All dam projects subject to the provisions of this regulation shall be constructed in accordance with the plans and specifications approved by the department. Any proposed changes to the department-approved plans which could have

an effect on structural integrity or safe operations of the project must first be presented to the department for a determination if an approval is required.

(2) If the department determines that the proposed construction change order represents a significant modification of the approved plans or specifications that could have an effect on structural integrity or safe operations of the project, then approval of the change order will be required.

The department will review the construction change order and provide a response to the project engineer in a timely manner consistent with the complexity and safety concerns of the situation.

(3) If department approval of the proposed construction change order is required, no action can be taken by the owner to make the construction change until approval is given by the department.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-190, filed 6/1/92, effective 7/2/92.]

WAC 173-175-200 Department role in construction inspection. (1) It will be the department's role during construction to confirm that the project engineer, as representative for the owner, is properly implementing the department approved construction inspection plan.

(2) The department will periodically observe the construction work to independently confirm that conditions assumed in the design stage are valid for field conditions and that construction is proceeding in accordance with the approved plans and specifications.

(3) Changes may be required by the department to be made to the approved plans and specifications to reasonably secure safety to life and property. Reasons for changes may include, but are not limited to the following:

- (a) To address unanticipated field conditions;
- (b) To correct omissions or errors in the approved plans and specifications;
- (c) To correct situations where the construction work clearly is not being performed in a workmanlike manner and does not, in the opinion of the department, meet the performance intent of the specifications.

(4) Where deemed necessary by the department, a stop work order may be issued to temporarily halt construction until a problem can be resolved.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-200, filed 6/1/92, effective 7/2/92.]

WAC 173-175-210 Operation and maintenance plan. (1) An operation and maintenance (O&M) plan shall be developed and submitted to the department for review and acceptance. The O&M plan shall outline and summarize how the project is to be operated and how the basic elements of monitoring, inspection and maintenance, as listed in WAC 173-175-500(1), are to be accomplished.

The department may issue an acceptance after determining the O&M plan is substantially complete.

(2) Owners are responsible for incorporating the details of the O&M plan into an O&M manual suitable for use by dam operators. Requirements associated with O&M manuals are listed in WAC 173-175-500.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-210, filed 6/1/92, effective 7/2/92.]

WAC 173-175-220 Emergency action plan. In those cases where a failure of the dam could pose a risk to life based on the current level of development in downstream areas (downstream hazard classes 1A, 1B, 1C, and 2, WAC 173-175-130), an emergency action plan (EAP) shall be developed and submitted to the department for review and acceptance. The purpose of the plan is to establish procedures for responding to unusual or emergency situations and procedures for detecting, evaluating, communicating and initiating notification or warning to individuals who may be at risk in downstream/upstream areas. Requirements associated with EAP's are listed in WAC 173-175-520.

The department may issue an acceptance after determining the EAP is substantially complete.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-220, filed 6/1/92, effective 7/2/92.]

WAC 173-175-230 Declaration of construction completion. Within thirty days following substantial completion of construction or modification of a dam, the project engineer shall submit to the department:

A declaration stating the project was constructed in accordance with the department approved plans and specifications and construction change orders.

The department will provide a declaration form which may be used or altered, as appropriate, by the project engineer.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-230, filed 6/1/92, effective 7/2/92.]

WAC 173-175-240 Authorization to commence or resume project operation. (1) Upon receipt of the project engineer's declaration of construction completion, the department will authorize the owner or the project engineer, as appropriate, to commence or resume normal project operation, provided that:

(a) The department concurs with the project engineer that the project was constructed in accordance with the approved plans and specifications and construction change orders;

(b) The proposed O&M plan is acceptable to the department;

(c) The proposed emergency action plan, if required (see WAC 173-175-220), is acceptable to the department.

(2) If the above conditions are not met, the owner shall not commence or resume normal operation of the project until all outstanding issues or problems are resolved. When outstanding issues or problems are not resolved in a timely manner, the department may:

(a) Order the outlet works to remain fully open and not allow filling of the reservoir;

(b) Restrict reservoir water levels or reservoir operation;

(c) Order the breaching of the impounding barrier;

(d) Take other measures as appropriate to reasonably secure safety to life and property.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-240, filed 6/1/92, effective 7/2/92.]

WAC 173-175-250 Construction records summary. Within one hundred twenty days following completion of construction or modification of a dam, the project engineer,

as representative of the owner, shall submit a report to the department on construction activities which includes:

(1) A summary of results from field testing of materials used in construction. The summary shall identify both representative values and the range of test values;

(2) A discussion of any notable items encountered during construction;

(3) One complete set of drawings describing the as-built condition of the dam.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-250, filed 6/1/92, effective 7/2/92.]

WAC 173-175-260 Exceptions to construction permit process. If the department determines that emergency or exigency conditions exist at a dam and that it is in the best interests of public safety to expedite the construction or modification of a dam, the department may elect to temporarily suspend the normal construction permit process. To allow this exception, the department will issue a written conditional construction permit, which:

(1) May initially be oral;

(2) Will specify the construction activities to be allowed;

(3) May be terminated at a time deemed appropriate by the department;

(4) Shall incorporate, to the extent possible, and not inconsistent with the situation, all applicable requirements of this chapter.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-260, filed 6/1/92, effective 7/2/92.]

WAC 173-175-270 Department review response time. In reviewing the various documents required in the construction permit process, the department shall respond in a timely manner to the owner or project engineer with written review comments, approval, or acceptance as appropriate.

If the department response is anticipated to occur sixty days or more beyond the date of receipt of the document(s), the department shall notify the owner and/or project engineer in writing and advise them of the expected response date.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-270, filed 6/1/92, effective 7/2/92.]

PART THREE CONSTRUCTION PERMIT FEES

WAC 173-175-350 Authority for construction permit fees. It is required by RCW 90.03.470(9) that fees be collected by the department for the examination of plans and specifications. The fee shall be a minimum of ten dollars or the actual cost. In addition, the department is required by RCW 43.21A.064(2) to inspect the construction of all dams. It is required by RCW 90.03.470(8) that fees be collected for the actual cost to the department for inspection including the expense incident thereto.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-350, filed 6/1/92, effective 7/2/92.]

WAC 173-175-360 Construction permit fees for new project construction. Fees for the review of plans and

specifications and for construction inspection for new project construction shall be the amounts shown in Table 4 as determined by the nearest values of dam height and crest length, in feet, which correspond to the project's planned dam height and crest length.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-360, filed 6/1/92, effective 7/2/92.]

WAC 173-175-370 Construction permit fees for modifications of existing dams. (1) Fees for the review of plans and specifications and for construction inspections for project modifications involving significant enlargements shall be the greater of five hundred dollars or the amount determined by those applicable percentages shown in Table 5A of the fees in Table 4. The appropriate Table 4 fee amount is to be determined using the nearest values of dam height and crest length, in feet, which correspond to the overall dimensions of the modified dam.

TABLE 4. CONSTRUCTION PERMIT FEES - NEW PROJECT CONSTRUCTION

DAM HEIGHT (FEET)	D A M C R E S T L E N G T H (F E E T)															
	50	100	150	200	250	300	350	400	500	600	700	800	1000	1500	2000	4000
400	15810	17640	18320	18730	19060	19320	19540	19730	20000	20000	20000	20000	20000	20000	20000	20000
300	13680	16220	17320	17890	18240	18500	18720	18920	19240	19500	19720	19920	20000	20000	20000	20000
250	12150	15100	16370	17190	17620	17980	18210	18400	18720	18990	19210	19400	19720	20000	20000	20000
200	10100	13260	15000	15890	16610	17130	17420	17690	18090	18350	18570	18770	19090	19670	20000	20000
180	8930	12370	14090	15250	15940	16530	17030	17280	17720	18060	18280	18470	18790	19380	19790	20000
160	7730	11390	13140	14340	15230	15790	16280	16720	17270	17620	17930	18140	18460	19050	19460	20000
150	7150	10840	12590	13800	14770	15400	15880	16310	17030	17380	17680	17950	18280	18870	19280	20000
140	6570	10080	12000	13250	14180	14990	15460	15880	16600	17120	17420	17680	18090	18670	19090	20000
130	6010	9260	11400	12620	13570	14340	15020	15430	16130	16720	17140	17400	17830	18460	18880	19880
120	5450	8400	10670	11950	12930	13680	14340	14930	15630	16210	16720	17090	17530	18240	18650	19650
110	4900	7560	9740	11250	12180	12990	13620	14180	15120	15680	16170	16600	17200	18000	18410	19410
100	4370	6740	8680	10300	11400	12170	12850	13410	14350	15110	15580	16000	16730	17630	18140	19140
95	4110	6330	8160	9760	11010	11740	12410	13010	13920	14720	15280	15690	16400	17430	18000	19000
90	3850	5930	7640	9140	10410	11320	11950	12530	13490	14260	14940	15360	16060	17230	17790	18320
85	3590	5530	7130	8530	9800	10820	11490	12050	13040	13780	14450	15030	15710	17020	17320	17320
80	3340	5140	6630	7930	9120	10160	11020	11560	12510	13300	13940	14520	15350	16320	16320	16320
75	3090	4760	6130	7340	8440	9460	10320	11060	11970	12780	13420	13980	14960	15320	15320	15320
70	2840	4380	5640	6750	7770	8700	9580	10320	11420	12190	12870	13430	14320	14320	14320	14320
65	2600	4010	5160	6180	7100	7960	8770	9530	10780	11580	12240	12830	13320	13320	13320	13320
60	2360	3640	4690	5610	6450	7230	7970	8660	9930	10950	11590	12150	12320	12320	12320	12320
55	2130	3280	4230	5060	5820	6520	7180	7800	8970	10010	10880	11320	11320	11320	11320	11320
50	1900	2930	3770	4520	5190	5820	6410	6960	8010	8970	9860	10320	10320	10320	10320	10320
46	1720	2650	3420	4090	4700	5270	5800	6310	7250	8120	8950	9520	9520	9520	9520	9520
42	1540	2380	3070	3670	4220	4730	5210	5660	6510	7290	8030	8720	8720	8720	8720	8720
38	1370	2110	2720	3260	3750	4200	4630	5030	5780	6480	7130	7760	7920	7920	7920	7920
34	1200	1860	2390	2860	3290	3690	4060	4410	5070	5680	6260	6800	7120	7120	7120	7120
30	1040	1600	2060	2470	2840	3180	3500	3810	4380	4910	5400	5870	6320	6320	6320	6320
28	960	1480	1900	2280	2620	2940	3230	3510	4040	4530	4980	5420	5920	5920	5920	5920
26	880	1360	1750	2090	2400	2690	2960	3220	3700	4150	4570	4970	5520	5520	5520	5520
24	820	1230	1590	1900	2190	2450	2700	2940	3380	3780	4170	4530	5120	5120	5120	5120
22	770	1120	1440	1720	1980	2220	2440	2660	3050	3420	3770	4090	4710	4720	4720	4720
20	710	1000	1290	1540	1770	1990	2190	2380	2730	3070	3370	3670	4220	4320	4320	4320
18	660	890	1140	1370	1570	1760	1940	2110	2420	2720	2990	3250	3740	3920	3920	3920
16	610	800	1000	1200	1370	1540	1700	1840	2120	2370	2620	2840	3270	3520	3520	3520
15	590	770	930	1110	1280	1430	1580	1710	1970	2210	2430	2640	3040	3320	3320	3320
14	570	730	860	1030	1180	1320	1460	1580	1820	2040	2250	2440	2810	3120	3120	3120
13	550	690	810	950	1090	1220	1340	1460	1680	1880	2070	2250	2580	2920	2920	2920
12	540	650	770	870	1000	1110	1230	1330	1530	1720	1890	2060	2360	2720	2720	2720
11	530	620	720	810	910	1010	1110	1210	1390	1560	1720	1870	2150	2520	2520	2520
10	520	590	670	760	830	910	1000	1090	1250	1400	1550	1680	1930	2320	2320	2320
9	510	560	630	700	770	830	900	970	1120	1250	1380	1500	1720	2120	2120	2120
8	500	540	590	640	710	760	810	860	980	1100	1210	1320	1510	1920	1920	1920
7	500	520	550	600	640	690	740	780	850	950	1050	1140	1310	1690	1720	1720
6	500	510	530	560	590	630	660	700	770	820	890	970	1110	1430	1520	1520
5	500	500	510	530	550	570	600	620	680	730	780	820	920	1180	1320	1320

(2) Fees for the review of plans and specifications and for construction inspection for project modifications not involving significant enlargements shall be the greater of five hundred dollars or the amount determined by those applicable percentages shown in Table 5B of the fees in Table 4. The appropriate Table 4 fee amount is to be determined using the nearest values of dam height and crest length, in feet, which correspond to the overall dimensions of the modified dam.

(3) Fees for the review of plans and specifications and for construction inspection for the removal or partial removal of a dam with safety deficiencies for the purpose of eliminating a public safety hazard shall be the minimum fee of ten dollars.

(4) Fees for the review of plans and specifications and for construction inspection for the planned abandonment and reclamation of dams and reservoir areas used in mining operations shall be the minimum fee of five hundred dollars.

TABLE 5. FEES FOR MODIFICATIONS OF DAMS
MODIFICATION FEE AS PERCENTAGE OF FEE FOR NEW DAM CONSTRUCTION

FEATURES MODIFIED	TABLE 5A	TABLE 5B
	MODIFICATIONS INVOLVING SIGNIFICANT ENLARGEMENTS	MODIFICATIONS NOT INVOLVING SIGNIFICANT ENLARGEMENTS
Spillway(s)	35%	25%
Impounding Barrier	35%	25%
Appurtenant Works and Miscellaneous Construction Elements	10%	10%

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-370, filed 6/1/92, effective 7/2/92.]

WAC 173-175-380 Maintenance. It will not be necessary to submit plans and specifications for review for routine maintenance, normal replacement, or repair of items to keep them in a serviceable condition, seasonal removal, or replacement of stoplogs, or other similar minor operational activities.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-380, filed 6/1/92, effective 7/2/92.]

WAC 173-175-390 Payment of construction permit fees. (1) The amount of the construction permit fee will be determined by the department based upon procedures contained in WAC 173-175-360 and 173-175-370 and information contained in the construction plans.

(a) An initial payment, which may represent all or a portion of the construction permit fee shall be paid in conjunction with the submittal of the construction permit application described in WAC 173-175-120. The amount of the initial payment shall be:

(i) Ten dollars for the removal of a dam with safety deficiencies as described in WAC 173-175-370(3); or

(ii) Five hundred dollars for construction of a new dam or modification of an existing dam or project.

(b) The balance of the fee amount (less the initial payment above) is to be paid following notification by the department of the balance due.

(c) All fees collected are nonrefundable.

(2) No fee shall be required for the review of conceptual plans which describe proposed repairs or improvements to existing dams to correct safety deficiencies. The normal construction permit process will apply at the time plans and specifications are submitted to the department.

(3) No additional fees shall be required for plan and specification changes and resubmittals required by the department as part of the review process.

(4) No additional fees shall be required for review of construction change orders.

[Statutory Authority: 1995 c 8, 95-22-030 (Order 94-15), § 173-175-390, filed 10/24/95, effective 11/24/95. Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 93-01-090 (Order 92-35), § 173-175-390, filed 12/16/92, effective 1/16/93; 92-12-055 (Order 91-17), § 173-175-390, filed 6/1/92, effective 7/2/92.]

WAC 173-175-400 Cost of expert opinion. In resolving differences of opinion on engineering issues between the department and project engineer or owner, it may be necessary for the department to employ an expert in dam design, analysis or construction.

(1) The expert who is chosen, the assigned tasks, and the estimated cost for the expert's services shall be determined by negotiation between the owner and the department.

(2) The cost associated with employing the expert shall be paid by the owner of the proposed or existing project.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-400, filed 6/1/92, effective 7/2/92.]

PART FOUR PROJECT OPERATION

WAC 173-175-500 Operation and maintenance. (1) The owner shall develop and maintain a current operation and maintenance (O&M) manual.

The manual shall describe procedures for operation of the project under normal and extreme reservoir inflow conditions and provide technical guidance and procedures for monitoring, inspection, and long-term maintenance. Information on the development of the O&M manual is contained in the department's *Dam Safety Guidelines*. The O&M manual shall include, as a minimum, the following items:

(a) Identification of the individual(s) responsible for implementing the plan;

(b) A project data sheet describing the pertinent features of the dam and reservoir, including the spillway(s), outlet works, and appurtenant structures and their locations at the dam site;

(c) The rules and procedures (rule curve) used to regulate reservoir levels and project operation for various reservoir inflows and for both normal and unusual seasonal conditions;

(d) A description of each hydraulic element used to regulate or release water, including information on proper operation and scheduled maintenance;

(e) A listing of the items requiring periodic monitoring, the frequency of monitoring and procedures for monitoring, measurement, and recordkeeping;

(f) A listing of the items requiring periodic maintenance and procedures for conducting and documenting maintenance and recording of problems;

(g) A listing of items to be inspected or test operated, the frequency and procedures for conducting the same and for documenting the findings.

(2) It shall be the duty and responsibility of the owner to, at all times, operate and maintain the dam and all appurtenant works in a safe manner and condition and follow the method and schedule of operation of the dam as outlined in the O&M manual.

(3) For dams constructed before July 1, 1992, owners are required to develop an O&M manual by December 31, 1997.

In those cases where a failure of the dam could pose a threat to life (downstream hazard classes 1A, 1B, 1C, and 2), the O&M manual shall be submitted to the department for review and acceptance.

(4) Any proposed changes to the O&M manual which could have an effect on public or project safety must be submitted to the department for review and acceptance before implementation.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-500, filed 6/1/92, effective 7/2/92.]

WAC 173-175-510 Inspection. (1) Owners are required to evaluate the safety of their dam(s) and all appurtenant works and to make modifications, as become necessary, to reasonably secure safety to life and property. To accomplish this, owners are:

(a) Required to conduct annual surficial inspections and to maintain records of their findings, including records of actions taken to correct problem conditions. Copies of such records shall be provided to the department upon request.

The annual surficial inspections may be conducted by the owner or by agent(s) designated by the owner.

(b) Encouraged to implement a program for the periodic inspection of their project(s) on a five-year frequency to be conducted by a professional engineer.

(c) Required to notify the department at least thirty days in advance of when periodic inspections are scheduled to allow department engineers to participate in the inspection.

(d) Required to submit a copy of the engineering report(s) and other documents which contain the findings, conclusions, and recommendations resulting from the period-

ic inspection within thirty days following the completion of the various documents.

(2) In order to correct safety deficiencies and exigency conditions, owners are required to take actions and make modifications as prescribed by the department to preserve the structural stability and integrity of the project and attain levels of safety in accordance with accepted engineering practice.

(3) The department may elect to conduct periodic inspections of particular projects to reasonably secure safety to life and property.

(a) The department will give at least thirty days advance notice of the date of the periodic inspection and advise the owner of any requirements such as gates or valves that are to be operated during the inspection.

(b) Owners are required to develop an Operation and maintenance manual (WAC 173-175-500) and an Emergency action plan (WAC 173-175-520) within one hundred eighty days following completion of a periodic inspection conducted by the department.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-510, filed 6/1/92, effective 7/2/92.]

WAC 173-175-520 Emergency action. (1) In those cases where a failure of the dam could pose a threat to life (downstream hazard classes 1A, 1B, 1C, and 2), the owner shall develop and maintain an emergency action plan (EAP) acceptable to the department.

(a) The EAP shall describe procedures for responding to unusual or emergency situations and procedures for detecting, evaluating, communicating, and initiating notification or warning of individuals who may be at risk in downstream and upstream areas. Information on the development of an EAP is contained within the department's *Dam Safety Guidelines*.

(b) It shall be the duty and responsibility of the owner to implement the EAP when conditions warrant and to follow the method and schedule contained within the EAP.

(c) For dams constructed before July 1, 1992, owners are required to develop an EAP and to submit it to the department for review and acceptance by December 31, 1997.

(i) Owners are required to coordinate the development of the EAP with representatives from the local emergency services staff, state department of community development, emergency management division, and appropriate local authorities.

(ii) Copies of the completed EAP must be provided to the state emergency management division, local emergency services office, and to the department.

(2) Any proposed changes to the EAP which could have an affect on public or project safety must be submitted to the department for review and acceptance before implementation.

(3) Owners are required to exercise components of the EAP as needed to confirm the viability of the plan.

(4) The department will coordinate and solicit review comments from the local emergency services office and the state emergency management division on the acceptability of proposed EAPs. Those comments will constitute the primary basis for accepting or requesting modifications to a proposed EAP.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-520, filed 6/1/92, effective 7/2/92.]

WAC 173-175-530 Reporting of incidents. Owners are required to notify the department when incidents occur or when problems or conditions arise which may pose a threat to life or property or a threat to the integrity of the dam.

(1) The owner shall report by telephone to the department on any condition affecting the safety of the project or when an incident has occurred. The initial oral report must be made as soon as practicable after the condition is discovered or following any incident.

(2) A written report may be required by the department within thirty days following the discovery of the condition or after the incident. The report shall describe the condition affecting the safety of the project or the incident which has occurred and shall describe the preliminary plans for correcting the condition and for preventing the recurrence of a similar incident.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-530, filed 6/1/92, effective 7/2/92.]

PART FIVE COMPLIANCE AND ENFORCEMENT

WAC 173-175-600 Right of entry. The department or its duly appointed agent(s) shall have the right to enter at all reasonable times in or upon property, public or private, for the purpose of inspecting and investigating conditions relating to the construction, operation, maintenance or performance of dams. The department shall comply with the owner's reasonable rules for access to the project.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-600, filed 6/1/92, effective 7/2/92.]

WAC 173-175-610 Emergencies. (1) When, in the opinion of the department, an emergency condition exists which poses an imminent threat to life, the department may take such action as necessary to eliminate or mitigate the hazard and potential consequences. The dam owner or the owner's agent(s) may be directed to take actions, and if that failing, the department may take control of the project and take actions, including, but not limited to:

(a) Altering the operation of the project;

(b) Lowering the reservoir water level;

(c) Draining the reservoir;

(d) Making emergency repairs or modifications to the project;

(e) Enlisting the services of federal, state, or local authorities to make emergency repairs or modifications to the project;

(f) Breaching the dam.

(2) All costs incurred by the department as a result of taking control of the project will be charged to the owner.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-610, filed 6/1/92, effective 7/2/92.]

WAC 173-175-620 Enforcement. (1) In enforcement of this chapter, the department may impose such sanctions as appropriate under authorities vested in it, including but

not limited to, the issuance of regulatory orders under RCW 86.16.081 and 43.27A.190 and civil penalties under RCW 86.16.081 and 90.03.600.

(2) Any dam which is found to be under construction or recently constructed without prior approval of the plans and specifications is in violation of RCW 90.03.350 and will be presumed to be a public nuisance. The owner will not be allowed to fill the reservoir or continue to operate the reservoir until the structural integrity and safety of the facility can be demonstrated to the satisfaction of the department. In addition:

(a) Regulatory orders may be issued to enforce the restriction of reservoir filling and fines may be levied at one hundred dollars per day up to an amount equal to one hundred fifty percent of the amount the owner would have been charged under the construction permit fee schedule listed in this chapter;

(b) Owners are required to submit as-built drawings and all available documentation describing the manner in which the dam or portion thereof was constructed;

(c) If the structural integrity and safety of a dam project cannot be demonstrated or confirmed to the satisfaction of the department, the owner shall not commence or resume normal operation of the project until all outstanding issues or problems are resolved to the satisfaction of the department. To accomplish the above, the department may:

- (i) Order the outlet works to remain fully open and not allow filling of the reservoir;
- (ii) Restrict reservoir water levels or reservoir operation;
- (iii) Order the breaching of the impounding barrier;
- (iv) Take other measures as appropriate to reasonably assure safety to life and property.

(d) If, in the opinion of the department, the owner is unwilling or incapable of resolving the outstanding safety issues in a timely manner, the department may take action to have the dam abated as prescribed by law under RCW 90.03.350.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-620, filed 6/1/92, effective 7/2/92.]

WAC 173-175-630 Appeals. All final written decisions of the department pertaining to permits, regulatory orders, and related decisions made pursuant to this chapter shall be subject to review by the pollution control hearings board in accordance with chapter 43.21B RCW.

[Statutory Authority: RCW 43.21A.064, [43.21A.]080 and 86.16.061. 92-12-055 (Order 91-17), § 173-175-630, filed 6/1/92, effective 7/2/92.]

Chapter 173-180A WAC

FACILITY OIL-HANDLING OPERATIONS AND DESIGN STANDARDS

WAC

173-180A-010	Purpose.
173-180A-020	Authority.
173-180A-030	Definitions.
173-180A-040	Applicability.
173-180A-050	Compliance schedule.
173-180A-060	Vessel transfer requirements.
173-180A-070	Transmission pipeline transfer requirements.
173-180A-080	Secondary containment requirements for aboveground storage tanks.

173-180A-090	Storage tank requirements.
173-180A-100	Transfer pipeline requirements.
173-180A-110	Inspections.
173-180A-120	Recordkeeping.
173-180A-130	Noncompliance.
173-180A-140	Rule review.
173-180A-150	Severability.

WAC 173-180A-010 Purpose. The purpose of this rule is to establish facility operations and design standards which, when followed, will:

- (1) Prevent oil and petroleum spills from occurring;
- (2) Ensure that facilities are designed and operated in a manner which will provide the best achievable protection of the public health and the environment;
- (3) Provide improved protection of Washington waters and natural resources from the impacts of oil spills caused by improper oil-handling equipment design and operations.

[Statutory Authority: RCW 90.56.220. 94-10-084, § 173-180A-010, filed 5/4/94, effective 6/4/94.]

WAC 173-180A-020 Authority. RCW 90.56.220 provides statutory authority for developing operations and design standards and implementing a compliance program established by this chapter.

[Statutory Authority: RCW 90.56.220. 94-10-084, § 173-180A-020, filed 5/4/94, effective 6/4/94.]

WAC 173-180A-030 Definitions. "Appropriate person" means a person designated by the facility as being competent and trained to implement a designated function.

"Best achievable protection" means the highest level of protection that can be achieved through the use of the best achievable technology and those staffing levels, training procedures, and operational methods that provide the greatest degree of protection available. The director's determination of best achievable protection shall be guided by the critical need to protect the state's natural resources and waters, while considering: The additional protection provided by the measures; the technological achievability of the measures; and the cost of the measures.

"Best achievable technology" means the technology that provides the greatest degree of protection taking into consideration: Processes that are being developed, or could feasibly be developed, given overall reasonable expenditures on research and development; and processes that are currently in use. In determining what is best achievable technology, the director shall consider the effectiveness, engineering feasibility, and commercial availability of the technology.

"Board" means the pollution control hearings board.

"Bulk" means material that is stored or transported in a loose, unpackaged liquid, powder, or granular form capable of being conveyed by a pipe, bucket, chute, or belt system.

"Cargo vessel" means a self-propelled ship in commerce, other than a tank vessel or a passenger vessel, greater than three hundred or more gross tons, including but not limited to, commercial fish processing vessels and freighters.

"Covered vessel" means a tank vessel, cargo vessel, or passenger vessel.

"Department" means the department of ecology.

"Directly impact" means without treatment.

"Director" means the director of the department of ecology.

"Discharge" means any spilling, leaking, pumping, pouring, emitting, emptying, or dumping.

"Emergency shutdown" means a deliberate stoppage of equipment or facility operation under circumstances requiring immediate action to prevent or reduce loss of life, injury, oil spills or significant damage to or loss of property or environmental values.

Facility:

"Facility" means any structure, group of structures, equipment, pipeline, or device, other than a vessel, located on or near the navigable waters of the state that transfers oil in the bulk to or from a tank vessel or pipeline, that is used for producing, storing, handling, transferring, processing, or transporting oil in bulk.

A facility does not include any: Railroad car, motor vehicle, or other rolling stock while transporting oil over the highways or rail lines of this state; underground storage tank regulated by the department or a local government under chapter 90.76 RCW; a motor vehicle motor fuel outlet; a facility that is operated as part of an exempt agricultural activity as provided in RCW 82.04.330; or a marine fuel outlet that does not dispense more than three thousand gallons of fuel to a ship that is not a covered vessel, in a single transaction.

"Facility person in charge" means the person designated under the provisions of 33 CFR 154.710.

"Navigable waters of the state" means those waters of the state, and their adjoining shorelines, that are subject to the ebb and flow of the tide and/or are presently used, have been used in the past, or may be susceptible for use to transport intrastate, interstate, or foreign commerce.

"Immediate threat" means threat which could cause loss of life, reduce safety or adversely impact waters of the state or environment.

"Oil" or "oils" means naturally occurring liquid hydrocarbons at atmospheric temperature and pressure coming from the earth, including condensate and natural gasoline, and any fractionation thereof, including, but not limited to, crude oil, petroleum, gasoline, fuel oil, diesel oil, oil sludge, oil refuse, and oil mixed with wastes other than dredged spoil. Oil does not include any substance listed in Table 302.4 of 40 CFR Part 302 adopted August 14, 1989, under section 101(14) of the federal Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended by P.L. 99-499.

"Offshore facility" means any facility, as defined in this section, located in, on, or under any of the navigable waters of the state, but does not include a facility any part of which is located in, on, or under any land of the state, other than submerged land.

"Onshore facility" means any facility, as defined in this section, any part of which is located in, on, or under any land of the state, other than submerged land, that because of its location, could reasonably be expected to cause substantial harm to the environment by discharging oil into or on the navigable waters of the state or the adjoining shorelines.

Owner or operator:

"Owner or operator" means: In the case of a vessel, any person owning, operating, or chartering by demise, the vessel; in the case of an onshore or offshore facility, any

person owning or operating the facility; and in the case of an abandoned vessel or onshore or offshore facility, the person who owned or operated the vessel or facility immediately before its abandonment.

"Operator" does not include any person who owns the land underlying a facility if the person is not involved in the operations of the facility.

"Person" means any political subdivision, government agency, municipality, industry, public or private corporation, copartnership, association, firm, individual, or any other entity whatsoever.

"Pipeline operator" means the operator of a transmission pipeline.

"Process pipelines" means a pipeline used to carry oil within the oil refining/processing units of a facility, process unit to tankage piping and tankage interconnecting piping. Process pipelines do not include pipelines used to transport oil to or from a tank vessel or transmission pipeline.

"Secondary containment" means containment systems which prevent any materials discharged from reaching the waters of the state.

"Ship" means any boat, ship, vessel, barge, or other floating craft of any kind.

"Spill" means an unauthorized discharge of oil which enters waters of the state.

"State" means the state of Washington.

"Storage tank" means all aboveground containers connected to transfer pipelines or any aboveground containers greater than ten thousand gallons (two hundred thirty-eight barrels), including storage and surge tanks, used to store bulk quantities of oil. Storage tanks do not include those tanks regulated by chapter 90.76 RCW, rolling stock, wastewater treatment equipment, process pressurized vessels or other tanks used in the process flow through portions of the facility.

"Tankage interconnecting piping" means buried or aboveground piping used to carry oil between storage tanks.

"Tank vessel" means a ship that is constructed or adapted to carry, or that carries, oil in bulk as cargo or cargo residue, and that:

Operates on the waters of the state; or

Transfers oil in a port or place subject to the jurisdiction of this state.

"Transmission pipeline" means a pipeline whether interstate or intrastate, subject to regulation by the United States Department of Transportation under 49 CFR 195, as amended through December 5, 1991, through which oil moves in transportation, including line pipes, valves, and other appurtenances connected to line pipe, pumping units, and fabricated assemblies associated with pumping units.

"Transfer" means any movement of oil between a tank vessel or transmission pipeline and the facility.

"Transfer pipeline" is a buried or aboveground pipeline used to carry oil between a tank vessel or transmission pipeline and the first valve inside secondary containment at the facility provided that any discharge on the facility side of that first valve will not directly impact waters of the state. A transfer pipeline includes valves, and other appurtenances connected to the pipeline, pumping units, and fabricated assemblies associated with pumping units. A transfer pipeline does not include process pipelines, pipelines carrying ballast or bilge water, transmission pipelines, tank

vessel or storage tanks. Instances where the transfer pipeline is not well defined will be determined on a case-by-case basis.

"Vessel person in charge" means the person designated under the provisions of 33 CFR 155.700.

"Waters of the state" include lakes, rivers, ponds, streams, inland waters, underground water, salt waters, estuaries, tidal flats, beaches and land adjoining the seacoast of the state, sewers, and all other surface waters and water-courses within the jurisdiction of the state of Washington.

[Statutory Authority: RCW 90.56.220. 94-10-084, § 173-180A-030, filed 5/4/94, effective 6/4/94.]

WAC 173-180A-040 Applicability. Onshore and offshore facilities shall meet the requirements of this section. This rule does not apply to portions of a facility regulated by 49 CFR 195.

[Statutory Authority: RCW 90.56.220. 94-10-084, § 173-180A-040, filed 5/4/94, effective 6/4/94.]

WAC 173-180A-050 Compliance schedule. (1) Facilities must comply with this rule thirty-six months after its effective date. Facilities needing additional time to comply with this rule must obtain written approval from the department extending this date and must submit a proposed compliance schedule to the department within eighteen months of the effective date of this rule subject to the following provisions:

(a) Compliance schedules must include a justification of need for additional time. Facilities shall cite the specific requirements of this rule which will be addressed by the proposed compliance schedule.

(b) Compliance schedules shall contain target dates for the commencement and completion of projects leading to the ultimate compliance with all provisions of this rule.

(c) Only requirements which cannot be met within thirty-six months of the effective date of this rule need to be identified in the compliance schedule.

(d) Compliance schedules which do not meet the definition of best achievable protection will not be approved by the department.

(e) It shall be legal to operate a facility if a proposed compliance schedule has been submitted to the department and the department has not provided the facility with a formal response.

(2) Facilities with approved compliance schedules must:

(a) Meet all requirements of this rule not specifically addressed in the compliance schedule.

(b) Submit a progress report to the department every six months following the compliance schedule approval date.

(c) Meet all compliance schedule dates unless written approval is received from the department.

(3) Facilities commencing construction thirty-six months or later after the adoption date of this rule shall meet the provisions of this rule at the time they commence operation. Facilities under design or construction at the time of the adoption of this rule shall comply with this rule thirty-six months after the adoption date of this rule.

[Statutory Authority: RCW 90.56.220. 94-10-084, § 173-180A-050, filed 5/4/94, effective 6/4/94.]

WAC 173-180A-060 Vessel transfer requirements.

(1) General requirements.

(a) No person shall conduct an oil transfer operation to or from a tank vessel unless the facility person in charge (FPIC) and the vessel person in charge (VPIC) have:

(i) Conducted a pretransfer conference as described in 33 CFR 156.120(w) as amended on September 4, 1990;

(ii) Ensured that transfer connections have been made as specified in 33 CFR 156.130 as amended on September 4, 1990;

(iii) Completely filled out and signed the declaration of Inspection as required by 33 CFR 156.150 as amended on September 4, 1990.

(iv) Established adequate communication in English between the vessel and the facility and in accordance with 33 CFR 154.560 as amended on September 4, 1990.

(v) Ensured that the available capacity in the receiving tank(s) is (are) greater than the volume of oil to be transferred and all other tank fill valves which could influence the routing of the transferred oil are properly aligned.

(b) The operator shall verify that the designated storage tanks are receiving oil at the expected rate.

(c) For the purpose of scheduling inspections, the department may require a facility operator to provide a twenty-four hour advance notification with updates to the department of any anticipated transfer of bulk oil by a facility operator. The department shall notify the facility in writing when this procedure will be required.

(d) Transfer operations shall be supervised by the appropriate person in charge in accordance with 33 CFR 156.160 as amended on September 4, 1990.

(e) Each FPIC shall ensure that the means of operating the emergency shutdown is immediately available while oil is being transferred between the facility and the vessel.

(f) Transfer equipment requirements shall meet the conditions of 33 CFR 154.500 through 33 CFR 154.545 as amended on September 4, 1990.

(g) Transfer equipment shall be tested in accordance with procedures identified in 33 CFR 156.170 as amended on September 4, 1990. Transfer hoses shall be tested at intervals not exceeding twelve months in accordance with the procedures identified by the RMA/IP-11-4, *Rubber Manufacturers Association Manual for Maintenance, Testing and Inspection of Hose* dated 1987 or the manufacturer's recommendations for testing.

(h) All transfer operations shall be in accordance with operations manuals approved under chapter 173-180B WAC.

(i) The FPIC shall refuse to initiate or shall cease transfer operations with any vessel which has not provided complete information as required by the declaration of inspection, has refused to correct deficiencies identified by the FPIC during the pretransfer conference, or does not comply with the facility operations manual or facility requirements.

(2) Oil spills.

(a) Any person conducting an oil transfer shall stop the transfer operation whenever oil from any source associated with the transfer is spilled into the water, or discharged onto the facility deck or dock outside secondary containment, or upon the shoreline adjoining the transfer area.

(b) Transfer operations may not resume after a spill until:

(i) Notification has been made in accordance with RCW 90.56.280; and

(ii) The FPIC and the VPIC have determined that there is no longer an immediate threat to waters of the state or public health.

(c) The department may require that transfer operations stopped under subsection (2)(a) of this section may not resume unless authorized by the department.

(3) Suspension of transfer operations for immediate threat.

(a) The director may order a facility to suspend transfer operations if there is a condition requiring immediate action to prevent the discharge or threat of discharge of oil or to protect the public health and safety, and the environment.

(b) An order of suspension may be made effective immediately.

(c) An order of suspension shall specify each condition requiring immediate action.

(d) The transfer operation shall remain suspended until the director has determined that the need for immediate action is no longer necessary and has notified the facility operator of that determination.

(e) The director shall notify the facility operator as soon as possible of the determination that the need for immediate action is no longer necessary.

(f) The facility operator may petition the pollution control board, in writing or in any other manner, to reconsider an order of suspension.

[Statutory Authority: RCW 90.56.220. 94-10-084, § 173-180A-060, filed 5/4/94, effective 6/4/94.]

WAC 173-180A-070 Transmission pipeline transfer requirements. (1) General requirements.

(a) No person shall conduct an oil transfer operation to or from a transmission pipeline unless the appropriate person and the pipeline operator have:

(i) Conducted pretransfer communications which identify:

- (A) Type of oil;
- (B) Transfer volume;
- (C) Flow rates;
- (D) Transfer startup or arrival time;

(ii) Facilities which receive oil from a transmission pipeline must:

(A) Confirm that the proper manifold and valves are open and ready to receive product;

(B) Notify the transmission pipeline operator when a storage tank has less than one foot of oil above the inlet nozzle;

(C) Coordinate arrival time of oil with the pipeline operator;

(D) Confirm the available storage capacity for transfers to a facility;

(E) Ensure that only the designated tank(s) is (are) receiving oil.

(iii) Ensured that proper transfer alignment of the pipeline, valves, manifolds and storage tanks have been made.

(iv) Established adequate communication in English between the facility and pipeline operator.

(b) For the purpose of scheduling inspections, the department may require a twenty-four hour notification to the department in advance of any transfer of bulk oil by a facility operator. The department shall request notification in writing when this procedure is required.

(c) Transfer operations shall be supervised by an appropriate person.

(d) Each facility operator shall ensure that the means of operating or requesting emergency shutdown is immediately available while oil is being transferred between the facility and the pipeline.

(e) If startup, shutdown, and/or emergency shutdown are controlled by the pipeline operator directly using instrumentation and control devices, the accuracy of these devices shall be checked at least annually.

(f) All transfer operations shall be conducted in accordance with operations manuals approved under chapter 173-180B WAC.

(2) Oil spills.

(a) Any person conducting an oil transfer shall stop the transfer operation whenever oil from any source associated with the transfer is spilled into the water or upon the adjoining shoreline in the transfer area.

(b) Transfer operations may not resume after a spill until:

(i) The proper notification has been made in accordance with RCW 90.56.280; and

(ii) All threats to waters of the state and public health no longer exist as determined by the appropriate person.

(c) The department may require that transfer operations stopped under subsection (2)(a) of this section may not resume unless authorized by the department.

(3) Suspension of transfer operations for immediate threat.

(a) The director may order a facility to suspend transfer operations if there is a condition requiring immediate action to prevent the discharge or threat of discharge of oil or to protect the public health and safety, and the environment.

(b) An order of suspension may be made effective immediately.

(c) An order of suspension shall specify each condition requiring immediate action in writing.

(d) The transfer operation shall remain suspended until the director has determined that the need for immediate action is no longer necessary and has notified the facility operator of that determination.

(e) The director shall notify the facility operator as soon as possible of the determination that the need for immediate action is no longer necessary.

(f) The facility operator may petition the pollution control board, in writing or in any other manner, to reconsider an order of suspension.

[Statutory Authority: RCW 90.56.220. 94-10-084, § 173-180A-070, filed 5/4/94, effective 6/4/94.]

WAC 173-180A-080 Secondary containment requirements for aboveground storage tanks. (1) Aboveground oil storage tanks must be located within secondary containment areas. Secondary containment systems must be:

(a) Designed, constructed, maintained and operated to prevent discharged oil from entering waters of the state at any time during use of the tank system;

(b) Capable of containing one hundred percent of the capacity of the largest storage tank within the secondary containment area;

(c) Constructed with materials that are compatible with stored material to be placed in the tank system.

(d) Soil may be used for the secondary containment system, provided that any spill onto the soil will be sufficiently contained, readily recoverable and will be managed in accordance with the provisions under WAC 173-303-145 as amended in December 1993, spills and discharges and any other applicable regulation.

(e) Constructed with sufficient strength and thickness to prevent failure owing to pressure gradients (including static head and external hydrological forces), physical contact with the fluid stored in the storage tank, climatic conditions, and the stresses of daily operations (including stresses from nearby vehicular traffic);

(f) Placed on a base or foundation capable of providing support to the secondary containment system, resistance to pressure gradients above and below the system, and capable of preventing failure due to settlement, compression or uplift;

(g) Sloped or otherwise designed or operated to drain and remove liquids resulting from leaks, spills, or precipitation. Spilled or leaked oil and accumulated precipitation must be removed from the secondary containment system in a manner which will provide the best achievable protection of public health and the environment; and

(h) Visually inspected monthly to confirm secondary containment integrity. Items requiring attention as determined by the visual inspection must be documented. Records must be kept on site for a minimum of three years.

(2) The secondary containment system must be maintained to prevent a breach of the dike by controlling burrowing animals and weeds;

(3) The secondary containment system must be maintained free of debris and other materials which may interfere with the effectiveness of the system, including excessive accumulated precipitation.

(4) The facility shall maintain at least one hundred percent of the working capacity of the largest storage tank within the secondary containment area at all times.

(5) All secondary containment pumps, siphons and valves must be properly maintained and kept in good working order.

(6) Drainage of water accumulations from secondary containment areas that discharge directly to the land or waters of the state must be controlled by locally operated, positive shutoff valves or other positive means to prevent a discharge. Valves must be kept closed except when the discharge from the containment system is in compliance with chapter 90.48 RCW, Water pollution control. Valves must be locked closed when the facility is unattended. Necessary measures shall be taken to ensure secondary containment valves are protected from inadvertent opening or vandalism. There shall be some means of readily determining valve status by facility personnel such as a rising stem valve or position indicator.

(7) The owner or operator shall inspect or monitor accumulated water before discharging from secondary containment to ensure that no oil will be discharged to the waters of the state. All water discharges shall comply with state water quality program regulations as described in chapter 90.48 RCW.

(8) The department may require oil containers less than ten thousand gallons (two hundred thirty-eight barrels) capacity to have secondary containment when the container is located less than six hundred feet from navigable waters of the state or a storm water or surface drains which may directly impact navigable waters of the state.

(9) A secondary containment system constructed after the adoption date of this rule shall be installed as follows:

(a) In accordance with the 1993 version of the National Fire Protection Association (NFPA), Flammable and Combustible Code, No. 30, section 2-3.4.3;

(b) Secondary containment systems must be capable of containing one hundred percent of the capacity of the largest storage tank within the secondary containment area;

(c) Secondary containment systems shall be designed to withstand seismic forces;

(d) Drains and other penetrations through secondary containment areas must be minimized consistent with facility operational requirements; and

(e) Secondary containment systems shall be designed and constructed in accordance with sound engineering practice and in conformance with the provisions of this section.

[Statutory Authority: RCW 90.56.220, 94-10-084, § 173-180A-080, filed 5/4/94, effective 6/4/94.]

WAC 173-180A-090 Storage tank requirements. (1)

Storage tanks constructed after the adoption date of this rule shall meet or exceed the 1993 version of the National Fire Protection Association (NFPA 30) requirements and one of the following design and manufacturing standards:

(a) UL No. 142, Steel Aboveground Tanks for Flammable and Combustible Liquids dated April 1993;

(b) API Standard 650, Welded Steel Tanks for Oil Storage dated November 1988;

(c) API Standard 620, Design and Construction of Large Welded, Low-Pressure Tanks dated June 1990; or

(d) Another standard approved by the department.

(2) The owner or operator shall ensure that the means of preventing storage tank overfill comply with the 1993 version of the National Fire Protection Association (NFPA), Flammable and Combustible Code, No. 30, Chapter 2, Section 2-10.

(3) Storage tanks shall be maintained, repaired and inspected in accordance with the requirements of API 653 dated January 1991 unless the operator proposes an equivalent inspection strategy which is approved by the department.

(4) A record of all inspection results and corrective actions taken must be kept for the service life of the tank and must be available to the department for inspection and copying upon request.

[Statutory Authority: RCW 90.56.220, 94-10-084, § 173-180A-090, filed 5/4/94, effective 6/4/94.]

WAC 173-180A-100 Transfer pipeline requirements. (1) Pipelines replaced, relocated or constructed after the adoption date of this rule which are located in areas not controlled by the facility shall be installed in accordance with 49 CFR 195.246 through 49 CFR 195.254 as amended on October 8, 1991, where feasible. Facility control is established by fencing, barriers or other method accepted by the department which protects the pipe right-of-way and limits access to personnel authorized by the facility.

(2) All pipelines shall be protected from third party damage in a reasonable manner and be able to withstand external forces exerted upon them. This shall be done by:

(a) Registering all underground pipelines located in public right-of-way areas in the local one call system if available;

(b) Maintaining accurate maps for all underground piping located outside the facility. The maps shall identify pipe size and location. The approximate depths of pipelines shall be identified for pipelines which do not comply with 49 CFR 195.248 as amended on October 8, 1991;

(c) Marking all piping located in areas not controlled by the facility in accordance with 49 CFR 195.410 as amended on October 8, 1991;

(d) Providing easement inspections of areas identified by subsection (2)(b) of this section on a weekly basis to determine if there is any uncommon activity occurring which may affect the integrity of the pipeline;

(e) Ensuring that pipelines at each railroad, highway or road crossing are designed and installed to adequately withstand the dynamic forces exerted by anticipated traffic loads.

(3) Pipelines constructed after the adoption date of this rule shall be designed and constructed in accordance with the American Society of Mechanical Engineers (ASME) Standard for pressure piping ASME B31.3 or B31.4 issued March 15, 1993, in effect during the time of construction or any other standard accepted by the Department.

(4) Pipelines must be inspected in accordance with API 570, 1993, Piping Inspection Code. As an alternative to complying with API 570, the facility must comply with the following requirements:

(a) Buried pipelines constructed after the adoption date of this rule must be coated. Coatings shall be designed and inspected to meet the following conditions consistent with the definition of best achievable protection:

(i) Coatings shall effectively electrically isolate the external surfaces of the pipeline system from the environment.

(ii) Coatings shall have sufficient adhesion to effectively resist underfilm migration of moisture.

(iii) Coatings must be sufficiently ductile to resist cracking.

(iv) The coating shall have sufficient impact and abrasion resistance or otherwise be protected to resist damage due to soil stress and normal handling (including concrete coating application, installation of river weights and anode bracelet installation, where applicable).

(v) The coating must be compatible with cathodic protection.

(vi) The coating must be compatible with the operating temperature of the pipeline.

(vii) Coatings shall be inspected immediately before, during, or after pipe installation to detect coating faults. Faults in the coating shall be repaired and reinspected.

(b) All buried coated pipelines shall have properly operated cathodic protection which is maintained during the operational life of the pipeline system. Cathodic protection shall be maintained on pipeline systems which are out of service but not abandoned unless the operator can show that the pipeline integrity has been properly monitored and secured as approved by the department prior to operation of the abandoned pipeline. Pipeline owners or operators may perform a corrosion study to demonstrate that cathodic protection is not required as an option to installing cathodic protection. Corrosion studies shall follow the following guidelines as a minimum:

(i) Corrosion studies shall be completed by a professional engineer with experience in corrosion control of buried pipelines, a NACE certified corrosion specialist or by a person knowledgeable and qualified to perform the required testing and inspection who is approved by the department.

(ii) Corrosion studies for pipelines shall include at a minimum, the following:

(A) Pipeline thickness and corrosion rate for existing pipelines;

(B) Presence of stray DC currents;

(C) Soil resistivity/conductivity;

(D) Soil moisture content;

(E) Soil pH;

(F) Chloride ion concentration; and

(G) Sulfide ion concentration.

(c) All pipelines with cathodic protection are subject to the following requirements where applicable:

(i) Cathodic protection systems must be tested to determine system adequacy on an annual basis.

Note: The National Association of Corrosion Standard RP-02-85, "Control of External Corrosion on Metallic Buried, Partially Buried, or Submerged Liquid Storage Systems," may be used to comply with this section.

(ii) Impressed current cathodic protection rectifiers must be inspected every two months.

(iii) Where insulating devices are installed to provide electrical isolation of pipeline systems to facilitate the application of corrosion control, they shall be properly rated for temperature, pressure and electrical properties, and shall be resistant to the commodity carried in the pipeline system.

(iv) Buried pipeline systems shall be installed so that they are not in electrical contact with any metallic structures. This requirement shall not preclude the use of electrical bonding to facilitate the application of cathodic protection.

(v) Tests shall be carried out to determine the presence of stray currents. Where stray currents are present, measures shall be taken to mitigate detrimental effects.

(d) Buried bare pipelines shall be inspected in accordance with section 7 of API 570 dated June 1993. Pipeline thickness and corrosion rates shall be determined at an interval of no more than half of the remaining life of the pipeline as determined from corrosion rates or every five years whichever is more frequent. Pipeline thickness and corrosion rate shall be initially established within thirty-six months after the adoption date of this rule. The pipeline shall be operated in accordance with American Society of

Mechanical Engineers (ASME) supplement to ASME B31G-1991 entitled "Manual for Determining the Remaining Strength of Corroded Pipe" for transmission pipelines issued June 27, 1991, API 570 dated June 1993 or a standard approved by the department.

(5) Whenever any buried pipe is exposed for any reason, the operator shall provide a nondestructive examination of the pipe for evidence of external corrosion. If the operator finds that there is active corrosion, the extent of that corrosion must be determined and if necessary repaired.

(6) Each facility shall maintain all pumps and valves that could affect waters of the state in the event of a failure. Transfer pipeline pumps and valves and storage tank valves shall be inspected annually and maintained in accordance with the manufacturers recommendations or an industrial standard approved by the department to ensure that they are functioning properly. Valves shall be locked when the facility is not attended. Necessary measures shall be taken to ensure that valves are protected from inadvertent opening or vandalism if located outside the facility or at an unattended facility.

(7) A written record must be kept of all inspections and tests covered by this section.

(8) Facilities shall have the capability of detecting a transfer pipeline leak equal to eight percent of the maximum design flow rate within fifteen minutes for transfer pipelines connected to tank vessels. Leak detection capability shall be determined by the facility using best engineering judgment. Deficiencies with leak detection systems such as false alarms must be addressed and accounted for by the facility. Facilities may meet these requirements by:

- (a) Visual inspection provided the entire pipeline is visible and inspected every fifteen minutes; or
- (b) Instrumentation; or
- (c) Completely containing the entire circumference of the pipeline provided that a leak can be detected within fifteen minutes; or
- (d) Conducting an acceptable hydrotest of the pipeline immediately before the oil transfer with visual surveillance of the exposed pipeline every fifteen minutes; or
- (e) A combination of the above strategies; or
- (f) A method approved by the department which meets the standard identified in this section.

Leak detection system operation and operator response must be described in the facility operations manual.

[Statutory Authority: RCW 90.56.220. 94-10-084, § 173-180A-100, filed 5/4/94, effective 6/4/94.]

WAC 173-180A-110 Inspections. The department may verify compliance with this chapter by announced and unannounced inspections in accordance with RCW 90.56.410. During an inspection the department may require the facility to provide proof of compliance by producing all required records, documents as well as demonstrating spill prevention equipment and procedures required by this rule.

[Statutory Authority: RCW 90.56.220. 94-10-084, § 173-180A-110, filed 5/4/94, effective 6/4/94.]

WAC 173-180A-120 Recordkeeping. Records required by this rule shall be maintained and available for a minimum of three years. Storage tank and pipeline records

shall be maintained for the life of the equipment. Records shall be available to the department for inspection or photocopying upon request.

[Statutory Authority: RCW 90.56.220. 94-10-084, § 173-180A-120, filed 5/4/94, effective 6/4/94.]

WAC 173-180A-130 Noncompliance. Any violation of this chapter may be subject to the enforcement sanctions of chapters 90.48 and 90.56 RCW.

[Statutory Authority: RCW 90.56.220. 94-10-084, § 173-180A-130, filed 5/4/94, effective 6/4/94.]

WAC 173-180A-140 Rule review. The department shall review the requirements of this section every five years to ensure that best achievable protection of public health and environment is being achieved. This review shall include a review of current and updated industry standards, federal and state regulations, equipment and operational procedures.

[Statutory Authority: RCW 90.56.220. 94-10-084, § 173-180A-140, filed 5/4/94, effective 6/4/94.]

WAC 173-180A-150 Severability. If any provision of this chapter is held invalid, the remainder of this rule is not affected.

[Statutory Authority: RCW 90.56.220. 94-10-084, § 173-180A-150, filed 5/4/94, effective 6/4/94.]

**Chapter 173-180B WAC
FACILITY OIL-HANDLING OPERATIONS
MANUAL STANDARDS**

WAC

173-180B-010	Purpose.
173-180B-020	Authority.
173-180B-030	Definitions.
173-180B-040	Applicability.
173-180B-050	Manual preparation.
173-180B-060	Manual format requirements.
173-180B-070	Manual content requirements.
173-180B-080	Manual submittal.
173-180B-090	Manual review.
173-180B-100	Manual maintenance and use.
173-180B-110	Inspections.
173-180B-120	Manual update timeline.
173-180B-130	Noncompliance with manual requirements.
173-180B-140	Severability.

WAC 173-180B-010 Purpose. The purpose of this chapter is to establish operations manual requirements which, when followed, will:

- (1) Help to prevent oil and petroleum spills from occurring;
- (2) Ensure that facilities are operated in a manner which will provide the best achievable protection of public health and the environment;
- (3) Provide improved protection of Washington waters and natural resources from the impacts of oil spills caused by operational errors.

[Statutory Authority: RCW 90.56.230. 94-10-083, § 173-180B-010, filed 5/4/94, effective 6/4/94.]

WAC 173-180B-020 Authority. RCW 90.56.230 provides statutory authority for operations manual preparation and review requirements established by this chapter.

[Statutory Authority: RCW 90.56.230, 94-10-083, § 173-180B-020, filed 5/4/94, effective 6/4/94.]

WAC 173-180B-030 Definitions. "Best achievable protection" means the highest level of protection that can be achieved through the use of the best achievable technology and those staffing levels, training procedures, and operational methods that provide the greatest degree of protection achievable. The director's determination of best achievable protection shall be guided by the critical need to protect the state's natural resources and waters, while considering: The additional protection provided by the measures; the technological achievability of the measures; and the cost of the measures.

"Best achievable technology" means the technology that provides the greatest degree of protection, taking into consideration processes that are being developed, or could feasibly be developed, given overall reasonable expenditures on research and development, and processes that are currently in use. In determining what is best achievable technology, the director shall consider the effectiveness, engineering feasibility, and commercial availability of the technology.

"Board" means the pollution control hearings board.

"Bulk" means material that is stored or transported in a loose, unpackaged liquid, powder, or granular form capable of being conveyed by a pipe, bucket, chute, or belt system.

"Cargo vessel" means a self-propelled ship in commerce, other than a tank vessel or a passenger vessel, greater than three hundred or more gross tons, including but not limited to, commercial fish processing vessels and freighters.

"Covered vessel" means a tank vessel, cargo vessel, or passenger vessel.

"Department" means the department of ecology.

"Director" means the director of the department of ecology.

"Discharge" means any spilling, leaking, pumping, pouring, emitting, emptying or dumping.

Facility:

"Facility" means any structure, group of structures, equipment, pipeline, or device, other than a vessel, located on or near the navigable waters of the state that transfers oil in bulk to or from a tank vessel or pipeline, that is used for producing, storing, handling, transferring, processing, or transporting oil in bulk.

A facility does not include any: Railroad car, motor vehicle, or other rolling stock while transporting oil over the highways or rail lines of this state; underground storage tank regulated by the department or a local government under chapter 90.76 RCW; a motor vehicle motor fuel outlet; a facility that is operated as part of an exempt agricultural activity as provided in RCW 82.04.330; or a marine fuel outlet that does not dispense more than three thousand gallons of fuel to a ship that is not a covered vessel, in a single transaction.

"Navigable waters of the state" means those waters of the state, and their adjoining shorelines, that are subject to the ebb and flow of the tide and/or are presently used, have

been used in the past, or may be susceptible for use to transport intrastate, interstate, or foreign commerce.

"Oil" or "oils" means naturally occurring liquid hydrocarbons at atmospheric temperature and pressure coming from the earth, including condensate and natural gasoline, and any fractionation thereof, including, but not limited to, crude oil, petroleum, gasoline, fuel oil, diesel oil, oil sludge, oil refuse, and oil mixed with wastes other than dredged spoil. Oil does not include any substance listed in Table 302.4 of 40 CFR Part 302 adopted August 14, 1989, under section 101 (14) of the federal Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended by P.L. 99-499.

"Offshore facility" means any facility, as defined in this section, located in, on, or under any of the navigable waters of the state, but does not include any land of the state, other than submerged land.

"Onshore facility" means any facility, as defined in this section, any part of which is located in, on, or under any land of the state, other than submerged land, that because of its location, could reasonably be expected to cause substantial harm to the environment by discharging oil into or on the navigable waters of the state or the adjoining shorelines.

Owner or operator:

"Owner" or "operator" means: In the case of a vessel, any person owning, operating, or chartering by demise, the vessel; in the case of an onshore or offshore facility, any person owning or operating the facility; and in the case of an abandoned vessel or onshore or offshore facility, the person who owned or operated the vessel or facility immediately before its abandonment.

Operator does not include any person who owns the land underlying a facility immediately before its abandonment.

"Passenger vessel" means a ship of greater than three hundred or more gross tons or five hundred or more international gross tons carrying passengers for compensation.

"Person" means any political subdivision, government agency, municipality, industry, public or private corporation, copartnership, association, firm, individual, or any other entity whatsoever.

"Ship" means any boat, ship, vessel, barge, or other floating craft of any kind.

"Spill" means an unauthorized discharge of oil which enters the waters of the state.

"Tank vessel" means a ship that is constructed or adapted to carry, or that carries, oil in bulk as cargo or cargo residue, and that:

Operates on the waters of the state; and

Transfers oil in a port or place subject to the jurisdiction of this state.

"Transmission pipeline" means a pipeline whether interstate or intrastate, subject to regulation by the United States Department of Transportation under 49 CFR 195, as amended through December 5, 1991, through which oil moves in transportation, including line pipes, valves, and other appurtenances connected to line pipe, pumping units, and fabricated assemblies associated with pumping units.

"Transfer" means any movement of oil between a tank vessel or transmission pipeline and the facility.

"Transfer pipeline" is a buried or aboveground pipeline used to carry oil between a tank vessel or transmission

pipeline and the first valve inside secondary containment at the facility provided that any discharge on the facility side of that first valve will not directly impact waters of the state. A transfer pipeline includes valves, and other appurtenances connected to the pipeline, pumping units, and fabricated assemblies associated with pumping units. A transfer pipeline does not include process pipelines, pipelines carrying ballast or bilge water, transmission pipelines, tank vessel or storage tanks. Instances where the transfer pipeline is not well defined will be determined on a case-by-case basis.

"Waters of the state" include lakes, rivers, ponds, streams, inland waters, underground water, salt waters, estuaries, tidal flats, beaches and land adjoining the seacoast of the state, sewers, and all other surface waters and water-courses within the jurisdiction of the state of Washington.

[Statutory Authority: RCW 90.56.230. 94-10-083, § 173-180B-030, filed 5/4/94, effective 6/4/94.]

WAC 173-180B-040 Applicability. Operations manuals for onshore and offshore facilities must be prepared, submitted, and implemented, pursuant to the requirements in this chapter.

[Statutory Authority: RCW 90.56.230. 94-10-083, § 173-180B-040, filed 5/4/94, effective 6/4/94.]

WAC 173-180B-050 Manual preparation. (1) Each facility shall prepare an operation and maintenance manual describing equipment and procedures involving the transfer, storage, and handling of oil that the operator employs or will employ to achieve best achievable protection for public health and the environment, and to prevent oil spills. The manual shall also describe equipment and procedures required for all vessels which transfer oil to or from a facility. At a minimum, manuals shall meet the requirements of this chapter.

(2) The manual shall be thorough and contain enough information, analyses, supporting data, and documentation to demonstrate the manual holder's ability to meet the requirements of this chapter and the requirements of chapter 173-180A WAC.

(3) Coast Guard operations manuals required under 33 CFR 154.300 may be submitted to satisfy manual requirements under this chapter if the department deems that such federal requirements equal or exceed those of the department, or if the manuals are modified or appended to satisfy manual requirements under this chapter.

[Statutory Authority: RCW 90.56.230. 94-10-083, § 173-180B-050, filed 5/4/94, effective 6/4/94.]

WAC 173-180B-060 Manual format requirements. (1) Manuals shall be divided into a system of chapters and sections and shall be organized in a format which provides easy access to information.

(2) The manual shall allow replacement of chapter and appendix pages with revisions, without requiring replacement of the entire manual.

[Statutory Authority: RCW 90.56.230. 94-10-083, § 173-180B-060, filed 5/4/94, effective 6/4/94.]

WAC 173-180B-070 Manual content requirements.

(1) Each operations manual submitted to the department shall contain a submittal agreement which:

(a) Includes the name, address, and phone number of the submitting party.

(b) Verifies acceptance of the manual by the owner or operator of the facility by either signature of the owner or operator or signature by a person with the authority to bind the corporation which owns such facility;

(c) Commits execution of the manual by the owner or operator of the facility, and verifies authority for the plan holder to make appropriate expenditures in order to execute plan provisions.

(d) Includes the name, location, and address of the facility, type of facility, and starting date of operations.

(e) Each manual shall include a log sheet to record amendments to the manual. The log sheet shall be placed at the front of the manual. The log sheet shall provide for a record of the section amended, the date that the old section was replaced with the amended section, and the initials of the individual making the change. A description of the amendment and its purpose shall also be included in the log sheet, or filed in the form of an amendment letter immediately following the log sheet.

(2) Each manual shall include a detailed table of contents based on chapter, section, and appendix numbers and titles, as well as tables and figures.

(3) Where applicable, topics identified in the table of contents may be cross referenced with other submissions required by chapter 90.56 RCW including contingency and prevention plans, or 33 CFR 156 provided that a copy of the *Coast Guard Operations Manual* has been submitted to ecology.

(4) Operations manuals shall address at a minimum the following topics for marine transfers to or from facilities:

(a) The geographic location of the facility shown on a topographic map;

(b) A physical description of the facility including a plan of the facility showing mooring areas, transfer locations, control stations, oil flow patterns, and locations of safety equipment;

(c) A statement identifying facility operation hours;

(d) A discussion of the sizes, types, and number of vessels that the facility can transfer oil to or from, including simultaneous transfers;

(e) A description of all oil types transferred to or from the facility including:

(i) Generic and chemical name; and

(ii) The following oil information:

(A) The name of the oil;

(B) A description of the appearance of the oil;

(C) The hazards involved in handling the oil;

(D) Instructions for safe handling of oil;

(E) The procedures to be followed if the oil spills or leaks, or if a person is exposed to the oil; and

(F) A list of fire fighting procedures and extinguishing agents effective with fires involving the oil.

(f) A discussion of the minimum number of persons or equipment required to perform transfer operations and their duties;

(g) The names and telephone numbers of facility, federal, state, local and other personnel who may be called by the employees of the facility in case of an emergency;

(h) The duties of the transfer watchmen;

(i) Instructions in the use of each communication system;

(j) The location and facilities of each personnel shelter, if any;

(k) A description and instructions for the use of drip and discharge collection and vessel slop reception facilities, if any;

(l) Emergency plans and procedures including a description of and the location of each emergency shutdown system;

(m) Quantity, types, locations, and instructions for use of monitoring devices;

(n) Quantity, type, location, instructions for use, and time limits for gaining access to containment equipment;

(o) Quantity, type, location, and instructions for use of fire extinguishing equipment;

(p) Maximum relief valve settings (or maximum system pressures when relief valves are not provided) for each transfer system;

(q) Detailed procedures for:

(i) Operating each loading arm including the limitations of each loading arm;

(ii) Transferring oil;

(iii) Completion of pumping; and

(iv) Emergencies.

(r) Procedures for reporting and initial containment of oil discharges;

(s) A brief summary of applicable federal, state, and local oil pollution laws and regulations;

(t) If applicable, procedures for shielding portable lighting;

(u) A discussion of facility operation procedures for conducting oil transfers including transfer startups and shutdowns;

(v) Recordkeeping procedures and sample forms which are associated with the requirements in chapters 173-180A and 173-180B WAC;

(w) Example maintenance schedules incorporating manufacturers recommendations or an industrial standard approved by the department, preventative maintenance, replacement criteria for transfer pipelines, pumps and valves;

(x) A discussion of equipment and procedures required for all vessels which transfer oil to the facility. Procedures for verifying that vessels meet facility requirements and operations manual procedures;

(y) A section in accordance with the National Fire Protection Association (NFPA), Flammable and Combustible Code, No. 30-1993, Chapter 2, Section 2-10 which requires that written procedures be developed to describe overfill prevention procedures. Overfill prevention procedures shall be described for transfers to storage tanks and tank vessels;

(z) A discussion of the leak detection system and/or procedures implemented by the facility.

(5) Operations manuals shall address at a minimum the following topics for transfers to or from transmission pipelines:

(a) The geographic location of the facility shown on a topographic map;

(b) A physical description of the facility including a plan of the facility showing transfer locations, control stations, oil flow patterns, and locations of safety equipment;

(c) A statement identifying facility operation hours;

(d) A description of all oil types transferred to or from the facility including:

(i) Generic and chemical name; and

(ii) The following oil information:

(A) The name of the oil;

(B) A description of the appearance of the oil;

(C) A description of the odor of the oil;

(D) The hazards involved in handling the oil;

(E) Instructions for safe handling of oil;

(F) The procedures to be followed if the oil spills or leaks, or if a person is exposed to the oil; and

(G) A list of fire fighting procedures and extinguishing agents effective with fires involving the oil.

(e) A discussion of the minimum number of persons required to perform transfer operations and their duties;

(f) The names and telephone numbers of facility, federal, state, local and other personnel who may be called by the employees of the facility in case of an emergency;

(g) The duties of the facility operator;

(h) A description of each communication system;

(i) The location and facilities of each personnel shelter, if any;

(j) Emergency plans and procedures including a description of and the location of each emergency shutdown system;

(k) Quantity, types, locations, and instructions for use of monitoring devices;

(l) Quantity, type, location, instructions for use, and time limits for gaining access to containment equipment;

(m) Quantity, type, location, and instructions for use of fire extinguishing equipment;

(n) Maximum relief valve settings (or maximum system pressures when relief valves are not provided) for each transfer system;

(o) Detailed procedures for:

(i) Transferring oil;

(ii) Completion of transfer; and

(iii) Emergencies.

(p) Procedures for reporting and initial containment of oil discharges;

(q) A brief summary of applicable federal, state, and local oil pollution laws and regulations;

(r) A description of the training and qualification program for persons in charge;

(s) A discussion of facility operation procedures for conducting oil transfers including transfer startups and shutdowns;

(t) Recordkeeping procedures and sample forms to be used;

(u) Example maintenance schedules incorporating manufacturers recommendations or an industrial standard approved by the department, preventative maintenance replacement criteria for transfer pipelines, pumps and valves;

(v) A section in accordance with the National Fire Protection Association (NFPA), Flammable and Combustible Code, No. 30-1993, Chapter 2, Section 2-10 which requires that written procedures be developed to describe overfill prevention procedures. Overfill prevention procedures shall be described for transfers to storage tanks and tank vessels.

[Statutory Authority: RCW 90.56.230. 94-10-083, § 173-180B-070, filed 5/4/94, effective 6/4/94.]

WAC 173-180B-080 Manual submittal. (1) Manuals for onshore and offshore facilities shall be submitted to ecology within eighteen months after the adoption date of this rule.

(2) Any onshore or offshore facility that first begins operating after the above deadline shall submit a manual to the department at least sixty-five calendar days prior to the beginning of operations.

(3) Three copies of the manual and appendices shall be delivered to:

Spill Management Section,
Operations Manual Review
Washington Department of Ecology
P.O. Box 47600
Olympia, WA 98504-7600

(4) The plan submitter may request that proprietary information be kept confidential under RCW 43.21A.160.

[Statutory Authority: RCW 90.56.230. 94-10-083, § 173-180B-080, filed 5/4/94, effective 6/4/94.]

WAC 173-180B-090 Manual review. (1) Upon receipt of a manual, ecology shall determine promptly whether the manual is complete. If the department determines that a manual is incomplete, the submitter shall be notified of deficiencies.

(2) A manual shall be approved if, in addition to meeting criteria in this section, that when implemented, it can provide best achievable protection from damages caused by the discharge of oil into waters of the state.

(3) When reviewing manuals, ecology shall, in addition to the above criteria, consider the following:

(a) The volume and type of oil(s) addressed by the facility prevention plan;

(b) The history and circumstances of prior spills by similar types of facilities, including spills reported to the state and federal government in Washington state;

(c) Inspection reports;

(d) The presence of operating hazards;

(e) The sensitivity and value of natural resources within the geographic area covered by the plan; and

(f) Any pertinent local, state, federal agency, or public comments received on the manual.

(4) Ecology shall endeavor to notify the facility owner or operator within five working days after the review is completed whether the manual has been approved.

(a) If the plan receives approval, the facility owner or operator shall receive an approval letter describing the terms of approval, including expiration dates pursuant to WAC 173-180-085(4).

(b)(i) Ecology may approve a manual conditionally by requiring a facility owner or operator to operate with specific precautionary measures until acceptable components of the plan are resubmitted and approved.

(ii) Precautionary measures may include, but are not limited to, reducing oil transfer rates, increasing personnel levels, or restricting operations to daylight hours. Precautionary measures may also include additional requirements to ensure availability to response equipment.

(1997 Ed.)

(iii) A manual holder shall have thirty days after the department gives notification of conditional status to submit and implement required changes to ecology, with the option for an extension at ecology's discretion. Manual holders who fail to meet conditional requirements or provide required changes in the time allowed shall lose conditional approval status.

(c) If manual approval is denied, the facility owner or operator shall receive an explanation of the factors for disapproval and a list of deficiencies. The owner or operator of the facility must resubmit the manual within ninety days of notification of reasons for noncompliance, responding to the reasons and incorporating any suggested modifications. The facility shall not continue oil storage, transfer, production, or other operations until a manual for that facility has been approved.

(d) A manual holder may appeal ecology's decision under WAC 173-04-010.

(e) Approval of a manual by ecology does not constitute an express assurance regarding the adequacy of the manual nor constitute a defense to liability imposed under state law.

(5) It shall be legal to operate a facility if a proposed operations manual has been submitted to the department and the department has not provided the facility with a formal response.

[Statutory Authority: RCW 90.56.230. 94-10-083, § 173-180B-090, filed 5/4/94, effective 6/4/94.]

WAC 173-180B-100 Manual maintenance and use.

(1) All equipment and operations of the facility shall be completed and maintained in accordance with the facility's operation manual. The owner or operator shall ensure that all covered vessels docked at an onshore or offshore facility comply with the terms of the operations manual for the facility.

(2) Each facility covered by the manual shall possess a copy of the manual and keep it in an immediately accessible location.

(3) Facilities shall ensure that all employees involved in oil transfer, or storage operations, are familiar with the manual provisions through regular training. Orientation materials for new employees involved in oil transfer or storage operations shall contain a copy of the manual.

[Statutory Authority: RCW 90.56.230. 94-10-083, § 173-180B-100, filed 5/4/94, effective 6/4/94.]

WAC 173-180B-110 Inspections. Ecology may verify compliance with this chapter by announced and unannounced inspections in accordance with RCW 90.56.410. During an inspection ecology may require the facility to provide proof of compliance by producing all required records, documents as well as demonstrating spill prevention equipment and procedures.

[Statutory Authority: RCW 90.56.230. 94-10-083, § 173-180B-110, filed 5/4/94, effective 6/4/94.]

WAC 173-180B-120 Manual update timeline. (1) Ecology shall be notified in writing prior to any significant changes which could affect implementation of the manual.

(a) A significant change includes, but is not limited to:

(i) A change in the owner or operator of the facility;

(ii) A change in the types of oil handled at the facility;
 (iii) A substantial change in the facility's oil-handling capacity;
 (iv) Noncompliance with the federal Oil Pollution Act of 1990;

(v) A substantial change in oil spill prevention technology installed at the facility, or other substantial changes to facility technology, operations, or personnel procedures based on requirements of amended or new rules adopted by ecology; and

(vi) A change which would require that the operations manual be modified.

(b) If the change will reduce the facility's ability to implement the manual, the manual holder shall also provide a schedule for the return of the manual to full implementation capability.

(c) A facsimile will be considered written notice for the purposes of this section.

(d) Failure to notify ecology of significant changes shall be considered noncompliance with this chapter and subject to the provisions of WAC 173-180B-070.

(2) If ecology finds that, as a result of the change, the manual no longer meets approval criteria, the department may, at its discretion, place conditions on approval, or revoke approval. The department may also require the manual holder to amend its manual to incorporate the change.

(3) Within thirty calendar days of making a change to the operations manual, the facility owner or operator shall distribute the amended page(s) of the plan to ecology and other manual holders.

(4) Manuals shall be reviewed by ecology every five years. Manuals shall be submitted for reapproval unless the manual holder submits a letter requesting that ecology review the manual already in the department's possession. The manual holder shall submit the manual or such letter at least one hundred eighty calendar days in advance of the manual expiration date.

(5) Ecology may review a manual and require changes following any spill for which the manual holder is responsible.

[Statutory Authority: RCW 90.56.230. 94-10-083, § 173-180B-120, filed 5/4/94, effective 6/4/94.]

WAC 173-180B-130 Noncompliance with manual requirements. Any violation of this chapter may be subject to the enforcement sanctions of chapter 90.48 RCW.

[Statutory Authority: RCW 90.56.230. 94-10-083, § 173-180B-130, filed 5/4/94, effective 6/4/94.]

WAC 173-180B-140 Severability. If any provision of this chapter is held invalid, the remainder of this rule is not affected.

[Statutory Authority: RCW 90.56.230. 94-10-083, § 173-180B-140, filed 5/4/94, effective 6/4/94.]

Chapter 173-180C WAC FACILITY PERSONNEL OIL-HANDLING TRAINING AND CERTIFICATION

WAC

173-180C-010	Purpose.
173-180C-020	Authority.
173-180C-030	Definitions.
173-180C-040	Applicability.
173-180C-050	Training requirements.
173-180C-060	Certification program.
173-180C-070	Minimum criteria for certification programs.
173-180C-080	Program approval.
173-180C-090	Inspections.
173-180C-095	Noncompliance with requirements.
173-180C-098	Severability.

WAC 173-180C-010 Purpose. The purpose of this chapter is to establish onshore and offshore facility personnel oil-handling training and certification requirements which, when followed, will:

(1) Provide improved protection of Washington waters and natural resources by preventing oil spills caused by human factors;

(2) Ensure that key facility personnel involved in oil-handling operations are adequately trained and have demonstrated competency; and

(3) Establish certification that personnel are in compliance with training requirements.

[Statutory Authority: RCW 90.56.220. 93-01-089 (Order 91-64), § 173-180C-010, filed 12/16/92, effective 1/16/93.]

WAC 173-180C-020 Authority. RCW 90.56.220 provides statutory authority for the personnel training and certification requirements established by this chapter.

[Statutory Authority: RCW 90.56.220. 93-01-089 (Order 91-64), § 173-180C-020, filed 12/16/92, effective 1/16/93.]

WAC 173-180C-030 Definitions. (1) "Bulk" means material that is stored or transported in a loose, unpackaged liquid, powder, or granular form capable of being conveyed by a pipe, bucket, chute, or belt system.

(2) "Cargo vessel" means a self-propelled ship in commerce, other than a tank vessel or a passenger vessel, of three hundred or more gross tons, including but not limited to, commercial fish processing vessels and freighters.

(3) "Certification" means the documentation that a facility employee has met all requirements of an oil spill prevention training and job competency program that meets the requirements of this chapter.

(4) "Department" means the state of Washington department of ecology.

(5) "Director" means the director of the state of Washington department of ecology.

(6) "Discharge" means any spilling, leaking, pumping, pouring, emitting, emptying, or dumping.

(7)(a) "Facility" means any structure, group of structures, equipment, pipeline, or device, other than a vessel, located on or near the navigable waters of the state that both:

(i) Transfers oil in bulk to or from a tank vessel or pipeline; and

(ii) Is used for producing, storing, handling, transferring, processing, or transporting oil in bulk.

(b) A facility does not include any:

(i) Railroad car, motor vehicle, or other rolling stock while transporting oil over the highways or rail lines of this state, or while transferring oil to or from the rolling stock;

(ii) Underground storage tank regulated by the department or a local government under chapter 90.76 RCW;

(iii) Motor vehicle motor fuel outlet;

(iv) Facility that is operated as part of an exempt agricultural activity as provided in RCW 82.04.330; or

(v) Marine fuel outlet that dispenses three thousand gallons or less of fuel in a single transaction to a ship other than a tank vessel, cargo vessel, or passenger vessel. Marine fuel outlets that dispense more than three thousand gallons of fuel to any vessel in a single transaction do not meet this exemption.

(8) "Gross ton" means a vessel's approximate volume as defined in Title 46, United States Code of Federal Regulations, Part 69.

(9) "Human factors" means human conditions, such as inadequate knowledge or fatigue, which can lead to incompetence or poor judgment.

(10) "Human factor risks" means risks of causing an oil spill due to the effects of human factors on competency and judgment.

(11) "Indirect operations" means involvement in on-site activities, such as new construction, in a capacity that indirectly involves the risk of an oil spill to waters of the state due to potential impacts to nearby oil-handling operations (e.g., operating digging equipment next to an active transfer pipeline).

(12) "Key" means a position with direct responsibility for performing or overseeing the transfer, storage, handling, or monitoring of oil at a facility, or a job function where typical human factors present the probability of a spill occurring.

(13) "Maintenance" means direct involvement in maintaining and repairing the equipment used for the transfer, storage, handling, or monitoring of oil at a facility in a capacity that involves the risk of an oil spill to waters of the state.

(14) "Management" means direct involvement in managing the transfer, storage, handling, or monitoring of oil at a facility by setting operations policies and procedures that involve the risk of an oil spill to waters of the state.

(15) "Marine facility" means any facility used for tank vessel wharfage or anchorage, including any equipment used for the purpose of handling or transferring oil in bulk to or from a tank vessel.

(16) "Maximum extent practicable" means the highest level of effectiveness that can be achieved through the use of facility personnel and best achievable technology. In determining what is the maximum extent practicable, the director shall consider, at a minimum, the effectiveness, engineering feasibility, commercial availability, safety, and the cost of the measures.

(17) "Navigable waters of the state" means those waters of the state, and their adjoining shorelines, that are subject to the ebb and flow of the tide and/or are presently used, have been used in the past, or may be susceptible for use to transport intrastate, interstate, or foreign commerce.

(18) "Offshore facility" means any facility, as defined in subsection (7) of this section, located in, on, or under any of

the navigable waters of the state, but does not include a facility any part of which is located in, on, or under any land of the state, other than submerged land.

(19) "Oil" or "oils" means naturally occurring liquid hydrocarbons at atmospheric temperature and pressure coming from the earth, including condensate and natural gasoline, and any fractionation thereof, including, but not limited to, crude oil, petroleum, gasoline, fuel oil, diesel oil, oil sludge, oil refuse, and oil mixed with wastes other than dredged spoil, including oil-contaminated ballast or bilge water. Oil does not include any substance listed in Table 302.4 of 40 C.F.R. Part 302 adopted August 14, 1989, under section 101(14) of the Federal Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended by P.L. 99-499.

(20) "Onshore facility" means any facility, as defined in subsection (7) of this section, any part of which is located in, on, or under any land of the state, other than submerged land, that because of its location, could reasonably be expected to cause substantial harm to the environment by discharging oil into or on the navigable waters of the state or the adjoining shorelines.

(21) "On-the-job training" means learning procedures and equipment use through observation of experienced and competent personnel, and supervised hands-on practice.

(22) "Operations" means direct involvement in the transfer, storage, handling, or monitoring of oil at a facility in a capacity that involves the risk of an oil spill to waters of the state. This functional group includes but is not limited to the person-in-charge, storage tank operators, pipeline operators, and oil transfer monitors.

(23)(a) "Owner or operator" means:

(i) In the case of an onshore or offshore facility, any person owning or operating the facility; and

(ii) In the case of an abandoned onshore or offshore facility, the person who owned or operated the facility immediately before its abandonment.

(b) "Operator" does not include any person who owns the land underlying a facility if the person is not involved in the operations of the facility.

(24) "Passenger vessel" means a ship of three hundred or more gross tons with a fuel capacity of at least six thousand gallons carrying passengers for compensation.

(25) "Person" means any political subdivision, government agency, municipality, industry, public or private corporation, copartnership, association, firm, individual, or any other entity whatsoever.

(26) "Person-in-charge" means the individual identified as the person in charge of transfer operations as required under 33 C.F.R. 154.710.

(27) "Personnel" means individuals employed by, or under contract with, a facility.

(28) "Pipeline" means, for the purposes of subsection (7)(a) (i) of this section, a pipeline connected to a marine facility, and not owned or operated by the facility referred to in subsection (7)(a) of this section.

(29) "Ship" means any boat, ship, vessel, barge, or other floating craft of any kind.

(30) "Spill" means an unauthorized discharge of oil which enters waters of the state.

(31) "Supervisory" means involvement in directly supervising the transfer, storage, handling, or monitoring of oil at

a facility by implementing operations policies and procedures that involve the risk of an oil spill to waters of the state.

(32) "Tank vessel" means a ship that is constructed or adapted to carry, or that carries, oil in bulk as cargo or cargo residue, and that:

- (a) Operates on the waters of the state; or
- (b) Transfers oil in a port or place subject to the jurisdiction of this state.

(33) "Waters of the state" includes lakes, rivers, ponds, streams, inland waters, underground water, salt waters, estuaries, tidal flats, beaches and lands adjoining the seacoast of the state, sewers, and all other surface waters and watercourses within the jurisdiction of the state of Washington.

[Statutory Authority: RCW 90.56.220. 93-01-089 (Order 91-64), § 173-180C-030, filed 12/16/92, effective 1/16/93.]

WAC 173-180C-040 Applicability. Personnel oil-handling training and certification programs for onshore and offshore facilities must be developed, approved, and implemented, pursuant to requirements in this chapter.

[Statutory Authority: RCW 90.56.220. 93-01-089 (Order 91-64), § 173-180C-040, filed 12/16/92, effective 1/16/93.]

WAC 173-180C-050 Training requirements. (1) Each onshore and offshore facility shall develop and implement oil spill prevention training for key supervisory, operations, maintenance, management, and indirect operations personnel identified pursuant to subsection (3) of this section. Training shall be designed, to the maximum extent practicable, to promote job competency and environmental awareness for the purpose of preventing oil spills. Non-English speaking personnel subject to the facility's training requirements shall be trained in a manner that allows comprehension by such personnel.

(2) Oil spill prevention training programs must be approved by the department pursuant to WAC 173-180C-080.

(3) The facility shall identify, in writing, the specific position titles which the facility has identified to be subject to its oil spill prevention training requirements. In making this determination, the facility shall evaluate the functions of facility personnel positions using the definitions of "key," "supervisory," "operations," "maintenance," "management," and "indirect operations" under WAC 173-180C-030. For cases where certain job titles associated with indirect operations can not be identified in advance, the facility shall identify the types of job orders or work sites which may involve the need for indirect operations oil spill prevention training.

(4) The facility shall identify, in writing, the specific initial classroom and/or on-the-job oil spill prevention training requirements for each position, including minimum hours, that are appropriate for each position given the facility's training needs and human factor risks.

(5) Requirements for training of operations and supervisory personnel shall focus on building personnel competency in operating procedures and spill prevention systems specific to the facility. Oil spill prevention training requirements shall incorporate the following training topics at a minimum:

(a) Overview of all oil handling, transfer, storage, and monitoring/leak detection operations at the facility;

(b) Operating procedures and checklists specific to trainee's job function;

(c) Problem assessment, including recognition of human factor risks and how they can be minimized;

(d) Awareness of preventative maintenance procedures;

(e) Awareness of local environmental sensitivity and oil spill impacts;

(f) Major components of facility's oil spill prevention plan;

(g) Major components of facility's operations manual;

(h) Major components of facility's oil spill contingency plan;

(i) Decision-making for abnormal operating events and emergencies, including emergency spill prevention and safe shut down conditions, responsibilities, and procedures;

(j) Routine and emergency communications procedures;

(k) Overview of applicable oil spill prevention and response laws and regulations; and

(l) Drug and alcohol use awareness, pursuant to WAC 173-180D-060(11).

(6) Requirements for initial oil spill prevention training of management personnel shall incorporate the following training topics at a minimum:

(a) Overview of all oil handling, transfer, storage, and monitoring/leak detection operations at the facility;

(b) Management role in operations and oil spill prevention;

(c) Recognition of human factor risks and how they can be minimized;

(d) Awareness of local environmental sensitivity and oil spill impacts;

(e) Major components of facility's oil spill prevention plan;

(f) Major components of facility's operations manual;

(g) Major components of facility's oil spill contingency plan;

(h) Decision-making for abnormal operating events and emergencies, including emergency spill prevention and safe shut down conditions, responsibilities, and procedures;

(i) Overview of applicable oil spill prevention and response laws and regulations; and

(j) Drug and alcohol use awareness, pursuant to WAC 173-180D-060(11).

(7) Requirements for initial oil spill prevention training of maintenance personnel shall incorporate the following training topics at a minimum:

(a) Overview of all oil handling, transfer, storage, and monitoring/leak detection operations at applicable maintenance work sites within the facility;

(b) Equipment problem assessment and preventative maintenance procedures;

(c) Awareness of local environmental sensitivity and oil spill impacts;

(d) Major components of facility's oil spill prevention plan;

(e) Major components of facility's operations manual;

(f) Major components of facility's oil spill contingency plan;

(g) Emergency spill prevention and safe shut down conditions, responsibilities, and procedures;

(h) Overview of applicable oil spill prevention and response laws and regulations; and

(i) Drug and alcohol use awareness, pursuant to WAC 173-180D-060(11).

(8) Requirements for initial oil spill prevention training of indirect operations personnel shall incorporate the following training topics at a minimum:

(a) Overview of oil handling, transfer, storage, and monitoring/leak detection operations at specific indirect operations work site within the facility;

(b) Awareness of local environmental sensitivity and oil spill impacts;

(c) Notification procedures for emergency spill prevention actions; and

(d) For facility employees, drug and alcohol use awareness, pursuant to WAC 173-180D-060(11).

(9) Training topics identified in subsections (5) through (8) of this section, do not prescribe fixed subject titles for class outlines or training organization. Facilities may combine or integrate these topics as appropriate, but must ensure that information on each topic is presented in the applicable personnel training program.

(10) The facility shall identify, in writing, the specific oil spill prevention continuing education requirements for each affected position, including minimum hours, that are appropriate given the facility's training needs and human factor risks. Ongoing training shall occur at least annually, and at a minimum address:

(a) Any changes in the core topics identified in subsections (5) through (8) of this section, unless affected personnel have already been informed about the change after its occurrence;

(b) Refresher awareness training on environmental sensitivity and oil spill impacts;

(c) Review and analysis of oil spills which have occurred during the past year;

(d) Refresher training on emergency spill prevention procedures; and

(e) For key supervisory, operations, and management personnel, a practice exercise of the facility's procedures for preventing a spill during a particular abnormal operations event.

(11) Facilities are encouraged to apply or modify existing training programs required under federal Process Safety Management requirements (29 C.F.R. 1910), Coast Guard Person-in-charge requirements (33 C.F.R. 154.710), and other federal/state training requirements in order to meet the above oil spill prevention training requirements.

(12) Existing personnel that have entered their current position prior to adoption of this chapter can be regarded as having met the facility's initial oil spill prevention training requirements if:

(a) The facility has documented that those personnel have received the required training in the past; or

(b) The facility attests in writing and in detail how those personnel have had on-the-job training or other experience equivalent to the facility's initial training requirements including type and frequency of past training when known.

(13) Facilities shall develop follow up remedial training for personnel clearly responsible for causing an oil spill while functioning in their position, unless such personnel no longer occupy a position identified under subsection (3) of this section.

(14) Contractors hired by the facility to perform key supervisory, operations, maintenance, management, or indirect operations functions, as identified by the facility under subsection (3) of this section, are considered "personnel" for the purposes of this chapter, and shall be subject to the same oil spill prevention training requirements as facility employees. The facility is responsible to validate that such contractors have met the facility's oil spill prevention training requirements before they perform a key supervisory, operations, maintenance, management, or indirect operations function.

(15) Facilities shall develop minimum training and/or experience qualifications for trainers who will demonstrate facility-specific procedures, equipment use, supervise practice sessions, and provide other on-the-job training to new operations personnel.

(16) Facilities shall develop and maintain written oil spill prevention training materials, such as training manuals or checklists.

(17) Oil spill prevention training shall be documented, and records shall be kept at the facility in a central and accessible location for at least five years from the date of training completion.

[Statutory Authority: RCW 90.56.220. 93-01-089 (Order 91-64), § 173-180C-050, filed 12/16/92, effective 1/16/93.]

WAC 173-180C-060 Certification program.

(1) Each onshore and offshore facility shall develop and implement a program to certify that key supervisory and operations personnel identified pursuant to WAC 173-180C-050(3) have met the facility's oil spill prevention training program requirements, and are competent to perform the operations or supervisory functions associated with their position. The facility is not required to certify personnel other than key supervisory and operations personnel. The certification program shall be designed, to the maximum extent practicable, to ensure job competency and environmental awareness for the purpose of preventing oil spills.

(2) Certification programs must meet minimum criteria pursuant to WAC 173-180C-070.

(3) Certification programs must be approved by the department pursuant to WAC 173-180C-080.

[Statutory Authority: RCW 90.56.220. 93-01-089 (Order 91-64), § 173-180C-060, filed 12/16/92, effective 1/16/93.]

WAC 173-180C-070 Minimum criteria for certification programs.

(1) The facility oil spill prevention certification program shall address all key supervisory and operations personnel identified pursuant to WAC 173-180C-050(3).

(2) The facility shall develop and maintain written certification procedures, including:

(a) Minimum competency requirements to achieve certification;

(b) The process to develop and test competency in key supervisory and operations personnel;

(c) The process to issue and track certificates; and

(d) Policies regarding loss or lack of certified status.

(3) The facility shall maintain a written certificate or other record for supervisory and operations personnel which

have met the facility's certification requirements. This record shall document:

- (a) The certified individual's name and position;
- (b) Types and hours of training completed;
- (c) Name of trainer;
- (d) Results of performance tests and evaluations; and
- (e) Signatures of the trainee and trainer.

(4) Copies of certification records shall be kept at the facility in a central and accessible location for at least five years from the date of certification.

(5) The facility certification program shall incorporate methods to evaluate and confirm job competency, including:

(a) A written examination, or oral examination documented in writing, which tests general knowledge about training topics identified under WAC 173-180C-050(5), with an appropriate passing score established by the facility;

(b) A practical evaluation of understanding and performance of routine and emergency operations specific to a position's job function, including:

(i) Observation of performance of each oil handling, transfer, storage, and monitoring duty assigned to a position prior to unsupervised performance of that duty; and

(ii) Practice exercises involving procedures to prevent a spill during abnormal operations events.

(6) The facility's program shall only provide for certification of an individual who has:

(a) Met the facility's oil spill prevention initial training requirements tied to the individual's position, as developed pursuant to WAC 173-180C-050(4); and

(b) Passed a competency evaluation developed under subsection (5) of this section.

(7) Recertification shall occur at least once every three years, based on:

(a) Successful completion of continuing education requirements; and

(b) Satisfactory performance in a reevaluation of competency as developed under subsection (5) of this section.

[Statutory Authority: RCW 90.56.220, 93-01-089 (Order 91-64), § 173-180C-070, filed 12/16/92, effective 1/16/93.]

WAC 173-180C-080 Program approval. (1) Facilities must develop or modify their training and certification program to meet rule criteria, begin implementing the program, and if necessary, update the description of this program in their oil spill prevention plan pursuant to chapter 173-180D WAC requirements:

(a) Within twelve months from adoption of this rule, for facilities with combined pipeline and aboveground tank oil storage capacity of one million gallons or more; and

(b) Within eighteen months from adoption of this rule, for facilities with combined pipeline and aboveground tank oil storage capacity of less than one million gallons.

(2) Within six months from the date that facilities must meet rule criteria pursuant to subsection (1) of this section, the facility shall have conducted its certification procedures, as developed pursuant to WAC 173-180C-070(2), for all existing personnel that are subject to the facility's certification requirements and have entered their current position prior to adoption of this chapter.

(3) The department shall review the facility's training and certification program after the date that facilities must meet rule criteria pursuant to subsection (1) of this section. This review shall be accomplished by a general on-site inspection by the department through evaluation of the facility's training materials, testing records and certification records, and consultation with personnel.

(4) The department will notify facilities regarding approval status within thirty calendar days from completing inspections performed under subsection (2) of this section.

(5) Facilities that do not receive approval will have ninety calendar days to address deficiencies in their training and certification program, with options for a time extension based on the department's discretion. For those personnel that were trained or certified after the deadlines established in subsection (1) of this section but prior to program approval, retraining or recertification of such personnel due to changes required by the department's approval process can be postponed until the next retraining or recertification cycle as established by the facility pursuant to this chapter.

(6) Training and certification program approval is valid for five years. Significant changes to the facility's program must be documented through an update of the facility's prevention plan pursuant to chapter 173-180D WAC requirements. Minor upgrades in training and certification programs, such as expansion of training hours or updates to testing materials, are not required to be submitted to the department through a prevention plan update. The department may perform announced and unannounced inspections at facilities to verify compliance.

(7) A training and certification program shall be approved if, in addition to meeting criteria in WAC 173-180C-060 and 173-180C-070, it demonstrates that when implemented, it can, to the maximum extent practicable:

(a) Provide protection from human factor oil spill risks identified in the risk analysis required by WAC 173-180D-060(16);

(b) Minimize the likelihood that facility oil spills will occur and minimize the size and impacts of those facility oil spills which do occur;

(c) Provide effective oil spill prevention training to key supervisory, operations, maintenance, management, and indirect operations personnel;

(d) Ensure proper evaluation of job competency; and

(e) Provide an effective system to clearly document and track personnel training and certification.

(8) When reviewing programs, the department shall, in addition to the above criteria, consider the following at a minimum:

(a) The volume and type of oil(s) handled by facility, and frequency of oil-handling operations;

(b) Number of facility personnel;

(c) The history and circumstances of prior spills by similar types of facilities, including spill reports by ecology on-scene coordinators;

(d) Inspection reports;

(e) The presence of hazards unique to the facility, such as seismic activity or production processes; and

(f) The sensitivity and value of natural resources that could be affected by a spill from the facility.

(9) The department may approve a program with an expedited review as set out in this section if that program

has been approved by a federal agency or other state which the department has deemed to apply approval criteria which equal or exceed those of the department.

(10) If the program receives approval, the facility owner or operator shall receive a certificate of approval describing the terms of approval, including expiration dates pursuant to subsection (6) of this section.

(a) The department may conditionally approve a program by requiring a facility owner or operator to operate with specific precautionary measures until unacceptable components of the program are resubmitted and approved.

(i) Precautionary measures may include, but are not limited to, reducing oil transfer rates, increasing personnel levels, or restricting operations to daylight hours or favorable weather conditions. Precautionary measures may also include additional requirements to ensure availability of response equipment.

(ii) A facility shall have thirty calendar days after the department gives notification of conditional status to make the required changes, with the option for an extension at the department's discretion. Facilities which fail to meet conditional requirements or make required changes in the time allowed shall lose conditional approval status.

(b) If approval is denied or revoked, the facility owner or operator shall receive an explanation of the factors for disapproval and a list of deficiencies. The facility may be subject to penalties identified in WAC 173-180C-095.

(c) The department's decisions under this chapter are reviewable in superior court.

(d) Approval of a training and certification program by the department does not constitute an express assurance regarding the adequacy of the program nor constitute a defense to liability imposed under state law.

(11) The department shall prepare guidance material to aid department staff responsible for program review. This material shall be made available to facility staff and other interested parties. While the guidance manual will be used as a tool to conduct review of a program, the department will not be bound by the contents of the manual. Oil spill prevention training and test materials developed by the department for technical assistance purposes may be used to meet part of a facility's training and certification program requirements under this chapter.

(12) The department may review a program following any spill at the facility.

[Statutory Authority: RCW 90.56.220. 93-01-089 (Order 91-64), § 173-180C-080, filed 12/16/92, effective 1/16/93.]

WAC 173-180C-090 Inspections. The department may verify compliance with this chapter by announced and unannounced inspections in accordance with RCW 90.48.090.

(1) During inspections, department staff may require appropriate facility personnel to demonstrate proof of training and certification.

(2) The department shall endeavor to provide a completed inspection report to the facility owner and operator within thirty calendar days from the inspection date.

[Statutory Authority: RCW 90.56.220. 93-01-089 (Order 91-64), § 173-180C-090, filed 12/16/92, effective 1/16/93.]

WAC 173-180C-095 Noncompliance with requirements. Any violation of this chapter may be subject to enforcement and penalty sanctions of RCW 90.48.144 as amended by section 27, chapter 73, Laws of 1992. These penalties include a civil penalty of up to ten thousand dollars a day for every violation.

[Statutory Authority: RCW 90.56.220. 93-01-089 (Order 91-64), § 173-180C-095, filed 12/16/92, effective 1/16/93.]

WAC 173-180C-098 Severability. If any provision of this chapter is held invalid, the remainder of the rule is not affected.

[Statutory Authority: RCW 90.56.220. 93-01-089 (Order 91-64), § 173-180C-098, filed 12/16/92, effective 1/16/93.]

Chapter 173-180D WAC FACILITY OIL SPILL PREVENTION PLAN STANDARDS

WAC

173-180D-010	Purpose.
173-180D-020	Authority.
173-180D-030	Definitions.
173-180D-040	Applicability.
173-180D-050	Plan preparation.
173-180D-055	Plan format requirements.
173-180D-060	Plan content requirements.
173-180D-065	Plan submittal.
173-180D-070	Plan review.
173-180D-075	Inspections.
173-180D-080	Plan maintenance and use.
173-180D-085	Plan update timeline.
173-180D-090	Noncompliance with plan requirements.
173-180D-098	Severability.

WAC 173-180D-010 Purpose. The purpose of this chapter is to establish onshore and offshore facility oil spill prevention plan requirements which, when followed, will:

(1) Minimize the likelihood that facility oil spills will occur;

(2) Minimize the size and impacts of those facility oil spills which do occur;

(3) Facilitate coordination of local, state, regional, tribal, and other prevention and contingency plans;

(4) Provide improved protection of Washington waters and natural resources from the impacts of oil spills; and

(5) Emphasize that oil spill prevention is the top priority strategy for protecting Washington waters and natural resources from the impacts of oil spills.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-010, filed 7/8/92, effective 8/8/92.]

WAC 173-180D-020 Authority. RCW 90.56.200, 90.56.300, and 90.56.310 provide statutory authority for the prevention plan preparation and review requirements established by this chapter.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-020, filed 7/8/92, effective 8/8/92.]

WAC 173-180D-030 Definitions. (1) "Best achievable protection" means the highest level of protection that can be achieved through the use of the best achievable

technology and those staffing levels, training procedures, and operational methods that provide the greatest degree of protection achievable. The director's determination of best achievable protection shall be guided by the critical need to protect the state's natural resources and waters, while considering:

- (a) The additional protection provided by the measures;
- (b) The technological achievability of the measures; and
- (c) The cost of the measures.

(2) "Best achievable technology" means the technology that provides the greatest degree of protection, taking into consideration processes that are being developed, or could feasibly be developed, given overall reasonable expenditures on research and development, and processes that are currently in use. In determining what is best achievable technology, the director shall consider the effectiveness, engineering feasibility, and commercial availability of the technology.

(3) "Bulk" means material that is stored or transported in a loose, unpackaged liquid, powder, or granular form capable of being conveyed by a pipe, bucket, chute, or belt system.

(4) "Cargo vessel" means a self-propelled ship in commerce, other than a tank vessel or a passenger vessel, of three hundred or more gross tons, including but not limited to, commercial fish processing vessels and freighters.

(5) "Department" means the state of Washington department of ecology.

(6) "Director" means the director of the state of Washington department of ecology.

(7) "Discharge" means any spilling, leaking, pumping, pouring, emitting, emptying, or dumping.

(8)(a) "Facility" means any structure, group of structures, equipment, pipeline, or device, other than a vessel, located on or near the navigable waters of the state that both:

(i) Transfers oil in bulk to or from a tank vessel or pipeline; and

(ii) Is used for producing, storing, handling, transferring, processing, or transporting oil in bulk.

(b) A facility does not include any:

(i) Railroad car, motor vehicle, or other rolling stock while transporting oil over the highways or rail lines of this state;

(ii) Underground storage tank regulated by the department or a local government under chapter 90.76 RCW;

(iii) Motor vehicle motor fuel outlet;

(iv) Facility that is operated as part of an exempt agricultural activity as provided in RCW 82.04.330; or

(v) Marine fuel outlet that dispenses three thousand gallons or less of fuel in a single transaction to a ship other than a tank vessel, cargo vessel, or passenger vessel. Marine fuel outlets that dispense more than three thousand gallons of fuel to any vessel in a single transaction do not meet this exemption.

(9) "Gross ton" means a vessel's approximate volume as defined in Title 46, United States Code of Federal Regulations, Part 69.

(10) "Marine facility" means any facility used for tank vessel wharfage or anchorage, including any equipment used for the purpose of handling or transferring oil in bulk to or from a tank vessel.

(11) "Maximum extent practicable" means the highest level of effectiveness that can be achieved through the use

of facility personnel and best achievable technology. In determining what is the maximum extent practicable, the director shall consider, at a minimum, the effectiveness, engineering feasibility, commercial availability, safety, and the cost of the measures.

(12) "Navigable waters of the state" means those waters of the state, and their adjoining shorelines, that are subject to the ebb and flow of the tide and/or are presently used, have been used in the past, or may be susceptible for use to transport intrastate, interstate, or foreign commerce.

(13) "Offshore facility" means any facility, as defined in subsection (8) of this section, located in, on, or under any of the navigable waters of the state, but does not include a facility any part of which is located in, on, or under any land of the state, other than submerged land.

(14) "Oil" or "oils" means naturally occurring liquid hydrocarbons at atmospheric temperature and pressure coming from the earth, including condensate and natural gasoline, and any fractionation thereof, including, but not limited to, crude oil, petroleum, gasoline, fuel oil, diesel oil, oil sludge, oil refuse, and oil mixed with wastes other than dredged spoil, including oil-contaminated ballast or bilge water. Oil does not include any substance listed in Table 302.4 of 40 C.F.R. Part 302 adopted August 14, 1989, under section 101(14) of the Federal Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended by P.L. 99-499.

(15) "Onshore facility" means any facility, as defined in subsection (8) of this section, any part of which is located in, on, or under any land of the state, other than submerged land, that because of its location, could reasonably be expected to cause substantial harm to the environment by discharging oil into or on the navigable waters of the state or the adjoining shorelines.

(16)(a) "Owner or operator" means:

(i) In the case of an onshore or offshore facility, any person owning or operating the facility; and

(ii) In the case of an abandoned onshore or offshore facility, the person who owned or operated the facility immediately before its abandonment.

(b) "Operator" does not include any person who owns the land underlying a facility if the person is not involved in the operations of the facility.

(17) "Passenger vessel" means a ship of three hundred or more gross tons with a fuel capacity of at least six thousand gallons carrying passengers for compensation.

(18) "Person" means any political subdivision, government agency, municipality, industry, public or private corporation, copartnership, association, firm, individual, or any other entity whatsoever.

(19) "Pipeline" means, for the purposes of subsection (8)(a)(i) of this section, a pipeline connected to a marine facility, and not owned or operated by the facility referred to in subsection (8)(a) of this section.

(20) "Plan" means oil spill prevention plan.

(21) "Ship" means any boat, ship, vessel, barge, or other floating craft of any kind.

(22) "Spill" means an unauthorized discharge of oil which enters waters of the state.

(23) "Tank vessel" means a ship that is constructed or adapted to carry, or that carries, oil in bulk as cargo or cargo residue, and that:

- (a) Operates on the waters of the state; or
- (b) Transfers oil in a port or place subject to the jurisdiction of this state.

(24) "Transporting" means, for the purposes of subsection (8)(b)(i) of this section, the act of moving oil over the highways or rail lines of this state, and the act of transferring oil to or from the rolling stock.

(25) "Waters of the state" includes lakes, rivers, ponds, streams, inland waters, underground water, salt waters, estuaries, tidal flats, beaches and lands adjoining the seacoast of the state, sewers, and all other surface waters and water-courses within the jurisdiction of the state of Washington.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-030, filed 7/8/92, effective 8/8/92.]

WAC 173-180D-040 Applicability. Oil spill prevention plans for onshore and offshore facilities must be prepared, submitted, and implemented, pursuant to requirements in this chapter.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-040, filed 7/8/92, effective 8/8/92.]

WAC 173-180D-050 Plan preparation. (1) Each onshore and offshore facility shall prepare a plan for prevention of oil spills from the facility into the waters of the state, and for the protection of fisheries and wildlife, other natural resources, and public or private property from oil spills.

(2) Plans shall be thorough and contain enough information, analyses, supporting data, and documentation to demonstrate the plan holder's ability to meet the requirements of this chapter.

(3) *Spill Prevention Countermeasure and Control Plans, Operation Manuals*, and other prevention documents which meet federal requirements under 33 C.F.R. 154, 33 C.F.R. 156, 40 C.F.R. 109, 40 C.F.R. 112, or the Federal Oil Pollution Act of 1990 may be submitted to satisfy plan requirements under this chapter if the department deems that such federal requirements equal or exceed those of the department, or if the plans are modified or appended to satisfy plan requirements under this chapter.

(4) Plans which meet requirements of other states may be submitted to satisfy plan requirements under this chapter if the department deems that such state requirements equal or exceed those of the department, or if the plans are modified or appended to satisfy plan requirements under this chapter.

(5) Prevention plans may be combined with contingency plans required by chapter 173-181 WAC.

(6) Plans, when implemented, shall be designed to be capable of providing the best achievable protection from damages caused by the discharge of oil into the waters of the state. At a minimum, plans shall meet the criteria specified in this chapter.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-050, filed 7/8/92, effective 8/8/92.]

WAC 173-180D-055 Plan format requirements. (1) Plans shall be organized in a format which provides easy access to prevention information. Plans shall be divided into a system of chapters and sections. Chapters and sections

shall be numbered and identified with a system of index tabs.

(2) Plans shall be formatted to allow replacement of chapter and appendix pages with revisions, without requiring replacement of the entire plan.

(3) If combined with a contingency plan, the prevention plan shall be clearly separated from contingency plan elements.

(4) Prevention plan content requirements specified in WAC 173-180D-060 are presented in suggested but not requisite order.

(5) Computerized plans, in addition to a hard copy, may be submitted to the department.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-055, filed 7/8/92, effective 8/8/92.]

WAC 173-180D-060 Plan content requirements. (1) Each plan shall contain a submittal agreement which:

(a) Includes the name, address, and phone number of submitting party;

(b) Verifies acceptance of the plan by the owner or operator of the facility by either signature of the owner or operator or signature by a person with authority to bind the corporation which owns or operates the facility;

(c) Commits the owner or operator of the facility to execution of the plan, and verifies that the plan holder is authorized to make appropriate expenditures in order to execute plan provisions; and

(d) Includes the name, location, and address of the facility, type of facility, starting date of operations, types of oil(s) handled, and oil volume capacity.

(2) Each plan shall include a log sheet to record amendments to the plan. The log sheet shall be placed at the front of the plan. The log sheet shall provide for a record of the section amended, the date that the old section was replaced with the amended section, verification that the department was notified of the amendment pursuant to WAC 173-180D-085, and the initials of the individual making the change. A description of the amendment and its purpose shall also be included in the log sheet, or filed in the form of an amendment letter immediately after the log sheet.

(3) Each plan shall include a detailed table of contents based on chapter, section, and appendix numbers and titles, as well as tables and figures.

(4) Each plan shall describe its purpose and scope, including but not limited to:

(a) The onshore facility or offshore facility operations covered by the plan;

(b) The relationship of the prevention plan to other oil spill plans and operation manuals held by the facility; and

(c) The relationship of the plan to all applicable local, state, regional, tribal, and federal government prevention plans, including the Washington State-wide Master Oil and Hazardous Substance Spill Contingency Plan.

(d) Information required under facility oil spill contingency plan standards in WAC 173-181-050(4); spill prevention, countermeasure, and control plan standards in 40 C.F.R. 112.4(a); or facility operations manual standards in 33 C.F.R. 154.310(1-4) may be used to address (a) of this subsection.

(5) Each plan shall describe the procedures and time periods for updating the plan and distributing the plan and updates to appropriate parties.

(6) Each plan shall establish that the facility is in compliance with the Federal Oil Pollution Act of 1990. Within thirty calendar days after federal deadlines for facility requirements under that act, the plan shall be updated to include any applicable evidence of compliance.

(7) Within thirty calendar days after evidence of financial responsibility is required by rules adopted by the department pursuant to chapter 88.44 RCW, the plan shall be updated to include any applicable evidence of compliance.

(8) Each plan shall describe the types and frequency of spill prevention training provided to personnel. Within thirty calendar days after personnel certification is required by rules adopted by the department pursuant to RCW 90.56.220, the plan shall be updated to include any applicable evidence of compliance.

(9) Within thirty calendar days after submittal of an operations manual is required by rules adopted by the department pursuant to RCW 90.56.230, the plan shall be updated to include any applicable evidence of compliance.

(10) Each plan shall provide evidence that the facility has an approved oil spill contingency plan or has submitted a contingency plan to the department in accordance with standards and deadlines established by chapter 173-181 WAC.

(11) Each plan shall address the facility's alcohol and drug use awareness and treatment program for all facility personnel.

(a) The plan shall include at a minimum:

(i) Documentation of an alcohol and drug awareness program. The awareness program shall provide training and information materials to all employees on recognition of alcohol and drug abuse; treatment opportunities, including opportunities under the Alcohol and Drug Addiction Treatment and Support Act pursuant to chapter 388-40 WAC; and applicable company policies;

(ii) A description of the facility's existing drug and alcohol treatment programs; and

(iii) A description of existing provisions for the screening of supervisory and key employees for alcohol and drug abuse and related work impairment.

(b) Evidence of conformance with applicable federal "Drug-Free Workplace" guidelines or other federal or state requirements may be used to address (a) of this subsection.

(12) Each plan shall describe the facility's existing maintenance and inspection program.

(a) The description shall summarize:

(i) Frequency and type of all regularly scheduled inspection and preventive maintenance procedures for tanks; pipelines; other key storage, transfer, or production equipment, including associated pumps, valves, and flanges; and overpressure safety devices and other spill prevention equipment;

(ii) Integrity testing of storage tanks and pipelines, including but not limited to frequency; pressures used (including ratio of test pressure to maximum operating pressure, and duration of pressurization); means of identifying that a leak has occurred; and measures to reduce spill risk if test material is product;

(iii) External and internal corrosion detection and repair;

(iv) Damage criteria for equipment repair or replacement; and

(v) Any other aspect of the maintenance and inspection program.

(b) The plan shall include a current index of maintenance and inspection records of the storage and transfer facilities and related equipment.

(c) Documentation required under 40 C.F.R. 112.7(e) or 33 C.F.R. 154 Subparts C and D may be used to address elements of this subsection.

(d) Existing copies of the facility's maintenance and inspection records for the five-year period prior to plan submittal shall be maintained and shall be available for inspection if requested by the department. The plan shall document the use of a system to maintain such records over a five-year period for subsequent activity.

(13) Each plan shall describe spill prevention technology currently installed and in use, including:

(a) Tank and pipeline materials and design;

(b) Storage tank overflow alarms, low level alarms; tank overflow cut-off switches; automatic transfer shut-down systems; methods to alert operators; system accuracy; and tank fill margin remaining at time of alarm activation in terms of vertical distance, quantity of liquid, and time before overflow would occur at maximum pumping rate;

Documentation required under 40 C.F.R. 112.7(e)(2)(viii) or 33 C.F.R. 154.310 (a)(12-13) may be used to address some or all of these elements;

(c) Leak detection systems for both active and nonactive pipeline conditions, including detection thresholds in terms of duration and percentage of pipeline flow; limitations on system performance due to normal pipeline events; and procedures for operator response to leak alarms;

Documentation required under 40 C.F.R. 112.7(e)(3) may be used to address some or all of these elements;

(d) Rapid pump and valve shutdown procedures, including means of ensuring that surge and over-pressure conditions do not occur; rates of valve closure; sequence and time duration (average and maximum) for entire procedure; automatic and remote control capabilities; and displays of system status for operator use;

Documentation required under 40 C.F.R. 112.7(e)(3) may be used to address some or all of these elements;

(e) Methods to minimize of post-shutdown residual drain-out from pipes, including criteria for locating valves; identification of all valves (including types and means of operation) that may be open during a transfer process; and any other techniques for reducing drain-out;

(f) Means of relieving pressure due to thermal expansion of liquid in pipes during quiescent periods;

(g) Secondary containment, including capacity, permeability, and material design;

Documentation required under 40 C.F.R. 112.7(e)(1) and (2)(iii-iv) may be used to address some or all of these elements;

(h) Internal and external corrosion control coatings and monitoring;

(i) Storm water and other drainage retention, treatment, and discharge systems, including maximum storage capacities and identification of any applicable discharge permits;

Documentation required under 40 C.F.R. 112.7(e)(1) and (2)(iii and ix) may be used to address some or all of these elements; and

(j) Criteria for suspension of operations while leak detection or other spill control systems are inoperative.

(14) Each plan shall describe measures taken to ensure facility site security, including:

(a) Procedures to control and monitor facility access;

(b) Facility lighting (documentation required under 33 C.F.R. 154.570 may be used to address some or all of this element);

(c) Signage; and

(d) Right of way identification or other measures to prevent third-party damage (documentation required under 40 C.F.R. 112.7(e)(3)(v) and (9) may be used to address some or all of this element).

(15) Each plan shall list any discharges of oil in excess of twenty-five barrels (one thousand fifty gallons) to the land or waters of the state which occurred during the five-year period prior to the plan submittal date. For each discharge, the plan shall describe:

(a) Quantity;

(b) Type of oil;

(c) Geographic location;

(d) Analysis of cause, including source(s) of discharged oil and contributing factors (e.g., third party human error, adverse weather, etc.); and

(e) Measures taken to remedy the cause and prevent a reoccurrence;

For the period between July 1, 1987, and January 1, 1993, the facility shall provide existing information regarding (a) through (e) of this subsection for such discharges, and shall document the use of a system to record complete information for subsequent discharges.

(16) Each plan shall include a detailed and comprehensive analysis of facility spill risks based on the information required in subsections (11) through (15) of this section, and other relevant information.

(a) The risk analysis shall:

(i) Evaluate the construction, age, corrosion, inspection and maintenance, operation, and oil spill risk of the transfer, production, and storage systems in the facility, including piping, tanks, pumps, valves, and associated equipment;

(ii) Evaluate spill minimization and containment systems within the facility;

(iii) Be prepared under the supervision of (and bear the seal of) a licensed professional engineer or another individual which the department has deemed to have an acceptable level of expertise.

(b) Documentation required under 40 C.F.R. 112.7(b) and (e) may be used to address some or all of the elements of this subsection.

(17) Each plan shall describe how the facility will incorporate those measures that will provide best achievable protection to address the spill risks identified in the risk analysis required in subsection (16) of this section.

(a) Information documented pursuant to 40 C.F.R. 112.7(e) and 33 C.F.R. 154.310 may be used to address some or all of these elements of this subsection.

(b) Within six months after facility operation standards are adopted by rule by the department pursuant to RCW 90.56.220, the plan shall be updated to address how the

facility will meet prevention standards and deadlines established by that rule.

(18) If the prevention plan is combined with a contingency plan, the prevention plan may incorporate information required in this section by reference if that information is provided in the contingency plan.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-060, filed 7/8/92, effective 8/8/92.]

WAC 173-180D-065 Plan submittal. (1) Plans for onshore and offshore facilities shall be submitted to the department by January 1, 1993.

(2) Any onshore or offshore facility that first begins operating after the deadlines stated in subsection (1) of this section shall submit a plan to the department at least sixty-five calendar days prior to the beginning of operations.

(3) Three copies of the plan and appendices shall be delivered to:

Spill Management Section, Prevention Plan Review
Washington Department of Ecology
P.O. Box 47600
Olympia, WA 98504-7600

(4) Onshore and offshore facility plans may be submitted by:

(a) The facility owner or operator; or

(b) A primary response contractor approved by the department pursuant to WAC 173-181-090, in conformance with signature requirements under WAC 173-180D-060(1).

(5) A single plan may be submitted for more than one facility, provided that the plan meets the requirements in this chapter for each facility listed.

(6) The plan submitter may request that proprietary information be kept confidential under RCW 43.21A.160.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-065, filed 7/8/92, effective 8/8/92.]

WAC 173-180D-070 Plan review. (1) The department shall endeavor to review each plan in sixty-five calendar days. If the plan is submitted in conjunction with a contingency plan required under chapter 173-181 WAC, the department may extend the prevention plan review period an additional sixty-five calendar days. Upon receipt of a plan, the department shall evaluate promptly whether the plan is incomplete. If the department determines that a plan is incomplete, the submitter shall be notified of deficiencies. The review period shall not begin until the department receives a complete plan.

(2) The department shall regularly notify interested parties of any prevention plans which are under review by the department, and make plans available for review by all department programs, other state, local, tribal, and federal agencies, and the public. The department shall accept comments on the plan from any interested party during the first thirty calendar days of review by the department.

(3) A plan shall be approved if, in addition to meeting criteria in WAC 173-180D-055 and 173-180D-060, it demonstrates that when implemented, it can:

(a) Provide best achievable protection from damages caused by the discharge of oil into the waters of the state;

(b) Minimize the likelihood that facility oil spills will occur;

(c) Minimize the size and impacts of those facility oil spills which do occur; and

(d) After the adoption of facility operation standards by rule by the department pursuant to RCW 90.56.220:

(i) Provide for compliance with prevention standards and deadlines established by facility operation standards adopted by rule by the department pursuant to RCW 90.56.220; and

(ii) Provide, to the maximum extent practicable, protection from oil spill risk factors identified in the risk analysis required by WAC 173-180D-060(16), for those risk factors not addressed by facility operation standards adopted by rule by the department pursuant to RCW 90.56.220.

(4) When reviewing plans, the department shall, in addition to the above criteria, consider the following at a minimum:

(a) The volume and type of oil(s) addressed by the plan;

(b) The history and circumstances of prior spills by similar types of facilities, including spill reports by ecology on-scene coordinators;

(c) Inspection reports;

(d) The presence of hazards unique to the facility, such as seismic activity or production processes;

(e) The sensitivity and value of natural resources within the geographic area covered by the plan; and

(f) Any pertinent local, state, tribal, federal agency, or public comments received on the plan.

(5) The department may approve a plan based upon an expedited review pursuant to criteria set out in this chapter, if that plan has been approved by a federal agency or other state which the department has deemed to apply approval criteria which equal or exceed those of the department.

(6) The department shall endeavor to notify the facility owner or operator within five working days after the review is completed whether the plan has been approved.

(a) If the plan receives approval, the facility owner or operator shall receive a certificate of approval describing the terms of approval, including expiration dates pursuant to WAC 173-180D-085(4).

(b) The department may conditionally approve a plan by requiring a facility owner or operator to operate with specific precautionary measures until unacceptable components of the plan are resubmitted and approved.

(i) Precautionary measures may include, but are not limited to, reducing oil transfer rates, increasing personnel levels, or restricting operations to daylight hours or favorable weather conditions. Precautionary measures may also include additional requirements to ensure availability of response equipment.

(ii) A plan holder shall have thirty calendar days after the department gives notification of conditional status to submit to the department and implement required changes, with the option for an extension at the department's discretion. Plan holders who fail to meet conditional requirements or provide required changes in the time allowed shall lose conditional approval status.

(c) If plan approval is denied or revoked, the facility owner or operator shall receive an explanation of the factors for disapproval and a list of deficiencies. The facility shall

not continue oil storage, transfer, production, or other operations until a plan for that facility has been approved.

(d) The department's decisions under this chapter are reviewable in superior court.

(e) If a plan holder demonstrates an inability to comply with an approved prevention plan or otherwise fails to comply with requirements of this chapter, the department may, at its discretion:

(i) Place conditions on approval pursuant to (b) of this subsection; or

(ii) Revoke its approval pursuant to (c) of this subsection.

(f) Approval of a plan by the department does not constitute an express assurance regarding the adequacy of the plan nor constitute a defense to liability imposed under state law.

(7) The department shall prepare a manual to aid department staff responsible for plan review. This manual shall be made available to plan preparers. While the manual will be used as a tool to conduct review of a plan, the department will not be bound by the contents of the manual.

(8) The department shall work with the office of marine safety to ensure that no duplication of regulatory responsibilities occurs in the review of prevention plans from marine facilities.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-070, filed 7/8/92, effective 8/8/92.]

WAC 173-180D-075 Inspections. (1) The department may verify compliance with this chapter by announced and unannounced inspections in accordance with RCW 90.48.090.

(2) During inspections, department staff may require the plan holder to test operations of spill prevention technology installed in the facility.

(3) The department shall endeavor to provide a completed inspection report to the facility owner and operator within thirty calendar days from the inspection date.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-075, filed 7/8/92, effective 8/8/92.]

WAC 173-180D-080 Plan maintenance and use. (1) Each facility covered by the plan shall conspicuously locate copies of the plan within the facility to ensure that a copy of the plan is immediately accessible to all facility personnel involved in supervising or implementing oil handling operations.

(2) Facilities shall ensure that all employees involved in oil transfer, production, or storage operations are familiar with the plan provisions through regular training. Orientation materials for new employees involved in oil transfer, production, or storage operations shall contain a copy of the plan.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-080, filed 7/8/92, effective 8/8/92.]

WAC 173-180D-085 Plan update timeline. (1) The department shall be notified in writing as soon as possible and prior to completion of any significant change which could affect the plan. If the change will reduce the facility's ability to implement the plan, the plan holder shall also

provide a schedule for the return of the plan to full implementation capability.

(a) A significant change includes, but is not limited to:

(i) A change in the owner or operator of the facility;

(ii) A change in the types of oil handled at the facility;

(iii) A five percent or greater change in the facility's oil handling capacity;

(iv) Noncompliance with the Federal Oil Pollution Act of 1990;

(v) Noncompliance with state financial responsibility requirements developed under chapter 88.44 RCW; and

(vi) A substantial change in oil spill prevention technology installed at the facility, or other substantial changes to facility equipment, operations, personnel procedures, or any other change, including compliance with amended or new rules adopted by the department, which substantially affects the level of risk described pursuant to WAC 173-180D-060(16).

(b) Changes which are not considered significant include, but are not limited to, minor variations (less than five percent) in oil handling capacity, maintenance schedules, and operating procedures, provided that none of these changes will increase the risk of a spill.

(c) The facility shall update the plan's list of discharges, as required by WAC 173-180D-060(15), within thirty calendar days after an oil discharge by the facility in excess of twenty-five barrels (one thousand fifty gallons).

(d) A facsimile will be considered written notice for the purposes of this subsection.

(e) Failure to notify the department of significant changes shall be considered noncompliance with this chapter and subject to provisions of WAC 173-180D-070 (6)(e).

(2) If the department finds that, as a result of the change, the plan no longer meets approval criteria pursuant to WAC 173-180D-070, the department may, at its discretion, place conditions on approval or revoke approval in accordance with WAC 173-180D-070 (6)(e). The department may also require the plan holder to amend its plan to incorporate the change.

(3) Within thirty calendar days of making a change to the prevention plan, the facility owner or operator shall distribute the amended page(s) of the plan to the department and other plan holders.

(4) Plans shall be reviewed by the department at least every five years pursuant to WAC 173-180D-070. Plans shall be submitted for reapproval unless the plan holder submits a letter requesting that the department review the plan already in the department's possession. The plan holder shall submit the plan or such a letter at least sixty-five calendar days in advance of the plan expiration date.

(5) The department may review a plan following any spill at the facility.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-085, filed 7/8/92, effective 8/8/92.]

WAC 173-180D-090 Noncompliance with plan requirements. (1) Any violation of this chapter may be subject to the enforcement and penalty sanctions of RCW 90.56.300 and 90.56.310.

(2) In addition to other penalties, the department may assess a civil penalty of up to one hundred thousand dollars

against any person who violates this section. Each day that a facility or person violates this section shall be considered a separate violation.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-090, filed 7/8/92, effective 8/8/92.]

WAC 173-180D-098 Severability. If any provision of this chapter is held invalid, the remainder of the rule is not affected.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-098, filed 7/8/92, effective 8/8/92.]

Chapter 173-181 WAC

FACILITY CONTINGENCY PLAN AND RESPONSE CONTRACTOR STANDARDS

WAC

173-181-010	Purpose.
173-181-020	Authority.
173-181-030	Definitions.
173-181-035	Applicability.
173-181-040	Plan preparation.
173-181-045	Plan format requirements.
173-181-050	Plan content requirements.
173-181-060	Plan submittal.
173-181-065	Plan review.
173-181-070	Drills and inspections.
173-181-075	Plan maintenance and use.
173-181-080	Plan update timeline.
173-181-085	Noncompliance with plan requirements.
173-181-090	Contractor standards.
173-181-092	Contractor approval information required.
173-181-094	Submittal of contractor approval applications.
173-181-096	Contractor application review.
173-181-098	Severability.

WAC 173-181-010 Purpose. The purpose of this chapter is to establish onshore and offshore facility oil spill contingency plan requirements and response contractor standards which, when followed, will:

(1) Maximize the effectiveness and timeliness of oil spill response by responsible parties and response contractors;

(2) Ensure readiness of equipment and personnel;

(3) Support coordination with state, federal, and other contingency plans; and

(4) Provide improved protection of Washington waters and natural resources from the impacts of oil spills.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-010, filed 11/5/91, effective 12/6/91.]

WAC 173-181-020 Authority. RCW 90.48.371, 90.48.372, 90.48.373, 90.48.374, 90.48.375, 90.48.376, 90.48.377, and 90.48.380, as recodified by section 1115, chapter 200, Laws of 1991, provide statutory authority for the contingency plan preparation and review requirements and response contractor standards established by this chapter.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-020, filed 11/5/91, effective 12/6/91.]

WAC 173-181-030 Definitions. (1) "Average efficiency factor" means a factor used to estimate limitations

provide a schedule for the return of the plan to full implementation capability.

(a) A significant change includes, but is not limited to:

(i) A change in the owner or operator of the facility;

(ii) A change in the types of oil handled at the facility;

(iii) A five percent or greater change in the facility's oil handling capacity;

(iv) Noncompliance with the Federal Oil Pollution Act of 1990;

(v) Noncompliance with state financial responsibility requirements developed under chapter 88.44 RCW; and

(vi) A substantial change in oil spill prevention technology installed at the facility, or other substantial changes to facility equipment, operations, personnel procedures, or any other change, including compliance with amended or new rules adopted by the department, which substantially affects the level of risk described pursuant to WAC 173-180D-060(16).

(b) Changes which are not considered significant include, but are not limited to, minor variations (less than five percent) in oil handling capacity, maintenance schedules, and operating procedures, provided that none of these changes will increase the risk of a spill.

(c) The facility shall update the plan's list of discharges, as required by WAC 173-180D-060(15), within thirty calendar days after an oil discharge by the facility in excess of twenty-five barrels (one thousand fifty gallons).

(d) A facsimile will be considered written notice for the purposes of this subsection.

(e) Failure to notify the department of significant changes shall be considered noncompliance with this chapter and subject to provisions of WAC 173-180D-070 (6)(e).

(2) If the department finds that, as a result of the change, the plan no longer meets approval criteria pursuant to WAC 173-180D-070, the department may, at its discretion, place conditions on approval or revoke approval in accordance with WAC 173-180D-070 (6)(e). The department may also require the plan holder to amend its plan to incorporate the change.

(3) Within thirty calendar days of making a change to the prevention plan, the facility owner or operator shall distribute the amended page(s) of the plan to the department and other plan holders.

(4) Plans shall be reviewed by the department at least every five years pursuant to WAC 173-180D-070. Plans shall be submitted for reapproval unless the plan holder submits a letter requesting that the department review the plan already in the department's possession. The plan holder shall submit the plan or such a letter at least sixty-five calendar days in advance of the plan expiration date.

(5) The department may review a plan following any spill at the facility.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-085, filed 7/8/92, effective 8/8/92.]

WAC 173-180D-090 Noncompliance with plan requirements. (1) Any violation of this chapter may be subject to the enforcement and penalty sanctions of RCW 90.56.300 and 90.56.310.

(2) In addition to other penalties, the department may assess a civil penalty of up to one hundred thousand dollars

against any person who violates this section. Each day that a facility or person violates this section shall be considered a separate violation.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-090, filed 7/8/92, effective 8/8/92.]

WAC 173-180D-098 Severability. If any provision of this chapter is held invalid, the remainder of the rule is not affected.

[Statutory Authority: RCW 90.56.300, 90.56.200 and 90.56.310. 92-15-035 (Order 91-59), § 173-180D-098, filed 7/8/92, effective 8/8/92.]

Chapter 173-181 WAC

FACILITY CONTINGENCY PLAN AND RESPONSE CONTRACTOR STANDARDS

WAC

173-181-010	Purpose.
173-181-020	Authority.
173-181-030	Definitions.
173-181-035	Applicability.
173-181-040	Plan preparation.
173-181-045	Plan format requirements.
173-181-050	Plan content requirements.
173-181-060	Plan submittal.
173-181-065	Plan review.
173-181-070	Drills and inspections.
173-181-075	Plan maintenance and use.
173-181-080	Plan update timeline.
173-181-085	Noncompliance with plan requirements.
173-181-090	Contractor standards.
173-181-092	Contractor approval information required.
173-181-094	Submittal of contractor approval applications.
173-181-096	Contractor application review.
173-181-098	Severability.

WAC 173-181-010 Purpose. The purpose of this chapter is to establish onshore and offshore facility oil spill contingency plan requirements and response contractor standards which, when followed, will:

(1) Maximize the effectiveness and timeliness of oil spill response by responsible parties and response contractors;

(2) Ensure readiness of equipment and personnel;

(3) Support coordination with state, federal, and other contingency plans; and

(4) Provide improved protection of Washington waters and natural resources from the impacts of oil spills.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-010, filed 11/5/91, effective 12/6/91.]

WAC 173-181-020 Authority. RCW 90.48.371, 90.48.372, 90.48.373, 90.48.374, 90.48.375, 90.48.376, 90.48.377, and 90.48.380, as recodified by section 1115, chapter 200, Laws of 1991, provide statutory authority for the contingency plan preparation and review requirements and response contractor standards established by this chapter.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-020, filed 11/5/91, effective 12/6/91.]

WAC 173-181-030 Definitions. (1) "Average efficiency factor" means a factor used to estimate limitations

of equipment efficiency from variables such as sea state, current velocity, or visibility.

(2) "Best achievable technology" means the technology that provides the greatest degree of protection, taking into consideration processes that are developed, or could feasibly be developed given overall reasonable expenditures on research and development, and processes that are currently in use. In determining what is best achievable technology, the director shall consider the effectiveness, engineering feasibility, and commercial availability of the technology.

(3) "Board" means the pollution control hearings board.

(4) "Bulk" means material that is stored or transported in a loose, unpackaged liquid, powder, or granular form capable of being conveyed by a pipe, bucket, chute, or belt system.

(5) "Cargo vessel" means a self-propelled ship in commerce, other than a tank vessel or a passenger vessel, of greater than three hundred or more gross tons, including but not limited to commercial fish processing vessels and freighters.

(6) "Department" means the state of Washington department of ecology.

(7) "Director" means the director of the state of Washington department of ecology.

(8) "Discharge" means any spilling, leaking, pumping, pouring, emitting, emptying, or dumping.

(9)(a) "Facility" means any structure, group of structures, equipment, pipeline, or device, other than a vessel, located on or near the navigable waters of the state that (both):

(i) Transfers oil in bulk to or from a tank vessel or pipeline; and

(ii) Is used for producing, storing, handling, transferring, processing, or transporting oil in bulk.

(b) A facility does not include any:

(i) Railroad car, motor vehicle, or other rolling stock while transporting oil over the highways or rail lines of this state;

(ii) Underground storage tank regulated by the department or a local government under chapter 90.76 RCW;

(iii) Motor vehicle motor fuel outlet;

(iv) Facility that is operated as part of an exempt agricultural activity as provided in RCW 82.04.330; or

(v) Marine fuel outlet that does not dispense more than three thousand gallons of fuel to a ship that is not a tank vessel, cargo vessel, or passenger vessel, in a single transaction.

(10) "Gross ton" means a vessel's approximate volume as defined under Title 46, United States Code of Federal Regulations, Part 69.

(11) "Interim storage site" means a site used to temporarily store recovered oil or oily waste until the recovered oil or oily waste is disposed of at a permanent disposal site. Interim storage sites include trucks, barges, and other vehicles used to store recovered oil or oily waste until transport begins.

(12) "Liquefied petroleum gas" means petroleum gas converted to a liquid state by pressure and cooling, including but not limited to natural gas, butane, and propane.

(13) "Marine facility" means any facility used for tank vessel wharfage or anchorage, including any equipment used

for the purpose of handling or transferring oil in bulk to or from a tank vessel.

(14) "Maximum extent practicable" means the highest level of effectiveness that can be achieved through staffing levels, training procedures, and best achievable technology. In determining what is the maximum extent practicable, the director shall consider the effectiveness, engineering feasibility, commercial availability, safety, and the cost of the measures.

(15) "Navigable waters of the state" means those waters of the state, and their adjoining shorelines, that are subject to the ebb and flow of the tide and/or are presently used, have been used in the past, or may be susceptible for use to transport intrastate, interstate, or foreign commerce.

(16) "Offshore facility" means any facility, as defined in subsection (9) of this section, located in, on, or under any of the navigable waters of the state, but does not include a facility, any part of which is located in, on, or under any land of the state, other than submerged land.

(17) "Oil" or "oils" means naturally occurring liquid hydrocarbons at atmospheric temperature and pressure coming from the earth, including condensate and natural gasoline, and any fractionation thereof, including, but not limited to, crude oil, petroleum, gasoline, fuel oil, diesel oil, oil sludge, oil refuse, and oil mixed with wastes other than dredged spoil. Oil does not include any substance listed in Table 302.4 of 40 C.F.R. Part 302 adopted August 14, 1989, under section 101(14) of the Federal Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended by P.L. 99-499.

(18) "Oily waste" means oil contaminated waste resulting from an oil spill or oil spill response operations.

(19) "Onshore facility" means any facility, as defined in subsection (9) of this section, any part of which is located in, on, or under any land of the state, other than submerged land, that because of its location, could reasonably be expected to cause substantial harm to the environment by discharging oil into or on the navigable waters of the state or the adjoining shorelines.

(20)(a) "Owner or operator" means:

(i) In the case of an onshore or offshore facility, any person owning or operating the facility; and

(ii) In the case of an abandoned onshore or offshore facility, the person who owned or operated the facility immediately before its abandonment.

(b) "Operator" does not include any person who owns the land underlying a facility if the person is not involved in the operations of the facility.

(21) "Passenger vessel" means a ship of greater than three hundred or more gross tons or five hundred or more international gross tons carrying passengers for compensation.

(22) "Person" means any political subdivision, government agency, municipality, industry, public or private corporation, copartnership, association, firm, individual, or any other entity whatsoever.

(23) "Pipeline" means, for the purposes of subsection (9)(a)(i) of this section, a pipeline connected to a marine facility, and not owned or operated by the facility referred to in subsection (9)(a) of this section.

(24) "Plan" means oil spill response, cleanup, and disposal contingency plan.

(25) "Primary response contractor" means a response contractor that is directly responsible to a contingency plan holder, either by a contract or written agreement.

(26) "Response contractor" means an individual, organization, association, or cooperative that provides or intends to provide equipment and/or personnel for oil spill containment, cleanup, and/or removal activities.

(27) "Ship" means any boat, ship, vessel, barge, or other floating craft of any kind.

(28) "Spill" means an unauthorized discharge of oil which enters waters of the state.

(29) "Tank vessel" means a ship that is constructed or adapted to carry, or that carries, oil in bulk as cargo or cargo residue, and that:

(a) Operates on the waters of the state; or

(b) Transfers oil in a port or place subject to the jurisdiction of this state.

(30) "Waters of the state" includes lakes, rivers, ponds, streams, inland waters, underground water, salt waters, estuaries, tidal flats, beaches and lands adjoining the seacoast of the state, sewers, and all other surface waters and watercourses within the jurisdiction of the state of Washington.

(31) "Worst case spill" means:

(a) For an offshore facility, the largest possible spill considering storage, production, and transfer capacity complicated by adverse weather conditions (during which wind, reduced visibility, and sea state hinder but do not preclude normal response operations); or

(b) For an onshore facility, the entire volume of the largest above ground storage tank on the facility site complicated by adverse weather conditions (during which wind, reduced visibility, and sea state hinder but do not preclude normal response operations), unless the department determines that a larger volume is more appropriate given a particular facility's site characteristics and storage, production, and transfer capacity.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-030, filed 11/5/91, effective 12/6/91.]

WAC 173-181-035 Applicability. (1) Oil spill response, cleanup, and disposal contingency plans must be prepared, submitted, and used pursuant to requirements in this chapter, for onshore and offshore facilities.

(2) Federal plans required under 33 C.F.R. 154, 40 C.F.R. 109, 40 C.F.R. 110, or the Federal Oil Pollution Act of 1990 may be submitted to satisfy plan requirements under this chapter if the department deems that such federal requirements possess approval criteria which equal or exceed those of the department.

(3) Response contractors must be approved by the department before they may serve as primary response contractors for an onshore or offshore facility contingency plan.

(4) For those sections of contingency plans which address liquified petroleum gases, the department may excuse plan holders from meeting requirements in this chapter that are not applicable to spill response for liquified petroleum gases due to their physical properties.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-035, filed 11/5/91, effective 12/6/91.]

WAC 173-181-040 Plan preparation. (1) Each onshore and offshore facility shall prepare a contingency plan for the containment and cleanup of oil spills from the facility into the waters of the state, and for the protection of fisheries and wildlife, other natural resources, and public or private property from such spills.

(2) Plans shall be in a form usable for oil spill control, containment, cleanup, and disposal operations and shall be capable of being located according to requirements in WAC 173-181-075.

(3) Plans shall be thorough and contain enough information, analyses, supporting data, and documentation to demonstrate the plan holder's ability to meet the requirements of this chapter.

(4) Plans shall be designed to be capable to the maximum extent practicable, when implemented, of promptly and properly removing oil and minimizing environmental damage from a variety of spill sizes, including small chronic spills, and worst case spills. At a minimum, plans shall meet the criteria specified in WAC 173-181-045 and 173-181-050; criteria are presented in suggested but not requisite order.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-040, filed 11/5/91, effective 12/6/91.]

WAC 173-181-045 Plan format requirements. (1) Plans shall be prepared using a combined narrative and graphic format which facilitates both the study of detailed spill response information and quick access to general information given emergency information needs and time constraints.

(2) Plans shall be divided into a system of chapters and appendices. Chapters and sections shall be numbered. Chapters should be reserved primarily for information on emergency response and cleanup operations, such as notification procedures or description of the spill response organization structure. Appendices should be used primarily for supplemental background and documentation information, such as response scenarios or description of drills and exercises.

(3) A system of index tabs shall be used to provide easy reference to particular chapters or appendices.

(4) Plans shall be formatted to allow replacement of chapter or appendix pages with revisions without requiring replacement of the entire plan.

(5) A simplified field document suitable for on-site use in the event of a spill and summarizing key notification and action elements of the plan shall also be prepared and submitted as part of the plan.

(6) Computerized plans may be submitted to the department in addition to a hard copy. Computerized plans, accompanied by a hard copy, may be used to meet the requirements of WAC 173-181-075.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-045, filed 11/5/91, effective 12/6/91.]

WAC 173-181-050 Plan content requirements. (1) Each plan shall contain a submittal agreement which:

(a) Includes the name, address, and phone number of the submitting party;

(b) Verifies acceptance of the plan, including any incorporated contingency plans, by the owner or operator of

the facility by either signature of the owner or operator or signature by a person with authority to bind the corporation which owns such facility;

(c) Commits execution of the plan, including any incorporated contingency plans, by the owner or operator of the facility, and verifies authority for the plan holder to make appropriate expenditures in order to execute plan provisions; and

(d) Includes the name, location, and address of the facility, type of facility, starting date of operations, types of oil(s) handled, and oil volume capacity.

(2) Each plan shall include a log sheet to record amendments to the plan. The log sheet shall be placed at the front of the plan. The log sheet shall provide for a record of the section amended, the date that the old section was replaced with the amended section, verification that the department was notified of the amendment pursuant to WAC 173-181-080(3), and the initials of the individual making the change. A description of the amendment and its purpose shall also be included in the log sheet, or filed in the form of an amendment letter immediately after the log sheet.

(3) Each plan shall include a detailed table of contents based on chapter, section, and appendix numbers and titles, as well as tables and figures.

(4) Each plan shall describe the purpose and scope of that plan, including:

(a) The geographic area covered by the plan;

(b) The onshore facility or offshore facility operations covered by the plan; and

(c) The size of the worst case spill from the facility.

(5) Each plan shall describe the procedures and time periods corresponding to updates of the plan and distribution of the plan and updates to affected and interested parties.

(6) Each plan shall present a strategy to ensure use of the plan for spill response and cleanup operations pursuant to requirements in WAC 173-181-075.

(7) Each plan shall describe the organization of the spill response system, including all task assignments addressed by requirements of this section. This description shall identify the role of an incident commander or primary spill response manager, who shall possess the lead authority in spill response and cleanup decisions. The plan shall describe how a smooth transfer of the incident commander or primary spill response manager position between individuals will be accomplished. An organizational diagram depicting the chain of command shall also be included.

(8)(a) For each primary response contractor which a plan holder may or does rely on to perform or supplement its response operations within the geographic area covered by the plan, the plan shall state that contractor's name, address, phone number, or other means of contact at any time of the day, and response capability (e.g., land spills only). For each primary response contractor, the plan shall include a letter of intent signed by the primary response contractor which indicates the contractor's willingness to respond. Copies of written contracts or agreements with primary response contractors shall be available for inspection, if requested by the department.

(b) If a plan holder is a member of an oil spill response cooperative and relies on that cooperative to perform or supplement its response operations within the geographic area covered by the plan, the plan shall state the coopera-

tive's name, address, phone number, and response capability. The plan shall also include proof of cooperative membership.

(c) Plans which rely on primary response contractors shall rely only on primary response contractors approved by the department under WAC 173-181-090.

(9) Each plan shall briefly describe its relation to all applicable local, state, regional, and federal government response plans. Plans shall address how the plan holder's response organization will be coordinated with an incident command system utilized by state and federal authorities.

(10) Each plan shall list procedures which will be used to detect and document the presence and size of a spill, including methods which are effective during low visibility conditions. In addition, the plan shall describe the use, if any, of mechanical or electronic monitoring or alarm systems (including threshold sensitivities) used to detect oil discharges into adjacent land or water from tanks, pipes, manifolds, and other transfer or storage equipment.

(11) Each plan shall describe procedures which will be taken to immediately notify appropriate parties that a spill has occurred.

(a) The plan holder shall maintain a notification call out list which shall be available if requested by the department for inspection, and which:

(i) Provides a contact at any time of the day for all spill response personnel identified under subsection (7) of this section, including the contact's name, position title, phone number or other means of contact for any time of the day, and an alternate contact in the event the individual is unavailable;

(ii) Lists the name and phone number of all government agencies which must be notified in the event of an oil spill pursuant to requirements under RCW 90.48.360 as recodified by section 1115, chapter 200, Laws of 1991, and other state and federal requirements; and

(iii) Establishes a clear order of priority for immediate notification;

(b) The plan shall identify a central reporting office or individual who is responsible for implementing the call out process; and

(c) The plan shall utilize a system of categorizing incident type and severity. Plan holders are encouraged to utilize the system established by the department in the Washington state-wide master oil and hazardous substance spill contingency plan as developed pursuant to RCW 90.48.378 as recodified by section 1115, chapter 200, Laws of 1991.

(12) Each plan shall describe the personnel (including contract personnel) available to respond to an oil spill, including:

(a) A job description for each type of spill response position needed as indicated in the spill response organization scheme addressed in subsection (7) of this section;

(b) The number of personnel available to perform each type of spill response position;

(c) Arrangements for prepositioning personnel at strategic locations which will meet criteria pursuant to WAC 173-181-065 (3)(d);

(d) The type and frequency of spill response operations and safety training that each individual in a spill response position receives to attain the level of qualification demanded by their job description; and

(e) The procedures, if any, to train and use volunteers willing to assist in spill response operations. Volunteer procedures for wildlife rescue shall comply with rules adopted by the Washington department of wildlife.

(13)(a) Each plan shall list the type, quantity, age, location, maintenance schedule, and availability of equipment used during spill response, including equipment used for oil containment, recovery, storage, and removal, shoreline and adjacent lands cleanup, wildlife rescue and rehabilitation, and communication.

(b) For equipment listed under (a) of this subsection that is not owned by or available exclusively to the plan holder, the plan shall also estimate the extent to which other contingency plans rely on that same equipment.

(c) For oil containment and recovery equipment, the plan also shall include equipment make and model, and the manufacturer's nameplate capacity of the response equipment (in gallons per minute), and applicable design limits (e.g., maximum wave height capability; inland waters vs. open ocean).

(d) Based on information described in (c) of this subsection, the plan shall state the maximum amount of oil which could be recovered per twenty-four-hour period.

(e) For purposes of determining plan adequacy under WAC 173-181-065, and to assess realistic capabilities based on potential limitations by weather, sea state, and other variables, the data presented in (c) and (d) of this subsection will be multiplied by an average efficiency factor of twenty percent. The department will apply a higher efficiency factor for equipment listed in a plan if that plan holder provides adequate evidence that the higher efficiency factor is warranted for particular equipment. The department may assign a lower efficiency factor to particular equipment listed in a plan if it determines that the performance of that equipment warrants such a reduction.

(f) The plan shall provide arrangements for prepositioning of oil spill response equipment at strategic locations which will meet criteria pursuant to WAC 173-181-065 (3)(d).

(14) Each plan shall describe the communication system used for spill notification and response operations, including:

(a) Communication procedures;

(b) The communication function (e.g., ground-to-air) assigned to each channel or frequency used; and

(c) The maximum geographic range for each channel or frequency used.

(15) Each plan shall describe the process to establish sites needed for spill response operations, including location or location criteria for:

(a) A central command post;

(b) A central communications post if located away from the command post; and

(c) Equipment and personnel staging areas.

(16)(a) Each plan shall present a flowchart or decision tree describing the procession of each major stage of spill response operations from spill discovery to completion of cleanup. The flowchart or decision tree shall describe the general order and priority in which key spill response activities are performed.

(b) Each plan shall describe all key spill response operations in checklist form, to be used by spill response managers in the event of an oil spill.

(17)(a) Each plan shall list the local, state, and other government authorities responsible for the emergency procedures peripheral to spill containment and cleanup, including:

(i) Procedures to control fires and explosions, and to rescue people or property threatened by fire or explosion;

(ii) Procedures to control ground and air traffic which may interfere with spill response operations; and

(iii) Procedures to manage access to the spill response site.

(b) Each plan shall describe the plan holder's role in these emergency operation procedures prior to the arrival of proper authorities.

(18) Each plan shall describe equipment and procedures to be used by the facility personnel to minimize the magnitude of the spill and minimize structural damage which may increase the quantity of oil spilled. Damage control procedures shall include methods to slow or stop pipeline, storage tank, and other leaks, and methods to achieve immediate emergency shutdown.

(19) Each plan shall describe, in detail, methods to contain spilled oil and remove it from the environment. Methods shall describe deployment of equipment and personnel, using diagrams or other visual aids when possible. Response methods covered must include:

(a) Surveillance methods used to detect and track the extent and movement of the spill;

(b) Methods to contain and remove oil in offshore waters;

(c) Methods to contain and remove oil in near-shore waters, including shoreline protection procedures and oil diversion/pooling procedures; and

(d) Methods to contain and remove oil, including surface oil, subsurface oil, and oiled debris and vegetation, from a variety of shoreline, adjacent land, and beach types.

(20) Each plan shall briefly describe initial equipment and personnel deployment activities which will accomplish the response standard listed in WAC 173-181-065 (3)(d), and provide an estimate of the actual execution time.

(21) If the plan holder will use dispersants, coagulants, bioremediants, or other chemical agents for response operations, conditions permitting, the plan shall describe:

(a) Type and toxicity of chemicals;

(b) Under what conditions they will be applied in conformance with all applicable local, state, and federal requirements, including the state-wide master oil and hazardous substance spill contingency plan;

(c) Methods of deployment; and

(d) Location and accessibility of supplies and deployment equipment.

(22) If the plan holder will use in-situ burning for response operations, conditions permitting, the plan shall describe:

(a) Type of burning operations;

(b) Under what conditions burning will be applied in conformance with all applicable local, state, and federal requirements, including the state-wide master oil and hazardous substance spill contingency plan;

(c) Methods of application; and

(d) Location and accessibility of supplies and deployment equipment.

(23) Each plan shall describe how environmental protection will be achieved, including:

(a) Protection of sensitive shoreline and island habitat by diverting or blocking oil movement;

(b) Priorities for sensitive area protection in the geographic area covered by the plan as designated by the department in environmentally sensitive area maps referenced in the state-wide master oil and hazardous substance spill contingency plan;

(c) Rescue and rehabilitation of birds, marine mammals, and other wildlife contaminated or otherwise affected by the oil spill in compliance with rules adopted by the Washington department of wildlife; and

(d) Measures taken to reduce damages to the environment caused by shoreline and adjacent land cleanup operations, such as impacts to sensitive shoreline habitat by heavy machinery.

(24)(a) Each plan shall describe site criteria and methods used for interim storage of oil recovered and oily wastes generated during response and cleanup operations, including sites available within the facility. Interim storage methods and sites shall be designed to prevent contamination by recovered oil and oily wastes.

(b) If use of interim storage sites will require approval by local, state, or federal officials, the plan shall include information which could expedite the approval process, including a list of appropriate contacts and a brief description of procedures to follow for each applicable approval process.

(c) Each plan shall describe methods and sites used for permanent disposal of oil recovered and oily wastes generated during response and cleanup operations.

(d) Interim storage and permanent disposal methods and sites shall be sufficient to keep up with oil recovery operations and handle the entire volume of oil recovered and oily wastes generated.

(e) Interim storage and permanent disposal methods and sites shall comply with all applicable local, state, and federal requirements.

(25) Each plan shall describe procedures to protect the health and safety of oil spill response workers, volunteers, and other individuals on-site. Provisions for training, decontamination facilities, safety gear, and a safety officer position shall be addressed.

(26) Each plan shall explain post-spill review procedures, including methods to review both the effectiveness of the plan and the need for plan amendments. Post-spill procedures shall provide for a debrief of the department.

(27)(a) Each plan shall describe the schedule and type of drills and other exercises which will be practiced to ensure readiness of the plan elements, including drills which satisfy WAC 173-181-070(3).

(b) Tests of internal call out procedures shall be performed at least once every ninety calendar days and documented by the plan holder. Such tests are only required to involve notification, not actual deployment.

(28) Unless the plan holder has received approval for a prevention plan submitted pursuant to chapter 200, Laws of 1991, each onshore facility and offshore facility plan shall describe measures taken to reduce the likelihood that a spill will occur which exceed or are not covered by existing state and federal requirements, including:

(a) Type and frequency of personnel training on methods to minimize operational risks;

(b) Methods to ensure equipment integrity, including inspection and maintenance schedules;

(c) Methods to reduce spills during transfer operations, including overfill prevention; and

(d) Secondary containment for tanks, pipes, manifolds, or other structures used for storage or movement of oil other than liquefied petroleum gases.

(29) Each facility plan shall list the spill risk variables within the geographic area covered by the plan, including:

(a) Types, physical properties, and amounts of oil handled;

(b) A written description and map indicating site topography, storm water and other drainage systems, mooring areas, pipelines, tanks, and other oil processing, storage, and transfer sites and operations; and

(c) A written description of sites or operations with a history of or high potential for oil spills.

(30) Each plan shall list the environmental variables within the geographic area covered by the plan, including:

(a) Natural resources, including coastal and aquatic habitat types and sensitivity by season, breeding sites, presence of state or federally listed endangered or threatened species, and presence of commercial and recreational species (environmental variable information may be obtained directly from environmentally sensitive area maps referenced in the state-wide master oil and hazardous substance spill contingency plan);

(b) Public resources, including public beaches, water intakes, drinking water supplies, and marinas;

(c) Seasonal hydrographic and climatic conditions; and

(d) Physical geographic features, including relative isolation of coastal regions, beach types, and other geological characteristics.

(31) Each plan shall list the logistical resources within the geographic area covered by the plan, including:

(a) Facilities for fire services, medical services, and accommodations; and

(b) Shoreline access areas, including boat launches.

(32)(a) Each plan shall describe detailed, plausible, step-by-step response scenarios for:

(i) A small oil spill less than five hundred gallons; and

(ii) A worst case spill as described in the plan pursuant to subsection (4)(c) of this section.

(b) Each scenario description shall include:

(i) The circumstances surrounding the spill, including size, type, location, climatic and hydrographic conditions, time, and cause;

(ii) An estimate of oil movement during the first seventy-two hours, including likely shoreline contact points; and

(iii) Estimates of response time and percent recovery for each major phase of operations.

(c) If a plan applies to multiple facilities, each scenario description shall discuss implementation of the plan in the event of simultaneous separate spills.

(33) Each plan shall include a glossary of technical terms and abbreviations used in the plan.

[Statutory Authority: RCW 90.48.035, 91-22-087 (Order 91-12), § 173-181-050, filed 11/5/91, effective 12/6/91.]

WAC 173-181-060 Plan submittal. (1)(a) Plans for onshore facilities capable of storing one million gallons or more of oil, and offshore facilities shall be submitted to the department within six months after adoption of this chapter.

(b) All other onshore facilities shall submit plans to the department by January 1, 1993.

(2) Any onshore or offshore facility that first begins operating after the above deadlines shall submit a plan to the department at least sixty-five calendar days prior to the beginning of operations.

(3) Three copies of the plan and appendices shall be delivered to:

Spill Management Section,
Contingency Plan Review
Washington Department of Ecology
PV-11
P.O. Box 47600
Olympia, WA 98504-7600

(4) Onshore and offshore facility plans may be submitted by:

(a) The facility owner or operator; or

(b) A primary response contractor approved by the department pursuant to WAC 173-181-090, in conformance with requirements under WAC 173-181-050(1).

(5) A single plan may be submitted for more than one facility, provided that the plan contents meet the requirements in this chapter for each facility listed.

(6) The plan submitter may request that proprietary information be kept confidential under RCW 43.21B.160.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-060, filed 11/5/91, effective 12/6/91.]

WAC 173-181-065 Plan review. (1) The department shall endeavor to review each plan in sixty-five calendar days. Upon receipt of a plan, the department shall evaluate promptly whether the plan is incomplete. If the department determines that a plan is incomplete, the submitter shall be notified of deficiencies. The review period shall not begin until the department receives a complete plan.

(2) The department shall regularly notify interested parties of any contingency plans which are under review by the department, and make plans available for review to all department programs, other state, local, and federal agencies, and the public. The department shall accept comments from these interested parties on the plan during the first thirty calendar days of review by the department.

(3) A plan shall be approved if, in addition to meeting criteria in WAC 173-181-045 and 173-181-050, it demonstrates that when implemented, it can:

(a) To the maximum extent practicable, provide for prompt and proper response to and cleanup of a variety of spills, including small chronic spills, and worst case spills;

(b) To the maximum extent practicable, provide for prompt and proper protection of the environment from oil spills;

(c) Provide for immediate notification and mobilization of resources upon discovery of a spill;

(d) Provide for initial deployment of response equipment and personnel at the site of the spill within one hour of the

plan holder's awareness that a spill has occurred given suitable safety conditions; and

(e) Use as primary response contractors, only those response contractors approved by the department pursuant to WAC 173-181-090.

(4) When reviewing plans, the department shall, in addition to the above criteria, consider the following:

(a) The volume and type of oil(s) addressed by the plan;

(b) The history and circumstances of prior spills by similar types of facilities, including spill reports by department on-scene coordinators;

(c) The presence of operating hazards;

(d) The sensitivity and value of natural resources within the geographic area covered by the plan;

(e) Any pertinent local, state, federal agency, or public comments received on the plan;

(f) The extent to which reasonable, cost-effective spill prevention measures have been incorporated into the plan.

(5) The department may approve a plan without a full review as per provisions of this section if that plan has been approved by a federal agency or other state which the department has deemed to possess approval criteria which equal or exceed those of the department.

(6) The department shall prepare a manual to aid department staff responsible for plan review. This manual shall be made available to provide guidance for plan preparers. While the manual will be used as a tool to conduct review of a plan, the department will not be bound by the contents of the manual.

(7) The department shall endeavor to notify the facility owner or operator within five working days after the review is completed whether the plan has been approved.

(a) If the plan receives approval, the facility owner or operator shall receive a certificate of approval describing the terms of approval, including expiration dates.

(b)(i) The department may approve a plan conditionally by requiring a facility owner or operator to operate with specific precautionary measures until unacceptable components of the plan are resubmitted and approved.

(ii) Precautionary measures may include, but are not limited to, reducing oil transfer rates, increasing personnel levels, or restricting operations to daylight hours. Precautionary measures may also include additional requirements to ensure availability of response equipment.

(iii) A plan holder shall have thirty calendar days after the department gives notification of conditional status to submit and implement required changes to the department, with the option for an extension at the department's discretion. Plan holders who fail to meet conditional requirements or provide required changes in the time allowed shall lose conditional approval status.

(c) If plan approval is denied, the facility owner or operator shall receive an explanation of the factors for disapproval and a list of actions to be taken to gain approval. The facility shall not continue oil storage, transfer, production, or other operations until a plan for that facility has been approved.

(d) A plan holder may appeal the department's decision under WAC 173-04-010.

(e) If a plan holder demonstrates an inability to comply with an approved contingency plan or otherwise fails to

comply with requirements of this chapter, the department may, at its discretion:

(i) Place conditions on approval pursuant to (b) of this subsection; or

(ii) Revoke its approval pursuant to (c) of this subsection.

(f) Approval of a plan by the department does not constitute an express assurance regarding the adequacy of the plan nor constitute a defense to liability imposed under state law.

(8) The department shall work with the office of marine safety to ensure that no duplication of regulatory responsibilities occurs in the review of contingency plans from marine facilities.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-065, filed 11/5/91, effective 12/6/91.]

WAC 173-181-070 Drills and inspections. (1) For the purpose of determining plan adequacy, the department may require a plan holder to participate in one unannounced full deployment drill annually. The department shall choose plan holders for such drills through a random process.

(2) The department may require a plan holder to participate in one announced, limited deployment drill annually. The department shall choose plan holders for such drills through a random process.

(3) Requirements under subsections (1) and (2) of this section may be met:

(a) By drills led by other state, local, or federal authorities if the department finds that the criteria for drill execution and review equal or exceed those of the department;

(b) By drills initiated by the plan holder, if the department is involved in participation, review, and evaluation of the drill, and if the department finds that the drill adequately tests the plan; and

(c) By responses to actual spill events, if the department is involved in participation, review, and evaluation of the spill response, and if the department finds that the spill event adequately tests the plan.

(4) The department may excuse a primary response contractor from full deployment participation in more than one drill, if in the past twelve months, the primary response contractor has performed to the department's satisfaction in a full deployment drill or an exercise listed in subsection (3) of this section.

(5) The department shall review the degree to which the specifications of the plan are implemented during the drill. The department shall endeavor to notify the facility owner or operator of the review results within thirty calendar days following the drill. If the department finds deficiencies in the plan, the department shall report those deficiencies to the plan holder and require the plan holder to make specific amendments to the plan pursuant to requirements in WAC 173-181-080.

(6) The department shall publish an annual report on plan drills, including a summary of response times, actual equipment and personnel use, recommendations for plan requirement changes, and industry response to those recommendations.

(7) The department may require the facility owner or operator to participate in additional drills beyond those

required in subsections (1) and (2) of this section if the department is not satisfied with the adequacy of the plan during exercises or spill response events.

(8) The department may verify compliance with this chapter by unannounced inspections in accordance with RCW 90.48.090.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-070, filed 11/5/91, effective 12/6/91.]

WAC 173-181-075 Plan maintenance and use. (1) At least one copy of the plan shall be kept in a central location accessible at any time by the incident commander or spill response manager named in accordance with WAC 173-181-050(7). Each facility covered by the plan shall possess a copy of the plan and keep it in a conspicuous and accessible location.

(2) A field document prepared under WAC 173-181-045(5) shall be available to all appropriate personnel.

(3) A facility owner or operator shall implement the plan in the event of a spill. The facility owner or operator must receive approval from the department before it conducts any major aspect of the spill response contrary to the plan unless:

(a) Such actions are necessary to protect human health and safety;

(b) Such actions must be performed immediately in response to unforeseen conditions to avoid additional environmental damage; or

(c) The plan holder has been directed to perform such actions by the department or the United States Coast Guard.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-075, filed 11/5/91, effective 12/6/91.]

WAC 173-181-080 Plan update timeline. (1) The department shall be notified in writing as soon as possible and within twenty-four hours of any significant change which could affect implementation of the plan, including a substantial decrease in available spill response equipment or personnel. The plan holder shall also provide a schedule for the prompt return of the plan to full operational status. A facsimile will be considered written notice for the purposes of this subsection. Changes which are not considered significant include minor variations in equipment or personnel characteristics, call out lists, or operating procedures. Failure to notify the department of significant changes shall be considered noncompliance with this chapter and subject to provisions of WAC 173-181-065 (7)(e).

(2) If the department finds that, as a result of the change, the plan no longer meets approval criteria pursuant to WAC 173-181-065, the department may, in its discretion, place conditions on approval or revoke approval in accordance to WAC 173-181-065 (7)(e). Plan holders are encouraged to maintain back-up response resources in order to ensure that their plans can always be fully implemented.

(3) Within thirty calendar days of an approved change, the facility owner or operator shall distribute the amended page(s) of the plan to the department and other plan holders.

(4) Plans shall be reviewed by the department every five years pursuant to WAC 173-181-065. Plans shall be submitted for reapproval unless the plan holder submits a letter requesting that the department review the plan already

in the department's possession. The plan holder shall submit the plan or such a letter at least sixty-five calendar days in advance of the plan expiration date.

(5) The department may review a plan following any spill for which the plan holder is responsible.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-080, filed 11/5/91, effective 12/6/91.]

WAC 173-181-085 Noncompliance with plan requirements. (1) Any violation of this chapter may be subject to the enforcement and penalty sanctions of RCW 90.48.376 as recodified by section 1115, chapter 200, Laws of 1991.

(2) The department may notify the secretary of state to suspend the business license of any onshore or offshore facility or other person that is in violation of this section. The department may assess a civil penalty of up to one hundred thousand dollars against any person who is in violation of this section. Each day that a facility or person is in violation of this section shall be considered a separate violation.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-085, filed 11/5/91, effective 12/6/91.]

WAC 173-181-090 Contractor standards. (1) Primary response contractors listed in an offshore or onshore facility contingency plan must be approved by the department. Response contractors which are listed in a contingency plan only as subcontractors to a primary response contractor do not have to be approved by the department.

(2) Primary response contractors shall be approved by the department subject to the following conditions:

(a) Equipment, equipment maintenance, and equipment and personnel deployment readiness must be verifiable by departmental inspection. Any resources not on site at the time of an inspection must be accounted for by company records. Approval of personnel readiness shall require capability of a one hour call out time in which personnel must be able to begin mobilization of response efforts. Equipment readiness shall include being available and able to be deployed to a spill site without delay, not counting normal maintenance and repairs;

(b) Response personnel shall comply with all appropriate safety and training requirements listed in WAC 296-62-300. Training records may be audited for verification; and

(c) Determination of an acceptable safety history by review of pertinent records on a case-by-case, best-professional-judgment basis. Lack of a safety history will not be grounds for denying approval.

(3) The department shall work with the office of marine safety to ensure that no duplication of regulatory responsibilities occurs in the review of primary response contractors.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-090, filed 11/5/91, effective 12/6/91.]

WAC 173-181-092 Contractor approval information required. To apply for approval, contractors shall submit the following items to the department:

(1) Contractor's name, UBI number, address, and phone number;

(2) Response capability, including geographic area of response coverage, with any exclusions;

(3) The types of oil and media (e.g., marine, fresh water, or land) to which the contractor is willing and able to respond;

(4) An organizational diagram depicting chain of command;

(5) A call out list as described in WAC 173-181-050 (11)(a)(i);

(6) A list of all response equipment and personnel pursuant to WAC 173-181-050 (12)(a), (b), and (d) and (13)(a) and (c); and

(7) A list of all OSHA/WISHA citations and reports, lost-time accidents, and accident claims related to oil spill response operations for the last five years. Any applicant with less than five years under their current business name or organization shall provide a listing of any oil spill response contract businesses owned or operated by the principals in the new company within the last five years, including a brief description of the companies and their safety history information listed above.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-092, filed 11/5/91, effective 12/6/91.]

WAC 173-181-094 Submittal of contractor approval applications. (1) Three copies of the contractor's approval application shall be delivered to:

Spill Management Section,
Response Contractor Approval
Washington Department of Ecology
PV-11
P.O. Box 47600
Olympia, WA 98504-7600

(2) Applications may be submitted at any time after adoption of this chapter. If submitted with a contingency plan, the information required pursuant to WAC 173-181-092 shall be presented separately.

[Statutory Authority: RCW 90.48.035. 91-22-087 (Order 91-12), § 173-181-094, filed 11/5/91, effective 12/6/91.]

WAC 173-181-096 Contractor application review.

(1) The department shall endeavor to review each application for primary response contractor approval in forty-five calendar days. Upon receipt of an application, the department shall evaluate promptly whether the application is incomplete. If the department determines that an application is incomplete, the submitter shall be notified of deficiencies. The forty-five day review period shall begin when the application is complete.

(2) An application shall be approved if it meets the conditions specified in WAC 173-181-090.

(3) The department shall endeavor to notify the applicant that the application has been approved/not approved within five working days after the review is completed.

(a) If the application is approved, the contractor shall receive a certificate of approval describing the terms of approval, including expiration dates.

(b) If the application is not approved, the contractor shall receive an explanation of the factors for disapproval and a list of actions to be taken to gain approval. The

contractor may not act as a primary response contractor for a facility contingency plan until approved by the department.

(c) A contractor may appeal the department's decision under WAC 173-04-010.

(d) Approval of a response contractor by the department does not constitute an express assurance regarding the adequacy of the contractor nor constitute a defense to liability imposed under state law.

(4) Response contractor approvals shall be reviewed by the department every two years pursuant to WAC 173-181-094. Reapproval applications shall be submitted sixty calendar days in advance of the approval expiration date.

(5) An approved contractor shall notify the department in writing as soon as possible and within twenty-four hours of any significant change in the information reported in the approval application, such as a substantial change in equipment ownership. A facsimile received by the department will be considered written notice for the purposes of this subsection. Failure to notify the department may result in loss of approval status. Upon notification, the department may review the approval of the primary response contractor pursuant to this section. If the department determines that approval conditions are no longer met, approval may be withdrawn.

[Statutory Authority: RCW 90.48.035, 91-22-087 (Order 91-12), § 173-181-096, filed 11/5/91, effective 12/6/91.]

WAC 173-181-098 Severability. If any provision of this chapter is held invalid, the remainder of the rule is not affected.

[Statutory Authority: RCW 90.48.035, 91-22-087 (Order 91-12), § 173-181-098, filed 11/5/91, effective 12/6/91.]

Chapter 173-183 WAC

PREASSESSMENT SCREENING AND OIL SPILL COMPENSATION SCHEDULE REGULATIONS

WAC

173-183-010	Purpose.
173-183-020	Authority.
173-183-030	Applicability.
173-183-100	Definitions.

THE RDA COMMITTEE AND PREASSESSMENT SCREENING

173-183-200	Preassessment screening process.
173-183-210	Incident discovery and reporting.
173-183-220	Initial site reconnaissance and notification of the RDA committee.
173-183-230	RDA committee.
173-183-240	Preassessment screening.
173-183-250	Damage assessment studies.
173-183-260	Restoration and enhancement projects proposed by the PLP.
173-183-270	Participation.

OIL SPILL COMPENSATION SCHEDULE GENERAL

173-183-300	Purpose.
173-183-310	Authority.
173-183-320	Compensation schedule.
173-183-330	Resource damage assessment using the compensation schedule.
173-183-340	Oil class ranking.

COMPENSATION SCHEDULE FOR SPILLS INTO MARINE AND ESTUARINE WATERS, EXCLUDING ESTUARINE WATERS OF THE COLUMBIA RIVER

173-183-400	Vulnerability of marine and estuarine environments to oil spills.
173-183-410	Marine and estuarine habitat vulnerability.
173-183-420	Marine bird vulnerability.
173-183-430	Marine fisheries vulnerability.
173-183-440	Shellfish vulnerability.
173-183-450	Salmon vulnerability.
173-183-460	Marine mammal vulnerability.
173-183-470	Marine and estuarine recreation vulnerability.

COMPENSATION SCHEDULE FOR SPILLS INTO THE COLUMBIA RIVER ESTUARY

173-183-500	Vulnerability of the Columbia River estuary environment to oil spills.
-------------	--

COMPENSATION SCHEDULE FOR SPILLS INTO FRESHWATER STREAMS, RIVERS, AND LAKES

173-183-600	Vulnerability of freshwater stream, river, and lake environments to oil spills.
173-183-610	Freshwater vulnerability index.
173-183-620	Habitat index.

COMPENSATION SCHEDULE FOR SPILLS INTO FRESHWATER WETLANDS

173-183-700	Vulnerability of freshwater wetland environments to oil spills.
173-183-710	Wetlands vulnerability classification.

CALCULATION OF DAMAGES USING THE COMPENSATION SCHEDULE

173-183-800	Calculation of damages using the compensation schedule general.
173-183-810	On-scene coordinator responsibilities.
173-183-820	RDA committee chair responsibilities.
173-183-830	Calculation of damages for spills into marine and estuarine waters, except the Columbia River estuary.
173-183-840	Calculation of damages for spills into the Columbia River estuary.
173-183-850	Calculation of damages for spills in freshwater streams, rivers, and lakes.
173-183-860	Calculation of damages for spills into freshwater wetlands.
173-183-865	Calculation of damages for spills entering more than one type of receiving environment.
173-183-870	Modification of damages based on actions taken by the PLP.
173-183-880	Damage claim.
173-183-890	Substitution of damages.
173-183-900	Annual report.
173-183-910	Severability.
173-183-920	Appendices.

WAC 173-183-010 Purpose. The purpose of this rule is to establish procedures for convening a resource damage assessment (RDA) committee, preassessment screening of resource damages resulting from oil spills to determine which damage assessment methods to use, and determining damages in cases where the compensation schedule is selected as the damage assessment methodology to apply. The RDA committee, utilizing the preassessment screening process, shall determine whether a detailed resource damage assessment studies should be conducted or whether the compensation schedule authorized under RCW 90.48.366 and 90.48.367 will be used to assess damages for each oil spill into state waters.

[Statutory Authority: Chapter 90.48 RCW, 92-10-005 (Order 91-13), § 173-183-010, filed 4/23/92, effective 5/24/92.]

WAC 173-183-020 Authority. This regulation implements RCW 90.48.366, 90.48.367, and 90.48.368 of the Water Pollution Control Act, as amended in 1987, 1989, and 1991.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-020, filed 4/23/92, effective 5/24/92.]

WAC 173-183-030 Applicability. This chapter shall apply to all oil spills into the waters of the state. Under this chapter, the department may require or take any and all actions necessary to investigate and assess damages from those spills.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-030, filed 4/23/92, effective 5/24/92.]

WAC 173-183-100 Definitions. (1) "Columbia River estuary environment" means the habitat and all other public resources associated with or dependent on the estuarine waters of the Columbia River.

(2) "Compensation schedule" means the set of procedures enumerated in WAC 173-183-300 through 173-183-870 to determine the public resource damages resulting from an oil spill for cases in which damages are not quantifiable at a reasonable cost.

(3) "Damages" means the amount of monetary compensation necessary to:

(a) Restore any injured public resource to its condition before sustaining injury as a result of an oil discharge in violation of chapter 90.48 or 90.56 RCW, to the extent technically feasible, including any loss in value incurred during the period between injury and restoration in cases where damages are quantifiable at a reasonable cost; or

(b) Adequately compensate for the loss or diminution in value as determined through application of the compensation schedule provided in WAC 173-183-300 through 173-183-870 in cases where damages are not quantifiable at a reasonable cost.

(4) "Department" means the department of ecology.

(5) "Director" means the director of the department of ecology, or his or her designee.

(6) "Discharge" means any spilling, leaking, pumping, pouring, emitting, emptying, or dumping.

(7) "Estuarine environment" means the habitat and all other public resources associated with or dependent on estuarine waters of the state.

(8) "Estuarine waters" or "estuarine waters of the state" means the waters within state jurisdiction that are semi-enclosed by land but have open, partly obstructed, or sporadic access to the ocean, and in which seawater is at least occasionally diluted by freshwater runoff from land. Estuarine waters of the state include adjacent tidal flats and beaches up to the limit of tidal inundation or wave splash. For purposes of this chapter, estuarine waters of the state include those designated on the map attached as Appendix 1 to this chapter, and the portion of the Columbia River estuary within state jurisdiction upstream to river mile 46 or the line drawn perpendicularly across the river which touches the upstream end of Puget Island.

(9) "Freshwater stream, river, and lake environment" means the habitat and all other public resources associated

with or dependent on the streams, rivers, and lakes under state jurisdiction.

(10) "Freshwater wetland" or "freshwater wetlands" means lands transitional between terrestrial and freshwater aquatic systems where the water table is usually at or near the surface or the land is covered by shallow water, and lands having one or more of the following attributes at least periodically: The land supports predominantly hydrophytes; the substrate is predominately undrained hydric soil; and the substrate is nonsoil and saturated with water or covered by shallow water at some time during the growing season each year.

(11) "Freshwater wetland environment" means the habitat and all other public resources associated with or dependent on the freshwater wetlands of the state.

(12) "Freshwaters" or "freshwaters of the state" means all waters of the state except those classified as marine and estuarine waters of the state as defined in this chapter, including lakes, rivers, streams, ponds, other surface waters and wetlands.

(13) "Habitat" means the substrate and complement of associated biota not otherwise included in the vulnerability rankings in the applicable compensation schedule(s) that is part of this chapter.

(14) "Immediate removal" or "immediately removes" means removal of the spilled oil, or portions thereof, from the receiving environment by the potentially liable party within six hours of spill initiation.

(15) "Initial department responder" means the department of ecology spill responder who first arrives at the scene of the spill.

(16) "Injury" or "injuries" means an adverse change, either long- or short-term, to a public resource resulting either directly or indirectly from exposure to a discharge of oil in violation of chapter 90.48 or 90.56 RCW.

(17) "Loss in services" means a temporary or permanent reduction in the ability of the resource to provide its use or benefit to the public or to other resources.

(18) "Loss in value or lost value" of a damaged resource means the amount equal to the sum of consumptive, nonconsumptive, and indirect use values, as well as lost taxation, leasing, and licensing revenues during the period between injury and restoration; indirect use values may include existence, bequest, option, and aesthetic values.

(19) "Marine and estuarine habitats" mean the habitats found in marine and estuarine waters of the state as defined in this chapter.

(20) "Marine birds" means all seabirds, shorebirds, waterfowl, raptors and other avifauna that are dependent on marine and estuarine environments of the state for some portion of their life requirements including feeding, breeding, and habitat.

(21) "Marine environment" means the habitat and all other public resources associated with or dependent on marine waters of the state.

(22) "Marine fish," in context of the compensation schedule, means the species listed in Appendix 2.

(23) "Marine mammals" means the cetaceans, pinnipeds, sea otters, and river otters associated with marine and estuarine waters of the state.

(24) "Marine waters" or "marine waters of the state" means all coastal waters not appreciably diluted by freshwa-

ter, including open coastal areas, straits, and euhaline inland waters extending from the seaward limit of state jurisdiction to:

(a) The landward limit of tidal inundation or wave splash; or

(b) The seaward limit of estuarine waters of the state.

(25) "Not quantifiable at a reasonable cost" means any diminution in value of a public resource that cannot be measured with sufficient precision or accuracy by currently available and accepted procedures within a reasonable time frame.

(26) "Oil" or "oils" means naturally occurring liquid hydrocarbons at atmospheric temperature and pressure coming from the earth, including condensate and natural gasoline, and any fractionation thereof, including, but not limited to, crude oil, petroleum gasoline, fuel oil, diesel oil, oil sludge, oil refuse, and oil mixed with wastes other than dredged spoil. Oil does not include any substance listed in Table 302.4 of C.F.R. Part 302 adopted August 14, 1989, under section 101(14) of the Federal Comprehensive Environmental Response, Compensation and Liability Act of 1980, as amended by P.L. 99-499.

(27) "On scene coordinator" (OSC) means the department official who supervises the spill response team and compiles the initial report concerning the facts and circumstances of the spill for the department.

(28) "Person" means any political subdivision, government agency, municipality, industry, public or private corporation, copartnership, association, firm, individual, or any other entity whatsoever.

(29) "Potentially liable party" means the person or persons who may be liable for damages resulting from an oil spill.

(30) "Preassessment screening" means the investigation and determination of the facts and circumstances surrounding an oil spill which are used to determine whether a damage assessment investigation should be conducted, or alternatively, whether the compensation schedule will be used to assess damages.

(31) "Public resources" or "publicly owned resources" means fish, animals, vegetation, land, waters of the state, and other resources belonging to, managed by, held in trust by, appertaining to, or otherwise controlled by the state.

(32) "Reasonable cost" for a damage assessment means a cost that is anticipated to be less than the amount of damages that may have occurred or may occur.

(33) "Receiving environment" means waters of the state exposed to the spill and all public resources associated with or dependent on the exposed waters.

(34) "Resource damage assessment committee" or "RDA committee" means the preassessment screening committee established under RCW 90.48.368 and charged with determining whether to conduct detailed damage assessment studies or to apply the compensation schedule for oil spills into waters of the state, and overseeing reconnaissance and damage assessment activities.

(35) "Restoration or enhancement projects or studies" means an activity that is intended to restore, replenish, restock, or replace public resources, or to further investigate the long-term effect of resource injuries as determined by the RDA committee for the benefit of the public.

(36) "Salmon," in context of the compensation schedule, means the species listed in Appendix 3.

(37) "Scientific advisory board" means the advisory group established by the department to assist in development of the compensation schedule as required by RCW 90.48.366.

(38) "Season" or "seasons" means winter, spring, summer, and/or fall, where winter occurs during the months December through February, spring occurs during the months March through May, summer occurs during the months June through August, and fall occurs during the months September through November.

(39) "Shellfish," in context of the compensation schedule, means the species listed in Appendix 4, but does not include privately grown shellfish on public lands.

(40) "Spill" means an unauthorized discharge of oil into waters of the state.

(41) "State" means state of Washington.

(42) "State trustee agencies" means the state agencies with responsibility for protecting and/or managing public resources.

(43) "Subregion" or "subregions" means the areas into which state marine and estuarine waters have been divided for purposes of the compensation schedule as designated on the maps attached as Appendix 1.

(44) "Technical feasibility" or "technically feasible" means that given available technology, a restoration or enhancement project can be successfully completed at a cost that is not disproportionate to the value of the public resource before the injury.

(45) "Trust resources" means the public resource(s) under a particular state agency's jurisdiction for protection and/or management.

(46) "Unquantifiable damage" means any diminution in value of a public resource that cannot be measured with sufficient precision or accuracy by currently available and accepted procedures within a reasonable period of time.

(47) "Waters of the state" or "state waters" includes lakes, rivers, ponds, streams, inland waters, underground water, salt waters, estuaries, tidal flats, beaches, and lands adjoining the seacoast of the state, sewers, and all other surface waters and watercourses within the jurisdiction of the state of Washington.

(48) "Wetland" or "wetlands" means lands transitional between terrestrial and aquatic systems where the water table is usually at or near the surface or the land is covered by shallow water, and lands having one or more of the following attributes at least periodically: The land supports predominantly hydrophytes; the substrate is predominantly undrained hydric soil; and the substrate is nonsoil and saturated with water or covered by shallow water at some time during the growing season each year.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-100, filed 4/23/92, effective 5/24/92.]

THE RDA COMMITTEE AND PREASSESSMENT SCREENING

WAC 173-183-200 Preassessment screening process.

(1) Findings from the preassessment screening shall be used

to determine whether a formal damage assessment investigation should be conducted or whether the compensation schedule will be applied to assess public resource damages associated with spills of oil into state waters.

(2) The preassessment screening process shall occur concurrently with reconnaissance and cleanup activities as defined in WAC 173-183-220(2).

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-200, filed 4/23/92, effective 5/24/92.]

WAC 173-183-210 Incident discovery and reporting. The state on-scene coordinator (OSC) or initial department responder, shall provide prompt notice to the committee chair when there is evidence of an oil spill into state waters.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-210, filed 4/23/92, effective 5/24/92.]

WAC 173-183-220 Initial site reconnaissance and notification of the RDA committee. (1) The on-scene coordinator (OSC) or initial department responder to an oil spill shall report the following to the RDA committee chair as soon as practicable:

(a) Initial determination of the type and character of the oil(s) spilled;

(b) Initial determination of location of the spill, general type of habitat(s) impacted, geographic coverage of the spill, and amount of oil(s) spilled; and

(c) Initial determination of potentially liable party identity.

(2) The RDA committee chair shall notify RDA committee members of an oil spill as soon as practicable after receiving a report by the OSC or initial department responder, and provide a preliminary assessment of the potential risks to public resources.

(3) The RDA committee may, upon notification of an oil spill, initiate or authorize the RDA committee chair to initiate any necessary reconnaissance activities to:

(a) Further identify public resources at risk;

(b) Determine the extent to which public resources are, or may be, adversely affected;

(c) Document actual or potential injury to public resources; and

(d) Determine which local, state, and federal agencies and Indian tribes may have interests or jurisdiction over any of the public resources that may be adversely affected by the spill.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-220, filed 4/23/92, effective 5/24/92.]

WAC 173-183-230 RDA committee. (1) The following state agencies shall have membership on the RDA committee: Departments of ecology, fisheries, health, natural resources, wildlife, and the parks and recreation commission.

(2) Agencies with membership on the RDA committee shall nominate a representative and alternate to be appointed to the committee by the director.

(3) The department of ecology shall chair the RDA committee.

(4) The department may select representatives from the following agencies and governments for participation on the RDA committee on a spill-by-spill basis: Departments of emergency management, as well as other federal, state, and local agencies, and tribal and local governments whose presence would enhance reconnaissance or damage assessment activities of spill response.

If a selected representative declines or is unable to participate on the committee, the representative shall provide written notice to the department within twelve hours of being notified so that a replacement member may be appointed. Prompt consideration will be given to other local, state, or federal agency, or tribal government requests for participation on the RDA committee on a spill-by-spill basis.

(5) The RDA committee shall convene as soon as possible, but no later than thirty days after the department receives notification of a spill, or the next regularly scheduled meeting of the committee following a spill.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-230, filed 4/23/92, effective 5/24/92.]

WAC 173-183-240 Preassessment screening. (1) The primary duty of the RDA committee during the preassessment screening is to determine whether detailed damage assessment studies should be conducted under RCW 90.48.367, or alternatively, whether the compensation schedule authorized under RCW 90.48.366 and 90.48.367 will be used to assess damages.

(2) The RDA committee shall consider information collected during reconnaissance and cleanup as well as other relevant background information pertaining to threatened public resources or resource use for the preassessment screening.

(3) The RDA committee shall consider the following factors when determining the type of damage assessment to be conducted:

(a) Whether evidence from reconnaissance investigations suggests that injury has occurred or is likely to occur to publicly owned resources;

(b) The potential loss in services provided by public resources injured or likely to be injured and the expected value of the potential loss;

(c) Whether a restoration project to return lost services is technically feasible;

(d) The accuracy of damage quantification methods that could be used and the anticipated cost-effectiveness of applying each method;

(e) The extent to which likely injury to public resources can be verified with available quantification methods; and

(f) Whether the injury, once quantified, can be translated into monetary values with sufficient precision or accuracy.

(4) The department shall apply the compensation schedule to determine the amount of damages if the RDA committee determines that:

(a) Restoration or enhancement of the injured resources is not technically feasible;

(b) Damages are not quantifiable at a reasonable cost; and

(c) The restoration and enhancement projects or studies proposed by the potentially liable party are insufficient to

adequately compensate the people of the state for public resource damages.

(5) The RDA committee is encouraged to work cooperatively with the potentially liable party, to the greatest extent possible, to increase the efficiency of the damage assessment process, and shall provide for the ongoing involvement of the potentially liable party.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-240, filed 4/23/92, effective 5/24/92.]

WAC 173-183-250 Damage assessment studies. (1)

If the RDA committee, after considering the factors enumerated in WAC 173-183-240(3), determines that the damages to be investigated are quantifiable at a reasonable cost and that proposed assessment studies are clearly linked to quantification of the damages incurred, then the RDA committee may authorize damage assessment studies.

(2) If the RDA committee authorizes damage assessment studies under RCW 90.48.367(3), the RDA committee chair shall promptly notify the potentially liable party of this decision.

(3) The state trustee agency(ies) responsible for the potentially injured resource and habitat shall conduct the damage assessment studies and pursue all appropriate remedies with the responsible party. The RDA committee shall consider the proposed damage assessment studies and the effects of any proposed remedies in a timely manner, consistent with WAC 173-183-240(3).

(4) As new information becomes available, the committee may reevaluate the scope of damage assessment studies using the factors listed in WAC 173-183-240(3), and may reduce or expand the scope of damage assessment studies as appropriate.

(5) The department may negotiate with a potentially liable party to perform restoration and enhancement projects or studies which may substitute for all or part of the damages determined through the damage assessment studies.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-250, filed 4/23/92, effective 5/24/92.]

WAC 173-183-260 Restoration and enhancement projects proposed by the PLP. (1) The potentially liable party (PLP) may propose restoration or enhancement projects or studies during the preassessment screening phase to substitute for some or all of:

(a) The damages calculated from the compensation schedule authorized under RCW 90.48.366 and 90.48.367; or

(b) The claims from damage assessment studies authorized under RCW 90.48.142 and 90.48.367.

(2) To be considered as part of the preassessment screening decision process specified in WAC 173-183-240, PLP proposals must be submitted to the RDA committee chair within ten days of PLP notification by the RDA committee.

(3) The RDA committee may accept the PLP proposal in lieu of some or all of:

(a) The damages calculated from the compensation schedule authorized under RCW 90.48.366 and 90.48.367; or

(b) The claims from damage assessment studies authorized under RCW 90.48.142 and 90.48.367.

(4) For the RDA committee to find a proposal sufficient to adequately compensate the people of the state for public resource damages, the PLP proposal must at least contain the following elements:

(a) An investigation of all potentially injured public resources to determine if they have been exposed to the spilled oil;

(b) Follow-up investigations on all public resources documented to be exposed to determine if exposure has resulted in injury;

(c) Follow-up investigations on all public resources documented to be injured by the spill to quantify the injury;

(d) Quantification of damages for all public resources where injury has been quantified; and

(e) Restoration/enhancement projects to compensate for public resource injuries to the extent technically feasible; and, for damages that cannot be compensated by technically feasible restoration or enhancement projects, implementation of projects/studies to compensate for these losses. Public resource restoration and enhancement projects and studies shall be prioritized as follows:

(i) On-site, in-kind;

(ii) Off-site, in-kind;

(iii) On-site, out-of-kind; and

(iv) Off-site, out-of-kind.

(5) Prior to the PLP initiating any projects or studies intended to substitute for damages, the PLP's proposal must be approved by the RDA committee. If a PLP proposal is found to be acceptable to the RDA committee, the committee shall notify the PLP of this decision.

(6) If RDA committee finds a PLP project and study plan proposal to be acceptable, the RDA committee shall oversee all projects and studies conducted by the PLP.

(7) Upon completion of the PLP's project and study plan, the RDA committee shall decide the extent to which the PLP's projects and studies substitute for public resource damages as identified in subsection (3) of this section.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-260, filed 4/23/92, effective 5/24/92.]

WAC 173-183-270 Participation. To efficiently implement WAC 173-183-250 the RDA committee may develop public resource damage assessment agreements to facilitate cooperation between state and federal agencies and Indian tribes.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-270, filed 4/23/92, effective 5/24/92.]

**OIL SPILL COMPENSATION SCHEDULE
GENERAL**

WAC 173-183-300 Purpose. The purpose of this section is to establish a compensation schedule that will provide a simple methodology for assessing damages to public resources from oil spills into fresh, marine, and estuarine waters of the state. The intent is to provide an alternate methodology to the extensive and expensive natural resource damage assessments presently being conducted following oil spills. This section provides the procedures for:

(1) Establishing the relative vulnerability of public resources to oil spills by taking into consideration the relative toxicity of the oil spilled and the sensitivity of public resources present in the receiving environment; and

(2) Determining adequate monetary compensation for injury to public resources resulting from an oil spill.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-300, filed 4/23/92, effective 5/24/92.]

WAC 173-183-310 Authority. This regulation implements the establishment of a resource damage compensation schedule consistent with the provisions of RCW 90.48.366 for the discharge of oil in violation of chapter 90.48 or 90.56 RCW which requires the department to establish the compensation schedule in consultation with the departments of fisheries, wildlife, and natural resources, and the parks and recreation commission, and with the assistance of a scientific advisory board.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-310, filed 4/23/92, effective 5/24/92.]

WAC 173-183-320 Compensation schedule. (1) The compensation schedule determines adequate compensation for unquantifiable damages or for damages not quantifiable at a reasonable cost for persons liable under RCW 90.48.142.

(2) Adequate compensation as determined from the compensation schedule is derived from preexisting information of resource vulnerability to a class of oil spilled in a particular subregion of the state during a particular season, plus any additional information collected at the reconnaissance stage of the spill response.

(3) Under RCW 90.48.366, the amount of compensation assessed under this schedule shall be no less than one dollar per gallon of oil spilled and no greater than fifty dollars per gallon of oil spilled.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-320, filed 4/23/92, effective 5/24/92.]

WAC 173-183-330 Resource damage assessment using the compensation schedule. The compensation schedule includes:

(1) A relative ranking for each of the classes of oil defined in this chapter as determined by their known chemical, physical, and mechanical properties, and other factors that may affect the severity and persistence of the spill on the receiving environment;

(2) A relative vulnerability ranking of receiving environments which takes into account location of the spill, habitat and public resource sensitivity to oil, seasonal distribution of public resources, areas of recreational use and aesthetic importance, the proximity of the spill to important habitats for birds, aquatic mammals, fish, or to species listed as threatened or endangered under state or federal law, and other areas of special ecological or recreational importance as determined by the department;

(3) A quantitative method for determining public resource damages resulting from an oil spill, based on the oil effects and vulnerability rankings designed to compensate the people of this state for those damages that cannot be quantified at a reasonable cost that result from oil spills; and

(4) A method for adjusting damages calculated under the compensation schedule based on actions taken by the potentially liable party that:

(a) Demonstrate a recognition and affirmative acceptance of responsibility for the spill, such as the immediate removal of oil and the amount of oil removed from the environment; or

(b) Enhance or impede the detection of the spill, the determination of the quantity of oil spilled, or the extent of damage, including the unauthorized removal of evidence such as injured fish or wildlife.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-330, filed 4/23/92, effective 5/24/92.]

WAC 173-183-340 Oil class ranking. (1) The purpose of this section is to provide a relative ranking of the severity of effects caused by a spilled oil. The ranking is based on the known chemical, physical, and mechanical properties of oils in the six classes identified in this section, as well as other properties affecting propensity to cause acute toxicity and mechanical injury, and to persist in the environment. For purposes of the compensation schedule, relative rankings of the severity of effects caused by a spilled oil are provided for the following classes of oils:

- (a) Prudhoe Bay crude oil;
- (b) Bunker C;
- (c) No. 2 fuel oil;
- (d) Gasoline;
- (e) Kerosene; and
- (f) Kerosene-type jet fuel.

(2) The relative ranking scores for the oil classes range from 1 to 5, where 1 represents the least harmful effect and 5 represents the most harmful effect. For purposes of RCW 90.48.366 and 90.48.367, the acute toxicity, mechanical injury, and persistence relative ranking scores for the oils described by the classes enumerated in subsection (1) of this section shall be as follows:

Table 1. Acute Toxicity, Mechanical Injury and Persistence Relative Ranking Scores for Classified Oils (OIL).

Oil Class	Acute Toxicity	Mechanical Injury	Persistence
Prudhoe Bay Crude Oil	0.9	3.6	5
Bunker C	2.3	5.0	5
No. 2 Fuel Oil	2.3	3.2	2
Gasoline	5.0	1.0	1
Kerosene	1.4	2.4	1
Kerosene-type Jet Fuel	1.4	2.4	1

(3) In cases where the spilled oil is not described by any of the oil classes listed in subsection (1) of this section, or is a mixture of oils, the department shall determine the acute toxicity, mechanical injury, and persistence scores as follows:

(a) By assigning the acute toxicity, mechanical injury, and persistence scores assigned to the oil class best describing the spilled oil from subsection (2) of this section; or

(b) By using the following guidance to determine the acute toxicity, mechanical injury, and persistence relative ranking scores:

(i) Acute toxicity relative ranking score. An acute toxicity raw score is determined by summing the weighted averages of the 1-, 2-, and 3-ringed aromatic compounds comprising the spilled oil and dividing this sum by 107, where aromatic compound composition is determined by percent-weight, and weighting is determined by aqueous solubility of the aromatic compounds, as described by the following formula:

$$\text{Acute Toxicity Raw Score} = \frac{[(\text{SOL}_1 * \text{PCT-WT}_1) + (\text{SOL}_2 * \text{PCT-WT}_2) + (\text{SOL}_3 * \text{PCT-WT}_3)]}{107}$$

where SOL_i = solubility in seawater of i-ring aromatic hydrocarbons, and

PCT-WT_i = percent weight of i-ring aromatic hydrocarbons in the spilled oil, $i = 1, 2, \text{ and } 3$.

The final acute toxicity relative ranking score is determined by rounding the acute toxicity raw score to the nearest 0.1 using standard rounding procedures where decimals less than 0.05 are rounded down and decimals equal to or greater than 0.05 are rounded up.

(ii) Mechanical injury relative ranking score. A mechanical injury raw score is determined by subtracting 0.688 from the specific gravity of the spilled oil and dividing this result by 0.062 as follows:

$$\text{Mechanical Injury Score} = \frac{(\text{SP} - 0.688)}{0.062}$$

where SP = specific gravity of the spilled oil.

The final mechanical injury ranking score is determined by rounding the mechanical injury raw score to the nearest 0.1 using standard rounding procedures where decimals less than 0.05 are rounded down and decimals equal to or greater than 0.05 are rounded up.

(iii) Persistence relative ranking score. A persistence relative ranking score is determined from empirical data describing the length of time the spilled oil is known to, or is likely to, persist in a variety of habitat types. Scoring is assigned on a 1 to 5 scale as follows:

SCORE	ANTICIPATED PERSISTENCE
5	5 - 10 years or more
4	2 - 5 years
3	1 - 2 years
2	1 month to 1 year
1	days to weeks.

(4) In cases where the spilled oil is comprised of two or more types of oil, damages shall be calculated under the schedule for each oil type and then summed to calculate total damages liability.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-340, filed 4/23/92, effective 5/24/92.]

Reviser's note: The brackets and enclosed material in the text of the above section occurred in the copy filed by the agency.

COMPENSATION SCHEDULE FOR SPILLS INTO MARINE AND ESTUARINE WATERS, EXCLUDING ESTUARINE WATERS OF THE COLUMBIA RIVER

WAC 173-183-400 Vulnerability of marine and estuarine environments to oil spills. (1) The purpose of this section is to describe the method of ranking vulnerability of marine and estuarine environments, excluding the Columbia River estuary environment to oil spills for the purposes of assessing damages using the compensation schedule.

(2) Marine and estuarine waters of the state excluding the Columbia River estuary are divided into sixteen regions and one hundred thirty-one subregions for purposes of RCW 90.48.366, as designated on the maps attached as Appendix 5 of this chapter.

(3) A spill vulnerability score (SVS) shall be calculated at the time of a spill for the most sensitive subregion and season impacted by the spill. The SVS rates the vulnerability of public resources to spilled oil based on the propensity of the oil to cause acute toxicity and mechanical injury, and to persist in the environment. SVS is determined by summing the vulnerability scores for marine birds, marine mammals, fishery species, recreational use and habitats for the subregion(s) and most sensitive season impacted by the spill. The formula to be used to calculate SVS for each of the three oil effects, acute toxicity, mechanical injury, and persistence, is as follows:

$$\text{Spill vulnerability score (SVS)}_{ij} = \text{HVS}_i + \text{BVS}_i + \text{MVS}_i + \text{MFVS}_i + \text{SFVS}_i + \text{SAVS}_i + \text{RVS}_j$$

where HVS_i = habitat vulnerability to oil's propensity to cause i

BVS = marine bird vulnerability score (WAC 173-183-420(3));

MVS = marine mammal vulnerability score (WAC 173-183-460(3));

MFVS = marine fisheries vulnerability score (WAC 173-183-430(3));

SFVS = shellfish vulnerability score (WAC 173-183-440(3));

SAVS = salmon vulnerability score (WAC 173-183-450(5));

RVS = recreation vulnerability score (WAC 173-183-470(3));

i = acute toxicity (AT), mechanical injury (MI), or persistence (Per); and

j = the most sensitive season affected by the spill: Spring, summer, fall, or winter

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-400, filed 4/23/92, effective 5/24/92.]

WAC 173-183-410 Marine and estuarine habitat vulnerability. (1) The purpose of this section is to provide a marine and estuarine habitat vulnerability ranking. The marine and estuarine habitats present in the state are:

(a) Classified into thirty-seven types based on substrate type, energy regime and depth of occurrence; and

(b) Relatively ranked and scored for vulnerability to oil spills on a 1 to 5 scale, where a habitat vulnerability score (hv) of 5 represents the greatest vulnerability and an hv of 1 represents the least vulnerability.

(2) Marine and estuarine habitat vulnerability scores (hv) are based on the following:

(a) Presence of living public resources at risk, where living public resources include only those not otherwise incorporated into the compensation schedule in the marine

fish, shellfish, salmon, marine mammal or marine bird vulnerability rankings of WAC 173-183-420 through 173-183-460; and

(b) Predicted sensitivity to the acute toxicity, mechanical injury and persistence effects of oil based on energy regime of the habitat and propensity to entrain oil.

(3) For purposes of RCW 90.48.366, marine and estuarine habitats of the state are classified into the following thirty-seven habitat types:

(a) Marine intertidal habitats.

(i) Exposed and semi-exposed rocky shores. Bedrock and boulder habitats exposed to the full range of wave energies of the Pacific (i.e., on the outer coast), or to extensive wave fetch along the Strait of Juan de Fuca. Rocky areas on the coast partly protected behind sea stacks or islands also fall into this category.

(ii) Sand-scoured rocky shores. Rocky headlands or sea stacks directly adjacent to high energy sandy beaches such that there is much suspended sand in the water, which scours the rock. Unique plants and animals are found here.

(iii) Protected rocky shores. Bedrock and boulder habitats lacking oceanic swell and extensive wave fetch; e.g., inside waters of the San Juan Islands, headlands in bays off the Strait of Juan de Fuca or well protected behind islands on the outer coast.

(iv) Semi-exposed cobble and mixed-coarse beaches. Beaches exposed to moderate wave action composed of cobble overlying sand, or to somewhat less wave action, with a mix of cobble, gravel, and sand where no one component occupies more than seventy percent of the surface. Algae may grow on larger cobbles, and animals live both on the surface and in the sediment. Species vary dramatically with degree of wave exposure and composition of the sediment. Found inside the San Juan Islands, outside of Whidbey Island, at semi-protected sites along the Strait, and behind island and sea stacks on the coast.

(v) Semi-exposed gravel beaches. Unstable beaches, containing some sand in more protected areas. Many sites along the Strait of Juan de Fuca.

(vi) Exposed sandy beaches. Pure marine sands found in moderate to high-energy areas, e.g., on the outer coast and along the Strait of Juan de Fuca. Mouths of bays with some wave action also fall into this category.

(vii) Semi-protected mixed-fine beaches. Mixed sand and silt habitats, found in bays and inlets with some wave action so they are not dominated by the finer sediments (muds). Patches of gravel may be present high on the shore.

(viii) Protected mud flats. Areas of little to no wave energy, where fine sediments settle and accumulate organic matter. Found in calm bays and inlets with little freshwater influx (i.e., not estuaries).

(b) Marine subtidal.

(i) Shallow subtidal rock and boulders. Areas less than 15 m depth with some currents so that sediments do not totally cover bedrock. Kelp beds are found in these habitats, which are widespread in the state.

(ii) Deep subtidal rock and boulders. Areas deeper than 15 m and thus lacking in significant algal cover, but still with enough currents to keep the substrate exposed. Common in the San Juans and the Strait.

(iii) Deep subtidal cobble and mixed-coarse areas. "Scoured" areas in channels or passes with high currents,

composed entirely of cobbles or with gravel and sand mixed in.

(iv) Shallow subtidal mixed-coarse to mixed-fine areas (low energy). Areas ranging from cobbles lying over a matrix of sand and gravel to mixed sand and silt, in waters less than 15 m. Bays and inlets commonly have this range of substrate types. Plants and animals exist both on the cobbles and in the sediment.

(v) Shallow subtidal gravel or mixed-fine areas (high energy). Areas just offshore of sand or gravel beaches, where swells or wave action keep fine sediments from accumulating. Substrates range from pure gravel to gravel mixed with sand and shells. Common in the Strait.

(vi) Deep subtidal sand. Areas deeper than 15 m in the Strait or on the coast where swells keep the substratum fairly coarse.

(vii) Deep subtidal mixed-fine areas. Areas of sand, shells, and pebbles with some currents removing finer particles.

(viii) Deep subtidal muddy areas. Areas with no swell and few currents, where fine silts settle out and accumulate organic matter.

(ix) Open water. Areas deeper than 20 m.

(c) Estuarine intertidal.

(i) Open rocky shores. Rocky intertidal areas (including hardpan and riprap) in areas exposed to moderate waves or currents, e.g., on headlands in Puget Sound.

(ii) Open mixed-coarse beaches. One of the most common beach types in Puget Sound, composed of a mix of cobble, gravel, and sand in areas with some wave action that keeps finer silts suspended. Sparse salt marsh vegetation may occur at the tops of these beaches, especially in quieter areas.

(iii) Open gravel beaches. Areas of gravel or pebbles, often overlying sand, in areas of moderate wave action.

(iv) Open sandy beaches. Common habitats of gently sloping beaches but moderate wave action. May have gravel on the upper shore. Found in Puget Sound and in some areas of other estuaries, including Grays Harbor.

(v) Sandy low marshes. Found on spits, berms, and deltas where sand collects. Areas of different salinities are dominated by different marsh plant communities. Widespread (although disturbed) throughout the Puget Trough.

(vi) Mixed-fine beaches and low marshes. Found in backwaters or deltas away from large channels, where the substrate is mixed sand and mud, sometimes with patches of gravel or peat. Substrate is stable and organic-rich. Marsh communities vary with salinity.

(vii) Saline lagoons. Areas where water-borne sediments are deposited into a spit closing off an embayment, which is flushed regularly or irregularly. Salinities vary with evaporation and runoff but are generally high.

(viii) Low-salinity lagoons. Lagoons that are nearly separated from tidal/salt influence by a berm, and where there is a source of freshwater. Substrate is usually soft silt. This habitat is rare in the state.

(ix) Mud flats. Areas lacking in gravel or significant amounts of sand due to limited wave action, usually found in the heads of bays and inlets. Includes undisturbed channels and sloughs which drain slowly through a tidal cycle, and which may contain some sand.

(x) High salt marshes. Areas above normal high water but salt influenced, with organic/peat substrata. Salinities vary, and plant communities with them.

(xi) Transition zone wetland. Areas transitional between salt marshes and uplands, where salt water only rarely inundates. Substrata are peat or fine silts.

(d) Estuarine subtidal.

(i) Shallow subtidal rock and boulders. Areas less than 15 m deep with moderate currents or wave action that remove silt. Kelp beds develop here.

(ii) Deep subtidal rock and boulders. Areas in narrow channels or around headlands where currents remove sediment that otherwise would settle in these deeper areas. These habitats are essentially marine, since freshwater tends to stay layered in shallow water.

(iii) Shallow subtidal cobble and mixed-coarse areas. Mixed cobble, gravel, and sand remain in shallow areas fairly open to wave action or currents.

(iv) Deep subtidal cobble and mixed-coarse areas. Tidal currents running through deep channels in Puget Sound keep fine silts from settling and create areas of mixed cobbles, sand, and gravel.

(v) Shallow subtidal sandy or mixed-fine areas. High-current areas with little debris and some gravel, or less current-swept with more debris. Both are common outside of enclosed bays in Puget Sound.

(vi) Deep subtidal sandy or mixed-fine areas. Current-swept areas below 15 m. Organic debris and gravel tend to accumulate deeper (below 30 m), leading to different assemblages there.

(vii) Shallow subtidal muddy bays. Common habitats in open to partly enclosed bays in Puget Sound, where limited water movement allows fine sediments to accumulate. Organic enrichment is high, especially in more enclosed bays.

(viii) Deep subtidal muddy bays. Habitats in the heads and centers of inlets in Puget Sound where there is little motion and the substrate is soft mud and sand. Assemblages vary with depth and amount of organic debris accumulated.

(ix) Open water. Areas deeper than twenty meters.

(4) For purposes of RCW 90.48.366, marine and estuarine habitat vulnerability scores (hv) for each of the habitat types classified in subsection (3) of this section shall be as follows:

TABLE 2. Habitat Vulnerability for a Single Habitat Type and Oil Effect (hv)

HABITAT TYPE	HABITAT VULNERABILITY (hv)		
	ACUTE (hv _{AT})	MECH (hv _{MI})	PERS (hv _{PER})
MARINE INTERTIDAL			
Exposed and semi-exposed rock shores	3.7	4.3	3.1
Sand-scoured rocky shores	3.3	3.8	2.7
Protected rocky shores	3.0	3.5	3.0
Semi-exposed cobble and mixed-coarse beaches	3.2	3.2	3.2
Semi-exposed gravel beaches	3.2	1.4	2.0
Exposed sandy beaches	2.9	1.3	1.8
Semi-protected mixed-fine beaches	3.2	2.6	3.7
Protected mud flats	3.8	2.7	4.3

MARINE SUBTIDAL			
Shallow subtidal rock and boulders	3.7	3.7	3.1
Deep subtidal rock and boulders	2.7	2.7	3.3
Deep subtidal cobble and mixed coarse	1.5	2.2	2.2
Shallow subtidal mixed-coarse to mixed-fine	3.6	3.6	3.6
Shallow subtidal gravel or mixed-fine	2.8	1.6	2.3
Deep subtidal sand	1.6	2.0	1.6
Deep subtidal mixed-fine	1.5	2.6	3.1
Deep subtidal muddy	2.0	2.0	3.2
Open water	5.0	3.2	2.2
ESTUARINE INTERTIDAL			
Open rocky shores	3.0	3.5	3.0
Open mixed-coarse beaches and low marsh	3.7	3.2	3.2
Open gravel beaches	3.4	1.5	2.2
Open sandy beaches	3.3	2.8	2.3
Sandy low marshes	3.5	3.0	3.0
Mixed-fine beaches and low marshes	4.3	4.3	4.3
Saline lagoons	3.7	3.7	4.1
Low-salinity lagoons	3.0	3.5	3.9
Mud flats	3.7	2.6	4.1
High salt marshes	3.0	3.5	3.9
Transition zone wetlands	3.0	3.5	3.9
ESTUARINE SUBTIDAL			
Shallow subtidal rock and boulders	3.2	3.2	2.6
Deep subtidal rock and boulders	2.3	2.3	2.8
Shallow subtidal cobble and mixed-coarse	2.6	3.2	3.2
Deep subtidal cobble and mixed-coarse	1.5	2.2	2.2
Shallow subtidal sandy or mixed-fine	3.2	3.2	3.2
Deep subtidal sandy or mixed-fine	2.0	2.4	2.8
Shallow subtidal muddy bays	3.0	2.4	3.9
Deep subtidal muddy bays	1.8	1.8	2.9
Open water	5.0	3.2	2.2

(5) When seagrass or kelp are present in a particular habitat type, the portion of the habitat type with seagrass or kelp shall be treated as a separate habitat type. The habitat vulnerability for a particular habitat type and oil effect (hv) shall be multiplied by a factor of 1.5 for habitat types with seagrass or kelp present. The RDA committee shall be responsible for determining whether seagrass or kelp are present in a habitat type, and the portion of a habitat type containing seagrass or kelp.

(6) In general, several of the habitat types classified in this section may be affected by a particular spill. The habitat vulnerability score for a particular spill and oil effect (HVS_i) is composite of the habitat vulnerability scores for each of the habitat types affected by the spill which takes into consideration the percent coverage of each habitat type in the area of spill impact.

(7) The habitat vulnerability score for a particular spill and oil effect (HVS) shall be determined as follows:

(a) For spills of 1,000 gallons or more. Sum the weighted habitat vulnerability scores for each habitat type exposed to the spill as described by the formula provided in (c) of this subsection, where weighting is defined by percent

coverage of each habitat type within the area of spill exposure.

(b) For spills of less than 1,000 gallons. Sum the weighted habitat vulnerability scores for each habitat type present in the subregion(s) exposed to the spill as described by the formula provided in (c) of this subsection, where weighting is defined by percent coverage of each habitat type present in the subregion(s) exposed to the spill.

(c) The formula to calculate the raw habitat vulnerability score for a particular spill and oil effect (HVS_i) is as follows:

$$HVS_i = \sum_{j=1}^n (hv_{ij} \times PC_j)$$

where PC_j = Percent-coverage of habitat-type j expressed as a decimal;

hv_{ij} = habitat vulnerability for a particular habitat type & oil effect;

j = habitat type;

i = acute toxicity (AT), mechanical injury (MI) and persistence (PER); and

n = number of habitats to be considered as determined under (a) and (b) of this subsection.

(d) The final HVS_{AT}, HVS_{MI}, and HVS_{PER} scores are found by rounding the raw scores calculated from the formula in (c) of this subsection to the nearest 0.01 as follows: Decimals less than 0.005 shall be rounded down and decimals equal to or greater than 0.005 shall be rounded up.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-410, filed 4/23/92, effective 5/24/92.]

WAC 173-183-420 Marine bird vulnerability. (1)

Each of the marine and estuarine subregions of state waters established in WAC 173-183-400(2) is relatively ranked and scored for marine bird vulnerability to oil spills on a 1 to 5 scale for each season, where a score of 5 represents the greatest vulnerability and a score of 1 represents the least vulnerability.

(2) The marine bird vulnerability ranking relatively ranks the vulnerability of seabirds, shorebirds, and waterfowl present in a subregion during a particular season to oil spills, where vulnerability is based on population status, abundance, roosting habits, escape behavior, flocking behavior, feeding specialization, population size, reproductive capacity, breeding dispersion, winter dispersion, seasonal exposure to waters where oil spills could occur, and significance of Washington population to total population.

(3) Marine bird seasonal vulnerability scores for each of the marine and estuarine subregions defined in WAC 173-183-400 are based on existing information and determinations made by the marine bird subcommittee of the scientific advisory board. For purposes of RCW 90.48.366, marine bird seasonal vulnerability scores (BVS) for each of the subregions defined in WAC 173-183-400 shall be as follows:

Table 4. Subregional Marine Bird Vulnerability Scores (BVS)

SUBREGION	SP	SU	FA	WI
101 NORTHERN OUTER COAST	5	5	5	5
102 KALALOCH	5	5	5	5
103 QUINAULT	5	5	5	5
104 COPALIS BEACH	5	5	5	5
105 GRAYS HARBOR	5	5	5	5
106 TWIN HARBORS BEACH	5	5	5	5
107 WILLAPA BAY	5	5	5	5
108 LONG BEACH	5	5	5	5
109 INNER SHELF	4	2	5	5
110 OUTER SHELF	4	1	1	1
111 SHELF EDGE	5	1	1	1
112 CONTINENTAL SLOPE	2	1	1	1
201 STRAIT OF JUAN DE FUCA-OUTER	3	2	5	4
203 CAPE FLATTERY	4	3	4	3
204 NEAH BAY	2	2	2	2
205 NEAH BAY TO CLALLAM BAY	2	3	3	2
206 CLALLAM BAY	2	2	2	2
207 CLALLAM BAY TO CRESCENT BAY	2	3	3	2
208 CRESCENT BAY	2	2	2	2
209 CRESCENT BAY TO EDIZ HOOK	2	2	2	4
301 STRAIT OF JUAN DE FUCA-INNER	3	3	3	4
302 EDIZ HOOK	1	1	1	1
303 PORT ANGELES	2	3	3	2
304 VOICE OF AMERICA	2	2	2	2
305 DUNGENESS SPIT	2	2	2	3
306 DUNGENESS BAY/HARBOR	4	2	2	3
307 JAMESTOWN	5	5	5	5
308 SEQUIM BAY	2	1	1	2
309 MILLER PENINSULA	2	2	2	3
310 PROTECTION ISLAND	4	5	5	3
311 DISCOVERY BAY	3	1	1	4
312 QUIMPER PENINSULA	2	3	3	4
313 WHIDBEY ISLAND	1	2	2	2
314 SMITH ISLAND	3	5	5	3
315 DECEPTION PASS	2	2	2	2
316 LOPEZ ISLAND (SOUTH SHORE)	5	4	4	3
317 SAN JUAN IS.(SOUTH SHORE)	2	2	2	2
401 ADMIRALTY INLET	3	5	5	2
402 SOUTH ADMIRALTY INLET	2	1	2	3
403 PORT TOWNSEND	3	2	3	4
404 OAK BAY	2	2	2	2
405 KILISUT HARBOR	3	2	3	4
501 BELLINGHAM CHANNEL	2	2	4	4
502 GUEMES CHANNEL	2	2	1	3
503 FIDALGO BAY	2	2	2	3
504 PADILLA BAY	5	5	4	5
505 SAMISH BAY	5	5	4	5
506 BELLINGHAM BAY	4	4	4	5

507	HALE PASSAGE	3	3	2	2
601	LUMMI BAY	5	5	3	4
602	CHERRY POINT	5	5	2	2
603	BIRCH BAY	4	4	3	3
604	SEMAHOO SPIT	4	4	4	4
605	DRAYTON HARBOR	3	3	3	4
607	SAN JUAN IS.-NORTHERN TIER	3	3	2	4
608	GEORGIA STRAIT-EASTERN	4	4	4	4
701	PT. ROBERTS	4	4	2	4
703	GEORGIA STRAIT-WESTERN	2	2	2	2
801	NORTHERN HARO STRAIT	2	2	4	3
802	SOUTHERN HARO STRAIT	1	1	1	2
901	SOUTHERN ROSARIO STRAIT	3	3	3	5
902	CENTRAL ROSARIO STRAIT	3	3	5	4
903	NORTHERN ROSARIO STRAIT	5	5	5	4
1001	PRESIDENT CHANNEL	2	2	2	2
1002	NORTHERN AREAS	1	1	2	3
1101	SPEIDEN CHANNEL	1	1	2	2
1102	NORTHERN SAN JUAN CHANNEL	1	1	1	1
1103	SOUTHERN SAN JUAN CHANNEL	1	1	2	3
1104	WASP PASS	1	1	1	2
1105	UPRIGHT CHANNEL	1	1	2	2
1106	HARNEY CHANNEL	1	1	1	2
1107	OBSTRUCTION PASS	2	2	3	2
1108	THATCHER PASS	1	1	1	1
1201	MOSQUITO/ROCHE COMPLEX	2	2	2	3
1202	FRIDAY HARBOR	2	2	2	2
1203	GRIFFIN BAY	2	2	2	3
1205	FISHERMAN BAY	2	2	2	3
1206	SWIFTS/SHOAL BAYS	2	2	2	2
1207	DEER HARBOR	2	2	2	2
1208	WEST SOUND	1	1	2	2
1209	EAST SOUND	2	2	1	2
1210	LOPEZ SOUND	2	2	3	4
1401	SKAGIT BAY	5	3	2	1
1402	PENN COVE/CRESCENT HARBOR	5	3	2	1
1403	SARATOGA PASSAGE	5	1	2	2
1404	HOLMES HARBOR	4	2	3	3
1405	PORT SUSAN	3	1	1	1
1406	POSSESSION SOUND	3	1	2	2
1501	HOOD CANAL ENTRANCE	2	1	2	3
1502	PORT LUDLOW	2	2	2	2
1503	PORT GAMBLE	2	2	2	2
1504	NORTHERN HOOD CANAL	2	1	2	2
1505	CENTRAL HOOD CANAL	2	1	2	2
1506	DABOB BAY	2	1	2	3
1507	QUILCENE BAY	2	2	2	2
1508	SOUTHCENTRAL HOOD CANAL	2	1	2	3
1509	ANNAS BAY	2	2	2	2
1510	GREAT BEND	3	1	3	5
1601	N. PUGET SOUND	4	1	2	2
1602	N. CENTRAL PUGET SOUND	2	1	2	2
1603	CENTRAL PUGET SOUND	2	1	2	2
1604	ELLIOT BAY	2	2	2	1
1605	EAST PASSAGE	2	1	2	2
1606	COLVOS PASSAGE	2	1	2	2
1607	COMMENCEMENT BAY	2	2	2	2
1608	NARROWS	3	2	3	4
1609	STEILACOOM	2	1	2	3
1610	NISQUALLY	2	1	2	3
1611	TREBLE-JOHNSON	2	2	2	2
1612	HALE PASSAGE	3	2	3	3
1613	CARR INLET	3	1	3	4
1614	PITT PASSAGE	2	2	2	2
1615	DRAYTON HARBOR	2	2	2	2
1616	CASE INLET	2	1	2	3
1617	HENDERSON INLET	2	2	2	1
1618	DANA PASSAGE	2	2	2	1
1619	BUDD INLET	2	2	2	2
1620	ELD INLET	2	2	2	2
1621	TOTTEN INLET	2	2	2	2
1622	PICKERING PASSAGE	2	2	2	2
1623	PEALE PASSAGE	2	2	2	1
1624	SQUAXIN	2	2	2	2
1625	SKOOKUM INLET	2	2	2	2
1626	HAMMERSLEY INLET	2	2	2	2
1627	OAKLAND BAY	2	2	2	2
1628	AGATE PASSAGE	2	2	2	2
1629	LIBERTY BAY	3	2	3	3
1630	PORT ORCHARD	2	2	2	2
1631	SINCLAIR INLET	3	2	3	3
1632	DYES INLET	2	2	2	2
1633	RICH PASSAGE	2	2	2	2
1634	QUARTERMASTER HARBOR	3	2	3	3
1635	DALCO PASSAGE	2	2	2	2
1636	BALCH PASS	2	2	2	2

WAC 173-183-430 Marine fisheries vulnerability.

(1) Each of the subregions designated in WAC 173-183-430 is relatively ranked and scored for marine fisheries vulnerability to oil spills on a 1 to 5 scale for each season where 5 represents the most vulnerable ranking and 1 represents the least vulnerable ranking.

(2) The marine fisheries vulnerability ranking relatively ranks the vulnerability of marine fisheries species present in a subregion to oil spills, where vulnerability is based on habitat preference, population status, abundance, fecundity, and sensitivity of life stages.

(3) Marine fisheries seasonal vulnerability scores for each of the marine and estuarine subregions are based on existing information and recommendations of the marine fisheries subcommittee. For purposes of RCW 90.48.366 marine fisheries seasonal vulnerability ranking scores (MFVS) for the subregions defined in WAC 173-183-400 are as follows:

Table 5. Subregional Marine Fisheries Vulnerability Scores (MFVS)

SUBREGION	SEASON				
	SP	SU	FA	WI	
101	NORTHERN OUTER COAST	5	3	3	5
102	KALALOCH	5	3	3	5
103	QUINAULT	5	3	3	5
104	COPALIS BEACH	5	3	3	5
105	GRAYS HARBOR	5	5	5	5
106	TWIN HARBORS BEACH	5	3	3	4
107	WILLAPA BAY	5	5	5	5
108	LONG BEACH	5	3	3	4
109	INNER SHELF	5	3	3	4
110	OUTER SHELF	4	2	2	4
111	SHELF EDGE	4	1	2	3
112	CONTINENTAL SLOPE	2	1	1	1
201	STRAIT OF JUAN DE FUCA-OUTER	5	3	3	4
203	CAPE FLATTERY	5	3	3	4
204	NEAH BAY	5	3	3	4
205	NEAH BAY TO CLALLAM BAY	5	3	3	4
206	CLALLAM BAY	5	3	3	4
207	CLALLAM BAY TO CRESCENT BAY	5	3	3	4
208	CRESCENT BAY	5	3	3	4
209	CRESCENT BAY TO EDIZ HOOK	5	3	3	4
301	STRAIT OF JUAN DE FUCA-INNER	5	3	3	4
302	EDIZ HOOK	5	3	3	4
303	PORT ANGELES	5	3	3	4
304	VOICE OF AMERICA	5	3	3	4
305	DUNGENESS SPIT	5	3	3	4
306	DUNGENESS BAY/HARBOR	5	3	3	4
307	JAMESTOWN	5	3	3	4
308	SEQUIM BAY	5	3	3	4
309	MILLER PENINSULA	5	3	3	4
310	PROTECTION ISLAND	5	3	3	4
311	DISCOVERY BAY	5	3	3	4
312	QUIMPER PENINSULA	5	3	3	4
313	WHIDBEY ISLAND	5	3	3	4
314	SMITH ISLAND	5	3	3	4
315	DECEPTION PASS	5	3	3	4
316	LOPEZ ISLAND (SOUTH SHORE)	5	3	3	4
317	SAN JUAN ISLAND (SOUTH SHORE)	5	3	3	4
401	ADMIRALTY INLET	5	4	3	5
402	SOUTH ADMIRALTY INLET	5	4	3	5
403	PORT TOWNSEND	5	4	3	5
404	OAK BAY	5	4	3	5
405	KILISUT HARBOR	5	4	3	5
501	BELLINGHAM CHANNEL	5	4	3	5
502	GUEMES CHANNEL	5	4	3	5
503	FIDALGO BAY	5	4	3	5
504	PADILLA BAY	5	4	3	5

(4) The marine bird vulnerability score for a spill shall be multiplied by 1.5 when any number of state or federal threatened or endangered marine birds are exposed to spilled oil.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-420, filed 4/23/92, effective 5/24/92.]

505	SAMISH BAY	5	3	3	5
506	BELLINGHAM BAY	5	3	3	5
507	HALE PASSAGE	5	3	3	5
601	LUMMI BAY	5	3	3	5
602	CHERRY POINT	5	3	3	5
603	BIRCH BAY	5	3	3	5
604	SEMAHOO SPIT	5	3	3	5
605	DRAYTON HARBOR	5	3	3	5
607	SAN JUAN ISLANDS-NORTHERN TIER	5	3	3	4
608	GEORGIA STRAIT-EASTERN	5	3	3	5
701	PT. ROBERTS	5	3	3	5
703	GEORGIA STRAIT-WESTERN	5	3	3	5
801	NORTHERN HARO STRAIT	5	3	3	4
802	SOUTHERN HARO STRAIT	5	3	3	4
901	SOUTHERN ROSARIO STRAIT	5	3	3	4
902	CENTRAL ROSARIO STRAIT	5	3	3	4
903	NORTHERN ROSARIO STRAIT	5	3	3	4
1001	PRESIDENT CHANNEL	5	3	3	4
1002	NORTHERN AREAS	5	3	3	4
1101	SPEIDEN CHANNEL	5	3	3	4
1102	NORTHERN SAN JUAN CHANNEL	5	3	3	4
1103	SOUTHERN SAN JUAN CHANNEL	5	3	3	4
1104	WASP PASS	5	3	3	4
1105	UPRIGHT CHANNEL	5	3	3	4
1106	HARNEY CHANNEL	5	3	3	4
1107	OBSTRUCTION PASS	5	3	3	4
1108	THATCHER PASS	5	3	3	4
1201	MOSQUITO/ROCHE COMPLEX	5	3	3	4
1202	FRIDAY HARBOR	5	3	3	4
1203	GRIFFIN BAY	5	3	3	4
1205	FISHERMAN BAY	5	3	3	4
1206	SWIFTS/SHOAL BAYS	5	3	3	4
1207	DEER HARBOR	5	3	3	4
1208	WEST SOUND	5	3	3	4
1209	EAST SOUND	5	3	3	4
1210	LOPEZ SOUND	5	3	3	4
1401	SKAGIT BAY	5	4	3	5
1402	PENN COVE/CRESCENT HARBOR	5	4	3	5
1403	SARATOGA PASSAGE	5	4	3	5
1404	HOLMES HARBOR	5	4	3	5
1405	PORT SUSAN	5	4	3	5
1406	POSSESSION SOUND	5	4	3	5
1501	HOOD CANAL ENTRANCE	2	1	1	2
1502	PORT LUDLOW	2	1	1	2
1503	PORT GAMBLE	2	1	1	2
1504	NORTHERN HOOD CANAL	2	1	1	2
1505	CENTRAL HOOD CANAL	2	1	1	2
1506	DABOB BAY	2	1	1	2
1507	QUILCENE BAY	2	1	1	2
1508	SOUTHCENTRAL HOOD CANAL	2	1	1	2
1509	ANNAS BAY	2	1	1	2
1510	GREAT BEND	2	1	1	2
1601	N. PUGET SOUND	5	4	3	5
1602	N. CENTRAL PUGET SOUND	5	4	3	5
1603	CENTRAL PUGET SOUND	5	4	3	5
1604	ELLIOT BAY	5	4	3	5
1605	EAST PASSAGE	4	3	2	3
1606	COLVOS PASSAGE	4	3	2	3
1607	COMMENCEMENT BAY	4	3	2	3
1608	NARROWS	4	3	2	3
1609	STEILACOOM	4	3	2	3
1610	NISQUALLY	4	3	2	3
1611	TREBLE-JOHNSON	4	3	2	3
1612	HALE PASSAGE	4	3	2	3
1613	CARR INLET	4	3	2	3
1614	PITT PASSAGE	4	3	2	3
1615	DRAYTON HARBOR	4	3	2	3
1616	CASE INLET	4	3	2	3
1617	HENDERSON INLET	4	3	2	3
1618	DANA PASSAGE	4	3	2	3
1619	BUDD INLET	4	3	2	3
1620	ELD INLET	4	3	2	3
1621	TOTTEN INLET	4	3	2	3
1622	PICKERING PASSAGE	4	3	2	3
1623	PEALE PASSAGE	4	3	2	3
1624	SQUAXIN	4	3	2	3
1625	SKOOKUM INLET	4	3	2	3
1626	HAMMERSLEY INLET	4	3	2	3
1627	OAKLAND BAY	4	3	2	3
1628	AGATE PASSAGE	5	4	3	5
1629	LIBERTY BAY	5	5	5	5
1630	PORT ORCHARD	5	5	5	5
1631	SINCLAIR INLET	5	5	5	5
1632	DYES INLET	5	5	5	5
1633	RICH PASSAGE	5	5	5	5
1634	QUARTERMASTER HARBOR	4	3	2	3
1635	DALCO PASSAGE	4	3	2	3
1636	BALCH PASS	4	3	2	3

spills on a 1 to 5 scale for each season where 5 represents the most vulnerable ranking and 1 represents the least vulnerable ranking.

(2) Shellfish vulnerability ranking relatively ranks the vulnerability of shellfish present in a subregion to oil spills, where vulnerability is based on habitat preference, population status, abundance, fecundity, and sensitivity of life stages.

(3) Shellfish seasonal vulnerability scores for each of the marine and estuarine subregions are based on existing information and recommendations of the shellfish subcommittee of the scientific advisory board. For purposes of RCW 90.48.366 shellfish seasonal vulnerability ranking scores (SFVS) for the subregions defined in WAC 173-183-400 are as follows:

Table 6. Shellfish Vulnerability Scores (SFVS)

Region/Subregion	SP	SU	FA	WI
101	4	4	4	4
102	5	5	5	5
103	3	3	3	3
104	4	4	4	4
105	2	2	2	2
106	3	3	2	2
107	4	4	4	4
108	4	3	3	3
109	5	5	5	5
110	1	1	1	1
111	1	1	1	1
112	1	1	1	1
2	5	5	5	5
3	5	5	5	5
401	2	1	1	2
402	3	3	3	3
403	4	4	3	4
404	3	3	3	3
405	4	4	3	4
5	5	5	5	5
6	5	5	4	5
7	5	5	4	5
8	4	3	3	4
9	4	3	3	4
11	4	3	5	4
12	4	3	3	4
1401	2	3	3	2

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-430, filed 4/23/92, effective 5/24/92.]

WAC 173-183-440 Shellfish vulnerability. (1) Each of the subregions designated in WAC 173-183-430 is relatively ranked and scored for shellfish vulnerability to oil

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-440, filed 4/23/92, effective 5/24/92.]

1402	1	1	1	1
1403	1	1	1	1
1404	1	1	1	1
1405	1	2	2	1
1406	1	2	2	1
1501	2	2	2	2
1502	2	2	2	2
1503	2	2	2	2
1504	3	3	2	2
1505	3	3	2	2
1506	3	3	2	2
1507	3	3	2	2
1508	3	4	3	3
1509	3	4	3	3
1510	3	4	3	3
1601	2	2	2	2
1602	2	2	2	2
1603	2	2	2	2
1604	2	2	2	2
1605	2	2	2	2
1606	2	2	2	2
1607	2	2	2	2
1608	2	1	1	2
1609	5	5	5	5
1610	5	5	5	5
1611	5	5	5	5
1612	5	5	5	5
1613	5	5	5	5
1614	5	5	5	5
1615	5	5	5	5
1616	5	5	4	5
1617	5	5	5	5
1618	1	1	1	1
1619	4	5	4	4
1620	4	5	4	4
1621	4	5	4	4
1622	5	5	4	5
1623	4	5	4	4
1624	4	5	4	4
1625	4	5	4	4
1626	4	5	4	4
1627	4	5	4	4
1628	4	3	3	3
1629	4	5	3	3
1630	4	3	3	3
1631	4	3	3	3
1632	4	3	3	3
1633	4	3	3	3
1634	2	2	2	2
1635	2	2	2	2
1636	5	5	5	5

WAC 173-183-450 Salmon vulnerability. (1) The salmon vulnerability ranking is based on seasonal habitat preference of juveniles during outmigration, adults as they return to spawn and the presence of oil in river mouths during peak occurrence of salmon runs. The salmon vulnerability ranking was developed from existing information and determinations of the salmon subcommittee of the scientific advisory board. In the case of Chinook salmon, habitat preference differs for subyearlings and yearlings.

(2) The vulnerability of five salmon species in nine habitats are relatively scored for vulnerability to oil spills on a 1 to 5 scale for each season, where 5 represents the most vulnerable condition, and a score of 1 represents the least vulnerable condition, as follows:

Table 7. Vulnerability of Salmon Species and/or Species Yearclass by Habitat and Season

SPECIES/YEARCLASS and SALMON VULNERABILITY HABITAT	HABITAT VULNERABILITY SCORE (1-5)							
	SP	SU	FA	WI				
Chinook (subyearling)								
Intertidal								
Rocky	1	1	1	1				
Cobble	2	2	1	1				
Gravel	3	3	2	2				
Sand (vegetated)	4	5	3	3				
Sand (no vegetation)	3	3	2	2				
Mud (vegetated)	4	5	3	3				
Mud (no vegetation)	3	3	2	3				
Subtidal								
Pelagic	2	2	1	1				
Pelagic					4	4	3	3
Chinook (yearling)								
Intertidal								
Rocky	1	1	1	1				
Cobble	3	3	2	2				
Gravel	3	3	3	2				
Sand (vegetated)	3	3	2	2				
Sand (no vegetation)	3	3	2	2				
Mud (vegetated)	3	3	2	2				
Mud (no vegetation)	3	3	2	2				
Subtidal								
Pelagic	2	2	1	1				
Pelagic					4	4	3	3
Coho								
Intertidal								
Rocky	1	1	1	1				
Cobble	3	2	2	2				
Gravel	3	4	2	2				
Sand (vegetated)	5	4	3	4				
Sand (no vegetation)	3	2	2	3				
Mud (vegetated)	5	4	3	4				
Mud (no vegetation)	3	4	2	3				
Subtidal								
Pelagic	2	2	1	1				
Pelagic					4	4	3	3
Pink								
Intertidal								
Rocky	1	1	1	1				
Cobble	2	1	1	1				
Gravel	3	1	1	3				
Sand (vegetated)	5	2	2	5				
Sand (no vegetation)	3	2	2	3				
Mud (vegetated)	5	2	2	5				
Mud (no vegetation)	3	1	1	3				
Subtidal								
Pelagic	2	1	1	1				
Pelagic					4	2	2	2
Chum								
Intertidal								
Rocky	1	1	1	1				
Cobble	2	1	1	1				
Gravel	3	2	2	3				
Sand (vegetated)	5	3	2	5				
Sand (no vegetation)	3	2	2	3				
Mud (vegetated)	5	4	2	5				
Mud (no vegetation)	3	2	2	3				
Subtidal								
Pelagic	2	2	1	1				
Pelagic					4	4	2	2
Sockeye								
Intertidal								
Rocky	2	2	1	1				
Cobble	2	1	1	1				
Gravel	2	1	1	1				
Sand (vegetated)	2	1	1	1				
Sand (no vegetation)	2	1	1	1				
Mud (vegetated)	2	1	1	1				
Mud (no vegetation)	3	1	1	1				
Subtidal								
Pelagic	1	2	1	1				
Pelagic					4	4	2	2

(4) The shellfish vulnerability score for a spill shall be multiplied by 1.5 when any number of individuals of state or federal threatened or endangered shellfish species are exposed to spilled oil.

The habitat-types classified under WAC 173-183-400 correlate with the habitats listed in Table 7 as follows:

TABLE 8. KEY TO TRANSLATING MARINE/ESTUARINE HABITAT TYPES CLASSIFIED UNDER WAC 173-183-410 TO SALMON VULNERABILITY HABITATS

MARINE/ESTUARINE HABITAT TYPE from WAC 173-183-410(3)	EQUIVALENT SALMON VULNERABILITY HABITAT
Marine Intertidal, exposed and semi-exposed rocky shores	Intertidal, rocky
Marine Intertidal, sand-scoured rocky shores	Intertidal, rocky
Marine Intertidal, protected rocky shores	Intertidal, rocky
Estuarine Intertidal, open rocky shores	Intertidal, rocky
Marine Intertidal, semi-exposed cobble and mixed-coarse beaches	Intertidal, cobble
Estuarine Intertidal, open mixed-coarse beaches	Intertidal, cobble
Marine Intertidal, semi-exposed gravel beaches	Intertidal, gravel
Estuarine Intertidal, open gravel beaches	Intertidal, gravel
Marine Intertidal, exposed sandy beaches	Intertidal, sand (presence of vegetation will be determined at the time of the spill)
Marine Intertidal, semi-protected mixed-fine beaches	Intertidal, sand (presence of vegetation will be determined at the time of the spill)
Estuarine Intertidal, open sandy beaches	Intertidal, sand (presence of vegetation will be determined at the time of the spill)
Estuarine Intertidal, sandy low marshes	Intertidal, sand (presence of vegetation will be determined at the time of the spill)
Estuarine Intertidal, mixed-fine beaches and low marshes	Intertidal, sand (presence of vegetation will be determined at the time of the spill)
Marine Intertidal, protected mud flats	Intertidal, mud (presence of vegetation will be determined at the time of the spill)
Estuarine Intertidal, mud flats	Intertidal, mud (presence of vegetation will be determined at the time of the spill)
all Marine and Estuarine Subtidal categories except open water	Subtidal
Marine Subtidal, open water	Pelagic
Estuarine Subtidal, open water	Pelagic

(3) For each oil spill where the compensation schedule is applied, the RDA committee shall determine the following:

(a) For spills greater than 1,000 gallons, the salmon vulnerability habitat(s) exposed to spilled oil and each habitat's percent-coverage of the total area exposed to spilled oil;

(b) For spills of less than 1,000 gallons, the salmon vulnerability habitat(s) in the subregion(s) exposed to spilled oil and the percent-coverage of these habitats in the exposed subregion(s);

(c) The season in which spill impacts will be greatest;

(d) The individual species/year class vulnerability score (SAVSi) as described in subsection (4) of this section; and

(e) The composite salmon vulnerability score for a spill (SAVS) as described in subsection (5) of this section.

(4) From the information enumerated in subsection (2) of this section, the RDA committee shall determine the species/year class vulnerability score for a spill (SAVSi) by summing the weighted species/year class vulnerability scores for each of the salmon vulnerability habitats classified in Table 8 of subsection (2) of this section, where weighting is defined as percent-coverage of the salmon vulnerability habitats as determined in subsection (3) of this section, as follows:

$$SAVS_i = (savs_1 * PCT-COV_1) + (savs_2 * PCT-COV_2) + \dots + (savs_n * PCT-COV_n)$$

where SAVSi = salmon vulnerability score for a species/year class;

savs_i = species/year class habitat vulnerability score for the season of greatest spill impact from subsection (2) of this section;

PCT-COV_j = percent-coverage of habitat j from subsection (2) of this section;

i = Chinook, subyearling (Cs); Chinook, yearling (Cy); Coho (C); Pink (P); Chum (Ch); and Sockeye (So); and

n = the number of salmon vulnerability habitats used to calculate SAVS as determined in subsection (3) of this section.

(5) The raw salmon vulnerability score for a spill (SAVS_s) shall be calculated as follows:

(a) In years when pink salmon are present in state waters. The chinook salmon spill vulnerability scores for subyearlings (SAVSC_s) and yearlings (SAVSC_y) as determined in subsection (4) of this section shall be averaged, then added to the spill vulnerability scores for coho (SAVSC_c), pink (SAVSP_p), chum (SAVSC_h) and sockeye (SAVSS_o) salmon as determined in subsection (4) of this section. The sum of these scores shall then be divided by 5, as described by the following formula:

$$SAVS_s = [(SAVSC_s + SAVSC_y)/2 + SAVSC + SAVSP + SAVSC_h + SAVSS_o]/5$$

where SAVS_s = salmon vulnerability score for a spill;
 SAVSC_s = chinook, subyearling vulnerability score from subsection (4) of this section;
 SAVSC_y = chinook (yearling) vulnerability score from subsection (4) of this section;
 SAVSC_c = coho salmon vulnerability score from subsection (4) of this section;
 SAVSP_p = pink salmon vulnerability score from subsection (4) of this section;
 SAVSC_h = chum salmon vulnerability score from subsection (4) of this section;
 SAVSS_o = sockeye salmon vulnerability score from subsection (4) of this section;

(b) In years when pink salmon are not present in state waters. The chinook salmon spill vulnerability scores for subyearlings (SAVSC_s) and yearlings (SAVSC_y) as determined in subsection (4) of this section shall be averaged, then added to the spill vulnerability scores for coho (SAVSC_c), chum (SAVSC_h) and sockeye (SAVSS_o) salmon as determined in subsection (4) of this section. The sum of these scores shall then be divided by 4, as described by the following formula:

$$SAVS_s = [(SAVSC_s + SAVSC_y)/2 + SAVSC + SAVSC_h + SAVSS_o]/4$$

where SAVS_s = salmon vulnerability score for a spill;
 SAVSC_s = chinook, subyearling vulnerability score from subsection (4) of this section;
 SAVSC_y = chinook (yearling) vulnerability score from subsection (4) of this section;
 SAVSC_c = coho salmon vulnerability score from subsection (4) of this section;
 SAVSP_p = pink salmon vulnerability score from subsection (4) of this section;
 SAVSC_h = chum salmon vulnerability score from subsection (4) of this section;

SAVS_{So} = sockeye salmon vulnerability score from subsection (4) of this section;

(6) If spilled oil enters a river mouth, SAVS_i from subsection (4) of this section shall be assigned a score of 5 for each species/year class in peak occurrence in a river mouth during the period of time the spilled oil enters and remains in the river mouth. Scores of 5 determined for species/year classes under this subsection shall supersede SAVS_s scores calculated under subsection (4) of this section. The RDA committee shall make determinations of whether oil enters a river mouth and whether species/year classes are in peak occurrence when spilled oil is present in a river mouth.

(7) The final SAVS_s score is found by rounding the raw SAVS_s score calculated in subsection (5) of this section to the nearest 0.01 as follows: Decimals less than 0.005 shall be rounded down and decimals equal to or greater than 0.005 shall be rounded up.

(8) The final salmon vulnerability score for a spill shall be multiplied by 1.5 when any number of individuals of state or federal threatened or endangered salmon races and/or runs are exposed to spilled oil.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 and 92-13-083 (Order 91-13 and 91-13A), § 173-183-450, filed 4/23/92 and 6/16/92, effective 5/24/92 and 7/17/92.]

Reviser's note: The brackets and enclosed material in the text of the above section occurred in the copy filed by the agency.

WAC 173-183-460 Marine mammal vulnerability.

(1) Each of the marine and estuarine subregions of state waters designated in WAC 173-183-400(2) is relatively ranked and scored for marine mammal vulnerability to oil spills on a 1 to 5 scale for each season where 5 represents the greatest vulnerability and 1 represents the least vulnerability.

(2) Marine mammal vulnerability ranking scores take into consideration species presence, diversity, population status, breeding vulnerability, presence of young, physiological vulnerability, primary habitat, feeding habitats and abundance.

(3) Marine mammal seasonal vulnerability scores for each of the marine and estuarine subregions of state waters are based on existing information and determinations made by the marine mammals subcommittee of the scientific advisory board. For purposes of RCW 90.48.366, marine mammal vulnerability ranking scores for subregions classified in WAC 173-183-400(2) are as follows:

Table 9. Marine Mammal Vulnerability Scores (MVS)

SUBREGION	SP	SEASON		
		SU	FA	WI
101 NORTHERN OUTER COAST	5	5	5	5
102 KALALOCH	5	5	5	5
103 QUINAULT	5	5	5	5
104 COPALIS BEACH	5	5	5	4
105 GRAYS HARBOR	5	4	5	4
106 TWIN HARBORS BEACH	5	5	5	4
107 WILLAPA BAY	5	5	5	4
108 LONG BEACH	5	5	5	5
109 INNER SHELF	5	5	5	5
110 OUTER SHELF	4	2	3	3
111 SHELF EDGE	4	1	3	3
112 CONTINENTAL SLOPE	1	1	1	1
201 STRAIT OF JUAN DE FUCA-OUTER	4	4	3	2
203 CAPE FLATTERY	4	4	3	2
204 NEAH BAY	4	4	3	2
205 NEAH BAY TO CLALLAM BAY	3	3	2	2
206 CLALLAM BAY	3	3	2	2
207 CLALLAM BAY TO CRESCENT BAY	3	3	2	2
208 CRESCENT BAY	3	3	2	2
209 CRESCENT BAY TO EDIZ HOOK	3	3	2	2
301 STRAIT OF JUAN DE FUCA-INNER	4	4	4	3
302 EDIZ HOOK	4	4	4	3
303 PORT ANGELES	4	4	4	3
304 VOICE OF AMERICA	4	4	4	3
305 DUNGENESS SPIT	4	4	4	3
306 DUNGENESS BAY/HARBOR	4	4	4	3
307 JAMESTOWN	4	4	4	3
308 SEQUIM BAY	4	4	4	3
309 MILLER PENINSULA	4	4	4	3
310 PROTECTION ISLAND	4	4	4	3
311 DISCOVERY BAY	4	4	4	3
312 QUIMPER PENINSULA	4	4	4	3
313 WHIDBEY ISLAND	4	4	4	3
314 SMITH ISLAND	4	4	4	3
315 DECEPTION PASS	4	4	4	3
316 LOPEZ ISLAND (SOUTH SHORE)	4	4	4	3
317 SAN JUAN ISLAND (SOUTH SHORE)	4	4	4	3
401 ADMIRALTY INLET	4	4	4	3
402 SOUTH ADMIRALTY INLET	4	4	4	3
403 PORT TOWNSEND	4	4	4	3
404 OAK BAY	4	4	4	3
405 KILISNOE HARBOR	4	4	4	3
501 BELLINGHAM CHANNEL	2	3	2	2
502 GULFUMES CHANNEL	2	3	2	2
503 FIDALGO BAY	2	3	2	2
504 PADILLA BAY	2	3	2	2
505 SAMISH BAY	2	3	2	2
506 BELLINGHAM BAY	2	3	2	2

507	HALE PASSAGE	2	3	2	2
601	LUMMI BAY	4	4	4	3
602	CHERRY POINT	4	4	4	3
603	BIRCH BAY	4	4	4	3
604	SEMAHOO SPIT	4	4	4	3
605	DRAYTON HARBOR	4	4	4	3
607	SAN JUAN ISLANDS-NORTHERN TIER	4	4	4	3
608	GEORGIA STRAIT-EASTERN	4	4	4	3
701	PT. ROBERTS	4	4	4	3
703	GEORGIA STRAIT-WESTERN	4	4	4	3
801	NORTHERN HARO STRAIT	5	4	4	4
802	SOUTHERN HARO STRAIT	5	4	4	4
901	SOUTHERN ROSARIO STRAIT	4	4	3	2
902	CENTRAL ROSARIO STRAIT	4	4	3	2
903	NORTHERN ROSARIO STRAIT	4	4	3	2
1001	PRESIDENT CHANNEL	5	4	4	3
1002	NORTHERN AREAS	5	4	4	3
1101	SPRIDEN CHANNEL	3	3	3	2
1102	NORTHERN SAN JUAN CHANNEL	3	3	3	2
1103	SOUTHERN SAN JUAN CHANNEL	3	3	3	2
1104	WASP PASS	3	3	3	2
1105	UPRIGHT CHANNEL	3	3	3	2
1106	HARNEY CHANNEL	3	3	3	2
1107	OBSTRUCTION PASS	3	3	3	2
1108	THATCHER PASS	3	3	3	2
1201	MOSQUITO/ROCHE COMPLEX	3	3	3	2
1202	FRIDAY HARBOR	3	3	3	2
1203	GRIFFIN BAY	3	3	3	2
1205	FISHERMAN BAY	3	3	3	2
1206	SWIFTS/SHOAL BAYS	3	3	3	2
1207	DEER HARBOR	3	3	3	2
1208	WEST SOUND	3	3	3	2
1209	EAST SOUND	3	3	3	2
1210	LOPEZ SOUND	3	3	3	2
1401	SKAGIT BAY	2	1	1	1
1402	PENN COVE/CRESCENT HARBOR	2	1	1	1
1403	SARATOGA PASSAGE	2	1	1	2
1404	HOLMES HARBOR	2	1	1	1
1405	PORT SUSAN	2	1	1	1
1406	POSSESSION SOUND	2	1	1	2
1501	HOOD CANAL ENTRANCE	1	1	1	1
1502	PORT LUDLOW	1	1	1	1
1503	PORT GAMBLE	1	1	1	1
1504	NORTHERN HOOD CANAL	1	1	1	1
1505	CENTRAL HOOD CANAL	1	1	1	1
1506	DABOB BAY	1	1	1	1
1507	QUILCENE BAY	1	1	1	1
1508	SOUTHCENTRAL HOOD CANAL	1	1	1	1
1509	ANNAS BAY	1	1	1	1
1510	GREAT BEND	1	1	1	1
1601	N. PUGET SOUND	3	2	2	2
1602	N. CENTRAL PUGET SOUND	3	2	2	2
1603	CENTRAL PUGET SOUND	2	1	1	1
1604	ELLIOT BAY	2	1	1	1
1605	EAST PASSAGE	2	1	1	1
1606	COLVOS PASSAGE	2	1	1	1
1607	COMMENCEMENT BAY	2	1	1	1
1608	NARROWS	2	1	1	1
1609	STELACOOM	2	1	1	1
1610	NISQUALLY	2	1	1	1
1611	TREBLE-JOHNSON	2	1	1	1
1612	HALE PASSAGE	2	1	1	1
1613	CARR INLET	2	1	1	1
1614	PITT PASSAGE	2	1	1	1
1615	DRAYTON HARBOR	2	1	1	1
1616	CASE INLET	2	1	1	1
1617	HENDERSON INLET	2	1	1	1
1618	DANA PASSAGE	2	1	1	1
1619	BUDD INLET	2	1	1	1
1620	ELD INLET	2	1	1	1
1621	TOTTEN INLET	2	1	1	1
1622	PICKERING PASSAGE	2	1	1	1
1623	PEALE PASSAGE	2	1	1	1
1624	SQUAXIN	2	1	1	1
1625	SKOOKUM INLET	2	1	1	1
1626	HAMMERSLEY INLET	2	1	1	1
1627	OAKLAND BAY	2	1	1	1
1628	AGATE PASSAGE	2	1	1	1
1629	LIBERTY BAY	2	1	1	1
1630	PORT ORCHARD	2	1	1	1
1631	SINCLAIR INLET	2	1	1	1
1632	DYES INLET	2	1	1	1
1633	RICH PASSAGE	2	1	1	1
1634	QUARTERMASTER HARBOR	2	1	1	1
1635	DALCO PASSAGE	2	1	1	1
1636	BALCH PASS	2	1	1	1

WAC 173-183-470 Marine and estuarine recreation vulnerability. (1) Each of the marine and estuarine subregions of state waters designated in WAC 173-183-400(2) are relatively ranked and scored for recreation vulnerability on a 1 to 5 scale for each season where a score of 5 represents the greatest vulnerability and a score of 1 represents the least vulnerability.

(2) Recreation vulnerability ranking scores take into consideration seasonal level of participation in recreational activities, number of recreation sites and types of recreational amenities available in a subregion.

(3) Recreation vulnerability ranking scores for each of the marine and estuarine subregions of state waters in each season has been determined from existing information and recommendations of the recreation subcommittee of the scientific advisory board. For purposes of RCW 90.48.366, recreation vulnerability ranking scores (RVS) for the subregions designated in WAC 173-183-400(2) are as follows:

Table 10. Marine and Estuarine Recreation Vulnerability Scores (RVS)

SUBREGION	SP	SEASON			WI
		SU	FA		
101	NORTHERN OUTER COAST	5	5	5	5
102	KALALOCH	5	5	5	5
103	QUINAULT	1	1	1	1
104	COPALIS BEACH	5	5	5	5
105	GRAYS HARBOR	4	4	4	3
106	TWIN HARBORS BEACH	5	5	5	5
107	WILLAPA BAY	5	5	5	5
108	LONG BEACH	5	5	5	5
109	INNER SHELF	1	1	1	1
110	OUTER SHELF	1	1	1	1
111	SHELF EDGE	1	1	1	1
112	CONTINENTAL SLOPE	1	1	1	1
201	STRAIT OF JUAN DE FUCA-OUTER	1	1	1	1
203	CAPE FLATTERY	1	1	1	1
204	NEAH BAY	1	1	1	1
205	NEAH BAY TO CLALLAM BAY	5	5	5	4
206	CLALLAM BAY	3	4	3	2
207	CLALLAM BAY TO CRESCENT BAY	5	5	5	4
208	CRESCENT BAY	3	4	3	3
209	CRESCENT BAY TO EDIZ HOOK	4	5	4	3
301	STRAIT OF JUAN DE FUCA-INNER	1	1	1	1
302	EDIZ HOOK	3	4	3	3
303	PORT ANGELES	5	5	5	4
304	VOICE OF AMERICA	2	3	2	2
305	DUNGENESS SPIT	1	1	1	1
306	DUNGENESS BAY/HARBOR	5	5	5	4
307	JAMESTOWN	2	3	2	2
308	SEQUIM BAY	4	5	4	4
309	MILLER PENINSULA	2	3	2	2
310	PROTECTION ISLAND	1	1	1	1
311	DISCOVERY BAY	2	2	2	2
312	QUIMPER PENINSULA	3	3	2	2
313	WHIDDEY ISLAND	2	3	2	2
314	SMITH ISLAND	1	1	1	1
315	DECEPTION PASS	5	5	5	5
316	LOPEZ ISLAND (SOUTH SHORE)	4	5	4	3
317	SAN JUAN ISLAND (SOUTH SHORE)	4	5	4	3
401	ADMIRALTY INLET	5	5	5	4
402	SOUTH ADMIRALTY INLET	5	5	5	4
403	PORT TOWNSEND	3	4	3	3
404	OAK BAY	4	5	4	3
405	KILISUT HARBOR	2	2	2	2
501	BELLINGHAM CHANNEL	5	5	5	4
502	GUEMES CHANNEL	1	1	1	1
503	FIDALGO BAY	4	4	3	3
504	PADILLA BAY	5	5	5	4
505	SAMISH BAY	4	4	3	3
506	BELLINGHAM BAY	5	5	5	4
507	HALE PASSAGE	3	4	3	2

(4) The marine mammal vulnerability score for a spill shall be multiplied by 1.5 when any number of state or federal threatened or endangered marine mammal species are exposed to spilled oil.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-460, filed 4/23/92, effective 5/24/92.]

COMPENSATION SCHEDULE FOR SPILLS INTO THE COLUMBIA RIVER ESTUARY

601	LUMMI BAY	1	1	1	1
602	CHERRY POINT	1	1	1	1
603	BIRCH BAY	3	4	3	3
604	SEMAHOO SPIT	3	4	3	3
605	DRAYTON HARBOR	2	2	2	2
607	SAN JUAN ISLANDS-NORTHERN TIER	5	5	5	5
608	GEORGIA STRAIT-EASTERN	1	1	1	1
701	PT. ROBERTS	3	3	3	2
703	GEORGIA STRAIT-WESTERN	1	1	1	1
801	NORTHERN HARO STRAIT	5	5	5	4
802	SOUTHERN HARO STRAIT	5	5	5	4
901	SOUTHERN ROSARIO STRAIT	5	5	5	5
902	CENTRAL ROSARIO STRAIT	4	5	4	4
903	NORTHERN ROSARIO STRAIT	4	4	4	3
1001	PRESIDENT CHANNEL	4	5	4	4
1002	NORTHERN AREAS	4	5	4	3
1101	SPEIDEN CHANNEL	3	4	3	2
1102	NORTHERN SAN JUAN CHANNEL	4	5	4	3
1103	SOUTHERN SAN JUAN CHANNEL	5	5	5	4
1104	WASP PASS	5	5	5	4
1105	UPRIGHT CHANNEL	5	5	4	4
1106	HARNEY CHANNEL	4	5	4	3
1107	OBSTRUCTION PASS	2	2	2	2
1108	THATCHER PASS	4	5	4	3
1201	MOSQUITO/ROCHE COMPLEX	3	4	3	3
1202	FRIDAY HARBOR	3	3	3	2
1203	GRIFFIN BAY	4	5	4	4
1205	FISHERMAN BAY	1	1	1	1
1206	SWIFTS/SHOAL BAYS	1	1	1	1
1207	DEER HARBOR	2	2	2	2
1208	WEST SOUND	3	4	3	2
1209	EAST SOUND	4	5	4	4
1210	LOPEZ SOUND	5	5	5	4
1401	SKAGIT BAY	5	5	5	5
1402	PENN COVE/CRESCENT HARBOR	4	4	3	3
1403	SARATOGA PASSAGE	3	4	3	3
1404	HOLMES HARBOR	2	3	2	2
1405	PORT SUSAN	3	4	3	3
1406	POSSESSION SOUND	4	5	4	3
1501	HOOD CANAL ENTRANCE	4	5	4	3
1502	PORT LUDLOW	4	4	4	3
1503	PORT GAMBLE	1	1	1	1
1504	NORTHERN HOOD CANAL	1	1	1	1
1505	CENTRAL HOOD CANAL	4	4	3	3
1506	DABOB BAY	4	5	4	3
1507	QUILCENE BAY	3	3	2	2
1508	SOUTHCENTRAL HOOD CANAL	4	5	4	3
1509	ANNAS BAY	4	4	4	3
1510	GREAT BEND	3	4	3	3
1601	N. PUGET SOUND	4	4	3	3
1602	N. CENTRAL PUGET SOUND	4	5	4	4
1603	CENTRAL PUGET SOUND	5	5	4	4
1604	ELLIOT BAY	4	5	4	3
1605	EAST PASSAGE	4	5	4	3
1606	COLVOS PASSAGE	3	3	2	2
1607	COMMENCEMENT BAY	2	2	2	2
1608	NARROWS	3	3	3	2
1609	STELACOOM	3	3	3	2
1610	NISQUALLY	5	5	5	4
1611	TREBLE-JOHNSON	3	3	2	2
1612	HALE PASSAGE	2	2	2	2
1613	CARR INLET	4	5	4	4
1614	PITT PASSAGE	2	2	2	2
1615	DRAYTON HARBOR	2	2	2	2
1616	CASE INLET	4	4	3	3
1617	HENDERSON INLET	2	2	2	1
1618	DANA PASSAGE	2	2	2	2
1619	BUDD INLET	3	4	3	3
1620	ELD INLET	2	3	2	2
1621	TOTTEN INLET	1	1	1	1
1622	PICKERING PASSAGE	3	4	3	2
1623	PEALE PASSAGE	3	3	3	2
1624	SQUAXIN	2	2	2	1
1625	SKOOKUM INLET	1	1	1	1
1626	HAMMERSLEY INLET	2	2	2	2
1627	OAKLAND BAY	2	2	1	1
1628	AGATE PASSAGE	2	2	2	2
1629	LIBERTY BAY	2	3	2	2
1630	PORT ORCHARD	3	3	3	2
1631	SINCLAIR INLET	2	3	2	2
1632	DYES INLET	3	3	2	2
1633	RICH PASSAGE	3	4	3	3
1634	QUARTERMASTER HARBOR	2	3	2	2
1635	DALCO PASSAGE	4	5	4	3
1636	BALCH PASS	1	1	1	1

WAC 173-183-500 Vulnerability of the Columbia River estuary environment to oil spills. (1) The purpose of this section is to describe the method of ranking vulnerability of the Columbia River estuary environment to oil spills for purposes of assessing damages using the compensation schedule.

(2) The Columbia River estuary has been distinguished from other estuarine waters of the state because it resides within the jurisdiction of two states, Washington and Oregon.

(3) For purposes of RCW 90.48.366, estuarine waters of the Columbia River are divided into one kilometer square cells. Bird, fish, mammal, invertebrate, habitat, and human use resource sensitivity have been evaluated for each cell by season. Seasonal resource sensitivities are ranked for each cell on a 1 to 5 scale where 5 represents the greatest sensitivity and 1 represents the least sensitivity as designated on the maps attached as Appendix 6 of this chapter.

(4) A vulnerability score (VS) shall be calculated at the time of a spill for each cell and for the most sensitive season impacted by the spill. The VS rates the vulnerability of public resources to the spilled oil.

(a) VS for a particular cell is determined by summing the sensitivity scores assigned to each cell for bird, fish, mammal, invertebrate, habitat, and human use resources as follows:

$$VS_{ij} = BSS_{ij} + FSS_{ij} + MSS_{ij} + ISS_{ij} + HSS_{ij} + HUS_{ij}$$

where VS_{ij} = spill vulnerability score for a particular cell and season

BSS = bird sensitivity score (from Appendix 6 of this chapter)

FSS = fish sensitivity score (from Appendix 6 of this chapter)

MSS = mammal sensitivity score (from Appendix 6 of this chapter)

ISS = invertebrate sensitivity score (from Appendix 6 of this chapter)

HSS = habitat sensitivity score (from Appendix 6 of this chapter)

HUS = human use sensitivity score (from Appendix 6 of this chapter)

i = the cell under consideration

j = the most sensitive season impacted; fall, winter, spring, or summer

(b) The raw vulnerability score for a spill (SVS) is determined by calculating the average of the vulnerability scores for the cells exposed to the spill as follows:

$$SVS_j = (VS_1 + VS_2 + \dots + VS_x) / x$$

where VS_i = vulnerability score for cell i (from subsection (4)(a) of this section),

x = number of cells exposed to the spill, and

(5) The final SVS score is found by rounding the raw SVS score calculated from the formula in subsection (4) of this section to the nearest 0.01 as follows: Decimals less

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-470, filed 4/23/92, effective 5/24/92.]

than 0.005 shall be rounded down and decimals equal to or greater than 0.005 shall be rounded up.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-500, filed 4/23/92, effective 5/24/92.]

COMPENSATION SCHEDULE FOR SPILLS INTO FRESHWATER STREAMS, RIVERS, AND LAKES

WAC 173-183-600 Vulnerability of freshwater stream, river, and lake environments to oil spills. (1) The purpose of this section is to describe the method of ranking the vulnerability of state freshwater stream, river, and lake environments, and portions thereof, to oil spills for purposes of applying the compensation schedule.

(2) Vulnerability of freshwater stream, river, and lake environments to oil spills is based on water type classifications and a habitat index.

(3) For each oil spill into a freshwater stream, river, or lake, a spill vulnerability score (SVS) is calculated. The SVS rates the vulnerability of public resources to spilled oil based on the spilled oil's propensity to cause acute toxicity, mechanical injury, and to persist in the environment. SVS is determined by multiplying the freshwater vulnerability score, which is based on the water type classification, by the habitat index score as described by the following formula:

$$\text{Raw Spill Vulnerability Score (SVS)} = \text{FVS} * \text{HI}$$

where FVS = Freshwater vulnerability score (from WAC 173-183-610), and
HI = Habitat index (from WAC 173-183-620).

(4) The final SVS score is found by rounding the raw SVS score calculated from the formula in subsection (3) of this section to the nearest 0.01 as follows: Decimals less than 0.005 shall be rounded down and decimals equal to or greater than 0.005 shall be rounded up.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-600, filed 4/23/92, effective 5/24/92.]

WAC 173-183-610 Freshwater vulnerability index.

(1) For purposes of this chapter, freshwater streams, rivers, lakes, and portions thereof, are classified into 5 water types based on the identification system set forth in WAC 222-16-030 which is incorporated by reference.

(a) "Type 1 Water" means all waters, within their ordinary high-water mark, as inventoried as "shorelines of the state" under chapter 90.58 RCW.

(b) "Type 2 Water" shall mean segments of natural waters which are not classified as Type 1 Water and have a high use and are important from a water quality standpoint for:

- (i) Domestic water supplies;
- (ii) Public recreation;
- (iii) Fish spawning, rearing, or migration or wildlife uses; or
- (iv) Are highly significant to protect water quality.

(c) "Type 3 Water" shall mean segments of natural waters which are not classified as Type 1 or 2 Water and have a moderate to slight use and are moderately important from a water quality standpoint for:

- (i) Domestic water supplies;

- (ii) Public recreation;
- (iii) Fish spawning, rearing, or migration or wildlife uses; or

(iv) Are highly significant to protect water quality.

(d) "Type 4 Water" shall mean segments of natural waters which are not classified as Type 1, 2, or 3. Their significance lies in their influence of water quality downstream in Type 1, 2, or 3 Waters. These may be perennial or intermittent.

(e) "Type 5 Water" means all other waters, in natural water courses, including streams with or without a well-defined channel, areas of perennial or intermittent seepage, ponds, and natural sinks. Drainage ways having short periods of runoff are considered to be Type 5 Waters.

(3) The vulnerability of freshwater environments is based on the stream typing system established in WAC 222-16-030 incorporated by reference. The rating of biological and recreational resources ranges from 1 to 5 where 5 represents the most sensitive category and 1 represents the least sensitive category as follows:

TABLE 11. Freshwater Vulnerability Score (FVS).

FVS	QUALIFICATION
5	"Type 1 waters"
4	"Type 2 waters"
3	"Type 3 waters"
2	"Type 4 waters"
1	"Type 5 waters"

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-610, filed 4/23/92, effective 5/24/92.]

WAC 173-183-620 Habitat index. (1) Most state freshwaters vary to some degree from the natural condition as increased activities within individual watersheds have decreased stream, river, and/or lake habitat quality. In order to account for that degradation prior to assessing damages using the compensation schedule, a habitat index (HI) is calculated to represent existing stream conditions prior to the oil spill.

(2) For each stream, river, or lake impacted by an oil spill where the preassessment screening committee determines that the compensation schedule shall be used, a habitat index (HI) shall be calculated following an oil spill using the following methodology. The HI measures the amount of stream degradation from natural conditions and shall be calculated using the following formula:

$$\text{Habitat Index (HI)} = [(P_1+P_2+P_3+P_4+P_5+P_6) \div N_p] \times f_1 \times f_2 \times f_3$$

- where:
- P₁ = barriers to natural fish movement
 - P₂ = urbanization
 - P₃ = condition of riparian vegetation
 - P₄ = condition of floodplain
 - P₅ = land use of watershed
 - P₆ = flow alteration
 - N_p = number of P parameters used to calculate HI
 - f₁ = channel modifications
 - f₂ = impoundment
 - f₃ = water quality

(3) The RDA committee shall determine which of the habitat quality parameters described in subsection (2) of this section are applicable to the particular spill under consideration. If a parameter is not applicable to the spill under consideration, the parameter shall not be included in the formula provided in subsection (2) of this section.

(4) Habitat quality parameters (P).

(a) Barriers to natural fish movement (P₁). Barriers, to some degree, limit the free passage of fish upstream thus limiting the ability of streams to recover. The scoring of this parameter is based on the influence of barriers in the natural dispersal of fish populations as follows:

Table 12. Scoring of Barriers to Natural Fish Movement (P₁).

RATING	QUALIFICATION
10	No manmade obstructions to free upstream passage of fish
8	No dams or other structures causing a vertical drop of more than 1 foot during low flow
5	No dams or other structures causing a vertical drop of more than 3 foot during low flow
3	No dams or other structures causing a vertical drop of more than 10 foot during low flow
0	One to several dams or other structures each causing a drop of more than 10 feet during low flow

(b) Urbanization (P₂). Urban development has historically had negative habitat effects on freshwater ecosystems. The percent of urban development in a watershed directly influences siltation, riparian abuse, and water quality deterioration. The scoring of this parameter is based on the percent of urbanization in the stream watershed.

Table 13. Scoring of Urbanization (P₂).

RATING	QUALIFICATION
10	Less than 5 percent of the watershed in urban development
8	Five to 10 percent of the watershed in urban development
5	Ten to 40 percent of the watershed in urban development
3	Forty to 70 percent of the watershed in urban development
0	Seventy to 100 percent of the watershed in urban development

(c) Condition of riparian vegetation (P₃). Riparian vegetation is important to seventy percent of the animal and bird species in Washington for some part of their life cycle. It also exerts thermal regulatory and thermal controls for the aquatic system. The scoring of this parameter is based on the percent of banks that are protected by effective riparian vegetation.

Table 14. Scoring of Condition of Riparian Vegetation (P₃).

RATING	QUALIFICATION
10	Ninety to 100 percent of the banks are protected by appropriate perennial vegetation
8	Sixty to 90 percent of the banks are protected by appropriate perennial vegetation
5	Forty to 60 percent of the banks are protected by appropriate perennial vegetation
3	Ten to 40 percent of the banks are protected by appropriate perennial vegetation
0	Zero to 10 percent of the banks are protected by appropriate perennial vegetation

(d) Condition of the floodplain (P₄). The condition of the floodplain forecasts the amount of sedimentation and erosion in the watershed and as such is a primary predictor of stream degradation. The rating of this parameter is as follows:

Table 15. Scoring of the Condition of the Floodplain (P₄).

RATING	QUALIFICATION
10	Little or no evidence of active or recent erosion of the floodplain during floods
5	All segments show evidence of occasional erosion of the floodplain. Stream channel essentially intact
0	Floodplain severely eroded and degraded, stream channel poorly defined with much lateral erosion and much reduced flow capacity

(e) Land use of the watershed (P₅). Land use practices exert a great deal of influence on the quality of the aquatic habitat. The rating of this parameter is as follows:

Table 16. Scoring of Land Use of the Watershed (P₅).

RATING	QUALIFICATION
10	More than 80 percent of the watershed protected by timber, improved pasture, terraces, or other conservation practices
8	Sixty to 80 percent of the watershed protected by timber, improved pasture, terraces, or other conservation practices
5	Forty to 60 percent of the watershed protected by timber, improved pasture, terraces, or other conservation practices
3	Twenty to 40 percent of the watershed protected by timber, improved pasture, terraces, or other conservation practices

- 1 Zero to 20 percent of the watershed protected by timber, improved pasture, terraces, or other conservation practices

(f) Flow alteration (P_6). Alteration of the natural flow regime can frequently alter habitat conditions that are necessary for certain behavioral and ecological needs of species. The rating of this parameter is as follows:

Table 17. Scoring for Flow Alteration (P_6).

RATING	QUALIFICATION
10	Less than 1 percent of the watershed controlled by impoundments and/or less than 50 percent of the watershed controlled by farm ponds
8	One to 30 percent of the watershed controlled by impoundments and/or less than 50 percent of the watershed controlled by farm ponds
5	Thirty to 60 percent of the watershed controlled by impoundments and/or less than 50 percent of the watershed controlled by farm ponds
3	Sixty to 95 percent of the watershed controlled by impoundments and/or less than 50 percent of the watershed controlled by farm ponds
0	Ninety-five to 100 percent of the watershed controlled by impoundments and/or less than 50 percent of the watershed controlled by farm ponds

(5) Habitat alteration functions (F). Each habitat alteration function has the power to reduce the habitat quality rating, dependent on the type and extent of alteration. Functions are expressed on a scale of 0 to 1.0.

(a) Channel modification (F_1). Channel modification can have a dramatic effect of the ability of a stream to provide for a diversity of habitats. This parameter is rated as follows:

$$\text{Channel Modification } (F_1) = 1.0 - (SM * FR)$$

where F_1 = Channel modification rate
 SM = Percent stream reach modified, expressed as a decimal
 FR = Percent fish reduction, expressed as a decimal

Table 18. Scoring for Percent Fish Reduction (FR).

CHANNEL MODIFICATION	% FISH REDUCTION
Clearing, Snagging	25
Channel realignment	80
Channel paving	95

(b) Water quality (F_2). Water quality exerts a variety of detrimental and/or beneficial on the aquatic ecosystem. This parameter is rated as follows:

Table 19. Scoring for Water Quality (F_2).

RATING	QUALIFICATION
1.0	Stream water unpolluted. No pollutants detected by standard methods
0.8	Occasional above normal levels of one or more water pollutants usually present, but detectable only by analysis
0.5	Occasional visible signs of oversupply of nutrients or other pollutants detected by analysis
0.4	Occasional fish kills averaging about every 4 years or more
0.2	Occasional fish kills occurring more often than every 4 years
0.0	Grossly polluted waters with fish kills occurring annually or more frequently

(c) Streambed condition (F_3). The condition of the substrate habitat can be altered in such a way as to reduce the effective habitat available to the aquatic community as a whole. This parameter is ranked as follows:

Table 20. Scoring of Streambed Condition.

RATING	QUALIFICATION
1.0	No apparent unstable material in channel with substrate of bedrock, boulders, rubble, gravel or firm alluvium
0.9	Traces of unstabilized silt, sand, or gravel in quiet areas or large pools with firm substrate
0.8	Quiet areas covered with unstable materials, deep pools restricted to areas of greatest scour
0.7	Pools shallow, filled with silt, sand or gravel, riffles contain noticeable silt deposits
0.5	Streambed completely covered by varying thicknesses of transported material such as silt, sand and gravel
0.0	Stream channel nearly or completely filled with unconsolidated, transported material; no surface flow except during floods

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-620, filed 4/23/92, effective 5/24/92.]

Reviser's note: The brackets and enclosed material in the text of the above section occurred in the copy filed by the agency.

COMPENSATION SCHEDULE FOR SPILLS INTO FRESHWATER WETLANDS

WAC 173-183-700 Vulnerability of freshwater wetland environments to oil spills. (1) The purpose of this section is to describe the method of ranking the vulnerability of freshwater wetland environments to oil spills for purposes of assessing damages by applying the compensation schedule.

(2) Vulnerability of freshwater wetland environments to oil spills is based on a wetlands classification which rates the vulnerability of a wetland to spilled oil. Wetland environments are classified into five categories which represent the sensitivity of habitat, plants, animals, and recreational use to oil spills. For purposes of this chapter, the wetlands vulnerability score shall be equal to the spill vulnerability score as follows:

$$\text{Spill Vulnerability Score (SVS)} = \text{WVS}$$

where WVS = wetlands vulnerability score (from WAC 173-183-710).

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-700, filed 4/23/92, effective 5/24/92.]

WAC 173-183-710 Wetlands vulnerability classification. (1) Freshwater wetland environments and portions thereof, are classified into 4 types based on the identification system set forth below.

- (a) Category I wetlands. The following types of wetlands are classed as category I wetlands:
 - (i) Documented habitat for threatened or endangered plant, animal, or fish species recognized by federal or state agencies; or
 - (ii) Documented Natural Heritage wetland sites or high quality native wetland communities which qualify as Natural Heritage wetland sites; or
 - (iii) Documented habitat of regional (Pacific Coast) or national significance for migratory birds; or
 - (iv) Regionally rare wetland communities; or
 - (v) Wetlands with irreplaceable ecological functions; or
 - (vi) Documented wetlands of local significance.

(b) Category II wetlands. The following types of wetlands are classed as category II wetlands:

- (i) Documented habitat recognized by federal and state agencies for sensitive plant, animal, or fish species; or
- (ii) Documented priority habitats and species recognized by state agencies; or
- (iii) Wetlands with significant functions which may not be adequately replicated through creation or restoration; or
- (iv) Wetlands with significant habitat value; or
- (v) Documented wetlands of local significance.

(c) Category III wetlands. The following types of wetlands are classed as category III when they satisfy no category I, II, or IV criteria.

(d) Category IV wetlands. The following types of wetlands are classed as category IV wetlands:

- (i) Wetlands less than one acre in size and hydrologically isolated and comprised of one vegetated class that is dominated (more than eighty percent areal cover) by one species from the list in Table 21; or
- (ii) Wetlands less than two acres and hydrologically isolated with one vegetative class and more than ninety percent of the areal cover is any combination of species from the list in Table 22.

Table 21. List of invasive/exotic plant species for rating Category IV wetlands.

Common name	Scientific name
Soft Rush	<i>Juncus effusus</i>
Reed	<i>Phragmites communis</i>
Buttercup	<i>Ranunculus repens</i>
Reed Canary Grass	<i>Phalaris arundinaceae</i>
Purple loosestrife	<i>Lythrum salicaria</i>
Townsend's cordgrass	<i>Spartina townsendii</i>
Non-native blackbe.	<i>Rubus discolor, laciniatus, vestitus, macrophyllus</i>
Velvet grass	<i>Holcus lanatus, mollis</i>
Fescue	<i>Festuca arundinaceae, pratensis</i>
Quackgrass	<i>Agropyron repens</i>
Meadow foxtail	<i>Alopecurus pratensis, aequalis</i>
Orchardgrass	<i>Dactylis glomerata</i>
Ryegrass	<i>Lolium perenne, multiflorum, temulentum</i>
Timothy	<i>Phleum pratense</i>
Bluegrass	<i>Poa compressa, palustris, pratensis</i>
Bromes	<i>Bromus tectorum, rigidus, briziformis, genalinus, japonicus, mollis, commutatus, inermis, craccus</i>
Sandbur	<i>Cyperus longispinus</i>
Crab Grass	<i>Digitaria sanguinalis</i>
Barneyard grass	<i>Echinochloa crusgalli</i>
Green Bristlegrass	<i>Setaria viridis</i>
Foxtail Barley	<i>Hordeum jubatum</i>
Dogtail	<i>Cynosurus cristatus, acinatus</i>
Russian Thistle	<i>Salsola kali</i>
Knotweeds	<i>Polygonum aviculare, concoloculus, cuspidatum, lapathifolium, persicaria</i>
Tumblemustards	<i>Stembarium alissimum, lociclii, officinale</i>
Scotch broom	<i>Cytinus scoparius</i>
Sweet clover	<i>Melilotus alba, officinalis</i>
Bird's foot trefoil	<i>Lotus corniculatus</i>
Alfalfa	<i>Medicago sativa</i>
Clover	<i>Trifolium dubium, pratense, repens, arvense, subterraneum, hybridum</i>
Spurge	<i>Euphorbia pepius, caula</i>
St. John's wort	<i>Hypericum perforatum</i>
Teasel	<i>Dipsacus sylvestris</i>
Pineapple weed	<i>Marricaria matricarioides</i>
Tansy	<i>Tanacetum vulgare</i>
Thistles	<i>Cirsium vulgare, arvense</i>
Burdock	<i>Arctium minus</i>
Knapeweeds	<i>Centaurea solstitialis, repens, cyanus, maculosa</i>
Cultivated species; wheat, corn, barley, triticum, rye	

Table 22. List of native species for rating of Category IV wetlands.

Common name	Scientific name
Hard hack	<i>Spirea douglasii</i>
Cattail	<i>Typha latifolia</i>
Soft rush	<i>Juncus effusus</i>

(2) Freshwater wetland environment vulnerability score (WVS). The vulnerability of freshwater wetland environments is based on the stream typing system established in WAC 222-16-030 incorporated by reference. The rating of the freshwater wetland environment vulnerability ranges from 1 to 5, where 5 represents the most sensitive category and 1 represents the least sensitive category as follows:

Table 23. Freshwater Wetlands Vulnerability Score (WVS).

WVS	QUALIFICATION
5	Category I wetlands
4	Category II wetlands
3	Category III wetlands
1	Category IV wetlands

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-710, filed 4/23/92, effective 5/24/92.]

CALCULATION OF DAMAGES USING THE COMPENSATION SCHEDULE

WAC 173-183-800 Calculation of damages using the compensation schedule general. The purpose of WAC 173-183-800 to 173-183-850 are to describe:

- (1) The responsibilities of the OSC and RDA committee chair in applying the compensation schedule; and
- (2) The procedures for determining public resource damages using the compensation schedule.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-800, filed 4/23/92, effective 5/24/92.]

WAC 173-183-810 On-scene coordinator responsibilities. (1) The OSC or department responder, or his or her designee, shall make the following determinations:

- (a) Quantity and type of oil spilled;
- (b) Extent and location of the spill; and
- (c) The amount of oil cleaned up on a daily basis, and in total.

(2) The potentially liable party (PLP) may hire an independent expert to determine the volume of oil spilled and cleaned up, including the volume cleaned up within the first six hours after spill initiation. The volume determinations made by the independent expert shall be used in calculations of damages under the compensation schedule if the independent expert selected is acceptable to both the PLP and the department. Determinations by the mutually agreed upon independent expert of the quantity of oil spilled and cleaned up shall be provided to the RDA committee chair within sixty days of the spill under consideration.

(3) The OSC or department responder shall provide the information enumerated in subsection (1) of this section to the RDA committee chair in a timely manner.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-810, filed 4/23/92, effective 5/24/92.]

WAC 173-183-820 RDA committee chair responsibilities. (1) The RDA committee chair shall, in consultation with the OSC and RDA committee, determine the following:

(a) For spills into marine or estuarine environments excluding the Columbia River estuary:

(i) The acute toxicity, mechanical injury and persistence oil class rankings for the spilled oil as provided in WAC 173-183-360;

(ii) Subregion(s) exposed to the spilled oil;

(iii) Habitat types exposed to the spilled oil as classified in WAC 173-183-410 for spills of 1,000 gallons or more;

(iv) Percent coverage of each habitat type within the area of spill exposure for spills of 1,000 gallons or more;

(v) Percent coverage of habitat types present within the subregion(s) exposed to spilled oil for spills of less than 1,000 gallons.

(vi) A spill's habitat vulnerability scores (HVS) for acute toxicity, mechanical injury, and persistence as determined by the procedures outlined in WAC 173-183-400; and

(vii) The spill vulnerability scores (SVS_{AT}, SVS_{MI}, SVS_{PER}) for the most vulnerable season affected by the spill using the formula provided in WAC 173-183-400.

(b) For spills in the estuarine waters of the Columbia River:

(i) The acute toxicity, mechanical injury, and persistence oil class rankings for the spilled oil as provided in WAC 173-183-360;

(ii) The cell(s) exposed to the spilled oil; and

(iii) The spill vulnerability score (SVS) for the most vulnerable season affected by the spilled oil using the procedures provided in WAC 173-183-500.

(c) For spills in freshwater streams, rivers, and lakes:

(i) The acute toxicity, mechanical injury and persistence oil class rankings for the spilled oil as provided in WAC 173-183-360;

(ii) Freshwater vulnerability score as described in WAC 173-183-610;

(iii) Freshwater habitat index as described in WAC 173-183-620; and

(iv) Spill vulnerability score (SVS) as outlined in WAC 173-183-600 for each stream, river, and/or lake environment exposed to the spill; and

(d) For spills in freshwater wetlands:

(i) The acute toxicity, mechanical injury, and persistence oil class rankings for the spilled oil as provided in WAC 173-183-360;

(ii) Freshwater wetland vulnerability score as described in WAC 173-183-710;

(iii) Spill vulnerability score (SVS) as outlined in WAC 173-183-700 for each wetland exposed to the spill.

(2) For spills that enter more than one environment, the RDA committee chair shall, in consultation with the OSC and RDA committee, make the determinations enumerated under subsection (1)(a) through (d) of this section.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-820, filed 4/23/92, effective 5/24/92.]

WAC 173-183-830 Calculation of damages for spills into marine and estuarine waters, except the Columbia River estuary. (1) The formula provided in subsection (2) of this section shall be used to determine damages liability for spills into marine and estuarine waters, except the estuarine waters of Columbia River. The value of the variables used in the formula shall be determined by:

(a) The OSC as enumerated in WAC 173-183-810(1);

(b) The mutually agreed upon independent expert, if applicable, as described in WAC 173-183-810(2); and

(c) The RDA committee chair as enumerated in WAC 173-183-820 (1)(a).

(2) In making the determination of percent-coverage of habitat types, the RDA committee chair may assume that the habitat-type visible at low tide extends out to the 20 meter depth contour.

(3) Damages liability shall be calculated using the following formula:

Damages (\$) =

$$\text{gallons spilled} * 0.1 * [(OIL_{AT} * SVS_{AT,j}) + (OIL_{MI} * SVS_{MI,j}) + (OIL_{PER} * SVS_{PER,j})]$$

where: gallons spilled = the number of gallons of oil spilled as determined by the procedures outlined in WAC 173-183-810;

SVS_j = spill vulnerability score (from WAC 173-183-400(3));

OIL_{AT} = Acute Toxicity Score for Oil (from WAC 173-183-360);

OIL_{MI} = Mechanical Injury Score for Oil (from WAC 173-183-360); and

OIL_{PER} = Persistence Score for Oil (from WAC 173-183-360).

i = acute toxicity, mechanical injury and persistence effect of oil

j = the most sensitive season affected by the spill

0.1 = multiplier to adjust the damages calculated to the \$1-50 per gallon range.

Formula results shall be rounded to the nearest 0.01 to determine damages liability as follows: Decimals less than 0.005 shall be rounded down, and decimals equal to or greater than 0.005 shall be rounded up.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-830, filed 4/23/92, effective 5/24/92.]

Reviser's note: The brackets and enclosed material in the text of the above section occurred in the copy filed by the agency.

WAC 173-183-840 Calculation of damages for spills into the Columbia River estuary. (1) The formula provided in subsection (2) of this section shall be used to determine damages liability for spills into the estuarine waters of Columbia River. The value of the variables used in the formula shall be determined by:

(a) The OSC as enumerated in WAC 173-183-810(1);

(b) The mutually agreed upon independent expert, if applicable, as described in WAC 173-183-810(2); and

(c) The RDA committee chair as enumerated in WAC 173-183-820 (1)(b).

(2) Damages liability shall be calculated using the following formula:

Damages (\$) =

gallons spilled * 0.2 * SVS_j * (OIL_{AT} + OIL_{MI} + OIL_{PER})

where: gallons spilled = the number of gallons of oil spilled as determined by procedures outlined in WAC 173-183-810

SVS_j = spill vulnerability score (from WAC 173-183-500(3));

j = the most sensitive season affected by the spill

OIL_{AT} = Acute Toxicity Score for Oil (from WAC 173-183-360);

OIL_{MI} = Mechanical Injury Score for Oil (from WAC 173-183-360); and

OIL_{PER} = Persistence Score for Oil (from WAC 173-183-360).

0.2 = multiplier to adjust the damages calculated to the \$1-50 per gallon range.

Formula results shall be rounded to the nearest 0.01 to determine damages liability as follows: Decimals less than 0.005 shall be rounded down, and decimals equal to or greater than 0.005 shall be rounded up.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-840, filed 4/23/92, effective 5/24/92.]

WAC 173-183-850 Calculation of damages for spills in freshwater streams, rivers, and lakes. (1) The formula

[Title 173 WAC—page 300]

provided in subsection (2) of this section shall be used to determine damages liability for spills into freshwater streams, rivers, and lakes. The value of the variables used in the formula shall be determined by:

(a) The OSC as enumerated in WAC 173-183-810(1);

(b) The mutually agreed upon independent expert, if applicable, as described in WAC 173-183-810(2); and

(c) The RDA committee chair as enumerated in WAC 173-183-820 (1)(c).

(2) Damages liability shall be calculated using the following formula:

Damages (\$) =

gallons spilled * 0.08 * SVS * (OIL_{AT} + OIL_{MI} + OIL_{PER})

where: gallons spilled = the number of gallons of oil spilled as determined by the procedures outlined in WAC 173-183-810;

SVS = Spill vulnerability score [from WAC 173-183-600(3)];

OIL_{AT} = Acute Toxicity Score for Oil [from WAC 173-183-360];

OIL_{MI} = Mechanical Injury Score for Oil [from WAC 173-183-360]; and

OIL_{PER} = Persistence Score for Oil [from WAC 173-183-360].

0.08 = multiplier to adjust damages calculated to the \$1-50 per gallon range;

Formula results shall be rounded to the nearest 0.01 to determine damages liability as follows: Decimals less than 0.005 shall be rounded down, and decimals equal to or greater than 0.005 shall be rounded up.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-850, filed 4/23/92, effective 5/24/92.]

Reviser's note: The brackets and enclosed material in the text of the above section occurred in the copy filed by the agency.

WAC 173-183-860 Calculation of damages for spills into freshwater wetlands. (1) The formula provided in subsection (2) of this section shall be used to determine damages liability for spills into freshwater wetlands. The value of the variables used in the formula shall be determined by:

(a) The OSC as enumerated in WAC 173-183-810(1);

(b) The mutually agreed upon independent expert, if applicable, as described in WAC 173-183-810(2); and

(c) the RDA committee chair as enumerated in WAC 173-183-820 (1)(d).

(2) Damages liability shall be calculated using the following formula:

Damages (\$) =

gallons spilled * 0.81 * SVS * (OIL_{AT} + OIL_{MI} + OIL_{PER})

where: gallons spilled = the number of gallons of oil spilled as determined by procedures outlined in WAC 173-183-810;

SVS = Spill vulnerability score [from WAC 173-183-700(3)];

OIL_{AT} = Acute Toxicity Score for Oil [from WAC 173-183-360];

OIL_{MI} = Mechanical Injury Score for Oil [from WAC 173-183-360]; and

OIL_{PER} = Persistence Score for Oil [from WAC 173-183-360].

0.81 = multiplier to adjust damages calculated to the \$1-50 per gallon range;

Formula results shall be rounded to the nearest 0.01 to determine damages liability as follows: Decimals less than 0.005 shall be rounded down, and decimals equal to or greater than 0.005 shall be rounded up.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-860, filed 4/23/92, effective 5/24/92.]

Reviser's note: The brackets and enclosed material in the text of the above section occurred in the copy filed by the agency.

WAC 173-183-865 Calculation of damages for spills entering more than one type of receiving environment. For spills that enter more than one type of receiving environment, as classified in WAC 173-183-400, 173-183-500, 173-183-600, and 173-183-700, damages liability shall be determined as follows:

(1) Damages shall be calculated using the procedures enumerated in WAC 173-183-800 through 173-183-890 for each of the receiving environment types exposed to spilled oil;

(2) Total damages liability shall be equal to the greatest of the damages calculated for the receiving environment types exposed to spilled oil as determined in subsection (1) of this section.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-865, filed 4/23/92, effective 5/24/92.]

WAC 173-183-870 Modification of damages based on actions taken by the PLP. (1) Damages calculated under WAC 173-183-830 through 173-183-860 may be reduced by the amounts specified in subsections (2) through (5) of this section, as determined by the RDA committee, in the following cases:

(a) Where the potentially liable party takes an action that results in no spill exposure and no injury to the following special features: Seal and sea lion haulouts, public recreational areas, smelt, sand lance, and herring spawning areas, salmon concentration areas, hardshell and softshell clam beds, and seabird breeding colonies;

(b) Where the potentially liable party takes an action that restores, rehabilitates, or enhances resources injured by the spill; and

(c) Where the potentially liable party immediately booms spilled oil that has not come into contact with the shore, in areas where water depth is greater than twenty meters, and immediately removes the spilled oil that has been contained in booming.

(2) When the conditions specified under subsection (1)(a) of this section are met, compensation shall be reduced by the amount that the special feature that was protected contributed to the amount of damages calculated under WAC 173-183-830 through 173-183-860. Decisions on how much the protected special feature contributed to the amount of

damages calculated under the compensation schedule shall be made by the RDA committee.

(3) When conditions specified under subsection (1)(b) of this section are met, amount of damages calculated under WAC 173-183-830 through 173-183-860 may be reduced. Decisions on reduction of damages shall be made by the RDA committee.

(4) When the conditions specified under subsection (1)(c) of this section are met, the damages calculated under WAC 173-183-830 through 173-183-860 shall be reduced as described by the following steps:

(a) Two separate damages calculations shall be made using the applicable damage liability formula(s) provided in WAC 173-183-830 through 173-183-860. The number of gallons used in the first formula shall be the number of gallons immediately removed from the receiving environment as described in subsection (1)(c) of this section. The number of gallons used the second formula shall be the number of gallons spilled but not immediately removed from the receiving environment. The values of all other formula variables shall be as defined for the applicable formulas in WAC 173-183-830 through 173-183-860, except as described in subsection (4)(b) of this section;

(b) The values of the mechanical injury (OIL_{MI}) and persistence (OIL_{PER}) scores for oils shall be reduced by ten percent in the first formula; and

(c) Damages derived from the first and second formulas shall be added together to calculate the reduced damages liability.

(5) In no case shall the modifications to compensation enumerated in subsections (1) through (4) of this section result in a reduction of damages to less than one dollar per gallon of oil spilled.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-870, filed 4/23/92, effective 5/24/92.]

WAC 173-183-880 Damage claim. (1) The department shall provide documentation to the liable party that details the information and calculations that were used to assess damages under the compensation schedule. This documentation shall be provided to the liable party along with the damages liability claim.

(2) The liable party shall pay the full amount specified in the damages liability claim to the department within thirty days of receipt.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-880, filed 4/23/92, effective 5/24/92.]

WAC 173-183-890 Substitution of damages. The department may negotiate with a potentially liable party to perform restoration and enhancement projects or studies which may substitute for all or part of the damages determined through application of the procedures in WAC 173-183-300 through 173-183-870.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-890, filed 4/23/92, effective 5/24/92.]

WAC 173-183-900 Annual report. The department shall submit an annual report to the appropriate standing committees of the legislature that addresses each spill for which the RDA committee was convened. The following

information shall be included in the report for each spill addressed: The outcome of the preassessment screening, and compensation claims imposed or damage assessment studies conducted, and the revenues to and expenditures from the coastal protection fund.


[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-900, filed 4/23/92, effective 5/24/92.]

WAC 173-183-910 Severability. If any provision of this rule or its application to any person or circumstance is held invalid, the remainder of the rule or application of the provision to other persons or circumstances is not affected.

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-910, filed 4/23/92, effective 5/24/92.]

WAC 173-183-920 Appendices.

APPENDIX 1: ESTUARINE WATERS OF THE STATE



APPENDIX 2: SPECIES AND SPECIES GROUPS INCLUDED IN THE MARINE FISH VULNERABILITY RANKING

Common Name	Scientific Name
Pacific sleeper shark	<i>Somniosus pacificus</i>
Spiny dogfish	<i>Squalus acanthias</i>
Skates	Rajidae
Spotted ratfish	<i>Hyrodlaguscolleri</i>
Green sturgeon	<i>Acipensermedirostris</i>
White sturgeon	<i>Acipensertransmontanus</i>
Pacific herring	<i>Clupeapallasii</i>
Northern anchovy	<i>Engraulismordax</i>
Surf smelt	<i>Hypomesuspretiosus</i>
Night smelt	<i>Spirinchusstarksi</i>
Long fin smelt	<i>Spirinchusthaleichthys</i>
Eulachon	<i>Thaleichthyspacificus</i>
Pacific cod	<i>Gadusmacrocephalus</i>
Pacific tomcod	<i>Microgadusproximus</i>
Walleye pollock	<i>Theragrachalcogramma</i>
Whiting	<i>Merlucciusproductus</i>
Plainfin midshipman	<i>Porichthysnotatus</i>
Tubesnout	<i>Aulorhynchusfavidus</i>
Three-spine stickleback	<i>Gasterosteusaculeatus</i>
Pacific Ocean perch	<i>Sebastesalutus</i>
Brown rockfish	<i>Sebastesauriculatus</i>
Silvergray rockfish	<i>Sebastesbrevispinis</i>
Copper rockfish	<i>Sebastescaurinus</i>
Puget Sound rockfish	<i>Sebastesemphaeus</i>
Widow rockfish	<i>Sebastesentomelas</i>
Yellowtail rockfish	<i>Sebastesflavidus</i>
Quillback rockfish	<i>Sebastesmaliger</i>
Black rockfish	<i>Sebastesmelanops</i>
Blue rockfish	<i>Sebastesmystinus</i>
China rockfish	<i>Sebastesnebulosus</i>
Bocaccio	<i>Sebastespaucispinis</i>
Canary rockfish	<i>Sebastespinniger</i>
Yelloweye rockfish	<i>Sebastesruberrimus</i>
Shortspine thornyhead	<i>Sebastolobusalascanus</i>
Longspine thornyhead	<i>Sebastolobusaltivelis</i>
Sablefish	<i>Anoplopomafimbria</i>
Kelp Greenling	<i>Hexagrammosdecegrammus</i>
Lingcod	<i>Ophiodonelongatus</i>
Red Irish lord	<i>Hemilepidotus</i>
Pacific staghorn sculpin	<i>Leptocottusarmatus</i>
Cabezon	<i>Scorpaenichthysmarmoratus</i>
Redtail surfperch	<i>Amphistichusrhodoteres</i>
Shiner surfperch	<i>Cymatogasteraggregata</i>
Pile surfperch	<i>Damalichthysvacca</i>
Striped surfperch	<i>Embiotocalateralis</i>
Eelpouts	Zoarcidae
Snake prickleback	<i>Lumpenusagitta</i>
Gunnels	Pholididae
Wolf-eel	<i>Anarrhichthysocellatus</i>
Pacific sand lance	<i>Ammodyteshexapterus</i>
Pacific sand dab	<i>Citharichthysordidus</i>
Speckled sand dab	<i>Citharichthysstigmaeus</i>
Arrowtooth flounder	<i>Atheresthesstomias</i>
Petrale sole	<i>Eposettajordani</i>
Rex sole	<i>Glyptocephaluszachirus</i>
Pacific halibut	<i>Hippoglossusstenolepis</i>
Rock sole	<i>Lepidopsettabilineata</i>

Dover sole	<i>Microstomuspacificus</i>
English sole	<i>Parophrysvelutus</i>
Starry Flounder	<i>Platichthysstellatus</i>
Sand sole	<i>Psetichthysmelanostictus</i>


APPENDIX 3: SPECIES INCLUDED IN THE SALMON VULNERABILITY RANKING


Common Name	Scientific Name
Chinook	<i>Oncorhynchus tshawytscha</i>
Coho	<i>O. kisutch</i>
Pink	<i>O. gorbuscha</i>
Chum	<i>O. keta</i>
Sockeye	<i>O. nerka</i>

APPENDIX 4: SPECIES INCLUDED IN THE SHELLFISH VULNERABILITY RANKING


Common Name	Scientific Name
Pacific Oyster	<i>Crassostrea gigas</i>
Olympia Oyster	<i>Ostrea lurida</i>
Pacific Razor Clam	<i>Siliqua patula</i>
Geoduck	<i>Panope generosa</i>
Butter Clam	<i>Saxidomus giganteus</i>
Native Little Neck	<i>Protothaca staminea</i>
Manila Clam	<i>Venerupis japonica</i>
Gaper Clam	<i>Tresus nuttalli</i>
Horse Clam	<i>T. capax</i>
Eastern Soft Shell	<i>Mya arenaria</i>
Cockles	<i>Clinocardium nuttalli</i>
Pink Scallop	<i>Chlamys rubida</i>
Spiny Scallop	<i>C. hastata</i>
Rock Scallop	<i>Hinnites multirugosus</i>
Weather-vane Scallop	<i>Pecten caurinus</i>
Bay Mussel	<i>Mytilus spp.</i>
California Mussel	<i>M. californianus</i>
Goose(neck) Barnacle	<i>Pollicipes polymerus</i>
Squid	<i>Loligo opalescens</i>
Octopus	<i>Octopus dofleini</i>
Northern Abalone	<i>Haliotis kamschatkana</i>
Limpets	subsistence harvest species
Whelks	subsistence harvest species
Moon Snail	<i>Polinices</i>
Chitons	subsistence harvest species
Sea Cucumber	<i>Parastichopus californicus</i>
Red Sea Urchin	<i>Strongylocentrotus franciscanus</i>
Green Sea Urchin	<i>S. droebachiensis</i>
Purple Sea Urchin	<i>S. purpuratus</i>
Dungeness Crab	<i>Cancer magister</i>
Red (Rock) Crab	<i>C. productus</i>
Spot Shrimp	<i>Pandalus platyceros</i>
Coon Stripe Shrimp	<i>P. danae</i>
Side Shrimp	<i>Pandalopsis dispar</i>
Pink Shrimp	<i>Pandalus jordani</i> & <i>P. borealis</i>
Ghost Shrimp	<i>Callinassa spp.</i>
Mud Shrimp	<i>Upogebia pugettensis</i>
Humpback Shrimp	<i>Pandalus hypsinotus</i>

APPENDIX 5: COMPENSATION SCHEDULE REGIONS AND SUBREGIONS







Northern Puget Sound, Strait of Juan de Fuca and Outer Coast Compensation Schedule Regions




Region 2 Subregions




REGION 3 SUBREGIONS 301 THROUGH 317




REGION 5 SUBREGIONS 501 THROUGH 507




REGION 6 SUBREGIONS 601 THROUGH 607




REGION 7 SUBREGIONS 701 AND 703




REGION 8 SUBREGIONS 801 AND 802




REGION 9 SUBREGIONS 901 THROUGH 903




REGION 10 SUBREGIONS 1001 AND 1002



REGION 11 SUBREGIONS 1101 THROUGH 1108




REGION 12 SUBREGIONS 1201 THROUGH 1203 AND 1205 THROUGH 1210




SUBREGIONS OF REGIONS 4, 14, 15 AND 16

APPENDIX 6: COLUMBIA RIVER ESTUARY SEASONAL RESOURCE SENSITIVITIES BY ONE SQUARE KILOMETER GRID CELL.


Columbia River Estuary Grid-Cell Identification (CGRID-ID)
REFERENCE MAP (enlarged maps and sensitivity rankings follow)




Columbia River Estuary Grid-Cell Identification (CGRID-ID)
Reference Map



Columbia River Estuary Grid-Cell Identification (CGRID-ID)
Reference Map



Columbia River Estuary Grid-Cell Identification (CGRID-ID)
Reference Map



APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell#</u>	<u>FINAL</u> (Sp,Su,F,W)	<u>HUMAN USE</u> (Sp,Su,F,W)	<u>BIRD</u> (Sp,Su,F,W)	<u>MAMMAL</u> (Sp,Su,F,W)	<u>FISH</u> (Sp,Su,F,W)	<u>HABITAT</u> (Sp,Su,F,W)	<u>INVERT</u> (Sp,Su,F,W)
0	1111	1111	1111	1111	1111	1111	1111
1	2222	1111	1111	2222	1111	1111	1111
2	2222	1111	1111	2222	1111	1111	1111
3	1111	1111	1111	1111	1111	1111	1111
4	2222	1111	1111	2222	1111	1111	1111
5	2222	1111	1111	2222	1111	1111	1111
6	1111	1111	1111	1111	1111	1111	1111
7	2222	1111	1111	2222	1111	1111	1111
8	2222	1111	1111	2222	1111	1111	1111
9	2222	1111	1111	2222	1111	1111	1111
10	2222	1111	1111	2222	1111	1111	1111
11	2222	1111	1111	2222	1111	1111	1111
12	2222	1111	1111	2222	1111	1111	1111
13	2222	1111	1111	2222	1111	1111	1111
14	2222	1111	1111	2222	1111	1111	1111
15	2222	1111	1111	2222	1111	1111	1111
16	2222	1111	1111	2222	1111	1111	1111
17	2222	1111	1111	2222	1111	1111	1111
18	2222	1111	1111	2222	1111	1111	1111
19	2222	1111	1111	2222	1111	1111	1111
20	2222	1111	1111	2222	1111	1111	1111
21	2222	1111	1111	2222	1111	1111	1111
22	2222	1111	1111	2222	1111	1111	1111
23	2222	1111	1111	2222	1111	1111	1111
24	2222	1111	1111	2222	1111	1111	1111
25	2222	1111	1111	2222	1111	1111	1111
26	2222	1111	1111	2222	1111	1111	1111
27	2222	1111	1111	2222	1111	1111	1111
28	4444	1111	1111	1111	1111	4444	1111
29	1111	1111	1111	1111	1111	1111	1111
30	1111	1111	1111	1111	1111	1111	1111
31	1111	1111	1111	1111	1111	1111	1111
32	1111	1111	1111	1111	1111	1111	1111
33	1111	1111	1111	1111	1111	1111	1111
34	4422	1111	4422	2222	1111	1111	1111
35	4422	1111	4422	2222	1111	1111	1111
36	4422	1111	4422	1111	1111	1111	1111
37	4444	1111	1111	1111	1111	4444	1111
38	5555	1111	1111	1111	1111	5555	1111
39	1111	1111	1111	1111	1111	1111	1111
40	5555	1111	1111	1111	2222	5555	1111
41	5555	1111	1111	1111	1111	5555	1111
42	5555	1111	1111	1111	1111	5555	1111
43	1111	1111	1111	1111	1111	1111	1111
44	4422	1111	4422	2222	1111	1111	1111
45	4422	1111	4422	2222	1111	1111	1111
46	4432	1111	4432	1111	1111	1111	1111
47	4422	1111	4422	1111	1111	1111	1111
48	4433	1111	4433	1111	1111	1111	1111
49	5555	1111	4433	1111	1111	5555	1111
50	5555	1111	4433	1111	1111	5555	1111
51	5555	1111	4433	1111	1111	5555	1111
52	5555	1111	1131	1111	2222	5555	1111
53	5555	1111	4444	1111	2222	5555	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL (Sp,Su,F,W)</u>	<u>HUMAN USE (Sp,Su,F,W)</u>	<u>BIRD (Sp,Su,F,W)</u>	<u>MAMMAL (Sp,Su,F,W)</u>	<u>FISH (Sp,Su,F,W)</u>	<u>HABITAT (Sp,Su,F,W)</u>	<u>INVERT (Sp,Su,F,W)</u>
54	5555	1111	1131	1111	2222	5555	1111
55	5555	1111	1111	1111	2222	5555	1111
56	5555	1111	1111	1111	1111	5555	1111
57	5555	1111	1111	1111	1111	5555	1111
58	1111	1111	1111	1111	1111	1111	1111
59	4422	1111	4422	2222	1111	1111	1111
60	4422	1111	4422	2222	1111	1111	1111
61	4432	1111	4432	1111	1111	1111	1111
62	4433	1111	4433	1111	1111	3333	1111
63	5555	1111	4433	1111	1111	5555	1111
64	5555	1111	4433	1111	1111	5555	1111
65	4444	1111	4433	1111	1111	4444	1111
66	5555	1111	4433	1111	1111	5555	1111
67	5555	1111	4433	1111	1111	5555	1111
68	5555	1111	4422	1111	1111	5555	1111
69	5555	1111	1144	1111	1111	5555	1111
70	5555	1111	4444	1111	1111	5555	1111
71	5555	1111	4444	1111	1111	5555	1111
72	5555	1111	4444	1111	2222	5555	1111
73	5555	1111	1111	1111	2222	5555	1111
74	1111	1111	1111	1111	1111	1111	1111
75	4422	1111	4422	2222	1111	1111	1111
76	4422	1111	4422	2222	1111	1111	1111
77	5555	1111	4433	1111	1111	5555	1111
78	5555	1111	4433	1111	1111	5555	1111
79	5555	1111	4433	1111	1111	5555	1111
80	4444	1111	4433	1111	1111	4444	1111
81	4444	1111	4433	1111	1111	4444	1111
82	4444	1111	4433	1111	1111	4444	1111
83	5555	1111	4433	1111	1111	5555	1111
84	5555	1111	4433	1111	1111	5555	1111
85	4422	1111	4422	1111	1111	1111	1111
86	5555	1111	1131	1111	1111	5555	1111
87	5555	1111	1144	1111	1111	5555	1111
88	5555	1111	4444	1111	1111	5555	1111
89	5555	1111	4444	1111	1111	5555	1111
90	5555	1111	4444	1111	1111	5555	1111
91	5555	1111	1131	1111	1111	5555	1111
92	4422	1111	4422	2222	1111	1111	1111
93	4422	1111	4422	2222	1111	1111	1111
94	5555	1111	4433	1111	1111	5555	1111
95	5555	1111	4433	1111	1111	5555	1111
96	5555	1111	4433	1111	1111	5555	1111
97	5555	1111	4433	1111	1111	5555	1111
98	4444	1111	4433	1111	1111	4444	1111
99	4444	1111	4433	1111	1111	4444	1111
100	4444	1111	4433	1111	1111	4444	1111
101	5555	1111	4433	1111	2222	5555	1111
102	5555	1111	4433	1111	1111	5555	1111
103	4422	1111	4422	1111	1111	1111	1111
104	4422	1111	4422	1111	1111	1111	1111
105	5555	1111	1131	1111	1111	5555	1111
106	5555	1111	1131	1111	1111	5555	1111
107	5555	1111	1144	1111	1111	5555	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL</u> <u>(Sp,Su,F,W)</u>	<u>HUMAN USE</u> <u>(Sp,Su,F,W)</u>	<u>BIRD</u> <u>(Sp,Su,F,W)</u>	<u>MAMMAL</u> <u>(Sp,Su,F,W)</u>	<u>FISH</u> <u>(Sp,Su,F,W)</u>	<u>HABITAT</u> <u>(Sp,Su,F,W)</u>	<u>INVERT</u> <u>(Sp,Su,F,W)</u>
108	4444	1111	1144	1111	1111	4444	1111
109	5555	1111	4444	1111	1111	5555	1111
110	5555	1111	4444	1111	1111	5555	1111
111	5555	1111	1144	1111	1111	5555	1111
112	4422	1111	4422	2222	1111	1111	1111
113	5555	1111	4422	1111	1111	5555	1111
114	5555	1111	5533	1111	1111	5555	1111
115	5555	1111	5533	1111	1111	5555	1111
116	5555	1111	4433	1111	1111	5555	1111
117	5555	1111	4433	1111	1111	5555	1111
118	4444	1111	4433	1111	1111	4444	1111
119	4444	1111	4433	1111	1111	4444	1111
120	4444	1111	4433	1111	1111	4444	1111
121	4444	1111	4433	1111	2222	4444	1111
122	5555	1111	4433	1111	2222	5555	1111
123	5555	1111	4433	1111	1111	5555	1111
124	5555	1111	4433	1111	1111	5555	1111
125	5555	1111	4433	1111	1111	5555	1111
126	5555	1111	1111	1111	1111	5555	1111
127	5555	1111	1131	1111	2222	5555	1111
128	5555	1111	1131	1111	2222	5555	1111
129	3333	1111	1131	1111	1111	3333	1111
130	3333	1111	1131	1111	1111	3333	1111
131	3333	1111	1131	1111	1111	3333	1111
132	5555	1111	4444	1111	1111	5555	1111
133	5555	1111	4444	1111	1111	5555	1111
134	1144	1111	1144	1111	1111	1111	1111
135	4433	1111	4433	1111	1111	1111	1111
136	4433	1111	4433	1111	1111	1111	1111
137	2222	1111	1111	2222	1111	1111	1111
138	2222	1111	1111	2222	1111	1111	1111
139	5555	1111	4422	2222	1111	5555	1111
140	5555	1111	4422	1111	1111	5555	1111
141	4433	1111	4433	1111	1111	1111	1111
142	5533	1111	5533	1111	1111	3333	1111
143	4433	1111	4433	1111	1111	3333	1111
144	5555	1111	4433	1111	1111	5555	1111
145	5555	1111	4433	1111	1111	5555	1111
146	4433	1111	4433	1111	1111	3333	1111
147	4433	1111	4433	1111	1111	3333	1111
148	4433	1111	4433	1111	2222	3333	1111
149	5555	1111	4433	1111	2222	5555	1111
150	5555	1111	4433	1111	2222	5555	1111
151	4444	1111	4433	1111	1111	4444	1111
152	5555	1111	4433	1111	2222	5555	1111
153	4444	1111	4433	1111	1111	4444	1111
154	4444	1111	4433	1111	1111	4444	1111
155	5555	1111	1131	1111	1111	5555	1111
156	5555	1111	1131	1111	2222	5555	1111
157	3333	1111	1131	1111	2222	3333	1111
158	3333	1111	1131	1111	1111	3333	1111
159	3333	1111	1131	1111	1111	3333	1111
160	3333	1111	1131	1111	1111	3333	1111
161	5555	1111	4432	1111	1111	5555	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell#</u>	<u>FINAL (Sp,Su,F,W)</u>	<u>HUMAN USE (Sp,Su,F,W)</u>	<u>BIRD (Sp,Su,F,W)</u>	<u>MAMMAL (Sp,Su,F,W)</u>	<u>FISH (Sp,Su,F,W)</u>	<u>HABITAT (Sp,Su,F,W)</u>	<u>INVERT (Sp,Su,F,W)</u>
162	5555	1111	4444	1111	1111	5555	1111
163	4433	1111	4432	1111	1111	3333	1111
164	1131	1111	1131	1111	1111	1111	1111
165	4433	1111	4433	1111	1111	3333	1111
166	4433	1111	4433	1111	1111	3333	1111
167	4433	1111	4433	1111	1111	3333	1111
168	4433	1111	4433	1111	1111	3333	1111
169	2222	1111	1111	2222	1111	1111	1111
170	2222	1111	1111	2222	1111	1111	1111
171	2222	1111	1111	2222	1111	1111	1111
172	4433	1111	4422	2222	1111	3333	1111
173	4422	1111	4422	2222	1111	1111	1111
174	4422	1111	4422	2222	1111	1111	1111
175	4433	1111	4433	1111	1111	3333	1111
176	4433	1111	4433	1111	1111	3333	1111
177	4433	1111	4433	1111	1111	3333	1111
178	5555	1111	4433	1111	1111	5555	1111
179	5555	1111	4433	1111	1111	5555	1111
180	5555	1111	5533	1111	1111	5555	1111
181	5555	1111	5533	1111	2222	5555	1111
182	4444	1111	4433	1111	2222	4444	1111
183	4433	1111	4433	1111	2222	3333	1111
184	5555	1111	4433	1111	2222	5555	1111
185	5555	1111	4433	1111	1111	5555	1111
186	4444	1111	4433	1111	1111	4444	1111
187	4433	1111	4433	1111	1111	1111	1111
188	4433	1111	4433	1111	1111	1111	1111
189	4433	1111	4433	1111	1111	1111	1111
190	4444	1111	4433	1111	1111	4444	1111
191	4444	1111	1111	1111	1111	4444	1111
192	4444	1111	1131	1111	1111	4444	1111
193	4444	1111	1131	1111	1111	4444	1111
194	4444	1111	1131	1111	1111	4444	1111
195	3333	1111	1131	1111	1111	3333	1111
196	3333	1111	1131	1111	1111	3333	1111
197	3333	1111	1131	1111	1111	3333	1111
198	4444	1111	4433	1111	1111	4444	1111
199	4433	1111	4432	1111	1111	3333	1111
200	4433	1111	4432	1111	1111	3333	1111
201	3333	1111	1131	1111	1111	3333	1111
202	4433	1111	4432	1111	1111	3333	1111
203	4433	1111	4433	1111	1111	3333	1111
204	4433	1111	4433	1111	1111	3333	1111
205	5555	1111	4433	1111	1111	5555	1111
206	4433	1111	4433	1111	1111	3333	1111
207	5555	1111	4433	1111	1111	5555	1111
208	4433	1111	4433	1111	1111	3333	1111
209	5555	1111	4433	1111	1111	5555	1111
210	5555	1111	4433	1111	1111	5555	1111
211	4433	1111	4433	1111	1111	1111	1111
212	5555	1111	4433	1111	1111	5555	1111
213	5555	1111	1111	1111	1111	5555	1111
214	5555	1111	1111	1111	1111	5555	1111
215	3333	1111	1111	1111	1111	3333	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL</u> <u>(Sp,Su,F,W)</u>	<u>HUMAN USE</u> <u>(Sp,Su,F,W)</u>	<u>BIRD</u> <u>(Sp,Su,F,W)</u>	<u>MAMMAL</u> <u>(Sp,Su,F,W)</u>	<u>FISH</u> <u>(Sp,Su,F,W)</u>	<u>HABITAT</u> <u>(Sp,Su,F,W)</u>	<u>INVERT</u> <u>(Sp,Su,F,W)</u>
216	2222	1111	1111	2222	1111	1111	1111
217	2222	1111	1111	2222	1111	1111	1111
218	2222	1111	1111	2222	1111	1111	1111
219	2222	1111	1111	2222	1111	1111	1111
220	4422	1111	4422	2222	1111	1111	1111
221	4422	1111	4422	2222	1111	1111	1111
222	4422	1111	4422	2222	1111	1111	1111
223	4422	1111	4422	2222	1111	1111	1111
224	4422	1111	4422	2222	1111	1111	1111
225	4422	1111	4422	2222	1111	1111	1111
226	4422	1111	4422	2222	1111	1111	1111
227	4422	1111	4422	2222	1111	1111	1111
228	4433	1111	4433	2222	1111	1111	1111
229	4433	1111	4433	2222	2222	1111	1111
230	4433	1111	4433	1111	2222	3333	1111
231	4433	1111	4433	1111	2222	3333	1111
232	5555	1111	4433	1111	2222	5555	1111
233	4433	1111	4432	1111	2222	3333	1111
234	5555	1111	4433	1111	1111	5555	1111
235	4433	1111	4433	1111	1111	1111	1111
236	4433	1111	4433	1111	1111	3333	1111
237	4433	1111	4433	1111	1111	1111	1111
238	4444	1111	4433	1111	1111	4444	1111
239	4444	1111	4433	1111	1111	4444	1111
240	4444	1111	4422	1111	1111	4444	1111
241	4444	1111	4422	1111	1111	4444	1111
242	4444	1111	4422	1111	2222	4444	1111
243	4444	1111	4432	1111	2222	4444	1111
244	4444	1111	4433	1111	2222	4444	1111
245	5544	1111	5533	1111	1111	4444	1111
246	5544	1111	5533	1111	1111	4444	1111
247	5544	1111	5532	1111	1111	4444	1111
248	5544	1111	5532	1111	1111	4444	1111
249	5555	1111	4432	1111	1111	5555	1111
250	5555	1111	4432	1111	1111	5555	1111
251	4432	1111	4432	1111	1111	1111	1111
252	4433	1111	4433	1111	1111	3333	1111
253	4433	1111	4433	1111	1111	3333	1111
254	4433	1111	4433	1111	1111	3333	1111
255	4433	1111	4433	1111	1111	3333	1111
256	4433	1111	4433	1111	1111	3333	1111
257	4433	1111	4433	1111	1111	1111	1111
258	4433	1111	4433	1111	1111	3333	1111
259	5555	1111	4433	1111	1111	5555	1111
260	5555	1111	4433	1111	1111	5555	1111
261	5555	1111	4433	1111	1111	5555	1111
262	5555	1111	4433	1111	1111	5555	1111
263	5555	1111	4433	1111	1111	5555	1111
264	5555	1111	4433	1111	1111	5555	1111
265	5555	1111	5533	1111	1111	5555	1111
266	5555	1111	5533	1111	1111	5555	1111
267	5555	1111	1111	1111	1111	5555	1111
268	2222	1111	1111	2222	1111	1111	1111
269	2222	1111	1111	2222	1111	1111	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL (Sp,Su,F,W)</u>	<u>HUMAN USE (Sp,Su,F,W)</u>	<u>BIRD (Sp,Su,F,W)</u>	<u>MAMMAL (Sp,Su,F,W)</u>	<u>FISH (Sp,Su,F,W)</u>	<u>HABITAT (Sp,Su,F,W)</u>	<u>INVERT (Sp,Su,F,W)</u>
270	2222	1111	1111	2222	1111	1111	1111
271	2222	1111	1111	2222	1111	1111	1111
272	4422	1111	4422	2222	1111	1111	1111
273	4422	1111	4422	2222	1111	1111	1111
274	4422	1111	4422	2222	1111	1111	1111
275	4422	1111	4422	2222	1111	1111	1111
276	4433	1111	4422	2222	1111	3333	1111
277	4433	1111	4422	2222	1111	3333	1111
278	4433	1111	4422	2222	1111	3333	1111
279	4422	1111	4422	2222	1111	1111	1111
280	4422	1111	4422	2222	1111	1111	1111
281	4432	1111	4432	2222	1111	1111	1111
282	4432	1111	4432	2222	2222	1111	1111
283	4432	1111	4432	1111	2222	1111	1111
284	4433	1111	4433	1111	2222	2222	1111
285	4433	1111	4433	1111	2222	3333	1111
286	4433	1111	4433	1111	1111	3333	1111
287	4433	1111	4433	1111	1111	3333	1111
288	4433	1111	4433	1111	1111	3333	1111
289	5555	1111	4433	1111	1111	5555	1111
290	4433	1111	4433	1111	1111	1111	1111
291	4433	1111	4433	1111	1111	1111	1111
292	4433	1111	4433	1111	1111	3333	1111
293	4433	1111	4433	1111	1111	1111	1111
294	4433	1111	4433	1111	1111	1111	1111
295	4444	1111	4433	1111	1111	4444	1111
296	4444	1111	4422	1111	1111	4444	1111
297	4444	1111	4422	1111	1111	4444	1111
298	4444	1111	4422	1111	2222	4444	1111
299	4444	1111	4432	1111	2222	4444	1111
300	5544	1111	5533	1111	1111	4444	1111
301	5544	1111	5533	1111	1111	4444	1111
302	5544	1111	5533	1111	1111	4444	1111
303	5544	1111	5532	1111	1111	4444	1111
304	5544	1111	5533	1111	1111	4444	1111
305	5555	1111	5533	1111	1111	5555	1111
306	5555	1111	4432	1111	1111	5555	1111
307	5555	1111	4432	1111	1111	5555	1111
308	4433	1111	4433	1111	1111	3333	1111
309	4433	1111	4433	1111	1111	3333	1111
310	5555	1111	4433	1111	1111	5555	1111
311	5555	1111	4433	1111	2222	5555	1111
312	5555	1111	4433	1111	2222	5555	1111
313	5555	1111	4433	1111	1111	5555	1111
314	5555	1111	4433	1111	1111	5555	1111
315	5555	1111	4433	1111	1111	5555	1111
316	5555	1111	4433	1111	1111	5555	1111
317	5555	1111	4433	1111	1111	5555	1111
318	5555	1111	4433	1111	1111	5555	1111
319	5555	1111	4433	1111	1111	5555	1111
320	5555	1111	4433	1111	1111	5555	1111
321	5555	1111	4433	1111	1111	5555	1111
322	5555	1111	5533	1111	1111	5555	1111
323	4444	1111	1132	1111	1111	4444	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL (Sp,Su,F,W)</u>	<u>HUMAN USE (Sp,Su,F,W)</u>	<u>BIRD (Sp,Su,F,W)</u>	<u>MAMMAL (Sp,Su,F,W)</u>	<u>FISH (Sp,Su,F,W)</u>	<u>HABITAT (Sp,Su,F,W)</u>	<u>INVERT (Sp,Su,F,W)</u>
324	2222	1111	1111	2222	1111	1111	1111
325	2222	1111	1111	2222	1111	1111	1111
326	2222	1111	1111	2222	1111	1111	1111
327	2222	1111	1111	2222	1111	1111	1111
328	2222	1111	1111	2222	1111	1111	1111
329	4422	1111	4422	2222	1111	1111	1111
330	4433	2222	4422	2222	1111	3333	1111
331	4433	2222	4422	2222	1111	3333	1111
332	4433	2222	4422	2222	1111	3333	1111
333	4433	2222	4422	2222	1111	3333	1111
334	4444	4444	4433	1111	1111	3333	1111
335	4444	4444	4444	1111	1111	3333	1111
336	4444	4444	4444	2222	1111	3333	1111
337	4422	1111	4422	2222	1111	1111	1111
338	4422	1111	4422	2222	1111	1111	1111
339	4432	1111	4432	1111	1111	1111	1111
340	4432	1111	4432	1111	2222	1111	1111
341	4433	1111	4433	1111	2222	1111	1111
342	4433	1111	4433	1111	2222	1111	1111
343	4433	1111	4433	1111	1111	1111	1111
344	4433	1111	4433	1111	1111	1111	1111
345	4433	1111	4433	1111	1111	3333	1111
346	4433	1111	4433	1111	1111	1111	1111
347	4433	1111	4433	1111	1111	3333	1111
348	4433	1111	4433	1111	1111	3333	1111
349	4433	1111	4433	1111	1111	3333	1111
350	4433	1111	4433	1111	1111	3333	1111
351	4433	1111	4433	1111	1111	3333	1111
352	4433	1111	4433	1111	1111	3333	1111
353	4433	1111	4422	1111	1111	3333	1111
354	4444	1111	1111	1111	1111	4444	1111
355	4444	1111	1111	1111	1111	4444	1111
356	4444	1111	1111	1111	1111	4444	1111
357	4433	1111	4433	1111	1111	3333	1111
358	5533	1111	5533	1111	1111	3333	1111
359	4433	1111	4433	1111	1111	3333	1111
360	4433	1111	4422	1111	1111	3333	1111
361	4444	1111	4422	1111	1111	4444	1111
362	5555	1111	4422	1111	1111	5555	1111
363	4433	1111	4422	1111	1111	3333	1111
364	5555	1111	4422	1111	1111	5555	1111
365	5555	1111	4433	1111	1111	5555	1111
366	5555	1111	4433	1111	1111	5555	1111
367	5555	1111	4433	1111	1111	5555	1111
368	5555	1111	4433	1111	2222	5555	1111
369	5555	1111	4433	1111	1111	5555	1111
370	5555	1111	4433	1111	1111	5555	1111
371	5555	1111	4433	1111	1111	5555	1111
372	5555	1111	4433	1111	1111	5555	1111
373	5555	1111	4433	1111	1111	5555	1111
374	5555	1111	4433	1111	1111	5555	1111
375	5555	1111	4433	1111	1111	5555	1111
376	5555	1111	4433	5555	1111	5555	1111
377	5555	1111	4433	5555	1111	5555	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL (Sp,Su,F,W)</u>	<u>HUMAN USE (Sp,Su,F,W)</u>	<u>BIRD (Sp,Su,F,W)</u>	<u>MAMMAL (Sp,Su,F,W)</u>	<u>FISH (Sp,Su,F,W)</u>	<u>HABITAT (Sp,Su,F,W)</u>	<u>INVERT (Sp,Su,F,W)</u>
378	5555	1111	4433	5555	1111	5555	1111
379	5555	1111	1111	1111	1111	5555	1111
380	5555	1111	5533	1111	1111	5555	1111
381	5555	1111	5533	1111	1111	5555	1111
382	2222	1111	1111	2222	1111	1111	1111
383	2222	1111	1111	2222	1111	1111	1111
384	2222	1111	1111	2222	1111	1111	1111
385	2222	1111	1111	2222	1111	1111	1111
386	4422	1111	4422	2222	1111	1111	1111
387	4422	2222	4422	2222	1111	1111	1111
388	4422	2222	4422	2222	1111	1111	1111
389	4422	2222	4422	2222	1111	1111	1111
390	4433	2222	4422	2222	1111	3333	1111
391	5555	4444	4433	2222	1111	5555	1111
392	5555	4444	4444	1111	1111	5555	1111
393	5555	4444	4444	1111	1111	5555	1111
394	4444	2222	4444	1111	1111	3333	1111
395	4422	2222	4422	1111	1111	1111	1111
396	4422	1111	4422	1111	1111	1111	1111
397	4432	1111	4432	1111	1111	1111	1111
398	4433	1111	4433	1111	1111	3333	1111
399	4433	1111	4433	1111	1111	1111	1111
400	4433	1111	4433	1111	1111	1111	1111
401	4433	1111	4433	1111	1111	1111	1111
402	4433	1111	4433	1111	1111	1111	1111
403	4433	1111	4433	1111	1111	3333	1111
404	4433	1111	4433	1111	1111	3333	1111
405	4433	1111	4433	1111	1111	3333	1111
406	4433	1111	4433	1111	1111	3333	1111
407	4433	1111	4433	1111	1111	3333	1111
408	4433	1111	4433	1111	1111	3333	1111
409	4433	1111	4433	1111	1111	3333	1111
410	3333	1111	1111	1111	1111	3333	1111
411	3333	1111	1111	1111	1111	3333	1111
412	1111	1111	1111	1111	1111	1111	1111
413	3333	1111	1111	1111	1111	3333	1111
414	3333	1111	1111	1111	1111	3333	1111
415	3333	1111	1111	1111	1111	3333	1111
416	4433	1111	4422	1111	1111	3333	1111
417	4433	1111	4422	1111	1111	3333	1111
418	4433	1111	4422	1111	1111	3333	1111
419	4444	1111	4422	1111	1111	4444	1111
420	5555	1111	4422	1111	1111	5555	1111
421	5555	1111	4422	1111	1111	5555	1111
422	5555	1111	4433	1111	1111	5555	1111
423	5555	1111	4433	1111	1111	5555	1111
424	5555	1111	4433	1111	1111	5555	1111
425	5555	1111	4433	1111	1111	5555	1111
426	5555	1111	4433	1111	1111	5555	1111
427	5555	1111	4433	1111	1111	5555	1111
428	5555	1111	4433	1111	1111	5555	1111
429	4433	1111	4433	1111	1111	1111	1111
430	4444	4444	4433	1111	1111	1111	1111
431	5555	1111	4433	1111	1111	5555	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL</u> <u>(Sp,Su,F,W)</u>	<u>HUMAN USE</u> <u>(Sp,Su,F,W)</u>	<u>BIRD</u> <u>(Sp,Su,F,W)</u>	<u>MAMMAL</u> <u>(Sp,Su,F,W)</u>	<u>FISH</u> <u>(Sp,Su,F,W)</u>	<u>HABITAT</u> <u>(Sp,Su,F,W)</u>	<u>INVERT</u> <u>(Sp,Su,F,W)</u>
432	5555	1111	5533	1111	1111	5555	1111
433	5555	1111	4433	5555	1111	5555	1111
434	4433	1111	4433	1111	1111	3333	1111
435	5555	1111	1111	5555	1111	3333	1111
436	5555	1111	1111	5555	1111	5555	1111
437	5555	1111	5533	1111	1111	5555	1111
438	5555	1111	5533	1111	1111	5555	1111
439	5555	1111	5533	1111	1111	5555	1111
440	5555	1111	4432	1111	1111	5555	1111
441	4444	1111	1131	1111	1111	4444	1111
442	2222	1111	1111	2222	1111	1111	1111
443	2222	1111	1111	2222	1111	1111	1111
444	2222	1111	1111	2222	1111	1111	1111
445	2222	1111	1111	2222	1111	1111	1111
446	4422	1111	4422	2222	1111	1111	1111
447	4422	1111	4422	2222	1111	1111	1111
448	4422	1111	4422	2222	1111	1111	1111
449	4422	1111	4422	2222	1111	1111	1111
450	4422	1111	4422	2222	1111	1111	1111
451	4422	1111	4422	2222	1111	1111	1111
452	5555	4444	5544	2222	1111	5555	1111
453	5555	4444	5544	1111	2222	5555	1111
454	4444	2222	4444	1111	2222	4444	1111
455	4433	2222	4433	1111	1111	3333	1111
456	4422	2222	4422	1111	1111	1111	1111
457	4433	1111	4422	1111	1111	3333	1111
458	4433	1111	4433	1111	1111	3333	1111
459	4433	1111	4433	1111	1111	3333	1111
460	4433	1111	4433	1111	1111	3333	1111
461	4433	1111	4433	1111	1111	3333	1111
462	4433	1111	4433	1111	1111	3333	1111
463	4433	1111	4433	1111	1111	3333	1111
464	4433	1111	4433	1111	2222	3333	1111
465	4433	1111	4433	1111	2222	3333	1111
466	4433	1111	4433	1111	1111	1111	1111
467	4433	1111	4433	1111	1111	3333	1111
468	4433	1111	4433	1111	1111	3333	1111
469	4433	1111	4433	1111	1111	1111	1111
470	4433	1111	4433	1111	2222	1111	1111
471	4433	1111	4433	1111	2222	2222	1111
472	4433	1111	4433	1111	2222	1111	1111
473	4444	1111	1111	1111	1111	4444	1111
474	4444	1111	1111	1111	1111	4444	1111
475	4444	1111	1111	1111	1111	4444	1111
476	5555	1111	4422	1111	1111	5555	1111
477	5555	1111	4422	1111	1111	5555	1111
478	5555	1111	4422	1111	1111	5555	1111
479	5555	1111	4422	1111	1111	5555	1111
480	4444	1111	4422	1111	1111	4444	1111
481	4433	1111	4422	1111	1111	3333	1111
482	5555	1111	4433	1111	1111	5555	1111
483	5555	1111	4433	1111	1111	5555	1111
484	5555	1111	5533	1111	1111	5555	1111
485	5555	1111	4433	1111	1111	5555	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL (Sp,Su,F,W)</u>	<u>HUMAN USE (Sp,Su,F,W)</u>	<u>BIRD (Sp,Su,F,W)</u>	<u>MAMMAL (Sp,Su,F,W)</u>	<u>FISH (Sp,Su,F,W)</u>	<u>HABITAT (Sp,Su,F,W)</u>	<u>INVERT (Sp,Su,F,W)</u>
486	5555	1111	4433	1111	1111	5555	1111
487	5555	1111	5533	1111	1111	5555	1111
488	5555	1111	4433	1111	1111	5555	1111
489	4433	1111	4433	1111	1111	1111	1111
490	4433	1111	4433	1111	1111	1111	1111
491	4433	1111	4433	1111	1111	1111	1111
492	4433	1111	4433	1111	1111	1111	1111
493	5555	1111	4433	5555	1111	5555	1111
494	5555	1111	4433	5555	1111	5555	1111
495	5555	1111	1111	5555	1111	3333	1111
496	5555	1111	1122	5555	1111	5555	1111
497	5555	1111	5533	1111	1111	5555	1111
498	5555	1111	5533	1111	1111	5555	1111
499	5555	2222	5533	1111	1111	5555	1111
500	5555	1111	4432	1111	1111	5555	1111
501	2222	1111	1111	2222	1111	1111	1111
502	2222	1111	1111	2222	1111	1111	1111
503	2222	1111	1111	2222	1111	1111	1111
504	2222	1111	1111	2222	1111	1111	1111
505	4422	1111	4422	2222	1111	1111	1111
506	4422	1111	4422	2222	1111	1111	1111
507	4422	1111	4422	2222	1111	1111	1111
508	4422	1111	4422	2222	1111	1111	1111
509	4422	1111	4422	2222	1111	1111	1111
510	4422	1111	4422	2222	1111	1111	1111
511	5544	4444	5544	2222	1111	2222	1111
512	5555	4444	5544	2222	2222	5555	1111
513	5555	4444	4433	1111	2222	5555	1111
514	5555	4444	4433	1111	1111	5555	1111
515	5555	4444	4433	1111	1111	5555	1111
516	4433	1111	4422	1111	1111	3333	1111
517	4433	1111	4433	1111	2222	3333	1111
518	5533	1111	5533	1111	2222	3333	1111
519	4433	1111	4433	1111	2222	3333	1111
520	4433	1111	4433	1111	2222	3333	1111
521	4433	1111	4433	1111	2222	3333	1111
522	4433	1111	4433	1111	2222	3333	1111
523	4433	1111	4433	1111	2222	3333	1111
524	4433	1111	4433	1111	2222	3333	1111
525	4433	1111	4433	1111	1111	1111	1111
526	4433	1111	4433	1111	1111	1111	1111
527	4433	1111	4433	1111	1111	1111	1111
528	4433	1111	4433	1111	2222	1111	1111
529	4444	1111	4433	1111	2222	4444	1111
530	5533	1111	5533	1111	2222	3333	1111
531	4444	1111	4433	1111	2222	4444	1111
532	1111	1111	1111	1111	1111	1111	1111
533	1111	1111	1111	1111	1111	1111	1111
534	4444	1111	1111	1111	1111	4444	1111
535	5555	1111	4422	1111	1111	5555	1111
536	5555	1111	4422	1111	1111	5555	1111
537	5555	1111	4422	1111	1111	5555	1111
538	5555	1111	4433	1111	1111	5555	1111
539	5555	1111	4433	1111	1111	5555	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL (Sp,Su,F,W)</u>	<u>HUMAN USE (Sp,Su,F,W)</u>	<u>BIRD (Sp,Su,F,W)</u>	<u>MAMMAL (Sp,Su,F,W)</u>	<u>FISH (Sp,Su,F,W)</u>	<u>HABITAT (Sp,Su,F,W)</u>	<u>INVERT (Sp,Su,F,W)</u>
540	5555	1111	4432	1111	1111	5555	1111
541	5555	1111	4433	1111	1111	5555	1111
542	5555	1111	4433	1111	1111	5555	1111
543	5555	1111	4433	1111	1111	5555	1111
544	5555	1111	4433	1111	1111	5555	1111
545	5555	1111	4433	1111	1111	5555	1111
546	4433	1111	4433	1111	1111	1111	1111
547	4433	1111	4433	1111	1111	1111	1111
548	4433	1111	4433	1111	1111	1111	1111
549	4433	1111	4433	1111	1111	1111	1111
550	4433	1111	4433	1111	1111	1111	1111
551	4433	1111	4433	1111	1111	1111	1111
552	4433	1111	4433	1111	1111	3333	1111
553	5555	1111	4433	1111	1111	5555	1111
554	5555	1111	4433	5555	1111	5555	1111
555	5555	1111	4433	5555	1111	5555	1111
556	5555	1111	4433	5555	1111	5555	1111
557	5555	1111	5533	5555	1111	5555	1111
558	5555	1111	5533	5555	1111	5555	1111
559	4444	1111	4432	1111	1111	4444	1111
560	2222	1111	1111	2222	1111	1111	1111
561	2222	1111	1111	2222	1111	1111	1111
562	2222	1111	1111	2222	1111	1111	1111
563	4422	1111	4422	2222	1111	1111	1111
564	4422	1111	4422	2222	1111	1111	1111
565	4422	1111	4422	2222	1111	1111	1111
566	4422	1111	4422	2222	1111	1111	1111
567	4422	1111	4422	2222	1111	1111	1111
568	4422	1111	4422	2222	1111	1111	1111
569	4422	2222	4422	2222	1111	1111	1111
570	5544	4444	5544	2222	1111	2222	1111
571	5555	4444	4433	1111	1111	5555	1111
572	5555	4444	4433	1111	1111	5555	1111
573	4444	4444	4422	1111	1111	4444	1111
574	4444	4444	4422	1111	1111	3333	1111
575	4433	1111	4433	1111	2222	3333	1111
576	4433	1111	4433	1111	2222	3333	1111
577	4433	1111	4433	1111	2222	3333	1111
578	4433	1111	4433	1111	2222	3333	1111
579	4433	1111	4433	1111	2222	3333	1111
580	4433	1111	4433	1111	2222	3333	1111
581	4433	1111	4433	1111	2222	3333	1111
582	4433	1111	4433	1111	2222	3333	1111
583	4433	1111	4433	1111	2222	1111	1111
584	4433	1111	4433	1111	2222	1111	1111
585	4433	1111	4433	1111	2222	3333	1111
586	5555	1111	4433	1111	2222	5555	1111
587	5555	4444	4433	1111	1111	5555	1111
588	4433	1111	4433	1111	1111	3333	1111
589	5555	1111	4433	1111	1111	5555	1111
590	5555	1111	4433	1111	2222	5555	1111
591	4433	1111	4433	1111	1111	3333	1111
592	5555	1111	4433	1111	1111	5555	1111
593	5555	1111	4433	1111	1111	5555	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL</u> <u>(Sp,Su,F,W)</u>	<u>HUMAN USE</u> <u>(Sp,Su,F,W)</u>	<u>BIRD</u> <u>(Sp,Su,F,W)</u>	<u>MAMMAL</u> <u>(Sp,Su,F,W)</u>	<u>FISH</u> <u>(Sp,Su,F,W)</u>	<u>HABITAT</u> <u>(Sp,Su,F,W)</u>	<u>INVERT</u> <u>(Sp,Su,F,W)</u>
594	5555	1111	4433	1111	1111	5555	1111
595	5555	1111	4433	1111	1111	5555	1111
596	5555	1111	4433	1111	1111	5555	1111
597	5555	1111	4433	1111	1111	5555	1111
598	5555	1111	4433	1111	1111	5555	1111
599	5555	1111	4433	1111	1111	5555	1111
600	5555	1111	4433	1111	1111	5555	1111
601	5555	1111	5533	5555	1111	5555	1111
602	5555	1111	5533	1111	1111	5555	1111
603	5555	1111	4433	1111	1111	5555	1111
604	5555	1111	4433	1111	1111	5555	1111
605	5555	1111	5533	1111	1111	5555	1111
606	5555	1111	4433	1111	1111	5555	1111
607	4433	1111	4433	1111	1111	1111	1111
608	4433	1111	4433	1111	1111	1111	1111
609	4433	1111	4433	1111	1111	1111	1111
610	4433	1111	4433	1111	1111	1111	1111
611	4433	1111	4433	1111	1111	1111	1111
612	5555	4444	5533	1111	1111	5555	1111
613	5555	1111	4433	1111	1111	5555	1111
614	5555	1111	1133	5555	1111	5555	1111
615	5555	1111	1133	5555	1111	5555	1111
616	5555	1111	5533	5555	1111	5555	1111
617	5544	2222	5533	1111	1111	4444	1111
618	1131	1111	1131	1111	1111	1111	1111
619	2222	1111	1111	2222	1111	1111	1111
620	2222	1111	1111	2222	1111	1111	1111
621	4422	1111	4422	2222	1111	1111	1111
622	4422	1111	4422	2222	1111	1111	1111
623	4422	1111	4422	2222	1111	1111	1111
624	4422	1111	4422	2222	1111	1111	1111
625	4422	1111	4422	2222	1111	1111	1111
626	4422	1111	4422	2222	1111	1111	1111
627	4422	1111	4422	2222	1111	1111	1111
628	5544	4444	5544	2222	1111	2222	1111
629	5544	4444	5544	1111	1111	2222	1111
630	4444	4444	4422	1111	1111	1111	1111
631	4444	4444	4422	1111	1111	1111	1111
632	4444	4444	4422	1111	1111	3333	1111
633	5555	4444	4433	1111	1111	5555	1111
634	4444	1111	4433	1111	1111	4444	1111
635	4433	1111	4433	1111	1111	3333	1111
636	4433	1111	4433	1111	1111	3333	1111
637	4433	1111	4433	1111	1111	3333	1111
638	4444	4444	4433	1111	2222	3333	1111
639	4444	4444	4433	1111	2222	3333	1111
640	4444	4444	4433	1111	1111	3333	1111
641	5555	4444	4433	1111	1111	5555	1111
642	5555	4444	4433	1111	1111	5555	1111
643	4444	4444	4433	1111	1111	4444	1111
644	5555	4444	4433	1111	1111	5555	1111
645	5555	1111	4433	1111	1111	5555	1111
646	5555	1111	5533	1111	1111	5555	1111
647	5555	1111	4433	1111	2222	5555	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL</u> <u>(Sp,Su,F,W)</u>	<u>HUMAN USE</u> <u>(Sp,Su,F,W)</u>	<u>BIRD</u> <u>(Sp,Su,F,W)</u>	<u>MAMMAL</u> <u>(Sp,Su,F,W)</u>	<u>FISH</u> <u>(Sp,Su,F,W)</u>	<u>HABITAT</u> <u>(Sp,Su,F,W)</u>	<u>INVERT</u> <u>(Sp,Su,F,W)</u>
648	5555	1111	4433	1111	2222	5555	1111
649	5555	1111	4433	1111	1111	5555	1111
650	5555	1111	4433	1111	1111	5555	1111
651	5555	1111	4433	1111	1111	5555	1111
652	5555	1111	4433	1111	1111	5555	1111
653	5555	1111	4433	1111	1111	5555	1111
654	5555	1111	4433	1111	1111	5555	1111
655	5555	1111	4433	1111	1111	5555	1111
656	5555	1111	4433	1111	1111	5555	1111
657	5555	1111	4433	1111	1111	5555	1111
658	5555	1111	5533	5555	1111	5555	1111
659	5555	1111	5533	5555	1111	5555	1111
660	5555	1111	4433	1111	1111	5555	1111
661	5555	1111	4433	1111	1111	5555	1111
662	4433	1111	4433	1111	1111	1111	1111
663	5555	4444	4433	1111	1111	5555	1111
664	5555	1111	4433	1111	1111	5555	1111
665	4433	1111	4433	1111	1111	1111	1111
666	4433	1111	4433	1111	1111	1111	1111
667	4433	1111	4433	1111	1111	1111	1111
668	4433	1111	4433	1111	1111	1111	1111
669	4433	1111	4433	1111	1111	1111	1111
670	5555	1111	4433	1111	1111	5555	1111
671	5555	1111	4433	1111	1111	5555	1111
672	3333	1111	1133	1111	1111	3333	1111
673	5555	1111	1133	5555	1111	5555	1111
674	5555	1111	1133	5555	1111	5555	1111
675	5555	1111	1111	5555	1111	5555	1111
676	1131	1111	1131	1111	1111	1111	1111
677	1111	1111	1111	1111	1111	1111	1111
678	4444	1111	4433	1111	1111	4444	1111
679	4444	1111	4433	1111	1111	4444	1111
680	2222	1111	1111	2222	1111	1111	1111
681	2222	1111	1111	2222	1111	1111	1111
682	2222	1111	1111	2222	1111	1111	1111
683	2222	1111	1111	2222	1111	1111	1111
684	2222	1111	1111	2222	1111	1111	1111
685	2222	1111	1111	2222	1111	1111	1111
686	2222	1111	1111	2222	1111	1111	1111
687	2222	2222	1111	2222	1111	1111	1111
688	5544	4444	5544	2222	1111	2222	1111
689	4444	4444	1111	1111	1111	1111	1111
690	4444	4444	1111	1111	1111	1111	1111
691	4422	1111	4422	1111	1111	1111	1111
692	5555	1111	4433	1111	1111	5555	1111
693	5555	1111	4433	1111	1111	5555	1111
694	5555	1111	4433	1111	1111	5555	1111
695	4433	1111	4433	1111	1111	3333	1111
696	4433	1111	4433	1111	1111	3333	1111
697	4444	4444	4433	1111	1111	4444	1111
698	4444	1111	4433	1111	1111	4444	1111
699	4433	1111	4433	1111	1111	1111	1111
700	4433	1111	4433	1111	1111	1111	1111
701	4433	1111	4433	1111	1111	1111	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL (Sp,Su,F,W)</u>	<u>HUMAN USE (Sp,Su,F,W)</u>	<u>BIRD (Sp,Su,F,W)</u>	<u>MAMMAL (Sp,Su,F,W)</u>	<u>FISH (Sp,Su,F,W)</u>	<u>HABITAT (Sp,Su,F,W)</u>	<u>INVERT (Sp,Su,F,W)</u>
702	4433	1111	4433	1111	1111	1111	1111
703	4433	1111	4433	1111	1111	1111	1111
704	4433	1111	4433	1111	1111	1111	1111
705	5533	1111	5533	1111	1111	1111	1111
706	5555	1111	4433	1111	1111	5555	1111
707	5555	1111	4433	1111	1111	5555	1111
708	5555	1111	4433	1111	1111	5555	1111
709	5555	1111	4433	1111	1111	5555	1111
710	5555	1111	4433	1111	1111	5555	1111
711	5555	1111	4433	1111	1111	5555	1111
712	5555	1111	4433	1111	1111	5555	1111
713	5555	1111	4433	1111	1111	5555	1111
714	5555	1111	4433	1111	1111	5555	1111
715	5555	1111	4433	1111	1111	5555	1111
716	5555	1111	5533	1111	1111	5555	1111
717	5555	1111	4433	1111	1111	5555	1111
718	5555	4444	5533	5555	1111	5555	1111
719	5555	1111	4433	1111	1111	5555	1111
720	4433	1111	4433	1111	1111	1111	1111
721	4433	1111	4433	1111	1111	1111	1111
722	5555	1111	4433	1111	1111	5555	1111
723	5555	1111	4433	1111	1111	5555	1111
724	4433	1111	4433	1111	1111	1111	1111
725	4433	1111	4433	1111	1111	1111	1111
726	4433	1111	4433	1111	1111	1111	1111
727	4433	1111	4433	1111	1111	1111	1111
728	4433	1111	4433	1111	1111	1111	1111
729	1111	1111	1111	1111	1111	1111	1111
730	3333	1111	1133	1111	1111	3333	1111
731	5555	1111	1133	1111	1111	5555	1111
732	1133	1111	1133	1111	1111	1111	1111
733	5555	1111	1111	5555	1111	5555	1111
734	5555	1111	1111	5555	1111	5555	1111
735	5555	1111	1111	5555	1111	5555	1111
736	5555	1111	1111	1111	1111	5555	1111
737	1111	1111	1111	1111	1111	1111	1111
738	4433	1111	4433	1111	1111	2222	1111
739	4433	1111	4433	1111	1111	2222	1111
740	5555	1111	4433	1111	1111	5555	1111
741	5555	1111	5533	1111	1111	5555	1111
742	5555	1111	4433	1111	1111	5555	1111
743	4444	1111	4433	1111	1111	4444	1111
744	4444	1111	4433	1111	1111	4444	1111
745	4444	1111	4433	1111	1111	4444	1111
746	4444	1111	4433	1111	1111	4444	1111
747	4444	1111	4433	1111	1111	4444	1111
748	4444	1111	4433	1111	1111	4444	1111
749	4444	1111	4433	1111	1111	4444	1111
750	4433	1111	4433	1111	1111	1111	1111
751	4444	1111	4433	1111	1111	4444	1111
752	2222	1111	1111	2222	1111	1111	1111
753	2222	1111	1111	2222	1111	1111	1111
754	2222	1111	1111	2222	1111	1111	1111
755	2222	1111	1111	2222	1111	1111	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

Grid-Cell #	FINAL (Sp,Su,F,W)	HUMAN USE (Sp,Su,F,W)	BIRD (Sp,Su,F,W)	MAMMAL (Sp,Su,F,W) +	FISH (Sp,Su,F,W)	HABITAT (Sp,Su,F,W)	INVERT (Sp,Su,F,W)
756	2222	1111	1111	2222	1111	1111	1111
757	2222	1111	1111	2222	1111	1111	1111
758	5544	4444	5544	2222	1111	2222	1111
759	5544	4444	5544	1111	1111	1111	1111
760	4444	4444	1144	1111	1111	1111	1111
761	4444	1111	4444	1111	1111	1111	1111
762	4422	1111	4422	1111	1111	1111	1111
763	5555	1111	4422	1111	1111	5555	1111
764	5555	1111	4422	1111	1111	5555	1111
765	4444	1111	4422	1111	1111	4444	1111
766	4444	1111	4432	1111	1111	4444	1111
767	4444	1111	4432	1111	1111	4444	1111
768	5555	4444	4432	1111	1111	5555	1111
769	5555	4444	4432	1111	1111	5555	1111
770	5555	1111	4433	1111	1111	5555	1111
771	5555	1111	5533	1111	1111	5555	1111
772	5533	1111	5533	1111	1111	1111	1111
773	5522	1111	5522	1111	1111	1111	1111
774	4433	1111	4433	1111	1111	1111	1111
775	4444	4444	4433	1111	1111	4444	1111
776	5555	1111	4433	1111	1111	5555	1111
777	5555	1111	4433	1111	1111	5555	1111
778	5555	1111	4433	1111	1111	5555	1111
779	5555	1111	4433	1111	1111	5555	1111
780	5555	1111	4433	1111	1111	5555	1111
781	5555	1111	4433	1111	1111	5555	1111
782	5555	1111	4433	1111	1111	5555	1111
783	5555	1111	4433	1111	1111	5555	1111
784	5555	1111	5533	1111	1111	5555	1111
785	5555	1111	5533	1111	1111	5555	1111
786	4433	1111	4433	1111	1111	1111	1111
787	5555	1111	4433	1111	1111	5555	1111
788	5555	1111	4433	1111	1111	5555	1111
789	4433	1111	4433	1111	1111	1111	1111
790	4433	1111	4433	1111	1111	1111	1111
791	4433	1111	4433	1111	1111	1111	1111
792	5555	1111	4433	1111	1111	5555	1111
793	5555	1111	4433	1111	1111	5555	1111
794	4433	1111	4433	1111	1111	1111	1111
795	1111	1111	1111	1111	1111	1111	1111
796	4444	4444	1133	1111	1111	4444	1111
797	5555	1111	1133	1111	1111	5555	1111
798	4444	1111	1111	1111	1111	4444	1111
799	4444	1111	1111	1111	1111	4444	1111
800	5555	1111	1111	1111	1111	5555	1111
801	5555	1111	1111	1111	1111	5555	1111
802	5555	1111	4422	1111	1111	5555	1111
803	5555	1111	1111	1111	1111	5555	1111
804	1111	1111	1111	1111	1111	1111	1111
805	4433	1111	4433	1111	1111	1111	1111
806	4433	1111	4433	1111	1111	2222	1111
807	4433	1111	4433	1111	1111	2222	1111
808	4433	1111	4433	1111	1111	2222	1111
809	4444	1111	4433	1111	1111	4444	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell#</u>	<u>FINAL (Sp,Su,F,W)</u>	<u>HUMAN USE (Sp,Su,F,W)</u>	<u>BIRD (Sp,Su,F,W)</u>	<u>MAMMAL (Sp,Su,F,W)</u>	<u>FISH (Sp,Su,F,W)</u>	<u>HABITAT (Sp,Su,F,W)</u>	<u>INVERT (Sp,Su,F,W)</u>
810	5555	1111	4433	1111	1111	5555	1111
811	5555	1111	4433	1111	1111	5555	1111
812	5555	1111	4433	1111	1111	5555	1111
813	5555	1111	4433	1111	1111	5555	1111
814	5555	1111	4433	1111	1111	5555	1111
815	4433	1111	4433	1111	1111	2222	1111
816	4433	1111	4433	1111	1111	2222	1111
817	4433	1111	4433	1111	1111	2222	1111
818	4433	2222	4433	1111	1111	3333	1111
819	4444	1111	4433	1111	1111	4444	1111
820	4444	1111	4433	1111	1111	4444	1111
821	4444	1111	4433	1111	1111	4444	1111
822	4444	1111	4433	1111	1111	4444	1111
823	2222	1111	1111	2222	1111	1111	1111
824	2222	1111	1111	2222	1111	1111	1111
825	2222	1111	1111	2222	1111	1111	1111
826	2222	1111	1111	2222	1111	1111	1111
827	2222	1111	1111	2222	1111	1111	1111
828	2222	1111	1111	2222	1111	1111	1111
829	5544	2222	5544	2222	1111	2222	1111
830	5544	4444	5544	2222	1111	2222	1111
831	4444	4444	1144	1111	1111	1111	1111
832	4444	1111	4444	1111	1111	1111	1111
833	5555	1111	4422	1111	1111	5555	1111
834	5555	2222	4422	1111	1111	5555	1111
835	5555	1111	4422	1111	1111	5555	1111
836	5555	1111	4422	1111	1111	5555	1111
837	5555	1111	4432	1111	1111	5555	1111
838	5555	1111	4432	1111	1111	5555	1111
839	4444	1111	4432	1111	1111	4444	1111
840	5555	4444	4432	1111	1111	5555	1111
841	5555	1111	4433	1111	1111	5555	1111
842	5555	1111	4433	1111	1111	5555	1111
843	5533	1111	5533	1111	1111	1111	1111
844	5522	1111	5522	1111	1111	1111	1111
845	4422	1111	4422	1111	1111	1111	1111
846	5555	1111	4422	1111	1111	5555	1111
847	4444	1111	4422	1111	2222	4444	1111
848	5555	1111	4422	1111	1111	5555	1111
849	5555	1111	4433	1111	1111	5555	1111
850	4433	1111	4433	1111	1111	1111	1111
851	5555	1111	4433	1111	1111	5555	1111
852	4433	1111	4433	1111	1111	1111	1111
853	5555	1111	4433	1111	1111	5555	1111
854	5555	1111	4433	1111	1111	5555	1111
855	5555	2222	4433	1111	1111	5555	1111
856	4433	1111	4433	1111	1111	1111	1111
857	4433	1111	4433	1111	1111	1111	1111
858	4433	1111	4433	1111	1111	1111	1111
859	4433	1111	4433	1111	1111	1111	1111
860	4433	1111	4433	1111	1111	1111	1111
861	4433	1111	4433	1111	1111	1111	1111
862	4433	1111	4433	1111	1111	1111	1111
863	4433	1111	4433	1111	1111	1111	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL (Sp,Su,F,W)</u>	<u>HUMAN USE (Sp,Su,F,W)</u>	<u>BIRD (Sp,Su,F,W)</u>	<u>MAMMAL (Sp,Su,F,W)</u>	<u>FISH (Sp,Su,F,W)</u>	<u>HABITAT (Sp,Su,F,W)</u>	<u>INVERT (Sp,Su,F,W)</u>
864	4433	1111	4433	1111	1111	1111	1111
865	4433	1111	4433	1111	1111	1111	1111
866	1111	1111	1111	1111	1111	1111	1111
867	1111	1111	1111	1111	1111	1111	1111
868	5555	1111	1111	1111	1111	5555	1111
869	5555	1111	4422	1111	1111	5555	1111
870	5555	1111	4422	1111	1111	5555	1111
871	4444	1111	1111	1111	1111	4444	1111
872	1111	1111	1111	1111	1111	1111	1111
873	5555	1111	4422	1111	1111	5555	1111
874	5555	1111	5533	1111	1111	5555	1111
875	5555	1111	1131	1111	1111	5555	1111
876	4433	1111	4433	1111	2222	1111	1111
877	4433	1111	4433	1111	1111	1111	1111
878	4444	1111	4433	1111	1111	4444	1111
879	4444	1111	4433	1111	1111	4444	1111
880	4444	1111	4433	1111	1111	4444	1111
881	4444	1111	4433	1111	1111	4444	1111
882	4433	1111	4433	1111	1111	1111	1111
883	4433	1111	4433	1111	1111	1111	1111
884	5555	1111	4433	1111	1111	5555	1111
885	5555	1111	4433	1111	1111	5555	1111
886	5555	1111	4433	1111	1111	5555	1111
887	5555	1111	4433	1111	1111	5555	1111
888	4444	1111	4433	1111	1111	4444	1111
889	4444	1111	4433	1111	1111	4444	1111
890	4444	1111	4433	1111	1111	4444	1111
891	5555	1111	5533	1111	1111	5555	1111
892	5555	1111	5533	1111	1111	5555	1111
893	5555	1111	5533	1111	1111	5555	1111
894	4444	1111	4433	1111	1111	4444	1111
895	2222	1111	1111	2222	1111	1111	1111
896	2222	1111	1111	2222	1111	1111	1111
897	2222	1111	1111	2222	1111	1111	1111
898	2222	1111	1111	2222	1111	1111	1111
899	2222	1111	1111	2222	1111	1111	1111
900	2244	1111	1144	2222	1111	1111	1111
901	5544	4444	5544	2222	1111	2222	1111
902	1144	1111	1144	1111	1111	1111	1111
903	4444	4444	4444	1111	1111	1111	1111
904	4444	4444	4422	1111	1111	4444	1111
905	4422	1111	4422	1111	1111	1111	1111
906	4422	1111	4422	1111	1111	1111	1111
907	4422	1111	4422	1111	1111	1111	1111
908	4422	2222	4422	1111	1111	1111	1111
909	5555	4444	4422	1111	1111	5555	1111
910	5555	1111	4422	1111	1111	5555	1111
911	4432	1111	4432	1111	1111	1111	1111
912	5555	1111	4432	1111	1111	5555	1111
913	5555	1111	4432	1111	1111	5555	1111
914	5555	1111	4422	1111	2222	5555	1111
915	4422	1111	4422	1111	1111	1111	1111
916	4422	1111	4422	1111	1111	1111	1111
917	4422	1111	4422	1111	1111	1111	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL (Sp,Su,F,W)</u>	<u>HUMAN USE (Sp,Su,F,W)</u>	<u>BIRD (Sp,Su,F,W)</u>	<u>MAMMAL (Sp,Su,F,W)</u>	<u>FISH (Sp,Su,F,W)</u>	<u>HABITAT (Sp,Su,F,W)</u>	<u>INVERT (Sp,Su,F,W)</u>
918	4444	1111	4422	1111	1111	4444	1111
919	5555	1111	4422	1111	1111	5555	1111
920	5555	1111	1111	1111	1111	5555	1111
921	4433	1111	4433	1111	1111	1111	1111
922	5533	1111	5533	1111	1111	1111	1111
923	4433	1111	4433	1111	1111	1111	1111
924	1111	1111	1111	1111	1111	1111	1111
925	1111	1111	1111	1111	1111	1111	1111
926	1111	1111	1111	1111	1111	1111	1111
927	1111	1111	1111	1111	1111	1111	1111
928	4433	1111	4433	1111	1111	1111	1111
929	4433	1111	4433	1111	1111	1111	1111
930	1111	1111	1111	1111	1111	1111	1111
931	1111	1111	1111	1111	1111	1111	1111
932	1111	1111	1111	1111	1111	1111	1111
933	5555	1111	1111	1111	1111	5555	1111
934	5555	1111	4422	1111	1111	5555	1111
935	5555	1111	4422	1111	1111	5555	1111
936	4444	1111	1111	1111	1111	4444	1111
937	5555	1111	1111	5555	1111	1111	1111
938	5555	1111	5533	5555	1111	5555	1111
939	5555	1111	5533	1111	1111	5555	1111
940	4444	1111	4433	1111	2222	4444	1111
941	4444	1111	4433	1111	2222	4444	1111
942	4444	1111	4433	1111	1111	4444	1111
943	4444	1111	4433	1111	1111	4444	1111
944	4444	1111	4433	1111	1111	4444	1111
945	4444	1111	4433	1111	1111	4444	1111
946	4444	1111	4433	1111	1111	4444	1111
947	4444	1111	4433	1111	1111	4444	1111
948	4433	1111	4433	1111	1111	1111	1111
949	4433	1111	4433	1111	1111	1111	1111
950	4433	1111	4433	1111	1111	1111	1111
951	4444	1111	4433	1111	1111	4444	1111
952	4433	1111	4433	1111	1111	1111	1111
953	4433	1111	4433	1111	1111	1111	1111
954	4433	1111	4433	1111	1111	1111	1111
955	4433	1111	4433	1111	1111	1111	1111
956	4444	1111	4433	1111	1111	4444	1111
957	5555	1111	4433	1111	1111	5555	1111
958	5544	1111	5533	1111	1111	4444	1111
959	5555	1111	5533	1111	1111	5555	1111
960	4433	1111	4433	1111	1111	1111	1111
961	2222	1111	1111	2222	1111	1111	1111
962	2222	1111	1111	2222	1111	1111	1111
963	2222	1111	1111	2222	1111	1111	1111
964	2222	1111	1111	2222	1111	1111	1111
965	2222	1111	1111	2222	1111	1111	1111
966	2222	1111	1111	2222	1111	1111	1111
967	5544	4444	5544	2222	1111	2222	1111
968	5544	4444	5544	1111	1111	1111	1111
969	4422	1111	4422	1111	1111	1111	1111
970	5533	1111	5533	1111	1111	1111	1111
971	4422	1111	4422	1111	1111	1111	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

Grid-Cell #	FINAL (Sp,Su,F,W)	HUMAN USE (Sp,Su,F,W)	BIRD (Sp,Su,F,W)	MAMMAL (Sp,Su,F,W)	FISH (Sp,Su,F,W)	HABITAT (Sp,Su,F,W)	INVERT (Sp,Su,F,W)
972	4422	1111	4422	1111	1111	1111	1111
973	4422	1111	4422	1111	1111	1111	1111
974	5555	1111	4422	1111	1111	5555	1111
975	5555	1111	4422	1111	1111	5555	1111
976	4422	1111	4422	1111	1111	1111	1111
977	4422	1111	4422	1111	1111	1111	1111
978	5555	1111	4432	1111	1111	5555	1111
979	5555	1111	4432	1111	1111	5555	1111
980	5555	4444	4432	1111	2222	5555	1111
981	5555	1111	4422	1111	1111	5555	1111
982	5555	1111	4422	1111	1111	5555	1111
983	4422	1111	4422	1111	1111	1111	1111
984	4422	1111	4422	1111	1111	1111	1111
985	4422	1111	4422	1111	1111	1111	1111
986	5555	1111	1111	1111	1111	5555	1111
987	4444	1111	4433	1111	1111	4444	1111
988	4433	1111	4433	1111	1111	1111	1111
989	4433	1111	4433	1111	1111	1111	1111
990	1111	1111	1111	1111	1111	1111	1111
991	1111	1111	1111	1111	1111	1111	1111
992	1111	1111	1111	1111	1111	1111	1111
993	1111	1111	1111	1111	1111	1111	1111
994	4433	1111	4433	1111	1111	1111	1111
995	4433	1111	4433	1111	1111	1111	1111
996	1111	1111	1111	1111	1111	1111	1111
997	1111	1111	1111	1111	1111	1111	1111
998	1111	1111	1111	1111	1111	1111	1111
999	1111	1111	1111	1111	1111	1111	1111
1000	5555	1111	1111	1111	1111	5555	1111
1001	5555	1111	4422	1111	1111	5555	1111
1002	4444	1111	1111	1111	1111	4444	1111
1003	5555	1111	5533	5555	1111	5555	1111
1004	5555	1111	5533	5555	1111	5555	1111
1005	5555	1111	5533	1111	1111	5555	1111
1006	5555	1111	4433	1111	2222	5555	1111
1007	4444	1111	4433	1111	2222	4444	1111
1008	4433	1111	4433	1111	2222	3333	1111
1009	4444	1111	4433	1111	1111	4444	1111
1010	4444	1111	4433	1111	1111	4444	1111
1011	4444	1111	4433	1111	1111	4444	1111
1012	4444	1111	4433	1111	1111	4444	1111
1013	5555	1111	4433	1111	1111	5555	1111
1014	4444	1111	4433	1111	1111	4444	1111
1015	4433	1111	4433	1111	1111	1111	1111
1016	4433	1111	4433	1111	1111	1111	1111
1017	4433	1111	4433	1111	1111	1111	1111
1018	4433	1111	4433	1111	1111	1111	1111
1019	5544	1111	5533	1111	1111	4444	1111
1020	5555	1111	4433	1111	1111	5555	1111
1021	4433	1111	4433	1111	1111	2222	1111
1022	4433	1111	4433	1111	1111	2222	1111
1023	4433	1111	4433	1111	1111	1111	1111
1024	2222	1111	1111	2222	1111	1111	1111
1025	2222	1111	1111	2222	1111	1111	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL</u> <u>(Sp,Su,F,W)</u>	<u>HUMAN USE</u> <u>(Sp,Su,F,W)</u>	<u>BIRD</u> <u>(Sp,Su,F,W)</u>	<u>MAMMAL</u> <u>(Sp,Su,F,W)</u>	<u>FISH</u> <u>(Sp,Su,F,W)</u>	<u>HABITAT</u> <u>(Sp,Su,F,W)</u>	<u>INVERT</u> <u>(Sp,Su,F,W)</u>
1026	2222	1111	1111	2222	1111	1111	1111
1027	2222	1111	1111	2222	1111	1111	1111
1028	2222	1111	1111	2222	1111	1111	1111
1029	2222	1111	1111	2222	1111	1111	1111
1030	2222	2222	1111	2222	1111	1111	1111
1031	5544	4444	5544	2222	1111	2222	1111
1032	4422	1111	4422	1111	1111	1111	1111
1033	4422	1111	4422	1111	1111	1111	1111
1034	4422	1111	4422	1111	1111	1111	1111
1035	4422	1111	4422	1111	1111	1111	1111
1036	4422	1111	4422	1111	1111	1111	1111
1037	5555	4444	4422	1111	1111	5555	1111
1038	5555	1111	4422	1111	1111	5555	1111
1039	4422	1111	4422	1111	1111	1111	1111
1040	4422	1111	4422	1111	1111	1111	1111
1041	4432	1111	4432	1111	1111	1111	1111
1042	5555	1111	4432	1111	1111	5555	1111
1043	4432	1111	4432	1111	1111	1111	1111
1044	5555	1111	4432	1111	1111	5555	1111
1045	5555	1111	4422	1111	1111	5555	1111
1046	4422	1111	4422	1111	1111	1111	1111
1047	4422	1111	4422	1111	1111	1111	1111
1048	5555	1111	1111	1111	1111	5555	1111
1049	5555	1111	1111	1111	1111	5555	1111
1050	5555	1111	1111	5555	1111	5555	1111
1051	5555	1111	1111	5555	1111	5555	1111
1052	5555	1111	1111	5555	1111	2222	1111
1053	5555	1111	1111	5555	1111	5555	1111
1054	5555	1111	1111	5555	1111	5555	1111
1055	5555	1111	4433	5555	2222	5555	1111
1056	4433	1111	4433	1111	2222	2222	1111
1057	4444	1111	4433	1111	2222	4444	1111
1058	4444	1111	4433	1111	1111	4444	1111
1059	4444	1111	4433	1111	1111	4444	1111
1060	4444	1111	4433	1111	1111	4444	1111
1061	5555	1111	4433	1111	1111	5555	1111
1062	5555	1111	5533	1111	1111	5555	1111
1063	4433	1111	4433	1111	1111	1111	1111
1064	4433	1111	4433	1111	1111	1111	1111
1065	4433	1111	4433	1111	1111	1111	1111
1066	4433	1111	4433	1111	1111	1111	1111
1067	4444	1111	4433	1111	1111	4444	1111
1068	5555	1111	4433	1111	1111	5555	1111
1069	5555	1111	4433	1111	1111	5555	1111
1070	4444	1111	4433	1111	1111	4444	1111
1071	4433	1111	4433	1111	1111	2222	1111
1072	2222	1111	1111	2222	1111	1111	1111
1073	2222	1111	1111	2222	1111	1111	1111
1074	2222	1111	1111	2222	1111	1111	1111
1075	2222	1111	1111	2222	1111	1111	1111
1076	2222	1111	1111	2222	1111	1111	1111
1077	2222	1111	1111	2222	1111	1111	1111
1078	5544	2222	5544	2222	1111	2222	1111
1079	4422	1111	4422	1111	1111	1111	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL</u> <u>(Sp,Su,F,W)</u>	<u>HUMAN USE</u> <u>(Sp,Su,F,W)</u>	<u>BIRD</u> <u>(Sp,Su,F,W)</u>	<u>MAMMAL</u> <u>(Sp,Su,F,W)</u>	<u>FISH</u> <u>(Sp,Su,F,W)</u>	<u>HABITAT</u> <u>(Sp,Su,F,W)</u>	<u>INVERT</u> <u>(Sp,Su,F,W)</u>
1080	4422	1111	4422	1111	1111	1111	1111
1081	4422	1111	4422	1111	1111	1111	1111
1082	4422	1111	4422	1111	1111	1111	1111
1083	5555	1111	4422	1111	1111	5555	1111
1084	5555	1111	4422	1111	1111	5555	1111
1085	4422	1111	4422	1111	1111	1111	1111
1086	4422	1111	4422	1111	1111	1111	1111
1087	4422	1111	4422	1111	1111	1111	1111
1088	4444	1111	4432	1111	1111	4444	1111
1089	5555	1111	4432	1111	1111	5555	1111
1090	4432	1111	4432	1111	1111	1111	1111
1091	5555	1111	4422	1111	1111	5555	1111
1092	5555	1111	4422	1111	1111	5555	1111
1093	4422	1111	4422	1111	1111	1111	1111
1094	4422	1111	4422	1111	1111	1111	1111
1095	1111	1111	1111	1111	1111	1111	1111
1096	1111	1111	1111	1111	1111	1111	1111
1097	5555	1111	1111	1111	1111	5555	1111
1098	5555	4444	1111	1111	1111	5555	1111
1099	5555	1111	1111	5555	1111	4444	1111
1100	5555	1111	1111	5555	1111	1111	1111
1101	5555	1111	1111	5555	1111	1111	1111
1102	5555	1111	4433	5555	1111	1111	1111
1103	4433	1111	4433	1111	1111	1111	1111
1104	4433	1111	4433	1111	1111	1111	1111
1105	4444	1111	4433	1111	1111	4444	1111
1106	4444	1111	4433	1111	1111	4444	1111
1107	4433	1111	4433	1111	1111	3333	1111
1108	5555	1111	4433	1111	1111	5555	1111
1109	5555	1111	4433	1111	1111	5555	1111
1110	4444	1111	4433	1111	1111	4444	1111
1111	4433	1111	4433	1111	1111	1111	1111
1112	4433	1111	4433	1111	1111	1111	1111
1113	4433	1111	4433	1111	1111	1111	1111
1114	5555	1111	4433	1111	1111	5555	1111
1115	5555	1111	4433	1111	1111	5555	1111
1116	5555	1111	4433	1111	1111	5555	1111
1117	4444	1111	4433	1111	1111	4444	1111
1118	4433	1111	4433	1111	1111	2222	1111
1119	4433	1111	4433	1111	1111	2222	1111
1120	2222	1111	1111	2222	1111	1111	1111
1121	2222	1111	1111	2222	1111	1111	1111
1122	2222	1111	1111	2222	1111	1111	1111
1123	2222	1111	1111	2222	1111	1111	1111
1124	2222	1111	1111	2222	1111	1111	1111
1125	2222	1111	1111	2222	1111	1111	1111
1126	5544	2222	5544	2222	1111	2222	1111
1127	5544	4444	5544	1111	1111	1111	1111
1128	4422	1111	4422	1111	1111	1111	1111
1129	4422	1111	4422	1111	1111	1111	1111
1130	4422	1111	4422	1111	1111	1111	1111
1131	4422	1111	4422	1111	1111	1111	1111
1132	5555	1111	4422	1111	1111	5555	1111
1133	5555	1111	4422	1111	1111	5555	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL (Sp,Su,F,W)</u>	<u>HUMAN USE (Sp,Su,F,W)</u>	<u>BIRD (Sp,Su,F,W)</u>	<u>MAMMAL (Sp,Su,F,W)</u>	<u>FISH (Sp,Su,F,W)</u>	<u>HABITAT (Sp,Su,F,W)</u>	<u>INVERT (Sp,Su,F,W)</u>
1134	4422	1111	4422	1111	1111	1111	1111
1135	4422	1111	4422	1111	1111	1111	1111
1136	4432	1111	4432	1111	1111	1111	1111
1137	5555	1111	4433	1111	1111	5555	1111
1138	5555	1111	4433	1111	2222	5555	1111
1139	5555	1111	4433	1111	1111	5555	1111
1140	5555	1111	4422	1111	1111	5555	1111
1141	4422	1111	4422	1111	1111	1111	1111
1142	4422	1111	4422	1111	1111	1111	1111
1143	1111	1111	1111	1111	1111	1111	1111
1144	1111	1111	1111	1111	1111	1111	1111
1145	1111	1111	1111	1111	1111	1111	1111
1146	1111	1111	1111	1111	1111	1111	1111
1147	1111	1111	1111	1111	1111	1111	1111
1148	1111	1111	1111	1111	1111	1111	1111
1149	1111	1111	1111	1111	1111	1111	1111
1150	4433	1111	4433	1111	1111	1111	1111
1151	4433	1111	4433	1111	1111	1111	1111
1152	4433	1111	4433	1111	1111	1111	1111
1153	4433	1111	4433	1111	1111	1111	1111
1154	4433	1111	4433	1111	1111	1111	1111
1155	4433	1111	4433	1111	1111	1111	1111
1156	4444	1111	4433	1111	1111	4444	1111
1157	4444	1111	4433	1111	1111	4444	1111
1158	4444	1111	4433	1111	1111	4444	1111
1159	4433	1111	4433	1111	1111	1111	1111
1160	4433	1111	4433	1111	1111	1111	1111
1161	4433	1111	4433	1111	1111	1111	1111
1162	4444	1111	4433	1111	1111	4444	1111
1163	4444	1111	4433	1111	1111	4444	1111
1164	4444	1111	4433	1111	1111	4444	1111
1165	4444	1111	4433	1111	1111	4444	1111
1166	5555	1111	4433	1111	1111	5555	1111
1167	4433	1111	4433	1111	1111	2222	1111
1168	4433	1111	4433	1111	1111	1111	1111
1169	4444	1111	4433	1111	1111	4444	1111
1170	4433	1111	4433	1111	1111	1111	1111
1171	4444	1111	4433	1111	1111	4444	1111
1172	2222	1111	1111	2222	1111	1111	1111
1173	2222	1111	1111	2222	1111	1111	1111
1174	2222	1111	1111	2222	1111	1111	1111
1175	2222	1111	1111	2222	1111	1111	1111
1176	2222	1111	1111	2222	1111	1111	1111
1177	2222	1111	1111	2222	1111	1111	1111
1178	2222	2222	1111	2222	1111	2222	1111
1179	5544	2222	5544	2222	1111	2222	1111
1180	4422	1111	4422	1111	1111	1111	1111
1181	4422	1111	4422	1111	1111	1111	1111
1182	4422	1111	4422	1111	1111	1111	1111
1183	4422	1111	4422	1111	1111	1111	1111
1184	4422	1111	4422	1111	1111	1111	1111
1185	5555	1111	4422	1111	1111	5555	1111
1186	4422	1111	4422	1111	1111	1111	1111
1187	4422	1111	4422	1111	1111	1111	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

<u>Grid-Cell #</u>	<u>FINAL</u> <u>(Sp,Su,F,W)</u>	<u>HUMAN USE</u> <u>(Sp,Su,F,W)</u>	<u>BIRD</u> <u>(Sp,Su,F,W)</u>	<u>MAMMAL</u> <u>(Sp,Su,F,W)</u>	<u>FISH</u> <u>(Sp,Su,F,W)</u>	<u>HABITAT</u> <u>(Sp,Su,F,W)</u>	<u>INVERT</u> <u>(Sp,Su,F,W)</u>
1188	4432	1111	4432	1111	1111	1111	1111
1189	5555	1111	4433	1111	2222	5555	1111
1190	5555	1111	5533	1111	2222	5555	1111
1191	5555	1111	4433	1111	2222	5555	1111
1192	4422	1111	4422	1111	1111	1111	1111
1193	4422	1111	4422	1111	1111	1111	1111
1194	4422	1111	4422	1111	1111	1111	1111
1195	4422	1111	4422	1111	1111	1111	1111
1196	4433	1111	4433	1111	1111	1111	1111
1197	5555	1111	4433	1111	1111	5555	1111
1198	5555	1111	4433	1111	1111	5555	1111
1199	5555	1111	4433	1111	1111	5555	1111
1200	4433	1111	4433	1111	1111	1111	1111
1201	4433	1111	4433	1111	1111	1111	1111
1202	4433	1111	4433	1111	1111	1111	1111
1203	4433	1111	4433	1111	1111	1111	1111
1204	4433	1111	4433	1111	1111	1111	1111
1205	4444	1111	4433	1111	1111	4444	1111
1206	5555	2222	4433	1111	1111	5555	1111
1207	5555	1111	4433	1111	1111	5555	1111
1208	2222	1111	1111	2222	1111	1111	1111
1209	2222	1111	1111	2222	1111	1111	1111
1210	2222	1111	1111	2222	1111	1111	1111
1211	2222	1111	1111	2222	1111	1111	1111
1212	2222	1111	1111	2222	1111	1111	1111
1213	2222	2222	1111	2222	1111	1111	1111
1214	5544	4444	5544	2222	1111	2222	1111
1215	4444	4444	4422	1111	1111	1111	1111
1216	4422	1111	4422	1111	1111	1111	1111
1217	4422	1111	4422	1111	1111	1111	1111
1218	4422	1111	4422	1111	1111	1111	1111
1219	4422	1111	4422	1111	1111	1111	1111
1220	5555	1111	4422	1111	2222	5555	1111
1221	5555	1111	4422	1111	2222	5555	1111
1222	4422	1111	4422	1111	1111	1111	1111
1223	4432	1111	4432	1111	1111	1111	1111
1224	4433	1111	4433	1111	1111	1111	1111
1225	5555	1111	4433	1111	2222	5555	1111
1226	5555	1111	4433	1111	1111	5555	1111
1227	5555	1111	4432	1111	1111	5555	1111
1228	4422	1111	4422	1111	1111	1111	1111
1229	4422	1111	4422	1111	1111	1111	1111
1230	5555	1111	4433	1111	1111	5555	1111
1231	4433	1111	4433	1111	1111	2222	1111
1232	4433	1111	4433	1111	1111	1111	1111
1233	4433	1111	4433	1111	1111	1111	1111
1234	4433	2222	4433	1111	1111	1111	1111
1235	4444	1111	4433	1111	1111	4444	1111
1236	5555	1111	4433	1111	1111	5555	1111
1237	5555	1111	4433	1111	1111	5555	1111
1238	5555	1111	4433	1111	1111	5555	1111
1239	2222	1111	1111	2222	1111	1111	1111
1240	2222	1111	1111	2222	1111	1111	1111
1241	2222	1111	1111	2222	1111	1111	1111

APPENDIX 6. COLUMBIA RIVER ESTUARY RESOURCE SENSITIVITY RANKINGS BY SEASON

Grid-Cell #	FINAL (Sp,Su,F,W)	HUMAN USE (Sp,Su,F,W)	BIRD (Sp,Su,F,W)	MAMMAL (Sp,Su,F,W)	FISH (Sp,Su,F,W)	HABITAT (Sp,Su,F,W)	INVERT (Sp,Su,F,W)
1242	2222	1111	1111	2222	1111	1111	1111
1243	2222	1111	1111	2222	1111	1111	1111
1244	2222	1111	1111	2222	1111	1111	1111
1245	5544	2222	5544	2222	1111	2222	1111
1246	4444	4444	4422	1111	1111	1111	1111
1247	4444	4444	4422	1111	1111	1111	1111
1248	4422	1111	4422	1111	1111	1111	1111
1249	4422	1111	4422	1111	1111	1111	1111
1250	4422	1111	4422	1111	1111	1111	1111
1251	5555	1111	4422	1111	1111	5555	1111
1252	5555	1111	4422	1111	1111	5555	1111
1253	5555	1111	4422	1111	1111	5555	1111
1254	4422	1111	4422	1111	1111	1111	1111

[Statutory Authority: Chapter 90.48 RCW. 92-10-005 (Order 91-13), § 173-183-920, filed 4/23/92, effective 5/24/92.]

Chapter 173-200 WAC
WATER QUALITY STANDARDS FOR GROUND
WATERS OF THE STATE OF WASHINGTON

WAC

- 173-200-010 Introduction.
- 173-200-020 Definitions.
- 173-200-030 Antidegradation policy.
- 173-200-040 Criteria.
- 173-200-050 Enforcement limit.
- 173-200-060 Point of compliance.
- 173-200-070 Early warning value.
- 173-200-080 Evaluation.
- 173-200-090 Special protection areas.
- 173-200-100 Implementation and enforcement.

WAC 173-200-010 Introduction. (1) This chapter implements chapter 90.48 RCW, the Water Pollution Control Act and chapter 90.54 RCW, the Water Resources Act of 1971.

(2) This chapter applies to all ground waters of the state that occur in a saturated zone or stratum beneath the surface of land or below a surface water body.

(3) This chapter shall not apply to:

(a) Contaminant concentrations found in saturated soils where those contaminants are chemicals or nutrients that have been applied at agronomic rates for agricultural purpose if those contaminants will not cause pollution of any ground waters below the root zone.

(b) Contaminant concentrations found in saturated soils where those contaminants are constituents that have been applied at approved rates and under approved methods of land treatment if those contaminants will not cause pollution of any ground waters below the root zone.

(c) Clean up actions approved by the department under the Model Toxics Control Act, chapter 70.105D RCW, or approved by the United States Environmental Protection

Agency under the Comprehensive Environmental Response Compensation and Liability Act, 42 U.S.C. 9601 et seq. Ground water cleanup standards for such sites shall be developed under WAC 173-340-720.

(4) The goal of this chapter is to maintain the highest quality of the state's ground waters and protect existing and future beneficial uses of the ground water through the reduction or elimination of the discharge of contaminants to the state's ground waters.

(5) To implement this goal, this chapter establishes ground water quality standards which, together with the state's technology-based treatment requirements, provide for the protection of the environment and human health and protection of existing and future beneficial uses of ground waters.

[Statutory Authority: RCW 90.48.035. 90-22-023, § 173-200-010, filed 10/31/90, effective 12/1/90.]

WAC 173-200-020 Definitions. As used in this chapter:

(1) "Activity" means any site, area, facility, structure, vehicle, installation, or discharge which may produce pollution.

(2) "Artificial ground water" means ground water that has been put in place through means, such as irrigation, other than natural recharge.

(3) "Background water quality" means the concentrations of chemical, physical, biological, or radiological constituents, or other characteristics in or of ground water at a particular point in time and upgradient of an activity that have not been affected by that activity.

(4) "Beneficial uses" means uses of waters of the state which include but are not limited to use for domestic, stock watering, industrial, commercial, agricultural, irrigation, mining, fish and wildlife maintenance and enhancement, recreation, generation of electric power and preservation of

environmental and aesthetic values, and all other uses compatible with the enjoyment of the public waters of the state.

(5) "Best management practices" or "BMPs" mean schedules of activities, prohibitions of practices, maintenance of procedures, and other management practices, to prevent or reduce the pollution of ground waters of the state. BMPs also include treatment requirements, operating procedures and practices to control plant site runoff, spillage or leaks, sludge or water disposal, or drainage from raw material storage.

(6) "Carcinogen" means any substance or agent that produces or tends to produce cancer in humans. For implementation of this chapter, the term carcinogen will apply to all substances on the United States Environmental Protection Agency Integrated Risk Information System, IRIS data base, of A (known human) and B1 and B2 (probable human) carcinogens for which IRIS listed an oral slope factor.

(7) "Contaminant" means any chemical, physical, biological, or radiological substance that does not occur naturally in ground water or that occurs at concentrations greater than those in the natural levels.

(8) "Criteria" means numerical values or narrative standards that represent the maximum allowable contaminant concentrations in the ground water.

(9) "Department" means the Washington state department of ecology.

(10) "Early warning value" means a concentration set in accordance with WAC 173-200-070 that is a percentage of a ground water quality enforcement limit.

(11) "Enforcement limit" means the value assigned to any contaminant for the purposes of regulating that contaminant.

(12) "Ground water" means water in a saturated zone or stratum beneath the surface of land or below a surface water body.

(13) "Human-caused pollution" means pollution resulting from human activity.

(14) "Isolated ground water" means ground water fully separated from other ground waters by an impermeable layer of rock or strata.

(15) "Maximum contaminant level" or "MCL" means the maximum concentration of a contaminant in water established by the Environmental Protection Agency under the Federal Safe Drinking Water Act (42 U.S.C. 300f et seq.) and published in 40 C.F.R. 141 as presently promulgated or as subsequently amended or repromulgated.

(16) "Maximum contaminant level goal" or "MCLG" means the maximum concentration of a contaminant established by the Environmental Protection Agency under the Federal Safe Drinking Water Act (42 U.S.C. 300f et seq.) and published in 40 C.F.R. 141 as presently promulgated or subsequently amended or repromulgated, for which no known or anticipated adverse effects on human health occur including an adequate margin of safety.

(17) "Natural ground water quality" means ground water quality that was present before any human-caused pollution.

(18) "Naturally nonpotable ground water" means ground water that is unsuitable for drinking water because of natural ground water quality and for which current treatment methods are considered unreasonable and impractical.

(19) "Permit" means a department authorization, license, or equivalent control document issued to a facility, activity, or entity authorized to treat, store, dispose, or discharge materials or wastes. This includes, but is not limited to, state waste discharge permits issued pursuant to chapter 173-216 WAC, permits for dangerous waste management facilities issued pursuant to chapter 173-303 WAC, and permits for ground water withdrawal issued pursuant to chapter 90.44 RCW.

(20) "Person" means any political subdivision, government agency, municipality, industry, public or private corporation, partnership, association, firm, individual, or any other entity whatsoever.

(21) "Point of compliance" means the location, set in accordance with WAC 173-200-060, where the ground water quality enforcement limit shall not be exceeded.

(22) "Pollution" means such contamination, or other alteration of the physical, chemical or biological properties, of any waters of the state, including change in temperature, taste, color, turbidity, or odor of the waters, or such discharge of any liquid, gaseous, solid, radioactive, or other substance into any waters of the state as will or is likely to create a nuisance or render such waters harmful, detrimental or injurious to the public health, safety or welfare, or to domestic, commercial, industrial, agricultural, recreational, or other legitimate beneficial uses, or to livestock, wild animals, birds, fish, or other aquatic life.

(23) "Practical quantification level" or "PQL" means the lowest concentration of a substance that can be reliably achieved within specific limits of precision, accuracy, representativeness, completeness, and comparability during routine laboratory operating conditions.

(24) "Root zone" means the zone that extends from the surface of the soil to the depth of the lowest root and is specific to a species of plant, group of plants, or crop.

(25) "Saturated zone" means the zone below the water table in which all interstices are filled with water.

(26) "Seasonal ground water" means ground water that exists for a temporary period of the year and is usually associated with a particular activity or phenomenon.

(27) "State waste discharge permit" means a permit issued in accordance with the state waste discharge permit program, chapter 173-216 WAC.

[Statutory Authority: RCW 90.48.035. 90-22-023, § 173-200-020, filed 10/31/90, effective 12/1/90.]

WAC 173-200-030 Antidegradation policy. (1) The antidegradation policy of the state of Washington, is generally guided by chapter 90.48 RCW, the Water Pollution Control Act, and chapter 90.54 RCW, the Water Resources Act of 1971. The goal of this policy is to ensure the purity of the state's ground waters and to protect the natural environment.

(2) The antidegradation policy is as follows:

(a) Existing and future beneficial uses shall be maintained and protected and degradation of ground water quality that would interfere with or become injurious to beneficial uses shall not be allowed.

(b) Degradation shall not be allowed of high quality ground waters constituting an outstanding national or state resource, such as waters of national and state parks and

wildlife refuges, and waters of exceptional recreational or ecological significance.

(c) Whenever ground waters are of a higher quality than the criteria assigned for said waters, the existing water quality shall be protected, and contaminants that will reduce the existing quality thereof shall not be allowed to enter such waters, except in those instances where it can be demonstrated to the department's satisfaction that:

(i) An overriding consideration of the public interest will be served; and

(ii) All contaminants proposed for entry into said ground waters shall be provided with all known, available, and reasonable methods of prevention, control, and treatment prior to entry.

[Statutory Authority: RCW 90.48.035, 90-22-023, § 173-200-030, filed 10/31/90, effective 12/1/90.]

WAC 173-200-040 Criteria. (1) Ground waters in the state of Washington support many different beneficial uses. The purpose of these criteria is to establish maximum contaminant concentrations for the protection of a variety of beneficial uses of Washington's ground water.

(a) Drinking water is the beneficial use generally requiring the highest quality of ground water.

(b) Providing protection to the level of drinking water standards will protect a great variety of existing and future beneficial uses.

(c) Some ground waters of the state support environmental systems with existing and future beneficial uses requiring more stringent protection than that provided by human health based criteria. These ground waters and dependent uses will be protected by either or both of the following:

(i) Designation of an area and its associated ground water as a special protection area in accordance with WAC 173-200-090.

(ii) Establishment of enforcement limits as close to the natural ground water quality as possible for activities that may adversely affect those ground waters in accordance with WAC 173-200-050.

(d) The use of criteria based on drinking water quality shall in no way be interpreted to mean that all ground waters are used for drinking water or that all ground waters are presently suitable for drinking water.

(2) The following criteria shall apply to all ground waters in the state of Washington:

(a) Ground water concentrations shall not exceed the criteria listed in Table 1, except as described in WAC 173-200-050 (3)(b).

(b) For the primary and secondary contaminants and radionuclides listed in Table 1, the criteria shall be the most stringent concentration of the following and those listed in Table 1:

(i) Maximum contaminant level goals;

(ii) Maximum contaminant levels; and

(iii) State maximum contaminant levels published in chapter 248-54 WAC as presently promulgated or subsequently amended or repromulgated.

The criteria for primary and secondary contaminants and radionuclide contaminants in Table 1 shall be amended as

the federal and state rules are amended and without amendment of this chapter.

(c) For carcinogens listed in Table 1, the criteria are the concentrations that are anticipated to result in a total incremental human cancer risk of less than 1 in 1,000,000, and were estimated using the following equation and standard exposure assumptions:

$$\text{Ground Water Criteria} = \frac{\text{RISK} \times \text{BW} \times \text{LIFE} \times \text{UCF}}{\text{CPF} \times \text{DWIR} \times \text{DUR}}$$

(ug/l)

Where:

RISK = Human cancer risk level (1 in 1,000,000)

BW = Body Weight (70 kg)

LIFE = Lifetime (70 years)

UCF = Unit conversion factor (1,000 ug/mg)

CPF = Cancer potency factor as published in the IRIS data base (1/mg/kg/day)

DWIR = Drinking water ingestion rate (2.0 liters/day)

DUR = Duration of exposure (30 years)

For volatile carcinogens, inhalation exposure from showering was incorporated into the criteria by doubling the drinking water ingestion rate.

(3) For contaminants for which no numeric criteria have been established, enforcement limits shall be established in accordance with WAC 173-200-050.

TABLE 1
GROUND WATER QUALITY CRITERIA

CONTAMINANT	CRITERION	
I. PRIMARY AND SECONDARY CONTAMINANTS AND RADIONUCLIDES		
A. PRIMARY CONTAMINANTS		
Barium*	1.0	milligrams/liter (mg/l)
Cadmium*	0.01	mg/l
Chromium*	0.05	mg/l
Lead*	0.05	mg/l
Mercury*	0.002	mg/l
Selenium*	0.01	mg/l
Silver*	0.05	mg/l
Fluoride	4	mg/l
Nitrate (as N)	10	mg/l
Endrin	0.0002	mg/l
Methoxychlor	0.1	mg/l
1,1,1-Trichloroethane	0.20	mg/l
2-4 D	0.10	mg/l
2,4,5-TP Silvex	0.01	mg/l
Total Coliform Bacteria	1/100	ml
B. SECONDARY CONTAMINANTS		
Copper*	1.0	mg/l
Iron*	0.30	mg/l
Manganese*	0.05	mg/l
Zinc*	5.0	mg/l
Chloride	250	mg/l
Sulfate	250	mg/l
Total Dissolved Solids	500	mg/l
Foaming Agents	0.5	mg/l
pH	6.5-8.5	
Corrosivity	noncorrosive	
Color	15 color units	
Odor	3 threshold odor units	
C. RADIONUCLIDES		
Gross Alpha Particle Activity	15	pico Curie/liter (pCi/l)
Gross Beta Particle Radioactivity		

Gross Beta Activity	50	pCi/l
Tritium	20,000	pCi/l
Strontium-90	8	pCi/l
Radium 226 & 228	5	pCi/l
Radium -226	3	pCi/l
II. CARCINOGENS		
Acrylamide	0.02	micrograms/ liter ug/l
Acrylonitrile	0.07	ug/l
Aldrin	0.005	ug/l
Aniline	14	ug/l
Aramite	3	ug/l
Arsenic*	0.05	(ug/l)
Azobenzene	0.7	ug/l
Benzene	1.0	ug/l
Benzidine	0.0004	ug/l
Benzo(a)pyrene	0.008	ug/l
Benzotrithloride	0.007	ug/l
Benzyl chloride	0.5	ug/l
Bis(chloroethyl)ether	0.07	ug/l
Bis(chloromethyl)ether	0.0004	ug/l
Bis(2-ethylhexyl) phthalate	6.0	ug/l
Bromodichloromethane	0.3	ug/l
Bromoform	5	ug/l
Carbazole	5	ug/l
Carbon tetrachloride	0.3	ug/l
Chlordane	0.06	ug/l
Chlorodibromomethane	0.5	ug/l
Chloroform	7.0	ug/l
4 Chloro-2-methyl aniline	0.1	ug/l
4 Chloro-2-methyl analine hydrochloride	0.2	ug/l
o-Chloronitrobenzene	3	ug/l
p-Chloronitrobenzene	5	ug/l
Chlorthalonil	30	ug/l
Diallate	1	ug/l
DDT (includes DDE and DDD)	0.3	ug/l
1,2 Dibromoethane	0.001	ug/l
1,4 Dichlorobenzene	4	ug/l
3,3' Dichlorobenzidine	0.2	ug/l
1,1 Dichloroethane	1.0	ug/l
1,2 Dichloroethane (ethylene chloride)	0.5	ug/l
1,2 Dichloropropane	0.6	ug/l
1,3 Dichloropropene	0.2	ug/l
Dichlorvos	0.3	ug/l
Dieldrin	0.005	ug/l
3,3' Dimethoxybenzidine	6	ug/l
3,3 Dimethylbenzidine	0.007	
1,2 Dimethylhydrazine	60	ug/l
2,4 Dinitrotoluene	0.1	ug/l
2,6 Dinitrotoluene	0.1	ug/l
1,4 Dioxane	7.0	ug/l
1,2 Diphenylhydrazine	0.09	ug/l
Direct Black 38	0.009	ug/l
Direct Blue 6	0.009	ug/l
Direct Brown 95	0.009	ug/l
Epichlorohydrin	8	ug/l
Ethyl acrylate	2	ug/l
Ethylene dibromide	0.001	ug/l
Ethylene thiourea	2	ug/l
Folpet	20	ug/l
Furazolidone	0.02	ug/l
Furium	0.002	ug/l
Furmecyclox	3	ug/l
Heptachlor	0.02	ug/l
Heptachlor Epoxide	0.009	ug/l
Hexachlorobenzene	0.05	ug/l
Hexachlorocyclohexane (alpha)	0.001	ug/l
Hexachlorocyclohexane (technical)	0.05	ug/l
Hexachlorodibenzo-p-dioxin, mix	0.00001	ug/l
Hydrazine/Hydrazine sulfate	0.03	ug/l
Lindane	0.06	ug/l
2 Methoxy-5-nitroaniline	2	ug/l
2 Methylaniline	0.2	ug/l

2 Methylaniline hydrochloride	0.5	ug/l
4,4' Methylene bis(N,N'-dimethyl) aniline	2	ug/l
Methylene chloride (dichloromethane)	5	ug/l
Mirex	0.05	ug/l
Nitrofurazone	0.06	ug/l
N-Nitrosodiethanolamine	0.03	ug/l
N-Nitrosodiethylamine	0.0005	ug/l
N-Nitrosodimethylamine	0.002	ug/l
N-Nitrosodiphenylamine	17	ug/l
N-Nitroso-di-n-propylamine	0.01	ug/l
N-Nitrosopyrrolidine	0.04	ug/l
N-Nitroso-di-n-butylamine	0.02	ug/l
N-Nitroso-N-methylethylamine	0.004	ug/l
PAH	0.01	ug/l
PBBs	0.01	ug/l
PCBs	0.01	ug/l
o-Phenylenediamine	0.005	ug/l
Propylene oxide	0.01	ug/l
2,3,7,8-Tetrachlorodibenzo- p-dioxin	0.000006	ug/l
Tetrachloroethylene (perchloroethylene)	0.8	ug/l
p,α,α,α-Tetrachlorotoluene	0.004	ug/l
2,4 Toluenediamine	0.002	ug/l
o-Toluidine	0.2	ug/l
Toxaphene	0.08	ug/l
Trichloroethylene	3	ug/l
2,4,6-Trichlorophenol	4	ug/l
Trimethyl phosphate	2	ug/l
Vinyl chloride	0.02	ug/l

*metals are measured as total metals

[Statutory Authority: RCW 90.48.035. 90-22-023, § 173-200-040, filed 10/31/90, effective 12/1/90.]

WAC 173-200-050 Enforcement limit. (1) An enforcement limit is a value assigned to any contaminant for the purposes of regulating that contaminant to protect existing ground water quality and to prevent ground water pollution.

(2) Enforcement limits shall be defined on a case-by-case basis and shall be met at the point of compliance as defined in WAC 173-200-060. When the point of compliance is established at or in close proximity to the property boundary, enforcement limits shall be established sufficiently below criteria to provide an adequate margin of safety to ensure pollution does not extend beyond the property boundary.

(3) All enforcement limits shall, at a minimum, be based on all known, available, and reasonable methods of prevention, control, and treatment.

(a) The department shall consider all of the following in establishing enforcement limits:

- (i) The antidegradation policy;
- (ii) Establishment of an enforcement limit as near the natural ground water quality as practical;
- (iii) Overall protection of human health and the environment;
- (iv) Whether the potentially affected area has been designated as a special protection area;
- (v) Protection of existing and future beneficial uses;
- (vi) Effects of the presence of multiple chemicals, multiple exposure pathways in accordance with subsection (5) of this section, and toxicity of individual contaminants;

(vii) Federal, state, tribal, and local land use plans, policies, or ordinances including wellhead protection programs;

(viii) Pollution of other media such as soils or surface waters; and

(ix) Any other considerations the department deems pertinent to achieve the objectives of this chapter.

(b) Where a criterion is established for a given contaminant, the enforcement limit shall not exceed the criterion except as follows:

(i) When the natural ground water quality for a contaminant exceeds the criterion, the enforcement limit for that contaminant shall be equal to the natural level.

(ii) When the background ground water quality exceeds a criterion, the enforcement limit at the point of compliance shall not exceed the background ground water quality for that criterion. Enforcement limits based on elevated background ground water quality shall in no way be construed to allow continued pollution of the receiving ground water.

(iii) When a criterion is less than the practical quantification level, the enforcement limit shall be established in an alternate location to provide a realistic estimate that the criterion shall not be exceeded in the ground water. Evaluation for such enforcement limits shall be performed in accordance with WAC 173-200-080(5).

(iv) When naturally nonpotable ground water exceeds a secondary contaminant criterion, an enforcement limit for a secondary contaminant may exceed a criterion when it can be demonstrated to the department's satisfaction that:

(A) The environment is protected;

(B) Human health is protected in consultation with the Washington state department of health;

(C) Existing and future beneficial uses are not harmed; and

(D) All known, available, and reasonable methods of prevention, control, and treatment will not result in concentrations less than the secondary contaminant criteria.

(v) Enforcement limits may exceed criteria in isolated artificial or seasonal ground waters when all of the following conditions exist:

(A) The isolated artificial or seasonal ground waters are of insufficient quantity for use as a drinking water source;

(B) Established enforcement limits will not cause harm to existing and future beneficial uses including support of seasonal wetlands;

(C) Accumulation of contaminants will not cause adverse acute or chronic effects to human health as determined in consultation with the Washington state department of health;

(D) Accumulation of contaminants will not cause adverse acute or chronic effects to the environment.

(vi) In rare circumstances the department may allow an enforcement limit to exceed a criterion for an activity for a period not to exceed five years without reconsideration of the evidence presented in subitems (A), (B), and (C) of this subdivision, and if all of the following conditions are met:

(A) The permit holder or responsible person demonstrates to the department's satisfaction that an enforcement limit that exceeds a criterion is necessary to provide greater benefit to the environment as a whole and to protect other media such as air, surface water, soil, or sediments;

(B) The activity has been demonstrated to be in the overriding public interest of human health and the environment;

(C) The department selects, from a variety of control technologies available for reducing and eliminating contamination from each potentially affected media, the technologies that minimize impacts to all affected media; and

(D) The action has been approved by the director of the department or his/her designee.

(4) Where a criterion is not established for a contaminant, the enforcement limit in ground water shall not exceed the practical quantification level except:

(a) Where there is evidence that a lower concentration would better protect human health and the environment (based on published health advisories, risk assessments, and other available information), the department shall establish a more stringent enforcement limit;

(b) If clear and convincing evidence can be provided to the department that an alternative concentration will provide protection to human health and the environment, the department may establish an enforcement limit higher than the practical quantification level.

Protection of human health shall be determined in consultation with the Washington state department of health.

(5) For multiple contaminants and multiple routes of exposure, enforcement limits shall be addressed as follows:

(a) Estimated doses of individual contaminants from one or more routes of exposure are assumed to be additive unless evidence is available to suggest otherwise.

(b) Adverse effects of multiple contaminants with similar types of toxic responses are assumed to be additive unless evidence is available to suggest otherwise.

(c) Human cancer risks associated with multiple carcinogens are assumed to be additive unless evidence is available to suggest otherwise and shall not exceed a total incremental human cancer risk of 1 in 1,000,000.

(6) The enforcement limit for a specific activity may be established through, but not limited to the following mechanisms: A state administrative rule, a state waste discharge permit, other department permit, or administrative order.

(7) The ground water quality at the point of compliance for an activity may temporarily exceed an enforcement limit while the activity is under an enforceable schedule of compliance.

[Statutory Authority: RCW 90.48.035. 90-22-023, § 173-200-050, filed 10/31/90, effective 12/1/90.]

WAC 173-200-060 Point of compliance. (1) The point of compliance is the location where the enforcement limit, set in accordance with WAC 173-200-050, shall be measured and shall not be exceeded.

(a) The department shall establish the point of compliance for an activity. The point of compliance shall be established in the ground water as near the source as technically, hydrogeologically, and geographically feasible.

(b) Compliance with the enforcement limits shall be maintained throughout the site from the uppermost level of the saturated zone extending vertically to the lowest depth that could potentially be affected by an activity.

(2) An alternative point of compliance, established at a location some distance from the source up to but not

exceeding the property boundary, may be approved by the department as follows:

(a) An alternative point of compliance may be approved in the following situations:

(i) When all known, available, and reasonable methods of prevention, control, and treatment result in an exceedance of the criteria at the point of compliance.

(ii) When a point of compliance is defined in another state administrative rule including, but not limited to, Minimum functional standards for solid waste handling (chapter 173-304 WAC), Dangerous waste regulations (chapter 173-303 WAC), and Uranium and/or thorium mill operation and stabilization of mill tailing piles (chapter 402-52 WAC).

(b) In determining an alternative point of compliance, the department shall consider, at a minimum, the following factors:

(i) Effectiveness of all known, available, and reasonable methods of prevention, control, and treatment;

(ii) The contaminant volume, type, mobility, and characteristics;

(iii) Design and life span of the activity;

(iv) Existing and anticipated land and ground water uses; and

(v) Remedial options if an enforcement level is exceeded at the point of compliance.

(3) The department recognizes that evaluation of the impact of an activity at the designated point of compliance may be impractical, and the department may allow evaluation of that activity at some other point, in accordance with WAC 173-200-100 and 173-200-080(5).

[Statutory Authority: RCW 90.48.035. 90-22-023, § 173-200-060, filed 10/31/90, effective 12/1/90.]

WAC 173-200-070 Early warning value. (1) The purpose of an early warning value is to provide early detection of increasing contaminant concentrations that may approach or exceed enforcement limits.

(2) Whenever an enforcement limit is established above background ground water quality, an early warning value may be established, as appropriate.

(3) An early warning value shall be required when an alternative point of compliance is established unless technical constraints would prohibit establishment of an early warning value.

(4) An early warning value shall be established as a percentage of the enforcement limit upon consideration by the department of factors including, but not limited to, the following:

(a) The enforcement limit relative to background ground water quality;

(b) The availability, reliability, and reasonableness of analytical methods;

(c) The chemical, physical, and biological characteristics of the contaminants;

(d) The reliability of all known, available, and reasonable methods of prevention, control, and treatment;

(e) The anticipated increases in contaminant levels at the point of compliance; and

(f) The potential harm to existing and future beneficial uses.

(5) It shall not be considered a violation of these rules when contaminants are detected in concentrations exceeding an early warning value, but not exceeding an enforcement limit, unless there is failure to notify the department or respond as required in accordance with subsection (6) of this section.

(6) The following procedures apply when a contaminant is detected at a point of compliance or an alternative point of compliance and an early warning value is attained or exceeded.

(a) The permit holder or responsible person shall notify the department, in writing, within ten calendar days from detection of the early warning value, that the early warning value has been attained or exceeded. The notification shall contain, at a minimum, the following information:

(i) The concentrations of contaminants that attained or exceeded early warning values;

(ii) Concentrations of other contaminants monitored;

(iii) The location(s) and date(s) sampled; and

(iv) Concentrations of contaminants determined during previous sampling events.

(b) When notification is received, the department may require the permit holder or responsible person to perform one or more of the following:

(i) Take no action.

(ii) Resample to verify results.

(iii) Increase monitoring or modify the monitoring plan or evaluation procedures.

(iv) Develop and implement a trend analysis to determine the likelihood of exceeding the enforcement limit.

(v) Prepare and submit a report documenting the changes in ground water quality and discuss and propose alternative methods of operation that will reduce impacts to ground water.

(vi) Take such actions as the department deems necessary, if the department determines that there is a likelihood of exceeding an enforcement limit at the point of compliance.

[Statutory Authority: RCW 90.48.035. 90-22-023, § 173-200-070, filed 10/31/90, effective 12/1/90.]

WAC 173-200-080 Evaluation. (1) The purpose of this section is to establish minimum requirements for evaluating the impacts of an activity on the ground water quality to determine compliance with this chapter.

(2) If the department determines a potential to pollute the ground water exists, the department shall request a permit holder or responsible person to prepare and submit for departmental approval a ground water quality evaluation program for its activity. Each evaluation program shall be based on soil and hydrogeologic characteristics and be capable of assessing impacts on ground water at the point of compliance.

(3) A ground water evaluation program approved by the department may include, but not be limited to, any of the following:

(a) Ground water monitoring for a specific activity;

(b) Ground water monitoring at selected sites for a group of activities;

(c) Monitoring of the vadose zone;

(d) Evaluation and monitoring of effluent quality;

(e) Evaluation within a treatment process;

(f) Evaluation of management practices.

(4) In the evaluation program the permit holder or responsible person shall include information on the following:

(a) The chemical, physical, and biological characteristics of the contaminants;

(b) The availability and adequacy of analytical methods;

(c) The complexity and capability of assessing the hydrogeologic system;

(d) The reliability of all known, available, and reasonable methods of prevention, control, and treatment;

(e) The location of the point or points of compliance or alternative point of compliance; and

(f) Such other information that the department deems necessary to achieve the objectives of this chapter.

(5) When it is impractical to evaluate the impact of an activity at the designated point of compliance, for example when a criterion is less than the practical quantification limit, evaluation shall be designed and performed at an alternate location to provide a realistic estimate of conditions in the ground water at a point of compliance.

(6) These evaluation requirements pertain to activities that are not already covered by state regulation which have specific monitoring requirements such as chapter 173-303 WAC, Dangerous waste regulations, chapter 173-304 WAC, Minimum functional standards for solid waste handling, and chapter 402-52 WAC, Uranium and/or thorium mill operation and stabilization of mill tailing piles.

(7) For those activities for which the department has not issued permits and that have the potential to pollute the ground water, evaluation shall be conducted according to the following:

(a) Evaluation procedures shall be included in department guidelines, policies, and best management practices to ensure that an adequate determination of compliance with this chapter can be made;

(b) For those activities regulated by other agencies but not regulated by department rule, the department will pursue evaluation of the activity through a memorandum of understanding with the regulating agency.

[Statutory Authority: RCW 90.48.035. 90-22-023, § 173-200-080, filed 10/31/90, effective 12/1/90.]

WAC 173-200-090 Special protection areas. (1) The purpose of a special protection area is to identify and designate ground waters that require special consideration or increased protection because of one or more unique characteristics.

(2) The unique characteristics of a special protection area shall be considered by the department when regulating activities, developing regulations, guidelines, and policies, and when prioritizing department resources for ground water quality protection programs.

(3) The characteristics to guide designation of a special protection area shall include, but not be limited to, the following:

(a) Ground waters that support a beneficial use or an ecological system requiring more stringent criteria than drinking water standards;

(b) Ground waters, including, but not limited to, recharge areas and wellhead protection areas, that are vulnerable to pollution because of hydrogeologic characteristics; and

(c) Sole source aquifer status by federal designation.

(4) Special protection areas may be proposed for designation at any time by the department upon its own initiative or at the request of a federal agency, another state agency, an Indian tribe, or local government.

(a) The requestor of designation shall provide sufficient information for the department to determine if the proposed designation is in the best interest of the public. This information shall include, but not be limited to:

(i) A rationale for the proposed designation;

(ii) Supporting data for the proposed designation;

(iii) A description of the proposed area including geographic and hydrologic boundaries;

(iv) Documentation of coordination with affected state and local agencies, tribes, and water user groups; and

(v) Such other information as the department deems necessary.

(b) In coordination with the department, the initiator of the request for designation shall hold at least one public meeting and take written comment for the purpose of receiving comments from the public, affected local, state and federal agencies, tribes, and other persons. Documentation of the public review process and comments received shall be submitted to the department.

(c) The department shall review the request for designation, provide written notification to all affected local, state and federal governments, and tribes, and hold at least one public hearing within the county or counties containing the proposed special protection area.

(5) The department shall designate said ground waters as a special protection area if the department determines:

(a) The special protection area contains one or more of the characteristics described in subsection (2) of this section; and

(b) Such a designation is in the public interest.

[Statutory Authority: RCW 90.48.035. 90-22-023, § 173-200-090, filed 10/31/90, effective 12/1/90.]

WAC 173-200-100 Implementation and enforcement. (1) The requirements of this chapter shall be met for all ground waters to meet the requirements of this chapter at all places and at all times.

(2) No person shall engage in any activity that violates or causes the violation of this chapter.

(3) This chapter shall be enforced through all legal, equitable, and other methods available to the department including, but not limited to: Issuance of state waste discharge permits, other departmental permits, regulatory orders, court actions, review and approval of plans and specifications, evaluation of compliance with all known, available, and reasonable methods of prevention, control, and treatment of a waste prior to discharge, and pursuit of memoranda of understanding between the department and other regulatory agencies.

(4) Permits issued or reissued by the department shall be conditioned in such a manner as to authorize only activities that will not cause violations of this chapter.

(a) Any applicant for any departmental permit shall evaluate the potential impact of its proposed activity on the ground water quality.

(b) For reissued permits, the permit holder shall evaluate the impacts of its activities on ground water quality, and, if necessary to achieve compliance with ground water quality enforcement limits, determine a department approved schedule of compliance.

(5) For permit holders in compliance with the terms and conditions of a department permit and whose activity violates this chapter, the department is electing, from among the enforcement mechanisms available to it for the enforcement of WAC 173-200-040 and 173-200-050, to precede any civil or criminal penalty with a compliance order or permit modification.

(6) The department shall pursue memoranda of understanding with other state agencies to develop policies and rules that will require all known, available, and reasonable methods of prevention, control, and treatment to achieve compliance with this chapter. Departmental orders, memoranda of understanding, and best management practices shall be modified by the department whenever an activity authorized by such orders or BMPs or pursuant to such memorandum of understanding violates this chapter.

(7) The department shall pursue memoranda of understanding with other state agencies, federal agencies, and tribal authorities to coordinate ground water management activities.

(8) For persons whose activity violates this chapter but is in compliance with best management practices adopted by rule in chapter 248-96 WAC, WAC 173-304-300(4), RCW 15.58.150 (2)(c), WAC 16-228-180(1), or 16-228-185, the department is electing, from among the enforcement mechanisms available to it for the enforcement of WAC 173-200-040 and 173-200-050, to precede any civil or criminal penalty with a compliance order.

(9) When a distinction cannot be made among ground water, surface water, or sediments the applicable standard shall depend on which beneficial use is or could be adversely affected. If beneficial uses of more than one resource are affected, the most restrictive standard shall apply.

(10) The department shall give due consideration to the precision and accuracy of sampling and analytical methods used when determining compliance with this chapter.

(11) The analytical testing methods for determining compliance with this chapter shall be approved in writing by the department prior to the performance of analyses.

[Statutory Authority: RCW 90.48.035. 90-22-023, § 173-200-100, filed 10/31/90, effective 12/1/90.]

Chapter 173-201A WAC

WATER QUALITY STANDARDS FOR SURFACE WATERS OF THE STATE OF WASHINGTON

WAC

173-201A-010	Introduction.
173-201A-020	Definitions.
173-201A-030	General water use and criteria classes.
173-201A-040	Toxic substances.
173-201A-050	Radioactive substances.
173-201A-060	General considerations.
173-201A-070	Antidegradation.

173-201A-080	Outstanding resource waters.
173-201A-100	Mixing zones.
173-201A-110	Short-term modifications.
173-201A-120	General classifications.
173-201A-130	Specific classifications—Freshwater.
173-201A-140	Specific classifications—Marine water.
173-201A-150	Achievement considerations.
173-201A-160	Implementation.
173-201A-170	Surveillance.
173-201A-180	Enforcement.

WAC 173-201A-010 Introduction. (1) The purpose of this chapter is to establish water quality standards for surface waters of the state of Washington consistent with public health and public enjoyment thereof, and the propagation and protection of fish, shellfish, and wildlife, pursuant to the provisions of chapter 90.48 RCW and the policies and purposes thereof.

(2) This chapter shall be reviewed periodically by the department and appropriate revisions shall be undertaken.

(3) The water use and quality criteria set forth in WAC 173-201A-030 through 173-201A-140 are established in conformance with present and potential water uses of the surface waters of the state of Washington and in consideration of the natural water quality potential and limitations of the same. Compliance with the surface water quality standards of the state of Washington require compliance with chapter 173-201A WAC, Water quality standards for surface waters of the state of Washington, and chapter 173-204 WAC, Sediment management standards.

[Statutory Authority: Chapter 90.48 RCW. 92-24-037 (Order 92-29), § 173-201A-010, filed 11/25/92, effective 12/26/92.]

WAC 173-201A-020 Definitions. The following definitions are intended to facilitate the use of chapter 173-201A WAC:

"Acute conditions" are changes in the physical, chemical, or biologic environment which are expected or demonstrated to result in injury or death to an organism as a result of short-term exposure to the substance or detrimental environmental condition.

"AKART" is an acronym for "all known, available, and reasonable methods of prevention, control, and treatment." AKART shall represent the most current methodology that can be reasonably required for preventing, controlling, or abating the pollutants associated with a discharge. The concept of AKART applies to both point and nonpoint sources of pollution. The term "best management practices," typically applied to nonpoint source pollution controls is considered a subset of the AKART requirement. "The Stormwater Management Manual for the Puget Sound Basin" (1992), may be used as a guideline, to the extent appropriate, for developing best management practices to apply AKART for storm water discharges.

"Background conditions" means the biological, chemical, and physical conditions of a water body, outside the area of influence of the discharge under consideration. Background sampling locations in an enforcement action would be up-gradient or outside the area of influence of the discharge. If several discharges to any water body exist, and enforcement action is being taken for possible violations to the standards, background sampling would be undertaken immediately up-gradient from each discharge. When assessing background

conditions in the headwaters of a disturbed watershed it may be necessary to use the background conditions of a neighboring or similar watershed as the reference conditions.

"Best management practices (BMP)" means physical, structural, and/or managerial practices approved by the department that, when used singularly or in combination, prevent or reduce pollutant discharges.

"Biological assessment" is an evaluation of the biological condition of a water body using surveys of aquatic community structure and function and other direct measurements of resident biota in surface waters.

"Carcinogen" means any substance or agent that produces or tends to produce cancer in humans. For implementation of this chapter, the term carcinogen will apply to substances on the United States Environmental Protection Agency lists of A (known human) and B (probable human) carcinogens, and any substance which causes a significant increased incidence of benign or malignant tumors in a single, well conducted animal bioassay, consistent with the weight of evidence approach specified in the United States Environmental Protection Agency's Guidelines for Carcinogenic Risk Assessment as set forth in 51 FR 33992 et seq. as presently published or as subsequently amended or republished.

"Chronic conditions" are changes in the physical, chemical, or biologic environment which are expected or demonstrated to result in injury or death to an organism as a result of repeated or constant exposure over an extended period of time to a substance or detrimental environmental condition.

"Critical condition" is when the physical, chemical, and biological characteristics of the receiving water environment interact with the effluent to produce the greatest potential adverse impact on aquatic biota and existing or characteristic water uses. For steady-state discharges to riverine systems the critical condition may be assumed to be equal to the 7010 flow event unless determined otherwise by the department.

"Damage to the ecosystem" means any demonstrated or predicted stress to aquatic or terrestrial organisms or communities of organisms which the department reasonably concludes may interfere in the health or survival success or natural structure of such populations. This stress may be due to, but is not limited to, alteration in habitat or changes in water temperature, chemistry, or turbidity, and shall consider the potential build up of discharge constituents or temporal increases in habitat alteration which may create such stress in the long term.

"Department" means the state of Washington department of ecology.

"Director" means the director of the state of Washington department of ecology.

"Fecal coliform" means that portion of the coliform group which is present in the intestinal tracts and feces of warm-blooded animals as detected by the product of acid or gas from lactose in a suitable culture medium within twenty-four hours at 44.5 plus or minus 0.2 degrees Celsius.

"Geometric mean" means either the nth root of a product of n factors, or the antilogarithm of the arithmetic mean of the logarithms of the individual sample values.

"Hardness" means a measure of the calcium and magnesium salts present in water. For purposes of this

chapter, hardness is measured in milligrams per liter and expressed as calcium carbonate (CaCO_3).

"Mean detention time" means the time obtained by dividing a reservoir's mean annual minimum total storage by the thirty-day ten-year low-flow from the reservoir.

"Migration or translocation" means any natural movement of an organism or community of organisms from one locality to another locality.

"Mixing zone" means that portion of a water body adjacent to an effluent outfall where mixing results in the dilution of the effluent with the receiving water. Water quality criteria may be exceeded in a mixing zone as conditioned and provided for in WAC 173-201A-100.

"Natural conditions" or "natural background levels" means surface water quality that was present before any human-caused pollution.

"Nonpoint source" means pollution that enters any waters of the state from any dispersed land-based or water-based activities, including but not limited to atmospheric deposition, surface water runoff from agricultural lands, urban areas, or forest lands, subsurface or underground sources, or discharges from boats or marine vessels not otherwise regulated under the National Pollutant Discharge Elimination System program.

"Permit" means a document issued pursuant to RCW 90.48.160 et seq. or RCW 90.48.260 or both, specifying the waste treatment and control requirements and waste discharge conditions.

"pH" means the negative logarithm of the hydrogen ion concentration.

"Pollution" means such contamination, or other alteration of the physical, chemical, or biological properties, of any waters of the state, including change in temperature, taste, color, turbidity, or odor of the waters, or such discharge of any liquid, gaseous, solid, radioactive, or other substance into any waters of the state as will or is likely to create a nuisance or render such waters harmful, detrimental, or injurious to the public health, safety, or welfare, or to domestic, commercial, industrial, agricultural, recreational, or other legitimate beneficial uses, or to livestock, wild animals, birds, fish, or other aquatic life.

"Primary contact recreation" means activities where a person would have direct contact with water to the point of complete submergence including, but not limited to, skin diving, swimming, and water skiing.

"Secondary contact recreation" means activities where a person's water contact would be limited (wading or fishing) to the extent that bacterial infections of eyes, ears, respiratory or digestive systems, or urogenital areas would normally be avoided.

"Storm water" means that portion of precipitation that does not naturally percolate into the ground or evaporate, but flows via overland flow, interflow, pipes, and other features of a storm water drainage system into a defined surface water body, or a constructed infiltration facility.

"Surface waters of the state" includes lakes, rivers, ponds, streams, inland waters, saltwaters, and all other surface waters and water courses within the jurisdiction of the state of Washington.

"Temperature" means water temperature expressed in degrees Celsius ($^{\circ}\text{C}$).

"Turbidity" means the clarity of water expressed as nephelometric turbidity units (NTU) and measured with a calibrated turbidimeter.

"Upwelling" means the natural process along Washington's Pacific Coast where the summer prevailing northerly winds produce a seaward transport of surface water. Cold, deeper more saline waters rich in nutrients and low in dissolved oxygen, rise to replace the surface water. The cold oxygen deficient water enters Puget Sound and other coastal estuaries at depth where it displaces the existing deep water and eventually rises to replace the surface water. Such surface water replacement results in an overall increase in salinity and nutrients accompanied by a depression in dissolved oxygen. Localized upwelling of the deeper water of Puget Sound can occur year-round under influence of tidal currents, winds, and geomorphic features.

"USEPA" means the United States Environmental Protection Agency.

"Wildlife habitat" means waters of the state used by, or that directly or indirectly provide food support to, fish, other aquatic life, and wildlife for any life history stage or activity.

[Statutory Authority: Chapter 90.48 RCW. 92-24-037 (Order 92-29), § 173-201A-020, filed 11/25/92, effective 12/26/92.]

WAC 173-201A-030 General water use and criteria classes. The following criteria shall apply to the various classes of surface waters in the state of Washington:

(1) **Class AA (extraordinary).**

(a) General characteristic. Water quality of this class shall markedly and uniformly exceed the requirements for all or substantially all uses.

(b) Characteristic uses. Characteristic uses shall include, but not be limited to, the following:

(i) Water supply (domestic, industrial, agricultural).

(ii) Stock watering.

(iii) Fish and shellfish:

Salmonid migration, rearing, spawning, and harvesting.

Other fish migration, rearing, spawning, and harvesting.

Clam, oyster, and mussel rearing, spawning, and harvesting.

Crustaceans and other shellfish (crabs, shrimp, crayfish, scallops, etc.) rearing, spawning, and harvesting.

(iv) Wildlife habitat.

(v) Recreation (primary contact recreation, sport fishing, boating, and aesthetic enjoyment).

(vi) Commerce and navigation.

(c) Water quality criteria:

(i) Fecal coliform organisms:

(A) Freshwater - fecal coliform organism levels shall both not exceed a geometric mean value of 50 colonies/100 mL and not have more than 10 percent of all samples obtained for calculating the geometric mean value exceeding 100 colonies/100 mL.

(B) Marine water - fecal coliform organism levels shall both not exceed a geometric mean value of 14 colonies/100 mL, and not have more than 10 percent of all samples obtained for calculating the geometric mean value exceeding 43 colonies/100 mL.

(ii) Dissolved oxygen:

(A) Freshwater - dissolved oxygen shall exceed 9.5 mg/L.

(B) Marine water - dissolved oxygen shall exceed 7.0 mg/L. When natural conditions, such as upwelling, occur, causing the dissolved oxygen to be depressed near or below 7.0 mg/L, natural dissolved oxygen levels may be degraded by up to 0.2 mg/L by human-caused activities.

(iii) Total dissolved gas shall not exceed 110 percent of saturation at any point of sample collection.

(iv) Temperature shall not exceed 16.0°C (freshwater) or 13.0°C (marine water) due to human activities. When natural conditions exceed 16.0°C (freshwater) and 13.0°C (marine water), no temperature increases will be allowed which will raise the receiving water temperature by greater than 0.3°C.

Incremental temperature increases resulting from point source activities shall not, at any time, exceed $t=23/(T+5)$ (freshwater) or $t=8/(T-4)$ (marine water). Incremental temperature increases resulting from nonpoint source activities shall not exceed 2.8°C.

For purposes hereof, "t" represents the maximum permissible temperature increase measured at a mixing zone boundary; and "T" represents the background temperature as measured at a point or points unaffected by the discharge and representative of the highest ambient water temperature in the vicinity of the discharge.

(v) pH shall be within the range of 6.5 to 8.5 (freshwater) or 7.0 to 8.5 (marine water) with a human-caused variation within a range of less than 0.2 units.

(vi) Turbidity shall not exceed 5 NTU over background turbidity when the background turbidity is 50 NTU or less, or have more than a 10 percent increase in turbidity when the background turbidity is more than 50 NTU.

(vii) Toxic, radioactive, or deleterious material concentrations shall be below those which have the potential either singularly or cumulatively to adversely affect characteristic water uses, cause acute or chronic conditions to the most sensitive biota dependent upon those waters, or adversely affect public health, as determined by the department (see WAC 173-201A-040 and 173-201A-050).

(viii) Aesthetic values shall not be impaired by the presence of materials or their effects, excluding those of natural origin, which offend the senses of sight, smell, touch, or taste.

(2) **Class A (excellent).**

(a) General characteristic. Water quality of this class shall meet or exceed the requirements for all or substantially all uses.

(b) Characteristic uses. Characteristic uses shall include, but not be limited to, the following:

(i) Water supply (domestic, industrial, agricultural).

(ii) Stock watering.

(iii) Fish and shellfish:

Salmonid migration, rearing, spawning, and harvesting.

Other fish migration, rearing, spawning, and harvesting.

Clam, oyster, and mussel rearing, spawning, and harvesting.

Crustaceans and other shellfish (crabs, shrimp, crayfish, scallops, etc.) rearing, spawning, and harvesting.

(iv) Wildlife habitat.

(v) Recreation (primary contact recreation, sport fishing, boating, and aesthetic enjoyment).

(vi) Commerce and navigation.

(c) Water quality criteria:

(i) Fecal coliform organisms:

(A) Freshwater - fecal coliform organism levels shall both not exceed a geometric mean value of 100 colonies/100 mL, and not have more than 10 percent of all samples obtained for calculating the geometric mean value exceeding 200 colonies/100 mL.

(B) Marine water - fecal coliform organism levels shall both not exceed a geometric mean value of 14 colonies/100 mL, and not have more than 10 percent of all samples obtained for calculating the geometric mean value exceeding 43 colonies/100 mL.

(ii) Dissolved oxygen:

(A) Freshwater - dissolved oxygen shall exceed 8.0 mg/L.

(B) Marine water - dissolved oxygen shall exceed 6.0 mg/L. When natural conditions, such as upwelling, occur, causing the dissolved oxygen to be depressed near or below 6.0 mg/L, natural dissolved oxygen levels may be degraded by up to 0.2 mg/L by human-caused activities.

(iii) Total dissolved gas shall not exceed 110 percent of saturation at any point of sample collection.

(iv) Temperature shall not exceed 18.0°C (freshwater) or 16.0°C (marine water) due to human activities. When natural conditions exceed 18.0°C (freshwater) and 16.0°C (marine water), no temperature increases will be allowed which will raise the receiving water temperature by greater than 0.3°C.

Incremental temperature increases resulting from point source activities shall not, at any time, exceed $t=28/(T+7)$ (freshwater) or $t=12/(T-2)$ (marine water). Incremental temperature increases resulting from nonpoint source activities shall not exceed 2.8°C.

For purposes hereof, "t" represents the maximum permissible temperature increase measured at a mixing zone boundary; and "T" represents the background temperature as measured at a point or points unaffected by the discharge and representative of the highest ambient water temperature in the vicinity of the discharge.

(v) pH shall be within the range of 6.5 to 8.5 (freshwater) or 7.0 to 8.5 (marine water) with a human-caused variation within a range of less than 0.5 units.

(vi) Turbidity shall not exceed 5 NTU over background turbidity when the background turbidity is 50 NTU or less, or have more than a 10 percent increase in turbidity when the background turbidity is more than 50 NTU.

(vii) Toxic, radioactive, or deleterious material concentrations shall be below those which have the potential either singularly or cumulatively to adversely affect characteristic water uses, cause acute or chronic conditions to the most sensitive biota dependent upon those waters, or adversely affect public health, as determined by the department (see WAC 173-201A-040 and 173-201A-050).

(viii) Aesthetic values shall not be impaired by the presence of materials or their effects, excluding those of natural origin, which offend the senses of sight, smell, touch, or taste.

(3) Class B (good).

(a) General characteristic. Water quality of this class shall meet or exceed the requirements for most uses.

(b) Characteristic uses. Characteristic uses shall include, but not be limited to, the following:

(i) Water supply (industrial and agricultural).

(ii) Stock watering.

(iii) Fish and shellfish:

Salmonid migration, rearing, and harvesting.

Other fish migration, rearing, spawning, and harvesting.

Clam, oyster, and mussel rearing and spawning.

Crustaceans and other shellfish (crabs, shrimp, crayfish, scallops, etc.) rearing, spawning, and harvesting.

(iv) Wildlife habitat.

(v) Recreation (secondary contact recreation, sport fishing, boating, and aesthetic enjoyment).

(vi) Commerce and navigation.

(c) Water quality criteria:

(i) Fecal coliform organisms:

(A) Freshwater - fecal coliform organism levels shall both not exceed a geometric mean value of 200 colonies/100 mL, and not have more than 10 percent of all samples obtained for calculating the geometric mean value exceeding 400 colonies/100 mL.

(B) Marine water - fecal coliform organism levels shall both not exceed a geometric mean value of 100 colonies/100 mL, and not have more than 10 percent of all samples obtained for calculating the geometric mean value exceeding 200 colonies/100 mL.

(ii) Dissolved oxygen:

(A) Freshwater - dissolved oxygen shall exceed 6.5 mg/L.

(B) Marine water - dissolved oxygen shall exceed 5.0 mg/L. When natural conditions, such as upwelling, occur, causing the dissolved oxygen to be depressed near or below 5.0 mg/L, natural dissolved oxygen levels may be degraded by up to 0.2 mg/L by human-caused activities.

(iii) Total dissolved gas shall not exceed 110 percent of saturation at any point of sample collection.

(iv) Temperature shall not exceed 21.0°C (freshwater) or 19.0°C (marine water) due to human activities. When natural conditions exceed 21.0°C (freshwater) and 19.0°C (marine water), no temperature increases will be allowed which will raise the receiving water temperature by greater than 0.3°C.

Incremental temperature increases resulting from point source activities shall not, at any time, exceed $t=34/(T+9)$ (freshwater) or $t=16/(T)$ (marine water). Incremental temperature increases resulting from nonpoint source activities shall not exceed 2.8°C.

For purposes hereof, "t" represents the maximum permissible temperature increase measured at a mixing zone boundary; and "T" represents the background temperature as measured at a point or points unaffected by the discharge and representative of the highest ambient water temperature in the vicinity of the discharge.

(v) pH shall be within the range of 6.5 to 8.5 (freshwater) and 7.0 to 8.5 (marine water) with a human-caused variation within a range of less than 0.5 units.

(vi) Turbidity shall not exceed 10 NTU over background turbidity when the background turbidity is 50 NTU or less, or have more than a 20 percent increase in turbidity when the background turbidity is more than 50 NTU.

(vii) Toxic, radioactive, or deleterious material concentrations shall be below those which have the potential either singularly or cumulatively to adversely affect characteristic water uses, cause acute or chronic conditions to the most sensitive biota dependent upon those waters, or adversely

affect public health, as determined by the department (see WAC 173-201A-040 and 173-201A-050).

(viii) Aesthetic values shall not be reduced by dissolved, suspended, floating, or submerged matter not attributed to natural causes, so as to affect water use or taint the flesh of edible species.

(4) Class C (fair).

(a) General characteristic. Water quality of this class shall meet or exceed the requirements of selected and essential uses.

(b) Characteristic uses. Characteristic uses shall include, but not be limited to, the following:

(i) Water supply (industrial).

(ii) Fish (salmonid and other fish migration).

(iii) Recreation (secondary contact recreation, sport fishing, boating, and aesthetic enjoyment).

(iv) Commerce and navigation.

(c) Water quality criteria - marine water:

(i) Fecal coliform organism levels shall both not exceed a geometric mean value of 200 colonies/100 mL, and not have more than 10 percent of all samples obtained for calculating the geometric mean value exceeding 400 colonies/100 mL.

(ii) Dissolved oxygen shall exceed 4.0 mg/L. When natural conditions, such as upwelling, occur, causing the dissolved oxygen to be depressed near or below 4.0 mg/L, natural dissolved oxygen levels may be degraded by up to 0.2 mg/L by human-caused activities.

(iii) Temperature shall not exceed 22.0°C due to human activities. When natural conditions exceed 22.0°C, no temperature increases will be allowed which will raise the receiving water temperature by greater than 0.3°C.

Incremental temperature increases shall not, at any time, exceed $t=20/(T+2)$.

For purposes hereof, "t" represents the maximum permissible temperature increase measured at a mixing zone boundary; and "T" represents the background temperature as measured at a point or points unaffected by the discharge and representative of the highest ambient water temperature in the vicinity of the discharge.

(iv) pH shall be within the range of 6.5 to 9.0 with a human-caused variation within a range of less than 0.5 units.

(v) Turbidity shall not exceed 10 NTU over background turbidity when the background turbidity is 50 NTU or less, or have more than a 20 percent increase in turbidity when the background turbidity is more than 50 NTU.

(vi) Toxic, radioactive, or deleterious material concentrations shall be below those which have the potential either singularly or cumulatively to adversely affect characteristic water uses, cause acute or chronic conditions to the most sensitive biota dependent upon those waters, or adversely affect public health, as determined by the department (see WAC 173-201A-040 and 173-201A-050).

(vii) Aesthetic values shall not be interfered with by the presence of obnoxious wastes, slimes, aquatic growths, or materials which will taint the flesh of edible species.

(5) Lake class.

(a) General characteristic. Water quality of this class shall meet or exceed the requirements for all or substantially all uses.

(b) Characteristic uses. Characteristic uses shall include, but not be limited to, the following:

(i) Water supply (domestic, industrial, agricultural).

(ii) Stock watering.

(iii) Fish and shellfish:

Salmonid migration, rearing, spawning, and harvesting.

Other fish migration, rearing, spawning, and harvesting.

Clam and mussel rearing, spawning, and harvesting.

Crayfish rearing, spawning, and harvesting.

(iv) Wildlife habitat.

(v) Recreation (primary contact recreation, sport fishing, boating, and aesthetic enjoyment).

(vi) Commerce and navigation.

(c) Water quality criteria:

(i) Fecal coliform organism levels shall both not exceed a geometric mean value of 50 colonies/100 mL, and not have more than 10 percent of all samples obtained for calculating the geometric mean value exceeding 100 colonies/100 mL.

(ii) Dissolved oxygen - no measurable decrease from natural conditions.

(iii) Total dissolved gas shall not exceed 110 percent of saturation at any point of sample collection.

(iv) Temperature - no measurable change from natural conditions.

(v) pH - no measurable change from natural conditions.

(vi) Turbidity shall not exceed 5 NTU over background conditions.

(vii) Toxic, radioactive, or deleterious material concentrations shall be below those which have the potential either singularly or cumulatively to adversely affect characteristic water uses, cause acute or chronic conditions to the most sensitive biota dependent upon those waters, or adversely affect public health, as determined by the department (see WAC 173-201A-040 and 173-201A-050).

(viii) Aesthetic values shall not be impaired by the presence of materials or their effects, excluding those of natural origin, which offend the senses of sight, smell, touch, or taste.

[Statutory Authority: Chapter 90.48 RCW. 92-24-037 (Order 92-29), § 173-201A-030, filed 11/25/92, effective 12/26/92.]

WAC 173-201A-040 Toxic substances. (1) Toxic substances shall not be introduced above natural background levels in waters of the state which have the potential either singularly or cumulatively to adversely affect characteristic water uses, cause acute or chronic toxicity to the most sensitive biota dependent upon those waters, or adversely affect public health, as determined by the department.

(2) The department shall employ or require chemical testing, acute and chronic toxicity testing, and biological assessments, as appropriate, to evaluate compliance with subsection (1) of this section and to ensure that aquatic communities and the existing and characteristic beneficial uses of waters are being fully protected.

(3) The following criteria shall be applied to all surface waters of the state of Washington for the protection of aquatic life. The department may revise the following criteria on a state-wide or waterbody-specific basis as needed to protect aquatic life occurring in waters of the state and to increase the technical accuracy of the criteria being applied. The department shall formally adopt any appropriate revised criteria as part of this chapter in accordance with the

provisions established in chapter 34.05 RCW, the Administrative Procedure Act. The department shall ensure there are early opportunities for public review and comment on proposals to develop revised criteria. Values are µg/L for all substances except Ammonia and Chloride which are mg/L:

Substance	Freshwater		Marine Water	
	Acute	Chronic	Acute	Chronic
Aldrin/Dieldrin	2.5a	0.0019b	0.71a	0.0019b
Ammonia (un-ionized NH3) hh	f,c	g,d	0.233h,c	0.035h,d
Arsenic ff	360.0c	190.0d	69.0c	36.0d,cc
Cadmium dd	i,c	j,d	37.2c	8.0d
Chlordane	2.4a	0.0043b	0.09a	0.004b
Chloride (Dissolved) k	860.0h,c	230.0h,d	-	-
Chlorine (Total Residual)	19.0c	11.0d	13.0c	7.5d
Chloropyrifos	0.083c	0.041d	0.011c	0.0056d
Chromium (Hex)	16.0c1	11.0d	1,100.0c,1	50.0d
Chromium (Tri) gg	m,c	n,d	-	-
Copper dd	o,c	p,d	2.5c	-
Cyanide ee	22.0c	5.2d	1.0c	-
DDT (and metabolites)	1.1a	0.001b	0.13a	0.001b
Dieldrin/Aldrin e	2.5a	0.0019b	0.71a	0.0019b
Endosulfan	0.22a	0.056b	0.034a	0.0087b
Endrin	0.18a	0.0023b	0.037a	0.0023b
Heptachlor	0.52a	0.0038b	0.053a	0.0036b
Hexachlorocyclohexane (Lindane)	2.0a	0.08b	0.16a	-
Lead dd	q,c	r,d	151.1c	5.8d
Mercury s, ff	2.4c	0.012d	2.1c	0.025d
Nickel dd	t,c	u,d	71.3c	7.9d
Parathion	0.065c	0.013d	-	-
Pentachlorophenol (PCP)	w,c	v,d	13.0c	7.9d
Polychlorinated Biphenyls (PCBs)	2.0b	0.014b	10.0b	0.030b
Selenium ff	20.0c	5.0d	300.0c	71.0d,x
Silver dd	y,a	-	1.2a	-
Toxaphene	0.73c,z	0.0002d	0.21c,z	0.0002d
Zinc dd	aa,c	bb,d	84.6c	76.6d

Notes to Table:

- a. An instantaneous concentration not to be exceeded at any time.
- b. A 24-hour average not to be exceeded.
- c. A 1-hour average concentration not to be exceeded more than once every three years on the average.
- d. A 4-day average concentration not to be exceeded more than once every three years on the average.
- e. Aldrin is metabolically converted to Dieldrin. Therefore, the sum of the Aldrin and Dieldrin concentrations are compared with the Dieldrin criteria.
- f. Shall not exceed the numerical value given by:

$$0.52$$

$$(FT)(FPH)(2)$$

where: $FT = 10^{[0.03(20-TCAP)]}$; $TCAP \leq T \leq 30$

$$FT = 10^{[0.03(20-T)]}$$
; $0 \leq T \leq TCAP$

$$FPH = 1$$
; $8 \leq pH \leq 9$

$$FPH = \frac{1+10^{(7.4-pH)}}{1.25}$$
; $6.5 \leq pH \leq 8.0$

TCAP = 20°C; Salmonids present.

TCAP = 25°C; Salmonids absent.

- g. Shall not exceed the numerical value given by:

$$0.80$$

$$(FT)(FPH)(RATIO)$$

where: RATIO = 16 ; $7.7 \leq pH \leq 9$

$$RATIO = 24 \times 10^{\frac{(7.7-pH)}{1+10^{(7.4-pH)}}}$$
; $6.5 \leq pH \leq 7.7$

where: FT and FPH are as shown in (f) above except:

TCAP = 15°C; Salmonids present.

TCAP = 20°C; Salmonids absent.

- h. Measured in milligrams per liter rather than micrograms per liter.
- i. $\leq (0.865)(e^{(1.128[\ln(\text{hardness})]-3.828)})$
- j. $\leq (0.865)(e^{(0.7852[\ln(\text{hardness})]-3.490)})$
- k. Criterion based on dissolved chloride in association with sodium. This criterion probably will not be adequately protective when the chloride is associated with potassium, calcium, or magnesium, rather than sodium.
- l. Salinity dependent effects. At low salinity the 1-hour average may not be sufficiently protective.
- m. $\leq e^{(0.8190[\ln(\text{hardness})] + 3.688)}$
- n. $\leq e^{(0.8190[\ln(\text{hardness})] + 1.561)}$
- o. $\leq (0.862)(e^{(0.9422[\ln(\text{hardness})] - 1.464)})$
- p. $\leq (0.862)(e^{(0.8545[\ln(\text{hardness})] - 1.465)})$
- q. $\leq (0.687)(e^{(1.273[\ln(\text{hardness})] - 1.460)})$
- r. $\leq (0.687)(e^{(1.273[\ln(\text{hardness})] - 4.705)})$
- s. If the four-day average chronic concentration is exceeded more than once in a three-year period, the edible portion of the consumed species should be analyzed. Said edible tissue concentrations shall not be allowed to exceed 1.0 mg/kg of methylmercury.
- t. $\leq (0.95)(e^{(0.8460[\ln(\text{hardness})] + 3.3612)})$
- u. $\leq (0.95)(e^{(0.8460[\ln(\text{hardness})] + 1.1645)})$
- v. $\leq e^{[1.005(pH) - 5.290]}$
- w. $\leq e^{[1.005(pH) - 4.830]}$
- x. The status of the fish community should be monitored whenever the concentration of selenium exceeds 5.0 ug/l in salt water.
- y. $\leq (0.531)(e^{(1.72[\ln(\text{hardness})] - 6.52)})$
- z. Channel Catfish may be more acutely sensitive.
- aa. $\leq (0.891)(e^{(0.8473[\ln(\text{hardness})] + 0.8604)})$
- bb. $\leq (0.891)(e^{(0.8473[\ln(\text{hardness})] + 0.7614)})$
- cc. Nonlethal effects (growth, C-14 uptake, and chlorophyll production) to diatoms (*Thalassiosira aestivalis* and *Skeletonema costatum*) which are common to Washington's waters have been noted at levels below the established criteria. The importance of these effects to the diatom populations and the aquatic system is sufficiently in question to persuade the state to adopt the USEPA National Criteria value (36 µg/L) as the state threshold criteria, however, wherever practical the ambient concentrations should not be allowed to exceed a chronic marine concentration of 21 µg/L.
- dd. These ambient criteria are based on the dissolved fraction (for cyanide criteria using the weak and dissociable method) of the metal. The department shall apply the criteria as total recoverable values to calculate effluent limits unless data is made available to the department clearly demonstrating the seasonal partitioning of the dissolved metal in the ambient water in relation to an effluent discharge. Metals criteria may be adjusted on a site-specific basis when data is made available to the department clearly demonstrating the effective use of the water effects ratio approach established by USEPA, as generally guided by the procedures in USEPA *Water Quality Standards Handbook*, December 1983, as supplemented or replaced. Information which is used to develop effluent limits based on applying metals

partitioning studies or the water effects ratio approach shall be identified in the permit fact sheet developed pursuant to WAC 173-220-060 or 173-226-110, as appropriate, and shall be made available for the public comment period required pursuant to WAC 173-220-050 or 173-226-130(3), as appropriate.

- ee. The criteria for cyanide is based on the weak and dissociable method in the 17th Ed. *Standard Methods for the Examination of Water and Wastewater*, 4500-CN I, and as revised (see footnote dd, above).
- ff. These criteria are based on the total-recoverable fraction of the metal.
- gg. Where methods to measure trivalent chromium are unavailable, these criteria are to be represented by total-recoverable chromium.
- hh. Tables for the conversion of total ammonia to un-ionized ammonia for freshwater can be found in the USEPA's *Quality Criteria for Water*, 1986. Criteria concentrations based on total ammonia for marine water can be found in USEPA *Ambient Water Quality Criteria for Ammonia (Saltwater)-1989*, EPA440/5-88-004, April 1989.

(4) *USEPA Quality Criteria for Water, 1986* shall be used in the use and interpretation of the values listed in subsection (1) of this section.

(5) Concentrations of toxic, and other substances with toxic propensities not listed in subsection (1) of this section shall be determined in consideration of *USEPA Quality Criteria for Water, 1986*, and as revised, and other relevant information as appropriate.

(6) Risk-based criteria for carcinogenic substances shall be selected such that the upper-bound excess cancer risk is less than or equal to one in one million.

[Statutory Authority: Chapter 90.48 RCW, 92-24-037 (Order 92-29), § 173-201A-040, filed 11/25/92, effective 12/26/92.]

Reviser's note: The brackets and enclosed material in the text of the above section occurred in the copy filed by the agency.

WAC 173-201A-050 Radioactive substances. (1) Deleterious concentrations of radioactive materials for all classes shall be as determined by the lowest practicable concentration attainable and in no case shall exceed:

(a) 1/100 of the values listed in WAC 246-221-290 (Column 2, Table II, Appendix A, rules and regulations for radiation protection); or

(b) USEPA Drinking Water Regulations for radionuclides, as published in the Federal Register of July 9, 1976, or subsequent revisions thereto.

(2) Nothing in this chapter shall be interpreted to be applicable to those aspects of governmental regulation of radioactive waters which have been preempted from state regulation by the Atomic Energy Act of 1954, as amended, as interpreted by the United States Supreme Court in the cases of *Northern States Power Co. v. Minnesota* 405 U.S. 1035 (1972) and *Train v. Colorado Public Interest Research Group*, 426 U.S. 1 (1976).

[Statutory Authority: Chapter 90.48 RCW, 92-24-037 (Order 92-29), § 173-201A-050, filed 11/25/92, effective 12/26/92.]

WAC 173-201A-060 General considerations. The following general guidelines shall apply to the water quality criteria and classifications set forth in WAC 173-201A-030 through 173-201A-140 hereof:

(1) At the boundary between waters of different classifications, the water quality criteria for the higher classification shall prevail.

(2) In brackish waters of estuaries, where the fresh and marine water quality criteria differ within the same classification,

the criteria shall be interpolated on the basis of salinity; except that the marine water quality criteria shall apply for dissolved oxygen when the salinity is one part per thousand or greater and for fecal coliform organisms when the salinity is ten parts per thousand or greater.

(3) In determining compliance with the fecal coliform criteria in WAC 173-201A-030, averaging of data collected beyond a thirty-day period, or beyond a specific discharge event under investigation, shall not be permitted when such averaging would skew the data set so as to mask noncompliance periods.

(4) The water quality criteria herein established for total dissolved gas shall not apply when the stream flow exceeds the seven-day, ten-year frequency flood.

(5) Waste discharge permits, whether issued pursuant to the National Pollutant Discharge Elimination System or otherwise, shall be conditioned so the discharges authorized will meet the water quality standards.

(a) However, persons discharging wastes in compliance with the terms and conditions of permits shall not be subject to civil and criminal penalties on the basis that the discharge violates water quality standards.

(b) Permits shall be subject to modification by the department whenever it appears to the department the discharge violates water quality standards. Modification of permits, as provided herein, shall be subject to review in the same manner as originally issued permits.

(6) No waste discharge permit shall be issued which results in a violation of established water quality criteria, except as provided for under WAC 173-201A-100 or 173-201A-110.

(7) Due consideration will be given to the precision and accuracy of the sampling and analytical methods used as well as existing conditions at the time, in the application of the criteria.

(8) The analytical testing methods for these criteria shall be in accordance with the *"Guidelines Establishing Test Procedures for the Analysis of Pollutants"* (40 C.F.R. Part 136) and other or superseding methods published and/or approved by the department following consultation with adjacent states and concurrence of the USEPA.

(9) Nothing in this chapter shall be interpreted to prohibit the establishment of effluent limitations for the control of the thermal component of any discharge in accordance with Section 316 of the federal Clean Water Act (33 U.S.C. 1251 et seq.).

[Statutory Authority: Chapter 90.48 RCW, 92-24-037 (Order 92-29), § 173-201A-060, filed 11/25/92, effective 12/26/92.]

WAC 173-201A-070 Antidegradation. The antidegradation policy of the state of Washington, as generally guided by chapter 90.48 RCW, Water Pollution Control Act, and chapter 90.54 RCW, Water Resources Act of 1971, is stated as follows:

(1) Existing beneficial uses shall be maintained and protected and no further degradation which would interfere with or become injurious to existing beneficial uses shall be allowed.

(2) Whenever the natural conditions of said waters are of a lower quality than the criteria assigned, the natural conditions shall constitute the water quality criteria.

(3) Water quality shall be maintained and protected in waters designated as outstanding resource waters in WAC 173-201A-080.

(4) Whenever waters are of a higher quality than the criteria assigned for said waters, the existing water quality shall be protected and pollution of said waters which will reduce the existing quality shall not be allowed, except in those instances where:

(a) It is clear, after satisfactory public participation and intergovernmental coordination, that overriding considerations of the public interest will be served;

(b) All wastes and other materials and substances discharged into said waters shall be provided with all known, available, and reasonable methods of prevention, control, and treatment by new and existing point sources before discharge. All activities which result in the pollution of waters from nonpoint sources shall be provided with all known, available, and reasonable best management practices; and

(c) When the lowering of water quality in high quality waters is authorized, the lower water quality shall still be of high enough quality to fully support all existing beneficial uses.

(5) Short-term modification of water quality may be permitted as conditioned by WAC 173-201A-110.

[Statutory Authority: Chapter 90.48 RCW. 92-24-037 (Order 92-29), § 173-201A-070, filed 11/25/92, effective 12/26/92.]

WAC 173-201A-080 Outstanding resource waters.

Waters meeting one or more of the following criteria shall be considered for outstanding resource water designation. Designations shall be adopted in accordance with the provisions of chapter 34.05 RCW, Administrative Procedure Act.

(1) Waters in national parks, national monuments, national preserves, national wildlife refuges, national wilderness areas, federal wild and scenic rivers, national seashores, national marine sanctuaries, national recreation areas, national scenic areas, and national estuarine research reserves;

(2) Waters in state parks, state natural areas, state wildlife management areas, and state scenic rivers;

(3) Documented aquatic habitat of priority species as determined by the department of wildlife;

(4) Documented critical habitat for populations of threatened or endangered species of native anadromous fish;

(5) Waters of exceptional recreational or ecological significance.

[Statutory Authority: Chapter 90.48 RCW. 92-24-037 (Order 92-29), § 173-201A-080, filed 11/25/92, effective 12/26/92.]

WAC 173-201A-100 Mixing zones.

(1) The allowable size and location of a mixing zone and the associated effluent limits shall be established in discharge permits, general permits, or orders, as appropriate.

(2) A discharger shall be required to fully apply AKART prior to being authorized a mixing zone.

(3) Mixing zone determinations shall consider critical discharge conditions.

(4) No mixing zone shall be granted unless the supporting information clearly indicates the mixing zone would not have a reasonable potential to cause a loss of sensitive or

important habitat, substantially interfere with the existing or characteristic uses of the water body, result in damage to the ecosystem, or adversely affect public health as determined by the department.

(5) Water quality criteria shall not be violated outside of the boundary of a mixing zone as a result of the discharge for which the mixing zone was authorized.

(6) The size of a mixing zone and the concentrations of pollutants present shall be minimized.

(7) The maximum size of a mixing zone shall comply with the following:

(a) In rivers and streams, mixing zones, singularly or in combination with other mixing zones, shall comply with the most restrictive combination of the following (this size limitation may be applied to estuaries having flow characteristics that resemble rivers):

(i) Not extend in a downstream direction for a distance from the discharge port(s) greater than three hundred feet plus the depth of water over the discharge port(s), or extend upstream for a distance of over one hundred feet;

(ii) Not utilize greater than twenty-five percent of the flow; and

(iii) Not occupy greater than twenty-five percent of the width of the water body.

(b) In estuaries, mixing zones, singularly or in combination with other mixing zones, shall:

(i) Not extend in any horizontal direction from the discharge port(s) for a distance greater than two hundred feet plus the depth of water over the discharge port(s) as measured during mean lower low water; and

(ii) Not occupy greater than twenty-five percent of the width of the water body as measured during mean lower low water. For the purpose of this section, areas to the east of a line from Green Point (Fidalgo Island) to Lawrence Point (Orcas Island) are considered estuarine, as are all of the Strait of Georgia and the San Juan Islands north of Orcas Island. To the east of Deception Pass, and to the south and east of Admiralty Head, and south of Point Wilson on the Quimper Peninsula, is Puget Sound proper, which is considered to be entirely estuarine. All waters existing within bays from Point Wilson westward to Cape Flattery and south to the North Jetty of the Columbia River shall also be categorized as estuarine.

(c) In oceanic waters, mixing zones, singularly or in combination with other mixing zones, shall not extend in any horizontal direction from the discharge port(s) for a distance greater than three hundred feet plus the depth of water over the discharge port(s) as measured during mean lower low water. For the purpose of this section, all marine waters not classified as estuarine in (b)(ii) of this subsection shall be categorized as oceanic.

(d) In lakes, and in reservoirs having a mean detention time greater than fifteen days, mixing zones shall not be allowed unless it can be demonstrated to the satisfaction of the department that:

(i) Other siting, technological, and managerial options that would avoid the need for a lake mixing zone are not reasonably achievable;

(ii) Overriding considerations of the public interest will be served; and

(iii) All technological and managerial methods available for pollution reduction and removal that are economically

achievable would be implemented prior to discharge. Such methods may include, but not be limited to, advanced waste treatment techniques.

(e) In lakes, and in reservoirs having a mean detention time greater than fifteen days, mixing zones, singularly or in combination with other mixing zones, shall comply with the most restrictive combination of the following:

(i) Not exceed ten percent of the water body volume;

(ii) Not exceed ten percent of the water body surface area (maximum radial extent of the plume regardless of whether it reaches the surface); and

(iii) Not extend beyond fifteen percent of the width of the water body.

(8) Acute criteria are based on numeric criteria and toxicity tests approved by the department, as generally guided under WAC 173-201A-040 (1) through (5), and shall be met as near to the point of discharge as practicably attainable. Compliance shall be determined by monitoring data or calibrated models approved by the department utilizing representative dilution ratios. A zone where acute criteria may be exceeded is allowed only if it can be demonstrated to the department's satisfaction the concentration of, and duration and frequency of exposure to the discharge, will not create a barrier to the migration or translocation of indigenous organisms to a degree that has the potential to cause damage to the ecosystem. A zone of acute criteria exceedance shall singularly or in combination with other such zones comply with the following maximum size requirements:

(a) In rivers and streams, a zone where acute criteria may be exceeded shall comply with the most restrictive combination of the following (this size limitation may also be applied to estuaries having flow characteristics resembling rivers):

(i) Not extend beyond ten percent of the distance towards the upstream and downstream boundaries of an authorized mixing zone, as measured independently from the discharge port(s);

(ii) Not utilize greater than two and one-half percent of the flow; and

(iii) Not occupy greater than twenty-five percent of the width of the water body.

(b) In oceanic and estuarine waters a zone where acute criteria may be exceeded shall not extend beyond ten percent of the distance established in subsection (7)(b) of this section as measured independently from the discharge port(s).

(9) Overlap of mixing zones.

(a) Where allowing the overlap of mixing zones would result in a combined area of water quality criteria nonattainment which does not exceed the numeric size limits established under subsection (7) of this section, the overlap may be permitted if:

(i) The separate and combined effects of the discharges can be reasonably determined; and

(ii) The combined effects would not create a barrier to the migration or translocation of indigenous organisms to a degree that has the potential to cause damage to the ecosystem.

(b) Where allowing the overlap of mixing zones would result in exceedance of the numeric size limits established under subsection (7) of this section, the overlap may be allowed only where:

(i) The overlap qualifies for exemption under subsections (12) and (13) of this section; and

(ii) The overlap meets the requirements established in (a) of this subsection.

(10) Storm water:

(a) Storm water discharge from any "point source" containing "process wastewater" as defined in 40 C.F.R. Part 122.2 shall fully conform to the numeric size criteria in subsections (7) and (8) of this section and the overlap criteria in subsection (9) of this section.

(b) Storm water discharges not described by (a) of this subsection may be granted an exemption to the numeric size criteria in subsections (7) and (8) of this section and the overlap criteria in subsection (9) of this section, provided the discharger clearly demonstrates to the department's satisfaction that:

(i) All appropriate best management practices established for storm water pollutant control have been applied to the discharge.

(ii) The proposed mixing zone shall not have a reasonable potential to result in a loss of sensitive or important habitat, substantially interfere with the existing or characteristic uses of the water body, result in damage to the ecosystem, or adversely affect public health as determined by the department; and

(iii) The proposed mixing zone shall not create a barrier to the migration or translocation of indigenous organisms to a degree that has the potential to cause damage to the ecosystem.

(c) All mixing zones for storm water discharges shall be based on a volume of runoff corresponding to a design storm approved by the department. Exceedances from the numeric size criteria in subsections (7) and (8) of this section and the overlap criteria in subsection (9) of this section due to precipitation events greater than the approved design storm may be allowed by the department, if it would not result in adverse impact to existing or characteristic uses of the water body or result in damage to the ecosystem, or adversely affect public health as determined by the department.

(11) Combined sewer overflows complying with the requirements of chapter 173-245 WAC, may be allowed an average once per year exemption to the numeric size criteria in subsections (7) and (8) of this section and the overlap criteria in subsection (9) of this section, provided the discharge complies with subsection (4) of this section.

(12) Exceedances from the numeric size criteria in subsections (7) and (8) of this section and the overlap criteria in subsection (9) of this section may be considered by the department in the following cases:

(a) For discharges existing prior to November 24, 1992, (or for proposed discharges with engineering plans formally approved by the department prior to November 24, 1992);

(b) Where altering the size configuration is expected to result in greater protection to existing and characteristic uses;

(c) Where the volume of water in the effluent is providing a greater benefit to the existing or characteristic uses of the water body due to flow augmentation than the benefit of removing the discharge, if such removal is the remaining feasible option; or

(d) Where the exceedance is clearly necessary to accommodate important economic or social development in the area in which the waters are located.

(13) Before an exceedance from the numeric size criteria in subsections (7) and (8) of this section and the overlap criteria in subsection (9) of this section may be allowed under subsection (12) of this section, it must clearly be demonstrated to the department's satisfaction that:

(a) AKART appropriate to the discharge is being fully applied;

(b) All siting, technological, and managerial options which would result in full or significantly closer compliance that are economically achievable are being utilized; and

(c) The proposed mixing zone complies with subsection (4) of this section.

(14) Any exemptions granted to the size criteria under subsection (12) of this section shall be reexamined during each permit renewal period for changes in compliance capability. Any significant increase in capability to comply shall be reflected in the renewed discharge permit.

(15) The department may establish permit limits and measures of compliance for human health based criteria (based on lifetime exposure levels), independent of this section.

(16) Sediment impact zones authorized by the department pursuant to chapter 173-204 WAC, Sediment management standards, do not satisfy the requirements of this section.

[Statutory Authority: Chapter 90.48 RCW. 92-24-037 (Order 92-29), § 173-201A-100, filed 11/25/92, effective 12/26/92.]

WAC 173-201A-110 Short-term modifications. (1) The criteria and special conditions established in WAC 173-201A-030 through 173-201A-140 may be modified for a specific water body on a short-term basis when necessary to accommodate essential activities, respond to emergencies, or to otherwise protect the public interest, even though such activities may result in a temporary reduction of water quality conditions below those criteria and classifications established by this regulation. Such modification shall be issued in writing by the director or his/her designee subject to such terms and conditions as he/she may prescribe, and such modification shall not exceed a twelve-month period.

(2) In no case will any degradation of water quality be allowed if this degradation significantly interferes with or becomes injurious to existing water uses or causes long-term harm to the environment.

(3) Notwithstanding the above, the aquatic application of herbicides which result in water use restrictions shall be considered an activity for which a short-term modification generally may be issued subject to the following conditions:

(a) A request for a short-term modification shall be made to the department on forms supplied by the department. Such request generally shall be made at least thirty days prior to herbicide application;

(b) Such herbicide application shall be in accordance with state of Washington department of agriculture regulations;

(c) Such herbicide application shall be in accordance with label provisions promulgated by USEPA under the federal Insecticide, Fungicide, and Rodenticide Act, as amended (7 U.S.C. 136, et seq.);

(d) Notice, including identification of the herbicide, applicator, location where the herbicide will be applied,

proposed timing and method of application, and water use restrictions shall be given according to the following requirements:

(i) Appropriate public notice as determined and prescribed by the director or his/her designee shall be given of any water use restrictions specified in USEPA label provisions;

(ii) The appropriate regional offices of the departments of fisheries and wildlife shall be notified twenty-four hours prior to herbicide application; and

(iii) In the event of any fish kills, the departments of ecology, fisheries, and wildlife shall be notified immediately;

(e) The herbicide application shall be made at times so as to:

(i) Minimize public water use restrictions during weekends; and

(ii) Completely avoid public water use restrictions during the opening week of fishing season, Memorial Day weekend, Independence Day weekend, and Labor Day weekend;

(f) Any additional conditions as may be prescribed by the director or his/her designee.

[Statutory Authority: Chapter 90.48 RCW. 92-24-037 (Order 92-29), § 173-201A-110, filed 11/25/92, effective 12/26/92.]

WAC 173-201A-120 General classifications. General classifications applying to various surface water bodies not specifically classified under WAC 173-201A-130 or 173-201A-140 are as follows:

(1) All surface waters lying within national parks, national forests, and/or wilderness areas are classified Class AA or Lake Class.

(2) All lakes and their feeder streams within the state are classified Lake Class and Class AA respectively, except for those feeder streams specifically classified otherwise.

(3) All reservoirs with a mean detention time of greater than 15 days are classified Lake Class.

(4) All reservoirs with a mean detention time of 15 days or less are classified the same as the river section in which they are located.

(5) All reservoirs established on preexisting lakes are classified as Lake Class.

(6) All unclassified surface waters that are tributaries to Class AA waters are classified Class AA. All other unclassified surface waters within the state are hereby classified Class A.

[Statutory Authority: Chapter 90.48 RCW. 92-24-037 (Order 92-29), § 173-201A-120, filed 11/25/92, effective 12/26/92.]

WAC 173-201A-130 Specific classifications—Freshwater. Specific fresh surface waters of the state of Washington are classified as follows:

- | | |
|--|----------|
| (1) American River. | Class AA |
| (2) Big Quilcene River and tributaries. | Class AA |
| (3) Bumping River. | Class AA |
| (4) Burnt Bridge Creek. | Class A |
| (5) Cedar River from Lake Washington to the Maplewood Bridge (river mile 4.1). | Class A |
| (6) Cedar River and tributaries from the Maplewood Bridge (river mile 4.1) to Landsburg Dam (river mile 21.6). | Class AA |

- | | |
|--|--|
| <p>(7) Cedar River and tributaries from Landsburg Dam (river mile 21.6) to headwaters. Special condition - no waste discharge will be permitted. Class AA</p> <p>(8) Chehalis River from upper boundary of Grays Harbor at Cosmopolis (river mile 3.1, longitude 123°45'45" W) to Scammon Creek (river mile 65.8). Class A</p> <p>(9) Chehalis River from Scammon Creek (river mile 65.8) to Newaukum River (river mile 75.2). Special condition - dissolved oxygen shall exceed 5.0 mg/L from June 1 to September 15. For the remainder of the year, the dissolved oxygen shall meet Class A criteria. Class A</p> <p>(10) Chehalis River from Newaukum River (river mile 75.2) to Rock Creek (river mile 106.7). Class A</p> <p>(11) Chehalis River, from Rock Creek (river mile 106.7) to headwaters. Class AA</p> <p>(12) Chehalis River, south fork. Class A</p> <p>(13) Chewuch River. Class AA</p> <p>(14) Chiwawa River. Class AA</p> <p>(15) Cispus River. Class AA</p> <p>(16) Clearwater River. Class A</p> <p>(17) Cle Elum River. Class AA</p> <p>(18) Cloquallum Creek. Class A</p> <p>(19) Clover Creek from outlet of Lake Spanaway to inlet of Lake Steilacoom. Class A</p> <p>(20) Columbia River from mouth to the Washington-Oregon border (river mile 309.3). Special conditions - temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed 0.3°C due to any single source or 1.1°C due to all such activities combined. Dissolved oxygen shall exceed 90 percent of saturation. Class A</p> <p>(21) Columbia River from Washington-Oregon border (river mile 309.3) to Grand Coulee Dam (river mile 596.6). Special condition from Washington-Oregon border (river mile 309.3) to Priest Rapids Dam (river mile 397.1). Temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t=34/(T+9)$. Class A</p> <p>(22) Columbia River from Grand Coulee Dam (river mile 596.6) to Canadian border (river mile 745.0). Class AA</p> <p>(23) Colville River. Class A</p> <p>(24) Coweeman River from mouth to Mulholland Creek (river mile 18.4). Class A</p> <p>(25) Coweeman River from Mulholland Creek (river mile 18.4) to headwaters. Class AA</p> <p>(26) Cowlitz River from mouth to base of Riffe Lake Dam (river mile 52.0). Class A</p> <p>(27) Cowlitz River from base of Riffe Lake Dam (river mile 52.0) to headwaters. Class AA</p> <p>(28) Crab Creek and tributaries. Class B</p> <p>(29) Decker Creek. Class AA</p> <p>(30) Deschutes River from mouth to boundary of Snoqualmie National Forest (river mile 48.2). Class A</p> <p>(31) Deschutes River from boundary of Snoqualmie National Forest (river mile 48.2) to headwaters. Class AA</p> <p>(32) Dickey River. Class A</p> <p>(33) Dosewallips River and tributaries. Class AA</p> <p>(34) Duckabush River and tributaries. Class AA</p> <p>(35) Dungeness River from mouth to Canyon Creek (river mile 10.8). Class A</p> <p>(36) Dungeness River and tributaries from Canyon Creek (river mile 10.8) to headwaters. Class AA</p> <p>(37) Duwamish River from mouth south of a line bearing 254° true from the NW corner of berth 3, terminal No. 37 to the Black River (river mile 11.0) (Duwamish River continues as the Green River above the Black River). Class B</p> <p>(38) Elochoman River. Class A</p> | <p>(39) Elwha River and tributaries. Class AA</p> <p>(40) Entiat River from Wenatchee National Forest boundary (river mile 20.5) to headwaters. Class AA</p> <p>(41) Grande Ronde River from mouth to Oregon border (river mile 37). Special condition - temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t=34/(T+9)$. Class A</p> <p>(42) Grays River from Grays River Falls (river mile 15.8) to headwaters. Class AA</p> <p>(43) Green River (Cowlitz County). Class AA</p> <p>(44) Green River (King County) from Black River (river mile 11.0 and point where Duwamish River continues as the Green River) to west boundary of Sec. 27-T21N-R6E (west boundary of Flaming Geyser State Park at river mile 42.3). Class A</p> <p>(45) Green River (King County) from west boundary of Sec. 27-T21N-R6E (west boundary of Flaming Geyser State Park, river mile 42.3) to west boundary of Sec. 13-T21N-R7E (river mile 59.1). Class AA</p> <p>(46) Green River and tributaries (King County) from west boundary of Sec. 13-T21N-R7E (river mile 59.1) to headwaters. Special condition - no waste discharge will be permitted. Class AA</p> <p>(47) Hama Hama River and tributaries. Class AA</p> <p>(48) Hanaford Creek from mouth to east boundary of Sec. 25-T15N-R2W (river mile 4.1). Special condition - dissolved oxygen shall exceed 6.5 mg/L. Class A</p> <p>(49) Hanaford Creek from east boundary of Sec. 25-T15N-R2W (river mile 4.1) to headwaters. Class A</p> <p>(50) Hoh River and tributaries. Class AA</p> <p>(51) Hoquiam River (continues as west fork above east fork) from mouth to river mile 9.3 (Dekay Road Bridge) (upper limit of tidal influence). Class B</p> <p>(52) Humptulips River and tributaries from mouth to Olympic National Forest boundary on east fork (river mile 12.8) and west fork (river mile 40.4) (main stem continues as west fork). Class A</p> <p>(53) Humptulips River, east fork from Olympic National Forest boundary (river mile 12.8) to headwaters. Class AA</p> <p>(54) Humptulips River, west fork from Olympic National Forest boundary (river mile 40.4) to headwaters. Class AA</p> <p>(55) Issaquah Creek. Class A</p> <p>(56) Kalama River from lower Kalama River Falls (river mile 10.4) to headwaters. Class AA</p> <p>(57) Klickitat River from Little Klickitat River (river mile 19.8) to boundary of Yakima Indian Reservation. Class AA</p> <p>(58) Lake Washington Ship Canal from Government Locks (river mile 1.0) to Lake Washington (river mile 8.6). Special condition - salinity shall not exceed one part per thousand (1.0 ppt) at any point or depth along a line that transects the ship canal at the University Bridge (river mile 6.1). Lake Class</p> <p>(59) Lewis River, east fork, from Multon Falls (river mile 24.6) to headwaters. Class AA</p> <p>(60) Little Wenatchee River. Class AA</p> <p>(61) Methow River from mouth to Chewuch River (river mile 50.1). Class A</p> <p>(62) Methow River from Chewuch River (river mile 50.1) to headwaters. Class AA</p> <p>(63) Mill Creek from mouth to 13th Street Bridge in Walla Walla (river mile 6.4). Special condition - dissolved oxygen concentration shall exceed 5.0 mg/L. Class B</p> <p>(64) Mill Creek from 13th Street Bridge in Walla Walla (river mile 6.4) to Walla Walla Waterworks Dam (river mile 25.2). Class A</p> <p>(65) Mill Creek and tributaries from city of Walla Walla Waterworks Dam (river mile 25.2) to headwaters. Special condition - no waste discharge will be permitted. Class AA</p> <p>(66) Naches River from Snoqualmie National Forest boundary (river mile 35.7) to headwaters. Class AA</p> |
|--|--|

(67) Naselle River from Naselle "Falls" (cascade at river mile 18.6) to headwaters.	Class AA	(98) Snake River from mouth to Washington-Idaho-Oregon border (river mile 176.1). Special condition:	
(68) Newaukum River.	Class A	(a) Below Clearwater River (river mile 139.3). Temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t=34/(T+9)$.	
(69) Nisqually River from mouth to Alder Dam (river mile 44.2).	Class A	(b) Above Clearwater River (river mile 139.3). Temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increases will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed 0.3°C due to any single source or 1.1°C due to all such activities combined.	Class A
(70) Nisqually River from Alder Dam (river mile 44.2) to headwaters.	Class AA	(99) Snohomish River from mouth and east of longitude 122°13'40"W upstream to latitude 47°56'30"N (southern tip of Ebey Island at river mile 8.1). Special condition - fecal coliform organism levels shall both not exceed a geometric mean value of 200 colonies/100 mL and not have more than 10 percent of the samples obtained for calculating the mean value exceeding 400 colonies/100 mL.	Class A
(71) Nooksack River from mouth to Maple Creek (river mile 49.7).	Class A	(100) Snohomish River upstream from latitude 47°56'30"N (southern tip of Ebey Island river mile 8.1) to confluence with Skykomish and Snoqualmie River (river mile 20.5).	Class A
(72) Nooksack River from Maple Creek (river mile 49.7) to headwaters.	Class AA	(101) Snoqualmie River and tributaries from mouth to west boundary of Twin Falls State Park on south fork (river mile 9.1).	Class A
(73) Nooksack River, south fork, from mouth to Skookum Creek (river mile 14.3).	Class A	(102) Snoqualmie River, middle fork.	Class AA
(74) Nooksack River, south fork, from Skookum Creek (river mile 14.3) to headwaters.	Class AA	(103) Snoqualmie River, north fork.	Class AA
(75) Nooksack River, middle fork.	Class AA	(104) Snoqualmie River, south fork, from west boundary of Twin Falls State Park (river mile 9.1) to headwaters.	Class AA
(76) Okanogan River.	Class A	(105) Soleduck River and tributaries.	Class AA
(77) Palouse River from mouth to south fork (Colfax, river mile 89.6).	Class B	(106) Spokane River from mouth to Long Lake Dam (river mile 33.9). Special condition - temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t=34/(T+9)$.	Class A
(78) Palouse River from south fork (Colfax, river mile 89.6) to Idaho border (river mile 123.4). Special condition - temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t=34/(T+9)$.	Class A	(107) Spokane River from Long Lake Dam (river mile 33.9) to Nine Mile Bridge (river mile 58.0). Special conditions:	
(79) Pend Oreille River from Canadian border (river mile 16.0) to Idaho border (river mile 87.7). Special condition - temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t=34/(T+9)$.	Class A	(a) The average euphotic zone concentration of total phosphorus (as P) shall not exceed 25µg/L during the period of June 1 to October 31.	
(80) Pilchuck River from city of Snohomish Waterworks Dam (river mile 26.8) to headwaters.	Class AA	(b) Temperature shall not exceed 20.0°C, due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time exceed $t=34/(T+9)$.	Lake Class
(81) Puyallup River from mouth to river mile 1.0.	Class B	(108) Spokane River from Nine Mile Bridge (river mile 58.0) to the Idaho border (river mile 96.5). Temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time exceed $t=34/(T+9)$.	Class A
(82) Puyallup River from river mile 1.0 to Kings Creek (river mile 31.6).	Class A	(109) Stehekin River.	Class AA
(83) Puyallup River from Kings Creek (river mile 31.6) to headwaters.	Class AA	(110) Stillaguamish River from mouth to north and south forks (river mile 17.8).	Class A
(84) Queets River and tributaries.	Class AA	(111) Stillaguamish River, north fork, from mouth to Squire Creek (river mile 31.2).	Class A
(85) Quillayute River.	Class AA	(112) Stillaguamish River, north fork, from Squire Creek (river mile 31.2) to headwaters.	Class AA
(86) Quinault River and tributaries.	Class AA	(113) Stillaguamish River, south fork, from mouth to Canyon Creek (river mile 33.7).	Class A
(87) Salmon Creek (Clark County).	Class A		
(88) Satsop River from mouth to west fork (river mile 6.4).	Class A		
(89) Satsop River, east fork.	Class AA		
(90) Satsop River, middle fork.	Class AA		
(91) Satsop River, west fork.	Class AA		
(92) Skagit River from mouth to Skiyou Slough-lower end (river mile 25.6).	Class A		
(93) Skagit River and tributaries (includes Baker, Suak, Suiattle, and Cascade rivers) from Skiyou Slough-lower end, (river mile 25.6) to Canadian border (river mile 127.0). Special condition - Skagit River (Gorge by-pass reach) from Gorge Dam (river mile 96.6) to Gorge Powerhouse (river mile 94.2). Temperature shall not exceed 21°C due to human activities. When natural conditions exceed 21°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C, nor shall such temperature increases, at any time, exceed $t=34/(T+9)$.	Class AA		
(94) Skokomish River and tributaries.	Class AA		
(95) Skookumchuck River from Bloody Run Creek (river mile 21.4) to headwaters.	Class AA		
(96) Skykomish River from mouth to May Creek (above Gold Bar at river mile 41.2).	Class A		
(97) Skykomish River from May Creek (above Gold Bar at river mile 41.2) to headwaters.	Class AA		

- (114) Stillaguamish River, south fork, from Canyon Creek (river mile 33.7) to headwaters. Class AA
- (115) Sulphur Creek. Class B
- (116) Sultan River from mouth to Chaplain Creek (river mile 5.9). Class A
- (117) Sultan River and tributaries from Chaplain Creek (river mile 5.9) to headwaters. Special condition - no waste discharge will be permitted above city of Everett Diversion Dam (river mile 9.4). Class AA
- (118) Sumas River from Canadian border (river mile 12) to headwaters (river mile 23). Class A
- (119) Tieton River. Class AA
- (120) Tolt River, south fork and tributaries from mouth to west boundary of Sec. 31-T26N-R9E (river mile 6.9). Class AA
- (121) Tolt River, south fork from west boundary of Sec. 31-T26N-R9E (river mile 6.9) to headwaters. Special condition - no waste discharge will be permitted. Class AA
- (122) Touchet River, north fork from Dayton water intake structure (river mile 3.0) to headwaters. Class AA
- (123) Toutle River, north fork, from Green River to headwaters. Class AA
- (124) Toutle River, south fork. Class AA
- (125) Tucannon River from Umatilla National Forest boundary (river mile 38.1) to headwaters. Class AA
- (126) Twisp River. Class AA
- (127) Union River and tributaries from Bremerton Waterworks Dam (river mile 6.9) to headwaters. Special condition - no waste discharge will be permitted. Class AA
- (128) Walla Walla River from mouth to Lowden (Dry Creek at river mile 27.2). Class B
- (129) Walla Walla River from Lowden (Dry Creek at river mile 27.2) to Oregon border (river mile 40). Special condition - temperature shall not exceed 20.0°C due to human activities. When natural conditions exceed 20.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t=34/(T+9)$. Class A
- (130) Wenatchee River from Wenatchee National Forest boundary (river mile 27.1) to headwaters. Class AA
- (131) White River (Pierce-King counties) from Mud Mountain Dam (river mile 27.1) to headwaters. Class AA
- (132) White River (Chelan County). Class AA
- (133) Wildcat Creek. Class A
- (134) Willapa River upstream of a line bearing 70° true through Mailboat Slough light (river mile 1.8). Class A
- (135) Wishkah River from mouth to river mile 6 (SW 1/4 SW 1/4 NE 1/4 Sec. 21-T18N-R9W). Class B
- (136) Wishkah River from river mile 6 (SW 1/4 SW 1/4 NE 1/4 Sec. 21-T18N-R9W) to west fork (river mile 17.7). Class A
- (137) Wishkah River from west fork of Wishkah River (river mile 17.7) to south boundary of Sec. 33-T21N-R8W (river mile 32.0). Class AA
- (138) Wishkah River and tributaries from south boundary of Sec. 33-T21N-R8W (river mile 32.0) to headwaters. Special condition - no waste discharge will be permitted. Class AA
- (139) Wynoochee River from mouth to Olympic National Forest boundary (river mile 45.9). Class A
- (140) Wynoochee River from Olympic National Forest boundary (river mile 45.9) to headwaters. Class AA
- (141) Yakima River from mouth to Cle Elum River (river mile 185.6). Special condition - temperature shall not exceed 21.0°C due to human activities. When natural conditions exceed 21.0°C, no temperature increase will be allowed which will raise the receiving water temperature by greater than 0.3°C; nor shall such temperature increases, at any time, exceed $t=34/(T+9)$. Class A
- (142) Yakima River from Cle Elum River (river mile 185.6) to headwaters. Class AA

[Statutory Authority: Chapter 90.48 RCW. 92-24-037 (Order 92-29), § 173-201A-130, filed 11/25/92, effective 12/26/92.]

WAC 173-201A-140 Specific classifications—Marine water. Specific marine surface waters of the state of Washington are classified as follows:

- (1) Budd Inlet south of latitude 47°04'N (south of Priest Point Park). Class B
- (2) Coastal waters: Pacific Ocean from Ilwaco to Cape Flattery. Class AA
- (3) Commencement Bay south and east of a line bearing 258° true from "Brown's Point" and north and west of line bearing 225° true through the Hylebos waterway light. Class A
- (4) Commencement Bay, inner, south and east of a line bearing 225° true through Hylebos waterway light except the city waterway south and east of south 11th Street. Class B
- (5) Commencement Bay, city waterway south and east of south 11th Street. Class C
- (6) Drayton Harbor, south of entrance. Class A
- (7) Dyes and Sinclair Inlets west of longitude 122°37'W. Class A
- (8) Elliott Bay east of a line between Pier 91 and Duwamish head. Class A
- (9) Everett Harbor, inner, northeast of a line bearing 121° true from approximately 47°59'5"N and 122°13'44"W (southwest corner of the pier). Class B
- (10) Grays Harbor west of longitude 123°59'W. Class A
- (11) Grays Harbor east of longitude 123°59'W to longitude 123°45'45"W (Cosmopolis Chehalis River, river mile 3.1). Special condition - dissolved oxygen shall exceed 5.0 mg/L. Class B
- (12) Guemes Channel, Padilla, Samish and Bellingham Bays east of longitude 122°39'W and north of latitude 48°27'20"N. Class A
- (13) Hood Canal. Class AA
- (14) Mukilteo and all North Puget Sound west of longitude 122°39' W (Whidbey, Fidalgo, Guemes and Lummi islands and State Highway 20 Bridge at Deception Pass), except as otherwise noted. Class AA
- (15) Oakland Bay west of longitude 123°05'W (inner Shelton harbor). Class B
- (16) Port Angeles south and west of a line bearing 152° true from buoy "2" at the tip of Ediz Hook. Class A
- (17) Port Gamble south of latitude 47°15'20"N. Class A
- (18) Port Townsend west of a line between Point Hudson and Kala Point. Class A
- (19) Possession Sound, south of latitude 47°57'N. Class AA
- (20) Possession Sound, Port Susan, Saratoga Passage, and Skagit Bay east of Whidbey Island and State Highway 20 Bridge at Deception Pass between latitude 47°57'N (Mukilteo) and latitude 48°27'20"N (Similk Bay), except as otherwise noted. Class A
- (21) Puget Sound through Admiralty Inlet and South Puget Sound, south and west to longitude 122°52'30"W (Brisco Point) and longitude 122°51'W (northern tip of Hartstene Island). Class AA
- (22) Sequim Bay southward of entrance. Class AA
- (23) South Puget Sound west of longitude 122°52'30"W (Brisco Point) and longitude 122°51'W (northern tip of Hartstene Island, except as otherwise noted). Class A
- (24) Strait of Juan de Fuca. Class AA
- (25) Totten Inlet and Little Skookum Inlet, west of longitude 122°5'32" (west side of Steamboat Island). Class AA
- (26) Willapa Bay seaward of a line bearing 70° true through Mailboat Slough light (Willapa River, river mile 1.8). Class A

[Statutory Authority: Chapter 90.48 RCW. 92-24-037 (Order 92-29), § 173-201A-140, filed 11/25/92, effective 12/26/92.]

WAC 173-201A-150 Achievement considerations.

To fully achieve and maintain the foregoing water quality in the state of Washington, it is the intent of the department to apply the various implementation and enforcement authorities at its disposal, including participation in the programs of the federal Clean Water Act (33 U.S.C. 1251 et seq.) as appropriate. It is also the intent that cognizance will be taken of the need for participation in cooperative programs with other state agencies and private groups with respect to the management of related problems. The department's planned program for water pollution control will be defined and revised annually in accordance with section 106 of said federal act. Further, it shall be required that all activities which discharge wastes into waters within the state, or otherwise adversely affect the quality of said waters, be in compliance with the waste treatment and discharge provisions of state or federal law.

[Statutory Authority: Chapter 90.48 RCW. 92-24-037 (Order 92-29), § 173-201A-150, filed 11/25/92, effective 12/26/92.]

WAC 173-201A-160 Implementation. (1) Discharges from municipal, commercial, and industrial operations.

The primary means to be used for controlling municipal, commercial, and industrial waste discharges shall be through the issuance of waste disposal permits, as provided for in RCW 90.48.160, 90.48.162, and 90.48.260.

(2) **Miscellaneous waste discharge or water quality effect sources.** The director shall, through the issuance of regulatory permits, directives, and orders, as are appropriate, control miscellaneous waste discharges and water quality effect sources not covered by subsection (1) of this section.

(3) Nonpoint source and storm water pollution.

(a) Activities which generate nonpoint source pollution shall be conducted so as to comply with the water quality standards. The primary means to be used for requiring compliance with the standards shall be through best management practices required in waste discharge permits, rules, orders, and directives issued by the department for activities which generate nonpoint source pollution.

(b) Best management practices shall be applied so that when all appropriate combinations of individual best management practices are utilized, violation of water quality criteria shall be prevented. If a discharger is applying all best management practices appropriate or required by the department and a violation of water quality criteria occurs, the discharger shall modify existing practices or apply further water pollution control measures, selected or approved by the department, to achieve compliance with water quality criteria. Best management practices established in permits, orders, rules, or directives of the department shall be reviewed and modified, as appropriate, so as to achieve compliance with water quality criteria.

(c) Activities which contribute to nonpoint source pollution shall be conducted utilizing best management practices to prevent violation of water quality criteria. When applicable best management practices are not being implemented, the department may conclude individual activities are causing pollution in violation of RCW 90.48.080. In these situations, the department may pursue orders, directives, permits, or civil or criminal sanctions to gain compliance with the standards.

(d) Activities which cause pollution of storm water shall be conducted so as to comply with the water quality standards. The primary means to be used for requiring compliance with the standards shall be through best management practices required in waste discharge permits, rules, orders, and directives issued by the department for activities which generate storm water pollution. The consideration and control procedures in (b) and (c) of this subsection apply to the control of pollutants in storm water.

(4) Allowance for compliance schedules.

(a) Permits, orders, and directives of the department for existing discharges may include a schedule for achieving compliance with water quality criteria contained in this chapter. Such schedules of compliance shall be developed to ensure final compliance with all water quality-based effluent limits in the shortest practicable time. Decisions regarding whether to issue schedules of compliance will be made on a case-by-case basis by the department. Schedules of compliance may not be issued for new discharges. Schedules of compliance may be issued to allow for: (i) construction of necessary treatment capability; (ii) implementation of necessary best management practices; (iii) implementation of additional storm water best management practices for discharges determined not to meet water quality criteria following implementation of an initial set of best management practices; (iv) completion of necessary water quality studies; or (v) resolution of a pending water quality standards' issue through rule-making action.

(b) For the period of time during which compliance with water quality criteria is deferred, interim effluent limitations shall be formally established, based on the best professional judgment of the department.

(c) Prior to establishing a schedule of compliance, the department shall require the discharger to evaluate the possibility of achieving water quality criteria via nonconstruction changes (e.g., facility operation, pollution prevention). Schedules of compliance may in no case exceed ten years, and shall generally not exceed the term of any permit.

[Statutory Authority: Chapter 90.48 RCW. 92-24-037 (Order 92-29), § 173-201A-160, filed 11/25/92, effective 12/26/92.]

WAC 173-201A-170 Surveillance. A continuing surveillance program, to ascertain whether the regulations, waste disposal permits, orders, and directives promulgated and/or issued by the department are being complied with, will be conducted by the department staff as follows:

(1) Inspecting treatment and control facilities.

(2) Monitoring and reporting waste discharge characteristics.

(3) Monitoring receiving water quality.

[Statutory Authority: Chapter 90.48 RCW. 92-24-037 (Order 92-29), § 173-201A-170, filed 11/25/92, effective 12/26/92.]

WAC 173-201A-180 Enforcement. To insure that the provisions of chapter 90.48 RCW, the standards for water quality promulgated herein, the terms of waste disposal permits, and other orders and directives of the department are fully complied with, the following enforcement tools will be relied upon by the department, in cooperation with the attorney general as it deems appropriate:

(1) Issuance of notices of violation and regulatory orders as provided for in RCW 90.48.120.

(2) Initiation of actions requesting injunctive or other appropriate relief in the various courts of the state as provided for in RCW 90.48.037.

(3) Levying of civil penalties as provided for in RCW 90.48.144.

(4) Initiation of a criminal proceeding by the appropriate county prosecutor as provided for in RCW 90.48.140.

(5) Issuance of regulatory orders or directives as provided for in RCW 90.48.240.

[Statutory Authority: Chapter 90.48 RCW. 92-24-037 (Order 92-29), § 173-201A-180, filed 11/25/92, effective 12/26/92.]

Chapter 173-202 WAC

WASHINGTON FOREST PRACTICES RULES AND REGULATIONS TO PROTECT WATER QUALITY

WAC

173-202-010 Authority.
173-202-020 Certain WAC sections adopted by reference.

WAC 173-202-010 Authority. RCW 76.09.040, a portion of the Forest Practices Act of 1974, authorizes the adoption of regulations establishing standards for forest practices. Forest practices regulations pertaining to water quality protection are to be adopted individually by the forest practices board and the department of ecology after the two state agencies have reached agreement thereon. All other forest practices regulations are to be adopted by the forest practices board.

The forest practices board has adopted forest practice regulations in chapters 222-08 through 222-50 WAC. The portions of said chapters, as set forth in WAC 173-202-020, pertain to water quality protection and have been jointly developed by the department of ecology and the forest practices board.

The purpose of this chapter is to set forth forest practice regulations pertaining to water quality protection as authorized for adoption by RCW 76.09.040.

For ease of understanding, the department of ecology has incorporated by reference in WAC 173-202-020 those regulations pertaining to water quality protection previously adopted by the forest practices board.

[Order DE 76-32, § 173-202-010, filed 7/13/76.]

WAC 173-202-020 Certain WAC sections adopted by reference. The following sections of the Washington Administrative Code existing on September 15, 1994, are hereby adopted by reference as part of this chapter in all respects as though the sections were set forth herein in full:

WAC 222-08-035—Continuing review of forest practices regulations.

WAC 222-12-010—Authority.

WAC 222-12-040—Alternate plans.

WAC 222-12-045—Adaptive management.

WAC 222-12-046—Cumulative effect

WAC 222-12-070—Enforcement policy.

WAC 222-16-010—General definitions.

WAC 222-16-030—Water typing system.

WAC 222-16-035—Wetland typing system.

WAC 222-16-050 (1)(a), (1)(e), (1)(h), (1)(i), (3)(b), (3)(c), (3)(d), (3)(e), (3)(f), (3)(n), (3)(o), (3)(p), (4)(c), (4)(d), (4)(e), (5)(b), (5)(c), (5)(d), (5)(e), (5)(f), (5)(h), (5)(n)—Classes of forest practices.

WAC 222-16-070—Pesticide uses with the potential for a substantial impact on the environment.

WAC 222-22-010—Policy.

WAC 222-22-020—Watershed administrative units.

WAC 222-22-030—Qualification of watershed resource analysts, specialists, and field managers.

WAC 222-22-040—Watershed prioritization.

WAC 222-22-050—Level 1 watershed resource assessment.

WAC 222-22-060—Level 2 watershed resource assessment.

WAC 222-22-070—Prescription recommendation.

WAC 222-22-080—Approval of watershed analysis.

WAC 222-22-090—Use and review of watershed analysis.

WAC 222-22-100—Application review prior to watershed analysis.

WAC 222-24-010—Policy.

WAC 222-24-020 (2), (3), (4), (6)—Road location.

WAC 222-24-025 (2), (5), (6), (7), (8), (9), (10)—Road design.

WAC 222-24-030 (2), (4), (5), (6), (7), (8), (9)—Road construction.

WAC 222-24-035 (1), (2)(c), (2)(d), (2)(e), (2)(f)—Landing location and construction.

WAC 222-24-040 (1), (2), (3), (4)—Water crossing structures.

WAC 222-24-050—Road maintenance.

WAC 222-24-060 (1), (2), (3), (6)—Rock quarries, gravel pits, borrow pits, and spoil disposal areas.

WAC 222-30-010—Policy—Timber harvesting.

WAC 222-30-020 (2), (3), (4), (5), (7)(a), (7)(e), (7)(f), (8)(c)—Harvest unit planning and design.

WAC 222-30-025—Green-up: Even-aged harvest size and timing.

WAC 222-30-030—Stream bank integrity.

WAC 222-30-040—Shade requirements to maintain stream temperature.

WAC 222-30-050 (1), (2), (3)—Felling and bucking.

WAC 222-30-060 (1), (2), (3), (5)(c)—Cable yarding.

WAC 222-30-070 (1), (2), (3), (4), (5), (7), (8), (9)—Tractor and wheeled skidding systems.

WAC 222-30-080 (1), (2)—Landing cleanup.

WAC 222-30-100 (1)(a), (1)(c), (4), (5)—Slash disposal.

WAC 222-34-040—Site preparation and rehabilitation.

WAC 222-38-010—Policy—Forest chemicals.

WAC 222-38-020—Handling, storage, and application of pesticides.

WAC 222-38-030—Handling, storage, and application of fertilizers.

WAC 222-38-040—Handling, storage, and application of other forest chemicals.

[Statutory Authority: RCW 90.48.420 and 76.09.040. 94-17-011, § 173-202-020, filed 8/8/94, effective 9/8/94; 93-11-062, § 173-202-020, filed 5/13/93, effective 6/13/93; 93-01-091 (Order 92-51), § 173-202-020, filed 12/16/92, effective 1/16/93. Statutory Authority: Chapters 90.48 and 76.09

RCW. 92-14-098, § 173-202-020, filed 6/30/92, effective 8/1/92. Statutory Authority: Chapter 76.09 RCW. 88-22-030 (Order 88-19), § 173-202-020, filed 10/27/88. Statutory Authority: RCW 76.09.040. 87-23-017 (Order 87-5), § 173-202-020, filed 11/10/87, effective 1/1/88; 83-15-045 (Order DE 82-37), § 173-202-020, filed 7/19/83; Order DE 76-32, § 173-202-020, filed 7/13/76.]

Chapter 173-204 WAC

SEDIMENT MANAGEMENT STANDARDS

WAC

PART I—GENERAL INFORMATION

173-204-100	Authority and purpose.
173-204-110	Applicability.
173-204-120	Antidegradation and designated use policies.
173-204-130	Administrative policies.

PART II—DEFINITIONS

173-204-200	Definitions.
-------------	--------------

PART III—SEDIMENT QUALITY STANDARDS

173-204-300	Purpose.
173-204-310	Sediment quality standards designation procedures.
173-204-315	Confirmatory marine sediment biological tests.
173-204-320	Marine sediment quality standards.
173-204-330	Low salinity sediment quality standards.
173-204-340	Freshwater sediment quality standards.
173-204-350	Sediment quality standards inventory.

PART IV—SEDIMENT SOURCE CONTROL

173-204-400	General considerations.
173-204-410	Sediment quality goal and sediment impact zone applicability.
173-204-412	Marine finfish rearing facilities.
173-204-415	Sediment impact zones.
173-204-420	Sediment impact zone maximum criteria.

PART V—SEDIMENT CLEANUP STANDARDS

173-204-500	Sediment cleanup decision process and policies.
173-204-510	Screening sediment station clusters of potential concern.
173-204-520	Cleanup screening levels criteria.
173-204-530	Hazard assessment and site identification.
173-204-540	Ranking and list of sites.
173-204-550	Types of cleanup and authority.
173-204-560	Cleanup study.
173-204-570	Sediment cleanup standards.
173-204-580	Cleanup action decision.
173-204-590	Sediment recovery zones.

PART VI—SAMPLING AND TESTING PLANS/RECORDKEEPING

173-204-600	Sampling and testing plan standards.
173-204-610	Records management.
173-204-620	Severability.

PART I—GENERAL INFORMATION

WAC 173-204-100 Authority and purpose. (1) This chapter is promulgated under the authority of chapter 90.48 RCW, the Water Pollution Control Act; chapter 70.105D RCW, the Model Toxics Control Act; chapter 90.70 RCW, the Puget Sound Water Quality Authority Act; chapter 90.52 RCW, the Pollution Disclosure Act of 1971; chapter 90.54 RCW, the Water Resources Act of 1971; and chapter 43.21C RCW, the state Environmental Policy Act, to establish marine, low salinity and freshwater surface sediment management standards for the state of Washington.

(2) The purpose of this chapter is to reduce and ultimately eliminate adverse effects on biological resources and significant health threats to humans from surface sediment contamination by:

(a) Establishing standards for the quality of surface sediments;

(b) Applying these standards as the basis for management and reduction of pollutant discharges; and

(c) Providing a management and decision process for the cleanup of contaminated sediments.

(3) Part III, Sediment quality standards of this chapter provides chemical concentration criteria, biological effects criteria, human health criteria, and other toxic, radioactive, biological, or deleterious substances criteria which identify surface sediments that have no adverse effects, including no acute or chronic adverse effects on biological resources and no significant health risk to humans, as defined in this regulation. The sediment quality standards provide a regulatory and management goal for the quality of sediments throughout the state.

(4) The sediment criteria of WAC 173-204-320 through 173-204-340 shall constitute surface sediment quality standards and be used to establish an inventory of surface sediment sampling stations where the sediments samples taken from these stations are determined to pass or fail the applicable sediment quality standards.

(5) Part IV, Sediment source control standards of this chapter shall be used as a basis for controlling the effects of point and nonpoint source discharges to sediments through the National Pollutant Discharge Elimination System (NPDES) federal permit program, state water quality management permit programs, issuance of administrative orders or other means determined appropriate by the department. The source control standards establish discharge sediment monitoring requirements and criteria for establishment and maintenance of sediment impact zones.

(6) Part V, Sediment cleanup standards of this chapter establishes administrative procedural requirements and criteria to identify, screen, rank and prioritize, and cleanup contaminated surface sediment sites. The sediment cleanup standards of WAC 173-204-500 through 173-204-590 shall be used pursuant to authorities established under chapters 90.48 and 70.105D RCW.

(7) This chapter establishes and defines a goal of minor adverse effects as the maximum level of sediment contamination allowed in sediment impact zones under the provisions of Part IV, Sediment source control standards and as the cleanup screening levels for identification of sediment cleanup sites and as the minimum cleanup levels to be achieved in all cleanup actions under Part V, Sediment cleanup standards.

(8) Local ordinances establishing requirements for the designation and management of marine, low salinity and freshwater sediments shall not be less stringent than this chapter.

Note: All codes, standards, statutes, rules or regulations cited in this chapter are available for inspection at the Department of Ecology, P.O. Box 47703, Olympia, Washington 98504-7703.

[Statutory Authority: RCW 90.48.220. 96-02-058, § 173-204-100, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-100, filed 3/27/91, effective 4/27/91.]

WAC 173-204-110 Applicability. (1) The sediment quality standards of WAC 173-204-300 through 173-204-315, and 173-204-350, and the sediment cleanup standards of WAC 173-204-500 through 173-204-580 shall apply to all surface sediments.

(2) The sediment quality standards of WAC 173-204-320, 173-204-330, and 173-204-340 shall apply to marine, low salinity and freshwater surface sediments, respectively.

(3) The source control standards of WAC 173-204-400 through 173-204-420 shall apply to each person's actions which exposes or resuspends surface sediments which exceed, or otherwise cause or potentially cause surface sediments to exceed, the applicable standards of WAC 173-204-320 through 173-204-340.

(4) The sediment recovery zone standards of WAC 173-204-590 shall apply to each person's cleanup action decision made pursuant to WAC 173-204-580 where the selected cleanup action leaves in place marine, low salinity, or freshwater sediments that exceed the applicable sediment quality standards of WAC 173-204-320 through 173-204-340.

(5) The sediment quality standards of WAC 173-204-320 through 173-204-340 shall not apply:

(a) Within a sediment impact zone as authorized by the department under WAC 173-204-415; or

(b) Within a sediment recovery zone as authorized by the department under WAC 173-204-590; or

(c) To particulates suspended in the water column; or

(d) To particulates suspended in a permitted effluent discharge.

(6) Nothing in this chapter shall constrain the department's authority to make appropriate sediment management decisions on a case-specific basis using best professional judgment and latest scientific knowledge for cases where the standards of this chapter are reserved or standards are not available.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-110, filed 3/27/91, effective 4/27/91.]

WAC 173-204-120 Antidegradation and designated use policies. (1) Antidegradation policy. The antidegradation policy of the state of Washington as generally guided by chapters 90.48 and 90.54 RCW, is applicable to any person's new or increased activity and shall apply to this chapter as follows:

(a) Existing beneficial uses shall be maintained and protected and no further degradation which would interfere with or become injurious to existing beneficial uses shall be allowed.

(b) No degradation of existing sediment quality shall be allowed of waters constituting an outstanding national resource, such as waters of national and state parks and scenic and recreation areas, wildlife refuges, and waters of exceptional recreational or ecological significance.

(c) Whenever surface sediments are of a higher quality (i.e., lower chemical concentrations or adverse biological response) than the criteria assigned to said sediments, the existing surface sediment quality shall be protected and waste and other materials and substances shall not be

allowed to contaminate such sediments or reduce the existing sediment quality thereof, except in those instances where:

(i) It is clear, after satisfactory public participation and intergovernmental coordination, that overriding considerations of the public interest will be served;

(ii) All wastes and other materials and substances proposed for discharge that may contaminate such sediments are provided with all known, available and reasonable methods of prevention, control, and treatment and/or best management practices;

(iii) The reduction of existing surface sediment quality is authorized by the department; and

(iv) Existing beneficial uses are maintained and protected, and no degradation which would interfere with and/or become injurious to existing sediment beneficial uses and/or causes long-term, irreparable harm to the environment is allowed.

(2) Designated use policy. The policy of the department and the purpose of this chapter shall be to manage waste discharges and sediment quality so as to protect existing beneficial uses and move towards attainment of designated beneficial uses as specified in section 101 (a)(2) of the federal Clean Water Act (33 USC 1251, et seq.) and chapter 173-201 WAC, the Water quality standards for surface waters of the state of Washington. This policy is applicable to any person's existing or proposed actions which may affect surface sediment quality.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-120, filed 3/27/91, effective 4/27/91.]

WAC 173-204-130 Administrative policies. The department shall implement this chapter in accordance with the following policies:

(1) The department shall seek to implement, and as necessary modify this chapter to protect biological resources and human health consistent with WAC 173-204-100(2). To implement the intent of this subsection, the department shall use methods that accurately reflect the latest scientific knowledge consistent with the definitions contained in WAC 173-204-200 (14) and (15), as applicable.

(2) At the interface between surface sediments, ground water or surface water, the applicable standards shall depend on which beneficial use is or could be adversely affected, as determined by the department. If beneficial uses of more than one resource are affected, the most restrictive standards shall apply.

(3) It shall be the goal of the department to modify this chapter so that methods such as confirmatory biological tests, sediment impact zone models, use of contaminated sediment site ranking models, etc., continue to accurately reflect the latest scientific knowledge as established through ongoing validation and refinement.

(4) Any person or the department may propose an alternate technical method to replace or enhance the application of a specific technical method required under this chapter. Using best professional judgment, the department shall provide advance review and approval of any alternate technical method proposed prior to its application. Application and use of alternate technical methods shall be allowed when the department determines that the technical merit of

the resulting decisions will improve the department's ability to implement and meet the intent of this chapter as described in WAC 173-204-100(2), and will remain consistent with the scientific intent of definitions contained in WAC 173-204-200 (14) and (15). The department shall maintain a record of the department's decisions concerning application for use of alternate technical methods pursuant to this subsection. The record shall be made available to the public on request.

(5) Intergovernmental coordination. The department shall ensure appropriate coordination and consultation with federally recognized Indian tribes and local, state, and federal agencies to provide information on and to implement this chapter.

(6) The department shall conduct an annual review of this chapter, and modify its provisions every three years, or as necessary. Revision to this chapter shall be made pursuant to the procedures established within chapter 34.05 RCW, the Administrative Procedure Act.

(7) Review of scientific information. When evaluating this chapter for necessary revisions, the factors the department shall consider include:

(a) New or additional scientific information which is available relating surface sediment chemical quality to acute or chronic adverse effects on biological resources as defined in WAC 173-204-200 (1) and (7);

(b) New or additional scientific information which is available relating human health risk to marine, low salinity, or freshwater surface sediment chemical contaminant levels;

(c) New or additional scientific information which is available relating levels of other toxic, radioactive, biological and deleterious substances in marine, low salinity, or freshwater sediments to acute or chronic adverse effects on biological resources, or to a significant health risk to humans;

(d) New state or federal laws which have established environmental or human health protection standards applicable to surface sediment; or

(e) Scientific information which has been identified for addition, modification or deletion by a scientific review process established by the department.

(8) Public involvement and education. The goal of the department shall be to provide timely information and meaningful opportunities for participation by the public in the annual review conducted by the department under subsection (6) of this section, and any modification of this chapter. To meet the intent of this subsection the department shall:

(a) Provide public notice of the department's decision regarding the results of its annual review of this chapter, including:

(i) The department's findings for the annual review factors identified in subsection (7) of this section;

(ii) The department's decision regarding the need for modification of this chapter based on its annual review; and

(iii) Identification of a time period for public opportunity to comment on the department's findings and decisions pursuant to this subsection.

(b) Provide public notice by mail or by additional procedures determined necessary by the department which may include:

(i) Newspaper publication;

(ii) Other news media;

(iii) Press releases;

(iv) Fact sheets;

(v) Publications;

(vi) Any other method as determined by the department.

(c) Conduct public meetings as determined necessary by the department to educate and inform the public regarding the department's annual review determinations and decisions.

(d) Comply with the rule making and public participation requirements of chapter 34.05 RCW, the Administrative Procedure Act, for any revisions to this chapter.

(9) Test sediments evaluated for compliance with the sediment quality standards of WAC 173-204-320 through 173-204-340 and/or the sediment impact zone maximum criteria of WAC 173-204-420 and/or the cleanup screening levels criteria of WAC 173-204-520 shall be sampled and analyzed using the Puget Sound Protocols or other methods approved by the department. Determinations made pursuant to this chapter shall be based on sediment chemical and/or biological data that were developed using an appropriate quality assurance/quality control program, as determined by the department.

(10) The statutory authority for decisions under this chapter shall be clearly stated in the decision documents prepared pursuant to this chapter. The department shall undertake enforcement actions consistent with the stated authority under which the action is taken. The process for judicial review of these decisions shall be pursuant to the statutes under which the action is being taken.

(11) When the department identifies this chapter as an applicable, or relevant and appropriate requirement for a federal cleanup action under the Comprehensive Environmental Response, Compensation and Liability Act, the department shall identify the entire contents of this chapter as the appropriate state requirement.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-130, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-130, filed 3/27/91, effective 4/27/91.]

PART II—DEFINITIONS

WAC 173-204-200 Definitions. For the purpose of this chapter, the following definitions shall apply:

(1) "Acute" means measurements of biological effects using surface sediment bioassays conducted for time periods that are relatively short in comparison to the life cycle of the test organism. Acute effects may include mortality, larval abnormality, or other endpoints determined appropriate by the department.

(2) "Amphipod" means crustacean of the Class Amphipoda, e.g., *Rhepoxynius abronius*, *Ampelisca abdita*, or *Eohaustorius estuarius*.

(3) "Appropriate biological tests" means only tests designed to measure directly, or through established predictive capability, biologically significant adverse effects to the established or potential benthic or aquatic resources at a given location, as determined by rule by the department.

(4) "Beneficial uses" means uses of waters of the state which include but are not limited to use for domestic, stock watering, industrial, commercial, agricultural, irrigation, mining, fish and wildlife maintenance and enhancement,

recreation, generation of electric power, and preservation of environmental and aesthetic values, and all other uses compatible with the enjoyment of the public waters of the state.

(5) "Best management practices" or "BMPs" means schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to prevent or reduce the pollution of surface sediments of the state. BMPs also include treatment requirements, operating procedures and practices to control plant site runoff, spillage or leaks, sludge or water disposal, or drainage from raw material storage.

(6) "Bioassay" means a test procedure that measures the response of living plants, animals, or tissues to a sediment sample.

(7) "Chronic" means measurements of biological effects using sediment bioassays conducted for, or simulating, prolonged exposure periods of not less than one complete life cycle, evaluations of indigenous field organisms for long-term effects, assessment of biological effects resulting from bioaccumulation and biomagnification, and/or extrapolated values or methods for simulating effects from prolonged exposure periods. Chronic effects may include mortality, reduced growth, impaired reproduction, histopathological abnormalities, adverse effects to birds and mammals, or other endpoints determined appropriate by the department.

(8) "Contaminated sediment" means surface sediments designated under the procedures of WAC 173-204-310 as exceeding the applicable sediment quality standards of WAC 173-204-320 through 173-204-340.

(9) "Control sediment sample" means a surface sediment sample which is relatively free of contamination and is physically and chemically characteristic of the area from which bioassay test animals are collected. Control sediment sample bioassays provide information concerning a test animal's tolerance for stress due to transportation, laboratory handling, and bioassay procedures. Control sediment samples cannot exceed the applicable sediment quality standards of WAC 173-204-320 through 173-204-340.

(10) "Department" means the department of ecology.

(11) "Freshwater sediments" means surface sediments in which the sediment pore water contains less than or equal to 0.5 parts per thousand salinity.

(12) "Low salinity sediments" means surface sediments in which the sediment pore water contains greater than 0.5 parts per thousand salinity and less than 25 parts per thousand salinity.

(13) "Marine finfish rearing facilities" shall mean those private and public facilities located within state waters where finfish are fed, nurtured, held, maintained, or reared to reach the size of release or for market sale.

(14) "Marine sediments" means surface sediments in which the sediment pore water contains 25 parts per thousand salinity or greater.

(15) "Minor adverse effects" means a level of effects that:

(a) Has been determined by rule by the department, except in cases subject to WAC 173-204-110(6); and

(b) Meets the following criteria:

(i) An acute or chronic adverse effect to biological resources as measured by a statistically and biologically significant response relative to reference in no more than one

appropriate biological test as defined in WAC 173-204-200(3); or

(ii) A statistically and biologically significant response that is significantly elevated relative to reference in any appropriate biological test as defined in WAC 173-204-200(3); or

(iii) Biological effects per (b)(i) or (ii) of this subsection as predicted by exceedance of an appropriate chemical or other deleterious substance standard, except where the prediction is overridden by direct biological testing evidence pursuant to (b)(i) and (ii) of this subsection; and

(c) Does not result in significant human health risk as predicted by exceedance of an appropriate chemical, biological, or other deleterious substance standard.

(16) "No adverse effects" means a level of effects that:

(a) Has been determined by rule by the department, except in cases subject to WAC 173-204-110(6); and

(b) Meets the following biological criteria:

(i) No acute or chronic adverse effects to biological resources as measured by a statistically and biologically significant response relative to reference in any appropriate biological test as defined in WAC 173-204-200(3); and

(ii) No acute or chronic adverse biological effect per (b)(i) of this subsection as predicted by exceedance of an appropriate chemical or other deleterious substance standard, except where the prediction is overridden by direct biological testing evidence pursuant to (b)(i) of this subsection; and

(iii) Does not result in significant human health risk as predicted by exceedance of an appropriate chemical, biological, or other deleterious substance standard.

(17) "Other toxic, radioactive, biological, or deleterious substances" means contaminants which are not specifically identified in the sediment quality standards chemical criteria of WAC 173-204-320 through 173-204-340 (e.g., organic debris, tributyltin, DDT, etc.).

(18) "Person" means an individual, firm, corporation, association, partnership, consortium, joint venture, commercial entity, industry, private corporation, port district, special purpose district, irrigation district, unit of local government, state government agency, federal government agency, Indian tribe, or any other entity whatsoever.

(19) "Practicable" means able to be completed in consideration of environmental effects, technical feasibility and cost.

(20) "Puget Sound basin" or "Puget Sound" means:

(a) Puget Sound south of Admiralty Inlet, including Hood Canal and Saratoga Passage;

(b) The waters north to the Canadian border, including portions of the Strait of Georgia;

(c) The Strait of Juan de Fuca south of the Canadian border; and

(d) All the lands draining into these waters as mapped in water resources inventory areas numbers 1 through 19, set forth in water resources management program established pursuant to the Water Resources Act of 1971, chapter 173-500 WAC.

(21) "Puget Sound protocols" means *Puget Sound Estuary Program. 1986. As amended. Recommended Protocols for Measuring Selected Environmental Variables in Puget Sound, U.S. Environmental Protection Agency, Region 10, Seattle, WA (looseleaf).*

(22) "Reference sediment sample" means a surface sediment sample which serves as a laboratory indicator of a test animal's tolerance to important natural physical and chemical characteristics of the sediment, e.g., grain size, organic content. Reference sediment samples represent the nonanthropogenically affected background surface sediment quality of the sediment sample. Reference sediment samples cannot exceed the applicable sediment quality standards of WAC 173-204-320 through 173-204-340.

(23) "Sediment impact zone" means an area where the applicable sediment quality standards of WAC 173-204-320 through 173-204-340 are exceeded due to ongoing permitted or otherwise authorized wastewater, storm water, or nonpoint source discharges and authorized by the department within a federal or state wastewater or storm water discharge permit, or other formal department authorization.

(24) "Sediment recovery zone" means an area where the applicable sediment quality standards of WAC 173-204-320 through 173-204-340 are exceeded as a result of historical discharge activities, and authorized by the department as a result of a cleanup decision made pursuant to WAC 173-204-580, Cleanup action decision.

(25) "Site units" means discrete subdivisions of an individual contaminated sediment site that are being evaluated for the purpose of establishing cleanup standards. Site units are based on consideration of unique locational, environmental, spatial, or other conditions determined appropriate by the department, e.g., cleanup under piers, cleanup in eelgrass beds, cleanup in navigational lanes.

(26) "Surface sediments" or "sediment(s)" means settled particulate matter located in the predominant biologically active aquatic zone, or exposed to the water column. Sediment(s) also includes settled particulate matter exposed by human activity (e.g., dredging) to the biologically active aquatic zone or to the water column.

(27) "Test sediment" means a sediment sample that is evaluated for compliance with the sediment quality standards of WAC 173-204-320 through 173-204-340 and/or the sediment impact zone maximum criteria of WAC 173-240-420 and/or the cleanup screening levels criteria of WAC 173-204-520.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-200, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-200, filed 3/27/91, effective 4/27/91.]

PART III—SEDIMENT QUALITY STANDARDS

WAC 173-204-300 Purpose. The sediment quality standards of WAC 173-204-320 through 173-204-340 include chemical concentration criteria, biological effects criteria, human health criteria, other toxic, radioactive, biological, or deleterious substances criteria, and nonanthropogenically affected sediment quality criteria which are used to identify sediments that have no adverse effects on biological resources, and correspond to no significant health risk to humans. Designation determinations using the sediment quality standards of WAC 173-204-320 through 173-204-340 shall be conducted as stipulated in WAC 173-204-310, Sediment quality standards designation procedures.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-300, filed 3/27/91, effective 4/27/91.]

WAC 173-204-310 Sediment quality standards designation procedures. Any person may use these procedures to determine a sediment's designation using the applicable sediment quality standards of WAC 173-204-320 through 173-204-340. Any person who designates test sediments using the procedures of this section shall meet the sampling and testing plan requirements of WAC 173-204-600 and records management requirements of WAC 173-204-610. Test sediments designated using the procedures of this section shall be sampled and analyzed using the Puget Sound protocols or other methods approved by the department, and shall use an appropriate quality assurance/quality control program, as determined by the department. A sediment sample that passes the initial designation procedures is designated as complying with the applicable sediment quality standards of WAC 173-204-320 through 173-204-340, until such time as any person or the department confirms the sediment designation as failing the applicable sediment quality standards of WAC 173-204-320 through 173-204-340. A sediment sample that fails the initial designation procedures is designated as not complying with the applicable sediment quality standards of WAC 173-204-320 through 173-204-340, until such time as any person or the department confirms the sediment designation as passing the applicable sediment quality standards of WAC 173-204-320 through 173-204-340. A sediment sample that passes or fails the confirmatory designation procedures is designated as such under the procedures of WAC 173-204-310. Sediments shall be designated with the applicable sediment quality standards of WAC 173-204-320 through 173-204-340 as follows:

(1) Initial designation. Sediments that have been chemically analyzed for the applicable chemical concentration criteria of WAC 173-204-320 through 173-204-340 shall be designated as follows:

(a) Sediments with chemical concentrations equal to or less than all the applicable chemical and human health criteria are designated as having no adverse effects on biological resources, and not posing a significant health threat to humans, and pass the applicable sediment quality standards of WAC 173-204-320 through 173-204-340.

(b) Sediments with chemical concentrations which exceed any one applicable chemical or human health criterion in WAC 173-204-320 through 173-204-340 are designated as having adverse effects on biological resources or posing significant human health threats, and fail the sediment quality standards of WAC 173-204-320 through 173-204-340, pending confirmatory designation.

(2) Confirmatory designation. Any person or the department may confirm the designation of sediments which have either passed or failed initial designation procedures listed in subsection (1) of this section using the applicable biological testing of WAC 173-204-315, as required below. Sediment samples that pass all the required confirmatory biological tests are designated as passing the applicable sediment quality standards of WAC 173-204-320 through 173-204-340, notwithstanding the sediment's previous initial designation under subsection (1) of this section. Any

sediment sample which fails any one of the required confirmatory biological tests shall be designated as failing the applicable sediment quality standards of WAC 173-204-320 through 173-204-340, notwithstanding the sediment's previous initial designation under subsection (1) of this section. The confirmatory biological test standards are described below.

(a) To confirm the designation of a sediment which either passed or failed any applicable chemical concentration criterion established in WAC 173-204-320 through 173-204-340, the sediment shall be tested for:

(i) Two of the acute effects biological tests described in the applicable standards of WAC 173-204-315; and

(ii) One of the chronic effects biological tests described in the applicable standards of WAC 173-204-315.

(b) Sediments with chemical concentrations which either passed or failed any applicable human health criterion of WAC 173-204-320 through 173-204-340 shall be eligible for confirmatory designation as follows: Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(3) Initial and confirmatory designation of sediments which contain other toxic, radioactive, biological, or deleterious substances. Sediments which contain other toxic, radioactive, biological, or deleterious substances, as defined in WAC 173-204-200(16), shall be designated by the department using the following procedures.

(a) The department shall:

(i) Identify individual contaminants of concern;

(ii) Identify appropriate and practicable sampling and analysis methodologies;

(iii) Identify test interpretation standards for initial and confirmatory designation; and

(iv) Identify acceptable levels of sediment contamination for sediments which contain other toxic, radioactive, biological, or deleterious substances.

(b) Where sediment containing other toxic, radioactive, biological or deleterious substances may also be contaminated by chemicals identified in WAC 173-204-320 through 173-204-340, the department shall require application of the appropriate tests and standards of WAC 173-204-320 through 173-204-340, as determined by the department, in addition to any requirements developed pursuant to (a) of this subsection.

(c) The department may use all or some of the sediment biological tests of WAC 173-204-320 through 173-204-340 to designate sediments with other toxic, radioactive, biological or deleterious substances in cases where those tests are technically appropriate, as determined by the department.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-310, filed 3/27/91, effective 4/27/91.]

WAC 173-204-315 Confirmatory marine sediment biological tests. (1) The following five acute and chronic effects biological tests shall be used to confirm designation of Puget Sound marine sediments using the procedures described in WAC 173-204-310(2). Use of alternate biological tests shall be subject to the review and approval

of the department using the procedures of WAC 173-204-130(4).

(a) Acute effects tests.

(i) Amphipod: Ten-day mortality sediment bioassay for the Amphipod, i.e., *Rhepoxynius abronius*, *Ampelisca abdita*, or *Eohaustorius estuarius*.

(ii) Larval: Any one of the following mortality/abnormality sediment bioassays:

(A) *Crassostrea gigas*, i.e., Pacific oyster;

(B) *Mytilus (edulis) galloprovincialis*, i.e., Blue mussel;

(C) *Strongylocentrotus purpuratus*, i.e., Purple sea urchin;

(D) *Strongylocentrotus droebachiensis*, i.e., Green sea urchin; or

(E) *Dendraster excentricus*, i.e., Sand dollar.

(b) Chronic effects tests.

(i) Benthic infaunal abundance: Abundance of the following major taxa: Class Crustacea, Class Polychaeta, and Phylum Mollusca.

(ii) Juvenile polychaete: Twenty-day growth rate of the juvenile polychaete *Neanthes arenaceodentata*; or

(iii) Microtox saline extract: Decreased luminescence from the bacteria *Vibrio fisheri* after a fifteen minute exposure.

(2) Performance standards for control and reference sediment biological test results. The biological tests of this section shall not be considered valid unless test results for the appropriate control and reference sediments meet the performance standards of (a) through (e) of this subsection. The department may reject the results of a reference sediment biological test based on unacceptably high variability.

(a) Amphipod: The control sediment shall have less than ten percent mortality over the test period. The reference sediment shall have less than twenty-five percent mortality.

(b) Larval: The seawater control sample shall have less than thirty percent combined abnormality and mortality (i.e., a seventy percent normal survivorship at time-final).

(c) Benthic abundance: The reference benthic macroinvertebrate assemblage shall be representative of areas of Puget Sound removed from significant sources of contaminants, and to the extent possible shall have the following characteristics:

(i) The taxonomic richness of benthic macroinvertebrates and the abundances of higher taxonomic groups shall reflect seasonality and natural physical-chemical conditions (e.g., grain size composition and salinity of sediments, water depth) in a reference area, and not be obviously depressed as a result of chemical toxicity;

(ii) Normally abundant species that are known to be sensitive to chemical contaminants shall be present;

(iii) Normally rare species that are known to become abundant only under chemically disturbed conditions shall be rare or absent; and

(iv) The abundances of normally rare species that control community structure through physical modification of the sediment shall be similar to those observed at the test sediment site.

(d) Juvenile polychaete: The control sediment shall have less than ten percent mortality and mean individual growth of ≥ 0.72 mg/ind/day per dry weight basis. The reference sediment shall have a mean individual growth rate

which is at least eighty percent of the mean individual growth rate found in the control sediment. Control sediments exhibiting growth below 0.72 mg/ind/day may be approved by the department on a case-by-case basis.

(e) Microtox: Reserved: The department shall determine performance standards on a case-by-case basis as necessary to meet the intent of this chapter.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-315, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-315, filed 3/27/91, effective 4/27/91.]

WAC 173-204-320 Marine sediment quality standards. (1) Goal and applicability.

(a) The sediment quality standards of this section shall correspond to a sediment quality that will result in no adverse effects, including no acute or chronic adverse effects on biological resources and no significant health risk to humans.

(b) The marine sediment quality standards of this section shall apply to marine sediments located within Puget Sound as defined in WAC 173-204-200(19).

(c) Non-Puget Sound marine sediment quality standards. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(2) Chemical concentration criteria. The chemical concentrations in Table I establish the marine sediment quality standards chemical criteria for designation of sediments.

(a) Where laboratory analysis indicates a chemical is not detected in a sediment sample, the detection limit shall be reported and shall be at or below the Marine Sediment Quality Standards chemical criteria value set in this table.

(b) Where chemical criteria in this table represent the sum of individual compounds or isomers, the following methods shall be applied:

(i) Where chemical analyses identify an undetected value for every individual compound/isomer then the single highest detection limit shall represent the sum of the respective compounds/isomers; and

(ii) Where chemical analyses detect one or more individual compound/isomers, only the detected concentrations will be added to represent the group sum.

(c) The listed chemical parameter criteria represent concentrations in parts per million, "normalized," or expressed, on a total organic carbon basis. To normalize to total organic carbon, the dry weight concentration for each parameter is divided by the decimal fraction representing the percent total organic carbon content of the sediment.

(d) The LPAH criterion represents the sum of the following "low molecular weight polynuclear aromatic hydrocarbon" compounds: Naphthalene, Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, and Anthracene. The LPAH criterion is not the sum of the criteria values for the individual LPAH compounds as listed.

(e) The HPAH criterion represents the sum of the following "high molecular weight polynuclear aromatic hydrocarbon" compounds: Fluoranthene, Pyrene, Benz(a)anthracene, Chrysene, Total Benzofluoranthenes, Benzo(a)pyrene, Indeno(1,2,3,-c,d)pyrene, Dibenz(a,h)anthracene, and Benzo(g,h,i)perylene. The HPAH

criterion is not the sum of the criteria values for the individual HPAH compounds as listed.

(f) The TOTAL BENZOFLUORANTHENES criterion represents the sum of the concentrations of the "B," "J," and "K" isomers.

Table I

**Marine Sediment Quality Standards
—Chemical Criteria**

CHEMICAL PARAMETER	MG/KG DRY WEIGHT (PARTS PER MILLION (PPM) DRY)
ARSENIC	57
CADMIUM	5.1
CHROMIUM	260
COPPER	390
LEAD	450
MERCURY	0.41
SILVER	6.1
ZINC	410
CHEMICAL PARAMETER	MG/KG ORGANIC CARBON (PPM CARBON)
LPAH	370
NAPHTHALENE	99
ACENAPHTHYLENE	66
ACENAPHTHENE	16
FLUORENE	23
PHENANTHRENE	100
ANTHRACENE	220
2-METHYLNAPHTHALENE	38
HPAH	960
FLUORANTHENE	160
PYRENE	1000
BENZ(A)ANTHRACENE	110
CHRYSENE	110
TOTAL BENZOFLUORANTHENES	230
BENZO(A)PYRENE	99
INDENO (1,2,3,-C,D) PYRENE	34
DIBENZO (A,H) ANTHRACENE	12
BENZO(G,H,I)PERYLENE	31
1,2-DICHLOROENZENE	2.3
1,4-DICHLOROENZENE	3.1
1,2,4-TRICHLOROENZENE	0.81
HEXACHLOROENZENE	0.38
DIMETHYL PHTHALATE	53
DIETHYL PHTHALATE	61
DI-N-BUTYL PHTHALATE	220
BUTYL BENZYL PHTHALATE	4.9
BIS (2-ETHYLHEXYL) PHTHALATE	47
DI-N-OCTYL PHTHALATE	58
DIBENZOFURAN	15
HEXACHLOROBUTADIENE	3.9
N-NITROSODIPHENYLAMINE	11
TOTAL PCB'S	12
CHEMICAL PARAMETER	UG/KG DRY WEIGHT (PARTS PER BILLION (PPB) DRY)
PHENOL	420
2-METHYLPHENOL	63
4-METHYLPHENOL	670
2,4-DIMETHYL PHENOL	29
PENTACHLOROPHENOL	360
BENZYL ALCOHOL	57
BENZOIC ACID	650

(3) Biological effects criteria. For designation of sediments pursuant to WAC 173-204-310(2), sediments are determined to have adverse effects on biological resources when any one of the confirmatory marine sediment biological tests of WAC 173-204-315(1) demonstrate the following results:

(a) Amphipod: The test sediment has a higher (statistically significant, t test, $p \leq 0.05$) mean mortality than the reference sediment and the test sediment mean mortality exceeds twenty-five percent, on an absolute basis.

(b) Larval: The test sediment has a mean survivorship of normal larvae that is less (statistically significant, t test, $p \leq 0.05$) than the mean normal survivorship in the reference sediment and the test sediment mean normal survivorship is less than eighty-five percent of the mean normal survivorship in the reference sediment (i.e., the test sediment has a mean combined abnormality and mortality that is greater than fifteen percent relative to time-final in the reference sediment).

(c) Benthic abundance: The test sediment has less than fifty percent of the reference sediment mean abundance of any one of the following major taxa: Class Crustacea, Phylum Mollusca or Class Polychaeta, and the test sediment abundance is statistically different (t test, $p \leq 0.05$) from the reference sediment abundance.

(d) Juvenile polychaete: The test sediment has a mean individual growth rate of less than seventy percent of the reference sediment mean individual growth rate and the test sediment mean individual growth rate is statistically different (t test, $p \leq 0.05$) from the reference sediment mean individual growth rate.

(e) Microtox: The mean light output of the highest concentration of the test sediment is less than eighty percent of the mean light output of the reference sediment, and the two means are statistically different from each other (t test, $p \leq 0.05$).

(4) Marine sediment human health criteria. Reserved: The department may determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(5) Marine sediment other toxic, radioactive, biological, or deleterious substances criteria. Other toxic, radioactive, biological or deleterious substances in, or on, sediments shall be at or below levels which cause no adverse effects in marine biological resources, and below levels which correspond to a significant health risk to humans, as determined by the department. The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter pursuant to WAC 173-204-310(3).

(6) Nonanthropogenically affected sediment quality criteria. Whenever the nonanthropogenically affected sediment quality is of a lower quality (i.e., higher chemical concentrations, higher levels of adverse biological response, or posing a greater health threat to humans) than the applicable sediment quality standards assigned for said sediments by this chapter, the existing sediment chemical and biological quality shall be identified on an area-wide basis as determined by the department, and used in place of the sediment quality standards of WAC 173-204-320.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-320, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-320, filed 3/27/91, effective 4/27/91.]

WAC 173-204-330 Low salinity sediment quality standards. Reserved: The department shall determine on

a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-330, filed 3/27/91, effective 4/27/91.]

WAC 173-204-340 Freshwater sediment quality standards. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-340, filed 3/27/91, effective 4/27/91.]

WAC 173-204-350 Sediment quality standards inventory. (1) The department shall gather available data on sediments and produce an inventory of sediment sampling stations which pass or fail the applicable sediment quality standards of WAC 173-204-320 through 173-204-340. Sediment sampling stations which are evaluated for compliance with the sediment quality standards of WAC 173-204-320 through 173-204-340 and placed on the inventory shall be sampled and analyzed using the Puget Sound Protocols or other methods approved by the department, and shall use an appropriate quality assurance/quality control program, as determined by the department. The sediment quality standards inventory produced per this section shall be used by the department, and made available upon request to the public and other federal, state, and local agencies for the following uses:

(a) To identify and target necessary source control activities, such as discharger monitoring, to eliminate adverse effects on biological resources and significant health threats to humans from sediment contamination;

(b) To identify contaminated sediment cleanup sites per the procedures in WAC 173-204-500 through 173-204-590;

(c) To establish sediment quality ambient monitoring program status and trends analyses and reports;

(d) To identify the sediment quality of areas proposed for dredging, in-water construction, and other actions requiring federal, state, and/or local permits; and

(e) To complete other uses consistent with the intent of this chapter, as determined by the department.

(2) Sources of data. Sediment biological and chemical data shall be gathered by the department for review to produce and update the sediment quality inventory on a biennial basis. Data sources include, but are not limited to:

(a) Sediment data collected by the department for the Puget Sound ambient monitoring program, compliance monitoring of permitted discharges, and special environmental investigations.

(b) Sediment data submitted to the U.S. Army Corps of Engineers in support of dredging permit applications.

(c) Sediment data collected to identify problem areas and needed source controls in Puget Sound as defined in WAC 173-204-200(19), other marine waters, and all low salinity and freshwater areas in Washington state.

(d) Sediment data used or collected in compliance with chapter 70.105D RCW, and the Model Toxics Control Act cleanup regulation, chapter 173-340 WAC.

(e) Sediment data used or collected in compliance with the federal Comprehensive Environmental Response, Compensation and Liability Act.

(f) Sediment data collected as a requirement of a National Pollutant Discharge Elimination System or state discharge permit.

(g) Sediment data derived from other studies including:

(i) Federally sponsored monitoring studies.

(ii) Special monitoring studies conducted by local and municipal governments, or private industry.

(iii) Data derived through Washington state department of natural resources administration of use authorizations.

(3) The inventory shall be updated and made available to the public on a biennial basis.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-350, filed 3/27/91, effective 4/27/91.]

PART IV—SEDIMENT SOURCE CONTROL

WAC 173-204-400 General considerations. (1) The standards of WAC 173-204-400 through 173-204-420 specify a process for managing sources of sediment contamination. These procedures include:

(a) Evaluating the potential for a waste discharge to create a sediment impact;

(b) Requiring application for a sediment impact zone authorization;

(c) Verifying whether a discharge has received all known, available and reasonable methods of prevention, control, and treatment prior to discharge, and/or application of best management practices;

(d) Analysis and verification of the potential sediment impact;

(e) Determining whether the sediment impact zone would meet maximum allowable contamination requirements;

(f) Evaluating the proposed sediment impact zone in consideration of locational criteria;

(g) Design and/or constrain the sediment impact zone to be as small, and with the least contamination, as practicable;

(h) Public review of the proposed sediment impact zone authorization;

(i) Issuance of the sediment impact zone authorization with provisions for maintenance and closure; and

(j) Reducing and eventually eliminating the sediment impact zone via renewals and modifications of a sediment impact zone authorization.

(2) Permits and other authorizations of wastewater, storm water, and nonpoint source discharges to surface waters of the state of Washington under authority of chapter 90.48 RCW shall be conditioned so that the discharge receives all known, available and reasonable methods of prevention, control, and treatment, and best management practices prior to discharge, as required by chapters 90.48, 90.52, and 90.54 RCW. The department shall provide consistent guidance on the collection, analysis and evaluation of wastewater, receiving-water, and sediment samples to meet the intent of this section using consideration of pertinent sections of the *Department of Ecology Permit Writers' Manual*, as amended, and other guidance approved by the department.

(3) As determined necessary, the department shall require any person who proposes a new discharge to evaluate the potential for the proposed discharge to cause a violation of the applicable sediment quality standards of WAC 173-204-320 through 173-204-340.

(4) As determined necessary, the department shall require existing permitted discharges to evaluate the potential for the permitted discharge to cause a violation of the applicable sediment quality standards of WAC 173-204-320 through 173-204-340.

(5) Within permits authorizing existing discharges to surface waters of the state of Washington, the department may specify appropriate locations and methodologies for the collection and analysis of representative samples of wastewater, receiving-water, and sediments to evaluate the potential for the discharge to cause a violation of the applicable sediment quality standards of WAC 173-204-320 through 173-204-340.

(6) In establishing the need for, and the appropriate, individual permit monitoring conditions, the department shall consider multiple factors relating to the potential for a discharge to cause a violation of the applicable sediment quality standards of WAC 173-204-320 through 173-204-340 including but not limited to:

(a) Discharge particulate characteristics;

(b) Discharge contaminant concentrations, flow, and loading rate;

(c) Sediment chemical concentration and biological effects levels;

(d) Receiving water characteristics;

(e) The geomorphology of sediments;

(f) Cost mitigating factors such as the available resources of the discharger; and

(g) Other factors determined necessary by the department.

(7) As determined necessary to ensure the wastewater discharge does not cause a violation of the applicable standards of WAC 173-204-320 through 173-204-340, except as authorized by the department under WAC 173-204-415, Sediment impact zones, the department shall stipulate permit terms and conditions which include wastewater discharge average and maximum mass loading per unit time, and wastewater discharge average and maximum chemical concentrations within new and existing facility permits authorizing wastewater discharges to surface waters of the state of Washington.

(8) As determined necessary, the department shall modify wastewater discharge permits whenever it appears the discharge causes a violation, or creates a substantial potential to cause a violation of the applicable sediment quality standards of WAC 173-204-320 through 173-204-340, as authorized by RCW 90.48.520.

(9) To meet the intent of this section, the sediment quality standards of WAC 173-204-320 through 173-204-340 and the sediment impact zone standards of WAC 173-204-415 through 173-204-420 are not considered to be federal discharge permit effluent limits subject to antibacksliding requirements of the federal Clean Water Act. Discharge permit sediment monitoring and sediment impact zone compliance requirements may be used to establish effluent limits sufficient to meet the standards of this chapter.

(10) As determined necessary, the department shall use issuance of administrative actions under authority of chapters 90.48 or 70.105D RCW to implement this chapter.

(11) Wastewater dilution zones. Water quality mixing zones authorized by the department pursuant to chapter 173-201A WAC, Water quality standards for surface waters of the state of Washington, do not satisfy the standards of WAC 173-204-415, Sediment impact zones.

(12) For the sediment source control standards of WAC 173-204-400 through 173-204-420, any and all references to violation of, potential to violate, exceedance of, or potential to exceed the applicable standards of WAC 173-204-320 through 173-204-340 shall also apply to the antidegradation and designated use policies of WAC 173-204-120. Any exceedances or potential exceedances of the antidegradation or designated use policies of WAC 173-204-120 shall meet the applicable requirements of WAC 173-204-400 through 173-204-420.

(13) Under no circumstances shall the provisions of sediment source control standards WAC 173-204-400 through 173-204-420 be construed as providing for the relaxation of discharge permit requirements under other authorities including, but not limited to, chapter 90.48 RCW, the Water Pollution Control Act, chapter 90.54 RCW, the Water Resources Act of 1971, and the Federal Water Pollution Control Act of 1972 and amendments.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-400, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-400, filed 3/27/91, effective 4/27/91.]

WAC 173-204-410 Sediment quality goal and sediment impact zone applicability. (1) Goal and policies.

(a) It is the established goal of the department to manage source control activities to reduce and ultimately eliminate adverse effects on biological resources and significant health threats to humans from sediment contamination.

(b) The stated policy of the department shall be to only authorize sediment impact zones so as to minimize the number, size, and adverse effects of all zones, with the intent to eliminate the existence of all such zones whenever practicable. The department shall consider the relationship between environmental effects, technical feasibility and cost in determining whether it is practicable to minimize and/or eliminate sediment impact zones.

(c) The department shall implement the standards of WAC 173-204-400 through 173-204-420 so as to prevent the creation of new contaminated sediment cleanup sites identified under WAC 173-204-530(4).

(2) A sediment impact zone authorization issued by the department under the authority of chapter 90.48 RCW does not constitute authorization to trespass on lands not owned by the applicant. These standards do not address and in no way alter the legal rights, responsibilities, or liabilities of the permittee or landowner of the sediment impact zone for any applicable requirements of proprietary, real estate, tort, and/or other laws not directly expressed as a requirement of this chapter.

(3) Except as identified in subsection (6)(d) of this section, any person may apply for a sediment impact zone under the following conditions:

(a) The person's discharge is provided with all known, available and reasonable methods of prevention, control, and treatment, and meets best management practices as stipulated by the department; and

(b) The person's discharge activity exposes or resuspends sediments which exceed, or otherwise cause or potentially cause sediments to exceed the applicable sediment quality standards of WAC 173-204-320 through 173-204-340, or the antidegradation policy standards of WAC 173-204-120 (1)(a) and (c) within a period of ten years from the later date of either the department's formal approval of the application for a sediment impact zone authorization or the starting date of the discharge.

(4) The department shall only authorize sediment impact zones for permitted wastewater and storm water discharges, and other discharges authorized by the department. The department shall authorize all sediment impact zones via discharge permits or other formal administrative actions.

(5) The department shall not limit the application, establishment, maintenance, or closure of an authorized sediment impact zone via consideration of sediment contamination determined by the department to be the result of unknown, unpermitted or historic discharge sources.

(6) As determined necessary by the department, any person with a permitted discharge shall be required to meet the standards of WAC 173-204-400 through 173-204-420, as follows:

(a) Any person with a new or existing permitted wastewater discharge shall be required to meet the standards of WAC 173-204-400 through 173-204-420;

(b) Any person with a new or existing permitted industrial storm water discharge, regulated as process wastewater in National Pollutant Discharge Elimination System or state discharge permits, shall be required to meet the standards of WAC 173-204-400 through 173-204-420;

(c) Any person with a new or existing permitted storm water or nonpoint source discharge, which fully uses all known, available and reasonable methods of prevention, control, and treatment, and best management practices as stipulated by the department at the time of the person's application for a sediment impact zone, shall be required to meet the standards of WAC 173-204-400 through 173-204-420;

(d) Any person with a storm water discharge, existing prior to the adoption of this chapter, and determined by the department to not be fully using best management practices stipulated by the department at the time of the person's application for a permit from the department, shall be eligible for a sediment impact zone as follows:

(i) The department shall issue sediment impact zone authorizations with requirements for application of best management practices stipulated by the department on an approved time schedule.

(ii) Sediment impact zones authorized by the department for permitted storm water discharges under the applicability provisions of subsection (6)(d) of this section shall be subject to cleanup action determinations made by the department pursuant to WAC 173-204-500 through 173-204-590 when the sediment impact zone maximum criteria of WAC 173-204-420 are exceeded within the authorized sediment impact zone.

(iii) The department shall identify and include best management practices required to meet the sediment impact zone design standards of WAC 173-204-415(4) as soon as practicable within sediment impact zone authorizations established for storm water discharges per WAC 173-204-410 (6)(d).

(7) Dredged material and fill discharge activities subject to authorization under Section 401 of the federal Clean Water Act via chapter 90.48 RCW and chapter 173-225 WAC, establishment of implementation procedures of application for certification, are not subject to the standards of WAC 173-204-415 but are subject to the standards of WAC 173-204-400 through 173-204-410 and 173-204-420 as follows:

(a) Requirements for dredging activities and disposal sites shall be established by the department using best available dredged material management guidelines and applicable federal and state rules. These guidelines shall include the Puget Sound dredged disposal analysis (PSDDA) dredged material testing and disposal requirements cited in:

(i) *Management Plan Report - Unconfined Open-Water Disposal Of Dredged Material, Phase I, (Central Puget Sound), June 1988, or as amended;*

(ii) *Management Plan Report - Unconfined Open-Water Disposal Of Dredged Material, Phase II, (North And South Puget Sound), September 1989, or as amended;* and

(iii) *Users Manual For Dredged Material Management In Puget Sound, November 1990, or as amended.*

(b) In coordination with other applicable federal and state and local dredged material management programs, the department may issue administrative orders to establish approved disposal sites, to specify disposal site use conditions, and to specify disposal site monitoring requirements.

(c) The department may authorize sediment impact zones for dredged material disposal via federal Clean Water Act Section 401 certification actions.

(d) As determined necessary by the department, the department may authorize sediment impact zones for dredged material disposal via administrative orders issued under authority of chapter 90.48 RCW. The department shall authorize sediment impact zones for all Puget Sound dredged disposal analysis disposal sites via administrative orders issued under authority of chapter 90.48 RCW.

(e) Administrative orders and certifications establishing sediment impact zones for dredged material disposal sites shall describe establishment, maintenance, and closure requirements for the authorized site, consistent with the requirements described in (a) of this subsection.

(8) The source control standards of WAC 173-204-400 through 173-204-420 are applicable in cases where the sediment quality standards of WAC 173-204-320 through 173-204-340 are reserved.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-410, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-410, filed 3/27/91, effective 4/27/91.]

WAC 173-204-412 Marine finfish rearing facilities.

(1) Purpose. This section sets forth the applicability of this chapter to marine finfish rearing facilities only. This section also identifies marine finfish rearing facility siting, operation,

closure and monitoring requirements to meet the intent of this chapter, as applicable.

(2) Applicability. Marine finfish rearing facilities and their associated discharges are not subject to the authority and purpose standards of WAC 173-204-100 (3) and (7), and the marine sediment quality standards of WAC 173-204-320 and the sediment impact zone maximum criteria of WAC 173-204-420, within and including the distance of one hundred feet from the outer edge of the marine finfish rearing facility structure. Marine finfish rearing facilities are not subject to the sediment impact zone standards of WAC 173-204-415.

(3) Sediment monitoring. Sediment quality compliance and monitoring requirements for marine finfish rearing facilities shall be addressed through National Pollutant Discharge Elimination System or other permits issued by the department for facility operation. Marine finfish rearing facilities shall meet the following sediment quality monitoring requirements:

(a) Any person with a new facility shall identify a baseline sediment quality prior to facility operation for benthic infaunal abundance, total organic carbon and grain size in the location of the proposed operation and downcurrent areas that may be potentially impacted by the facility discharge;

(b) Any person with an existing operating facility shall monitor sediment quality for total organic carbon levels and identify the location of any sediments in the area of the facility statistically different (t test, $p \leq 0.05$) from the total organic carbon levels identified as facility baseline levels or statistically different from the applicable total organic carbon levels as identified in Table 1:

TABLE 1 - Puget Sound Reference Total Organic Carbon Values

Silt-Clay Particles (percent Dry Weight)	Total Organic Carbon (percent Dry Weight)
0-20	0.5
20-50	1.7
50-80	3.2
80-100	2.6

(c) The locations and frequency of monitoring for total organic carbon, benthic infaunal abundance and other parameters shall be determined by the department and identified in the applicable National Pollutant Discharge Elimination System permit;

(d) Antibacterials. Reserved: The department shall determine on a case-by-case basis the methods, procedure, locations, and frequency for monitoring antibacterials associated with the discharge from a marine finfish rearing facility;

(e) Closure. All permitted marine finfish rearing facilities shall monitor sediments impacted during facility operation to document recovery of sediment quality to background levels. The department shall determine on a case-by-case basis the methods, procedure, locations, and frequency for monitoring sediments after facility closure.

(4) Sediment impact zones. Marine finfish rearing facilities and their associated discharges that are permitted under a National Pollutant Discharge Elimination System permit are hereby provided a sediment impact zone by rule

for any sediment quality impacts and biological effects within and including the distance of one hundred feet from the outer edge of the marine finfish rearing facility structure.

(a) The department may authorize an individual marine finfish rearing facility sediment impact zone for any sediments beyond a distance of one hundred feet from the facility perimeter via National Pollutant Discharge Elimination System permits or administrative actions. The authorized sediment impact zone shall meet the benthic infaunal abundance requirements of the sediment impact zone maximum criteria, WAC 173-204-420 (3)(c)(iii). Marine finfish rearing facilities that exceed the sediment quality conditions of subsection (3)(b) of this section beyond a distance of one hundred feet from the facility perimeter shall:

(i) Begin an enhanced sediment quality monitoring program to include benthic infaunal abundance consistent with the requirements of the National Pollutant Discharge Elimination System permit. The sediment quality monitoring program shall include a benthic infaunal abundance reference sediment sample as required in subsection (3)(a) of this section or a benthic infaunal abundance reference sediment sample in compliance with WAC 173-204-200(21); and

(ii) Be consistent with the sediment source control general considerations of WAC 173-204-400 and the sediment quality goal and sediment impact zone applicability requirements of WAC 173-204-410, apply for a sediment impact zone as determined necessary by the department.

(b) Administrative orders or permits establishing sediment impact zones for marine finfish rearing facilities shall describe establishment, maintenance, and closure requirements as determined necessary by the department.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-412, filed 12/29/95, effective 1/29/96.]

WAC 173-204-415 Sediment impact zones. The purpose of this section is to set forth the standards for establishment, maintenance, and closure of sediment impact zones to meet the intent of sediment quality dilution zones authorized pursuant to RCW 90.48.520, except for sediment impact zones authorized under WAC 173-204-410(7). The department shall authorize all sediment impact zones via discharge permits or other formal administrative actions.

(1) General requirements. Authorization, modification and renewal of a sediment impact zone by the department shall require compliance with the following general requirements:

(a) Permits authorizing wastewater discharges to surface waters of the state of Washington under authority of chapter 90.48 RCW shall be conditioned so that the discharge receives:

(i) All known, available and reasonable methods of prevention, control, and treatment prior to discharge, as required by chapters 90.48, 90.52, and 90.54 RCW; and

(ii) Best management practices as stipulated by the department.

(b) The maximum area, and maximum chemical contaminant concentration and/or allowable maximum biological effect level within sediments assigned to a sediment impact zone shall be as authorized by the department, in accordance with the standards of this section.

(c) The department shall determine that the person's activity generating effluent discharges which require authorization of a sediment impact zone is in the public interest.

(d) The department shall determine that any person's activity generating effluent discharges which require authorization of a sediment impact zone has adequately addressed alternative waste reduction, recycling, and disposal options through application of all known, available and reasonable methods of prevention, control, and treatment to minimize as best practicable the volume and concentration of waste contaminants in the discharge.

(e) The area boundaries of the sediment impact zone established by the department shall include the minimum practicable surface area, not to exceed the surface area allowed under subsection (4) of this section.

(f) Adverse effects to biological resources within an authorized sediment impact zone shall be maintained at the minimum chemical contamination and biological effects levels practicable at all times. The department shall consider the relationship between environmental effects, technical feasibility and cost in determining the minimum practicable chemical contamination and biological effects levels. Adverse effects to biological resources within an authorized sediment impact zone shall not exceed a minor adverse effects level as a result of the discharge, as determined by the procedures of subsection (4) of this section.

(g) The operational terms and conditions for the sediment impact zone shall be maintained at all times.

(h) Final closure of the sediment impact zone shall be conducted in strict accordance with the department's sediment impact zone authorization.

(i) Documents authorizing a sediment impact zone shall require that the permitted discharge not result in a violation of the applicable sediment quality standards of WAC 173-204-320 through 173-204-340, outside the area limits of the established zone.

(j) All applications to the department for sediment impact zone authorizations shall be subject to public notice, comment and hearing procedures defined but not limited to the applicable discharge permit or other formal administrative action requirements of chapter 43.21C RCW, the State Environmental Policy Act, chapter 197-11 WAC, SEPA rules, chapter 90.48 RCW, chapter 163-216 WAC, the State waste discharge permit program, and chapter 173-220 WAC, National Pollutant Discharge Elimination System Permit Program prior to issuance of the authorization. In determining the need for, location, and/or design of any sediment impact zone authorization, the department shall give consideration to all comments received during public review of the proposed sediment impact zone application.

(2) Application requirements.

(a) Whenever, in the opinion of the department, as a result of an ongoing or proposed effluent discharge, a person violates, shall violate, or creates a substantial potential to violate the sediment quality standards of WAC 173-204-320 through 173-204-340 as applicable within a period of ten years from the later date of either the department's evaluation of the ongoing discharge or the starting date of the proposed discharge, the department may require application for a sediment impact zone authorization under authority of chapter 90.48 RCW.

(b) Any person with a proposed or permitted effluent discharge shall apply to the department for authorization of a sediment impact zone when:

(i) The department requires the sediment impact zone application by written notification; or

(ii) The person independently identifies that the ongoing or proposed effluent discharge violates, shall violate, or creates a substantial potential to violate the applicable sediment quality standards of WAC 173-204-320 through 173-204-340 within a period of ten years from the later date of the person's evaluation of the ongoing discharge or the starting date of the proposed discharge, using the procedures of this section.

(c) As necessary, the department may require any person to submit a sediment impact zone application in multiple steps concurrent with its ongoing review and determination concerning the adequacy of the application. The application shall provide the sediment impact zone design information required in subsection (4) of this section and other such information the department determines necessary. The application shall also provide the legal location and landowner(s) of property proposed for use as, or potentially affected by, a sediment impact zone, and shall be accompanied by such other relevant information as the department may require. The department shall issue a written approval of the complete sediment impact zone application prior to or concurrent with authorizing a sediment impact zone.

(d) Submittal of an application to the department for authorization of a sediment impact zone under the terms and conditions of this section shall establish the applicant's interim compliance with requirements of chapter 90.48 RCW and this chapter, as determined by the department. The department may authorize an interim compliance period within a valid discharge permit or administrative order to ensure ultimate compliance with chapter 90.48 RCW and this chapter. The interim compliance period shall not continue beyond the date of issuance of a sediment impact zone authorization within a valid discharge permit issued by the department.

(e) Prior to authorization, the department shall make a reasonable effort to identify and notify all landowners, adjacent landowners, and lessees affected by the proposed sediment impact zone. The department shall issue a sediment impact zone notification letter to any person it believes to be a potentially affected landowner and other parties determined appropriate by the department. The notification letter shall be sent by certified mail, return receipt requested, or by personal service. The notification letter shall provide:

(i) The name of the person the department believes to be the affected landowner;

(ii) The names and addresses of other affected landowners to whom the department has sent a proposed sediment impact zone notification letter;

(iii) The name and address of the sediment impact zone applicant;

(iv) A general description of the location, size, and contamination level proposed for the sediment impact zone;

(v) The intention of the department to release all specific sediment impact zone application information to the public upon written request to the department;

(vi) The determination of the department concerning whether the proposed sediment impact zone application meets the standards of this section;

(vii) The intention of the department whether to authorize the proposed sediment impact zone; and

(viii) Notification that the affected landowners, adjacent landowners, and lessees may comment on the proposed sediment impact zone. Any comments on the proposed sediment impact zone authorization shall be submitted in writing to the department within thirty days from the date of receipt of the notification letter, unless the department provides an extension.

(f) Prior to authorization, the department shall issue a sediment impact zone notification letter to affected port districts, the Washington state department of natural resources marine lands division, the U.S. Army Corps of Engineers, and other parties determined appropriate by the department. The notification letter shall be sent by certified mail, return receipt requested, or by personal service. The notification letter shall provide the information required under (e) of this subsection.

(3) Locational considerations. The department shall require any person applying for a sediment impact zone to submit information concerning potential location considerations of the zone. The location of an authorized sediment impact zone shall avoid whenever possible and minimize adverse impacts to areas of special importance. Prior to authorization of a sediment impact zone, the department shall consider all pertinent information from the applicant, all affected parties, local, state and federal agencies, federally recognized Indian tribes, and the public concerning locational considerations, including but not limited to:

(a) Spawning areas;

(b) Nursery areas;

(c) Waterfowl feeding areas;

(d) Shellfish harvest areas;

(e) Areas used by species of economic importance;

(f) Tribal areas of significance;

(g) Areas determined to be ecologically unique;

(h) Water supply intake areas;

(i) Areas used for primary contact public recreation;

(j) High quality waters that constitute an outstanding national resource; and

(k) Areas where sediment quality is substantially better than levels necessary for protection of biological resources and human health.

(4) Design requirements. The location, areal limitations, and degree of effects allowed within an authorized sediment impact zone shall be determined by application of the department's sediment impact zone computer models "CORMIX," "PLUMES," and/or "WASP," or an alternate sediment impact zone model(s) approved by the department under WAC 173-204-130(4), as limited by the standards of this section and the department's best professional judgment. The models shall be used by the department or by the discharger as required by the department, to estimate the impact of any person's wastewater or storm water discharge on the receiving water and sediment quality for a period of ten years from the later date of either the department's formal approval of the application for a sediment impact zone authorization or the starting date of the discharge.

(a) Data requirements. The discharger shall submit the following information to determine requirements for establishment and authorization of a sediment impact zone, as required by the department:

(i) Data reports and analyses results for all samples of wastewater or storm water, receiving water, and sediments collected by the discharger or other parties relating to evaluation of the potential effects of the permitted discharge, as required by WAC 173-204-400.

(ii) Data reports and analyses results determined necessary to:

(A) Apply discharge modeling to the permitted discharge; and

(B) To identify and evaluate potential alternative chemical and biological effects of the discharge on the receiving water and sediments; and

(C) To identify and evaluate potential alternatives to define the areal size and location of a sediment impact zone needed by the discharge.

(iii) Data reports and analyses results from the discharger's application of the "CORMIX," "PLUMES," and/or "WASP" or an alternate sediment impact zone model(s) approved by the department under WAC 173-204-130(4), to the permitted discharge to identify and evaluate:

(A) Potential alternative chemical and biological effects of the discharge on the receiving water and sediments; and

(B) Potential alternatives for the areal distribution and location of a potential sediment impact zone required by the discharge.

(iv) Preferred alternative for closure of the potential sediment impact zone by active removal and/or natural recovery, and identified costs of the preferred closure method.

(b) Overlapping sediment impact zones. Overlapping sediment impact zones, as predicted by the "CORMIX," "PLUMES," and/or "WASP" models or an alternate sediment impact zone model(s) approved by the department under WAC 173-204-130(4), and the department's best professional judgment, shall be authorized only as follows:

(i) The applicable sediment impact zone maximum criteria of WAC 173-204-420 shall not be exceeded as a result of the multiple discharge sediment impact zones overlap; and

(ii) If the department determines that the applicable chemical contaminant concentration and biological effects restrictions of WAC 173-204-420 would be exceeded as a result of the overlap of multiple discharge sediment impact zones, the department may authorize the sediment impact zones after:

(A) Application of a waste load allocation process to the individual permitted discharges to identify individual permit effluent limitations necessary to meet:

(I) The applicable chemical contaminant concentration and biological effects restrictions for sediment impact zones required by this section; and/or

(II) Storm water best management practices required by the department; and

(B) Establishment of individual permit compliance schedules for the multiple permitted discharges to ensure compliance with:

(I) The permit effluent limitations established by the department using the waste load allocation process and best professional judgment; and

(II) The standards of WAC 173-204-400 through 173-204-420.

(5) Maintenance requirements.

(a) The department shall review sediment impact zone monitoring conducted by the discharger to evaluate compliance with the department's sediment impact zone authorization and the standards of WAC 173-204-400 through 173-204-420. The department may require additional sediment impact zone monitoring when the department determines that any sediment sampling station within an authorized sediment impact zone exceeds the sediment impact zone maximum criteria of WAC 173-204-420 or violates the sediment impact zone authorization as a result of the discharge.

(b) Whenever the department can clearly demonstrate that, as a result of an effluent discharge, a discharger violates, shall violate, or creates a substantial potential to violate the department's sediment impact zone authorization, or the sediment impact zone maximum criteria of WAC 173-204-420, the department shall:

(i) Provide written notification and supporting documentation of the department's clear demonstration determination to the affected discharger;

(ii) Establish a reasonable time frame for the affected discharger to either submit a written statement and supporting documentation rebutting the department's clear demonstration determination, or accept the department's determination. The discharger may use the clear demonstration methods identified in (c) of this subsection for rebuttal of the department's clear demonstration; and

(iii) Provide written notification of the department's determination concerning approval or denial of the submitted clear demonstration rebuttal to the discharger.

(c) For the purpose of this section, a clear demonstration shall consist of:

(i) Use of the sediment impact zone model(s) "CORMIX," "PLUMES," and/or "WASP" or other model(s) to demonstrate a discharge(s) is the source of the violation or potential violation; and

(ii) Use of one or more of the following methods to demonstrate a violation of the sediment impact zone authorization or the sediment impact zone maximum criteria of WAC 173-204-420:

(A) Direct sediment sampling. A violation of the sediment impact zone authorization and/or the sediment impact zone maximum criteria of WAC 173-204-420 is demonstrated when:

(I) The average chemical concentration for three stations within the sediment impact zone exceeds the sediment impact zone maximum criteria of WAC 173-204-420 due to the discharge source. This concentration average shall not include stations for which complete biological testing information shows that the biological effects requirements of WAC 173-204-420, or the authorized sediment impact zone if applicable, are met; or

(II) The biological effects at each of any three stations within the sediment impact zone exceed the sediment impact zone maximum biological effects criteria of WAC 173-204-420 or the authorized sediment impact zone as applicable, due to the discharge source; or

(B) Monitoring data which demonstrates a chemical contaminant concentration gradient toward the discharge source exists in sediments which violates the sediment impact zone authorization or the standards of WAC 173-204-420; or

(C) A trend analysis of the effluent chemical discharge quality and in place sediment monitoring data which statistically demonstrates an ongoing violation or substantial potential to violate the sediment impact zone authorization or the standards of WAC 173-204-420; or

(D) Field depositional (e.g., sediment traps) and/or effluent particulate (e.g., centrifuge analysis) data which demonstrate an ongoing violation or substantial potential to violate the sediment impact zone authorization or the standards of WAC 173-204-420; or

(E) Mathematical or computer modeling which demonstrates an ongoing violation or substantial potential to violate the sediment impact zone authorization or the standards of WAC 173-204-420.

(d) The department's response to a clear demonstration of a violation or potential violation shall be to require maintenance activities in the following order:

(i) Require reanalysis of whether the discharger's effluent treatment complies with all known, available and reasonable methods of prevention, control, and treatment and best management practices based on the data used to establish the clear demonstration;

(ii) Alter the authorized sediment impact zone size and/or degree of effects consistent with the standards of this section and the results of direct sediment sampling;

(iii) Reduce impacts of the existing or potential violation by requiring additional discharge controls or additional sediment impact zone maintenance activities which can include, but are not limited to:

(A) Dredging and removal of sediments, solely for sediment impact zone maintenance needs or coordinated with maintenance dredging of commercially important areas, e.g., navigational lanes or ship berthing areas;

(B) Dredging, treatment, and replacement of sediments within the sediment impact zone; and/or

(C) Capping of sediments within the sediment impact zone;

(iv) Limit the quantity and/or quality of the existing permitted discharge; and/or

(v) Withdraw the department's sediment impact zone authorization and require final closure of the zone.

(e) All sediment impact zone maintenance actions conducted under this chapter shall provide for landowner review of the maintenance action plans prior to implementation of the action. In cases where the discharger is not able to secure access to lands subject to the sediment impact zone maintenance actions of this subsection, the department may facilitate negotiations or other proceedings to secure access to the lands. Requests for department facilitation of land access shall be submitted to the department in writing by the responsible discharger.

(6) Closure planning and requirements.

(a) The discharger shall select and identify a preferred method for closure of a sediment impact zone in the application required by WAC 173-204-415(2). Closure methods can include either active cleanup and/or natural recovery and monitoring. The department shall incorporate the dischar-

ger's identified closure method in the sediment impact zone authorization.

(b) The department may require closure of authorized sediment impact zones when the department determines that:

(i) The discharger has violated the sediment impact zone maintenance standards of subsection (5) of this section; or

(ii) The department determines that:

(A) The wastewater or storm water discharge quality will not violate the applicable sediment quality standards of WAC 173-204-320 through 173-204-340; or

(B) A sediment impact zone is no longer needed or eligible under the standards of WAC 173-204-410 through 173-204-415.

(7) Modification of sediment impact zones. The department may modify sediment impact zone authorization requirements where the nature of a person's activity which generates, transports, disposes, prevents, controls, or treats effluent discharges has substantially changed and been demonstrated to the department's satisfaction. The modification may occur after consideration of the following:

(a) Reduction of effects. Assessment of the discharge activities and treatment methods shall be conducted by the discharger to demonstrate to the satisfaction of the department that:

(i) Elimination of the sediment impact zone is not practicable; and

(ii) Further reduction in any existing or proposed sediment impact zone area size and/or level of contamination or effects is not practicable in consideration of discharge requirements for all known, available and reasonable methods of prevention, control, and treatment, best management practices, and applicable waste reduction and recycling provisions.

(b) Alterations. There are substantial alterations or additions to the person's activity generating effluent discharges which require authorization of a sediment impact zone which occur after permit issuance and justify application of permit conditions different from, or absent in, the existing permit.

(c) New information. Sediment impact zones may be modified when new information is received by the department that was not available at the time of permit issuance that would have justified the application of different sediment impact zone authorization conditions.

(d) New regulations. The standards or regulations on which the permit was based have changed by amended standards, criteria, or by judicial decision after the permit was issued.

(e) Changes in technology. Advances in waste control technology that qualify as "all known, available and reasonable methods of prevention, control, and treatment" and "best management practices" shall be adopted as permit requirements, as appropriate, in all permits reissued by the department.

(8) Renewal of previously authorized sediment impact zones. Renewal of sediment impact zones previously authorized under the standards of WAC 173-204-410 and this section shall be allowed under the following conditions:

(a) The department determines the discharge activities and treatment methods meet all known, available and reasonable methods of prevention, control, and treatment and

best management practices as stipulated by the department; and

(b) The discharger demonstrates to the department's satisfaction that the discharge activities comply with the standards of WAC 173-204-400 through 173-204-420 and with the existing sediment impact zone authorization; and

(c) Reduction of effects. The discharger conducts an assessment of the permitted discharge activities and treatment methods and demonstrates to the department's satisfaction that:

(i) Elimination of the sediment impact zone is not practicable; and

(ii) A further reduction in any existing or proposed sediment impact zone area size and/or level of contamination is not practicable in consideration of discharge requirements for all known, available and reasonable methods of prevention, control, and treatment, best management practices, and applicable waste reduction and recycling provisions.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-415, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-415, filed 3/27/91, effective 4/27/91.]

WAC 173-204-420 Sediment impact zone maximum criteria. This section establishes minor adverse effects as the maximum chemical contaminant concentration, maximum health risk to humans, maximum biological effects level, maximum other toxic, radioactive, biological, or deleterious substance level, and maximum nonanthropogenically affected sediment quality level allowed within authorized sediment impact zones due to an existing or proposed discharge. If the department determines that the standards of this section are or will be exceeded as a result of an existing or proposed discharge(s), the department shall authorize a sediment impact zone or modify a sediment impact zone authorization consistent with the standards of WAC 173-204-400 through 173-204-420 such that individual permit effluent limitations, requirements, and compliance time periods are sufficient to meet the standards of this section as applicable.

(1) Applicability.

(a) The marine sediment impact zone maximum chemical criteria, and the marine sediment biological effects criteria, and the marine sediment human health criteria, and the marine sediment other toxic, radioactive, biological or deleterious substance criteria and the marine sediment nonanthropogenically affected sediment criteria of this section shall apply to marine sediments within Puget Sound.

(b) Non-Puget Sound marine sediment impact zone maximum criteria. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(c) Low salinity sediment impact zone maximum criteria. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(d) Freshwater sediment impact zone maximum criteria. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(2) Puget Sound marine sediment impact zone maximum chemical criteria. The maximum chemical concentration levels that may be allowed within an authorized sediment

impact zone due to a permitted or otherwise authorized discharge shall be at or below the chemical levels stipulated in Table II, Sediment Impact Zone Maximum Chemical Criteria, except as provided for by the marine sediment biological effects restrictions of subsection (3) of this section, and any compliance time periods established under WAC 173-204-410 (6)(d) and 173-204-415.

(a) Where laboratory analysis indicates a chemical is not detected in a sediment sample, the detection limit shall be reported and shall be at or below the Marine Sediment Quality Standards chemical criteria value set in WAC 173-204-320(2).

(b) Where chemical criteria in this table represent the sum of individual compounds or isomers, the following methods shall be applied:

(i) Where chemical analyses identify an undetected value for every individual compound/isomer then the single highest detection limit shall represent the sum of the respective compounds/isomers; and

(ii) Where chemical analyses detect one or more individual compound/isomers, only the detected concentrations will be added to represent the group sum.

(c) The listed chemical parameter criteria represent concentrations in parts per million, "normalized," or expressed, on a total organic carbon basis. To normalize to total organic carbon, the dry weight concentration for each parameter is divided by the decimal fraction representing the percent total organic carbon content of the sediment.

(d) The LPAH criterion represents the sum of the following "low molecular weight polynuclear aromatic hydrocarbon" compounds: Naphthalene, Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, and Anthracene. The LPAH criterion is not the sum of the criteria values for the individual LPAH compounds as listed.

(e) The HPAH criterion represents the sum of the following "high molecular weight polynuclear aromatic hydrocarbon" compounds: Fluoranthene, Pyrene, Benz(a)anthracene, Chrysene, Total Benzofluoranthenes, Benzo(a)pyrene, Indeno(1,2,3,-c,d)pyrene, Dibenzo(a,h)anthracene, and Benzo(g,h,i)perylene. The HPAH criterion is not the sum of the criteria values for the individual HPAH compounds as listed.

(f) The TOTAL BENZOFLUORANTHENES criterion represents the sum of the concentrations of the "B," "J," and "K" isomers.

Table II

Puget Sound Marine Sediment Impact Zones
Maximum Chemical Criteria

CHEMICAL PARAMETER	MG/KG DRY WEIGHT (PARTS PER MILLION (PPM) DRY)
ARSENIC	93
CADMIUM	6.7
CHROMIUM	270
COPPER	390
LEAD	530
MERCURY	0.59
SILVER	6.1
ZINC	960

CHEMICAL PARAMETER	MG/KG ORGANIC CARBON (PPM CARBON)
LPAH	780
NAPHTHALENE	170
ACENAPHTHYLENE	66
ACENAPHTHENE	57
FLUORENE	79
PHENANTHRENE	480
ANTHRACENE	1200
2-METHYLNAPHTHALENE	64
HPAH	5300
FLUORANTHENE	1200
PYRENE	1400
BENZ(A)ANTHRACENE	270
CHRYSENE	460
TOTAL BENZOFLUORANTHENES	450
BENZO(A)PYRENE	210
INDENO (1,2,3,-C,D) PYRENE	88
DIBENZO (A,H) ANTHRACENE	33
BENZO(G,H,I)PERYLENE	78
1,2-DICHLOROBENZENE	2.3
1,4-DICHLOROBENZENE	9
1,2,4-TRICHLOROBENZENE	1.8
HEXACHLOROBENZENE	2.3
DIMETHYL PHTHALATE	53
DIETHYL PHTHALATE	110
DI-N-BUTYL PHTHALATE	1700
BUTYL BENZYL PHTHALATE	64
BIS (2-ETHYLHEXYL) PHTHALATE	78
DI-N-OCTYL PHTHALATE	4500
DIBENZOFURAN	58
HEXACHLOROBUTADIENE	6.2
N-NITROSODIPHENYLAMINE	11
TOTAL PCB'S	65
CHEMICAL PARAMETER	UG/KG DRY WEIGHT (PARTS PER BILLION (PPB) DRY)
PHENOL	1200
2-METHYLPHENOL	63
4-METHYLPHENOL	670
2,4-DIMETHYL PHENOL	29
PENTACHLOROPHENOL	690
BENZYL ALCOHOL	73
BENZOIC ACID	650

(3) Puget Sound marine sediment impact zone maximum biological effects criteria. The maximum biological effects level that may be allowed within an authorized sediment impact zone shall be at or below a minor adverse biological effects level. The acute and chronic effects biological tests of WAC 173-204-315(1) may be used to determine compliance with the minor adverse biological effects restriction within an authorized sediment impact zone as follows:

(a) When using biological testing to determine compliance with the maximum biological effects criteria within a sediment impact zone, a person shall select and conduct any two acute effects tests and any one chronic effects test.

(b) The biological tests shall not be considered valid unless test results for the appropriate control and reference sediment samples meet the performance standards described in WAC 173-204-315(2).

(c) The sediment impact zone maximum biological effects level is established as that level below which any two of the biological tests in any combination exceed the criteria of WAC 173-204-320(3), or one of the following biological test determinations is made:

(i) Amphipod: The test sediment has a higher (statistically significant, t test, $p \leq 0.05$) mean mortality than the reference sediment and the test sediment mean mortality is

greater than a value represented by the reference sediment mean mortality plus thirty percent; or

(ii) Larval: The test sediment has a mean survivorship of normal larvae that is less (statistically significant, t test, $p \leq 0.05$) than the mean normal survivorship in the reference sediment sample and the test sediment mean normal survivorship is less than seventy percent of the mean normal survivorship in the reference sediment (i.e., the test sediment has a mean combined abnormality and mortality that is greater than thirty percent relative to time-final in the reference sediment); or

(iii) Benthic abundance: The test sediment has less than fifty percent of the reference sediment mean abundance of any two of the following major taxa: Class Crustacea, Phylum Mollusca or Class Polychaeta and the test sediment abundances are statistically different (t test, $p \leq 0.05$) from the reference sediment abundances; or

(iv) Juvenile polychaete: The test sediment has a mean individual growth rate of less than fifty percent of the reference sediment mean individual growth rate and the test sediment mean individual growth rate is statistically different (t test, $p \leq 0.05$) from the reference sediment mean individual growth rate.

(4) Puget Sound marine sediment impact zone maximum human health criteria. Reserved: The department may determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(5) Puget Sound marine sediment impact zone maximum other toxic, radioactive, biological, or deleterious substances criteria. Other toxic, radioactive, biological or deleterious substances in, or on, sediments shall be below levels which cause minor adverse effects in marine biological resources, or which correspond to a significant health risk to humans, as determined by the department. The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(6) Puget Sound marine sediment impact zone maximum nonanthropogenically affected sediment criteria. Whenever the nonanthropogenically affected sediment quality is of a lower quality (i.e., higher chemical concentrations, higher levels of adverse biological response, or posing a higher threat to human health) than the applicable sediment impact zone maximum criteria established under this section, the existing sediment chemical and biological quality shall be identified on an area-wide basis as determined by the department, and used in place of the standards of WAC 173-204-420.

[Statutory Authority: RCW 90.48.220. 96-02-058, § 173-204-420, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-420, filed 3/27/91, effective 4/27/91.]

PART V—SEDIMENT CLEANUP STANDARDS

WAC 173-204-500 Sediment cleanup decision process and policies. (1) The standards of WAC 173-204-500 through 173-204-590 are procedures which specify a cleanup decision process for managing contaminated sediments. These procedures include:

(a) Screening sediment station clusters of potential concern;

- (b) Conducting hazard assessments to identify cleanup sites;
- (c) Ranking sites identified in (b) of this subsection;
- (d) Determining the appropriate site cleanup authority;
- (e) Conducting a site cleanup study;
- (f) Determining the site-specific cleanup standard;
- (g) Selecting a site cleanup action; and
- (h) Where necessary, authorizing a cleanup site sediment recovery zone.

(2) Under this chapter, the department may require or take those actions necessary to implement the standards of WAC 173-204-500 through 173-204-580 for all contaminated sediment stations on the inventory identified in WAC 173-204-350.

(3) The cleanup process and procedures under this chapter and under other laws may be combined. The department may initiate a cleanup action under this chapter and may upon further analysis determine that another law is more appropriate, or vice versa.

(4) It is the policy of the department to manage sediment cleanup actions towards the goal of reducing and ultimately eliminating adverse effects on biological resources and significant health threats to humans from sediment contamination. To achieve this goal, the department will pursue sediment cleanup decisions and cleanup standards that are as close as practicable to the sediment quality standards of WAC 173-204-320 through 173-204-340, including the consideration of net environmental effects, cost and technical feasibility. The department shall only authorize sediment recovery zones so as to minimize the number, size and adverse effects of all zones, with the intent to eliminate the existence of all such zones whenever practicable.

(5) The department shall endeavor to make sediment cleanup decisions in an expeditious manner, as soon as all needed information is available, consistent with the availability of department resources and the priority of the cleanup site.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-500, filed 3/27/91, effective 4/27/91.]

WAC 173-204-510 Screening sediment station clusters of potential concern. (1) Using the sediment quality standards inventory of WAC 173-204-350, the department shall analyze the sediment sampling data to identify station clusters of potential concern and station clusters of low concern per the standards of this section. Station clusters of potential concern shall be further evaluated using the hazard assessment standards of WAC 173-204-530. Station clusters of low concern shall remain on the inventory and no further cleanup action determinations shall be taken by the department until the stations are reexamined per subsection (5) of this section.

(2) A station cluster is defined as any number of stations from the inventory of WAC 173-204-350 that are determined to be spatially and chemically similar. For the purpose of identifying a station cluster of potential concern per the procedures of this subsection, three stations with the highest contaminant concentration for any particular contaminant or the highest degree of biological effects as identified in WAC 173-204-520 are selected from a station cluster.

This procedure may be repeated for multiple chemicals identified in WAC 173-204-520, recognizing that the three stations with the highest concentration for each particular contaminant may be different and the respective areas for all chemicals may overlap. The department shall review the inventory of WAC 173-204-350 to identify station clusters of potential concern via the following process:

(a) Identify if available, the three stations within a station cluster with the highest concentration of each chemical contaminant identified in WAC 173-204-520, Cleanup screening levels criteria; and

(b) For each contaminant identified in (a) of this subsection, determine the average concentration for the contaminant at the three stations identified in (a) of this subsection; and

(c) Identify if available, three stations within the station cluster with the highest level of biological effects for the biological tests identified in WAC 173-204-315(1); and

(d) If the average contaminant concentration for any three stations identified in (a) of this subsection, exceeds the applicable cleanup screening level in WAC 173-204-520, then the station cluster is defined as a station cluster of potential concern; and

(e) If the biological effects at each of the three stations from (c) of this subsection exceeds the cleanup screening level in WAC 173-204-520, then the station cluster is defined as a station cluster of potential concern; and

(f) If neither of the conditions of (d) or (e) of this subsection apply, then the station cluster is defined as a station cluster of low concern; and

(g) If the department determines that any three stations within a station cluster exceed the sediment cleanup screening levels human health criteria or the other toxic, radioactive, biological, or deleterious substances criteria or the nonanthropogenically affected criteria of WAC 173-204-520, then the station cluster is defined as a station cluster of potential concern.

(3) Notification. When a station cluster of potential concern has been identified, the department shall issue notification to the landowners, lessees, onsite dischargers, adjacent dischargers, and other persons determined appropriate by the department prior to the department's conducting a hazard assessment as defined in WAC 173-204-530.

(4) No further cleanup action determinations shall be taken with station clusters of low concern until the inventory of WAC 173-204-350 is updated and the stations reexamined per subsection (5) of this section. Station clusters of low concern shall receive no further consideration for active cleanup, unless new information indicates an increase of chemical contamination at the stations in question. Station clusters of low concern shall be evaluated by the department for improved source control and/or monitoring requirements of this chapter.

(5) The department may at any time reexamine a station or group of stations to reevaluate and identify station clusters of potential concern following the procedures of subsection (2) of this section when new information demonstrates to the department's satisfaction that reexamination actions are necessary to fulfill the purposes of WAC 173-204-500 through 173-204-590.

[Statutory Authority: RCW 90.48.220. 96-02-058, § 173-204-510, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C,

70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-510, filed 3/27/91, effective 4/27/91.]

WAC 173-204-520 Cleanup screening levels criteria.

(1) Applicability.

(a) The marine sediment cleanup screening levels chemical criteria, and the marine sediment biological effects criteria, and the marine sediment other toxic, radioactive, biological, or deleterious substance criteria, and the marine sediment nonanthropogenically affected criteria of this section shall apply to marine sediments within Puget Sound. The cleanup screening levels establish minor adverse effects as the level above which station clusters of potential concern are defined, and at or below which station clusters of low concern are defined, per the procedures identified in WAC 173-204-510(2). The cleanup screening levels also establish the levels above which station clusters of potential concern are defined as cleanup sites, per the procedures identified in WAC 173-204-530, Hazard assessment. The criteria in Table III and this section also establish minor adverse effects as the Puget Sound marine sediment minimum cleanup level to be used in evaluation of cleanup alternatives per the procedures of WAC 173-204-560, and selection of a site cleanup standard(s) per the procedures of WAC 173-204-570.

(b) Non-Puget Sound marine sediment cleanup screening levels and minimum cleanup levels criteria. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(c) Low salinity sediment cleanup screening levels and minimum cleanup levels criteria. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(d) Freshwater sediment cleanup screening levels and minimum cleanup levels criteria. Reserved: The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(2) Puget Sound marine sediment cleanup screening levels and minimum cleanup levels chemical criteria. The chemical concentration criteria in Table III establish the Puget Sound marine sediment cleanup screening levels and minimum cleanup levels chemical criteria.

(a) Where laboratory analysis indicates a chemical is not detected in a sediment sample, the detection limit shall be reported and shall be at or below the Marine Sediment Quality Standards chemical criteria value set in WAC 173-204-320(2).

(b) Where chemical criteria in this table represent the sum of individual compounds or isomers, the following methods shall be applied:

(i) Where chemical analyses identify an undetected value for every individual compound/isomer then the single highest detection limit shall represent the sum of the respective compounds/isomers; and

(ii) Where chemical analyses detect one or more individual compound/isomers, only the detected concentrations will be added to represent the group sum.

(c) The listed chemical parameter criteria represent concentrations in parts per million, "normalized," or expressed, on a total organic carbon basis. To normalize to total organic carbon, the dry weight concentration for each

parameter is divided by the decimal fraction representing the percent total organic carbon content of the sediment.

(d) The LPAH criterion represents the sum of the following "low molecular weight polynuclear aromatic hydrocarbon" compounds: Naphthalene, Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, and Anthracene. The LPAH criterion is not the sum of the criteria values for the individual LPAH compounds as listed.

(e) The HPAH criterion represents the sum of the following "high molecular weight polynuclear aromatic hydrocarbon" compounds: Fluoranthene, Pyrene, Benz(a)anthracene, Chrysene, Total Benzofluoranthenes, Benzo(a)pyrene, Indeno(1,2,3,-c,d)pyrene, Dibenzo(a,h)anthracene, and Benzo(g,h,i)perylene. The HPAH criterion is not the sum of the criteria values for the individual HPAH compounds as listed.

(f) The TOTAL BENZOFLUORANTHENES criterion represents the sum of the concentrations of the "B," "J," and "K" isomers.

Table III

Puget Sound Marine Sediment
Cleanup Screening Levels
and
Minimum Cleanup Levels—
Chemical Criteria

CHEMICAL PARAMETER	MG/KG DRY WEIGHT (PARTS PER MILLION (PPM) DRY)
ARSENIC	93
CADMIUM	6.7
CHROMIUM	270
COPPER	390
LEAD	530
MERCURY	0.59
SILVER	6.1
ZINC	960
CHEMICAL PARAMETER	MG/KG ORGANIC CARBON (PPM CARBON)
LPAH	780
NAPHTHALENE	170
ACENAPHTHYLENE	66
ACENAPHTHENE	57
FLUORENE	79
PHENANTHRENE	480
ANTHRACENE	1200
2-METHYLNAPHTHALENE	64
HPAH	5300
FLUORANTHENE	1200
PYRENE	1400
BENZ(A)ANTHRACENE	270
CHRYSENE	460
TOTAL BENZOFLUORANTHENES	450
BENZO(A)PYRENE	210
INDENO (1,2,3,-C,D) PYRENE	88
DIBENZO (A,H) ANTHRACENE	33
BENZO(G,H,I)PERYLENE	78
1,2-DICHLOROBENZENE	2.3
1,4-DICHLOROBENZENE	9
1,2,4-TRICHLOROBENZENE	1.8
HEXACHLOROBENZENE	2.3
DIMETHYL PHTHALATE	53
DIETHYL PHTHALATE	110
DI-N-BUTYL PHTHALATE	1700
BUTYL BENZYL PHTHALATE	64
BIS (2-ETHYLHEXYL) PHTHALATE	78
DI-N-OCTYL PHTHALATE	4500
DIBENZOFURAN	58

HEXACHLOROBUTADIENE	6.2
N-NITROSODIPHENYLAMINE	11
TOTAL PCB'S	65
CHEMICAL PARAMETER	UG/KG DRY WEIGHT (PARTS PER BILLION (PPB) DRY)
PHENOL	1200
2-METHYLPHENOL	63
4-METHYLPHENOL	670
2,4-DIMETHYL PHENOL	29
PENTACHLOROPHENOL	690
BENZYL ALCOHOL	73
BENZOIC ACID	650

(3) Puget Sound marine sediment cleanup screening levels and minimum cleanup level biological criteria. The biological effects criteria of this subsection establish the Puget Sound marine sediment cleanup screening level, and the Puget Sound marine sediment minimum cleanup level criteria.

(a) The acute and chronic effects biological tests of WAC 173-204-315(1) shall be used to:

(i) Identify the Puget Sound marine sediment cleanup screening level for the purpose of screening sediment station clusters of potential concern using the procedures of WAC 173-204-510(2); and

(ii) Identify the Puget Sound marine sediment cleanup screening level for the purpose of identifying station clusters of low concern and/or cleanup sites using the hazard assessment procedures of WAC 173-204-530(4); and/or

(iii) Identify the Puget Sound marine sediment minimum cleanup level to confirm minimum cleanup level determinations using the procedures of WAC 173-204-570(3).

(b) When using biological testing to determine if station clusters exceed the cleanup screening level or to identify the minimum cleanup level for a contaminated site, test results from at least two acute effects tests and one chronic effects test shall be evaluated.

(c) The biological tests shall not be considered valid unless test results for the appropriate control and reference sediment samples meet the performance standards described in WAC 173-204-315(2).

(d) The cleanup screening level and minimum cleanup level is exceeded when any two of the biological tests exceed the criteria of WAC 173-204-320(3); or one of the following test determinations is made:

(i) Amphipod: The test sediment has a higher (statistically significant, t test, $p \leq 0.05$) mean mortality than the reference sediment and the test sediment mean mortality is greater than a value represented by the reference sediment mean mortality plus thirty percent.

(ii) Larval: The test sediment has a mean survivorship of normal larvae that is less (statistically significant, t test, $p \leq 0.05$) than the mean normal survivorship in the reference sediment and the test sediment mean normal survivorship is less than seventy percent of the mean normal survivorship in the reference sediment (i.e., the test sediment has a mean combined abnormality and mortality that is greater than thirty percent relative to time-final in the reference sediment).

(iii) Benthic abundance: The test sediment has less than fifty percent of the reference sediment mean abundance of any two of the following major taxa: Class Crustacea, Phylum Mollusca or Class Polychaeta and the test sample

abundances are statistically different (t test, $p \leq 0.05$) from the reference abundances.

(iv) Juvenile polychaete: The test sediment has a mean individual growth rate of less than fifty percent of the reference sediment mean individual growth rate and the test sediment mean individual growth rate is statistically different (t test, $p \leq 0.05$) from the reference sediment mean individual growth rate.

(4) Puget Sound marine sediment cleanup screening levels and minimum cleanup levels human health criteria. Reserved: The department may determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(5) Puget Sound marine sediment cleanup screening levels and minimum cleanup levels other toxic, radioactive, biological, or deleterious substances criteria. Other toxic, radioactive, biological, or deleterious substances in, or on, sediments shall be at or below levels which cause minor adverse effects in marine biological resources, or which correspond to a significant health risk to humans, as determined by the department. The department shall determine on a case-by-case basis the criteria, methods, and procedures necessary to meet the intent of this chapter.

(6) Puget Sound marine sediment cleanup screening levels and minimum cleanup levels nonanthropogenically affected sediment criteria. Whenever the nonanthropogenically affected sediment quality is of a lower quality (i.e., higher chemical concentrations, higher levels of adverse biological response, or posing a higher threat to human health) than the applicable cleanup screening levels or minimum cleanup levels criteria established under this section, the existing sediment chemical and biological quality shall be identified on an area-wide basis as determined by the department, and used in place of the standards of WAC 173-204-520.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-520, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-520, filed 3/27/91, effective 4/27/91.]

WAC 173-204-530 Hazard assessment and site identification. (1) Purpose. A hazard assessment shall be performed to gather existing and available information to further characterize each station cluster of potential concern identified per WAC 173-204-510.

(2) Hazard assessment requirements. Onsite dischargers, lessees, landowners, and adjacent dischargers shall submit, upon the department's request, all existing and available information that would enable the department to:

(a) Determine the concentration and/or areal extent and depth of sediment contamination at the station cluster of potential concern by:

(i) Identifying the contaminants exceeding the applicable sediment quality standards of WAC 173-204-320 through 173-204-340;

(ii) Identifying individual stations within the station cluster of potential concern which exceed the sediment cleanup screening levels criteria of WAC 173-204-520;

(iii) Identifying the level of toxicity to the applicable biological test organisms of WAC 173-204-320 through 173-204-340;

(iv) Determining where the applicable sediment quality standards of WAC 173-204-320 through 173-204-340, for any given contaminant, is met;

(v) Determining if concentrations of chemicals exist that potentially present a significant threat to human health;

(vi) Defining the location where the minimum cleanup level as defined in WAC 173-204-570 is met.

(b) Identify and characterize the present and historic source or sources of the contamination.

(c) Identify the location of sediment impact zones authorized under WAC 173-204-415.

(d) Identify sensitive resources in the vicinity of the station cluster of potential concern.

(e) Provide other information as determined necessary by the department for ranking sites under WAC 173-204-540.

(3) The department shall also compile existing and available information from other federal, state, and local governments that pertain to the topics in subsection (2) of this section.

(4) To identify cleanup sites, the department shall use all available information of acceptable quality gathered from the hazard assessment to evaluate station clusters of potential concern identified pursuant to WAC 173-204-510(2). For the purpose of identifying a cleanup site per the procedures of this subsection, three stations with the highest contaminant concentration for any particular contaminant or the highest degree of biological effects as identified in WAC 173-204-520 are selected from a station cluster of potential concern. This procedure may be repeated for multiple chemicals identified in WAC 173-204-520, recognizing that the three stations with the highest concentration for each particular contaminant may be different and the respective areas for all chemicals may overlap. The department shall review the list of station clusters of potential concern to identify cleanup sites via the following process:

(a) Identify if available, three stations within the station cluster of potential concern with the highest level of biological effects for the biological tests identified in WAC 173-204-315(1).

(b) Station clusters of potential concern where the level of biological effects for any three stations within the station cluster of potential concern exceeds the cleanup screening levels of WAC 173-204-520(3) shall be defined as cleanup sites.

(c) Identify if available, the three stations within a station cluster of potential concern with the highest concentration of each chemical contaminant identified in WAC 173-204-520, Cleanup screening levels criteria. For the purpose of identifying a cleanup site per the procedures of this subsection, stations that meet the biological standards of WAC 173-204-520(3) shall not be included in the evaluation of chemical contaminant concentrations.

(d) For each contaminant identified in (c) of this subsection, determine the average concentration for the contaminant at the three stations identified in (c) of this subsection.

(e) Station clusters of potential concern for which any average chemical concentration identified in (d) of this subsection exceeds the cleanup screening level chemical criteria of Table III shall be defined as cleanup sites.

(f) After completion of the hazard assessment, if neither of the conditions of (b) or (e) of this subsection apply, then the station cluster is defined as a station cluster of low concern.

(g) Station clusters of potential concern where the department determines that any three stations within the station cluster of potential concern exceed the sediment cleanup screening levels human health criteria or the other toxic, radioactive, biological, or deleterious substances criteria or the nonanthropogenically affected criteria of WAC 173-204-520, shall be defined as cleanup sites.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-530, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-530, filed 3/27/91, effective 4/27/91.]

WAC 173-204-540 Ranking and list of sites. (1) Purpose. The department shall prepare and maintain a list of contaminated sediment sites in the order of their relative hazard ranking. From this list, the department shall select sites where action shall be taken.

(2) Site ranking. The department shall evaluate each cleanup site identified by the procedures in WAC 173-204-530 on a consistent basis using the procedure described in *Sediment Ranking System ("SEDRANK"), January 1990*, and all additions and revisions thereto or other procedures approved by the department. The purpose of ranking is to estimate, based on technical information compiled during the hazard assessment procedures in WAC 173-204-530, the relative potential risk posed by the site to human health and the environment. Information obtained during hazard assessment, plus any additional data specified in "SEDRANK," shall be included in the site hazard ranking evaluation.

(3) Considerations in ranking. In conducting sediment site ranking, the department shall assess both human health hazard and ecological hazard, and consider chemical toxicity, affected resources, and site characteristics for both types of hazards. The department shall also use best professional judgment and other information as necessary on a case-by-case basis to conduct site ranking.

(4) Site reranking. The department may, at its discretion, rerank a site. To rerank a site, the department shall use any additional information within the scope of the hazard ranking evaluation criteria and best professional judgment to establish that a significant change in rank should result.

(5) List of ranked sites.

(a) Contaminated sediment sites that are ranked via "SEDRANK" shall be placed on a list in the order of their relative hazard ranking. The list shall describe the current status of cleanup action at each site and be updated on an annual basis. The department may change a site's status to reflect current conditions on a more frequent basis. The status for each site shall be identified as one or more of the following:

(i) Sites awaiting cleanup action;

(ii) Sites where voluntary, incidental, partial or department initiated cleanup actions, as defined in WAC 173-204-550, are in progress;

(iii) Sites where a cleanup action has been completed and confirmational monitoring is underway;

(iv) Sites with sediment recovery zones authorized under WAC 173-204-590; and/or

(v) Other categories established by the department.

(b) The department shall routinely publish and make the list available to be used in conjunction with a review of ongoing and proposed regulatory actions to determine where and when a cleanup action should be taken. The department shall also make the list available to landowners and dischargers at or near listed sites, and to the public.

(6) Site delisting.

(a) The department may remove a site from the list only after it has determined that:

(i) All cleanup actions except confirmational monitoring have been completed and compliance with the site cleanup study and report and cleanup standard(s) has been achieved; or

(ii) The listing of the site was erroneous.

(b) A site owner or operator may request that a site be removed from the list by submitting a petition to the department. The petition shall state the reason for the site delisting request, and as determined appropriate by the department, shall include thorough documentation of all investigations performed, all cleanup actions taken, and all compliance monitoring data and results to demonstrate to the department's satisfaction that the site cleanup standards have been achieved. The department may require payment of costs incurred, including an advance deposit, for review and verification of the work performed. The department shall review such petitions, however the timing of the review shall be at its discretion and as resources may allow.

(c) The department shall maintain a record of sites that have been removed from the list under (a) of this subsection. This record shall be made available to the public on request.

(7) Relisting of sites. The department may relist a site which has previously been removed if it determines that the site requires further cleanup action.

(8) Delisting notice. The department shall provide public notice and an opportunity to comment when the department proposes to remove a site from the list.

(9) Relationship to hazardous sites list. The department may additionally evaluate cleanup sites on the site list developed under subsection (5) of this section for possible inclusion on the hazardous sites list published under WAC 173-340-330.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-540, filed 3/27/91, effective 4/27/91.]

WAC 173-204-550 Types of cleanup and authority.

(1) Purpose. The department acknowledges that cleanups of contaminated sediment sites can occur under the authority of chapter 90.48 or 70.105D RCW. Sediment cleanups may also be initiated by the federal government pursuant to the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). This section describes the department's role in department initiated and other cleanup actions.

(2) The department shall use best professional judgment and other information as necessary on a case-by-case basis to determine the appropriate administrative authority for conducting, or requiring contaminated sediment cleanup actions based on, but not limited to, the following considerations:

(a) Source of contaminants requiring cleanup including spills, dredging actions, and wastewater and/or storm water discharges;

(b) Significance of contamination threat to human health and the environment including the degree of contamination and types and number of contaminants;

(c) Public perception concerning the contaminant threat to human health and the environment;

(d) Personal or corporate financial status of the landowner(s) and/or discharger(s);

(e) Enforcement compliance history of the landowner(s) and/or discharger(s);

(f) Status of existing or pending federal, state, or local legal orders or administrative actions; and

(g) Size of cleanup action proposed or determined necessary.

(3) The types of cleanup actions below establish scenarios recognized by the department which may occur to effect cleanup of contaminated sediment sites. All of these types of cleanup actions shall be subject to administrative review and approval of the department under chapters 90.48 and/or 70.105D RCW.

(a) Department initiated cleanup. Department initiated cleanup actions occur when the department uses its authority under chapter 90.48 and/or 70.105D RCW to conduct or require and/or otherwise effect cleanup to meet the intent of this chapter.

(b) Voluntary cleanup. Voluntary cleanup actions are initiated by parties other than the department. The department shall encourage voluntary cleanup actions whenever possible, and as early as possible, to meet the intent of this chapter.

(c) Incidental cleanup. Incidental cleanup actions are conducted when other state or federally permitted activities are ongoing in and/or around the contaminated sediment site. Early coordination of incidental cleanup actions with the department is encouraged to meet the intent of this chapter, chapter 70.105D RCW, and chapter 90.48 RCW, as appropriate.

(d) Partial cleanup. Partial cleanup actions may be conducted when completion of cleanup study requirements under WAC 173-204-560 has identified and proposed discrete site units and cleanup standards, the department has approved the selection of the partial cleanup alternative per the standards of WAC 173-204-580, and the department has determined that awaiting action or decision on conducting a complete site cleanup would have a net detrimental effect on the environment or human health.

(e) CERCLA cleanup. Pursuant to the federal Comprehensive Environmental Response, Compensation and Liability Act, the department may identify chapter 173-204 WAC as an applicable state requirement for cleanup actions conducted by the federal government.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-550, filed 3/27/91, effective 4/27/91.]

WAC 173-204-560 Cleanup study. (1) Purpose. This section describes cleanup study plan and report standards which meet the intent of cleanup actions required under authority of chapter 90.48 and/or 70.105D RCW, and/

or this chapter. Cleanup actions required under authority of chapter 70.105D RCW shall also meet all standards of chapter 173-340 WAC, the Model Toxics Control Act cleanup regulation. The cleanup study plan and report standards in this chapter include activities to collect, develop, and evaluate sufficient information to enable consideration of cleanup alternatives and selection of a site-specific sediment cleanup standard prior to making a cleanup decision. Each person performing a cleanup action to meet the intent of this chapter shall submit a cleanup study plan and cleanup study report to the department for review and written approval prior to implementation of the cleanup action. The department may approve the cleanup study plan as submitted, may approve the cleanup study plan with appropriate changes or additions, or may require preparation of a new cleanup study plan.

(2) Scope of cleanup study plan. The scope of a cleanup study plan shall depend on the specific site informational needs, the site hazard, the type of cleanup action proposed, and the authority cited by the department to require cleanup. In establishing the necessary scope of the cleanup study plan, the department may consider cost mitigation factors, such as the financial resources of the person(s) responsible for the cleanup action. In all cases sufficient information must be collected, developed, and evaluated to enable the appropriate selection of a cleanup standard under WAC 173-204-570 and a cleanup action decision under WAC 173-204-580. The sediment cleanup study plan shall address:

- (a) Public information/education;
- (b) Site investigation and cleanup alternatives evaluation;
- (c) Sampling plan and recordkeeping; and
- (d) Site safety.

(3) Cleanup study plan public information/education requirements. The cleanup study plan shall encourage coordinated and effective public involvement commensurate with the nature of the proposed cleanup action, the level of public concern, and the existence of, or potential for adverse effects on biological resources and/or a threat to human health. The cleanup study plan shall address proposed activities for the following subjects:

- (a) When public notice will occur, the length of the comment periods accompanying each notice, the potentially affected vicinity, and any other areas to be provided notice;
- (b) Where public information repositories will be located to provide site information to the public;
- (c) Methods for identifying the public's concerns, e.g., interviews, questionnaires, community group meetings, etc.;
- (d) Methods for providing information to the public, e.g., press releases, public meetings, fact sheets, etc.;
- (e) Coordination of public participation requirements mandated by other federal, state, or local laws;
- (f) Amendments to the planned public involvement activities; and
- (g) Any other elements that the department determines to be appropriate for inclusion in the cleanup study plan.

(4) Cleanup study plan site investigation and cleanup alternatives evaluation requirements. The content of the cleanup study plan for the site investigation and cleanup alternatives evaluation is determined by the type of cleanup action selected as defined under WAC 173-204-550. As

determined by the department, the cleanup study plan shall address the following subjects:

(a) General site information. General information, including: Project title; name, address, and phone number of project coordinator; legal description of the cleanup site; area and volume dimensions of the site; present owners and operators of contaminant source discharges to site; chronological listing of past owners and operators of contaminant source discharges to the site and their respective operational history; and other pertinent information determined by the department.

(b) Site conditions map. An existing site conditions map which illustrates site features as follows:

- (i) Property boundaries.
- (ii) The site boundary defined by the individual contaminants exceeding the applicable sediment quality standards of WAC 173-204-320 through 173-204-340 at the point where the concentration of the contaminant would meet the:
 - (A) Cleanup objective; and
 - (B) Minimum cleanup level; and
 - (C) Recommended cleanup standards.
- (iii) Surface and subsurface topography.
- (iv) Surface and subsurface structures.
- (v) Utility lines.
- (vi) Navigation lanes.
- (vii) Current and ongoing sediment sources.
- (viii) Other pertinent information determined by the department.

(c) Site investigation. Sufficient investigation to characterize the distribution of sediment contamination present at the site, and the threat or potential threat to human health and the environment. Where applicable to the site, these investigations shall address the following:

(i) Surface water and sediments. Investigations of surface water hydrodynamics and sediment transport mechanisms to characterize significant hydrologic features such as: Site surface water drainage patterns, quantities and flow rates, areas of sediment erosion and deposition including estimates of sedimentation rates, and actual or potential contaminant migration routes to and from the site and within the site. Sufficient surface water and sediment sampling shall be performed to adequately characterize the areal and vertical distribution and concentrations of contaminants. Recontamination potential of sediments which are likely to influence the type and rate of contaminant migration, or are likely to affect the ability to implement alternative cleanup actions shall be characterized;

(ii) Geology and ground water system characteristics. Investigations of site geology and hydrogeology to adequately characterize the physical properties and distribution of sediment types, and the characteristics of ground water flow rate, ground water gradient, ground water discharge areas, and ground water quality data which may affect site cleanup alternatives evaluations;

(iii) Climate. Information regarding local and regional climatological characteristics which are likely to affect surface water hydrodynamics, ground water flow characteristics, and migration of sediment contaminants such as: Seasonal patterns of rainfall; the magnitude and frequency of significant storm events; prevailing wind direction and velocity;

(iv) Land use. Information characterizing human populations exposed or potentially exposed to sediment contaminants released from the site and present and proposed uses and zoning for shoreline areas contiguous with the site; and

(v) Natural resources and ecology. Information to determine the impact or potential impact of sediment contaminants from the site on natural resources and ecology of the area such as: Sensitive environment, local and regional habitat, plant and animal species, and other environmental receptors.

(d) Sediment contaminant sources. A description of the location, quantity, areal and vertical extent, concentration and sources of active and inactive waste disposal and other sediment contaminant discharge sources which affect or potentially affect the site. Where determined relevant by the department, the following information shall be obtained by the department from the responsible discharger:

(i) The physical and chemical characteristics, and the biological effects of site sediment contaminant sources;

(ii) The status of source control actions for permitted and unpermitted site sediment contaminant sources; and

(iii) A recommended compliance time frame for known permitted and unpermitted site sediment contaminant sources which affect or potentially affect implementation of the timing and scope of the site cleanup action alternatives.

(e) Human health risk assessment. The current and potential threats to human health that may be posed by sediment site contamination shall be evaluated using a risk assessment procedure approved by the department.

(f) Cleanup action alternatives. Each cleanup study plan shall include an evaluation of alternative cleanup actions that protect human health and the environment by eliminating, reducing, or otherwise controlling risks posed through each exposure pathway and migration route. The number and types of alternatives to be evaluated shall take into account the characteristics and complexity of the site.

(i) The proposed site cleanup alternatives may include establishment of site units, as defined in WAC 173-204-200(24), with individual cleanup standards within the range required by WAC 173-204-570, based on site physical characteristics and complexity, and cleanup standard alternatives established on consideration of cost, technical feasibility, and net environmental impact.

(ii) The proposed site cleanup alternatives may include establishment of a sediment recovery zone as authorized under WAC 173-204-590, Sediment recovery zones. Establishment or expansion of a sediment recovery zone shall not be used as a substitute for active cleanup actions, when such actions are practicable and meet the standards of WAC 173-204-580. The cleanup study plan shall include the following information for evaluation of sediment recovery zone alternatives:

(A) The time period during which a sediment recovery zone is projected to be necessary based on source loading and net environmental recovery processes determined by application of the department's sediment recovery zone computer models "CORMIX," "PLUMES," and/or "WASP," or an alternate sediment recovery zone model(s) approved by the department under WAC 173-204-130(4) as limited by the standards of this section and the department's best professional judgment;

(B) The legal location and landowner(s) of property proposed as a sediment recovery zone;

(C) Operational terms and conditions including, but not limited to proposed confirmational monitoring actions for discharge effluent and/or receiving water column and/or sediment chemical monitoring studies and/or bioassays to evaluate ongoing water quality, sediment quality, and biological conditions within and adjacent to the proposed or authorized sediment recovery zone to confirm source loading and recovery rates in the proposed sediment recovery zone.

(D) Potential risks posed by the proposed sediment recovery zone to human health and the environment;

(E) The technical practicability of elimination or reduction of the size and/or degree of chemical contamination and/or level of biological effects within the proposed sediment recovery zone; and

(F) Current and potential use of the sediment recovery zone, surrounding areas, and associated resources that are, or may be, affected by releases from the zone.

(G) The need for institutional controls or other site use restrictions to reduce site contamination risks to human health.

(iii) A phased approach for evaluation of alternatives may be required for certain sites, including an initial screening of alternatives to reduce the number of potential remedies for the final detailed evaluation. The final evaluation of cleanup action alternatives that pass the initial screening shall consider the following factors:

(A) Overall protection of human health and the environment, time required to attain the cleanup standard(s), and on-site and off-site environmental impacts and risks to human health resulting from implementing the cleanup alternatives;

(B) Attainment of the cleanup standard(s) and compliance with applicable federal, state, and local laws;

(C) Short-term effectiveness, including protection of human health and the environment during construction and implementation of the alternative; and

(D) Long-term effectiveness, including degree of certainty that the alternative will be successful, long-term reliability, magnitude of residual, biological and human health risk, and effectiveness of controls for ongoing discharges and/or controls required to manage treatment residues or remaining wastes cleanup and/or disposal site risks;

(g) Ability to be implemented. The ability to be implemented including the potential for landowner cooperation, consideration of technical feasibility, availability of needed off-site facilities, services and materials, administrative and regulatory requirements, scheduling, monitoring requirements, access for construction, operations and monitoring, and integration with existing facility operations and other current or potential cleanup actions;

(h) Cost, including consideration of present and future direct and indirect capital, operation, and maintenance costs and other foreseeable costs;

(i) The degree to which community concerns are addressed;

(j) The degree to which recycling, reuse, and waste minimization are employed; and

(k) Environmental impact. Sufficient information shall be provided to fulfill the requirements of chapter 43.21C RCW, the State Environmental Policy Act. Discussions of

significant short-term and long-term environmental impacts, significant irrevocable commitments of natural resources, significant alternatives including mitigation measures, and significant environmental impacts which cannot be mitigated shall be included.

(5) Cleanup study plan — sampling plan and recordkeeping requirements. The cleanup study plan shall address proposed sampling and recordkeeping activities to meet the standards of WAC 173-204-600, Sampling and testing plan standards, and WAC 173-204-610, Records management, and the standards of this section.

(6) Cleanup study plan site safety requirements. The cleanup study plan shall address proposed activities to meet the requirements of the Occupational Safety and Health Act of 1970 (29 U.S.C. Sec. 651 et seq.) and the Washington Industrial Safety and Health Act (chapter 49.17 RCW), and regulations promulgated pursuant thereto. These requirements are subject to enforcement by the designated federal and state agencies. Actions taken by the department under this chapter do not constitute an exercise of statutory authority within the meaning of section (4)(b)(1) of the Occupational Safety and Health Act.

(7) Cleanup study report. Each person performing a cleanup action to meet the intent of this chapter shall submit a cleanup study report to the department for review and written approval of a cleanup decision prior to implementation of the cleanup action. The sediment cleanup study report shall include the results of cleanup study site investigations conducted pursuant to subsection (4) of this section, and preferred and alternate cleanup action proposals based on the results of the approved cleanup study plan.

(8) Sampling access. In cases where the person(s) responsible for cleanup is not able to secure access to sample sediments on lands subject to a cleanup study plan approved by the department, the department may facilitate negotiations or other proceedings to secure access to the lands. Requests for department facilitation of land access for sampling shall be submitted to the department in writing by the person(s) responsible for the cleanup action study plan.

[Statutory Authority: RCW 90.48.220. 96-02-058, § 173-204-560, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-560, filed 3/27/91, effective 4/27/91.]

WAC 173-204-570 Sediment cleanup standards. (1) Applicability and purpose. This section establishes the sediment cleanup standards requirements for cleanup actions required under authority of chapter 90.48 and/or 70.105D RCW, and/or this chapter, and describes the process to determine site-specific cleanup standards.

(2) Cleanup objective. The sediment cleanup objective shall be to eliminate adverse effects on biological resources and significant health threats to humans from sediment contamination. The sediment cleanup objective for all cleanup actions shall be the sediment quality standards as defined in WAC 173-204-320 through 173-204-340, as applicable. The sediment cleanup objective identifies sediments that have no acute or chronic adverse effects on biological resources, and which correspond to no significant health risk to humans, as defined in this chapter.

(3) Minimum cleanup level. The minimum cleanup level is the maximum allowed chemical concentration and

level of biological effects permissible at the cleanup site to be achieved by year ten after completion of the active cleanup action.

(a) The minimum cleanup levels criteria of WAC 173-204-520 shall be used in evaluation of cleanup alternatives per the procedures of WAC 173-204-560, and selection of a site cleanup standard(s) per the procedures of this section.

(b) The Puget Sound marine sediment minimum cleanup level is established by the following:

(i) Sediments with chemical concentrations at or below the chemical criteria of Table III shall be determined to meet the minimum cleanup level, except as provided in (b)(iv) of this subsection; and

(ii) Sediments with chemical concentrations that are higher than the chemical criteria of Table III shall be determined to exceed the minimum cleanup level, except as provided in (b)(iii) of this subsection; and

(iii) Sediments with biological effects that do not exceed the levels of WAC 173-204-520(3) shall be determined to meet the minimum cleanup level; and

(iv) Sediments with biological effects that exceed the levels of WAC 173-204-520(3) shall be determined to exceed the minimum cleanup level; and

(v) Sediments which exceed the sediment minimum cleanup level human health criteria or the other toxic, radioactive, biological, or deleterious substances criteria or the nonanthropogenically affected criteria of WAC 173-204-520 as determined by the department, shall be determined to exceed the minimum cleanup level.

(4) Sediment cleanup standard. The sediment cleanup standards are established on a site-specific basis within an allowable range of contamination. The lower end of the range is the sediment cleanup objective as defined in subsection (2) of this section. The upper end of the range is the minimum cleanup level as defined in subsection (3) of this section. The site specific cleanup standards shall be as close as practicable to the cleanup objective but in no case shall exceed the minimum cleanup level. For any given cleanup action, either a site-specific sediment cleanup standard shall be defined, or multiple site unit sediment cleanup standards shall be defined. In all cases, the cleanup standards shall be defined in consideration of the net environmental effects (including the potential for natural recovery of the sediments over time), cost and engineering feasibility of different cleanup alternatives, as determined through the cleanup study plan and report standards of WAC 173-204-560.

(5) All cleanup standards must ensure protection of human health and the environment, and must meet all legally applicable federal, state, and local requirements.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-570, filed 3/27/91, effective 4/27/91.]

WAC 173-204-580 Cleanup action decision. (1) Each person performing a cleanup action to meet the intent of this chapter shall comply with the standards of WAC 173-204-560(7), Cleanup study report. Except for cleanups conducted under chapter 70.105D RCW, the department shall review each cleanup study report and issue a written approval of one or more of the cleanup action alternatives described

in the cleanup study report, or issue a written disapproval of all alternatives described in the cleanup study report. The department's approval of one or more cleanup study report cleanup action alternatives shall constitute the cleanup decision and shall be referenced in one or more permit or administrative authorities established under chapter 90.48 or 70.105D RCW, Section 401 of the federal Clean Water Act, chapter 173-225 WAC, establishment of implementation procedures of application for certification, or other administrative authorities available to the department. The department may approve the cleanup alternative recommended in the cleanup study report, may approve a different alternative discussed in the report, or may approve an alternative(s) with appropriate conditions. The department's disapproval of all cleanup study report cleanup action alternatives shall be issued by certified mail, return receipt requested, to the cleanup action proponent(s). The procedures for department review of the cleanup study report and selection of a cleanup action under chapter 70.105D RCW shall be in accordance with the procedures of chapter 173-340 WAC.

(2) All cleanup actions conducted under this chapter shall meet the following requirements:

(a) Receive department review and written approval of the preferred and/or alternate cleanup actions and necessary sediment recovery zones proposed in the cleanup study report prior to implementing a cleanup action(s);

(b) Achieve a degree of cleanup that is protective of human health and the environment;

(c) Achieve compliance with applicable state, federal, and local laws;

(d) Achieve compliance with site cleanup standards;

(e) Achieve compliance with sediment source control requirements pursuant to WAC 173-204-400 through 173-204-420, if necessary;

(f) Provide for landowner review of the cleanup study plan and report, and consider public concerns raised during review of the draft cleanup report; and

(g) Provide adequate monitoring to ensure the effectiveness of the cleanup action.

(3) Cleanup time frame.

(a) The cleanup action selected shall provide for a reasonable time frame for completion of the cleanup action, based on consideration of the following factors:

(i) Potential risks posed by the site to biological resources and human health;

(ii) Practicability of achieving the site cleanup standards in less than a ten-year period;

(iii) Current use of the site, surrounding areas, and associated resources that are, or may be, affected by the site contamination;

(iv) Potential future use of the site, surrounding areas, and associated resources that are, or may be, affected by the site contamination;

(v) Likely effectiveness and reliability of institutional controls;

(vi) Degree of, and ability to control and monitor, migration of contamination from the site; and

(vii) Natural recovery processes which are expected to occur at the site that will reduce concentrations of contaminants.

(b) The department may authorize cleanup time frames that exceed the ten-year period used in deriving the site

cleanup standards of WAC 173-204-570(4) where cleanup actions are not practicable to accomplish within a ten-year period.

(4) In evaluating cleanup action alternatives, the department shall consider:

(a) The net environmental effects of the alternatives, including consideration of residual effects, recovery rates, and any adverse effects of cleanup construction or disposal activities;

(b) The relative cost-effectiveness of the alternatives in achieving the approved site cleanup standards; and

(c) The technical effectiveness and reliability of the alternatives.

(5) Public participation. The department shall provide opportunity for public review and comment on all cleanup action study plans, reports, and decisions reviewed and approved by the department, for cleanup actions conducted under this chapter.

(6) Land access. In cases where the person(s) responsible for cleanup is not able to secure access to lands subject to a cleanup action decision made pursuant to this section, the department may facilitate negotiations or other proceedings to secure access to the lands. Requests for department facilitation of land access shall be submitted to the department in writing by the person(s) named in the cleanup action approval.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-580, filed 3/27/91, effective 4/27/91.]

WAC 173-204-590 Sediment recovery zones. (1) The purpose of this section is to set forth the requirements for establishment and monitoring of sediment recovery zones to meet the intent of sediment quality dilution zones authorized pursuant to RCW 90.48.520. The standards of this section are applicable to cleanup action decisions made pursuant to WAC 173-204-580 where selected actions leave in place marine, low salinity, or freshwater sediments that exceed the applicable sediment quality standards of WAC 173-204-320 through 173-204-340.

(2) General requirements. Authorization of a sediment recovery zone by the department shall require compliance with the following general requirements:

(a) The sediment recovery zone shall be determined by application of the department's sediment recovery zone computer models "CORMIX," "PLUMES," and/or "WASP," or an alternate sediment recovery zone model(s) approved by the department under WAC 173-204-130(4) as limited by the standards of this section and the department's best professional judgment.

(b) The department shall provide specific authorization for a sediment recovery zone within the written approval of the cleanup study report and cleanup decision required under WAC 173-204-580.

(c) The time period during which a sediment recovery zone is authorized by the department shall be so stated in the department's written approval of the cleanup study report and cleanup decision.

(d) The department's written sediment recovery zone authorization shall identify the legal location and landowners of property proposed as a sediment recovery zone.

(e) Operational terms and conditions for the authorized sediment recovery zone pursuant to subsection (5) of this section shall be maintained at all times.

(f) Where cleanup is not practicable pursuant to the analysis under WAC 173-204-570(4), sediment recovery zones may be authorized for periods in excess of ten years.

(3) A sediment recovery zone authorization issued by the department under the authority of chapter 90.48 or 70.105D RCW, or other administrative means available to the department, does not constitute authorization to trespass on lands not owned by the applicant. These requirements do not address, and in no way alter, the legal rights, responsibilities, or liabilities of the permittee or landowner of the sediment recovery zone for any applicable requirements of proprietary, real estate, tort, and/or other laws not directly expressed as a requirement of this chapter.

(4) Prior to authorization, the department shall make a reasonable effort to identify and notify all landowners affected by the proposed sediment recovery zone. The department shall issue a sediment recovery zone notification letter to any person it believes to be a potentially affected landowner and other parties determined appropriate by the department. The notification letter shall be sent by certified mail, return receipt requested, or by personal service. The notification letter shall provide:

(a) The name of the person the department believes to be the affected landowner; and

(b) The names of other affected landowners to whom the department has sent a proposed sediment recovery zone notification letter; and

(c) The name of the sediment recovery zone applicant; and

(d) A general description of the proposed sediment recovery zone including the chemical(s) of concern by name and concentration, and the area of affected sediment; and

(e) The determination of the department concerning whether the proposed sediment recovery zone application meets the standards of this section; and

(f) The intention of the department whether to authorize the proposed sediment recovery zone; and

(g) Notification that the affected landowner may comment on the proposed sediment recovery zone. Any landowner comments shall be submitted in writing to the department within thirty days from the date of receipt of the notification letter, unless the department provides an extension.

(5) As determined necessary by the department, operational terms and conditions for the sediment recovery zone may include completion and submittal to the department of discharge effluent and/or receiving water column and/or sediment chemical monitoring studies and/or bioassays to evaluate ongoing water quality, sediment quality, and biological conditions within and adjacent to the proposed or authorized sediment recovery zone.

(6) The department shall review all data or studies conducted in accordance with a sediment recovery zone authorization to ensure compliance with the terms and conditions of the authorization and the standards of this section. Whenever, in the opinion of the department, the operational terms and conditions of a sediment recovery zone or the standards of this section are violated or there is a potential to violate the sediment recovery zone authorization

or the standards of this section, or new information or a reexamination of existing information indicates the sediment recovery zone is no longer appropriate, the department may at its discretion:

(a) Require additional chemical or biological monitoring as necessary;

(b) Revise the sediment recovery zone authorization as necessary to meet the standards of this section;

(c) Require active contaminated sediment maintenance actions including additional cleanup in accordance with the standards of WAC 173-204-500 through 173-204-580; and/or

(d) Withdraw the department's authorization of the sediment recovery zone.

[Statutory Authority: RCW 90.48.220, 96-02-058, § 173-204-590, filed 12/29/95, effective 1/29/96. Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-590, filed 3/27/91, effective 4/27/91.]

PART VI—SAMPLING AND TESTING PLANS/ RECORDKEEPING

WAC 173-204-600 Sampling and testing plan standards. (1) Applicability. These standards apply to:

(a) Any person who samples sediments to determine compliance with this chapter;

(b) Any person who makes application to the department for authorization of a sediment impact zone under the standards of WAC 173-204-400 through 173-204-420; and

(c) Any person who samples sediments consistent with cleanup action plans approved and cleanup actions conducted under this chapter.

(2) All applicable persons shall at a minimum, develop, keep, and abide by a sediment sampling and testing plan. The sampling and testing plan shall be available for inspection at the request of the department. Sediment sampling and testing plans shall identify sampling dates, sample types, sample depths, sample composites, sample locations, sample positioning methods, sampling personnel, sampling equipment and methods, a description of methods of chemical analysis and biological testing, and quality assurance/quality control procedures.

(3) Sediment sampling locations and procedures and testing protocols and interpretations shall be those included in the Puget Sound protocols as amended and/or other methods approved by the department.

(4) The department reserves the right to revise these sampling and testing protocols when:

(a) The Puget Sound protocols are modified or updated per the approval of the department; or

(b) The department determines the Puget Sound protocols are not applicable to, or appropriate for analysis of sediment chemical contamination in any given case.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-600, filed 3/27/91, effective 4/27/91.]

WAC 173-204-610 Records management. (1) Applicability. These standards apply to:

(a) Any person who samples sediments to determine compliance with this chapter;

(b) Any person who makes application to the department for authorization of a sediment impact zone under the standards of WAC 173-204-400 through 173-204-420.

(2) All applicable persons shall keep sediment sampling and testing records as follows:

(a) Sediment sampling and testing plans which identify sampling dates, sample types, sample composites, sample locations, sample depths, sample positioning method, sampling personnel, sampling equipment and methods, quality assurance/quality control plans, and sampling procedures.

(b) Sediment removal records which identify removal dates, dredging contractor/equipment, volume of sediment removed, analytical data generated during the sediment removal process, and sediment disposal location(s).

(c) Records and results of sediment analyses conducted in accordance with this chapter, or as required under activities authorized under chapter 173-225 WAC, establishment of implementation procedures of application for certification.

(d) Records and results of inspections conducted as required under chapter 173-225 WAC, establishment of implementation procedures of application for certification.

(e) Sediment treatment records.

(f) Sediment onsite capping records.

(g) Sediment disposal records which identify sediment disposal location(s), onsite operating records, sediment volumes, disposal site property owner(s), and the chemical/biological nature of effluent discharges from the disposal location including the name, location, and quality of the receiving water.

(3) All sediment records as required under subsection (2) of this section must be furnished upon request, and made available at all reasonable times for inspection, by any officer, employee, or representative of the department who is designated by the director.

(4) All sediment records as required in this section shall be maintained for a period not less than ten years after the issuance, modification, or renewal of the applicable permit, or administrative order, or certification, or cleanup site delisting under WAC 173-204-540(6), whichever is greater.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-610, filed 3/27/91, effective 4/27/91.]

WAC 173-204-620 Severability. If any provision of this chapter or its application to any person or circumstance is held invalid, the remainder of this chapter or the application of the provision to other persons or circumstances shall not be affected.

[Statutory Authority: Chapters 43.21C, 70.105D, 90.48, 90.52, 90.54 and 90.70 RCW. 91-08-019 (Order 90-41), § 173-204-620, filed 3/27/91, effective 4/27/91.]

Chapter 173-205 WAC

WHOLE EFFLUENT TOXICITY TESTING AND LIMITS

WAC

173-205-010	Purpose.
173-205-020	Definitions.
173-205-030	Applicability.

173-205-040	Determining the need for effluent characterization.
173-205-050	Effluent testing for toxicity.
173-205-060	Additional effluent characterizations.
173-205-070	Monitoring for compliance with whole effluent toxicity limits.
173-205-080	Samples for whole effluent toxicity testing.
173-205-090	Response to noncompliance with whole effluent toxicity limits.
173-205-100	Toxicity identification/reduction evaluations.
173-205-110	Interruption of a toxicity identification/reduction evaluation.
173-205-120	Permit limit removed for attainment of a whole effluent toxicity performance standard.
173-205-130	Performance-based limits for acute whole effluent toxicity.

WAC 173-205-010 Purpose. The purpose of this chapter is to establish a procedure for deriving whole effluent toxicity limits in accordance with RCW 90.48.520, 40 CFR 122.44(d), and 40 CFR 122.44(e) for inclusion into National Pollutant Discharge Elimination System (NPDES) permits to protect aquatic life through the implementation of all known, available, and reasonable methods of prevention, control and treatment of toxicants and through the attainment of state water quality standards. The goal of this chapter is the eventual elimination of the discharge of toxics in toxic amounts.

[Statutory Authority: Chapter 90.48 RCW and 40 CFR 122.44. 93-20-110 (Order 91-54), § 173-205-010, filed 10/6/93, effective 11/6/93.]

WAC 173-205-020 Definitions. "Acute critical effluent concentration" means the maximum concentration of effluent during critical conditions at the boundary of the zone of acute criteria exceedance assigned in accordance with WAC 173-201A-100. The boundary may be based on distance or a percentage of flow. Where no zone of acute criteria exceedance is allowed, the acute critical effluent concentration shall be one hundred percent effluent.

"Acute statistical power standard" means that the maximum acceptable difference in survival that is not statistically significant between the control and the acute critical effluent concentration is twenty-nine percent. In order to determine if a whole effluent toxicity test with results that are not statistically significant meets the acute statistical power standard:

1. Subtract the mean survival across the replicates in the acute critical effluent concentration from the mean survival across the replicates in the control.

2. Divide this difference between the mean survivals by the mean survival across the control replicates.

3. Multiply the result by one hundred and express the product as a percent difference in survival.

4. If the percent difference in survival is equal to or less than twenty-nine percent, then the whole effluent toxicity test has met the power standard.

"Acute toxicity test" means a toxicity test with the death of test organisms as the measured response.

"Chronic critical effluent concentration" means the maximum concentration of effluent during critical conditions at the boundary of the mixing zone assigned in accordance with WAC 173-201A-100. The boundary may be based on distance or a percentage of flow. Where no mixing zone is allowed, the chronic critical effluent concentration shall be one hundred percent effluent.

"Chronic statistical power standard" means that the maximum acceptable difference in response that is not statistically significant between the control and the acute or chronic critical effluent concentration is thirty-nine percent. The chronic statistical power standard does not apply to Fisher's Exact Test. In order to determine if a whole effluent toxicity test with results that are not statistically significant meets the chronic statistical power standard:

1. Subtract the mean of the responses across the replicates in the acute or chronic critical effluent concentration from the mean of the responses across the replicates in the control.

2. Divide this difference between the mean responses by the mean response across the control replicates.

3. Multiply the result by one hundred and express the product as a percent difference in response.

4. If the percent difference in response is equal to or less than thirty-nine percent, then the whole effluent toxicity test has met the power standard.

"Chronic toxicity test" means a toxicity test which measures a sublethal effect such as failed fertilization, development, growth, or reproduction. Organism survival is also a measured endpoint in some chronic toxicity tests.

"Critical conditions" means those circumstances when the physical, chemical, and biological characteristics of the receiving water environment interact with the effluent to produce the greatest potential adverse impact on aquatic biota and existing and characteristic water uses.

"Department" means the department of ecology of the state of Washington.

"EC₅₀" (effective concentration, fifty percent) means the effluent concentration estimated to cause an adverse effect in fifty percent of the test organisms in a toxicity test involving a series of dilutions of effluent.

"Effluent characterization" means, for whole effluent toxicity, establishing the baseline toxicity level by toxicity testing using multiple species on effluent samples taken over the seasons of one year. The effluent characterization toxicity test results shall also be used to determine the need for water quality-based whole effluent toxicity limits.

"Effluent screening tests" are full duration whole effluent toxicity tests that are conducted as a screen for toxicity in one hundred percent effluent or some other high concentration of effluent. No other effluent concentrations (except the control) are tested until toxicity has been detected in the effluent screening test.

"Hypothesis testing" means the mathematical technique for comparing the average response of the replicates of an effluent concentration to the average response of the control replicates at the end of a toxicity test in order to determine if there is a statistically significant difference in response within a level of certainty such as ninety-five percent or ninety-nine percent. For purposes of this chapter, Fisher's Exact Test is used as a hypothesis test for analyzing survival in the cladoceran survival and reproduction test.

"IC₅₀" (inhibition concentration, fifty percent) means the effluent concentration estimated to cause a fifty percent reduction in a biological function in a toxicity test involving a series of dilutions of effluent.

"LC₅₀" (lethal concentration, fifty percent) means the effluent concentration estimated to cause death in fifty

percent of the test organisms in a toxicity test involving a series of dilutions.

"Multiple species" toxicity testing means conducting separate toxicity tests using different species on the same effluent sample in order to assess its effect on a broad range of organisms such as fish, invertebrates, or plants.

"NOEC" means the "no observed effect concentration" which is the highest concentration of effluent in a toxicity test shown to have no statistically significant adverse effects when compared to an appropriate control.

"Point estimates" are estimates of the concentration of effluent resulting in a specified level of effect and are determined either graphically or statistically from the concentration-response relationship determined from a toxicity test having a series of dilutions.

"Rapid screening test" means a screening toxicity test on one hundred percent effluent or some other high concentration of effluent in order to detect unanticipated increases in toxicity. Examples of rapid screening tests include twenty-four hour EPA acute tests, acute toxicity tests using rotifers produced from cysts, bacterial bioluminescence tests, and two-day life cycle tests with rotifers.

"Reasonable potential" under this chapter means that the department has determined, in accordance with 40 CFR 122.44 (d)(v) and based on a whole effluent toxicity performance standard, that the effluent could cause in-stream toxicity in violation of WAC 173-201A-040(1).

"Species rotation" means the switching to a different toxicity test from the list in a discharge permit for each effluent monitoring sample according to a rotation schedule set by the department.

"Statistically significant" under this chapter means establishing that a difference in response between a control and an effluent concentration is likely due to toxicity and not variability. The statistical technique for making this determination shall be Fisher's Exact Test or a one-tailed hypothesis test specified or approved by the department. These hypothesis tests shall be conducted at the ninety-five percent confidence level although the department may approve tests at the ninety-nine percent confidence level if the statistical power of the test will not be adversely affected.

"Technology-based controls" means methods for the treatment, prevention, or control of pollutants such as best management practices, biological treatment, physical-chemical treatment, use of nontoxic process chemicals, secondary containment for spills, control of site run-on/run-off, equipment maintenance, equipment operation, implementing site-specific pollution prevention plans, and any other technique with the same goals.

"Toxicity identification/reduction evaluation" means the process for determining the effective control of effluent toxicity by identifying the toxicant and/or its source, and developing a method to reduce toxicity by source control or treatment.

"Toxicity test" means a direct measurement of the adverse effect of a substance in a controlled test using living organisms. In the context of this rule, "toxicity test" and "whole effluent toxicity test" are synonymous.

"Whole effluent toxicity" means the total toxic effect of an effluent measured directly with a toxicity test so that the interactions of all toxicants present in the effluent are assessed.

"Whole effluent toxicity performance standard" means a level of effluent toxicity that is consistently so much lower than is necessary to meet state water quality standards (chapter 173-201A WAC) that no reasonable potential exists to violate the water quality standards. For acute toxicity, the performance standard is the median survival in one hundred percent effluent being equal to or greater than eighty percent and no individual test result showing less than sixty-five percent survival in one hundred percent effluent. For chronic toxicity, the performance standard is no chronic toxicity test demonstrating a statistically significant difference in response between the control and a test concentration equal to the acute critical effluent concentration. For permittees that are ineligible for an approved mixing zone, the performance standard will equal or be close to equal (in the case of acute toxicity) the water quality-based effluent toxicity limit.

"Whole effluent toxicity test" means a toxicity test on an effluent.

[Statutory Authority: Chapter 90.48 RCW and 40 CFR 122.44, 93-20-110 (Order 91-54), § 173-205-020, filed 10/6/93, effective 11/6/93.]

WAC 173-205-030 Applicability. The requirements in this chapter shall apply to all NPDES permits issued by the department of ecology (department).

(1) The department shall evaluate all NPDES permit applications in accordance with WAC 173-205-040 to determine if the discharge needs an effluent characterization for toxicity as described in WAC 173-205-050.

(2) In accordance with WAC 173-205-050 and 173-205-130, the department shall describe in the permit the circumstances under which whole effluent toxicity limits will be applied to the discharge in order to meet:

(a) The requirement for all known, available, and reasonable methods of prevention, control, and treatment of toxicants; or

(b) Appropriate water quality standards.

(3) The determination to require or not to require whole effluent toxicity characterization in a permit shall be explained in the fact sheet of the permit prepared pursuant to WAC 173-220-060.

(4) The department may delay effluent characterization for whole effluent toxicity for existing facilities that are under a compliance schedule in a permit, administrative order, or other legally enforceable mechanism to implement technology-based controls or to achieve compliance with water quality-based effluent limits.

(5) The department may require whole effluent toxicity testing or rapid screening testing as a condition of permit application, as a condition of an NPDES permit, or as a regulatory order.

(a) If an effluent characterization for whole effluent toxicity as described in WAC 173-205-050(1) has been conducted as a condition of permit application, then the permit issued in response to that application shall not contain a requirement for effluent characterization provided that all determinations required by this chapter can be made to the department's satisfaction.

(b) If an effluent characterization for whole effluent toxicity which meets the requirements of WAC 173-205-050(1) has been conducted in a previous permit, permit

application, or administrative order, then subsequent permits shall not contain a requirement for effluent characterization provided that all determinations required by this chapter can be made to the department's satisfaction and unless WAC 173-205-060 applies.

(6) The department may conduct or require permittees to conduct toxicity tests on ambient water or may use or require permittees to use ambient water as dilution water in order to facilitate the determination of compliance with WAC 173-201A-100.

(7) A toxicity test conducted on effluent samples taken by parties other than the permittee can be used to make any determination required by this chapter or in a permit issued in accordance with this chapter as long as all appropriate sampling, toxicity testing, and QA/QC requirements specified in the permit have been followed.

(8) The department shall require permittees that have not been assigned a whole effluent toxicity limit because of the determination in WAC 173-205-050 (2)(a), or 173-205-120(1) to conduct as a part of the application for permit renewal at least one toxicity test on a fish, an invertebrate, and any appropriate plant unless the permittee has been monitoring with rapid screening tests required in accordance with WAC 173-205-120(2).

(9) Permittees may conduct any toxicity test using a full dilution series provided that all of the testing and information requirements of this chapter and the permit are met, including using the statistical analysis specified in the permit.

[Statutory Authority: Chapter 90.48 RCW and 40 CFR 122.44, 93-20-110 (Order 91-54), § 173-205-030, filed 10/6/93, effective 11/6/93.]

WAC 173-205-040 Determining the need for effluent characterization. (1) A discharge from a facility is considered to have a risk for aquatic toxicity and to need an effluent characterization for acute and chronic whole effluent toxicity if the facility or discharge meet any of the following criteria:

(a) Uses, stores, produces as a product or waste, or transfers any hazardous substance listed in 40 CFR 302.4 with a statutory code of 1 or 2 (referring to Sections 311 (b)(4) or 307(a) of the Clean Water Act) unless:

(i) The permittee demonstrates to the department's satisfaction that the facility is designed and managed so that these substances are kept physically separated at all times, including spills or any other accidental release, from any part of the wastewater collection, treatment, or discharge system; or

(ii) The amount of any hazardous substance at the facility is never more than the statutory reportable quantity listed in 40 CFR 302.4;

(b) Discharges in its effluent any toxic pollutant listed in Appendix D of 40 CFR Part 122 for which there are no water quality criteria for aquatic life protection listed in 40 CFR 131.36 (b)(1) or WAC 173-201A-040(3);

(c) Belongs to an industry category identified in 40 CFR Part 122, Appendix A;

(d) Is a municipal sewage collection and treatment system which receives a discharge from any industry category identified in 40 CFR Part 403, Appendix C;

(e) Except for permittees with whole effluent toxicity limits or permittees that have no whole effluent toxicity limit

because of the determination in WAC 173-205-120(1), any facility which exceeded the acute or chronic whole effluent toxicity performance standard within the last five years;

(f) Any facility with suspected toxicity because of apparent damage to aquatic biota; or

(g) Any other discharger that the department determines has the potential to discharge toxics in toxic amounts.

(2) The following types of discharges are excluded from requirements for whole effluent toxicity characterization unless subsection (1) of this section applies:

(a) Once-through noncontact cooling water without biocides;

(b) Drinking water treatment plant effluent;

(c) Dewatering of sand or gravel mining operations;

(d) Sump pump discharges of ground water or rain water only;

(e) Construction dewatering;

(f) Discharges from fish hatcheries and other aquaculture;

(g) Seafood processors; or

(h) Any other discharge that the department determines does not have the potential to contain toxics in toxic amounts.

(3) A chronic whole effluent toxicity characterization is not necessary in any permit if the effluent has been or will be characterized for acute whole effluent toxicity and if the discharge receives at least one thousand to one dilution at the edge of a mixing zone assigned in accordance with WAC 173-201A-100.

[Statutory Authority: Chapter 90.48 RCW and 40 CFR 122.44. 93-20-110 (Order 91-54), § 173-205-040, filed 10/6/93, effective 11/6/93.]

WAC 173-205-050 Effluent testing for toxicity. (1)

The department shall require dischargers meeting the risk definition of WAC 173-205-040(1) to characterize the effluent for toxicity during permit application or during the first year of the permit term.

(a) Each effluent sample during effluent characterization shall be tested for toxicity using multiple species which shall at a minimum include a fish, an invertebrate, and, if deemed appropriate by the department, a plant.

(b) The sampling frequency during effluent characterization and compliance monitoring shall be at least twice per year and sampling shall be timed to cover the seasonal extremes of the year such as wet-dry or cold-hot.

(c) The duration of an acute toxicity test performed for effluent characterization or compliance monitoring shall be forty-eight hours for an invertebrate and ninety-six hours for a fish.

(d) For effluent characterization and compliance monitoring, the department shall use toxicity tests published in 40 CFR Part 136, in EPA toxicity test manuals, or those methods approved by the department considering the following criteria:

(i) The existence of a detailed written description of the test method;

(ii) Interlaboratory comparisons of the method;

(iii) Adequate testing with complex wastes such as wastewater;

(iv) Measurement of an effect that is clearly adverse to the production of the species such as reduced survival or growth, abnormal development, or failed reproduction; and

(v) Use of test organisms that represent taxonomic families native to the state.

(e) Toxicity testing for effluent characterization under this section, compliance monitoring as described in WAC 173-205-070, and additional monitoring as described in WAC 173-205-090 or 173-205-120 (2)(d) shall be performed by laboratories accredited by the department for the specific toxicity test in accordance with chapter 173-50 WAC.

(f) Upon request, the department may approve the performance of toxicity tests for effluent characterization or compliance monitoring for publicly owned treatment works discharging less than one-half million gallons per day and small businesses as defined in RCW 43.31.025(4) as effluent screening tests using one hundred percent effluent for the acute toxicity tests and the acute critical effluent concentration for the chronic toxicity tests.

(i) If an acute one hundred percent effluent screening test demonstrates less than eighty percent survival, the test shall be repeated as soon as possible on a fresh sample using the full dilution series test described in the permit or regulatory order.

(ii) The chronic screening tests shall be expected to have no statistically significant difference in response between the acute critical effluent concentration and the control using the method in Appendix H of EPA/600/4-89/001 or an equivalent method approved by the department, or the test shall be repeated as soon as possible on a fresh sample using the full dilution series test described in the permit or regulatory order. The chronic effluent screening tests shall also meet the chronic statistical power standard.

(2) Effluent characterization shall be used to establish:

(a) Whether a reasonable potential under 40 CFR 122.44 (d)(v) for acute or chronic toxicity exists which would require a whole effluent toxicity limit.

(i) If at the end of effluent characterization the median survival in one hundred percent effluent is less than eighty percent, or if any individual test result shows less than sixty-five percent survival in one hundred percent effluent, then a reasonable potential for acute conditions in the receiving water has been demonstrated, and the whole effluent acute toxicity limit described in WAC 173-205-070 shall be applied to the discharge.

(ii) If during effluent characterization any chronic toxicity test using the method in Appendix H of EPA/600/4-89/001 or an equivalent method approved by the department demonstrates a statistically significant difference in response between the control and the acute critical effluent concentration, then a reasonable potential for chronic conditions in the receiving water has been demonstrated, and the whole effluent chronic toxicity limit described in WAC 173-205-070 shall be applied to the discharge.

(iii) If the acute critical effluent concentration is unknown during effluent characterization, all chronic toxicity tests shall determine the NOEC for comparison to the acute critical effluent concentration when it becomes available.

(A) The determination of these NOECs shall comply with the chronic statistical power standard.

(B) If effluent characterization is completed and neither the acute critical effluent concentration nor the chronic

critical effluent concentration is known, then the department may require the permittee to continue the toxicity testing as conducted in effluent characterization except using single species tests rather than multiple species tests.

(b) The permittee shall analyze the toxicity test data during effluent characterization to establish a baseline toxicity level by calculating appropriate point estimates such as the LC_{50} , the IC_{50} , or the EC_{50} .

[Statutory Authority: Chapter 90.48 RCW and 40 CFR 122.44. 93-20-110 (Order 91-54), § 173-205-050, filed 10/6/93, effective 11/6/93.]

WAC 173-205-060 Additional effluent characterizations. (1) A permittee that has not been assigned a whole effluent toxicity limit because of attaining the performance standards described in WAC 173-205-050 (2)(a) or 173-205-120(1) will not be required to conduct a new effluent characterization in accordance with WAC 173-205-050(1) unless the department determines that:

(a) The permittee has made changes to processes, materials, or treatment that could result in an increase in effluent toxicity.

(b) A municipal sewage collection and treatment system has experienced the addition of any new source as defined in 40 CFR 403.3(k) that belongs in any industry category identified in 40 CFR Part 403, Appendix C and cannot demonstrate that the new source is nontoxic or that the pretreatment program and local limits are adequate to control toxicity from the new source.

(c) The average dry weather flow volume has changed by ten percent or more due to changes in plant processes, production changes, or increases in the number of users. Changes in flow volume due to water conservation measures would not indicate a need for a new characterization unless this resulted in a final effluent containing a higher concentration of potentially toxic pollutants.

(2) It is the responsibility of the permittee to demonstrate to the department's satisfaction that no change has occurred to the facility which would cause or increase effluent toxicity.

(a) The permittee must make this demonstration as soon as possible after any change listed in subsection (1) of this section has occurred but under no circumstances later than the time of application for permit renewal.

(b) Toxicity testing by the permittee shall be accepted as a demonstration that such facility changes have not increased effluent toxicity providing that the department has approved the number and types of toxicity tests performed.

(c) The department may accept other demonstrations that toxicity has not increased based on other scientific disciplines such as chemistry.

(3) An increase in effluent toxicity is assumed to have occurred and a new effluent characterization shall be required if toxicity in excess of a performance standard has been demonstrated during:

(a) Toxicity testing conducted in accordance with WAC 173-205-030(8); or

(b) Toxicity testing conducted in response to a rapid screening test as required by WAC 173-205-120 (2)(d).

(4) A permittee does not need a new effluent characterization for acute or chronic toxicity if the discharge is being routinely monitored for compliance with a whole effluent

toxicity limit using species rotation. This determination only applies to the type of toxicity (acute or chronic) covered by the whole effluent toxicity limit.

(5) A permittee may be required to further characterize effluent toxicity if a new toxicity test method has been approved pursuant to WAC 173-205-050 (1)(d) that, in the opinion of the department, should replace one of or supplement an existing toxicity test in the permit because it:

(a) May be more sensitive to effluent toxicity; or

(b) Has a closer ecological or taxonomic relationship to receiving water species.

(6) Only the new toxicity test method is needed for effluent characterization in the case of a new toxicity test being approved.

[Statutory Authority: Chapter 90.48 RCW and 40 CFR 122.44. 93-20-110 (Order 91-54), § 173-205-060, filed 10/6/93, effective 11/6/93.]

WAC 173-205-070 Monitoring for compliance with whole effluent toxicity limits. (1) A discharge is in compliance with the narrative water quality standard for acute toxicity when the most recent acute toxicity test has shown no statistically significant difference in response between the acute critical effluent concentration and a control.

(a) Acute toxicity testing shall be performed using one hundred percent effluent, the acute critical effluent concentration, and a control.

(b) The acute critical effluent concentrations in a whole effluent toxicity test shall be compared to the control using the method in Appendix H of EPA/600/4-89/001 or an equivalent method approved by the department.

(c) If a statistically significant difference in response is determined between the control and the acute critical effluent concentration in an acute toxicity test, then the effluent has failed the test for compliance with the whole effluent acute toxicity limit and the permittee shall immediately begin the process described in WAC 173-205-090.

(d) The compliance test for acute toxicity shall be considered to be a maximum daily discharge permit limitation.

(2) A discharge is in compliance with the narrative water quality standard for chronic toxicity when the most recent chronic toxicity test has shown no statistically significant difference in response between the chronic critical effluent concentration and a control.

(a) Chronic toxicity testing shall be performed using the acute critical effluent concentration, the chronic critical effluent concentration, and a control.

(b) The chronic critical effluent concentrations in a whole effluent toxicity test shall be compared to the control using the method in Appendix H of EPA/600/4-89/001 or an equivalent method approved by the department.

(c) If a statistically significant difference in response is determined between the control and the chronic critical effluent concentration in a chronic toxicity test, then the effluent has failed the test for compliance with the whole effluent chronic toxicity limit and the permittee shall immediately begin the process described in WAC 173-205-090.

(d) The compliance test for chronic toxicity shall be considered to be a maximum daily discharge permit limitation.

(3) During compliance monitoring, the one hundred percent effluent concentration in an acute test and the acute critical effluent concentration in a chronic test shall be performed in order to assess the attainment of the performance standards in accordance with WAC 173-205-120(1).

(4) Toxicity tests conducted for monitoring for compliance with whole effluent toxicity limits shall meet, as appropriate, the acute or chronic statistical power standards. If a whole effluent toxicity test does not meet appropriate statistical power standard, then the effluent shall immediately be resampled and the toxicity test repeated with the number of replicates increased in order to meet the statistical power standard.

(5) The permittee shall provide the department with all information and records required in the permit in order to evaluate toxicity test results to determine their adequacy for effluent characterization, compliance monitoring, effluent screening tests, or rapid screening tests.

(a) The result of the most recent reference toxicant test conducted by the laboratory for that toxicity test method shall accompany each whole effluent toxicity test result.

(b) Every reference toxicant test shall be conducted on a minimum of five dilutions.

(c) The response in all replicates at every effluent concentration and the control shall be reported for all tests analyzed by hypothesis testing so that the department can check for compliance with statistical power standards and for anomalous test results which should not be used for the compliance determinations in this chapter.

[Statutory Authority: Chapter 90.48 RCW and 40 CFR 122.44. 93-20-110 (Order 91-54), § 173-205-070, filed 10/6/93, effective 11/6/93.]

WAC 173-205-080 Samples for whole effluent toxicity testing. (1) All samples taken for whole effluent toxicity testing shall be handled as specified in the permit and in any EPA manuals referenced in the permit.

(a) No attempts shall be made before or during the whole effluent toxicity test to modify the sample to remove or otherwise change any toxicant except as provided in subsection (3) of this section.

(b) Except as provided in subsection (3) of this section, no attempts shall be made before or during the whole effluent toxicity test to adjust the hardness, dissolved oxygen, pH, or any other physical or chemical property of the sample, dilution water, or test solutions except as required in the toxicity test method, in the permit, or in appropriate EPA manuals.

(c) For those permittees who received permits prior to the effective date of this chapter, the department may approve in writing the request of a permittee to modify samples, dilution water, or test solutions as long as such modifications meet the intent of this chapter.

(2) Except as provided in subsection (3) of this section, the department shall require that samples for whole effluent toxicity testing be taken just before the chlorinator for dischargers who meet all of the following:

(a) Add chlorine to treated effluent for the purpose of disinfection;

(b) Have received effluent limits based on the water quality criteria for chlorine; and

(c) Are developing or implementing plans to achieve compliance with the chlorine limits.

(3) If any permittee has begun implementing a plan to install dechlorination, then the sample may, as specified by the department, be chemically dechlorinated by a similar method before whole effluent toxicity testing.

(4) The whole effluent toxicity test shall be run on an unmodified sample of final effluent if the effluent can meet effluent limits based on the water quality criteria for chlorine.

[Statutory Authority: Chapter 90.48 RCW and 40 CFR 122.44. 93-20-110 (Order 91-54), § 173-205-080, filed 10/6/93, effective 11/6/93.]

WAC 173-205-090 Response to noncompliance with whole effluent toxicity limits. (1) If a toxicity test result fails the compliance test described in WAC 173-205-070, then the permittee shall take a new sample as soon as possible for retesting and begin additional monitoring unless the permittee chooses the option in subsection (4) of this section.

(a) If the noncompliance was with an acute toxicity limit, the additional monitoring shall be conducted weekly for four weeks using the same toxicity test as in the failed compliance test or shall be conducted on the next four discharge events in the case of an intermittent discharge.

(b) If the noncompliance was with a chronic toxicity limit, the additional monitoring shall be conducted monthly for three months using the same toxicity test as in the failed compliance test or shall be conducted on the next three discharge events in the case of an intermittent discharge.

(c) This additional monitoring shall be conducted the same as in effluent characterization and shall determine the LC₅₀, IC₅₀, or EC₅₀, as appropriate, and measure compliance with the permit limit.

(d) If the permittee believes that the compliance test failure will be identified by the department as an anomalous test result in accordance with WAC 173-205-070 (5)(c), the permittee may send the department notification with the compliance test result that the compliance test result might be anomalous and that the permittee intends to take only one additional sample for toxicity testing and wait for notification from the department before completing the additional monitoring required in this subsection.

(i) The notification must identify the reason for considering the compliance test result to be anomalous.

(ii) The permittee shall take the additional sample and retest as soon as possible after receiving the compliance test result.

(iii) The additional test result shall replace the compliance test result upon determination by the department that the compliance test result was anomalous.

(iv) The permittee shall complete all of the additional monitoring required by this subsection as soon as possible after notification by the department that the compliance test result was not anomalous.

(v) If the additional sample fails the compliance test, then the permittee shall proceed without delay to complete all of the additional monitoring required by this subsection.

(e) The department may determine any compliance test result to be anomalous regardless of whether it was accompanied by permittee notification that it may be anomalous.

(f) The department may notify a permittee to take another sample for toxicity testing because a compliance test result was anomalous and could not be used to determine compliance in accordance with this section.

(2) Any permittee failing the compliance test for a whole effluent toxicity limit shall take all reasonable actions to achieve compliance including conducting a toxicity identification/reduction evaluation as defined in WAC 173-205-100.

(3) The discharger shall return to the original monitoring frequency after conducting the additional monitoring described in subsection (1) of this section.

(4) The permittee may proceed directly to a toxicity identification/reduction evaluation and not perform the additional testing.

[Statutory Authority: Chapter 90.48 RCW and 40 CFR 122.44. 93-20-110 (Order 91-54), § 173-205-090, filed 10/6/93, effective 11/6/93.]

WAC 173-205-100 Toxicity identification/reduction evaluations. (1) If only the routine compliance monitoring toxicity test which initiated the additional monitoring described in WAC 173-205-090 fails the compliance test, then the toxicity can be considered as transient and the discharger shall:

(a) Search all recent facility records which might explain the transient toxicity (operating records, monitoring results, inspection records, spill reports, weather records, production records, etc.); and

(b) Submit a report to the department on the possible causes and preventive measures for the transient toxicity within thirty days of the last additional sample.

(2) If any toxicity test fails the compliance test described in WAC 173-205-070 during the additional monitoring conducted in accordance with WAC 173-205-090(1), then the permittee shall submit a plan to the department within sixty days of the last additional sample for a toxicity identification/reduction evaluation.

(a) As a part of this plan, the permittee may request that the department allow up to six months before beginning the investigation outlined in the EPA manuals for facility personnel to attempt to control the most likely sources of toxicity through efforts such as changes in plant operation, replacement of a toxic material used in the facility, or improvement of best management practices.

(i) The department shall approve the request in writing.

(ii) The department approval may be sent to the permittee before completion of the review of the toxicity identification/reduction evaluation plan.

(b) The toxicity identification/reduction evaluation plan shall be based on procedures in the latest versions of the EPA guidance documents for conducting toxicity reduction evaluations or toxicity identification evaluations.

(i) The toxicity identification/reduction evaluation plan need not include any procedure from the EPA manuals that is not necessary to the goal of controlling the discharge of whole effluent toxicity by the permittee.

(ii) The department may approve any modifications or additions to the EPA procedures that will improve the ability to identify or reduce toxicity.

(c) The permittee shall submit to the department a toxicity identification/reduction evaluation plan revised in

accordance with department comments within thirty days after receipt of department comments.

(3) The permittee shall implement the toxicity identification/reduction evaluation plan immediately upon notification by the department of plan approval.

(4) The department may allow a reduction in compliance monitoring for whole effluent toxicity limits during a toxicity identification/reduction evaluation if:

(a) Effluent toxicity is being regularly measured and reported to the department; and

(b) The department determines that the toxicity identification/reduction evaluation is being conducted in a timely manner.

[Statutory Authority: Chapter 90.48 RCW and 40 CFR 122.44. 93-20-110 (Order 91-54), § 173-205-100, filed 10/6/93, effective 11/6/93.]

WAC 173-205-110 Interruption of a toxicity identification/reduction evaluation. (1) If, in performing a toxicity identification/reduction evaluation, four consecutive acute or chronic toxicity samples taken over at least one month are not sufficiently toxic to perform the toxicity identification/reduction evaluation, then the department may approve the interruption of the toxicity identification/reduction evaluation and require that:

(a) The permittee returns to the monitoring frequency specified in the permit.

(b) Sufficient sample volume be taken each time to allow the lab to perform both a toxicity test and begin a toxicity identification/reduction evaluation.

(c) The extra sample shall be stored at four degrees Celsius in the dark while the toxicity test is being performed.

(d) A toxicity identification/reduction evaluation shall begin as soon as the whole effluent toxicity test demonstrates noncompliance with the limit.

(e) Samples may be discarded from storage after completion of the toxicity test if the whole effluent toxicity limit was not violated.

(2) If toxicity testing shows compliance with whole effluent toxicity limits for one year after interruption of the toxicity identification/reduction evaluation, then the permittee may cease taking the extra sample.

[Statutory Authority: Chapter 90.48 RCW and 40 CFR 122.44. 93-20-110 (Order 91-54), § 173-205-110, filed 10/6/93, effective 11/6/93.]

WAC 173-205-120 Permit limit removed for attainment of a whole effluent toxicity performance standard.

(1) Whole effluent toxicity limits assigned pursuant to WAC 173-205-050(2) are eligible for removal upon permit renewal if:

(a) The permittee has demonstrated compliance with the whole effluent toxicity performance standard associated with that limit for a minimum of three consecutive test years following effluent characterization or for an entire subsequent permit term; and

(b) The permittee has not made any changes within the last three years which would otherwise require additional effluent characterization pursuant to WAC 173-205-060.

(2) The department may condition the nonassignment of a whole effluent toxicity limit for a permittee that has attained a performance standard described in WAC 173-205-

050 (2)(a), or subsection (1) of this section on routine monitoring with a rapid screening test.

(a) Before making such condition, the department shall consider the potential for treatment system upsets, control equipment failures, spills, accidental releases to the wastewater system, and any other event which could result in a toxic discharge.

(i) Chemical monitoring may be required to assess increases in effluent toxicity if it:

(A) Can account for the potential sources of toxicity; and

(B) Is associated with water quality-based effluent limits or any other permit mechanism that requires a response to increases in effluent toxicity.

(ii) Rapid screening tests shall be required if the department determines there is the potential for an event at the facility which could result in a toxic discharge that would otherwise go unnoticed.

(b) Rapid screening tests for acute toxicity shall be expected to have a maximum mortality proportion of twenty hundredths in one hundred percent effluent.

(i) The mortality proportion shall be calculated by subtracting the number of test organisms living in one hundred percent effluent at the end of the test from the number of test organisms living in the control and dividing the result by the number of test organisms living in the control.

(ii) The one hundred percent effluent test concentration and the control shall have equal numbers of test organisms.

(c) Rapid screening tests for chronic toxicity shall be expected to have no statistically significant difference in response between the acute critical effluent concentration and the control using the method in Appendix H of EPA/600/4-89/001 or an equivalent method approved by the department. Rapid screening tests for chronic toxicity must meet the chronic statistical power standard.

(d) Whenever a rapid screening test result fails to achieve the standard of (b) or (c) of this subsection, the permittee shall be required to immediately retest with all of the acute or chronic toxicity tests used in the last permit with whole effluent toxicity testing.

(e) The results of the acute or chronic toxicity tests conducted in response to a rapid screening test shall be evaluated by the department to determine the need for new whole effluent toxicity characterization requirements in the next permit or the need for immediate administrative orders to implement the regulatory process which begins in WAC 173-205-090.

(f) All rapid screening tests shall be performed by laboratories accredited by the department in accordance with chapter 173-50 WAC.

[Statutory Authority: Chapter 90.48 RCW and 40 CFR 122.44. 93-20-110 (Order 91-54), § 173-205-120, filed 10/6/93, effective 11/6/93.]

WAC 173-205-130 Performance-based limits for acute whole effluent toxicity. (1) In accordance with RCW 90.48.520 and 40 CFR 122.44(e), the department shall evaluate all applications for an NPDES permit to determine whether the applicant is applying all known, available, and reasonable methods of prevention, control, and treatment of toxicants.

(2) The department may place the whole effluent toxicity performance standard for acute toxicity into permits as a limit on a case-by-case basis pursuant to 40 CFR § 125.3 (d)(3).

(a) In determining compliance with an acute whole effluent toxicity limit based on the performance standard, a minimum of three toxicity tests shall be used in calculating the median.

(b) For the first two toxicity tests conducted to determine compliance with the performance standard-based acute whole effluent toxicity limit, compliance shall be determined as a minimum of sixty-five percent survival in one hundred percent effluent.

(3) The department may establish performance-based limits for whole effluent toxicity for an entire category of dischargers. Any such limit applied to an entire category of dischargers shall be accomplished by rule making.

[Statutory Authority: Chapter 90.48 RCW and 40 CFR 122.44. 93-20-110 (Order 91-54), § 173-205-130, filed 10/6/93, effective 11/6/93.]

Chapter 173-208 WAC

GRANT OF AUTHORITY SEWERAGE SYSTEMS

WAC

173-208-010	Authority.
173-208-020	Purpose.
173-208-030	Declaration of policy.
173-208-040	Definitions.
173-208-050	Applications for authorization.
173-208-060	Delegation procedure.
173-208-070	Scope of authorization.
173-208-080	Permits under authorized programs.
173-208-090	Conformity with department rules.
173-208-100	Withdrawal of authorization.
173-208-110	Requirement of program review.
173-208-120	Appeal.

WAC 173-208-010 Authority. RCW 90.48.165 empowers the department of ecology, as successor to the water pollution control commission to grant to any city, town, or municipal corporation operating a sewerage system including treatment facilities the authority to issue permits for the discharge of wastes into such system, provided that the department finds to its satisfaction that the sewerage system and inspection and control program operated and conducted by the city, town, or municipal corporation will protect the public interest in the quality of the state's water as provided in the Water Pollution Control Act, chapter 90.48 RCW. Permits for the discharge of wastes into publicly operated sewerage systems are required for commercial or industrial operations by virtue of RCW 90.48.160.

[Order DE 75-10, § 173-208-010, filed 4/30/75.]

WAC 173-208-020 Purpose. The purpose of this chapter is to set forth the procedures and criteria for the granting of authority for the administration of the permit program of RCW 90.48.160 as it pertains to waste discharges into publicly operated sewerage systems to the governing bodies of cities, towns, and municipal corporations operating such sewerage systems and receiving into them industrial and commercial wastes as hereinafter defined.

[Order DE 75-10, § 173-208-020, filed 4/30/75.]

WAC 173-208-030 Declaration of policy. (1) The department encourages qualified cities, towns, and other municipal corporations to apply for a grant of authority to conduct and operate a permit system for the regulation of commercial and industrial waste discharges into their sewerage systems in accordance with RCW 90.48.165.

(2) The department is committed to the policy of maintaining the highest possible standards of water quality within the state in compliance with the basic aims expressed in RCW 90.48.010 and national policies and goals expressed by the Federal Water Pollution Control Act Amendments of 1972, (FWPCAA). The implementation of a permit issuance program by any city, town, or municipal corporation shall be continuously evaluated by the department for compliance with these policies, aims, and goals.

(3) In compliance with the requirements of the National Pollutant Discharge Elimination System (NPDES), as provided for in the FWPCAA, the department shall maintain its enforcement of compliance of effluent limitation standards upon publicly owned or operated treatment works under their NPDES permits. Under such permit, any municipality granted authority hereunder to administer a permit program as hereinafter defined shall continue to be primarily responsible for its effluent quality according to the terms of such NPDES permit.

[Order DE 75-10, § 173-208-030, filed 4/30/75.]

WAC 173-208-040 Definitions. As used in this chapter:

(1) "Applicant" shall mean that municipality applying to the department for authority to administer the permit program pursuant to RCW 90.48.165.

(2) "Application for authorization" shall mean that application submitted by a municipality seeking permit-issuing authority pursuant to RCW 90.48.165.

(3) "Application to discharge" shall mean that information required from a discharger in acquiring a permit to discharge commercial and industrial wastes into a municipal sewerage system.

(4) "Commercial and industrial wastes" shall mean the wastes, whether solid or liquid, from any commercial or industrial operation, other than domestic sewage.

(5) "Department" shall mean the department of ecology.

(6) "Discharge" shall mean any commercial or industrial operation which results in the disposal of solid or liquid waste material into a sewerage system operated by a municipality which discharges into the public waters of the state.

(7) "Enforcement action" shall mean any administrative or judicial action initiated to achieve compliance with the conditions of a discharge permit, regulations of the department, and water pollution control laws of this state or of the federal government.

(8) "Municipality" shall mean any city, town, or municipal corporation established according to the applicable laws of this state.

(9) "Permit" shall mean the official authorization to dispose of commercial and industrial wastes into waters, to include all regulatory constraints and conditions described therein, issued to a discharger.

(10) "Permit program" shall mean the process of granting or denying by municipalities, authorized as herein

provided, of approval of applications to discharge into the sewerage system of such municipalities, the monitoring and inspection of dischargers, and the taking of appropriate enforcement action.

(11) "Sewerage system" shall mean any system operated by a municipality for the collection, transfer, treatment, and disposal of sewage.

[Order DE 75-10, § 173-208-040, filed 4/30/75.]

WAC 173-208-050 Applications for authorization. No particular form shall be required for an application for authorization. No such decision shall be made on any such application, however, unless the applicant supplies to the department:

(1) A request from the municipality seeking authority to conduct a permit program for the discharge of commercial and industrial wastes into its sewerage system in accordance with state and federal water pollution control laws, regulations, and policies as now exist or are hereafter amended.

(2) A listing of all self-monitoring and reporting procedures to be required, and inspection and other regulatory control criteria and procedures applicant intends to use in administering the permit program.

(3) An estimate of the financial resources the applicant will commit to the permit program on an annual basis and the sources of funding therefor.

(4) A commitment showing the number of personnel who will be assigned to the permit program, either on a full-time or part-time basis, broken down by person-years or person-hours or other appropriate measure of personnel usage, and assurances that such personnel commitment is or will be adequately funded.

(5) An assurance that the background, experience and continuing training of personnel to be assigned to the permit program will be sufficient to achieve and maintain the goals and policies of state and federal water pollution control acts.

(6) A copy of the actual or proposed municipal ordinance or resolution intended for use in establishing and conducting the proposed waste discharge permit system.

(7) An outline of the procedures to be used in processing individual permit applications.

(8) Copies of the application for permit and of the proposed permit format.

(9) A description of enforcement procedures to be followed.

(10) A list of all potential dischargers into the sewerage system which will require permits pursuant to any delegation hereunder.

(11) If the applicant is the recipient of a federal grant for any phase of treatment works construction to be utilized by the discharger, it shall demonstrate to the department that it has adopted a system of charges to assure that each discharger shall pay a proportionate share of the costs of operation and maintenance of any waste treatment services provided by the applicant, and further demonstrate that it has made provision for the payment to the applicant by dischargers of that portion of the cost of construction of such treatment works which is allocable to the treatment of commercial and industrial wastes to the extent attributable to the federal share of the cost of construction.

(12) Any additional information required by the department.

[Order DE 75-10, § 173-208-050, filed 4/30/75.]

WAC 173-208-060 Delegation procedure. (1) Upon receipt of any application for authorization, the department shall review such application, and if necessary, require additional information to make a determination thereon.

(2) Upon notification by the department that all information required by it has been received, the applicant shall twice publish notice of the application for authorization in a newspaper of general circulation in the area to which the request relates, providing thirty days for written comments on the request to be received by the department. Such notice shall be in a form provided by the department. In addition to such publication, a copy of such notice shall be mailed by the applicant to the governing body of each sewer district and of general purpose government, all or a portion of which lies within the jurisdictional boundaries to which the request relates.

(3) After review of the completed application and of comments timely received in response to the notice provided for above, the department shall either deny the request, giving its reasons therefor, find that there is sufficient public interest to warrant holding a public hearing on the application, or issue an order approving the same in whole or in part.

(4) If a public hearing is held upon proper notice, the department shall afford interested parties the opportunity to present their views on the application, and, upon review of all information gathered, shall either deny the application or issue an order approving the same.

(5) Any approval order issued by the department hereunder shall contain conditions and restrictions relative to the administration of the permit program and shall be binding upon the municipality so long as such approval remains in effect. Said approval order may subsequently be altered or amended in whole or in part to reflect changes in applicable laws, regulations, or policies relating to water pollution control. The department shall give the municipality thirty days notice of any contemplated amendments, unless an emergency precludes the giving of such notice, and will invite comments from the municipality.

[Order DE 75-10, § 173-208-060, filed 4/30/75.]

WAC 173-208-070 Scope of authorization. (1) Authority granted hereunder shall be limited to the administration of the permit program within applicant's jurisdictional boundaries as now existing or as hereafter changed.

(2) Grants of authority to municipalities hereunder shall be limited to the conduct of a permit program for the discharge of commercial and industrial wastes into a sewerage system and shall confer no authority to issue permits for the discharge of such wastes into surface or groundwaters of the state. Administration of permit requirements for waste discharges other than commercial and industrial wastes entering a sewerage system, shall remain solely with the department.

(3) No authorization made hereunder shall be construed as limiting or abridging the powers or abrogating the duties required of the department. The department may initiate

appropriate enforcement action against a municipality to whom authority has been granted hereunder, or against any discharger for violations of any requirements of chapter 90.48 RCW, the FWPCA, or regulations thereunder.

[Order DE 75-10, § 173-208-070, filed 4/30/75.]

WAC 173-208-080 Permits under authorized programs. Any municipality to which permit authority has been granted hereunder may use its own application and permit forms when the same have been approved by the department.

[Order DE 75-10, § 173-208-080, filed 4/30/75.]

WAC 173-208-090 Conformity with department rules. (1) It is contemplated that various applicants may present to the department differing regulatory criteria designed to cope with particular local needs and conditions. For the purposes of determining whether an applicant intends to administer the permit program in accordance with applicable state and federal laws, regulations, and policies, the department shall evaluate proposed regulatory criteria on the basis of whether such criteria, if implemented, would be at least as stringent as state or federal requirements.

(2) All implementing ordinances or resolutions shall contain a proviso requiring that the permit program as administered by any municipality be revised, as necessary and to the satisfaction of the department, to conform with any changes in applicable rules and regulations which may be adopted by the department or the federal government subsequent to the effective date of the grant of authority. All amendments of implementing ordinances or resolutions shall be submitted to the department for approval prior to passage.

(3) Any municipality granted authority hereunder to administer a permit program shall adhere to, as a minimum requirement for commercial and industrial dischargers, the state or federal pretreatment standards and regulations, as now exist or are hereafter amended. If necessary to impose more stringent standards in order to meet the effluent limitations contained in its National Pollutant Discharge Elimination System (NPDES) permit, the municipality shall impose and enforce such stricter pretreatment requirements as necessary to meet these limitations pursuant to the authority preserved to the state by section 510 of the FWPCA.

(4) Nothing in this grant of authority shall relieve the municipality of its obligation of compliance with the terms and conditions of its NPDES permit or the requirements of state and federal laws and rules pertaining to water pollution control.

[Order DE 75-10, § 173-208-090, filed 4/30/75.]

WAC 173-208-100 Withdrawal of authorization. Whenever the department shall determine that a municipality to which a grant of authority has been made hereunder is not administering the permit system in accordance with an approval order issued hereunder, state and/or federal water pollution control acts and regulations or the applicable implementing ordinance or resolution of the municipality, the department shall notify such local government and, if

corrective action is not taken within a reasonable time, not to exceed sixty days, the department by order, shall withdraw the authority. Permits issued under this program shall automatically terminate if the authority to issue the same is revoked by the department and the provisions of RCW 90.48.160 shall apply.

[Order DE 75-10, § 173-208-100, filed 4/30/75.]

WAC 173-208-110 Requirement of program review.

It is the objective of the department to place reliance for internal system controls upon any municipality granted authority hereunder and to avoid complex procedures for the measuring and evaluating the effectiveness of a municipal permit system, insofar as is consistent with statutory responsibilities of the department under the provisions of chapter 90.48 RCW. A program review shall be necessary, however, to fulfill those responsibilities and shall be accomplished through the following actions:

(1) The municipality shall immediately provide the department with a copy of each application for discharge, together with a copy of each permit issued thereupon, or notice of denial thereof.

(2) The municipality will devise and submit a quarterly written report to the department within thirty days after the end of each calendar year quarter to reflect the following:

(a) A listing of all permits issued by the municipality during the previous quarter.

(b) A report on the status of compliance by dischargers having permits that incorporate compliance schedules.

(c) A brief narrative covering violations and enforcement actions, if any, occurring during the reporting period, to include specifics as to cause and effect of the violation and preventative measures taken.

(d) Maintain copies of monitoring reports submitted by all permit holders for purposes of inspection by department personnel.

(e) Identification of problem areas or potential problem areas which may be resolved with the assistance of the department.

(3) The municipality and the department shall hold joint staff meetings involving personnel from municipal and department staff no less than semiannually for purposes of discussing functional problems and solutions related to industrial and commercial waste discharge permit systems.

[Order DE 75-10, § 173-208-110, filed 4/30/75.]

WAC 173-208-120 Appeal. Any person aggrieved by a final ruling by a municipality upon an application for a permit or violations of the same under a delegated program may obtain review thereof by filing an appeal, within thirty days, with the pollution control hearings board, pursuant to chapter 43.21B RCW and chapter 371-08 WAC. The defense of any such appeal shall be the responsibility of the municipality.

[Order DE 75-10, § 173-208-120, filed 4/30/75.]

Chapter 173-216 WAC

STATE WASTE DISCHARGE PERMIT PROGRAM

WAC

173-216-010	Purpose.
173-216-020	Policy enunciated.
173-216-030	Definitions.
173-216-040	Authorization required.
173-216-050	Discharges not subject to permits.
173-216-060	Prohibited discharges.
173-216-070	Application for a permit.
173-216-080	Confidentiality of information.
173-216-090	Public notice.
173-216-100	Public hearings.
173-216-110	Permit terms and conditions.
173-216-120	Transfer of a permit.
173-216-125	Monitoring.
173-216-130	Modification, suspension, and revocation of permits.
173-216-140	Relationship with NPDES permits.
173-216-150	Delegation of authority to issue permits for discharges into sewer systems.

WAC 173-216-010 Purpose. (1) The purpose of this chapter is to implement a state permit program, applicable to the discharge of waste materials from industrial, commercial, and municipal operations into ground and surface waters of the state and into municipal sewerage systems. However, this regulation does not apply to the following:

(a) The injection of fluids through wells which are regulated by the Underground injection control program, chapter 173-218 WAC.

(b) The point source discharge of pollutants into navigable waters of the state which are regulated by the National Pollutant Discharge Elimination System (NPDES) Permit Program, chapter 173-220 WAC.

(c) The discharge of pollutants into waters of the state which are regulated by the Waste discharge general permit program, chapter 173-226 WAC.

(2) Permits issued under this chapter are designed to satisfy the requirement for discharge permits under the Water Pollution Control Act, chapter 90.48 RCW and to implement applicable pretreatment requirements under section 307 of the Federal Water Pollution Control Act (33 U.S.C. § 1251 et seq.).

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-216-010, filed 5/5/93, effective 5/19/93. Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-216-010, filed 3/4/86. Statutory Authority: RCW 43.21A.445. 84-06-023 (Order DE 84-02), § 173-216-010, filed 2/29/84. Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-010, filed 11/18/83. Formerly chapter 372-24 WAC.]

WAC 173-216-020 Policy enunciated. (1) It shall be the policy of the department in carrying out the requirements of this chapter, to maintain the highest possible standards to ensure the purity of all waters of the state and to require the use of all known, available and reasonable methods to prevent and control the discharge of wastes into the waters of the state. Notwithstanding that standards of quality established for the waters of the state would not be violated, wastes and other materials shall not be allowed to enter such waters which will reduce the existing quality thereof, except in those situations where it is clear that overriding considerations of public interest will be served.

(2) Consistent with this policy, the discharge of waste materials into municipal sewerage systems which would interfere with, pass through, or otherwise be incompatible with such systems or which would contaminate the sludge will not be permitted.

(3) Consistent with this policy, the department will act to prevent the disposal of wastes that present a risk to human health, including the potential, chronic effects of lifetime exposure to waste materials.

[Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-216-020, filed 3/4/86. Statutory Authority: RCW 43.21A.445. 84-06-023 (Order DE 84-02), § 173-216-020, filed 2/29/84. Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-020, filed 11/18/83.]

WAC 173-216-030 Definitions. For the purposes of this chapter the following definitions shall be applicable:

(1) "Beneficial uses" shall include, but not be limited to, use for domestic water, irrigation, fish, shellfish, game, and other aquatic life, municipal, recreation, industrial water, generation of electric power, and navigation.

(2) "Dangerous wastes" means any discarded, useless, unwanted, or abandoned nonradioactive substances, including but not limited to certain pesticides, or any residues or containers of such substances which are disposed of in such quantity or concentration as to pose a substantial present or potential hazard to human health, wildlife, or the environment because such wastes or constituents or combinations of such wastes:

(a) Have short-lived, toxic properties that may cause death, injury, or illness or have mutagenic, teratogenic, or carcinogenic properties; or

(b) Are corrosive, explosive, flammable, or may generate pressure through decomposition or other means (Hazardous Waste Disposal Act, chapter 70.105 RCW).

(3) "Department" means department of ecology.

(4) "Domestic wastewater" means water carrying human wastes, including kitchen, bath, and laundry wastes from residences, buildings, industrial establishments or other places, together with such ground water infiltration or surface waters as may be present (submission of plans and reports for construction of wastewater facilities, chapter 173-240 WAC).

(5) "Domestic wastewater facility" means all structures, equipment, or processes required to collect, carry away, treat, reclaim, or dispose of domestic wastewater together with such industrial waste as may be present. In case of subsurface sewage treatment and disposal, the term is restricted to mean those facilities treating and disposing of domestic wastewater only from:

(a) A septic tank with subsurface sewage treatment and disposal and an ultimate design capacity exceeding fourteen thousand five hundred gallons per day at any common point; or

(b) A mechanical treatment system or lagoon followed by subsurface disposal with an ultimate design capacity exceeding three thousand five hundred gallons per day at any common point (submission of plans and reports for construction of wastewater facilities, chapter 173-240 WAC).

(6) "FWPCA" means Federal Water Pollution Control Act as amended by 1981 amendment (33 U.S.C. § 466 et seq.).

(7) "General permit" means a permit which covers multiple dischargers within a designated geographical area, in lieu of individual permits being issued to each discharger.

(8) "Industrial wastewater" means water or liquid-carried waste from industrial or commercial processes, as distinct from domestic wastewater. These wastes may result from any process or activity of industry, manufacture, trade or business, from the development of any natural resource, or from animal operations such as feed lots, poultry houses, or dairies. The term includes contaminated stormwater and, also, leachate from solid waste facilities (Submission of plans and reports for construction of wastewater facilities, chapter 173-240 WAC).

(9) "Interfere with" means a discharge by an industrial user which, alone or in conjunction with discharges by other sources, inhibits or disrupts the POTW, its treatment processes or operations, or its sludge processes, use or disposal and which is a cause of a violation of any requirement of the POTW's NPDES permit (including an increase in the magnitude or duration of a violation) or of the prevention of sewage sludge use or disposal by the POTW in accordance with the following statutory provisions and regulations or permits issued thereunder (or more stringent state or local regulations): Section 405 of the FWPCA, the Solid Waste Disposal Act (SWDA) (including Title II, more commonly referred to as the Resource Conservation and Recovery Act (RCRA), and including state regulations contained in any state sludge management plan prepared pursuant to Subtitle D or the SWDA, the Clean Air Act, the Toxic Substances Control Act, and the Marine Protection Research and Sanctuaries Act.

(10) "Municipal sewerage system" or "publicly owned treatment works (POTW)" means a publicly owned domestic wastewater facility or a privately owned domestic wastewater facility that is under contract to a municipality.

(11) "NPDES" means National Pollutant Discharge Elimination System permit program under section 402 of FWPCA.

(12) "New source" means any building, structure, facility, or installation from which there is or may be a discharge, the construction of which commenced; after proposal of Pretreatment Standards under section 307(c) of the FWPCA which are applicable to such sources.

(13) "Pass through" means the discharge of pollutants through a municipal sewerage system into waters of the state in quantities or concentrations which are a cause of or significantly contribute to a violation of any requirement of water quality standards for waters of state of Washington, chapter 173-201 WAC, or of the NPDES or state waste discharge permit, including an increase in the magnitude or duration of a violation (section 307 of FWPCA). Failure to obtain approval of an application for a new or increased discharge or change in the nature of the discharge according to WAC 173-216-110(5) would constitute such a violation.

(14) "Person" includes any political subdivision, local, state or federal government agency, municipality, industry, public or private corporation, partnership, association, firm, individual, or any other entity whatsoever.

(15) "Pretreatment" means the reduction of the amount of pollutants, the elimination of pollutants, or the alteration of the nature of pollutant properties in wastewater prior to or

in lieu of discharging or otherwise introducing such pollutants into a POTW.

(16) "Pretreatment requirements" means any substantive or procedural state, local, or federal requirements or standards developed under chapter 90.48 RCW and sections 307 and/or 402 of the FWPCA.

(17) "Pretreatment standards," "categorical standards," or "standards," means any pollutant discharge limitations, including those developed under section 307(b) and (c) of the FWPCA and implemented through regulations in 40 CFR Subchapter N, that apply to the discharge of nondomestic wastes to POTWs. This term includes prohibitive discharge limits established pursuant to WAC 173-216-060.

(18) "Subsurface sewage treatment and disposal" means the physical, chemical, or biological treatment and disposal of domestic wastewater within the soil profile by placement beneath the soil surface in trenches, beds, seepage pits, mounds, or fills (Submission of plans and reports for construction of wastewater facilities, chapter 173-240 WAC).

(19) "Waste materials" means any discarded, abandoned, unwanted or unrecovered material(s), except the following are not waste materials for the purposes of this chapter:

(a) Discharges into the ground or ground water of return flow, unaltered except for temperature, from a ground water heat pump used for space heating or cooling: *Provided*, That such discharges do not have significant potential, either individually, or collectively, to affect ground water quality or uses.

(b) Discharges of stormwater that is not contaminated or potentially contaminated by industrial or commercial sources.

(20) "Waters of the state" means all lakes, rivers, ponds, streams, inland waters, ground waters, salt waters, and all other waters and water courses within the jurisdiction of the state of Washington.

(21) In the absence of other definitions as set forth herein, the definitions as set forth in 40 CFR Part 403.3 shall be used for circumstances concerning the discharge of waste into sewerage systems.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-216-030, filed 5/5/93, effective 5/19/93. Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-216-030, filed 3/4/86. Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-030, filed 11/18/83.]

WAC 173-216-040 Authorization required. (1) No waste materials may be discharged from any commercial or industrial operation into waters of the state, or into any municipal sewerage system, nor may waste materials be discharged from any municipal sewerage system into waters of the state, except as authorized pursuant to this chapter, chapter 173-220 or 173-226 WAC.

(2) Any person who constructs or modifies or proposes to construct or modify wastewater facilities must first comply with the regulations for submission of plans and reports for construction of wastewater facilities, chapter 173-240 WAC.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-216-040, filed 5/5/93, effective 5/19/93. Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-040, filed 11/18/83.]

WAC 173-216-050 Discharges not subject to permits. (1) The following discharges are not subject to permits under this chapter:

(a) Discharges to municipal sewerage systems of domestic wastewater from residential, commercial, or industrial structures.

(b) Any industrial or commercial discharge to a municipal sewerage system for which authority to issue permits has been granted to the municipality under RCW 90.48.165.

(c) Any industrial or commercial discharge to a municipal sewerage system operating under, and in compliance with, the applicable requirements of a local pretreatment program approved under section 307 of FWPCA and WAC 173-216-150. In the event of noncompliance, this exemption no longer applies and the discharger is immediately subject to enforcement action under chapter 90.48 RCW for discharging without a waste discharge permit.

(d) Discharges to municipal sewerage systems of wastes from industrial or commercial sources whose wastewater is similar in character and strength to normal domestic wastewater: *Provided*, That such discharges do not have the potential to adversely affect performance of the system. Examples of this type of discharge sources may include hotels, restaurants, laundries and food preparation establishments.

(e) Discharges for which an NPDES permit from the department is required pursuant to chapter 173-220 WAC.

(f) Discharges which are otherwise subject to the permit requirements of this chapter but which are covered under a general permit issued pursuant to chapter 173-226 WAC.

(g) Discharges of domestic wastewater from a septic tank with subsurface sewage treatment and disposal and an ultimate design capacity less than or equal to fourteen thousand five hundred gallons per day. These systems are governed by on-site sewage disposal systems, chapter 246-272 WAC which is administered by the Washington state department of health.

(h) Discharges of domestic wastewater from a mechanical treatment system or lagoon followed by subsurface disposal with an ultimate design capacity less than or equal to three thousand five hundred gallons per day. These systems are governed by on-site sewage disposal systems, chapter 246-272 WAC which is administered by the Washington state department of health.

(2) A permit is required for any source subject to pretreatment standards promulgated under section 307 of FWPCA, unless exempted under subsections (1)(b) and (c) of this section.

(3) These exemptions shall not relieve any discharger from the requirement to apply all known, available, and reasonable methods to prevent and control waste discharges to the waters of the state, nor the requirement to obtain approval of plans and reports for the construction of wastewater facilities. Nothing herein shall limit the authority of the department to take enforcement action for any unlawful discharge of waste materials or other violations of the Water Pollution Control Act, chapter 90.48 RCW.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-216-050, filed 5/5/93, effective 5/19/93. Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-216-050, filed 3/4/86. Statutory Authority: Chapter 90.48 RCW. 85-04-006 (Order 84-51), § 173-

216-050, filed 1/25/85. Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-050, filed 11/18/83.]

WAC 173-216-060 Prohibited discharges. (1) The discharge restrictions and prohibitions of dangerous waste regulations, chapter 173-303 WAC shall apply to this chapter.

(2) In addition, the following are prohibited:

(a) The discharge into a municipal sewerage system of substances prohibited from such discharge by section 307 of FWPCA.

(b) All of the following discharges to a municipal sewerage system:

(i) Waste materials that pass through the treatment works untreated or interfere with its operation or performance.

(ii) Any liquids, solids or gases which by reason of their nature or quantity are or may be sufficient either alone or by interaction to cause fire or explosion or be capable of creating a public nuisance or hazard to life or are sufficient to prevent entry into the sewers for their maintenance and repair or be injurious in any other way to the operation of the system or the operating personnel.

(iii) Solid or viscous substances which may cause obstruction to the flow in a sewer or other interference with the operation of the system.

(iv) Any wastewater having a pH less than 5.0 or greater than 11.0 or having any other corrosive property capable of causing damage or hazard to structures, equipment, or personnel of the system, unless the system is specifically designed to accommodate such discharge and the discharge is authorized by a permit under this chapter.

(v) Wastewater which would cause the influent temperature to exceed 40°C (104°F), unless the system is specifically designed to accommodate such discharge and the discharge is authorized by a permit under this chapter. In any case, any wastewater having a temperature which will interfere with the biological activity in the system is prohibited.

(vi) Any waste materials, including oxygen demanding waste materials (BOD, etc.), released in either a slug load or continuous discharge of such volume or strength as to cause interference to the system.

(vii) Any of the following discharges unless approved by the department under extraordinary circumstances, such as lack of direct discharge alternatives due to combined sewer service or need to augment sewage flows due to septic conditions:

(A) Noncontact cooling water in significant volumes.

(B) Stormwater, and other direct inflow sources.

(C) Wastewaters significantly affecting system hydraulic loading, which do not require treatment or would not be afforded a significant degree of treatment by the system.

[Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-216-060, filed 3/4/86. Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-060, filed 11/18/83.]

WAC 173-216-070 Application for a permit. (1) Any person not exempt under WAC 173-216-050, who proposes to discharge waste materials into waters of the state or into a municipal sewerage system, must file an application with the department at least sixty days prior to discharging,

or in the case of an expiring permit, at least sixty days prior to the expiration of the permit.

(2) Applications for permits shall be on forms as prescribed by the department.

(3) The applicant must pay applicable fees pursuant to Wastewater discharge permit fees, chapter 173-224 WAC.

(4) The requirement for a permit application will be satisfied, if the discharger files:

(a) A completed permit application;

(b) When applicable, signature of approval by an authorized representative of the municipal sewerage system; and

(c) Any other information determined as necessary by the department.

(5) The application shall be signed in case of:

(a) Corporations, by a principal executive officer of at least the level of vice-president;

(b) A partnership, by a general partner;

(c) A sole proprietorship, by the proprietor;

(d) A municipal, state, federal, or other public facility, by either a principal executive officer or ranking elected official.

(6) In the case of application by a corporation, the principal executive officer shall personally examine the application and certify its truth, accuracy, and completeness.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-216-070, filed 5/5/93, effective 5/19/93. Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-216-070, filed 3/4/86. Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-070, filed 11/18/83.]

WAC 173-216-080 Confidentiality of information.

(1) Any information submitted pursuant to this chapter may be claimed as confidential by the applicant. Any such claim must be asserted at the time of application or notification by placing the words "confidential business information" or similar words, on each page containing such information. If no claim is made, the department may make the information available to the public without further notice. Claims of confidentiality for the following information will be denied:

(a) Name and address of applicant;

(b) Description of proposal;

(c) Description of proposed receiving waters;

(d) Description of quality and quantity of receiving water; and

(e) Description of project's environmental impacts as provided in the State Environmental Policy Act, chapter 43.21C RCW;

(f) Description of quantity and characteristics of the effluent.

(2) Claims of confidentiality will be handled in accordance with the provisions of Disclosure—Campaign finances—Lobbying—Records, chapter 42.17 RCW, Public records, chapter 173-03 WAC, and Request for certification of records as confidential—Procedure, RCW 43.21A.160.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-080, filed 11/18/83.]

WAC 173-216-090 Public notice. (1) The applicant shall publish notice for each application in such a manner to inform and seek comments from interested and potentially interested persons.

(2) The public notice shall be in a form provided by the department and shall include at least the following:

(a) Name, address, and phone number of the office of the department issuing the public notice;

(b) Name and address of the applicant, and if different, of the facility or activity to be permitted;

(c) Brief description of the applicant's activities or operations which result in the discharge described in the application (e.g. municipal waste treatment plant, steel manufacturing, drainage from mining activities);

(d) A brief description of the discharge point(s);

(e) A statement of any tentative determination to issue or deny a permit for the discharge described in the application;

(f) A brief description of the procedures for the formulation of final determinations, including the thirty-day comment period required by subsection (6) of this section and any other means by which interested persons may influence or comment upon those determinations; and

(g) Address and phone number of the office of the department at which interested persons may obtain further information.

(3) Circulation of public notice shall include at least publishing once each week for two consecutive weeks, at applicants' expense, a public notice in a newspaper of general circulation in the county of the proposal. The department shall also, in the case of a discharge into a municipal sewerage system, notify the municipality of the intent to issue or deny a permit.

(4) The department may require the following additional public notification requirements:

(a) Mailing the notice to persons who have expressed an interest in being notified;

(b) Mailing the notice to other state agencies and local governments with a regulatory interest in the proposal;

(c) Posting the notice on the premises.

(5) The public notification requirements do not apply for permit renewal, if there are no increases in volume or changes in characteristics of discharge beyond those previously authorized.

(6) The public notice shall include a statement that any person may express their views in writing to the department within thirty days of the last date of publication.

(7) Any person submitting written comment or any other person may, upon request, obtain a copy of the department's final decision.

(8) The applicant shall provide the department with an affidavit of publication.

(9) The department shall add the name of any person, upon request, to a mailing list to receive copies of notices for all applications within the state or within a geographical area.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-090, filed 11/18/83.]

WAC 173-216-100 Public hearings. (1) Any interested person may request a public hearing with respect to permit applications for which notice is required pursuant to WAC 173-216-090. Any such request for a public hearing shall be filed within the thirty-day period prescribed in WAC 173-216-090(6) and shall indicate the interest of the

party filing such request and the reasons why a hearing is warranted.

(2) The department shall hold a hearing if it determines there is a significant public interest.

(3) Any hearing held pursuant to this subsection shall be held at a time and place deemed appropriate by the department.

(4) Public notice of any hearing held pursuant to this section shall be circulated at least as widely as was the notice of the application.

(5) Procedures for the circulation of public notice for hearings held shall include at least the following:

(a) Notice shall be published, at the applicant's expense, in at least one newspaper of general circulation within the area of the discharge;

(b) Notice shall be sent to all persons who received a copy of the notice given under WAC 173-216-090;

(c) Notice shall be mailed to any person upon request;

(d) Notice shall be given at least thirty days in advance of the hearing.

(6) The contents of public notice of any hearing held pursuant to this section shall include at least the following:

(a) Name, address, and phone number of the office of the department holding the public hearing;

(b) The purpose of the hearing;

(c) Name and address of the applicant;

(d) A brief description of the point(s) of discharge;

(e) Information regarding the time and location for the hearing;

(f) A brief description of the nature of the hearing;

(g) A concise statement of the issues raised by the persons requesting the hearing, when applicable;

(h) A brief reference to the public notice issued for each application, including identification number and date of issuance; and

(i) Address and phone number of premises at which interested persons may obtain information.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-100, filed 11/18/83.]

WAC 173-216-110 Permit terms and conditions.

(1) Any permit issued by the department shall specify conditions necessary to prevent and control waste discharges into the waters of the state, including the following, whenever applicable:

(a) All known, available, and reasonable methods of prevention, control, and treatment;

(b) Pretreatment requirements;

(c) Requirements pursuant to other laws, including the state's Hazardous Waste Disposal Act, chapter 70.105 RCW, the Solid waste management—Recovery and recycling, chapter 70.95 RCW, the Resource Conservation and Recovery Act of 1976, Public Law 95.190 or any other applicable local ordinances, state, or federal statute, to the extent that they pertain to the prevention or control of waste discharges into the waters of the state;

(d) Any conditions necessary to meet applicable water quality standards for surface waters or to preserve or protect beneficial uses for ground waters;

(e) Requirements necessary to avoid conflict with a plan approved pursuant to section 208(b) of FWPCA;

(f) Any conditions necessary to prevent and control pollutant discharges from plant site runoff, spillage or leaks, sludge or waste disposal, or raw material storage;

(g) Any appropriate monitoring, reporting and record keeping requirements as specified by the department, including applicable requirements under sections 307 and 308 of FWPCA;

(h) Schedules of compliance, including those required under sections 301 and 307 of FWPCA, which shall set forth the shortest reasonable time period to achieve the specified requirements; and

(i) Prohibited discharge requirements as contained in WAC 173-216-060.

(2) The permits shall be for a fixed term, not exceeding five years.

(3) Representatives of the department shall have the right to enter at all reasonable times in or upon any property, public or private, for the purpose of inspecting and investigating conditions relating to the pollution or the possible pollution of any waters of the state. Reasonable times shall include normal business hours, hours during which production, treatment, or discharge occurs, or times when the department suspects a violation requiring immediate inspection. Representatives of the department shall be allowed to have access to, and copy at reasonable cost, any records required to be kept under terms and conditions of the permit, to inspect any monitoring equipment or method required in the permit and to sample the discharge, waste treatment processes, or internal waste streams.

(4) The permittee shall at all times be responsible for the proper operation and maintenance of any facilities or systems of control installed by the permittee to achieve compliance with the terms and conditions of the permit. Where design criteria have been established, the permittee shall not permit flows or waste loadings to exceed approved design criteria or approved revisions thereto.

(5) A new application, or supplement to the previous application, shall be submitted, along with required engineering plans and reports, whenever a new or increased discharge or change in the nature of the discharge is anticipated which is not specifically authorized by the current permit. Such application shall be submitted at least sixty days prior to any proposed changes.

(6) In the event the permittee is unable to comply with any of the permit terms and conditions due to any cause, the permittee shall:

(a) Immediately take action to stop, contain, and cleanup unauthorized discharges or otherwise stop the violation, and correct the problem;

(b) Immediately notify the department of the failure to comply; and

(c) Submit a detailed written report to the department within thirty days, unless requested earlier by the department, describing the nature of the violation, corrective action taken and/or planned, steps to be taken to prevent a recurrence, and any other pertinent information.

(7) In the case of discharge into a municipal sewerage system, the department shall consider in the final permit documents the requirements of the municipality operating the system.

(8) Permits for domestic wastewater facilities shall be issued only to a public entity, except in the following circumstances:

(a) Facilities existing or approved for construction with private operation on or before the effective date of this chapter, until such time as the facility is expanded;

(b) Facilities that serve a single nonresidential, industrial, or commercial establishment. Commercial/industrial complexes serving multiple owners or tenants and multiple residential dwelling facilities such as mobile home parks, apartments, and condominiums are not considered single commercial establishments for the purpose of the preceding sentence.

(c) Facilities that are owned by nonpublic entities and under contract to a public entity shall be issued a joint permit to both the owner and the public entity.

[Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-216-110, filed 3/4/86. Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-110, filed 11/18/83.]

WAC 173-216-120 Transfer of a permit. (1) A permit is automatically transferred to a new owner or operator if:

(a) A written agreement between the old and new owner or operator containing a specific date for transfer of permit responsibility, coverage, and liability is submitted to the department; and

(b) The department does not notify the permittee of the need to modify, or revoke and reissue the permit.

(2) Unless a permit is automatically transferred according to subsection (1) of this section, a permit may be transferred only if modified or revoked and reissued to identify the new permittee and to incorporate such other requirements as determined necessary by the department.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-120, filed 11/18/83.]

WAC 173-216-125 Monitoring. Use of registered or accredited laboratories:

(1) Except as established in subsection (3) of this section, monitoring data submitted to the department in accordance with this chapter shall be prepared by a laboratory accredited under the provisions of chapter 173-50 WAC no later than July 1, 1993, for all state permittees with a permitted average flow rate greater than five million gallons per day.

These requirements are effective and binding on all permittees under the authority of rule, regardless of whether they have been included as conditions of a permit.

(2) Except as established in subsection (3) of this section, monitoring data submitted to the department in accordance with this chapter shall be prepared by a laboratory registered or accredited under the provisions of chapter 173-50 WAC no later than July 1, 1994, for all state permittees not covered under subsection (1) of this section.

These requirements are effective and binding on all permittees under the authority of rule, regardless of whether they have been included as conditions of a permit.

(3) The following parameters need not be accredited or registered:

(a) Flow;

(b) Temperature;
 (c) Settleable solids;
 (d) Conductivity, except that conductivity shall be accredited if the laboratory must otherwise be registered or accredited;

(e) pH, except that pH shall be accredited if the laboratory must otherwise be registered or accredited; and

(f) Parameters which are used solely for internal process control.

[Statutory Authority: RCW 43.21A.230. 93-20-011 (Order 92-53), § 173-216-125, filed 9/22/93, effective 10/23/93; 90-21-090 (Order 90-21), § 173-216-125, filed 10/19/90, effective 11/19/90.]

WAC 173-216-130 Modification, suspension, and revocation of permits. (1) Any permit issued under this chapter can be modified, suspended, or revoked, in whole or in part by the department for the following causes:

- (a) Violation of any permit term or condition;
- (b) Obtaining a permit by misrepresentation or failure to fully disclose all relevant facts;
- (c) A material change in quantity or type of waste disposal;
- (d) A material change in the condition of the waters of the state; or
- (e) Nonpayment of permit fees assessed pursuant to RCW 90.48.610.

(2) The department may modify a permit, including the schedule of compliance or other conditions, if it determines good and valid cause exists, which includes promulgation or revisions of categorical standards.

(3) Any permit issued under this chapter shall remain in effect until terminated in writing by the department, except that continuation of an expired permit (pursuant to RCW 90.48.200), shall terminate upon coverage under a general permit issued pursuant to chapter 173-226 WAC.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-216-130, filed 5/5/93, effective 5/19/93. Statutory Authority: Chapter 43.21A RCW. 88-12-035 (Order 88-8), § 173-216-130, filed 5/26/88, effective 7/1/88; 86-06-040 (Order 86-03), § 173-216-130, filed 3/4/86. Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-130, filed 11/18/83.]

WAC 173-216-140 Relationship with NPDES permits. For a given facility, permit requirements under this chapter and NPDES permit requirements under Water Pollution Control Act, RCW 90.48.260, shall under normal circumstances, be contained in a single permit document.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-216-140, filed 5/5/93, effective 5/19/93. Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-073 (Order DE 83-29), § 173-216-140, filed 11/18/83.]

WAC 173-216-150 Delegation of authority to issue permits for discharges into sewer systems. Qualified cities, towns, and other municipal corporations who administer a local permit program shall fulfill the requirements of chapter 173-208 WAC and 40 CFR Part 403.

[Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-216-150, filed 3/4/86.]

Chapter 173-218 WAC UNDERGROUND INJECTION CONTROL PROGRAM

WAC

173-218-010	Purpose.
173-218-020	Policy enunciated.
173-218-030	Definitions.
173-218-040	Authorization required.
173-218-050	Class I injection wells.
173-218-060	Class II injection wells.
173-218-070	Class III injection wells.
173-218-080	Class IV injection wells.
173-218-090	Class V injection wells.
173-218-100	Permit terms and conditions.
173-218-110	Enforcement.

WAC 173-218-010 Purpose. (1) The purpose of this chapter is to set forth the procedures and practices applicable to the injection of fluids through wells.

(2) Permits issued in accordance with the provisions of this chapter are designed:

(a) To satisfy the intent and requirements of Part C of the Federal Safe Drinking Water Act (SDWA) 42 U.S.C. § 300h et seq. as authorized by RCW 43.21A.445 and of the Water Pollution Control Act, chapter 90.48 RCW; and

(b) To preserve and protect ground waters, including underground sources of drinking water, for existing and future beneficial uses.

[Statutory Authority: RCW 43.21A.445. 84-06-023 (Order DE 84-02), § 173-218-010, filed 2/29/84.]

WAC 173-218-020 Policy enunciated. (1) It shall be the policy of the department of ecology in carrying out the purposes of this chapter:

(a) To maintain the highest possible standards to prevent the injection of fluids that may endanger ground waters which are obtainable for beneficial uses or which contain fewer than 10,000 mg/L of total dissolved solids;

(b) To require the use of all known, available, and reasonable methods to prevent and control the discharge of fluids and waste fluids into the waters of the state;

(c) To protect public health and welfare through preservation and protection of the quality of the state's ground waters.

(2) Consistent with this policy:

(a) The disposal of waste fluids from industrial, commercial, or municipal sources into wells will not be authorized by the department, except that existing operations are authorized providing these operations satisfy the standards and requirements of this chapter;

(b) The department will act to prevent the disposal of waste fluids that present a risk to human health, including the potential, chronic effects of lifetime exposure to waste fluids.

[Statutory Authority: RCW 43.21A.445. 84-06-023 (Order DE 84-02), § 173-218-020, filed 2/29/84.]

WAC 173-218-030 Definitions. (1) "Beneficial uses" shall include, among others, uses for domestic water, irrigation, fish, shellfish, game, and other aquatic life, municipal, recreation, industrial water, generation of electric power, and navigation.

(2) "Class I injection well" means a well used to inject industrial, commercial, or municipal waste fluids beneath the lowermost formation containing, within 1/4-mile of the well bore, an USDW.

(3) "Class II injection well" means a well used to inject fluids:

(a) Brought to the surface in connection with conventional oil or natural gas exploration or production and may be commingled with wastewaters from gas plants which are an integral part of production operations, unless those waters are classified as dangerous wastes at the time of injection;

(b) For enhanced recovery of oil or natural gas; or

(c) For storage of hydrocarbons which are liquid at standard temperature and pressure.

(4) "Class III injection well" means a well used for extraction of minerals, including but not limited to the injection of fluids for:

(a) In-situ production of uranium or other metals that have not been conventionally mined;

(b) Mining of sulfur by Frasch process; or

(c) Solution mining of salts or potash.

(5) "Class IV injection well" means a well used to inject dangerous or radioactive waste fluids.

(6) "Class V injection well" means all injection wells not included in Classes I, II, III, or IV.

(7) "Dangerous waste" means any discarded, useless, unwanted, or abandoned nonradioactive substances, including but not limited to certain pesticides or any residues or containers of such substances, which are disposed of in such quantity or concentration as to pose a substantial present or potential hazard to human health, wildlife, or the environment because such wastes or constituents or combinations of such wastes:

(a) Have short-lived, toxic properties that may cause death, injury, or illness or have mutagenic, teratogenic, or carcinogenic properties; or

(b) Are corrosive, explosive, flammable, or may generate pressure through decomposition or other means (Hazardous Waste Disposal Act, chapter 70.105 RCW).

(8) "Department" means department of ecology.

(9) "Fluid" means any material or substance which flows or moves whether in a semisolid, liquid, sludge, gas, or any other form or state.

(10) "Ground waters" means all waters that exist beneath the land surface or beneath the bed of any stream, lake or reservoir, or other body of surface water within the boundaries of this state, whatever may be the geological formation or structure in which such water stands or flows, percolates, or otherwise moves (Regulation of public ground waters, chapter 90.44 RCW).

(11) "Injection well" means a "well" that is used for the subsurface emplacement of fluids.

(12) "New injection well" means an injection well that is proposed subsequent to the effective date of this chapter.

(13) "Person" includes any political subdivision, local, state, or federal government agency, municipality, industry, public or private corporation, partnership, association, firm, individual, or any other entity whatsoever.

(14) "Radioactive waste" means any waste which contains radioactive material in concentrations which exceed those listed in 10 Code of Federal Regulations Part 20, Appendix B, Table II, Column 2.

(15) "SDWA" means Part C of the Federal Safe Drinking Water Act, 42 U.S.C. § 300f et seq.

(16) "Underground source of drinking water (USDW)" means ground waters which contain fewer than 10,000 mg/L of total dissolved solids or which are obtainable for beneficial uses.

(17) "Waste fluid" means any discarded, abandoned, unwanted, or unrecovered fluid(s), except the following are not waste fluids for the purposes of this chapter:

(a) Discharges into the ground or ground water of return flow, unaltered except for temperature, from a ground water heat pump used for space heating or cooling: *Provided*, That such discharges do not have significant potential, either individually or collectively, to affect ground water quality or beneficial uses;

(b) Discharges of stormwater that are not contaminated or potentially contaminated by industrial or commercial sources.

(18) "Well" means a bored, drilled or driven shaft, or dug hole whose depth is greater than the largest surface dimension.

[Statutory Authority: RCW 43.21A.445. 84-06-023 (Order DE 84-02), § 173-218-030, filed 2/29/84.]

WAC 173-218-040 Authorization required. No fluids may be injected through wells except as authorized pursuant to this chapter.

[Statutory Authority: RCW 43.21A.445. 84-06-023 (Order DE 84-02), § 173-218-040, filed 2/29/84.]

WAC 173-218-050 Class I injection wells. (1) New Class I injection wells are prohibited.

(2) All persons operating an existing Class I injection well operation must apply to the department for approval to operate within one year of the effective date of this chapter.

(3) The department will accept, process, and act upon the application in accordance with applicable requirements as contained in 40 Code of Federal Regulations Parts 124 and 144 as published in Federal Register Volume 48, #64 (April 1, 1983) and Part 146 as published in Federal Register Volume 45, #123 (June 24, 1980), Volume 46, #166 (August 27, 1981) and Volume 47, #23 (February 3, 1982).

[Statutory Authority: RCW 43.21A.445. 84-06-023 (Order DE 84-02), § 173-218-050, filed 2/29/84.]

WAC 173-218-060 Class II injection wells. (1) Any person, who proposes to conduct or is conducting a Class II injection well operation, as defined in WAC 173-218-030 (3)(a), must notify the oil and gas conservation committee (OGCC) in accordance with the provisions of general rules, chapter 344-12 WAC.

(2) The department shall perform review, evaluation, and approval in accordance with the provisions of general rules, chapter 344-12 WAC.

(3) The department shall process a Class II injection well application, as defined in WAC 173-218-030 (3)(a), in accordance with applicable requirements as contained in 40 Code of Federal Regulations Parts 124 and 144 as published in Federal Register Volume 48, #64 (April 1, 1983) and Part 146 as published in Federal Register Volume 45, #123 (June

24, 1980), Volume 46, #166 (August 27, 1981) and Volume 47, #23 (February 3, 1982).

(4) At present, there appears to be no reasonable likelihood that approval will be sought for a Class II injection well for either enhanced recovery of oil or natural gas or for storage of liquid hydrocarbons; therefore, Class II injection wells as defined in 173-218-030 (3)(b) and (3)(c) are not authorized. If it appears likely that approval will be sought for either of these types of injection wells, these regulations will be amended to include an appropriate regulatory program.

[Statutory Authority: RCW 43.21A.445. 84-06-023 (Order DE 84-02), § 173-218-060, filed 2/29/84.]

WAC 173-218-070 Class III injection wells. At present, there appears to be no reasonable likelihood that approval will be sought for a Class III injection well; therefore, Class III injection wells are not authorized. If it appears likely that approval will be sought for a Class III injection well, these regulations will be amended to include an appropriate regulatory program.

[Statutory Authority: RCW 43.21A.445. 84-06-023 (Order DE 84-02), § 173-218-070, filed 2/29/84.]

WAC 173-218-080 Class IV injection wells. Class IV injection wells are prohibited regardless of proximity to USDW.

[Statutory Authority: RCW 43.21A.445. 84-06-023 (Order DE 84-02), § 173-218-080, filed 2/29/84.]

WAC 173-218-090 Class V injection wells. (1) All new Class V injection wells that inject industrial, municipal, or commercial waste fluids into or above an USDW are prohibited.

(2) All persons operating an existing Class V injection well, that inject industrial, commercial, or municipal waste fluids into or above an USDW, must apply to the department for approval to operate within one year of the effective date of this regulation. The department will accept, process, and act upon the application in accordance with the procedures and practices of the State waste discharge permit program, chapter 173-216 WAC.

(3) All other Class V injection well owners and operators must notify the department of the location of injection wells within one year of approval of the state underground injection control program by the United States Environmental Protection Agency. The notification shall be on a form as prescribed by the department and will include the information needed to satisfy the requirements of 40 Code of Federal Regulations Part 146.52.

[Statutory Authority: RCW 43.21A.445. 84-06-023 (Order DE 84-02), § 173-218-090, filed 2/29/84.]

WAC 173-218-100 Permit terms and conditions. (1) Any permit issued by the department shall specify conditions necessary to prevent and control injection of fluids into the waters of the state, including the following, whenever applicable:

(a) All known, available, and reasonable methods of prevention, control, and treatment;

(b) Applicable requirements as contained in 40 Code of Federal Regulations Parts 124 and 144 as published in Federal Register Volume 48, #64 (April 1, 1983) and Part 146 as published in Federal Register Volume 45, #123 (June 24, 1980), Volume 46, #166 (August 27, 1981) and Volume 47, #23 (February 3, 1982); and

(c) Any conditions necessary to preserve and protect USDW.

(2) Any injection well that causes or allows the movement of fluid into an USDW that may result in a violation of any primary drinking water standard under 40 Code of Federal Regulations Part 141 or that may otherwise adversely affect the beneficial use of an USDW is prohibited.

[Statutory Authority: RCW 43.21A.445. 84-06-023 (Order DE 84-02), § 173-218-100, filed 2/29/84.]

WAC 173-218-110 Enforcement. (1) For violations of this chapter, the department shall have the remedies available in the Water Pollution Control Act, chapter 90.48 RCW, and all other applicable statutes.

(2) All injection well operations not operated in accordance with the provisions of this chapter, that cause or tend to cause entry of fluids into the waters of the state as a result of a violation of these provisions, constitutes pollution of the waters of the state in violation of RCW 90.48.080.

[Statutory Authority: RCW 43.21A.445. 84-06-023 (Order DE 84-02), § 173-218-110, filed 2/29/84.]

Chapter 173-220 WAC

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT PROGRAM

WAC

173-220-010	Purpose.
173-220-020	Permit required.
173-220-030	Definitions.
173-220-040	Application for permit.
173-220-050	Public notice.
173-220-060	Fact sheets.
173-220-070	Notice to other government agencies.
173-220-080	Public access to information.
173-220-090	Public hearings.
173-220-100	Public notice of public hearings.
173-220-110	Permit preparation.
173-220-120	Prohibited discharges.
173-220-130	Effluent limitations, water quality standards and other requirements for permits.
173-220-135	Signing of permits.
173-220-140	Schedules of compliance.
173-220-150	Other terms and conditions.
173-220-160	Transmission of issued permit to regional administrator.
173-220-170	Relationship with non-NPDES permits.
173-220-180	Duration and replacement of existing permit.
173-220-190	Modification and revocation of permits.
173-220-200	Transfer of permit.
173-220-210	Monitoring, recording and reporting.
173-220-225	Appeals.
173-220-230	Enforcement.
173-220-240	Relationship of department of ecology to permits issued by the energy facility site evaluation council.

**DISPOSITION OF SECTIONS FORMERLY
CODIFIED IN THIS CHAPTER**

- 173-220-045 General permits. [Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-045, filed 11/1/88. Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-220-045, filed 3/4/86. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-045, filed 12/1/82.] Repealed by 93-10-099 (Order 92-55), filed 5/5/93, effective 5/19/93. Statutory Authority: Chapter 90.48 RCW.
- 173-220-220 Control of disposal of pollutants into wells. [Statutory Authority: Chapter 90.48 RCW. 84-11-024 (Order DE 84-19), § 173-220-220, filed 5/11/84. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-220, filed 12/1/82; Order DE 74-1, § 173-220-220, filed 2/15/74.] Repealed by 88-22-059 (Order 88-9), filed 11/1/88. Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW.

WAC 173-220-010 Purpose. The purpose of this chapter is to establish a state individual permit program, applicable to the discharge of pollutants and other wastes and materials to the surface waters of the state, operating under state law as a part of the National Pollutant Discharge Elimination System (NPDES) created by section 402 of the Federal Water Pollution Control Act (FWPCA). Permits issued under this chapter are designed to satisfy the requirements for discharge permits under both section 402(b) of the FWPCA and chapter 90.48 RCW.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-220-010, filed 5/5/93, effective 5/19/93. Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-010, filed 11/1/88; Order DE 74-1, § 173-220-010, filed 2/15/74.]

WAC 173-220-020 Permit required. No pollutants shall be discharged to any surface water of the state from a point source, except as authorized by an individual permit issued pursuant to this chapter or as authorized by a general permit issued pursuant to chapter 173-226 WAC.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-220-020, filed 5/5/93, effective 5/19/93. Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-020, filed 11/1/88. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-020, filed 12/1/82; Order DE 74-1, § 173-220-020, filed 2/15/74.]

WAC 173-220-030 Definitions. For purposes of this chapter, the following definitions shall be applicable:

(1) "Administrator" means the administrator of the United States Environmental Protection Agency.

(2) "Combined waste treatment facility" means any publicly owned waste treatment facility in which the maximum monthly average influent from any one industrial category, or categories producing similar wastes, constitutes over eighty-five percent of the design load for biochemical oxygen demand or suspended solids. Each single industrial category must contribute a minimum of ten percent of the applicable load.

(3) "Department" means department of ecology.

(4) "Director" means the director of the department of ecology or his/her authorized representative.

(5) "Discharge of pollutant" and the term "discharge of pollutants" each means (a) any addition of any pollutant or combination of pollutants to surface waters of the state from

any point source, (b) any addition of any pollutant or combination of pollutants to the waters of the contiguous zone or the ocean from any point source, other than a vessel or other floating craft which is being used as a means of transportation.

(6) "Discharger" means owner or operator of any facility or activity subject to regulation under the NPDES program.

(7) "Domestic wastewater" means water carrying human wastes, including kitchen, bath, and laundry wastes from residences, buildings, industrial establishments or other places, together with such groundwater infiltration or surface waters as may be present.

(8) "Domestic wastewater facility" means all structures, equipment, or processes required to collect, carry away, treat, reclaim or dispose of domestic wastewater together with such industrial waste as may be present. This term applies only to facilities discharging to surface water.

(9) "Effluent limitation" means any restriction established by the state or administrator on quantities, rates, and concentrations of chemical, physical, biological, and other constituents which are discharged from point sources into surface waters of the state.

(10) "FWPCA" means the Federal Water Pollution Control Act as amended, 33 U.S.C. 1251 et seq.

(11) "General permit" means a permit which covers multiple dischargers of a point source category within a designated geographical area, in lieu of individual permits being issued to each discharger.

(12) "Individual permit" means a permit for a single point source or a single facility.

(13) "Major discharger" means any discharger classified as such by the administrator in conjunction with the director and published in the annual state-EPA agreement.

(14) "Minor discharger" means any discharger not designated as major or covered under a general permit.

(15) "NPDES" means the National Pollutant Discharge Elimination System.

(16) "Permit" means an authorization, license, or equivalent control document issued by the director to implement this chapter.

(17) "Person" includes any political subdivision, local, state, or federal government agency, municipality, industry, public or private corporation, partnership, association, firm, individual, or any other entity whatsoever.

(18) "Point source" means any discernible, confined and discrete conveyance, including but not limited to any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, or vessel or other floating craft, from which pollutants are or may be discharged. This term does not include return flows from irrigated agriculture.

(19) "Pollutant" means dredged spoil, solid waste, incinerator residue, sewage, garbage, sewage sludge, munitions, chemical wastes, biological materials, radioactive materials, heat, wrecked or discarded equipment, rock, sand, cellar dirt and industrial, municipal and agricultural waste discharged into water. This term does not include sewage from vessels within the meaning of section 312 of the FWPCA nor does it include dredged or fill material discharged in accordance with a permit issued under section 404 of the FWPCA.

(20) "Regional administrator" means the regional administrator of Region X of the Environmental Protection Agency (EPA) or his/her authorized representative.

(21) "Surface waters of the state" means all waters defined as "waters of the United States" in 40 CFR 122.2 that are within the boundaries of the state of Washington. This includes lakes, rivers, ponds, streams, inland waters, wetlands, ocean, bays, estuaries, sounds, and inlets.

(22) "Water quality standards" means the state of Washington's water quality standards for surface waters of the state, which are codified in chapter 173-201 WAC.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-220-030, filed 5/5/93, effective 5/19/93. Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-030, filed 11/1/88. Statutory Authority: Chapter 90.48 RCW. 84-11-024 (Order DE 84-19), § 173-220-030, filed 5/11/84. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-030, filed 12/1/82; Order DE 74-1, § 173-220-030, filed 2/15/74.]

WAC 173-220-040 Application for permit. (1) Any person presently discharging pollutants to surface waters of the state must file an application with the department on a form prescribed by the department. For the purpose of satisfying the requirements of this subsection, any completed application filed with the Environmental Protection Agency prior to the approval by the administrator under section 402(b) of the FWPCA of this state permit program shall constitute a filing with the department.

(2) Any person proposing to commence a discharge of pollutants to surface waters of the state must file an application with the department on a form prescribed by the department, (a) no less than one hundred eighty days in advance of the date on which it is desired to commence the discharge of pollutants, or (b) in sufficient time prior to commencement of the discharge of pollutants to insure compliance with the requirements of section 306 of the FWPCA and any other applicable water quality standards or effluent standards and limitations.

(3) The applicant must pay any applicable fees required pursuant to RCW 90.48.610.

(4) The requirement for permit application will be satisfied if the discharger files:

(a) A complete application form which is appropriate for the type, category, or size of discharge per 40 CFR 122.21; or

(b) A complete request for coverage under a general permit; and

(c) Any additional information required by the department pertaining to pollutant discharge.

(5) The application form shall bear a certification of correctness to be signed:

(a) In the case of corporations, by a responsible corporate officer.

(b) In the case of a partnership, by a general partner.

(c) In the case of sole proprietorship, by the proprietor.

(d) In the case of a municipal, state, or other public facility, by either a principal executive officer or ranking elected official.

(6) Applications for permits for domestic wastewater facilities that are either owned or operated by, or under contract to, a public entity shall be submitted by the public entity.

(7) No discharge of pollutants into the surface waters of the state is authorized until such time as a permit has been issued consistent with the terms and conditions of this chapter.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-220-040, filed 5/5/93, effective 5/19/93. Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-040, filed 11/1/88. Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-220-040, filed 3/4/86. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-040, filed 12/1/82; Order DE 74-1, § 173-220-040, filed 2/15/74.]

WAC 173-220-050 Public notice. (1) Public notice of every draft permit determination regarding an individual permit shall be circulated in a manner designed to inform interested and potentially affected persons of the proposed discharge and of the proposed determination to issue or deny a permit for the proposed discharge, as follows:

(a) Notice shall be circulated within the geographical area of the proposed discharge; such circulation may include any or all of the following, as directed by the department:

(i) Posting by the applicant for a period of thirty days in the post office, public library, and public places of the municipality nearest the premises of the applicant in which the effluent source is located;

(ii) Posting by the applicant for a period of thirty days near the entrance of the applicant's premises and nearby places;

(iii) Publishing by the applicant, at his own cost within such time as the director shall prescribe, through a notice form provided by the department, in major local newspapers of general circulation serving the area in which the discharge occurs: *Provided*, That if an applicant fails to publish notice within thirty days of the time prescribed by the director, the department may publish the notice and bill the applicant for the cost of publication;

(iv) Publishing by the applicant of paid advertisements;

(v) Publishing by the department of news releases or newsletter articles.

(b) Notice shall be mailed to any person upon request; and

(c) The department shall add the name of any person upon request to a mailing list to receive copies of notices within the state or within a certain geographical area.

(2) The department shall provide a period of not less than thirty days following the date of the public notice during which time interested persons may submit their written views on a draft permit determination. All written comments submitted during the thirty-day comment period shall be retained by the department and considered in the formulation of its final determination with respect to the application. The period for comment may be extended at the discretion of the department.

(3) The department shall prepare the contents of the public notice, which shall, at a minimum, summarize the following:

(a) Name, address, phone number of agency issuing the public notice;

(b) Name and address of each applicant, and if different, of the facility or activity to be regulated;

(c) Each applicant's activities or operations which result in a discharge (e.g., municipal waste treatment, steel manufacturing, drainage from mining activities);

(d) Name of waterway to which each discharge is made and the location of each discharge on the waterway, indicating whether such discharge is a new or an existing discharge;

(e) The tentative determination to issue or deny a permit for the discharge;

(f) The procedures for the formulation of final determinations, including the thirty-day comment period required by subsection (2) of this section and any other means by which interested persons may comment upon those determinations; and

(g) Address and phone number of state premises at which interested persons may obtain further information.

(4) The department shall provide copies of permit applications, draft permit determinations, and final permits.

(5) The department shall notify the applicant and persons who have submitted written comments or requested notice of the final permit decision. This notification shall include response to comments received and reference to the procedures for contesting the decision.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-220-050, filed 5/5/93, effective 5/19/93. Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-050, filed 11/1/88. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-050, filed 12/1/82; Order DE 76-20, § 173-220-050, filed 5/19/76; Order 74-7, § 173-220-050, filed 5/1/74; Order DE 74-1, § 173-220-050, filed 2/15/74.]

WAC 173-220-060 Fact sheets. (1) The department shall prepare a fact sheet for every draft permit determination. Such fact sheets shall, at a minimum, summarize the following:

(a) The type of facility or activity which is the subject of the application;

(b) The location of the discharge in the form of a sketch or detailed description;

(c) The type and quantity of the discharge, including at least the following:

(i) The rate or frequency of the proposed discharge;

(ii) For thermal discharges, the average summer and winter temperatures; and

(iii) The average discharge in pounds per day, or other appropriate units, of any pollutants which are present in significant quantities or which are subject to limitations or prohibition under RCW 90.48.010, 90.52.040, 90.54.020 and sections 301, 302, 306, or 307 of the FWPCA and regulations published thereunder;

(d) The conditions in the proposed permit;

(e) The legal and technical grounds for the draft permit determination, including an explanation of how conditions meet both the technology-based and water quality-based requirements of the FWPCA and chapters 90.48, 90.52, and 90.54 RCW;

(f) The effluent standards and limitations applied to the proposed discharge;

(g) The applicable water quality standards, including identification of the uses for which receiving waters have been classified;

(h) How the draft permit addresses use or disposal of residual solids generated by wastewater treatment; and

(i) The procedures for the formulation of final determinations (in more detailed form than that given in the public notice) including:

(i) The thirty-day comment period required by WAC 173-220-050(2);

(ii) Procedures for requesting a public hearing and the nature thereof; and

(iii) Any other procedures by which the public may participate in the formulation of the final determinations.

(2) The department shall send a fact sheet to the applicant and, upon request, to any other person.

(3) The department shall add the name of any person upon request to a mailing list to receive copies of fact sheets.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-220-060, filed 5/5/93, effective 5/19/93. Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-060, filed 11/1/88. Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-220-060, filed 3/4/86. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-060, filed 12/1/82; Order DE 74-1, § 173-220-060, filed 2/15/74.]

WAC 173-220-070 Notice to other government agencies. The department shall notify other appropriate government agencies of each draft permit determination and shall provide such agencies an opportunity to submit their written views and recommendations. Such notification shall include the following:

(1) Unless the regional administrator has agreed to waive review, transmission of an application, fact sheet, and draft permit to the regional administrator for comment or objection within thirty days, or a longer period if requested up to a maximum of ninety days.

(2) At the time of issuance of public notice pursuant to WAC 173-220-050, transmission of the public notice to any other states whose waters may be affected by the issuance of a permit. Each affected state shall be afforded an opportunity to submit written recommendations to the department and to the regional administrator which the department may incorporate into the permit if issued. Should the department fail to incorporate any written recommendations thus received, it shall provide to the affected state or states (and to the regional administrator) a written explanation of its reasons for failing to accept any of the written recommendations.

(3) Unless waived by the respective agency, the public notice shall be sent to the appropriate district engineer of the Army Corps of Engineers, the United States Fish and Wildlife Service, the National Marine Fisheries Service, the state departments of fisheries, natural resources, wildlife, and social and health services, the archaeology and historic preservation office, the agency responsible for the preparation of an approved plan pursuant to section 208(b) of the FWPCA, applicable Indian tribes and any other applicable government agencies.

(4) A copy of any written agreement between the department and an agency identified in subsection (3) of this section which waives the receipt of public notices shall be forwarded to the regional administrator and shall be made available to the public for inspection and copying.

(5) Copies of public notices shall be mailed to any other federal, state, or local agency, Indian tribe or any affected country, upon request. Such agencies shall have an opportunity to respond, comment, or request a public hearing pursuant to WAC 173-220-090.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-220-070, filed 5/5/93, effective 5/19/93. Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-070, filed 11/1/88. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-070, filed 12/1/82; Order DE 74-1, § 173-220-070, filed 2/15/74.]

WAC 173-220-080 Public access to information. (1) In accordance with chapter 42.17 RCW, the department shall make records relating to NPDES permits available to the public for inspection and copying.

(2) The department shall protect any information (other than information on the effluent) contained in its NPDES permit records as confidential upon a showing by any person that such information, if made public, would divulge methods or processes entitled to protection as trade secrets of such person.

(3) Any information accorded confidential status, whether or not contained in an application form, shall be disclosed, upon request, to the regional administrator.

(4) The department shall provide facilities for the inspection of information relating to NPDES permits and shall insure that employees honor requests for such inspection promptly without undue requirements or restrictions. The department shall either (a) insure that a machine or device for the copying of papers and documents is available for a reasonable fee, or (b) otherwise provide for or coordinate with copying facilities or services such that requests for copies of nonconfidential documents may be honored promptly.

[Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-080, filed 11/1/88. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-080, filed 12/1/82; Order DE 74-1, § 173-220-080, filed 2/15/74.]

WAC 173-220-090 Public hearings. The applicant, any affected state, any affected interstate agency, any affected country, the regional administrator, or any interested agency or person may request a public hearing with respect to a draft permit determination. Any such request for a public hearing shall be filed within the thirty-day period prescribed in WAC 173-220-050(2) and shall indicate the interest of the party filing such request and the reasons why a hearing is warranted. The department shall hold a hearing if it determines there is a significant public interest. Instances of doubt will be resolved in favor of holding the hearing. Any hearing brought pursuant to this subsection shall be held at a time and place deemed appropriate by the department.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-220-090, filed 5/5/93, effective 5/19/93. Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-090, filed 11/1/88. Statutory Authority: RCW 90.48.010, 90.48.035, and 90.58.260. 83-10-063 (Order DE 83-14), § 173-220-090, filed 5/4/83; Order DE 74-1, § 173-220-090, filed 2/15/74.]

WAC 173-220-100 Public notice of public hearings. (1) The department shall circulate public notice of any hearing held pursuant to WAC 173-220-090 at least as

(1997 Ed.)

widely as was the notice pursuant to WAC 173-220-050. Procedures for the circulation of public notice for hearings held under WAC 173-220-090 shall include at least the following:

(a) Notice shall be published in at least one major local newspaper of general circulation within the geographical area of the discharge;

(b) Notice shall be sent to all persons and government agencies who received a copy of the notice pursuant to WAC 173-220-050 or the fact sheet;

(c) Notice shall be mailed to any person upon request; and

(d) Notice shall be effected pursuant to (a) and (c) of this subsection at least thirty days in advance of the hearing.

(2) The contents of public notice of any hearing held in pursuant to WAC 173-220-090 shall include at least the following:

(a) Name, address, and phone number of agency holding the public hearing;

(b) A reference to the public notice issued pursuant to WAC 173-220-050, including identification number and date of issuance;

(c) The time and location for the hearing;

(d) The purpose of the hearing;

(e) Address and phone number of premises at which interested persons may obtain information;

(f) The nature of the hearing;

(g) The issues raised by the persons requesting the hearing, and any other appropriate issues which may be of interest to the public;

(h) The name and address of each applicant whose proposed discharge will be considered at the hearing;

(i) The name of waterway to which each discharge is made and the location of each discharge on the waterway.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-220-100, filed 5/5/93, effective 5/19/93. Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-100, filed 11/1/88. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-100, filed 12/1/82; Order DE 74-1, § 173-220-100, filed 2/15/74.]

WAC 173-220-110 Permit preparation. The department will prepare tentative staff determinations with respect to a permit application in advance of public notice of the proposed issuance or denial of a permit. Such tentative determinations shall include at least the following:

(1) A proposed determination to issue or deny a permit for the discharge described in the application; and

(2) If the determination is to issue the permit, the following shall be included in a draft permit:

(a) Proposed effluent limitations for those pollutants proposed to be limited;

(b) A proposed schedule of compliance, including interim dates and requirements, for meeting the proposed effluent limitations; and

(c) A brief description of any other proposed special conditions which will have a significant impact upon the discharge described in the application.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-220-110, filed 5/5/93, effective 5/19/93. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-110, filed 12/1/82; Order DE 74-1, § 173-220-110, filed 2/15/74.]

WAC 173-220-120 Prohibited discharges. No permit issued by the department shall authorize any person to:

(1) Discharge any radiological, chemical or biological warfare agent or high-level radioactive waste into surface waters of the state;

(2) Discharge any pollutants which the secretary of the army acting through the chief, corps of engineers, finds would substantially impair anchorage and navigation;

(3) Discharge any pollutant to which the regional administrator, not having waived his/her right to object pursuant to section 402(e) of the FWPCA, has objected in writing pursuant to section 402(d) of the FWPCA;

(4) Discharge from a point source any pollutant which is in conflict with the plan or amendment thereto approved pursuant to section 208(b) of the FWPCA;

(5) Discharge any pollutant subject to a toxic pollutant discharge prohibition under section 307 of FWPCA.

[Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-120, filed 11/1/88. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-120, filed 12/1/82; Order DE 74-1, § 173-220-120, filed 2/15/74.]

WAC 173-220-130 Effluent limitations, water quality standards and other requirements for permits.

(1) Any permit issued by the department shall apply and insure compliance with all of the following, whenever applicable:

(a) All known, available, and reasonable methods of treatment required under RCW 90.52.040, 90.54.020 (3)(b), and 90.48.520; including effluent limitations established under sections 301, 302, 306, and 307 of the FWPCA. The effluent limitations shall not be less stringent than those based upon the treatment facility design efficiency contained in approved engineering plans and reports or approved revisions thereto. The effluent limitations shall reflect any seasonal variation in industrial loading. Modifications to technology-based effluent limitations for specific discharge categories are as follows:

(i) For combined waste treatment facilities, the effluent limitations for biochemical oxygen demand or suspended solids may be adjusted upwards to a maximum allowed by applying effluent limitations pursuant to sections 301 (b)(1)(B) of the FWPCA to the domestic portion of the influent and effluent limitations pursuant to sections 301 (b)(1)(A)(i), 301 (b)(2)(A), and 301 (b)(2)(E) of the FWPCA or standards of performance pursuant to section 306 of the FWPCA to the industrial portion of the influent: *Provided*, That the following additional condition is met:

Fecal coliform levels shall not exceed a monthly geometric mean of 200 organisms per 100 ml with a maximum weekly geometric mean of 400 organisms per 100 ml;

(ii) For municipal water treatment plants located on the Chehalis, Columbia, Cowlitz, Lewis, or Skagit river, the effluent limitations shall be adjusted, in accordance with RCW 90.54.020 (3)(b), to reflect credit for substances removed from the plant intake water if:

(A) The municipality demonstrates that the intake water is drawn from the same body of water into which the discharge is made; and

(B) The municipality demonstrates that no violation of receiving water quality standards or appreciable environmental degradation will result.

(b) Any more stringent limitation, including those necessary to:

(i) Meet water quality standards, treatment standards or schedules of compliance established pursuant to any state law or regulation under authority preserved to the state by section 510 of the FWPCA; or

(ii) Meet any federal law or regulation other than the FWPCA or regulations thereunder; or

(iii) Implement any applicable water quality standards; such limitations to include any legally applicable requirements necessary to implement total maximum daily loads established pursuant to section 303(d) and incorporated in the continuing planning process approved under section 303(e) of the FWPCA and any regulations and guidelines issued pursuant thereto;

(iv) Prevent or control pollutant discharges from plant site runoff, spillage or leaks, sludge or waste disposal, or materials handling or storage; and

(v) Meet the permit by rule provisions of the state dangerous waste regulation, WAC 173-303-802 (4) or (5).

(c) Any more stringent legal applicable requirements necessary to comply with a plan approved pursuant to section 208(b) of the FWPCA; and

(d) Prior to promulgation by the administrator of applicable effluent standards and limitations pursuant to sections 301, 302, 306, and 307 of the FWPCA, such conditions as the department determines are necessary to carry out the provisions of the FWPCA.

(2) In any case where an issued permit applies the effluent standards and limitations described in subsection (1)(a) of this section, the department shall make a finding that any discharge authorized by the permit will not violate applicable water quality standards.

(3) In the application of effluent standards and limitations, water quality standards and other legally applicable requirements pursuant to subsections (1) and (2) of this section, each issued permit shall specify:

(a) For industrial wastewater facilities, average monthly and maximum daily quantitative mass and/or concentration limitations, or other such appropriate limitations for the level of pollutants and the authorized discharge;

(b) For domestic wastewater facilities, average weekly and monthly quantitative concentration and mass limitations, or other such appropriate limitations for the level of pollutants and the authorized discharge; and

(c) If a dilution zone is authorized within which water quality standards are modified, the dimensions of such dilution zone.

[Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-130, filed 11/1/88. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-130, filed 12/1/82; Order DE 74-1, § 173-220-130, filed 2/15/74.]

WAC 173-220-135 Signing of permits. Permits authorized for issuance under chapter 173-220 WAC may be

signed by the director or any person designated in WAC 173-06-030.

[Order DE 74-1, § 173-220-135, filed 2/15/74.]

WAC 173-220-140 Schedules of compliance. (1) The department shall establish schedules and permit conditions as follows to achieve compliance with applicable effluent standards and limitations, water quality standards, and other legally applicable requirements:

(a) With respect to any discharge which is found not to be in compliance with applicable effluent standards and limitations, applicable water quality standards, or other legally applicable requirements listed in WAC 173-220-130, the permittee shall be required to take specific steps to achieve compliance with the following:

Any legally applicable schedule of compliance contained in:

- (i) Section 301 of FWPCA;
- (ii) Applicable effluent standards and limitations;
- (iii) Water quality standards; and
- (iv) Applicable requirements listed in WAC 173-220-130, 173-220-150, and 173-220-210;

(b) Schedules of compliance, shall set forth the shortest, reasonable period of time, to achieve the specified requirements, such period to be consistent with the guidelines and requirements of the FWPCA.

(2) In any case where the period of time for compliance specified in subsection (1)(a) of this section exceeds one year, a schedule of compliance shall be specified in the permit which will set forth interim requirements and the dates for their achievement; however, in no event shall more than one year elapse between interim dates. If the time necessary for completion of the interim requirement (such as construction of a treatment facility) is more than one year and is not readily divided into stages of completion, interim dates shall be specified for the submission of reports of progress toward completion of the interim requirement.

(3) Either before or up to fourteen days following each interim date and the final date of compliance, the permittee shall provide the department with written notice of the permittee's compliance or noncompliance with the interim or final requirement.

(4) On the last day of the months of February, May, August, and November, the department shall transmit to the regional administrator a list of all instances in the previous ninety days of failure or refusal of a major permittee to comply with an interim or final requirement. Such list shall be available to the public for inspection and copying and shall contain at least the following information on each instance of noncompliance:

- (a) Name and address of each noncomplying permittee;
- (b) A short description of each instance of noncompliance (e.g., failure to submit preliminary plans, delay in commencement of construction of treatment facility, failure to notify department of compliance with an interim requirement, etc.)
- (c) A short description of any actions or proposed actions by the permittee or the department to comply or enforce compliance with the interim or final requirement; and

(d) Any details which explain or mitigate an instance of noncompliance with an interim or final requirement.

(5) If a permittee fails or refuses to comply with an interim or final requirement in a permit, such noncompliance shall constitute a violation of the permit for which the department may modify or revoke the permit or take direct enforcement action.

[Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-140, filed 11/1/88. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-140, filed 12/1/82; Order DE 74-1, § 173-220-140, filed 2/15/74.]

WAC 173-220-150 Other terms and conditions. (1) In addition to the requirements of WAC 173-220-130 and 173-220-140, each issued permit shall require that:

(a) All discharges authorized by the permit shall be consistent with the terms and conditions of the permit;

(b) Any facility expansions, production increases or process modifications which would result in new or increased discharges of pollutants causing effluent limitations in the permit to be exceeded must be reported to the department by submission of a new application or supplement thereto; or, if such discharge does not violate effluent limitations specified in the permit, by submission to the department of notice of such new or increased discharges of pollutants;

(c) Any discharge of any pollutant more frequent than or at a level in excess of that identified and authorized by the permit shall constitute a violation of the terms and conditions of the permit;

(d) The permit may be modified or revoked in whole or in part during its terms for cause including, but not limited to, the following:

- (i) Violation of any term or condition of the permit;
- (ii) Obtaining a permit by misrepresentation or failure to disclose fully all relevant facts;
- (iii) A change in any condition that requires either a temporary or permanent reduction or elimination of the permitted discharge;
- (iv) A determination that the permitted activity endangers human health or the environment, or contributes to water quality standards violations;
- (v) Incorporation of an approved local pretreatment program into a municipality's permit;
- (vi) Establishment of a toxic effluent standard or prohibition (including any schedule of compliance specified in such effluent standard or prohibition) under section 307(a) of the FWPCA for a toxic pollutant which is more stringent than any limitation upon such pollutant in the permit;
- (vii) Failure or refusal of the permittee to allow entry as required in RCW 90.48.090; and
- (viii) Nonpayment of permit fees assessed pursuant to RCW 90.48.610.

(e) The permittee shall allow the department or its authorized representative upon the presentation of credentials and at reasonable times:

- (i) To enter upon permittee's premises in which an effluent source is located or in which any records are required to be kept under terms and conditions of the permit, subject to any access restrictions due to the nature of the project;

(ii) To have access to, and copy at reasonable cost, any records required to be kept under terms and conditions of the permit;

(iii) To inspect any monitoring equipment or method required in the permit; and

(iv) To sample any discharge of pollutants.

(f) If the permit is for a discharge from a publicly owned treatment works, the permittee shall provide notice to the department of the following:

(i) Any new introduction of pollutants into such treatment works from a source which would be a new source as defined in section 306 of the FWPCA if such source were discharging pollutants;

(ii) Except as to such categories and classes of point sources or discharges specified by the department, any new introduction of pollutants into such treatment works from a source which would be subject to section 301 of the FWPCA if such source were discharging pollutants;

(iii) Any substantial change in volume or character of pollutants being introduced into such treatment works by a source existing at the time of issuance of the permit.

Such notice shall include information on:

(A) The quality and quantity of effluent to be introduced into such treatment works; and

(B) Any anticipated impact of such change in the quantity or quality of effluent to be discharged from such publicly owned treatment works.

(g) The permittee shall at all times properly operate and maintain any facilities or systems of control installed by the permittee to achieve compliance with the terms and conditions of the permit. Where design criteria have been established, the permittee shall not allow flows or waste loadings to exceed approved design criteria, or approved revisions thereto.

(2) Every permit shall be conditioned to insure that any industrial user of any publicly owned treatment works will comply with sections 204(b), 307, and 308 of the FWPCA.

(3) When deemed necessary by the department, any publicly owned treatment works shall be required to develop a full or partial local pretreatment program as specified in 40 CFR Part 403. Permit conditions for a municipality which has received full local pretreatment program approval shall include:

(a) Granting of authority to issue permits under chapter 173-208 WAC;

(b) A requirement to develop, adopt, and enforce a program that is at least as stringent as the department's program under chapter 173-216 WAC; and

(c) A requirement to report to the department at a specified frequency on the status of its implementation.

(4) Permits for domestic wastewater facilities shall be issued only to a public entity, except in the following circumstances:

(a) Facilities existing or approved for construction with private operation on or before the effective date of this chapter, until such time as the facility is expanded; or

(b) Facilities that serve a single nonresidential, industrial, or commercial establishment. Commercial/industrial complexes serving multiple owners or tenants and multiple residential dwelling facilities such as mobile home parks, apartments, and condominiums are not considered single

commercial establishments for the purpose of the preceding sentence.

(5) For facilities that are owned by nonpublic entities and under contract to a public entity, the permit shall be issued to the public entity.

[Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-150, filed 11/1/88. Statutory Authority: Chapter 43.21A RCW. 88-12-035 (Order 88-8), § 173-220-150, filed 5/26/88, effective 7/1/88; 86-06-040 (Order 86-03), § 173-220-150, filed 3/4/86. Statutory Authority: Chapter 90.48 RCW. 84-11-024 (Order DE 84-19), § 173-220-150, filed 5/11/84. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-150, filed 12/1/82; Order DE 74-1, § 173-220-150, filed 2/15/74.]

WAC 173-220-160 Transmission of issued permit to regional administrator. Immediately following issuance, the department shall transmit a copy of every issued permit along with any and all terms, conditions, requirements, or documents which are a part of such permit or which affect the authorization by the permit of the discharge of pollutants to the regional administrator.

[Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-160, filed 11/1/88. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-160, filed 12/1/82; Order DE 74-1, § 173-220-160, filed 2/15/74.]

WAC 173-220-170 Relationship with non-NPDES permits. Discharges of pollutants or other wastes that require permits from the department under RCW 90.48.160, which are not satisfied through permits issued under this chapter, shall be subject to the permit requirements of RCW 90.48.160, et seq. Except where permits under RCW 90.48.160 are issued by a municipal corporation pursuant to chapter 173-208 WAC, permit requirements under this chapter and permit requirements under RCW 90.48.160 shall be contained in a single permit document.

[Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-170, filed 12/1/82; Order DE 74-1, § 173-220-170, filed 2/15/74.]

WAC 173-220-180 Duration and replacement of existing permit. (1) Permits shall be issued for fixed terms not exceeding five years.

(2) Any permittee shall make application for replacement to an existing permit or continuation of a discharge beyond the expiration date of his/her permit by filing with the department an application for replacement of the permit at least one hundred eighty days prior to its expiration.

(3) The scope and manner of any review of an application for replacement of a permit by the department shall be sufficiently detailed as to insure the following:

(a) That the permittee is in substantial compliance with all of the terms, conditions, requirements and schedules of compliance of the expired permit;

(b) That the department has up-to-date information on the permittee's production levels; permittee's waste treatment practices; nature, content and frequencies of permittee's discharge; either pursuant to the submission of new forms and applications or pursuant to monitoring records and reports resubmitted to the department by the permittee; and

(c) That the discharge is consistent with applicable effluent standards and limitations, water quality standards,

and other legally applicable requirements listed in WAC 173-220-130.

(4) The notice and public participation procedures specified in WAC 173-220-050 through 173-220-100 are applicable to each draft replacement permit.

(5) When a permittee has made timely and sufficient application for the renewal of a permit, an expiring permit remains in effect and enforceable until the application has been denied or a replacement permit has been issued by the department.

(6) Notwithstanding any other provision in this chapter, any point source, the construction of which is commenced after the date of enactment of the Federal Water Pollution Control Act amendments of 1972 and which is so constructed as to meet all applicable standards of performance, shall not be subject insofar as the FWPCA is concerned to any more stringent standard of performance during a ten year period beginning on the date of completion of such construction or during the period of depreciation or amortization of such facility for the purposes of section 167 or 169 (or both) of the Internal Revenue Code of 1954, whichever period ends first.

[Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-180, filed 11/1/88. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-180, filed 12/1/82; Order DE 74-1, § 173-220-180, filed 2/15/74.]

WAC 173-220-190 Modification and revocation of permits. (1) Any permit issued under this chapter can be modified or revoked in whole or in part by the department for cause including, but not limited to, the causes listed in WAC 173-220-150 (1)(d) or when remanded to the department for modification by the pollution control hearings board.

(2) The department may, upon request of the permittee, modify a schedule of compliance or an operating condition in an issued permit if it determines good and valid cause exists for such revision (such as an act of God, strike, flood, materials shortage, or other event over which the permittee has little or no control and for which there is no other reasonably available remedy).

(3) The department shall modify or revoke permits only after public notice and opportunity for public hearing as provided in this chapter in those instances where changes are proposed which lessen the stringency of effluent limitations. In all other instances, the form of public notice and public participation, if any, shall be determined by the department on a case-by-case basis according to the significance of the proposed action.

[Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-190, filed 11/1/88. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-190, filed 12/1/82; Order DE 74-1, § 173-220-190, filed 2/15/74.]

WAC 173-220-200 Transfer of permit. (1) A permit is automatically transferred to a new discharger if:

(a) A written agreement between the old and new discharger containing a specific date for transfer of permit responsibility, coverage, and liability is submitted to the director; and

(b) The director does not notify the old and new discharger of his/her intent to modify, or revoke and reissue

the permit. If this notice is not given, the transfer is effective on the date specified in the agreement mentioned in (a) of this subsection.

(2) Unless a permit is automatically transferred according to subsection (1) of this section, a permit may be transferred only if modified or revoked and reissued to identify the new permittee and incorporate such other requirements as may be necessary.

[Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-200, filed 11/1/88. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-200, filed 12/1/82; Order DE 74-1, § 173-220-200, filed 2/15/74.]

WAC 173-220-210 Monitoring, recording and reporting. (1) Monitoring.

(a) Any discharge authorized by a permit may be subject to such monitoring requirements as may be reasonably required by the department, including the installation, use, and maintenance of monitoring equipment or methods (including, where appropriate, biological monitoring methods). These monitoring requirements would normally include:

(i) Flow (in gallons per day);

(ii) Pollutants (either directly or indirectly through the use of accepted correlation coefficients or equivalent measurements) which are subject to reduction or elimination under the terms and conditions of the permit;

(iii) Pollutants which the department finds could have a significant impact on the quality of surface waters; and

(iv) Pollutants specified by the administrator, in regulations issued pursuant to the FWPCA, as subject to monitoring.

(b) Each effluent flow or pollutant required to be monitored pursuant to (a) of this subsection shall be monitored at intervals sufficiently frequent to yield data which reasonably characterizes the nature of the discharge of the monitored effluent flow or pollutant.

Variable effluent flows and pollutant levels may be monitored at more frequent intervals than relatively constant effluent flows and pollutant levels which may be monitored at less frequent intervals.

(c) Monitoring of intake water, influent to treatment facilities, internal waste streams, and/or receiving waters may be required when determined necessary by the department to verify compliance with net discharge limitations or removal requirements, to verify that proper waste treatment or control practices are being maintained, or to determine the effects of the discharge on the surface waters of the state.

(2) Recording of monitoring activities and results. Any permit which requires monitoring of the authorized discharge shall require that:

(a) The permittee shall maintain records of all information resulting from any monitoring activities required of him in his permit;

(b) Any records of monitoring activities and results shall include for all samples:

(i) The date, exact place, and time of sampling;

(ii) The dates analyses were performed;

(iii) Who performed the analyses;

(iv) The analytical techniques/methods used; and

(v) The results of such analyses; and

(c) The permittee shall be required to retain for a minimum of three years any records of monitoring activities and results including all original strip chart recording for continuous monitoring instrumentation and calibration and maintenance records. This period of retention shall be extended during the course of any unresolved litigation regarding the discharge of pollutants by the permittee or when requested by the department or regional administrator.

(3) Reporting of monitoring results.

(a) The permittee shall periodically report (at a frequency of not less than once per year) on the proper reporting form, the monitoring results obtained pursuant to monitoring requirements in a permit. In addition to the required reporting form, the department at its discretion may require submission of such other results as it determines to be necessary.

(b) Monitoring reports shall be signed by:

(i) In the case of corporations, by a responsible corporate officer or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which the discharge originates.

(ii) In the case of a partnership, by a general partner.

(iii) In the case of a sole proprietorship, by the proprietor.

(iv) In the case of a municipal, state or other public facility, by either a principal executive officer, ranking elected official, or other duly authorized employee.

(4) Use of registered or accredited laboratories:

(a) Except as established in (c) of this subsection, monitoring data submitted to the department in accordance with this chapter shall be prepared by a laboratory accredited under the provisions of chapter 173-50 WAC no later than indicated by the appropriate date below:

July 1, 1992, major dischargers;

July 1, 1993, all permittees with a permitted average flow rate greater than five million gallons per day.

These requirements are effective and binding on all permittees under the authority of rule, regardless of whether they have been included as conditions of a permit.

(b) Except as established in (c) of this subsection, monitoring data submitted to the department in accordance with this chapter shall be prepared by a laboratory registered or accredited under the provisions of chapter 173-50 WAC no later than July 1, 1994, for all NPDES permittees not covered under (a) of this subsection.

These requirements are effective and binding on all permittees under the authority of rule, regardless of whether they have been included as conditions of a permit.

(c) The following parameters need not be accredited or registered:

(i) Flow;

(ii) Temperature;

(iii) Settleable solids;

(iv) Conductivity, except that conductivity shall be accredited if the laboratory must otherwise be registered or accredited;

(v) pH, except that pH shall be accredited if the laboratory must otherwise be registered or accredited; and

(vi) Parameters which are used solely for internal process control.

[Statutory Authority: RCW 43.21A.230, 93-20-011 (Order 92-53), § 173-220-210, filed 9/22/93, effective 10/23/93; 90-21-090 (Order 90-21), § 173-

[Title 173 WAC—page 420]

220-210, filed 10/19/90, effective 11/19/90. Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-210, filed 11/1/88. Statutory Authority: Chapter 90.48 RCW. 84-11-024 (Order DE 84-19), § 173-220-210, filed 5/11/84. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-210, filed 12/1/82; Order DE 74-1, § 173-220-210, filed 2/15/74.]

WAC 173-220-225 Appeals. Individual permits are subject to appeals as specified in chapter 43.21B RCW.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-220-225, filed 5/5/93, effective 5/19/93. Statutory Authority: RCW 90.54.020 and chapter 90.48 RCW. 88-22-059 (Order 88-9), § 173-220-225, filed 11/1/88. Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-225, filed 12/1/82.]

WAC 173-220-230 Enforcement. (1) The department, with the assistance of the attorney general, may sue in courts of competent jurisdiction to enjoin any threatened or continuing violations of any permits or conditions thereof without the necessity of a prior revocation of the permit;

(2) The department may enter any premises in which an effluent source is located or in which records are required to be kept under terms or conditions of a permit, and otherwise be able to investigate, inspect, or monitor any suspected violations of water quality standards, or effluent standards and limitations, or of permits or terms or conditions thereof;

(3) The department may assess or, with the assistance of the attorney general, sue to recover in court, such civil fines, penalties, and other civil relief as may be appropriate for the violation by any person of (a) any effluent standards and limitations or water quality standards, (b) any permit or term or condition thereof, (c) any filing requirements, (d) any duty to permit or carry out inspection, entry, or monitoring activities, or (e) any rules, regulations, or orders issued by the department.

(4) The department may request the prosecuting attorney to seek criminal sanctions for the violation by such persons of (a) any effluent standards and limitations or water quality standards, (b) any permit or term or condition thereof, (c) any filing requirements.

(5) The department, with the assistance of the prosecuting attorney, may seek criminal sanctions against any person who knowingly makes any false statement, representation, or certification in any form or any notice or report required by the terms and conditions of any issued permit or knowingly renders inaccurate any monitoring device or method required to be maintained by the department.

[Order DE 74-1, § 173-220-230, filed 2/15/74.]

WAC 173-220-240 Relationship of department of ecology to permits issued by the energy facility site evaluation council. (1) The energy facility site evaluation council (EFSEC) shall be the state agency to receive applications for, issue, and modify permits for energy facilities subject to chapter 80.50 RCW. Processing of such applications shall be controlled by chapter 463-38 WAC. Application for issuance and modification of permits for all other energy facilities shall be the responsibility of the department.

(2) Monitoring, recording, and reporting activities required of operators of all energy facilities by the terms of

a permit issued by EFSEC shall be supervised and enforced by the department.

(3) The department shall carry on an inspection program for the periodic inspection (to be performed not less than once every year) of discharges of pollutants from energy facilities authorized by a permit issued by EFSEC. Such inspections shall determine compliance or noncompliance with issued permits and, in particular, compliance or non-compliance with specific effluent limitations and schedules of compliance in such permits.

(4) The department shall carry on a surveillance program with respect to energy facility discharges for the random sampling and analysis of the discharge for the purpose of identifying occasional and continuing violations of permit conditions and the accuracy of information submitted by permittees in reporting forms.

(5) Enforcement activities regarding the NPDES program, including the levying of civil and criminal fines pertaining to all thermal power plants, whether the permit is issued by the department or EFSEC, shall be undertaken by the department, EFSEC, the attorney general, or the prosecuting attorney, as appropriate.

(6) Nothing in this section shall authorize the department to undertake enforcement or monitoring activities in a manner not consistent with the terms and conditions of any EFSEC-issued NPDES permit.

[Statutory Authority: RCW 90.48.035 and 90.48.260. 82-24-078 (Order DE 82-39), § 173-220-240, filed 12/1/82; Order DE 74-1, § 173-220-240, filed 2/15/74.]

Chapter 173-221 WAC

DISCHARGE STANDARDS AND EFFLUENT LIMITATIONS FOR DOMESTIC WASTEWATER FACILITIES

WAC

173-221-010	Purpose and scope.
173-221-020	Policy.
173-221-030	Definitions.
173-221-040	Domestic wastewater facility discharge standards.
173-221-050	Alternative domestic wastewater facility discharge standards and effluent limitations.
173-221-100	Severability.

WAC 173-221-010 Purpose and scope. (1) The purpose of this chapter is to implement RCW 43.21A.010, 90.48.010, and 90.52.040 by setting discharge standards which represent "all known, available, and reasonable methods" of prevention, control, and treatment for domestic wastewater facilities which discharge to waters of the state. This chapter supplements WAC 173-220-130. Guidelines or policies of the department not included in this chapter are not affected by this chapter, except that if such guidelines or policies are in conflict, the requirements of this chapter shall take precedence.

(2) This chapter also supplements 40 CFR Part 133; Secondary Treatment Regulation. Wherever this chapter is more stringent than the federal regulation, the requirements of this chapter shall take precedence.

[Statutory Authority: RCW 90.48.035 and 90.48.260. 87-23-020 (Order 87-26), § 173-221-010, filed 11/12/87.]

WAC 173-221-020 Policy. Waters of the state shall be of the highest possible quality. Regardless of the quality of the waters of the state, all wastes and other materials and substances proposed for discharge into said waters shall be provided with all known, available, and reasonable methods of treatment prior to discharge. Even though standards of quality established for the waters of the state would not be violated, wastes and other materials and substances shall not be allowed to enter such waters which will reduce the existing quality thereof, except (1) in those situations where it is clear that overriding considerations of the public interest will be served, and (2) they receive all known, available, and reasonable methods of treatment prior to discharge.

[Statutory Authority: RCW 90.48.035 and 90.48.260. 87-23-020 (Order 87-26), § 173-221-020, filed 11/12/87.]

WAC 173-221-030 Definitions. As used in this chapter, unless the context indicates otherwise:

(1) "Seven-day average" means the arithmetic mean of pollutant parameter values for samples collected in a period of seven consecutive days. The department may use pollutant parameter values for samples collected in a calendar week for determining compliance with permit conditions.

(2) "Thirty-day average" means the arithmetic mean of pollutant parameter values for samples collected in a period of thirty consecutive days. The department may use pollutant parameter values for samples collected in a calendar month for determining compliance with permit conditions.

(3) "BOD" means five-day biochemical oxygen demand.

(4) "CBOD" means five-day carbonaceous biochemical oxygen demand.

(5) "Combined sewer" means a sewer which has been designed to serve as a sanitary sewer and a storm sewer, and into which inflow is allowed by local ordinance.

(6) "Department" means the Washington department of ecology.

(7) "Director" means the director of the Washington department of ecology.

(8) "Discharge standard" means a minimum performance requirement established in regulation by the department. Effluent limitations for a pollutant parameter shall not be less stringent than the applicable discharge standard.

(9) "Domestic wastewater" means water carrying human wastes, including kitchen, bath, and laundry wastes from residences, buildings, industrial establishments, or other places, together with such ground water infiltration or surface waters as may be present.

(10) "Domestic wastewater facility" means all structures, equipment, or processes required to collect, carry away, treat, reclaim, or dispose of domestic wastewater together with such industrial waste as may be present. In the case of subsurface sewage treatment and disposal, the term is restricted to mean those facilities treating and disposing of domestic wastewater only from:

(a) A septic tank system with subsurface sewage treatment and disposal and an ultimate design capacity exceeding fourteen thousand five hundred gallons per day at any common point; or

(b) A mechanical treatment system or lagoon followed by subsurface disposal with an ultimate design capacity

exceeding three thousand five hundred gallons per day at any common point.

Where the proposed system utilizing subsurface disposal has received a state construction grant or a federal construction grant under the Federal Water Pollution Control Act as amended, such system is a "domestic wastewater facility" regardless of size.

(11) "Effluent concentrations consistently achievable through proper operation and maintenance" means:

(a) For a given pollutant parameter, the 95th percentile value for the thirty-day average effluent quality achieved by a wastewater facility in a period of at least twenty-four consecutive months, excluding values attributable to equipment failures, operational errors, overloading, and other unusual conditions; and

(b) A seven-day average value equal to 1.5 times the value derived under (a) of this subsection.

(12) "Effluent limitation" means any restriction, prohibition, or specification established by the department in a permit or administrative order on:

(a) Quantities, rates, percent removals, and/or concentrations of physical, chemical, or biological characteristics of wastes which are discharged into waters of the state; and

(b) Management practices relevant to the prevention or control of such waste discharges.

Effluent limitations shall be derived from discharge standards and other relevant factors identified in chapter 173-220 WAC.

(13) "Expansion" means the construction of additional treatment units to accommodate hydraulic flow and/or pollutant load for the purpose of increasing the existing design capacity of the wastewater facility.

(14) "Fecal coliform" means the group of coliform bacteria which originate in the intestinal tract of warm-blooded animals.

(15) "Industrial wastewater" means the water or liquid carried wastes from industrial or commercial processes as distinct from domestic wastewater. These wastes may result from any process or activity of industry, manufacture, trade, or business, from the development of any natural resource, or from animal operations such as feedlots, poultry houses, or dairies. The term includes contaminated stormwater and also leachate from solid waste facilities.

(16) "Infiltration" means the addition of ground water into a sewer through joints, the sewer pipe material, cracks, and other defects.

(17) "Inflow" means the addition of rainfall-caused surface water drainage from roof drains, yard drains, basement drains, street catch basins, etc., into a sewer.

(18) "Interfere with" means a discharge by an industrial user which, alone or in conjunction with discharges by other sources, inhibits or disrupts the domestic wastewater facility, its treatment processes or operations, or its sludge processes, use or disposal and which is a cause of a violation of any requirement of the domestic wastewater facility's permit (including an increase in the magnitude or duration of a violation) or of the prevention of sewage sludge use or disposal by the domestic wastewater facility in accordance with the following statutory provisions and regulations or permits issued thereunder (or more stringent state or local regulations): Section 405 of the Federal Water Pollution Control Act, the Solid Waste Disposal Act (SWDA) (includ-

ing Title II, more commonly referred to as the Resource Conservation and Recovery Act (RCRA)), and including state regulations contained in any state sludge management plan prepared pursuant to Subtitle D or the SWDA, the Clean Air Act, the Toxic Substances Control Act, and the Marine Protection Research and Sanctuaries Act.

(19) "Permittee" means the entity to which the department issues a permit.

(20) "pH" means the negative logarithm of the hydrogen ion concentration.

(21) "Sanitary sewer" means a sewer which is designed to convey domestic wastewater and infiltration.

(22) "State" means the state of Washington.

(23) "Trickling filter" means a fixed growth biological treatment system in which wastewater is sprayed over the top surface of a column of rock or synthetic media. This definition does not include fixed growth biological systems which have a supplemental biological treatment system, other than a waste stabilization pond(s), for the principal wastewater stream.

(24) "TSS" means total suspended solids.

(25) "TSS concentrations achievable with waste stabilization ponds" means a TSS value, determined by the department, which is equal to the effluent concentrations achieved ninety percent of the time within the state or appropriate contiguous geographical area by waste stabilization ponds that are achieving the levels of effluent quality for BOD specified in WAC 173-221-050 (2)(a).

(26) "Waste stabilization pond" means basins built by excavating the ground and by diking for the purpose of treating wastewater under conditions that favor natural biological treatment and accompanying bacterial reduction. This includes domestic wastewater facilities which are classified as stabilization ponds, or aerated lagoons per the department's Criteria for Sewage Works Design.

(27) "Wastewater facility" means all structures and equipment required to collect, transport, treat, reclaim, or dispose of domestic, industrial, or combined domestic/industrial wastewaters.

(28) "Waters of the state" means all lakes, rivers, ponds, streams, inland waters, ground waters, salt waters, and all other waters and watercourses within the jurisdiction of the state of Washington.

(29) "Water quality standards" means the standards set forth in chapter 173-201 WAC.

(30) "Wet weather" means the time during and immediately following rainfall events which cause large quantities of inflow.

[Statutory Authority: RCW 90.48.035 and 90.48.260. 87-23-020 (Order 87-26), § 173-221-030, filed 11/12/87.]

WAC 173-221-040 Domestic wastewater facility discharge standards. (1) Except as allowed under WAC 173-221-050, domestic wastewater facilities which discharge to surface waters shall not exceed a thirty-day average of 30 milligrams per liter (mg/L) BOD, 30 mg/L TSS. Seven-day averages shall not exceed 45 mg/L BOD, 45 mg/L TSS. Additionally, the thirty-day average percent removals of BOD and TSS shall not be less than eight-five percent of influent concentrations.

(2) Fecal coliform limits shall not exceed a monthly geometric mean of 200 organisms/100 milliliters (mL), and a weekly geometric mean of 400 organisms per 100 mL.

(3) The effluent pH value shall be between 6.0 and 9.0 standard units unless the permittee demonstrates that:

(a) Inorganic chemicals are not added to the waste stream as part of the treatment process; and

(b) Contributions from industrial sources do not cause the pH of the effluent to be less than 6.0 or greater than 9.0; and

(c) The discharge does not cause water quality violations outside of an approved dilution zone.

[Statutory Authority: RCW 90.48.035 and 90.48.260. 87-23-020 (Order 87-26), § 173-221-040, filed 11/12/87.]

WAC 173-221-050 Alternative domestic wastewater facility discharge standards and effluent limitations. (1) Alternative discharge standards for trickling filters which were constructed and/or expanded prior to November 1984 are:

(a) Up to a thirty-day average of 45 mg/L BOD, 45 mg/L TSS. Seven-day averages shall not exceed 65 mg/L BOD, 65 mg/L TSS. In addition, the thirty-day average percent removals of BOD and TSS shall not be less than sixty-five percent of influent concentrations;

(b) Notwithstanding (a) of this subsection, not any less stringent than "effluent concentrations consistently achievable through proper operation and maintenance" of the wastewater facility based on an analysis of the past performance, the design, and the design capacity of the wastewater facility;

(c) Fecal coliform and pH discharge standards are as established in WAC 173-221-040.

(2) Alternative discharge standards for waste stabilization ponds which are the principal treatment process and which either have less than a two million gallon per day design capacity or have received, prior to the effective date of this regulation, the department's approval under chapter 173-240 WAC, for a greater design capacity, are:

(a) Up to a thirty-day average of 45 mg/L BOD, 45 mg/L TSS. Seven-day averages shall not exceed 65 mg/L BOD, 65 mg/L TSS. Additionally, the thirty-day average percent BOD removal shall not be less than sixty-five percent of influent concentrations.

(b) The discharge standards for TSS in (a) of this subsection may be adjusted by the department to conform to the "TSS concentrations achievable with waste stabilization ponds," provided that operation and maintenance data indicate that the TSS values specified in (a) of this subsection cannot be achieved.

(c) Notwithstanding (a) and (b) of this subsection, not any less stringent than "effluent concentrations consistently achievable through proper operation and maintenance" of the wastewater facility based upon an analysis of the past performance.

(d) Fecal coliform and pH discharge standards shall be as established in WAC 173-221-040.

(3) For domestic wastewater facilities which receive flows from combined sewers, the department shall decide on a case-by-case basis whether any attainable percent removal can be defined during wet weather. If it can be defined, the department will set an alternative percent removal effluent

limitation for the wet weather period. A permittee who requests such alternative limits shall submit supporting documentation to the department.

(4)(a) For domestic wastewater facilities which receive less concentrated influent wastewater, permittees can request and submit supporting documentation for:

(i) A lower percent removal effluent limitation than the discharge standards set forth in WAC 173-221-040, or subsections (1) and (2) of this section; or

(ii) A mass loading limit based upon the lower percent removal.

(b) To qualify for alternative effluent limitations because of less concentrated influent wastewater, the permittee must demonstrate:

(i) The wastewater facility is consistently achieving, and/or will consistently achieve, the effluent concentration limits and mass limits based upon the effluent concentrations in its permit; and

(ii) That to meet the percentage removal requirements set forth in WAC 173-221-040 or subsections (1) and (2) of this section, the wastewater facility would have to achieve an effluent concentration at least 5 mg/L below the effluent concentration which is otherwise required; and

(iii) The less concentrated influent is not the result of excessive infiltration and/or inflow. The department will use federal regulations and guidance in defining excessive infiltration and inflow; and

(iv) The development and implementation of a program, subject to the department's approval, for ongoing wastewater facility maintenance, repair, and replacement, including infiltration and inflow control. A goal of the program shall be eventual achievement of the percent removal requirements specified in WAC 173-221-040 and subsection (1) or (2) of this section, whichever is applicable. The department shall incorporate the approved infiltration and inflow control program into the permit for the wastewater facility.

(5) Subject to the department's approval, a request for alternative effluent limitations pursuant to subsections (1) through (4) of this section must meet all of the following conditions:

(a) The effluent shall not cause water quality violations; and

(b) The permittee shall identify effluent concentrations consistently achievable through proper operation and maintenance; and

(c) The permittee shall demonstrate that industrial wastewater does not interfere with the domestic wastewater facility; and

(d) The wastewater facility must be within department approved hydraulic and organic design capacity; and

(e) The permittee must complete an analysis of whether seasonal alternative effluent limits are more appropriate than year-round; and

(f) The wastewater facility must be able to meet all other permit requirements and conditions.

(6)(a) At the option of the department, in lieu of the parameter BOD and the levels of the BOD effluent quality specified in WAC 173-221-040, the parameter CBOD may be substituted as an effluent limitation with the following levels of the CBOD effluent quality provided: The thirty-day average shall not exceed 25 mg/L. The seven-day average shall not exceed 40 mg/L. Additionally, the thirty-

day average percent removal shall not be less than eighty-five percent of the influent concentration.

(b) At the option of the department, in lieu of the parameter BOD and the levels of the BOD effluent quality specified in subsections (1) and (2) of this section, the parameter CBOD may be substituted as an effluent limitation on a case-by-case basis where data are available. The levels of CBOD effluent quality shall not be less stringent than the following: The thirty-day average shall not exceed 40 mg/L. The seven-day average shall not exceed 60 mg/L. The thirty-day average percent removal shall not be less than sixty-five percent of the influent concentration.

(c) Permittee applications for substitution of CBOD for BOD under (b) of this subsection shall include parallel CBOD and BOD data.

[Statutory Authority: RCW 90.48.035 and 90.48.260. 87-23-020 (Order 87-26), § 173-221-050, filed 11/12/87.]

WAC 173-221-100 Severability. If any provision of this chapter or the application thereof to any person or circumstance is held invalid, such invalidity shall not affect other provisions or applications of this chapter which can be given effect without the invalid provision or application.

[Statutory Authority: RCW 90.48.035 and 90.48.260. 87-23-020 (Order 87-26), § 173-221-100, filed 11/12/87.]

Chapter 173-221A WAC

WASTEWATER DISCHARGE STANDARDS AND EFFLUENT LIMITATIONS

WAC

173-221A-010	Purpose and scope.
173-221A-020	Policy.
173-221A-030	Definitions.
173-221A-100	Upland finfish facilities.
173-221A-110	Marine finfish rearing facilities.
173-221A-150	Enforcement.

WAC 173-221A-010 Purpose and scope. This chapter implements chapters 43.21A, 90.48, 90.52, and 90.54 RCW by setting minimum discharge standards which represent "known, available, and reasonable methods" of prevention, control, and treatment for industrial wastewater facilities that discharge to waters of the state. This chapter supplements WAC 173-216-110, 173-218-100, and 173-220-130.

[Statutory Authority: Chapter 90.48 RCW. 90-14-078 (Order 90-11), § 173-221A-010, filed 7/3/90, effective 8/3/90.]

WAC 173-221A-020 Policy. Waters of the state shall be of the high quality. Regardless of the quality of the waters of the state, all wastes and other materials and substances proposed for entry into said waters shall be provided with all known, available, and reasonable methods of treatment prior to entry. Notwithstanding that standards of quality established for waters of the state would not be violated, wastes and other materials and substances shall not be allowed to enter such waters which will reduce the existing quality thereof, except in those situations where it is clear that overriding considerations of the public interest will be served.

[Title 173 WAC—page 424]

[Statutory Authority: Chapter 90.48 RCW. 90-14-078 (Order 90-11), § 173-221A-020, filed 7/3/90, effective 8/3/90.]

WAC 173-221A-030 Definitions. As used in this chapter, unless the context indicates otherwise:

"Department" means the department of ecology.

"Director" means the director of the department of ecology, or designee.

"General NPDES permit" means a permit designed to cover multiple dischargers of a point source category within a designated geographical area, in lieu of individual permits being issued to each discharger.

"Individual NPDES permit" means a permit for a single point source or a single facility.

"Marine finfish rearing facilities" means those private and public facilities located within the salt water of the state where finfish are fed, nurtured, held, maintained, or reared to the size of release or for market sale.

"NPDES" means National Pollutant Discharge Elimination System.

"Permit or wastewater discharge permit" means an authorization, license, or equivalent control document issued by the department to implement chapters 173-220, 173-226, and/or 173-216 WAC.

"Sediment quality standards" means the standards set forth in chapter 173-204 WAC.

"Upland finfish facility" means those facilities not located within waters of the state where finfish are hatched, fed, nurtured, held, maintained, or reared to reach the size of release or for market sale. This includes fish hatcheries, rearing ponds, spawning channels, and other similarly constructed or fabricated public or private facility.

"Wastewater" means the water or liquid carried waste. These wastes may result from any process or activity, including but not limited to, of industry, manufacturer, trade, business, development of any natural resource, or from animal operations such as feed lots, poultry houses, dairies, or fish rearing operations. The term also includes contaminated storm water and leachate from solid waste facilities.

"Water quality standards" means as applicable: Chapter 173-201A WAC for surface waters, chapter 173-200 WAC for ground waters, and chapter 173-204 WAC for sediment.

"Waters of the state" includes those waters as defined as "waters of the United States" in 40 CFR 122.2 within the geographic boundaries of Washington state and "waters of the state" as defined in RCW 90.48.020.

"40 CFR" means Title 40 of the Code of Federal Regulations, as presently promulgated and subsequently amended or repromulgated.

[Statutory Authority: RCW 90.48.220. 95-22-079 (Order 93-26), § 173-221A-030, filed 10/31/95, effective 12/1/95. Statutory Authority: Chapter 90.48 RCW. 90-14-078 (Order 90-11), § 173-221A-030, filed 7/3/90, effective 8/3/90.]

WAC 173-221A-100 Upland finfish facilities. (1) Which types of upland finfish facilities need a wastewater discharge permit?

(a) A permit is required for:

(i) All facilities which produce more than 20,000 net pounds of finfish a year; or

(ii) Feeds more than 5,000 pounds of fish food during any calendar month; or

(iii) Is designated as a significant contributor of pollution by the department in accordance with 40 CFR 122.24.

(b) Facilities which do not require a permit under (a) of this subsection are conditionally exempt from the requirement to obtain a wastewater discharge permit provided they comply with subsections (2) through (6) of this section.

(2) **Time of compliance.** Each upland finfish rearing facility which requires a wastewater discharge permit in accordance with subsection (1) of this section shall submit a completed application form to the department at least one hundred eighty days in advance of the date when permit coverage is deemed necessary.

(3) **Prevention, control, and treatment.** Each upland finfish facility shall provide treatment prior to discharging to waters of the state regardless of receiving water quality. The minimum acceptable technology-based treatment requirements for upland finfish facilities required to obtain permits including general wastewater discharge permits are:

(a) For facilities that use a vacuum cleaning system, standpipe bottom-drain system or other method to remove solids from the water, raceways or ponds, with treatment in a separate settling basin or treatment system:

(i) All facilities utilizing off-line settling shall incorporate into the pond or raceway design methods to collect settleable solids. Methods such as screened settling zones in the downstream end at raceways shall be used to collect settleable solids prior to periodic removal to off-line settling basins.

(ii) The settling basin shall be designed to minimize short-circuiting and to provide a minimum total suspended solids average monthly percent removal of 85% and an average monthly settleable solids percent removal of 90%.

(iii) Turbulent flow shall be minimized within the cleaning system to avoid homogenization or solids.

(iv) Rearing of fish within the settling basin is not permitted.

(b) For facilities that provide in-line settling for the entire effluent;

(i) The settling basin shall be designed to minimize hydraulic short-circuiting.

(ii) The settling basin shall be designed to provide at least a twenty year sludge decomposition and storage capacity unless provisions are made for periodic sludge removal without interruption in treatment.

(iii) Rearing of fish within the settling basin is prohibited.

(c) For facilities with rearing ponds only, no other form of effluent treatment shall be required, provided the rearing pond has a minimum hydraulic retention time of two hours or more. Rearing vessels with less than two hours hydraulic retention time may be approved by the department in writing without additional treatment provided the applicant can demonstrate to the department, in advance, the ability to continuously comply with effluent limits established in subsection (4)(a) of this section.

(d) Each upland finfish facility that begins construction after September 1, 1990, or expands production by fifty percent over the production on the effective date of this rule shall either:

(i) Line all settling basins or otherwise ensure that the static (i.e., without inflow) seepage rate through the settling

basin bottom and sides shall not be greater than a water surface drop of 0.10 inch per day; or

(ii) Demonstrate to the department through hydrogeologic investigation and/or ground water monitoring that the operation of the facility will not have an adverse impact upon ground water quality.

(e) Notwithstanding the treatment requirements of this subsection, more stringent or additional conditions may be required by the department as necessary on a case-by-case basis to mitigate adverse water quality impacts or meet water quality standards, ground water standards, sediment standards or other applicable requirements of federal or state law.

(4) **Effluent standards.** Wastewater from all upland finfish facilities regardless of size shall meet the following effluent discharge standards.

(a) Facility discharges.

(i) The instantaneous maximum total suspended solids concentration in the effluent at the point of discharge to the receiving environment shall not exceed 15 milligrams per liter of effluent.

(ii) The average total suspended solids concentration in the effluent at the point of discharge to the receiving environment shall not exceed 5 milligrams per liter of effluent.

(iii) The average settleable solids concentration in the effluent at the point of discharge to the receiving environment shall not exceed 0.1 milliliter per liter of effluent.

(iv) Effluent limitations shall apply as net values provided the criteria contained in 40 CFR 122.45 (net gross allowance) are met.

(b) Off-line settling basin effluent.

(i) The instantaneous maximum total suspended solids concentration shall not exceed 100 milligrams per liter of effluent.

(ii) The instantaneous maximum settleable solids concentration in off-line settling basin effluent shall not exceed 1.0 milliliter per liter of effluent.

(c) Discharges during rearing pond drawdown for fish release shall meet the following discharge standards. Pond drawdown for purposes other than fish release shall meet the discharger standards in (a) of this subsection.

(i) The instantaneous maximum total suspended solids concentration in the rearing pond effluent shall not exceed 100 milligrams per liter.

(ii) The instantaneous maximum settleable solids concentration in the rearing pond effluent shall not exceed 1.0 milliliter per liter.

(d) Test procedures. All sampling and analytical methods used to determine compliance with standards specified in this subsection shall, unless otherwise approved by the department, conform to the *Guidelines Establishing Test Procedures for the Analysis of Pollutants* contained in 40 CFR Part 136.

(e) Notwithstanding the numerical discharge standards within this subsection, each upland finfish facility shall be operated in the most efficient manner possible. Additional effluent limits and/or more stringent effluent limits may be required as necessary on a case-by-case basis to meet water quality standards, ground water quality standards, sediment quality standards, or other applicable requirements of federal or state law.

(5) **General requirements.** The following practices shall be applicable to all upland finfish facilities.

(a) Sand, silt, mud, solids, sludges, filter backwash, debris, or other pollutants deposited or removed in the course of treatment or control of water supply and wastewaters shall be disposed of in a manner so as to prevent such materials from entering waters of the state.

(b) Discharging untreated cleaning wastes (e.g., obtained from a vacuum or standpipe bottom drain system) to waters of the state is prohibited.

(c) Sweeping or intentionally discharging accumulated solids from raceways or ponds to waters of the state without prior treatment is prohibited.

(d) Practices such as removing dam boards in raceways or ponds, that allow accumulated solids to discharge to waters of the state are prohibited.

(e) The discharge of any drugs or chemicals in toxic amounts or in violation of water quality standards to waters of the state is prohibited.

(f) Disease control chemical use practices. The following requirements only apply to those drugs and chemicals included in feed or administered by a bath or dip treatment which results or may result in those materials being discharged to waters of the state. These requirements do not apply to drugs and chemicals administered by injections or by dip treatments which results in no discharge to waters of the state.

(i) Disease control chemicals and drugs approved for hatchery use by the United States Food and Drug Administration (USFDA) or the United States Environmental Protection Agency (USEPA) may be used.

(ii) USFDA approved Investigational New Animal Drugs (INADs) may also be used at a facility, provided the conditions detailed in a facility's INAD permit application are met.

(iii) All disease control drug and chemical use must be done in conformance with product label instructions, approved INAD protocols, or be administered by or under the supervision of a licensed veterinarian.

(iv) Disease control drugs and chemicals which are not used in accordance with product label instructions, or under USFDA approved INAD protocols must:

(A) Be administered by or under the supervision of a licensed veterinarian; and

(B) Be approved in advance by the department.

(v) The department may require disease control drug and chemical use reports from each facility.

(g) Fish mortalities, kill spawning, processing wastes, and any leachate from these materials shall be disposed of in a manner so as to prevent such materials from entering the waters of the state.

(h) Right of entry.

(i) Authorized representatives of the department, upon presentation of identification shall be allowed to:

(A) Enter in or upon the facility at all reasonable times;

(B) Have access to and copy at all reasonable times any records relative to information that must be kept or provided the department under the terms of, as applicable: The conditional exemption or wastewater discharge permit;

(C) Inspect, investigate, and photograph at all reasonable times any production, collection, treatment, pollution management, monitoring, or discharge equipment or facili-

ties, or any conditions relating to pollution or possible pollution of any waters of the state;

(D) Sample and make tests at all reasonable times; and

(E) The term "reasonable times" shall include normal business hours, hours during which production, prevention, control, or treatment occurs or times when the department reasonably suspects a violation of this chapter is or may be occurring.

(6) **Receiving water quality studies.** Receiving water quality studies shall be required as follows for each upland finfish facility which begins construction after September 1, 1990, or expands production by fifty percent over the production on the effective date of this rule. Existing facilities may be required to do receiving water studies on a case-by-case basis. Dilution shall be evaluated by the department using total facility effluent at maximum production at the lowest seven-day average receiving stream flow with a 10-year recurrence interval (7Q10).

(a) For facilities with a discharge of one part upland finfish facility effluent to ten parts or more of receiving water, receiving water studies are not required unless significant data indicates water quality standards would be violated.

(b) For facilities with an effluent dilution of between one part upland finfish facility effluent to three parts receiving water and one part effluent to ten parts receiving water, receiving water studies may be required by the department. The department shall provide the upland finfish operator or permit applicant with written documentation on the need for receiving water studies upon request. Factors to be considered by the department in determining the need for and objectives of special receiving water studies may include, but are limited to, the following:

(i) The water quality classification of the receiving water of the state;

(ii) The potential water quality impacts of surrounding land use practices and/or existing and proposed discharges including the proposed upland finfish hatching and rearing facility;

(iii) The likelihood that the proposed discharge will have an effect on existing water quality and/or present or future beneficial uses;

(iv) The proximity of the discharge to a quiescent water body such as a lake or a reservoir;

(v) On-site inspection;

(vi) The potential of the discharge to have an adverse impact on receiving water quality such that water quality standards would be violated; and

(vii) Possible beneficial impacts of upland finfish discharges on existing water quality such as flow augmentation.

(c) For facilities with an effluent dilution of one part upland finfish facility effluent to three parts or less of receiving waters, receiving water quality studies will generally be required for new facilities and may be required on a case-by-case basis for existing facilities.

(d) Receiving water quality studies content and scope shall include, as required by the department an analysis of the proposed facilities discharge and any impacts upon the receiving water of the state, including, but not limited to, the following:

(i) Identification of existing and potential beneficial uses of the receiving water of the state and an evaluation of the impact on those beneficial uses of the proposed discharge;

(ii) Hydraulic impacts;

(iii) The impacts of both nitrogen and phosphorous compounds and the potential for eutrophication of the receiving waters;

(iv) The use of chemicals and medications within the facility, their toxicity, and the impacts on the receiving waters;

(v) The effect of the facilities on receiving water temperature and dissolved oxygen concentrations; and

(vi) The potential for impacting any specified identified water use.

(vii) Possible beneficial impact of upland finfish discharges on existing water quality such as flow augmentation.

[Statutory Authority: RCW 90.48.220, 95-22-079 (Order 93-26), § 173-221A-100, filed 10/31/95, effective 12/1/95. Statutory Authority: Chapter 90.48 RCW, 90-14-078 (Order 90-11), § 173-221A-100, filed 7/3/90, effective 8/3/90.]

WAC 173-221A-110 Marine finfish rearing facilities. (1) This rule sets waste discharge standards for finfish rearing facilities located within marine waters as required by RCW 90.48.220. Net-pens, floating raceways, closed bag, and barge systems are some examples of finfish rearing facilities covered by this section.

(2) **Which types of marine finfish rearing facilities need a wastewater discharge permit?**

(a) A permit is required for:

(i) All facilities which produce more than 20,000 net pounds of finfish a year; or

(ii) Feeds more than 5,000 pounds of fish food during any calendar month; or

(iii) Is designated as a significant contributor of pollution by the department in accordance with 40 CFR 122.24.

(b) Facilities which do not require a permit under (a) of this subsection are conditionally exempt from the requirement to obtain a state waste discharge permit under chapter 173-216 WAC provided they comply with subsections (3) through (5) of this section.

(3) **Time of compliance.**

(a) Each marine finfish rearing facility which requires a wastewater discharge permit in accordance with subsection (2) of this section shall submit a completed application form to the department at least one hundred eighty days in advance of the date when permit coverage is deemed necessary.

(b) Existing unpermitted marine finfish rearing facilities which require a waste discharge permit in accordance with subsection (2) of this section shall file a completed application form with the department by January 31, 1996.

(4) **Requirements applicable to all marine finfish rearing facilities.** All marine finfish rearing facilities regardless of size, shall be operated so as to:

(a) Comply with all applicable state water quality standards and sediment quality standards.

(b) Comply with the following general requirements meant to reduce pollutants in the effluent:

(i) Feeding practices. Fish food shall be dispersed in a manner which maximizes ingestion by the reared fish.

(ii) Disease control chemical use practices. The following requirements only apply to those drugs and chemicals included in feed or administered by a bath or dip treatment which results or may result in those materials being discharged to waters of the state. These requirements do not apply to drugs and chemicals administered by injections or by dip treatments which results in no discharge to waters of the state.

(A) Disease control chemicals and drugs approved for use by the United States Food and Drug Administration (USFDA) or the United States Environmental Protection Agency (USEPA) may be used.

(B) USFDA approved Investigational New Animal Drugs (INADs) may also be used at a facility, provided the conditions detailed in a facility's INAD permit application are met.

(C) All disease control drug and chemical use must be done in conformance with product label instructions, approved INAD protocols, or be administered by or under the supervision of a licensed veterinarian.

(D) Disease control drug and chemicals which are not used in accordance with product label instructions, or under USFDA approved INAD protocols must:

(I) Be administered by or under the supervision of a licensed veterinarian; and

(II) Be approved in advance by the department.

(E) The department may require disease control drug and chemical use reports from each facility.

(iii) Right of entry. Authorized representatives of the department, upon presentation of identification shall be allowed to:

(A) Enter in or upon the facility at all reasonable times;

(B) Have access to and copy at all reasonable times any records relative to information that must be kept or provided the department under the terms of, as applicable: The conditional exemption or wastewater discharge permit;

(C) Inspect, investigate, and photograph at all reasonable times any production, collection, treatment, pollution management, monitoring, or discharge equipment or facilities, or any conditions relating to pollution or possible pollution of any waters of the state;

(D) Sample and make tests at all reasonable times; and

(E) The term "reasonable times" shall include normal business hours, hours during which production, prevention, control, or treatment occurs or times when the department reasonably suspects a violation of this chapter is or may be occurring.

(iv) Operational conditions.

(A) Fish mortalities, harvest blood, and any leachate from these materials shall be stored and disposed of in a manner so as to prevent such materials from entering the waters of the state.

(B) Accumulated solids and attached marine growth contained within or on the finfish rearing units shall be disposed of in a manner which prevents, to the maximum extent practicable, these materials from entering or reentering waters of the state.

(C) Discharging accumulated solids and marine growth removed from the finfish rearing units into waters of the state without prior treatment is prohibited.

(D) Storage quantities of all necessary chemicals, petroleum products, and potentially toxic substances essential

to the day-to-day operation of the facility shall be minimized. These products shall be kept in leak proof storage areas which provide secondary containment.

(c) Pollution prevention plan. All marine finfish rearing facilities shall develop a pollution prevention plan within six months of permit issuance. Facilities which do not require discharge permits shall prepare and implement a pollution prevention plan within a year of the adoption date of this rule, or when fish are introduced, whichever is later.

(i) The plan shall address: Operating, spill prevention, spill response, solid waste, and storm water discharge practices which prevent or minimize the release of pollutants from the facility to the waters of the state.

(ii) Each facility shall be operated in accordance with its plan along with any subsequent plan amendments or revisions.

(iii) A copy of the most current version of the plan shall be maintained at the facility and available to the department upon request.

(5) **Environmental studies.** The purpose of these studies shall be to determine the potential of the discharge from a marine finfish rearing facility to have an adverse impact on existing water quality and sediment quality.

(a) Environmental studies shall be required as necessary to determine compliance with applicable water quality standards for each new facility which begins construction after November 1, 1995, or for each permitted facility which expands production by fifty percent over the permitted production on the effective date of this rule. Permitted production means the production level authorized for a facility in a waste discharge permit issued pursuant to chapter 90.48 RCW or shoreline permit issued pursuant to chapter 90.58 RCW. Existing facilities may be required to do environmental studies on a case-by-case basis.

(b) Environmental monitoring and reporting programs will be required to ensure the discharge from a facility complies with state water quality standards and sediment management standards. The department may require environmental monitoring programs through the issuance of wastewater discharge permits, and/or through administrative orders.

[Statutory Authority: RCW 90.48.220. 95-22-079 (Order 93-26), § 173-221A-110, filed 10/31/95, effective 12/1/95.]

WAC 173-221A-150 Enforcement. This chapter shall be enforced through all legal, equitable, and other methods available to the department, including, but not limited to those described in chapter 90.48 RCW.

[Statutory Authority: Chapter 90.48 RCW. 90-14-078 (Order 90-11), § 173-221A-150, filed 7/3/90, effective 8/3/90.]

Chapter 173-222 WAC

WASTEWATER DISCHARGE PERMIT FEES

WAC

173-222-010	Purpose and authority.
173-222-015	Applicability.
173-222-020	Definitions.
173-222-030	Discharge categories.
173-222-040	Complexity factors.
173-222-050	Permit fees.
173-222-060	Permit fee payment.

[Title 173 WAC—page 428]

173-222-070	Periodic review.
173-222-080	Public notice.
173-222-090	Public hearings.
173-222-100	Agency initiated modifications.
173-222-110	Appeals.

WAC 173-222-010 Purpose and authority. It is the purpose of this chapter to establish fees for permits issued by the department of ecology pursuant to RCW 90.48.160, 90.48.162, and 90.48.260. The collection of fees which reflects the administrative expenses incurred by the department of ecology in the processing of such permit applications is authorized by RCW 90.48.460. Fees are not annual operating fees but relate to the cost of application filing and processing.

[Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-222-010, filed 3/4/86.]

WAC 173-222-015 Applicability. This chapter applies to all permit applications received by the department after July 28, 1985. This chapter does not apply to permits issued after June 30, 1988.

[Statutory Authority: Chapter 43.21A RCW. 88-12-035 (Order 88-8), § 173-222-015, filed 5/26/88, effective 7/1/88; 86-06-040 (Order 86-03), § 173-222-015, filed 3/4/86.]

WAC 173-222-020 Definitions. (1) "Department" means the department of ecology.

(2) "Director" means the director of the department of ecology or authorized representative.

(3) "NPDES permit" means the National Pollutant Discharge Elimination System permit issued pursuant to Section 402 of the federal Clean Water Act and RCW 90.48.260.

(4) "Major facility" means any NPDES permitted facility or activity classified as such by the Region 10 administrator of the Environmental Protection Agency in conjunction with the director. This list is published annually as part of the state/EPA agreement.

(5) "Minor facility" means any NPDES permitted facility or activity not classified as a major facility.

(6) "Application fee" means that fee which must accompany the permit application.

(7) "Permit fee" means that fee charged for issuance, reissuance, or modification of a permit as defined by this chapter.

(8) "Permit issuance" means the issuance of a permit for a new source or to a source not previously permitted.

(9) "Permit reissuance" means the issuance of a permit for a currently permitted source.

(10) "Substantial modification" means the modification of a permit involving at least one complexity factor.

(11) "Administrative modification" means those revisions that do not involve a complexity factor such as, changes in reporting schedules, compliance schedules, and monitoring schedules.

(12) "EPA" means the United States Environmental Protection Agency.

(13) "Permitted flow" means the daily average flow limitation contained in the permit; where a flow limit is not specified, design flow of the facility will be used.

[Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-222-020, filed 3/4/86.]

WAC 173-222-030 Discharge categories. For the purpose of this chapter, discharges are classified according to the following categories:

(1) Category 1A is for major domestic NPDES permitted facilities with a permitted flow greater than fifteen million gallons per day.

(2) Category 1B is for major domestic NPDES permitted facilities with a permitted flow between one million and fifteen million gallons per day.

(3) Category 1C is for minor domestic NPDES permitted facilities with a permitted flow of less than one million gallons per day.

(4) Category 1D is for all domestic state waste discharge permitted facilities with a discharge to ground water.

(5) Category 2A is for major industrial NPDES permitted facilities.

(6) Category 2B is for minor industrial NPDES permitted facilities and all state waste discharge permitted facilities, requiring biological and/or chemical treatment.

(7) Category 2C is for minor industrial NPDES permitted facilities and all state waste discharge permitted facilities, *not* requiring biological or chemical treatment with a permitted flow greater than or equal to 0.5 million gallons per day.

(8) Category 2D is for minor industrial NPDES permitted facilities and all state waste discharge permitted facilities *not* requiring biological or chemical treatment, with a permitted flow less than 0.5 million gallons per day, and/or with an intermittent discharge.

(9) Category 3A is for area-wide, general NPDES permits.

(10) Category 3B is for coverage by a general NPDES permit, not included in Category 3A.

[Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-222-030, filed 3/4/86.]

WAC 173-222-040 Complexity factors. (1) There are a number of factors that may be a component of some permit applications; processing such applications can take substantially increased staff time. For the purpose of this chapter, these factors are identified as follows:

- (a) Combined sanitary and storm sewers.
- (b) Local industrial wastewater pretreatment program.
- (c) Excessive inflow and/or infiltration problems.
- (d) Receiving water quality considerations.
- (e) Ground water monitoring.
- (f) Solid waste management including sludge management.

(g) Level of treatment including: (i) Facility upgrade, (ii) system design capacity, (iii) seasonal variations in loading.

(h) Major change or variation in process or production.

(i) Toxics monitoring, including biomonitoring.

(j) Permit involving multiple industrial categories or subcategories.

(k) Fundamentally different factors analysis pursuant to 40 CFR 125.30.

(l) Best professional judgment (BPJ) analysis including those pursuant to 40 CFR 125.3.

(m) Request for a nonconventional pollutant variance pursuant to Section 301(g) of the federal Clean Water Act.

(n) Request for a thermal variance pursuant to Section 316(a) of the federal Clean Water Act.

(2) For the purpose of this chapter, factors (a) through (j) of subsection (1) of this section each shall count as one complexity factor and factors (k) through (n) of subsection (1) of this section each shall count as two complexity factors. Each applies only when the department is required to expend a substantial amount of time in addressing that factor during the processing of a permit application.

(3) Any work done by the applicant to minimize the expenditure of staff time by the department shall be considered in determining the permit fee.

[Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-222-040, filed 3/4/86.]

WAC 173-222-050 Permit fees. (1) Application fee: \$100 (nonrefundable).

(2) Permit fee:

(a) Permit fee schedule

Departmental Action	Discharge Categories							
	Domestic				Industrial			
	1A	1B	1C	1D	2A	2B	2C	2D
Permit Issuance								
0 Complexity Factors	\$2,252	\$1,468	\$1,216	\$1,300	\$2,336	\$1,468	\$1,216	\$ 740
1 Complexity Factor	4,044	2,476	1,972	2,140	4,212	2,476	1,972	1,020
2 Complexity Factors	5,836	3,484	2,700	2,980	6,060	3,484	2,700	1,300
3 Complexity Factors	7,628	4,492	3,484	3,820	7,964	4,492	3,484	1,580
4 Complexity Factors	9,420	5,500	4,240	4,660	9,840	5,500	4,240	1,860
5 Complexity Factors	11,212	6,508	4,996	5,500	11,716	6,508	4,996	2,140
6 Complexity Factors	13,004	7,516	5,752	6,340	13,592	7,516	5,752	2,420
Permit Reissuance								
0 Complexity Factors	1,720	1,104	1,020	1,048	1,636	1,104	1,020	656
1 Complexity Factor	2,980	1,748	1,580	1,636	2,812	1,748	1,580	852
2 Complexity Factors	4,240	2,364	2,140	2,224	3,988	2,364	2,140	1,020
3 Complexity Factors	5,500	3,036	2,700	2,812	5,164	3,036	2,700	1,244
4 Complexity Factors	6,760	3,680	3,260	3,400	6,340	3,680	3,260	1,440

5 Complexity Factors	8,020	4,324	3,820	3,988	7,516	4,324	3,820	1,636
6 Complexity Factors	9,280	4,968	4,380	4,576	8,692	4,968	4,380	1,832
Substantial Modification								
1 Complexity Factor	1,720	1,104	1,020	1,048	1,636	1,104	1,020	656
2 Complexity Factors	2,980	1,748	1,580	1,636	2,812	1,748	1,580	852
3 Complexity Factors	4,240	2,364	2,140	2,224	3,988	2,364	2,140	1,020
4 Complexity Factors	5,500	3,036	2,700	2,812	5,164	3,036	2,700	1,244
Administrative Modifications								
	460	460	460	460	460	460	460	460

(b) The number of complexity factors that may be charged for any given permit is limited to four, regardless of the total number of complexity factors involved, except that a facility with multiple discharge points may be charged for up to six complexity factors. Where multiple discharge points exist, complexity factors uniquely applicable to each discharge point will be charged.

(c) General permits.

(i) Area-wide (Category 3A) permit fees will be based on an accounting of actual costs incurred by the department.

(ii) Requests for coverage by general permit (Category 3B): \$100 (nonrefundable).

(d) The fees identified in this section are based on averages of the total actual costs incurred by the department in processing each type of permit application. Total actual costs include salaries, benefits, indirect costs, and clerical costs.

[Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-222-050, filed 3/4/86.]

WAC 173-222-060 Permit fee payment. (1) The application fee must accompany the permit application. If the application fee does not accompany the permit application, the application will be returned as incomplete.

(2) Request for coverage by a general permit must be accompanied by the fee. If the application fee does not accompany the permit application, the application will be returned as incomplete.

(3) The department will inform the applicant of applicable permit fees at least thirty days prior to permit action.

(4) The appropriate permit fee must be received by the department within sixty days of notification. Failure to pay the applicable permit fees will result in termination of any continuation of an expired permit pursuant to WAC 173-220-180(5), or of a temporary permit pursuant to RCW 90.48-200.

(5) For permits issued prior to the effective date of this chapter, to which WAC 173-222-015 applies, fees must be received by the department within one hundred eighty days of notification by the department. Failure to make payment will result in immediate action pursuant to chapter 90.48 RCW and chapters 173-216 and 173-220 WAC.

(6) The applicable permit fee shall be paid by check or money order payable to the "department of ecology." Municipalities may use purchase orders.

(7) When payment is made by check which is subsequently returned due to insufficient funds, the department will take appropriate action pursuant to chapter 90.48 RCW.

[Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-222-060, filed 3/4/86.]

WAC 173-222-070 Periodic review. The department shall review biennially the data used to establish the fee schedule to determine if fees need to be adjusted.

[Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-222-070, filed 3/4/86.]

WAC 173-222-080 Public notice. It will continue to be the responsibility of the permit applicant to comply with all applicable public notice requirements pursuant to chapters 173-216 and 173-220 WAC.

[Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-222-080, filed 3/4/86.]

WAC 173-222-090 Public hearings. Public hearings required as the result of a permit application will be conducted by the department at no additional cost to the applicant.

[Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-222-090, filed 3/4/86.]

WAC 173-222-100 Agency initiated modifications. There will be no charge to the permittee for modifications initiated by the department.

[Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-222-100, filed 3/4/86.]

WAC 173-222-110 Appeals. Any person aggrieved by a determination made by the department under this chapter may appeal to the pollution control hearings board pursuant to chapter 43.21B RCW and the procedure adopted at chapter 371-08 WAC.

[Statutory Authority: Chapter 43.21A RCW. 86-06-040 (Order 86-03), § 173-222-110, filed 3/4/86.]

Chapter 173-224 WAC

WASTEWATER DISCHARGE PERMIT FEES

WAC

173-224-015	Purpose.
173-224-020	Applicability.
173-224-030	Definitions.
173-224-040	Permit fee schedule.
173-224-050	Permit fee computation and payments.
173-224-060	Permits issued by other governmental agencies.
173-224-080	Transfer of ownership or control.
173-224-090	Small business fee reduction.
173-224-100	Administrative appeals to the department.
173-224-110	Deposits.
173-224-120	Past due payments.

**DISPOSITION OF SECTIONS FORMERLY
CODIFIED IN THIS CHAPTER**

173-224-070 Credits. [Statutory Authority: Chapter 43.21A RCW. 89-12-027 and 90-07-015 (Order 89-8 and 89-8A), § 173-224-070, filed 5/31/89 and 3/13/90, effective 4/13/90.] Repealed by 96-03-041 (Order 94-21), filed 1/10/96, effective 2/10/96. Statutory Authority: Chapter 90.48 RCW.

WAC 173-224-015 Purpose. The purpose of this chapter is to establish a fee system for state waste discharge and NPDES permits issued by the department pursuant to RCW 90.48.160, 90.48.162, or 90.48.260. RCW 90.48.465 authorizes the department to base fees on factors related to the complexity of permit issuance and compliance and to charge fees to fully recover, but not exceed the costs of the permit program based on expenses incurred in the issuance and comprehensive administration of state waste discharge and NPDES permits. Fee amounts contained in this chapter represent the department's true estimate of fee eligible permit program costs and reflect the department's commitment to fully recover all eligible expenses. The department shall continue to examine the feasibility of adopting, when applicable, alternative permit fee systems. Any alternative fee system, such as variable permit fees, shall ensure continued full recovery of eligible program costs and may be based on pollutant loading and toxicity and may be designed to encourage recycling and reduction of the quantity of pollutants.

[Statutory Authority: Chapter 90.48 RCW. 92-03-131 (Order 91-45), § 173-224-015, filed 1/21/92, effective 2/21/92. Statutory Authority: Chapter 43.21A RCW. 89-12-027 and 90-07-015 (Order 89-8 and 89-8A), § 173-224-015, filed 5/31/89 and 3/13/90, effective 4/13/90.]

WAC 173-224-020 Applicability. This chapter applies to all persons holding or applying for a state waste discharge or NPDES permit issued by the department pursuant to RCW 90.48.160, 90.48.162, 90.48.200 or 90.48.260, including persons holding permits that remain in effect under WAC 173-216-040, 173-220-180(5), or 173-226-050. This chapter does not apply when a wastewater discharge permit is written for a state conducted remedial action under the Model Toxics Control Act. That is, ecology will not charge itself for wastewater discharge permits written for sites where the agency is conducting a cleanup.

[Statutory Authority: Chapter 90.48 RCW. 94-10-027 (Order 93-08), § 173-224-020, filed 4/28/94, effective 5/29/94; 92-03-131 (Order 91-45), § 173-224-020, filed 1/21/92, effective 2/21/92. Statutory Authority: Chapter 43.21A RCW. 89-12-027 and 90-07-015 (Order 89-8 and 89-8A), § 173-224-020, filed 5/31/89 and 3/13/90, effective 4/13/90.]

WAC 173-224-030 Definitions. "Administrative expenses" means those costs associated with issuing and administering permits under RCW 90.48.160, 90.48.162, and 90.48.260.

"Aggregate production" means the mining or quarrying of sand, gravel, or rock and/or the production of concrete and/or asphalt.

"Aluminum and magnesium reduction mills" means the electrolytic reduction of alumina or magnesium salts to produce aluminum or magnesium metal.

"Animal unit" means one slaughter or feeder steer, 0.7 mature dairy cow, 25 swine or as more fully defined in Appendix B of 40 CFR 122.

"Annual permit fee" means the fee charged by the department for annual expenses associated with activities specified in RCW 90.48.465. This annual fee is based on the state's fiscal year (July 1 - June 30).

"bbls/d" means barrels per day of feedstock for petroleum refineries.

"bins/yr" means total standard bins used during the last complete calendar year by a facility in the crop preparing industry. The bins measure approximately 47.5 inches x 47.4 inches x 29.5 inches and hold approximately 870 pounds of fruit.

"Combined food processing waste treatment facility" means a facility which treats wastewater from more than one separately permitted food processor and receives no domestic wastewater or waste from industrial sources other than food processing.

"Combined industrial waste treatment" means a facility which treats wastewater from more than one industry in any of the following categories: Inorganic chemicals, metal finishing, ore concentration, organic chemicals, or photofinishers.

"Combined sewer overflow (CSO)" means the event during which excess combined sewage flow caused by inflow is discharged from a combined sewer, rather than conveyed to the sewage treatment plant because either the capacity of the treatment plant or the combined sewer is exceeded.

"Concentrated animal feeding operation" means an "animal feeding operation" which meets the criteria in Appendix B of 40 CFR 122 as presently enacted and any subsequent modifications thereto.

"Contaminants of concern" means a chemical for which an effluent limit is established (this does not include pH flow, temperature, or other "nonchemical parameters"). Petroleum constituents will be considered as one contaminant of concern even if more than one effluent limit is established (e.g., Total Petroleum Hydrocarbons and BTEX).

"Crane" means a machine used for the hoisting and lifting of ship hulls.

"Crop preparing" means the preparation of fruit for wholesale or retail sale by washing and/or other processes in which the skin of the fruit is not broken and in which the interior part of the fruit does not come in direct contact with the wastewater.

"cu. yds/yr" means the total production from an aggregate production facility in cubic yards during the most recent completed calendar year.

"Department" means the department of ecology.

"Director" means the director of the department of ecology.

"Domestic wastewater" means water carrying human wastes, including kitchen, bath, and laundry wastes from residences, buildings, industrial establishments or other places, together with such groundwater infiltration or surface waters as may be present.

"Domestic wastewater facility" means all structures, equipment, or processes required to collect, carry away, treat, reclaim or dispose of domestic wastewater together with such industrial waste as may be present.

"Existing operations" means those industrial operations requiring a wastewater discharge permit before July 1, 1993.

"EPA" means the United States Environmental Protection Agency.

"Fin fish rearing and hatching" means the raising of fin fish for fisheries enhancement or sale, by means of hatcheries, net pens, or other confined fish facilities.

"Flavor extraction" means the recovery of flavors or essential oils from organic products by steam distillation.

"Food processing" means the preparation of food for human or animal consumption or the preparation of animal byproducts, but exclusive of crop preparing. This category includes, but is not limited to, fruit and vegetable processing, meat and poultry products processing, dairy products processing, beer production, rendering and animal feed production. Food processing wastewater treatment plants which treat wastes from only one separately permitted food processor shall be treated as one facility for billing purposes.

"Hazardous waste clean up sites" means any facility where there has been confirmation of a release or threatened release of a hazardous substance that requires remedial action other than RCRA corrective action sites.

"Inactive sites" means a location where previous mining or processing has occurred; that has not been fully reclaimed; that has no current mining or processing, and that may include stockpiles of raw materials or finished products. The permittee may add or withdraw raw materials or finished products from the stockpiles for transportation offsite for processing, use, or sale and still be considered an inactive site. This definition can be found in ecology's *National Pollutant Discharge Elimination System and State Waste Discharge Permit for Process Water and Storm Water Discharges Associated with Sand and Gravel Operations, Rock Quarries and Similar Mining Facilities including Stockpiles of Mined Materials, Concrete Batch Operations and Asphalt Batch Operations*.

"Industrial facility" means any facility not included in definition of municipal/domestic facility.

"Industrial gross revenue" means the annual amount of the sales of goods and services produced using the processes regulated by the wastewater discharge permit.

"Industrial storm water" means an operation required to be covered under ecology's baseline industrial storm water general permit or modifications to that permit or having an individual wastewater permit for storm water only.

"MGD" means permitted flow expressed in million gallons per day.

"Manufacturing" means the making of goods and articles by hand or especially, by machinery into a manufactured product.

"Metal finishing" means the preparation of metal surfaces by means of electroplating, electroless plating, anodizing, coating (chromating, phosphating and coloring), chemical etching and milling, and printed circuit board manufacture.

"Municipal/domestic facility" means a publicly-owned facility treating domestic wastewater together with such industrial wastes as may be present, or a privately-owned facility treating solely domestic wastewater.

"Municipal gross revenue" means gross receipts from monthly, bimonthly, and/or quarterly user charges for sewer services received from all classes of customers;

Included in these user charges are user charges and fees based on wastewater constituents' strengths and characteristics including high-strength surcharges and charges based on biochemical oxygen demand, suspended solids, oil and grease, toxicants, heavy metals, and flow, etc.

Municipal gross revenue includes charges for receipt and treatment of septic tank wastes, holding tank wastes, chemical toilet wastes, etc.

Municipal gross revenue includes all amounts received from other municipalities for sewage interception, treatment, collection, or disposal.

Gross revenue excludes:

Amounts derived by municipalities directly from taxes levied for the support or maintenance of sewer services.

Late charges, penalties for nontimely payment by customers, interest on late payments, and all other penalties and fines.

Permit fees and compliance monitoring fees for wastewater discharge permits issued by municipalities with local pretreatment programs. Permit fees which are charged to cover the cost of providing sewer service are not excluded from municipal gross revenue.

Receipts by a municipality of special assessments or installments thereof and interests and penalties thereon, and charges in lieu of assessments.

Connection charges.

Revenues from sales of by-products such as sludge, processed wastewater, etc.

"Municipality" means a city, town, county, district, association, or other public body created by or pursuant to state law and having jurisdiction over disposal of sewage, industrial wastes, or other wastes, or an Indian tribe or an authorized Indian tribal organization, or a designated and approved management agency under 33 U.S.C. Sec. 1288. State government agencies are not included in this definition.

"Noncontact cooling water with additives" means water used for cooling that comes into contact with corrosives.

"Noncontact cooling water without additives" means water used for cooling that does not come into direct contact with any raw material, intermediate product, waste product or finished product, and which does not contain chemicals added by the permittee. The noncontact cooling water fee without additives category applies to those facilities which discharge only noncontact cooling water and which have no other wastewater discharges required to be permitted under RCW 90.48.160, 90.48.162, and 90.48.260.

"Nonferrous metals forming" means the manufacturing of semifinished products from pure metal or metal alloys other than iron or steel or of metals not otherwise classified in WAC 173-224-040(2).

"NPDES permit" means a National Pollutant Discharge Elimination System permit issued by the department pursuant to Section 402 of the federal Clean Water Act and RCW 90.48.260.

"Person" means any political subdivision, government agency, municipality, industry, public or private corporation, partnership, association, firm, individual, or any other entity whatever.

"RCRA" means Resource Conservation Recovery Act clean up sites required to have a wastewater discharge permit resulting from a corrective action under relevant federal authorities or under chapters 70.105 and 70.105D RCW

including chapters 173-303 and 173-340 WAC, and are not subject to cost recovery.

"Residential equivalent" means a single-family residence or a unit of sewer service that yields an amount of gross revenue equal to the annual user charge for a single-family residence. In cases where the permit holder does not maintain data on gross revenue, user charges, and/or the number of single-family residences that it serves, "residential equivalent" means an influent flow of two hundred fifty gallons per day.

"Sewer service" means the activity of receiving sewage deposited into and carried off by a system of sewers, drains, and pipes to a common point, or points, for disposal or for transfer to treatment for disposal, and activities involving the interception, transfer, storage, treatment, and/or disposal of sewage, or any of these activities.

"State waste discharge permit" means a permit required under RCW 98.48.260.

"Storm water" means an industrial operation discharging storm water runoff as defined in 40 CFR 122.26 (b)(14) or facilities who are permitted as a significant contributor of pollutants as allowed in the federal Clean Water Act at Section 402 (p)(2)(E).

"Tons/yr." means the total production from an asphalt production facility in tons during the most recent completed calendar year.

"Vegetable/bulb washing" means the washing, packing, and shipping of fresh vegetables and bulbs when there is no cooking or cutting of the product before packing.

[Statutory Authority: Chapter 90.48 RCW. 94-10-027 (Order 93-08), § 173-224-030, filed 4/28/94, effective 5/29/94; 92-03-131 (Order 91-45), § 173-224-030, filed 1/21/92, effective 2/21/92. Statutory Authority: Chapter 43.21A RCW. 89-12-027 and 90-07-015 (Order 89-8 and 89-8A), § 173-224-030, filed 5/31/89 and 3/13/90, effective 4/13/90.]

WAC 173-224-040 Permit fee schedule. (1) Application fee. In addition to the annual fee, first time applicants (except those applying for coverage under a general permit) will pay a one time application fee of twenty-five percent of the annual permit fee, or \$250.00, whichever is greater. An application fee will be assessed for RCRA sites regardless of whether a new permit is being issued or an existing permit for other than the discharge resulting from the RCRA corrective action, is being modified.

(2) Industrial facility categories.

INDUSTRIAL FACILITY CATEGORIES	FY 96 ANNUAL PERMIT FEE	FY 97 ANNUAL PERMIT FEE
Aluminum Alloys	\$10,471.00	\$10,937.00
Aluminum and Magnesium Reduction Mills		
a. NPDES Permit	61,749.00	64,497.00
b. State Permit	30,875.00	32,249.00
Aluminum Forming	31,412.00	32,810.00
Aggregate Production		
a. Mining Activities		
1. Mining, screening, washing and/or crushing	1,802.00	1,882.00
2. Inactive Sites		
A. Single site	398.00	416.00
B. Single owner/multiple site (fee per site)		
i. 1 site will pay	398.00	416.00
ii. Additional sites 2 - < 6 will pay	225.00	235.00
iii. Additional sites 6 - < 11 will pay	150.00	157.00

iv. Additional sites 11 and greater will pay	75.00	78.00
The final fee for single owner/multiple inactive sites is the total sum of all the subcategories.		
b. Asphalt Production		
1. 0 - < 50,000 tons/yr.	751.00	784.00
2. 50,000 - < 300,000 tons/yr.	1,802.00	1,882.00
3. 300,000 tons/yr. and greater	2,253.00	2,353.00
c. Concrete Production		
1. 0 - < 25,000 cu. yds/yr.	751.00	784.00
2. 25,000 - < 200,000 cu. yds/yr.	1,802.00	1,882.00
3. 200,000 cu. yds/yr. and greater	2,254.00	2,353.00
The fee for a facility in the aggregate production category is the sum of the applicable fees in the mining activities and concrete and asphalt production categories.		
Aquaculture		
a. Finfish hatching and rearing	3,141.00	3,281.00
b. Shellfish hatching	107.00	112.00
Boat Yards		
a. With storm water only discharge	268.00	280.00
b. All others	537.00	561.00
Coal Mining and Preparation		
a. < 200,000 tons per year	4,188.00	4,374.00
b. 200,000 - < 500,000 tons per year	9,424.00	9,843.00
c. 500,000 - < 1,000,000 tons per year	16,752.00	17,497.00
d. 1,000,000 tons per year and greater	29,879.00	32,810.00
Combined Industrial Waste Treatment		
a. < 10,000 gpd	2,094.00	2,187.00
b. 10,000 - < 50,000 gpd	5,235.00	5,468.00
c. 50,000 - < 100,000 gpd	10,471.00	10,937.00
d. 100,000 - < 500,000 gpd	20,941.00	21,873.00
e. 500,000 gpd and greater	31,412.00	32,810.00
Combined Food Processing Waste Treatment Facilities	10,471.00	10,937.00
Combined Sewer Overflow System		
a. < 50 acres	2,094.00	2,187.00
b. 50 - < 100 acres	5,235.00	5,468.00
c. 100 - < 500 acres	6,283.00	6,563.00
d. 500 acres and greater	8,377.00	8,750.00
Commercial Laundry	268.00	280.00
Concentrated Animal Feeding Operation (Including Dairies)		
a. < 200 Animal Units	107.00	112.00
b. 200 - < 400 Animal Units	268.00	280.00
c. 400 - < 600 Animal Units	537.00	561.00
d. 600 - < 800 Animal Units	805.00	841.00
e. 800 Animal Units and greater	1,074.00	1,122.00
Crop Preparing		
a. 0 - < 1,000 bins/yr.	209.00	218.00
b. 1,000 - < 5,000 bins/yr.	418.00	437.00
c. 5,000 - < 10,000 bins/yr.	838.00	875.00
d. 10,000 - < 15,000 bins/yr.	1,676.00	1,751.00
e. 15,000 - < 20,000 bins/yr.	2,774.00	2,897.00
f. 20,000 - < 25,000 bins/yr.	3,874.00	4,046.00
g. 25,000 - < 50,000 bins/yr.	5,182.00	5,413.00
h. 50,000 - < 75,000 bins/yr.	5,759.00	6,015.00
i. 75,000 - < 100,000 bins/yr.	6,701.00	6,999.00
j. 100,000 - < 125,000 bins/yr.	8,377.00	8,750.00
k. 125,000 - < 150,000 bins/yr.	10,471.00	10,937.00
l. 150,000 bins/yr. and greater	12,562.00	13,124.00
Facilities Not Otherwise Classified		
a. < 1,000 gpd	1,047.00	1,094.00
b. 1,000 - < 10,000 gpd	2,094.00	2,187.00
c. 10,000 - < 50,000 gpd	5,235.00	5,468.00
d. 50,000 - < 100,000 gpd	8,377.00	8,750.00
e. 100,000 - < 500,000 gpd	16,752.00	17,497.00
f. 500,000 - < 1,000,000 gpd	20,941.00	21,873.00
g. 1,000,000 gpd and greater	31,412.00	32,810.00
Flavor Extraction		
a. Steam Distillation	107.00	112.00

Food Processing			Nonferrous Metals Forming	10,471.00	10,937.00
a. < 1,000 gpd	1,047.00	1,094.00	Ore Mining		
b. 1,000 - < 10,000 gpd	2,670.00	2,789.00	a. Ore Mining	2,094.00	2,187.00
c. 10,000 - < 50,000 gpd	4,764.00	4,976.00	b. Ore mining w/physical concentration processes	4,188.00	4,374.00
d. 50,000 - < 100,000 gpd	7,486.00	7,819.00	c. Ore mining with physical and chemical concentration processes	16,752.00	17,497.00
e. 100,000 - < 250,000 gpd	10,471.00	10,937.00	Organic Chemicals Manufacturing		
f. 250,000 - < 500,000 gpd	13,769.00	14,382.00	a. Fertilizer	10,471.00	10,937.00
g. 500,000 - < 750,000 gpd	17,276.00	18,045.00	b. Aliphatic	20,941.00	21,873.00
h. 750,000 - < 1,000,000 gpd	20,941.00	21,873.00	c. Aromatic	31,412.00	32,810.00
i. 1,000,000 - < 2,500,000 gpd	25,653.00	26,795.00	Petroleum Refining		
j. 2,500,000 - < 5,000,000 gpd	28,794.00	30,075.00	a. < 10,000 bbls/d	20,941.00	21,873.00
k. 5,000,000 gpd and greater	31,412.00	32,810.00	b. 10,000 - < 50,000 bbls/d	41,883.00	43,747.00
Fuel and Chemical Storage			c. 50,000 bbls/d and greater	83,764.00	87,497.00
a. < 50,000 bbls	1,047.00	1,094.00	Photofinishers		
b. 50,000 - < 100,000 bbls	2,094.00	2,187.00	a. < 1,000 gpd	838.00	875.00
c. 100,000 - < 500,000 bbls	5,235.00	5,468.00	b. 1,000 gpd and greater	2,094.00	2,187.00
d. 500,000 bbls and greater	10,471.00	10,937.00	Power and/or Steam Plants		
Hazardous Waste Clean Up Sites			a. Steam Generation - Nonelectric	4,188.00	4,374.00
a. Leaking Underground Storage Tanks (LUST)			b. Hydroelectric	4,188.00	4,374.00
1. State Permit	2,747.00	2,869.00	c. Nonfossil Fuel	6,283.00	6,563.00
2. NPDES Permit Issued pre 7/1/94	2,747.00	2,869.00	d. Fossil Fuel	16,752.00	17,497.00
3. NPDES Permit Issued post 7/1/94	5,493.00	5,737.00	Pulp, Paper and Paper Board		
b. NonLUST Sites			a. Fiber Recyclers	10,471.00	10,937.00
1. 1 or 2 Contaminants of concern	5,370.00	5,609.00	b. Paper Mills	20,941.00	21,873.00
2. > 2 Contaminants of concern	10,739.00	11,217.00	c. Groundwood Pulp Mills		
Ink Formulation and Printing			1. < 300 tons per day	31,412.00	32,810.00
a. Commercial Print Shops	1,611.00	1,683.00	2. > 300 tons per day	62,824.00	65,620.00
b. Newspapers	2,685.00	2,804.00	d. Chemical Pulp Mills w/o Chlorine Bleaching	83,764.00	87,491.00
c. Box Plants	4,296.00	4,487.00	e. Chemical Pulp Mills w/Chlorine Bleaching	94,265.00	98,428.00
d. Ink Formulation	5,370.00	5,609.00	Radioactive Effluents and Discharges (RED)		
Inorganic Chemicals Manufacturing			a. < 3 waste streams	20,270.00	21,172.00
a. Lime Products	5,235.00	5,468.00	b. 3 - < 8 waste streams	35,180.00	36,746.00
b. Fertilizer	6,283.00	6,583.00	c. 8 waste streams and greater	57,943.00	60,521.00
c. Peroxide	8,377.00	8,750.00	RCRA Corrective Action Sites	14,718.00	15,373.00
d. Alkaline Earth Salts	10,471.00	10,937.00	Seafood Processing		
e. Metal Salts	14,658.00	15,310.00	a. < 1,000 gpd	1,047.00	1,094.00
f. Acid Manufacturing	20,941.00	21,873.00	b. 1,000 - < 10,000 gpd	2,670.00	2,789.00
g. Chlor-alkali	41,833.00	43,747.00	c. 10,000 - < 50,000 gpd	4,764.00	4,976.00
Irrigation Drainage Districts (only if covered under a municipal storm water permit as listed in subsection (3)(a)(iii) of this section).			d. 50,000 - < 100,000 gpd	7,486.00	7,819.00
Iron and Steel			e. 100,000 gpd and greater	10,471.00	10,937.00
a. Foundries	10,471.00	10,937.00	Shipyards		
b. Mills	20,941.00	21,873.00	a. Per crane, travel lift, small boat lift	2,094.00	2,187.00
Metal Finishing			b. Per drydock under 250 ft in length	2,094.00	2,187.00
a. < 1,000 gpd	1,256.00	1,312.00	c. Per graving dock	2,094.00	2,187.00
b. 1,000 - < 10,000 gpd	2,094.00	2,187.00	d. Per marine way	3,141.00	3,281.00
c. 10,000 - < 50,000 gpd	5,235.00	5,468.00	e. Per scyrolift	3,141.00	3,281.00
d. 50,000 - < 100,000 gpd	10,471.00	10,937.00	f. Per drydock over 250 ft in length	4,188.00	4,374.00
e. 100,000 - < 500,000 gpd	20,941.00	21,873.00	The fee for a facility in the shipyard category is the sum of the fees for the applicable units in the facility.		
f. 500,000 gpd and greater	31,412.00	32,810.00	Solid Waste Sites (nonstorm water)		
Noncontact Cooling Water With Additives			a. Nonputrescible	4,188.00	4,374.00
a. < 1,000 gpd	655.00	684.00	b. < 50 acres	8,377.00	8,750.00
b. 1,000 - < 10,000 gpd	1,309.00	1,367.00	c. 50 - < 100 acres	16,752.00	17,497.00
c. 10,000 - < 50,000 gpd	1,964.00	2,051.00	d. 100 - < 250 acres	20,941.00	21,873.00
d. 50,000 - < 100,000 gpd	4,582.00	4,786.00	e. 250 acres and greater	31,412.00	32,810.00
e. 100,000 - < 500,000 gpd	7,853.00	8,202.00	Storm Water (Unless specifically categorized elsewhere.)		
f. 500,000 - < 1,000,000 gpd	11,126.00	11,621.00	a. Individual Industrial Permits		
g. 1,000,000 - < 2,500,000 gpd	14,398.00	15,039.00	1. < 50 acres	2,094.00	2,187.00
h. 2,500,000 - < 5,000,000 gpd	17,668.00	18,454.00	2. 50 - < 100 acres	4,188.00	4,374.00
i. 5,000,000 gpd and greater	20,941.00	21,873.00	3. 100 - < 500 acres	6,283.00	6,563.00
Noncontact Cooling Water Without Additives			4. 500 acres and greater	8,377.00	8,750.00
a. < 1,000 gpd	524.00	547.00	b. Facilities covered under the Baseline Industrial Storm Water General Permit	279.00	291.00
b. 1,000 - < 10,000 gpd	1,047.00	1,094.00	c. Construction activities covered under the		
c. 10,000 - < 50,000 gpd	1,571.00	1,641.00			
d. 50,000 - < 100,000 gpd	3,665.00	3,828.00			
e. 100,000 - < 500,000 gpd	6,283.00	6,563.00			
f. 500,000 - < 1,000,000 gpd	8,900.00	9,296.00			
g. 1,000,000 - < 2,500,000 gpd	11,518.00	12,031.00			
h. 2,500,000 - < 5,000,000 gpd	14,435.00	14,764.00			
i. 5,000,000 gpd and greater	16,752.00	17,497.00			

Wastewater Discharge Permit Fees

173-224-040

Baseline Industrial Storm Water General Permit	279.00	291.00
Textile Mills	41,833.00	43,747.00
Timber Products		
a. Log Storage	2,094.00	2,187.00
b. Veneer	4,188.00	4,374.00
c. Sawmills	8,377.00	8,750.00
d. Hardwood, Plywood	14,658.00	15,310.00
e. Wood Preserving	20,941.00	21,873.00
Vegetable/Bulb Washing Facilities		
a. < 1,000 gpd	69.00	72.00
b. 1,000 - < 5,000 gpd	139.00	145.00
c. 5,000 - < 10,000 gpd	276.00	288.00
d. 10,000 - < 20,000 gpd	554.00	579.00
e. 20,000 and greater	918.00	959.00
Vehicle Maintenance and Freight Transfer		
a. < 0.5 acre	2,094.00	2,187.00
b. 0.5 - < 1.0 acre	4,188.00	4,374.00
c. 1.0 acre and greater	6,283.00	6,563.00
Water Plants		
a. Potable water treatment	2,618.00	2,735.00
Wineries		
a. < 500 gpd	214.00	224.00
b. 500 - < 750 gpd	429.00	448.00
c. 750 - < 1,000 gpd	857.00	895.00
d. 1,000 - < 2,500 gpd	1,714.00	1,790.00
e. 2,500 - < 5,000 gpd	2,731.00	2,853.00
f. 5,000 gpd and greater	3,749.00	3,916.00

(a) Facilities other than those in the aggregate production, crop preparing, shipyard, or RCRA categories which operate within several fee categories or subcategories shall be charged from that category or subcategory with the highest fee.

(b) Facilities with existing fee structures that obtain coverage under a general permit other than the industrial and municipal storm water general permits shall be charged a permit fee equaling 70% of the fee category in which they would otherwise belong.

(c) The total annual permit fee for a water treatment plant that primarily serves residential customers shall not exceed three dollars per residential equivalent. The number of residential equivalents is determined by dividing the facility's annual gross revenue in the previous calendar year by the annual user charge for a single family residence which uses nine hundred cubic feet of water per month.

(d) Crop preparation and aggregate production permittees are required to submit information to the department certifying annual production (calendar year) or unit processes. When required, the information form shall be completed and returned to the department within thirty days after it is mailed to the permittee by the department. Failure to provide this information could result in permit termination.

(i) Information submitted shall bear a certification of correctness and be signed:

(A) In the case of a corporation, by an authorized corporate officer;

(B) In the case of a limited partnership, by an authorized general partner;

(C) In the case of a general partnership, by an authorized partner; or

(D) In the case of a sole proprietorship, by the proprietor.

(ii) The department may verify information submitted and, if it determines that false or inaccurate statements have been made, it may, in addition to taking other actions provided by law, revise both current and previously granted fee determinations.

(e) Fees for crop preparers discharging only noncontact cooling water without additives shall pay the lesser of the applicable fee in the crop preparing or noncontact cooling water without additives categories.

(f) Where no clear industrial facility category exists for placement of a permittee, the department may elect to place the permittee in a category with dischargers or permittees that contain or use similar properties or processes and/or a category which contains similar permitting complexities to the department.

(g) Hazardous waste clean up sites and EPA authorized RCRA corrective action sites with whom the department is commencing cost recovery through chapter 70.105D RCW shall not pay a permit fee under chapter 173-224 WAC until such time as the cost recovery under chapter 70.105D RCW ceases.

(h) Any permit holder with the exception of inactive aggregate operations who has not been in continuous operation within a consecutive eighteen-month period or who commits to not being in operation for a consecutive eighteen-month period or longer can have their permit fee reduced to twenty-five percent of the fee which they would be otherwise assessed. This nonoperating mode must be verified by the appropriate ecology staff. Once operations resume, the permit fee shall be returned to the full amount.

Facilities who commit to the minimum eighteen-month nonoperating mode but go back into operation during the same eighteen-month period will be assessed permit fees as if they were active during the entire period.

(i) Fees for inactive aggregate sites that become active will be prorated to reflect the number of days the facility is active during the fiscal year. Facilities that become active more than once in a fiscal year shall pay the full annual fee.

(j) Facilities with subcategories based on gallons per day (gpd) shall have their annual permit fee determined by using the maximum daily flow or maximum monthly average permitted flow in gallons per day as specified in the waste discharge permit, whichever is greater.

(k) RCRA corrective action sites requiring a waste discharge permit will be assessed a separate permit fee regardless of whether the discharge is authorized by a separate permit or by a modification to an existing permit for a discharge other than that resulting from the corrective action.

(3) MUNICIPAL/DOMESTIC FACILITIES

(a) The annual permit fee for a permit held by a municipality for a domestic wastewater facility issued under RCW 90.48.162 or 90.48.260 is determined as follows:

(i) Residential Equivalents (RE)	FY 96 Annual Permit Fee	FY 97 Annual Permit Fee
< 250,000	\$1.29 per RE	\$1.35 per RE
> 250,000	.78 per RE	.81 per RE

(ii) In addition to the municipal annual permit fee, a biosolids surcharge amounting to five percent of the annual

permit fee will also be assessed for municipalities who do not incinerate their sludge.

(iii) Municipal storm water permit annual fee for only the entities listed below will be:

Name of Entity	FY 96 Annual Permit Fee	FY 97 Annual Permit Fee
King County	\$ 23,852.00	\$ 24,913.00
Snohomish County	23,852.00	24,913.00
Pierce County	23,852.00	24,913.00
Tacoma, City of	23,852.00	24,913.00
Seattle, City of	23,852.00	24,913.00
Department of Transportation	23,852.00	24,913.00
Clark County	23,852.00	24,913.00
Spokane, County	23,852.00	24,913.00

Facilities listed in (a)(iii) of this subsection shall pay an annual fee for fiscal year 1996 and fiscal year 1997 regardless of the permit issuance date or the number of municipal storm water permits under which they are covered.

(b) The annual permit fee for each permit issued under RCW 90.48.162 or 90.48.260 that is held by a municipality that holds more than one permit for domestic wastewater facilities and which treats each domestic wastewater facility as a separate accounting entity, (i.e., maintaining separate funds/accounts for each facility, into which revenue received from the users of that facility is deposited and out of which expenditures to pay for the costs of operating, etc., that facility are made) is determined as in (a) of this subsection.

(c) The sum of the annual permit fees for permits held by a municipality that holds more than one permit for domestic wastewater facilities issued under RCW 90.48.162 or 90.48.260 and which does not treat each domestic wastewater facility as a separate accounting entity, (i.e., maintaining separate funds/accounts for each facility, into which revenue received from the users of that facility is deposited and out of which expenditures to pay for the costs of operating, etc., that facility are made) is determined as in (a) of this subsection.

(d) The permit fee for a privately-owned domestic wastewater facility that primarily serves residential customers is determined as in (a) of this subsection. Residential customers are those whose lot, parcel or real estate, or building is primarily used for domestic dwelling purposes.

(e) Permit fees for privately-owned domestic wastewater facilities that do not serve primarily residential customers and for state-owned domestic wastewater facilities are the following:

Permitted Flows	FY 96 Annual Permit Fee	FY 97 Annual Permit Fee
.1 MGD and Greater	\$5,235.00	\$5,468.00
.05 MGD to < .1 MGD	2,094.00	2,187.00
.0008 MGD to < .05 MGD	1,047.00	1,094.00
< .0008 MGD	314.00	328.00

Privately-owned domestic wastewater facilities shall have their annual permit fee determined by using the maximum daily flow or maximum monthly average permitted flow in million gallons per day, whichever is greater, as specified in the waste discharge permit.

(f) The number of residential equivalents is calculated in the following manner:

(i) If the facility serves only single-family residences, the number of residential equivalents is the number of single-family residences that it served on January 1 of the previous calendar year.

(ii) If the facility serves both single-family residences and other classes of customers, the number of residential equivalents is calculated in the following manner:

(A) Calculation of the number of residential equivalents that the facility serves in its own service area. Subtract from the previous calendar year's gross revenue:

(I) Any amounts received from other municipalities for sewage interception, treatment, collection, or disposal; and

(II) Any user charges received from customers for whom the permit holder pays amounts to other municipalities for sewage treatment or disposal services. Divide the resulting figure by the annual user charge for a single-family residence.

(B) Calculation of the number of residential equivalents that the facility serves in other municipalities which pay amounts to the facility for sewage interception, treatment, collection, or disposal:

(I) Divide any such amounts received from other municipalities during the previous calendar year by the annual user charge for a single-family residence. In this case "annual user charge for a single-family residence" means the annual user charge that the facility charges other municipalities for sewage interception, treatment, collection, or disposal services for a single-family residence. If the facility charges different municipalities differing single-family residential user charges, then the charge used in these calculations must be that which applies to the largest number of single-family residential customers. Alternatively, if the facility charges different municipalities differing single-family residential user charges, the permit holder may divide the amount received from each municipality by the annual user charge that it charges that municipality for a single-family residence and sum the resulting figures.

(II) If the facility does not charge the other municipality on the basis of a charge per single-family residence, the number of residential equivalents in the other municipality is calculated by dividing its previous calendar year's gross revenue by its annual user charge for a single-family residence. If the other municipality does not maintain data on its gross revenue, user charges, and/or the number of single-family residences that it serves, the number of residential equivalents is calculated as in (f)(iv) of this subsection.

(III) If the other municipality serves only single-family residences, the number of residential equivalents may be calculated as in (f)(i) of this subsection.

The sum of the resulting figures is the number of residential equivalents that the facility serves in other municipalities.

(C) The number of residential equivalents is the sum of the number of residential equivalents calculated in (f)(ii)(A) and (B) of this subsection.

(iii) The annual user charge for a single-family residence is calculated by either of the following methods, at the choice of the permit holder:

(A) The annual user charge for a single-family residence using nine hundred cubic feet of water per month. If users are billed monthly, this is calculated by multiplying by twelve the monthly user charge for a single-family residence using nine hundred cubic feet of water per month. If users are billed bimonthly, the annual user charge is calculated by multiplying by six the bimonthly user charge for a single-family residence using one thousand eight hundred cubic feet of water per two-month period. If the user charge for a single-family residence varies, depending on age, income, location, etc., then the charge used in these calculations must be that which applies to the largest number of single-family residential customers.

(B) The average annual user charge for a single-family residence. This average is calculated by dividing the previous calendar year's gross revenue from provision of sewer services to single-family residences by the number of single-family residences served on January 1 of the previous calendar year. If the user charge for a single-family residence varies, depending on age, income, location, etc., then the gross revenue and number of single-family residences used in making this calculation must be those for all the single-family residential customers.

In either case, (f)(iii)(A) or (B) of this subsection, the permit holder must provide the department with a copy of its complete sewer rate schedule for all classes of customers.

(iv) If a permit holder does not maintain data on its gross revenue, user charges, and/or the number of single-family residences that it serves, and therefore cannot use the methods described in (f)(i) or (ii) of this subsection to calculate the number of residential equivalents that it serves, then the number of residential equivalents that it serves is calculated by dividing the average daily influent flow to its facility for the previous calendar year by two hundred fifty gallons. This average is calculated by summing all the daily flow measurements taken during the previous calendar year and then dividing the resulting sum by the number of days on which flow was measured. Data for this calculation must be taken from the permit holder's discharge monitoring reports. Permit holders using this means of calculating the number of their residential equivalents must submit with their application a complete set of copies of their discharge monitoring reports for the previous calendar year.

(g) Fee calculation procedures for holders of permits for domestic wastewater facilities.

(i) Municipalities holding permits for domestic wastewater facilities issued under RCW 90.48.162 and 90.48.260, and holders of permits for privately-owned domestic wastewater facilities that primarily serve residential customers must complete a form certifying the number of residential equivalents served by their domestic wastewater system. The form must be completed and returned to the department within thirty days after it is mailed to the permit holder by the department. Failure to return the form could result in permit termination. Fees will be calculated in even-numbered fiscal years.

(ii) The form shall bear a certification of correctness and be signed:

(A) In the case of a corporation, by an authorized corporate officer;

(B) In the case of a limited partnership, by an authorized partner;

(C) In the case of a general partnership, by an authorized partner;

(D) In the case of a sole proprietorship, by the proprietor; or

(E) In the case of a municipal or other public facility, by either a ranking elected official or a principal executive officer.

(iii) The department may verify the information contained in the form and, if it determines that the permit holder has made false statements, may, in addition to taking other actions provided by law, revise both current and previously granted fee determinations.

[Statutory Authority: Chapter 90.48 RCW. 96-03-041 (Order 94-21), § 173-224-040, filed 1/10/96, effective 2/10/96; 94-10-027 (Order 93-08), § 173-224-040, filed 4/28/94, effective 5/29/94; 92-03-131 (Order 91-45), § 173-224-040, filed 1/21/92, effective 2/21/92. Statutory Authority: Chapter 43.21A RCW. 89-12-027 and 90-07-015 (Order 89-8 and 89-8A), § 173-224-040, filed 5/31/89 and 3/13/90, effective 4/13/90.]

WAC 173-224-050 Permit fee computation and payments.

(1) The department shall charge permit fees based on the permit fee schedule contained in WAC 173-224-040. The department may charge fees at the beginning of the year to which they apply. The department shall notify permit holders of fee charges by mailing billing statements. Permit fees must be received by the department within forty-five days after the department mails a billing statement. The department may elect to bill permit holders a prorated portion of the annual fee on a monthly, quarterly, or other periodic basis. In cases where a new permit is only in effect for a portion of the fiscal year upon which the annual fee is based, the department shall prorate the fee on a quarterly basis. In addition to other circumstances, this applies where the department terminates a permit upon its determination that an industry which discharges to a municipal sewer system is satisfactorily regulated by a local pretreatment program.

(2) Permit fee computation for individual permits. Computation of permit fees shall begin on the first day of each fiscal year, or in the case of facilities or activities not previously covered by permits, on the issuance date of the permit. In the case of applicants for state waste discharge permits who are deemed to have a temporary permit under RCW 90.48.200, computation shall begin on the sixty-first day after the department accepts a completed application. In the case of NPDES permit holders who submit a new, updated permit application containing information which could change their assigned permit fee, computation and permit fee category reassignment begins upon acceptance of the application by the department. Permits terminated during the fiscal year will have their fees prorated as follows:

(a) Permit coverage for up to three months will pay twenty-five percent of the annual permit fee;

(b) Permit coverage for three to six months will pay fifty percent of the annual permit fee;

(c) Permit coverage for six to nine months will pay seventy-five percent of the annual permit fee; and

(d) Permit coverage for nine months or greater will pay one hundred percent of the annual permit fee.

(3) Permit fee computation for general permits. Computation of fees for permittees covered under a general permit (with the exception of permittees covered under the

baseline industrial storm water general permit and municipal storm water general permit) begins at the end of the permit application coverage period, regardless of the date of submission of the notice of intent. Any facility that is an existing operation requiring general permit coverage but that does not apply for a permit during the permit application coverage period will incur fees beginning at the end of the application coverage period. Permits terminated during the fiscal year will have their fees prorated as described in subsection (2)(a), (b), (c) and (d) of this section.

(4) Permit fees for sand and gravel (aggregate) general permittees will be assessed as in subsection (3) of this section and:

(a) A mining facility that is active for three months or more during the state fiscal year will be considered active for the full year for fee purposes. A mining facility that is active for less than three months shall be considered inactive for fee calculation purposes.

(b) Inactive sites that become active for only concrete and/or asphalt production will be assessed a prorated fee for the actual time inactive. For the actual time a concrete and/or asphalt facility is active, fees will be based on total production of concrete and/or asphalt.

(c) Fees for continuously active sites that produce concrete and/or asphalt will be based on the average of the three previous calendar years production totals. Existing facilities must provide the department with the production totals for concrete and/or asphalt produced during the previous three calendar years or for the number of full calendar years of operation if less than three. New facilities with no historical asphalt and/or concrete production data will have their first year fee based on the production levels reported on the notice of intent for coverage under the National Pollutant Discharge Elimination System and State Waste Discharge Permit for Process Water and Storm Water Discharges Associated with Sand and Gravel Operations, Rock Quarries and Similar Mining Facilities including Stockpiles of Mined Materials, Concrete Batch Operations and Asphalt Batch Operations general permit. The second year fee will be determined based on the actual production during the first year and estimated production for the second year. The third year fee will be determined based on the average of actual production for the first two years and estimated for the third year. Fee calculation for subsequent years will be based on the average production values of previous years.

(5) Fees for crop preparation general permittees will be assessed as in subsection (3) of this section and will be computed on the three previous calendar years production totals. Existing facilities must provide the department with the production totals in the manner described in WAC 173-224-040 (2)(d). New facilities with no historical production data will have their first year fee based on the estimated production level for that year. The second year fee will be determined based on the actual production during the first year and estimated production for the second year. The third year fee will be determined based on the average of actual production for the first two years and estimated for the third year. Fee calculation for subsequent years will be based on the average production values of previous years.

(6) Permittees covered under the baseline industrial storm water general permit before July 1, 1993, will have

their annual permit fees calculated beginning on July 1, 1993. Facilities that are existing operations prior to July 1, 1993, and apply for permit coverage after July 1, 1993, will be assessed the annual permit fee beginning on July 1, 1993. Construction activities receiving coverage under the baseline industrial storm water general permit after July 1, 1993, will be assessed a permit fee beginning upon the permit issuance date.

(7) Facilities with an existing NPDES and/or state wastewater discharge permit who also have obtained coverage under the baseline industrial storm water general permit shall not pay a permit fee for coverage under the baseline industrial storm water general permit.

(8) Computation of fees shall end on the last day of the state's fiscal year, or in the case of a terminated permit, during the quarter the termination took place.

(9) The applicable permit fee shall be paid by check or money order payable to the "Department of Ecology" and mailed to the Wastewater Discharge Permit Fee Program, P.O. Box 5128, Lacey, Washington 98503-0210.

(10) In the event a check is returned due to insufficient funds, the permit fee shall be deemed to be unpaid.

(11) Penalty due on delinquent accounts. The department may charge permit holders a penalty on fee charges that have not been paid by the due date indicated on the billing statement at the rates of:

(a) Ten percent of the assessed fee for the first thirty days late;

(b) Fifteen percent of the assessed fee for between thirty-one days late and sixty days late; and

(c) Twenty-five percent of the assessed fee for between sixty-one days late and ninety days late.

Failure to pay fees and penalties after ninety days may result in termination of the permit or the exercise of such other legal or equitable remedies that ecology is authorized to carry out including, but not limited to, the assessment of additional penalties. Civil penalties issued by the department may be sufficiently large to offset the economic benefit gained from nonpayment of fees and to deter continued operation and/or nonpayment. Payment of civil penalties shall not be deemed as payment of fees, nor shall payment of fees after assessment of penalties be deemed as a cause for reducing the penalty. Nothing herein shall be interpreted as restricting the authority of the department to exercise its other enforcement remedies as authorized by law.

[Statutory Authority: Chapter 90.48 RCW. 96-03-041 (Order 94-21), § 173-224-050, filed 1/10/96, effective 2/10/96; 94-10-027 (Order 93-08), § 173-224-050, filed 4/28/94, effective 5/29/94; 92-03-131 (Order 91-45), § 173-224-050, filed 1/21/92, effective 2/21/92. Statutory Authority: Chapter 43.21A RCW. 89-12-027 and 90-07-015 (Order 89-8 and 89-8A), § 173-224-050, filed 5/31/89 and 3/13/90, effective 4/13/90.]

WAC 173-224-060 Permits issued by other governmental agencies. The department shall not charge permit fees for:

(1) Permits issued by a city, town, or municipal corporation under RCW 90.48.165;

(2) Permits issued by the energy facilities site evaluation council under RCW 80.50.071;

(3) Permits administered by the EPA under 33 U.S.C. 1251 et seq.

Nothing herein shall restrict the department from charging fees to recover administrative expenses of permits it issues under RCW 90.48.160 for discharges into municipal sewer systems, nor for charging fees to recover administrative expenses related to monitoring compliance with delegated pretreatment programs.

[Statutory Authority: Chapter 43.21A RCW. 89-12-027 and 90-07-015 (Order 89-8 and 89-8A), § 173-224-060, filed 5/31/89 and 3/13/90, effective 4/13/90.]

WAC 173-224-080 Transfer of ownership or control. The department shall charge permit fees from the permit holder on record with the department. In the event that ownership or control of a permitted facility or activity is transferred, it shall not be the responsibility of the department to transfer funds between a new and previous permit holder, and the department shall not refund fee charges prospectively in the event of a transfer. Fees paid by a previous permit holder shall be deemed to satisfy the corresponding fee payment requirements of a new permit holder. Agreements between a new and previous permit holder are not binding on the department.

[Statutory Authority: Chapter 43.21A RCW. 89-12-027 and 90-07-015 (Order 89-8 and 89-8A), § 173-224-080, filed 5/31/89 and 3/13/90, effective 4/13/90.]

WAC 173-224-090 Small business fee reduction. A small business required to pay a permit fee under an industrial facility category may receive a reduction of its permit fee.

(1) To qualify for the fee reduction, a business must:

- (a) Be a corporation, partnership, sole proprietorship, or other legal entity formed for the purpose of making a profit;
- (b) Be independently owned and operated from all other businesses (i.e., not a subsidiary of a parent company);
- (c) Have annual sales of one million dollars or less of the goods or services produced using the processes regulated by the waste discharge permit; and
- (d) Pay an annual wastewater discharge permit fee greater than five hundred dollars.

(2) To receive a fee reduction, the permit holder must submit an application in a manner prescribed by the department demonstrating that the conditions of subsection (1) of this section have been met. The application shall bear a certification of correctness and be signed:

- (a) In the case of a corporation, by an authorized corporate officer;
- (b) In the case of a limited partnership, by an authorized general partner;
- (c) In the case of a general partnership, by an authorized partner; or
- (d) In the case of a sole proprietorship, by the proprietor.

(3) The department may verify the information contained in the application and, if it determines that the permit holder has made false statements, may deny the fee reduction request and revoke previously granted fee reductions.

(4) The permit fee for small businesses determined to be eligible under subsection (1) of this section shall be reduced to fifty percent of the assessed annual permit fee.

(5) If the annual gross revenue of the goods and services produced using the processes regulated by the waste discharge permit is one hundred thousand dollars or less, and the annual permit fee assessed imposes an extreme hardship to the business, the small business may request an extreme hardship fee reduction. The small business must provide sufficient evidence to support its claim of an extreme hardship. In no case will a permit fee be reduced below one hundred dollars.

[Statutory Authority: Chapter 90.48 RCW. 96-03-041 (Order 94-21), § 173-224-090, filed 1/10/96, effective 2/10/96; 94-10-027 (Order 93-08), § 173-224-090, filed 4/28/94, effective 5/29/94; 92-03-131 (Order 91-45), § 173-224-090, filed 1/21/92, effective 2/21/92. Statutory Authority: Chapter 43.21A RCW. 89-12-027 and 90-07-015 (Order 89-8 and 89-8A), § 173-224-090, filed 5/31/89 and 3/13/90, effective 4/13/90.]

WAC 173-224-100 Administrative appeals to the department. Any person aggrieved by a determination made under this chapter by the department may file a written appeal to the department no later than each fiscal year's first billing due date for payment of fees. Such appeal shall state the reasons that the aggrieved person believes that the department's determination is contrary to the requirements of RCW 90.48.465, and specific actions that he/she is requesting that are consistent with those requirements. The department shall either issue a revised determination or a statement upholding the original determination. A revised determination shall be consistent with the requirements of RCW 90.48.465. Any person feeling aggrieved by the administrative appeals decision made by the department regarding their permit fee may obtain review thereof by filing an appeal with the Pollution Control Hearings Board, PO Box 40903, Olympia, Washington 98504-0903, within thirty days of receipt of the department's decision. In addition, a copy of the appeal must be served on the Department of Ecology, Attention: Water Quality Program, PO Box 47696, Olympia, Washington 98504-7696, within thirty days of receipt. These procedures are consistent with the provisions of chapter 43.21B RCW and the rules and regulations adopted thereunder.

[Statutory Authority: Chapter 90.48 RCW. 94-10-027 (Order 93-08), § 173-224-100, filed 4/28/94, effective 5/29/94; 92-03-131 (Order 91-45), § 173-224-100, filed 1/21/92, effective 2/21/92. Statutory Authority: Chapter 43.21A RCW. 89-12-027 and 90-07-015 (Order 89-8 and 89-8A), § 173-224-100, filed 5/31/89 and 3/13/90, effective 4/13/90.]

WAC 173-224-110 Deposits. The department shall deposit permit fee payments in the water quality permit account in the state treasury. Funds collected shall not be available for use by the department until appropriated by the legislature.

[Statutory Authority: Chapter 43.21A RCW. 89-12-027 and 90-07-015 (Order 89-8 and 89-8A), § 173-224-110, filed 5/31/89 and 3/13/90, effective 4/13/90.]

WAC 173-224-120 Past due payments. Any person who, by the effective date of this section, has not paid the fees and other amounts due under chapter 173-223 WAC shall continue to be obligated to pay such fees and amounts.

[Statutory Authority: Chapter 90.48 RCW. 92-03-131 (Order 91-45), § 173-224-120, filed 1/21/92, effective 2/21/92. Statutory Authority: Chapter

43.21A RCW. 89-12-027 and 90-07-015 (Order 89-8 and 89-8A), § 173-224-120, filed 5/31/89 and 3/13/90, effective 4/13/90.]

Chapter 173-225 WAC

FEDERAL WATER POLLUTION CONTROL ACT— ESTABLISHMENT OF IMPLEMENTATION PROCEDURES OF APPLICATION FOR CERTIFICATION

WAC

173-225-010	Introduction.
173-225-020	Purpose.
173-225-030	Public notice and public hearings.

WAC 173-225-010 Introduction. Section 401 of the Federal Water Pollution Control Act (FWPCA) provides that applicants for a license or permit from the federal government relating to any activity which may result in any discharge into the navigable waters shall obtain a certification from the state in which the discharge originates, or will originate, that any such discharge will comply with the applicable provisions of sections 301, 302, 306, and 307 of the FWPCA. The department of ecology, under chapter 90.48 RCW, has been designated as the state water pollution control agency for all purposes of the FWPCA, and is authorized to participate fully in the programs of that act as well as to take all action necessary to meet the requirements thereof.

[Order 73-29, § 173-225-010, filed 11/15/73.]

WAC 173-225-020 Purpose. The purpose of this regulation is to establish procedures for public notice and public hearings in relation to the processing of applications for certification required by section 401 of the FWPCA.

[Order 73-29, § 173-225-020, filed 11/15/73.]

WAC 173-225-030 Public notice and public hearings. Whenever an application for certification required by section 401 of FWPCA is filed with the department of ecology, the following procedures pertaining to public notice and public hearings shall apply:

(1) Public notice of an application shall be performed in relation to all applications, as follows:

(a) By mailing notice of the application for certification to persons and organizations who have requested the same and to all others deemed appropriate; and

(b) When determined by the department as desirable in the public interest, by publication of a notice twice, once each on the same day of the week in two consecutive weeks, in a newspaper of general circulation in the county in which the activity described in the application is located, and in such other counties as are deemed appropriate by the department. The applicant for a certification shall be required to cause such notice to be published in a form approved by the department and the applicant shall bear the cost of such publication and provide an affidavit of publication to the department.

(2) Any person desiring to present views on the application in relation to water pollution control considerations shall do so by providing the same in writing to the regional office

of the department of ecology identified in the notice of application within 20 days after notice of the application was last published or such longer period of time as the director may determine, or, in the case where notice is provided only by WAC 173-225-030 (1)(a), within the time period stated in said notice.

(3) If the department determines there is sufficient public interest in any application, a public hearing for the submission of oral views as well as written views shall be held. When this determination is made before notice of application is performed, such notice shall set forth the time and place of the hearing; otherwise, a separate notice of public hearing shall be made and such notice shall be distributed and published in the manner provided in WAC 173-225-030(1). Whenever a public hearing is to be held, the requirement of WAC 173-225-030(2) above in relation to the timing of submitting written views shall not apply, but the deadline for submitting written views shall be set forth in the notice announcing the hearing.

[Order DE 75-6, § 173-225-030, filed 3/7/75; Order 73-29, § 173-225-030, filed 11/15/73.]

Chapter 173-226 WAC

WASTE DISCHARGE GENERAL PERMIT PROGRAM

WAC

173-226-010	Purpose.
173-226-020	Permit required.
173-226-030	Definitions.
173-226-040	Relationship to chapters 173-216 and 173-220 WAC.
173-226-050	General permit coverage.
173-226-060	General permit preparation—Preliminary determination.
173-226-070	Permit effluent limitations.
173-226-080	Other terms and conditions.
173-226-090	Monitoring, recording, and reporting.
173-226-100	Prohibited discharges.
173-226-110	Fact sheets.
173-226-120	Economic impact analysis.
173-226-130	Public notice.
173-226-140	Notice to other government agencies.
173-226-150	Public hearings.
173-226-160	Public access to information.
173-226-170	Issuance of general permits.
173-226-180	Compliance schedules.
173-226-190	Appeals.
173-226-200	Applications for coverage under a general permit.
173-226-210	Transfer of permit coverage.
173-226-220	Duration and replacement of permits.
173-226-230	Modification and revocation of general permits.
173-226-240	Revocation of coverage under a general permit.
173-226-250	Enforcement.

WAC 173-226-010 Purpose. The purpose of this chapter is to establish a state general permit program, applicable to the discharge of pollutants, wastes, and other materials to waters of the state, including discharges to municipal sewerage systems. Permits issued under this chapter are designed to satisfy the requirements for discharge permits under sections 307 and 402(b) of the federal Water Pollution Control Act (33 U.S.C. §1251) and the state law governing water pollution control (chapter 90.48 RCW).

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-010, filed 5/5/93, effective 5/19/93.]

WAC 173-226-020 Permit required. No pollutants shall be discharged to waters of the state from any point source, except as authorized by an individual permit issued pursuant to chapters 173-216 and 173-220 WAC, or as authorized through coverage under a general permit issued pursuant to this chapter. Coverage under a valid general permit issued prior to the existence of this chapter will satisfy the permit requirements of this section.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-020, filed 5/5/93, effective 5/19/93.]

WAC 173-226-030 Definitions. For purposes of this chapter, the following definitions shall be applicable:

(1) "Administrator" means the administrator of the United States Environmental Protection Agency.

(2) "Application for coverage" means a form developed by, or approved by the department, which is used by a discharger to apply for coverage under a general permit.

(3) "Best management practices" (BMPs) means schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to prevent or reduce the pollution of the waters of the state. BMPs also include treatment requirements, operating procedures, and practices to control plant site runoff, spillage or leaks, sludge or waste disposal, or drainage from raw material storage.

(4) "Department" means the Washington state department of ecology.

(5) "Director" means the director of the department of ecology or the director's authorized representative.

(6) "Discharge of pollutant" and "discharge of pollutants" mean the addition of any pollutant or combination of pollutants to waters of the state, respectively.

(7) "Discharger" means the owner or operator of any operation, facility, or activity subject to regulation under chapter 90.48 RCW.

(8) "Domestic wastewater" means water carrying human wastes, including kitchen, bath, and laundry wastes from residences, buildings, industrial establishments, or other places, together with such ground water infiltration or surface waters as may be present.

(9) "Domestic wastewater facility" means all structures, equipment, or processes required to collect, carry away, treat, reclaim, or dispose of domestic wastewater, together with such industrial waste as may be present.

(10) "Effluent limitation" means any restriction established by the department or the administrator on quantities, rates, and concentrations of chemical, physical, biological, and other constituents discharged from point sources into waters of the state.

(11) "FWPCA" means the federal Water Pollution Control Act, as amended, 33 U.S.C. § 1251 et seq.

(12) "Existing operation" means an operation that is not a new operation.

(13) "General permit" means a permit that covers multiple dischargers of a point source category within a designated geographical area, in lieu of individual permits being issued to each discharger.

(14) "Individual permit" means a permit for a single point source or a single facility.

(15) "Municipal sewerage system" means a publicly owned domestic wastewater facility or privately owned

domestic wastewater facility that is under contract to a municipality.

(16) "New operation" means an operation that begins activities that result in a discharge, or a potential discharge to waters of the state on or after the effective date of the general permit.

(17) "Notice of intent" means an application for a general permit, a request for coverage under a general permit, or a registration form for a general permit.

(18) "NPDES" means the National Pollutant Discharge Elimination System.

(19) "Permit" means an authorization, license, or equivalent control document issued by the director to implement this chapter.

(20) "Person" includes any political subdivision, local, state, or federal government agency, municipality, industry, public or private corporation, partnership, association, firm, individual, or any other entity whatsoever.

(21) "Point source" means any discernible, confined, and discrete conveyance, including, but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, or vessel or other floating craft, from which pollutants are or may be discharged. This term does not include return flows from irrigated agriculture.

(22) "Pollutant" means dredged spoil, solid waste, incinerator residue, sewage, garbage, sewage sludge, munitions, chemical wastes, biological materials, radioactive materials, heat, wrecked or discarded equipment, rock, sand, cellar dirt, and industrial, municipal, and agricultural waste discharged into water. This term does not include sewage from vessels within the meaning of section 312 of the FWPCA nor does it include dredged or fill material discharged in accordance with a permit issued under section 404 of the FWPCA.

(23) "Regional administrator" means the regional administrator of Region X of the Environmental Protection Agency (EPA) or his/her authorized representative.

(24) "Sediment standards" means the state of Washington's Sediment management standards (chapter 173-204 WAC).

(25) "Small business" has the meaning given in RCW 43.31.025(4).

(26) "Surface waters of the state" means all waters defined as "waters of the United States" in 40 CFR 122.2 that are within the boundaries of the state of Washington. This includes lakes, rivers, ponds, streams, inland waters, wetlands, ocean, bays, estuaries, sounds, and inlets.

(27) "Waters of the state" means all waters defined as "surface waters of the state" and all waters defined as "waters of the state" in RCW 90.48.020.

(28) "Water quality standards" means the state of Washington's water quality standards for ground waters of the state (chapter 173-200 WAC) and the state of Washington's water quality standards for surface waters of the state (chapter 173-201A WAC).

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-030, filed 5/5/93, effective 5/19/93.]

WAC 173-226-040 Relationship to chapters 173-216 and 173-220 WAC. This chapter defines a waste discharge

general permit program within Washington state. Chapters 173-216 and 173-220 WAC define and establish permit programs for the development and issuance of individual permits.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-040, filed 5/5/93, effective 5/19/93.]

WAC 173-226-050 General permit coverage. (1)

The director may issue general permits to satisfy any or all of the waste water discharge permit requirements of chapter 90.48 RCW and the FWPCA.

(2) The director may issue general permits to cover categories of dischargers for geographic areas as described under subsection (3) of this section. The area shall correspond to existing geographic or political boundaries, such as:

(a) Designated planning areas under section 208 or 303 of the FWPCA;

(b) Sewer districts or other special purpose districts;

(c) City, county, or state political boundaries;

(d) State or county highway systems;

(e) Standard metropolitan statistical areas as defined by the federal Office of Management and Budget;

(f) Urbanized areas as designated by the Bureau of the Census; or

(g) Any other appropriate division or combination of boundaries.

(3) General permits may be written to cover the following within a described area:

(a) Storm water sources; or

(b) Categories of dischargers that meet all of the following requirements:

(i) Involve the same or substantially similar types of operations;

(ii) Discharge the same or substantially similar types of wastes;

(iii) Require the same or substantially similar effluent limitations or operating conditions, and require similar monitoring; and

(iv) In the opinion of the director are more appropriately controlled under a general permit than under individual permits.

(4) The following discharges are not subject to permits under this chapter:

(a) Discharges to municipal sewerage systems of domestic wastewater from residential, commercial, or industrial structures.

(b) Any industrial or commercial discharge to a municipal sewerage system for which authority to issue permits has been granted to the municipality under RCW 90.48.165.

(c) Any industrial or commercial discharge to a municipal sewerage system operating under, and in compliance with, the applicable requirements of a local pretreatment program approved under section 307 of FWPCA and WAC 173-216-150. In the event of noncompliance, this exemption no longer applies and the discharger is immediately subject to enforcement action under chapter 90.48 RCW for discharging without a waste discharge permit.

(d) Discharges to municipal sewerage systems of wastes from industrial or commercial sources whose wastewater is similar in character and strength to normal domestic wastewater: *Provided*, That such discharges do not have the

potential to adversely affect performance of the system. Examples of this type of discharge sources may include hotels, restaurants, laundries, and food preparation establishments.

(e) Discharges of domestic wastewater from a septic tank with subsurface sewage treatment and disposal and an ultimate design capacity less than or equal to fourteen thousand five hundred gallons per day. These systems are governed by on-site sewage disposal systems, chapter 246-272 WAC which is administered by the Washington state department of health.

(f) Discharges of domestic wastewater from a mechanical treatment system or lagoon followed by subsurface disposal with an ultimate design capacity less than or equal to three thousand five hundred gallons per day. These systems are governed by on-site sewage disposal systems, chapter 246-272 WAC which is administered by the Washington state department of health.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-050, filed 5/5/93, effective 5/19/93.]

WAC 173-226-060 General permit preparation—Preliminary determination. (1) For all general permits, the

department shall make a preliminary determination to develop a general permit. Interested persons may petition the director requesting that a category of dischargers be considered for the development of a general permit. The department shall respond to such a petition within ninety days of receipt.

(2) The department shall provide public notice of all preliminary determinations to develop a general permit pursuant to WAC 173-226-130(1).

(3) In the event that the department determines not to develop a general permit after publishing a preliminary determination pursuant to WAC 173-226-130(2), the department shall provide public notice to that effect in the same manner as the preliminary determination public notice was provided.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-060, filed 5/5/93, effective 5/19/93.]

WAC 173-226-070 Permit effluent limitations. Any general permit issued by the department shall apply and insure compliance with all of the following, whenever applicable:

(1) Technology-based treatment requirements and standards reflecting all known, available, and reasonable methods of prevention, treatment, and control required under RCW 90.48.010, 90.48.520, 90.52.040, and 90.54.020 may be imposed through any or all of the following methods:

(a) Effluent limitations and standards promulgated pursuant to sections 301, 302, 306, and 307 of the FWPCA;

(b) Discharge standards contained in chapters 173-221 and 173-221A WAC;

(c) On a case-by-case basis under section 402 of the FWPCA; and/or

(d) Through the use of best management practices.

(2) Water quality-based effluent limitations.

(a) Water quality-based effluent limitations shall be incorporated into a general permit if such limitations are necessary to comply with chapter 173-200 and/or 173-201A

WAC for the majority of the dischargers intended to be covered under the general permit and:

- (i) The department determines that the use of a general permit rather than individual permits is appropriate; and
- (ii) The conditions of coverage contained in WAC 173-226-050 are met.

(b) Water quality-based effluent limitations must control all pollutants or pollutant parameters which the department determines are or may be discharged at a level which will cause, have the reasonable potential to cause, or contribute to an excursion of state ground or surface water quality standards.

(3) Any more stringent limitations or requirements, including those necessary to:

(a) Meet water quality standards, sediment quality standards, treatment standards, or schedules of compliance established pursuant to any state law or regulation under authority preserved to the state by section 510 of the FWPCA;

(b) Meet any federal law or regulation other than the FWPCA or regulations thereunder;

(c) Implement any legally applicable requirements necessary to implement total maximum daily loads established pursuant to section 303(d) and incorporated in the continuing planning process approved under section 303(e) of the FWPCA and any regulations and guidelines issued pursuant thereto;

(d) Prevent or control pollutant discharges from plant site runoff, spillage or leaks, sludge or waste disposal, or materials handling or storage;

(e) Meet the permit by rule provisions of the state dangerous waste regulation, WAC 173-303-802 (4) or (5);

(f) Comply with a plan approved pursuant to section 208(b) of the FWPCA; and/or

(g) Meet such conditions as the department determines are necessary to carry out the provisions of the FWPCA, prior to promulgation by the administrator of applicable effluent standards and limitations pursuant to sections 301, 302, 306, and 307 of the FWPCA.

(4) In addition to the other applicable requirement of this chapter, general permits authorizing the discharge into a municipal sewerage system shall satisfy the applicable pretreatment requirements of the FWPCA.

(5) Requirements pursuant to other laws, including the state's Hazardous Waste Management Act (chapter 70.105 RCW), the Solid Waste Management—Reduction and Recycling Act (chapter 70.95 RCW), the Resource Conservation and Recovery Act of 1976 (Public Law 95.190), or any other applicable local ordinances, state or federal statute, to the extent that they pertain to the prevention or control of waste discharges into the waters of the state;

(6) In the application of effluent standards and limitations, water and sediment quality standards and other legally applicable requirements pursuant to subsections (1) through (4) of this section, each general permit shall specify:

(a) For industrial wastewater facilities, average monthly and maximum daily quantitative mass and/or concentration limitations, or other such appropriate limitations for the level of pollutants and the authorized discharge;

(b) For domestic wastewater facilities, average weekly and monthly quantitative concentration and mass limitations,

or other such appropriate limitations for the level of pollutants and the authorized discharge;

(c) If a dilution zone is authorized, pursuant to chapter 173-201A WAC, within which water quality standards are modified, the dimensions of such dilution zone; and

(d) If a sediment impact zone is authorized within which sediment quality standards are modified pursuant to chapter 173-204 WAC, the dimensions of such sediment impact zone.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-070, filed 5/5/93, effective 5/19/93.]

WAC 173-226-080 Other terms and conditions. (1)

In addition to the requirements of WAC 173-226-070, 173-226-090, and 173-226-180, each general permit shall require:

(a) All discharges authorized by the general permit shall be consistent with the terms and conditions of the permit.

(b) Any facility expansions, production increases, or process modifications that would result in new or increased discharges of pollutants causing effluent limitations in the general permit to be exceeded or beyond which was reported in the application for coverage, must be reported to the department by submission of a new application or supplement thereto.

(c) Unless notified to the contrary by the department all notices submitted pursuant to (b) of this subsection shall comply with the application requirements of WAC 173-226-200(3).

(d) Any discharge of any pollutant more frequent than or at a level in excess of that identified and authorized by the general permit shall constitute a violation of the terms and conditions of the general permit.

(e) The director may terminate coverage under a general permit for cause. Cases where coverage under a general permit may be terminated include, but are not limited to, those contained in WAC 173-226-240(1).

(f) The director may require any discharger to apply for and obtain an individual permit, or to apply for and obtain coverage under another more specific general permit.

(g) General permits may be issued, modified, revoked and reissued, or terminated in accordance with the other provisions of this chapter. Grounds for modification or revocation and reissuance include but are not limited to those contained in WAC 173-226-230.

(h) The permittee shall allow the department or its authorized representative, upon the presentation of credentials and such other documents as may be required by law, at reasonable times:

(i) To enter upon permittee's premises in which an effluent source is located or in which any records are required to be kept under terms and conditions of the permit;

(ii) To have access to, and to copy at reasonable cost, any records required to be kept under terms and conditions of the permit;

(iii) To inspect any monitoring equipment or method required in the permit; and/or

(iv) To sample any discharge of pollutants.

(i) The permittee shall at all times properly operate and maintain any facilities or systems of control to achieve compliance with the terms and conditions of the general permit. Where design criteria have been established, the

permittee shall not allow flows or waste loadings to exceed approved design criteria, or approved revisions thereto.

(j) The discharge of pollutants resulting from activities not covered under the general permit for which the discharger has requested coverage, shall be a violation of the terms and conditions of the general permit.

(2) General permits shall specify the contents of the application for coverage, the deadlines for submitting applications for coverage, the date(s) and/or the process by which coverage is granted, and the criteria for coverage.

(3) Any discharger authorized by a general permit may request to be excluded from coverage under the general permit by applying for and being issued an individual permit. The discharger shall submit to the director an application as described in WAC 173-220-040, with reasons supporting the request. The director shall either issue an individual permit or deny the request with a statement explaining the reason for denial.

(4) When an individual permit is issued to a discharger otherwise subject to a general permit, the applicability of the general permit to that permittee is automatically terminated on the effective date of the individual permit.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-080, filed 5/5/93, effective 5/19/93.]

WAC 173-226-090 Monitoring, recording, and reporting. (1) Monitoring.

(a) Any discharge authorized by a general permit may be subject to such monitoring requirements as may be reasonably required by the department, including the installation, use, and maintenance of monitoring equipment or methods (including, where appropriate, biological monitoring methods). These monitoring requirements would normally include but are not limited to:

- (i) Flow (in gallons per day or other appropriate units);
- (ii) All pollutants on which limitations have been placed pursuant to WAC 173-226-070;
- (iii) Pollutants (either directly or indirectly through the use of accepted correlation coefficients or equivalent measurements) that are subject to reduction or elimination under the terms and conditions of the permit;
- (iv) Pollutants that the department finds could have a significant impact on the quality of waters and sediments of the state; and
- (v) Pollutants specified by the administrator, in regulations issued pursuant to the FWPCA, as subject to monitoring.

(b) Each effluent flow or pollutant required to be monitored pursuant to (a) of this subsection shall be monitored at intervals sufficiently frequent to yield data that reasonably characterizes the nature of the discharge of the monitored effluent flow or pollutant.

(c) Monitoring for compliance with limitations imposed pursuant to WAC 173-226-070 shall be no less than once per year.

(d) Variable effluent flows and pollutant levels may be monitored at more frequent intervals than relatively constant effluent flows and pollutant levels, which may be monitored at less frequent intervals.

(e) Monitoring of intake water, influent to treatment facilities, internal waste streams, and/or receiving waters may

be required by the department, to verify compliance with net discharge limitations or removal requirements, to verify that proper waste treatment or control practices are being maintained, or to determine the effects of the discharge on the waters and sediments of the state.

(2) Recording of monitoring activities and results. Any general permit which requires monitoring of an authorized discharge shall require that:

(a) The permittee maintain records of all information resulting from any monitoring activities required as a condition of the application for, or as a condition of coverage under a general permit;

(b) Any records of monitoring activities and results shall include for all samples:

- (i) The date, exact place, and time of sampling;
- (ii) The dates analyses were performed;
- (iii) Who performed the analyses;
- (iv) The analytical techniques/methods used; and
- (v) The results of such analyses; and

(c) The permittee retain for a minimum of five years any records of monitoring activities and all results of those activities including all original strip chart recording for continuous monitoring instrumentation and calibration and maintenance records. This period of retention shall be extended during the course of any unresolved litigation regarding the discharge of pollutants by the permittee, or when requested by the department or regional administrator.

(3) Reporting of monitoring results.

(a) The department may require the permittee to periodically report on the proper reporting form, the monitoring results obtained pursuant to monitoring requirements in a general permit. In addition to the required reporting form, the department may require submission of such other reports as it determines to be necessary.

(b) Monitoring reports shall be signed by:

- (i) In the case of corporations, a responsible corporate officer or duly authorized representative, if such representative is responsible for the overall operation of the facility from which the discharge originates.
- (ii) In the case of a partnership, a general partner.
- (iii) In the case of a sole proprietorship, the proprietor.
- (iv) In the case of a municipal, state, or other public facility, either a principal executive officer, ranking elected official, or other duly authorized employee.

(4) Except as provided in subsection (5) of this section, all monitoring data required as a condition of a general permit, or required as part of an application for coverage under a general permit shall be prepared by a laboratory registered or accredited under the provisions of chapter 173-50 WAC within one year of first being covered under a general permit or by July 1, 1995, whichever is later.

(5) The following parameters need not be accredited or registered:

- (a) Flow;
- (b) Temperature;
- (c) Settleable solids;
- (d) Conductivity, except that conductivity shall be accredited if the laboratory must otherwise be registered or accredited;
- (e) pH, except that pH shall be accredited if the laboratory must otherwise be registered or accredited; and

(f) Parameters which are used solely for internal process.

[Statutory Authority: RCW 43.21A.230. 93-20-011 (Order 92-53), § 173-226-090, filed 9/22/93, effective 10/23/93. Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-090, filed 5/5/93, effective 5/19/93.]

WAC 173-226-100 Prohibited discharges. (1) No general permit issued by the department shall authorize any person to:

(a) Discharge any radiological, chemical, or biological warfare agent or high-level radioactive waste into waters of the state;

(b) Discharge any pollutants that the Secretary of the Army acting through the Chief, Corps of Engineers, finds would substantially impair anchorage and navigation;

(c) Discharge any pollutant which the regional administrator, not having waived his/her right to object pursuant to section 402(e) of the FWPCA, has objected in writing pursuant to section 402(d) of the FWPCA;

(d) Discharge any pollutant in conflict with plans or amendment thereto approved pursuant to section 208(b) of the FWPCA;

(e) Discharge any pollutant subject to a toxic pollutant discharge prohibition under section 307 of the FWPCA; or

(f) Discharge any dangerous waste as defined in the Dangerous waste regulations, chapter 173-303 WAC, into a subsurface disposal system such as a well or drainfield.

(2) The following discharges to municipal sewerage systems are also prohibited:

(a) Waste materials that pass through the treatment works untreated or interfere with its operation or performance;

(b) Liquids, solids, or gases that, by reason of their nature or quantity, are or may be sufficient either alone or by interaction to:

(i) Cause fire or explosion;

(ii) Create a public nuisance or hazard to life;

(iii) Prevent entry into the sewers for their maintenance and repair; or

(iv) Be injurious in any other way to the operation of the system or the operating personnel;

(c) Solid or viscous substances which may cause obstruction to the flow in a sewer or other interference with the operation of the system;

(d) Any wastewater having a pH less than 5.0 or greater than 11.0, or having any other corrosive property capable of causing damage or hazard to structures, equipment, or personnel of the system, unless the system is specifically designed to accommodate such discharge and the discharge is authorized by a permit under this chapter;

(e) Wastewater that would cause the influent temperature to exceed 40°C (104°F), unless the system is specifically designed to accommodate such discharge and the discharge is authorized by a permit under this chapter. In any case, any wastewater having a temperature which will interfere with the biological activity in the system is prohibited;

(f) Waste materials, including, but not limited to, oxygen demanding waste materials (BOD, etc.) released in either a slug load or continuous discharge of such volume or strength as to cause interference to the system;

(g) Any other discharge prohibited by federal or state law or regulation; and

(h) Any of the following discharges, unless approved by the department under extraordinary circumstances (such as lack of direct discharge alternatives due to combined sewer service or need to augment sewage flows due to septic conditions):

(i) Noncontact cooling water in significant volumes;

(ii) Storm water and other direct inflow sources;

(iii) Waste waters significantly affecting system hydraulic loading that do not require treatment or would not be afforded a significant degree of treatment by the system.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-100, filed 5/5/93, effective 5/19/93.]

WAC 173-226-110 Fact sheets. (1) The department shall prepare a fact sheet for every draft general permit determination. Such fact sheets shall summarize the following:

(a) The type of facility or activity which is the subject of the general permit;

(b) The geographical area for which the general permit is valid;

(c) The criteria for which coverage under a general permit will be approved;

(d) A listing or some other means of identifying the facilities proposed to be covered under the general permit;

(e) The information required by WAC 173-226-200(3), to be submitted as part of the application for coverage under the general permit;

(f) The effluent characteristics for the category of dischargers being authorized under the general permit, including the following:

(i) The average rate or frequency of the proposed discharge;

(ii) For thermal discharges, the average summer and winter temperatures; and

(iii) The average and estimated range in pounds per day, or other appropriate units, of any pollutants which are present in significant quantities or which are subject to limitations or prohibition under RCW 90.48.010, 90.52.040, 90.54.020, and sections 301, 302, 306, or 307 of the FWPCA and regulations published thereunder;

(g) The effluent standards and limitations applied;

(h) The applicable water quality standards, including identification of the uses for which receiving waters have been classified;

(i) The conditions in the proposed general permit;

(j) The legal and technical grounds for the conditions contained in the general permit, including:

(i) An explanation of how conditions meet both the technology-based and water quality-based requirements of the FWPCA and chapters 90.48, 90.52, and 90.54 RCW;

(ii) An explanation of how the conditions meet the water quality standards of chapters 173-200 and 173-201A WAC; and

(iii) An explanation of how the conditions meet the sediment standards contained in chapter 173-204 WAC;

(k) If a dilution zone is authorized, pursuant to chapter 173-201A WAC, within which water quality standards are modified:

- (i) A description of the allowed dilution zone;
- (ii) The legal basis for providing a dilution zone; and
- (iii) The technical basis for allowing a dilution zone and the basis for determining the size of the dilution zone;

(l) Any compliance schedules proposed as part of the general permit or as a part of the application process pursuant to WAC 173-226-180 and 173-226-200;

(m) How the draft permit addresses use or disposal of residual solids generated by wastewater treatment;

(n) The procedures for the formulation of final determinations (in more detailed form than that given in the public notice) including:

(i) The thirty-day comment period required by WAC 173-226-130(3), including the date and time after which public comments will not be considered by the department in formulating the final determination on the draft general permit;

(ii) The time and place of the public hearing(s); and

(iii) Any other procedures by which the public may participate in the formulation of the final determination; and

(o) A summary of the economic impact analysis required by WAC 173-226-120, including any mitigation proposed pursuant to WAC 173-226-120(2) for small business.

(2) The department shall provide copies of general permit fact sheets to any interested person upon request.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-110, filed 5/5/93, effective 5/19/93.]

WAC 173-226-120 Economic impact analysis. (1) The department shall prepare an economic impact analysis on all draft general permits which are intended to directly cover small business. The economic impact analysis shall be prepared on the draft general permit for which public notice is being provided pursuant to WAC 173-226-130(3).

(2) The purpose of the economic impact analysis is to reduce the economic impact of the general permit on small business by doing one or more of the following when it is legal and feasible in meeting the stated objectives of the FWPCA and chapter 90.48 RCW:

(a) Establishing differing compliance or reporting requirements or timetables for small businesses;

(b) Clarifying, consolidating, or simplifying the compliance and reporting requirements under the general permit for small businesses;

(c) Establishing performance rather than design standards;

(d) Exempting small businesses from parts of the general permit.

(3) The contents of an economic impact analysis of a proposed general permit shall include, at a minimum, the following:

(a) A brief description of the compliance requirements of the general permit, including:

(i) The minimum technology based treatment requirements identified as necessary under WAC 173-226-070;

(ii) The monitoring requirements contained in the general permit;

(iii) The reporting and recordkeeping requirements; and

(iv) Any plan submittal requirements;

(b) The estimated costs of compliance, based upon existing data for facilities intended to be covered under the general permit. Costs shall include, consistent with subsection (2) of this section the following:

(i) The costs associated with (a) of this subsection; and

(ii) The costs of equipment, supplies, labor, and any increased administrative costs;

(c) A comparison, to the greatest extent possible, of the cost of compliance for small businesses with the cost of compliance for the largest ten percent of the facilities intended to be covered under the general permit. The economic impact analysis shall use one or more of the following as a basis for comparing costs:

(i) Cost per employee;

(ii) Cost per hour of labor;

(iii) Cost per one hundred dollars of sales.

(4) The following compliance costs associated with a general permit shall not be included in the economic impact analysis:

(a) The costs necessary to comply with chapters 173-200, 173-201, 173-204, and 173-224 WAC; and

(b) The costs associated with requirements of the general permit which result from conformity or compliance, or both, with federal law or regulations.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-120, filed 5/5/93, effective 5/19/93.]

WAC 173-226-130 Public notice. The department shall provide public notice of all preliminary determinations to develop a general permit, all determinations not to develop a general permit after publishing such a preliminary determination, all draft general permit determinations, and the issuance of a final general permit. All public notices shall be circulated in a manner designed to inform interested and potentially affected persons of the proposed general permit.

(1) The department shall provide public notice of all preliminary determinations to develop a general permit as follows:

(a) The public notice shall be circulated within the geographical area of the proposed general permit. Such notice may include any or all of the following:

(i) Publishing, as a paid advertisement or legal notice, the department's preliminary determination in one or more major local newspapers throughout the area of proposed coverage;

(ii) Issuance of news releases, focus sheets, or newsletters;

(iii) Publication in the *State Register*;

(b) The department shall request comments on whether a general permit is appropriate for the proposed category of dischargers or whether individual permits are necessary;

(c) The public notice shall provide an opportunity for any interested or potentially affected party to submit information on dischargers proposed to be covered under a general permit including:

(i) Any documented information on the characteristics of the discharge including effluent quantity, quality, and any receiving water impacts. Information may be from an individual facility or be representative of the category as a whole; and

(ii) Any other relevant information;

(d) The department shall add the name of any person upon request to a general permit specific mailing list to receive information and notices related to the development of the general permit.

(2) In the event that the department determines not to develop a general permit after publishing a preliminary determination pursuant to subsection (1) of this section, the department shall provide public notice to that effect.

(3) The department shall provide public notice of every draft general permit as follows:

(a) The notice shall be circulated throughout the geographical area covered by the general permit. Such circulation may include any or all of the following:

(i) Posting for a period of thirty days in post offices, public libraries, and public places within the geographical area covered by the general permit;

(ii) Publishing the notice as a paid advertisement, display advertisement, or legal notice, in one or more major local newspapers of general circulation serving the area covered by the general permit;

(iii) Issuance of news releases, focus sheets, or newsletters.

(b) Notice shall be mailed to any person upon request, including all persons on the general permit specific mailing list established pursuant to subsection (1)(d) of this section and all persons on the mailing lists established pursuant to WAC 173-220-050 (1)(d).

(c) At least thirty days before the public hearing on the general permit the department shall have the following published in the *State Register*:

(i) The public notice contents contained in (f) of this subsection;

(ii) A reference to the relevant sections of chapter 90.48 RCW as the statutory authority for issuing the general permit;

(iii) The date on which the agency intends to issue the general permit;

(iv) A short explanation of the permit, its purpose, and anticipated effects; and

(v) A summary of the economic impact analysis required in WAC 173-226-120.

(d) The department shall provide a period of not less than thirty days following the last publication of the public notice, during which time interested persons may submit their written views on a draft general permit determination. All written comments submitted during the comment period shall be retained by the department and considered in the formulation of its final determination with respect to the draft general permit. The period for comment may be extended at the discretion of the department.

(e) The department shall make available during the public comment period:

(i) The draft general permit;

(ii) The fact sheet on the draft general permit required pursuant to WAC 173-226-110;

(iii) The economic impact analysis required pursuant to WAC 173-226-120;

(iv) A copy of the proposed application for coverage; and

(v) The notice required pursuant to WAC 173-226-130 (3)(c).

(f) The contents of the draft general permit public notice shall, at a minimum, summarize the following:

(i) The name, address, and phone number of the agency issuing the public notice;

(ii) The type of facilities and activities which are the subject of the general permit;

(iii) The geographical area for which the general permit is valid;

(iv) The criteria for which coverage under a general permit will be approved;

(v) A listing or some other means of generally identifying the facilities proposed to be covered under the general permit;

(vi) The tentative determination to issue a general permit;

(vii) The procedures for the formulation of final determinations, including the thirty-day comment period required by (d) of this subsection and any other means by which interested persons may comment upon those determinations;

(viii) The date, time, and place when public hearings will be held on the draft general permit;

(ix) The address and phone number of state premises at which interested persons may obtain further information; and

(x) The date and time after which comments will not be considered by the department in formulating the final determination on the draft general permit.

(4) The department shall provide public notice of the issuance of a final general permit as follows:

(a) The notice of general permit issuance shall be circulated in a manner similar to that used to circulate the notice on the draft general permit in subsection (3)(a) of this section and shall be published in the *State Register*; and

(b) The notice of general permit issuance shall be provided to all persons on the general permit specific mailing list established pursuant to subsection (1)(d) of this section and all persons on the mailing lists established pursuant to WAC 173-220-050 (1)(d).

(c) The public notice of the issuance of a general permit shall contain:

(i) The name, address, and phone number of the agency issuing the public notice;

(ii) The type of facilities and activities which are the subject of the general permit;

(iii) The geographical area for which the general permit is valid;

(iv) The criteria for which coverage under a general permit will be approved;

(v) A listing or some other means of generally identifying the facilities proposed to be covered under the general permit;

(vi) A summary of the application process by which eligible dischargers may obtain coverage under the general permit;

(vii) An explanation of any changes to the final general permit, other than editing changes, and the principal reasons for adopting the changes;

(viii) A notice that the terms and conditions of the general permit may be appealed only by filing an appeal with the pollution control hearings board and by serving it upon the department within thirty days, and the process for doing so as contained in RCW 43.21B.310; and

(ix) The date after which the general permit shall be effective. The effective date of a general permit shall be no sooner than thirty days after the publication in the *State Register* of the public notice required pursuant to (a) of this subsection.

(5) For new operations, or for operations previously under permit for which an increase in volume or change in the character of the effluent is requested over that which was previously authorized, only:

(a) The applicant for coverage under a general permit shall cause notice to be circulated within the geographical area of the proposed discharge. Such circulation shall include:

(i) Publishing twice a notice in a newspaper of general circulation within the county in which the discharge is proposed to be made; and

(ii) Any other method the department may direct.

(b) The notice published pursuant to (a) of this subsection shall contain:

(i) The name, address, and location of the facility requesting coverage under the general permit;

(ii) The applicant's activities or operations that result in a discharge (e.g., storm water, fish farming, gravel washing);

(iii) The name of the general permit under which coverage is being requested; and

(iv) The statement: "Any person desiring to present their views to the department of ecology regarding this application may do so in writing within thirty days of the last date of publication of this notice. Comments shall be submitted to the department of ecology. Any person interested in the department's action on this application may notify the department of their interest within thirty days of the last date of publication of this notice."

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-130, filed 5/5/93, effective 5/19/93.]

WAC 173-226-140 Notice to other government agencies. The department shall notify other appropriate government agencies of each draft general permit determination and shall provide such agencies an opportunity to submit their written views and recommendations. Such notification for NPDES and combined NPDES/state waste discharge general permits only, shall include the following:

(1) Transmission of the fact sheet, application form, and draft general permit to the regional administrator for comment or objection. The regional administrator shall be provided ninety days to comment on the draft permit prior to issuance by the department unless an alternative time period is mutually agreed on by the director and the regional administrator.

(2) Immediately following issuance, the department shall transmit a copy of every fact sheet, application form, and general permit along with any and all terms, conditions, requirements, or documents which are a part of the general permit or which affect the authorization by the general permit, of the discharge of pollutants, to the regional administrator.

(3) At the time of issuance of the public notices pursuant to WAC 173-226-130 (1)(a), (3)(a), and (4)(a) the department shall transmit the public notices to any other

states whose waters may be affected by the issuance of the general permit. Each affected state shall be afforded an opportunity to submit written comments pursuant to WAC 173-226-130 (1)(b) and (3)(d), to the department and to the regional administrator, which the department may incorporate into the permit if issued. Should the department fail to incorporate any written recommendations thus received, it shall provide to the affected state or states (and to the regional administrator) a written explanation of its reasons for failing to accept any of the written recommendations or comments.

(4) Unless waived by the respective agency, the public notices issued pursuant to WAC 173-226-130 (1)(a), (2), (3)(a), and (4)(a) shall be sent to the appropriate district engineer of the Army Corps of Engineers, the United States Fish and Wildlife Service, the National Marine Fisheries Service, the state departments of fisheries, health, natural resources, wildlife, and social and health services, the office of archaeology and historic preservation, the agency responsible for the preparation of an approved plan pursuant to section 208(b) of the FWPCA, applicable Indian tribes, and any other applicable government agencies.

(5) A copy of any written agreement between the department and an agency identified in subsection (4) of this section which waives the receipt of public notices shall be forwarded to the regional administrator and shall be made available upon request to the public for inspection and copying.

(6) Copies of public notices issued pursuant to WAC 173-226-130 (1)(a), (2), (3)(a), and (4)(a) shall be mailed to any other federal, state, or local agency, Indian tribe, or any affected country, upon request. Such agencies shall have an opportunity to respond or comment on the draft general permit pursuant to WAC 173-226-130 (1)(b) and (3)(d).

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-140, filed 5/5/93, effective 5/19/93.]

WAC 173-226-150 Public hearings. (1) The department shall hold one or more public hearing(s) on all draft general permits. The public hearing shall be held during the public comment period provided pursuant to WAC 173-226-130 (3)(d).

(2) The date, time, and place will be at the discretion of the department provided:

(a) At least thirty days is provided between the time the public notice is published pursuant to WAC 173-226-130 (3)(a) and (c), and the time the hearing is held; and

(b) The hearing location is within the geographical area covered by the general permit.

(3) For new operations or for operations previously under permit for which an increase in volume or change in the character of the effluent has occurred only, any interested person may request a public hearing within thirty days of the last date of publication of the public notice required pursuant to WAC 173-226-130(5).

(a) All requests for a public hearing shall be in writing and shall state the nature of the issues proposed to be raised in the hearing.

(b) The department shall only consider issues regarding the general permits applicability or nonapplicability to the

discharger when considering the need to hold a public hearing.

(4) The department shall cause a record to be made of all hearings required pursuant to this section. The record may be stenographic, mechanical, or electronic.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-150, filed 5/5/93, effective 5/19/93.]

WAC 173-226-160 Public access to information. (1) In accordance with chapter 42.17 RCW and its published policy describing disclosure of public records, the department shall make identifiable public records relating to all general permits available to the public for inspection and copying.

(2) The department shall designate a general permit coordinator for each general permit. The coordinator shall:

(a) Have knowledge of the general permit being prepared;

(b) Maintain the records associated with the development of the general permit including the general permit file required pursuant to subsection (3) of this section;

(c) Be identified as the department contact in public notices regarding the general permit.

(3) The department shall prepare a general permit development file for each issued general permit. The general permit development file shall be available for public inspection subject to the provisions of this section. The general permit development file shall contain:

(a) Copies of all public notices required pursuant to WAC 173-226-130;

(b) A copy of the fact sheet required pursuant to WAC 173-226-110 and any other documents not readily available to the public which were used in developing the terms and conditions of the general permit;

(c) Copies of the draft and final general permits, the economic impact analysis, and the application for coverage;

(d) All written comments received during the public comment period required pursuant to WAC 173-226-130(3), on the draft general permit, fact sheet, economic impact analysis, and application for coverage;

(e) The record of public hearings produced pursuant to WAC 173-226-150(4); and

(f) The response to comments prepared pursuant to WAC 173-226-170(1).

(4) Pursuant to chapter 42.17 RCW, the department shall provide, upon request, any information submitted as part of an application for coverage under a general permit.

(5) The department shall add the name of any person, upon request, to a mailing list to receive notices of department actions associated with a general permit.

(6) The department shall provide facilities for the inspection of information relating to general permits and shall insure that employees honor requests for such inspection promptly without undue requirements or restrictions. The department shall either:

(a) Insure that a machine or device for the copying of papers and documents is available for a reasonable fee; or

(b) Otherwise provide for, or coordinate with copying facilities or services such that requests for copies of nonconfidential, identifiable public records be honored promptly.

(7) Pursuant to chapters 42.17, 43.21A, 70.105, and 90.52 RCW, the department shall protect any information

(other than information on the effluent) contained in applications as confidential upon a showing by any person that such information, if made public, would divulge methods or processes entitled to protection as trade secrets of such person.

(8) Any information accorded confidential status, whether or not contained in an application form, shall be disclosed, upon request, to the regional administrator.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-160, filed 5/5/93, effective 5/19/93.]

WAC 173-226-170 Issuance of general permits. (1) At the close of the public comment period required pursuant to WAC 173-226-130 (3)(d) the department shall prepare a response to all relevant comments received (both written and oral) and shall briefly describe any changes, other than editing changes, and the principal reasons for making the changes to the draft general permit.

(2) General permits shall be deemed issued upon signing by the director or by a person delegated the authority to issue general permits pursuant to chapter 173-06 WAC.

(3) The department shall provide public notice of the issuance of all final general permits pursuant to WAC 173-226-130 (4)(a).

(4) General permits become effective thirty days after the date of publication in the *State Register* of the public notice required pursuant to WAC 173-226-130 (4)(a) unless a later date is specified by the department.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-170, filed 5/5/93, effective 5/19/93.]

WAC 173-226-180 Compliance schedules. (1) The department may establish schedules and permit conditions as necessary to achieve compliance with applicable effluent standards and limitations, water quality standards, and other legally applicable requirements contained in a general permit in any or all of the following ways:

(a) As a condition or schedule in a general permit;

(b) In an administrative order issued pursuant to chapter 90.48 RCW; and

(c) By any other method deemed appropriate by the department.

(2) Schedules of compliance shall reflect the shortest reasonable period of time necessary to achieve compliance consistent with the guidelines and requirements of the FWPCA.

(3) In any case where the period of time for compliance specified in subsection (1)(a) of this section exceeds one year, a schedule of compliance shall be specified that will set forth interim requirements and the dates for their achievement; however, in no event shall more than one year elapse between interim dates. If the time necessary for completion of the interim requirement (such as construction of a treatment facility) is more than one year and is not readily divided into stages of completion, interim dates shall be specified for the submission of reports of progress toward completion of the interim requirement.

(4) Either before or up to fourteen days following each interim date and the final date of compliance, the permittee shall provide the department with written notice of the

permittee's compliance or noncompliance with each interim or final requirement.

(5) If a permittee fails or refuses to comply with an interim or final requirement contained in a general permit, or as submitted as part of an application for coverage under a general permit, such noncompliance shall constitute a violation of the general permit for which the department may revoke coverage under the general permit or take direct enforcement action pursuant to chapter 90.48 RCW.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-180, filed 5/5/93, effective 5/19/93.]

WAC 173-226-190 Appeals. (1) The terms and conditions of a general permit as they apply to the appropriate class of dischargers are subject to appeal within thirty days of issuance of a general permit in accordance with chapter 43.21B RCW.

(2) The terms and conditions of a general permit, as they apply to an individual discharger, are appealable, within thirty days of the effective date of coverage of that discharger, in accordance with chapter 43.21B RCW. This appeal is limited to the general permit's applicability or nonapplicability to that individual discharger.

(3) The appeal of general permit coverage of an individual discharger does not affect any other dischargers covered under the general permit. If the terms and conditions of a general permit are found to be inapplicable to any individual discharger(s), the matter shall be remanded to the department for consideration of issuance of an individual permit or permits.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-190, filed 5/5/93, effective 5/19/93.]

WAC 173-226-200 Applications for coverage under a general permit. (1) Following the public notice by the department of the issuance of a general permit, or at an alternate date as designated by the department, all dischargers who desire to be covered under the general permit shall notify the department of that fact on a form prescribed by the department no later than the following, unless a shorter application period is allowed in the general permit under which coverage is requested:

(a) For existing operations, applications for coverage shall be submitted no later than ninety days after the issuance date of the general permit under which coverage is requested;

(b) For new operations, applications for coverage shall be submitted no later than one hundred eighty days prior to the commencement of the activity that may result in the discharge to waters of the state.

(2) Unless specified otherwise in the general permit under which coverage is requested or the department responds in writing, coverage of a discharger under a general permit will automatically commence on the later of the following:

(a) The effective date of the general permit;

(b) The thirty-first day following the end of the thirty-day comment period required by WAC 173-226-130(4);

(c) The thirty-first day following receipt by the department of a completed application for coverage under a general permit; or

(d) A date specified by the department in the general permit.

(3) All applications for coverage under a general permit shall:

(a) Contain information necessary for adequate program implementation;

(b) Contain the legal name and address of the owner or operator, the facility name and address, type of facility or discharges, and the receiving streams;

(c) Bear a certification of correctness;

(d) Be signed:

(i) In the case of corporations, by a responsible corporate officer.

(ii) In the case of a partnership, by a general partner.

(iii) In the case of sole proprietorship, by the proprietor.

(iv) In the case of a municipal, state, or other public facility, by either a principal executive officer or ranking elected official; and

(e) Include any other information deemed relevant by the department.

(f) For new operations, or for operations for which an increase in volume of wastes or change in character of effluent is requested over that previously authorized, applications for coverage shall also contain:

(i) A certification by the applicant that the public notice requirements of WAC 173-226-130(5) have been met; and

(ii) A certification by the applicant that the applicable SEPA requirements under chapter 197-11 WAC have been met.

(4) The department shall develop an application form for each general permit and shall make the application form available during the draft general permit public notice period. The department shall provide the application form to the regional administrator along with the draft and final general permit as required in WAC 173-226-140.

(5) Any previously issued individual permit shall remain in effect until terminated in writing by the department, except that continuation of an expired individual permit, pursuant to WAC 173-220-180(5), shall terminate upon coverage by the general permit.

(6) Where the department has determined that a discharger should not be covered under a general permit, it shall respond in writing within sixty days of receipt of an application for coverage stating the reason(s) why coverage cannot become effective and any actions needed to be taken by the discharger in order for coverage under the general permit to become effective.

(7) When an individual permit is issued to a discharger otherwise subject to a general permit, the applicability of the general permit to that permittee is automatically terminated on the effective date of the individual permit.

(8) Coverage under a general permit for domestic wastewater facilities shall be issued only to a public entity, except in the following circumstances:

(a) Facilities existing or approved for construction with private operation on or before the effective date of this chapter, until such time as the facility is expanded; or

(b) Facilities that serve a single nonresidential, industrial, or commercial establishment. Commercial/industrial

complexes serving multiple owners or tenants and multiple residential dwelling facilities, such as mobile home parks, apartments, and condominiums, are not considered single commercial establishments for the purpose of this subsection.

(9) Coverage under a general permit for domestic wastewater facilities that are owned by nonpublic entities and under contract to a public entity, shall be issued to the public entity.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-200, filed 5/5/93, effective 5/19/93.]

WAC 173-226-210 Transfer of permit coverage.

Coverage under a general permit is automatically transferred to a new discharger if:

(1) A written, signed agreement between the old and new discharger containing a specific date for transfer of permit responsibility, coverage, and liability is submitted to the director; and

(2) The director does not notify the old and new discharger of the director's intent to revoke coverage under the general permit. If this notice is not given, the transfer is effective on the date specified in the agreement mentioned in subsection (1) of this section.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-210, filed 5/5/93, effective 5/19/93.]

WAC 173-226-220 Duration and replacement of permits. (1) General permits shall be issued for fixed terms not exceeding five years from the effective date.

(2) All permittees covered under a general permit shall submit a new application for coverage under a general permit or an application for an individual permit at least one hundred eighty days prior to the expiration date of the general permit under which the permittee is covered.

(3) When a permittee has made timely and sufficient application for the renewal of coverage under a general permit, an expiring general permit remains in effect and enforceable until:

(a) The application has been denied;

(b) A replacement permit has been issued by the department; or

(c) The expired general permit has been canceled by the department.

(4) Coverage under an expired general permit for permittees who fail to submit a timely and sufficient application shall expire on the expiration date of the general permit.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-220, filed 5/5/93, effective 5/19/93.]

WAC 173-226-230 Modification and revocation of general permits. (1) A general permit may be modified, revoked and reissued, or terminated, during its term for cause including, but not limited to, the following:

(a) A change occurs in the technology or practices for control or abatement of pollutants applicable to the category of dischargers covered under the general permit;

(b) Effluent limitation guidelines or standards are promulgated pursuant to the FWPCA or chapter 90.48 RCW, for the category of dischargers covered under the general permit;

(c) A water quality management plan containing requirements applicable to the category of dischargers covered under the general permit is approved;

(d) Information is obtained which indicates that cumulative effects on the environment from dischargers covered under the general permit are unacceptable; or

(e) A toxic effluent standard or prohibition (including any schedule of compliance specified in such effluent standard or prohibition) is established under section 307(a) of the FWPCA for a toxic pollutant which is more stringent than any limitation upon such pollutant in the permit.

(2) In the event that the director has determined to modify or revoke, in whole or in part, a general permit pursuant to subsection (1) of this section the director shall notify, in writing, all dischargers covered under the general permit. The notification shall include:

(a) The reason(s) why the general permit is being revoked or modified;

(b) The process for appealing the determination pursuant to RCW 43.21B.310;

(c) An application form and a time limit for submitting the application; and

(d) Any other information determined to be relevant by the department.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-230, filed 5/5/93, effective 5/19/93.]

WAC 173-226-240 Revocation of coverage under a general permit. (1) The director may terminate coverage under a general permit for cause. Cases where coverage under a general permit may be terminated include, but are not limited to, the following:

(a) Violation of any term or condition of the general permit;

(b) Obtaining coverage under a general permit by misrepresentation or failure to disclose fully all relevant facts;

(c) A change in any condition that requires either a temporary or permanent reduction or elimination of the permitted discharge;

(d) A determination that the permitted activity endangers human health, safety, or the environment, or contributes to water or sediment quality standards violations;

(e) Incorporation of an approved local pretreatment program into a municipality's permit;

(f) Failure of the permittee to satisfy the public notice requirements of WAC 173-226-130(5);

(g) Failure or refusal of the permittee to allow entry as required in RCW 90.48.090; or

(h) Nonpayment of permit fees assessed pursuant to RCW 90.48.465.

(2) The director may require any discharger to apply for and obtain an individual permit, or to apply for and obtain coverage under another more specific general permit. In cases where the director requires any discharger to apply for an individual permit, or for another general permit, the discharger must be notified in writing that another permit is required. This notice shall include a statement of why another permit is being required, an application form, and a time limit for submitting the application.

(3) Any interested person may petition the director to require a discharger authorized by a general permit to apply for and obtain an individual permit.

(4) Any discharger authorized by a general permit may request to be excluded from coverage under a general permit by applying for an individual permit. The discharger shall submit to the director an application as described in WAC 173-220-040 with reasons supporting the request. The director shall either issue an individual permit or deny the request with a statement explaining the reason for denial.

(5) Where the department has determined that a discharger should no longer be covered under a general permit it shall notify the discharger in writing stating the reason(s) why coverage is no longer appropriate, and any actions required of the discharger in order for coverage under the general permit to remain effective.

(6) The discharger shall have thirty days to respond to any notification provided pursuant to subsection (5) of this section before coverage under a general permit shall be automatically revoked.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-240, filed 5/5/93, effective 5/19/93.]

WAC 173-226-250 Enforcement. (1) The department, with the assistance of the attorney general, may sue in courts of competent jurisdiction to enjoin any threatened or continuing violations of any general permits or conditions thereof without the necessity of a prior revocation of coverage under the general permit.

(2) The department may enter any premises in which an effluent source is located or in which records are required to be kept under terms or conditions of a general permit, and otherwise be able to investigate, inspect, or monitor any suspected violations of water quality standards, or effluent standards and limitations, or of general permit terms or conditions thereof.

(3) The department may assess or, with the assistance of the attorney general, sue to recover in court, such civil fines, penalties, and other civil relief as may be appropriate for the violation by any person of:

(a) Any effluent standards and limitations or water quality standards;

(b) Any general permit or term or condition thereof;

(c) Any filing requirements;

(d) Any duty to permit or carry out inspection, entry, or monitoring activities; or

(e) Any rules, regulations, or orders issued by the department.

(4) The department may request the prosecuting attorney to seek criminal sanctions for the violation by such persons of:

(a) Any effluent standards and limitations or water quality standards;

(b) Any permit or term or condition thereof; or

(c) Any filing requirements.

(5) The department, with the assistance of the prosecuting attorney, may seek criminal sanctions against any person who knowingly makes any false statement, representation, or certification in any form or any notice or report required by the terms and conditions of any issued permit or knowingly

renders inaccurate any monitoring device or method required to be maintained by the department.

[Statutory Authority: Chapter 90.48 RCW. 93-10-099 (Order 92-55), § 173-226-250, filed 5/5/93, effective 5/19/93.]

Chapter 173-230 WAC

CERTIFICATION OF OPERATORS OF WASTEWATER TREATMENT PLANTS

WAC

173-230-010	General.
173-230-020	Definitions.
173-230-030	Duties of the board.
173-230-040	Certification required.
173-230-050	Certification prerequisites.
173-230-061	Applications and certification requirements.
173-230-070	Examination.
173-230-080	Certificate term and renewals.
173-230-090	Fees.
173-230-100	Suspension and revocation.
173-230-110	Reciprocity.
173-230-120	Appeals.
173-230-130	Violations.
173-230-140	Classification of wastewater treatment plants.

DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

173-230-060	Applications. [Order 73-30, § 173-230-060, filed 11/9/73.] Repealed by 82-09-056 (Order DE 82-07), filed 4/16/82. Statutory Authority: Chapter 70.95B RCW.
-------------	--

WAC 173-230-010 General. One of the basic requirements of the Wastewater Treatment Plant Operator Certification Act of 1973 (chapter 139, Laws of 1973) (chapter 70.95B RCW) is to have every operator in responsible charge of a wastewater treatment plant certified at a level equal to or higher than the classification rating of the treatment plant being operated. Certification under this act is available to all individuals who can meet the minimum qualifications for a given classification. Operating personnel not required to be certified by chapter 70.95B RCW are encouraged to become certified on a voluntary basis.

[Statutory Authority: RCW 70.95B.040. 87-22-006 (Order 87-36), § 173-230-010, filed 10/23/87. Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-010, filed 4/16/82. Statutory Authority: RCW 70.95B.040. 78-11-016 (Order DE 78-16), § 173-230-010, filed 10/11/78; Order 73-30, § 173-230-010, filed 11/9/73.]

WAC 173-230-020 Definitions. (1) "Board" means the water and wastewater operators certification board of examiners established by RCW 70.95B.070.

(2) "Certificate" means the certificate of competency issued by the director stating that an individual has met the requirements for a specific classification in the wastewater treatment plant operator's certification program.

(3) "Certificate holder" means the individual to whom a certificate is issued.

(4) "CEU" means continuing education unit which is a nationally recognized unit of measurement similar to college credit. One CEU is awarded for every ten contact hours of participation in an organized continuing education experience under responsible sponsorship, capable direction, and qualified instruction.

(5) "College" means credits earned toward a college degree or in course work that is relevant to the operation of a wastewater treatment plant. College shall also mean CEUs. Forty-five CEUs equals forty-five quarter credits equals thirty semester credits.

(6) "Department" means the Washington state department of ecology.

(7) "Director" means the director of the department of ecology or the director's designee.

(8) "GED" means a General Education Development certificate issued by a recognized education institution. A GED is equivalent to a high school diploma.

(9) "Group and class" for the purpose of operator certification and wastewater treatment plant classification shall mean the same.

(10) "OIT" means operator-in-training. This is the entry level certification classification offered by the department.

(11) "Operating experience" means the routine performance of duties, on-site in a wastewater treatment plant, that affect plant performance and/or effluent quality.

(12) "Operator" means an individual who performs routine duties on-site at a wastewater treatment plant which affect plant performance and/or effluent quality.

(13) "Operator in charge of each shift" means the individual on-site at a wastewater treatment plant whose primary responsibility is to operate the wastewater treatment plant on a regularly run shift. The operator in charge of each shift shall be subordinate to the operator in responsible charge.

(14) "Operator in responsible charge" means the individual who is routinely on-site and in direct charge of the overall operation of a wastewater treatment plant.

(15) "Owner" means in the case of a town or city, the city or town acting through its chief executive officer or the lessee if operated pursuant to a lease or contract; in the case of a county, the chairman of the county legislative authority or the chairman's designee; in the case of a sewer district, board of public utilities, association, municipality or other public body, the president or chairman of the body or the president's or chairman's designee; in the case of a privately owned wastewater treatment plant, the legal owner.

(16) "Reciprocity" means the exchange of a valid out-of-state wastewater treatment plant operator's certificate achieved by passing a written examination for an equivalent level of certification without further examination.

(17) "Wastewater certification program coordinator" means an employee of the department who is appointed by the director to serve on the board and who administers the wastewater treatment plant operator certification program.

(18) "Wastewater collection system" means any system of lines, pipes, manholes, pumps, liftstations, or other facilities used to collect and transport wastewater.

(19) "Wastewater treatment plant" means a facility used to treat any liquid or waterborne waste of domestic origin or a combination of domestic, commercial or industrial origin, and which by its design requires the presence of an operator for its operation. It shall not include any facility used exclusively by a single family residence, septic tanks with subsoil absorption, industrial wastewater treatment plants, or wastewater collection systems.

[Statutory Authority: RCW 70.95B.040. 87-22-006 (Order 87-36), § 173-230-020, filed 10/23/87. Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-020, filed 4/16/82. Statutory Authority: RCW 70.95B.040. 78-11-016 (Order DE 78-16), § 173-230-020, filed 10/11/78; Order 73-30, § 173-230-020, filed 11/9/73.]

09-056 (Order DE 82-07), § 173-230-020, filed 4/16/82. Statutory Authority: RCW 70.95B.040. 78-11-016 (Order DE 78-16), § 173-230-020, filed 10/11/78; Order 73-30, § 173-230-020, filed 11/9/73.]

WAC 173-230-030 Duties of the board. (1) Recommend to the director the classification of wastewater treatment plants when a plant handles a unique treatment process or complex waste that is not reflected in the wastewater treatment plant classification system set forth in WAC 173-230-140.

(2) Develop operator qualification standards consistent with the wastewater treatment plant classification system and examine the qualifications of applicants for certification.

(3) Assist in the development of rules and regulations; prepare, administer and evaluate examinations used to measure an operator's qualifications for certification. Recommend to the director the issuance or revocation of certificates.

(4) Encourage operating personnel other than those who are required to be certified in RCW 70.95B.030 to become certified on a voluntary basis.

(5) Maintain records of operator qualifications, certifications, and a register of certified operators.

[Statutory Authority: RCW 70.95B.040. 87-22-006 (Order 87-36), § 173-230-030, filed 10/23/87; 78-11-016 (Order DE 78-16), § 173-230-030, filed 10/11/78; Order 73-30, § 173-230-030, filed 11/9/73.]

WAC 173-230-040 Certification required. (1) After July 1, 1974, it shall be unlawful for any person, firm, corporation, municipal corporation or other governmental subdivision or agency to operate a wastewater treatment plant unless the operator designated by the owner in responsible charge of the plant holds a valid certificate of at least the same classification as that of the wastewater treatment plant being operated. When a wastewater treatment plant is operated on more than one daily shift, the individual in charge of each regularly run shift at the wastewater treatment plant being operated shall also be certified.

(2) After January 1, 1989, it shall be unlawful to operate a wastewater treatment plant on more than one daily shift as described in subsection (1) of this section unless the operator in charge of each shift, as designated by the owner, is certified at a level not less than one class lower than the class of plant being operated. The operator in charge of each shift shall be subordinate to the operator in responsible charge of the plant who is certified at a level equal to or higher than the classification of the plant being operated.

(3) When a position required to be filled by a certified wastewater treatment plant operator as described herein is vacated due to a scheduled vacation or a short-term illness, these requirements may be waived temporarily at the director's discretion.

[Statutory Authority: RCW 70.95B.040. 87-22-006 (Order 87-36), § 173-230-040, filed 10/23/87. Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-040, filed 4/16/82. Statutory Authority: RCW 70.95B.040. 78-11-016 (Order DE 78-16), § 173-230-040, filed 10/11/78; Order 73-30, § 173-230-040, filed 11/9/73.]

WAC 173-230-050 Certification prerequisites. (1) Certificates shall be issued only upon application and only after payment of fees as required herein. Except as provided in WAC 173-230-050(2), certificates in appropriate classification

cations shall be issued to those who are eligible for examination pursuant to WAC 173-230-061 and only after successful completion of an examination as provided for in WAC 173-230-070.

(2) Certificates shall be issued without examination under the following conditions:

(a) In appropriate classifications, to an operator who on July 1, 1973, held a certificate of competency attained by examination under the voluntary certification program sponsored jointly by the department of social and health services and the Pacific Northwest Pollution Control Association.

(b) In appropriate classifications, to a person verified by the owner to have been the operator in responsible charge of a wastewater treatment plant on July 1, 1973. A certificate issued to any person under this subsection shall be known as a "provisional" certificate and shall be valid only for the plant of which he or she was the operator on July 1, 1973, and shall not be renewed if such plant thereafter has been or is significantly modified or if the operator terminates service with that plant.

(c) In appropriate classifications, to persons who fill a vacated position required by RCW 70.95B.020 to be filled by a certified operator. A certificate issued under this subsection shall be known as a "temporary" certificate and shall be valid for a period of not more than twelve months from the date of issue and shall be nonrenewable. If a position is vacated by the holder of a temporary certificate issued under this subsection, no additional temporary certificate shall be issued.

[Statutory Authority: RCW 70.95B.040, 87-22-006 (Order 87-36), § 173-230-050, filed 10/23/87. Statutory Authority: Chapter 70.95B RCW, 82-09-056 (Order DE 82-07), § 173-230-050, filed 4/16/82. Statutory Authority: RCW 70.95B.040, 78-11-016 (Order DE 78-16), § 173-230-050, filed 10/11/78; Order 73-30, § 173-230-050, filed 11/9/73.]

WAC 173-230-061 Applications and certification requirements. (1) Application for certification to the various classifications of wastewater treatment plant operator shall be filed with the wastewater certification program coordinator. The wastewater certification program coordinator shall make application forms available upon request.

(2) Upon receipt of a completed application, the wastewater certification program coordinator shall screen the application against the following criteria to determine eligibility for examination or reciprocal certification.

(3) Certification requirements: Applicants for certification by examination or reciprocity must meet the minimum education and operating experience requirements or equivalents set forth below:

Certification Classification	Education	Operating Experience
OIT	High school diploma	3 months
Group I	High school diploma	1 year
Group II	High school diploma	3 years
Group III	High school diploma plus two years college	4 years

Group IV

High school diploma plus four years college

4 years

(a) Applicants for Group I certification may not substitute equivalent work experience or college for any portion of the operating experience requirement.

(b) At least half of the operating experience requirement for Class II, III, or IV certification must be gained on-site, in a wastewater treatment plant with a classification rating not less than one class lower than the class of certification desired.

(c) College claimed by an applicant for certification shall be credited toward the certification requirements only when documented on a transcript or a certificate of completion.

(4) Equivalent education

(a) A GED is equivalent to a high school diploma.

(b) One year of excess operating experience may be substituted for one year of high school or two years of grade school - no limit.

(c) Applicants for Group III and IV certification may substitute one year of excess operating experience for one year of college for up to half of the college requirement.

Note: Operating experience substituted for an education requirement may not also be applied to the operating experience requirement.

(5) Equivalent operating experience

(a) OIT applicants may substitute three CEUs or equivalent for the operating experience requirement provided the CEUs are earned upon completion of coursework in wastewater treatment plant operation.

(b) Applicants for Group II certification may substitute up to one and one-half years of college for one and one-half years of the operating experience requirement.

(c) Applicants for Group III and IV certification may substitute up to two years of excess college for two years of the operating experience requirement.

(d) Applicants may substitute work experience in the fields identified below for up to half of the operating experience requirement for Group II, III, and IV certification at a rate determined by the board:

- Experience as an environmental or operations consultant.
- Experience in an environmental or engineering branch of federal, state, county, or local government.
- Experience as a wastewater collection system operator.
- Experience as a water distribution system operator and/or manager.
- Experience as a wastewater pump station operator.
- Experience as a water treatment plant operator.

The board may also consider work experience in fields such as building and equipment maintenance, boiler operation, machinist, laboratory technician, engineering, welding, or other related fields on a case-by-case basis when presented with a written description of the duties performed on the job by the applicant for certification.

Note: College substituted for an operating experience requirement cannot also be applied to the education requirement.

(6) Exemptions

In the event an applicant for Group III or IV certification cannot meet the minimum college education requirements or equivalents set forth in subsections (3), (4), and (5)

of this section, the board shall consider the applicants eligibility for certification using the following substitution formula:

- After providing verification of a high school diploma or GED, Group III and IV applicants may substitute three years of excess operating experience in a wastewater treatment plant with a classification rating not less than one classification lower than the level of certification desired, for one year of college - no limit.

(7) If no examination is required, the wastewater certification program coordinator shall present the application to the board for consideration. The board shall make a recommendation to the director regarding the approval or denial of the request for certification.

(8) Group IV applications shall be submitted to the board for approval prior to scheduling for examination.

(9) If an examination is required, the wastewater certification program coordinator shall notify, schedule, and examine all applicants for certification.

[Statutory Authority: RCW 70.95B.040. 87-22-006 (Order 87-36), § 173-230-061, filed 10/23/87. Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-061, filed 4/16/82.]

WAC 173-230-070 Examination. (1) The board shall prepare written examinations to be used in determining the competency of operators.

(2) Examinations shall be held at least three times annually at places and times set by the board. These examinations shall be held on the first Monday of February, June, and October each year. In the event the exam date falls on a holiday, the examination shall be rescheduled by the wastewater certification program coordinator.

(3) All examinations shall be graded by the wastewater certification program coordinator and the applicant shall be notified of the score attained and pass or fail. Examinations shall not be returned to the applicant.

(4) An applicant who fails to pass an examination may be reexamined at the next scheduled examination with no additional application or fee.

(5) An applicant who fails to pass a second examination as provided for in WAC 173-230-070(4) must reapply for further examination as provided for in WAC 173-230-090(2). No individual will be allowed to retake the same examination more than twice consecutively. After two consecutive examinations, one examination period must be skipped.

(6) The board shall forward its recommendations for certification of those examined to the director.

[Statutory Authority: RCW 70.95B.040. 87-22-006 (Order 87-36), § 173-230-070, filed 10/23/87. Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-070, filed 4/16/82; Order 73-30, § 173-230-070, filed 11/9/73.]

WAC 173-230-080 Certificate term and renewals.

(1) Except as provided for in WAC 173-230-050 (2)(c), the term for any certificate or renewal thereof shall be from the first of January of the year of issuance until the thirty-first of December of the same year or the year designated by the department.

(2) Except as provided in WAC 173-230-050 (2)(c), all certificates shall be renewable upon presentation of evidence that the certificate holder demonstrates continued professional growth in the field. The department shall mail renewal

notices to all certificate holders eligible for renewal prior to the date the certificate expires.

(3) In order to demonstrate continued professional growth in the field, each certificate holder must accomplish one of the following activities during a three-year period ending December 31, 1979, and each three-year period thereafter.

(a) Accumulate a minimum of three CEUs or college credits in coursework relevant to the field;

(b) Advance by exam to a higher level of certification in Washington's wastewater treatment plant operator's certification program. Advancement from OIT to Group I certification shall not fulfill this requirement;

(c) Achieve certification by examination in the waterworks certification program administered by the Washington department of social and health services;

(d) Achieve certification by examination in a different classification of the waterworks certification program administered by DSHS as shown below:

- Water Distribution Manager (WDM) to Water Treatment Plant Operator (WTPO)
- WTPO to WDM
- Water Distribution Specialist (WDS) to WDM or WTPO
- Cross Connection Control Specialist (CCS) to WDM or WTPO or WDS;

(e) On or after January 1, 1989, achieve certification by examination or advance by examination to a higher level in Washington's voluntary wastewater collection system operator's certification program administered by the Washington Wastewater Collection System Personnel Association. Advancement from the in-training certification classification to the Level 1 classification shall not fulfill this requirement.

(4) It is the responsibility of each certificate holder to satisfy the continued professional growth requirement on or before December 31 of the last year of the three-year period described in subsection (3) of this section. The department shall mail a written notice to each certificate holder who has not fulfilled the continued professional growth requirement. If this requirement is not satisfied, the certificate shall not be renewable. Failure to renew a certificate for any reason shall be handled as described in WAC 173-230-100.

(5) On and after January 1, 1989, the department may collect renewal fees for a period not to exceed three calendar years. The department shall notify certificate holders who are eligible for renewal as described in subsection (2) of this section the amount of fees owed and the date by which the fees must be paid.

[Statutory Authority: RCW 70.95B.040. 87-22-006 (Order 87-36), § 173-230-080, filed 10/23/87. Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-080, filed 4/16/82; Order 73-30, § 173-230-080, filed 11/9/73.]

WAC 173-230-090 Fees. (1) Except for applications

for certificates under WAC 173-230-050 (2)(a), applications for certification by examination will be accepted for processing only when accompanied by a fee of fifty dollars. Applications for certification by reciprocity will be accepted for processing only when accompanied by a fee of fifty dollars.

(2) Except as provided under WAC 173-230-070(4), applications for reexamination will be accepted for process-

ing only when accompanied by an application fee of fifty dollars.

(3) In the event an application for certification is denied, the department may reimburse up to half the fee amount provided the department receives a written request for reimbursement within thirty days after the letter of denial is mailed.

(4) Applications for certificate renewals will be accepted for processing only when accompanied by a renewal fee of thirty dollars for each year of renewal.

(5) All receipts hereunder shall be paid into the state general fund.

[Statutory Authority: RCW 70.95B.090 (1) and (2) and chapter 70.95B RCW. 91-13-058 (Order 90-61), § 173-230-090, filed 6/17/91, effective 7/18/91. Statutory Authority: RCW 70.95B.040. 87-22-006 (Order 87-36), § 173-230-090, filed 10/23/87; 78-11-016 (Order DE 78-16), § 173-230-090, filed 10/11/78; Order 73-30, § 173-230-090, filed 11/9/73.]

WAC 173-230-100 Suspension and revocation. (1)

When a certificate is not renewed, such certificate, upon notice by the director, shall be suspended for sixty days. If renewal of the certificate is not completed during the suspension period, the director shall mail a written notice of revocation to the certificate holder's employer as last known by the department and to the certificate holder at the address last known by the department. This notice of revocation shall be sent by certified mail. If, during the revocation notice period, the certificate is not renewed, the certificate shall be revoked ten days after such notice is mailed.

(2) Certificates may also be revoked when the board so recommends to the director, upon finding:

(a) Fraud or deceit in obtaining the certificate.

(b) Gross negligence in the operation of a wastewater treatment plant.

(c) Violation of the requirements of this chapter or the statute it implements or of any lawful rule, regulation or order of the department.

(3) No revocation shall be made under subsection (2) of this section unless the operator has been notified that revocation is proposed, has been advised of the grounds therefor and has been given an opportunity to appear before the board and be heard on the matter.

(4) Whenever an individual's certificate is revoked, the individual shall not be certified again until he or she has applied for certification pursuant to WAC 173-230-061 paid the application fee, and passed the written examination for the classification of certification desired.

(5) If revocation was made pursuant to subsection (2) of this section, the operator shall not be eligible to reapply for a certificate for one year from the date the revocation became final.

[Statutory Authority: RCW 70.95B.040. 87-22-006 (Order 87-36), § 173-230-100, filed 10/23/87. Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-100, filed 4/16/82. Statutory Authority: RCW 70.95B.040. 78-11-016 (Order DE 78-16), § 173-230-100, filed 10/11/78; Order 73-30, § 173-230-100, filed 11/9/73.]

WAC 173-230-110 Reciprocity. The director may, with the approval of the board, waive examinations for applicants holding valid wastewater treatment plant operators certificates or licenses issued by other states having equivalent standards as determined by the board.

(1) Applications for reciprocity will be considered for approval only when the department receives written confirmation from the certifying authority of the state or province in which the applicant is certified, that the certificate is currently valid and was earned by passing a written examination. A copy of the exam passed by the applicant must also be released for review by the board.

(2) The board shall review and compare out-of-state examinations with Washington's exams to determine at which level the exam is most equivalent.

(3) Certificates shall be issued to each reciprocity applicant who meets the minimum education and experience requirements set forth in WAC 173-230-061 and who passes a written examination comparable to Washington's exam as determined by the board and approved by the director.

[Statutory Authority: RCW 70.95B.040. 87-22-006 (Order 87-36), § 173-230-110, filed 10/23/87. Statutory Authority: Chapter 70.95B RCW. 82-09-056 (Order DE 82-07), § 173-230-110, filed 4/16/82; Order 73-30, § 173-230-110, filed 11/9/73.]

WAC 173-230-120 Appeals. Decisions of the director under this chapter may be appealed within thirty days from the date of notice thereof to the pollution control hearings board pursuant to chapter 43.21B RCW and chapter 371-08 WAC.

[Order 73-30, § 173-230-120, filed 11/9/73.]

WAC 173-230-130 Violations. Violation of this chapter is a misdemeanor. Each day of operation in violation hereof constitutes a separate offense. Upon conviction, violators are subject to fines not exceeding one hundred dollars for each offense. Injunctions may be obtained for continuing violations.

[Order 73-30, § 173-230-130, filed 11/9/73.]

WAC 173-230-140 Classification of wastewater treatment plants. Wastewater treatment plants are classified in four groups, according to the total point rating as derived from the items listed below. Assignment of points for wastewater treatment plants shall be made by the director.

(1) **PLANT CLASS:**

- (a) Class I - 1 - 25 total points.
- (b) Class II - 26 - 50 total points.
- (c) Class III - 51 - 70 total points.
- (d) Class IV - 71 or more total points.

RATING
VALUE

(2) **DESIGN FLOW** 1 per 5 mgd, not to exceed 20 points

(Example: 5 mgd and less = 1 point; 5.1 to 10 mgd = 2 points, etc.)

(3) **POPULATION EQUIVALENT (P.E.)** . . . 1 per 5,000 P.E., not to exceed 20 points

$$PE = \frac{(\text{Flow, mgd})(\text{BOD, mg/L})(8.34 \text{ lbs/gal})}{0.2 \text{ lbs BOD/person/day}}$$

[Statutory Authority: RCW 70.95B.040, 87-22-006 (Order 87-36), § 173-230-140, filed 10/23/87; 78-11-016 (Order DE 78-16), § 173-230-140, filed 10/11/78; Order 73-30, § 173-230-140, filed 11/9/73.]

(4) **PRETREATMENT UNITS**

- (a) Manually cleaned screens 1
- (b) Mechanically cleaned screens 2
- (c) Grit removal 3
- (d) Preaeration 1
- (e) Comminutor, barminutors, grinders, etc. 1
- (f) Plant pumping 3

(5) **PRIMARY TREATMENT UNITS**

- (a) Imhoff tanks, spirogesters, Clarigesters, etc. 3
- (b) Primary clarifiers 5
- (c) Primary clarifiers utilizing settling aid chemicals 9

(6) **SECONDARY TREATMENT UNITS**

- (a) Trickling filter (without recirculation) 5
- (b) Trickling filter (with recirculation) 7
- (c) Activated sludge
 - (i) Mechanical aeration 8
 - (ii) Diffused or dispersed air 10
 - (iii) Oxidation ditch 8
 - (iv) Pure oxygen 13
- (d) Stabilization ponds 5
- (e) Stabilization ponds with aeration 7
- (f) Secondary clarifiers 5

(7) **TERTIARY TREATMENT UNITS**

- (a) Polishing pond 2
- (b) Land disposal of effluent 5
- (c) Chemical treatment for phosphorus removal 5
- (d) Activated carbon beds (with carbon regeneration) 10
- (e) Activated carbon beds (without carbon regeneration) 8
- (f) Sand or mixed-media filters 4
- (g) Other nutrient removal processes following secondary treatment 10

(8) **DISINFECTION** 4

(9) **SLUDGE TREATMENT**

- (a) Sludge digesters (anaerobic) 4
 - (i) If heated, add 3
 - (ii) If mechanically or gas mixed, add 2
- (b) Sludge digesters (aerobic) 6
- (c) Drying beds or evaporation lagoons 2
- (d) Thickener clarifier 5
- (e) Vacuum filter 7
- (f) Centrifuge 7
- (g) Incinerator 10
- (h) Utilizing digester gas for other than heating purposes 3

Chapter 173-240 WAC
SUBMISSION OF PLANS AND REPORTS FOR CONSTRUCTION OF WASTEWATER FACILITIES

WAC

173-240-010	Purpose and scope.
173-240-020	Definitions.

DOMESTIC WASTEWATER FACILITIES

173-240-030	Submission of plans and reports.
173-240-035	Restrictions—Subsurface disposal systems.
173-240-040	Review standards.
173-240-050	General sewer plan.
173-240-060	Engineering report.
173-240-070	Plans and specifications.
173-240-075	Construction quality assurance plan.
173-240-080	Operation and maintenance manual.
173-240-090	Declaration of construction completion.
173-240-095	Form—Declaration of construction of water pollution control facilities.
173-240-100	Requirement for certified operator.
173-240-104	Ownership and operation and maintenance.

INDUSTRIAL WASTEWATER FACILITIES

173-240-110	Submission of plans and reports.
173-240-120	Review standards.
173-240-130	Engineering report.
173-240-140	Plans and specifications.
173-240-150	Operation and maintenance manual.

DOMESTIC AND INDUSTRIAL WASTEWATER FACILITIES

173-240-160	Requirement for professional engineer.
173-240-170	Right of inspection.
173-240-180	Approval of construction changes.

DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

173-240-105	Form—Certificate of construction of water pollution control facilities. [Statutory Authority: RCW 90.48.110, 79-02-033 (Order DE 78-10), § 173-240-105, filed 1/23/79. Formerly chapter 372-20 WAC.] Repealed by 83-23-063 (Order DE 83-30), filed 11/16/83. Statutory Authority: Chapters 43.21A and 90.48 RCW.
-------------	--

WAC 173-240-010 Purpose and scope. The purpose of this chapter is to implement RCW 90.48.110. The department interprets "plans and specifications" as mentioned in RCW 90.48.110 as including "engineering reports," "plans and specifications," and "general sewer plans," all as defined in WAC 173-240-020. This chapter also includes provisions for review and approval of proposed methods of operation and maintenance.

[Statutory Authority: Chapters 43.21A and 90.48 RCW, 83-23-063 (Order DE 83-30), § 173-240-010, filed 11/16/83. Statutory Authority: RCW 90.48.110, 79-02-033 (Order DE 78-10), § 173-240-010, filed 1/23/79. Formerly chapter 372-20 WAC.]

WAC 173-240-020 Definitions. (1) "Approval" means written approval.

(2) "Construction quality assurance plan" means a plan describing the methods by which the professional engineer in responsible charge of inspection of the project will determine that the facilities were constructed without

When a wastewater treatment plant handles a complex waste or a unique treatment process that is not reflected in the classification system, the director upon recommendations of the board may establish a classification consistent with the intent of the above classification system.

significant change from the department approved plans and specifications.

(3) "Department" means the Washington state department of ecology.

(4) "Domestic wastewater" means water carrying human wastes, including kitchen, bath, and laundry wastes from residences, buildings, industrial establishments or other places, together with such groundwater infiltration or surface waters as may be present.

(5) "Domestic wastewater facility" means all structures, equipment, or processes required to collect, carry away, treat, reclaim or dispose of domestic wastewater together with such industrial waste as may be present. In the case of subsurface sewage treatment and disposal, the term is restricted to mean those facilities treating and disposing of domestic wastewater only from:

(a) A septic tank system with subsurface sewage treatment and disposal and an ultimate design capacity exceeding fourteen thousand five hundred gallons per day at any common point; or

(b) A mechanical treatment system or lagoon followed by subsurface disposal with an ultimate design capacity exceeding three thousand five hundred gallons per day at any common point.

Where the proposed system utilizing subsurface disposal has received a state construction grant or a federal construction grant under the Federal Water Pollution Control Act as amended, such system is a "domestic wastewater facility" regardless of size.

(6) "Engineering report" means a document which thoroughly examines the engineering and administrative aspects of a particular domestic or industrial wastewater facility. The report shall contain the appropriate information required in WAC 173-240-060 or 173-240-130. In the case of a domestic wastewater facility project, the report describes the recommended financing method.

The facility plan described in federal regulation 40 CFR 35 is an "engineering report." This federal regulation describes the Environmental Protection Agency's municipal wastewater construction grants program.

(7) "General sewer plan" means the:

(a) Sewerage general plan adopted by counties under chapter 36.94 RCW; or

(b) Comprehensive plan for a system of sewers adopted by sewer districts under chapter 56.08 RCW; or

(c) Plan for a system of sewerage adopted by cities under chapter 35.67 RCW; or

(d) Comprehensive plan for a system of sewers adopted by water districts under chapter 57.08 RCW; or

(e) Plan for sewer systems adopted by public utility districts under chapter 54.16 RCW and port districts under chapter 53.08 RCW.

(f) The "general sewer plan" is a comprehensive plan for a system of sewers adopted by a local government entity. The plan includes the items specified in each respective statute. It includes the general location and description of treatment and disposal facilities, trunk and interceptor sewers, pumping stations, monitoring and control facilities, local service areas and a general description of the collection system to serve those areas. The plan also includes preliminary engineering in adequate detail to assure technical feasibility, provides for the method of distributing the cost

and expense of the sewer system, and indicates the financial feasibility of plan implementation.

(8) "Industrial wastewater" means the water or liquid carried waste from industrial or commercial processes, as distinct from domestic wastewater. These wastes may result from any process or activity of industry, manufacture, trade or business, from the development of any natural resource, or from animal operations such as feedlots, poultry houses, or dairies. The term includes contaminated stormwater and also leachate from solid waste facilities.

(9) "Industrial wastewater facility" means all structures, equipment, or processes required to collect, carry away, treat, reclaim or dispose of industrial wastewater.

(10) "Owner" means the state, county, city, town, federal agency, corporation, firm, company, institution, person or persons, or any other entity owning a domestic or industrial wastewater facility.

(11) "Plans and specifications" means the detailed drawings and specifications used in the construction or modification of domestic or industrial wastewater facilities. Except as otherwise allowed, plans and specifications are preceded by an approved engineering report. For some industrial facilities final conceptual drawings for all or parts of the system may be substituted for plans and specifications with the permission of the department.

(12) "Sewerage system" means a system of sewers and appurtenances for the collection, transportation, pumping, treatment and disposal of domestic wastewater together with such industrial waste as may be present. By definition a sewerage system is a "domestic wastewater facility."

(13) "Sewer line extension" shall mean any pipe added or connected to an existing sewerage system, together with any pump stations: *Provided*, That the term does not include gravity side sewers which connect individual building or dwelling units to the sewer system when these side sewers are less than one hundred fifty feet in length and not over six inches in diameter.

(14) "Subsurface sewage treatment and disposal" means the physical, chemical, or bacteriological treatment and disposal of domestic wastewater within the soil profile by placement beneath the soil surface in trenches, beds, seepage pits, mounds, or fills.

(15) "Waters of the state" means all lakes, rivers, ponds, streams, inland waters, ground waters, salt waters, and all other waters and watercourses within the jurisdiction of the state of Washington.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-020, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-020, filed 1/23/79. Formerly WAC 372-20-010.]

DOMESTIC WASTEWATER FACILITIES

WAC 173-240-030 Submission of plans and reports.

(1) Prior to the construction or modification of domestic wastewater facilities, engineering reports and plans and specifications for the project shall be submitted to and approved by the department, except as noted in WAC 173-240-030(5).

(2) All reports and plans and specifications shall be submitted by the owner or his authorized representative

consistent with a compliance schedule issued by the department or at least sixty days prior to the time approval is desired.

(3) Construction or modification of domestic wastewater facilities shall conform to the following schedule of tasks unless otherwise modified by these regulations:

- (a) Submission and approval of engineering report;
- (b) Submission and approval of plans and specifications;
- (c) Submission and approval of construction quality assurance plan;
- (d) Submission and approval of draft operation and maintenance manual;
- (e) Declaration of completion of construction by the project engineer; and
- (f) Submission of complete operation and maintenance manual.

(4) Where two or more years has lapsed since approval of the engineering report or plans and specifications and construction has not begun, it may be necessary to update that document to reflect changed conditions such as: Water quality, services availability, regulatory requirements, or engineering technology.

(5) If the local government entity has received department approval of a general sewer plan and standard design criteria, engineering reports and plans and specifications for sewer line extensions, including pump stations, need not be submitted for approval. In this case the entity need only provide a description of the project and written assurance that the extension is in conformance with the general sewer plan. However in the following situations specific department approval is necessary for sewer line extensions prior to construction:

- (a) The proposed sewers, or pump stations involve installation of overflows or bypasses; or
- (b) The proposed sewers, pump or lift stations discharge to an overloaded treatment, collection, or disposal facility.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-030, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-030, filed 1/23/79. Formerly chapter 372-20 WAC.]

WAC 173-240-035 Restrictions—Subsurface disposal systems. (1) Domestic wastewater facilities utilizing subsurface sewage treatment and disposal, as defined in WAC 173-240-020(5), are prohibited except under those extraordinary circumstances where no other reasonable alternatives exist and providing:

- (2) The facility is owned, operated, and maintained by a public entity, except as noted in WAC 173-240-104; and
- (3) Adequate facility construction oversight is provided by the public entity; and
- (4) The proposed project is consistent with local health and land use regulations; and
- (5) Loading rates do not exceed 1,570 gallons per day per acre of gross land area in medium sands or finer grained soils and shall not exceed 900 gallons per day per acre of gross land in coarser grained soils or other soils where conditions are such that adequate treatment is not provided. For the purposes of this section gross land area is defined as the contiguous land area of a proposed development which might include the centerline of adjoining road or street right-of-ways.

(1997 Ed.)

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-035, filed 11/16/83.]

WAC 173-240-040 Review standards. (1) The department will review general sewer plans, engineering reports, plans and specifications, and operation and maintenance manuals for domestic wastewater facilities to ascertain that the proposed facilities will be designed, constructed, operated, and maintained to meet effluent limitations and other requirements of an NPDES or state waste discharge permit, if applicable, and to meet the policies and requirements of chapters 90.48 and 90.54 RCW pertaining to prevention and control of pollution of waters of the state.

(2) In addition to the above, the department will review documents submitted pursuant to this chapter to ascertain that they are reasonably consistent with the appropriate sections of the state of Washington, "Criteria for sewage works design." Additional references may include, but are not limited to, the following:

- (a) Manuals of Practice, Water Pollution Control Federation.
- (b) Manuals of Engineering Practice, American Society of Civil Engineering.
- (c) Standard Specifications for Municipal Public Works Construction, American Public Works Association.
- (d) Considerations for Preparation of Operation and Maintenance Manuals, United States Environmental Protection Agency.
- (e) Process Design Manuals, United States Environmental Protection Agency.
- (f) Design Criteria for Mechanical, Electric, and Fluid System and Component Reliability, United States Environmental Protection Agency.
- (g) Design Manual: Onsite Wastewater Treatment and Disposal Systems, U.S.E.P.A. October 1980.
- (h) Guidelines for Larger On-Site Sewage Disposal Systems, Washington State Department of Social and Health Services and Department of Ecology.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-040, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-040, filed 1/23/79. Formerly chapter 372-20 WAC.]

WAC 173-240-050 General sewer plan. (1) All general sewer plans required of any governmental agency prior to providing sewer service are "plans" within the requirements of RCW 90.48.110. Three copies of the proposed general sewer plan and each amendment to it shall be submitted to and approved by the department prior to its implementation.

(2) The general sewer plan shall be sufficiently complete so that engineering reports can be developed from it without substantial alterations of concept and basic considerations.

(3) The general sewer plan shall include the following information together with any other relevant data as requested by the department. To satisfy the requirements of the local government jurisdiction, additional information may be necessary.

- (a) The purpose and need for the proposed plan.
- (b) A discussion of who will own, operate, and maintain the system(s).

- (c) The existing and proposed service boundaries.
- (d) Layout map including the following:
 - (i) Boundaries. The boundary lines of the municipality or special district to be sewerred, including a vicinity map;
 - (ii) Existing sewers. The location, size, slope, capacity, direction of flow of all existing trunk sewers, and the boundaries of the areas served by each;
 - (iii) Proposed sewers. The location, size, slope, capacity, direction of flow of all proposed trunk sewers, and the boundaries of the areas to be served by each;
 - (iv) Existing and proposed pump stations and force mains. The location of all existing and proposed pumping stations and force mains, designated to distinguish between those existing and proposed;
 - (v) Topography and elevations. Topography showing pertinent ground elevations and surface drainage shall be shown, as well as proposed and existing streets;
 - (vi) Streams, lakes, and other bodies of water. The location and direction of flow of major streams, the high and low elevations of water surfaces at sewer outlets, and controlled overflows, if any. All existing and potential discharge locations should be noted; and
 - (vii) Water systems. The location of wells or other sources of water supply, water storage reservoirs and treatment plants, and water transmission facilities.
- (e) The population trend as indicated by available records, and the estimated future population for the stated design period. Briefly describe the method used to determine future population trends and the concurrence of any applicable local or regional planning agencies.
- (f) Any existing domestic and/or industrial wastewater facilities within twenty miles of the general plan area and within the same topographical drainage basin containing the general plan area.
- (g) A discussion of any infiltration and inflow problems. Also a discussion of actions which will alleviate these problems in the future.
- (h) A statement regarding provisions for treatment and discussion of the adequacy of such treatment.
- (i) List of all establishments producing industrial wastewater, the quantity of wastewater and periods of production, and the character of such industrial wastewater insofar as it may affect the sewer system or treatment plant. Consideration shall be given to future industrial expansion.
- (j) Discussion of the location of all existing private and public wells, or other sources of water supply, and distribution structures as they are related to both existing and proposed domestic wastewater treatment facilities.
- (k) Discussion of the various alternatives evaluated, and a determination of the alternative chosen, if applicable.
- (l) A discussion, including a table, which shows the cost per service in terms of both debt service and operation and maintenance costs, of all facilities (existing and proposed) during the planning period.
- (m) A statement regarding compliance with any adopted water quality management plan pursuant to the Federal Water Pollution Control Act as amended.
- (n) A statement regarding compliance with the State Environmental Policy Act (SEPA) and the National Environmental Policy Act (NEPA), if applicable.

90.48.110. 79-02-033 (Order DE 78-10), § 173-240-050, filed 1/23/79. Formerly chapter 372-20 WAC.]

WAC 173-240-060 Engineering report. (1) The engineering report for a domestic wastewater facility shall include each appropriate (as determined by the department) item required in WAC 173-240-050 for general sewer plans unless an up-to-date general sewer plan is on file with the department. Normally, an engineering report is not required for sewer line extensions or pump stations. See WAC 173-240-020(13) and 173-240-030(5). The facility plan described in federal regulation 40 CFR 35 is an "engineering report."

(2) The engineering report shall be sufficiently complete so that plans and specifications can be developed from it without substantial changes. Three copies of the report shall be submitted to the department for approval, excepting as waived under WAC 173-240-030 (5).

(3) The engineering report shall include the following information together with any other relevant data as requested by the department:

(a) The name, address, and telephone number of the owner of the proposed facilities, and his authorized representative.

(b) A project description including a location map and a map of the present and proposed service area.

(c) A statement of the present and expected future quantity and quality of wastewater, including any industrial wastes which may be present or expected in the sewer system.

(d) The degree of treatment required based upon applicable permits and regulations, the receiving body of water, the amount and strength of wastewater to be treated, and other influencing factors.

(e) A description of the receiving water, applicable water quality standards, and how water quality standards will be met outside of any applicable dilution zone.

(f) The type of treatment process proposed, based upon the character of the wastewater to be handled, the method of disposal, the degree of treatment required, and a discussion of the alternatives evaluated and the reasons they are unacceptable.

(g) The basic design data and sizing calculations of each unit of the treatment works. Expected efficiencies of each unit and also of the entire plant, and character of effluent anticipated.

(h) Discussion of the various sites available and the advantages and disadvantages of the site(s) recommended. The proximity of residences or developed areas to any treatment works. The relationship of the twenty-five-year and one hundred-year flood to the treatment plant site and the various plant units.

(i) A flow diagram showing general layout of the various units, the location of the effluent discharge, and a hydraulic profile of the system that is the subject of the engineering report and any hydraulically related portions.

(j) A discussion of infiltration and inflow problems, overflows and bypasses, and proposed corrections and controls.

(k) A discussion of any special provisions for treating industrial wastes, including any pretreatment requirements for significant industrial sources.

(l) Detailed outfall analysis or other disposal method selected.

(m) A discussion of the method of final sludge disposal and any alternatives considered.

(n) Provision for future needs.

(o) Staffing and testing requirements for the facilities.

(p) An estimate of the costs and expenses of the proposed facilities and the method of assessing costs and expenses. The total amount shall include both capital costs and also operation and maintenance costs for the life of the project, and shall be presented in terms of total annual cost and present worth.

(q) A statement regarding compliance with any applicable state or local water quality management plan or any such plan adopted pursuant to the Federal Water Pollution Control Act as amended.

(r) A statement regarding compliance with the State Environmental Policy Act (SEPA) and the National Environmental Policy Act (NEPA), if applicable.

(4) The engineering report for projects utilizing land application, including seepage lagoons, irrigation, and subsurface disposal, shall include information on the following together with appropriate parts of subsection (3) of this section, as determined by the department:

(a) Soils and their permeability;

(b) Geohydrologic evaluation of such factors as:

(i) Depth to ground water and ground water movement during different times of the year;

(ii) Water balance analysis of the proposed discharge area;

(iii) Overall effects of the proposed facility upon the ground water in conjunction with any other land application facilities that may be present;

(c) Availability of public sewers;

(d) Reserve areas for additional subsurface disposal.

(5) The engineering report for projects funded by the Environmental Protection Agency shall, in addition to the requirements of subsection (3) or (4) of this section, follow EPA facility plan guidelines contained in the EPA publication, "Guidance for Preparing a Facility Plan" (MCD-46), and shall indicate how the special requirements contained in 40 CFR 35.719-1 will be met.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-060, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-060, filed 1/23/79. Formerly chapter 372-20 WAC.]

WAC 173-240-070 Plans and specifications. (1) The plans and specifications for a domestic wastewater facility are the detailed construction documents by which the owner or his contractor bid and construct the facility. The content and format of the plans and specifications shall be as stated in the state of Washington, "criteria for sewage works design," and shall include a listing of the facility design criteria and a plan for interim operation of facilities during construction.

(2) Plans and specifications for sewer line extensions shall include, as a separate report, an analysis of the existing collection and treatment systems ability to transport and treat additional flow and loading.

(3) Two copies of the plans and specifications shall be submitted to the department for approval prior to start of

construction, excepting as waived under WAC 173-240-030(5).

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-070, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-070, filed 1/23/79. Formerly chapter 372-20 WAC.]

WAC 173-240-075 Construction quality assurance plan. (1) Prior to construction a detailed plan must be submitted to the department showing how adequate and competent construction inspection will be provided.

(2) The construction quality assurance plan shall include:

(a) Construction schedule with a summary of planned construction activities, their sequence, interrelationships, durations, and terminations.

(b) Description of the construction management organization, management procedures, lines of communication, and responsibility.

(c) Description of anticipated quality control testing including type of test, frequency, and who will perform the tests.

(d) Description of the change order process including who will initiate change orders, as well as who will review, negotiate, and approve change orders.

(e) Description of the technical records handling methodology including where plans and specifications, as-built drawings, field orders, and change orders will be kept.

(f) Description of construction inspection program including inspection responsibility, anticipated inspection frequency, deficiency resolution, and inspector qualifications.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-075, filed 11/16/83.]

WAC 173-240-080 Operation and maintenance manual. (1) The proposed method of operation and maintenance of the domestic wastewater facility shall be stated in the engineering report or plans and specifications and approved by the department. The statement shall be a discussion of who will own, operate, and maintain the facility and what the staffing and testing requirements are. The owner shall follow the approved method of operation after the facility is constructed, unless changes have been approved by the department.

(2) In those cases where the facility includes mechanical components, a detailed operation and maintenance manual shall be prepared prior to completion of construction. The purpose of the manual is to present technical guidance and regulatory requirements to the operator to enhance operation under both normal and emergency conditions. Two copies of the manual shall be submitted to the department for approval prior to completion of construction.

(3) In order to assure proper operation during construction and timely review and approval of the final operation and maintenance manual, a draft manual shall be submitted in the early stages of the construction of a facility. In addition, manufacturer's information on equipment must be available to the plant operator prior to unit start-up.

(4) The operation and maintenance manual shall include the following list of topics. For those projects funded by the Environmental Protection Agency the manual shall also

follow the requirements of the EPA publication, "Considerations for Preparation of Operation and Maintenance Manuals."

(a) The assignment of managerial and operational responsibilities to include plant classification and classification of required operators.

(b) A description of plant type, flow pattern, operation, and efficiency expected.

(c) The principal design criteria.

(d) A process description of each plant unit, including function, relationship to other plant units, and schematic diagrams.

(e) A discussion of the detailed operation of each unit and description of various controls, recommended settings, fail-safe features, etc.

(f) A discussion of how the treatment facilities are to be operated during anticipated maintenance procedures, and under less than design loading conditions, if applicable, such as initial loading on a system designed for substantial growth.

(g) A section on laboratory procedures including sampling techniques, monitoring requirements, and sample analysis.

(h) Recordkeeping procedures and sample forms to be used.

(i) A maintenance schedule incorporating manufacturer's recommendations, preventative maintenance and housekeeping schedules, and special tools and equipment usage.

(j) A section on safety.

(k) A section stating the spare parts inventory, address of local suppliers, equipment warranties, and appropriate equipment catalogs.

(l) Emergency plans and procedures.

(5) In those cases where the facility does not include mechanical components, an operation and maintenance manual, which may be less detailed than that described in subsection (4) of this section, shall be submitted to the department for approval prior to completion of construction. The manual shall fully describe the treatment and disposal system and outline routine maintenance procedures needed for proper operation of the system.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-080, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-080, filed 1/23/79. Formerly chapter 372-20 WAC.]

WAC 173-240-090 Declaration of construction completion. (1) Within thirty days following acceptance by the owner of the construction or modification of a domestic wastewater facility, the professional engineer in responsible charge of inspection of the project shall submit to the department (a) one complete set of record drawings or as-builts (b) a declaration stating the facilities were constructed in accordance with the provisions of the construction quality assurance plan and without significant change from the department approved plans and specifications.

(2) The declaration will be furnished by the department and will be the same form as WAC 173-240-095, declaration of construction of water pollution control facilities. The submission of the declaration is not necessary for sewer line extensions where the local government entity has received

approval of a general sewer plan and standard design criteria.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-090, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-090, filed 1/23/79. Formerly chapter 372-20 WAC.]

WAC 173-240-095 Form—Declaration of construction of water pollution control facilities.

DECLARATION OF CONSTRUCTION OF WATER POLLUTION CONTROL FACILITIES

Instructions:

- A. Upon completion, and prior to the use of any project or portions thereof, a professional engineer shall complete and sign this form, declaring that the project was constructed in accordance with the provisions of the construction quality assurance plan and with the plans and specifications and major change orders approved by the department of ecology.
- B. If a project is being completed in phased construction, a map shall be attached showing that portion of the project to which the declaration applies. A declaration of construction must be submitted for each phase of a project as it is completed. Additional declaration forms are available upon request from the department of ecology offices listed below.

NAME AND BRIEF DESCRIPTION OF PROJECT:
.....
.....
NAME OF OWNER DOE PROJECT NO. ...
ADDRESS DATE PROJECT OR
PHASE COMPLETED ...
CITY STATE ... ZIP
DOE PLAN AND
SPECIFICATION
APPROVAL DATE

I hereby declare that I am the project engineer of the above identified project and that said project was reviewed and observed by me or my authorized agent in accordance with the provisions of the construction quality assurance plan. I further declare that said project was to the best of my knowledge and information constructed and completed in accordance with the plans and specification and major change orders approved by the department of ecology and as shown on the owner's "as-built" plans.

..... SEAL
Signature or Professional Engineer
OF
DATE ENGINEER

Please return completed form to the department of ecology office checked below.

SW Regional Office
Department of Ecology
Mail stop LU-11
7272 Cleanwater Lane
Olympia, WA 98504

NW Regional Office
Department of Ecology
4350 150th Ave. NE
Redmond, WA 98052

Municipal Division
Department of Ecology
PV-11
Olympia, WA 98503

Central Regional Office
Department of Ecology
3601 W. Washington
Yakima, WA 98903

Eastern Regional Office
Department of Ecology
East 103 Indiana Ave.
Spokane, WA 99207

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-095, filed 11/16/83.]

WAC 173-240-100 Requirement for certified operator. Each owner of a domestic wastewater treatment facility is required by chapter 70.95B RCW to have an operator, certified by the state, in responsible charge of the day to day operation of the facility. This requirement does not apply to a septic tank utilizing subsurface disposal. The certification procedures are set forth in chapter 173-230 WAC.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-100, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-100, filed 1/23/79. Formerly chapter 372-20 WAC.]

WAC 173-240-104 Ownership and operation and maintenance. (1) Domestic sewage facilities will not be approved unless ownership and responsibility for operation and maintenance is by a public entity except as provided in subsections (2) and (3) of this section. If a waste discharge permit is required it must be issued to the public entity. Nothing herein precludes a public entity from contracting operation and maintenance of domestic sewage facilities.

(2) Ownership by nonpublic entities may be approved if the department determines such ownership is in the public interest; provided there is an enforceable contract, approved by the department, between the nonpublic entity and a public entity with an approved sewer general plan which will assure immediate assumption of the system under the following conditions:

(a) Treatment efficiency is unsatisfactory either as a result of plant capacity or physical operation; or

(b) If such assumption is necessary for the implementation of a general sewer plan.

(3) The following domestic wastewater facilities would not require public entity ownership, operation, and maintenance:

(a) Those facilities existing or approved for construction as of the effective date of this section, until such time as the facility is expanded to accommodate additional development.

(b) Those facilities that serve a single nonresidential, industrial, or commercial establishment. Commercial/industrial complexes serving multiple owners or tenants and multiple residential dwelling facilities such as mobile home parks, apartments, and condominiums are not considered commercial establishments for the purpose of this section.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-104, filed 11/16/83.]

(1997 Ed.)

INDUSTRIAL WASTEWATER FACILITIES

WAC 173-240-110 Submission of plans and reports.

(1) Prior to the construction or modification of industrial wastewater facilities, engineering reports and plans and specifications for the project shall be submitted to and approved by the department.

(2) All engineering reports and plans and specifications should be submitted by the owner consistent with a compliance schedule issued by the department or at least thirty days prior to the time approval is desired. The department will generally review and either approve (or conditionally approve), comment on, or disapprove such plans and reports within the thirty-day period unless circumstances prevent, in which case the owner will be notified and informed of the reason for the delay.

(3) Construction or modification of industrial wastewater facilities shall conform to the following schedule of tasks unless waived in accordance with subsection (5).

(a) Submission and approval of an engineering report;

(b) Submission and approval of plans and specifications;

(c) Submission of an operation and maintenance manual.

(4) Where two or more years has elapsed since approval of the engineering report or plans and specifications, it may be necessary to update that document to reflect changed water quality conditions, regulatory requirements, or engineering technology.

(5) Upon request by the owner, the department may waive the requirement for a three step submission of documents for industrial facilities. In such a case the department will require instead conceptual plans which also include the appropriate (as determined by the department) information from the engineering report and an operation and maintenance manual.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-110, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-110, filed 1/23/79. Formerly chapter 372-20 WAC.]

WAC 173-240-120 Review standards. The department will review engineering reports, plans and specifications, and operation and maintenance manuals for industrial wastewater facilities to ascertain that the proposed facilities will be designed, constructed, operated and maintained to meet effluent limitations and other requirements of an NPDES or state waste discharge permit, if applicable, and to meet the policies and requirements of chapters 90.48 and 90.54 RCW pertaining to prevention and control of pollution of waters of the state, and will be consistent with good engineering practices.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-120, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-120, filed 1/23/79. Formerly chapter 372-20 WAC.]

WAC 173-240-130 Engineering report. (1) The engineering report for an industrial wastewater facility shall be sufficiently complete so that plans and specifications can be developed from it without substantial changes. Two copies of the report shall be submitted to the department for approval.

(2) The engineering report shall include the following information together with any other relevant data as requested by the department:

- (a) Type of industry or business.
- (b) The kind and quantity of finished product.
- (c) The quantity and quality of water used by the industry and a description of how consumed or disposed of, including:
 - (i) The quantity and quality of all process wastewater and method of disposal;
 - (ii) The quantity of domestic wastewater and how disposed of;
 - (iii) The quantity and quality of noncontact cooling water (including air conditioning) and how disposed of; and
 - (iv) The quantity of water consumed or lost to evaporation.
- (d) The amount and kind of chemicals used in the treatment process, if any.
- (e) The basic design data and sizing calculations of the treatment units.
- (f) A discussion of the suitability of the proposed site for the facility.
- (g) A description of the treatment process and operation, including a flow diagram.
- (h) All necessary maps and layout sketches.
- (i) Provisions for bypass, if any.
- (j) Physical provision for oil and hazardous material spill control and/or accidental discharge prevention.
- (k) Results to be expected from the treatment process including the predicted wastewater characteristics, as shown in the waste discharge permit, where applicable.
- (l) A description of the receiving water, location of the point of discharge, applicable water quality standards, and how water quality standards will be met outside of any applicable dilution zone.
- (m) Detailed outfall analysis.
- (n) The relationship to existing treatment facilities, if any.
- (o) Where discharge is to a municipal sewerage system, a discussion of that system's ability to transport and treat the proposed industrial waste discharge without exceeding the municipality's allocated industrial capacity. Also, a discussion on the effects of the proposed industrial discharge on municipal sludge utilization or disposal.
- (p) Where discharge is through land application, including seepage lagoons, irrigation, and subsurface disposal, a geohydrologic evaluation of such factors as:
 - (i) Depth to ground water and ground water movement during different times of the year;
 - (ii) Water balance analysis of the proposed discharge area;
 - (iii) Overall effects of the proposed facility upon the ground water in conjunction with any other land application facilities that may be present.
- (q) A statement, expressing sound engineering justification through the use of pilot plant data, results from other similar installations, and/or scientific evidence from the literature, that the effluent from the proposed facility will meet applicable permit effluent limitations and/or pretreatment standards.

(r) A discussion of the method of final sludge disposal selected and any alternatives considered with reasons for rejection.

(s) A statement as to who will own, operate, and maintain the system after construction.

(t) A statement regarding compliance with any state or local water quality management plan or any such plan adopted pursuant to the Federal Water Pollution Control Act as amended.

(u) Provisions for any committed future plans.

(v) A discussion of the various alternatives evaluated, if any, and reasons they are unacceptable.

(w) A timetable for final design and construction.

(x) A statement regarding compliance with the State Environmental Policy Act (SEPA) and the National Environmental Policy Act (NEPA), if applicable.

(y) Additional items to be included in an engineering report for a solid waste leachate treatment system are:

(i) A vicinity map and also a site map which shows topography, location of utilities, and location of the leachate collection network, treatment systems, and disposal;

(ii) Discussion of the solid waste site, working areas, soil profile, rainfall data, and ground water movement and usage;

(iii) A statement of the capital costs and the annual operation and maintenance costs;

(iv) A description of all sources of water supply within two thousand feet of the proposed disposal site. Particular attention should be given to showing impact on usable or potentially usable aquifers.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-130, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-130, filed 1/23/79. Formerly chapter 372-20 WAC.]

WAC 173-240-140 Plans and specifications. (1)

Upon request of the owner the department may, at its discretion, allow submission of conceptual plans for industrial facilities, as noted in WAC 173-240-110(5). Two copies of the plans and specifications shall be submitted to the department for approval prior to start of construction.

(2) The plans and specifications shall include the following information together with any other relevant data as requested by the department:

(a) Repeat presentation of the basic engineering design criteria from the engineering report.

(b) If there are any deviations from the concepts of the engineering report, explanation of the changes to include as much detail as would have been provided in an engineering report.

(c) The plan and section drawings of major components such as the treatment units, pump stations, flow measuring devices, sludge handling equipment, and influent and effluent piping. Foundations and/or soil preparation should be shown for major structures.

(d) A general site drawing showing the location with respect to the entire plant site and a detailed site drawing showing the component siting.

(e) A schematic drawing showing flows to include: In plant collection, and wastewater pumping, treatment, and discharge.

(f) A hydraulic profile showing head under maximum flows. This requirement may be waived where the three step submission of documents has been waived pursuant to WAC 173-240-110(5).

(g) Instrumentation, controls, and sampling schematics.

(h) General operating procedures such as startup, shutdown, spills, etc.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-140, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-140, filed 1/23/79. Formerly chapter 372-20 WAC.]

WAC 173-240-150 Operation and maintenance manual. (1) A detailed operation and maintenance manual shall be prepared for an industrial wastewater facility which includes mechanical components prior to the completion of construction. The manual is to be submitted to the department for review and approval. The purpose of the manual is to present technical guidance and regulatory requirements to the operator to enhance operation under both normal and emergency conditions.

(2) The operation and maintenance manual shall include the following list of topics:

(a) The names and phone numbers of the responsible individuals.

(b) A description of plant type, flow pattern, operation, and efficiency expected.

(c) The principal design criteria.

(d) A process description of each plant unit, including function, relationship to other plant units, and schematic diagrams.

(e) Explanation of the operational objectives for the various wastewater parameters, i.e. sludge age, settleability, etc.

(f) A discussion of the detailed operation of each unit and description of various controls, recommended settings, fail-safe features, etc.

(g) A discussion of how the facilities are to be operated during anticipated startups and shutdowns, maintenance procedures, and less than design loading conditions, so as to maintain efficient treatment.

(h) A section on laboratory procedures including sampling techniques, monitoring requirements, and sample analysis.

(i) Recordkeeping procedures and sample forms to be used.

(j) A maintenance schedule incorporating manufacturer's recommendations, preventative maintenance and housekeeping schedules, and special tools and equipment usage.

(k) A section on safety.

(l) A section containing the spare parts inventory, address of local suppliers, equipment warranties, and appropriate equipment catalogues.

(m) Emergency plans and procedures.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-150, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-150, filed 1/23/79. Formerly chapter 372-20 WAC.]

DOMESTIC AND INDUSTRIAL WASTEWATER FACILITIES

WAC 173-240-160 Requirement for professional engineer. (1) All required engineering reports, and plans and specifications for the construction or modification of wastewater facilities shall be prepared under the supervision of a professional engineer licensed in accordance with chapter 18.43 RCW. All copies of these documents submitted to the department for review shall bear the seal of the professional engineer under whose supervision they have been prepared.

(2) Upon request of the owner, the department may waive the above requirement for construction or modification at industrial wastewater facilities.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-160, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-160, filed 1/23/79. Formerly chapter 372-20 WAC.]

WAC 173-240-170 Right of inspection. Pursuant to RCW 90.48.090, the department or its authorized representative shall have the right to enter at all reasonable times in or upon any property, public or private, for the purposes of inspection or investigation relating to the pollution or possible pollution of the waters of the state, including the inspection of construction activities related to domestic or industrial wastewater facilities.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-170, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-170, filed 1/23/79. Formerly chapter 372-20 WAC.]

WAC 173-240-180 Approval of construction changes. All wastewater facilities subject to the provisions of this regulation shall be constructed in accordance with the plans and specifications approved by the department. Any contemplated changes during construction, which are significant deviations from the approved plans, shall first be submitted to the department for approval.

[Statutory Authority: Chapters 43.21A and 90.48 RCW. 83-23-063 (Order DE 83-30), § 173-240-180, filed 11/16/83. Statutory Authority: RCW 90.48.110. 79-02-033 (Order DE 78-10), § 173-240-180, filed 1/23/79. Formerly chapter 372-20 WAC.]

Chapter 173-245 WAC

SUBMISSION OF PLANS AND REPORTS FOR CONSTRUCTION AND OPERATION OF COMBINED SEWER OVERFLOW REDUCTION FACILITIES

WAC

173-245-010	Purpose and scope.
173-245-015	General requirements.
173-245-020	Definitions.
173-245-030	Submission of plans.
173-245-040	CSO reduction plan.
173-245-050	Plans and specifications.
173-245-055	Construction quality assurance plan.
173-245-060	Operation and maintenance manual.
173-245-070	Declaration of construction completion.
173-245-075	Form—Declaration of construction of water pollution control facilities.

173-245-080	Requirement for certified operator.
173-245-084	Ownership and operation and maintenance.
173-245-090	Schedule updates—Monitoring—Reporting.

WAC 173-245-010 Purpose and scope. This chapter establishes a procedure and criteria for implementing RCW 90.48.480 which requires "the greatest reasonable reduction of combined sewer overflows at the earliest possible date." It applies to municipalities whose sewer system includes combined sewer overflow (CSO) sites.

[Statutory Authority: RCW 90.48.035. 87-04-020 (Order DE 86-34), § 173-245-010, filed 1/27/87.]

WAC 173-245-015 General requirements. (1) All CSO sites shall achieve and at least maintain the greatest reasonable reduction, and neither cause violations of applicable water quality standards, nor restrictions to the characteristic uses of the receiving water, nor accumulation of deposits which: (a) Exceed sediment criteria or standards; or (b) have an adverse biological effect.

(2) This chapter shall not negate specific CSO reduction projects, programs, and schedules which the department and a municipality have agreed upon prior to this chapter's effective date. However, the provisions of this chapter shall still apply.

[Statutory Authority: RCW 90.48.035. 87-04-020 (Order DE 86-34), § 173-245-015, filed 1/27/87.]

WAC 173-245-020 Definitions. As used in this chapter:

(1) "At-site treatment" means treatment and discharge of combined sewage at the CSO site.

(2) "Baseline annual CSO volume and frequency" means the annual CSO volume and frequency which is estimated to occur based upon the existing sewer system and the historical rainfall record.

(3) "Best management practices" means use of those practices which will best reduce the amount of pollution caused by nonpoint sources so that pollutant loadings in combined and storm sewer flows during rainfall events are minimized.

(4) "Combined sewage" means the mixture of sanitary sewage, infiltration, and inflow.

(5) "Combined sewer" means a sewer which has been designed to serve as a sanitary sewer and a storm sewer, and into which inflow is allowed by local ordinance.

(6) "Combined sewer overflow (CSO)" means (a) the event during which excess combined sewage flow caused by inflow is discharged from a combined sewer, rather than conveyed to the sewage treatment plant because either the capacity of the treatment plant or the combined sewer is exceeded.

(7) "CSO reduction plan" means a comprehensive plan for attaining the greatest reasonable reduction of CSO's at the earliest possible date. The requirements for a CSO reduction plan are as further described in this chapter.

(8) "Department" means the department of ecology.

(9) "Disinfection" means the selective destruction of disease-causing and bacterial indicator group organisms.

(10) "Domestic wastewater facilities" means any CSO treatment/control facility included under the definition of

domestic wastewater facilities as defined in chapter 173-240 WAC.

(11) "In-line storage" means storage of sewage within the sewer pipes through the use of regulators and gates.

(12) "Infiltration" means the addition of ground water into a sewer through joints, the sewer material, cracks, and other defects.

(13) "Inflow" means the addition of rainfall-caused surface water drainage from roof drains, yard drains, basement drains, street catch basins, etc., into a sewer.

(14) "NPDES" means the National Pollutant Discharge Elimination System.

(15) "Off-line storage" means storage of sewage adjacent to the sewer pipe in a tank or other storage device.

(16) "Primary treatment" means any process which removes at least fifty percent of the total suspended solids from the waste stream, and discharges less than 0.3 ml/hr. of settleable solids.

(17) "Sanitary sewer" means a sewer which is designed to convey sanitary sewage and infiltration.

(18) "Sanitary sewage" means the mixture of domestic, commercial, and industrial wastewaters.

(19) "Secondary treatment" means any process which achieves the requirements of 40 CFR Part 133 as supplemented by state regulation and guidance.

(20) "Storm sewer" means a sewer which is designed to convey surface water drainage caused by rainfall.

(21) "Storm sewer/sanitary sewer separation" means construction of new storm sewers or new sanitary sewers so that sanitary sewage and surface drainage are conveyed in different sewers.

(22) "The greatest reasonable reduction" means control of each CSO such that an average of one untreated discharge may occur per year.

[Statutory Authority: RCW 90.48.035. 87-04-020 (Order DE 86-34), § 173-245-020, filed 1/27/87.]

WAC 173-245-030 Submission of plans. Municipalities shall:

(1) Obtain the approval of the department for CSO reduction plans by January 1, 1988. This deadline may be extended by the department, when that authority is granted.

(2) Submit plans to the department at least sixty days prior to the time approval is desired.

(3) Incorporate CSO reduction plans into their respective general sewer plans and into plans for new or upgraded sewage treatment facilities.

[Statutory Authority: RCW 90.48.035. 87-04-020 (Order DE 86-34), § 173-245-030, filed 1/27/87.]

WAC 173-245-040 CSO reduction plan. (1) The CSO reduction plan shall be sufficiently complete so that plans and specifications can be developed from it for projects which may proceed into design within two years of plan submittal. Sufficient detail of any remaining projects shall be provided such that detailed engineering reports can be prepared in the future.

(2) CSO reduction plans shall include the following information together with any other relevant data as requested by the department.

(a) Documentation of CSO activity. Municipalities shall complete a field assessment and mathematical modeling study to establish each CSO's location, baseline annual frequency, and baseline annual volume; to characterize each discharge; and to estimate historical impact by:

(i) Flow monitoring and sampling CSO's. Monitoring and sampling at one or more CSO sites in a group which are in close proximity to one another shall be sufficient if the municipality can establish a consistent hydraulic and pollutant correlation between/among the group of CSO sites. Sampling may not be required for CSO sites which serve residential basins; and

(ii) Developing a rainfall/stormwater runoff/CSO model to simulate each CSO site's activity; and

(iii) Verifying the model's accuracy with data collected under (a)(i) of this subsection; and

(iv) In circumstances where an historical impact may be discernible, observing and sampling the receiving water sediments adjacent to each CSO site or group of sites to establish the presence and extent of any bottom deposits; and

(v) If the sewer service area upstream of a CSO site includes sanitary sewer sources other than domestic sewage, samples of the sediment deposits shall receive heavy metal analysis and organic pollutant screening. Pending review of results of these analyses, the department may require additional pollutant analyses. If two or more CSO sites serve the same industrial/commercial sources, sediment sampling adjacent to one representative CSO site may suffice.

(b) Analysis of control/treatment alternatives. Treatment/control alternatives, to achieve the greatest reasonable reduction at each CSO site, which shall receive consideration include but are not limited to:

(i) Use of best management practices, sewer use ordinances, pretreatment programs, and sewer maintenance programs to reduce pollutants, reduce infiltration, and delay and reduce inflow; and

(ii) In-line and off-line storage with at least primary treatment and disinfection at the secondary sewage treatment facility which is served by the combined sewer; or

(iii) Increased sewer capacity to the secondary sewage treatment facility which shall provide at least primary treatment and disinfection; or

(iv) At-site treatment equal to at least primary treatment, and adequately offshore submerged discharge. At-site treatment may include a disinfection requirement at CSO sites which are near or impact water supply intakes, potentially harvestable shellfish areas, and primary contact recreation areas; or

(v) Storm sewer/sanitary sewer separation.

(c) Analysis of selected treatment/control projects. Municipalities shall do an assessment of the treatment/control project or combination of projects proposed for each CSO site. The assessment shall include:

(i) An estimation of the water quality and sediment impacts of any proposed treated discharge using existing background receiving water quality data, and estimated discharge quality and quantity. The department may require a similar analysis for proposed storm sewer outfalls for basins which drain industrial and/or commercial areas; and

(ii) An estimation of the selected projects' impacts on the quality of effluent from and operation of a municipality's

secondary sewage treatment facility. During wet weather flow conditions, a municipality shall maximize the rate and volume of flows transported to its secondary sewage treatment facility for treatment. However, such flows shall not cause the treatment facility to exceed the pollutant concentration limits in its NPDES permit; and

(iii) The estimated construction and operation and maintenance costs of the selected projects; and

(iv) The general locations, descriptions, basic design data, sizing calculations, and schematic drawings of the selected projects and descriptions of operation to demonstrate technical feasibility; and

(v) An evaluation of the practicality and benefits of phased implementation; and

(vi) A statement regarding compliance with the State Environmental Policy Act (SEPA).

(d) Priority ranking. Each municipality shall propose a ranking of its selected treatment/control projects. The rankings shall be developed considering the following criteria:

(i) Highest priority shall be given to reduction of CSO's which discharge near water supply intakes, public primary contact recreation areas, and potentially harvestable shellfish areas;

(ii) A cost-effectiveness analysis of the proposed projects. This can include a determination of the monetary cost per annual mass pollutant reduction, per annual volume reduction, and/or per annual frequency reduction achieved by each project;

(iii) Documented, probable, and potential environmental impacts of the existing CSO discharges.

(e) Municipalities shall propose a schedule for achieving "the greatest reasonable reduction of combined sewer overflows at the earliest possible date." (RCW 90.48.480.) If the agreed upon schedule exceeds five years, municipalities shall propose an initial five-year program of progress towards achieving the greatest reasonable reduction. Factors which municipalities and the department shall use to determine compliance schedules shall include but not be limited to:

(i) Total cost of compliance;

(ii) Economic capability of the municipality;

(iii) Other recent and concurrent expenditures for improving water quality; and

(iv) The severity of existing and potential environmental and beneficial use impacts.

[Statutory Authority: RCW 90.48.035. 87-04-020 (Order DE 86-34), § 173-245-040, filed 1/27/87.]

WAC 173-245-050 Plans and specifications. (1) The plans and specifications for a domestic wastewater facility are the detailed construction documents by which the owner or his contractor bid and construct the facility. The content and format of the plans and specifications shall be as stated in the state of Washington, "criteria for sewage works design," and shall include a listing of the facility design criteria and a plan for interim operation of facilities during construction.

(2) Plans and specifications for sewer line extensions shall include, as a separate report, an analysis of the existing

collection and treatment systems ability to transport and treat additional flow and loading.

(3) Two copies of the plans and specifications shall be submitted to the department for approval prior to start of construction, excepting as waived under WAC 173-240-030(5). (See also, WAC 173-240-070.)

[Statutory Authority: RCW 90.48.035. 87-04-020 (Order DE 86-34), § 173-245-050, filed 1/27/87.]

WAC 173-245-055 Construction quality assurance plan. (1) Prior to construction a detailed plan must be submitted to the department showing how adequate and competent construction inspection will be provided.

(2) The construction quality assurance plan shall include:

(a) Construction schedule with a summary of planned construction activities, their sequence, interrelationships, durations, and terminations.

(b) Description of the construction management organization, management procedures, lines of communication, and responsibility.

(c) Description of anticipated quality control testing including type of test, frequency, and who will perform the tests.

(d) Description of the change order process including who will initiate change orders, as well as who will review, negotiate, and approve change orders.

(e) Description of the technical records handling methodology including where plans and specifications, as-built drawings, field orders, and change orders will be kept.

(f) Description of construction inspection program including inspection responsibility, anticipated inspection frequency, deficiency resolution, and inspector qualifications. (See also, WAC 173-240-075.)

[Statutory Authority: RCW 90.48.035. 87-04-020 (Order DE 86-34), § 173-245-055, filed 1/27/87.]

WAC 173-245-060 Operation and maintenance manual. (1) The proposed method of operation and maintenance of the domestic wastewater facility shall be stated in the engineering report or plans and specifications and approved by the department. The statement shall be a discussion of who will own, operate, and maintain the facility and what the staffing and testing requirements are. The owner shall follow the approved method of operation after the facility is constructed, unless changes have been approved by the department.

(2) In those cases where the facility includes mechanical components, a detailed operation and maintenance manual shall be prepared prior to completion of construction. The purpose of the manual is to present technical guidance and regulatory requirements to the operator to enhance operation under both normal and emergency conditions. Two copies of the manual shall be submitted to the department for approval prior to completion of construction.

(3) In order to assure proper operation during construction and timely review and approval of the final operation and maintenance manual, a draft manual shall be submitted in the early stages of the construction of a facility. In addition, manufacturer's information on equipment must be available to the plant operator prior to unit start-up.

(4) The operation and maintenance manual shall include the following list of topics. For those projects funded by the environmental protection agency the manual shall also follow the requirements of the EPA publication, *Considerations for Preparation of Operation and Maintenance Manuals*.

(a) The assignment of managerial and operational responsibilities to include plant classification and classification of required operators.

(b) A description of plant type, flow pattern, operation, and efficiency expected.

(c) The principal design criteria.

(d) A process description of each plant unit, including function, relationship to other plant units, and schematic diagrams.

(e) A discussion of the detailed operation of each unit and description of various controls, recommended settings, fail-safe features, etc.

(f) A discussion of how the treatment facilities are to be operated during anticipated maintenance procedures, and under less than design loading conditions, if applicable, such as initial loading on a system designed for substantial growth.

(g) A section on laboratory procedures including sampling techniques, monitoring requirements, and sample analysis.

(h) Recordkeeping procedures and sample forms to be used.

(i) A maintenance schedule incorporating manufacturer's recommendations, preventative maintenance and housekeeping schedules, and special tools and equipment usage.

(j) A section on safety.

(k) A section stating the spare parts inventory, address of local suppliers, equipment warranties, and appropriate equipment catalogues.

(l) Emergency plans and procedures.

(5) In those cases where the facility does not include mechanical components, an operation and maintenance manual, which may be less detailed than that described in subsection (4) of this section, shall be submitted to the department for approval prior to completion of construction. The manual shall fully describe the treatment and disposal system and outline routine maintenance procedures needed for proper operation of the system. (See also, WAC 173-240-080.)

[Statutory Authority: RCW 90.48.035. 87-04-020 (Order DE 86-34), § 173-245-060, filed 1/27/87.]

WAC 173-245-070 Declaration of construction completion. (1) Within thirty days following acceptance by the owner of the construction or modification of a domestic wastewater facility, the professional engineer in responsible charge of inspection of the project shall submit to the department (a) one complete set of record drawings or as-builts (b) a declaration stating the facilities were constructed in accordance with the provisions of the construction quality assurance plan and without significant change from the department approved plans and specifications.

(2) The declaration will be furnished by the department and will be the same form as WAC 173-245-075, declaration of construction of water pollution control facilities. The submission of the declaration is not necessary for sewer line

extensions where the local government entity has received approval of a general sewer plan and standard design criteria. (See also, WAC 173-240-090.)

[Statutory Authority: RCW 90.48.035. 87-04-020 (Order DE 86-34), § 173-245-070, filed 1/27/87.]

WAC 173-245-075 Form—Declaration of construction of water pollution control facilities.

DECLARATION OF CONSTRUCTION OF WATER POLLUTION CONTROL FACILITIES

Instructions:

- A. Upon completion, and prior to the use of any project or portions thereof, a professional engineer shall complete and sign this form, declaring that the project was constructed in accordance with the provisions of the construction quality assurance plan and with the plans and specifications and major change orders approved by the department of ecology.
B. If a project is being completed in phased construction, a map shall be attached showing that portion of the project to which the declaration applies. A declaration of construction must be submitted for each phase of a project as it is completed. Additional declaration forms are available upon request from the department of ecology offices listed below.

NAME AND BRIEF DESCRIPTION OF PROJECT:
NAME OF OWNER
ADDRESS
CITY STATE ZIP
DOE PROJECT NO.
DATE PROJECT OR PHASE COMPLETED
DOE PLAN AND SPECIFICATION APPROVAL DATE

I hereby declare that I am the project engineer of the above identified project and that said project was reviewed and observed by me or my authorized agent in accordance with the provisions of the construction quality assurance plan. I further declare that said project was to the best of my knowledge and information constructed and completed in accordance with the plans and specification and major change orders approved by the department of ecology and as shown on the owner's "as-built" plans.

Signature or Professional Engineer
DATE
SEAL
OF
ENGINEER

Please return completed form to the department of ecology office checked below.

- SW Regional Office
Department of Ecology
Mail stop LU-11
7272 Cleanwater Lane
Olympia, WA 98504
Central Regional Office
Department of Ecology
3601 W. Washington
Yakima, WA 98903
NW Regional Office
Department of Ecology
4350 150th Ave. NE
Redmond, WA 98052
Eastern Regional Office
Department of Ecology
East 103 Indiana Ave.
Spokane, WA 99207
Municipal Division
Department of Ecology
PV-11
Olympia, WA 98503

(See also, WAC 173-240-095.)

[Statutory Authority: RCW 90.48.035. 87-04-020 (Order DE 86-34), § 173-245-075, filed 1/27/87.]

WAC 173-245-080 Requirement for certified operator. Each owner of a domestic wastewater treatment facility is required by chapter 70.95B RCW to have an operator, certified by the state, in responsible charge of the day to day operation of the facility. This requirement does not apply to a septic tank utilizing subsurface disposal. The certification procedures are set forth in chapter 173-230 WAC. (See also, WAC 173-240-100.)

[Statutory Authority: RCW 90.48.035. 87-04-020 (Order DE 86-34), § 173-245-080, filed 1/27/87.]

WAC 173-245-084 Ownership and operation and maintenance. (1) Domestic sewage facilities will not be approved unless ownership and responsibility for operation and maintenance is by a public entity except as provided in subsections (2) and (3) of this section. If a waste discharge permit is required it must be issued to the public entity. Nothing herein precludes a public entity from contracting operation and maintenance of domestic sewage facilities.

(2) Ownership by nonpublic entities may be approved if the department determines such ownership is in the public interest; provided there is an enforceable contract, approved by the department, between the nonpublic entity and a public entity with an approved sewer general plan which will assure immediate assumption of the system under the following conditions:

- (a) Treatment efficiency is unsatisfactory either as a result of plant capacity or physical operation; or
(b) If such assumption is necessary for the implementation of a general sewer plan.
(3) The following domestic wastewater facilities would not require public entity ownership, operation, and maintenance:
(a) Those facilities existing or approved for construction as of the effective date of this section, until such time as the facility is expanded to accommodate additional development.
(b) Those facilities that serve a single nonresidential, industrial, or commercial establishment. Commercial/industrial complexes serving multiple owners or tenants and

multiple residential dwelling facilities such as mobile home parks, apartments, and condominiums are not considered commercial establishments for the purpose of this section. (See also, WAC 173-240-104.)

[Statutory Authority: RCW 90.48.035. 87-04-020 (Order DE 86-34), § 173-245-084, filed 1/27/87.]

WAC 173-245-090 Schedule updates—Monitoring—Reporting. (1) By the anniversary date of its sewage treatment plant NPDES permit, in conjunction with its annual assessment for prevention of facilities overloading where applicable, a municipality shall submit an annual CSO report to the department for review and approval which:

(a) Details the past year's frequency and volume of combined sewage discharged from each CSO site, or group of CSO sites in close proximity. Field monitoring shall be necessary to estimate these parameters. The report shall indicate whether a CSO site or group of sites has increased over the baseline annual condition. If any increase has occurred, the municipality shall propose a project and schedule to reduce that CSO site or group of sites to or below its baseline condition;

(i) When a CSO site has been reduced to an average of one overflow per year through use of storage or separation, the department may consider reducing the monitoring requirement to frequency verification;

(ii) If the selected CSO control project is at-site treatment and discharge, the department may issue a modification to the applicable sewage treatment plant permit or issue a separate NPDES permit for that discharge. The permit or permit modification shall include effluent limits, flow capacity limits, and reporting requirements. The total treated and untreated annual discharge from an at-site treatment plant shall not increase above the baseline annual;

(b) Explains the previous year's CSO reduction accomplishments; and

(c) Lists the projects planned for the next year.

(2) In conjunction with its application for renewal of its applicable NPDES permit, the municipality shall submit an amendment to its CSO reduction plan. The amendment shall include:

(a) An assessment of the effectiveness of the CSO reduction plan to date; and

(b) A reevaluation of the CSO sites' project priority ranking; and

(c) A listing of projects to be accomplished in the next five years based upon priorities and estimated revenues. The department of ecology may incorporate such schedule into an administrative order or the applicable NPDES permit.

[Statutory Authority: RCW 90.48.035. 87-04-020 (Order DE 86-34), § 173-245-090, filed 1/27/87.]

Chapter 173-255 WAC

LIMITATIONS ON USE OF REFERENDUM 26 GRANT FUNDS FOR WATER POLLUTION ABATEMENT

WAC

173-255-010	Purpose and scope.
173-255-020	Effective date.
173-255-030	Definitions.

[Title 173 WAC—page 470]

173-255-040	Limitation of programs eligible for funding under Referendum Bill No. 26.
173-255-050	Limitation on grant awards within the municipal grants program.
173-255-060	Provision of guidelines.

WAC 173-255-010 Purpose and scope. The purpose of this chapter is to set forth the limitations on uses of moneys administered by the department of ecology pursuant to chapter 43.83A RCW (Referendum Bill No. 26). The limitations are necessary to insure that these funds will be used to their optimum extent to protect the resources and environment of the state of Washington and the health and safety of its people by providing adequate publicly owned facilities and systems for the collection, treatment and disposal of solid and liquid waste materials.

[Statutory Authority: RCW 43.21A.080. 78-09-066 (Order DE 78-12), § 173-255-010, filed 8/24/78.]

WAC 173-255-020 Effective date. All projects, or phases of projects, which have not received a federal or state grant award for design, before the effective date of this chapter will be subject to provisions contained herein.

[Statutory Authority: RCW 43.21A.080. 78-09-066 (Order DE 78-12), § 173-255-020, filed 8/24/78.]

WAC 173-255-030 Definitions. For the purpose of this chapter:

(1) "Department" means the Washington state department of ecology.

(2) "Agricultural pollution grants program" means the program of grants administered by the department for the planning, design and construction of publicly owned or operated agricultural pollution abatement facilities.

(3) "Lake restoration grants program" means the program of state grants administered by the department for the planning, design and implementation of lake restoration projects.

(4) "Marina pumpout grants program" means the program of state grants administered by the department for the design and construction of sewage pumpout facilities and dump stations at publicly owned or operated marinas.

(5) "Municipal wastewater treatment works construction grants program" (hereinafter referred to as the construction grants program) means the federal/state matching program of grants under Title II of Public Law 95-217 to municipal entities for the purpose of upgrading their treatment works to meet the effluent requirements of state and federal law.

(6) "Water supply residual waste treatment works grants program" means the program of state grants administered by the department for the design and construction of pollution abatement facilities for publicly owned or operated water supply plants in existence on February 3, 1976, that discharge residual wastes to the waters of the state.

(7) "Individual systems" means privately owned treatment works serving one or more principal residences or small commercial establishments constructed prior to and inhabited on or before December 27, 1977, to abate an existing water pollution or public health problem.

(8) "Industrial cost recovery program" means the program established under Title II section 204(b) of the Federal Water Pollution Control Act Amendments (Public

Law 92-217) to recover the cost of municipal treatment systems attributed to industrial users, when a municipal treatment system has been funded with federal funds under Title II.

(9) Industrial user:

(a) Any nongovernmental user of publicly owned treatment works which discharges more than twenty-five thousand gallons per day of sanitary waste, or a volume of process waste or combined process and sanitary waste, equivalent to twenty-five thousand gallons per day of sanitary waste.

(b) Any nongovernmental user of a publicly owned treatment works which discharges wastewater to the treatment works which contains toxic pollutants or poisonous solids, liquids, or gases in sufficient quantity either singly or by interaction with other wastes, to injure or interfere with any sewage treatment process, constitute a hazard to humans or animals, create a public nuisance, or create any hazard in or have an adverse effect on the waters receiving any discharge from the treatment works.

(c) All commercial users of an individual system constructed with grant assistance under section 201(h) of the Clean Water Act of 1977 (P.L. 95-217).

(10) "Innovative and alternative technology projects" means those projects employing innovative and alternative wastewater treatment processes and techniques as defined by EPA guidelines in 40 CFR 35, Appendix E, and which are eligible for federal grants under 40 CFR 35.908 promulgated on April 25, 1978, or hereafter modified.

[Statutory Authority: RCW 43.21A.080. 78-09-066 (Order DE 78-12), § 173-255-030, filed 8/24/78.]

WAC 173-255-040 Limitation of programs eligible for funding under Referendum Bill No. 26. (1) The following programs shall be eligible for state matching grants in an amount not to exceed fifty percent of the total eligible cost of a project as determined by the department: The marina pumpout grants program, the water supply plant residual waste treatment works grants program, the lake restoration grants program, the state construction grants program and the agricultural pollution grants program. The department may authorize a matching grant less than fifty percent of the total eligible cost of a project in those cases where it would be in the public interest, or where federal matching funds are available and it would be in the public interest to secure a local matching portion.

(2) The federal construction grants program may be eligible for state matching grants in an amount not to exceed fifteen percent of the total eligible cost of a project as determined by the department except as provided in WAC 173-255-050(1).

[Statutory Authority: RCW 43.21A.080. 80-08-050 (Order DE 80-24), § 173-255-040, filed 6/30/80; 78-09-066 (Order DE 78-12), § 173-255-040, filed 8/24/78.]

WAC 173-255-050 Limitation on grant awards within the municipal grants program. (1) The state matching grants for innovative and alternative technology projects shall be limited to nine percent which is the same portion of the nonfederal share as other types of projects funded under the construction grants program.

(2) Expenditure of funds under the provisions of chapter 43.83A RCW is limited to public bodies which are defined in the statute to mean any agency, political subdivision, taxing district, or municipal corporation thereof, and those Indian tribes now or hereafter recognized as such by the federal government for participation in the federal land and water conservation program and which may constitutionally receive grants or loans from the state of Washington. This provision and definition prohibits the expenditure of state funds for matching grants for, among others:

(a) Individual systems; and

(b) That portion of the construction of a municipal treatment works attributable to industrial users. Such portion is to be determined through the environmental protection agency's industrial cost recovery program.

[Statutory Authority: RCW 43.21A.080. 78-09-066 (Order DE 78-12), § 173-255-050, filed 8/24/78.]

WAC 173-255-060 Provision of guidelines. The department will publish guidelines which establish procedures, under each of the Referendum 26 grant programs, for the grant application and award process.

[Statutory Authority: RCW 43.21A.080. 78-09-066 (Order DE 78-12), § 173-255-060, filed 8/24/78.]

Chapter 173-270 WAC

PUGET SOUND HIGHWAY RUNOFF PROGRAM

WAC

173-270-010	Purpose, authority, and applicability.
173-270-020	Definitions.
173-270-030	Best management practices.
173-270-040	Vegetation management program.
173-270-050	New construction.
173-270-060	Existing facilities.
173-270-070	Monitoring.
173-270-080	Reporting.
173-270-090	Enforcement.
173-270-100	Severability.

WAC 173-270-010 Purpose, authority, and applicability. (1) Purpose. The purpose of this chapter is to:

(a) Control highway runoff into waters of the state to the maximum extent possible under state law;

(b) Establish procedures and criteria for WSDOT's highway runoff program mandated by the Puget Sound water quality management plan pursuant to chapter 90.70 RCW; and

(c) Provide for appropriate consultation and coordination with tribes, local governments, and other interested and affected parties.

(2) Authority. The authority for this chapter is provided by chapters 90.48 and 90.70 RCW.

(3) Applicability. This chapter applies to all state highway rights of way in the Puget Sound basin which WSDOT owns or controls by long-term lease or easement, or for which WSDOT has maintenance responsibility. This chapter is applicable subject to the availability of appropriated funds or other funding sources.

Note: Copies of statutes and administrative rules incorporated by reference as a part of this chapter are available at ecology offices in Lacey, Washington during regular business hours.

[Statutory Authority: Chapters 90.48 and 90.70 RCW. 91-11-091 (Order 91-06), § 173-270-010, filed 5/21/91, effective 6/21/91.]

WAC 173-270-020 Definitions. The definitions in this section apply to this chapter unless the context requires otherwise.

(1) "Average daily traffic" or "ADT" means the total traffic volume during a given time period (in whole days) greater than one day and less than one year divided by the number of days in that time period. ADT is determined by WSDOT.

(2) "Best management practices" or "BMPs" means physical, structural, and/or managerial practices that when used singly or in combination prevent or reduce pollution of water and have been approved by ecology. BMPs are listed and described in the manual defined in subsection (9) of this section.

(3) "Broadcast application" means a uniform application of pesticides to an entire area.

(4) "Buffer zone" means the minimum distance that a pesticide is permitted to be applied from a physical feature or sensitive area.

(5) "Capital improvement program plan" means a schedule of permanent physical structural improvements budgeted to fit financial resources.

(6) "Ecology" means the Washington state department of ecology.

(7) "EPA" means the U.S. Environmental Protection Agency.

(8) "Experimental BMP" means any treatment or methodology proposed for treatment of highway runoff that is not in the highway runoff manual, defined in subsection (9) of this section, and is being studied by WSDOT and/or ecology for adoption as a BMP.

(9) "Highway runoff manual" means the manual adopted by WSDOT and approved by ecology that contains BMPs to prevent or reduce pollution, and described in WAC 173-270-030.

(10) "Integrated pest management" or "IPM" means the selection, integration, and implementation of pest control that consists of: Prevention of pest problems; monitoring and evaluation of pests, damage and results of treatment; acknowledgment of population levels of pests that can be tolerated based on legal, economic, health, or aesthetic thresholds; use of natural control agents in an ecosystem; reliance to the maximum extent possible on nonhazardous biological, mechanical, and cultural treatment of pests; application of pesticides in a manner that minimizes damage to the ecosystem's natural controls and integrity; and use of pesticides only after all other methods have been evaluated.

(11) "Local government" means a county, city, town, or special purpose district that has authority to manage stormwater.

(12) "New construction" means the addition of one or more lanes, ramps, bridges, or other major structures to an existing state highway or the construction of a new state highway.

(13) "Pest" means any form of plant or animal life or virus (except virus on or in living man or other animal) which is normally considered to be a pest or which the director of the WSDA may declare by regulation to be a

pest, including but not limited to, any insect, other arthropod, fungus, rodent, nematode, mollusk, or weed.

(14) "Pest treatment" means mechanical, biological, cultural, or chemical procedures or methods to manage, control, or reduce the influence of a pest.

(15) "Pesticide" means as defined by chapter 17.21 RCW, the Washington Pesticide Act, and regulated by the United States Environmental Protection Agency and WSDA.

(16) "Pollution" means such contamination or other alteration of the physical, chemical, or biological properties of any waters of the state, including change in temperature, taste, color, turbidity, or odor of the waters, or such discharge of any liquid, gaseous, solid, radioactive, or other substance into any waters of the state as will or is likely to create a nuisance or render such waters harmful, detrimental, or injurious to the public health, safety or welfare, or to domestic, commercial, industrial, agricultural, recreational, or other legitimate beneficial use, or to livestock, wild animals, birds, fish, or other aquatic life.

(17) "Puget Sound basin" means the waters of Puget Sound south of Admiralty Inlet including Hood Canal and Saratoga Passage; the waters north to the Canadian border, including portions of the Strait of Georgia; the Strait of Juan de Fuca south of the Canadian border; and all land draining into these waters as mapped in WAC 173-500-040 Water resource inventory areas numbers 1 through 19.

(18) "Quality assurance and control plan" means a collection of policies, objectives, principles, and procedures for attaining data of known and accepted quality and establishes standards of performance for sampling, monitoring, and measurement.

(19) "Sensitive area" means an area or that due to its ground or surface water characteristics may be adversely affected or altered directly or indirectly by pollution and requires special vegetation management, stormwater management, or other practices.

(20) "Spot treatment" means the application of pesticides to a selected individual area or species.

(21) "Stormwater management manual" means the technical manual prepared by ecology for use by local governments and WSDOT that contains BMPs to prevent or reduce pollution in stormwater.

(22) "Stormwater treatment" means chemical, biological, or mechanical procedures or structural methods to remove, reduce, or neutralize pollution.

(23) "Waters of the state" means lakes, rivers, ponds, streams, inland waters, underground waters, salt waters, and all other surface waters and water courses within the jurisdiction of the state of Washington.

(24) "Wetlands" means those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas. Wetlands are identified and delineated by the *"Federal Manual for Identifying Jurisdictional Wetlands"* dated January 19, 1989.

(25) "WSDA" means the Washington state department of agriculture.

(26) "WSDOT" means the Washington state department of transportation.

[Statutory Authority: Chapters 90.48 and 90.70 RCW. 91-11-091 (Order 91-06), § 173-270-020, filed 5/21/91, effective 6/21/91.]

WAC 173-270-030 Best management practices. (1) Approved manual required. Six months after the effective date of ecology's stormwater management manual or six months after the effective date of this chapter, whichever is later, WSDOT shall submit to ecology a highway runoff manual. If WSDOT proposes to adopt a manual other than ecology's stormwater management manual as its highway runoff manual, WSDOT shall formally consult with the tribes and local governments about the contents of the highway runoff manual. The highway runoff manual shall be consistent with ecology's stormwater management manual and shall be adopted by WSDOT only after obtaining ecology's approval. After obtaining ecology's approval, WSDOT shall use the highway runoff manual to direct stormwater management for its existing and new facilities and rights of way in the Puget Sound basin.

(2) Amendments to manual.

(a) Ecology initiates amendments. If ecology amends its stormwater management manual to change or add a BMP or other technical requirement that applies to highways, ecology shall notify WSDOT in writing and send WSDOT a copy of the amendment. This notification shall include ecology's determination as to whether the highway runoff manual complies with the amendment. If the highway runoff manual does not comply with the amendment, WSDOT shall submit proposed amendments within sixty days unless ecology agrees to a time extension. Such proposed amendment shall be subject to ecology's review and approval.

(b) WSDOT initiates amendments. Amendments proposed by WSDOT to the approved highway runoff manual shall be submitted to ecology for review and approval. WSDOT shall formally consult with affected tribes and local governments during the development of proposed amendments. Ecology shall review and approve, conditionally approve or deny the proposed amendments within sixty days from the submittal date.

(3) More stringent standards.

(a) WSDOT shall use the minimum standards established in the highway runoff manual but may use more stringent standards.

(b) When a state highway is located in the jurisdiction of a local government that is required by ecology to utilize more stringent standards to protect the quality of receiving waters, WSDOT shall comply with the same standards to promote uniform stormwater treatment.

(c) WSDOT shall comply with standards identified in watershed action plans for WSDOT rights of ways as required by WAC 400-12-570.

(4) Project coordination. WSDOT shall consult with appropriate tribes and local governments and evaluate local conditions for design, construction, and maintenance of stormwater facilities as indicated in WSDOT's utilities manual. Other agencies and organizations that have an interest or expertise in stormwater may also be consulted. WSDOT, tribes, and local governments are encouraged to jointly develop and maintain stormwater facilities.

(5) Contents of manual. The highway runoff manual shall include, but not be limited to, the following:

(a) BMPs for the control of erosion and sedimentation from construction sites, including standards for operation and maintenance;

(b) Hydrologic analysis procedures, including selection of design storms and estimation of runoff;

(c) Design, operation, and maintenance standards for retention and/or detention facilities and conveyance systems that shall emphasize systems which maximize water quality benefits as well as water quantity control, such as inclusion of biofiltration techniques where practicable;

(d) BMPs for the control of pests, excluding weed control which shall be addressed in the vegetation management program described in WAC 173-270-040;

(e) BMPs for the selection and use of deicing chemicals and traction grit which, as a minimum, shall consist of the following: (i) Traction grit particles should be as large as suitable for application on highways for traction purposes because large particles are less readily transported into waters of the state; (ii) selection and use of deicing chemicals shall include consideration of potential effects on water quality and the beneficial uses of potentially affected waters; (iii) stockpiles containing deicing chemicals shall be investigated for existing and potential water quality problems; and (iv) stockpiles that have an identified problem shall be covered, curbed, diked, placed on an impervious surface, and/or located so runoff can not carry dissolved chemicals into waters of the state; and

(f) BMPs for waste disposal from highway runoff system maintenance.

(6) Experimental BMPs.

(a) WSDOT request. WSDOT may request in writing that ecology approve the use of an experimental BMP for one or several sites. The request shall include, but need not be limited to, a description of: (i) The experimental BMP; (ii) why the experimental BMP is being requested; (iii) why the BMPs in the highway runoff manual are not appropriate; (iv) applicable construction techniques; (v) the site or sites at which use of the experimental BMP is proposed; (vi) the characteristics of the site or sites; (vii) design criteria for the experimental BMP; (viii) maintenance procedures; (ix) cost estimates; (x) monitoring procedures; (xi) the time needed for monitoring; (xii) the anticipated results; (xiii) if appropriate, an approved BMP that could be used if the experimental BMP fails; and (xiv) consultation with interested and affected parties including tribes, local governments, and contiguous property owners.

(b) Ecology review and approval. After reviewing WSDOT's request, ecology may approve, conditionally approve, or deny the use of the experimental BMP for specific sites. Any approval shall be for a period of time not to exceed four years unless ecology determines, upon request and justification by WSDOT, that unusual circumstances justify a longer time period.

(c) Evaluation criteria. In evaluating an experimental BMP, ecology shall consider factors it deems appropriate, including, but not limited to: The experimental BMP's effectiveness in protecting water quality and beneficial uses; its reliability, cost, ease of construction; and maintenance requirements.

(d) BMP status. Before ecology's authorization for WSDOT's use of the experimental BMP expires, WSDOT shall consult with affected tribes, local governments, or

property owners. WSDOT shall document the results of the experimental BMP and shall determine whether to request amendment of the highway runoff manual to include the experimental BMP as an approved BMP. Before ecology's authorization expires, WSDOT shall either request an amendment to the highway runoff manual under subsection (2)(b) of this section or inform ecology in writing that it is not proposing to amend the highway runoff manual to include the BMP. Based upon the predicted results in the original request, monitoring data and other information relevant to WSDOT's request, ecology shall determine whether an experimental BMP that is not proposed to be included in the highway runoff manual shall be replaced with an approved BMP.

[Statutory Authority: Chapters 90.48 and 90.70 RCW. 91-11-091 (Order 91-06), § 173-270-030, filed 5/21/91, effective 6/21/91.]

WAC 173-270-040 Vegetation management program. (1) General. The purposes of vegetation management in highway rights of way are to establish and maintain stable plant communities that resist encroachment by undesirable plants, noxious weeds, and other pests; meet WSDOT operational, health, natural resources, and environmental standards; be cost effective; and protect the public investment with minimal negative impacts on the environment.

(2) Program required. WSDOT shall prepare and implement a vegetation management program for all state highways within the Puget Sound basin. WSDOT shall obtain ecology's preliminary approval of the program before WSDOT conducts a public hearing. WSDOT shall formally consult with the tribes and local governments during preparation of the proposed program. After the public hearing, WSDOT shall obtain ecology's approval before WSDOT adopts the program. The program shall be adopted by September 30, 1991. WSDOT and ecology shall review the program at least every two years beginning September 30, 1993. Either ecology or WSDOT may initiate amendment of the program. Amendments shall be prepared, approved, and adopted in accordance with the procedures of this subsection for the initial development of the vegetation management program.

(3) Contents of program.

(a) The vegetation management program shall include, but need not be limited to vegetation management policies; technical guidelines; procedures to implement policies and guidelines; and roadside management plan procedures and standards.

(b) Vegetation management policies. These policies, at a minimum, shall address:

- (i) Operational, aesthetic, and environmental standards;
- (ii) Integrated pest management;

(iii) Coordination between WSDOT and local governments, abutting property owners, and tribes, including public notification, option to maintain by contiguous property owner and the option to maintain by a preferred management technique of the contiguous property owner;

(iv) Recordkeeping;

(v) Training and education for vegetation management employees; and

(vi) Testing for pesticides at storage, loading, and mixing areas and, if necessary, in ground water and nearby surface water that may be contaminated by or affected by pesticides.

(c) Technical guidelines. These guidelines, at a minimum, shall address:

(i) Integrated pest management which shall address monitoring, establishing injury levels, setting action levels, selecting treatment, and evaluating treatment.

(A) Monitoring. Monitoring guidelines shall provide for: Identification of the potential pest and/or problem and sensitive areas; and observation of the vegetation on the site, or the site itself for potential pest problems at regular intervals. The schedule and methods of monitoring shall be appropriate to minimize the severity of damage caused by the pest.

(B) Establishing injury levels. Guidelines for establishing injury levels shall provide for determination of when a pest is likely to cause significant damage and require action to prevent unacceptable damage or public safety problems. Accurate records shall be kept so adequate data is available to make decisions. A problem shall be noted before any action is taken.

(C) Setting action levels. Guidelines for setting action levels shall provide for prioritization of target species and determination of when to initiate action so that unacceptable injury levels are not reached.

(D) Selecting treatment. Selection of pest treatment strategies and tactics shall provide for safety of highway users; protect the environment and human health; and provide for the stewardship of the public investment. This shall include an effort to minimize the use of chemical controls.

(E) Evaluating treatment. After pest treatment, the site shall be inspected to determine whether the pest treatment had the desired results. Adequate time shall be provided for the pest treatment to function before it is evaluated. If the pest treatment did not have the desired results, the treatment may be modified. Desired results may be examined to determine if they were realistic and/or appropriate;

(ii) Measures to reduce the amount of pesticides used to the least possible including measures to reduce the use of any state restricted use pesticides on WSDA's list for the protection of ground water found in WAC 16-228-164;

(iii) Criteria for the selection of pesticides that shall include, but not be limited to, target specificity, toxicity, persistence, migration characteristics, time of application and site conditions of treatment area, including slope and permeability;

(iv) Procedures for sampling and analysis for pesticide contamination in storage, loading, and mixing areas and, if appropriate, ground water and surface water with the use of Puget Sound protocols for sediment sampling of marine sediment for EPA priority pollutants is recommended where appropriate;

(v) A spill cleanup plan;

(vi) Methods for safe transportation of pesticides;

(vii) A recordkeeping system on pesticide use, including format;

(viii) Criteria for the identification of sensitive areas;

(ix) Buffer zones to protect waters of the state, public and private supply wells and watersheds, irrigation ditches, ecology regulated areas, and sensitive areas;

(x) Pesticide storage including a requirement that pesticides shall be stored in a secure building with an impermeable floor and controlled drains;

(xi) Vegetation selection in accordance with WSDOT's design manual with emphasis given to reduced maintenance; and

(xii) Vegetation management personnel training and education.

(d) Procedures for the implementation of the policies and guidelines.

(e) Procedures and standards for the preparation and implementation of roadside management plans for specific segments of state highway to assist WSDOT field crews manage state highway rights of way according to the approved vegetation management policies and technical guidelines. WSDOT shall consult with affected tribes, local governments, and other interested parties during preparation of these procedures and standards. WSDOT shall consult with affected tribes, local governments, and other interested parties during preparation of roadside management plans. These plans, at a minimum, shall address:

(i) Goals and objectives;

(ii) Identification of sensitive areas and minimum buffer zones;

(iii) Maintenance activities;

(iv) Budget estimates; and

(v) Evaluation methods and standards.

[Statutory Authority: Chapters 90.48 and 90.70 RCW. 91-11-091 (Order 91-06), § 173-270-040, filed 5/21/91, effective 6/21/91.]

WAC 173-270-050 New construction. WSDOT shall incorporate BMPs in all new construction projects for which design is started after the effective date of this chapter. For projects that are being designed or constructed when this chapter becomes effective, WSDOT shall implement BMPs to the maximum extent practicable to protect water quality. If the cost of constructing water quality BMPs makes a project that is being designed when this chapter becomes effective impracticable, then such BMPs shall be retrofitted at a later date. WSDOT shall submit water pollution control plans to ecology for review and approval for new construction and shall obtain other appropriate authorizations prior to construction.

[Statutory Authority: Chapters 90.48 and 90.70 RCW. 91-11-091 (Order 91-06), § 173-270-050, filed 5/21/91, effective 6/21/91.]

WAC 173-270-060 Existing facilities. (1) Inventory required. WSDOT shall prepare and maintain an inventory of all state highways in the Puget Sound basin. The purpose of the inventory is to determine where water quality BMPs need to be installed, to assist identification of priority projects, and to provide a basis for the evaluation of the program. WSDOT shall begin its inventory on highways with an ADT of fifty thousand or greater. The inventory and rating of highways with an ADT of less than fifty thousand shall be sufficient to provide projects for the six-year capital improvement program plan.

(2) Contents of inventory. The inventory shall be developed for homogeneous highway segments and shall include, but not be limited to:

(a) Highway segment identification including name, location, type, traffic volume classification, local government(s) with jurisdiction, interested tribes, and WSDOT district;

(b) Status of stormwater management as follows: (i) BMPs are present and/or a local government is receiving and/or treating the highway runoff; (ii) BMPs are feasible or the local government will receive and/or treat highway runoff; or (iii) BMPs are not practicable; and

(c) Name of any water quality project completed since the effective date of this chapter, length of project, year of construction, and cost.

(3) Priority rating and ranking.

(a) WSDOT shall establish an annual project priority list for each WSDOT district within the Puget Sound basin. For each fiscal year WSDOT shall select needed improvements for each district inventoried as required by subsection (1) of this section. WSDOT shall divide these needed improvements into projects, considering funds available but in no case less than one project per year in each district unless all needed projects are completed.

(b) Priority rating criteria. WSDOT shall develop a priority rating and ranking system and submit it to ecology for concurrence.

(c) Priority ranking. WSDOT, using the priority ratings and rankings prepared using the system required in subsection (2)(b) of this section, shall determine which projects are to be implemented in each WSDOT district during the fiscal year. WSDOT may modify this ranking for good reason including the participation in a joint project proposed by a local government or tribe.

(4) Capital improvement program plan.

(a) The capital improvement program plan is to promote efficient use of resources, to coordinate projects, to aid compliance with the long-range program targets set forth in subsection (5) of this section and to ensure that difficult projects and those that require lengthy lead time are constructed in a reasonable time.

(b) WSDOT shall prepare a biennially updated water quality capital improvement program plan. WSDOT shall consult with ecology, tribes, and local governments throughout the planning process including the inventory. The capital improvement program plan shall be for a six-year period and include the following:

(i) An inventory of potential projects for the six-year period, including fiscal, technical, work force, legislative requirements, restrictions, and an initial evaluation of their relative priority;

(ii) A schedule for potential execution of projects in a long-range program list which considers priority relationships of projects coupled with legislative, fiscal, technical, and work force restrictions;

(iii) Selection of projects for early action from this schedule; and

(iv) Formal adoption by WSDOT after public review.

(c) Ecology shall review the proposed WSDOT capital improvement program plan and submit written comments to WSDOT before public review and again before adoption by WSDOT.

(d) After a public hearing, WSDOT shall adopt the capital improvement program plan after making appropriate revisions deemed necessary by public input.

(5) Long-range program.

(a) WSDOT shall complete all practicable BMP projects or transmit highway runoff to tribes or local governments for stormwater treatment for highways with an ADT of fifty thousand and greater by December 31, 2005, and for other highways by December 31, 2015.

(b) At least every six years WSDOT and ecology shall evaluate these target dates. Ecology or WSDOT may initiate revision of the target dates. In evaluating any proposed revision of a target date, ecology and WSDOT are to consider factors including, but not limited to, the number and projected costs of the projects yet to be completed, the degree of difficulty to construct the remaining sites, the projected level of funding, any revisions to the state water quality standards and any revisions to the manual required by WAC 173-270-030(1).

(6) Negotiations. Before transmitting to or requesting treatment of highway runoff by a tribe, local government or property owner, WSDOT shall negotiate with the tribe, local government, or property owner. WSDOT shall provide relevant information that shall include, but not be limited to, existing agreements to accept highway runoff, characteristics of the highway runoff, the reasons WSDOT is not treating the runoff on its own right of way and any proposed financial considerations for quality and/or quantity control.

(7) Disposal sites. WSDOT shall prepare an inventory, by district and maintenance area, of all sites, including all known inactive sites, where WSDOT disposes highway sweepings and sediments from stormwater facilities maintenance activities. Inventory information for WSDOT owned and leased sites and sites WSDOT for which has an easement shall include a scaled map illustrating property boundaries and the extent of the fill area, and where possible, an estimate of the volume of the fill present.

[Statutory Authority: Chapters 90.48 and 90.70 RCW. 91-11-091 (Order 91-06), § 173-270-060, filed 5/21/91, effective 6/21/91.]

WAC 173-270-070 Monitoring. (1) BMP effectiveness monitoring.

(a) Monitoring procedures. WSDOT shall formulate and implement monitoring procedures for each type of BMP employed. The procedures shall include a quality assurance and control plan.

(b) Waivers. After application by WSDOT, ecology may grant a waiver from monitoring a BMP if ecology determines there is adequate knowledge about the BMP's water quality performance.

(2) Pesticide monitoring. WSDOT shall formulate a pesticide monitoring policy, including but not limited to, threshold determination and frequency of monitoring. WSDOT also shall formulate procedures for monitoring pesticides, including the use of benthic organisms.

[Statutory Authority: Chapters 90.48 and 90.70 RCW. 91-11-091 (Order 91-06), § 173-270-070, filed 5/21/91, effective 6/21/91.]

WAC 173-270-080 Reporting. (1) Biennial report required. WSDOT shall prepare and submit to ecology a

report by September 30 of each odd-numbered year beginning September 30, 1991.

(2) Content of report. The biennial report shall include, but is not limited to:

(a) Monitoring report for both approved and experimental BMPs and pesticides describing monitoring procedures and interpreting results. Included may be recommendations to improve monitoring procedures, findings on which BMPs are the most effective, combinations of BMPs that optimize pollution removal, and recommendations for experimental BMPs;

(b) A pesticide usage inventory, including (i) the amount of pesticides by product by pounds of active ingredient applied for shoulder residual, landscaped areas, brush control, general weed control, noxious weed control, spot treatment and broadcast application by district, area, highway segment, and if feasible, by county and (ii) an analysis and interpretation shall be included with the data;

(c) Storage, loading, and mixing area soil and ground water contamination report for the presence of pesticides, including any cleanup efforts required, proposed, or completed since the adoption of this chapter;

(d) A deicing chemicals and traction grit usage report including:

(i) Product and quantities of deicing chemicals used in the Puget Sound basin by WSDOT district and maintenance area including chemical properties and known effects upon water quality;

(ii) Stockpile locations, with quantities of traction grit abrasive and deicing chemicals used during each season;

(iii) Cleanup practices to prevent or lessen traction grit and deicing chemical entry into waters of the state;

(iv) Locations prohibiting use of deicing chemicals or specific products due to water quality considerations;

(v) Training of personnel;

(vi) Experiments conducted on new products or procedures and experiments that WSDOT proposes;

(e) BMP maintenance report. Reports that shall submit BMP maintenance reports to ecology that shall include, but are not limited to:

(i) Dates that segments of state highway BMPs are inspected and/or maintained;

(ii) The general condition of BMPs;

(iii) Maintenance accomplished;

(iv) The need to reconstruct any BMPs;

(v) Any evaluation of a BMP type;

(vi) Estimated cost to maintain a BMP;

(vii) Suggested improvements to BMPs or their maintenance procedures; and

(viii) Training of personnel;

(f) Inventory for state highways with a fifty thousand ADT or greater required by WAC 173-270-060(1);

(g) Priority list for state highways with less than fifty thousand ADT required by WAC 173-270-060(3);

(h) Capital improvement program required by WAC 173-270-060(4);

(i) Inventory of all WSDOT highway disposal sites required by WAC 173-270-060(6);

(j) Status of roadside management plans by district and maintenance area; and

(k) A summary of the negotiations required by WAC 173-270-060(6).

[Statutory Authority: Chapters 90.48 and 90.70 RCW. 91-11-091 (Order 91-06), § 173-270-080, filed 5/21/91, effective 6/21/91.]

WAC 173-270-090 Enforcement. Water quality requirements of this chapter shall be enforced through all methods available to ecology, including, but not limited to, those described in chapter 90.48 RCW. For all nonwater quality shortfalls WSDOT shall submit written explanation to ecology, together with proposed remedies.

[Statutory Authority: Chapters 90.48 and 90.70 RCW. 91-11-091 (Order 91-06), § 173-270-090, filed 5/21/91, effective 6/21/91.]

WAC 173-270-100 Severability. If any provision of this chapter or its application to any person, entity, or circumstance is held invalid, the remainder of this chapter or the application of the provision to other persons, entities, or circumstances shall not be affected.

[Statutory Authority: Chapters 90.48 and 90.70 RCW. 91-11-091 (Order 91-06), § 173-270-100, filed 5/21/91, effective 6/21/91.]

Chapter 173-300 WAC CERTIFICATION OF OPERATORS OF SOLID WASTE INCINERATOR AND LANDFILL FACILITIES

WAC

173-300-010	Authority and purpose.
173-300-020	Definitions.
173-300-030	Duties of the board of advisors.
173-300-040	Board of advisors—Staff services and facilities.
173-300-050	Operator certification required at incineration facilities.
173-300-060	Operator certification required at landfill facilities.
173-300-070	Certification of inspectors.
173-300-080	Applications and certification requirements.
173-300-090	Training and examinations.
173-300-100	Certificate term.
173-300-110	Renewal of certificate.
173-300-120	Fees.
173-300-130	Revocation.
173-300-140	Reciprocity.
173-300-150	Unlawful acts—Variance from requirements.
173-300-160	Penalties.
173-300-170	Appeals.
173-300-180	Incineration of biomedical or medical waste.

WAC 173-300-010 Authority and purpose. One of the basic requirements of the act relating to solid waste (chapter 431, Laws of 1989) is to have the owner or operator in responsible charge of a solid waste incinerator or solid waste landfill be certified in the operation and maintenance of the facility. To achieve this, the department shall, to the greatest extent possible, rely on the certification standards and procedures developed by national organizations and the federal government. Certification under this act is available to all individuals who can meet the minimum qualifications for a given type of facility. Operating personnel not required to be certified by chapter 70.95D RCW are encouraged to become certified on a voluntary basis. **NOTE:** All codes, standards, rules, or regulations cited in this chapter are available for inspection at the Department of Ecology, Mail Stop PV-11, Olympia, WA 98504-8711.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-010, filed 12/18/90, effective 1/1/91.]

WAC 173-300-020 Definitions. (1) "Ash" means the residue including any air pollution flue dusts from combustion or incineration of material including solid wastes.

Note: Please see definition for "special incinerator ash."

(2) "Biomedical waste" means solid waste of the following types:

(a) "Animal waste" which includes waste animal carcasses, body parts, and bedding of animals that were known to have been deliberately infected or inoculated with human pathogenic microorganisms during research.

(b) "Liquid human body fluids" means waste which includes waste liquid emanating or derived from humans including but not limited to human blood and blood products, serum and plasma, sputum, drainage secretions, cerebrospinal fluid, synovial fluid, pleural fluid, peritoneal fluid, pericardial fluid and amniotic fluid that exceeds fifty milliliters per container, storage vessel, or plastic bag and cannot be and has not been directly discarded into a sanitary sewage system.

(c) "Cultures and stocks" means waste which includes waste cultures and stocks of microbiological agents infectious to humans, human serums and discarded live and attenuated vaccines infectious to humans, human blood specimens, and laboratory wastes that are contaminated with these agents or specimens.

(d) "Biosafety level 4 disease waste" which includes wastes contaminated with blood, excretions, exudates, or secretions from humans or animals who are isolated to protect others from highly communicable infectious diseases which are identified as viruses assigned to Biosafety Level 4 by the Centers for Disease Control, National Institute of Health, Biosafety in Microbiological and Biomedical Laboratories, 2nd Edition, 1988. These viruses include, but are not limited to, Congo-Crimean hemorrhagic fever, tick-borne encephalitis virus complex (Absettarov, Hanzalova, Hypr, Kumlinge, Kyasanur Forest disease, Omsk hemorrhagic fever, and Russian spring-summer encephalitis), Marburg, Ebola, Junin, Lassa, and Machupo.

(e) "Pathological waste" which includes waste human source biopsy materials, tissues, and anatomical parts that emanate from surgery, obstetrical procedures, autopsy, and laboratory procedures. "Pathological waste" does not include teeth or formaldehyde or other preservative agents, human corpses, remains, and anatomical parts that are intended for interment or cremation.

(f) "Sharps waste" which includes waste hypodermic needles, syringes, IV tubing with needles attached, scalpel blades, and lancets that have been used in animal or human patient care or treatment in medical research.

(3) "Biomedical waste treatment" means incineration, steam sterilization, or any method, technique, or process that changes the biological character or composition of biomedical waste to render it noninfectious. Any waste, except sharps, that has been treated shall not be considered biohazardous or biomedical.

(4) "Board" means the board of advisors for solid waste incinerator and landfill certification established by RCW 70.95D.050.

(5) "Certificate" means the certificate of competency issued by the director stating that the operator has met the

requirements for the operation and maintenance of a specific classification of solid waste incinerator or landfill facility.

(6) "Certificate holder" means the individual to whom a certificate is issued.

(7) "Commercial waste" means non-hazardous solid waste which is generated by the commercial business sector.

(8) "Department" means the Washington state department of ecology.

(9) "Director" means the director of the department of ecology or the director's designee.

(10) "Fee" means only those monies to be paid for examinations, certification, or renewal.

Note: Fees shall not include the costs of training or other educational opportunities.

(11) "Hog fuel" means woodwaste which is reduced in size to facilitate burning.

(12) "Incineration" means reducing the volume of solid wastes by use of an enclosed device using controlled flame combustion.

(13) "Incinerator" means an enclosed mechanical combustion device which has as its primary purpose the burning and reduction of the volume of solid waste or solid waste-derived fuel. Crematoria facilities that have combustion devices that burn human corpses, or burn animal bodies exclusively, in a manner that is not a solid waste reduction measure, or burn primarily hog fuel waste are not included in this definition. NOTE: Crematoria facilities that burn any kind of biomedical, treated or untreated medical waste, human or animal, or other solid waste, in their incinerator shall be subject to this rule.

(14) "Incineration facility" means any municipal or private activity that has as part of its operations a solid waste incinerator. It may also include means for storage, preparation, and conveyance of the solid waste fuel, and air pollution control equipment.

(15) "Incinerator operator in responsible charge" means an individual who is the owner or who is designated as the on-site operator in responsible charge of operation and maintenance duties at a solid waste incineration facility.

(16) "Inspector" means any person employed by any public agency that inspects the operation of solid waste incinerators, or the operation of solid waste landfills, to determine the compliance of the facility with state and local laws or rules.

(17) "Institutional waste" means non-hazardous solid waste which is generated by any commercial or noncommercial service establishment.

(18) "Landfill" means an operating disposal facility or part of a facility at which solid waste is placed in or on land and which is not a land treatment.

(19) "Landfill operator in responsible charge" means an individual who is the owner or who is designated as the on-site or on-call operator in responsible charge of operation and maintenance duties at a landfill facility.

(20) "Limited purpose landfill" means a landfill that receives solid waste of a limited type or types of known and consistent composition.

(21) "Monofill" means a disposal facility or part of a facility which is not a land treatment facility, at which only a single, specific substance is deposited in or on.

(22) "Municipal solid waste" means any combination of nonhazardous solid waste generated by residential sources, and any institutional waste, commercial waste, and industrial waste. NOTE: Household hazardous wastes are an excluded waste under WAC 173-303-071 and therefore may be disposed of in a municipal or incinerated landfill or incinerated. Small quantities of hazardous waste may also be landfilled providing the waste complies with WAC 173-303-070 (8)(a) and (b).

(23) "Owner" means, in the case of a town or city, the city or town acting through its chief executive officer or the lessee if operated pursuant to a lease or contract; in the case of a county, the chief elected official of the county legislative authority or the chief elected official's designee; in the case of a board of public utilities, association, municipality, or other public body, the president or chief elected official of the body or the president's or chief elected official's designee; in the case of a privately owned landfill or incinerator, the legal owner.

(24) "Reciprocity" means the automatic recognition of comparable training from another state, the federal government, a local government, or a professional association. NOTE: Correction of deficiencies such as a lack of training in Washington state solid waste law shall be required for certification.

(25) "Reserved" means a section having no requirements and which is set aside for future possible rule-making as a note to the regulated community.

(26) "Solid waste" or "wastes" as defined in RCW 70.95.030 (1989 ed.) means all putrescible and nonputrescible solid and semisolid wastes including, but not limited to, garbage, rubbish, ashes, industrial wastes, swill, demolition and construction wastes, abandoned vehicles or parts thereof, and recyclable materials. NOTE: Treated biomedical waste or medical waste not defined as biomedical waste shall be considered to be solid waste. Woodwaste is also considered solid waste.

(27) "Special incinerator ash" means ash residues resulting from the operation of incineration or energy recovery facilities managing municipal solid waste from residential, commercial, and industrial establishments, if the ash residues are: (a) Not otherwise regulated as hazardous wastes under chapter 70.105 RCW; and (b) are not regulated as a hazardous waste under the federal Resource Conservation and Recovery Act, 42 U.S.C. Sec. 6901 et seq.

(28) "Woodwaste" means solid waste consisting of wood pieces or particles generated as a by-product or waste from the manufacturing of wood products, and the handling and storage of raw materials, trees, and stumps. This includes but is not limited to sawdust, chips, shavings, bark, pulp, and log sort yard waste, but does not include wood pieces or particles containing chemical preservatives such as creosote, pentachlorophenol, or copper-chrome-arsenate.

Note: All applicable terms not defined above shall have the same meaning as those defined in chapter 173-304 WAC.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-020, filed 12/18/90, effective 1/1/91.]

WAC 173-300-030 Duties of the board of advisors.

(1) As a standing subcommittee of the state's solid waste advisory committee created under RCW 70.95D.050, the

board of advisors shall report to the solid waste advisory committee four times a year or as directed in accordance with RCW 70.95D.040.

(2) The board shall act as an advisory committee to the department and shall assist in the development and review of the rules adopted under this chapter.

(3) The board shall assist in the development and evaluation of the training and testing material required for certification.

(4) On matters of revocation of certification, the board shall hold a hearing and make recommendations to the director.

(5) The board shall encourage operating personnel other than those who are required to be certified in chapter 70.95D RCW to become certified on a voluntary basis.

(6) Members shall receive no compensation for their services but shall be reimbursed for their travel expenses while engaged in business of the committee in accordance with RCW 43.03.050 and 43.03.060 as now existing or hereafter amended.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-030, filed 12/18/90, effective 1/1/91.]

WAC 173-300-040 Board of advisors—Staff services and facilities. The department shall furnish necessary staff services and facilities required by the board of advisors.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-040, filed 12/18/90, effective 1/1/91.]

WAC 173-300-050 Operator certification required at incineration facilities. (1) After January 1, 1992, it shall be unlawful to operate a solid waste incineration facility without a certified operator in responsible charge on-site during all hours of operation.

(2) All other operational employees are to be encouraged to become certified on a voluntary basis.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-050, filed 12/18/90, effective 1/1/91.]

WAC 173-300-060 Operator certification required at landfill facilities. (1) After January 1, 1992, it shall be unlawful to operate the following types of landfills without an on-site certified landfill operator in responsible charge during all hours of operation when accepting waste, and during the closure phase of the facility. The operator's specific role in the closure phase shall be specified in the closure plan. However, the certified operator may be away from the facility on official business or personal emergencies for periods of one day or less provided they are on-call and available to respond in case of an emergency at the facility.

(a) All municipal waste landfills.

(b) All problem waste landfills. NOTE: Problem waste landfills are presently reserved per WAC 173-304-463.

(c) All special incinerator ash landfills or monofills. NOTE: In a case where a monofill is a separate cell at a municipal waste landfill, the responsible operator in charge of the complete facility may assume responsibility of the operation of the monofills.

(d) All inert waste and demolition waste landfills.

(e) All limited purpose solid waste landfills.

(2) These standards do not apply to:

(a) Dangerous waste landfills;

(b) Drop box facilities;

(c) Interim solid waste handling sites;

(d) Landspreading disposal facilities;

(e) Piles;

(f) Transfer stations;

(g) Waste recycling facilities; and

(h) Composting facilities.

(3) Owners of small landfills with a total capacity at closure of two hundred thousand cubic yards of solid waste or less, may make application to the department to have their facility operated and maintained by a certified operator who is in responsible charge on an on-call basis at all times the landfill is operating, provided that a certified operator visit the site once each working day. The department shall consider all applications on a case-by-case basis. The department shall base its decision on the following requirements:

(a) A physical inspection of the facility by the department to ascertain that the facility is being operated in a manner that is protective of human health and the environment;

(b) That the facility has an up-to-date approved facility operating plan and is in compliance with all other sections of chapter 173-304 WAC;

(c) That the status of all facility variances, compliance schedules, and related grants are current as required; and

(d) All other applicable laws and regulations are strictly adhered to.

(4) All landfills having on-call designations shall reapply for the designation every five years from the date of issuance. This designation may be revoked at any time the facility does not meet the minimum requirements.

(5) When a position required to be filled by an on-site certified landfill operator is vacated for a period of not longer than a maximum of thirty calendar days due to an emergency such as a short-term illness, the landfill owner may apply to the department for a variance that allows the facility be operated and maintained by a certified operator on an on-call basis as outlined in this section. These requirements may be waived temporarily at the director's discretion.

(6) All other operational employees are to be encouraged to become certified on a voluntary basis.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-060, filed 12/18/90, effective 1/1/91.]

WAC 173-300-070 Certification of inspectors. (1) Any person who is employed by a public agency to inspect the operation of a landfill or incinerator described under this chapter to determine the compliance of the facility with state or local laws or rules shall receive, in addition to the successful completion of the training and examination process as an operator under this chapter, training relevant to the inspection procedure.

(2) Inspectors shall be exempt from all certification fees.

[Statutory Authority: Chapter 70.95D RCW. 91-12-040 (Order 91-30), § 173-300-070, filed 6/4/91, effective 7/5/91. Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-070, filed 12/18/90, effective 1/1/91.]

WAC 173-300-080 Applications and certification requirements. (1) An application for incineration, landfill operator, or inspector certification shall be filed with the department. An application fee shall accompany each application. The department shall make application forms available upon request.

(2) Upon receipt of the completed application and application fee, the department shall determine:

(a) If the applicant has successfully completed the required training and examinations;

(b) The status of a reciprocal certification; and

(c) That the facility at which the applicant is employed is in compliance with local and state laws or rules.

(3) Upon successful determination of all requirements and the payment of the certification fees provided for in WAC 173-300-110 and 173-300-120, the appropriate operator or inspector certificate will be issued.

(4) An owner may apply for a variance for a temporary certificate without an examination to fill a vacated position required by WAC 173-300-050 and 173-300-060 to have a certified operator, or 173-300-070, in the case of a certified inspector. A temporary certificate shall be valid for a period of not more than twelve months from date of issue.

(5) Persons holding a current operators certificate from any national organization, educational institution, the federal government, other states, or a province may be granted an interim certification provided the applicant meets the requirements of WAC 173-300-140.

(a) No interim certification shall be issued or be valid after January 1, 1992.

(b) Interim certification shall not automatically qualify an operator for certification.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-080, filed 12/18/90, effective 1/1/91.]

WAC 173-300-090 Training and examinations. (1) The department shall prepare or cause to be prepared educational materials and opportunities to fulfill requirements of WAC 173-300-080(2) to help develop the skills necessary to operate a solid waste incinerator or solid waste landfill according to state and federal laws.

(2) The board of advisors shall assist in the development of written examinations to be used in determining the competency of operators. Incinerator operators shall also be required to successfully complete an examination to determine the competency needed to operate and maintain the facility for which the operator is responsible.

(3) Examinations shall be held immediately at the end of all required operator training courses. Additional examinations shall be held at places and times set by the board.

(4) All examinations shall be graded by the department or the department's designee and the applicant shall be notified by mail of the score attained. Examinations shall not be returned to the applicant.

(5) An applicant who fails to pass an examination must be reexamined at the next scheduled examination. An additional application form and examination fee shall be required. No individual will be allowed to retake the same examination.

(6) An applicant who fails to pass a second examination shall be required to repeat the certification training.

(7) The board shall forward the recommendations for certification of those examined to the director.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-090, filed 12/18/90, effective 1/1/91.]

WAC 173-300-100 Certificate term. Except as provided for in WAC 173-300-080(4), the term for any certificate or renewal thereof shall be from the first of January of the year of issuance until the thirty-first of December three years thereafter.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-100, filed 12/18/90, effective 1/1/91.]

WAC 173-300-110 Renewal of certificate. (1) Except as provided in WAC 173-300-080(4), all certificates held by incinerator operators, landfill operators, and inspectors shall be renewable upon presentation of evidence that the certificate holder successfully completed a refresher course administered by the department, and successfully attended other professional educational opportunities approved by the department.

(2) The department shall mail renewal notices and refresher course information to all certificate holders eligible for renewal four months prior to the date the certificate expires.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-110, filed 12/18/90, effective 1/1/91.]

WAC 173-300-120 Fees. (1) A fee of \$50.00 for each examination administered by the department shall accompany the application for examination.

(2) After an applicant successfully completes the examination and is notified by the department of the results, the applicant shall pay a certification fee of \$200.00 to the department within thirty days of the date of the results notification.

(3) A fee of \$50.00 is required to apply for consideration of certification through reciprocity under WAC 173-300-140. After determining that the reciprocal criteria has been met, the department will notify the applicant:

(a) That the applicant is deficient in a required area(s), and the process to correct the deficiency; or

(b) That the applicant has successfully completed all requirements for certification and that the applicant must pay a certification fee of \$200.00 to the department within thirty days of the date of notification.

(4) A \$200.00 renewal fee must accompany an application for certificate renewal.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-120, filed 12/18/90, effective 1/1/91.]

WAC 173-300-130 Revocation. (1) When a certificate is not renewed, such certificate, upon notice by the director, shall be suspended for sixty days.

(a) If renewal of the certificate is not completed during the suspension period, the director shall mail a written notice of revocation by certified mail to the certificate holder's employer as last known by the department and to the certificate holder at the address last known by the department.

(b) If, during the revocation notice period, the certificate is not renewed, the certificate shall be revoked ten days after such notice is mailed.

(2) Certificates may also be revoked when a majority of the board so recommends to the director, and the director agrees, upon finding:

(a) Fraud or deceit in obtaining the certificate;

(b) Gross negligence in the operation or inspection of an incineration or landfill facility;

(c) Violation of the requirements of chapter 70.95D RCW, this chapter or of any lawful rule, regulation or order of the department; or if,

(d) The facility operated by the certified employee is operated in violation of local, state, or federal environmental laws.

(3) No revocation shall be made under subsection (2) of this section unless the operator has been notified that revocation is proposed, has been advised of the grounds therefore, and has been given an opportunity to appear before the board and be heard on the matter.

(4) A person whose certificate is revoked under this section shall not be eligible to apply for a certificate for one year from the effective date of the final order of revocation.

(5) Whenever an individual's certificate is revoked, the individual shall not be certified again until:

(a) He or she has repeated all required training for certification or has completed other requirements recommended by the board and approved by the department;

(b) Has applied for certification pursuant to WAC 173-300-090;

(c) Paid the application fees; and

(d) Upon notification, paid the certification fee within thirty days of notification.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-130, filed 12/18/90, effective 1/1/91.]

WAC 173-300-140 Reciprocity. The director may, with the approval of the board of advisors, waive examinations for applicants holding valid incinerator or landfill operators certificates, or inspector certificates issued by other states, a province, the federal government, or a professional association having comparable standards as determined by the board.

(1) Applications for reciprocity will be considered when:

(a) The training received by the applicant is comparable to training offered by the state of Washington. A detailed syllabus outlining all relevant training must be released by the appropriate training facility for review and approval by the board. Those applicants with deficiencies shall have the deficiencies resolved before certification is granted, applicants must contact the department within one year of application;

(b) The department receives written confirmation from the certifying authority of the state, province, the federal government, or professional association in which the applicant is certified, that the certificate is currently valid and was earned by passing a written examination. A copy of the exam passed by the applicant must also be released for review by the board; and

(c) The application fee is received.

(2) The board shall review and compare out-of-state examinations with Washington's examinations to determine at which level the examination is most equivalent.

(3) Training in state of Washington solid waste law shall be required for certification.

(4) Incinerator operators shall be required to successfully complete an examination to determine the competency needed to operate and maintain the facility for which the operator is currently responsible.

(5) Certificates shall be issued to each reciprocity applicant who meets the minimum training and examination requirements set forth in WAC 173-300-080. Upon notification by the department that the applicant meets all the criteria, the certification fee is due within thirty days from the date of notification.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-140, filed 12/18/90, effective 1/1/91.]

WAC 173-300-150 Unlawful acts—Variance from requirements. After January 1, 1992, it is unlawful for any person, firm, corporation, municipal corporation, or other governmental subdivision or agency to operate a solid waste incineration or landfill facility unless an operator in responsible charge is duly certified by the director under this chapter or any lawful rule or order of the department. The department shall allow the owner or operator of a landfill or solid waste incineration facility to request a variance from this requirement under emergency conditions. Emergency conditions may include but are not limited to unexpected health related problems that incapacitate the operator or an unexpected termination of employment of the operator. The department may impose such conditions as may be necessary to protect human health and the environment during the term of the variance.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-150, filed 12/18/90, effective 1/1/91.]

WAC 173-300-160 Penalties. Any person, including any firm, corporation, municipal corporation, or other governmental subdivision or agency, with the exception of incinerator operators, violating any provision of this chapter, is guilty of a misdemeanor. Incinerator operators who violate any provision of this chapter shall be guilty of a gross misdemeanor. Each day of operation in violation of this chapter shall constitute a separate offense. The prosecuting attorney or the attorney general, as appropriate, shall secure injunctions of continuing violations of any provisions of this chapter.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-160, filed 12/18/90, effective 1/1/91.]

WAC 173-300-170 Appeals. Decisions of the director under this chapter may be appealed within thirty days from the date of notice thereof to the pollution control hearings board pursuant to chapter 43.21B RCW and chapter 370-08 WAC.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-170, filed 12/18/90, effective 1/1/91.]

WAC 173-300-180 Incineration of biomedical or medical waste. Incineration of biomedical, treated or untreated medical waste shall be conducted under sufficient burning conditions to reduce all combustible material to a form such that no portion of the combustible material is visible in its uncombusted state.

[Statutory Authority: Chapter 70.95D RCW and RCW 70.95.710. 91-01-093, § 173-300-180, filed 12/18/90, effective 1/1/91.]

Chapter 173-303 WAC

DANGEROUS WASTE REGULATIONS

WAC

173-303-010	Purpose.	173-303-290	Required notices.
173-303-016	Identifying solid waste.	173-303-300	General waste analysis.
173-303-017	Recycling processes involving solid waste.	173-303-310	Security.
173-303-020	Applicability.	173-303-320	General inspection.
173-303-030	Abbreviations.	173-303-330	Personnel training.
173-303-040	Definitions.	173-303-335	Construction quality assurance program.
173-303-045	References to EPA's hazardous waste and permit regulations.	173-303-340	Preparedness and prevention.
173-303-050	Department of ecology cleanup authority.	173-303-350	Contingency plan and emergency procedures.
173-303-060	Notification and identification numbers.	173-303-355	Superfund Amendments and Reauthorization Act Title III coordination.
173-303-070	Designation of dangerous waste.	173-303-360	Emergencies.
173-303-071	Excluded categories of waste.	173-303-370	Manifest system.
173-303-072	Procedures and bases for exempting and excluding wastes.	173-303-380	Facility recordkeeping.
173-303-073	Conditional exclusion of special wastes.	173-303-390	Facility reporting.
173-303-075	Certification of designation.	173-303-395	Other general requirements.
173-303-080	Dangerous waste lists.	173-303-400	Interim status facility standards.
173-303-081	Discarded chemical products.	173-303-430	Reserved.
173-303-082	Dangerous waste sources.	173-303-440	Reserved.
173-303-083	Deletion of certain dangerous waste codes following equipment cleaning and replacement.	173-303-500	Recycling requirements for state-only dangerous waste.
173-303-084	Reserved.	173-303-505	Special requirements for recyclable materials used in a manner constituting disposal.
173-303-090	Dangerous waste characteristics.	173-303-506	Special requirements for the recycling of spent CFC or HCFC refrigerants.
173-303-100	Dangerous waste criteria.	173-303-510	Special requirements for dangerous wastes burned for energy recovery.
173-303-101	Reserved.	173-303-515	Special requirements for used oil burned for energy recovery.
173-303-102	Reserved.	173-303-520	Special requirements for reclaiming spent lead acid battery wastes.
173-303-103	Reserved.	173-303-525	Special requirements for recyclable material utilized for precious metal recovery.
173-303-104	Generic dangerous waste numbers.	173-303-550	Reserved.
173-303-110	Sampling and testing methods.	173-303-560	Reserved.
173-303-120	Recycled, reclaimed, and recovered wastes.	173-303-575	Reserved.
173-303-121	Reserved.	173-303-600	Final facility standards.
173-303-130	Containment and control of infectious wastes.	173-303-610	Closure and postclosure.
173-303-140	Land disposal restrictions.	173-303-620	Financial requirements.
173-303-141	Treatment, storage, or disposal of dangerous waste.	173-303-630	Use and management of containers.
173-303-145	Spills and discharges into the environment.	173-303-640	Tank systems.
173-303-150	Division, dilution, and accumulation.	173-303-645	Releases from regulated units.
173-303-160	Containers.	173-303-646	Corrective action.
173-303-161	Overpacked containers (labpacks).	173-303-650	Surface impoundments.
173-303-170	Requirements for generators of dangerous waste.	173-303-655	Land treatment.
173-303-180	Manifest.	173-303-660	Waste piles.
173-303-190	Preparing dangerous waste for transport.	173-303-665	Landfills.
173-303-200	Accumulating dangerous waste on-site.	173-303-670	Incinerators.
173-303-201	Special accumulation standards.	173-303-675	Drip pads.
173-303-202	Special requirements for generators of between two hundred twenty and two thousand two hundred pounds per month that accumulate dangerous waste in tanks.	173-303-680	Miscellaneous units.
173-303-210	Generator recordkeeping.	173-303-690	Air emission standards for process vents.
173-303-220	Generator reporting.	173-303-691	Air emission standards for equipment leaks.
173-303-230	Special conditions.	173-303-695	Containment buildings.
173-303-240	Requirements for transporters of dangerous waste.	173-303-700	Requirements for the Washington state extremely hazardous waste management facility at Hanford.
173-303-250	Dangerous waste acceptance, transport, and delivery.	173-303-800	Permit requirements for dangerous waste management facilities.
173-303-260	Transporter recordkeeping.	173-303-801	Types of dangerous waste management facility permits.
173-303-270	Discharges during transport.	173-303-802	Permits by rule.
173-303-280	General requirements for dangerous waste management facilities.	173-303-804	Emergency permits.
173-303-281	Notice of intent.	173-303-805	Interim status permits.
173-303-282	Siting criteria.	173-303-806	Final facility permits.
173-303-283	Performance standards.	173-303-807	Trial burns for dangerous waste incinerator final facility permits.
		173-303-808	Demonstrations for dangerous waste land treatment final facility permits.
		173-303-809	Research, development and demonstration permits.
		173-303-810	General permit conditions.
		173-303-815	Reserved.
		173-303-820	Reserved.
		173-303-825	Reserved.
		173-303-830	Permit changes.
		173-303-840	Procedures for decision making.
		173-303-845	Appeal of decision.
		173-303-900	Public involvement and participation.
		173-303-902	Citizen/proponent negotiations.
		173-303-905	Response to requests for public records.

- 173-303-910 Petitions.
- 173-303-950 Violations and enforcement.
- 173-303-960 Special powers and authorities of the department.
- 173-303-9901 Flow chart for designating dangerous wastes.
- 173-303-9902 Narrative for designating dangerous wastes.
- 173-303-9903 Discarded chemical products list.
- 173-303-9904 Dangerous waste sources list.
- 173-303-9905 Dangerous waste constituents list.
- 173-303-9906 Special waste bill of lading.
- 173-303-9907 Persistent dangerous waste mixtures graph.

DISPOSITION OF SECTIONS FORMERLY CODIFIED IN THIS CHAPTER

- 173-303-275 Transfer facilities (or collection facilities). [Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-275, filed 2/10/82.] Repealed by 84-14-031 (Order DE 84-22), filed 6/27/84. Statutory Authority: Chapter 70.105 RCW.
- 173-303-284 Notice of intent. [Statutory Authority: Chapter 70.105 RCW. 88-07-039 (Order 87-37), § 173-303-284, filed 3/11/88.] Repealed by 88-18-083 (Order 88-29), filed 9/6/88. Statutory Authority: Chapter 70.105 RCW.
- 173-303-285 Location standards. [Statutory Authority: Chapter 70.105 RCW. 88-07-039 (Order 87-37), § 173-303-285, filed 3/11/88.] Repealed by 88-18-083 (Order 88-29), filed 9/6/88. Statutory Authority: Chapter 70.105 RCW.
- 173-303-286 Performance standards. [Statutory Authority: Chapter 70.105 RCW. 88-07-039 (Order 87-37), § 173-303-286, filed 3/11/88.] Repealed by 88-18-083 (Order 88-29), filed 9/6/88. Statutory Authority: Chapter 70.105 RCW.
- 173-303-420 Siting standards. [Statutory Authority: Chapter 70.105 RCW. 88-18-083 (Order 88-29), § 173-303-420, filed 9/6/88; 88-07-039 (Order 87-37), § 173-303-420, filed 3/11/88; 87-14-029 (Order DE-87-4), § 173-303-420, filed 6/26/87. Statutory Authority: RCW 70.105.200 through 70.105.270. 87-03-014 (Order 86-37), § 173-303-420, filed 1/13/87. Statutory Authority: Chapter 70.105 RCW. 84-09-088 (Order DE 83-36), § 173-303-420, filed 4/18/84.] Repealed by 90-20-016, filed 9/21/90, effective 10/22/90. Statutory Authority: RCW 43.21A.080 and 70.105.210, et seq.
- 173-303-901 Response to requests for public records. [Statutory Authority: Chapter 70.105 RCW. 88-07-039 (Order 87-37), § 173-303-901, filed 3/11/88.] Repealed by 88-18-083 (Order 88-29), filed 9/6/88. Statutory Authority: Chapter 70.105 RCW.

WAC 173-303-010 Purpose. This regulation implements chapter 70.105 RCW, the Hazardous Waste Management Act of 1976 as amended in 1980 and 1983, and implements, in part, chapter 70.105A RCW, and Subtitle C of Public Law 94-580, the Resource Conservation and Recovery Act, which the legislature has empowered the department to implement. The purposes of this regulation are to:

- (1) Designate those solid wastes which are dangerous or extremely hazardous to the public health and environment;
- (2) Provide for surveillance and monitoring of dangerous and extremely hazardous wastes until they are detoxified, reclaimed, neutralized, or disposed of safely;
- (3) Provide the form and rules necessary to establish a system for manifesting, tracking, reporting, monitoring, recordkeeping, sampling, and labeling dangerous and extremely hazardous wastes;
- (4) Establish the siting, design, operation, closure, post-closure, financial, and monitoring requirements for dangerous and extremely hazardous waste transfer, treatment, storage, and disposal facilities;

(5) Establish design, operation, and monitoring requirements for managing the state's extremely hazardous waste disposal facility;

(6) Establish and administer a program for permitting dangerous and extremely hazardous waste management facilities; and

(7) Encourage recycling, reuse, reclamation, and recovery to the maximum extent possible.

[Statutory Authority: Chapter 70.105 RCW. 86-12-057 (Order DE-85-10), § 173-303-010, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-010, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-010, filed 2/10/82. Formerly WAC 173-302-010.]

WAC 173-303-016 Identifying solid waste. (1) Purpose and applicability.

(a) The purpose of this section is to identify those materials that are and are not solid wastes.

(b)(i) The definition of solid waste contained in this section applies only to wastes that also are dangerous for purposes of the regulations implementing chapter 70.105 RCW. For example, it does not apply to materials (such as nondangerous scrap, paper, textiles, or rubber) that are not otherwise dangerous wastes and that are recycled.

(ii) This section identifies only some of the materials which are solid wastes and dangerous wastes under chapter 70.105 RCW. A material which is not defined as a solid waste in this section, or is not a dangerous waste identified or listed in this section, is still a solid waste and a dangerous waste for purposes of these sections if reason and authority exists under chapter 70.105 RCW and WAC 173-303-960. Within the constraints of chapter 70.105 RCW, this includes but is not limited to any material that: Is accumulated, used, reused, or handled in a manner that poses a threat to public health or the environment; or, due to the dangerous constituent(s) in it, when used or reused would pose a threat to public health or the environment.

(c) Certain materials are solid wastes but are excluded from the requirements of this chapter by WAC 173-303-071 and 173-303-073.

(2) The following terms are used and have the meanings as defined in WAC 173-303-040:

- (a) Boiler
- (b) By-product
- (c) Incinerator
- (d) Industrial furnace
- (e) Reclaim
- (f) Recover
- (g) Recycle
- (h) Used or reused (see reuse or use)
- (i) Sludge
- (j) Scrap metal
- (k) Spent material
- (3) Definition of solid waste.

(a) A solid waste is any discarded material that is not excluded by WAC 173-303-017(2) or that is not excluded by variance granted under WAC 173-303-017(5).

(b) A discarded material is any material which is:

(i) Abandoned, as explained in subsection (4) of this section; or

(ii) Recycled, as explained in subsection (5) of this section; or

(iii) Considered inherently waste-like, as explained in subsection (6) of this section.

(4) Materials are solid waste if they are abandoned by being:

- (a) Disposed of; or
- (b) Burned or incinerated; or
- (c) Accumulated, stored, or treated (but not recycled)

before or in lieu of being abandoned by being disposed of, burned, or incinerated.

(5) Materials are solid wastes if they are recycled—or accumulated, stored, or treated before recycling—as specified in (a) through (d) of this subsection.

(a) Used in a manner constituting disposal. Materials noted with a "*" in column 1 of Table 1 are solid wastes when they are:

(i)(A) Applied to or placed on the land in a manner that constitutes disposal; or

(B) Used to produce products that are applied to or placed on the land or are otherwise contained in products that are applied to or placed on the land (in which cases the product itself remains a solid waste).

(ii) However, commercial chemical products listed in WAC 173-303-9903 or which exhibit any of the criteria or characteristics listed in WAC 173-303-090 or 173-303-100 are not solid wastes if they are applied to the land and that is their ordinary manner of use.

(b) Burning for energy recovery. Materials noted with a "*" in column 2 of Table 1 are solid wastes when they are:

- (i) Burned to recover energy;
- (ii) Used to produce a fuel or are otherwise contained in fuels (in which cases the fuel itself remains a solid waste).

However, commercial chemical products listed in WAC 173-303-9903 or which exhibit any of the criteria or characteristics listed in WAC 173-303-090 or 173-303-100 are not solid wastes if they are themselves fuels.

(c) Reclaimed. Materials noted with a "*" in column 3 of Table 1 are solid wastes when reclaimed.

(d)(i) Accumulated speculatively. Materials noted with a "*" in column 4 of Table 1 are solid wastes when accumulated speculatively.

(ii) A material is "accumulated speculatively" if it is accumulated before being recycled. A material is not accumulated speculatively, however, if the person accumulating it can show that the material is potentially recyclable and has a feasible means of being recycled; and that—during the calendar year (commencing on January 1)—the amount of material that is recycled, or transferred to a different site for recycling, equals at least seventy-five percent by weight or volume of the amount of that material accumulated at the beginning of the period. In calculating the percentage of turnover, the seventy-five percent requirement is to be applied to each material of the same type (e.g., slags from a single smelting process) that is recycled in the same way (i.e., from which the same material is recovered or that is used in the same way). Materials accumulating in units that would be exempt from regulation under WAC 173-303-071 (3)(n) are not to be included in making the calculation. (Materials that are already defined as solid wastes also are not to be included in making the calculation.) Materials are no longer in this category once they are removed from accumulation for recycling, however.

TABLE 1

	Use constituting disposal WAC 173-303- 016 (5)(a)	Energy recovery/ fuel WAC 173-303- 016 (5)(b)	Reclamation WAC 173-303- 016 (5)(c)	Speculative accumulation WAC 173-303- 016 (5)(d)
Spent materials	(*)	(*)	(*)	(*)
Commercial chemical products	(*)	(*)	—	—
By-products listed in WAC 173-303-9904	(*)	(*)	(*)	(*)
Sludges listed in WAC 173-303-9904	(*)	(*)	(*)	(*)
By-products exhibiting a characteristic ¹ or criteria ²	(*)	(*)	—	(*)
Sludges exhibiting a characteristic ¹ or criteria ²	(*)	(*)	—	(*)
Scrap metal	(*)	(*)	(*)	(*)

Note: The terms "spent materials," "sludges," "by-products," and "scrap metal" are defined in WAC 173-303-040.

1 The characteristics of dangerous waste are described in WAC 173-303-090.

2 The dangerous waste criteria are described in WAC 173-303-100.

(6) Inherently waste-like materials. The following materials are solid wastes when they are recycled in any manner:

(a) Dangerous Waste Nos. F020, F021 (unless used as an ingredient to make a product at the site of generation), F022, F023, F026, and F028.

(b) Secondary materials fed to a halogen acid furnace that exhibit a characteristic of a dangerous waste or are listed as a dangerous waste as defined in WAC 173-303-090 or 173-303-080 through 173-303-082, except for brominated material that meets the following criteria:

(i) The material must contain a bromine concentration of at least 45%; and

(ii) The material must contain less than a total of 1% of toxic organic compounds listed in WAC 173-303-9905; and

(iii) The material is processed continually on-site in the halogen acid furnace via direct conveyance (hard piping).

(c) The department will use the following criteria to add wastes to (a) of this subsection:

(i)(A) The materials are ordinarily disposed of, burned, or incinerated; or

(B) The materials contain toxic constituents listed in WAC 173-303-9905 and these constituents are not ordinarily found in raw materials or products for which the materials substitute (or are found in raw materials or products in smaller concentrations) and are not used or reused during the recycling process; and

(ii) The material may pose a substantial hazard to human health or the environment when recycled.

(7) Documentation of claims that materials are not solid wastes or are conditionally exempt from regulation. Respondents in actions to enforce regulations implementing chapter 70.105 RCW who raise a claim that a certain material is not a solid waste, or is conditionally exempt from regulation,

must demonstrate that there is a known market or disposition for the material, and that they meet the terms of the exclusion or exemption. In doing so, they must provide appropriate documentation (such as contracts showing that a second person uses the material as an ingredient in a production process) to demonstrate that the material is not a waste, or is exempt from regulation. In addition, owners or operators of facilities claiming that they actually are recycling materials must show that they have the necessary equipment to do so.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-016, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-016, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-016, file 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 86-12-057 (Order DE-85-10), § 173-303-016, filed 6/3/86; 84-14-031 (Order DE 84-22), § 173-303-016, filed 6/27/84.]

WAC 173-303-017 Recycling processes involving solid waste. (1) The purpose of this section is to identify those materials that are and are not solid wastes when recycled. Certain materials, as described in subsection (2) of this section, would not typically be considered to involve waste management and are exempt from the requirements of this chapter. All recycling processes not exempted by subsection (2) of this section are subject to the recycling requirements of WAC 173-303-120.

(2) General categories of materials that are not solid waste when recycled.

(a) Except as provided in subsection (3) of this section, materials are not solid wastes when they can be shown to be recycled by being:

(i) Used or reused as ingredients in an industrial process to make a product provided the materials are not being reclaimed; or

(ii) Used or reused as effective substitutes for commercial products; or

(iii) Returned to the original process from which they are generated, without first being reclaimed or land disposed. The material must be returned as a substitute for feedstock materials. In cases where the original process to which the material is returned is a secondary process, the materials must be managed such that there is no placement on the land.

(b) Except as provided in subsection (3) of this section, the department has determined that the following materials when used as described are not solid wastes:

(i) Pulping liquors (i.e., black liquor) that are reclaimed in a pulping liquor recovery furnace and then reused in the pulping process;

(ii) Spent pickle liquor which is reused in wastewater treatment at a facility holding a national pollutant discharge elimination system (NPDES) permit, or which is being accumulated, stored, or treated before such reuse;

(iii) Spent sulfuric acid used to produce virgin sulfuric acid.

(3) The following materials are solid wastes, even if the recycling involves use, reuse, or return to the original process (as described in subsection (2)(a) of this section):

(a) Materials used in a manner constituting disposal, or used to produce products that are applied to the land; or

(b) Materials burned for energy recovery, used to produce a fuel, or contained in fuels; or

(c) Materials accumulated speculatively as defined in WAC 173-303-016 (5)(d)(ii); or

(d) Materials listed in WAC 173-303-016(6); or

(e) Any materials that the department determines are being accumulated, used, reused or handled in a manner that poses a threat to public health or the environment.

(4) Documentation of claims that materials are not solid wastes or are conditionally exempt from regulation. Respondents in actions to enforce regulations implementing chapter 70.105 RCW who raise a claim that a certain material is not a solid waste, or is conditionally exempt from regulation, must demonstrate that there is a known market or disposition for the material, and that they meet the terms of the exclusion or exemption. In doing so, they must provide appropriate documentation (such as contracts showing that a second person uses the material as an ingredient in a production process) to demonstrate that the material is not a waste, or is exempt from regulation. In addition, owners or operators of facilities claiming that they actually are recycling materials must show that they have the necessary equipment to do so.

(5) Variances from classification as a solid waste.

(a) In accordance with the standards and criteria in (b) of this subsection and the procedures in subsection (7) of this section, the department may determine on a case-by-case basis that the following recycled materials are not solid wastes:

(i) Materials that are accumulated speculatively without sufficient amounts being recycled (as defined in WAC 173-303-016 (5)(d)(ii));

(ii) Materials that are reclaimed and then reused within the original production process in which they were generated;

(iii) Materials that have been reclaimed but must be reclaimed further before the materials are completely recovered;

(iv) State-only dangerous materials (not regulated as hazardous wastes (defined in WAC 173-303-040) by EPA) which serve as an effective substitute for a commercial product or raw material.

(b) Standards and criteria for variances from classification as a solid waste.

(i) The department may grant requests for a variance from classifying as a solid waste those materials that are accumulated speculatively without sufficient amounts being recycled if the applicant demonstrates that sufficient amounts of the material will be recycled or transferred for recycling in the following year. If a variance is granted, it is valid only for the following year, but can be renewed, on an annual basis, by filing a new application. The department's decision will be based on the following standards and criteria:

(A) The manner in which the material is expected to be recycled, when the material is expected to be recycled, and whether this expected disposition is likely to occur (for example, because of past practice, market factors, the nature of the material, or contractual arrangements for recycling);

(B) The reason that the applicant has accumulated the material for one or more years without recycling seventy-five

percent of the volume accumulated at the beginning of the year;

(C) The quantity of material already accumulated and the quantity expected to be generated and accumulated before the material is recycled;

(D) The extent to which the material is handled to minimize loss;

(E) Other relevant factors.

(ii) The department may grant requests for a variance from classifying as a solid waste those materials that are reclaimed and then reused as feedstock within the original production process in which the materials were generated if the reclamation operation is an essential part of the production process. This determination will be based on the following criteria:

(A) How economically viable the production process would be if it were to use virgin materials, rather than reclaimed materials;

(B) The prevalence of the practice on an industry-wide basis;

(C) The extent to which the material is handled before reclamation to minimize loss;

(D) The time periods between generating the material and its reclamation, and between reclamation and return to the original primary production process;

(E) The location of the reclamation operation in relation to the production process;

(F) Whether the reclaimed material is used for the purpose for which it was originally produced when it is returned to the original process, and whether it is returned to the process in substantially its original form;

(G) Whether the person who generates the material also reclaims it;

(H) Other relevant factors.

(iii) The department may grant requests for a variance from classifying as a solid waste those materials that have been reclaimed but must be reclaimed further before recovery is completed if, after initial reclamation, the resulting material is commodity-like (even though it is not yet a commercial product, and has to be reclaimed further). This determination will be based on the following factors:

(A) The degree of processing the material has undergone and the degree of further processing that is required;

(B) The value of the material after it has been reclaimed;

(C) The degree to which the reclaimed material is like an analogous raw material;

(D) The extent to which an end market for the reclaimed material is guaranteed;

(E) The extent to which the reclaimed material is handled to minimize loss;

(F) Other relevant factors.

(iv) The department may grant requests for a variance from classifying as a solid waste those materials that serve as an effective substitute for a commercial product or raw material, when such material is not regulated as hazardous waste (defined in WAC 173-303-040) by EPA, if the materials are recycled in a manner such that they more closely resemble products or raw materials rather than wastes. This determination will be based on the following factors:

(A) The effectiveness of the material for the claimed use;

(B) The degree to which the material is like an analogous raw material or product;

(C) The extent to which the material is handled to minimize loss or escape to the environment;

(D) The extent to which an end market for the reclaimed material is guaranteed;

(E) The time period between generating the material and its recycling;

(F) Other factors as appropriate.

(G) Variance to be classified as a boiler.

In accordance with the standards and criteria in WAC 173-303-040 (definition of "boiler"), and the procedures in subsection (7) of this section, the department may determine on a case-by-case basis that certain enclosed devices using controlled flame combustion are boilers, even though they do not otherwise meet the definition of boiler contained in WAC 173-303-040, after considering the following criteria:

(a) The extent to which the unit has provisions for recovering and exporting thermal energy in the form of steam, heated fluids, or heated gases; and

(b) The extent to which the combustion chamber and energy recovery equipment are of integral design; and

(c) The efficiency of energy recovery, calculated in terms of the recovered energy compared with the thermal value of the fuel; and

(d) The extent to which exported energy is utilized; and

(e) The extent to which the device is in common and customary use as a "boiler" functioning primarily to produce steam, heated fluids, or heated gases; and

(f) Other factors, as appropriate.

(7) Procedures for variances from classification as a solid waste or to be classified as a boiler.

The department will use the following procedures in evaluating applications for variances from classification as a solid waste or applications to classify particular enclosed controlled flame combustion devices as boilers:

(a) The applicant must apply to the department for the variance. The application must address the relevant criteria contained in subsections (5)(b) or (6) of this section.

(b) The department will evaluate the application and issue a draft public notice tentatively granting or denying the application. Notification of this tentative decision will be provided by newspaper advertisement and radio broadcast in the locality where the recycler is located. The department will accept comment on the tentative decision for thirty days, and may also hold a public hearing upon request or at its discretion. The department will issue a final decision after receipt of comments and after the hearing (if any), and this decision may not be appealed to the department.

[Statutory Authority: Chapters 70.105 and 70.105D RCW, 95-22-008 (Order 94-30), § 173-303-017, filed 10/19/95, effective 11/19/95. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251), 91-07-005 (Order 90-42), § 173-303-017, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW, 87-14-029 (Order DE-87-4), § 173-303-017, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-017, filed 6/3/86; 84-14-031 (Order DE 84-22), § 173-303-017, filed 6/27/84.]

WAC 173-303-020 Applicability. Except as expressly provided elsewhere herein, this chapter 173-303 WAC

applies to all persons who handle dangerous wastes and solid wastes that may designate as dangerous wastes including, but not limited to:

- (1) Generators;
- (2) Transporters;
- (3) Owners and operators of dangerous waste recycling, transfer, storage, treatment, and disposal facilities; and
- (4) The operator of the state's extremely hazardous waste management facility.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-020, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-020, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapter 70.105 RCW. 84-09-088 (Order DE 83-36), § 173-303-020, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-020, filed 2/10/82. Formerly WAC 173-302-020.]

WAC 173-303-030 Abbreviations. The following abbreviations are used in this regulation.

- (1) ASTM - American Society for Testing Materials
- (2) APHA - American Public Health Association
- (3) CDC - Center for Disease Control
- (4) CFR - Code of Federal Regulations
- (5) DOT - Department of Transportation
- (6) °C - degrees Celsius
- (7) DW - dangerous waste
- (8) DWS - drinking water standards of the Safe Drinking Water Act
- (9) EHW - extremely hazardous waste
- (10) EP - extraction procedure
- (11) EPA - Environmental Protection Agency
- (12) °F - degrees Fahrenheit
- (13) g - gram
- (14) IARC - International Agency for Research on Cancer
- (15) kg - kilogram (one thousand grams)
- (16) L - liter
- (17) lb - pound
- (18) LC₅₀ - median lethal concentration
- (19) LD₅₀ - median lethal dose
- (20) M - molar (gram molecular weights per liter of solution)
- (21) mg - milligram (one thousandth of a gram)
- (22) NFPA - National Fire Protection Association
- (23) NIOSH - National Institute for Occupational Safety and Health
- (24) pH - negative logarithm of the hydrogen ion concentration
- (25) POTW - publicly owned treatment works
- (26) ppm - parts per million (weight/weight)
- (27) RCRA - Resource Conservation and Recovery Act
- (28) RCW - Revised Code of Washington
- (29) TSD facility - treatment, storage, or disposal facility
- (30) UBC - Uniform Building Code
- (31) UFC - Uniform Fire Code
- (32) USCG - United States Coast Guard
- (33) USGS - United States Geological Survey
- (34) WAC - Washington Administrative Code
- (35) % - percent
- (36) # - number

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-030, filed 10/19/95, effective 11/19/95. Statutory Authority: Chapter 70.105 RCW. 84-09-088 (Order DE 83-36), § 173-303-030, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-030, filed 2/10/82. Formerly WAC 173-302-030.]

WAC 173-303-040 Definitions. When used in this chapter, the following terms have the meanings given below.

"Aboveground tank" means a device meeting the definition of "tank" in this section and that is situated in such a way that the entire surface area of the tank is completely above the plane of the adjacent surrounding surface and the entire surface area of the tank (including the tank bottom) is able to be visually inspected.

"Active life" of a facility means the period from the initial receipt of dangerous waste at the facility until the department receives certification of final closure.

"Active portion" means that portion of a facility which is not a closed portion, and where dangerous waste recycling, reuse, reclamation, transfer, treatment, storage or disposal operations are being or have been conducted after:

The effective date of the waste's designation by 40 CFR Part 261; and

March 10, 1982, for wastes designated only by this chapter and not designated by 40 CFR Part 261. (See also "closed portion" and "inactive portion.")

"Acute hazardous waste" means dangerous waste sources (listed in WAC 173-303-9904) F020, F021, F022, F023, F026, or F027, and discarded chemical products (listed in WAC 173-303-9903) that are identified with a dangerous waste number beginning with a "P", including those wastes mixed with source, special nuclear, or by-product material subject to the Atomic Energy Act of 1954. The abbreviation "AHW" will be used in this chapter to refer to those dangerous and mixed wastes which are acute hazardous wastes. Note - the terms acute and acutely are used interchangeably.

"Ancillary equipment" means any device including, but not limited to, such devices as piping, fittings, flanges, valves, and pumps, that is used to distribute, meter, or control the flow of dangerous waste from its point of generation to a storage or treatment tank(s), between dangerous waste storage and treatment tanks to a point of disposal on-site, or to a point of shipment for disposal off-site.

"Aquifer" means a geologic formation, group of formations, or part of a formation capable of yielding a significant amount of ground water to wells or springs.

"Asbestos containing waste material" means any waste that contains more than one percent asbestos by weight and that can be crumbled, pulverized, or reduced to powder when dry, by hand pressure.

"Batch" means any waste which is generated less frequently than once a month.

"Berm" means the shoulder of a dike.

"Boiler" means an enclosed device using controlled flame combustion and having the following characteristics:

The unit must have physical provisions for recovering and exporting thermal energy in the form of steam, heated fluids, or heated gases; and

The unit's combustion chamber and primary energy recovery section(s) must be of integral design. To be of integral design, the combustion chamber and the primary energy recovery section(s) (such as waterwalls and superheaters)

ters) must be physically formed into one manufactured or assembled unit. A unit in which the combustion chamber and the primary energy recovery section(s) are joined only by ducts or connections carrying flue gas is not integrally designed; however, secondary energy recovery equipment (such as economizers or air preheaters) need not be physically formed into the same unit as the combustion chamber and the primary energy recovery section. The following units are not precluded from being boilers solely because they are not of integral design: Process heaters (units that transfer energy directly to a process stream), and fluidized bed combustion units; and

While in operation, the unit must maintain a thermal energy recovery efficiency of at least sixty percent, calculated in terms of the recovered energy compared with the thermal value of the fuel; and

The unit must export and utilize at least seventy-five percent of the recovered energy, calculated on an annual basis. In this calculation, no credit will be given for recovered heat used internally in the same unit. (Examples of internal use are the preheating of fuel or combustion air, and the driving of induced or forced draft fans or feedwater pumps); or

The unit is one which the department has determined, on a case-by-case basis, to be a boiler, after considering the standards in WAC 173-303-017(6).

"By-product" means a material that is not one of the primary products of a production process and is not solely or separately produced by the production process. Examples are process residues such as slags or distillation column bottoms. The term does not include a co-product that is produced for the general public's use and is ordinarily used in the form it is produced by the process.

"Carbon regeneration unit" means any enclosed thermal treatment device used to regenerate spent activated carbon.

"Carcinogenic" means a material known to contain a substance which has sufficient or limited evidence as a human or animal carcinogen as listed in both IARC and either IRIS or HEAST.

"Closed portion" means that portion of a facility which an owner or operator has closed, in accordance with the approved facility closure plan and all applicable closure requirements.

"Closure" means the requirements placed upon all TSD facilities to ensure that all such facilities are closed in an acceptable manner (see also "post-closure").

"Commercial chemical product or manufacturing chemical intermediate" refers to a chemical substance which is manufactured or formulated for commercial or manufacturing use which consists of the commercially pure grade of the chemical, any technical grades of the chemical that are produced or marketed, and all formulations in which the chemical is the sole active ingredient.

"Commercial fertilizer" means any substance containing one or more recognized plant nutrients and which is used for its plant nutrient content and/or which is designated for use or claimed to have value in promoting plant growth, and includes, but is not limited to, limes, gypsum, and manipulated animal manures and vegetable compost. The commercial fertilizer must be registered with the state or local agency regulating the fertilizer in the locale in which the fertilizer is being sold or applied.

"Compliance procedure" means any proceedings instituted pursuant to the Hazardous Waste Management Act as amended in 1980 and 1983, and chapter 70.105A RCW, or regulations issued under authority of state law, which seeks to require compliance, or which is in the nature of an enforcement action or an action to cure a violation. A compliance procedure includes a notice of intention to terminate a permit pursuant to WAC 173-303-830(5), or an application in the state superior court for appropriate relief under the Hazardous Waste Management Act. A compliance procedure is considered to be pending from the time a notice of violation or of intent to terminate a permit is issued or judicial proceedings are begun, until the department notifies the owner or operator in writing that the violation has been corrected or that the procedure has been withdrawn or discontinued.

"Component" means either the tank or ancillary equipment of a tank system.

"Constituent" or "dangerous waste constituent" means a chemically distinct component of a dangerous waste stream or mixture.

"Container" means any portable device in which a material is stored, transported, treated, disposed of, or otherwise handled.

"Containment building" means a hazardous waste management unit that is used to store or treat hazardous waste under the provisions of WAC 173-303-695.

"Contingency plan" means a document setting out an organized, planned, and coordinated course of action to be followed in case of a fire, explosion, or release of dangerous waste or dangerous waste constituents which could threaten the public health or environment.

"Contract" means the written agreement signed by the department and the state operator.

"Corrective action management unit" or "CAMU" means an area within a facility that is designated by the director pursuant to WAC 173-303-646 (4), (5), and (6) for the purpose of implementing the corrective action requirements of WAC 173-303-646(2). A CAMU may be used only for the management of remediation wastes pursuant to implementing such corrective action requirements at the facility.

"Corrosion expert" means a person who, by reason of his knowledge of the physical sciences and the principles of engineering and mathematics, acquired by a professional education and related practical experience, is qualified to engage in the practice of corrosion control on buried or submerged metal piping systems and metal tanks. Such a person must be certified as being qualified by the National Association of Corrosion Engineers (NACE) or be a registered professional engineer who has certification or licensing that includes education and experience in corrosion control on buried or submerged metal piping systems and metal tanks.

"Dangerous waste constituents" means those constituents listed in WAC 173-303-9905 and any other constituents that have caused a waste to be a dangerous waste under this chapter.

"Dangerous waste management unit" is a contiguous area of land on or in which dangerous waste is placed, or the largest area in which there is a significant likelihood of mixing dangerous waste constituents in the same area. Examples of dangerous waste management units include a

surface impoundment, a waste pile, a land treatment area, a landfill cell, an incinerator, a tank and its associated piping and underlying containment system and a container storage area. A container alone does not constitute a unit; the unit includes containers and the land or pad upon which they are placed.

"Dangerous wastes" means those solid wastes designated in WAC 173-303-070 through 173-303-100 as dangerous, or extremely hazardous or mixed waste. As used in this chapter, the words "dangerous waste" will refer to the full universe of wastes regulated by this chapter. The abbreviation "DW" will refer only to that part of the regulated universe which is not extremely hazardous waste. (See also "extremely hazardous waste," "hazardous waste," and "mixed waste" definitions.)

"Debris" means solid material exceeding a 60 mm particle size that is intended for disposal and that is: A manufactured object; or plant or animal matter; or natural geologic material. However, the following materials are not debris: Any material for which a specific treatment standard is provided in 40 CFR Part 268 Subpart D (incorporated by reference in WAC 173-303-140 (2)(a)); process residuals such as smelter slag and residues from the treatment of waste, wastewater, sludges, or air emission residues; and intact containers of hazardous waste that are not ruptured and that retain at least seventy-five percent of their original volume. A mixture of debris that has not been treated to the standards provided by 40 CFR 268.45 and other material is subject to regulation as debris if the mixture is comprised primarily of debris, by volume, based on visual inspection.

"Department" means the department of ecology.

"Dermal LD₅₀" means the single dosage in milligrams per kilogram (mg/kg) body weight which, when dermally (skin) applied for 24 hours, within 14 days kills half of a group of ten rabbits each weighing between 2.0 and 3.0 kilograms.

"Designated facility" means the facility designated by the generator on the manifest to receive a dangerous waste shipment and which is authorized pursuant to this chapter or RCRA to recycle or manage dangerous waste.

"Dike" means an embankment or ridge of natural or man-made materials used to prevent the movement of liquids, sludges, solids, or other substances.

"Director" means the director of the department of ecology or his designee.

"Discharge" or "dangerous waste discharge" means the accidental or intentional release of hazardous substances, dangerous waste or dangerous waste constituents such that the substance, waste or a waste constituent may enter or be emitted into the environment.

"Disposal" means the discharging, discarding, or abandoning of dangerous wastes or the treatment, decontamination, or recycling of such wastes once they have been discarded or abandoned. This includes the discharge of any dangerous wastes into or on any land, air, or water.

"Domestic sewage" means untreated sanitary wastes that pass through a sewer system to a publicly owned treatment works (POTW) for treatment.

"Draft permit" means a document prepared under WAC 173-303-840 indicating the department's tentative decision to issue or deny, modify, revoke and reissue, or terminate a permit. A notice of intent to terminate or deny a permit are

types of draft permits. A denial of a request for modification, revocation and reissuance, or termination as discussed in WAC 173-303-830 is not a draft permit.

"Drip pad" is an engineered structure consisting of a curbed, free-draining base, constructed of nonearthen materials and designed to convey preservative kick-back or drippage from treated wood, precipitation, and surface water run-on to an associated collection system at wood preserving plants.

"Elementary neutralization unit" means a device which:

Is used for neutralizing wastes which are dangerous wastes only because they exhibit the corrosivity characteristics defined in WAC 173-303-090 or are listed in WAC 173-303-081, or in 173-303-082 only for this reason; and

Meets the definition of tank, tank system, container, transport vehicle, or vessel.

"Environment" means any air, land, water, or ground water.

"EPA/state identification number" or "EPA/state ID#" means the number assigned by EPA or by the department of ecology to each generator, transporter, and TSD facility.

"Existing tank system" or "existing component" means a tank system or component that is used for the storage or treatment of dangerous waste and that is in operation, or for which installation has commenced on or prior to February 3, 1989. Installation will be considered to have commenced if the owner or operator has obtained all federal, state, and local approvals or permits necessary to begin physical construction of the site or installation of the tank system and if either:

A continuous on-site physical construction or installation program has begun; or

The owner or operator has entered into contractual obligations, which cannot be cancelled or modified without substantial loss, for physical construction of the site or installation of the tank system to be completed within a reasonable time.

"Existing TSD facility" means a facility which was in operation or for which construction commenced on or before November 19, 1980, for wastes designated by 40 CFR Part 261, or August 9, 1982, for wastes designated only by this chapter and not designated by 40 CFR Part 261. A facility has commenced construction if the owner or operator has obtained permits and approvals necessary under federal, state, and local statutes, regulations, and ordinances and either:

A continuous on-site, physical construction program has begun; or

The owner or operator has entered into contractual obligation, which cannot be cancelled or modified without substantial loss, for physical construction of the facility to be completed within a reasonable time.

"Extremely hazardous waste" means those dangerous and mixed wastes designated in WAC 173-303-100 as extremely hazardous. The abbreviation "EHW" will be used in this chapter to refer to those dangerous and mixed wastes which are extremely hazardous. (See also "dangerous waste" and "hazardous waste" definitions.)

"Facility" means all contiguous land, and structures, other appurtenances, and improvements on the land used for recycling, reusing, reclaiming, transferring, storing, treating, or disposing of dangerous waste. A facility may consist of

several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combination of them). Unless otherwise specified in this chapter, the terms "facility," "treatment, storage, disposal facility," "TSD facility," "dangerous waste facility" or "waste management facility" are used interchangeably. For the purposes of implementing corrective action imposed pursuant to WAC 173-303-646 (2) or (3), the term facility has the following meaning: All contiguous property under the control of an owner or operator seeking or required to have a permit under the provisions of chapter 70.105 RCW or chapter 173-303 WAC, including the definition of facility at RCW 70.105D.020(3).

"Final closure" means the closure of all dangerous waste management units at the facility in accordance with all applicable closure requirements so that dangerous waste management activities under WAC 173-303-400 and 173-303-600 through 173-303-670 are no longer conducted at the facility. Areas only subject to generator standards WAC 173-303-170 through 173-303-230 need not be included in final closure.

"Fish LC50" means the concentration that will kill fifty percent of the exposed fish in a specified time period. For book designation, LC50 data must be derived from an exposure period greater than or equal to twenty-four hours. A hierarchy of species LC50 data should be used that includes (in decreasing order of preference) salmonids, fathead minnows (*Pimephales promelas*), and other fish species. For the ninety-six-hour static acute fish toxicity test, described in WAC 173-303-110 (3)(b)(i), coho salmon (*Oncorhynchus kisutch*), rainbow trout (*Oncorhynchus mykiss*), and brook trout (*Salvelinus fontinalis*) must be used.

"Food chain crops" means tobacco, crops grown for human consumption, and crops grown to feed animals whose products are consumed by humans.

"Freeboard" means the vertical distance between the top of a tank or surface impoundment dike, and the surface of the waste contained therein.

"Fugitive emissions" means the emission of contaminants from sources other than the control system exit point. Material handling, storage piles, doors, windows and vents are typical sources of fugitive emissions.

"Generator" means any person, by site, whose act or process produces dangerous waste or whose act first causes a dangerous waste to become subject to regulation.

"Genetic properties" means those properties which cause or significantly contribute to mutagenic, teratogenic, or carcinogenic effects in man or wildlife.

"Ground water" means water which fills voids below the land surface and in the earth's crust.

"Halogenated hydrocarbons" (HH) means any organic compounds which, as part of their composition, include one or more atoms of fluorine, chlorine, bromine, iodine, or astatine. The requirements of this chapter apply to only those halogenated hydrocarbons which can be obtained using the testing method described in WAC 173-303-110, testing methods, and which are persistent dangerous wastes.

"Hazardous debris" means debris that contains a hazardous waste listed in WAC 173-303-9903 or 173-303-9904, or that exhibits a characteristic of hazardous waste identified in WAC 173-303-090.

"Hazardous substances" means any liquid, solid, gas, or sludge, including any material, substance, product, commodity, or waste, regardless of quantity, that exhibits any of the physical, chemical or biological properties described in WAC 173-303-090 or 173-303-100.

"Hazardous wastes" means those solid wastes designated by 40 CFR Part 261, and regulated as hazardous and/or mixed waste by the United States EPA. This term will never be abbreviated in this chapter to avoid confusion with the abbreviations "DW" and "EHW." (See also "dangerous waste" and "extremely hazardous waste" definitions.)

"Ignitable waste" means a dangerous waste that exhibits the characteristic of ignitability described in WAC 173-303-090(5).

"Inactive portion" means that portion of a facility which has not recycled, treated, stored, or disposed dangerous waste after:

The effective date of the waste's designation, for wastes designated under 40 CFR Part 261; and

March 10, 1982, for wastes designated only by this chapter and not designated by 40 CFR Part 261.

"Incinerator" means any enclosed device that:

Uses controlled flame combustion and neither meets the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; or

Meets the definition of infrared incinerator or plasma arc incinerator.

"Incompatible waste" means a dangerous waste which is unsuitable for placement in a particular device or facility because it may corrode or decay the containment materials, or is unsuitable for mixing with another waste or material because the mixture might produce heat or pressure, fire or explosion, violent reaction, toxic dusts, fumes, mists, or gases, or flammable fumes or gases.

"Independent qualified registered professional engineer" means a person who is licensed by the state of Washington, or a state which has reciprocity with the state of Washington as defined in RCW 18.43.100, and who is not an employee of the owner or operator of the facility for which construction or modification certification is required. A qualified professional engineer is an engineer with expertise in the specific area for which a certification is given.

"Industrial-furnace" means any of the following enclosed devices that are integral components of manufacturing processes and that use thermal treatment to accomplish recovery of materials or energy: Cement kilns; lime kilns; aggregate kilns; phosphate kilns; blast furnaces; smelting, melting, and refining furnaces (including pyrometallurgical devices such as cupolas, reverberator furnaces, sintering machines, roasters and foundry furnaces); titanium dioxide chloride process oxidation reactors; coke ovens; methane reforming furnaces; combustion devices used in the recovery of sulfur values from spent sulfuric acid; pulping liquor recovery furnaces; combustion devices used in the recovery of sulfur values from spent sulfuric acid; and halogen acid furnaces (HAFs) for the production of acid from halogenated dangerous waste generated by chemical production facilities where the furnace is located on the site of a chemical production facility, the acid product has a halogen acid content of at least 3%, the acid product is used in a manufacturing process, and, except for dangerous waste burned as fuel, dangerous waste fed to the furnace has a minimum

halogen content of 20% as-generated. The department may decide to add devices to this list on the basis of one or more of the following factors:

The device is designed and used primarily to accomplish recovery of material products;

The device burns or reduces secondary materials as ingredients in an industrial process to make a material product;

The device burns or reduces secondary materials as effective substitutes for raw materials in processes using raw materials as principal feedstocks;

The device burns or reduces raw materials to make a material product;

The device is in common industrial use to produce a material product; and

Other factors, as appropriate.

"Infrared incinerator" means any enclosed device that uses electric powered resistance heaters as a source of radiant heat followed by an afterburner using controlled flame combustion and which is not listed as an industrial furnace.

"Inground tank" means a device meeting the definition of "tank" in this section whereby a portion of the tank wall is situated to any degree within the ground, thereby preventing visual inspection of that external surface area of the tank that is in the ground.

"Inner liner" means a continuous layer of material placed inside a tank or container which protects the construction materials of the tank or container from the waste or reagents used to treat the waste.

"Installation inspector" means a person who, by reason of his knowledge of the physical sciences and the principles of engineering, acquired by a professional education and related practical experience, is qualified to supervise the installation of tank systems.

"Interim status permit" means a temporary permit given to TSD facilities which qualify under WAC 173-303-805.

"Land disposal" means placement on the land, except in a corrective action management unit, and includes, but is not limited to, placement in a: Landfill; surface impoundment; waste pile; injection well; land treatment facility; salt dome or salt bed formation; underground mine or cave; concrete vault; bunker; or miscellaneous unit.

"Landfill" means a disposal facility, or part of a facility, where dangerous waste is placed in or on land and which is not a pile, a land treatment facility, a surface impoundment, or an underground injection well, a salt dome formation, a salt bed formation, an underground mine, a cave, or a corrective action management unit.

"Land treatment" means the practice of applying dangerous waste onto or incorporating dangerous waste into the soil surface so that it will degrade or decompose. If the waste will remain after the facility is closed, this practice is disposal.

"Leachable inorganic waste" means solid dangerous waste (i.e., passes paint filter test) that is not an organic/ carbonaceous waste and exhibits the toxicity characteristic (dangerous waste numbers D004 to D011, only) under WAC 173-303-090(8).

"Leachate" means any liquid, including any components suspended in the liquid, that has percolated through or drained from dangerous waste.

"Leak-detection system" means a system capable of detecting the failure of either the primary or secondary containment structure or the presence of a release of dangerous waste or accumulated liquid in the secondary containment structure. Such a system must employ operational controls (e.g., daily visual inspections for releases into the secondary containment system of aboveground tanks) or consist of an interstitial monitoring device designed to detect continuously and automatically the failure of the primary or secondary containment structure or the presence of a release of dangerous waste into the secondary containment structure.

"Legal defense costs" means any expenses that an insurer incurs in defending against claims of third parties brought under the terms and conditions of an insurance policy.

"Liner" means a continuous layer of man-made or natural materials which restrict the escape of dangerous waste, dangerous waste constituents, or leachate through the sides, bottom, or berms of a surface impoundment, waste pile, or landfill.

"Major facility" means a facility or activity classified by the department as major.

"Manifest" means the shipping document, prepared in accordance with the requirements of WAC 173-303-180, which is used to identify the quantity, composition, origin, routing, and destination of a dangerous waste while it is being transported to a point of transfer, disposal, treatment, or storage.

"Manufacturing process unit" means a unit which is an integral and inseparable portion of a manufacturing operation, processing a raw material into a manufacturing intermediate or finished product, reclaiming spent materials or reconditioning components.

"Miscellaneous unit" means a dangerous waste management unit where dangerous waste is treated, stored, or disposed of and that is not a container, tank, surface impoundment, pile, land treatment unit, landfill, incinerator, boiler, industrial furnace, containment building, corrective action management unit, temporary unit, underground injection well with appropriate technical standards under 40 CFR Part 146, or unit eligible for a research, development, and demonstration permit under WAC 173-303-809.

"Mixed waste" means a dangerous, extremely hazardous, or acutely hazardous waste that contains both a nonradioactive hazardous component and, as defined by 10 CFR 20.1003, source, special nuclear, or by-product material subject to the Atomic Energy Act of 1954 (42 U.S.C. 2011 et seq.).

"New tank system" or "new tank component" means a tank system or component that will be used for the storage or treatment of dangerous waste and for which installation has commenced after February 3, 1989; except, however, for purposes of WAC 173-303-640 (4)(g)(ii) and 40 CFR 265.193(g)(2) as adopted by reference in WAC 173-303-400(3), a new tank system is one for which construction commences after February 3, 1989. (See also "existing tank system.")

"New TSD facility" means a facility which began operation or for which construction commenced after November 19, 1980, for wastes designated by 40 CFR Part 261, or August 9, 1982, for wastes designated only by this chapter and not designated by 40 CFR Part 261.

"NIOSH registry" means the registry of toxic effects of chemical substances which is published by the National Institute for Occupational Safety and Health.

"Nonsudden accident" or "nonsudden accidental occurrence" means an unforeseen and unexpected occurrence which takes place over time and involves continuous or repeated exposure.

"Occurrence" means an accident, including continuous or repeated exposure to conditions, which results in bodily injury or property damage which the owner or operator neither expected nor intended to occur.

"Off-specification used oil fuel" means used oil fuel that exceeds any specification level described in Table 1 in WAC 173-303-515.

"Onground tank" means a device meeting the definition of "tank" in this section and that is situated in such a way that the bottom of the tank is on the same level as the adjacent surrounding surface so that the external tank bottom cannot be visually inspected.

"On-site" means the same, geographically contiguous, or bordering property. Travel between two properties divided by a public right of way and owned, operated, or controlled by the same person, will be considered on-site travel if: The travel crosses the right of way at a perpendicular intersection; or, the right of way is controlled by the property owner and is inaccessible to the public.

"Operator" means the person responsible for the overall operation of a facility. (See also "state operator.")

"Oral LD₅₀" means the single dosage in milligrams per kilogram (mg/kg) body weight, when orally administered, which, within 14 days, kills half a group of ten or more white rats each weighing between 200 and 300 grams.

"Organic/carbonaceous waste" means a dangerous waste that contains combined concentrations of greater than ten percent organic/carbonaceous constituents in the waste; organic/carbonaceous constituents are those substances that contain carbon-hydrogen, carbon-halogen, or carbon-carbon chemical bonding.

"Partial closure" means the closure of a dangerous waste management unit in accordance with the applicable closure requirements of WAC 173-303-400 and 173-303-600 through 173-303-670 at a facility that contains other active dangerous waste management units. For example, partial closure may include the closure of a tank (including its associated piping and underlying containment systems), landfill cell, surface impoundment, waste pile, or other dangerous waste management unit, while other units of the same facility continue to operate.

"Permit" means an authorization which allows a person to perform dangerous waste transfer, storage, treatment, or disposal operations, and which typically will include specific conditions for such facility operations. Permits must be issued by one of the following:

The department, pursuant to this chapter;

United States EPA, pursuant to 40 CFR Part 270; or

Another state authorized by EPA, pursuant to 40 CFR Part 271.

"Permit-by-rule" means a provision of this chapter stating that a facility or activity is deemed to have a dangerous waste permit if it meets the requirements of the provision.

"Persistence" means the quality of a material which retains more than half of its initial activity after one year (365 days) in either a dark anaerobic or dark aerobic environment at ambient conditions.

"Person" means any person, firm, association, county, public or municipal or private corporation, agency, or other entity whatsoever.

"Pesticide" means but is not limited to: Any substance or mixture of substances intended to prevent, destroy, control, repel, or mitigate any insect, rodent, nematode, mollusk, fungus, weed, and any other form of plant or animal life, or virus (except virus on or in living man or other animal) which is normally considered to be a pest or which the department of agriculture may declare to be a pest; any substance or mixture of substances intended to be used as a plant regulator, defoliant, or desiccant; any substance or mixture of substances intended to be used as spray adjuvant; and, any other substance intended for such use as may be named by the department of agriculture by regulation. Herbicides, fungicides, insecticides, and rodenticides are pesticides for the purposes of this chapter.

"Pile" means any noncontainerized accumulation of solid, nonflowing dangerous waste that is used for treatment or storage.

"Plasma arc incinerator" means any enclosed device using a high intensity electrical discharge or arc as a source of heat followed by an afterburner using controlled flame combustion and which is not listed as an industrial furnace.

"Point source" means any confined and discrete conveyance from which pollutants are or may be discharged. This term includes, but is not limited to, pipes, ditches, channels, tunnels, wells, cracks, containers, rolling stock, concentrated animal feeding operations, or watercraft, but does not include return flows from irrigated agriculture.

"Polycyclic aromatic hydrocarbons" (PAH) means those hydrocarbon molecules composed of two or more benzene rings. For purposes of this chapter, the PAHs of concern for designation are: Acenaphthene, acenaphthylene, fluorene, anthracene, fluoranthene phenanthrene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, pyrene, chrysene, benzo(a)pyrene, dibenz(a,h)anthracene, indeno(1,2,3-c,d)pyrene, benzo(g,h,i)perylene.

"Post-closure" means the requirements placed upon disposal facilities (e.g., landfills, impoundments closed as disposal facilities, etc.) after closure to ensure their environmental safety for a number of years after closure. (See also "closure.")

"Publicly owned treatment works" or "POTW" means any device or system, owned by the state or a municipality, which is used in the treatment, recycling, or reclamation of municipal sewage or liquid industrial wastes. This term includes sewers, pipes, or other conveyances only if they convey wastewater to a POTW.

"Qualified ground water scientist" means a scientist or engineer who has received a baccalaureate or post-graduate degree in the natural sciences or engineering, and has sufficient training and experience in ground water hydrology and related fields to make sound professional judgments regarding ground water monitoring and contaminant fate and transport. Sufficient training and experience may be demonstrated by state registration, professional certifications, or completion of accredited university courses.

"Reactive waste" means a dangerous waste that exhibits the characteristic of reactivity described in WAC 173-303-090(7).

"Reclaim" means to process a material in order to recover useable products, or to regenerate the material. Reclamation is the process of reclaiming.

"Recover" means extract a useable material from a solid or dangerous waste through a physical, chemical, biological, or thermal process. Recovery is the process of recovering.

"Recycle" means to use, reuse, or reclaim a material.

"Regulated unit" means any new or existing surface impoundment, landfill, land treatment area or waste pile that receives any dangerous waste after:

July 26, 1982, for wastes regulated by 40 CFR Part 261;

October 31, 1984 for wastes designated only by this chapter and not regulated by 40 CFR Part 261; or

The date six months after a waste is newly identified by amendments to 40 CFR Part 261 or this chapter which cause the waste to be regulated.

"Release" means any intentional or unintentional spilling, leaking, pouring, emitting, emptying, discharging, injecting, pumping, escaping, leaching, dumping, or disposing of dangerous wastes, or dangerous constituents as defined at WAC 173-303-646 (1)(c), into the environment and includes the abandonment or discarding of barrels, containers, and other receptacles containing dangerous wastes or dangerous constituents and includes the definition of release at RCW 70.105D.020(10).

"Remediation waste" means all solid or dangerous wastes, and all media (including ground water, surface water, soils, and sediments) and debris, which contain listed dangerous wastes, or which themselves exhibit a dangerous waste characteristic or criteria, that are managed for the purpose of implementing corrective action requirements imposed pursuant to WAC 173-303-646 (2) or (3). For a given facility, remediation wastes may originate only from within the facility boundary, except that remediation waste may include wastes managed in implementing corrective action in accordance with WAC 173-303-646 (2)(b) for releases extending beyond the facility boundary.

"Replacement unit" means a landfill, surface impoundment, or waste pile unit from which all or substantially all of the waste is removed, and that is subsequently reused to treat, store, or dispose of dangerous waste. "Replacement unit" does not apply to a unit from which waste is removed during closure, if the subsequent reuse solely involves the disposal of waste from that unit and other closing units or corrective action areas at the facility, in accordance with an approved closure plan or EPA or state approved corrective action.

"Representative sample" means a sample which can be expected to exhibit the average properties of the sample source.

"Reuse or use" means to employ a material either:

As an ingredient (including use as an intermediate) in an industrial process to make a product (for example, distillation bottoms from one process used as feedstock in another process). However, a material will not satisfy this condition if distinct components of the material are recovered as separate end products (as when metals are recovered from metal-containing secondary materials); or

In a particular function or application as an effective substitute for a commercial product (for example, spent pickle liquor used as phosphorous precipitant and sludge conditioner in wastewater treatment).

"Run-off" means any rainwater, leachate, or other liquid which drains over land from any part of a facility.

"Run-on" means any rainwater, leachate, or other liquid which drains over land onto any part of a facility.

"Satellite accumulation area" means a location at or near any point of generation where hazardous waste is initially accumulated in containers (during routine operations) prior to consolidation at a designated ninety-day accumulation area or storage area. The area must be under the control of the operator of the process generating the waste or secured at all times to prevent improper additions of wastes into the satellite containers.

"Schedule of compliance" means a schedule of remedial measures in a permit including an enforceable sequence of interim requirements leading to compliance with this chapter.

"Scrap metal" means bits and pieces of metal parts (e.g., bars, turnings, rods, sheets, wire) or metal pieces that may be combined together with bolts or soldering (e.g., radiators, scrap automobiles, railroad box cars), which when worn or superfluous can be recycled.

"Sludge" means any solid, semisolid, or liquid waste generated from a municipal, commercial, or industrial wastewater treatment plant, water supply treatment plant, or air pollution control facility. This term does not include the treated effluent from a wastewater treatment plant.

"Sludge dryer" means any enclosed thermal treatment device that is used to dehydrate sludge and that has a maximum total thermal input, excluding the heating value of the sludge itself, of 2,500 Btu/lb of sludge treated on a wet-weight basis.

"Solid acid waste" means a dangerous waste that exhibits the characteristic of low pH under the corrosivity tests of either WAC 173-303-090 (6)(a)(ii) or (b).

"Solid waste management unit" or "SWMU" means any discernible location at a facility, as defined for the purposes of corrective action, where solid wastes have been placed at any time, irrespective of whether the location was intended for the management of solid or dangerous waste. Such locations include any area at a facility at which solid wastes, including spills, have been routinely and systematically released. Such units include regulated units as defined by chapter 173-303 WAC.

"Sorbent" means a material that is used to soak up free liquids by either adsorption or absorption, or both. *Sorb* means to either adsorb or absorb, or both.

"Special incinerator ash" means ash residues resulting from the operation of incineration or energy recovery facilities managing municipal solid waste from residential, commercial and industrial establishments, if the ash residues are designated as dangerous waste only by this chapter and not designated as hazardous waste by 40 CFR Part 261.

"Special waste" means any state-only dangerous waste that is solid only (nonliquid, nonaqueous, nongaseous), that is: Corrosive waste (WAC 173-303-090 (6)(b)(ii)), toxic waste that has Category D toxicity (WAC 173-303-100(5)), PCB waste (WAC 173-303-9904 under State Sources), or persistent waste that is not EHW (WAC 173-303-100(6)).

Any solid waste that is regulated by the United States EPA as hazardous waste cannot be a special waste.

"Spent material" means any material that has been used and as a result of contamination can no longer serve the purpose for which it was produced without processing.

"Stabilization" and "solidification" means a technique that limits the solubility and mobility of dangerous waste constituents. Solidification immobilizes a waste through physical means and stabilization immobilizes the waste by bonding or chemically reacting with the stabilizing material.

"State-only dangerous waste" means a waste designated only by this chapter, chapter 173-303 WAC, and is not regulated as a hazardous waste under 40 CFR Part 261.

"State operator" means the person responsible for the overall operation of the state's extremely hazardous waste facility on the Hanford Reservation.

"Storage" means the holding of dangerous waste for a temporary period. "Accumulation" of dangerous waste, by the generator on the site of generation, is not storage as long as the generator complies with the applicable requirements of WAC 173-303-200 and 173-303-201.

"Sudden accident" means an unforeseen and unexpected occurrence which is not continuous or repeated in nature.

"Sump" means any pit or reservoir that meets the definition of tank and those troughs/trenches connected to it that serves to collect dangerous waste for transport to dangerous waste storage, treatment, or disposal facilities; except that as used in the landfill, surface impoundment, and waste pile rules, "sump" means any lined pit or reservoir that serves to collect liquids drained from a leachate collection and removal system or leak detection system for subsequent removal from the system.

"Surface impoundment" means a facility or part of a facility which is a natural topographic depression, man-made excavation, or diked area formed primarily of earthen materials (although it may be lined with man-made materials), and which is designed to hold an accumulation of liquid dangerous wastes or dangerous wastes containing free liquids. The term includes holding, storage, settling, and aeration pits, ponds, or lagoons, but does not include injection wells.

"Tank" means a stationary device designed to contain an accumulation of dangerous waste, and which is constructed primarily of nonearthen materials to provide structural support.

"Tank system" means a dangerous waste storage or treatment tank and its associated ancillary equipment and containment system.

"Temporary unit" or "TU" means a tank or container unit used temporarily for the treatment or storage of remediation waste, that is designated by the director pursuant to WAC 173-303-646(7) for the purpose of implementing the corrective action requirements of WAC 173-303-646 (2) or (3).

"Thermal treatment" means the treatment of dangerous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the dangerous waste. Examples of thermal treatment processes are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge.

"TLm₉₆" means the same as "Aquatic LC₅₀."

"Totally enclosed treatment facility" means a facility for treating dangerous waste which is directly connected to a production process and which prevents the release of dangerous waste or dangerous waste constituents into the environment during treatment.

"Toxic" means having the properties to cause or to significantly contribute to death, injury, or illness of man or wildlife.

"Transfer facility" means any transportation related facility including loading docks, parking areas, storage areas, and other similar areas where shipments of hazardous waste are held for ten days or less during the normal course of transportation.

"Transport vehicle" means a motor vehicle or rail car used for the transportation of cargo by any mode. Each cargo-carrying body (trailer, railroad freight car, etc.) is a separate transport vehicle.

"Transportation" means the movement of dangerous waste by air, rail, highway, or water.

"Transporter" means a person engaged in the off-site transportation of dangerous waste.

"Travel time" means the period of time necessary for a dangerous waste constituent released to the soil (either by accident or intent) to enter any on-site or off-site aquifer or water supply system.

"Treatability study" means a study in which a dangerous waste is subjected to a treatment process to determine: Whether the waste is amenable to the treatment process; what pretreatment (if any) is required; the optimal process conditions needed to achieve the desired treatment; the efficiency of a treatment process for a specific waste or wastes; or the characteristics and volumes of residuals from a particular treatment process. Also included in this definition for the purpose of the exemptions contained in WAC 173-303-071 (3)(r) and (s), are liner compatibility, corrosion, and other material compatibility studies and toxicological and health effects studies. A "treatability study" is not a means to commercially treat or dispose of dangerous waste.

"Treatment" means the physical, chemical, or biological processing of dangerous waste to make such wastes nondangerous or less dangerous, safer for transport, amenable for energy or material resource recovery, amenable for storage, or reduced in volume, with the exception of compacting, repackaging, and sorting as allowed under WAC 173-303-400(2) and 173-303-600(3).

"Treatment zone" means a soil area of the unsaturated zone of a land treatment unit within which dangerous wastes are degraded, transformed or immobilized.

"Triple rinsing" means the cleaning of containers in accordance with the requirements of WAC 173-303-160 (2)(b), containers.

"Underground injection" means the subsurface emplacement of fluids through a bored, drilled, or driven well, or through a dug well, where the depth of the dug well is greater than the largest surface dimension.

"Underground tank" means a device meeting the definition of "tank" in this section whose entire surface area is totally below the surface of and covered by the ground.

"Unfit-for-use tank system" means a tank system that has been determined through an integrity assessment or other inspection to be no longer capable of storing or treating

dangerous waste without posing a threat of release of dangerous waste to the environment.

"Unsaturated zone" means the zone between the land surface and the water table.

"Uppermost aquifer" means the geological formation nearest the natural ground surface that is capable of yielding ground water to wells or springs. It includes lower aquifers that are hydraulically interconnected with this aquifer within the facility property boundary.

"Used oil" means oil that has been refined from crude oil, used, and, as a result of such use, is contaminated by physical or chemical impurities.

"Vessel" includes every description of watercraft, used or capable of being used as a means of transportation on the water.

"Wastewater treatment unit" means a device that:

Is part of a wastewater treatment facility which is subject to regulation under either:

Section 402 or section 307(b) of the Federal Clean Water Act; or

Chapter 90.48 RCW, State Water Pollution Control Act, provided that the waste treated at the facility is a state-only dangerous waste; and

Handles dangerous waste in the following manner:

Receives and treats or stores an influent wastewater; or

Generates and accumulates or treats or stores a wastewater treatment sludge; and

Meets the definition of tank or tank system in this section.

"Water or rail (bulk shipment)" means the bulk transportation of dangerous waste which is loaded or carried on board a vessel or railcar without containers or labels.

"Zone of engineering control" means an area under the control of the owner/operator that, upon detection of a dangerous waste release, can be readily cleaned up prior to the release of dangerous waste or dangerous constituents to ground water or surface water.

Any terms used in this chapter which have not been defined in this section have either the same meaning as set forth in Title 40 CFR Parts 260, 264, 270, and 124 or else have their standard, technical meaning.

As used in this chapter, words in the masculine gender also include the feminine and neuter genders, words in the singular include the plural, and words in the plural include the singular.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-040, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-040, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-040, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 89-02-059 (Order 88-24), § 173-303-040, filed 1/4/89; 87-14-029 (Order DE-87-4), § 173-303-040, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-040, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-040, filed 4/18/84. Statutory Authority: RCW 70.95.260 and chapter 70.105 RCW. 82-05-023 (Order DE 81-33), § 173-303-040, filed 2/10/82. Formerly WAC 173-302-040.]

WAC 173-303-045 References to EPA's hazardous waste and permit regulations. Any references in this chapter to any parts, subparts, or sections from EPA's hazardous waste regulations, including 40 CFR Parts 260 through 280 and Part 124, are in reference to those rules as

they existed on July 1, 1995. Copies of the appropriate referenced federal requirements are available upon request from the department.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-045, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-045, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-045, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 89-02-059 (Order 88-24), § 173-303-045, filed 1/4/89; 87-14-029 (Order DE-87-4), § 173-303-045, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-045, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-045, filed 4/18/84. Statutory Authority: RCW 70.95.260 and chapter 70.105 RCW. 82-05-023 (Order DE 81-33), § 173-303-045, filed 2/10/82.]

WAC 173-303-050 Department of ecology cleanup authority. The department may conduct or contract for the removal of dangerous wastes or hazardous substances where there has been or is a potential for discharge or release, regardless of quantity or concentration, which could pose a threat to public health or the environment.

[Statutory Authority: Chapter 70.105 RCW. 84-09-088 (Order DE 83-36), § 173-303-050, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-050, filed 2/10/82. Formerly WAC 173-302-060.]

WAC 173-303-060 Notification and identification numbers. (1) Any person who generates, transports, offers for transport, or transfers a dangerous waste, or who owns or operates a dangerous waste TSD facility must have a current EPA/state identification number (EPA/state ID#). Any person who offers a dangerous waste to a transporter or to a dangerous waste TSD facility which does not have an EPA/state ID#, or whose EPA/state ID# has been cancelled or withdrawn, is in violation of this regulation.

(2) Every person who must have an EPA/state ID#, and who has not already received his ID#, must notify the department by obtaining and completing a Washington State Notification of Dangerous Waste Activities (Form 2) and submitting the completed form to the department. Any person already assigned an EPA/state ID# must notify the department of any changes to his company's name, mailing address, ownership, physical location, or type of dangerous waste activity, by submitting a revised Form 2. A revised Form 2 must be submitted prior to adding or dropping any of the following activities: Permitted treating, storing and/or disposing, immediate recycling, transporting, permit by rule, and/or treatment by generator. For changes of company name or mailing address, the generator may submit a corrected Registration Verification Report (part of the Dangerous Waste Annual Report) in lieu of a revised Form 2. Any change in site location will require the issuance of a new EPA/state ID# for waste generation and management facilities. An EPA/state ID# may not be used at new company locations. A company that has obtained an ID# as a "transporter only" can move to a new location and continue to use the same ID#. A revised notification Form 2 must be submitted to the department. Notification of dangerous waste activities, Form 2 and instructions for its completion may be obtained by contacting the department.

(3) Any person with an EPA/state ID# may request that his ID# be withdrawn if he will no longer be handling dangerous waste at the site the ID# has been assigned to.

Any person whose ID# has been withdrawn must notify the department before he uses the ID# at any later date. Notification must be in writing, except in the case of emergencies (e.g., fires, spills, etc.) such notification may be provided by telephone first, and followed within one week by a written notification. Withdrawal will only be granted when all applicable requirements of this chapter and chapter 173-305 WAC have been met.

(4) Any person with an EPA/state ID# may request that his ID# be cancelled if he will no longer occupy the site. Notification must be in writing. An EPA/state ID# will be considered cancelled only after all applicable requirements of this chapter and chapter 173-305 WAC have been met.

(5) Any person with a current EPA/state ID# must submit an annual report as required by WAC 173-303-070(8), 173-303-220, and 173-303-390. Any person who has withdrawn or cancelled their ID# must submit an annual report up to the effective date of cancellation or withdrawal. The generator should write the effective date on the notification form for the cancellation or withdrawal; it is the date by which all regulated waste activities (generation, transportation, and management) have ceased at the site.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-060, filed 10/19/95, effective 11/19/95. Statutory Authority: Chapter 70.105 RCW. 87-14-029 (Order DE-87-4), § 173-303-060, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-060, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-060, filed 4/18/84. Statutory Authority: RCW 70.95.260 and chapter 70.105 RCW. 82-05-023 (Order DE 81-33), § 173-303-060, filed 2/10/82.]

WAC 173-303-070 Designation of dangerous waste.

(1) Purpose and applicability.

(a) This section describes the procedures for determining whether or not a solid waste is DW or EHW.

(b) The procedures in this section are applicable to any person who generates a solid waste (including recyclable materials) that is not exempted or excluded by this chapter or by the department. Any person who must determine whether or not their solid waste is designated must follow the procedures set forth in subsection (3) of this section. Any person who determines by these procedures that their waste is designated DW or EHW is subject to all applicable requirements of this chapter.

(c) The requirements for the small quantity generator exemption are found in subsection (8) of this section.

(2)(a) Once a material has been determined to be a dangerous waste, then any solid waste generated from the recycling, treatment, storage, or disposal of that dangerous waste is a dangerous waste unless and until:

(i) The generator has been able to accurately describe the variability or uniformity of the waste over time, and has been able to obtain demonstration samples which are representative of the waste's variability or uniformity; and

(ii)(A) It does not exhibit any of the characteristics of WAC 173-303-090; however, wastes that exhibit a characteristic at the point of generation may still be subject to the requirements of WAC 173-303-140 (2)(a), even if they no longer exhibit a characteristic at the point of land disposal; and

(B) If it was a listed waste under WAC 173-303-080 through 173-303-083, it also has been exempted pursuant to WAC 173-303-910(3); or

(iii) If originally designated only through WAC 173-303-100, it does not meet any of the criteria of WAC 173-303-100.

Such solid waste will include but not be limited to any sludge, spill residue, ash emission control dust, leachate, or precipitation run-off. Precipitation run-off will not be considered a dangerous waste if it can be shown that the run-off has not been contaminated with the dangerous waste, or that the run-off is adequately addressed under existing state laws (e.g. chapter 90.48 RCW), or that the run-off does not exhibit any of the criteria or characteristics described in WAC 173-303-100.

(b) Materials that are reclaimed from solid wastes and that are used beneficially (as provided in WAC 173-303-016 and 173-303-017) are not solid wastes and hence are not dangerous wastes under this section unless the reclaimed material is burned for energy recovery or used in a manner constituting disposal.

(c) Notwithstanding subsections (1) and (2) of this section and provided the debris does not exhibit a characteristic identified in WAC 173-303-090, the following materials are not subject to regulation under this chapter:

(i) Hazardous debris that has been treated using one of the required extraction or destruction technologies specified in Table 1 of 40 CFR section 268.45; persons claiming this exclusion in an enforcement action will have the burden of proving by clear and convincing evidence that the material meets all of the exclusion requirements; or

(ii) Debris that the department, considering the extent of contamination, has determined is no longer contaminated with hazardous waste.

(3) Designation procedures.

(a) To determine whether or not a solid waste is designated as a dangerous waste a person must:

(i) First, determine if the waste is a listed discarded chemical product, WAC 173-303-081;

(ii) Second, determine if the waste is a listed dangerous waste source, WAC 173-303-082;

(iii) Third, if the waste is not listed in WAC 173-303-081 or 173-303-082, or for the purposes of compliance with the federal land disposal restrictions as adopted by reference in WAC 173-303-140, determine if the waste exhibits any dangerous waste characteristics, WAC 173-303-090; and

(iv) Fourth, if the waste is not listed in WAC 173-303-081 or 173-303-082, and does not exhibit a characteristic in WAC 173-303-090, determine if the waste meets any dangerous waste criteria, WAC 173-303-100.

(b) A person must check each section, in the order set forth, until they determine whether the waste is designated as a dangerous waste. Once the waste is determined to be a dangerous waste, further designation is not required except as required by subsection (4) or (5) of this section. If a person has checked the waste against each section and the waste is not designated, then the waste is not subject to the requirements of chapter 173-303 WAC.

Any person who wishes to seek an exemption for a waste which has been designated DW or EHW must comply with the requirements of WAC 173-303-072.

(c) For the purpose of determining if a solid waste is a dangerous waste as identified in WAC 173-303-080 through 173-303-100, a person must either:

(i) Test the waste according to the methods, or an approved equivalent method, set forth in WAC 173-303-110; or

(ii) Apply knowledge of the waste in light of the materials or the process used, when:

(A) Such knowledge can be demonstrated to be sufficient for determining whether or not it designated and/or designated properly; and

(B) All data and records supporting this determination in accordance with WAC 173-303-210(3) are retained on-site.

(4) Testing required. Notwithstanding any other provisions of this chapter, the department may require any person to test a waste according to the methods, or an approved equivalent method, set forth in WAC 173-303-110 to determine whether or not the waste is designated under the dangerous waste lists, characteristics, or criteria, WAC 173-303-080 through 173-303-100. Such testing may be required if the department has reason to believe that the waste would be designated DW or EHW by the dangerous waste lists, characteristics, or criteria, or if the department has reason to believe that the waste is designated improperly (e.g., the waste has been designated DW but should actually be designated EHW). If a person, pursuant to the requirements of this subsection, determines that the waste is a dangerous waste or that its designation must be changed, then they are subject to the applicable requirements of this chapter 173-303 WAC. The department will base a requirement to test a waste on evidence that includes, but is not limited to:

(a) Test information indicating that the person's waste may be DW or EHW;

(b) Evidence that the person's waste is very similar to another persons' already designated DW or EHW;

(c) Evidence that the persons' waste has historically been a DW or EHW;

(d) Evidence or information about a person's manufacturing materials or processes which indicate that the wastes may be DW or EHW; or

(e) Evidence that the knowledge or test results a person has regarding a waste is not sufficient for determining whether or not it designated and/or designated properly.

(5) Additional designation required. A generator must manage dangerous waste under the most stringent management standards that apply. Subsections (5)(a) and (c) of this section describe how waste that has been designated as DW under the dangerous waste lists, WAC 173-303-080 through 173-303-082, or characteristics, WAC 173-303-090, must also be designated under the dangerous waste criteria, WAC 173-303-100, because designation under the criteria may change how the waste must be managed. Additional designation is required when:

(a) The waste is designated as DW with a QEL of 220 pounds and the generator otherwise qualifies as a small quantity generator. In this case, a generator must determine if their DW is also designated as a toxic EHW, WAC 173-303-100, with a QEL of 2.2 pounds; or

(b) The waste is designated as DW and the waste is to be discharged to a POTW operating under WAC 173-303-802(4) (Permits by rule). In this case, a generator must determine if the waste is also an EHW under WAC 173-303-100; or

(c) The waste is designated as a state-only DW and the waste is to be:

(i) Burned for energy recovery, as used oil, under the provisions of WAC 173-303-515; or

(ii) Land disposed within the state. In this case, a generator must determine if the waste is also an EHW under WAC 173-303-100.

(6) Dangerous waste numbers. When a person is reporting or keeping records on a dangerous waste, they must use all the dangerous waste numbers which they know are assignable to the waste from the dangerous waste lists, characteristics, or criteria. For example, if the waste is ignitable *and* contains extremely hazardous concentrations of halogenated hydrocarbons, they must use the dangerous waste numbers of D001 and WP01. This will not be construed as requiring a person to designate their waste beyond those designation requirements set forth in subsections (2), (3), (4), and (5) of this section.

(7) Quantity exclusion limits; aggregated waste quantities.

(a) Quantity exclusion limits. In each of the designation sections describing the lists, characteristics, and criteria, quantity exclusion limits (QEL) are identified. The QEL are used to distinguish when a dangerous waste is only subject to the small quantity generator provisions, and when a dangerous waste is subject to the full requirements of this chapter. Any solid waste which is not excluded or exempted and which is listed by or exhibits the characteristics or meets the criteria of this chapter is a dangerous waste. Small quantity generators who produce dangerous waste below the QEL are subject to the requirements described in subsection (8) of this section.

(b) Aggregated waste quantities. A person may be generating, accumulating, or storing more than one kind of dangerous waste. In such cases, they must consider the aggregate quantity of their wastes when determining whether or not their waste amounts exceed the specific limits for waste accumulation or the specific quantity exclusion limits (QEL) for waste generation. Waste quantities must be aggregated for all wastes with common QEL's. Example: If a person generates 100 pounds of an ignitable waste and 130 pounds of a persistent waste, then both wastes are regulated because their aggregate waste quantity (230 pounds) exceeds their common QEL of 220 pounds. On the other hand, if a person generates one pound of a toxic EHW and 218 pounds of a corrosive waste, their quantities would not be aggregated because they do not share a common QEL (2.2 pounds and 220 pounds, respective QEL's).

(c) For the purposes of this subsection, when aggregating waste quantities, generators must include in their calculation, dangerous wastes produced by on-site treatment or recycling of dangerous wastes and dangerous wastes being accumulated or stored except for the following categories of waste that are excluded from the quantity determinations.

(i) Dangerous waste that is recycled and that is excluded from regulation under WAC 173-303-120 (2)(a), (3)(c), (e), or (f) is not included in the quantity determinations of this section and is not subject to any requirements of this subsection.

(ii) Spent materials that are generated, reclaimed, and subsequently reused on-site, so long as such spent materials have been counted once.

(iii) Dangerous waste that is removed from on-site storage.

(8) Small quantity generators.

(a) A person is a small quantity generator and subject to the requirements of this subsection if:

(i) Their waste is dangerous waste under subsection (3) of this section, and the quantity of waste generated per month (or the aggregated quantity if more than one kind of waste is generated) does not equal or exceed the quantity exclusion limit (QEL) for such waste (or wastes) as described in WAC 173-303-070(7); and

(ii) The quantity accumulated or stored does not exceed 2200 pounds for wastes with a 220 pound QEL and 2.2 pounds for waste with a 2.2 pound QEL. (Exception: The accumulation limit for the acute hazardous wastes described in WAC 173-303-081 (2)(iv) is 220 lbs); and

(iii) The total quantity of dangerous waste generated in one month, all DW and EHW regardless of their QELs, does not equal or exceed 220 pounds. If a person generates any dangerous wastes that exceed the QEL or accumulates or stores waste that exceeds the accumulation limits, then all dangerous waste generated, accumulated, or stored by that person is subject to the requirements of this chapter. A small quantity generator who generates in excess of the quantity exclusion limits or, accumulates, or stores waste in excess of the accumulation limits becomes subject to the full requirements of this chapter and cannot again be a small quantity generator until after all dangerous waste on-site at the time he or she became fully regulated have been removed, treated, or disposed.

Example. If a person generates four pounds of an acute hazardous waste discarded chemical product (QEL is 2.2 pounds) and 200 pounds of an ignitable waste (QEL is 220 pounds), then both wastes are fully regulated, and the person is not a small quantity generator for either waste.

(Comment: If a generator generates acute hazardous waste in a calendar month in quantities greater than the QELs, all quantities of that acute hazardous waste are subject to full regulation under this chapter. "Full regulation" means the regulations applicable to generators of greater than 2200 pounds of dangerous wastes in a calendar month.)

(b) Small quantity generators will not be subject to the requirements of this chapter if they:

(i) Designate their waste in accordance with WAC 173-303-070; and

(ii) Manage their waste in a way that does not pose a potential threat to human health or the environment; and

(iii) Either treat or dispose of their dangerous waste in an on-site facility, or ensure delivery to an off-site facility, either of which is:

(A) Permitted (including permit-by-rule, interim status, or final status) under WAC 173-303-800 through 173-303-840;

(B) Authorized to manage dangerous waste by another state with a hazardous waste program approved under 40 CFR Part 271, or by EPA under 40 CFR Part 270;

(C) Permitted to manage moderate-risk waste under chapter 173-304 WAC (Minimum functional standards for solid waste handling), operated in accordance with state and local regulations, and consistent with the applicable local

hazardous waste plan that has been approved by the department;

(D) A facility that beneficially uses or reuses, or legitimately recycles or reclaims the dangerous waste, or that treats the waste prior to such recycling activities;

(E) Permitted to manage municipal or industrial solid waste in accordance with state or local regulations, or in accordance with another state's solid waste laws if the waste is sent out-of-state; or

(F) A publicly owned treatment works (POTW) provided that small quantity generator(s) comply with the provisions of the domestic sewage exclusion found in WAC 173-303-071 (3)(a); and

(iv) Submit an annual report in accordance with WAC 173-303-220 if they have obtained an EPA/state identification number pursuant to WAC 173-303-060.

(c) If a small quantity generator's wastes are mixed with used oil, the mixture is subject to WAC 173-303-510 if it is destined to be burned for energy recovery. Any material produced from such a mixture by processing, blending, or other treatment is also regulated if it is destined to be burned for energy recovery.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-070, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-070, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapter 70.105 RCW. 93-02-050 (Order 92-32), § 173-303-070, filed 1/5/93, effective 2/5/93. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-070, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 89-02-059 (Order 88-24), § 173-303-070, filed 1/4/89; 87-14-029 (Order DE-87-4), § 173-303-070, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-070, filed 6/3/86; 84-14-031 (Order DE 84-22), § 173-303-070, filed 6/27/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-070, filed 2/10/82.]

WAC 173-303-071 Excluded categories of waste.

(1) Purpose. Certain categories of waste have been excluded from the requirements of chapter 173-303 WAC, except for WAC 173-303-050, because they generally are not dangerous waste, are regulated under other state and federal programs, or are recycled in ways which do not threaten public health or the environment. WAC 173-303-071 describes these excluded categories of waste.

(2) Excluding wastes. Any persons who generate a common class of wastes and who seek to categorically exclude such class of wastes from the requirements of this chapter must comply with the applicable requirements of WAC 173-303-072. No waste class will be excluded if any of the wastes in the class are regulated as hazardous waste under 40 CFR Part 261.

(3) Exclusions. The following categories of waste are excluded from the requirements of chapter 173-303 WAC, except for WAC 173-303-050, 173-303-145, and 173-303-960, and as otherwise specified:

(a)(i) Domestic sewage; and

(ii) Any mixture of domestic sewage and other wastes that passes through a sewer system to a publicly owned treatment works (POTW) for treatment provided:

(A) The generator or owner/operator has obtained a state waste discharge permit issued by the department, a temporary permit obtained pursuant to RCW 90.48.200, or pre-treatment permit (or written discharge authorization) from a

local sewage utility delegated pretreatment program responsibilities pursuant to RCW 90.48.165;

(B) The waste discharge is specifically authorized in a state waste discharge permit, pretreatment permit or written discharge authorization, or in the case of a temporary permit the waste is accurately described in the permit application;

(C) The waste discharge is not prohibited under 40 CFR Part 403.5; and

(D) The waste prior to mixing with domestic sewage must not exhibit dangerous waste characteristics for ignitability, corrosivity, reactivity, or toxicity as defined in WAC 173-303-090, and must not meet the dangerous waste criteria for toxic dangerous waste or persistent dangerous waste under WAC 173-303-100, unless the waste is treatable in the publicly owned treatment works (POTW) where it will be received. This exclusion does not apply to the generation, treatment, storage, recycling, or other management of dangerous wastes prior to discharge into the sanitary sewage system;

(b) Industrial wastewater discharges that are point-source discharges subject to regulation under Section 402 of the Clean Water Act. This exclusion does not apply to the collection, storage, or treatment of industrial waste-waters prior to discharge, nor to sludges that are generated during industrial wastewater treatment. Owners or operators of certain wastewater treatment facilities managing dangerous wastes may qualify for a permit-by-rule pursuant to WAC 173-303-802(5);

(c) Household wastes, including household waste that has been collected, transported, stored, or disposed. Wastes which are residues from or are generated by the management of household wastes (e.g., leachate, ash from burning of refuse-derived fuel) are not excluded by this provision. "Household wastes" means any waste material (including, but not limited to, garbage, trash, and sanitary wastes in septic tanks) derived from households (including single and multiple residences, hotels and motels, bunkhouses, ranger stations, crew quarters, campgrounds, picnic grounds, and day-use recreation areas);

(d) Agricultural crops and animal manures which are returned to the soil as fertilizers;

(e) Asphaltic materials designated only for the presence of PAHs by WAC 173-303-100(6). For the purposes of this exclusion, asphaltic materials means materials intended and used for structural and construction purposes (e.g., roads, dikes, paving) which are produced from mixtures of oil and sand, gravel, ash or similar substances;

(f) Roofing tars and shingles, except that these wastes are not excluded if mixed with wastes listed in WAC 173-303-081 or 173-303-082, or if they exhibit any of the characteristics specified in WAC 173-303-090;

(g) Treated wood waste and wood products including:

(i) Arsenical-treated wood that fails the test for the toxicity characteristic of WAC 173-303-090(8) (dangerous waste numbers D004 through D017 only), or which fails any state criteria, if the waste is generated by persons who utilize the arsenical-treated wood for the materials' intended end use.

(ii) Wood treated with other preservatives provided such treated wood is, within one hundred eighty days after becoming waste:

(A) Disposed of at a landfill that is permitted in accordance with WAC 173-304-460, minimum functional standards for solid waste handling, or chapter 173-351 WAC, criteria for municipal solid waste landfills, and provided that such wood is neither a listed waste under WAC 173-303-9903 and 173-303-9904 nor a TCLP waste under WAC 173-303-090(8); or

(B) Sent to a facility that will legitimately treat or recycle the treated wood waste, and manage any residue in accordance with that state's dangerous waste regulations; or

(C) Sent off-site to a permitted TSD facility or placed in an on-site facility which is permitted by the department under WAC 173-303-800 through WAC 173-303-845. In addition, creosote-treated wood is excluded when burned for energy recovery in an industrial furnace or boiler that has an order of approval issued pursuant to RCW 70.94.152 by ecology or a local air pollution control authority to burn creosote treated wood.

(h) Irrigation return flows;

(i) Materials subjected to in-situ mining techniques which are not removed from the ground during extraction;

(j) Mining overburden returned to the mining site;

(k) Polychlorinated biphenyl (PCB) wastes:

(i) PCB wastes whose disposal is regulated by EPA under 40 CFR 761.60 (Toxic Substances Control Act) and that are dangerous either because:

(A) They fail the test for toxicity characteristic (WAC 173-303-090(8)), Dangerous waste codes D018 through D043 only); or

(B) Because they are designated only by this chapter and not designated by 40 CFR Part 261, are exempt from regulation under this chapter except for WAC 173-303-505 through 173-303-525, 173-303-960, those sections specified in subsection (3) of this section, and 40 CFR Part 266;

(ii) Wastes that would be designated as dangerous waste under this chapter solely because they are listed as W001 under WAC 173-303-9904 when such wastes are stored and disposed in a manner equivalent to the requirements of 40 CFR Part 761 Subpart D for PCB concentrations of 50 ppm or greater.

(l) Samples:

(i) Except as provided in (l)(ii) of this subsection, a sample of solid waste or a sample of water, soil, or air, which is collected for the sole purpose of testing to determine its characteristics or composition, is not subject to any requirements of this chapter, when:

(A) The sample is being transported to a lab for testing or being transported to the sample collector after testing; or

(B) The sample is being stored by the sample collector before transport, by the laboratory before testing, or by the laboratory after testing prior to return to the sample collector; or

(C) The sample is being stored temporarily in the laboratory after testing for a specific purpose (for example, until conclusion of a court case or enforcement action).

(ii) In order to qualify for the exemptions in (l)(i) of this subsection, a sample collector shipping samples to a laboratory and a laboratory returning samples to a sample collector must:

(A) Comply with United States Department of Transportation (DOT), United States Postal Service (USPS), or any other applicable shipping requirements; or

(B) Comply with the following requirements if the sample collector determines that DOT or USPS, or other shipping requirements do not apply:

(I) Assure that the following information accompanies the sample:

(AA) The sample collector's name, mailing address, and telephone number;

(BB) The laboratory's name, mailing address, and telephone number;

(CC) The quantity of the sample;

(DD) The date of shipment;

(EE) A description of the sample; and

(II) Package the sample so that it does not leak, spill, or vaporize from its packaging.

(iii) This exemption does not apply if the laboratory determines that the waste is dangerous but the laboratory is no longer meeting any of the conditions stated in (I)(i) of this subsection;

(m) Asbestos wastes or asbestos containing wastes which would be designated only as respiratory carcinogens by WAC 173-303-100, and any other inorganic wastes which are designated only under WAC 173-303-100 because they are respiratory carcinogens, if these wastes are managed in compliance with or in a manner equivalent to the asbestos management procedures of 40 CFR Part 61;

(n) Dangerous waste generated in a product or raw material storage tank, a product or raw material transport vehicle or vessel, a product or raw material pipeline, or in a manufacturing process unit or an associated nonwaste-treatment-manufacturing unit until it exits the unit in which it was generated. This exclusion does not apply to surface impoundments, nor does it apply if the dangerous waste remains in the unit more than ninety days after the unit ceases to be operated for manufacturing, or for storage or transportation of product or raw materials;

(o) Waste pickle liquor sludge generated by lime stabilization of spent pickle liquor from the iron and steel industry (SIC codes 331 and 332), except that these wastes are not excluded if they exhibit one or more of the dangerous waste criteria (WAC 173-303-100) or characteristics (WAC 173-303-090);

(p) Wastes from burning any of the materials exempted from regulation by WAC 173-303-120 (2)(a)(v), (vi), (vii), (viii), or (ix). These wastes are not excluded if they exhibit one or more of the dangerous waste characteristics or criteria;

(q) As of January 1, 1987, secondary materials that are reclaimed and returned to the original process or processes in which they were generated where they are reused in the production process provided:

(i) Only tank storage is involved, and the entire process through completion of reclamation is closed by being entirely connected with pipes or other comparable enclosed means of conveyance;

(ii) Reclamation does not involve controlled flame combustion (such as occurs in boilers, industrial furnaces, or incinerators);

(iii) The secondary materials are never accumulated in such tanks for over twelve months without being reclaimed;

(iv) The reclaimed material is not used to produce a fuel, or used to produce products that are used in a manner constituting disposal; and

(v) A generator complies with the requirements of chapter 173-303 WAC for any residues (e.g., sludges, filters, etc.) produced from the collection, reclamation, and reuse of the secondary materials.

(r) Treatability study samples.

(i) Except as provided in (r)(ii) of this subsection, persons who generate or collect samples for the purpose of conducting treatability studies as defined in WAC 173-303-040 are not subject to the requirements of WAC 173-303-180, 173-303-190, and 173-303-200 (1)(a), nor are such samples included in the quantity determinations of WAC 173-303-070 (7) and (8) and 173-303-201 when:

(A) The sample is being collected and prepared for transportation by the generator or sample collector; or

(B) The sample is being accumulated or stored by the generator or sample collector prior to transportation to a laboratory or testing facility; or

(C) The sample is being transported to the laboratory or testing facility for the purpose of conducting a treatability study; or

(D) The sample or waste residue is being transported back to the original generator from the laboratory or testing facility.

(ii) The exemption in (r)(i) of this subsection is applicable to samples of dangerous waste being collected and shipped for the purpose of conducting treatability studies provided that:

(A) The generator or sample collector uses (in "treatability studies") no more than 10,000 kg of media contaminated with nonacute dangerous waste, 1000 kg of nonacute dangerous waste other than contaminated media, 1 kg of acutely hazardous waste, 2500 kg of media contaminated with acutely hazardous waste for each process being evaluated for each generated waste stream; and

(B) The mass of each sample shipment does not exceed 10,000 kg; the 10,000 kg quantity may be all media contaminated with nonacute dangerous waste or may include 2500 kg of media contaminated with acute hazardous waste, 1000 kg of dangerous waste, and 1 kg of acutely hazardous waste; and

(C) The sample must be packaged so that it will not leak, spill, or vaporize from its packaging during shipment and the requirements of (r)(ii)(C)(I) or (II) of this subsection are met.

(I) The transportation of each sample shipment complies with United States Department of Transportation (DOT), United States Postal Service (USPS), or any other applicable shipping requirements; or

(II) If the DOT, USPS, or other shipping requirements do not apply to the shipment of the sample, the following information must accompany the sample:

(AA) The name, mailing address, and telephone number of the originator of the sample;

(BB) The name, address, and telephone number of the laboratory or testing facility that will perform the treatability study;

(CC) The quantity of the sample;

(DD) The date of shipment; and

(EE) A description of the sample, including its dangerous waste number.

(D) The sample is shipped, within ninety days of being generated or of being taken from a stream of previously

generated waste, to a laboratory or testing facility which is exempt under (s) of this subsection or has an appropriate final facility permit or interim status; and

(E) The generator or sample collector maintains the following records for a period ending three years after completion of the treatability study:

(I) Copies of the shipping documents;

(II) A copy of the contract with the facility conducting the treatability study;

(III) Documentation showing:

(AA) The amount of waste shipped under this exemption;

(BB) The name, address, and EPA/state identification number of the laboratory or testing facility that received the waste;

(CC) The date the shipment was made; and

(DD) Whether or not unused samples and residues were returned to the generator.

(F) The generator reports the information required under (r)(ii)(E)(III) of this subsection in its annual report.

(iii) The department may grant requests, on a case-by-case basis, for up to an additional two years for treatability studies involving bioremediation. The department may grant requests on a case-by-case basis for quantity limits in excess of those specified in (r)(ii)(A) and (B) of this subsection and (s)(iv) of this subsection, for up to an additional 5000 kg of media contaminated with nonacute dangerous waste, 500 kg of nonacute dangerous waste, 1 kg of acute hazardous waste, and 2500 kg of media contaminated with acute hazardous waste or for up to an additional 10,000 kg of wastes regulated only by this chapter and not regulated by 40 CFR Part 261, to conduct further treatability study evaluation:

(A) In response to requests for authorization to ship, store and conduct treatability studies on additional quantities in advance of commencing treatability studies. Factors to be considered in reviewing such requests include the nature of the technology, the type of process, (e.g., batch versus continuous), size of the unit undergoing testing (particularly in relation to scale-up considerations), the time/quantity of material required to reach steady state operating conditions, or test design considerations such as mass balance calculations.

(B) In response to requests for authorization to ship, store, and conduct treatability studies on additional quantities after initiation or completion of initial treatability studies, when:

There has been an equipment or mechanical failure during the conduct of a treatability study; there is a need to verify the results of previously conducted treatability study; there is a need to study and analyze alternative techniques within a previously evaluated treatment process; or there is a need to do further evaluation of an ongoing treatability study to determine final specifications for treatment.

(C) The additional quantities and time frames allowed in (r)(iii)(A) and (B) of this subsection are subject to all the provisions in (r)(i) and (r)(ii)(C) through (F) of this subsection. The generator or sample collector must apply to the department where the sample is collected and provide in writing the following information:

(I) The reason the generator or sample collector requires additional time or quantity of sample for the treatability study evaluation and the additional time or quantity needed;

(II) Documentation accounting for all samples of dangerous waste from the waste stream which have been sent for or undergone treatability studies including the date each previous sample from the waste stream was shipped, the quantity of each previous shipment, the laboratory or testing facility to which it was shipped, what treatability study processes were conducted on each sample shipped, and the available results of each treatability study;

(III) A description of the technical modifications or change in specifications which will be evaluated and the expected results;

(IV) If such further study is being required due to equipment or mechanical failure, the applicant must include information regarding the reason for the failure or breakdown and also include what procedures or equipment improvements have been made to protect against further breakdowns; and

(V) Such other information that the department considers necessary.

(s) Samples undergoing treatability studies at laboratories and testing facilities. Samples undergoing treatability studies and the laboratory or testing facility conducting such treatability studies (to the extent such facilities are not otherwise subject to chapter 70.105 RCW) are not subject to the requirements of this chapter, except WAC 173-303-050, 173-303-145, and 173-303-960 provided that the conditions of (s)(i) through (xiii) of this subsection are met. A mobile treatment unit (MTU) may qualify as a testing facility subject to (s)(i) through (xiii) of this subsection. Where a group of MTUs are located at the same site, the limitations specified in (s)(i) through (xiii) of this subsection apply to the entire group of MTUs collectively as if the group were one MTU.

(i) No less than forty-five days before conducting treatability studies the laboratory or testing facility notifies the department in writing that it intends to conduct treatability studies under this subsection.

(ii) The laboratory or testing facility conducting the treatability study has an EPA/state identification number.

(iii) No more than a total of 10,000 kg of "as received" media contaminated with nonacute dangerous waste, 2500 kg of media contaminated with acute hazardous waste or 250 kg of other "as received" dangerous waste is subject to initiation of treatment in all treatability studies in any single day. "As received" waste refers to the waste as received in the shipment from the generator or sample collector.

(iv) The quantity of "as received" dangerous waste stored at the facility for the purpose of evaluation in treatability studies does not exceed 10,000 kg, the total of which can include 10,000 kg of media contaminated with nonacute dangerous waste, 2500 kg of media contaminated with acute hazardous waste, 1000 kg of nonacute dangerous wastes other than contaminated media, and 1 kg of acutely hazardous waste. This quantity limitation does not include treatment materials (including nondangerous solid waste) added to "as received" dangerous waste.

(v) No more than ninety days have elapsed since the treatability study for the sample was completed, or no more than one year (two years for treatability studies involving bioremediation) has elapsed since the generator or sample collector shipped the sample to the laboratory or testing facility, whichever date first occurs. Up to 500 kg of treated

material from a particular waste stream from treatability studies may be archived for future evaluation up to five years from the date of initial receipt. Quantities of materials archived are counted against the total storage limit for the facility.

(vi) The treatability study does not involve the placement of dangerous waste on the land or open burning of dangerous waste.

(vii) The laboratory or testing facility maintains records for three years following completion of each study that show compliance with the treatment rate limits and the storage time and quantity limits. The following specific information must be included for each treatability study conducted:

(A) The name, address, and EPA/state identification number of the generator or sample collector of each waste sample;

(B) The date the shipment was received;

(C) The quantity of waste accepted;

(D) The quantity of "as received" waste in storage each day;

(E) The date the treatment study was initiated and the amount of "as received" waste introduced to treatment each day;

(F) The date the treatability study was concluded;

(G) The date any unused sample or residues generated from the treatability study were returned to the generator or sample collector or, if sent to a designated TSD facility, the name of the TSD facility and its EPA/state identification number.

(viii) The laboratory or testing facility keeps, on-site, a copy of the treatability study contract and all shipping paper associated with the transport of treatability study samples to and from the facility for a period ending three years from the completion date of each treatability study.

(ix) The laboratory or testing facility prepares and submits a report to the department by March 15 of each year that estimates the number of studies and the amount of waste expected to be used in treatability studies during the current year, and includes the following information for the previous calendar year:

(A) The name, address, and EPA/state identification number of the laboratory or testing facility conducting the treatability studies;

(B) The types (by process) of treatability studies conducted;

(C) The names and addresses of persons for whom studies have been conducted (including their EPA/state identification numbers);

(D) The total quantity of waste in storage each day;

(E) The quantity and types of waste subjected to treatability studies;

(F) When each treatability study was conducted;

(G) The final disposition of residues and unused sample from each treatability study.

(x) The laboratory or testing facility determines whether any unused sample or residues generated by the treatability study are dangerous waste under WAC 173-303-070 and if so, are subject to the requirements of this chapter, unless the residues and unused samples are returned to the sample originator under the exemption in (r) of this subsection.

(xi) The laboratory or testing facility notifies the department by letter when it is no longer planning to conduct any treatability studies at the site.

(xii) The date the sample was received, or if the treatability study has been completed, the date of the treatability study, is marked and clearly visible for inspection on each container.

(xiii) While being held on site, each container and tank is labeled or marked clearly with the words "dangerous waste" or "hazardous waste." Each container or tank must also be marked with a label or sign which identifies the major risk(s) associated with the waste in the container or tank for employees, emergency response personnel and the public.

Note: If there is already a system in use that performs this function in accordance with local, state, or federal regulations, then such system will be adequate.

(t) Petroleum-contaminated media and debris that fail the test for the toxicity characteristic of WAC 173-303-090(8) (dangerous waste numbers D018 through D043 only) and are subject to the corrective action regulations under 40 CFR Part 280.

(u) Special incinerator ash (as defined in WAC 173-303-040).

(v) Wood ash that would designate solely for corrosivity by WAC 173-303-090 (6)(a)(iii). For the purpose of this exclusion, wood ash means ash residue and emission control dust generated from the combustion of untreated wood, wood treated solely with creosote, and untreated wood fiber materials including, but not limited to, wood chips, saw dust, tree stumps, paper, cardboard, residuals from waste fiber recycling, deinking rejects, and associated wastewater treatment solids. This exclusion allows for the use of auxiliary fuels including, but not limited to, oils, gas, coal, and other fossil fuels in the combustion process.

(w)(i) Spent wood preserving solutions that have been reclaimed and are reused for their original intended purpose; and

(ii) Wastewaters from the wood preserving process that have been reclaimed and are reused to treat wood.

(x) Nonwastewater splash condenser dross residue from the treatment of K061 in high temperature metals recovery units, provided it is shipped in drums (if shipped) and not land disposed before recovery.

(y) Used oil filters that are recycled in accordance with WAC 173-303-120, as used oil and scrap metal.

(z) Used oil re-refining distillation bottoms that are used as feedstock to manufacture asphalt products.

(aa) Wastes that fail the test for the toxicity characteristic in WAC 173-303-090 because chromium is present or are listed in WAC 173-303-081 or 173-303-082 due to the presence of chromium. The waste must not designate for any other characteristic under WAC 173-303-090, for any of the criteria specified in WAC 173-303-100, and must not be listed in WAC 173-303-081 or 173-303-082 due to the presence of any constituent from WAC 173-303-9905 other than chromium. The waste generator must be able to demonstrate that:

(i) The chromium in the waste is exclusively (or nearly exclusively) trivalent chromium; and

(ii) The waste is generated from an industrial process that uses trivalent chromium exclusively (or nearly exclusively) and the process does not generate hexavalent chromium; and

(iii) The waste is typically and frequently managed in nonoxidizing environments.

(bb)(i) Nonwastewater residues, such as slag, resulting from high temperature metals recovery (HTMR) processing of K061, K062 or F006 waste, in units identified as rotary kilns, flame reactors, electric furnaces, plasma arc furnaces, slag reactors, rotary hearth furnace/electric furnace combinations or industrial furnaces (as defined in WAC 173-303-040 - blast furnaces, smelting, melting and refining furnaces, and other devices the department may add to the list - of the definition for "industrial furnace"), that are disposed in subtitle D units, provided that these residues meet the generic exclusion levels identified in the tables in this paragraph for all constituents, and exhibit no characteristics of dangerous waste. Testing requirements must be incorporated in a facility's waste analysis plan or a generator's self-implementing waste analysis plan; at a minimum, composite samples of residues must be collected and analyzed quarterly and/or when the process or operation generating the waste changes. Persons claiming this exclusion in an enforcement action will have the burden of proving by clear and convincing evidence that the material meets all of the exclusion requirements.

Constituent	Maximum for any single composite sample-TCLP (mg/l)
Generic exclusion levels for K061 and K062 nonwastewater HTMR residues	
Antimony	0.10
Arsenic	0.50
Barium	7.6
Beryllium	0.010
Cadmium	0.050
Chromium (total)	0.33
(2)Lead	0.15
Mercury	0.009
Nickel	1.0
Selenium	0.16
Silver	0.30
Thallium	0.020
Zinc	70
Generic exclusion levels for F006 nonwastewater HTMR residues	
Antimony	0.10
Arsenic	0.50
Barium	7.6
Beryllium	0.010
Cadmium	0.050
Chromium (total)	0.33
Cyanide (total) (mg/kg)	1.8
Lead	0.15
Mercury	0.009
Nickel	1.0
Selenium	0.16
Silver	0.30
Thallium	0.020
Zinc	70

(ii) A one-time notification and certification must be placed in the facility's files and sent to the department for K061, K062 or F006 HTMR residues that meet the generic exclusion levels for all constituents and do not exhibit any characteristics that are sent to subtitle D units. The notifica-

tion and certification that is placed in the generator's or treater's files must be updated if the process or operation generating the waste changes and/or if the subtitle D unit receiving the waste changes. However, the generator or treater need only notify the department on an annual basis if such changes occur. Such notification and certification should be sent to the department by the end of the calendar year, but no later than December 31. The notification must include the following information: The name and address of the subtitle D unit receiving the waste shipments; the dangerous waste number(s) and treatability group(s) at the initial point of generation; and, the treatment standards applicable to the waste at the initial point of generation. The certification must be signed by an authorized representative and must state as follows: "I certify under penalty of law that the generic exclusion levels for all constituents have been met without impermissible dilution and that no characteristic of dangerous waste is exhibited. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment." These wastes are not excluded if they exhibit one or more of the dangerous waste characteristics (WAC 173-303-090) or criteria (WAC 173-303-100).

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-071, filed 10/19/95, effective 11/19/95; 94-12-018 (Order 93-34), § 173-303-071, filed 5/23/94, effective 6/23/94; 94-01-060 (Order 92-33), § 173-303-071, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-071, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 89-02-059 (Order 88-24), § 173-303-071, filed 1/4/89; 87-14-029 (Order DE-87-4), § 173-303-071, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-071, filed 6/3/86; 85-09-042 (Order DE-85-02), § 173-303-071, filed 4/15/85; 84-09-088 (Order DE 83-36), § 173-303-071, filed 4/18/84. Statutory Authority: RCW 70.95.260 and chapter 70.105 RCW. 82-05-023 (Order DE 81-33), § 173-303-071, filed 2/10/82.]

WAC 173-303-072 Procedures and bases for exempting and excluding wastes. (1) Purpose and applicability.

(a) The purpose of this section is to describe the procedures that will be followed by generators and the department when wastes are considered for exemption or exclusion from the requirements of this chapter. Any person(s) whose waste is exempted or excluded will not be subject to the requirements of this chapter unless the department revokes the exemption or exclusion.

(b) Any person seeking a waste exemption must submit a petition to the department according to the procedures of WAC 173-303-910(3). A petition for exemption will be assessed against the applicable bases for exemption described in subsections (3), (4), and (5) of this section.

(c) Any persons seeking to categorically exclude a class of wastes must submit a petition to the department according to the procedures of WAC 173-303-910(4). A petition for exclusion will be assessed against the applicable bases for exclusion described in subsection (6) of this section.

(2) Department procedures. When considering, granting, or denying a petition for exemption or exclusion, the department will follow the appropriate procedures described in WAC 173-303-910(1).

(3) Bases for exempting wastes. To successfully petition the department to exempt a waste, the petitioner must demonstrate to the satisfaction of the department that:

(a) He has been able to accurately describe the variability or uniformity of his waste over time, and has been able to obtain demonstration samples which are representative of his waste's variability or uniformity; and, either

(b) The representative demonstration samples of his waste are not designated DW or EHW by the dangerous waste criteria, WAC 173-303-100; or

(c) It can be shown, from information developed by the petitioner through consultation with the department, that his waste does not otherwise pose a threat to public health or the environment. However, this basis for exemption is not applicable to wastes that exhibit any of the characteristics specified in WAC 173-303-090, except 173-303-090 (6)(a)(iii).

(4) Additional bases for exempting listed wastes. In addition to the demonstrations required by subsections (3)(a) and (b) of this section, for wastes listed in WAC 173-303-081 or 173-303-082 the petitioner must also demonstrate to the satisfaction of the department that his waste is not capable of posing a substantial present or potential threat to public health or the environment when improperly treated, stored, transported, disposed of or otherwise managed. The following factors will be considered by the department when assessing such a demonstration:

(a) Whether or not the listed waste contains the constituent or constituents which caused it to be listed. (For the purposes of this subsection, the constituents referred to will include any of the dangerous waste constituents listed in WAC 173-303-9905);

(b) The nature of the threat posed by the waste constituent(s);

(c) The concentration of the constituent(s) in the waste;

(d) The potential of the constituent(s) or any degradation product of the constituent(s) to migrate from the waste into the environment under the types of improper management considered in (h) of this subsection;

(e) The persistence of the constituent(s) or any degradation product of the constituent(s);

(f) The potential for the constituent(s) or any degradation product of the constituent(s) to degrade into nonharmful constituents and the rate of degradation;

(g) The degree to which the constituent(s) or degradation product of the constituent(s) bioaccumulates in ecosystems;

(h) The plausible types of improper management to which the waste could be subjected;

(i) The quantities of the waste generated at individual generation sites or on a state-wide basis. Under this factor, the department will also consider whether or not the waste is listed under WAC 173-303-081 as a discarded chemical product and occurs in a relatively pure form. Any waste discarded chemical product which exceeds the quantity exclusion limit specified in WAC 173-303-081(2) for that waste will not be exempted;

(j) The nature and severity of the public health and environmental damage that has occurred as a result of the improper management of wastes containing the constituent(s);

(k) Actions taken by other governmental agencies or regulatory programs based on the health or environmental threat posed by the waste or waste constituent(s); and

(1) Such other factors as may be appropriate.

(5) Reserve.

(6) Bases for categorically excluding classes of wastes.

This subsection does not apply to any waste class that includes hazardous waste regulated under 40 CFR Part 261. To successfully petition the department to categorically exclude a class of wastes, petitioners must demonstrate to the satisfaction of the department that the petition or petitions for exclusion:

(a) Accurately describe the class of wastes for which categorical exclusion is sought and show that the class of wastes does not include any wastes which would be regulated as hazardous waste under 40 CFR Part 261;

(b) Describe the variability or uniformity of the class of wastes over time and in relation to the individual wastes that comprise the class of waste;

(c) Discuss the generators and their individual wastes that belong to the class of wastes and, to the extent practical, any generators or individual wastes that, although belonging to the class of wastes, are not represented by the petition or petitions; and

(d) For each individual waste within the class of wastes, provide the demonstration described by subsection (3) of this section, except that where it is determined by consultation with the department to be impractical to provide the demonstration for each individual waste, the petitioner or petitioners will provide the demonstration for samples of the individual wastes determined by consultation with the department to be representative of the class of wastes.

[Statutory Authority: Chapters 70.105 and 70.105D RCW, 95-22-008 (Order 94-30), § 173-303-072, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-072, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-072, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW, 84-14-031 (Order DE 84-22), § 173-303-072, filed 6/27/84.]

WAC 173-303-073 Conditional exclusion of special wastes. (1) Purpose. Special wastes pose a relatively low hazard to human health and the environment. The department believes that special wastes can be safely managed with a level of protection that is intermediate between dangerous and nondangerous solid wastes. This section establishes a conditional exclusion for the management of special wastes.

(2) Exclusion. Special wastes are excluded from the requirements of chapter 173-303 WAC, except for WAC 173-303-050; 173-303-060; 173-303-145; 173-303-960; and 173-303-510 excluding subsections (4)(a), (4)(b)(iii), (5), (6)(c), and (6)(d). In addition, special waste must be treated as dangerous waste for purposes of pollution prevention planning as required in chapters 173-307 and 173-305 WAC. Special wastes will not be considered as dangerous waste, provided they are managed in accordance with the standards in this subsection and provided they are disposed, legitimately recycled, or treated on-site consistent with the requirements of WAC 173-303-170 (3)(c).

(a) Generators may not accumulate special waste on-site for more than one hundred eighty days from the date the

quantity of waste exceeds two thousand two hundred pounds. The generator must keep a written record showing the dates when accumulation of the wastes began;

(b) During accumulation, special waste must be stored in a manner to prevent releases to the environment. This includes, but is not limited to, storing wastes in compatible containers, on impermeable surfaces, or in secondary containment structures, etc.;

(c) Facilities that receive special waste for recycling must meet the requirements of (b) of this subsection and store special wastes for no more than one hundred eighty days.

(d) All workers handling special wastes must be informed of the waste's potential hazard, either through worker training, health and safety plans, or notification of workers on a case-by-case basis;

(e) Special wastes must be transported directly from their site of generation to any off-site recycling, treatment, or disposal destination. The wastes must not pass through any intermediate solid waste processing facility, such as a transfer station, unless:

(i) The transfer station operator has made specific provisions for managing special waste by physical segregation, packing, or other means to ensure that workers and the public are not exposed to the waste stream at the transfer station;

(ii) The provisions are reflected in the facilities operating plans;

(iii) The plans have been approved by the transfer station's solid waste permitting authority; and

(iv) The transfer station operator has informed workers of the wastes' potential hazard according to (d) of this subsection;

(f) A document must accompany special waste during transit which identifies the type and amount of special waste, its place of origin, the identity of the generator, and the facility to which it is directed. An example form is provided in WAC 173-303-9906. The generator and the receiving facility must maintain a record of the facilities receipt of the special waste for at least five years;

(g) Disposal of special waste must be in landfill units which:

(i) Are permitted in accordance with chapter 173-351 WAC, provided that an engineered liner is used to meet the requirements of arid landfill design requirements, WAC 173-351-300 (2)(b), or are permitted under WAC 173-303-800 through 173-303-840 or if out-of-state under 40 CFR Part 258 or Part 270; and

(ii) Are not currently undergoing corrective action under WAC 173-351-440(6), 40 CFR 258.56, or a similar requirement in state regulations approved by the United States EPA pursuant to 42 USC 6945(c)(1)(B).

(3) Approved facilities. Ecology will issue a list of landfills and transfer stations that meet the preceding qualifying criteria to aid generators who wish to dispose of their waste under the exclusion provided by this section.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-073, filed 10/19/95, effective 11/19/95.]

WAC 173-303-075 Certification of designation. (1) Purpose and applicability.

(a) The purpose of WAC 173-303-075 is to establish procedures by which the generator of a solid waste may apply to the department for a review of his waste, and for a determination of the designation of his waste. When a final determination is made, the department will issue a certificate of designation which will describe the status of the generator's waste with respect to the designation requirements of this chapter 173-303 WAC.

(b) The provisions of this section are applicable to any person who produces a solid waste, who may be subject to the requirements of this chapter 173-303 WAC as the generator of a dangerous waste and who wishes to obtain a certificate designating the status of his waste.

(2) Certification. Any person who produces a solid waste which could be a dangerous waste may apply to the department, in accordance with the guidelines published pursuant to WAC 173-303-075(4), for a certificate of designation for his waste.

(a) The certificate of designation will describe the status of the designation for a waste or wastes as follows:

(i) Either, the certificate will state that the waste or wastes listed in the certificate are designated dangerous waste; or

(ii) The certificate will state that the waste or wastes listed in the certificate are not designated dangerous waste under the designation lists or characteristics of WAC 173-303-080 through 173-303-090; or

(iii) The certificate will state that the waste or wastes listed in the certificate are not designated dangerous waste under the dangerous waste lists, characteristics or criteria, WAC 173-303-080 through 173-303-100.

(b) The certificate of designation will, at a minimum, include the following information:

(i) The name, address, telephone number and, where applicable, the EPA/state identification number of the person to whom the certificate is issued;

(ii) A statement of the status of the designation of the waste or wastes listed in the certificate and, if designated, whether DW or EHW;

(iii) A listing of the waste or wastes for which the certificate has been issued;

(iv) The signature of the director or his designee;

(v) The date on which the certificate was issued; and

(vi) The period of time or conditions for which the certificate is valid.

(c) Once a certificate of designation has been issued to a person, that person is no longer subject to the designation procedures of WAC 173-303-080 through 173-303-100, unless the period of time for which the certificate is valid expires, the conditions under which the certificate is valid change, or the department withdraws its certification of designation in accordance with WAC 173-303-075(5). If the certificate states that the waste or wastes listed in it are designated, then the person to whom the certificate is issued must comply with all applicable requirements of this chapter 173-303 WAC. If the certificate states that the waste or wastes listed in it are not designated, then the person to whom the certificate is issued is not subject to the requirements of this chapter 173-303 WAC, unless the certificate becomes invalid or the department withdraws its certification.

(d) While an application for a certificate of designation is pending final action by the department, the person applying for certification must comply with all applicable requirements of this chapter 173-303 WAC.

(e) While a certificate of designation is being amended, in accordance with WAC 173-303-075(5), the certificate will remain in effect except for those parts of the certificate which the department specifically suspends.

(3) Designation. Determination of the status of designation for a waste or wastes for which a certificate of designation is being sought will follow the procedures set forth in this subsection.

(a) A waste will be certified as a dangerous waste if it is designated under any of the methods set forth in WAC 173-303-080 through 173-303-100.

(b) A waste will be certified as not a dangerous waste if:

(i) It has only been checked against WAC 173-303-080 through 173-303-090 (lists and characteristics) and it is not designated; or

(ii) It has been checked against the dangerous waste lists, characteristics and criteria, WAC 173-303-080 through 173-303-100, and it is not designated.

(4) Application. Any person who wishes to apply for a certificate of designation must do so according to the certification guidelines published by and available from the department. The department will follow the procedures specified in the certification guidelines when considering an application for a certificate.

(5) Review of certification. Review of and changes to or withdrawal of certificates of designation will be performed by the department according to the procedures specified in the certification guidelines, available from the department. At a minimum, the certification guidelines provide for the following procedures:

(a) The department will periodically review each certificate of designation to insure that it is current and accurately states the proper designation for the waste or wastes listed on the certificate.

(b) The department may amend, or any person with a certificate of designation may request the department to amend, any certificate in the event that changes to the certificate are necessary to keep it current or maintain its accuracy. The person will obtain concurrence of the department if he wishes to amend his certificate to reflect changes in the information on the certificate (e.g., new wastes, changes in waste properties, changes of address, etc.).

(c) The department reserves the authority to withdraw any certificate of designation if there is reason to believe that the certificate results in a threat to public health or the environment. If a certificate is withdrawn, then the waste or wastes listed on the certificate will be subject to all applicable requirements of this chapter 173-303 WAC.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-075, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-075, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapter 70.105 RCW. 84-09-088 (Order DE 83-36), § 173-303-075, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-075, filed 2/10/82.]

WAC 173-303-080 Dangerous waste lists. The dangerous waste lists include:

- (1) WAC 173-303-081, Discarded chemical products;
- (2) WAC 173-303-082, Dangerous waste sources.

[Statutory Authority: Chapter 70.105 RCW. 89-02-059 (Order 88-24), § 173-303-080, filed 1/4/89. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-080, filed 2/10/82.]

WAC 173-303-081 Discarded chemical products.

(1) A waste will be designated as a dangerous waste if it is handled in any of the manners described in (e) of this subsection, and if it is a residue from the management of:

(a) A commercial chemical product or manufacturing chemical intermediate which has the generic name listed in the discarded chemical products list, WAC 173-303-9903;

(b) An off-specification commercial chemical product or manufacturing chemical intermediate which if it had met specifications would have the generic name listed in the discarded chemical products list, WAC 173-303-9903;

(c) Any containers, inner liners, or residue remaining in a container or in an inner liner removed from a container that has held any commercial chemical product or manufacturing chemical intermediate that has, or any off-specification commercial chemical product or manufacturing chemical intermediate which if it had met specifications would have, the generic name listed on the "P" discarded chemical products list of WAC 173-303-9903, unless the containers or inner liners are empty as described in WAC 173-303-160(2);

(d) Any residue or contaminated soil, water, or other debris resulting from the cleanup of a spill of a commercial chemical product or manufacturing chemical intermediate which has, or of an off-specification commercial chemical product or manufacturing chemical intermediate which if it had met specifications would have, the generic name listed in the discarded chemical products list, WAC 173-303-9903;

(e) The materials or items described in (a), (b), (c), and (d) of this subsection are dangerous wastes when they are:

(i) Discarded or intended to be discarded as described in WAC 173-303-016 (3)(b)(i);

(ii) Burned for purposes of energy recovery in lieu of their original intended use;

(iii) Used to produce fuels in lieu of their original intended use;

(iv) Applied to the land in lieu of their original intended use; or

(v) Contained in products that are applied to the land in lieu of their original intended use.

(2) Quantity exclusion limits:

(a) A person with a waste or wastes (including residues from the management of wastes) identified in subsection (1) of this section, will be a dangerous waste generator (and may not be considered a small quantity generator as provided in WAC 173-303-070(8)) if the amount of his waste exceeds the following quantity exclusion limits:

(i) For chemicals designated on the "P" discarded chemical products list of WAC 173-303-9903 - 2.2 lbs. (1.0 kg) per month or per batch. Such wastes are designated DW and are identified as acute hazardous wastes;

(ii) For chemicals, and for residues from the cleanup of spills involving chemicals, designated on the "U" discarded chemical products list of WAC 173-303-9903 - 220 lbs. (100

kg) per month or per batch. Such wastes are designated DW;

(iii) For containers or inner liners which held any chemical designated on the "P" discarded chemical products list of WAC 173-303-9903 - 2.2 lbs. (1.0 kg) of residue remaining in the containers or inner liners per month or per batch unless the containers or inner liners meet the definition of empty and have been triple rinsed as described in WAC 173-303-160(2). Such wastes are designated DW and are identified as acute hazardous wastes;

(iv) For residues, contaminated soil, water, or other debris from the cleanup of a spill of any chemical designated on the "P" discarded chemical products list of WAC 173-303-9903 - 220 lbs. (100 kg) per month or per batch. Such wastes are designated DW and are identified as acute hazardous wastes.

(b) A person's total monthly waste quantity is the sum of all their wastes which share a common quantity exclusion limit (e.g., the total quantity of all discarded chemical products with a 2.2 pound QEL, the total quantity of all residues contaminated by discarded chemical products with a 2.2 pound QEL, etc.) which were generated during a month or a batch operation at each specific waste generation site.

(3) Dangerous waste numbers and mixtures. A waste which has been designated as a discarded chemical product dangerous waste must be assigned the dangerous waste number or numbers listed in WAC 173-303-9903 next to the generic chemical or chemicals which caused the waste to be designated. If a person mixes a solid waste with a waste that would be designated as a discarded chemical product under this section, then the entire mixture must be designated. The mixture designation is the same as the designation for the discarded chemical product which was mixed with the solid waste. For example, a mixture containing 2.2 lbs. (1 kg) of Aldrin (dangerous waste number P004, DW designation, QEL of 2.2 lbs.) and 22 lbs. (10 kg) of a solid waste, would be designated DW, and identified as acute hazardous waste. The mixture would have the dangerous waste number P004.

(4) Reserve.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-081, filed 10/19/95, effective 11/19/95. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-081, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 87-14-029 (Order DE-87-4), § 173-303-081, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-081, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-081, filed 4/18/84. Statutory Authority: RCW 70.95.260 and chapter 70.105 RCW. 82-05-023 (Order DE 81-33), § 173-303-081, filed 2/10/82.]

WAC 173-303-082 Dangerous waste sources. (1)

The dangerous waste sources list appears in WAC 173-303-9904. Any waste that is listed or is a residue from the management of a waste listed on the dangerous waste sources list must be designated a dangerous waste, and identified as DW.

(2) Quantity exclusion limit. A person whose waste is listed in WAC 173-303-9904 (including residues from the management of such wastes) is a dangerous waste generator (and may not be considered a small quantity generator as

provided in WAC 173-303-070(8)) if the amount of his waste exceeds the following quantity exclusion limits:

(a) 2.2 lbs. (1 kg) per month or per batch for wastes listed with the dangerous waste numbers F020, F021, F022, F023, F026, or F027. These wastes are designated DW and identified as acute hazardous wastes;

(b) 220 lbs. (100 kg) per month or per batch of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water of a waste listed in (a) of this subsection. These wastes are designated DW and identified as acute hazardous wastes; or

(c) 220 lbs. (100 kg) per month or per batch for all other wastes.

(3) Care should be taken in the proper designation of these wastes and of mixtures of these wastes and solid wastes. If a person mixes a solid waste with a waste that would be designated as a dangerous waste source under this section, then the entire mixture is designated as a dangerous waste source. The mixture has the same designation (DW), and the same dangerous waste number as the dangerous waste source which was mixed with the solid waste.

(4) 40 CFR Part 261 Appendix VII *Basis for Listing Hazardous Waste* is adopted by reference.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-082, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-082, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapter 70.105 RCW. 87-14-029 (Order DE-87-4), § 173-303-082, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-082, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-082, filed 4/18/84. Statutory Authority: RCW 70.95.260 and chapter 70.105 RCW. 82-05-023 (Order DE 81-33), § 173-303-082, filed 2/10/82.]

WAC 173-303-083 Deletion of certain dangerous waste codes following equipment cleaning and replacement.

(1) Wastes from wood preserving processes at plants that do not resume or initiate use of chlorophenolic preservatives will not meet the listing definition of F032 once the generator has met all of the requirements of subsections (2) and (3) of this section. These wastes may, however, continue to meet another dangerous waste listing description or may exhibit one or more of the dangerous waste characteristics.

(2) Generators must either clean or replace all process equipment that may have come into contact with chlorophenolic formulations or constituents thereof, including, but not limited to, treatment cylinders, sumps, tanks, piping systems, drip pads, fork lifts, and trams, in a manner that minimizes or eliminates the escape of dangerous waste or constituents, leachate, contaminated drippage, or dangerous waste decomposition products to the ground water, surface water, or atmosphere.

(a) Generators will do one of the following:

(i) Prepare and follow an equipment cleaning plan and clean equipment in accordance with this section;

(ii) Prepare and follow an equipment replacement plan and replace equipment in accordance with this section; or

(iii) Document cleaning and replacement in accordance with this section, carried out after termination of use of chlorophenolic preservatives.

(b) Cleaning requirements.

(i) Prepare and sign a written equipment cleaning plan that describes:

- (A) The equipment to be cleaned;
 - (B) How the equipment will be cleaned;
 - (C) The solvent to be used in cleaning;
 - (D) How solvent rinses will be tested; and
 - (E) How cleaning residues will be disposed.
- (ii) Equipment must be cleaned as follows:

(A) Remove all visible residues from process equipment;

(B) Rinse process equipment with an appropriate solvent until dioxins and dibenzofurans are not detected in the final solvent rinse.

- (iii) Analytical requirements.

(A) Rinses must be tested in accordance with SW-846, Method 8290.

(B) "Not detected" means at or below the lower method calibration limit (MCL) in Method 8290, Table 1.

(iv) The generator must manage all residues from the cleaning process as F032 waste.

- (c) Replacement requirements.

(i) Prepare and sign a written equipment replacement plan that describes:

- (A) The equipment to be replaced;
- (B) How the equipment will be replaced; and
- (C) How the equipment will be disposed.

(ii) The generator must manage the discarded equipment as F032 waste.

(d) Documentation requirements. Document that previous equipment cleaning and/or replacement was performed in accordance with this section and occurred after cessation of use of chlorophenolic preservatives.

(3) The generator must maintain the following records documenting the cleaning and replacement as part of the facility's operating record:

- (a) The name and address of the facility;

(b) Formulations previously used and the date on which their use ceased in each process at the plant;

(c) Formulations currently used in each process at the plant;

- (d) The equipment cleaning or replacement plan;

(e) The name and address of any persons who conducted the cleaning and replacement;

(f) The dates on which cleaning and replacement were accomplished;

- (g) The dates of sampling and testing;

(h) A description of the sample handling and preparation techniques, including techniques used for extraction, containerization, preservation, and chain-of-custody of the samples;

(i) A description of the tests performed, the date the tests were performed, and the results of the tests;

(j) The name and model numbers of the instrument(s) used in performing the tests;

- (k) QA/QC documentation; and

(l) The following statement signed by the generator or his authorized representative: I certify under penalty of law that all process equipment required to be cleaned or replaced under WAC 173-303-083 was cleaned or replaced as represented in the equipment cleaning and replacement plan and accompanying documentation. I am aware that there are significant penalties for providing false information, including the possibility of fine or imprisonment.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-083, filed 10/19/95, effective 11/19/95; 94-01-060

[Title 173 WAC—page 508]

(Order 92-33), § 173-303-083, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-083, filed 2/10/82.]

WAC 173-303-084 Reserved.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 94-01-060 (Order 92-33), § 173-303-084, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-084, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 87-14-029 (Order DE-87-4), § 173-303-084, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-084, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-084, filed 4/18/84. Statutory Authority: RCW 70.95.260 and chapter 70.105 RCW. 82-05-023 (Order DE 81-33), § 173-303-084, filed 2/10/82.]

WAC 173-303-090 Dangerous waste characteristics.

(1) Purpose. The purpose of this section is to set forth characteristics which a solid waste might exhibit and which would cause that waste to be a dangerous waste.

(2) Representative samples. The department will consider a sample obtained using any of the applicable sampling methods described in WAC 173-303-110(2), sampling and testing methods, to be a representative sample.

(3) Equivalent test methods. The testing methods specified in this section are the only acceptable methods, unless the department approves an equivalent test method in accordance with WAC 173-303-910(2).

(4) Quantity exclusion limit. A solid waste is a dangerous waste if it exhibits one or more of the dangerous waste characteristics described in subsections (5), (6), (7), and (8) of this section. If a person's solid waste exhibits one or more of these characteristics, then he or she is a dangerous waste generator (and may not be considered a small quantity generator as provided in WAC 173-303-070(8)) if the quantity of their waste exceeds 220 lbs. (100 kg) per month or per batch.

- (5) Characteristic of ignitability.

(a) A solid waste exhibits the characteristic of ignitability if a representative sample of the waste has any of the following properties:

(i) It is a liquid, other than an aqueous solution containing less than 24 percent alcohol by volume, and has a flash point less than 60 degrees C (140 degrees F), as determined by a Pensky-Martens Closed Cup Tester, using the test method specified in ASTM Standard D-93-79 or D-93-80, or a Setaflash Closed Cup Tester, using the test method specified in ASTM Standard D-3278-78;

(ii) It is not a liquid and is capable, under standard temperature and pressure, of causing fire through friction, absorption of moisture or spontaneous chemical changes and, when ignited, burns so vigorously and persistently that it creates a hazard;

(iii) It is an ignitable compressed gas as defined in 49 CFR 173.300 and as determined by the test methods described in that regulation; or,

- (iv) It is an oxidizer as defined in 49 CFR 173.151.

(b) A solid waste that exhibits the characteristic of ignitability must be designated DW, and assigned the dangerous waste number of D001.

- (6) Characteristic of corrosivity.

(a) A solid waste exhibits the characteristic of corrosivity if a representative sample of the waste has any one or more of the following properties:

(i) It is aqueous, and has a pH less than or equal to 2, or greater than or equal to 12.5, using Method 9040 or 9041 in *Test Methods for Evaluating Solid Waste (SW 846), Physical/Chemical Methods*, available from the department;

(ii) It is liquid, and corrodes steel (SAE 1020) at a rate greater than 0.250 inch (6.35 mm) per year at a test temperature of 55 degrees C (130 degrees F) as determined by the test method specified in NACE (National Association of Corrosion Engineers) Standard TM-01-69 as standardized in *Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods*. The NACE Standard is available from the department; or

(iii) It is solid or semi-solid, and when mixed with an equal weight of water results in a solution, the liquid portion of which has the property specified in (a)(i) of this subsection. Procedures for preparing and extracting the solution and liquid are described in the test procedures of WAC 173-303-110 (3)(a).

(b) A solid waste that exhibits the characteristic of corrosivity because:

(i) It has either of the properties described in (a)(i) or (ii) of this subsection will be designated DW, and assigned the dangerous waste number of D002;

(ii) It only has the property described in (a)(iii) of this subsection will be designated DW, and assigned the dangerous waste number of WSC2.

(7) Characteristic of reactivity.

(a) A solid waste exhibits the characteristic of reactivity if a representative sample of the waste has any of the following properties:

(i) It is normally unstable and readily undergoes violent change without detonating;

(ii) It reacts violently with water;

(iii) It forms potentially explosive mixtures with water;

(iv) When mixed with water, it generates toxic gases, vapors or fumes in a quantity sufficient to present a danger to human health or the environment;

(v) It is a cyanide or sulfide bearing waste which, when exposed to pH conditions between 2 and 12.5 can generate toxic gases, vapors or fumes in a quantity sufficient to present a danger to human health or the environment;

(vi) It is capable of detonation or explosive reaction if it is subjected to a strong initiating source or if heated under confinement;

(vii) It is readily capable of detonation or explosive decomposition or reaction at standard temperature and pressure; or

(viii) It is a forbidden explosive as defined in 49 CFR 173.51, or a Class A explosive as defined in 49 CFR 173.53, or a Class B explosive as defined in 49 CFR 173.88.

(b) A solid waste that exhibits the characteristic of reactivity must be designated DW, and assigned the dangerous waste number of D003.

(8) Toxicity characteristic.

(a) A solid waste exhibits the toxicity characteristic if, using the *Toxicity Characteristic Leaching Procedure* (TCLP, found in Appendix II of 40 CFR Part 261, which is adopted by reference, or available upon request from the department) or equivalent methods approved by the depart-

ment under WAC 173-303-110(5), the extract from a representative sample of the waste contains any of the contaminants listed in the toxicity characteristic list in (c) of this subsection, at concentrations equal to or greater than the respective value given in the list. When the waste contains less than 0.5 percent filterable solids, the waste itself, after filtering using the methodology outlined in the TCLP, is considered to be the extract for the purpose of this subsection.

(b) A solid waste that exhibits the toxicity characteristic has the dangerous waste number specified in the list which corresponds to the toxic contaminant causing it to be dangerous.

(c) Toxicity characteristic list. Any waste that contains contaminants which occur at concentrations at or above the DW threshold must be designated DW.

TOXICITY CHARACTERISTICS LIST:

Maximum Concentration of Contaminants for the Toxicity Characteristic

Dangerous Waste Number	Contaminant	(Chemical Abstracts Services #)	DW (mg/L)
D004	Arsenic	(7440-38-2)	5.0
D005	Barium	(7440-39-3)	100.0
D018	Benzene	(71-43-2)	0.5
D006	Cadmium	(7440-43-9)	1.0
D019	Carbon tetrachloride	(56-23-5)	0.5
D020	Chlordane	(57-74-9)	0.03
D021	Chlorobenzene	(108-90-7)	100.0
D022	Chloroform	(67-66-3)	6.0
D007	Chromium	(7440-47-3)	5.0
D023	o-Cresol	(95-48-7)	200.0
		/1/	
D024	m-Cresol	(108-39-4)	200.0
		/1/	
D025	p-Cresol	(106-44-5)	200.0
		/1/	
D026	Cresol	/1/	200.0
D016	2,4-D	(94-75-7)	10.0
D027	1,4-Dichlorobenzene	(106-46-7)	7.5
D028	1,2-Dichloroethane	(107-06-2)	0.5
D029	1,1-Dichloroethylene	(75-35-4)	0.7
D030	2,4-Dinitrotoluene	(121-14-2)	0.13
		/2/	
D012	Endrin	(72-20-8)	0.02
D031	Heptachlor (and its epoxide)	(76-44-8)	0.008
D032	Hexachlorobenzene	(118-74-1)	0.13
		/2/	
D033	Hexachlorobutadiene	(87-68-3)	0.5
D034	Hexachloroethane	(67-72-1)	3.0
D008	Lead	(7439-92-1)	5.0
D013	Lindane	(58-89-9)	0.4
D009	Mercury	(7439-97-6)	0.2
D014	Methoxychlor	(72-43-5)	10.0
D035	Methyl ethyl ketone	(78-93-3)	200.0
D036	Nitrobenzene	(98-95-3)	2.0
D037	Pentachlorophenol	(87-86-5)	100.0
D038	Pyridine	(110-86-1)	5.0
		/2/	
D010	Selenium	(7782-49-2)	1.0
D011	Silver	(7440-22-4)	5.0
D039	Tetrachloroethylene	(127-18-4)	0.7
D015	Toxaphene	(8001-35-2)	0.5
D040	Trichloroethylene	(79-01-6)	0.5
D041	2,4,5-Trichlorophenol	(95-95-4)	400.0

D042	2,4,6-Trichlorophenol	(88-06-2)	2.0
D017	2,4,5-TP (Silvex)	(93-72-1)	1.0
D043	Vinyl chloride	(75-01-4)	0.2

- /1/ If 0-, m-, and p-Cresol concentrations cannot be differentiated, the total cresol (D026) concentration is used.
- /2/ Quantitation limit is greater than the calculated regulatory level. The quantitation limit therefore becomes the regulatory level.

[Statutory Authority: Chapters 70.105 and 70.105D RCW, 95-22-008 (Order 94-30), § 173-303-090, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-090, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251), 91-07-005 (Order 90-42), § 173-303-090, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW, 87-14-029 (Order DE-87-4), § 173-303-090, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-090, filed 6/3/86; 84-14-031 (Order DE 84-22), § 173-303-090, filed 6/27/84. Statutory Authority: RCW 70.95.260 and chapter 70.105 RCW, 82-05-023 (Order DE 81-33), § 173-303-090, filed 2/10/82.]

WAC 173-303-100 Dangerous waste criteria. (1)

Purpose. The purpose of this section is to describe methods for determining if a solid waste is a dangerous waste by the criteria set forth in this section. The dangerous waste criteria consist of:

- (a) Toxic dangerous wastes; and
- (b) Persistent dangerous wastes.

(2) **References.** The National Institute for Occupational Safety and Health's (NIOSH) Registry of Toxic Effects of Chemical Substances (RTECS), Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402 is adopted by reference.

(3) A person must use data which is available to him, and, when such data is inadequate for the purposes of this section, must refer to the NIOSH RTECS to determine:

- (a) Toxicity data or toxic category for each known constituent in the waste;
- (b) Whether or not each known constituent of the waste is a halogenated hydrocarbon or a polycyclic aromatic hydrocarbon as defined in WAC 173-303-040.

(4) **Quantity exclusion limit.** A solid waste is a dangerous waste if it meets one or more of the dangerous waste criteria described in subsections (5) and (6) of this section. If a person's solid waste meets one or more of these criteria then he or she is a dangerous waste generator (and may not be considered a small quantity generator as provided in WAC 173-303-070(8)) if the quantity of the waste exceeds the following quantity exclusion limits:

- (a) For toxic dangerous wastes designated as EHW (WT01), the quantity exclusion limit is 2.2 lbs. per month.
- (b) For all other wastes designating under this section the quantity exclusion limit is 220 lbs. (100 kg) per month or per batch.

(5) **Toxicity criteria.** Except as provided in WAC 173-303-070 (4) or (5), a person must determine if a solid waste meets the toxicity criteria under this section by following either the instructions for book designation, when his knowledge of the waste is sufficient, or by testing the waste using the biological testing methods adopted under WAC 173-303-110(3).

(a) Except as provided in WAC 173-303-070(4), if a person knows only some of the toxic constituents in the waste or only some of the constituent concentrations, and if the waste is undesignated for those known constituents or

concentrations, then the waste is not designated for toxicity under this subsection.

(b) **Book designation procedure.** A person may determine if a waste meets the toxicity criteria by following the book designation instructions as follows:

(i) A person must determine the toxic category for each known constituent. The toxic category for each constituent may be determined from available data, or by obtaining data from the NIOSH RTECS and checking this data against the toxic category table, below. If data is available for more than one of the toxicity criteria (fish, oral, inhalation, or dermal), then the data indicating severest toxicity must be used, and the most acutely toxic category must be assigned to the constituent. If the NIOSH RTECS or other data sources do not agree on the same category, then the category arrived at using the NIOSH RTECS will be used to determine the toxic category. If toxicity data for a constituent cannot be found in the NIOSH RTECS, or other source reasonably available to a person, then the toxic category need not be determined for that constituent.

TOXIC CATEGORY TABLE

Toxic Category	Fish LC ₅₀ (mg/L)*	Oral (Rat) LD ₅₀ (mg/kg)	Inhalation (Rat) LC ₅₀ (mg/L)	Dermal (Rabbit) LD ₅₀ (mg/kg)
X	<0.01	<.5	<.02	< 2
A	0.01 - <0.1	.5 - <5	.02 - <.2	2 - <20
B	0.1 - <1	5 - <50	.2 - <2	20 - <200
C	1 - <10	50 - <500	2 - <20	200 - <2000
D	10 - 100	500 - 5000	20 - 200	2000 - 20,000

* The LC₅₀ data must be from an exposure period greater than or equal to twenty-four hours. LC₅₀ data from any species is acceptable, however, if salmonid LC₅₀ data is available it will supersede all other fish data. If salmonid data is unavailable but fathead minnow data is available, it will supersede all other fish species data.

Note: "Inhalation LC₅₀" means a concentration in milligrams of substance per liter of air which, when administered to the respiratory tract for four hours or less, kills within fourteen days half of a group of ten rats each weighing between 200 and 300 grams.

(ii) A person whose waste contains one or more toxic constituents must determine the equivalent concentration for the waste from the following formula:

$$\text{Equivalent Concentration(\%)} = \sum X\% + \frac{\sum A\%}{10} + \frac{\sum B\%}{100} + \frac{\sum C\%}{1000} + \frac{\sum D\%}{10,000}$$

where $\sum(X,A,B,C, \text{ or } D)\%$ is the sum of all the concentration percentages for a particular toxic category.

Example 1. A person's waste contains: Aldrin (X Category) - .01%; Endrin (B Category) - 1%; Benzene (C Category) - 4%; Phenol (C Category) - 2%; Cyclohexane (C Category) - 5%; Water (nontoxic) - 87%. The equivalent concentration (E.C.) would be:

$$\begin{aligned} \text{E.C. (\%)} &= 0.01\% + 0\% + \frac{1\%}{10} + \frac{(4\% + 2\% + 5\%)}{1000} + \frac{0\%}{10,000} \\ &= 0.01\% + 0\% + 0.01\% + 0.011\% + 0\% = 0.031\% \end{aligned}$$

So the equivalent concentration equals .031%.

(iii) A person whose waste contains toxic constituents must determine its designation according to the value of the equivalent concentration:

(A) If the equivalent concentration is less than 0.001%, the waste is not a toxic dangerous waste; or

(B) If the equivalent concentration is equal to or greater than 0.001% and less than 1.0%, the person will designate the waste as DW and assign the dangerous waste number WT02; and

(C) If the equivalent concentration is equal to or less than 0.01%, the DW may also be a special waste; or

(D) If the equivalent concentration is equal to or greater than 1.0%, the person will designate the waste as EHW and assign the dangerous waste number WT01.

Example 1. Continued. The equivalent concentration of 0.031% (from Example 1. above) is greater than 0.001% and less than 0.1%. The waste is DW and the dangerous waste number WT02 must be assigned. Since 0.031% is also greater than 0.01%, the waste is not a special waste.

(iv) Reserve.

(c) Designation from bioassay data. A person may determine if a waste meets the toxicity criteria by following the bioassay designation instructions of either:

(i) The DW bioassay. To determine if a waste is DW, a person must establish the toxicity category range (D category toxicity or greater toxicity) of a waste by means of the 100 mg/L acute static fish test or the 5000 mg/kg oral rat test, as described in the biological testing methods (bioassay) adopted in WAC 173-303-110(3). If data from the test indicates that the waste is DW, then the person will assign the dangerous waste number WT02. Otherwise, the waste is not regulated as toxic dangerous waste. No further testing must be done except as provided in WAC 173-303-070 (4) and (5), or if the person chooses to determine whether the waste is EHW, or in the case of state-only solid dangerous waste, if the person chooses to determine whether the waste is special waste; or

(ii) The EHW and special waste bioassay. To determine if a waste is EHW, a person must establish the toxicity category range of a waste by means of the fish bioassay at 10 mg/L or the rat bioassay at 50 mg/L, as described in the biological testing methods (bioassay) adopted in WAC 173-303-110(3). (NOTE: A fish bioassay at 1 mg/L corresponds with the proposed definition of EHW, which includes toxic categories X-B. However, the fish bioassay is not reproducible at these low levels.) If data from the test indicates that the waste is EHW, then the person will assign the dangerous waste number WT01. Otherwise, the waste will be designated DW, and the person will assign the dangerous waste number WT02. A person with state-only solid waste may choose to test a waste to determine if it is special waste. Testing levels for special waste must be at 10 mg/L for the fish bioassay or 500 mg/L for the oral rat bioassay. No further testing must be done except as provided in WAC 173-303-070 (4) and (5), or if the person chooses to test the waste in accordance with WAC 173-303-100 (5)(c)(i) to determine if the waste is not regulated as toxic dangerous waste.

(d) If the designation acquired from book designation and bioassay data do not agree, then bioassay data will be used to designate a waste. If a waste is designated as DW

or EHW following the book designation procedure, a person may test the waste by means of the biological testing methods (bioassay) adopted under WAC 173-303-110(3), using either the static acute fish or the acute oral rat method, to demonstrate that the waste is not a dangerous waste or should be designated as DW and not EHW.

(e) A waste designated as DW by toxicity criteria must be assigned the dangerous waste number of WT02. A waste designated as EHW by toxicity criteria must be assigned the dangerous waste number of WT01.

(6) Persistence criteria. For the purposes of this section, persistent constituents are chemical compounds which are either halogenated hydrocarbons (HH), or polycyclic aromatic hydrocarbons (PAH), as defined under WAC 173-303-040. Except as provided in WAC 173-303-070 (4) or (5), a person may determine the identity and concentration of persistent constituents by either applying knowledge of the waste or by testing the waste according to the chemical testing methods for complying with the dangerous waste regulation adopted under WAC 173-303-110(3).

(a) Except as provided in WAC 173-303-070(4), if a person knows only some of the persistent constituents in the waste, or only some of the constituent concentrations, and if the waste is undesignated for those known constituents or concentrations, then the waste is not designated for persistence under this subsection.

(b) When a waste contains one or more halogenated hydrocarbons (HH) for which the concentrations are known, the total halogenated hydrocarbon concentration must be determined by summing the concentration percentages for all of the halogenated hydrocarbons for which the concentrations are known.

Example 2. A waste contains: Carbon tetrachloride - .009%; DDT - .012%; 1,1,1 - trichloroethylene - .020%. The total halogenated hydrocarbon concentration would be:

$$\text{Total HH Concentration (\%)} = .009\% + .012\% + .020\% = .041\%$$

(c) A person whose waste contains polycyclic aromatic hydrocarbons (PAH) as defined in WAC 173-303-040, must determine the total PAH concentration by summing the concentration percentages of each of the polycyclic aromatic hydrocarbons for which they know the concentration.

Example 3. A person's waste contains: Chrysene - .08%; 3,4 - benzo(a)pyrene - 1.22%. The total polycyclic aromatic hydrocarbon concentration would be:

$$\text{Total PAH Concentration (\%)} = .08\% + 1.22\% = 1.30\%$$

(d) A person whose waste contains halogenated hydrocarbons and/or polycyclic aromatic hydrocarbons must determine its designation from the persistent dangerous waste table or persistent dangerous waste criteria graph WAC 173-303-9907.

PERSISTENT DANGEROUS WASTE TABLE

If your waste contains . . .	At a total concentration level of . . .	Then your waste's designation, and waste # are . . .
Halogenated Hydrocarbons (HH)	0.01% to 1.0% greater than 1.0%	DW, WP02 EHW, WP01
Polycyclic Aromatic Hydrocarbons (PAH)	greater than 1.0%	EHW*, WP03

* No DW concentration level for PAH.

(7) Reserve.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-100, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-100, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapter 70.105 RCW. 84-09-088 (Order DE 83-36), § 173-303-100, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-100, filed 2/10/82.]

WAC 173-303-101 Reserved.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 94-01-060 (Order 92-33), § 173-303-101, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapter 70.105 RCW. 87-14-029 (Order DE-87-4), § 173-303-101, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-101, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-101, filed 4/18/84. Statutory Authority: RCW 70.95.260 and chapter 70.105 RCW. 82-05-023 (Order DE 81-33), § 173-303-101, filed 2/10/82. Formerly chapter 173-302 WAC.]

WAC 173-303-102 Reserved.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 94-01-060 (Order 92-33), § 173-303-102, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapter 70.105 RCW. 87-14-029 (Order DE-87-4), § 173-303-102, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-102, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-102, filed 4/18/84. Statutory Authority: RCW 70.95.260 and chapter 70.105 RCW. 82-05-023 (Order DE 81-33), § 173-303-102, filed 2/10/82. Formerly WAC 173-302-130.]

WAC 173-303-103 Reserved.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 94-01-060 (Order 92-33), § 173-303-103, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-103, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 87-14-029 (Order DE-87-4), § 173-303-103, filed 6/26/87; 84-14-031 (Order DE 84-22), § 173-303-103, filed 6/27/84. Statutory Authority: RCW 70.95.260 and chapter 70.105 RCW. 82-05-023 (Order DE 81-33), § 173-303-103, filed 2/10/82.]

WAC 173-303-104 Generic dangerous waste numbers. (1) Purpose. This section sets forth the dangerous waste number for each of the dangerous waste criteria designations.

(2) Characteristics. A waste which exhibits any of the dangerous waste characteristics, WAC 173-303-090, must be assigned the dangerous waste number corresponding to the characteristic(s) exhibited by the waste.

(3) Criteria. The following table must be used for assigning dangerous waste numbers to wastes designated by the dangerous waste criteria at WAC 173-303-100.

GENERIC DANGEROUS WASTE NUMBERS TABLE

Dangerous Waste#	Dangerous Waste Criteria and Designation
Toxic Dangerous Wastes	
WT01-----	EHW
WT02-----	DW
Persistent Dangerous Wastes	
Halogenated Hydrocarbons	
WP01-----	EHW
WP02-----	DW

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-104, filed 10/19/95, effective 11/19/95; 94-12-018 (Order 93-34), § 173-303-104, filed 5/23/94, effective 6/23/94. Statutory Authority: Chapter 70.105 RCW. 84-14-031 (Order DE 84-22), § 173-303-104, filed 6/27/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-104, filed 2/10/82.]

WAC 173-303-110 Sampling and testing methods.

(1) Purpose. This section sets forth the testing methods to be used in the process of designating a dangerous waste or of complying with the air emission standards in WAC 173-303-690 and 173-303-691. Quality control procedures specified by the testing method or an approved equivalent method must be followed for the analytical result to be considered valid for designation.

(2) Representative samples.

(a) The methods and equipment used for obtaining representative samples of a waste will vary with the type and form of the waste. The department will consider samples collected using the sampling methods below or the most recent version of such methods for wastes with properties similar to the indicated materials, to be representative samples of the wastes:

- (i) Crushed or powdered material - ASTM Standard D346-75;
- (ii) Extremely viscous liquid - ASTM Standard D140-70;
- (iii) Fly ash-like material - ASTM Standard D2234-86;
- (iv) Soil-like material - ASTM Standard D1452-80 (Reapproved 1990);
- (v) Soil or rock-like material - ASTM Standard D420-93;
- (vi) Containerized liquid wastes - "COLIWASA" described in *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods*, SW-846, revised July 1982, as amended by Update 1 (April 1984) and Update 2 (April 1985); and,
- (vii) Liquid waste in pits, ponds, lagoons, and similar reservoirs - "Pond Sampler" described in *Test Methods for the Evaluation of Solid Waste, Physical/Chemical Methods*, SW-846, revised July 1982, as amended by Update 1 (April 1984) and Update 2 (April 1985).

(b) Copies of these representative sampling methods are available from the department except for the ASTM standards which can be obtained by writing to:

ASTM
1916 Race Street
Philadelphia, PA 19103.

(3) Test procedures. Copies of the test procedures listed in this subsection can be obtained by writing to the appropriate address below:

For copies of Department of Ecology test methods:
Attn: Test Procedures
Hazardous Waste Section
Department of Ecology
PO Box 47600
Olympia, Washington 98504-7600

For copies of SW 846 and 40 CFR Part 261:

Superintendent of Documents
U.S. Government Printing Office
Washington, D.C. 20402

For copies of ASTM methods:

ASTM
1916 Race Street
Philadelphia, PA 19103

For copies of APTI methods:

APTI
National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161

The document titles and included test procedures are as follows:

(a) *Chemical Testing Methods for Complying with the state of Washington Dangerous Waste Regulation*, March 1982, revised July 1983, March 1984, and May 1993 describing methods for testing:

(i) Ignitability;

(ii) Corrosivity, including the addendum, *Test Method for Determining pH of Solutions in Contact with Solids*, March 1984;

(iii) Reactivity;

(iv) Toxicity characteristic leaching procedure;

(v) Halogenated hydrocarbons; and

(vi) Polycyclic aromatic hydrocarbons;

(b) *Biological Testing Methods*, the latest revision, describing procedures for:

(i) Static acute fish toxicity test; and

(ii) Acute oral rat toxicity test;

(c) *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846* (Third Edition, November, 1986 as amended by Updates I (July, 1992), II (September, 1994), IIA (August, 1993), IIB (January, 1995), and III) is adopted by reference. This includes, among others:

(i) Method 9095 (Paint Filter Liquids Test), demonstrating the absence or presence of free liquids in either a containerized or bulk waste.

(ii) Reserved.

(d) 40 CFR Part 261 Appendix X is adopted by reference for the purpose of analysis for chlorinated dibenzo-p-dioxins and dibenzofurans;

(e)(i) The determination of Polychlorinated Biphenyls in Transformer Fluids and Waste Oils, EPA-600/4-81-045; and

(ii) Analysis of Polychlorinated Biphenyls in Mineral Insulating Oils by Gas Chromatography, ASTM Standard D 4059-86.

(f) 40 CFR Part 261 Appendix III *Chemical Analysis Test Methods*, which lists sampling and analysis methods contained in *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods, SW-846*, and 40 CFR Part 261 Appendix II, *Method 1311 Toxicity Characteristic Leaching Procedure* are adopted by reference.

(g) The following publications for air emission standards are incorporated by reference.

(i) ASTM Standard Method for Analysis of Reformed Gas by Gas Chromatography, ASTM Standard D 1946-82.

(ii) ASTM Standard Test Method for Heat of Combustion of Hydrocarbon Fuels by Bomb Calorimeter (High-Precision Method), ASTM Standard D 2382-83.

(iii) ASTM Standard Practices for General Techniques of Ultraviolet-Visible Quantitative Analysis, ASTM Standard E 169-87.

(iv) ASTM Standard Practices for General Techniques of Infrared Quantitative Analysis, ASTM Standard E 168-88.

(v) ASTM Standard Practice for Packed Column Gas Chromatography, ASTM Standard E 260-85.

(vi) ASTM Standard Test Method for Aromatics in Light Naphthas and Aviation Gasolines by Gas Chromatography, ASTM Standard D 2267-88.

(vii) ASTM Standard Test Method for Vapor Pressure-Temperature Relationship and Initial Decomposition Temperature of Liquids by Isoteriscope, ASTM Standard D 2879-86.

(viii) APTI Course 415: Control of Gaseous Emissions, EPA Publication EPA-450/2-81-005, December 1981.

(4) Substantial changes to the testing methods described above will be made only after the department has provided adequate opportunity for public review and comment on the proposed changes. The department may, at its discretion, schedule a public hearing on the proposed changes.

(5) Equivalent testing methods. Any person may request the department to approve an equivalent testing method by submitting a petition, prepared in accordance with WAC 173-303-910(2), to the department.

[Statutory Authority: Chapters 70.105 and 70.105D RCW, 95-22-008 (Order 94-30), § 173-303-110, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-110, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-110, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW, 89-02-059 (Order 88-24), § 173-303-110, filed 1/4/89; 86-12-057 (Order DE-85-10), § 173-303-110, filed 6/3/86; 84-14-031 (Order DE 84-22), § 173-303-110, filed 6/27/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-110, filed 2/10/82.]

WAC 173-303-120 Recycled, reclaimed, and recovered wastes. (1) This section describes the requirements for persons who recycle materials that are solid wastes and dangerous. Except as provided in subsections (2) and (3) of this section, dangerous wastes that are recycled are subject to the requirements for generators, transporters, and storage facilities of subsection (4) of this section. Dangerous wastes that are recycled will be known as "recyclable materials."

(2)(a) The following recyclable materials are solid wastes and sometimes are dangerous wastes. However, they are subject only to the requirements of (b) of this subsection, WAC 173-303-050, 173-303-145 and 173-303-960:

(i) Industrial ethyl alcohol that is reclaimed;

(ii) Used batteries (or used battery cells) returned to a battery manufacturer for regeneration;

(iii) Used oil that exhibits one or more of the characteristics or criteria of dangerous waste and is recycled in some manner other than:

(A) Being burned for energy recovery; or

(B) Being used in a manner constituting disposal;

(iv) Scrap metal;

(v) Fuels produced from the refining of oil-bearing dangerous wastes along with normal process streams at a

petroleum refining facility if such wastes result from normal petroleum refining, production, and transportation practices;

(vi) Oil reclaimed from dangerous waste resulting from normal petroleum refining, production, and transportation practices, which oil is to be refined along with normal process streams at a petroleum refining facility;

(vii) Coke and coal tar from the iron and steel industry that contains dangerous waste from the iron and steel production process;

(viii)(A) Dangerous waste fuel produced from oil-bearing dangerous wastes from petroleum refining, production, or transportation practices, or produced from oil reclaimed from such dangerous wastes, where such dangerous wastes are reintroduced into a process that does not use distillation or does not produce products from crude oil so long as the resulting fuel meets the used oil specification under WAC 173-303-515 (1)(d) and so long as no other dangerous wastes are used to produce the dangerous waste fuel;

(B) Dangerous waste fuel produced from oil-bearing dangerous waste from petroleum refining production, and transportation practices, where such dangerous wastes are reintroduced into a refining process after a point at which contaminants are removed, so long as the fuel meets the used oil fuel specification under WAC 173-303-515 (1)(d); and

(C) Oil reclaimed from oil-bearing dangerous wastes from petroleum refining, production, and transportation practices, which reclaimed oil is burned as a fuel without reintroduction to a refining process, so long as the reclaimed oil meets the used oil fuel specification under WAC 173-303-515 (1)(e); and

(ix) Petroleum coke produced from petroleum refinery dangerous wastes containing oil at the same facility at which such wastes were generated, unless the resulting coke product exhibits one or more of the characteristics of dangerous waste in WAC 173-303-090.

(b) Any recyclable material listed in (a) of this subsection will be subject to the applicable requirements listed in subsection (4) of this section if the department determines, on a case-by-case basis, that:

(i) It is being accumulated, used, reused, or handled in a manner that poses a threat to public health or the environment; or

(ii) Due to the dangerous constituent(s) in it, any use or reuse would pose a threat to public health or the environment. Such recyclable material will be listed in WAC 173-303-016(6).

(3) The following recyclable materials are not subject to the requirements of this section but are subject to the requirements of WAC 173-303-070 through 173-303-110, 173-303-160, 173-303-500 through 173-303-525, and all applicable provisions of WAC 173-303-800 through 173-303-840:

(a) Recycling requirements for state-only dangerous wastes (see WAC 173-303-500);

(b) Recyclable materials used in a manner constituting disposal (see WAC 173-303-505);

(c) Spent CFC or HCFC refrigerants that are recycled on-site or sent to be reclaimed off-site (see WAC 173-303-506);

(d) Dangerous wastes burned for energy recovery in boilers and industrial furnaces that are not regulated under Subpart O of 40 CFR Part 265 or WAC 173-303-670 (see WAC 173-303-510);

(e) Used oil that is burned for energy recovery in boilers and industrial furnaces that are not regulated under Subpart O of 40 CFR Part 265 or WAC 173-303-670, if such used oil:

(i) Exhibits one or more of the characteristics of a dangerous waste; or

(ii) Is designated as DW solely through WAC 173-303-100; or

(iii) Is designated solely as W001, (see WAC 173-303-515);

(f) Spent lead-acid batteries that are being reclaimed (see WAC 173-303-520);

(g) Recyclable materials from which precious metals are reclaimed (see WAC 173-303-525).

(4) Those recycling processes not specifically discussed in subsections (2) and (3) of this section are generally subject to regulation only up to and including storage prior to recycling. For the purpose of this section, recyclable materials received from off-site will be considered stored unless they are moved into an active recycling process within twenty-four hours after being received. An active recycling process refers to a dynamic recycling operation that occurs within a recycling unit such as a distillation or centrifuge unit. The phrase does not refer to passive storage-like activities that occur, for example, when tanks or containers are used for phase separation or for settling impurities. Passive storage-like activities are not eligible for the recycling exemption under this subsection.

The recycling process itself is generally exempt from permitting unless the department determines, on a case-by-case basis, that the recycling process poses a threat to public health or the environment.

Unless specified otherwise in subsections (2) and (3) of this section:

(a) Generators of recyclable materials are subject to all applicable requirements of this chapter including, but not limited to, WAC 173-303-170 through 173-303-230;

(b) Transporters of recyclable materials are subject to all applicable requirements of this chapter including, but not limited to, WAC 173-303-240 through 173-303-270;

(c) Owners or operators of facilities that receive recyclable materials from off-site and recycle these recyclable materials without storing them before they are recycled are subject to the following requirements:

(i) WAC 173-303-060,

(ii) WAC 173-303-120 (4)(e),

(iii) WAC 173-303-283 through 173-303-290,

(iv) WAC 173-303-310 through 173-303-395,

(v) WAC 173-303-630 (2) through (10), and

(vi) WAC 173-303-640 (2) through (10), except 173-303-640 (8)(c) and the second sentence of WAC 173-303-640 (8)(a) (i.e., a recycler, unless otherwise required to do so, does not have to prepare a closure plan, a cost estimate for closure, or provide financial responsibility for his tank system to satisfy the requirements of this section). In lieu of the dates in WAC 173-303-640 (2) and (4), for existing tank systems regulated under this subsection, owners and operators must complete the assessment of the tank system's

integrity by June 1, 1992, and must meet the secondary containment requirements of WAC 173-303-640(4) by January 12, 1993;

(vii) The owner or operator must obtain data, by screening-type analysis if necessary, confirming the designation of each waste stream, such that each dangerous waste received can be effectively recycled without jeopardizing human health or the environment. The owner or operator must verify the waste designation periodically, so that it is accurate and current, but at least once every six months or on a batch basis if shipments of a specific waste stream are less frequent. Copies of all analyses and data must be retained for at least five years and made available to the department upon request.

(d) Owners or operators of facilities that store recyclable materials before they are recycled are subject to the following requirements including, but not limited to:

(i) For all recyclers, the applicable provisions of:

(A) WAC 173-303-280 through 173-303-395,

(B) WAC 173-303-800 through 173-303-840,

(C) WAC 173-303-140 (2)(a),

(D) WAC 173-303-120 (4)(e);

(ii) For recyclers with interim status permits, the applicable storage provisions of WAC 173-303-400 including Subparts F through L of 40 CFR Part 265;

(iii) For recyclers with final facility permits, the applicable storage provisions of:

(A) WAC 173-303-600 through 173-303-650, and

(B) WAC 173-303-660.

(e) Owners and operators of facilities subject to dangerous waste permitting requirements with dangerous waste management units that recycle hazardous wastes are subject to the requirements of WAC 173-303-690 and 173-303-691 (Air emission standards for process vents and equipment leaks) for final status facilities, and 40 CFR Part 265 Subparts AA and BB, incorporated by reference at WAC 173-303-400(3) for interim status facilities.

(5) Use of the used oil recycling statute, chapter 70.95I RCW. This subsection applies to persons who use or manage used oil as defined under chapter 70.95I RCW and its implementing regulations, as amended. The department requires persons who use or manage used oils to do so in accordance with chapter 70.95I RCW and its implementing regulations, as amended.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-120, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-120, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapter 70.105 RCW. 93-02-050 (Order 92-32), § 173-303-120, filed 1/5/93, effective 2/5/93. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-120, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 88-18-083 (Order 88-29), § 173-303-120, filed 9/6/88; 88-07-039 (Order 87-37), § 173-303-120, filed 3/11/88; 87-14-029 (Order DE-87-4), § 173-303-120, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-120, filed 6/3/86; 84-14-031 (Order DE 84-22), § 173-303-120, filed 6/27/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-120, filed 2/10/82.]

WAC 173-303-121 Reserved.

[Statutory Authority: Chapter 70.105 RCW. 86-12-057 (Order DE-85-10), § 173-303-121, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-121, filed 4/18/84.]

WAC 173-303-130 Containment and control of infectious wastes. (Reserved.)

[Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-130, filed 2/10/82.]

WAC 173-303-140 Land disposal restrictions. (1) Purpose.

(a) The purpose of this section is to encourage the best management practices for dangerous wastes according to the priorities of RCW 70.105.150 which are, in order of priority:

- (i) Reduction;
- (ii) Recycling;
- (iii) Physical, chemical, and biological treatment;
- (iv) Incineration;
- (v) Stabilization and solidification; and
- (vi) Landfill.

(b) This section identifies dangerous wastes that are restricted from land disposal, describes requirements for restricted wastes, and defines the circumstances under which a prohibited waste may continue to be land disposed.

(c) For the purposes of this section, the term "landfill," as stated in the priorities of RCW 70.105.150, will be the same as the term "land disposal." Land disposal will be used in this section to identify the lowest waste management priority.

(2) Applicability.

The land disposal restrictions of this section apply to any person who owns or operates a dangerous waste treatment, storage, or disposal facility in Washington state and to any person who generates or transports dangerous waste.

(a) Land disposal restrictions for wastes designated in accordance with WAC 173-303-070 (3)(a)(i), (ii), and (iii) are the restrictions set forth by the Environmental Protection Agency in 40 CFR Part 268 which are incorporated by reference into this regulation and the restrictions set forth in subsections (3) through (7) of this section. The words "regional administrator" (in 40 CFR) will mean the "department." The exemption and exception provisions of subsections (3) through (7) are not applicable to the federal land disposal restrictions.

(b) Land disposal restrictions for state-only dangerous waste are the restrictions set forth in subsections (3) through (7) of this section.

(3) Definitions.

When used in this section the following terms have the meaning provided in this subsection. All other terms have the meanings given under WAC 173-303-040.

(a) "Dangerous waste constituents" means those constituents listed in WAC 173-303-9905 and any other constituents which have caused a waste to be a dangerous waste under this chapter.

(b) "Land disposal" means placement in a facility or on the land with the intent of leaving the dangerous waste at closure, and includes, but is not limited to, placement for disposal purposes in a: Landfill; surface impoundment; waste pile; injection well; land treatment facility; salt dome or salt bed formation; underground cave or mine; concrete vault or bunker.

(c) "Organic/carbonaceous waste" means a dangerous waste that contains combined concentrations of greater than

ten percent organic/carbonaceous constituents in the waste; organic/carbonaceous constituents are those substances that contain carbon-hydrogen, carbon-halogen, or carbon-carbon chemical bonding.

(d) "Solid acid waste" means a dangerous waste that exhibits the characteristic of low pH under the corrosivity tests of either WAC 173-303-090 (6)(a)(ii) or (iii).

(e) "Stabilization" and "solidification" mean a technique that limits the solubility and mobility of dangerous waste constituents. Solidification immobilizes a waste through physical means and stabilization immobilizes the waste by bonding or chemically reacting with the stabilizing material.

(4) Land disposal restrictions and prohibitions. The land disposal requirements of this subsection apply to land disposal in Washington state.

(a) Disposal of extremely hazardous waste (EHW). No person may land dispose of EHW, except as provided in subsection (5) of this section, at any land disposal facility in the state. No person may land dispose of EHW at the facility established under RCW 70.105.050, except as provided by subsections (5), (6), and (7) of this section. A person is encouraged to reclaim, recycle, recover, treat, detoxify, neutralize, or otherwise process EHW to remove or reduce its harmful properties or characteristics, provided that such processing is performed in accordance with the requirements of this chapter.

(b) Disposal of liquid waste. Special requirements for bulk and containerized liquids.

(i) Effective May 8, 1985, the placement of bulk or noncontainerized liquid hazardous waste or hazardous waste containing free liquids (whether or not sorbents have been added) in any landfill is prohibited.

(ii) Containers holding free liquids must not be placed in a landfill unless:

(A) All free-standing liquid:

(I) Has been removed by decanting, or other methods;

or

(II) Has been mixed with sorbent or stabilized (solidified) so that free-standing liquid is no longer observed; or

(III) Has been otherwise eliminated; or

(B) The container is very small, such as an ampule; or

(C) The container is designed to hold free liquids for use other than storage, such as a battery or capacitor; or

(D) The container is a labpack and is disposed of in accordance with WAC 173-303-161 and this chapter.

(iii) To demonstrate the absence or presence of free liquids in either a containerized or a bulk waste, the following tests must be used: Method 9095 (Paint Filter Liquids Test) as described in Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods. (EPA Publication No. SW-846.)

(iv) Sorbents used to treat free liquids to be disposed of in landfills must be nonbiodegradable. Nonbiodegradable sorbents are: Materials listed or described in (b)(iv)(A) of this subsection; materials that pass one of the tests in (b)(iv)(B) of this subsection; or materials that are determined by the department to be nonbiodegradable through WAC 173-303-910.

(A) Nonbiodegradable sorbents.

(I) Inorganic minerals, other inorganic materials, and elemental carbon (e.g., aluminosilicates, clays, smectites, Fuller's earth, bentonite, calcium bentonite, montmorillonite,

calcined montmorillonite, kaolinite, micas (illite), vermiculites, zeolites; calcium carbonate (organic free limestone); oxides/hydroxides, alumina, lime, silica (sand), diatomaceous earth; perlite (volcanic glass); expanded volcanic rock; volcanic ash; cement kiln dust; fly ash; rice hull ash; activated charcoal/activated carbon); or

(II) High molecular weight synthetic polymers (e.g., polyethylene, high density polyethylene (HDPE), polypropylene, polystyrene, polyurethane, polyacrylate, polynorborene, polyisobutylene, ground synthetic rubber, cross-linked allylstyrene and tertiary butyl copolymers). This does not include polymers derived from biological material or polymers specifically designed to be degradable; or

(III) Mixtures of these nonbiodegradable materials.

(B) Tests for nonbiodegradable sorbents.

(I) The sorbent material is determined to be nonbiodegradable under ASTM Method G21-70 (1984a)-Standard Practice for Determining Resistance of Synthetic Polymer Materials to Fungi; or

(II) The sorbent material is determined to be nonbiodegradable under ASTM Method G22-76 (1984b)-Standard Practice for Determining Resistance of Plastics to Bacteria.

(v) Effective November 8, 1985, the placement of any liquid which is not a hazardous waste in a landfill is prohibited unless the owner or operator of such landfill demonstrates to the department, or the department determines, that:

(A) The only reasonably available alternative to the placement in such landfill is placement in a landfill or unlined surface impoundment, whether or not permitted or operating under interim status, which contains, or may reasonably be anticipated to contain, hazardous waste; and

(B) Placement in such owner or operator's landfill will not present a risk of contamination of any underground source of drinking water (as that term is defined in 40 CFR Section 144.3.)

(c) Disposal of solid acid waste. No person may land dispose solid acid waste, except as provided in subsections (5), (6), or (7) of this section. A person is encouraged to reclaim, recycle, recover, treat, detoxify, neutralize, or otherwise process these wastes to remove or reduce their harmful properties or characteristics, provided that such processing is performed in accordance with the requirements of this chapter.

(d) Disposal of organic/carbonaceous waste.

(i) No person may land dispose organic/carbonaceous waste, except as provided in subsections (5), (6), or (7) of this section. A person is encouraged to reclaim, recycle, recover, treat, detoxify, or otherwise process these wastes to remove or reduce their harmful properties or characteristics, provided that such processing is performed in accordance with the requirements of this chapter. Organic/carbonaceous wastes must be incinerated as a minimum management method according to the dangerous waste management priorities as defined in subsection (1)(a) of this section.

(ii) This prohibition against the land disposal of organic/carbonaceous waste does not apply to black mud generated from the caustic leach recovery of cryolite at primary aluminum smelting plants.

(iii) This prohibition against the land disposal of organic/carbonaceous waste does not apply to any person who certifies to the department that recycling, treatment and

incineration facilities are not available within a radius of one thousand miles from Washington state's borders. Such certification must be sent to the department by certified mail and must include: The name, address and telephone number of the person certifying; a brief description of the organic/ carbonaceous waste covered by the certification; a discussion of the efforts undertaken to identify available recycling, treatment and incineration facilities; and the signature of the person responsible for the certification and development of information used to support the certification. Records and information supporting the certification must be retained by the certifying person and must be made available to the department upon request.

A certification that has been properly submitted to the department will remain valid until the department determines that a recycling, treatment or incineration facility is available within a radius of one thousand miles from Washington state's borders and the person who submitted the certification is unable to demonstrate otherwise. A recycling, treatment or incineration facility will be considered by the department to be available if such facility: Is operating, and; can safely and legally recycle, treat or incinerate the organic/ carbonaceous waste, and; has sufficient capacity to receive and handle significant amounts of the waste, and; agrees to accept the waste.

(5) Treatment in land disposal facilities. The land disposal restrictions in subsection (4) of this section do not apply to persons treating dangerous wastes in surface impoundments, waste piles, or land treatment facilities provided that such treatment is performed in accordance with the requirements of this subsection and this chapter.

(a) Surface impoundment treatment.

Liquid waste, extremely hazardous waste (EHW), solid acid waste, and organic/ carbonaceous waste may be placed in surface impoundments for purposes of treatment provided the owner/operator can demonstrate that effective treatment of the dangerous waste constituents will occur and at closure the owner/operator complies with the prohibitions and restrictions of subsection (4) of this section.

(b) Waste pile treatment.

Liquid waste, extremely hazardous waste (EHW), solid acid waste, and organic/ carbonaceous waste may be placed in waste piles for purposes of treatment provided the owner/operator can demonstrate that effective treatment of dangerous waste constituents will occur and that at closure the owner/operator will be in compliance with the prohibitions and restrictions of subsection (4) of this section.

(c) Land treatment.

Liquid waste, extremely hazardous waste (EHW), and organic/ carbonaceous waste may be land treated provided that the owner/operator can demonstrate that effective treatment of dangerous waste constituents will occur, and at the end of the post-closure care period the owner/operator will be in compliance with subsection (4) of this section.

(6) Case-by-case exemptions to a land disposal prohibition. Any person may petition the department for an exemption from a prohibition in subsection (4) of this section for the land disposal of a dangerous waste. The procedures to submit a petition to the department are specified in WAC 173-303-910(6). The department may deny any petition if it determines that there is a potential for dangerous waste constituents to migrate from the land

disposal facility where the waste is to be placed. The department will deny any petition when exemption would result in a substantial or imminent threat to public health or the environment. The department will deny any petition when exemption would result in a violation of applicable state laws.

The department may grant an exemption from the prohibitions and restrictions of subsection (4) of this section based on the demonstrations specified in (a), (b) or (c) of this subsection.

(a) Land disposal exemption for treatment residuals. Any person may request an exemption from a land disposal prohibition in subsection (4) of this section for treatment residuals by demonstrating to the department that:

(i) The person has applied the best achievable management method to the original waste; and

(ii) Application of additional management methods to the treatment residuals would prevent the person from utilizing the best achievable management methods for the original dangerous waste; and

(iii) The land disposal of the treatment residuals does not pose a greater risk to the public health and the environment than land disposal of the original dangerous waste would pose.

(b) Economic hardship exemption. Any person may request an exemption from a prohibition in subsection (4) of this section for the land disposal of a dangerous waste by demonstrating to the department that alternative management of the dangerous waste will impose an unreasonable economic burden in relation to the threat of harm to public health and the environment. It will be solely within the discretion of the department to approve or deny the requests for exemptions based on economic hardship.

(c) Organic/ carbonaceous waste exemption. Any person may request an exemption from the requirements in subsection (4) of this section by demonstrating to the department that:

(i) Alternative management methods for organic/ carbonaceous waste are less protective of public health and the environment than stabilization or landfilling; or

(ii)(A) The organic/ carbonaceous waste has a heat content less than 3,000 BTU/LB or contains greater than sixty-five percent water or other noncombustible moisture; and

(B) Incineration is the only management method available within a radius of one thousand miles from Washington state's border (i.e., recycling or treatment are not available).

(7) Emergency cleanup provision. The department may, on a case-by-case basis, grant an exception to the land disposal restrictions in subsection (4) of this section for an emergency cleanup where an imminent threat to public health and the environment exists. Any exception will require compliance with applicable state law and will require (consistent with the nature of the emergency and imminent threat) application of the waste management priorities of RCW 70.105.150.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-140, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-140, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapter 70.105 RCW. 88-02-057 (Order DE 83-36), § 173-303-140, filed 1/5/88, effective 2/5/88; 84-09-088 (Order DE 83-36), § 173-303-

140, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-140, filed 2/10/82.]

WAC 173-303-141 Treatment, storage, or disposal of dangerous waste. (1) A person may offer a designated dangerous waste only to a TSD facility which is operating either: Under a permit issued pursuant to the requirements of this chapter; or, if the TSD facility is located outside of this state, under interim status or a permit issued by United States EPA under 40 CFR Part 270, or under interim status or a permit issued by another state which has been authorized by United States EPA pursuant to 40 CFR Part 271.

(2) A person may offer a state only designated dangerous waste (not regulated as a hazardous waste by EPA) to a facility which is located outside of this state and which does not meet the requirements of subsection (1) of this section if:

(a) The facility receiving the waste will legitimately treat or recycle the dangerous waste (disposal is an unacceptable management practice);

(b) The generator has on file a letter or copy of a letter signed by the regulatory authority in the receiving state that the receiving facility may accept the waste;

(c) The generator uses a transporter with a valid EPA/state identification number;

(d) The generator complies with all other applicable requirements, including manifesting, packaging and labeling, with respect to the shipping of the waste. However, the EPA/state identification number for the receiving facility is not required on the manifest or annual report; and

(e) The generator receives from the receiving facility a signed and dated copy of the manifest.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-141, filed 10/19/95, effective 11/19/95. Statutory Authority: Chapter 70.105 RCW. 86-12-057 (Order DE-85-10), § 173-303-141, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-141, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-141, filed 2/10/82.]

WAC 173-303-145 Spills and discharges into the environment. (1) Purpose and applicability. This section sets forth the requirements for any person responsible for a spill or discharge of a dangerous waste or hazardous substance into the environment, except when such release is otherwise permitted under state or federal law. For the purposes of complying with this section, a transporter who spills or discharges dangerous waste or hazardous substances during transportation will be considered the responsible person. This section applies when any dangerous waste or hazardous substance is intentionally or accidentally spilled or discharged into the environment (unless otherwise permitted) such that human health or the environment is threatened, regardless of the quantity of dangerous waste or hazardous substance.

(2) Notification. Any person who is responsible for a spill or nonpermitted discharge must immediately notify the individuals and authorities described for the following situations:

(a) For spills or discharges onto the ground or into groundwater or surface water, notify all local authorities in accordance with the local emergency plan. If necessary, check with the local emergency service coordinator and the fire department to determine all notification responsibilities

under the local emergency plan. Also, notify the appropriate regional office of the department of ecology;

(b) For spills or discharges which result in emissions to the air, notify all local authorities in accordance with the local emergency plan. If necessary, check with the local emergency service coordinator and the fire department to determine all notification responsibilities under the local emergency plan. Also, in western Washington notify the local air pollution control authority, or in eastern Washington notify the appropriate regional office of the department of ecology.

(3) Mitigation and control. The person responsible for a spill or nonpermitted discharge must take appropriate immediate action to protect human health and the environment (e.g., diking to prevent contamination of state waters, shutting of open valves).

(a) In addition, the person responsible for a spill or discharge must:

(i) Clean up all released dangerous wastes or hazardous substances, or take such actions as may be required or approved by federal, state, or local officials acting within the scope of their official responsibilities. This may include complete or partial removal of released dangerous wastes or hazardous substances as may be justified by the nature of the released dangerous wastes or hazardous substances, the human and environmental circumstances of the incident, and protection required by the Water Pollution Control Act, chapter 90.48 RCW;

(ii) Designate and treat, store or dispose of all soils, waters, or other materials contaminated by the spill or discharge in accordance with this chapter 173-303 WAC. The department may require testing in order to determine the amount or extent of contaminated materials, and the appropriate designation, treatment, storage, or disposal for any materials resulting from clean-up; and

(iii) If the property on which the spill or discharge occurred is not owned or controlled by the person responsible for the incident, restore the area impacted by the spill or discharge, and replenish resources (e.g., fish, plants) in a manner acceptable to the department.

(b) Where immediate removal or temporary storage of spilled or discharged dangerous wastes or hazardous substances is necessary to protect human health or the environment, the department may direct that removal be accomplished without a manifest, by transporters who do not have EPA/state identification numbers.

(4) Nothing in WAC 173-303-145 eliminates any obligations to comply with reporting requirements which may exist in a permit or under other state or federal regulations.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-145, filed 10/19/95, effective 11/19/95; 92-15-036 (Order 91-44), § 173-303-145, filed 7/8/92, effective 8/8/92. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-145, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 84-09-088 (Order DE 83-36), § 173-303-145, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-145, filed 2/10/82.]

WAC 173-303-150 Division, dilution, and accumulation. (1) Any action taken to evade the intent of this regulation by dividing or diluting wastes to change their

designation shall be prohibited, except for the purposes of treating, neutralizing, or detoxifying such wastes.

(2) Separation of a homogeneous waste into heterogeneous phases (e.g., separation of a suspension into sludge and liquid phases, or of a solvent/water mixture into solvent and water phases, etc.) will not be considered as division, provided that the person generating the waste either:

(a) Designates the homogeneous waste before separation, and handles the entire waste accordingly; or

(b) Designates each phase of the heterogeneous waste, in accordance with the dangerous waste designation requirements of this chapter, and handles each phase accordingly.

(3) For the purposes of designation, quantities of continuously generated wastes must be summed monthly. All wastes generated less frequently than once a month will be considered as batch or single event wastes.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-150, filed 10/19/95, effective 11/19/95; 82-05-023 (Order DE 81-33), § 173-303-150, filed 2/10/82. Formerly WAC 173-302-150.]

WAC 173-303-160 Containers. (1) Waste quantity. Containers and inner liners will not be considered as a part of the waste when measuring or calculating the quantity of a dangerous waste. Only the weight of the residues in nonempty or nonrinsed containers or inner liners will be considered when determining waste quantities.

(2) A container or inner liner is "empty" when:

(a) All wastes in it have been taken out that can be removed using practices commonly employed to remove materials from that type of container or inner liner (e.g., pouring, pumping, aspirating, etc.) and, no more than one inch of waste remains at the bottom of the container or inner liner, or the volume of waste remaining in the container or inner liner is equal to three percent or less of the container's total capacity, or, if the container's total capacity is greater than one hundred ten gallons, the volume of waste remaining in the container or inner liner is no more than 0.3 percent of the container's total capacity. A container which held compressed gas is empty when the pressure inside the container equals or nearly equals atmospheric pressure; and

(b) If the container or inner liner held acutely hazardous waste, as defined in WAC 173-303-040, toxic EHW as defined in WAC 173-303-100 or pesticides bearing the danger or warning label, the container or inner liner has been rinsed at least three times with an appropriate cleaner or solvent. The volume of cleaner or solvent used for each rinsing must be ten percent or more of the container's or inner liner's capacity or of sufficient quantity to thoroughly decontaminate the container. In lieu of rinsing for containers that might be damaged or made unusable by rinsing with liquids (e.g., fiber or cardboard containers without inner liners), an empty container may be vacuum cleaned, struck, with the open end of the container up, three times (e.g., on the ground, with a hammer or hand) to remove or loosen particles from the inner walls and corners, and vacuum cleaned again. Equipment used for the vacuum cleaning of residues from containers or inner liners must be decontaminated before discarding, in accordance with procedures approved by the department.

Any rinsate or vacuumed residue which results from the cleaning of containers or inner liners must, whenever

possible, be reused in a manner consistent with the original intended purpose of the substance in the container or inner liner. In the case of a farmer, if the rinsate is a pesticide residue then the rinsate must be managed or reused in a manner consistent with the instructions on the pesticide label, provided that when the label instructions specify disposal or burial, such disposal or burial must be on the farmer's own (including rented, leased or tenanted) property. Otherwise, the rinsate must be checked against the designation requirements (WAC 173-303-070 through 173-303-100) and, if designated, managed according to the requirements of this chapter.

(c) In the case of a container, the inner liner, that prevented the container from contact with the commercial chemical product or manufacturing chemical, has been removed.

(3) Any residues remaining in containers or inner liners that are "empty" as described in subsection (2) of this section will not be subject to the requirements of this chapter, and will not be considered as accumulated wastes for the purposes of calculating waste quantities. Any dangerous waste in either: A container that is not empty, or an inner liner removed from a container that is not empty (as defined in subsection (2) of this section) is subject to the requirements of this chapter.

(4) A person may petition the department to approve alternative container rinsing processes in accordance with WAC 173-303-910(1).

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-160, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-160, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-160, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 86-12-057 (Order DE-85-10), § 173-303-160, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-160, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-160, filed 2/10/82. Formerly WAC 173-302-140.]

WAC 173-303-161 Overpacked containers (labpacks). Small containers of dangerous waste may be placed in overpacked drums (or labpacks) provided that the following conditions are met:

(1) Dangerous waste must be packaged in nonleaking inside containers. The inside containers must be of a design and constructed of a material that will not react dangerously with, be decomposed by, or be ignited by the contained waste. Inside containers must be tightly and securely sealed and, to the extent possible, should be full and have as little air as possible in them to minimize voids. The inside containers must be of the size and type specified in the Department of Transportation (DOT) hazardous materials regulations (49 CFR Parts 173, 178, and 179), if those regulations specify a particular inside container for the waste;

(2) The inside containers must be overpacked in an open head DOT-specification drum shipping container which meets all of the requirements of 49 CFR Parts 173, 178, and 179. The overpack container must not exceed a capacity of 416-liter (110 gallon). The overpack container must have a sufficient quantity of sorbent material to completely sorb all of the liquid contents of the inside containers. The sorbent in overpack containers to be placed in a landfill must be

nonbiodegradable in accordance with WAC 173-303-140 (4)(b)(iv). The outer container must be full after it has been packed with inside containers and sorbent material;

(3) The sorbent material used must not be capable of reacting dangerously with, being decomposed by, or being ignited by the contents of the inside containers, in accordance with WAC 173-303-395 (1)(b);

(4) Incompatible wastes, as defined in WAC 173-303-040, must not be placed in the same outside container; and

(5) Reactive wastes, other than cyanide- or sulfide-bearing waste as defined in WAC 173-303-090 (7)(a)(v), must be treated or rendered nonreactive prior to packaging in accordance with subsections (1) through (4) of this section. Cyanide- and sulfide-bearing reactive waste may be packed in accordance with subsections (1) through (4) of this section without first being treated or rendered nonreactive.

(6) An itemized listing of the chemicals, their concentrations and quantities per labpack must be kept by the generator and must be readily available in case of an emergency during shipment, and for the purposes of preparing annual reports under WAC 173-303-220.

(7) Such disposal is in compliance with the requirements of WAC 173-303-140 (2)(a). Persons who incinerate labpacks according to the requirements in 40 CFR 268.42(c)(1) (incorporated by reference at WAC 173-303-140 (2)(a)) may use fiber drums in place of metal outer containers. Such fiber drums must meet the DOT specifications in 49 CFR 173.12 and be overpacked according to the requirements in subsection (2) of this section.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-161, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-161, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapter 70.105 RCW. 89-02-059 (Order 88-24), § 173-303-161, filed 1/4/89; 86-12-057 (Order DE-85-10), § 173-303-161, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-161, filed 4/18/84.]

WAC 173-303-170 Requirements for generators of dangerous waste. (1) A person is a dangerous waste generator if their solid waste is designated by the requirements of WAC 173-303-070 through 173-303-100.

(a) The generator is responsible for designating their waste as DW or EHW.

(b) The generator may request an exemption for their dangerous waste according to the procedures of WAC 173-303-072.

(2) A dangerous waste generator must notify the department and obtain an EPA/state identification number as required by WAC 173-303-060, and must comply with the requirements of WAC 173-303-170 through 173-303-230.

(3) Any generator who stores, treats, or disposes of dangerous waste on-site must perform their operations in accordance with the TSD facility requirements with the following exceptions:

(a) Generators who accumulate dangerous wastes for less than ninety days as allowed under WAC 173-303-200 or for less than one hundred eighty days as allowed under WAC 173-303-201 and 173-303-202;

(b) Generators who treat dangerous waste on-site in accumulation tanks, containers, and containment buildings provided that the generator maintains a log showing the date and amount of waste treated and complies with:

(i) The applicable requirements of WAC 173-303-200, 173-303-201, and 173-303-202; and

(ii) WAC 173-303-283(3);

(c) Generators who treat special waste on-site provided:

(i) The accumulation standards of WAC 173-303-073 (2)(a) and (b) are met;

(ii) When treated in units other than tanks or containers, the unit is designed, constructed, and operated in a manner that prevents:

(A) A release of waste and waste constituents to the environment;

(B) Endangerment of health of employees or the public;

(C) Excessive noise;

(D) Negative aesthetic impact on the use of adjacent property.

(iii) The treatment unit must also be inspected routinely for deterioration that would lead to a release and repairs must be conducted promptly.

(4) The generator must comply with the special land disposal restrictions for certain dangerous wastes in WAC 173-303-140.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-170, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-170, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapter 70.105 RCW. 88-02-057 (Order DE 83-36), § 173-303-170, filed 1/5/88, effective 2/5/88; 87-14-029 (Order DE-87-4), § 173-303-170, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-170, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-170, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-170, filed 2/10/82.]

WAC 173-303-180 Manifest. Before transporting dangerous waste or offering dangerous waste for transport off the site of generation, the generator must prepare a manifest and must follow all applicable procedures described in this section.

(1) This subsection describes the form and contents of dangerous waste manifests. 40 CFR Part 262 Appendix - Uniform Hazardous Waste Manifest and Instructions (EPA Forms 8700-22 and 8700-22A and Their Instructions) is adopted by reference. The manifest must be EPA Form 8700-22 and, if necessary, EPA Form 8700-22A. The manifest must be prepared in accordance with the instructions for these forms, as described in the uniform manifest Appendix of 40 CFR Part 262, and in addition must contain the following information in the specified shaded items of the uniform manifest:

(a) Item D - The first transporter's telephone number must be provided in this space;

(b) Item F - If a second transporter is used, then the second transporter's telephone number must be provided in this space;

(c) Item H - The designated receiving facility's telephone number must be provided in this space;

(d) Item I, and R if the continuation sheet 8700-22A is used - The dangerous waste number (e.g., F001, D006, WT02, P102) must be provided in this space for each corresponding waste entered and described under Item 11, and 28 if the continuation sheet 8700-22A is used. As discussed in subsection (5) of this section, dangerous waste numbers WL01 or WL02 may be used in this space for labpacks;

(e) Item O, (on the continuation sheet 8700-22A) - If a third transporter is used, then the third transporter's telephone number must be provided in this space; and

(f) Item Q, (on the continuation sheet 8700-22A) - If a fourth transporter is used, then the fourth transporter's telephone number must be provided in this space.

(2) The manifest must consist of enough copies to provide the generator, transporter(s), and facility owner/operator with a copy, and a copy for return to the generator.

(3) Manifest procedures.

(a) The generator must:

(i) Sign and date the manifest certification by hand;

(ii) Obtain the handwritten signature of the initial transporter and date of acceptance on the manifest; and

(iii) Retain one copy in accordance with WAC 173-303-210, Generator recordkeeping.

(b) The generator must give the remaining manifest copies to the transporter.

(c) If the transporter is unable to deliver the dangerous waste shipment to the designated facility or the alternate facility, the generator must either designate another facility or instruct the transporter to return the waste shipment.

(d) For shipments of dangerous waste within the United States solely by water (bulk shipments only), the generator must send three copies of the manifest dated and signed in accordance with this section to the owner or operator of the designated facility or the last water (bulk shipment) transporter to handle the waste in the United States if exported by water. Copies of the manifest are not required for each transporter.

(e) For rail shipments of dangerous waste within the United States which originate at the site of generation, the generator must send at least three copies of the manifest dated and signed in accordance with this section to:

(i) The next nonrail transporter, if any; or

(ii) The designated facility if transported solely by rail;

or

(iii) The last rail transporter to handle the waste in the United States if exported by rail.

(f) For shipments of federally regulated hazardous waste to a designated facility in an authorized state which has not yet obtained authorization to regulate that particular waste as hazardous, the generator must assure that the designated facility agrees to sign and return the manifest to the generator, and that any out-of-state transporter signs and forwards the manifest to the designated facility.

(4) Special requirements for shipments to the Washington EHW facility at Hanford.

(a) All generators planning to ship dangerous waste to the EHW facility at Hanford must notify the facility in writing and by sending a copy of the prepared manifest prior to shipment.

(b) The generator must not ship any dangerous waste without prior approval from the EHW facility. The state operator may exempt classes of waste from the requirements of WAC 173-303-180 (4)(a) and (b) where small quantities or multiple shipments of a previously approved waste are involved, or there exists an emergency and potential threat to public health and safety.

(5) Special instructions for shipment of labpacks. For purposes of completing the uniform dangerous waste manifest, dangerous waste numbers WL01 (for labpacks

containing wastes designated as EHW) or WL02 (for labpacks containing wastes designated only as DW) may be used to complete Items I and R in lieu of the dangerous waste numbers that would otherwise be assigned to the contents of the labpack.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-180, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-180, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapter 70.105 RCW. 86-12-057 (Order DE-85-10), § 173-303-180, filed 6/3/86; 84-14-031 (Order DE 84-22), § 173-303-180, filed 6/27/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-180, filed 2/10/82. Formerly WAC 173-302-180 and 173-302-190.]

WAC 173-303-190 Preparing dangerous waste for transport. The generator must fulfill the following requirements before transporting off-site or offering for off-site transport any dangerous waste.

(1) Packaging. The generator must package all dangerous waste for transport in accordance with United States DOT regulations on packaging, 49 CFR Parts 173, 178, and 179.

(2) Labeling. The generator must label each package in accordance with United States DOT regulations, 49 CFR Part 172.

(3) Marking. The generator must:

(a) Mark each package of dangerous waste in accordance with United States DOT regulations, 49 CFR Part 172; and

(b) Mark each package containing one hundred ten gallons or less of dangerous waste with the following, or equivalent words and information, displayed in accordance with 49 CFR 172.304:

HAZARDOUS WASTE - State and federal law prohibits improper disposal. If found, contact the nearest police or public safety authority, and the Washington state department of ecology or the United States Environmental Protection Agency.

Generator's Name and Address

.....
.....
.....

Manifest Document Number

.....

(4) Placarding. The generator will placard, or offer to the initial transporter all appropriate placards in accordance with United States DOT regulations, 49 CFR Part 172, Subpart F.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-190, filed 10/19/95, effective 11/19/95. Statutory Authority: Chapter 70.105 RCW. 84-09-088 (Order DE 83-36), § 173-303-190, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-190, filed 2/10/82.]

WAC 173-303-200 Accumulating dangerous waste on-site. (1) A generator, not to include transporters as referenced in WAC 173-303-240(3), may accumulate dangerous waste on-site without a permit for ninety days or less after the date of generation, provided that:

(a) All such waste is shipped off-site to a designated facility or placed in an on-site facility which is permitted by the department under WAC 173-303-800 through 173-303-845 or recycled or treated on-site in ninety days or less. The department may, on a case-by-case basis, grant a maximum thirty day extension to this ninety day period if dangerous wastes must remain on-site due to unforeseen, temporary and uncontrollable circumstances. A generator who accumulates dangerous waste for more than ninety days is an operator of a storage facility and is subject to the facility requirements of this chapter and the permit requirements of this chapter as a storage facility unless he has been granted an extension to the ninety day period allowed pursuant to this subsection;

(b)(i) The waste is placed in containers and the generator complies with WAC 173-303-630 (2), (3), (4), (5), (6), (8), (9), and (10). For container accumulation (including satellite areas as described in subsection (2) of this section), the department may require that the accumulation area include secondary containment in accordance with WAC 173-303-630(7), if the department determines that there is a potential threat to public health or the environment due to the nature of the wastes being accumulated, or due to a history of spills or releases from accumulated containers. In addition, any new container accumulation areas (but not including new satellite areas, unless required by the department) constructed or installed after September 30, 1986, must comply with the provisions of WAC 173-303-630(7); or

(ii) The waste is placed in tanks and the generator complies with WAC 173-303-640 (2) through (10), except WAC 173-303-640 (8)(c) and the second sentence of WAC 173-303-640 (8)(a). (Note: A generator, unless otherwise required to do so, does not have to prepare a closure plan, a cost estimate for closure, or provide financial responsibility for his tank system to satisfy the requirements of this section.) Such a generator is exempt from the requirements of WAC 173-303-620 and 173-303-610, except for WAC 173-303-610 (2) and (5); or

(iii) The waste is placed on drip pads and the generator complies with WAC 173-303-675 and maintains the following records at the facility:

(A) A description of procedures that will be followed to ensure that all wastes are removed from the drip pad and associated collection system at least once every 90 days; and

(B) Documentation of each waste removal, including the quantity of waste removed from the drip pad and the sump or collection system and the date and time of removal; and/or

(iv) The waste is placed in containment buildings and the generator complies with 40 CFR Part 265 Subpart DD, which is incorporated by reference, and the generator has placed its professional engineer certification that the building complies with the design standards specified in 40 CFR 265.1101 in the facility's operating record no later than sixty days after the date of initial operation of the unit. After February 18, 1993, PE certification will be required prior to operation of the unit. The owner or operator shall maintain the following records at the facility:

(A) A written description of procedures to ensure that each waste volume remains in the unit for no more than ninety days, a written description of the waste generation and management practices for the facility showing that they are

consistent with respecting the ninety-day limit, and documentation that the procedures are complied with; or

(B) Documentation that the unit is emptied at least once every 90 days.

In addition, such a generator is exempt from all the requirements in WAC 173-303-610 and 173-303-620, except for WAC 173-303-610(2).

(c) The date upon which each period of accumulation begins is marked and clearly visible for inspection on each container;

(d) While being accumulated on site, each container and tank is labeled or marked clearly with the words "dangerous waste" or "hazardous waste." Each container or tank must also be marked with a label or sign which identifies the major risk(s) associated with the waste in the container or tank for employees, emergency response personnel and the public (Note—If there is already a system in use that performs this function in accordance with local, state, or federal regulations, then such system will be adequate). The department may also require that a sign be posted at each entrance to the accumulation area, bearing the legend, "danger—unauthorized personnel keep out," or an equivalent legend, written in English, and legible from a distance of twenty-five feet or more; and

(e) The generator complies with the requirements for facility operators contained in:

(i) WAC 173-303-330 through 173-303-360 (personnel training, preparedness and prevention, contingency plan and emergency procedures, and emergencies) except for WAC 173-303-355 (SARA Title III coordination); and

(ii) WAC 173-303-320 (1), (2)(a), (b), (d), and (3) (general inspection); and

(f) The generator complies with 40 CFR 268.7(a)(4) (waste analysis plan when treating waste to meet treatment standards for land disposal restrictions).

(2) Satellite accumulation.

(a) A generator may accumulate as much as fifty-five gallons of dangerous waste or one quart of acutely hazardous waste per waste stream in containers at or near any point of generation where waste initially accumulates (defined as a satellite accumulation area in WAC 173-303-040). The satellite area must be under the control of the operator of the process generating the waste or secured at all times to prevent improper additions of wastes to a satellite container. Satellite accumulation is allowed without a permit provided the generator:

(i) Complies with WAC 173-303-630 (2), (4), (5) (a) and (b), (8)(a), and (9) (a) and (b); and

(ii) Complies with subsection (1)(d) of this section.

(b) When fifty-five gallons of dangerous waste or one quart of acutely hazardous waste is accumulated per waste stream, the container(s) must be marked immediately with the accumulation date and moved within three days to a designated storage or accumulation area.

(c) On a case-by-case basis the department may require the satellite area to be managed in accordance with all or some of the requirements under subsection (1) of this section, if the nature of the wastes being accumulated, a history of spills or releases from accumulated containers, or other factors are determined by the department to be a threat or potential threat to human health or the environment.

(3) For the purposes of this section, the ninety-day accumulation period begins on the date that:

- (a) The generator first generates a dangerous waste; or
- (b) The quantity (or aggregated quantity) of dangerous waste being accumulated by a small quantity generator first exceeds the quantity exclusion limit for such waste (or wastes); or
- (c) Fifty-five gallons of dangerous waste or one quart of acutely hazardous waste, per waste stream, is accumulated in a satellite accumulation area.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-200, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-200, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-200, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 89-02-059 (Order 88-24), § 173-303-200, filed 1/4/89; 86-12-057 (Order DE-85-10), § 173-303-200, filed 6/3/86; 84-14-031 (Order DE 84-22), § 173-303-200, filed 6/27/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-200, filed 2/10/82.]

WAC 173-303-201 Special accumulation standards.

(1) This section applies to persons who generate more than 220 pounds but less than 2200 pounds per calendar month and do not accumulate on-site more than 2200 pounds of dangerous waste. The special provisions of this section do not apply to acutely hazardous wastes that exceed the QEL that are being generated or accumulated by the generator.

(2) For purposes of accumulating dangerous waste on-site, persons who generate per month and accumulate on-site less than 2200 pounds (1000 kg) per month of dangerous waste are subject to all applicable provisions of WAC 173-303-200 except as follows:

(a) In lieu of the ninety-day accumulation period, dangerous wastes may be accumulated for one hundred eighty days or less. The department may, on a case-by-case basis, grant a maximum ninety-day extension to this one hundred eighty-day period if the generator must transport his waste, or offer his waste for transportation, over a distance of two hundred miles or more for off-site treatment, storage, or disposal, and the dangerous wastes must remain on-site due to unforeseen, temporary and uncontrollable circumstances;

(b) The generator need not comply with WAC 173-303-330 (Personnel training);

(c) In lieu of the contingency plan and emergency procedures required by WAC 173-303-350 and 173-303-360, the generator must comply with the following:

(i) At all times there must be at least one employee either on the premises or on call (i.e., available to respond to an emergency by reaching the facility within a short period of time) with the responsibility for coordinating all emergency response measures specified in (c)(iv) of this subsection. This employee is the emergency coordinator.

(ii) The generator must post the following information next to all emergency communication devices (including telephones, two-way radios, etc.):

(A) The name and telephone number of the emergency coordinator;

(B) Location of fire extinguishers and spill control material, and, if present, fire alarm; and

(C) The telephone number of the fire department, unless the facility has a direct alarm.

(iii) The generator must ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies;

(iv) The emergency coordinator or his designee must respond to any emergencies that arise. The applicable responses are as follows:

(A) In the event of a fire, call the fire department or attempt to extinguish it using a fire extinguisher;

(B) In the event of a spill, contain the flow of dangerous waste to the extent possible, and as soon as is practicable, clean up the dangerous waste and any contaminated materials or soil;

(C) In the event of a fire, explosion, or other release which could threaten human health outside the facility or when the generator has knowledge that a spill has reached waters of the state, the generator must immediately notify the department and either the government official designated as the on-scene coordinator, or the National Response Center (using their twenty-four hour toll free number 800/424-8802). The report must include the following information:

(I) The name, address, and EPA/state identification number of the generator;

(II) Date, time, and type of incident (e.g., spill or fire);

(III) Quantity and type of hazardous waste involved in the incident;

(IV) Extent of injuries, if any; and

(V) Estimated quantity and disposition of recovered materials, if any;

(d) For waste that is placed in tanks, generators must comply with WAC 173-303-202 in lieu of WAC 173-303-200 (1)(b).

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-201, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-201, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-201, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 87-14-029 (Order DE-87-4), § 173-303-201, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-201, filed 6/3/86.]

WAC 173-303-202 Special requirements for generators of between two hundred twenty and two thousand two hundred pounds per month that accumulate dangerous waste in tanks.

(1) This section applies to generators of more than two hundred twenty pounds but less than two thousand two hundred pounds of dangerous waste in a calendar month, that accumulate dangerous waste in tanks for less than one hundred eighty days (or two hundred seventy days if the generator must ship the waste greater than two hundred miles), and do not accumulate over two thousand two hundred pounds on-site at any time.

(2) Generators of between two hundred twenty and two thousand two hundred pounds per month of dangerous waste must comply with the following general operating requirements:

(a) Treatment or storage of dangerous waste in tanks must comply with WAC 173-303-395(1).

(b) Dangerous wastes or treatment reagents must not be placed in a tank if they could cause the tank or its inner liner

to rupture, leak, corrode, or otherwise fail before the end of its intended life.

(c) Uncovered tanks must be operated to ensure at least sixty centimeters (two feet) of freeboard, unless the tank is equipped with a containment structure (e.g., dike or trench), a drainage control system, or a diversion structure (e.g., standby tank) with a capacity that equals or exceeds the volume of the top sixty centimeters (two feet) of the tank.

(d) Where dangerous waste is continuously fed into a tank, the tank must be equipped with a means to stop this inflow (e.g., waste feed cutoff system or by-pass system to a standby tank).

Note: These systems are intended to be used in the event of a leak or overflow from the tank due to a system failure (e.g., a malfunction in the treatment process, a crack in the tank, etc.).

(3) Generators of between two hundred twenty and two thousand two hundred pounds per month accumulating dangerous waste in tanks must inspect, where present:

(a) Discharge control equipment (e.g., waste feed cutoff systems, by-pass systems, and drainage systems) at least once each operating day, to ensure that it is in good working order;

(b) Data gathered from monitoring equipment (e.g., pressure and temperature gauges) at least once each operating day to ensure that the tank is being operated according to its design;

(c) The level of waste in the tank at least once each operating day to ensure compliance with subsection (2)(c) of this section;

(d) The construction materials of the tank at least weekly to detect corrosion or leaking of fixtures or seams; and

(e) The construction materials of, and the area immediately surrounding, discharge confinement structures (e.g., dikes,) at least weekly to detect erosion or obvious signs of leakage (e.g., wet spots or dead vegetation).

Note: As required by WAC 173-303-320(3), the owner or operator must remedy any deterioration or malfunction he finds.

(4) Generators of between two hundred twenty and two thousand two hundred pounds per month accumulating dangerous waste in tanks must, upon closure of the facility, remove all dangerous waste from tanks, discharge control equipment, and discharge confinement structures.

Note: At closure, as throughout the operating period, unless the owner or operator can demonstrate, in accordance with WAC 173-303-070 (2)(a) or (b), that any solid waste removed from his tank is not a dangerous waste, the owner or operator becomes a generator of dangerous waste and must manage it in accordance with all applicable requirements of this chapter.

(5) Generators of between two hundred twenty and two thousand two hundred pounds per month must comply with the following special requirements for ignitable or reactive waste:

(a) Ignitable or reactive waste must not be placed in a tank, unless:

(i) The waste is treated, rendered, or mixed before or immediately after placement in a tank so that:

(A) The resulting waste, mixture, or dissolution of material no longer meets the definition of ignitable or reactive waste under WAC 173-303-090 (5) or (7) of this chapter; and

(B) WAC 173-303-395(1) is complied with; or

(ii) The waste is stored or treated in such a way that it is protected from any material or conditions that may cause the waste to ignite or react; or

(iii) The tank is used solely for emergencies.

(b) The owner or operator of a facility which treats or stores ignitable or reactive waste in covered tanks must comply with the buffer zone requirements for tanks contained in Tables 2-1 through 2-6 of the National Fire Protection Association's "Flammable and Combustible Liquids Code," (1977 or 1981).

(6) Generators of between two hundred twenty and two thousand two hundred pounds per month must comply with the following special requirements for incompatible wastes:

(a) Incompatible wastes, or incompatible wastes and materials, (see 40 CFR Part 265 Appendix V for examples) must not be placed in the same tank, unless WAC 173-303-395(1) is complied with.

(b) Dangerous waste must not be placed in an unwashed tank which previously held an incompatible waste or material, unless WAC 173-303-395(1) is complied with.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 94-01-060 (Order 92-33), § 173-303-202, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapter 70.105 RCW. 89-02-059 (Order 88-24), § 173-303-202, filed 1/4/89.]

WAC 173-303-210 Generator recordkeeping. (1)

The generator must keep a copy of each manifest signed by the initial transporter in accordance with WAC 173-303-180(3), manifest procedures, for three years, or until he receives a signed copy from the designated facility which received the waste. The signed facility copy must be retained for at least five years from the date the waste was accepted by the initial transporter.

(2) The generator must keep a copy of each annual report and exception report as required by WAC 173-303-220 for a period of at least five years from the due date of each report. The generator must keep a copy of his most recent notification (Form 2) until he is no longer defined as a generator under this chapter.

(3) Waste designation records.

(a) The generator must keep records of any test results, waste analyses, or other determinations made in accordance with WAC 173-303-170(1) for designating dangerous waste for at least five years from the date that the waste was last transferred for on-site or off-site treatment, storage, or disposal.

(b) At a minimum, test results must include:

(i) The sample source, sampling date, and sampling procedure used;

(ii) The laboratory performing the test;

(iii) The testing date, and testing method used;

(iv) The analytical result, or the quantitative range of the testing method for analytes not detected.

(4) Any other records required for generators accumulating wastes on-site as described in WAC 173-303-170 (4)(b) or 173-303-200 must be retained for at least five years, including, but not limited to such items as inspection logs.

(5) The periods of retention for any records described in this section will be automatically extended during the course of any unresolved enforcement action requiring those records or upon request by the director.

(6) All generator records, including plans required by this chapter, will be made available and furnished upon request by the director.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-210, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-210, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-210, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 86-12-057 (Order DE-85-10), § 173-303-210, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-210, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-210, filed 2/10/82.]

WAC 173-303-220 Generator reporting. The generator must submit the following reports to the department by the specified due date for each report, or within the time period allowed for each report.

(1) Annual reports.

(a) A generator or any person who has obtained an EPA/state identification number pursuant to WAC 173-303-060 must submit an annual report to the department, on the Dangerous Waste Annual Report according to the instructions on the form (copies are available from the department), no later than March 1 for the preceding calendar year.

(b) In addition, any generator who stores, treats, or disposes of dangerous waste on-site must comply with the annual reporting requirements of WAC 173-303-390, Facility reporting.

(2) Exception reports.

(a) A generator who does not receive a copy of the manifest with the handwritten signature of the owner/operator of the designated facility within thirty-five days of the date the waste was accepted by the initial transporter must contact the transporter(s) and/or facility to determine the status of the dangerous waste shipment.

(b) A generator must submit an exception report to the department if he has not received a copy of the manifest with the handwritten signature of the owner/operator of the designated facility within forty-five days of the date the waste was accepted by the initial transporter.

(c) The exception report must include:

(i) A legible copy of the manifest for which the generator does not have confirmation of delivery; and

(ii) A cover letter signed by the generator or his representative explaining the efforts taken to locate the waste and the results of those efforts.

(d) The department may require a generator to submit exception reports in less than forty-five days if it finds that the generator frequently or persistently endangers public health or the environment through improper waste shipment practices.

(3) Additional reports. The director, as he deems necessary under chapter 70.105 RCW, may require a generator to furnish additional reports (including engineering reports, plans, and specifications) concerning the quantities and disposition of the generator's dangerous waste.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-220, filed 10/19/95, effective 11/19/95. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-220, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 87-14-029 (Order DE-87-4), § 173-303-220, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-220, filed 6/3/86; 84-09-088 (Order DE 83-36), §

173-303-220, filed 4/18/84. Statutory Authority: RCW 70.95.260 and chapter 70.105 RCW. 82-05-023 (Order DE 81-33), § 173-303-220, filed 2/10/82.]

WAC 173-303-230 Special conditions. (1) Exporting dangerous waste.

Federal export requirements, administered by EPA, are set forth at 40 CFR 262 Subpart E and 40 CFR 261.5, 261.6, 262.41, and 263.20 and specify the procedures applicable to generators of hazardous waste (as defined in WAC 173-303-040). These requirements are incorporated by reference. Copies of any forms or reports submitted to the administrator of United States EPA as required by 40 CFR 262 Subpart E must also be submitted to the department.

(2) Importing dangerous waste. When importing dangerous waste from a foreign country into Washington state, the United States importer must comply with all the requirements of this chapter for generators, including the requirements of WAC 173-303-180(1), except that:

(a) In place of the generator's name, address and EPA/state identification number, the name and address of the foreign generator and the importer's name, address and EPA/state identification number must be used; and

(b) In place of the generator's signature on the certification statement, the United States importer or his agent must sign and date the certification and obtain the signature of the initial transporter.

(3) Empty containers. For the purposes of this chapter, a person who stores, treats, disposes, transports, or offers for transport empty containers of dangerous waste that were for his own use will not be treated as a generator or as a facility owner/operator if the containers are empty as defined in WAC 173-303-160(2), and either:

(a) The rinsate is not a dangerous waste under this chapter; or

(b) He reuses the rinsate in a manner consistent with the original product or, if he is a farmer and the rinsate contains pesticide residues, he reuses or manages the rinsate in a manner consistent with the instructions on the pesticide label, provided that when the label instructions specify disposal or burial, such disposal or burial must be on the farmer's own (including rented, leased or tenanted) property.

(4) Tank cars. A person rinsing out dangerous waste tote tanks, truck or railroad tank cars must handle the rinsate according to this chapter, and according to chapter 90.48 RCW, Water pollution control.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-230, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-230, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapters 70.105 and 70.105D RCW, 40 CFR Part 271.3 and RCRA § 3006 (42 U.S.C. 3251). 91-07-005 (Order 90-42), § 173-303-230, filed 3/7/91, effective 4/7/91. Statutory Authority: Chapter 70.105 RCW. 87-14-029 (Order DE-87-4), § 173-303-230, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-230, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-230, filed 4/18/84. Statutory Authority: RCW 70.95.260 and chapter 70.105 RCW. 82-05-023 (Order DE 81-33), § 173-303-230, filed 2/10/82.]

WAC 173-303-240 Requirements for transporters of dangerous waste. (1) Transporters must comply with the requirements of WAC 173-303-060, Notification and identification numbers. Transporters who are involved in interstate transport must use the identification number

assigned to their national headquarters office, unless the department requires, on a case-by-case basis, that a transporter obtain his own unique EPA/state ID#. Transporters who are involved only in intrastate transport must use the identification number assigned to their headquarters office located within the state. Transporters who must comply with the generator requirements as a result of a spill at a terminal or during transport must obtain a separate generator EPA/state ID# for such spill or terminal.

(2) Any person who transports a dangerous waste must comply with the requirements of WAC 173-303-240 through 173-303-270, when such dangerous waste is required to be manifested by WAC 173-303-180.

(3) Any person who transports a dangerous waste must also comply with the requirements of WAC 173-303-170 through 173-303-230 for generators, if he:

(a) Transports dangerous waste into the state from another country; or

(b) Mixes dangerous waste of different United States DOT shipping descriptions by mixing them into a single container.

(4) These requirements do not apply to on-site (as defined in WAC 173-303-040) transportation of dangerous waste by generators, or by owners/operators of permitted TSD facilities.

(5) Transporters may store at a transfer facility manifested shipments of dangerous waste in containers meeting the requirements of WAC 173-303-190 (1), (2), and (3) for ten days or less. Transporters may not accumulate or store manifested shipments of dangerous waste for more than ten days. Reference to WAC 173-303-200 in 173-303-240(3) does not constitute authority for storage in excess of ten days for transporters. Transporters who do not comply with these conditions are subject to all applicable TSD facility requirements.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-240, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-240, filed 12/8/93, effective 1/8/94. Statutory Authority: Chapter 70.105 RCW. 87-14-029 (Order DE-87-4), § 173-303-240, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-240, filed 6/3/86; 84-14-031 (Order DE 84-22), § 173-303-240, filed 6/27/84. Statutory Authority: RCW 70.95.260 and chapter 70.105 RCW. 82-05-023 (Order DE 81-33), § 173-303-240, filed 2/10/82. Formerly WAC 173-302-210.]

WAC 173-303-250 Dangerous waste acceptance, transport, and delivery. (1) A transporter must not accept dangerous waste from a generator unless it is accompanied by a manifest signed by the generator in accordance with WAC 173-303-180, Manifest.

(2) Before transporting a dangerous waste shipment, the transporter must sign and date the manifest, acknowledging acceptance of the dangerous waste. The transporter shall return a signed copy to the generator before commencing transport.

(3) The transporter must insure that the manifest accompanies the dangerous waste shipment.

(4) A transporter who delivers a dangerous waste to another transporter, or to the designated facility must:

(a) Obtain the date of delivery and the handwritten signature of that transporter or designated facility owner/operator on the manifest;

(b) Retain one copy of the manifest in accordance with WAC 173-303-260, Transporter recordkeeping; and

(c) Give the remaining copies of the manifest to the accepting transporter or designated facility.

(5) The transporter must deliver the entire quantity of dangerous waste which he has accepted from a generator or a transporter to:

(a) The designated facility listed on the manifest; or

(b) The alternate designated facility, if the dangerous waste cannot be delivered to the designated facility because an emergency prevents delivery; or

(c) The next designated transporter; or

(d) The place outside the United States designated by the generator.

(6) If the dangerous waste cannot be delivered in accordance with subsection (5) of this section, the transporter must contact the generator for further directions, and must revise the manifest according to the generator's instructions.

(7) The requirements of subsections (3), (4), and (8) of this section do not apply to water (bulk shipment) transporters if:

(a) The dangerous waste is delivered by water (bulk shipment) to the designated facility;

(b) A shipping paper containing all the information required on the manifest (excluding the EPA/state identification numbers, generator certification, and signatures) accompanies the dangerous waste;

(c) The delivering transporter obtains the date of delivery and handwritten signature of the owner or operator of the designated facility on either the manifest or the shipping paper;

(d) The person delivering the dangerous waste to the initial water (bulk shipment) transporter obtains the date of delivery and signature of the water (bulk shipment) transporter on the manifest and forwards it to the designated facility; and

(e) A copy of the shipping paper or manifest is retained by each water (bulk shipment) transporter in accordance with WAC 173-303-260(2).

(8) For shipments involving rail transportation, the requirements of subsections (3), (4), and (7) of this section do not apply and the following requirements do apply.

(a) When accepting dangerous waste from a nonrail transporter, the initial rail transporter must:

(i) Sign and date the manifest acknowledging acceptance of the dangerous waste;

(ii) Return a signed copy of the manifest to the nonrail transporter;

(iii) Forward at least three copies of the manifest to:

(A) The next nonrail transporter, if any; or

(B) The designated facility, if the shipment is delivered to that facility by rail; or

(C) The last rail transporter designated to handle the waste in the United States;

(iv) Retain one copy of the manifest and rail shipping paper in accordance with WAC 173-303-260(2).

(b) Rail transporters must ensure that a shipping paper containing all the information required on the manifest (excluding the EPA/state identification numbers, generator certification, and signatures) accompanies the dangerous waste at all times.

(c) When delivering dangerous waste to the designated facility, a rail transporter must:

(i) Obtain the date of delivery and handwritten signature of the owner or operator of the designated facility on the manifest or the shipping paper (if the manifest has not been received by the facility); and

(ii) Retain a copy of the manifest or signed shipping paper in accordance with WAC 173-303-260(2).

(d) When delivering dangerous waste to a nonrail transporter a rail transporter must:

(i) Obtain the date of delivery and the handwritten signature of the next nonrail transporter on the manifest; and

(ii) Retain a copy of the manifest in accordance with WAC 173-303-260(2).

(e) Before accepting dangerous waste from a rail transporter, a nonrail transporter must sign and date the manifest and provide a copy to the rail transporter.

(9) Transporters who transport dangerous waste out of the United States must:

(a) Indicate on the manifest the date the dangerous waste left the United States;

(b) Sign the manifest and retain one copy in accordance with WAC 173-303-260(3), Transporter recordkeeping; and

(c) Return a signed copy of the manifest to the generator.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-250, filed 10/19/95, effective 11/19/95. Statutory Authority: Chapter 70.105 RCW. 84-09-088 (Order DE 83-36), § 173-303-250, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-250, filed 2/10/82. Formerly WAC 173-302-220 and 173-302-230.]

WAC 173-303-260 Transporter recordkeeping. (1) A transporter of dangerous waste must keep a copy of the manifest signed by the generator, himself, and the next designated transporter or the owner or operator of the designated facility for a period of three years from the date the dangerous waste was accepted by the initial transporter.

(2) Water (bulk shipment) and rail transporter recordkeeping.

(a) For shipments delivered to the designated facility by rail or water (bulk shipment), each rail or water (bulk shipment) transporter must retain a copy of a shipping paper containing all the information required on a manifest (excluding the EPA/state identification numbers, generator certification, and signatures) for a period of three years from the date the dangerous waste was accepted by the initial transporter.

(b) For shipments of dangerous waste by rail within the United States:

(i) The initial rail transporter must keep a copy of the manifest and shipping paper with all the information required on a manifest (excluding the EPA/state identification numbers, generator certification, and signatures) for a period of three years from the date the dangerous waste was accepted by the initial transporter; and

(ii) The final rail transporter must keep a copy of the signed manifest (or the shipping paper if signed by the designated facility in lieu of the manifest) for a period of three years from the date the dangerous waste was accepted by the initial transporter.

(3) A transporter who transports dangerous waste out of the United States must keep a copy of the manifest, indicating that the dangerous waste left the United States, for a period of three years from the date the dangerous waste was accepted by the initial transporter.

(4) The periods of retention referred to in this section are extended automatically during the course of any unresolved enforcement action regarding the regulated activity, or as requested by the director.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-260, filed 10/19/95, effective 11/19/95. Statutory Authority: Chapter 70.105 RCW. 84-09-088 (Order DE 83-36), § 173-303-260, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-260, filed 2/10/82.]

WAC 173-303-270 Discharges during transport. In the event of a spill or discharge of dangerous waste during transportation, the transporter must comply with the requirements of WAC 173-303-145, Spills and discharges into the environment. In addition to the notices required by WAC 173-303-145, the transporter must provide the following notifications:

(1) Give notice to the generator of the waste that a discharge has occurred;

(2) Give notice to the National Response Center (800-424-8802 or 202-426-2675), if required by 49 CFR 171.15;

(3) Report in writing as required by 49 CFR 171.16 to the Director, Office of Hazardous Materials Regulations, Materials Transportation Bureau, Department of Transportation, Washington D.C., 20590; and,

(4) For a water (bulk shipment) transporter, give the same notice as required by 33 CFR 153.203 for oil and hazardous substances.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-270, filed 10/19/95, effective 11/19/95. Statutory Authority: Chapter 70.105 RCW. 84-09-088 (Order DE 83-36), § 173-303-270, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-270, filed 2/10/82.]

WAC 173-303-280 General requirements for dangerous waste management facilities. (1) Applicability. The requirements of WAC 173-303-280 through 173-303-395 apply to all owners and operators of facilities which store, treat, or dispose of dangerous wastes and which must be permitted under the requirements of this chapter 173-303 WAC, unless otherwise specified in this chapter. Whenever a shipment of dangerous waste is initiated from a facility, the owner or operator of that facility must comply with the requirements for generators, WAC 173-303-170 through 173-303-230.

(2) Imminent hazard. Notwithstanding any provisions of this chapter, enforcement actions may be brought in the event that the management practices of a facility present an imminent and substantial hazard to the public health and the environment, regardless of the quantity or concentration of a dangerous waste.

(3) Identification numbers. Every facility owner or operator must apply for an EPA/state identification number from the department in accordance with WAC 173-303-060.

(4) The owner or operator must comply with the special land disposal restrictions for certain dangerous wastes in WAC 173-303-140.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-280, filed 10/19/95, effective 11/19/95. Statutory Authority: Chapter 70.105 RCW. 88-02-057 (Order DE 83-36), § 173-303-280, filed 1/5/88, effective 2/5/88; 87-14-029 (Order DE-87-4), § 173-303-280, filed 6/26/87; 86-12-057 (Order DE-85-10), § 173-303-280, filed 6/3/86; 84-09-088 (Order DE 83-36), § 173-303-280, filed 4/18/84. Statutory Authority: Chapter 70.105 RCW and RCW 70.95.260. 82-05-023 (Order DE 81-33), § 173-303-280, filed 2/10/82.]

WAC 173-303-281 Notice of intent. (1) Purpose.

The purpose of this section is to provide notification to the department, local communities and the public that the siting of a dangerous waste management facility is being considered. Also, to provide general information about the proposed facility owner/operator, the type of facility and the types of wastes to be managed and compliance with the siting criteria.

(2) Applicability. This section applies to owners/operators of proposed facilities. This section also applies to existing facilities for which the department receives an application for expansion. This section does not apply to owners/operators of facilities or portions of facilities who are applying for research, development and demonstration permits, pursuant to section 3005(g) of the Resource Conservation and Recovery Act, codified in 40 CFR Part 270.65. In addition, this section does not apply to owners/operators of facilities operating under an emergency permit pursuant to WAC 173-303-804 or to persons at facilities conducting on-site cleanup of sites under the Comprehensive Environmental Response Compensation and Liability Act, Sections 3004(u), 3004(v), and 3008(h) of the Resource Conservation and Recovery Act, chapter 70.105 RCW, or chapter 70.105D RCW, provided the cleanup activities are being conducted under a consent decree, agreed order, or enforcement order, or is being conducted by the department or United States Environmental Protection Agency. As used in this section:

(a) "Proposed facility" means a facility which has not qualified for interim status under WAC 173-303-805 or for which the department has not issued a final facility permit under WAC 173-303-806 prior to the effective date of this section;

(b) "Existing facility" means a facility which has qualified for interim status under WAC 173-303-805 or for which the department has issued a final facility permit under WAC 173-303-806 prior to the effective date of this section; and

(c) "Expansion" means the enlargement of the land surface area of an existing facility from that described in an interim status permit application or final status permit, the addition of a new dangerous waste management process, or an increase in the overall design capacity of existing dangerous waste management processes at a facility.

(3) Notice of intent to file for an interim status or a dangerous waste permit.

(a) The notice of intent to be prepared by the owners/operators of the applicable facilities must consist of:

(i) The name, address, and telephone number of the owner, operator, and corporate officers;

(ii) The location of the proposed facility or expansion on a topographic map with specifications as detailed in WAC 173-303-806 (4)(a)(xviii);

(iii) A brief description of the types and amounts of wastes to be managed annually;

(iv) A brief description of the major equipment items proposed, if any, and the waste management activities requiring a permit or revision of an existing permit;

(v) Demonstration of compliance with the siting criteria as required under WAC 173-303-282 (6) and (7). The site conditions with regards to satisfying the criteria are to be assessed as of the date of submittal of the notice of intent to the department;

(vi) For informational purposes a complete summary of compliance violations of permit conditions at hazardous waste management facilities owned or operated by the applicant, its subsidiaries or its parent company, during the ten calendar years preceding the permit application. Along with the summary of compliance violations, as issued by appropriate state or federal regulatory agencies, the applicant must also submit responses to past violations and any written correspondence with regulatory agencies regarding the compliance status of any hazardous waste management facility owned or operated by the applicant, its subsidiaries or parent company of the owner or operator. A more detailed compliance record must be provided upon request by the department;

(vii) For informational purposes the need for the proposed facility or expansion must be demonstrated by one of the following methods:

(A) Current overall capacity within Washington is inadequate for dangerous wastes generated in Washington as determined by regional or state dangerous waste management plans; or

(B) The facility is a higher priority management method, as described in RCW 70.105.150, than is currently in place or practical and available for the types of waste proposed to be managed; or

(C) The facility will add to the types of technology available or will reduce cost impacts (not to include transportation costs) to Washington generators for disposal of dangerous wastes; and

(ix) For informational purposes it must be shown how the capacity of the proposed facility or expansion will affect the overall capacity within the state, in conjunction with existing facilities in Washington.

(b) The notice of intent must be filed with the department, and copies must be made available for public review, no less than one hundred fifty days prior to filing an application for a permit or permit revision. Public notification of the notice of intent to file shall be given at the time of filing by announcement in a daily newspaper within the area of the proposed facility or expansion for a minimum of fourteen consecutive days. In addition, the department will send a copy of the notice of intent to the elected officials of the lead local government and all local governments within the potentially affected area as required by WAC 173-303-902 (5)(b)(i). The department will continue to coordinate with interested local governments throughout the review of the proposal.

(c) Reserved.

[Statutory Authority: Chapters 70.105 and 70.105D RCW. 95-22-008 (Order 94-30), § 173-303-281, filed 10/19/95, effective 11/19/95; 94-01-060 (Order 92-33), § 173-303-281, filed 12/8/93, effective 1/8/94. Statutory Authority: RCW 43.21A.080 and 70.105.210, et seq. 90-20-016, § 173-303-281, filed 9/21/90, effective 10/22/90. Statutory Authority: Chapter 70.105 RCW. 88-18-083 (Order 88-29), § 173-303-281, filed 9/6/88.]