Chapter 296-839 WAC

CONTENT AND DISTRIBUTION OF MATERIAL SAFETY DATA SHEETS (MSDSs) AND LABEL INFORMATION

WAC	
296-839-100	Scope.
296-839-200	Hazard evaluation.
296-839-20005	Conduct complete hazard evaluations.
296-839-20010	Provide access to hazard evaluation procedures.
296-839-300	Material safety data sheets.
296-839-30005	Develop or obtain material safety data sheets (MSDSs)
296-839-30010	Provide MSDSs for products shipped, transferred or sold over-the-counter.
296-839-30015	Follow-up if an MSDS is not provided.
296-839-400	Labeling.
296-839-40005	Label containers of hazardous chemicals.
296-839-500	Definitions.

WAC 296-839-100 Scope. This chapter sets minimum requirements for content and distribution of material safety data sheets (MSDSs) and labels for hazardous chemicals.

- This chapter applies when you do **one or more** of the following:
- Import, produce, or repackage chemicals, including manufactured items (such as bricks, welding rods, and sheet metal) that are not exempt as articles
- Sell or distribute hazardous chemicals to manufacturers, distributors or employers
- Choose to develop material safety data sheets (MSDSs) for a product you do not import or manufacture.

Reference:

See WAC 296-800-170, the Employer chemical hazard communication rule, for MSDSs, label, and other requirements that apply when hazardous chemicals are used in your workplace.

Note:

WAC

- Use Table 2 to determine which sections in this chapter apply to your workplace.
- Chapter 296-839 WAC, Content and Distribution of Material Safety Data Sheets (MSDSs) and Label Information, has been updated to WAC 296-901-140, Hazard communication. During the transition of the implementation dates below, employers can comply with this chapter or WAC 296-901-140, Hazard communication, until completion of the each effective date.

Effective Completion Date	Requirement(s)	Who
June 1, 2014	Train employees on the new label elements and safety data sheet (SDS) format.	Employers
June 1, 2015	Compliance with all modified provisions of this final rule, except:	Chemical manufacturers, importers, distributors
December 1, 2015	The distributor shall not ship containers labeled by the chemical manufacturer or importer unless it is a GHS label.	and employers

Effective Completion Date	Requirement(s)	Who
June 1, 2016	Update alternative workplace labeling and hazard communication program as necessary, and provide additional employee training for newly identified physical or health hazards.	Employers
Transition period to the effective completion dates noted above.	May comply with the applicable requirements in the following rules: WAC 296-800-170, Employer chemical hazard communication.	Chemical manufacturers, importers, distributors, and employers
	Chapter 296-839 WAC, Content and distribution of material safety data sheets (MSDSs) and label information.	
	WAC 296-901-140, Hazard communication.	

Exemptions:

- All of the following are always exempt from this chapter:
 - Ionizing and nonionizing radiation
 - Biological hazards
 - Tobacco and tobacco products
- The chemicals and items listed in Table 1 are exempt from this chapter **under the conditions specified.**

Table 1
Conditional Exemptions from this Chapter

Conditional Exemptions from this Chapter			
This chapter does NOT apply to	When		
Alcoholic beverages OR Foods	Sold, used, or prepared in a retail establishment (such as a grocery store, restaurant, bar, or tavern)		
An article (manufactured item)	 It is not a fluid or particle AND It is formed to a specific shape or design during manufacture for a particular end use function¹ 		
	AND It releases only trace amounts of a hazardous chemical during normal use ANDdoes not pose a physical or health risk to employees		

(6/16/15) [Ch. 296-839 WAC p. 1]

This chapter does NOT apply to	When		
Consumer products Produced or distributed for sale meeting the definition of "consumer products" in the Consumer Product Safety Act (see U.S. Code, Title 15, Chapter 47, section 2052²) OR	Both criteria apply: They are used in the workplace for the same purpose as intended by the manufacturer or importer		
 Hazardous household products Meeting the definition of "hazardous substances" in the Federal Hazardous Substance Act (see U.S. Code, Title 15, Chapter 30, section 1261²) 	- The duration and frequency of an employee's exposure is no more than the range of exposures that consumers might reasonably experience		
Cosmetics	Packaged and sold in retail establishments		
Meeting the definition for "drugs" in the Federal Food, Drug, and Cos- metic Act (see U.S. Code, Title 21, Chapter 9, Sub- chapter II, section 3212)	In solid, final form (for example, tablets, or pills) for direct administration to the patient OR Packaged and sold in retail establishments (for example, over-the-counter drugs) OR Intended for employee consumption while in the workplace (for example, first-aid supplies)		
Hazardous solid wastes Meeting the definition of "hazardous wastes" in the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act of 1976 (see U.S. Code, Title 42, Chapter 82, Subchapter I, section 6903²)	• Subject to the United States Environmental Protection Agency (EPA) regulations ³		

This chapter does NOT apply to	When		
Hazardous substances Released into the environment, meeting the definition of "hazardous substances" in the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) (see U.S. Code, Title 42, Chapter 103, Subchapter I, section 9601²)	• They are the focus of remedial or removal action being conducted under CERCLA in accordance with EPA regulations (Title 40 of the Code of Federal Regulations (C.F.R.) ³)		
Hazardous wastes Meeting the definition of "dangerous wastes" in the Hazardous Waste Management Act (see chapter 70.105 RCW ⁴)	 Subject to department of ecology regulations, chapter 173-303 WAC⁵, that address the accumulation, handling and management of hazardous waste, and describe all of the following: Safety Labeling Personnel training And other related requirements 		
 Solid wood OR Wood products (for example, lumber, and paper) 	 All of the following apply The material is not treated with hazardous chemicals The only hazard is potential flammability or combustibility The product is not 		
	expected to be processed (for example, by sanding or sawing)		

- 1 End use is dependent in whole, or in part, upon maintaining the item's original shape or design. If the item will be significantly altered from its original form, it can no longer be considered a manufactured item
- 2 This federal act is included in the United States Code. See http://www.access.gpo.gov/uscode/uscmain.html
- 3 EPA regulations are included in the Code of Federal Regulations (C.F.R.). See http://www.epa.gov
- 4 This state act is included in the Revised Code of Washington (RCW). The RCW compiles all permanent laws of the state. See http://www.leg.wa.gov/wsladm/default.htm
- 5 See http://www.ecy.wa.gov

Use Table 2 to find out which sections of this chapter apply to you. For example, if you import AND sell hazardous chemicals ALL sections apply. WAC 296-839-500 applies to all employers covered by the scope of this chapter.

[Ch. 296-839 WAC p. 2] (6/16/15)

Table 2
Section Application

	Then the sections marked with an "X" apply			
If you	20005 - 20010	30005	30010 - 30015	40005
• Import or produce chemicals	X	X		
• Sell or distribute hazardous chemicals to				
- Manufacturers				
OR				
- Distributors			X	X
OR				
- Employers (includes retail or wholesale transac- tions)				
Choose to develop MSDSs for a product you do not import or manufacture	X	X		

[Statutory Authority: RCW 49.17.010, 49.17.040, 49.17.050, 49.17.060, and chapter 49.17 RCW. WSR 15-13-097, § 296-839-100, filed 6/16/15, effective 8/3/15. Statutory Authority: RCW 49.17.010, 49.17.040, 49.17.050, and 49.17.060. WSR 03-01-096, § 296-839-100, filed 12/17/02, effective 6/1/03.]

WAC 296-839-200 Hazard evaluation. Your responsibility:

To make sure the hazardous chemicals are identified.

You must:

Conduct complete hazard evaluations

WAC 296-839-20005

Provide access to hazard evaluation procedures

WAC 296-839-20010.

[Statutory Authority: RCW 49.17.010, 49.17.040, 49.17.050, and 49.17.060. WSR 03-01-096, § 296-839-200, filed 12/17/02, effective 6/1/03.]

WAC 296-839-20005 Conduct complete hazard evaluations.

Important:

- Hazard evaluation is a process where hazards of chemicals are identified by reviewing available research or testing information. You are not required to perform your own laboratory research or testing to meet the requirements of this section
- Information from hazard evaluations is used to complete material safety data sheets (MSDSs) and labels
- MSDSs from your suppliers may be used to complete the hazard evaluation for chemicals you produce
- MSDSs and labels are **NOT** required for chemicals that are determined to be nonhazardous
- Importers and manufacturers are required to develop MSDSs. If you choose to develop MSDSs for a product you

do not import or manufacture, then this chapter also applies to you.

You must:

- (1) Describe in writing your procedures for conducting hazard evaluations.
- (2) Conduct a complete hazard evaluation for ALL chemicals you produce or import to determine if they are hazardous chemicals.
- Identify and consider available scientific evidence of health and physical hazards
- Evidence that meets the criteria in Table 3 must be used to establish a hazard
- Chemicals identified in a Table 4 source must be regarded as hazardous
- The scope of health hazards considered must include the categories in Tables 5 and 6
- If the chemical is a mixture, follow the additional criteria in Table 7.

If you find evidence that meets the criteria in Table 3, use it in your hazard evaluation.

Table 3 Criteria for Hazard Evidence			
Hazard	Criteria		
Health hazard	Where available, use human case reports of health effects AND One or more studies that		
	- Are based on human populations, if available, and animal populations ^{1,2}		
	- Report statistically significant conclusions of a hazardous effect or health hazard (as defined in this rule)		
	AND - Have been conducted following established scientific principles		
Physical hazard	Valid evidence that shows a chemical is any one of the following ³ :		

- If human data is not available, use results of tests done on animals and other available studies to predict health effects on employees (for example, effects resulting from short and long-term exposures to chemicals).
- In vitro studies alone do not generally form the basis of a finding of hazard.
- ³ These terms are defined in WAC 296-839-500.

(6/16/15) [Ch. 296-839 WAC p. 3]

Chemicals identified in the sources listed in Table 4 must be assumed to be hazardous (including carcinogens and potential carcinogens).

Table 4 Information Sources Identifying Hazardous Chemicals

- Sources that address a broad range of hazard categories:
 - Chapter 296-62 WAC, General Occupational Health Standards, WISHA
 - 29 C.F.R. Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA)
 - Threshold Limit Values for Chemical Substances and Physical Agents in the Work Environment, American Conference of Governmental Industrial Hygienists (ACGIH) (latest edition).
- Sources that identify carcinogens or potential carcinogens:
 - Chapter 296-62 WAC, General Occupational Health Standards, WISHA
 - 29 C.F.R. Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA)
 - National Toxicology Program (NTP), Annual Report on Carcinogens (latest edition)
 - International Agency for Research on Cancer (IARC) Monographs (latest editions).

Note:

The Registry of Toxic Effects of Chemical Substances is published by the National Institute for Occupational Safety and Health (NIOSH) and identifies chemicals found to be potential carcinogens by the NTP and IARC.

Chemicals meeting Table 5 definitions, along with the criteria for established evidence in Table 3, must be regarded as hazardous.

Table 5 is NOT intended to present all hazard categories or test methods. Available scientific data involving other test methods and animal species must also be evaluated to determine a chemical's hazards.

Table 5 Standard Health Hazard Categories		
A chemical is considered to be	If	
A carcinogen	The International Agency for Research on Cancer (IARC) considers it to be a carcinogen or potential carcinogen OR The National Toxicity Program (NTP) (latest edition) lists it as a carcinogen or potential carcinogen OR It is regulated by WISHA or OSHA as a carcinogen	

Table 5			
Standard Health Hazard Categories			
A chemical is considered to be	If		
• Corrosive	It causes visible destruction of, or irreversible alterations in, living tissue (not inanimate surfaces) by chemical action at the site of contact Example:		
• Toxic	Appendix A to 49 C.F.R. Part 173 and it destroys or changes (irreversibly) the structure of the tissu at the contact site after a four-hou		

[Ch. 296-839 WAC p. 4] (6/16/15)

Table 5			
Standard Health Hazard Categories			
A chemical is considered to be	If		
Highly toxic	• It has a median lethal dose (LD50) of 50 milligrams, or less, per kilogram of body weight when administered orally to albino rats weighing between 200 - 300 grams each OR • It has a median lethal dose (LD50) of 200 milligrams, or less, per kilogram of body weight when administered by continuous contact for twenty four		
	continuous contact for twenty-four hours (or less if death occurs within twenty-four hours) with the bare skin of albino rabbits weighing between 2 - 3 kilograms each		
	• It has a median lethal concentration of (LC50), in air, of: - 200 parts per million (by volume), or less, of gas or vapor OR		
	- 2 milligrams per liter, or less, of mist, fume, or dust, when administered by continuous inhalation for one hour (or less if death occurs within one hour) to albino rats weighing between 200 - 300 grams each		
• An irritant	• It is NOT corrosive, but causes a reversible inflammatory effect on living tissue by chemical action at the contact site Examples:		
	- The chemical is a skin irritant when tested on the intact skin of albino rabbits (by the methods of 16 C.F.R. 1500.41) for four hours exposure, (or by other appropriate techniques) and the exposure results in an empirical score of five or more - A chemical is an eye irritant if so determined under the procedure		
	listed in 16 C.F.R. 1500.42 or other appropriate techniques		
A sensitizer	• It causes a substantial proportion of exposed people or animals to develop an allergic reaction in normal tissue after repeated exposure		

Categories provided in Table 6 illustrate the broad range of target organ effects that must be considered when conducting hazard evaluations. Chemicals meeting Table 6 definitions, along with the criteria for established evidence in Table 3, must be regarded as hazardous.

Examples provided in Table 6 are **NOT** intended to be a complete list.

[Ch. 296-839 WAC p. 5]

Table 6 Examples of Target Organ Effect Categories Category			
Category	Definition	Examples of Signs and Symptoms	Examples of Chemicals
Hepatotoxins	Cause liver damage	Jaundice Liver enlargement	• Carbon tetrachloride • Nitrosamines
Nephrotoxins	Cause kidney damage	Edema Proteinuria	• Halogenated hydrocarbons • Cadmium
Neurotoxins	Cause primary toxic effects on the nervous system	Narcosis Behavioral changes Decrease in motor functions	 Mercury Carbon disulfide Lead
Chemicals that act on the • Blood OR • Hematopoietic (blood forming) system	Decrease hemoglobin function OR Deprive the body tissues of oxygen	Cyanosis Loss of consciousness	Carbon monoxideCyanidesBenzene
Chemicals that damage the lungs	• Irritate lungs OR • Damage pulmonary tissue	CoughTightness in chestShortness of breath	• Silica • Asbestos
Reproductive toxins	Affect reproductive capabilities, including: • Chromosomal damage (mutation) • Effects on fetuses (teratogenesis)	• Birth defects • Sterility	• Lead • 1,2-Dibromo-3-chloro- propane (DBCP) • Nitrous Oxide
Cutaneous (skin) hazards	Affect the dermal layer of the body	• Defatting of the skin • Rashes • Irritation	Ketones Chlorinated compounds
Eye hazards	Affect the eye or ability to see	Conjunctivitis Corneal damage	• Organic solvents • Acids

Table 7 Criteria for Evaluating Chemical Mixtures		
If a mixture	Then	
• Has been thoroughly tested as a whole for a physical or health hazard	You must use those results	
Has NOT been tested as a whole for a health hazard	You must: Evaluate EACH ingredient in the mixture to determine the hazards Consider the mixture to have the same hazard as each ingredient determined to be hazardous	
Has NOT been tested as a whole for physical hazards	You must: Use any scientifically valid data available to evaluate the potential physical hazards of the mixture	

[Statutory Authority: RCW 49.17.010, 49.17.040, 49.17.050, and 49.17.060. WSR 03-01-096, § 296-839-20005, filed 12/17/02, effective 6/1/03.]

WAC 296-839-20010 Provide access to hazard evaluation procedures.

You must:

- Provide access to your written hazard evaluation procedures when requested by any of the following:
 - Employees
 - Designated representatives of employees
- Representatives of the department of labor and industries
- Representatives of the National Institute for Occupational Safety and Health (NIOSH).

 $[Statutory\ Authority:\ RCW\ 49.17.010,\ 49.17.040,\ 49.17.050,\ and\ 49.17.060.\ WSR\ 03-01-096,\ \S\ 296-839-20010,\ filed\ 12/17/02,\ effective\ 6/1/03.]$

WAC 296-839-300 Material safety data sheets. Your responsibility:

To provide complete and accurate material safety data sheets (MSDSs).

You must:

Develop or obtain MSDSs WAC 296-839-30005

Provide MSDSs

WAC 296-839-30010

Follow-up if an MSDS is not provided WAC 296-839-30015.

[Ch. 296-839 WAC p. 6] (6/16/15)

[Statutory Authority: RCW 49.17.010, 49.17.040, 49.17.050, and 49.17.060. WSR 03-01-096, § 296-839-300, filed 12/17/02, effective 6/1/03.]

WAC 296-839-30005 Develop or obtain material safety data sheets (MSDSs).

You must:

- Develop or obtain a complete and accurate material safety data sheet (MSDS) for each hazardous chemical or mixture according to ALL of the following:
- ALL information in Table 8 must be completed. If there is no relevant information for a required item, this must be noted. Blank spaces are not permitted.

Note:

- No specific format is required for MSDSs; however, an example format (OSHA form 174) can be found online at: http://www.osha.gov
- One MSDS can be developed for a group of complex mixtures (for example, jet fuels or crude oil) IF the health and physical hazards of the mixtures are similar (the amounts of chemicals in the mixture may vary).
- Content of MSDSs must accurately represent the available scientific evidence.

Note:

You may report results of scientifically valid studies that tend to refute findings of hazards.

- MSDSs must be in English.

Note: You may develop copies of MSDSs in other languages.

You must:

- Revise an MSDS when you become aware of new and significant information regarding the hazards of a chemical, or how to protect against the hazards
- Within three months after you first become aware of the information

OR

- Before the chemical is reintroduced into the workplace if the chemical is no longer being used, produced or imported.

Table 8 Information Required on MSDSs

- The chemical's identity as it appears on the label
- The date the MSDS was prepared or updated
- A contact for additional information about the hazardous chemical and appropriate emergency procedures Include all of the following:
 - Name
 - Address
 - Telephone number of the responsible party preparing or distributing the MSDS
- The chemical's hazardous ingredients¹ as determined by your hazard evaluation
 - For a **single substance chemical**, include the chemical and common name(s) of the substance
 - For mixtures tested as a whole
 - Include the common name(s) of the mixture AND
 - List the chemical and common name(s) of ingredients that contribute to the known hazards

Table 8 Information Required on MSDSs

- For **mixtures NOT** tested as a whole, list the chemical and common name(s) of hazardous ingredients
 - That make up 1% or more of the mixture, by weight or volume, including carcinogens (if 0.1% concentration or more, by weight or volume)
- If ingredients are less than the above concentrations but may present a health risk to employees (for example, allergic reaction or exposure could exceed the permissible exposure limits, or PEL) they must be listed here
- Exposure limits for airborne concentrations. Include ALL of the following, when they exist:
 - WISHA or OSHA PELs2
 - The 8-hour time weighted average (TWA)
 - The short-term exposure limit (STEL), if available
 - Ceiling values, if available
 - Threshold limit values (TLVs) including 8-hour TWAs, STELs, and ceiling values
 - Other exposure limits used or recommended by the employer preparing the MSDS
- Physical and chemical characteristics
 - For example, boiling point, vapor pressure, and odor
- Fire, explosion data, and related information
 - For example, flashpoint, flammable and explosion limits, extinguishing media, and unusual fire or explosion hazards
- Physical hazards of the chemical including reactivity information
 - For example, incompatibilities, decomposition products, by-products, and conditions to avoid
- Health hazard information including ALL of the following:
 - Primary routes of exposure
 - For example, inhalation, ingestion, and skin absorption or other contact³
 - Health effects (or hazards) associated with:
 - Short-term exposure⁴

AND

- Long-term exposure⁴
- Whether the chemical is listed or described as a carcinogen or potential carcinogen in the latest editions of each of the following:
 - The National Toxicology Program (NTP) Annual Report on Carcinogens

OR

- The International Agency for Research on Cancer (IARC) Monographs as a potential carcinogen OR
- WISHA or OSHA rules
- Signs and symptoms of exposure⁵
- Medical conditions generally recognized as being aggravated by exposure
- Emergency and first-aid procedures

(6/16/15) [Ch. 296-839 WAC p. 7]

Table 8 Information Required on MSDSs

- Generally applicable precautions for safe handling and use known to the employer preparing the MSDS
 - For example, appropriate procedures for clean-up of spills and leaks, waste disposal method, precautions during handling and storing
- Generally applicable and appropriate control measures known to the employer preparing the MSDS, including ALL of the following:
 - Engineering controls (for example, general or local exhaust ventilation)
 - Work practices
 - Personal protective equipment (PPE)
 - Personal hygiene practices
 - Protective measures during repair and maintenance of contaminated equipment

¹The identities of some chemicals may be protected as trade secret information (see chapter 296-62 WAC, Part B-1, Trade secrets).

²WISHA PEL categories are defined, and values are provided, in chapter 296-841 WAC, Airborne contaminants.

³A "skin notation" listed with either an ACGIH TLV or WISHA/OSHA PEL indicates that skin absorption is a primary route of exposure.

⁴Examples of:

- Short-term health effects (or hazards) include eye irritation, skin damage caused by contact with corrosives, narcosis, sensitization, and lethal dose.
- Long-term health effects (or hazards) include cancer, liver degeneration, and silicosis.

⁵Signs and symptoms of exposure to hazardous substances include those that:

• Can be measured such as decreased pulmonary function

AND

• Are subjective such as feeling short of breath.

[Statutory Authority: RCW 49.17.010, 49.17.040, 49.17.050, 49.17.060. WSR 07-05-062, § 296-839-30005, filed 2/20/07, effective 4/1/07; WSR 05-03-093, § 296-839-30005, filed 1/18/05, effective 3/1/05; WSR 03-01-096, § 296-839-30005, filed 12/17/02, effective 6/1/03.]

WAC 296-839-30010 Provide MSDSs for products shipped, transferred or sold over-the-counter.

You must:

- Provide the correct MSDS to manufacturers, distributors and employers:
 - With the initial shipment or transfer of the product
- With the first shipment or transfer after an MSDS is updated

AND

- Whenever one is requested.

Note:

 MSDSs may be provided separately from containers as long as they are provided before or at the same time as the containers. For example, you may fax, or e-mail the MSDS.

- You are NOT required to provide MSDSs to retailers who inform you they
- Do not sell the product to commercial accounts
- Do not open the sealed product containers for use in their workplace.

You must:

• Follow the requirements in Table 9 for chemicals sold over-the-counter.

Table 9		
Requirements for Chemicals Sold Over-the-Counter (NOT Shipped)		
If you are a	Then	
Retail distributor WITH commercial accounts	Provide an MSDS to employers with commercial accounts when requested AND Post a sign, or otherwise inform employers, that MSDSs are available	
Retail distributor WITH- OUT commercial accounts	Provide the employer, when requested, with ALL of the following: Name Address Telephone number of the chemical manufacturer, importer, or distributor who can provide an MSDS	
Wholesale distributor selling products over-the-counter to employers	Provide an MSDS to employers with commercial accounts when requested AND Post a sign, or otherwise inform employers, that MSDSs are available	

[Statutory Authority: RCW 49.17.010, 49.17.040, 49.17.050, and 49.17.060. WSR 03-01-096, § 296-839-30010, filed 12/17/02, effective 6/1/03.]

WAC 296-839-30015 Follow-up if an MSDS is not provided.

You must:

• Obtain an MSDS from the chemical manufacturer, distributor or importer as soon as possible, if an MSDS is not provided for a shipment labeled as a hazardous chemical.

[Statutory Authority: RCW 49.17.010, 49.17.040, 49.17.050, and 49.17.060. WSR 03-01-096, § 296-839-30015, filed 12/17/02, effective 6/1/03.]

WAC 296-839-400 Labeling. Your responsibility:

To provide employers with containers of hazardous chemicals that are properly labeled.

[Statutory Authority: RCW 49.17.010, 49.17.040, 49.17.050, and 49.17.060. WSR 03-01-096, § 296-839-400, filed 12/17/02, effective 6/1/03.]

[Ch. 296-839 WAC p. 8] (6/16/15)

WAC 296-839-40005 Label containers of hazardous chemicals.

Exemption:

Containers are exempt from this section if ALL hazardous contents are listed in Table 11.

You must:

- Make sure every container of hazardous chemicals leaving the workplace is properly labeled. This includes ALL of the following:
- The identity of the hazardous chemical (the chemical or common name) that matches the identity used on the MSDS
 - An appropriate hazard warning
- The name and address of the chemical manufacturer, importer, or other responsible party
- Make sure labeling does not conflict with the requirements of:
- The Hazardous Materials Transportation Act (49 U.S.C. 1801 et seq.)

AND

- Regulations issued under the act by the U.S. Department of Transportation (Title 49 of the Code of Federal Regulations, Parts 171 through 180). See http://www.dot.gov
- Revise labels within three months of becoming aware of new and significant information about chemical hazards
- Provide revised labels on containers beginning with the first shipment after a revision, to manufacturers, distributors or employers
- Revise the label when a chemical is not currently used, produced or imported, before:
 - You resume shipping (or transferring) the chemical **OR**
 - The chemical is reintroduced in the workplace
 - Label information
 - Clearly written in English

AND

■ Prominently displayed on the container

Note:

When the conditions specified in Table 10 are met for the solid material products listed you are not required to provide labels for every shipment.

Table 10 Labeling for Solid Materials		
You need only send labels with the first shipment, IF the product is	And	
Whole grain	• It is shipped to the same	
Solid untreated wood	customer	
Solid metal For example: Steel beams, metal castings	No hazardous chemicals are part of or known to be present with the product which could expose employees during handling For example, cutting fluids on solid metal, and pesticides with grain	
Plastic items		

Exemptions:

The chemicals (and items) listed in Table 11 are **EXEMPT** from **THIS SECTION** under the conditions specified. Requirements in other sections still apply.

Table 11 Conditional Label Exemptions		
This section does not apply to	When the product is	
Pesticides Meeting the definition of "pesticides" in the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) (see Title 7, U.S.C. Chapter 6, Subchapter II, section 136¹)	Subject to Labeling requirements of FIFRA¹ AND Labeling regulations issued under FIFRA by the United States Environmental Protection Agency (EPA) (see Title 40 of the Code of Federal Regulations²)	
A chemical substance or mixture - Meeting the definition of "chemical substance" or "mixture" in the Toxic Substance Control Act (TSCA) (see Title 15 U.S.C. Chapter 53, Subchapter II, Section 2602¹)	Subject to - Labeling requirements of TSCA¹ AND - Labeling requirements issued under TSCA by the EPA (see Title 40 of the Code of Federal Regulations²)	
Each of the following: - Food - Food additives - Color additives - Drugs - Cosmetics - Medical devices or products - Veterinary devices or products - Waterials intended for use in these products (for example: Flavors, and fragrances) - As defined in - The Federal Food, Drug, and Cosmetic Act (see Title 21 U.S.C. Chapter 9, Subchapter II, Section 321¹) OR - Or the Virus-Serum Toxin Act of 1913 (see Title 21 U.S.C. Chapter 5, Section 151 et seq.¹)	• Subject to: - Labeling requirements in Federal Food, Drug, and Cosmetic Act, Virus-Serum Toxin Act of 1913, and issued regulations enforced by the United States ■ Food and Drug Administration (see Title 21 Parts 101-180 in the Code of Federal Regulations³) OR ■ Department of Agriculture (see Title 9, in the Code of Federal Regulations³)	

(6/16/15) [Ch. 296-839 WAC p. 9]

Table 11		
Conditional Label Exemptions		
This section does not apply to	When the product is	
- Regulations issued under these acts (see Title 21 Part 101 in the Code of Federal Regulations, and Title 9, in the Code of Federal Regulations ³)		
Each of the following: - Distilled spirits (beverage alcohols) AND - Wine AND - Malt beverage - As defined in - The Federal Alcohol Administration Act (see Title 27 U.S.C. Section 201¹) AND - Regulations issued under this act (see Title 27 in the Code of Federal Regulations)³	Subject to: - Labeling requirements of Federal Alcohol Administration Act ¹ AND - Labeling regulations issued under Federal Alcohol Administration Act by the Bureau of Alcohol, Tobacco, and Firearms (see Title 27 in the Code of Federal Regulations ³)	
• Consumer products AND • Hazardous substances - As defined in ■ The Consumer Product Safety Act (see 15 U.S.C. 2051 et seq.¹) AND ■ The Federal Hazardous Substances Act (see 15 U.S.C. 1261 et seq.¹)	Subject to:	
Agricultural seed AND Vegetable seed treated with pesticides	• Labeled as required by - The Federal Seed Act (see Title 7 U.S.C. Chapter 37 Section 1551 et seq.¹) AND - Labeling requirements issued under Federal Seed Act by the United States Department of Agriculture¹	

¹This federal act is included in the United States Code. See http://www.access.gpo.gov/uscode/uscmain.html

²See http://www.epa.gov

³See http://www.access.gpo.gov/nara/cfr/index.html

[Statutory Authority: RCW 49.17.010, 49.17.040, 49.17.050, 49.17.060. WSR 06-08-087, § 296-839-40005, filed 4/4/06, effective 9/1/06; WSR 03-01-096, § 296-839-40005, filed 12/17/02, effective 6/1/03.]

WAC 296-839-500 Definitions. The following definitions apply to this chapter:

Article (manufactured item)

A manufactured item that

• Is not a fluid or particle

AND

• Is formed to a specific shape or design during manufacture for a particular end use function

AND

• Releases only trace amounts of a hazardous chemical during normal use and does not pose a physical or health risk to employees.

Chemical

• An element or mixture of elements

OR

A compound or mixture of compounds

OR

A mixture of elements and compounds

Included are manufactured items (such as bricks, welding rods and sheet metal) that are not exempt as an article.

Chemical name

- The scientific designation of a chemical developed by the
- International union of pure and applied chemistry (IUPAC)

)R

- Chemical abstracts service (CAS) rules of nomenclature

OR

• A name that clearly identifies the chemical for the purpose of conducting a hazard evaluation.

Combustible liquid

Liquids with a flashpoint of at least 100°F (37.8°C) and below 200°F (93.3°C). A mixture with at least 99% of its components having flashpoints of 200°F (93.3°C), or higher, is not considered a combustible liquid.

Commercial account

An arrangement where a retailer is selling hazardous chemicals to an employer

• Generally in large quantities over time

OR

• At costs below regular retail price.

Common name

Any designation or identification used to identify a chemical other than the chemical name, such as a

• Code name or number

OR

· Trade or brand name

OR

• Generic name.

Compressed gas

- A contained gas or mixture of gases with an absolute pressure greater than:
 - 40 psi at 70°F (21.1°C)

[Ch. 296-839 WAC p. 10] (6/16/15)

OR

- 104 psi at 130°F (54.4°C) regardless of the pressure at 70°F (21.1°C)

OR

• A liquid with a vapor pressure greater than 40 psi at 100°F (37.8°C), as determined by ASTM D323-72.

Container

A vessel, other than a pipe or piping system, that holds a hazardous chemical. Examples include:

- Bags
- Barrels
- Bottles
- Boxes
- Cans
- Cylinders
- Drums
- · Reaction vessels
- Storage tanks
- Rail cars.

Designated representative

• An individual or organization with written authorization from an employee

OR

• A recognized or certified collective bargaining agent (not necessarily authorized by an employee)

OR

• A legal representative of a deceased or legally incapacitated employee.

Distributor

A business that supplies hazardous chemicals to other employers. Included are employers who conduct retail and wholesale transactions.

Explosive

A chemical that causes a sudden, almost instant release of pressure, gas, and heat when exposed to a sudden shock, pressure, or high temperature.

Flammable

A chemical in one of the following categories:

- Aerosols that, when tested using a method described in 16 C.F.R. 1500.45, yield either a:
- Flame projection of more than eighteen inches at full valve opening

OR

- A flashback (a flame extending back to the valve) at any degree of valve opening
- Gases that, at the temperature and pressure of the surrounding area, form a:
- Flammable mixture with air at a concentration of thirteen percent, by volume, or less

OR

- Range of flammable mixtures with air wider than twelve percent, by volume, regardless of the lower limit
- Liquids with a flashpoint below 100°F (37.8°C). A mixture with at least ninety-nine percent of its components having flashpoints of 100°F (37.8°C), or higher, is not considered a flammable liquid
- Solids, other than blasting agents or explosives, as defined in WAC 296-52-417 or 29 C.F.R. 1910.109(a), that:
- Is likely to cause fire through friction, moisture, absorption, spontaneous chemical change or retained heat from manufacturing or processing

OR

- That can be readily ignited (and when ignited burns so vigorously and persistently that it creates a serious hazard)

OR

- When tested by the method described in 16 C.F.R. 1500.44, ignite and burn with a self-sustained flame at a rate greater than 1/10th of an inch per second along its major axis.

Flashpoint

The minimum temperature at which a liquid gives off an ignitable concentration of vapor, when tested by any of the following measurement methods:

- Tagliabue closed tester. Use this for liquids with a viscosity less than, 45 Saybolt Universal Seconds (SUS) at 100°F (37.8°C), that do not contain suspended solids and do not tend to form a surface film under test. See American National Standard Method of Test for Flashpoint by Tag Closed Tester, Z11.24-1979 (ASTM D 56-79)
- Pensky-Martens closed tester. Use this for liquids with a viscosity equal to, or greater than, 45 SUS at 100°F (37.8°C) or for liquids that contain suspended solids or have a tendency to form a surface film under test. See American National Standard Method of Test for Flashpoint by Pensky-Martens Closed Tester, Z11.7-1979 (ASTM D 93-79)
- Setaflash closed tester. See American National Standard Method of Test for Flashpoint by Setaflash Closed Tester (ASTM D 3278-78)

Organic peroxides, which undergo auto accelerating thermal decomposition, are excluded from any of the flashpoint measurement methods specified above.

Hazardous chemical

A chemical, which is a physical or health hazard.

Hazard warning

Words, pictures or symbols (alone or in combination) that appear on labels (or other forms of warning such as placards or tags) that communicate specific physical and health hazards (including target organ effects) associated with chemicals in a container.

Health hazard

A chemical that may cause health effects in short or long-term exposed employees based on statistically significant evidence from a single study conducted by using established scientific principles.

Health hazards include, but are not limited to, any of the following:

- Carcinogens
- Toxic or highly toxic substances
- Reproductive toxins
- Irritants
- Corrosives
- Sensitizers
- Hepatotoxins (liver toxins)
- Nephrotoxins (kidney toxins)
- Neurotoxins (nervous system toxins)
- Substances that act on the hematopoietic system (blood or blood forming system)
- Substances that can damage the lungs, skin, eyes, or mucous membranes.

Identity

A chemical or common name listed on the material safety data sheet (MSDS) and label.

(6/16/15) [Ch. 296-839 WAC p. 11]

Importer

The first business, within the Customs Territory of the United States, that receives hazardous chemicals produced in other countries and supplies them to manufacturers, distributors or employers within the United States.

Label

Written, printed, or graphic material displayed on, or attached to, a container of hazardous chemicals.

Manufacturer

An employer with a workplace where one or more chemicals (including items not exempt as "articles," see Table 1 in this chapter) are produced for use or distribution.

Material safety data sheet (MSDS)

Written, printed or electronic information (on paper, microfiche, or on-screen) that informs manufacturers, distributors or employers about the chemical, its hazards and protective measures as required by this rule.

Mixture

A combination of two or more chemicals that retain their chemical identify after being combined.

Organic peroxide

An organic compound containing the bivalent-O-Ostructure. It may be considered a structural derivative of hydrogen peroxide if one or both of the hydrogen atoms has been replaced by an organic radical.

Oxidizer

A chemical, other than a blasting agent or explosive as defined in WAC 296-52-417 or 29 C.F.R. 1910.109(a), that starts or promotes combustion in other materials, causing fire either of itself or through the release of oxygen or other gases.

Permissible exposure limits

See chapter 296-841 WAC, for definition of this term.

Physical hazards

A chemical that has scientifically valid evidence to show it is one of the following:

- A combustible liquid
- · A compressed gas
- Explosive
- Flammable
- An organic peroxide
- · An oxidizer
- Pyrophoric
- Unstable (reactive)
- Water-reactive.

Produce

To do one or more of the following:

- Manufacture
- Process
- Formulate
- · Blend
- Extract
- Generate
- Emit
- Repackage.

Pyrophoric

Chemicals that ignite spontaneously in the air at a temperature of 130°F (54.4°C) or below.

Responsible party

Someone who can provide more information about the hazardous chemical and appropriate emergency procedures.

Retailer

See "distributor."

Threshold limit values (TLVs)

Airborne concentrations of substances established by the American Conference of Governmental Industrial Hygienists (ACGIH), and represent conditions under which it is believed that nearly all workers may be repeatedly exposed day after day without adverse health effects.

TLVs are specified in the most recent edition of the Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices and include the following categories:

- Threshold limit value-time-weighted average (TLV-TWA)
- Threshold limit value-short-term exposure limit (TLV-STEL)
 - Threshold limit value-ceiling (TLV-C).

Unstable (reactive)

A chemical in its pure state, or as produced or transported, that will vigorously polymerize, decompose, condense, or become self-reactive under conditions of shocks, pressure or temperature.

Use

To do one or more of the following:

- Package
- Handle
- React
- Emit Extract
- · Generate as a by-product
- · Transfer.

Water-reactive

A chemical that reacts with water to release a gas that is either flammable or presents a heath hazard.

Wholesaler

See "distributor."

[Statutory Authority: RCW 49.17.010, 49.17.040, 49.17.050, 49.17.060. WSR 05-03-093, § 296-839-500, filed 1/18/05, effective 3/1/05; WSR 03-01-096, § 296-839-500, filed 12/17/02, effective 6/1/03.]

[Ch. 296-839 WAC p. 12] (6/16/15)