

***(Effective until July 1, 2020)***

**WAC 51-50-480907 Structural.**

**907.4.1 Evaluation and analysis.** An engineering evaluation and analysis that establishes the structural adequacy of the altered structure shall be prepared by a registered design professional and submitted to the code official. For structures assigned to Seismic Design Category D, the registered design professional shall submit to the code official a seismic evaluation report of the existing building based on one of the procedures specified in Section 301.1.4.2. This seismic evaluation report shall not be required for buildings in compliance with the benchmark building provisions of ASCE/SEI.

[Statutory Authority: RCW 19.27.031 and 19.27.074. WSR 16-03-064, § 51-50-480907, filed 1/19/16, effective 7/1/16. Statutory Authority: RCW 19.27.031 and chapters 19.27 and 34.05 RCW. WSR 13-04-067, § 51-50-480907, filed 2/1/13, effective 7/1/13.]

***(Effective July 1, 2020)***

**WAC 51-50-480907 Reserved.**

[Statutory Authority: RCW 19.27.031 and 19.27.074. WSR 20-01-090, § 51-50-480907, filed 12/12/19, effective 7/1/20; WSR 16-03-064, § 51-50-480907, filed 1/19/16, effective 7/1/16. Statutory Authority: RCW 19.27.031 and chapters 19.27 and 34.05 RCW. WSR 13-04-067, § 51-50-480907, filed 2/1/13, effective 7/1/13.]