

WAC 246-310-818 Special circumstances one- or two-station expansion—Eligibility criteria and application process. (1) The department will approve one or two additional special circumstance stations for an existing kidney dialysis facility (facility) if it meets the following criteria, regardless of whether the need methodology in WAC 246-310-812 projects a need for additional stations in the planning area:

(a) For 4.8 planning areas, the facility has operated at or above an average of 5.0 patients per station for the most recent six consecutive month period preceding the letter of intent submission date for which data is available. Data used to determine patients per station must be obtained from the Northwest Renal Network; or

(b) For 3.2 planning areas, the facility has operated at or above an average of 3.5 patients per station for the most recent six consecutive month period preceding the letter of intent submission date for which data is available. Data used to determine patients per station must be obtained from the Northwest Renal Network; and

(c) The facility can accommodate one or two additional stations within its existing building, which may include shelved space. If renovation is needed to accommodate the additional station(s), renovation must be within the existing building.

(2) The department may approve special circumstance station expansions even if other kidney dialysis facilities not owned or affiliated with the applicant in the planning area are below the minimum patients per station operating thresholds set by WAC 246-310-812 (5) or (6).

(3) A facility approved for two special circumstance stations under subsection (1) of this section is not eligible for further special circumstance expansions under this subsection until the department awards additional nonspecial circumstances kidney dialysis stations in the planning area.

(4) As of the effective date of these rules, a facility that has relocated all or part of its stations may not request a special circumstance one- or two-station expansion until three years have lapsed from the date the stations become operational. The three-year prohibition applies to any new kidney dialysis facility or facilities whose station count is changed by the relocation of stations. The three-year prohibition will be retrospectively applied only to kidney dialysis facilities that were approved for partial or complete relocation after January 1, 2015.

(5) For 4.8 planning areas, a facility is ineligible for a special circumstance one- or two-station expansion if the owner or affiliate has approved certificate of need stations in the planning area that have operated below an average of 4.5 patients per station for the most recent six consecutive month period preceding the letter of intent submission date. Data used to calculate patients per station must be obtained from the Northwest Renal Network.

(6) For 3.2 planning areas, a facility is ineligible for a special circumstance one- or two-station expansion if the owner or affiliate has approved certificate of need stations in the planning area that have operated below an average of 3.2 patients per station for the most recent six consecutive month period preceding the letter of intent submission date. Data used to calculate patients per station must be obtained from the Northwest Renal Network.

(7) For 4.8 planning areas, a special circumstance one- or two-station expansion will not be approved if, with the requested new sta-

tion(s), the applicant's kidney dialysis facility would fall below a calculated 4.5 patients per station. Data used to make this calculation is the average patients per station from subsection (1)(a) of this section.

(8) For 3.2 planning areas, a special circumstance one- or two-station expansion will not be approved if, with the requested new stations(s), the applicant's kidney dialysis facility would fall below a calculated 3.0 patient per station. Data used to make this calculation is the average patients per station from subsection (1)(b) of this section.

(9) If a provider operates one or more kidney dialysis facilities within a planning area and applies for a special circumstance one- or two-station expansion in the planning area the department will not accept a letter of intent from that provider for additional stations to meet projected planning area need in the next nonspecial circumstance concurrent review cycle.

(10) Station(s) approved under this section must be operational within six months of approval, otherwise the approval is revoked.

(11) The department will provide a special circumstance one- or two-station expansion application form that incorporates the criteria for certificate of need approval. The application will not be approved unless the criteria are met. Special circumstances applications are evaluated independently of one another and accordingly without reference to the superiority criteria set forth in WAC 246-310-827. Therefore, multiple special circumstances applications may be approved in the same planning area during the same concurrent review cycle.

(12) Applicants must submit special circumstance one- or two-station expansion applications according to the schedule set forth in WAC 246-310-806(1).

(13) Special circumstance station applications will be treated as approved and will reduce net station need in the planning area when no nonspecial circumstance applications decisions are pending within the planning area. Special circumstance application approvals will not result in a reduction of net station need in the planning area when nonspecial circumstance application approvals decisions are pending within the planning area.

[Statutory Authority: RCW 70.38.135. WSR 17-04-062, § 246-310-818, filed 1/27/17, effective 1/1/18.]