

**WAC 16-324-420 Postharvest test tolerances.**

TOLERANCE TABLE: PERCENT DISEASE

| Factor                                | NUCLEAR | G1   | G2   | G3   | G4   | G5   |
|---------------------------------------|---------|------|------|------|------|------|
| Leafroll                              | 0.00    | 0.25 | 0.50 | 0.75 | 1.00 | 2.00 |
| Mosaic<br>(includes ELISA<br>for PVY) | 0.00    | 0.25 | 0.50 | 1.00 | 1.50 | 2.00 |
| Total virus                           | 0.00    | 0.50 | 0.75 | 1.00 | 1.50 | 3.00 |

[Statutory Authority: RCW 15.14.015 and chapter 34.05 RCW. WSR 13-12-014, § 16-324-420, filed 5/24/13, effective 6/24/13. Statutory Authority: RCW 15.14.030. WSR 97-11-028, § 16-324-420, filed 5/14/97, effective 6/14/97. Statutory Authority: Chapters 34.05 and 15.14 RCW. WSR 92-22-017 (Order 4014), § 16-324-420, filed 10/22/92, effective 11/22/92. Statutory Authority: Chapter 15.14 RCW. WSR 78-12-034 (Order 1587), § 16-324-420, filed 11/21/78; Order 1199, § 16-324-420, filed 5/5/71, effective 6/7/71.]